




64 STONE SHEEP CIRCLE

From the owner's plans, Larson House 6/11/26

Framing

Wall types, door and window rough openings, headers and blocking. Walls numbered W1 up, exterior first.

- Exterior 2x6 (brown), wet walls 2x6 (blue), partitions 2x4 (tan).
- Tags: W walls, windows in blue, doors in purple.
- Roof trusses assumed; interior walls non-bearing.

Top of sheet = rear (patio). Bottom = front (porch).
Grid: 5 ft, feet from the garage door wall (X) and from the master bedroom's rear wall (Y).

SHEET
draft

S-1

S-1 Framing - 64 Stone Sheep Circle

Wall types, door and window rough openings, headers and blocking. Walls numbered W1 up, exterior first. App version v1. From the owner's plans (Larson House, 6/11/26).

Notes

1. Walls are 2×6 exterior and 2×4 interior as drawn on A-1 (5-1/2" and 3-1/2"); wet walls behind toilets, tubs, showers, sinks and the washer go 2×6.
2. Plate height 9'-0" (A-2: all interior ceilings 9' except the 4:12 vault over kitchen and living). Precut studs for a 9' wall: 104-5/8".
3. Roof framing is not in the plan set. Trusses bearing on the exterior walls are assumed; with that, interior walls are non-bearing. The vault over kitchen and living needs scissor trusses or a ridge beam: truss designer or engineer to confirm.
4. Door rough openings: leaf + 2" wide, + 2-1/2" tall. Window rough openings: unit + 1/2" each way (confirm with the window maker).
5. Headers on exterior walls sized for a single-story truss roof; the two 9' garage door headers are LVLs to be sized by the engineer or truss/LVL supplier.
6. Garage separation: 5/8" Type X on the garage side of the walls to the house and on the garage ceiling; D6 is a 20-minute self-closing door.
7. Blocking: grab bars at every toilet, tub and shower (ADA toilets drawn), towel bars, vanity tops, wall cabinets, TV at the fireplace wall, the curved washer/dryer.

Open items

- Window sizes and heights are scaled from the elevations; confirm the window schedule with the supplier before framing.
- Bedroom 3's only window (W17, 4'x4') scales with a 4'-0" sill: above the 44" egress limit. Lower it or use a casement sized for egress.
- Interior door heights are not on the plans (8'-0" assumed to match the exterior doors on the elevations).
- Roof: truss layout, vault framing over kitchen/living and the patio's 6:12 vaulted ceiling.
- Fireplace insert: chimney chase framing through the vaulted living ceiling and roof; clearances per the insert's manual.
- Living room label on A-1 says 17'-4" wide; the walls measure about 20'-5". Framing follows the walls.
- Foundation type (slab assumed: the garage and mechanical floor drains) and anchor schedule.

Wall schedule

Wall	Type	Length	Between	Openings	Studs	Notes
W1	2×6 exterior	5'-6 1/2"	outside, Master Bed	—	10	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W2	2×6 exterior	5'-6 1/2"	Master Bed, outside	—	10	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W3	2×6 exterior	14'-1"	outside, Master Bed	W1, W2	24	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W4	2×6 exterior	32'-1/2"	outside, Master Bath, Master Closet	—	30	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends

Wall	Type	Length	Between	Openings	Studs	Notes
W5	2×6 exterior	40'-8"	Bath 1, outside, Bedroom 2, Bath 2	W13, W14	44	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W6	2×6 exterior	10'-2"	outside, Master Bath	W3	15	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W7	2×6 exterior	13'-2"	outside, Dining	W4, W5, W6	27	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W8	2×6 exterior	19'-0"	outside, Bedroom 1, Bath 1	W11, W12	28	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W9	2×6 exterior	11'-3 1/2"	Dining, Covered Patio	W7, W8	22	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W10	2×6 exterior	11'-3 1/2"	Covered Patio, Bedroom 1	—	14	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W11	2×6 exterior	19'-10"	Covered Patio, Living	W9, W10, D2	29	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W12	2×6 exterior	30'-11"	outside, Garage	D4, D5	31	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W13	2×6 exterior	4'-11"	outside, Garage	D3	12	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W14	2×6 exterior	5'-6"	Closet (Bedroom 3), outside	—	10	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W15	2×6 exterior	8'-0"	Bedroom 3, outside	—	11	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W16	2×6 exterior	46'-7 1/2"	Pantry, Front Porch, Office, Bedroom 3	W15, W16, W17, D1	49	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W17	2×6 exterior	16'-4 1/2"	Garage, Front Porch, outside	—	18	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W18	2×6 exterior	2'-11 1/2"	outside, Garage	—	8	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W19	2×6 exterior	14'-6"	Garage, outside	W18	20	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W20	2×6 exterior	15'-1 1/2"	Garage, outside	W19, W20	25	PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends
W21	2×6 wet wall	12'-3 1/2"	Master Bath, Master Bed	D9	18	2×6 for 3" drains and vents
W22	2×6 wet wall	48'-2 1/2"	Kitchen, Mud Room	D7, O1, O2	50	2×6 for 3" drains and vents
W23	2×6 wet wall	15'-8 1/2"	Bedroom 1, Bath 1, Closet (Bedroom 2)	D19	21	2×6 for 3" drains and vents

Wall	Type	Length	Between	Openings	Studs	Notes
W24	2×4 partition	2'-8"	Master Bath	—	8	—
W25	2×6 wet wall	5'-1 1/2"	Bath 1, Closet (Bedroom 2)	—	9	2×6 for 3" drains and vents
W26	2×4 partition	36'-5"	Living, Bedroom Hall, Office, Bedroom 3	O3	36	—
W27	2×4 partition	14'-1"	Master Bed, Laundry, Master Hall	D8	19	—
W28	2×4 partition	4'-2"	Laundry	—	9	—
W29	2×6 wet wall	12'-5"	Laundry, Master Hall, Powder	—	15	2×6 for 3" drains and vents
W30	2×6 wet wall	4'-0"	Master Bath	—	8	2×6 for 3" drains and vents
W31	2×4 partition	13'-1 1/2"	Bedroom 1, Bedroom Hall, Bedroom 1 Closet	D17, D18	19	—
W32	2×4 partition	20'-9"	Bedroom Hall, Bedroom 2, Bath 2	D21, D22	29	—
W33	2×4 partition	14'-2"	Bedroom 1 Closet, Bedroom 2, Closet (Bedroom 2)	D20	20	—
W34	2×6 wet wall	5'-6"	Master Hall, Powder	—	10	2×6 for 3" drains and vents
W35	2×4 partition	2'-1/2"	Laundry	—	7	—
W36	2×4 partition	14'-7"	Master Closet, Laundry, Mud Room	D11	20	—
W37	2×6 wet wall	10'-3"	Master Bath, Master Closet	D10	17	2×6 for 3" drains and vents
W38	2×4 partition	5'-6"	Powder, Mud Room	D13	14	—
W39	2×4 partition	8'-4 1/2"	Laundry, Mud Room	D12	15	—
W40	2×4 partition	10'-3"	Master Closet, Garage	—	13	garage separation: 5/8" Type X on the garage side, seal penetrations
W41	2×6 wet wall	14'-2"	Bedroom 2, Bath 2	—	16	2×6 for 3" drains and vents
W42	2×4 partition	5'-8"	Garage, Mud Room	—	10	garage separation: 5/8" Type X on the garage side, seal penetrations

Wall	Type	Length	Between	Openings	Studs	Notes
W43	2×4 partition	9'-1"	Mud Room, Garage	—	12	garage separation: 5/8" Type X on the garage side, seal penetrations
W44	2×6 wet wall	18'-6"	Bath 2, Bedroom 3, Closet (Bedroom 3)	D23	22	2×6 for 3" drains and vents
W45	2×4 partition	5'-0"	Bedroom 3, Closet (Bedroom 3)	D24	13	—
W46	2×4 partition	5'-1"	Mud Room, Garage	D6	12	garage separation: 5/8" Type X on the garage side, seal penetrations
W47	2×4 partition	3'-7"	Kitchen, Coat Closet	—	8	—
W48	2×4 partition	10'-9 1/2"	Coat Closet, Entry, Pantry	D15	18	—
W49	2×4 partition	10'-9 1/2"	Entry, Office	D16	16	—
W50	2×4 partition	2'-0"	Kitchen	—	7	—
W51	2×4 partition	12'-9 1/2"	Living, Office	—	15	—
W52	2×4 partition	7'-8"	Kitchen, Mechanical, Pantry	—	11	—
W53	2×4 partition	8'-1"	Mechanical, Pantry	—	12	—
W54	2×4 partition	2'-0"	Pantry	—	7	—

Door schedule

Door	Name	Type	Leaf	Rough opening	Header	Between
D1	Front entry	exterior entry door	3'-0" x 8'-0"	3'-2" x 8'-2 1/2"	2-2×8 + 1/2" ply, 1 jack each end	Entry / Front Porch
D2	Patio French doors	French door pair	6'-0" x 8'-0"	6'-2" x 8'-2 1/2"	2-2×12 + 1/2" ply, 2 jacks each end	Living / Covered Patio
D3	Garage service door	exterior door	3'-0" x 6'-8"	3'-2" x 6'-10 1/2"	2-2×8 + 1/2" ply, 1 jack each end	Garage / outside
D4	Garage door 1	overhead garage door	9'-0" x 8'-0"	9'-0" x 8'-0" (door maker's RO)	3-1/2" x 11-7/8" LVL (engineer to confirm), 2 jacks each end	Garage / outside
D5	Garage door 2	overhead garage door	9'-0" x 8'-0"	9'-0" x 8'-0" (door maker's RO)	3-1/2" x 11-7/8" LVL (engineer to confirm), 2 jacks each end	Garage / outside

Door	Name	Type	Leaf	Rough opening	Header	Between
D6	Garage to mud room	20-min fire-rated, self-closing	3'-0" x 8'-0"	3'-2" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Garage / Mud Room
D7	Mechanical (from garage)	door pair	5'-0" x 8'-0"	5'-2" x 8'-2 1/2"	2-2×6 (non-bearing)	Garage / Mechanical
D8	Master bedroom	swing door	3'-0" x 8'-0"	3'-2" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Master Hall / Master Bed
D9	Master bed to bath	cased opening	3'-0" x 8'-0"	3'-0" x 8'-0" cased	flat 2×4 + cripples (non-bearing)	Master Bed / Master Bath
D10	Master bath to closet	cased opening	2'-6" x 8'-0"	2'-6" x 8'-0" cased	flat 2×4 + cripples (non-bearing)	Master Bath / Master Closet
D11	Master closet to laundry	pocket door	2'-6" x 8'-0"	5'-1" x 8'-2 1/2" (pocket frame)	2-2×4 on flat (non-bearing)	Master Closet / Laundry
D12	Laundry	swing door	2'-8" x 8'-0"	2'-10" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Mud Room / Laundry
D13	Powder	swing door	2'-6" x 8'-0"	2'-8" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Mud Room / Powder
D14	Pantry	cased opening	2'-6" x 8'-0"	2'-6" x 8'-0" cased	flat 2×4 + cripples (non-bearing)	Kitchen / Pantry
D15	Coat closet	swing door	2'-0" x 8'-0"	2'-2" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Entry / Coat Closet
D16	Office French doors	French door pair	5'-0" x 8'-0"	5'-2" x 8'-2 1/2"	2-2×6 (non-bearing)	Entry / Office
D17	Bedroom 1	swing door	3'-0" x 8'-0"	3'-2" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Bedroom Hall / Bedroom 1
D18	Bedroom 1 closet	bypass (sliding) pair	6'-0" x 8'-0"	6'-2" x 8'-2 1/2"	2-2×6 (non-bearing)	Bedroom 1 / Bedroom 1 Closet
D19	Bath 1	swing door	2'-6" x 8'-0"	2'-8" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Bedroom 1 / Bath 1
D20	Bedroom 2 closet	swing door	2'-6" x 8'-0"	2'-8" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Bedroom 2 / Closet (Bedroom 2)
D21	Bedroom 2	swing door	2'-6" x 8'-0"	2'-8" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Bedroom Hall / Bedroom 2
D22	Bath 2	swing door	2'-6" x 8'-0"	2'-8" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Bedroom Hall / Bath 2
D23	Bedroom 3	swing door	2'-8" x 8'-0"	2'-10" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Bedroom Hall / Bedroom 3
D24	Bedroom 3 closet	swing door	2'-6" x 8'-0"	2'-8" x 8'-2 1/2"	2-2×4 on flat (non-bearing)	Bedroom 3 / Closet (Bedroom 3)

Door	Name	Type	Leaf	Rough opening	Header	Between
O1	Kitchen to master hall	cased opening	3'-5" x 8'-0"	3'-5" x 8'-0" cased	flat 2×4 + cripples (non-bearing)	Kitchen / Master Hall
O2	Kitchen to mud room	cased opening	3'-7" x 8'-0"	3'-7" x 8'-0" cased	flat 2×4 + cripples (non-bearing)	Kitchen / Mud Room
O3	Living to bedroom hall	cased opening	3'-7" x 8'-0"	3'-7" x 8'-0" cased	flat 2×4 + cripples (non-bearing)	Living / Bedroom Hall

Window schedule

Window	Room	Unit	Rough opening	Head / sill	Header	Egress
W1	Master Bed	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0")
W2	Master Bed	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0")
W3	Master Bath	4'-6" x 3'-0"	4'-6 1/2" x 3'-1/2"	8'-0" / 5'-0"	2-2×10 + 1/2" ply, 1 jack each end	—
W4	Dining	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—
W5	Dining	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—
W6	Dining	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—
W7	Dining	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—
W8	Dining	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—
W9	Living	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—
W10	Living	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—
W11	Bedroom 1	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0")
W12	Bedroom 1	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0")
W13	Bedroom 2	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0")
W14	Bedroom 2	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0")

Window	Room	Unit	Rough opening	Head / sill	Header	Egress
W15	Pantry	4'-0" x 4'-0"	4'-1/2" x 4'-1/2"	8'-0" / 4'-0"	2-2×10 + 1/2" ply, 1 jack each end	—
W16	Office	4'-0" x 4'-0"	4'-1/2" x 4'-1/2"	8'-0" / 4'-0"	2-2×10 + 1/2" ply, 1 jack each end	—
W17	Bedroom 3	4'-0" x 4'-0"	4'-1/2" x 4'-1/2"	8'-0" / 4'-0"	2-2×10 + 1/2" ply, 1 jack each end	Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 4'-0" — too high)
W18	Garage	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—
W19	Garage	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—
W20	Garage	2'-6" x 5'-0"	2'-6 1/2" x 5'-1/2"	8'-0" / 3'-0"	2-2×8 + 1/2" ply, 1 jack each end	—

Lumber, sheathing and drywall

Rough-order quantities from the wall data, for pricing. The framer takes off the final list.

Item	Quantity	Basis	Notes
Exterior wall, 2×6	328 lf	437 studs 2×6×9' (104-5/8" precut for 9' plate)	PT 2×6 bottom plate + double top plate
Wet walls, 2×6	146 lf	186 studs 2×6 precut	
Partitions, 2×4	229 lf	350 studs 2×4 precut	PT bottom plate on slab
Plates	2×6: 1,421 lf · 2×4: 686 lf	one bottom, two top	buy 16' lengths: 98 × 2×6, 48 × 2×4 (10% waste)
Wall sheathing	100 sheets 7/16" OSB 4×8	exterior walls incl. garage, rim to top plate, 10% waste	plus housewrap
Drywall, walls	7,580 sf · 174 sheets 1/2" 4×12	house walls, both faces of partitions, less openings	
Drywall, ceilings	3,024 sf · 70 sheets 5/8" ceiling board 4×12	flat 2,080 sf + vault 943 sf (4:12)	
Drywall, garage	1,213 sf · 28 sheets 5/8" Type X 4×12	walls to the house and the ceiling	tape and seal for the house separation
Tile backer	272 sf cement board	two showers to 8', tub surround to 6'	pedestal tub needs none
Studs, total	973 pcs	kings, jacks and corners included	add 10% for blocking and waste