




## 64 STONE SHEEP CIRCLE

From the owner's plans, Larson House 6/11/26

### Framing

Wall types, door and window rough openings, headers and blocking. Walls numbered W1 up, exterior first.

- Exterior 2×6 (brown), wet walls 2×6 (blue), partitions 2×4 (tan).
- Tags: W walls, windows in blue, doors in purple.
- Roof trusses assumed; interior walls non-bearing.

Top of sheet = rear (patio). Bottom = front (porch).  
Grid: 5 ft. feet from the garage door wall (X) and from the master bedroom's rear wall (Y).

SHEET  
draft

**S-1**

# S-1 Framing - 64 Stone Sheep Circle

Wall types, door and window rough openings, headers and blocking. Walls numbered W1 up, exterior first. App version v1. From the owner's plans (Larson House, 6/11/26).

## Notes

1. Walls are 2×6 exterior and 2×4 interior as drawn on A-1 (5-1/2" and 3-1/2"); wet walls behind toilets, tubs, showers, sinks and the washer go 2×6.
2. Plate height 9'-0" (A-2: all interior ceilings 9' except the 4:12 vault over kitchen and living). Precut studs for a 9' wall: 104-5/8".
3. Roof framing is not in the plan set. Trusses bearing on the exterior walls are assumed; with that, interior walls are non-bearing. The vault over kitchen and living needs scissor trusses or a ridge beam: truss designer or engineer to confirm.
4. Door rough openings: leaf + 2" wide, + 2-1/2" tall. Window rough openings: unit + 1/2" each way (confirm with the window maker).
5. Headers on exterior walls sized for a single-story truss roof; the two 9' garage door headers are LVLs to be sized by the engineer or truss/LVL supplier.
6. Garage separation: 5/8" Type X on the garage side of the walls to the house and on the garage ceiling; D6 is a 20-minute self-closing door.
7. Blocking: grab bars at every toilet, tub and shower (ADA toilets drawn), towel bars, vanity tops, wall cabinets, TV at the fireplace wall, the curved washer/dryer.

## Open items

- Window sizes and heights are scaled from the elevations; confirm the window schedule with the supplier before framing.
- Bedroom 3's only window (W17, 4'x4') scales with a 4'-0" sill: above the 44" egress limit. Lower it or use a casement sized for egress.
- Interior door heights are not on the plans (8'-0" assumed to match the exterior doors on the elevations).
- Roof: truss layout, vault framing over kitchen/living and the patio's 6:12 vaulted ceiling.
- Fireplace insert: chimney chase framing through the vaulted living ceiling and roof; clearances per the insert's manual.
- Living room label on A-1 says 17'-4" wide; the walls measure about 20'-5". Framing follows the walls.
- Foundation type (slab assumed: the garage and mechanical floor drains) and anchor schedule.

## Wall schedule

| Wall | Type         | Length    | Between                             | Openings | Studs | Notes                                                                               |
|------|--------------|-----------|-------------------------------------|----------|-------|-------------------------------------------------------------------------------------|
| W1   | 2×6 exterior | 5'-6 1/2" | outside, Master Bed                 | —        | 10    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W2   | 2×6 exterior | 5'-6 1/2" | Master Bed, outside                 | —        | 10    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W3   | 2×6 exterior | 14'-1"    | outside, Master Bed                 | W1, W2   | 24    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W4   | 2×6 exterior | 32'-1/2"  | outside, Master Bath, Master Closet | —        | 30    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |

| Wall | Type         | Length     | Between                                | Openings          | Studs | Notes                                                                               |
|------|--------------|------------|----------------------------------------|-------------------|-------|-------------------------------------------------------------------------------------|
| W5   | 2×6 exterior | 40'-8"     | Bath 1, outside, Bedroom 2, Bath 2     | W13, W14          | 44    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W6   | 2×6 exterior | 10'-2"     | outside, Master Bath                   | W3                | 15    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W7   | 2×6 exterior | 13'-2"     | outside, Dining                        | W4, W5, W6        | 27    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W8   | 2×6 exterior | 19'-0"     | outside, Bedroom 1, Bath 1             | W11, W12          | 28    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W9   | 2×6 exterior | 11'-3 1/2" | Dining, Covered Patio                  | W7, W8            | 22    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W10  | 2×6 exterior | 11'-3 1/2" | Covered Patio, Bedroom 1               | —                 | 14    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W11  | 2×6 exterior | 19'-10"    | Covered Patio, Living                  | W9, W10, D2       | 29    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W12  | 2×6 exterior | 30'-11"    | outside, Garage                        | D4, D5            | 31    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W13  | 2×6 exterior | 4'-11"     | outside, Garage                        | D3                | 12    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W14  | 2×6 exterior | 5'-6"      | Closet (Bedroom 3), outside            | —                 | 10    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W15  | 2×6 exterior | 8'-0"      | Bedroom 3, outside                     | —                 | 11    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W16  | 2×6 exterior | 46'-7 1/2" | Pantry, Front Porch, Office, Bedroom 3 | W15, W16, W17, D1 | 49    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W17  | 2×6 exterior | 16'-4 1/2" | Garage, Front Porch, outside           | —                 | 18    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W18  | 2×6 exterior | 2'-11 1/2" | outside, Garage                        | —                 | 8     | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W19  | 2×6 exterior | 14'-6"     | Garage, outside                        | W18               | 20    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W20  | 2×6 exterior | 15'-1 1/2" | Garage, outside                        | W19, W20          | 25    | PT bottom plate on the slab, sill gasket, anchor bolts at 6' o.c. and 12" from ends |
| W21  | 2×6 wet wall | 12'-3 1/2" | Master Bath, Master Bed                | D9                | 18    | 2×6 for 3" drains and vents                                                         |
| W22  | 2×6 wet wall | 48'-2 1/2" | Kitchen, Mud Room                      | D7, O1, O2        | 50    | 2×6 for 3" drains and vents                                                         |
| W23  | 2×6 wet wall | 15'-8 1/2" | Bedroom 1, Bath 1, Closet (Bedroom 2)  | D19               | 21    | 2×6 for 3" drains and vents                                                         |

| Wall | Type          | Length     | Between                                         | Openings | Studs | Notes                                                                |
|------|---------------|------------|-------------------------------------------------|----------|-------|----------------------------------------------------------------------|
| W24  | 2×4 partition | 2'-8"      | Master Bath                                     | —        | 8     | —                                                                    |
| W25  | 2×6 wet wall  | 5'-1 1/2"  | Bath 1, Closet (Bedroom 2)                      | —        | 9     | 2×6 for 3" drains and vents                                          |
| W26  | 2×4 partition | 36'-5"     | Living, Bedroom Hall, Office, Bedroom 3         | O3       | 36    | —                                                                    |
| W27  | 2×4 partition | 14'-1"     | Master Bed, Laundry, Master Hall                | D8       | 19    | —                                                                    |
| W28  | 2×4 partition | 4'-2"      | Laundry                                         | —        | 9     | —                                                                    |
| W29  | 2×6 wet wall  | 12'-5"     | Laundry, Master Hall, Powder                    | —        | 15    | 2×6 for 3" drains and vents                                          |
| W30  | 2×6 wet wall  | 4'-0"      | Master Bath                                     | —        | 8     | 2×6 for 3" drains and vents                                          |
| W31  | 2×4 partition | 13'-1 1/2" | Bedroom 1, Bedroom Hall, Bedroom 1 Closet       | D17, D18 | 19    | —                                                                    |
| W32  | 2×4 partition | 20'-9"     | Bedroom Hall, Bedroom 2, Bath 2                 | D21, D22 | 29    | —                                                                    |
| W33  | 2×4 partition | 14'-2"     | Bedroom 1 Closet, Bedroom 2, Closet (Bedroom 2) | D20      | 20    | —                                                                    |
| W34  | 2×6 wet wall  | 5'-6"      | Master Hall, Powder                             | —        | 10    | 2×6 for 3" drains and vents                                          |
| W35  | 2×4 partition | 2'-1/2"    | Laundry                                         | —        | 7     | —                                                                    |
| W36  | 2×4 partition | 14'-7"     | Master Closet, Laundry, Mud Room                | D11      | 20    | —                                                                    |
| W37  | 2×6 wet wall  | 10'-3"     | Master Bath, Master Closet                      | D10      | 17    | 2×6 for 3" drains and vents                                          |
| W38  | 2×4 partition | 5'-6"      | Powder, Mud Room                                | D13      | 14    | —                                                                    |
| W39  | 2×4 partition | 8'-4 1/2"  | Laundry, Mud Room                               | D12      | 15    | —                                                                    |
| W40  | 2×4 partition | 10'-3"     | Master Closet, Garage                           | —        | 13    | garage separation: 5/8" Type X on the garage side, seal penetrations |
| W41  | 2×6 wet wall  | 14'-2"     | Bedroom 2, Bath 2                               | —        | 16    | 2×6 for 3" drains and vents                                          |
| W42  | 2×4 partition | 5'-8"      | Garage, Mud Room                                | —        | 10    | garage separation: 5/8" Type X on the garage side, seal penetrations |

| Wall | Type          | Length     | Between                               | Openings | Studs | Notes                                                                |
|------|---------------|------------|---------------------------------------|----------|-------|----------------------------------------------------------------------|
| W43  | 2×4 partition | 9'-1"      | Mud Room, Garage                      | —        | 12    | garage separation: 5/8" Type X on the garage side, seal penetrations |
| W44  | 2×6 wet wall  | 18'-6"     | Bath 2, Bedroom 3, Closet (Bedroom 3) | D23      | 22    | 2×6 for 3" drains and vents                                          |
| W45  | 2×4 partition | 5'-0"      | Bedroom 3, Closet (Bedroom 3)         | D24      | 13    | —                                                                    |
| W46  | 2×4 partition | 5'-1"      | Mud Room, Garage                      | D6       | 12    | garage separation: 5/8" Type X on the garage side, seal penetrations |
| W47  | 2×4 partition | 3'-7"      | Kitchen, Coat Closet                  | —        | 8     | —                                                                    |
| W48  | 2×4 partition | 10'-9 1/2" | Coat Closet, Entry, Pantry            | D15      | 18    | —                                                                    |
| W49  | 2×4 partition | 10'-9 1/2" | Entry, Office                         | D16      | 16    | —                                                                    |
| W50  | 2×4 partition | 2'-0"      | Kitchen                               | —        | 7     | —                                                                    |
| W51  | 2×4 partition | 12'-9 1/2" | Living, Office                        | —        | 15    | —                                                                    |
| W52  | 2×4 partition | 7'-8"      | Kitchen, Mechanical, Pantry           | —        | 11    | —                                                                    |
| W53  | 2×4 partition | 8'-1"      | Mechanical, Pantry                    | —        | 12    | —                                                                    |
| W54  | 2×4 partition | 2'-0"      | Pantry                                | —        | 7     | —                                                                    |

## Door schedule

| Door | Name                | Type                 | Leaf          | Rough opening                   | Header                                                       | Between                |
|------|---------------------|----------------------|---------------|---------------------------------|--------------------------------------------------------------|------------------------|
| D1   | Front entry         | exterior entry door  | 3'-0" x 8'-0" | 3'-2" x 8'-2 1/2"               | 2-2×8 + 1/2" ply, 1 jack each end                            | Entry / Front Porch    |
| D2   | Patio French doors  | French door pair     | 6'-0" x 8'-0" | 6'-2" x 8'-2 1/2"               | 2-2×12 + 1/2" ply, 2 jacks each end                          | Living / Covered Patio |
| D3   | Garage service door | exterior door        | 3'-0" x 6'-8" | 3'-2" x 6'-10 1/2"              | 2-2×8 + 1/2" ply, 1 jack each end                            | Garage / outside       |
| D4   | Garage door 1       | overhead garage door | 9'-0" x 8'-0" | 9'-0" x 8'-0" (door maker's RO) | 3-1/2" x 11-7/8" LVL (engineer to confirm), 2 jacks each end | Garage / outside       |
| D5   | Garage door 2       | overhead garage door | 9'-0" x 8'-0" | 9'-0" x 8'-0" (door maker's RO) | 3-1/2" x 11-7/8" LVL (engineer to confirm), 2 jacks each end | Garage / outside       |

| Door | Name                     | Type                            | Leaf          | Rough opening                    | Header                            | Between                        |
|------|--------------------------|---------------------------------|---------------|----------------------------------|-----------------------------------|--------------------------------|
| D6   | Garage to mud room       | 20-min fire-rated, self-closing | 3'-0" x 8'-0" | 3'-2" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Garage / Mud Room              |
| D7   | Mechanical (from garage) | door pair                       | 5'-0" x 8'-0" | 5'-2" x 8'-2 1/2"                | 2-2×6 (non-bearing)               | Garage / Mechanical            |
| D8   | Master bedroom           | swing door                      | 3'-0" x 8'-0" | 3'-2" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Master Hall / Master Bed       |
| D9   | Master bed to bath       | cased opening                   | 3'-0" x 8'-0" | 3'-0" x 8'-0" cased              | flat 2×4 + cripples (non-bearing) | Master Bed / Master Bath       |
| D10  | Master bath to closet    | cased opening                   | 2'-6" x 8'-0" | 2'-6" x 8'-0" cased              | flat 2×4 + cripples (non-bearing) | Master Bath / Master Closet    |
| D11  | Master closet to laundry | pocket door                     | 2'-6" x 8'-0" | 5'-1" x 8'-2 1/2" (pocket frame) | 2-2×4 on flat (non-bearing)       | Master Closet / Laundry        |
| D12  | Laundry                  | swing door                      | 2'-8" x 8'-0" | 2'-10" x 8'-2 1/2"               | 2-2×4 on flat (non-bearing)       | Mud Room / Laundry             |
| D13  | Powder                   | swing door                      | 2'-6" x 8'-0" | 2'-8" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Mud Room / Powder              |
| D14  | Pantry                   | cased opening                   | 2'-6" x 8'-0" | 2'-6" x 8'-0" cased              | flat 2×4 + cripples (non-bearing) | Kitchen / Pantry               |
| D15  | Coat closet              | swing door                      | 2'-0" x 8'-0" | 2'-2" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Entry / Coat Closet            |
| D16  | Office French doors      | French door pair                | 5'-0" x 8'-0" | 5'-2" x 8'-2 1/2"                | 2-2×6 (non-bearing)               | Entry / Office                 |
| D17  | Bedroom 1                | swing door                      | 3'-0" x 8'-0" | 3'-2" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Bedroom Hall / Bedroom 1       |
| D18  | Bedroom 1 closet         | bypass (sliding) pair           | 6'-0" x 8'-0" | 6'-2" x 8'-2 1/2"                | 2-2×6 (non-bearing)               | Bedroom 1 / Bedroom 1 Closet   |
| D19  | Bath 1                   | swing door                      | 2'-6" x 8'-0" | 2'-8" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Bedroom 1 / Bath 1             |
| D20  | Bedroom 2 closet         | swing door                      | 2'-6" x 8'-0" | 2'-8" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Bedroom 2 / Closet (Bedroom 2) |
| D21  | Bedroom 2                | swing door                      | 2'-6" x 8'-0" | 2'-8" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Bedroom Hall / Bedroom 2       |
| D22  | Bath 2                   | swing door                      | 2'-6" x 8'-0" | 2'-8" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Bedroom Hall / Bath 2          |
| D23  | Bedroom 3                | swing door                      | 2'-8" x 8'-0" | 2'-10" x 8'-2 1/2"               | 2-2×4 on flat (non-bearing)       | Bedroom Hall / Bedroom 3       |
| D24  | Bedroom 3 closet         | swing door                      | 2'-6" x 8'-0" | 2'-8" x 8'-2 1/2"                | 2-2×4 on flat (non-bearing)       | Bedroom 3 / Closet (Bedroom 3) |

| Door | Name                   | Type          | Leaf          | Rough opening       | Header                            | Between               |
|------|------------------------|---------------|---------------|---------------------|-----------------------------------|-----------------------|
| O1   | Kitchen to master hall | cased opening | 3'-5" x 8'-0" | 3'-5" x 8'-0" cased | flat 2×4 + cripples (non-bearing) | Kitchen / Master Hall |
| O2   | Kitchen to mud room    | cased opening | 3'-7" x 8'-0" | 3'-7" x 8'-0" cased | flat 2×4 + cripples (non-bearing) | Kitchen / Mud Room    |
| O3   | Living to bedroom hall | cased opening | 3'-7" x 8'-0" | 3'-7" x 8'-0" cased | flat 2×4 + cripples (non-bearing) | Living / Bedroom Hall |

## Window schedule

| Window | Room        | Unit          | Rough opening       | Head / sill   | Header                             | Egress                                                                                             |
|--------|-------------|---------------|---------------------|---------------|------------------------------------|----------------------------------------------------------------------------------------------------|
| W1     | Master Bed  | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0") |
| W2     | Master Bed  | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0") |
| W3     | Master Bath | 4'-6" x 3'-0" | 4'-6 1/2" x 3'-1/2" | 8'-0" / 5'-0" | 2-2×10 + 1/2" ply, 1 jack each end | —                                                                                                  |
| W4     | Dining      | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                  |
| W5     | Dining      | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                  |
| W6     | Dining      | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                  |
| W7     | Dining      | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                  |
| W8     | Dining      | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                  |
| W9     | Living      | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                  |
| W10    | Living      | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                  |
| W11    | Bedroom 1   | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0") |
| W12    | Bedroom 1   | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0") |
| W13    | Bedroom 2   | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0") |
| W14    | Bedroom 2   | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 3'-0") |

| Window | Room      | Unit          | Rough opening       | Head / sill   | Header                             | Egress                                                                                                        |
|--------|-----------|---------------|---------------------|---------------|------------------------------------|---------------------------------------------------------------------------------------------------------------|
| W15    | Pantry    | 4'-0" x 4'-0" | 4'-1/2" x 4'-1/2"   | 8'-0" / 4'-0" | 2-2×10 + 1/2" ply, 1 jack each end | —                                                                                                             |
| W16    | Office    | 4'-0" x 4'-0" | 4'-1/2" x 4'-1/2"   | 8'-0" / 4'-0" | 2-2×10 + 1/2" ply, 1 jack each end | —                                                                                                             |
| W17    | Bedroom 3 | 4'-0" x 4'-0" | 4'-1/2" x 4'-1/2"   | 8'-0" / 4'-0" | 2-2×10 + 1/2" ply, 1 jack each end | Bedroom: needs 5.7 sf net opening, 20" clear width, 24" clear height, sill ≤ 44" (sill here 4'-0" — too high) |
| W18    | Garage    | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                             |
| W19    | Garage    | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                             |
| W20    | Garage    | 2'-6" x 5'-0" | 2'-6 1/2" x 5'-1/2" | 8'-0" / 3'-0" | 2-2×8 + 1/2" ply, 1 jack each end  | —                                                                                                             |

## Lumber, sheathing and drywall

Rough-order quantities from the wall data, for pricing. The framer takes off the final list.

| Item               | Quantity                                     | Basis                                                    | Notes                                           |
|--------------------|----------------------------------------------|----------------------------------------------------------|-------------------------------------------------|
| Exterior wall, 2×6 | 328 lf                                       | 437 studs 2×6×9' (104-5/8" precut for 9' plate)          | PT 2×6 bottom plate + double top plate          |
| Wet walls, 2×6     | 146 lf                                       | 186 studs 2×6 precut                                     |                                                 |
| Partitions, 2×4    | 229 lf                                       | 350 studs 2×4 precut                                     | PT bottom plate on slab                         |
| Plates             | 2×6: 1,421 lf · 2×4: 686 lf                  | one bottom, two top                                      | buy 16' lengths: 98 × 2×6, 48 × 2×4 (10% waste) |
| Wall sheathing     | 100 sheets 7/16" OSB 4×8                     | exterior walls incl. garage, rim to top plate, 10% waste | plus housewrap                                  |
| Drywall, walls     | 7,580 sf · 174 sheets 1/2" 4×12              | house walls, both faces of partitions, less openings     |                                                 |
| Drywall, ceilings  | 3,024 sf · 70 sheets 5/8" ceiling board 4×12 | flat 2,080 sf + vault 943 sf (4:12)                      |                                                 |
| Drywall, garage    | 1,213 sf · 28 sheets 5/8" Type X 4×12        | walls to the house and the ceiling                       | tape and seal for the house separation          |
| Tile backer        | 272 sf cement board                          | two showers to 8', tub surround to 6'                    | pedestal tub needs none                         |
| Studs, total       | 973 pcs                                      | kings, jacks and corners included                        | add 10% for blocking and waste                  |