



HANDOUT 6.1

Recovery or Nonrecovery from PTSD Symptoms Following Traumatic Events

In normal recovery, intrusions, thoughts, emotions, and physical arousal decrease over time and disconnect from each other.



However, in those who don't recover, strong negative emotions, thoughts, and images lead to escape and avoidance behaviors.



The avoidance prevents the processing of the trauma that is needed for recovery and works only temporarily.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 6.2

Practice Assignment after Session 1 of CPT+A

Date: _____ Client: _____

Please write at least a one-page statement on *why* you think your most distressing traumatic event occurred. You are *not* being asked to write specific details about this event. Write down what you have been thinking about the *cause* of this event.

Also, consider the effects this traumatic event has had on your beliefs about yourself, others, and the world in the following areas: safety, trust, power/control, esteem, and intimacy.

Bring this statement with you to the next session. Also, please read over the handout I have given you on PTSD symptoms so that you understand the ideas we are talking about.

Session One Handouts:

Handout 6.1. Recovery or Non-recovery from PTSD Symptoms Following Traumatic Events

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 6.1

Stuck Point Log


Date: _____ Client: _____

We will be using this Stuck Point Log throughout therapy, and you will always leave it in the front of your therapy binder or workbook. You will add to this log as you recognize Stuck Points after writing your Impact Statement. Throughout therapy, we will add to it or cross off thoughts that you no longer believe.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Manual* by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2017 The Guilford Press. Permission to photocopy this handout is granted to purchasers of this book for personal use or for use with individual clients (see copyright page for details).

HANDOUT 7.2
Identifying Emotions Handout



From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3 **ABC Worksheet**

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" *realistic* and/or *helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3
ABC Worksheet

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" realistic and/or helpful? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3 **ABC Worksheet**

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" realistic and/or helpful? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3
ABC Worksheet

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" *realistic and/or helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3
ABC Worksheet

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" *realistic and/or helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3
ABC Worksheet

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" realistic and/or helpful? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3
ABC Worksheet

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" *realistic and/or helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3a
ABC Worksheet: Example 1

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."
Shooting a Vietnamese woman while in combat	I am a bad person because I killed a helpless civilian.	Guilt and anger at myself

Are my thoughts above in "B" realistic and/or helpful? No. One mistake does not make me a bad person. People make mistakes, and high stress situations, like combat zones, increase the probability of such mistakes. Civilians also, unfortunately, get killed in combat.

What can you tell yourself on such occasions in the future? I may have made mistakes in my life, but that does not make me a bad person. I may have done things that I regret, but I have also done good things in my life.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients: see copyright page for details.

HANDOUT 7.3b
ABC Worksheet: Example 2

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."
<i>My uncle raped me.</i>	<i>I let it happen and didn't tell anyone.</i>	<i>Guilt and shame</i>

Are my thoughts above in "B" *realistic and/or helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3c
ABC Worksheet: Example 3

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."
<i>I build a porch and the railing comes loose.</i>	<i>I can never do anything right.</i>	<i>Anger at myself and sadness</i>

Are my thoughts above in "B" realistic and/or helpful? No. It wouldn't hold up in a court of law because I do SOME things right.

What can you tell yourself on such occasions in the future? There are some things that I do alright. It is not true that I "never" do anything right.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.4

Stuck Point Help Guide

What is a Stuck Point?

Stuck Points are thoughts that you have that keep you stuck from recovering.

- These thoughts may not be 100% accurate.
- Stuck Points may be:
 - Thoughts about your understanding of why the traumatic event happened.
 - Thoughts about yourself, others, and the world that have changed dramatically as a result of the traumatic event.
- Stuck Points are concise statements (but they must be longer than one word—“trust” is not a Stuck Point).
- Stuck Points can often be formatted in an “If-then” structure. Here is an example: “If I let others get close, then I will get hurt.”
- Stuck Points often use extreme language, such as “never,” “always,” or “everyone.”

What is *not* a Stuck Point?

- **Behaviors.** For example, “I fight with my daughter all the time” is not a Stuck Point because it is describing a behavior. Instead, consider what thoughts you have when you are fighting with your daughter.
- **Feelings.** For example, “I am nervous whenever I go on a date” is not a Stuck Point because it is describing an emotion and a fact. Instead, consider what you are telling yourself that is making you feel nervous.
- **Facts.** For example, “I witnessed people die” is not a Stuck Point because this is something that actually happened. Instead, consider what thoughts you had as this happened and what you think about it now.
- **Questions.** For example, “What will happen to me?” is not a Stuck Point because it is a question. Instead, consider what answer to your question is at the back of your mind, such as “I will not have a future.”
- **Moral statements.** For example, “The criminal justice system should always work” is not a Stuck Point because it reflects an ideal standard of behavior. Instead, consider how this statement pertains to you specifically, such as “The justice system failed me” or “I can’t trust the government.”

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients: see copyright page for details.

HANDOUT 7.4 (p. 2 of 2)

Examples of Stuck Points

1. If I had done my job better, then other people would have survived.
 2. Because I did not tell anyone, I am to blame for the abuse.
 3. Because I did not fight against my attacker, the abuse is my fault.
 4. I should have known he would hurt me.
 5. It is my fault the accident happened.
 6. If I had been paying attention, no one would have died.
 7. If I hadn't been drinking, it would not have happened.
 8. I don't deserve to live when other people lost their lives.
 9. If I let other people get close to me, I'll get hurt again.
 10. Expressing any emotion means I will lose control of myself.
 11. I must be on guard at all times.
 12. I should be able to protect others.
 13. I must control everything that happens to me.
 14. Mistakes are intolerable and cause serious harm or death.
 15. No civilians can understand me.
 16. If I let myself think about what has happened, I will never get it out of my mind.
 17. I must respond to all threats with force.
 18. I can never really be a good, moral person again because of the things that I have done.
 19. Other people should not be trusted.
 20. Other people should not trust me.
 21. If I have a happy life, I will be dishonoring my friends.
 22. I have no control over my future.
 23. The government cannot be trusted.
 24. People in authority always abuse their power.
 25. I am damaged forever because of the rape.
 26. I am unlovable because of [the trauma].
 27. I am worthless because I couldn't control what happened.
 28. I deserve to have bad things happen to me.
 29. I am dirty.
 30. I deserved to have been abused.
 31. Only people who were there can understand.
-

HANDOUT 18.1

Practice Assignment after Session 4 of CPT+A

Write up the whole incident again as soon as possible. If you were unable to complete the assignment the first time, please write more than last time. Add more sensory details, as well as your thoughts and feelings during the incident. Also, this time write your current thoughts and feelings in parentheses (e.g., "I'm feeling very angry") or in the margins. Remember to read over the new account every day before the next session.

Also, continue to work with the ABC Worksheets every day.

Session 4 Handouts:

Handout 9.1. Levels of Responsibility Handout

Handout 7.3. ABC Worksheets

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3 **ABC Worksheet**

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" *realistic* and/or *helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3
ABC Worksheet

Date: _____ Client: _____

ACTIVATING EVENT A <i>"Something happens."</i>	BELIEF/STUCK POINT B <i>"I tell myself something."</i>	CONSEQUENCE C <i>"I feel something."</i>

Are my thoughts above in "B" *realistic* and/or *helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3 **ABC Worksheet**

Date: _____ Client: _____


ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" realistic and/or helpful? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.1
Levels of Responsibility Handout



Your Role in the Traumatic Event: What Are the Facts?

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 18.1

Practice Assignment after Session 3 of CPT+A

Please begin this assignment as soon as possible. Write a full account of the traumatic event and include as many sensory details (sights, sounds, smells, etc.) as possible. Also, include as many thoughts and feelings that you recall having during the event. Pick a time and place to write so you have privacy and enough time. Do not stop yourself from feeling your emotions. If you need to stop writing at some point, please draw a line on the paper where you stop. Begin writing again when you can and continue to write the account even if it takes several occasions to complete. Read the whole account to yourself every day until the next session. Allow yourself to feel your feelings. Bring your account to the next session.

Please continue to self-monitor events, thoughts, and feelings with the ABC Worksheets on a daily basis to increase your mastery of this skill. You should complete one worksheet each day on the index event or other worse traumas, but can complete additional worksheet items on day-to-day events. Please put any newly noticed Stuck Points on your Stuck Point Log as you use the ABC Worksheets.

Session Three Handouts:

Handout 7.3. ABC Worksheets

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3 **ABC Worksheet**

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" *realistic* and/or *helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3 **ABC Worksheet**

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" realistic and/or helpful? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3
ABC Worksheet

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" realistic and/or helpful? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3 **ABC Worksheet**

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" realistic and/or helpful? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3 **ABC Worksheet**

Date: _____ Client: _____

ACTIVATING EVENT A "Something happens."	BELIEF/STUCK POINT B "I tell myself something."	CONSEQUENCE C "I feel something."

Are my thoughts above in "B" realistic and/or helpful? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.4

Practice Assignment after Session 5 of CPT+A

Please choose one Stuck Point each day and answer the questions on the Exploring Questions Worksheet with regard to each Stuck Point. Please work on Stuck Points related directly to the trauma first (e.g., "It is my fault," "I could have prevented it," "If I had done X, it would not have happened"). There are extra copies of the Exploring Questions Worksheets provided, so you can work on multiple Stuck Points. Also, read the Guide for the Exploring Questions Worksheet and refer back to it as needed.

Session 5 Handouts:

Handout 9.2. Exploring Questions Worksheets

Handout 9.2a, 9.2b. Exploring Questions Worksheet Examples

Handout 9.3. Guide for the Exploring Questions Worksheet

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.2

Exploring Questions Worksheet

Date: _____ Client: _____

Below is a list of questions to be used in helping you challenge your Stuck Points. Not all questions will be appropriate for the belief you choose to challenge. Answer as many questions as you can for the belief you have chosen to challenge below.

Stuck Point: _____

1. What is the evidence against this Stuck Point?
2. What information are you not including about your Stuck Point?
3. Does your Stuck Point include all-or-none terms (such as "all," "never") or extreme words or phrases (such as "need," "should," "must," "can't," and "every time")?
4. In what way is your Stuck Point overfocused on just one piece of the event?
5. How is the source of information for this Stuck Point questionable?
6. How is your Stuck Point confusing something that is possible with something that is definite?
7. In what ways is your Stuck Point based on feelings, rather than facts?

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.2

Exploring Questions Worksheet

Date: _____ Client: _____

Below is a list of questions to be used in helping you challenge your Stuck Points. Not all questions will be appropriate for the belief you choose to challenge. Answer as many questions as you can for the belief you have chosen to challenge below.

Stuck Point: _____

1. What is the evidence against this Stuck Point?
2. What information are you not including about your Stuck Point?
3. Does your Stuck Point include all-or-none terms (such as "all," "never") or extreme words or phrases (such as "need," "should," "must," "can't," and "every time")?
4. In what way is your Stuck Point overfocused on just one piece of the event?
5. How is the source of information for this Stuck Point questionable?
6. How is your Stuck Point confusing something that is possible with something that is definite?
7. In what ways is your Stuck Point based on feelings, rather than facts?

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.2a

Exploring Questions Worksheet: Example 1

Date: _____ Client: _____

Below is a list of questions to be used in helping you challenge your Stuck Points or problematic beliefs. Not all questions will be appropriate for the belief you choose to challenge. Answer as many questions as you can for the belief you have chosen to challenge below.

Stuck Point: *it is my fault that my uncle had sex with me.* [Therapist asked whether the Stuck Point had a hidden word, "all."]

1. What is the evidence against this Stuck Point?

I didn't want to do it, and I told him so. He threatened to hurt my little sister. He said no one would believe me. He was an adult, and I was a child. He was bigger and stronger than me.

2. What information are you not including about your Stuck Point?

How could it be my fault? I didn't even know what sex was when he started. You don't do that to kids. Just because he read me stories and babysat me didn't give him the right to do that.

3. Does your Stuck Point include all-or-none terms (such as "all," "never") or extreme words or phrases (such as "need," "should," "must," "can't," and "every time")?

Well, we talked about the hidden word "all." I thought it was all my fault and didn't even think about really blaming him. I was too scared of him, and my mother loved him.

4. In what way is your Stuck Point overfocused on just one piece of the event?

Because he did it to me, I assumed it was about me. I didn't think about the fact that I was a child or that what he did was a crime. I told him "No," and he threatened my family.

5. How is the source of information for this Stuck Point questionable?

I think he said things that made it seem like it was my fault. I was so pretty that he couldn't keep his hands off of me. I was special. Things like that. His motives were bad so he is a bad source of information.

6. How is your Stuck Point confusing something that is possible with something that is definite?

It is unlikely that it was my fault. I was a child.

7. In what ways is your Stuck Point based on feelings, rather than facts?

Because I felt guilty and shameful, I thought it must be my fault.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.2b

Exploring Questions Worksheet: Example 2

Date: _____ Client: _____

Below is a list of questions to be used in helping you challenge your Stuck Points or problematic beliefs. Not all questions will be appropriate for the belief you choose to challenge. Answer as many questions as you can for the belief you have chosen to challenge below.

Stuck Point: It is my fault that my brother was killed in the car accident because I should have done things differently.

1. What is the evidence against this Stuck Point?

I didn't cause the crash. The other person was texting and ran the red light. The officer said that even with a seat belt, being hit from the side like that, my brother would have been killed anyway.

2. What information are you not including about your Stuck Point?

When the light turned green, I did look both ways before I entered the intersection. He was coming so fast that there was nowhere for me to go.

3. Does your Stuck Point include all-or-none terms (such as "all," "never") or extreme words or phrases (such as "need," "should," "must," "can't," and "every time")?

I thought it was all my fault because my brother died, and I didn't even think about the driver of the other car. I kept saying I should have done something different to avoid the crash.

"All my fault." "Should have done things differently."

4. In what way is your Stuck Point overfocused on just one piece of the event?

I was focused on the fact that my brother refused to put on his seat belt, and I didn't really listen when the officer said that with that kind of side crash, it wouldn't have made a difference. I was also focused on the fact that we were talking and laughing, but I overlooked the fact that I did look both ways.

5. How is the source of information for this Stuck Point questionable?

The Stuck Point came from me, but when it first happened, my parents' initial reaction was that it was my fault, and that I shouldn't have started the car until he put his seat belt on. Later they were more supportive, but I think they were so upset at the time that they took it out on me.

6. How is your Stuck Point confusing something that is possible with something that is definite?

I kept thinking that I could have done something different to avoid the crash. Maybe there was something I could have done, but it isn't likely.

7. In what ways is your Stuck Point based on feelings, rather than facts?

Because I felt guilty, I thought it must be my fault.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.3

Guide for the Exploring Questions Worksheet

Date: _____ Client: _____

Below is a list of questions to be used in helping you challenge your Stuck Points or problematic beliefs. Not all questions will be appropriate for the belief you choose to challenge. Answer as many questions as you can for the belief you have chosen to challenge below.

Stuck Point: Put a belief here. You can use your Stuck Point Log to find one.

The belief should **not** be a feeling or behavior, and should **not** be too vague. Use "if-then" statements if possible.

1. What is the evidence against this Stuck Point?

*Evidence consists of the type of facts that will hold up in court. We are not challenging that the event happened. We are looking for evidence that does **not support** the Stuck Point you have given above.*

Against: Only **one** exception is needed to make a belief **not** a fact. A fact is 100% and absolute. If you can identify one exception to your Stuck Point, then it is not a fact, and therefore would not hold up in court.

However, if there is more than one thing you realize is evidence against the Stuck Point, write them all here. Think about some of the questions your therapist has asked you during your sessions to consider all of that information and context.

2. What information are you not including about your Stuck Point?

*Is it **possible** that your Stuck Point is unrealistic or not **completely** accurate or not **completely** true? Does your belief reflect all the facts of the situation? Remember the context of the trauma. Are you leaving out some important information about other people and the situation and only focusing on your role?*

3. Does your Stuck Point include all-or-none terms (such as "all," "never") or extreme words or phrases (such as "need," "should," "must," "can't," and "every time")?

Does your Stuck Point reflect black-and-white categories? Are things all good or all bad? Are you missing the gray areas in between? Example: If your performance falls short of perfect, you see yourself as a failure.

Extreme or exaggerated words or phrases may be hidden. Example: "Men can't be trusted" actually means "All men can't be trusted."

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.3 (p. 2 of 2)

4. In what way is your Stuck Point overfocused on just one piece of the event?

This question is about deciding that one piece of information from the event caused the event to happen. Then you use this one aspect to create your Stuck Point. Example: "If I had been stronger, then this wouldn't have happened." Now think about drawing a pie chart and showing one small slice of that pie as the one aspect you are focusing on. You are probably assigning 100% of the "blame" or "cause" to this "slice" and discounting all the remaining factors (other slices) in the rest of the pie. Other slices might include that you were outnumbered, the perpetrator had a weapon, you were taken by surprise, there were no other options at the time, or similar factors. Why are these other factors/slices not considered here as contributory? Are you discounting them and only focusing on the one factor/slice?

5. How is the source of information for this Stuck Point questionable?

Think about the time period when the event happened. Who were you at the time (a scared 20-year-old in combat, a child victimized by an adult, etc.)? Your Stuck Point may be based on a thought that you developed when you were scared or very young. You have retained that Stuck Point all these years, based on how you thought at the time. Or, think about the enemy/perpetrator/other sources: Are these people reliable? Can they be trusted to make judgments about the event (or you)? Your Stuck Point might be a statement told to you by a perpetrator. Is a perpetrator to be trusted (reliable) to make this statement? Would we expect that a perpetrator is truthful? Consider your source.

6. How is your Stuck Point confusing something that is possible with something that is definite?

*This question is best for a Stuck Point that is focused on the present or the future. It asks you, "What is the likelihood or percentage/chance that the event will happen again?" An example of a present- or future-oriented Stuck Point would be "If I trust others, then I'll get hurt." It may actually be a low probability, but you are living your life as if it is a certainty. Yes, it **could** happen, but are you living as if it **will** happen? Of course, in a dangerous environment, you may have to consider everything as a high probability because the consequences (death or injury) are great. But are you taking into consideration that you don't need to hold this same degree of probability in **all** environments? In other words, are you applying the Stuck Point as if it has a high probability (a certainty) of happening again in **all** situations now? For example, think about driving. We all know that many people die every year in car accidents, yet we still drive. We do this because although we are aware that we could die in a car accident, we don't live as if it **will** happen.*

7. In what ways is your Stuck Point based on feelings, rather than facts?

*This question represents the idea that if you **feel** something is true, then it must be. For example, think about hypervigilance: Because you **feel** uncomfortable or under threat in a crowd, you assume (or develop the belief) that it is dangerous. This becomes "I don't like crowds," which translates into the Stuck Point "I am never safe in a crowd," or "If I am in a crowd, then I will be harmed." Another example is that if you **feel** guilty, then you assume you must be at fault.*

HANDOUT 10.1

Thinking Patterns Worksheet

Date: _____ Client: _____

Listed below are several different patterns of thinking that people use in different life situations. These patterns often become automatic, habitual thoughts that cause people to engage in self-defeating behavior. Considering your own Stuck Points, or samples from your everyday thinking, find examples for each of these patterns. Write in the Stuck Point or typical thought under the appropriate pattern and describe how it fits that pattern. Think about how that pattern affects you.

1. **Jumping to conclusions or predicting the future**

2. **Ignoring important parts of a situation**

3. **Oversimplifying** things as “good–bad” or “right–wrong,” or **overreaching** from a single incident (e.g., applying one experience too broadly)

4. **Mind reading** (assuming that people are thinking negatively of you when there is no definitive evidence of this)

5. **Emotional reasoning** (using your emotions as proof—e.g., “I feel fear, so I must be in danger”)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 10.1
Thinking Patterns Worksheet

Date: _____ Client: _____

Listed below are several different patterns of thinking that people use in different life situations. These patterns often become automatic, habitual thoughts that cause people to engage in self-defeating behavior. Considering your own Stuck Points, or samples from your everyday thinking, find examples for each of these patterns. Write in the Stuck Point or typical thought under the appropriate pattern and describe how it fits that pattern. Think about how that pattern affects you.

1. **Jumping to conclusions or predicting the future**

2. **Ignoring important parts of a situation**

3. **Oversimplifying** things as “good–bad” or “right–wrong,” or **overreaching** from a single incident (e.g., applying one experience too broadly)

4. **Mind reading** (assuming that people are thinking negatively of you when there is no definitive evidence of this)

5. **Emotional reasoning** (using your emotions as proof—e.g., “I feel fear, so I must be in danger”)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 10.1A

Thinking Patterns Worksheet: Example

Listed below are several different patterns of problematic thinking that people use in different life situations. These patterns often become automatic, habitual thoughts that cause people to engage in self-defeating behavior. Considering your own Stuck Points, or samples from your everyday thinking, find examples for each of these patterns. Write in the Stuck Point or typical thought under the appropriate pattern and describe how it fits that pattern. Think about how that pattern affects you.

1. Jumping to conclusions or predicting the future

[Victim of childhood sexual abuse] If a man is alone with a child, then the man will hurt the child. But I know my husband will not hurt my kids, so this belief is causing problems in my marriage.

2. Ignoring important parts of a situation

[Robbery victim] I keep forgetting the fact that the perpetrator had a gun, which is important information about how much control I had.

3. Oversimplifying things as "good-bad" or "right-wrong," or overreaching from a single incident (e.g., applying one experience too broadly)

[Police officer] Not everyone is all good or all bad. I may have done some things in my life that were not that good, but that does not make me a bad person. After the event, I was suspicious of every traffic stop.

4. Mind reading (in particular, assuming that people are thinking negatively of you when there is no definitive evidence of this)

[Victim of childhood physical abuse] My dad yells now, so I assume he must be angry. But it's not true a lot of the time because he yells sometimes since he is deaf in one ear and going deaf in another. He yells because he doesn't know he is yelling.

5. Emotional reasoning (using your emotions as proof; e.g., "I feel fear, so I must be in danger")

[Survivor of a traumatic bereavement] I feel guilt over my friend's death, so I must have done something wrong.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 10.2

Practice Assignment after Session 6 of CPT+A

Your practice assignment is to consider your Stuck Points and find examples for each relevant thinking pattern on the Thinking Patterns Worksheet. Each day list a Stuck Point under each pattern and think about ways in which your reactions to the traumatic event may be affected by these habitual patterns. If you notice examples in your day-to-day life, you can write them in also. An example worksheet is provided.

Session Six Handouts:

Handout 10.1 Thinking Patterns Worksheet

Handout 10.1A Thinking Patterns Worksheet Examples

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 12.1

Safety Issues Module

Safety Beliefs Related to SELF: The belief that you can protect yourself from harm and have some control over events.

Prior Experience

Negative	Positive
If you repeatedly experienced dangerous and uncontrollable life situations, you may have developed negative beliefs about your ability to protect yourself from harm. A new traumatic event may seem to confirm those beliefs.	If you have had positive prior experiences, you may develop the belief that you have control over most events and can protect yourself from harm. The traumatic event may have shattered this belief.
Examples of Possible Stuck Points	
"I can't protect myself from danger." "If I go out, I will be hurt." "When I feel fear, that means I am in danger."	

Possible Resolutions

If you previously believed that . . .	A possible alternative thought may be . . .
"It can't happen to me," then you will need to resolve the conflict between this belief and the traumatic event.	"It is unlikely to happen again, but the possibility exists. Even if it does, I have more skills I can use to manage my reactions."
"I can protect myself from any harm," then you will need to resolve the conflict between your prior beliefs and the traumatic event.	"I do not have control over everything that happens to me, but I can take precautions to reduce the risk of future traumatic events."
"I cannot protect myself," then the new traumatic event will seem to confirm these beliefs. New beliefs must be developed that are more balanced regarding your ability to keep yourself safe.	"I do have some ability to keep myself safe, and I can take steps to protect myself from harm."

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 12.1 (p. 2 of 2)

Safety Beliefs Related to OTHERS: Beliefs about the dangerousness of other people and expectancies about the intent of others to cause harm, injury, or loss.

Prior Experience

Negative	Positive
If you experienced people as dangerous in early life, or if you believed violence to be a normal way of relating, the new traumatic event will seem to confirm these beliefs.	If you experienced people as safe in early life, you may expect others to keep you safe and not cause harm, injury, or loss. The traumatic event may have caused a disruption in this belief.
Examples of Possible Stuck Points	
"The world is dangerous everywhere." "People will always try to harm me." "There is nowhere safe to be."	

Possible Resolutions

If you previously believed that . . .	Possible alternative thoughts may be . . .
"Others are out to harm me and most people will hurt me if they can," then you will need to modify this belief, or it will be impossible to have trusting, happy relationships with others.	"There are some people out there who are dangerous, but not everyone is out to harm me in some way."
"I will never be hurt by others," then you will need to resolve the conflict between this belief and the traumatic event.	"There may be some people who will try to harm me, but not everyone I meet will hurt me. I can take precautions to reduce the likelihood that others can hurt me."

HANDOUT 18.1

Practice Assignment after Session 7 of CPT+A

Use the Alternative Thoughts Worksheets to analyze and examine at least one of your Stuck Points each day. Please read over the Safety module and think about how your prior beliefs were affected by the [event]. If you have safety issues related to yourself or others, complete at least one worksheet to explore those beliefs. Use the remaining sheets for other Stuck Points or for distressing events that have occurred recently.

Session Seven Handouts:

Handout 11.1. Alternative Thoughts Worksheet

Handout 11.1a, 11.1b, 11.1c, 11.1d, 11.1e. Alternative Thoughts Worksheet Examples

Handout 12.1. Safety Issues Module

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1a

Alternative Thoughts Worksheet: Example 1

A. Situation	B. Thought/Stuck Point	D. Exploring Questions	E. Thinking Patterns	F. Alternative Thought(s)
Describe the event, thought, or belief leading to the unpleasant emotion(s). I have to ride on a plane.	Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?) Air travel is dangerous.—75%	Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Airport security has been increased. Thousands of planes fly every day. Information not including? The fact that planes fly every day and nothing happens to them. All-or-none? Extreme or exaggerated? Yes, I am making a statement that all flights are dangerous. Yes, I am exaggerating the risk. Overfocused on just one piece? I notice in the news when there is a crash, but I don't pay attention to all of the flights that travel safely every day. Source questionable? No, I misinterpreted turbulence. Confusing possible with definite? Yes, I have been saying that the plane will crash. Based on feelings or facts? I am letting myself believe this because I feel scared and not because it is realistic.	Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Yes, I assume that if I fly, the plane <u>will</u> crash. Ignoring important parts of a situation The pilots are highly trained. They don't report crashes every day. Oversimplifying or overreaching I am exaggerating the possibility. Mind reading I am assuming that the pilot panics during turbulence. Emotional reasoning Just because I am anxious on flights doesn't mean that flying is dangerous.	What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. The chances are very small that I will be killed or hurt while flying.—95% Even if the plane blew up, I could not do anything about it.—80% G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. 15% H. Emotion(s) Now what do you feel? Rate it from 0 to 100%. Afraid—40% Helpless—5% Anxious—10%
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%. Afraid—100% Helpless—75% Anxious—75%			

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1b

Alternative Thoughts Worksheet: Example 2

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s). My girlfriend was shot at a street festival.	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?) I should have thrown myself over her body to save her.—100% I should have prevented my girlfriend from being shot in the mass shooting.—100%	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? There was no way to know that there was going to be a shooting—it happened so fast that I couldn't act. Information not including? It was a sudden shooting from a car. It was always a safe place before. There was no warning. All-or-none? Extreme or exaggerated? I should have acted faster. Extreme to say I should have prevented it when I didn't know it was going to happen Overfocused on just one piece? That I didn't save her from being shot. Source questionable? I am the source of the self-blame. No one else blamed me. Confusing possible with definite? Unlikely that I could have stopped it. Based on feelings or facts? Feelings.	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future That I could have saved her. Ignoring important parts of a situation We were among the first to be shot. No screams before that. There was no way I could have known. Oversimplifying or overreaching That covering her would have saved her. I was shot, too. Mind reading Emotional reasoning Because I feel guilty, I am guilty.	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. There was no way to see it coming at the time.—85% I did the best I could given the circumstances.—90% G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. 10% H. Emotion(s) Now what do you feel? Rate it from 0 to 100%. Guilt—40% Helpless—80%
--	---	--	--	---

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1c

Alternative Thoughts Worksheet: Example 3

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s). I am putting off doing my therapy practice assignment.	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?) If I let myself feel angry, I'll be out of control.—50%	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? I have never been really destructive when I was angry. It is my choice how I act when I feel angry. I can always take a break or leave the situation. Information not including? That I am not totally out of control. I am still making choices on how to behave. All-or-none? Extreme or exaggerated? Yes, no control. It is exaggerated to say that I would be out of control; I have some control. Overfocused on just one piece? That if I do my out-of-session therapy assignment, I will be angry and out of control. Source questionable? My assumption. Confusing possible with definite? Not likely I will lose control just from filling out a worksheet. Based on feelings or facts? Feelings.	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future I am jumping to conclusions to assume that I will have no control if I feel my feelings. Ignoring important parts of a situation I am disregarding the times I have felt angry and maintained control. Oversimplifying or overreaching Yes, feeling angry is bad. Mind reading Emotional reasoning Anger always leads to aggression.	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. Anger can be expressed without aggression.—60% Anger is an emotion like sadness. I can let myself feel that and still maintain control over my behaviors.—60% G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. 20% H. Emotion(s) Now what do you feel? Rate it from 0 to 100%. Angry—30% Afraid—35%
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%. Angry—50% Afraid—95%			

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1d

Alternative Thoughts Worksheet: Example 4

A. Situation

Describe the event, thought, or belief leading to the unpleasant emotion(s).

A friend wants to set me up for a date with someone she knows.

B. Thought/Stuck Point

Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)

I can't let anyone get close to me.—75%

C. Emotion(s)

Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.

Fearful—50%
Sad—80%

D. Exploring Questions

Use the **Exploring Questions Worksheet** to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.

Evidence against?

My friends and family have been supportive.

Information not including?

My friend wouldn't set me up with a mean person.

All-or-none? Extreme or exaggerated?

Most healthy people would not run from a relationship.

I am making assumptions about how other people will react.

Overfocused on just one piece?

That he will judge me.

Source questionable?

Coming from past negative experience and from an unhealthy person.

Confusing possible with definite?

It is possible that he won't like me, but it is possible I won't like him either.

Based on feelings or facts?

Feelings.

E. Thinking Patterns

Use the **Thinking Patterns Worksheet** to decide whether this is one of your problematic patterns of thinking.

Jumping to conclusions or predicting the future

Yes, assuming that it will go badly.

Ignoring important parts of a situation

That person was not healthy or secure.

Oversimplifying or overreaching

If I tell someone who can't deal with it, it is not necessarily bad because I could find out something important about the relationship.

Mind reading

Yes, I am assuming what he thinks, and I haven't even met him yet.

Emotional reasoning

Because I am scared, I assume that it will go badly.

F. Alternative Thought(s)

What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.

My friend would not set me up with someone who would hurt me.—70%

I don't have to get close to anyone right away. I can go at my own pace.—90%

G. Rerate Old Thought/Stuck Point

Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.

40%

H. Emotion(s)

Now what do you feel? Rate it from 0 to 100%.

Fearful—25%

Sad—40%

Hopeful—10%

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forus), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation

Describe the event, thought, or belief leading to the unpleasant emotion(s).

B. Thought/Stuck Point

Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)

C. Emotion(s)

Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.

D. Exploring Questions

Use the **Exploring Questions Worksheet** to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.

Evidence against?

Information not including?

All-or-none? Extreme or exaggerated?

Overfocused on just one piece?

Source questionable?

Confusing possible with definite?

Based on feelings or facts?

E. Thinking Patterns

Use the **Thinking Patterns Worksheet** to decide whether this is one of your problematic patterns of thinking.

Jumping to conclusions or predicting the future

Ignoring important parts of a situation

Oversimplifying or overreaching

Mind reading

Emotional reasoning

F. Alternative Thought(s)

What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.

G. Rerate Old Thought/Stuck Point

Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.

H. Emotion(s)

Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____
Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
---	---	--	---	---

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1 **Alternative Thoughts Worksheet**

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking.	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.
		Evidence against?	Jumping to conclusions or predicting the future	
		Information not including?	Ignoring important parts of a situation	
		All-or-none? Extreme or exaggerated?		G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.
		Overfocused on just one piece?	Oversimplifying or overreaching	
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.	Source questionable?	Mind reading	
		Confusing possible with definite?		H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
		Based on feelings or facts?	Emotional reasoning	

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation

Describe the event, thought, or belief leading to the unpleasant emotion(s).

B. Thought/Stuck Point

Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)

C. Emotion(s)

Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.

D. Exploring Questions

Use the **Exploring Questions Worksheet** to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.

Evidence against?

Information not including?

All-or-none? Extreme or exaggerated?

Overfocused on just one piece?

Source questionable?

Confusing possible with definite?

Based on feelings or facts?

E. Thinking Patterns

Use the **Thinking Patterns Worksheet** to decide whether this is one of your problematic patterns of thinking.

Jumping to conclusions or predicting the future

Ignoring important parts of a situation

Oversimplifying or overreaching

Mind reading

Emotional reasoning

F. Alternative Thought(s)

What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.

G. Rerate Old Thought/Stuck Point

Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.

H. Emotion(s)

Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 13.2

Practice Assignment after Session 8 of CPT+A

Use the Alternative Thoughts Worksheets to analyze at least one of your Stuck Points each day until you can develop an alternative thought that is more balanced and factual. Please read over the module on Trust and think about how your prior beliefs were affected by your trauma. If you have trust issues related to yourself or others, complete at least one worksheet to examine those beliefs. Use the remaining sheets for other Stuck Points or for distressing events that have occurred recently.

Session Eight Handouts:

Handout 11.1. Alternative Thoughts Worksheet

Handout 13.1. Trust Issues Module

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 13.1

Trust Issues Module

Trust Beliefs Related to SELF: The belief that you can trust or rely on your own judgments and decisions. Trusting yourself is an important building block for developing healthy, trusting relationships with others.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had prior experiences where you were blamed for negative events, you may have developed negative beliefs about your ability to make decisions or judgments about situations or people. A new traumatic event may seem to confirm these beliefs.	If you had prior experiences that led you to believe you could trust your judgment, the traumatic event may have undercut this belief.
Examples of Possible Stuck Points	
"I can't trust my own judgment." "Because I made bad decisions in the past, I will always make bad decisions." "I cannot trust myself."	

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>A possible alternative thought may be . . .</i>
"I cannot trust my judgment," later traumatic events may have reinforced this belief. It is important to understand that the traumatic event may or may not have been all your fault and that your decisions may not have been the cause of the traumatic event.	"I can still trust my judgment even though it's not perfect." "Even if I misjudged this person or situation, it does not mean I cannot trust my judgment or decision making in the future."
"I have good judgment, and I make wise decisions," then the traumatic event may have altered this belief. New beliefs need to reflect the possibilities that you can make mistakes but still have good judgment, and that mistakes in judgment cannot always be blamed as the reason why traumatic events occur.	"No one has perfect judgment. I did the best I could in an unpredictable situation, and I can still trust my ability to make decisions even though it is not perfect." "My decisions (good or bad) did not cause the event to happen."

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 13.1 (p. 2 of 3)

Trust Beliefs Related to OTHERS: Beliefs that the promises of other people or groups can be relied on with regard to future behavior. One of the earliest tasks of childhood development involves trust versus mistrust: A person needs to learn a healthy balance of trust and mistrust, and when each is appropriate.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you were betrayed in your early life, you may have developed the generalized belief "No one can be trusted." A new traumatic event may serve to confirm this belief, especially if you were hurt by an acquaintance.	If you had generally good experiences growing up, you may have developed the belief "All people can be trusted." The traumatic event may have shattered this belief.

Posttraumatic Experience

If the people you knew and trusted, or people in positions of authority, were blaming, distant, or unsupportive after the traumatic event, your belief in their trustworthiness may have been broken.

<i>Examples of Possible Stuck Points</i>
"No one can be trusted." "People in authority will always take advantage of you." "If I trust someone, they will hurt me." "If I get close to someone, they will leave."

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
"No one can be trusted," which was seemingly confirmed by the traumatic event, then you need to adopt new beliefs that will allow you to enter into new relationships from a neutral position that allows you to see whether various kinds of trust can be built.	"Although I may find some people to be untrustworthy in some ways, I cannot assume that everyone is always untrustworthy." "Trusting another involves some risk, but I can protect myself by developing trust slowly and including what I learn about that person as I get to know them."
"Everyone can be trusted," then the traumatic event may have shattered this belief. To avoid assuming that all people cannot be trusted, including those you used to trust, you will need to understand that trust is not an either-or matter.	"I may not be able to trust everyone in every way, but that doesn't mean I have to stop trusting the people I used to trust."

(continued)

HANDOUT 13.1 (p. 2 of 3)

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
"I can trust my family and friends," then the traumatic event may have impacted your beliefs about the trustworthiness of your support system when these persons did not act the way you wanted them to after they learned about the traumatic event. Before you assume that you cannot trust anyone in your support system, it is important to consider why these people may have reacted the way they did. Many people do not know how to respond when someone they care about is traumatized, and they may have been reacting out of ignorance. Some people may have responded out of fear or denial, because what has happened to you made them feel vulnerable and may have affected their own beliefs.	"Trust is not an all-or-none concept. Some people may be more trustworthy than others." "It may help to tell others what I need from them and then see if they do a better job of meeting my needs. I can use this as a way to assess their trustworthiness." If you find that others continue to be unsupportive about the trauma, but kind to you in other ways, you may choose to adopt a statement such as "There are some people I cannot talk to about the traumatic event, but there are other areas of my life where I can trust them." If a person continues to be negative or make blaming statements toward you, you might want to tell yourself, "This person is not trustworthy, and it is not healthy for me to have the person in my life at this time."

HANDOUT 11.1 Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation

Describe the event, thought, or belief leading to the unpleasant emotion(s).

B. Thought/Stuck Point

Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)

C. Emotion(s)

Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.

D. Exploring Questions

Use the **Exploring Questions Worksheet** to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.

Evidence against?

Information not including?

All-or-none? Extreme or exaggerated?

Overfocused on just one piece?

Source questionable?

Confusing possible with definite?

Based on feelings or facts?

E. Thinking Patterns

Use the **Thinking Patterns Worksheet** to decide whether this is one of your problematic patterns of thinking.

Jumping to conclusions or predicting the future

Ignoring important parts of a situation

Oversimplifying or overreaching

Mind reading

Emotional reasoning

F. Alternative Thought(s)

What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.

G. Rerate Old Thought/Stuck Point

Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.

H. Emotion(s)

Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
---	---	--	---	---

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.


HANDOUT 14.1

Trust Star Worksheet

Date: _____ Name: _____

There are many different types of trust (e.g., keeping secrets, being reliable). In the lines down the right side of the page, list all the different types of trust you can think of. Then think about one particular person. Write in your relationship with them here: _____. If you cannot think of a family member or friend, then identify someone in whom you must place your trust, such as a doctor, mechanic, or bus driver. Put a star by the most important types of trust for that person. Then fill in the star by writing a type of trust on the line and put an X on the line about how much you trust them with that type of trust. If you don't know, put the X just inside the "no information" circle. Does this person need to be trustworthy in every way? What about the most important ways? Would you trust this person to pull your tooth, cut your hair, fix your car?

Types of Trust




From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 14.1a

Trust Star Worksheet: Example

There are many different types of trust. In the lines down the right side of the page, list all the different types of trust you can think of. Then think about one particular person. Write in your relationship with them here: friend—J. D.. If you cannot think of a family member or friend, then identify someone in whom you must place your trust, such as a doctor, mechanic, or bus driver. Put a star by the most important types of trust for that person. Then fill in the star by writing a type of trust on the line and put an X on the line about how much you trust them with that type of trust. If you don't know, put the X just inside the "no information" circle. Does this person need to be trustworthy in every way? What about the most important ways? Would you trust this person to pull your tooth, cut your hair, fix your car?

Types of Trust



From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 14.3

Practice Assignment after Session 9 of CPT+A

Use the Alternative Thoughts Worksheets to analyze at least one of your Stuck Points each day until you have developed an alternative belief that is more balanced and factual. Please read over the module on Power/Control and think about how your prior beliefs were affected by your trauma. If you have power/control issues related to yourself or others, complete at least one worksheet to examine those beliefs. Use the remaining sheets for other Stuck Points or for distressing events that have occurred recently.

Session Nine Handouts:

Handout 11.1. Alternative Thoughts Worksheet

Handout 14.1. Trust Star Worksheet

Handout 14.1a. Trust Star Worksheet Example

Handout 14.2. Power/Control Issues Module

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 14.2

Power/Control Issues Module

Power and Control Beliefs Related to SELF: Beliefs that you can solve problems and meet challenges that you may face.

Prior Experience

Negative	Positive
If you grew up experiencing repeated negative events, you may have developed the belief that you cannot control events or solve problems even if they are controllable/solvable. A new traumatic event may seem to confirm your prior beliefs about helplessness.	If you grew up believing that you had control over events and could solve problems, the traumatic event may have disrupted those beliefs.
Examples of Possible Stuck Points	
"I cannot control my emotions." "The trauma is all my fault." "I need to be in control or bad things will happen" "If I lose control over my emotions, something bad will happen."	

Possible Resolutions

If you previously believed that . . .	A possible alternative thought may be . . .
"I have control over everything that I do and say, as well as over the actions of others," then it will be important to realize that none of us can have complete control over our emotions or behavior at all times. Although you may be able to influence many external events, it is impossible to control all events or all behaviors of other people.	"I do not have total control over my reactions, other people, or events at all times. However, I am able to have some control over my reactions to events, and to influence some behaviors of others or the outcomes of some events." "Bad things do not always happen when I am not in control."
"I am helpless or powerless regarding myself or others," then you may feel depressed or have low self-esteem. It may help to look at your actual ability to control yourself and influence some events in your life.	"I cannot control all events outside myself, but I do have some control over what happens to me and my reactions to events." "I cannot control all outcomes, but I can influence probabilities."

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 14.2 (p. 2 of 2)

Power and Control Beliefs Related to OTHERS: Beliefs that you can control others or future events related to others (including people in power).

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had prior experiences with others that led you to believe you had no control in your relationships with others, or that you had no power in relation to powerful others, the traumatic event will seem to confirm those beliefs.	If you had prior positive experiences in your relationships with others and in relation to powerful others, you may have come to believe that you could influence others. The traumatic event may shatter this belief because you were unable to prevent the event, even despite your best efforts.
<i>Symptoms Associated with Negative Power/Control Beliefs about Others</i>	
Passivity Submissiveness Lack of assertiveness that can generalize to all relationships Inability to maintain relationships because you do not allow the other persons to exert any power in the relationships (including becoming enraged if the other persons try to exert even a minimal amount of control)	
<i>Examples of Possible Stuck Points</i>	
"People will always try to control you." "There is no point in even trying to fight against authority." "This event just proves that people have too much power over me."	

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
"I am powerless and have no control in relationships," then you will need to learn ways that it is safe and appropriate for you to exert appropriate power over yourself, others, and events.	"Even though I cannot always get everything I want in a relationship, I do have the ability to influence others by standing up assertively for my rights and asking for what I want."
"I have to control everything in the lives of people I care about, or they will be hurt," then the traumatic event may have further reinforced this belief. It will be important for you to realize that healthy relationships involve sharing power and control, and that relationships in which one person has all the power can be abusive (even if you are the one with all the power). It may also be helpful to realize that it can be relaxing to give up some of the power, and freeing to let others make decisions some of the time.	"Even though I may not get everything I want or need out of a relationship, I can assert myself and ask for it. A good relationship is one in which power is balanced between both people. If I am not allowed any control, I can exert my control in this relationship by ending it, if necessary." "I can learn to let others have some of the power in a relationship, and even enjoy having others take responsibility for some of the things that need to be done."

HANDOUT 11.1 **Alternative Thoughts Worksheet**

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions (or predicting the future) Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable?	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.	Confusing possible with definite? Based on feelings or facts?		G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
---	---	--	---	---

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
--	--	---	--	--

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation

Describe the event, thought, or belief leading to the unpleasant emotion(s).

B. Thought/Stuck Point

Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)

C. Emotion(s)

Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.

D. Exploring Questions

Use the **Exploring Questions Worksheet** to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.

Evidence against?

Information not including?

All-or-none? Extreme or exaggerated?

Overfocused on just one piece?

Source questionable?

Confusing possible with definite?

Based on feelings or facts?

E. Thinking Patterns

Use the **Thinking Patterns Worksheet** to decide whether this is one of your problematic patterns of thinking.

Jumping to conclusions or predicting the future

Ignoring important parts of a situation

Oversimplifying or overreaching

Mind reading

Emotional reasoning

F. Alternative Thought(s)

What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.

G. Rerate Old Thought/Stuck Point

Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.

H. Emotion(s)

Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Name: _____

HANDOUT 15.3

Practice Assignment after Session 10 of CPT+A

Use the Alternative Thoughts Worksheets to analyze at least one of your Stuck Points each day and develop alternative thoughts. Please read over the Esteem module and think about how your prior beliefs were affected by your trauma. If you have esteem issues related to yourself or others, complete at least one worksheet to examine those beliefs. Use the remaining sheets for other Stuck Points or for distressing events that have occurred recently.

Also, each day do one nice thing for yourself and not because you achieved something. Additionally, practice giving one compliment and receiving one compliment each day prior to the next session. Write down the things you did for yourself, and who you complimented and who complimented you on the tracking sheet. If any of these assignments result in Stuck Points, please complete an Alternative Thoughts Worksheets on them.

Session Ten Handouts:

Handout 11.1. Alternative Thoughts Worksheet

Handout 15.1. Esteem Issues Module

Handout 15.2. Tracking Sheet: Giving/Receiving Compliments and Doing Something Nice for Self

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 15.1

Esteem Issues Module

Esteem Beliefs Related to SELF: Beliefs in your own worth. Such beliefs are a basic human need. Being understood, respected, and taken seriously is basic to the development of self-esteem.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had prior experiences that made you doubt your own worth, a new traumatic event will seem to confirm these negative beliefs about your self-worth. Some life experiences that can lead to negative beliefs about the self include these: Believing other people's negative statements about you Receiving little caring or support from others Being criticized or blamed by others, even when things were not your fault	If you had prior experiences that were positive and built up your beliefs in your own worth, the traumatic event may have disrupted those beliefs and lowered your self-esteem. Your self-confidence in making decisions and your faith in your opinions may be decreased.
<i>Examples of Possible Stuck Points</i>	
"I am bad, damaged, or evil." "I am responsible for bad or evil events." "I am permanently damaged or flawed." "Because I am worthless, I deserve to be unhappy."	

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
"I am worthless" (or any similarly beliefs) because of prior experiences, then the traumatic event may seem to confirm this belief. If you received poor social support after the event, this might also lead to negative beliefs about yourself. To improve your self-esteem, it may help to reevaluate your beliefs about your self-worth.	"Even if I have made mistakes in the past, that does not make me a bad person deserving of unhappiness or suffering (including the traumatic event)."

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 15.1 (p. 2 of 3)

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
"Bad things only happen to bad people," then the event may have disrupted such beliefs, and you might wonder what you did to deserve the event (e.g., "If I was really a good person, this would not have happened to me"). To improve your beliefs about your self-worth, you will need to look carefully at the situation, so you can see that sometimes bad things happen to good people. It is important for people to realize that bad things might happen to any of us and that does not mean we are to blame or caused them.	"Sometimes bad things happen to good people. If something bad happens to me, it is not necessarily because I did something to cause it or because I deserved it."

Esteem Beliefs Related to OTHERS: Beliefs about how much you value other people. Realistic views of others are important to psychological health.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had bad experiences with people in the past, you may have concluded that other people are not good or not to be trusted. You might have developed this belief about everyone (even those who are basically good) as a way to protect yourself from future hurt or disappointment. The traumatic event may seem to confirm these beliefs about people.	If your prior experiences with people were positive, the traumatic event may have shattered your beliefs. Prior beliefs in the basic kindness of other people may have been particularly disrupted if people whom you thought would be supportive were not there for you after the event.
<i>Examples of Possible Stuck Points</i>	
"People are basically out for themselves." "All people are bad." "People will hurt you if it allows them to get ahead."	

(continued)

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
"All people are no good," then it will be important for you to examine the evidence that may refute the conclusion that all people (or at least all people from a particular group) are no good. When you first meet someone new, it is important that you do not make decisions based on past experiences with one or even a few people. It is better and more accurate to adopt a "wait-and-see" attitude, which will allow you time to develop your beliefs about the other person.	"While some [members of a particular group] do bad things, not all [members of this group] are out to hurt me." "While some people will hurt me, other people do have my best interests at heart."
"I need to put up with other people's behavior, even if it hurts me," you need to keep in mind that if over time a person makes you uncomfortable, or does things that may hurt you, you are free to assert boundaries or even end the relationship. At the same time, all people make mistakes, and you may want to consider your ground rules for friendships or intimate relationships ahead of time. That way if someone is repeatedly violating the ground rules that are important to you, even after you ask them to stop, you may want to make the choice to end the relationship. Conversely, if the person is apologetic and makes a genuine effort to avoid repeating the same mistake, then you might want to continue getting to know this person.	"If I meet someone and they hurt or disrespect me, I do not need to stay in a relationship with them." "People will make mistakes, but a good friend will try to learn from it and not do things again that may hurt me."
"People I expect to support me will always let me down," it will be important not to drop relationships immediately, even if those you expected support from disappoint you. Talk to them about how you feel and what you want from them. Use their reactions to your request as a way of evaluating where you want these relationships to go.	"People sometimes make mistakes. I will try to find out whether they understand their behavior bothered me and if they are willing to change how they treatment me. At that point, I can end the relationship if they will not change and it is something I choose not to accept."

HANDOUT 15.2

**Tracking Sheet: Giving/Receiving Compliments
and Doing Something Nice for Self**

Date	Giving compliment	Receiving compliment	Doing something nice	Notes, Stuck Points?

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1 **Alternative Thoughts Worksheet**

Date: _____

Name: _____

A. Situation

Describe the event, thought, or belief leading to the unpleasant emotion(s).

B. Thought/Stuck Point

Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)

C. Emotion(s)

Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.

D. Exploring Questions

Use the **Exploring Questions Worksheet** to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.

Evidence against?

Information not including?

All-or-none? Extreme or exaggerated?

Overfocused on just one piece?

Source questionable?

Confusing possible with definite?

Based on feelings or facts?

E. Thinking Patterns

Use the **Thinking Patterns Worksheet** to decide whether this is one of your problematic patterns of thinking.

Jumping to conclusions or predicting the future

Ignoring important parts of a situation

Oversimplifying or overreaching

Mind reading

Emotional reasoning

F. Alternative Thought(s)

What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.

G. Rerate Old Thought/Stuck Point

Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.

H. Emotion(s)

Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation	B. Thought/Stuck Point	D. Exploring Questions	E. Thinking Patterns	F. Alternative Thought(s)
Describe the event, thought, or belief leading to the unpleasant emotion(s).	Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
---	---	--	---	---

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 16.2

Practice Assignment after Session 11 of CPT+A

Read the Intimacy Issues Module (Handout 16.1) and use Alternative Thoughts Worksheets to examine Stuck Points regarding self- and other-intimacy. Continue completing worksheets on previous topics that are still problematic and/or any concerns you have about treatment ending.

Continue to practice doing nice/worthwhile things for yourself, and giving and receiving compliments.

Please write at least one page on what you think *now* about why this traumatic event(s) occurred. Also, consider what you believe now about yourself, others, and the world in the following areas: safety, trust, power/control, esteem, and intimacy.

Session Eleven Handouts:

Handout 11.1. Alternative Thoughts Worksheets

Handout 16.1. Intimacy Issues Module

Handout 15.2. Tracking Sheet: Giving/Receiving Compliments and Doing Something Nice for Self

HANDOUT 16.1

Intimacy Issues Module

Intimacy Beliefs Related to SELF: Beliefs that you can take care of your own emotional needs. An important part of healthy living is the ability to soothe and calm oneself. Part of self-intimacy is the ability to be alone without feeling lonely or empty.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had prior experiences (or poor role models) that led you to believe that you are unable to cope with negative life events, you may have reacted to the traumatic event with thoughts that you were unable to soothe, comfort, or take care of yourself.	If you previously had healthy, positive self-intimacy, you may be able to cope with a traumatic event because of the ability to use your coping strategies. However, some traumatic events can create conflict and you may begin to doubt your ability to take care of your needs.
Examples of Possible Stuck Points	
"If I feel my emotions, I will be out of control." "I can't tolerate being alone." "I can't handle my trauma symptoms by myself."	

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>A possible alternative thought may be . . .</i>
"I can take care of myself, and other people's actions do not affect me," the traumatic event may have shaken this belief. It might be helpful for you to remember the ways in which you have taken care of meeting your needs in the past. In addition, understanding that most people typically have a reaction to traumatic events may help you feel less panicky about what you are experiencing. When some people have a difficult time making themselves feel better, they might turn to unhealthy behaviors (substance abuse, overeating, gambling, etc.) that only mask the symptoms instead of helping with recovery.	"I will not suffer forever. I can soothe myself and use the skills I have learned to cope with these painful feelings. I may need help in dealing with my reactions, but that is normal." "The skills and abilities I am developing now will help me to cope better with other stressful situations in the future."

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 16.1 (p. 2 of 3)

<i>If you previously believed that . . .</i>	<i>A possible alternative thought may be . . .</i>
"I cannot take care of myself; I must have other people to help me," the traumatic event may have reinforced this belief. You might have become convinced that you do not have any skills to make yourself feel better. It will help for you to begin to identify the small ways in which you take care of yourself every day and to build on these small wins. It is good to have others in your life whom you can rely on, but there are times when others are not available.	"Although it may be hard at first, I can develop skills for taking care of myself, including practicing self-care by doing things that I enjoy." "It is healthy to ask others for help when I need it, but people are not always free immediately, and I can take care of myself until they are available."

Intimacy Beliefs Related to OTHERS: Beliefs that you are capable of making different types of emotional connections with others. The desire for closeness is one of the most basic human needs.

Prior Experience

<i>Negative</i>	<i>Positive</i>
Negative beliefs about getting close to others may have resulted from painful experiences in your life. The traumatic event might seem to confirm your belief that it is not safe to get close to another person.	If you previously had satisfying intimate relationships with others, you may find that the traumatic event left you believing that you could never be close to anyone again.
<i>Examples of Possible Stuck Points</i>	
"If I get close to someone, I will get hurt." "All anyone ever wants is sex." "Only bad things will come from being in a relationship."	

(continued)

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible self-statements may be . . .</i>
"I can depend on others and feel close and connected to them," the traumatic event may have had negative effects on your ability to feel intimate with others. It will be important for you to regain healthy beliefs about your ability to become close to others. Intimate relationships take time to develop and effort from both people. You are not solely responsible for the failure of prior or future relationships. The development of relationships involves risk taking, and it is possible that you may be hurt again. Staying away from relationships for this reason alone, however, is likely to leave you feeling empty and alone.	"Even though a past relationship did not work out, it does not mean that I cannot have satisfying intimate relationships in the future. Not everyone will betray me. I will need to take risks in developing relationships in the future, but if I take it slowly, I will have a better chance of deciding if this person can be trusted."
"I cannot get close to others or they will hurt me," the trauma may have reinforced this belief. It will be important for you to begin slowly taking chances with some other people, and to learn that through careful trial and error you can get close to some people.	"I can still be close to people, but I may not be able (or may not want) to be intimate with everyone I meet. I might lose prior or future relationships with others who cannot meet me halfway, but this is normal as not everyone is a good match."

HANDOUT 15.2

**Tracking Sheet: Giving/Receiving Compliments
and Doing Something Nice for Self**

Date	Giving compliment	Receiving compliment	Doing something nice	Notes, Stuck Points?

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation Describe the event, thought, or belief leading to the unpleasant emotion(s).	B. Thought/Stuck Point Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	D. Exploring Questions Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.	E. Thinking Patterns Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking.	F. Alternative Thought(s) What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.
		Evidence against? Information not including? All-or-none? Extreme or exaggerated? Overfocused on just one piece? Source questionable? Confusing possible with definite? Based on feelings or facts?	Jumping to conclusions or predicting the future Ignoring important parts of a situation Oversimplifying or overreaching Mind reading Emotional reasoning	G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1

Alternative Thoughts Worksheet

Date: _____

Name: _____

A. Situation

Describe the event, thought, or belief leading to the unpleasant emotion(s).

B. Thought/Stuck Point

Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)

C. Emotion(s)

Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.

D. Exploring Questions

Use the **Exploring Questions Worksheet** to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.

Evidence against?

Information not including?

All-or-none? Extreme or exaggerated?

Overfocused on just one piece?

Source questionable?

Confusing possible with definite?

Based on feelings or facts?

E. Thinking Patterns

Use the **Thinking Patterns Worksheet** to decide whether this is one of your problematic patterns of thinking.

Jumping to conclusions or predicting the future

Ignoring important parts of a situation

Oversimplifying or overreaching

Mind reading

Emotional reasoning

F. Alternative Thought(s)

What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.

G. Rerate Old Thought/Stuck Point

Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.

H. Emotion(s)

Now what do you feel? Rate it from 0 to 100%.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.