

Handouts
from
Cognitive Processing Therapy for PTSD, Second Edition:
A Comprehensive Therapist Manual
by Patricia A. Resick, Candice M. Monson, Kathleen M. Chard
Guilford Publications, Inc.

Handout 3.1 Modified PTSD Checklist-5 (PCL-5): Scale and Scoring	1
Handout 3.2 Patient Health Questionnaire-9 (PHQ-9): Scale and Scoring	8
Handout 5.1 Cognitive Processing Therapy for Posttraumatic Stress Disorder: Contract	10
Handout 6.1 Recovery or Nonrecovery from PTSD Symptoms Following Traumatic Events	12
Handout 6.2 Practice Assignment after Session 1 of CPT	13
Handout 7.1 Stuck Point Log	14
Handout 7.2 Identifying Emotions Handout	15
Handout 7.3 ABC Worksheet	16
Handout 7.3a ABC Worksheet: Example 1	17
Handout 7.3b ABC Worksheet: Example 2	18
Handout 7.3c ABC Worksheet: Example 3	19
Handout 7.4 Stuck Point Help Guide	20
Handout 7.5 Practice Assignment after Session of CPT	22
Handout 8.1 Practice Assignment after Session 3 of CPT	23
Handout 9.1 Levels of Responsibility Handout	24
Handout 9.2 Exploring Questions Worksheet	25
Handout 9.2a Exploring Questions Worksheet: Example 1	26
Handout 9.2b Exploring Questions Worksheet: Example 2	27
Handout 9.3 Guide for the Exploring Questions Worksheet	28
Handout 9.4 Practice Assignment after Session 4 of CPT	30
Handout 10.1 Thinking Patterns Worksheet	31
Handout 10.1A Thinking Patterns Worksheet: Example	32
Handout 10.2 Practice Assignment after Session 5 of CPT	33
Handout 11.1 Alternative Thoughts Worksheet	34
Handout 11.1a Alternative Thoughts Worksheet: Example 1	35
Handout 11.1b Alternative Thoughts Worksheet: Example 2	36
Handout 11.1c Alternative Thoughts Worksheet: Example 3	37
Handout 11.1d Alternative Thoughts Worksheet: Example 4	38
Handout 11.1e Alternative Thoughts Worksheet: Example 5	39

Limited Duplication License

These materials are intended for use only by qualified mental health professionals. The publisher grants to individual purchasers of this book nonassignable permission to reproduce all materials for which permission is specifically granted in a footnote. This license is limited to you, the individual purchaser, for personal use or use with clients. This license does not grant the right to reproduce these materials for resale, redistribution, electronic display, or any other purposes (including but not limited to books, pamphlets, articles, video or audio recordings, blogs, file-sharing sites, internet or intranet sites, and handouts or slides for lectures, workshops, or webinars, whether or not a fee is charged). Permission to reproduce these materials for these and any other purpose must be obtained in writing from the Permissions Department of Guilford Publications.

Purchase this book now: www.guilford.com/resick-forms

Handout 11.2 Practice Assignment after Session 6 of CPT	40
Handout 12.1 Safety Issues Module	41
Handout 12.2 Practice Assignment after Session 7 of CPT	43
Handout 13.1 Trust Issues Module	44
Handout 13.2 Practice Assignment after Session 8 of CPT	47
Handout 14.1 Trust Star Worksheet	48
Handout 14.1a Trust Star Worksheet: Example	49
Handout 14.2 Power/Control Issues Module	50
Handout 14.3 Practice Assignment after Session 9 of CPT	52
Handout 15.1 Esteem Issues Module	53
Handout 15.2 Tracking Sheet: Giving/Receiving Compliments and Doing Something Nice for Self	56
Handout 15.3 Practice Assignment after Session 10 of CPT	57
Handout 16.1 Intimacy Issues Module	58
Handout 16.2 Practice Assignment after Session 11 of CPT	61
Handout 18.1 Practice Assignment for CPT + A	62
Appendix A.1 Case Conceptualization Form	63
Appendix A.2 Quick Guide to Patient Handouts for Each CPT Session	64
Appendix B.1 Visual ABC Worksheet	66
Appendix B.2 Outline Alternative Thoughts Worksheet	67
Appendix B.3 Simplified Alternative Thoughts Worksheet	69

HANDOUT 3.1

Modified PTSD Checklist–5 (PCL-5): Scale and Scoring

Date: _____ Client: _____

For your purposes, add up your client's scores on the 20 items. If the total score is 28 or above, they have probable PTSD. You can track your client's scores by plotting them on the PCL graph at the end of this handout. A score of 18 or below indicated that the person does not have PTSD. Scores between 18 and 28 indicate partial/subthreshold PTSD and might be worth treating with CPT if the patient is experiencing distress from them.

There are two versions of the PCL-5:

1. The PCL-5 Monthly is administered before the start of Session 1 of CPT. It uses the past *month* as the time frame reference. There is an alternative format of the PCL-5 Monthly, which may be used before the start of Session 1 in order to assess the Criterion A trauma in more depth (PCL-5 with a brief Criterion A assessment).
2. The PCL-5 Weekly is used during CPT for Session 2 and for all other sessions. Remind the client to use only the preceding *week* as the time frame for each item. Score it immediately upon receipt and ask the client for any needed clarifications.

If the client's scores have not dropped significantly by Session 6, the therapist should explore whether the client is still avoiding affect, has been engaging in self-harm or other therapy-interfering behavior, or has not changed their assimilated beliefs about the traumatic event. Processing the lack of improvement with the client will be important at that point.

(continued)

From *The PTSD Checklist for DSM-5 (PCL-5)* by Weathers, Litz, et al. (2013). The scale is available from the National Center for PTSD at www.ptsd.va.gov and is in the public domain. Adapted in *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition* (The Guilford Press, 2024). Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Modified PCL-5 with Brief Criterion A Assessment: Monthly

Instructions: This questionnaire asks about problems you may have had after a very stressful experience involving *actual or threatened death, serious injury, or sexual violence*. It could be something that happened to you directly, something you witnessed, or something you learned happened to a close family member or close friend. Some examples are a *serious accident; fire; disaster such as a hurricane, tornado, or earthquake; physical or sexual attack or abuse; war; homicide; or suicide*.

First, please answer a few questions about your *worst event*, which for this questionnaire means the event that currently haunts you the most. This could be one of the examples above or some other very stressful experience. You and the person assessing or treating you will help you pick which event to focus on. It could be a single event (e.g., a car crash) or multiple similar events (e.g., multiple stressful events in a war zone or repeated sexual abuse). If there was a series of traumas, the person working with you will help you decide which individual event within the series had the biggest impact and should be the focus of assessment throughout treatment.

Briefly identify the worst event:

How long ago did it happen?

Did it involve actual or threatened death, serious injury, or sexual violence?

- ☐ Yes
- ☐ No

How did you experience it?

- ☐ It happened to me directly.
- ☐ I witnessed it.
- ☐ I learned about it happening to a close family member or close friend.
- ☐ I was repeatedly exposed to details about it as part of my job (e.g., paramedic, police, military, or other first responder).
- ☐ Other (please describe): _____

If the event involved the death of a close family member or close friend, was it due to some kind of accident or violence, or was it due to natural causes?

- ☐ Accident or violence
- ☐ Natural causes
- ☐ Not applicable (the event did not involve the death of a close family member or close friend)

Second, keeping this worst event in mind, read each of the problems on the next page and then circle one of the numbers to the right to indicate how much you have been bothered by that problem *in the past month*.

(continued)

PCL-5: Monthly

Instructions: Below is a list of problems that people sometimes have in response to a very stressful experience. Please read each problem carefully, and then circle one of the numbers to the right to indicate how much you have been bothered by that problem *in the past month*.

<i>In the past month, how much were you bothered by:</i>	<i>Not at all</i>	<i>A little bit</i>	<i>Moderately</i>	<i>Quite a bit</i>	<i>Extremely</i>
1. Repeated, disturbing, and unwanted memories of the stressful experience?	0	1	2	3	4
2. Repeated, disturbing dreams of the stressful experience?	0	1	2	3	4
3. Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?	0	1	2	3	4
4. Feeling very upset when something reminded you of the stressful experience?	0	1	2	3	4
5. Having strong physical reactions when something reminded you of the stressful experience (e.g., heart pounding, trouble breathing, sweating)?	0	1	2	3	4
6. Avoiding memories, thoughts, or feelings related to the stressful experience?	0	1	2	3	4
7. Avoiding external reminders of the stressful experience (e.g., people, places, conversations, activities, objects, or situations)?	0	1	2	3	4
8. Trouble remembering important parts of the stressful experience (not due to head injury or substances)?	0	1	2	3	4
9. Having strong negative beliefs about yourself, other people, or the world (e.g., having thoughts such as: "I am bad," "There is something seriously wrong with me," "No one can be trusted," "The world is completely dangerous")?	0	1	2	3	4

(continued)

HANDOUT 3.1 (p. 4 of 7)

<i>In the past month, how much were you bothered by:</i>	<i>Not at all</i>	<i>A little bit</i>	<i>Moderately</i>	<i>Quite a bit</i>	<i>Extremely</i>
10. Blaming yourself or someone else (<i>who did not intend the harm</i>) for the stressful experience or what happened after it?	0	1	2	3	4
11. Having strong negative feelings such as fear, horror, anger, guilt, or shame?	0	1	2	3	4
12. Loss of interest in activities that you used to enjoy?	0	1	2	3	4
13. Feeling distant or cut off from other people?	0	1	2	3	4
14. Trouble experiencing positive feelings (<i>e.g., being unable to feel happiness or have loving feelings for people close to you</i>)?	0	1	2	3	4
15. Irritable behavior, angry outbursts, or acting aggressively?	0	1	2	3	4
16. Taking too many risks or doing things that could cause you harm?	0	1	2	3	4
17. Being “super-alert” or watchful or on guard?	0	1	2	3	4
18. Feeling jumpy or easily startled?	0	1	2	3	4
19. Having difficulty concentrating?	0	1	2	3	4
20. Trouble falling or staying asleep?	0	1	2	3	4

(continued)

PCL-5: Weekly

Instructions: Below is a list of problems that people sometimes have in response to a very stressful experience. Please read each problem carefully, and then circle one of the numbers to the right to indicate how much you have been bothered by that problem *in the past week*.

<i>In the past week, how much were you bothered by:</i>	<i>Not at all</i>	<i>A little bit</i>	<i>Moderately</i>	<i>Quite a bit</i>	<i>Extremely</i>
1. Repeated, disturbing, and unwanted memories of the stressful experience?	0	1	2	3	4
2. Repeated, disturbing dreams of the stressful experience?	0	1	2	3	4
3. Suddenly feeling or acting as if the stressful experience were actually happening again (<i>as if you were actually back there reliving it</i>)?	0	1	2	3	4
4. Feeling very upset when something reminded you of the stressful experience?	0	1	2	3	4
5. Having strong physical reactions when something reminded you of the stressful experience (<i>e.g., heart pounding, trouble breathing, sweating</i>)?	0	1	2	3	4
6. Avoiding memories, thoughts, or feelings related to the stressful experience?	0	1	2	3	4
7. Avoiding external reminders of the stressful experience (<i>e.g., people, places, conversations, activities, objects, or situations</i>)?	0	1	2	3	4
8. Trouble remembering important parts of the stressful experience (<i>not due to head injury or substances</i>)?	0	1	2	3	4
9. Having strong negative beliefs about yourself, other people, or the world (<i>e.g., having thoughts such as: "I am bad," "There is something seriously wrong with me," "No one can be trusted," "The world is completely dangerous"</i>)?	0	1	2	3	4


(continued)

HANDOUT 3.1 (p. 6 of 7)

<i>In the past week, how much were you bothered by:</i>	<i>Not at all</i>	<i>A little bit</i>	<i>Moderately</i>	<i>Quite a bit</i>	<i>Extremely</i>
10. Blaming yourself or someone else (who did not intend the harm) for the stressful experience or what happened after it?	0	1	2	3	4
11. Having strong negative feelings such as fear, horror, anger, guilt, or shame?	0	1	2	3	4
12. Loss of interest in activities that you used to enjoy?	0	1	2	3	4
13. Feeling distant or cut off from other people?	0	1	2	3	4
14. Trouble experiencing positive feelings (e.g., <i>being unable to feel happiness or have loving feelings for people close to you</i>)?	0	1	2	3	4
15. Irritable behavior, angry outbursts, or acting aggressively?	0	1	2	3	4
16. Taking too many risks or doing things that could cause you harm?	0	1	2	3	4
17. Being “super-alert” or watchful or on guard?	0	1	2	3	4
18. Feeling jumpy or easily startled?	0	1	2	3	4
19. Having difficulty concentrating?	0	1	2	3	4
20. Trouble falling or staying asleep?	0	1	2	3	4

(continued)

PCL-5 Score Sheet



HANDOUT 3.2
**Patient Health Questionnaire–9 (PHQ-9):
Scale and Scoring**

Date: _____ Client: _____

Depressive symptom monitoring is optional in the CPT protocol, but it is encouraged when clients endorse depressive symptomatology. In that case, the PHQ-9 may be given every 2 weeks during the course of CPT to monitor depressive symptoms.

While this instrument alone is not sufficient to diagnose depressive disorders, it gives you a sense of whether an individual is experiencing depressive symptoms and how severe their symptoms are.

For your purposes, add up your client's scores on the 9 items provided below. The total score guidelines are as follows:

Total Score Depression Severity

<i>Score</i>	<i>Depression severity</i>
1–4	Minimal depression
5–9	Mild depression
10–14	Moderate depression
15–19	Moderately severe depression
20–27	Severe depression

There is one additional item at the end of the measure that assesses the impact of these symptoms on functioning.

Initial of client's last name: _____

Therapist's initials: _____ Date: _____ Session: _____

Format of CPT: ☐ Individual ☐ Group ☐ CPT ☐ CPT+A

(continued)

The PHQ-9 was developed by Drs. Robert L. Spitzer, Janet B. W. Williams, Kurt Kroenke, and colleagues, with an educational grant from Pfizer, Inc. No permission is required for its use. Reprinted in *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition* (The Guilford Press, 2024). Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

PHQ-9

Over the last 2 weeks, how often have you been bothered by any of the following problems? Read each item carefully, and circle your response.

	<i>Not at all</i>	<i>Several days</i>	<i>More than half the days</i>	<i>Nearly every day</i>
1. Little interest or pleasure in doing things	0	1	2	3
2. Feeling down, depressed, or hopeless	0	1	2	3
3. Trouble falling asleep, staying asleep, or sleeping too much	0	1	2	3
4. Feeling tired or having little energy	0	1	2	3
5. Poor appetite or overeating	0	1	2	3
6. Feeling bad about yourself—or that you are a failure or have let yourself or your family down	0	1	2	3
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed—or the opposite: being so fidgety or restless that you have been moving around a lot more than usual	0	1	2	3
9. Thoughts that you would be better off dead or thoughts of hurting yourself in some way	0	1	2	3

If you checked off *any* problems, how *difficult* have these problems made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all

☐

Somewhat difficult

☐

Very difficult

☐

Extremely difficult

☐

HANDOUT 5.1
Cognitive Processing Therapy
for Posttraumatic Stress Disorder: Contract

Date: _____ Client: _____

What is cognitive processing therapy?

Cognitive processing therapy (CPT) is a cognitive-behavioral treatment for posttraumatic stress disorder (PTSD) and related problems.

What are the goals of CPT?

The overall goals of CPT are to improve your PTSD symptoms, and any associated symptoms you may have (such as depression, anxiety, guilt, or shame). It also aims to improve your day-to-day living.

What will CPT consist of?

CPT consists of 6–18 individual (one-on-one) therapy sessions; the average is 12. Each session lasts 50–60 minutes. In these sessions, you will learn about the symptoms of PTSD and the reasons why some people develop it.

You and your therapist will also identify and explore how your trauma or traumas have changed your thoughts and beliefs, and how some of these ways of thinking may keep you “stuck” in your symptoms. CPT does not involve repeatedly reviewing the details of your trauma(s). However, you will be asked to examine your experiences in order to understand how they have affected your thoughts, feelings, and behaviors.

What is expected of me in CPT?

Perhaps the most important expectation of CPT is for you to make a commitment to come to sessions.

In addition, after each session, you will be given practice assignments to complete outside the sessions. These assignments are designed to improve your PTSD symptoms more rapidly outside the treatment sessions. You are also encouraged to ask any questions that you might have at any point in doing CPT.

What can I expect from my CPT therapist?

At each session, your therapist will help you figure out how your trauma has affected your thoughts and emotions, and help you make changes to feel better and function better.

In order to do this, your therapist will review your practice assignments and share what they notice about your trauma-related thoughts, feelings, and behaviors. Your therapist will ask

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

questions to examine what you have been thinking about your trauma(s) and their effects on your life and will help you to challenge thoughts that might be inaccurate. Your therapist will also teach you skills to change the way you think about events and about yourself and others. Another part of your therapist's job is to notice and point out when you are avoiding working on the trauma, even when you may not notice that you are doing it. Avoidance is a key PTSD symptom that keeps you stuck in nonrecovery.

Can I choose to stop this therapy?

Your decision to do CPT is voluntary. Therefore, you may choose to stop the treatment at any time. If this should happen, you will be asked to come in for one final session to discuss your concerns before terminating.

With my signature, I am indicating that I have reviewed these materials and received information about CPT for PTSD. I commit optimistically to myself, to this treatment, and to the goals listed above. I will receive a copy of this agreement.

Client signature

Date


Clinician signature

Date


HANDOUT 6.1

Recovery or Nonrecovery from PTSD Symptoms Following Traumatic Events

In normal recovery, intrusions, thoughts, emotions, and physical arousal decrease over time and disconnect from each other.



However, in those who don't recover, strong negative emotions, thoughts, and images lead to escape and avoidance behaviors.



The avoidance prevents the processing of the trauma that is needed for recovery and works only temporarily.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 6.2
Practice Assignment after Session 1 of CPT

Date: _____ Client: _____

Please write at least a one-page statement on *why* you think your most distressing traumatic event occurred. You are *not* being asked to write specific details about this event. Write down what you have been thinking about the *cause* of this event.

Also, consider the effects this traumatic event has had on your beliefs about yourself, others, and the world in the following areas: safety, trust, power/control, esteem, and intimacy.

Bring this statement with you to the next session. Also, please read over the handout I have given you on PTSD symptoms so that you understand the ideas we are talking about.


HANDOUT 7.1

Stuck Point Log

[illegible]

HANDOUT 7.2

Identifying Emotions Handout



From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3 ABC Worksheet

Date: _____ Client: _____

ACTIVATING EVENT A “Something happens.”	BELIEF/STUCK POINT B “I tell myself something.”	CONSEQUENCE C “I feel something.”

Are my thoughts above in “B” *realistic* and/or *helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3a ABC Worksheet: Example 1

Date: _____ Client: _____

ACTIVATING EVENT A “Something happens.”	BELIEF/STUCK POINT B “I tell myself something.”	CONSEQUENCE C “I feel something.”
<i>Shooting a Vietnamese woman while in combat</i>	<i>I am a bad person because I killed a helpless civilian.</i>	<i>Guilt and anger at myself</i>

Are my thoughts above in “B” realistic and/or helpful? No. One mistake does not make me a bad person. People make mistakes, and high stress situations, like combat zones, increase the probability of such mistakes. Civilians also, unfortunately, get killed in combat.

What can you tell yourself on such occasions in the future? I may have made mistakes in my life, but that does not make me a bad person. I may have done things that I regret, but I have also done good things in my life.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3b

ABC Worksheet: Example 2

Date: _____ Client: _____

ACTIVATING EVENT A “Something happens.”	BELIEF/STUCK POINT B “I tell myself something.”	CONSEQUENCE C “I feel something.”
<i>My uncle raped me.</i>	<i>I let it happen and didn't tell anyone.</i>	<i>Guilt and shame</i>

Are my thoughts above in “B” *realistic* and/or *helpful*? _____

What can you tell yourself on such occasions in the future? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.3c ABC Worksheet: Example 3

Date: _____ Client: _____

ACTIVATING EVENT A “Something happens.”	BELIEF/STUCK POINT B “I tell myself something.”	CONSEQUENCE C “I feel something.”
I build a porch and the railing comes loose.	I can never do anything right.	Anger at myself and sadness

Are my thoughts above in “B” realistic and/or helpful? No. It wouldn't hold up in a court of law because I do SOME things right.

What can you tell yourself on such occasions in the future? There are some things that I do alright. It is not true that I “never” do anything right.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 7.4

Stuck Point Help Guide

What is a Stuck Point?

Stuck Points are thoughts that you have that keep you stuck from recovering.

- These thoughts may not be 100% accurate.
- Stuck Points may be:
 - Thoughts about your understanding of why the traumatic event happened.
 - Thoughts about yourself, others, and the world that have changed dramatically as a result of the traumatic event.
- Stuck Points are concise statements (but they must be longer than one word—“trust” is not a Stuck Point).
- Stuck Points can often be formatted in an “If-then” structure. Here is an example: “If I let others get close, then I will get hurt.”
- Stuck Points often use extreme language, such as “never,” “always,” or “everyone.”

What is *not* a Stuck Point?

- **Behaviors.** For example, “I fight with my daughter all the time” is not a Stuck Point because it is describing a behavior. Instead, consider what thoughts you have when you are fighting with your daughter.
- **Feelings.** For example, “I am nervous whenever I go on a date” is not a Stuck Point because it is describing an emotion and a fact. Instead, consider what you are telling yourself that is making you feel nervous.
- **Facts.** For example, “I witnessed people die” is not a Stuck Point because this is something that actually happened. Instead, consider what thoughts you had as this happened and what you think about it now.
- **Questions.** For example, “What will happen to me?” is not a Stuck Point because it is a question. Instead, consider what answer to your question is at the back of your mind, such as “I will not have a future.”
- **Moral statements.** For example, “The criminal justice system should always work” is not a Stuck Point because it reflects an ideal standard of behavior. Instead, consider how this statement pertains to you specifically, such as “The justice system failed me” or “I can’t trust the government.”

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Examples of Stuck Points

1. If I had done my job better, then other people would have survived.
 2. Because I did not tell anyone, I am to blame for the abuse.
 3. Because I did not fight against my attacker, the abuse is my fault.
 4. I should have known he would hurt me.
 5. It is my fault the accident happened.
 6. If I had been paying attention, no one would have died.
 7. If I hadn't been drinking, it would not have happened.
 8. I don't deserve to live when other people lost their lives.
 9. If I let other people get close to me, I'll get hurt again.
 10. Expressing any emotion means I will lose control of myself.
 11. I must be on guard at all times.
 12. I should be able to protect others.
 13. I must control everything that happens to me.
 14. Mistakes are intolerable and cause serious harm or death.
 15. No civilians can understand me.
 16. If I let myself think about what has happened, I will never get it out of my mind.
 17. I must respond to all threats with force.
 18. I can never really be a good, moral person again because of the things that I have done.
 19. Other people should not be trusted.
 20. Other people should not trust me.
 21. If I have a happy life, I will be dishonoring my friends.
 22. I have no control over my future.
 23. The government cannot be trusted.
 24. People in authority always abuse their power.
 25. I am damaged forever because of the rape.
 26. I am unlovable because of [the trauma].
 27. I am worthless because I couldn't control what happened.
 28. I deserve to have bad things happen to me.
 29. I am dirty.
 30. I deserved to have been abused.
 31. Only people who were there can understand.
-

HANDOUT 7.5

Practice Assignment after Session 2 of CPT

Please complete the ABC Worksheets to become aware of the connection among events, your thoughts, and feelings. Complete at least one worksheet each day. Remember to fill out each form as soon after an event as possible, and if you identify any new Stuck Points, add them to the Stuck Point Log. Complete at least one worksheet about the traumatic event causing you the most PTSD symptoms. Also, please use the Identifying Emotions hand-out to help you determine the emotions you are feeling.


HANDOUT 8.1

Practice Assignment after Session 3 of CPT

Please continue to self-monitor events, thoughts, and feelings with the ABC Worksheets on a daily basis to increase your mastery of this skill. You should complete one worksheet each day on the index event or other traumas, but you can also do additional worksheet items on day-to-day events. Please put any newly noticed Stuck Points on your Stuck Point Log as you use the ABC Worksheets.

HANDOUT 9.1

Levels of Responsibility Handout



Your Role in the Traumatic Event: What Are the Facts?

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.2

Exploring Questions Worksheet

Date: _____ Client: _____

Below is a list of questions to be used in helping you challenge your Stuck Points. Not all questions will be appropriate for the belief you choose to challenge. Answer as many questions as you can for the belief you have chosen to challenge below.

Stuck Point: _____

1. What is the evidence against this Stuck Point?
2. What information are you not including about your Stuck Point?
3. Does your Stuck Point include all-or-none terms (such as “all,” “never”) or extreme words or phrases (such as “need,” “should,” “must,” “can’t,” and “every time”)?
4. In what way is your Stuck Point overfocused on just one piece of the event?
5. How is the source of information for this Stuck Point questionable?
6. How is your Stuck Point confusing something that is possible with something that is definite?
7. In what ways is your Stuck Point based on feelings, rather than facts?

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.2a
Exploring Questions Worksheet: Example 1

Date: _____ Client: _____

Below is a list of questions to be used in helping you challenge your Stuck Points or problematic beliefs. Not all questions will be appropriate for the belief you choose to challenge. Answer as many questions as you can for the belief you have chosen to challenge below.

Stuck Point: *It is my fault that my uncle had sex with me.* [Therapist asked whether the Stuck Point had a hidden word, “all.”]

1. What is the evidence against this Stuck Point?

I didn't want to do it, and I told him so. He threatened to hurt my little sister. He said no one would believe me. He was an adult, and I was a child. He was bigger and stronger than me.

2. What information are you not including about your Stuck Point?

How could it be my fault? I didn't even know what sex was when he started. You don't do that to kids. Just because he read me stories and babysat me didn't give him the right to do that.

3. Does your Stuck Point include all-or-none terms (such as “all,” “never”) or extreme words or phrases (such as “need,” “should,” “must,” “can't,” and “every time”)?

Well, we talked about the hidden word “all.” I thought it was all my fault and didn't even think about really blaming him. I was too scared of him, and my mother loved him.

4. In what way is your Stuck Point overfocused on just one piece of the event?

Because he did it to me, I assumed it was about me. I didn't think about the fact that I was a child or that what he did was a crime. I told him “No,” and he threatened my family.

5. How is the source of information for this Stuck Point questionable?

I think he said things that made it seem like it was my fault. I was so pretty that he couldn't keep his hands off of me, I was special. Things like that. His motives were bad so he is a bad source of information.

6. How is your Stuck Point confusing something that is possible with something that is definite?

It is unlikely that it was my fault. I was a child.

7. In what ways is your Stuck Point based on feelings, rather than facts?

Because I felt guilty and shameful, I thought it must be my fault.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.2b

Exploring Questions Worksheet: Example 2

Date: _____ Client: _____

Below is a list of questions to be used in helping you challenge your Stuck Points or problematic beliefs. Not all questions will be appropriate for the belief you choose to challenge. Answer as many questions as you can for the belief you have chosen to challenge below.

Stuck Point: *It is my fault that my brother was killed in the car accident because I should have done things differently.*

1. What is the evidence against this Stuck Point?

I didn't cause the crash. The other person was texting and ran the red light. The officer said that even with a seat belt, being hit from the side like that, my brother would have been killed anyway.

2. What information are you not including about your Stuck Point?

When the light turned green, I did look both ways before I entered the intersection. He was coming so fast that there was nowhere for me to go.

3. Does your Stuck Point include all-or-none terms (such as “all,” “never”) or extreme words or phrases (such as “need,” “should,” “must,” “can’t,” and “every time”)?

I thought it was all my fault because my brother died, and I didn't even think about the driver of the other car. I kept saying I should have done something different to avoid the crash.

“All my fault.” “Should have done things differently.”

4. In what way is your Stuck Point overfocused on just one piece of the event?

I was focused on the fact that my brother refused to put on his seat belt, and I didn't really listen when the officer said that with that kind of side crash, it wouldn't have made a difference. I was also focused on the fact that we were talking and laughing, but I overlooked the fact that I did look both ways.

5. How is the source of information for this Stuck Point questionable?

The Stuck Point came from me, but when it first happened, my parents' initial reaction was that it was my fault, and that I shouldn't have started the car until he put his seat belt on. Later they were more supportive, but I think they were so upset at the time that they took it out on me.

6. How is your Stuck Point confusing something that is possible with something that is definite?

I kept thinking that I could have done something different to avoid the crash. Maybe there was something I could have done, but it isn't likely.

7. In what ways is your Stuck Point based on feelings, rather than facts?

Because I felt guilty, I thought it must be my fault.

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 9.3

Guide for the Exploring Questions Worksheet

Date: _____ Client: _____

Below is a list of questions to be used in helping you challenge your Stuck Points or problematic beliefs. Not all questions will be appropriate for the belief you choose to challenge. Answer as many questions as you can for the belief you have chosen to challenge below.

Stuck Point: *Put a belief here. You can use your Stuck Point Log to find one.* _____

*The belief should **not** be a feeling or behavior, and should **not** be too vague. Use “if-then” statements if possible.*

1. What is the evidence against this Stuck Point?

*Evidence consists of the type of facts that will hold up in court. We are not challenging that the event happened. We are looking for evidence that does **not support** the Stuck Point you have given above.*

Against: *Only **one** exception is needed to make a belief **not** a fact. A fact is 100% and absolute. If you can identify one exception to your Stuck Point, then it is not a fact, and therefore would not hold up in court.*

However, if there is more than one thing you realize is evidence against the Stuck Point, write them all here. Think about some of the questions your therapist has asked you during your sessions to consider all of that information and context.

2. What information are you not including about your Stuck Point?

*Is it **possible** that your Stuck Point is unrealistic or not **completely** accurate or not **completely** true? Does your belief reflect all the facts of the situation? Remember the context of the trauma. Are you leaving out some important information about other people and the situation and only focusing on your role?*

3. Does your Stuck Point include all-or-none terms (such as “all,” “never”) or extreme words or phrases (such as “need,” “should,” “must,” “can’t,” and “every time”)?

Does your Stuck Point reflect black-and-white categories? Are things all good or all bad? Are you missing the gray areas in between? Example: If your performance falls short of perfect, you see yourself as a failure.

Extreme or exaggerated words or phrases may be hidden. Example: “Men can’t be trusted” actually means “All men can’t be trusted.”

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

4. In what way is your Stuck Point overfocused on just one piece of the event?

This question is about deciding that one piece of information from the event caused the event to happen. Then you use this one aspect to create your Stuck Point. Example: "If I had been stronger, then this wouldn't have happened." Now think about drawing a pie chart and showing one small slice of that pie as the one aspect you are focusing on. You are probably assigning 100% of the "blame" or "cause" to this "slice" and discounting all the remaining factors (other slices) in the rest of the pie. Other slices might include that you were outnumbered, the perpetrator had a weapon, you were taken by surprise, there were no other options at the time, or similar factors. Why are these other factors/slices not considered here as contributory? Are you discounting them and only focusing on the one factor/slice?

5. How is the source of information for this Stuck Point questionable?

Think about the time period when the event happened. Who were you at the time (a scared 20-year-old in combat, a child victimized by an adult, etc.)? Your Stuck Point may be based on a thought that you developed when you were scared or very young. You have retained that Stuck Point all these years, based on how you thought at the time. Or, think about the enemy/perpetrator/other sources: Are these people reliable? Can they be trusted to make judgments about the event (or you)? Your Stuck Point might be a statement told to you by a perpetrator. Is a perpetrator to be trusted (reliable) to make this statement? Would we expect that a perpetrator is truthful? Consider your source.

6. How is your Stuck Point confusing something that is possible with something that is definite?

*This question is best for a Stuck Point that is focused on the present or the future. It asks you, "What is the likelihood or percentage/chance that the event will happen again?" An example of a present- or future-oriented Stuck Point would be "If I trust others, then I'll get hurt." It may actually be a low probability, but you are living your life as if it is a certainty. Yes, it **could** happen, but are you living as if it **will** happen? Of course, in a dangerous environment, you may have to consider everything as a high probability because the consequences (death or injury) are great. But are you taking into consideration that you don't need to hold this same degree of probability in **all** environments? In other words, are you applying the Stuck Point as if it has a high probability (a certainty) of happening again in **all** situations now? For example, think about driving. We all know that many people die every year in car accidents, yet we still drive. We do this because although we are aware that we could die in a car accident, we don't live as if it **will** happen.*

7. In what ways is your Stuck Point based on feelings, rather than facts?

*This question represents the idea that if you **feel** something is true, then it must be. For example, think about hypervigilance: Because you **feel** uncomfortable or under threat in a crowd, you assume (or develop the belief) that it is dangerous. This becomes "I don't like crowds," which translates into the Stuck Point "I am never safe in a crowd," or "If I am in a crowd, then I will be harmed." Another example is that if you **feel** guilty, then you assume you must be at fault.*

HANDOUT 9.4

Practice Assignment after Session 4 of CPT

Please choose one Stuck Point each day and answer the questions on the Exploring Questions Worksheet with regard to each Stuck Point. Please work on Stuck Points related directly to the trauma first (e.g., “It is my fault,” “I could have prevented it,” “If I had done X, it would not have happened”). There are extra copies of the Exploring Questions Worksheets provided, so you can work on multiple Stuck Points. Also, read the Guide for the Exploring Questions Worksheet and refer back to it as needed.

HANDOUT 10.1

Thinking Patterns Worksheet

Date: _____ Client: _____

Listed below are several different patterns of thinking that people use in different life situations. These patterns often become automatic, habitual thoughts that cause people to engage in self-defeating behavior. Considering your own Stuck Points, or samples from your everyday thinking, find examples for each of these patterns. Write in the Stuck Point or typical thought under the appropriate pattern and describe how it fits that pattern. Think about how that pattern affects you.

1. **Jumping to conclusions or predicting the future**

2. **Ignoring important parts** of a situation

3. **Oversimplifying** things as “good–bad” or “right–wrong,” or **overreaching** from a single incident (e.g., applying one experience too broadly)

4. **Mind reading** (assuming that people are thinking negatively of you when there is no definitive evidence of this)

5. **Emotional reasoning** (using your emotions as proof—e.g., “I feel fear, so I must be in danger”)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Thinking Patterns Worksheet: Example

Listed below are several different patterns of problematic thinking that people use in different life situations. These patterns often become automatic, habitual thoughts that cause people to engage in self-defeating behavior. Considering your own Stuck Points, or samples from your everyday thinking, find examples for each of these patterns. Write in the Stuck Point or typical thought under the appropriate pattern and describe how it fits that pattern. Think about how that pattern affects you.

1. **Jumping to conclusions or predicting the future**

[Victim of childhood sexual abuse] *If a man is alone with a child, then the man will hurt the child. But I know my husband will not hurt my kids, so this belief is causing problems in my marriage.*

2. **Ignoring important parts** of a situation

[Robbery victim] *I keep forgetting the fact that the perpetrator had a gun, which is important information about how much control I had.*

3. **Oversimplifying** things as “good–bad” or “right–wrong,” or **overreaching** from a single incident (e.g., applying one experience too broadly)

[Police officer] *Not everyone is all good or all bad. I may have done some things in my life that were not that good, but that does not make me a bad person. After the event, I was suspicious of every traffic stop.*

4. **Mind reading** (in particular, assuming that people are thinking negatively of you when there is no definitive evidence of this)

[Victim of childhood physical abuse] *My dad yells now, so I assume he must be angry. But it's not true a lot of the time because he yells sometimes since he is deaf in one ear and going deaf in another. He yells because he doesn't know he is yelling.*

5. **Emotional reasoning** (using your emotions as proof; e.g., “I feel fear, so I must be in danger”)

[Survivor of a traumatic bereavement] *I feel guilt over my friend's death, so I must have done something wrong.*

HANDOUT 10.2

Practice Assignment after Session 5 of CPT

Your practice assignment is to consider your Stuck Points and find examples for each relevant thinking pattern on the Thinking Patterns Worksheet. Each day list a Stuck Point under each pattern and think about ways in which your reactions to the traumatic event may be affected by these habitual patterns. If you notice examples in your day-to-day life, you can write them in also. An example worksheet is provided.

HANDOUT 11.1 **Alternative Thoughts Worksheet**

Date: _____

Name: _____

A. Situation	B. Thought/Stuck Point	D. Exploring Questions	E. Thinking Patterns	F. Alternative Thought(s)
	Describe the event, thought, or belief leading to the unpleasant emotion(s). Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against?	Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future	What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.
		Information not including?	Ignoring important parts of a situation	
		All-or-none? Extreme or exaggerated?	Oversimplifying or overreaching	
	Overfocused on just one piece?	G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.		
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.	Source questionable?	Mind reading	H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
		Confusing possible with definite?	Emotional reasoning	
		Based on feelings or facts?		

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1a Alternative Thoughts Worksheet: Example 1

A. Situation	B. Thought/Stuck Point	D. Exploring Questions	E. Thinking Patterns	F. Alternative Thought(s)
Describe the event, thought, or belief leading to the unpleasant emotion(s).	Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.	Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking.	What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.
I have to ride on a plane.	Air travel is dangerous.—75%	Evidence against? Airport security has been increased. Thousands of planes fly every day. Information not including? The fact that planes fly every day and nothing happens to them. All-or-none? Extreme or exaggerated? Yes, I am making a statement that all flights are dangerous. Yes. I am exaggerating the risk. Overfocused on just one piece? I notice in the news when there is a crash, but I don't pay attention to all of the flights that travel safely every day. Source questionable? No, I misinterpreted turbulence. Confusing possible with definite? Yes, I have been saying that the plane will crash. Based on feelings or facts? I am letting myself believe this because I feel scared and not because it is realistic.	Jumping to conclusions or predicting the future Yes, I assume that if I fly, the plane <u>will</u> crash. Ignoring important parts of a situation The pilots are highly trained. They don't report crashes every day. Oversimplifying or overreaching I am exaggerating the possibility. Mind reading I am assuming that the pilot panics during turbulence. Emotional reasoning Just because I am anxious on flights doesn't mean that flying is dangerous.	The chances are very small that I will be killed or hurt while flying.—95% Even if the plane blew up, I could not do anything about it.—80%
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.			G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.
	Afraid—100% Helpless—75% Anxious—75%			15%
				H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
				Afraid—40% Helpless—5% Anxious—10%

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1b

Alternative Thoughts Worksheet: Example 2

A. Situation	B. Thought/Stuck Point	D. Exploring Questions	E. Thinking Patterns	F. Alternative Thought(s)
Describe the event, thought, or belief leading to the unpleasant emotion(s). <i>My girlfriend was shot at a street festival.</i>	Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?) <i>I should have thrown myself over her body to save her.—100%</i> <i>I should have prevented my girlfriend from being shot in the mass shooting.—100%</i>	Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? <i>There was no way to know that there was going to be a shooting—it happened so fast that I couldn't act.</i> Information not including? <i>It was a sudden shooting from a car. It was always a safe place before. There was no warning.</i> All-or-none? Extreme or exaggerated? <i>I should have acted faster.</i> <i>Extreme to say I should have prevented it when I didn't know it was going to happen</i> Overfocused on just one piece? <i>That I didn't save her from being shot.</i> Source questionable? <i>I am the source of the self-blame. No one else blamed me.</i> Confusing possible with definite? <i>Unlikely that I could have stopped it.</i> Based on feelings or facts? <i>Feelings.</i>	Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future <i>That I could have saved her.</i> Ignoring important parts of a situation <i>We were among the first to be shot. No screams before that.</i> <i>There was no way I could have known.</i> Oversimplifying or overreaching <i>That covering her would have saved her. I was shot, too.</i> Mind reading Emotional reasoning <i>Because I feel guilty, I am guilty.</i>	What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. <i>There was no way to see it coming at the time.—85%</i> <i>I did the best I could given the circumstances.—90%</i>
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%. <i>Guilty—100%</i> <i>Helpless—100%</i>			G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. <i>10%</i>
				H. Emotion(s) Now what do you feel? Rate it from 0 to 100%. <i>Guilty—40%</i> <i>Helpless—80%</i>

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1c

Alternative Thoughts Worksheet: Example 3

A. Situation	B. Thought/Stuck Point	D. Exploring Questions	E. Thinking Patterns	F. Alternative Thought(s)
Describe the event, thought, or belief leading to the unpleasant emotion(s).	Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.	Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking.	What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.
I am putting off doing my therapy practice assignment.	If I let myself feel angry, I'll be out of control.—50%	Evidence against? I have never been really destructive when I was angry. It is my choice how I act when I feel angry. I can always take a break or leave the situation. Information not including? That I am not totally out of control. I am still making choices on how to behave. All-or-none? Extreme or exaggerated? Yes, no control. It is exaggerated to say that I would be out of control; I have some control. Overfocused on just one piece? That if I do my out-of-session therapy assignment, I will be angry and out of control. Source questionable? My assumption. Confusing possible with definite? Not likely I will lose control just from filling out a worksheet. Based on feelings or facts? Feelings.	Jumping to conclusions or predicting the future I am jumping to conclusions to assume that I will have no control if I feel my feelings. Ignoring important parts of a situation I am disregarding the times I have felt angry and maintained control. Oversimplifying or overreaching Yes, feeling angry is bad. Mind reading Emotional reasoning Anger always leads to aggression.	Anger can be expressed without aggression.—60% Anger is an emotion like sadness. I can let myself feel that and still maintain control over my behaviors.—60%
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.			G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.
	Angry—50% Afraid—95%			20%
				H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
				Angry—30% Afraid—35%

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1d

Alternative Thoughts Worksheet: Example 4

A. Situation	B. Thought/Stuck Point	D. Exploring Questions	E. Thinking Patterns	F. Alternative Thought(s)
Describe the event, thought, or belief leading to the unpleasant emotion(s).	Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)	Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.	Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking.	What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.
A friend wants to set me up for a date with someone she knows.	I can't let anyone get close to me.—75%	Evidence against? My friends and family have been supportive. Information not including? My friend wouldn't set me up with a mean person. All-or-none? Extreme or exaggerated? Most healthy people would not run from a relationship. I am making assumptions about how other people will react. Overfocused on just one piece? That he will judge me. Source questionable? Coming from past negative experience and from an unhealthy person. Confusing possible with definite? It is possible that he won't like me, but it is possible I won't like him either. Based on feelings or facts? Feelings.	Jumping to conclusions or predicting the future Yes, assuming that it will go badly. Ignoring important parts of a situation That person was not healthy or secure. Oversimplifying or overreaching If I tell someone who can't deal with it, it is not necessarily bad because I could find out something important about the relationship. Mind reading Yes, I am assuming what he thinks, and I haven't even met him yet. Emotional reasoning Because I am scared, I assume that it will go badly.	My friend would not set me up with someone who would hurt me.—70% I don't have to get close to anyone right away. I can go at my own pace.—90%
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%.			G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.
	Fearful—50% Sad—80%			40%
				H. Emotion(s) Now what do you feel? Rate it from 0 to 100%.
				Fearful—25% Sad—40% Hopeful—10%

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 11.1e

Alternative Thoughts Worksheet: Example 5

A. Situation	B. Thought/Stuck Point	D. Exploring Questions	E. Thinking Patterns	F. Alternative Thought(s)
Describe the event, thought, or belief leading to the unpleasant emotion(s). <i>My lieutenant sent us down a road that he knew was filled with insurgents. Four friends were killed because of him.</i>	Write down the thought/Stuck Point related to the situation in section A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?) <i>He got them killed.—100%</i>	Use the Exploring Questions Worksheet to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme. Evidence against? <i>He was probably given an order to send us there because they needed the supplies.</i> Information not including? <i>Insurgents killed them.</i> All-or-none? Extreme or exaggerated? <i>Yes.</i> Overfocused on just one piece? <i>I guess I don't know if he had pressure (orders) to send us there right then.</i> Source questionable? <i>My assumption.</i> Confusing possible with definite?	Use the Thinking Patterns Worksheet to decide whether this is one of your problematic patterns of thinking. Jumping to conclusions or predicting the future <i>I guess I don't know what he was thinking when he ordered us there.</i> Ignoring important parts of a situation <i>I don't really know why he made that call.</i> Oversimplifying or overreaching <i>We had made the run before there, even though it was really dangerous.</i> Mind reading <i>I am mind reading his intentions.</i> Emotional reasoning <i>I was angry and blamed him.</i>	What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%. <i>I hate that my friends died, and although it didn't seem critical to make that run, I don't know what the lieutenant was thinking or responding to.—95%</i> <i>It was really risky, but we had made the run safely four times previously.—90%</i>
	C. Emotion(s) Specify your emotion(s) (sad, angry, etc.), and rate how strongly you feel each emotion from 0 to 100%. <i>Angry—100%</i>	Based on feelings or facts? <i>Outrage at not understanding why he made that call.</i> <i>That it was his fault. He didn't intend for them to get killed.</i>		G. Rerate Old Thought/Stuck Point Rerate how much you now believe the thought/Stuck Point in section B, from 0 to 100%. <i>40%</i>
				H. Emotion(s) Now what do you feel? Rate it from 0 to 100%. <i>Relieved, not as angry—60%</i>

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Practice Assignment after Session 6 of CPT

Use the Alternative Thoughts Worksheets to analyze at least one of your Stuck Points each day, focusing especially on your index event. Examine the evidence and your thinking habits to determine an alternative thought to your Stuck Point. You can also use the Alternative Thoughts Worksheets to challenge negative or problematic thoughts and related emotions that you might have about day-to-day events.

HANDOUT 12.1

Safety Issues Module

Safety Beliefs Related to SELF: The belief that you can protect yourself from harm and have some control over events.

Prior Experience

Negative	Positive
If you repeatedly experienced dangerous and uncontrollable life situations, you may have developed negative beliefs about your ability to protect yourself from harm. A new traumatic event may seem to confirm those beliefs.	If you have had positive prior experiences, you may develop the belief that you have control over most events and can protect yourself from harm. The traumatic event may have shattered this belief.
Examples of Possible Stuck Points	
“I can’t protect myself from danger.” “If I go out, I will be hurt.” “When I feel fear, that means I am in danger.”	

Possible Resolutions

If you previously believed that . . .	A possible alternative thought may be . . .
“It can’t happen to me,” then you will need to resolve the conflict between this belief and the traumatic event.	“It is unlikely to happen again, but the possibility exists. Even if it does, I have more skills I can use to manage my reactions.”
“I can protect myself from any harm,” then you will need to resolve the conflict between your prior beliefs and the traumatic event.	“I do not have control over everything that happens to me, but I can take precautions to reduce the risk of future traumatic events.”
“I cannot protect myself,” then the new traumatic event will seem to confirm these beliefs. New beliefs must be developed that are more balanced regarding your ability to keep yourself safe.	“I do have some ability to keep myself safe, and I can take steps to protect myself from harm.”

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Safety Beliefs Related to OTHERS: Beliefs about the dangerousness of other people and expectancies about the intent of others to cause harm, injury, or loss.

Prior Experience

Negative	Positive
If you experienced people as dangerous in early life, or if you believed violence to be a normal way of relating, the new traumatic event will seem to confirm these beliefs.	If you experienced people as safe in early life, you may expect others to keep you safe and not cause harm, injury, or loss. The traumatic event may have caused a disruption in this belief.
Examples of Possible Stuck Points	
“The world is dangerous everywhere.” “People will always try to harm me.” “There is nowhere safe to be.”	

Possible Resolutions

If you previously believed that . . .	Possible alternative thoughts may be . . .
“Others are out to harm me and most people will hurt me if they can,” then you will need to modify this belief, or it will be impossible to have trusting, happy relationships with others.	“There are some people out there who are dangerous, but not everyone is out to harm me in some way.”
“I will never be hurt by others,” then you will need to resolve the conflict between this belief and the traumatic event.	“There may be some people who will try to harm me, but not everyone I meet will hurt me. I can take precautions to reduce the likelihood that others can hurt me.”

HANDOUT 12.2

Practice Assignment after Session 7 of CPT

Use the Alternative Thoughts Worksheets to analyze at least one of your Stuck Points each day to develop an alternative statement that is more balanced and factual. Please read over the module on Safety and think about how your prior beliefs were affected by your trauma. If you have safety issues related to yourself or others, complete at least one worksheet to examine those beliefs. Use the remaining sheets for other Stuck Points on your log or for distressing events that have occurred recently.

HANDOUT 13.1

Trust Issues Module

Trust Beliefs Related to SELF: The belief that you can trust or rely on your own judgments and decisions. Trusting yourself is an important building block for developing healthy, trusting relationships with others.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had prior experiences where you were blamed for negative events, you may have developed negative beliefs about your ability to make decisions or judgments about situations or people. A new traumatic event may seem to confirm these beliefs.	If you had prior experiences that led you to believe you could trust your judgment, the traumatic event may have undercut this belief.
<i>Examples of Possible Stuck Points</i>	
“I can’t trust my own judgment.” “Because I made bad decisions in the past, I will always make bad decisions.” “I cannot trust myself.”	

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>A possible alternative thought may be . . .</i>
“I cannot trust my judgment,” later traumatic events may have reinforced this belief. It is important to understand that the traumatic event may or may not have been all your fault and that your decisions may not have been the cause of the traumatic event.	“I can still trust my judgment even though it’s not perfect.” “Even if I misjudged this person or situation, it does not mean I cannot trust my judgment or decision making in the future.”
“I have good judgment, and I make wise decisions,” then the traumatic event may have altered this belief. New beliefs need to reflect the possibilities that you can make mistakes but still have good judgment, and that mistakes in judgment cannot always be blamed as the reason why traumatic events occur.	“No one has perfect judgment. I did the best I could in an unpredictable situation, and I can still trust my ability to make decisions even though it is not perfect.” “My decisions (good or bad) did not cause the event to happen.”

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Trust Beliefs Related to OTHERS: Beliefs that the promises of other people or groups can be relied on with regard to future behavior. One of the earliest tasks of childhood development involves trust versus mistrust: A person needs to learn a healthy balance of trust and mistrust, and when each is appropriate.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you were betrayed in your early life, you may have developed the generalized belief “No one can be trusted.” A new traumatic event may serve to confirm this belief, especially if you were hurt by an acquaintance.	If you had generally good experiences growing up, you may have developed the belief “All people can be trusted.” The traumatic event may have shattered this belief.

Posttraumatic Experience

If the people you knew and trusted, or people in positions of authority, were blaming, distant, or unsupportive after the traumatic event, your belief in their trustworthiness may have been broken.

<i>Examples of Possible Stuck Points</i>
“No one can be trusted.” “People in authority will always take advantage of you.” “If I trust someone, they will hurt me.” “If I get close to someone, they will leave.”

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
“No one can be trusted,” which was seemingly confirmed by the traumatic event, then you need to adopt new beliefs that will allow you to enter into new relationships from a neutral position that allows you to see whether various kinds of trust can be built.	“Although I may find some people to be untrustworthy in some ways, I cannot assume that everyone is always untrustworthy.” “Trusting another involves some risk, but I can protect myself by developing trust slowly and including what I learn about that person as I get to know them.”
“Everyone can be trusted,” then the traumatic event may have shattered this belief. To avoid assuming that all people cannot be trusted, including those you used to trust, you will need to understand that trust is not an either–or matter.	“I may not be able to trust everyone in every way, but that doesn’t mean I have to stop trusting the people I used to trust.”

(continued)

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
"I can trust my family and friends," then the traumatic event may have impacted your beliefs about the trustworthiness of your support system when these persons did not act the way you wanted them to after they learned about the traumatic event. Before you assume that you cannot trust anyone in your support system, it is important to consider why these people may have reacted the way they did. Many people do not know how to respond when someone they care about is traumatized, and they may have been reacting out of ignorance. Some people may have responded out of fear or denial, because what has happened to you made them feel vulnerable and may have affected their own beliefs.	"Trust is not an all-or-none concept. Some people may be more trustworthy than others." "It may help to tell others what I need from them and then see if they do a better job of meeting my needs. I can use this as a way to assess their trustworthiness." If you find that others continue to be unsupportive about the trauma, but kind to you in other ways, you may choose to adopt a statement such as "There are some people I cannot talk to about the traumatic event, but there are other areas of my life where I can trust them." If a person continues to be negative or make blaming statements toward you, you might want to tell yourself, "This person is not trustworthy, and it is not healthy for me to have the person in my life at this time."

HANDOUT 13.2

Practice Assignment after Session 8 of CPT

Use the Alternative Thoughts Worksheets to analyze at least one of your Stuck Points each day until you can develop an alternative thought that is more balanced and factual. Please read over the module on Trust and think about how your prior beliefs were affected by your trauma. If you have trust issues related to yourself or others, complete at least one worksheet to examine those beliefs. Use the remaining sheets for other Stuck Points or for distressing events that have occurred recently.


HANDOUT 14.1

Trust Star Worksheet

Date: _____ Name: _____

There are many different types of trust (e.g., keeping secrets, being reliable). In the lines down the right side of the page, list all the different types of trust you can think of. Then think about one particular person. Write in your relationship with them here: _____.

If you cannot think of a family member or friend, then identify someone in whom you must place your trust, such as a doctor, mechanic, or bus driver. Put a star by the most important types of trust for that person. Then fill in the star by writing a type of trust on the line and put an X on the line about how much you trust them with that type of trust. If you don't know, put the X just inside the "no information" circle. Does this person need to be trustworthy in *every* way? What about the most important ways? Would you trust this person to pull your tooth, cut your hair, fix your car?



Types of Trust


[illegible]

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Trust Star Worksheet: Example

There are many different types of trust. In the lines down the right side of the page, list all the different types of trust you can think of. Then think about one particular person. Write in your relationship with them here: friend—J. D.. If you cannot think of a family member or friend, then identify someone in whom you must place your trust, such as a doctor, mechanic, or bus driver. Put a star by the most important types of trust for that person. Then fill in the star by writing a type of trust on the line and put an X on the line about how much you trust them with that type of trust. If you don't know, put the X just inside the "no information" circle. Does this person need to be trustworthy in every way? What about the most important ways? Would you trust this person to pull your tooth, cut your hair, fix your car?

Types of Trust



HANDOUT 14.2

Power/Control Issues Module

Power and Control Beliefs Related to SELF: Beliefs that you can solve problems and meet challenges that you may face.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you grew up experiencing repeated negative events, you may have developed the belief that you cannot control events or solve problems even if they are controllable/solvable. A new traumatic event may seem to confirm your prior beliefs about helplessness.	If you grew up believing that you had control over events and could solve problems, the traumatic event may have disrupted those beliefs.
<i>Examples of Possible Stuck Points</i>	
“I cannot control my emotions.” “The trauma is all my fault.” “I need to be in control or bad things will happen” “If I lose control over my emotions, something bad will happen.”	

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>A possible alternative thought may be . . .</i>
“I have control over everything that I do and say, as well as over the actions of others,” then it will be important to realize that none of us can have complete control over our emotions or behavior at all times. Although you may be able to influence many external events, it is impossible to control all events or all behaviors of other people.	“I do not have total control over my reactions, other people, or events at all times. However, I am able to have some control over my reactions to events, and to influence some behaviors of others or the outcomes of some events.” “Bad things do not always happen when I am not in control.”
“I am helpless or powerless regarding myself or others,” then you may feel depressed or have low self-esteem. It may help to look at your actual ability to control yourself and influence some events in your life.	“I cannot control all events outside myself, but I do have some control over what happens to me and my reactions to events.” “I cannot control all outcomes, but I can influence probabilities.”

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Power and Control Beliefs Related to OTHERS: Beliefs that you can control others or future events related to others (including people in power).

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had prior experiences with others that led you to believe you had no control in your relationships with others, or that you had no power in relation to powerful others, the traumatic event will seem to confirm those beliefs.	If you had prior positive experiences in your relationships with others and in relation to powerful others, you may have come to believe that you could influence others. The traumatic event may shatter this belief because you were unable to prevent the event, even despite your best efforts.
<i>Symptoms Associated with Negative Power/Control Beliefs about Others</i>	
Passivity Submissiveness Lack of assertiveness that can generalize to all relationships Inability to maintain relationships because you do not allow the other persons to exert any power in the relationships (including becoming enraged if the other persons try to exert even a minimal amount of control)	
<i>Examples of Possible Stuck Points</i>	
"People will always try to control you." "There is no point in even trying to fight against authority." "This event just proves that people have too much power over me."	

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
"I am powerless and have no control in relationships," then you will need to learn ways that it is safe and appropriate for you to exert appropriate power over yourself, others, and events.	"Even though I cannot always get everything I want in a relationship, I do have the ability to influence others by standing up assertively for my rights and asking for what I want."
"I have to control everything in the lives of people I care about, or they will be hurt," then the traumatic event may have further reinforced this belief. It will be important for you to realize that healthy relationships involve sharing power and control, and that relationships in which one person has all the power can be abusive (even if you are the one with all the power). It may also be helpful to realize that it can be relaxing to give up some of the power, and freeing to let others make decisions some of the time.	"Even though I may not get everything I want or need out of a relationship, I can assert myself and ask for it. A good relationship is one in which power is balanced between both people. If I am not allowed any control, I can exert my control in this relationship by ending it, if necessary." "I can learn to let others have some of the power in a relationship, and even enjoy having others take responsibility for some of the things that need to be done."

HANDOUT 14.3

Practice Assignment after Session 9 of CPT

Use the Alternative Thoughts Worksheets to analyze at least one of your Stuck Points each day until you have developed an alternative belief that is more balanced and factual. Please read over the module on Power/Control and think about how your prior beliefs were affected by your trauma. If you have power/control issues related to yourself or others, complete at least one worksheet to examine those beliefs. Use the remaining sheets for other Stuck Points or for distressing events that have occurred recently.

HANDOUT 15.1

Esteem Issues Module

Esteem Beliefs Related to SELF: Beliefs in your own worth. Such beliefs are a basic human need. Being understood, respected, and taken seriously is basic to the development of self-esteem.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had prior experiences that made you doubt your own worth, a new traumatic event will seem to confirm these negative beliefs about your self-worth. Some life experiences that can lead to negative beliefs about the self include these: Believing other people's negative statements about you Receiving little caring or support from others Being criticized or blamed by others, even when things were not your fault	If you had prior experiences that were positive and built up your beliefs in your own worth, the traumatic event may have disrupted those beliefs and lowered your self-esteem. Your self-confidence in making decisions and your faith in your opinions may be decreased.
<i>Examples of Possible Stuck Points</i>	
"I am bad, damaged, or evil." "I am responsible for bad or evil events." "I am permanently damaged or flawed." "Because I am worthless, I deserve to be unhappy."	

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
"I am worthless" (or any similarly beliefs) because of prior experiences, then the traumatic event may seem to confirm this belief. If you received poor social support after the event, this might also lead to negative beliefs about yourself. To improve your self-esteem, it may help to reevaluate your beliefs about your self-worth.	"Even if I have made mistakes in the past, that does not make me a bad person deserving of unhappiness or suffering (including the traumatic event)."

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
“Bad things only happen to bad people,” then the event may have disrupted such beliefs, and you might wonder what you did to deserve the event (e.g., “If I was really a good person, this would not have happened to me”). To improve your beliefs about your self-worth, you will need to look carefully at the situation, so you can see that sometimes bad things happen to good people. It is important for people to realize that bad things might happen to any of us and that does not mean we are to blame or caused them.	“Sometimes bad things happen to good people. If something bad happens to me, it is not necessarily because I did something to cause it or because I deserved it.”

Esteem Beliefs Related to OTHERS: Beliefs about how much you value other people. Realistic views of others are important to psychological health.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had bad experiences with people in the past, you may have concluded that other people are not good or not to be trusted. You might have developed this belief about everyone (even those who are basically good) as a way to protect yourself from future hurt or disappointment. The traumatic event may seem to confirm these beliefs about people.	If your prior experiences with people were positive, the traumatic event may have shattered your beliefs. Prior beliefs in the basic kindness of other people may have been particularly disrupted if people whom you thought would be supportive were not there for you after the event.
<i>Examples of Possible Stuck Points</i>	
“People are basically out for themselves.” “All people are bad.” “People will hurt you if it allows them to get ahead.”	

(continued)

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible alternative thoughts may be . . .</i>
“All people are no good,” then it will be important for you to examine the evidence that may refute the conclusion that all people (or at least all people from a particular group) are no good. When you first meet someone new, it is important that you do not make decisions based on past experiences with one or even a few people. It is better and more accurate to adopt a “wait-and-see” attitude, which will allow you time to develop your beliefs about the other person.	“While some [members of a particular group] do bad things, not all [members of this group] are out to hurt me.” “While some people will hurt me, other people do have my best interests at heart.”
“I need to put up with other people’s behavior, even if it hurts me,” you need to keep in mind that if over time a person makes you uncomfortable, or does things that may hurt you, you are free to assert boundaries or even end the relationship. At the same time, all people make mistakes, and you may want to consider your ground rules for friendships or intimate relationships ahead of time. That way if someone is repeatedly violating the ground rules that are important to you, even after you ask them to stop, you may want to make the choice to end the relationship. Conversely, if the person is apologetic and makes a genuine effort to avoid repeating the same mistake, then you might want to continue getting to know this person.	“If I meet someone and they hurt or disrespect me, I do not need to stay in a relationship with them.” “People will make mistakes, but a good friend will try to learn from it and not do things again that may hurt me.”
“People I expect to support me will always let me down,” it will be important not to drop relationships immediately, even if those you expected support from disappoint you. Talk to them about how you feel and what you want from them. Use their reactions to your request as a way of evaluating where you want these relationships to go.	“People sometimes make mistakes. I will try to find out whether they understand their behavior bothered me and if they are willing to change how they treatment me. At that point, I can end the relationship if they will not change and it is something I choose not to accept.”

HANDOUT 15.2

**Tracking Sheet: Giving/Receiving Compliments
and Doing Something Nice for Self**

Date	Giving compliment	Receiving compliment	Doing something nice	Notes, Stuck Points?

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

HANDOUT 15.3

Practice Assignment after Session 10 of CPT

Use the Alternative Thoughts Worksheets to analyze at least one of your Stuck Points each day and develop alternative thoughts. Please read over the Esteem module and think about how your prior beliefs were affected by your trauma. If you have esteem issues related to yourself or others, complete at least one worksheet to examine those beliefs. Use the remaining sheets for other Stuck Points or for distressing events that have occurred recently.

Also, each day do one nice thing for yourself and not because you achieved something. Additionally, practice giving one compliment and receiving one compliment each day prior to the next session. Write down the things you did for yourself, and who you complimented and who complimented you on the tracking sheet. If any of these assignments result in Stuck Points, please complete an Alternative Thoughts Worksheets on them.

HANDOUT 16.1

Intimacy Issues Module

Intimacy Beliefs Related to SELF: Beliefs that you can take care of your own emotional needs. An important part of healthy living is the ability to soothe and calm oneself. Part of self-intimacy is the ability to be alone without feeling lonely or empty.

Prior Experience

<i>Negative</i>	<i>Positive</i>
If you had prior experiences (or poor role models) that led you to believe that you are unable to cope with negative life events, you may have reacted to the traumatic event with thoughts that you were unable to soothe, comfort, or take care of yourself.	If you previously had healthy, positive self-intimacy, you may be able to cope with a traumatic event because of the ability to use your coping strategies. However, some traumatic events can create conflict and you may begin to doubt your ability to take care of your needs.
<i>Examples of Possible Stuck Points</i>	
“If I feel my emotions, I will be out of control.” “I can’t tolerate being alone.” “I can’t handle my trauma symptoms by myself.”	

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>A possible alternative thought may be . . .</i>
“I can take care of myself, and other people’s actions do not affect me,” the traumatic event may have shaken this belief. It might be helpful for you to remember the ways in which you have taken care of meeting your needs in the past. In addition, understanding that most people typically have a reaction to traumatic events may help you feel less panicky about what you are experiencing. When some people have a difficult time making themselves feel better, they might turn to unhealthy behaviors (substance abuse, overeating, gambling, etc.) that only mask the symptoms instead of helping with recovery.	“I will not suffer forever. I can soothe myself and use the skills I have learned to cope with these painful feelings. I may need help in dealing with my reactions, but that is normal.” “The skills and abilities I am developing now will help me to cope better with other stressful situations in the future.”

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

<i>If you previously believed that . . .</i>	<i>A possible alternative thought may be . . .</i>
"I cannot take care of myself; I must have other people to help me," the traumatic event may have reinforced this belief. You might have become convinced that you do not have any skills to make yourself feel better. It will help for you to begin to identify the small ways in which you take care of yourself every day and to build on these small wins. It is good to have others in your life whom you can rely on, but there are times when others are not available.	"Although it may be hard at first, I can develop skills for taking care of myself, including practicing self-care by doing things that I enjoy." "It is healthy to ask others for help when I need it, but people are not always free immediately, and I can take care of myself until they are available."

Intimacy Beliefs Related to OTHERS: Beliefs that you are capable of making different types of emotional connections with others. The desire for closeness is one of the most basic human needs.

Prior Experience

<i>Negative</i>	<i>Positive</i>
Negative beliefs about getting close to others may have resulted from painful experiences in your life. The traumatic event might seem to confirm your belief that it is not safe to get close to another person.	If you previously had satisfying intimate relationships with others, you may find that the traumatic event left you believing that you could never be close to anyone again.
<i>Examples of Possible Stuck Points</i>	
"If I get close to someone, I will get hurt." "All anyone ever wants is sex." "Only bad things will come from being in a relationship."	

(continued)

Possible Resolutions

<i>If you previously believed that . . .</i>	<i>Possible self-statements may be . . .</i>
“I can depend on others and feel close and connected to them,” the traumatic event may have had negative effects on your ability to feel intimate with others. It will be important for you to regain healthy beliefs about your ability to become close to others. Intimate relationships take time to develop and effort from both people. You are not solely responsible for the failure of prior or future relationships. The development of relationships involves risk taking, and it is possible that you may be hurt again. Staying away from relationships for this reason alone, however, is likely to leave you feeling empty and alone.	“Even though a past relationship did not work out, it does not mean that I cannot have satisfying intimate relationships in the future. Not everyone will betray me. I will need to take risks in developing relationships in the future, but if I take it slowly, I will have a better chance of deciding if this person can be trusted.”
“I cannot get close to others or they will hurt me,” the trauma may have reinforced this belief. It will be important for you to begin slowly taking chances with some other people, and to learn that through careful trial and error you can get close to some people.	“I can still be close to people, but I may not be able (or may not want) to be intimate with everyone I meet. I might lose prior or future relationships with others who cannot meet me halfway, but this is normal as not everyone is a good match.

HANDOUT 16.2

Practice Assignment after Session 11 of CPT

Read the Intimacy Issues Module (Handout 16.1) and use Alternative Thoughts Worksheets to examine Stuck Points regarding self- and other-intimacy. Continue completing worksheets on previous topics that are still problematic and/or any concerns you have about treatment ending.

Continue to practice doing nice/worthwhile things for yourself, and giving and receiving compliments.

Please write at least one page on what you think *now* about why this traumatic event(s) occurred. Also, consider what you believe now about yourself, others, and the world in the following areas: safety, trust, power/control, esteem, and intimacy.

HANDOUT 18.1

Practice Assignments for CPT+A

Practice Assignment for the End of Session 3

Please begin this assignment as soon as possible. Write a full account of the traumatic event and include as many sensory details (sights, sounds, smells, etc.) as possible. Also, include as many thoughts and feelings that you recall having during the event. Pick a time and place to write so you have privacy and enough time. Do not stop yourself from feeling your emotions. If you need to stop writing at some point, please draw a line on the paper where you stop. Begin writing again when you can and continue to write the account even if it takes several occasions to complete. Read the whole account to yourself every day until the next session. Allow yourself to feel your feelings. Bring your account to the next session.

Please continue to self-monitor events, thoughts, and feelings with the ABC Worksheets on a daily basis to increase your mastery of this skill. You should complete one worksheet each day on the index event or other worse traumas, but can complete additional worksheet items on day-to-day events. Please put any newly noticed Stuck Points on your Stuck Point Log as you use the ABC Worksheets.

Practice Assignment for the End of Session 4

Write up the whole incident again as soon as possible. If you were unable to complete the assignment the first time, please write more than last time. Add more sensory details, as well as your thoughts and feelings during the incident. Also, this time write your current thoughts and feelings in parentheses (e.g., “I’m feeling very angry”) or in the margins. Remember to read over the new account every day before the next session.


Also, continue to work with the ABC Worksheets every day.

Practice Assignment for the End of Session 7

Use the Alternative Thoughts Worksheets to analyze and examine at least one of your Stuck Points each day. Please read over the Safety module and think about how your prior beliefs were affected by the [event]. If you have safety issues related to yourself or others, complete at least one worksheet to explore those beliefs. Use the remaining sheets for other Stuck Points or for distressing events that have occurred recently.

APPENDIX A.1

Case Conceptualization Form

Relevant history (diagnosis, psychosocial):	Efforts to assimilate Overaccommodation 		
Avoidant coping/ treatment-interfering behaviors:			
Potential treatment- interfering cognitions:			
Strengths/motivators:			

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

Quick Guide to Patient Handouts for Each CPT Session

- **Before starting**

Handout 3.1. PCL-5 Monthly

Handout 3.2. PHQ-9

Handout 5.1. CPT for PTSD Contract (double-sided)—1 copy

- **Session 1 (Chapter 6)**

Handout 3.1. PCL-5 Modified—1 copy

Handout 3.2. PHQ-9 (if applicable)—1 copy

Handout 6.1. Recovery or Nonrecovery from PTSD Symptoms Following Traumatic Events—1 copy

Handout 6.2. Practice Assignment after Session 1 of CPT—1 copy

- **Session 2 (Chapter 7)**

Handout 3.1. PCL-5 Weekly—1 copy

Handout 3.2. PHQ-9 (if applicable)—1 copy

Handout 7.1. Stuck Point Log—1 copy

Handout 7.2. Identifying Emotions Handout—1 copy

Handout 7.3. ABC Worksheet—3–7 copies

Handout 7.3a, 7.3b, 7.3c. ABC Worksheet Examples—1 copy each

Handout 7.4. Stuck Point Help Guide—1 copy

Handout 7.5. Practice Assignment after Session 2 of CPT—1 copy

- **Session 3 (Chapter 8)**

Handout 3.1. PCL-5 Weekly—1 copy

Handout 3.2. PHQ-9 (if applicable)—1 copy

Handout 7.3. ABC Worksheet—3–7 copies

Handout 8.1. Practice Assignment after Session 3 of CPT—1 copy

- **Session 4 (Chapter 9)**

Handout 3.1. PCL-5 Weekly—1 copy

Handout 3.2. PHQ-9 (if applicable)—1 copy

Handout 9.1. Levels of Responsibility Handout—1 copy

Handout 9.2. Exploring Questions Worksheet—3–7 copies

Handout 9.2a, 9.2b. Exploring Questions Worksheet Examples—1 copy each

Handout 9.3. Guide for the Exploring Questions Worksheet (double-sided)—1 copy

Handout 9.4. Practice Assignment after Session 4 of CPT—1 copy

- **Session 5 (Chapter 10)**

Handout 3.1. PCL-5 Weekly—1 copy

Handout 3.2. PHQ-9 (if applicable)—1 copy

Handout 10.1. Thinking Patterns Worksheet—3–7 copies

Handout 10.1a. Thinking Patterns Worksheet Example—1 copy

Handout 10.2. Practice Assignment after Session 5 of CPT—1 copy

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

- **Session 6 (Chapter 11)**

- Handout 3.1. PCL-5 Weekly—1 copy
- Handout 3.2. PHQ-9 (if applicable)—1 copy
- Handout 11.1. Alternative Thoughts Worksheet—3–7 copies
- Handout 11.1a, 11.1b, 11.1c, 11.1d, 11.1e. Alternative Thoughts Worksheet Examples—1 copy each as appropriate
- Handout 11.2. Practice Assignment after Session 6 of CPT—1 copy

- **Session 7 (Chapter 12)**

- Handout 3.1. PCL-5 Weekly—1 copy
- Handout 3.2. PHQ-9 (if applicable)—1 copy
- Handout 11.1. Alternative Thoughts Worksheet—3–7 copies
- Handout 12.1. Safety Issues Module (double-sided)—1 copy
- Handout 12.2. Practice Assignment after Session 7 of CPT—1 copy

- **Session 8 (Chapter 13)**

- Handout 3.1. PCL-5 Weekly—1 copy
- Handout 3.2. PHQ-9 (if applicable)—1 copy
- Handout 11.1. Alternative Thoughts Worksheet—3–7 copies
- Handout 13.1. Trust Issues Module (2 pages, double-sided)—1 copy
- Handout 13.2. Practice Assignment after Session 8 of CPT—1 copy

- **Session 9 (Chapter 14)**

- Handout 3.1. PCL-5 Weekly—1 copy
- Handout 3.2. PHQ-9 (if applicable)—1 copy
- Handout 11.1. Alternative Thoughts Worksheet—3–7 copies
- Handout 14.1. Trust Star Worksheet—1 copy
- Handout 14.1a. Trust Star Worksheet Example—1 copy
- Handout 14.2. Power/Control Issues Module (2 pages, double-sided)—1 copy
- Handout 14.3. Practice Assignment after Session 9 of CPT—1 copy

- **Session 10 (Chapter 15)**

- Handout 3.1. PCL-5 Weekly—1 copy
- Handout 3.2. PHQ-9 (if applicable)—1 copy
- Handout 11.1. Alternative Thoughts Worksheet—3–7 copies
- Handout 15.1. Esteem Issues Module (2 pages, double-sided)—1 copy
- Handout 15.2. Tracking Sheet: Giving/Receiving Compliments and Doing Something Nice for Self—1 copy
- Handout 15.3. Practice Assignment after Session 10 of CPT—1 copy

- **Session 11 (Chapter 16)**


- Handout 3.1. PCL-5 Weekly—1 copy
- Handout 3.2. PHQ-9 (if applicable)—1 copy
- Handout 11.1. Alternative Thoughts Worksheet—3–7 copies
- Handout 16.1. Intimacy Issues Module (2 pages, double-sided)—1 copy
- Handout 16.2. Practice Assignment after Session 11 of CPT—1 copy

- **Session 12 (Chapter 17)**

- Handout 3.1. PCL-5 Weekly—1 copy
- Handout 3.2. PHQ-9 (if applicable)—1 copy
- Handout 11.1. Alternative Thoughts Worksheet—8 copies

APPENDIX B.1 Visual ABC Worksheet

Date: _____

Event A	Thought B	Feelings C
 		   

Does it make sense to tell yourself “B” above? Is the conclusion too big? Actual evidence? _____

What can you tell yourself in the future (more balanced thought)? _____

And then how does that feel? _____

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

APPENDIX B.2

Outline Alternative Thoughts Worksheet

Date: _____ Name: _____

- A. Describe the **event, thought, or belief** leading to the unpleasant emotion(s).
- B. Write down your **thought/Stuck Point** related to the situation in A. Rate your belief in this thought/Stuck Point from 0 to 100%. (How much do you believe this thought?)
- C. Specify your **emotion(s)** (sad, angry, etc.) and rate how strongly you feel each emotion from 0 to 100%.
- D. Use **Exploring Questions** to examine your automatic thought from section B. Consider whether the thought is balanced and factual, or extreme.
 1. What is the evidence against this Stuck Point?
 2. What information are you not including about your Stuck Point?
 3. How does your Stuck Point include all-or-none terms (such as “all,” “never”) or extreme words or phrases (such as “need,” “should,” “must,” “can’t,” and “every time”)?
 4. In what way is your Stuck Point overfocused on just one piece of the event?
 5. How is the source of information for this Stuck Point questionable?
 6. Is your Stuck Point confusing something that is possible with something that is definite?
 7. In what ways is your Stuck Point based on feelings, rather than facts.

(continued)

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.

E. Use the **Thinking Patterns** list to determine if your Stuck Point is one of your typical thinking patterns. Write down which ones fit this Stuck Point and why.

1. Jumping to conclusions or predicting the future
2. Ignoring important parts of a situation
3. Oversimplifying things as “good–bad” or “right–wrong” or overreaching from a single incident (e.g., applying one experience too broadly)
4. Mind reading (assuming that people are thinking negatively of you when there is no definitive evidence of this)
5. Emotional reasoning (using your emotions as proof—e.g., “I feel fear, so I must be in danger”)

F. **Alternative Thought(s)**. What else can I say instead of the thought in section B? How else can I interpret the event instead of this thought? Rate your belief in the alternative thought(s) from 0 to 100%.

G. **Re-Rate Old Thought/Stuck Point**

Re-rate how much you now believe the thought/Stuck Point in section B, from 0 to 100%.

H. **Emotion(s)**

Now what do you feel? Rate it from 0 to 100%.

APPENDIX B.3

Simplified Alternative Thoughts Worksheet

Date: _____

A Activating Event	D Exploring Questions	E New Belief
“Something happens.”	Evidence against the Stuck Point?	What can I tell myself in the future?
B Belief/Stuck Point	Is the Stuck Point leaving out important information?	
“I tell myself something.”	Is the Stuck Point extreme or exaggerated?	
C Consequence	Is the Stuck Point based on feelings, rather than all the facts?	F New Consequence
How does the Stuck Point make me feel?		How does the new belief make me feel?

From *Cognitive Processing Therapy for PTSD: A Comprehensive Therapist Manual, Second Edition*, by Patricia A. Resick, Candice M. Monson, and Kathleen M. Chard. Copyright © 2024 The Guilford Press. Permission to photocopy this material, or to download and print additional copies (www.guilford.com/resick-forms), is granted to purchasers of this book for personal use or use with clients; see copyright page for details.