Status	Finished
Started	Monday, 26 October 2026, 10:38 AM
Completed	Monday, 26 October 2026, 10:42 AM
Duration	4 mins 26 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

a. When the list is very small
b. When the list contains duplicate elements
c. When the list is sorted ✓
d. When the list is unsorted

Question **2**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

a. Linear search ✓
b. Binary search
c. Interpolation search
d. Hash search

Question **3**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

a. When the list is small and sorted
b. When the list is small and unsorted ✓
c. When the list is large and unsorted
d. When the list is large and sorted

Question **4**

Correct

Mark 1.00 out of 1.00

In _____ checks the elements of a list, one at a time, without skipping any element.

a. Hash search

b. Both (1) & (3)

c. Binary search

d. Linear search ✓

Question **5**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the element is found in the list ✓

b. When the list is sorted

c. When the search algorithm finishes

d. When the list contains duplicate elements

Question **6**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 89 and 99

b. 90 and 94

c. 90 and 99 ✓

d. 89 and 94

Question **7**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

a. The list is sorted

b. The search continues in the left or right sublist ✓

c. The search stops

d. The search continues from the beginning

Question **8**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

a. n/2
b. n ✓
c. 1
d. log n

Question **9**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

a. An error is raised
b. The last element is returned
c. The first element is returned
d. The search is considered unsuccessful ✓

Question **10**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Selection
b. Insertion
c. Bubble ✓
d. Complexity

Question **11**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

a. Linear search ✓
b. Jump search
c. Hashing
d. Binary search

Question **12**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. At the beginning of the list
b. In the entire list
c. In the right sublist
d. In the left sublist ✓

Question **13**

Correct

Mark 1.00 out of 1.00

What is the first step in binary search?

a. Compare the target element with the middle element in the list ✓
b. Compare the target element with the first element in the list
c. Sort the list
d. Divide the list into two equal parts

Question **14**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

a. It always starts from the beginning of the list
b. It can be applied only if the list is sorted ✓
c. It compares elements sequentially
d. It works on unsorted lists

Question **15**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

a. Sorting elements in a list
b. Determining whether an element is present in a list ✓
c. Deleting elements from a list
d. Inserting elements into a list