Status	Finished
Started	Tuesday, 27 October 2026, 9:00 PM
Completed	Tuesday, 27 October 2026, 9:09 PM
Duration	8 mins 42 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. none of the mentioned

b. sets the file's previous position at the offset

c. sets the file's current position within the file

d. sets the file's current position at the offset ✓

The correct answer is:
sets the file's current position at the offset

Question **2**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer to beginning of the file

b. move the file pointer five characters ahead from the current position ✓

c. move the file pointer five characters behind from the current position

d. moves the file pointer to the end of a file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **3**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

- a. The encoding format of the file ✓
- b. The buffer size
- c. The mode of the file
- d. The size of the file

The correct answer is: The encoding format of the file

Question **4**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

- a. Opens a file in binary mode
- b. Opens an existing file in read mode
- c. Appends to an existing file
- d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

- a. write_list()
- b. writelines() ✓
- c. write_all()
- d. write()

The correct answer is: writelines()

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Both text and binary file ✓
b. Text file
c. Binary file
d. none of the given choices

The correct answer is: Both text and binary file

Question **7**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. tells you the file is opened or not
b. tells you the end position within the file
c. none of the mentioned
d. tells you the current position within the file ✓

The correct answer is:
tells you the current position within the file

Question **8**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The buffer size for the file operations ✓
b. The file's read/write position
c. The encoding of the file
d. The access mode of the file

The correct answer is: The buffer size for the file operations

Question **9**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. \t

b. ,

c. \n ✓

d. space

The correct answer is:
\n

Question **10**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. truncate() ✓

b. resize()

c. reduce()

d. shrink()

The correct answer is: truncate()

Question **11**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓

False

The correct answer is 'True'.

Question **12**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

a. line()
b. readline() ✓
c. read(1)
d. readlines(1)

The correct answer is: readline()

Question **13**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of lines ✓
b. a list of integers
c. str
d. a list of single characters

The correct answer is:
a list of lines

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Python Programming
b. Python ✓
c. An error is raised
d. Program

The correct answer is: Python

Question **15**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open(file = "c:\scores.txt", "w")

b. outfile = open("c:\scores.txt", "w")

c. outfile = open("c:\\scores.txt", "w") ✓

d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")