

Execution Environment

Author: u64322043
File: /home/u64322043/Personal Project 3 - Average Price Based on the Factors in India/Personal Project 3 SAS Code.sas
SAS Platform: Linux LIN X64 5.14.0-284.30.1.el9_2.x86_64
SAS Host: ODAWS02-USW2-2.ODA.SAS.COM
SAS Version: 9.04.01M8P02222023
SAS Locale: en_US
Submission Time: 3/19/2026, 12:58:52 AM
Browser Host: 99.209.173.182
User Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
Application Server: ODAMID00-USW2-2.ODA.SAS.COM

Code: Personal Project 3 SAS Code.sas

```
/* Sicheng Lu */
* Business Analytics Post Grad;
* Bachelor of Economics Honours with Minor in Statistics;
* Personal Project 3: Flight Prices based on the factors in India;
* SAS Regression Modelling;

%web_drop_table(WORK.IMPORT);
/* Importing the data file to this SAS */

FILENAME REFFILE '/home/u64322043/Personal Project 3 - Average Price Based on the Factors in India/Clean_Dataset.csv';

PROC IMPORT DATAFILE=REFFILE
    DBMS=CSV
    OUT=flight_prices_india;
    GETNAMES=YES;
RUN;
* Double check the data has been uploaded successfully;
PROC CONTENTS DATA=flight_prices_india; RUN;
/* Printing the table for the first 10 datasets */
proc print data=flight_prices_india (obs=10);
title 'The first 10 original datasets';
* In order to do modelling regression,
all category variable will convert to numerical variable;
data updated_data;
set flight_prices_india;
if airline = 'Vistara' then airline_num = 1;
if airline = 'Air India' then airline_num = 2;
if airline = 'SpiceJet' then airline_num = 3;
if airline = 'GO_FIRST' then airline_num = 4;
if airline = 'Indigo' then airline_num = 5;
if airline = 'AirAsia' then airline_num = 6;

if stops = 'zero' then num_stops = 0;
if stops = 'one' then num_stops = 1;
if stops = 'two' then num_stops = 2;

if destination_city = 'Bangalore' then dest = 1;
if destination_city = 'Chennai' then dest = 2;
if destination_city = 'Delhi' then dest = 3;
if destination_city = 'Hyderabad' then dest = 4;
if destination_city = 'Kolkata' then dest = 5;
if destination_city = 'Mumbai' then dest = 6;

if class = 'Busines' then classes = 1;
if class = 'Economy' then classes = 2;

* Create a dummy variables for flight classes;
if class = 'Busines' then class_business = 1;
else class_business = 0;

if class = 'Economy' then class_economy = 1;
else class_economy = 0;
run;
```

```
* Showing the first 10 updated datasets after convert from category variable to numeral;
proc print data=updated_data (obs=10);
title 'The first 10 updated dataset';

* Regression Modelling;
proc reg data = updated_data;
  model price = airline_num num_stops dest classes days_left;
  title 'Regression Model for Average Price Based on the Factors';
run;

proc reg data = updated_data;
  model price = airline_num num_stops dest class_business days_left;
  title 'Regression Model for Average Price Based on the Factors for Business Class';
run;

proc reg data = updated_data;
  model price = airline_num num_stops dest class_economy days_left;
  title 'Regression Model for Average Price Based on the Factors for Economy Class';
run;

* SAS Graph;
proc sgplot data=updated_data;
  reg y=price x=days_left / group = classes;
  title "Flight Price vs Days Left by Class";
run;
* class = 1 = Busines = Red
* class = 2 = Economv = Blue
```

Log: Personal Project 3 SAS Code.sas

Warnings (3)

Notes (23)

```
1      OPTIONS NONOTES NOSTIMER NOSOURCE NOSYNTAXCHECK;
68
69      /* Sicheng Lu */
70      * Business Analytics Post Grad;
71      * Bachelor of Economics Honours with Minor in Statistics;
72      * Personal Project 3: Flight Prices based on the factors in India;
73      * SAS Regression Modelling;
74
75      %web_drop_table(WORK.IMPORT);
76      /* Importing the data file to this SAS */
77
78      FILENAME REFFILE '/home/u64322043/Personal Project 3 - Average Price Based on the Factors in India/Clean_Dataset.csv';
79
80      PROC IMPORT DATAFILE=REFFILE
81      DBMS=CSV
82      OUT=flight_prices_india;
83      GETNAMES=YES;
84      RUN;

NOTE: Unable to open parameter catalog: SASUSER.PARMS.PARMS.SLIST in update mode. Temporary parameter values will be saved to
WORK.PARMS.PARMS.SLIST.
Name  is not a valid SAS name.
Problems were detected with provided names.  See LOG.
85      /*****
86      *   PRODUCT:   SAS
87      *   VERSION:   9.4
88      *   CREATOR:   External File Interface
89      *   DATE:      19MAR26
90      *   DESC:      Generated SAS Daststep Code
91      *   TEMPLATE SOURCE:  (None Specified.)
92      *****/
93      data WORK.FLIGHT_PRICES_INDIA ;
94      %let _EFIERR_ = 0; /* set the ERROR detection macro variable */
95      infile REFFILE delimiter = ',' MISSOVER DSD  firstobs=2 ;
96      informat VAR1 best32. ;
97      informat airline $9. ;
98      informat flight $7. ;
99      informat source_city $5. ;
100     informat departure_time $13. ;
101     informat stops $4. ;
102     informat arrival_time $13. ;
103     informat destination_city $6. ;
104     informat class $7. ;
105     informat duration best32. ;
```

```

106 informat days_left best32. ;
107 informat price best32. ;
108 format VAR1 best12. ;
109 format airline $9. ;
110 format flight $7. ;
111 format source_city $5. ;
112 format departure_time $13. ;
113 format stops $4. ;
114 format arrival_time $13. ;
115 format destination_city $6. ;
116 format class $7. ;
117 format duration best12. ;
118 format days_left best12. ;
119 format price best12. ;
120 input
121     VAR1
122     airline $
123     flight $
124     source_city $
125     departure_time $
126     stops $
127     arrival_time $
128     destination_city $
129     class $
130     duration
131     days_left
132     price
133 ;
134 if _ERROR_ then call symputx('_EFIERR_',1); /* set ERROR detection macro variable */
135 run;

```

NOTE: The infile REFFILE is:
 Filename=/home/u64322043/Personal Project 3 - Average Price Based on the Factors in India/Clean_Dataset.csv,
 Owner Name=u64322043,Group Name=oda,
 Access Permission=-rw-r--r--,
 Last Modified=16Mar2026:22:12:04,
 File Size (bytes)=24683279

NOTE: 300153 records were read from the infile REFFILE.

The minimum record length was 67.
 The maximum record length was 105.

NOTE: The data set WORK.FLIGHT_PRICES_INDIA has 300153 observations and 12 variables.

NOTE: DATA statement used (Total process time):

real time	0.25 seconds
user cpu time	0.23 seconds
system cpu time	0.02 seconds
memory	12085.28k
OS Memory	32544.00k
Timestamp	03/19/2026 04:58:48 AM
Step Count	24 Switch Count 2
Page Faults	0
Page Reclaims	466
Page Swaps	0
Voluntary Context Switches	20
Involuntary Context Switches	1
Block Input Operations	0
Block Output Operations	56592

300153 rows created in WORK.FLIGHT_PRICES_INDIA from REFFILE.

NOTE: WORK.FLIGHT_PRICES_INDIA data set was successfully created.

NOTE: The data set WORK.FLIGHT_PRICES_INDIA has 300153 observations and 12 variables.

NOTE: PROCEDURE IMPORT used (Total process time):

real time	0.45 seconds
user cpu time	0.26 seconds
system cpu time	0.04 seconds
memory	12085.28k
OS Memory	32800.00k
Timestamp	03/19/2026 04:58:48 AM
Step Count	24 Switch Count 10
Page Faults	0
Page Reclaims	4463
Page Swaps	0
Voluntary Context Switches	121
Involuntary Context Switches	2
Block Input Operations	0
Block Output Operations	56688

136 * Double check the data has been uploaded successfully;

```
137 PROC CONTENTS DATA=flight_prices_india; RUN;
```

NOTE: PROCEDURE CONTENTS used (Total process time):

real time	0.03 seconds
user cpu time	0.03 seconds
system cpu time	0.00 seconds
memory	3406.65k
OS Memory	27564.00k
Timestamp	03/19/2026 04:58:48 AM
Step Count	25
Switch Count	0
Page Faults	0
Page Reclaims	691
Page Swaps	0
Voluntary Context Switches	3
Involuntary Context Switches	2
Block Input Operations	0
Block Output Operations	8

```
138 /* Printing the table for the first 10 datasets */
139 proc print data=flight_prices_india (obs=10);
140 title 'The first 10 original datasets';
141 * In order to do modelling regression,
142 all category variable will convert to numerical variable;
```

NOTE: There were 10 observations read from the data set WORK.FLIGHT_PRICES_INDIA.

NOTE: PROCEDURE PRINT used (Total process time):

real time	0.02 seconds
user cpu time	0.02 seconds
system cpu time	0.00 seconds
memory	2232.00k
OS Memory	27560.00k
Timestamp	03/19/2026 04:58:48 AM
Step Count	26
Switch Count	1
Page Faults	0
Page Reclaims	323
Page Swaps	0
Voluntary Context Switches	8
Involuntary Context Switches	1
Block Input Operations	0
Block Output Operations	16

```
143 data updated_data;
144 set flight_prices_india;
145 if airline = 'Vistara' then airline_num = 1;
146 if airline = 'Air India' then airline_num = 2;
147 if airline = 'SpiceJet' then airline_num = 3;
148 if airline = 'GO_FIRST' then airline_num = 4;
149 if airline = 'Indigo' then airline_num = 5;
150 if airline = 'AirAsia' then airline_num = 6;
151
152 if stops = 'zero' then num_stops = 0;
153 if stops = 'one' then num_stops = 1;
154 if stops = 'two' then num_stops = 2;
155
156 if destination_city = 'Bangalore' then dest = 1;
157 if destination_city = 'Chennai' then dest = 2;
158 if destination_city = 'Delhi' then dest = 3;
159 if destination_city = 'Hyderabad' then dest = 4;
160 if destination_city = 'Kolkata' then dest = 5;
161 if destination_city = 'Mumbai' then dest = 6;
162
163 if class = 'Busines' then classes = 1;
164 if class = 'Economy' then classes = 2;
165
166 * Create a dummy variables for flight classes;
167 if class = 'Busines' then class_business = 1;
168 else class_business = 0;
169
170 if class = 'Economy' then class_economy = 1;
171 else class_economy = 0;
172 run;
```

NOTE: There were 300153 observations read from the data set WORK.FLIGHT_PRICES_INDIA.

NOTE: The data set WORK.UPDATED_DATA has 300153 observations and 18 variables.

NOTE: DATA statement used (Total process time):

real time	0.06 seconds
user cpu time	0.05 seconds
system cpu time	0.03 seconds
memory	3593.28k
OS Memory	29612.00k
Timestamp	03/19/2026 04:58:48 AM

Step Count	27	Switch Count	6
Page Faults	0		
Page Reclaims	529		
Page Swaps	0		
Voluntary Context Switches	27		
Involuntary Context Switches	1		
Block Input Operations	0		
Block Output Operations	84744		

```
173
174      * Showing the first 10 updated datasets after convert from category variable to numeral;
175      proc print data=updated_data (obs=10);
176      title 'The first 10 updated dataset';
177
178
179      * Regression Modelling;
```

NOTE: There were 10 observations read from the data set WORK.UPDATED_DATA.

NOTE: PROCEDURE PRINT used (Total process time):

real time	0.02 seconds		
user cpu time	0.03 seconds		
system cpu time	0.00 seconds		
memory	2143.87k		
OS Memory	27560.00k		
Timestamp	03/19/2026 04:58:48 AM		
Step Count	28	Switch Count	1
Page Faults	0		
Page Reclaims	259		
Page Swaps	0		
Voluntary Context Switches	8		
Involuntary Context Switches	0		
Block Input Operations	0		
Block Output Operations	16		

```
180      proc reg data = updated_data;
181      model price = airline_num num_stops dest classes days_left;
182      title 'Regression Model for Average Price Based on the Factors';
183      run;
```

WARNING: ODS graphics with more than 5000 points have been suppressed. Use the PLOTS(MAXPOINTS=) option in the PROC REG statement to change or override the cutoff.

184

NOTE: PROCEDURE REG used (Total process time):

real time	0.11 seconds		
user cpu time	0.07 seconds		
system cpu time	0.05 seconds		
memory	5241.65k		
OS Memory	31424.00k		
Timestamp	03/19/2026 04:58:48 AM		
Step Count	29	Switch Count	8
Page Faults	0		
Page Reclaims	962		
Page Swaps	0		
Voluntary Context Switches	64		
Involuntary Context Switches	2		
Block Input Operations	0		
Block Output Operations	110144		

```
185      proc reg data = updated_data;
186      model price = airline_num num_stops dest class_business days_left;
187      title 'Regression Model for Average Price Based on the Factors for Business Class';
188      run;
```

WARNING: ODS graphics with more than 5000 points have been suppressed. Use the PLOTS(MAXPOINTS=) option in the PROC REG statement to change or override the cutoff.

189

NOTE: PROCEDURE REG used (Total process time):

real time	0.11 seconds		
user cpu time	0.07 seconds		
system cpu time	0.04 seconds		
memory	5129.71k		
OS Memory	31424.00k		
Timestamp	03/19/2026 04:58:49 AM		
Step Count	30	Switch Count	8
Page Faults	0		
Page Reclaims	712		
Page Swaps	0		
Voluntary Context Switches	102		

```
Involuntary Context Switches      4
Block Input Operations             0
Block Output Operations            110128
```

```
190      proc reg data = updated_data;
191      model price = airline_num num_stops dest class_economy days_left;
192      title 'Regression Model for Average Price Based on the Factors for Economy Class';
193      run;
```

WARNING: ODS graphics with more than 5000 points have been suppressed. Use the PLOTS(MAXPOINTS=) option in the PROC REG statement to change or override the cutoff.

```
194
195      * SAS Graph;
```

NOTE: PROCEDURE REG used (Total process time):

```
real time      0.11 seconds
user cpu time   0.07 seconds
system cpu time 0.05 seconds
memory         5126.84k
OS Memory      31424.00k
Timestamp      03/19/2026 04:58:49 AM
Step Count     31  Switch Count  8
Page Faults    0
Page Reclaims  706
Page Swaps     0
Voluntary Context Switches      102
Involuntary Context Switches     3
Block Input Operations           0
Block Output Operations          110144
```

```
196      proc sgplot data=updated_data;
197      reg y=price x=days_left / group = classes;
198      title "Flight Price vs Days Left by Class";
199      run;
```

NOTE: PROCEDURE SGPLOT used (Total process time):

```
real time      3.29 seconds
user cpu time   0.83 seconds
system cpu time 0.08 seconds
memory         23442.12k
OS Memory      48024.00k
Timestamp      03/19/2026 04:58:52 AM
Step Count     32  Switch Count  37
Page Faults    0
Page Reclaims  10103
Page Swaps     0
Voluntary Context Switches      495
Involuntary Context Switches     13
Block Input Operations           0
Block Output Operations          85968
```

NOTE: Marker and line antialiasing has been disabled for at least one plot because the threshold has been reached. You can set ANTIALIASMAX=300200 in the ODS GRAPHICS statement to enable antialiasing for all plots.

NOTE: There were 300153 observations read from the data set WORK.UPDATED_DATA.

```
200      * class = 1 = Busines = Red
201      * class = 2 = Economy = Blue
202
203
204
205      OPTIONS NONOTES NOSTIMER NOSOURCE NOSYNTAXCHECK;
206      ODS HTML CLOSE;
207      &GRAPHTERM; ;*';*";*/;RUN;QUIT;
208      QUIT;RUN;
209      ODS HTML5 (ID=WEB) CLOSE;
210
211      FILENAME _GSFNAME;
NOTE: Fileref _GSFNAME has been deassigned.
212      DATA _NULL_;
213      RUN;
```

NOTE: DATA statement used (Total process time):

```
real time      0.00 seconds
user cpu time   0.00 seconds
system cpu time 0.00 seconds
memory         463.15k
OS Memory      25772.00k
Timestamp      03/19/2026 04:58:52 AM
Step Count     33  Switch Count  0
Page Faults    0
Page Reclaims  23
```

Results: Personal Project 3 SAS Code.sas

The CONTENTS Procedure

Data Set Name	WORK.FLIGHT_PRICES_INDIA	Observations	300153
Member Type	DATA	Variables	12
Engine	V9	Indexes	0
Created	03/19/2026 00:58:48	Observation Length	96
Last Modified	03/19/2026 00:58:48	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	SOLARIS_X86_64, LINUX_X86_64, ALPHA_TRU64, LINUX_IA64		
Encoding	utf-8 Unicode (UTF-8)		

Engine/Host Dependent Information

Data Set Page Size	131072
Number of Data Set Pages	221
First Data Page	1
Max Obs per Page	1363
Obs in First Data Page	1327
Number of Data Set Repairs	0
Filename	/saswork/SAS_work76760001473F_odaws01-usw2-2.oda.sas.com/SAS_work090A0001473F_odaws01-usw2-2.oda.sas.com/flight_prices_india.sas7bdat
Release Created	9.0401M8
Host Created	Linux
Inode Number	2483041522
Access Permission	rw-r--r--
Owner Name	u64322043
File Size	28MB
File Size (bytes)	29097984

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Informat
1	VAR1	Num	8	BEST12.	BEST32.
2	airline	Char	9	\$9.	\$9.
7	arrival_time	Char	13	\$13.	\$13.
9	class	Char	7	\$7.	\$7.
11	days_left	Num	8	BEST12.	BEST32.
5	departure_time	Char	13	\$13.	\$13.
8	destination_city	Char	6	\$6.	\$6.
10	duration	Num	8	BEST12.	BEST32.
3	flight	Char	7	\$7.	\$7.
12	price	Num	8	BEST12.	BEST32.
4	source_city	Char	5	\$5.	\$5.
6	stops	Char	4	\$4.	\$4.

The first 10 original datasets

Obs	VAR1	airline	flight	source_city	departure_time	stops	arrival_time	destination_city	class	duration	days_left	price
1	0	SpiceJet	SG-8709	Delhi	Evening	zero	Night	Mumbai	Economy	2.17	1	5953
2	1	SpiceJet	SG-8157	Delhi	Early_Morning	zero	Morning	Mumbai	Economy	2.33	1	5953
3	2	AirAsia	I5-764	Delhi	Early_Morning	zero	Early_Morning	Mumbai	Economy	2.17	1	5956
4	3	Vistara	UK-995	Delhi	Morning	zero	Afternoon	Mumbai	Economy	2.25	1	5955
5	4	Vistara	UK-963	Delhi	Morning	zero	Morning	Mumbai	Economy	2.33	1	5955
6	5	Vistara	UK-945	Delhi	Morning	zero	Afternoon	Mumbai	Economy	2.33	1	5955
7	6	Vistara	UK-927	Delhi	Morning	zero	Morning	Mumbai	Economy	2.08	1	6060
8	7	Vistara	UK-951	Delhi	Afternoon	zero	Evening	Mumbai	Economy	2.17	1	6060
9	8	GO_FIRST	G8-334	Delhi	Early_Morning	zero	Morning	Mumbai	Economy	2.17	1	5954
10	9	GO_FIRST	G8-336	Delhi	Afternoon	zero	Evening	Mumbai	Economy	2.25	1	5954

The first 10 updated dataset

Obs	VAR1	airline	flight	source_city	departure_time	stops	arrival_time	destination_city	class	duration	days_left	price	airline_num	num_stops	dest	classes	class_business	class_economy
1	0	SpiceJet	SG-8709	Delhi	Evening	zero	Night	Mumbai	Economy	2.17	1	5953	3	0	6	2	0	1

Obs	VAR1	airline	flight	source_city	departure_time	stops	arrival_time	destination_city	class	duration	days_left	price	airline_num	num_stops	dest	classes	class_business	class_economy
2	1	SpiceJet	SG-8157	Delhi	Early_Morning	zero	Morning	Mumbai	Economy	2.33	1	5953	3	0	6	2	0	1
3	2	AirAsia	I5-764	Delhi	Early_Morning	zero	Early_Morning	Mumbai	Economy	2.17	1	5956	6	0	6	2	0	1
4	3	Vistara	UK-995	Delhi	Morning	zero	Afternoon	Mumbai	Economy	2.25	1	5955	1	0	6	2	0	1
5	4	Vistara	UK-963	Delhi	Morning	zero	Morning	Mumbai	Economy	2.33	1	5955	1	0	6	2	0	1
6	5	Vistara	UK-945	Delhi	Morning	zero	Afternoon	Mumbai	Economy	2.33	1	5955	1	0	6	2	0	1
7	6	Vistara	UK-927	Delhi	Morning	zero	Morning	Mumbai	Economy	2.08	1	6060	1	0	6	2	0	1
8	7	Vistara	UK-951	Delhi	Afternoon	zero	Evening	Mumbai	Economy	2.17	1	6060	1	0	6	2	0	1
9	8	GO_FIRST	G8-334	Delhi	Early_Morning	zero	Morning	Mumbai	Economy	2.17	1	5954	4	0	6	2	0	1
10	9	GO_FIRST	G8-336	Delhi	Afternoon	zero	Evening	Mumbai	Economy	2.25	1	5954	4	0	6	2	0	1

Regression Model for Average Price Based on the Factors

The REG Procedure
Model: MODEL1
Dependent Variable: price

Number of Observations Read	300153
Number of Observations Used	82405
Number of Observations with Missing Values	217748

Analysis of Variance					
Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	5	3.874667E13	7.749335E12	150006	<.0001
Error	82399	4.256752E12	51660241		
Corrected Total	82404	4.300343E13			

Root MSE	7187.50588	R-Square	0.9010
Dependent Mean	19022	Adj R-Sq	0.9010
Coeff Var	37.78500		

Parameter Estimates					
Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	96493	148.11895	651.46	<.0001
airline_num	1	-355.49930	15.39379	-23.09	<.0001
num_stops	1	8192.39549	65.79045	124.52	<.0001
dest	1	404.70180	16.74447	24.17	<.0001
classes	1	-47000	65.71229	-715.23	<.0001
days_left	1	-138.64953	1.85673	-74.67	<.0001

Regression Model for Average Price Based on the Factors for Business Class

The REG Procedure
Model: MODEL1
Dependent Variable: price

Number of Observations Read	300153
Number of Observations Used	82405
Number of Observations with Missing Values	217748

Analysis of Variance					
Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	5	3.874667E13	7.749335E12	150006	<.0001
Error	82399	4.256752E12	51660241		
Corrected Total	82404	4.300343E13			

Root MSE	7187.50588	R-Square	0.9010
Dependent Mean	19022	Adj R-Sq	0.9010
Coeff Var	37.78500		

Parameter Estimates					
Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	2494.28121	120.79099	20.65	<.0001
airline_num	1	-355.49930	15.39379	-23.09	<.0001
num_stops	1	8192.39549	65.79045	124.52	<.0001
dest	1	404.70180	16.74447	24.17	<.0001

Parameter Estimates					
Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
class_business	1	47000	65.71229	715.23	<.0001
days_left	1	-138.64953	1.85673	-74.67	<.0001

Regression Model for Average Price Based on the Factors for Economy Class

The REG Procedure
Model: MODEL1
Dependent Variable: price

Number of Observations Read	300153
Number of Observations Used	82405
Number of Observations with Missing Values	217748

Analysis of Variance					
Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	5	3.874667E13	7.749335E12	150006	<.0001
Error	82399	4.256752E12	51660241		
Corrected Total	82404	4.300343E13			

Root MSE	7187.50588	R-Square	0.9010
Dependent Mean	19022	Adj R-Sq	0.9010
Coeff Var	37.78500		

Parameter Estimates					
Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	49494	118.09631	419.10	<.0001
airline_num	1	-355.49930	15.39379	-23.09	<.0001
num_stops	1	8192.39549	65.79045	124.52	<.0001
dest	1	404.70180	16.74447	24.17	<.0001
class_economy	1	-47000	65.71229	-715.23	<.0001
days_left	1	-138.64953	1.85673	-74.67	<.0001

