Schema Markup Introduction, Article Schema

1. Create a simple HTML page for a news update and add Article schema using JSON-LD to mark up the headline, author, and date published.

Answer:

```
<!DOCTYPE html>
<html>
<head>
   <title>Ahmedabad Technology Expo Announced</title>

   <script type="application/ld+json">
   {
     "@context": "https://schema.org",
     "@type": "Article",
     "headline": "Ahmedabad Technology Expo Announced",
     "author": {
       "@type": "Person",
       "name": "Kevin Kacha"
     },
     "datePublished": "2026-09-16"
   }
   </script>
</head>

<body>
   <h1>Ahmedabad Technology Expo Announced</h1>
   <p>Published by Kevin Kacha on September 16, 2026.</p>
   <p>A new technology expo will bring together technology enthusiasts,
      students, and businesses in Ahmedabad.</p>
</body>
</html>
```

Schema.org defines Article as a general article type and supports properties such as articleBody and articleSection.

Picture required: Screenshot of this HTML code in VS Code/Notepad.

---

2. Compare JSON-LD and Microdata by marking up the same blog post content using both methods in two separate HTML files.

Answer:

File 1 – JSON-LD

```
<!DOCTYPE html>
<html>
<head>
   <title>Best Budget Smartphones in India</title>

   <script type="application/ld+json">
   {
     "@context": "https://schema.org",
     "@type": "Article",
     "headline": "Best Budget Smartphones in India",
     "author": {
       "@type": "Person",
       "name": "Kevin Kacha"
     },
     "datePublished": "2026-09-16"
   }
   </script>
</head>

<body>
   <h1>Best Budget Smartphones in India</h1>
   <p>This blog post explains useful budget smartphone options for Indian
users.</p>
</body>
</html>
```

File 2 – Microdata

```
<!DOCTYPE html>
<html>
<head>
   <title>Best Budget Smartphones in India</title>
</head>

<body itemscope itemtype="https://schema.org/Article">

   <h1 itemprop="headline">Best Budget Smartphones in India</h1>

   <p>
```

```
    Author:
    <span itemprop="author">Kevin Kacha</span>
  </p>

  <time itemprop="datePublished" datetime="2026-09-16">
    September 16, 2026
  </time>

  <p>
    This blog post explains useful budget smartphone options for Indian users.
  </p>

</body>
</html>
```

Comparison:

JSON-LD	Microdata
Uses a separate <script> tag.	Uses attributes inside HTML elements.
Uses JSON format.	Uses itemscope, itemtype, and itemprop.
Easier to maintain separately from page content.	Structured data is directly attached to visible HTML.
Does not change the webpage's visible content.	Markup is added to existing HTML elements.

Schema.org's official Article documentation provides examples for both Microdata and JSON-LD.

Pictures required:

- Screenshot of the JSON-LD HTML file.
- Screenshot of the Microdata HTML file.

---

3. Implement a BlogPosting schema for a tech review article, including properties for headline, author, dateModified, and image.

Answer:

```
<!DOCTYPE html>
<html>
```

```
<head>
   <title>Best Budget Smartphones: Detailed Tech Review</title>

   <script type="application/ld+json">
   {
     "@context": "https://schema.org",
     "@type": "BlogPosting",
     "headline": "Best Budget Smartphones: Detailed Tech Review",
     "author": {
       "@type": "Person",
       "name": "Kevin Kacha"
     },
     "dateModified": "2026-09-16",
     "image": "https://example.com/images/budget-smartphones.jpg"
   }
   </script>
</head>

<body>
   <h1>Best Budget Smartphones: Detailed Tech Review</h1>

   <p>
      This review covers the features, performance, camera,
      battery life, and price of budget smartphones.
   </p>

   <img src="budget-smartphones.jpg"
        alt="Budget smartphones tech review">
</body>
</html>
```

BlogPosting is a Schema.org type specifically describing a blog post and inherits properties from Article.

Picture required: Screenshot of the BlogPosting schema code in VS Code/Notepad.

---

4. Add author markup to your Article schema and link the author to their social media profile using the sameAs property.

Answer:

```
<script type="application/ld+json">
{
```

```
  "@context": "https://schema.org",
  "@type": "Article",

  "headline": "Top Emerging Technologies in 2026",

  "author": {
    "@type": "Person",
    "name": "Kevin Kacha",
    "sameAs": [
      "https://www.instagram.com/example/",
      "https://twitter.com/example"
    ]
  },

  "datePublished": "2026-09-16"
}
</script>
```

The sameAs property is used to provide URLs that identify the same person or entity, such as social media profiles.

Picture required: Screenshot of the Article schema showing author and sameAs.

---

5. Research a popular news site and inspect their article pages to find if they use Article, NewsArticle, or BlogPosting schema. List the main differences you observe in their structured data.

Answer:

Website researched: NDTV

NDTV publishes news articles under categories such as India News and identifies reporters/authors on its article pages.

For news content, the relevant Schema.org type is **NewsArticle**. Schema.org defines NewsArticle as an article whose content reports news or provides background information about news.

Main structured-data differences:

Schema Type	Main Use	Examples of Properties

Article	General articles and informational content	headline, author, datePublished, articleBody
NewsArticle	News reports and news-related content	headline, author, datePublished, dateModified, articleSection, articleBody
BlogPosting	Blog posts and blog-style content	headline, author, datePublished, dateModified, image

Picture required: Screenshot of an NDTV article page showing the **headline, author/reporter, publication date, and category**. If possible, also attach a screenshot from the page source or a structured-data testing tool showing the detected schema type.