Advanced robots.txt + AI Bots

Q-1. Create a robots.txt file that allows only Googlebot and Bingbot to crawl your site, but blocks all major AI bots for 2026 (GPTBot, ClaudeBot, OAI-SearchBot, PerplexityBot) from accessing any pages.

Ans:

```
# Allow Googlebot
User-agent: Googlebot
Disallow:

# Allow Bingbot
User-agent: Bingbot
Disallow:

# Block GPTBot
User-agent: GPTBot
Disallow: /

# Block ClaudeBot
User-agent: ClaudeBot
Disallow: /

# Block OAI-SearchBot
User-agent: OAI-SearchBot
Disallow: /

# Block PerplexityBot
User-agent: PerplexityBot
Disallow: /

# Block all other crawlers
User-agent: *
Disallow: /
```

Explanation:

- Googlebot and Bingbot are allowed to crawl the website.
- `Disallow: /` blocks the specified bot from the entire website.

- The catch-all rule blocks other crawlers not specifically allowed above.

Q-2. Add a wildcard rule in robots.txt to block all bots from accessing any URL that contains '/private/' anywhere in the path, but allow access to all other pages.

Ans:

User-agent: *
Disallow: */private/

Explanation:

- `User-agent: *` applies the rule to all crawlers.
- `Disallow: */private/` blocks matching paths containing `/private/`.
- Other URLs remain accessible.

Examples of blocked URLs:

- `https://example.com/private/page.html`
- `https://example.com/products/private/details`

Examples of allowed URLs:

- `https://example.com/`
- `https://example.com/products/`
- `https://example.com/about/`

Q-3. Configure robots.txt for a Shopify store so that only user bots (like browsers and real users) can access the '/shop' section, while search bots and AI bots are blocked from that section.

Ans:

Block Google
User-agent: Googlebot
Disallow: /shop

Block Bing
User-agent: Bingbot

```
Disallow: /shop

# Block GPTBot
User-agent: GPTBot
Disallow: /shop

# Block ClaudeBot
User-agent: ClaudeBot
Disallow: /shop

# Block PerplexityBot
User-agent: PerplexityBot
Disallow: /shop

# Block OAI Search
User-agent: OAI-SearchBot
Disallow: /shop

# Allow other bots
User-agent: *
Disallow:
```

Explanation:

- The `/shop` section is blocked for the listed search and AI crawlers.
- The final `User-agent: *` rule allows other unspecified crawlers.
- Normal human visitors can still access the section through their browsers.

Shopify note: Shopify manages its generated `robots.txt`. For a real store, use Shopify's supported `robots.txt.liquid` customization instead of simply uploading a standalone file.

Q-4. Use ChatGPT to generate a sample robots.txt file that blocks PerplexityBot from crawling any images (e.g., .jpg, .png) on your site, but allows all other bots to access images. Paste the generated file and explain any changes you made.

Ans:

```
# Block PerplexityBot from JPG images
User-agent: PerplexityBot
Disallow: /*.jpg$
```

```
# Block PerplexityBot from JPEG images
User-agent: PerplexityBot
Disallow: /*.jpeg$

# Block PerplexityBot from PNG images
User-agent: PerplexityBot
Disallow: /*.png$

# Allow all other bots
User-agent: *
Disallow:
```

Changes made:

1. `User-agent: PerplexityBot` targets Perplexity's crawler.
2. `/*.jpg$`, `/*.jpeg$`, and `/*.png$` target image URLs ending in those extensions.
3. Other pages are not blocked for PerplexityBot by these rules.
4. `User-agent: *` with an empty `Disallow` allows other crawlers to access the images.

Q-5. On a WordPress site, use a plugin or custom code to implement a robots.txt rule that blocks ClaudeBot from all pages except '/public-news/'. Test your implementation and take a screenshot of the robots.txt output.

Ans:

Add the following rules to the WordPress site's `robots.txt` output:

```
# Block ClaudeBot from the entire website
User-agent: ClaudeBot
Disallow: /

# Allow ClaudeBot to access /public-news/
User-agent: ClaudeBot
Allow: /public-news/

# Allow other bots
User-agent: *
Disallow:
```

Expected behavior:

URL	ClaudeBot access
`/`	Blocked
`/about/`	Blocked
`/products/`	Blocked
`/public-news/`	Allowed
`/public-news/article-1/`	Allowed