




ADA Visual Brand Guidelines

Version 6.0 | September 20, 2024



The ADA Brand

This document covers basic guidelines for the ADA brand, including the ADA parent brand, brand fonts, color palette, use of the ADA Logo and file types, photo selection and requirements, and photo permissions.

You may be asking, “What does branding have to do with me?” Everyone in an organization is an ambassador of the brand. Following brand strategy ensures visual consistency, message consistency and behavioral consistency, which in turn communicate the strength and promise of the ADA and its commitment to members and the public.

Questions? Please contact:

Nicole Cramlett
 ADA Creative Director &
 ADA Agency Operations Lead
cramlettn@ada.org

Looking for our **ADA Pearl Design System** for Figma? Please contact:

Jenn Sutherland
 Sr. Director, Digital Transformation
sutherlandj@ada.org

Parent Brand

The ADA parent brand is the most visible of the ADA brand system.

The parent brand distinguishes the organization from other dental organizations through color, emphasis on the name of the organization and typography.

Shown to the right are the three versions of the ADA parent branding — stacked, horizontal, and acronym. Each version is available in color (CMYK, RGB, and Pantone format), all black, and reversed out (all white).

Please note the following while working with an ADA logo:

- The logo must be used in its entirety, as is.
- The logo's components may not be removed, repositioned, stretched, or reduced in size.
- The logo's colors cannot be modified in any way.
- White space around the ADA logo should be equal to the height of the "A" in ADA on all sides of the logo.
- The logo also may not be placed on a dark background, on top of a texture, pattern, shape, or image.
- When using the ADA Acronym version, if center aligning, please center the logo on the "D" in "ADA".

The logo consists of the letters "ADA" in a bold, green, sans-serif font, followed by the words "American Dental Association" in a black, sans-serif font, with a registered trademark symbol (®) at the end.The logo consists of the letters "ADA" in a bold, green, sans-serif font, followed by the words "American Dental Association" in a black, sans-serif font, with a registered trademark symbol (®) at the end.The logo consists of the letters "ADA" in a bold, green, sans-serif font, with a registered trademark symbol (®) at the end.

Color Versions

ADA Green

The ADA logos should appear in “ADA Green” whenever possible – this includes Pantone, CMYK, or RGB color versions. Use this version on light backgrounds when there is sufficient contrast for readability.



Alternate Color Versions

In certain circumstances, one of two alternate versions are permissible.

Black

The ADA logos may be reproduced in all black. When printing one color, all elements must be 100% black.



Reversed (white)


On dark backgrounds the ADA logos may be reversed out in white. There must be sufficient contrast to ensure readability.



Clear Space

The clear space is an area surrounding the ADA logos in which no competing typography or graphics may appear.

- The clear space on all sides of the logo version is equal to the height of the “A” in “ADA”.



Usage Guidelines


The ADA logos may only be reproduced according to the guidelines.

- Only use approved ADA files.
- Do not attempt to recreate artwork.
- Do not alter an ADA logos in any way.
- Do not partially reverse a logo.

Here are examples of what not to do:



Do not rotate the logo, including 90 degrees/vertical.



Do not place in or on any shape.



Do not substitute different fonts.



Do not alter composition and/or size relationship.



Do not place a color logo version on a dark background.



Do not condense, expand or alter the shield or typography.



Do not place the logo over busy photographs or patterns.



Do not partially reverse the logo.



Do not use a one-color version other than black.



Do not apply effects, gradients, or stroke/outlines to the logo.

Typography

There are three approved fonts for ADA. All ADA print and digital materials should be created utilizing one of the following fonts:

- **Foundry Sterling**
- **Montserrat**
- **Arial**

To avoid readability problems:

- Do not extend, condense or distort type.
- All caps should only be used for short headlines and titles, never for body copy.
- Only italicize type in accordance with rules of style and punctuation (book or publication titles, foreign words and phrases, etc.).

Foundry Sterling

Used by designers on ADA marketing materials.

This is a licensed font and must be purchased per user.

Foundry Sterling Light
Foundry Sterling Book
Foundry Sterling Book Italic
Foundry Sterling Medium
Foundry Sterling Demi
Foundry Sterling Bold
Foundry Sterling
ExtraBold

Montserrat

Used on ADA websites, apps, and marketing materials.

Available in **Google Fonts**.

Montserrat Thin
Montserrat Thin Italic
Montserrat ExtraLight
Montserrat ExtraLight Italic
Montserrat Light
Montserrat Light Italic
Montserrat Regular
Montserrat Italic
Montserrat Medium
Montserrat Medium Italic
Montserrat SemiBold
Montserrat SemiBold Italic
Montserrat Bold
Montserrat Bold Italic
Montserrat ExtraBold
Montserrat ExtraBold Italic
Montserrat Black
Montserrat Black Italic

Arial

Used for Microsoft Office applications whenever Foundry Sterling or Monsterrat are unavailable.

Arial Regular
Arial Italic
Arial Bold
Arial Bold Italic
Arial Black

Color Palette

The ADA color palette includes ADA Green and 10 additional colors that complement each other and ADA Green.

Consistent use of the color palette on all communication materials reinforces the ADA brand.

- Each color shown includes custom color values for PMS, CMYK, RGB and hexadecimal.
- All ADA materials produced must utilize at least one color from this palette at 100% value.

Once a color has been used at 100%, tints and shades may be used.

For print: please use a percentage of an ADA CMYK value.

For digital: please use color-hex.com for accurate values based on an ADA Hex (example shown at link above).

- Color should be applied to typography in a way that does not diminish readability.

ADA Green



PMS Pantone 362C
CMYK 78/0/100/2
RGB 51/153/51
Hex 339933



PMS Pantone 285C
CMYK 90/48/0/0
RGB 0/118/190
Hex 0076be



PMS Pantone 1807C
CMYK 10/93/71/33
RGB 164/52/58
Hex a4343a



PMS Pantone 7474C
CMYK 96/9/32/29
RGB 0/124/137
Hex 007c89



PMS Pantone 186C
CMYK 2/100/85/6
RGB 200/16/46
Hex c8102e



PMS Pantone 689C
CMYK 24/89/5/37
RGB 153/51/102
Hex 993366



PMS Pantone 158C
CMYK 0/62/95/0
RGB 245/127/41
Hex f57f29



PMS Pantone 668C
CMYK 70/77/7/23
RGB 85/67/126
Hex 55437e



PMS Pantone 7409C
CMYK 0/31/100/0
RGB 240/179/35
Hex f0b323



PMS Pantone 541C
CMYK 100/58/9/46
RGB 0/60/113
Hex 003c71



PMS Process Black 75%
CMYK 0/0/0/75
RGB 100/100/100
Hex 646464

Image Guidelines

Application of these image guidelines is as follows:

REQUIRED for:

- [ADA created \(or purchased\) images](#)
- [ADA content and products](#)
- [ADA co-branded/partnership products](#)
- [ADA endorsed products](#)

RECOMMENDED for:

- [Sponsored content](#)
- [Advertising](#)
- [Third party products](#)

Overarching guidance:

- Always verify that dentists and/or dental team members shown in a treatment setting are following current ADA PPE recommendations.
- Review and make sure images and/or illustrations support the information they accompany.
- Check that photography and/or illustrations display a natural diversity among people, and reflect the credibility and standing of the ADA as an oral health authority and advocate.
- Infographics or illustrations may be used but need to follow all ADA PPE recommendations. Any illustrations including dental icons/visuals must be approved by Science and/or Practice.
- If using stock photography, make sure there are no stethoscopes.
- **Do not** use clip art for illustrations.
- **Do not** show external brand names or logos within visual content unless ADA permission has been obtained.
- **Do not** include any profane or sexual language or visuals.
- **Do not** make religious or political associations in language or visuals in conjunction with the ADA.
- **Do not** disparage the ADA.

For any event setting:

- If the photo is in a treatment setting, dentist and dental team members must follow current ADA PPE recommendations.
- If the photo is not in a treatment setting, dentists and dental team members should be wearing a face mask if they are within 6 feet of a child unless generally accepted COVID-19 precautions have been lifted. Children in groups of 4 or fewer can be shown without face masks. Avoid using photos of large groups of children unless generally accepted COVID-19 precautions have been lifted.
- If photos from prior to the COVID-19 pandemic are used (for example in an *ADA News* story) where PPE does not meet current ADA recommendations, event year must be listed.

Catalog products:


- Existing print products with now inaccurate images on covers may continue to be sold as is; reprints must be updated with proper images.
- Digital products may be kept in cadence with print products when both exist. If digital product only, images should be updated.

If treating (or it looks like they are treating) a patient or if the wording of the piece gives a “clinical context”, the dentist, assistant and/or hygienist:

- Must be wearing a full face shield or goggles.
- Must be wearing a mask and have it sitting correctly on the bridge of the nose. *(If not treating: Mask must be properly on or off. Mask may not be pulled up on top of head or hang around neck or ears.)*
- Must be wearing long sleeves or gown.
- Must be wearing gloves.
- Gloves must be pulled over the cuffs of the sleeves.
- If they are wearing any gown, it must be properly fastened in the back and at the neck.
- Cannot be wearing a watch, bracelets, or rings – as these item can become contaminated.
- Head coverings or shoe coverings are not required, though are optional.

For proper sequence for putting on and removing PPE, please see:

PPE Sequence from the CDC



Operatory counter surfaces should be cleared of any unnecessary non-clinical objects when possible and necessary clinical objects should be properly protected.

Examples (not comprehensive):

Necessary, permitted:



- Clinical items such as a curing light, handpieces, bagged or open instruments (in the scene depicted)
- Sharps disposal containers
- Paper records should not be sitting in the open and exposed without some sort of transparent covering

Unnecessary (clear when possible):

- Photos along a counter
- Decorative items of any kind
- Boxes of additional PPE

Patients:

- Need to be wearing protective eyewear while being treated.
- Need to be wearing a protective drape/bib during treatment.



X-Rays:

- X-ray shielding is no longer recommended by Science, but is still required in some states at this time. For national campaigns, please still include.
- X-ray images should be on screen or on a lightbox.
- Certain types of x-ray machines should not be shown (*please request review if selecting a photo*).



For all treatment photos:

An ADA-approved dentist should be on site during the photo shoot to provide guidance and oversight on the following:

- Proper technique – hand position of instruments, procedures, cancer screening, etc.
- Ergonomics – cognizant of proper dental posture.
- Tray placement – confirm that the tray placement is appropriate for design of dental until and care being provided (i.e. over the patient, rear delivery, side delivery).
- Overhead light position – if the light is in the photos it should always have a disposable covering on the positioning handle, be within reach while sitting, and properly used.



Events:

- Alcohol may not be shown.

Military Personnel:

- May not be shown in uniform in any marketing photos.

Candidates/Board Members:

- Anyone currently running for ADA office cannot be included in marketing materials from the time they announce they are running until election results are provided.
- ADA Board members should not be included in marketing materials unless they are a featured speaker/guest.

Water Glasses:

- Should not have ice cubes in them.
- Should be clear and (no colored glass).
- Should not have citrus of any kind in or on the rim of the glass.



Dental Products/Equipment/Instruments:

- Products should appear clean and dry, not touching counters or other surfaces.
- Toothpaste application for children over 6 years old and adults should fit neatly and evenly on the head of the brush.
- Toothpaste application for a child 3-6 years old should be no larger than the size of a pea.
- Toothpaste application for a child under 3 years old should be no larger than the size of a grain of rice.
- Toothpaste should not “foam” around the mouth. This is a sign too much toothpaste was used.
- Containers should be closed (tubes, bottles, etc) if not in use.
- Should not be identifiable as a specific brand or product unless it is an ADA Seal product we are promoting.



Photo and Logo Permissions

All photos and logos used must have proper permissions. If you need a logo from an organization outside of the ADA, please contact that organization for permission to use their logo and to request the proper logo file type. Images and logos found on the internet are not allowed unless they are public domain.

If conducting a photo/video shoot, please contact the ADA Agency for the standard legal release form for all subjects in the photos. If receiving photo/video files from an external source, please contact the ADA Agency for the photo/video License to Works form.

Please note that all ADA photo shoots or illustration work require a contract/ SOW with the vendor being used. If you are planning a project, please contact the ADA Agency to discuss contract and photo requirements including usage, ownership, copyright, other licensing considerations, image guidelines, specifications, and deliverables.

UNLIMITED PHOTO/FILM/VIDEO/TESTIMONIAL RELEASE

I hereby give the AMERICAN DENTAL ASSOCIATION ("ADA"), its subsidiaries, affiliates, assignees, licensees, successors and designees (including, but not limited to, the ADA's constituent and component societies) the absolute and irrevocable right and permission with respect to the

☐ photograph(s) ☐ audio video recording(s) ☐ audio recording(s) ☐ video recording(s)
☐ Online photo directory ☐ testimonial(s) (if for a testimonial(s), the testimonial is **ATTACHED**)
(hereinafter singly and collectively the "Property") that were taken of or given by _____ [name of person who appears in the photos or on the recordings or gave the testimonial] (hereinafter referred to as the "Subject") on or about _____ [Date] at _____ [Address or Name of Event]

to do the following: to use, reuse, publish, republish, transmit, reproduce, distribute, perform, display and upload the Property in whole or in part, individually or in conjunction with other photographs, films, tapes, audio or visual recordings or other types of likenesses, in any medium and for any purpose whatsoever, including without limitation for purposes of illustration, promotion, advertising, education and trade. The foregoing right and permission includes the right to crop and otherwise alter and edit the Property for any purpose (e.g. to fit space or to enhance the function or effectiveness of use of the Property), and to use, or not to use, Subject's name, likeness and biographic information (including, without limitation, professional credentials) in connection therewith.

I hereby waive all rights to any consideration or reimbursement, whether by payment of money or otherwise, for the rights and permissions granted hereby. I hereby release and discharge for myself and my heirs, executors, administrators, successors and assigns, the ADA, its subsidiaries, affiliates, legal representatives, successors, assignees, designees, licensees, agents and all persons and entities acting under ADA's permission or authority (including, but not limited to, the ADA's constituent and component societies), from any and all claims and demands arising out of or in connection with the use of Property, including, but not limited to, any claims of defamation, invasion of privacy or violation of publicity rights.

I am of legal age, have read the foregoing and fully understand the contents thereof, and warrant that I have the power and authority to grant this release. If Subject is a minor, I hereby warrant and represent that I am Subject's parent or legal guardian.

ACCEPTED AND AGREED

By: _____

Print Name: _____

Date: _____

Version 1.2_2024Aug30

Photo/Video/Testimonial Release Form

This form is to be completed for each person appearing in photos or recordings during ADA shoots.

LICENSE TO WORKS

I, **Insert #1** _____ ("Licensor") hereby grant to the AMERICAN DENTAL ASSOCIATION and its subsidiaries, affiliates, partners, licensees, assignees, sponsors and designees (collectively hereinafter the "ADA" or "Licensee") a paid-up, royalty-free, perpetual, non-exclusive, world-wide and irrevocable right, license and permission with respect to the following (hereinafter the "Works"):

☐ photograph(s) (attach photo(s) if photo(s) are involved)

☐ videography (insert file name and time of video, if video involved)

- Name and time of the video

to do the following: use, reuse, publish, republish, transmit, reproduce, distribute, perform, display and upload in any media formats and through any media channels (including but not limited to electronic) and for any legal purpose whatsoever. The license includes the right to crop and otherwise alter and edit the Works for any purpose (e.g. to fit space or to enhance the function or effectiveness of use of the Works), and to use, or not to use, Licensor's name, likeness and biographic information (including, without limitation, professional credentials) in connection therewith.

Licensor represents and warrants that Licensor is the sole owner of the Works, that the Works are original, that the Works do not violate or infringe any existing copyright, that the Licensee has the full power and authority to enter into this License, and that the Licensor has obtained, and will maintain a copy of, all releases and consents necessary or appropriate from the subject(s) of the Works (and will provide a copy of same to ADA upon ADA's reasonable request).

Licensor hereby waives all rights to any consideration or reimbursement, whether by payment of money or otherwise, for the License granted hereby. Licensor hereby releases and discharges for myself or itself and for Licensor's heirs, executors, administrators, successors and assigns, the ADA, its legal representatives, assigns, licensees, agents and all persons and entities acting under ADA's permission or authority, from any and all claims and demands arising out of or in connection with the use of the Works.

Accepted and Agreed:

Sign: _____

Print Name: _____

Title (if applicable): _____

Date: _____


Version 1.1 2024Aug30

License to Works Form


This form is for photos or video the ADA wishes to use that were NOT taken by ADA staff or a contracted vendor. Please note there is also an instruction sheet available for this form.

Terms to Know


Vector Art – Artwork created using points, lines and curves instead of pixels. Vector graphics can be magnified infinitely without loss of quality, while pixel-based graphics cannot. Typical file format for vector art includes EPS and AI.




Rasterized Images – also known as pixel-based, raster or bitmap images, are made up of tiny colored squares called pixels that are put together to create a larger image. (All photos are pixel-based.)



Hex – A color hex code is a way of representing colors in a format that computers can understand and display. It is used widely in web design, graphic design, and various digital applications. It is a six-digit code following a hash symbol (#).



CMYK – The CMYK color model (also called process color or four color) is used in color printing. CMYK refers to the four inks used in color printing: **c**yan, **m**agenta, **y**ellow, and **b**lack.



Pantone® (PMS) – The Pantone Matching System (PMS) is a color-match model used in printing for consistent reproduction of a specific color. Pantone colors may be used in place of or in addition to CMYK printing.



RGB – The RGB color model is used by display monitors and is made up of red, green, and blue light which are combined to create a broad array of colors. RGB files are used solely on screen (i.e. web, PPT, video, apps).

