An Artificial Science for System Value Engineering and Assurance

Chong Tang, Kevin Sullivan, Ke Dou, Koleman Nix
Department of Computer Science
University of Virginia

May 14, 2015

Problems

Weak engineering foundations

- Weak understanding of system qualities
- Weak ability to engineer system qualities
- Poor understanding of relationships among qualities
- Lacking frameworks for reasoning about tradeoffs
- Weak ability to manage qualities across lifecycle

These engineering problems are in turn rooted in weak science.

Problems

Weak scientific foundations

- Research has often been informal and imprecise
- Theories expressed in natural language, tables, graphics
- No use of math, computational, and logical notations

Consequently we also lack foundations for automated tools for assisting with such issues.

Purpose

To provide a framework for:

- Communicating, reasoning about system qualities
- Reasoning about tradeoffs among system qualities
- Building formal languages to exress qualities
- Formalizing theories with formal notations
- Providing automated tools to assist with the above

State of The Art

Ross's Semantic Approach (?, ?)

- **Problem:**
  No precise understanding of particular system properties
- **Key Idea:**
  A semantic approach for defining change-related ility terms
- **Main Contributions:**
  - *Informal grammar* for changeability requirements
  - Rules for *classifying statements* by *ility*
  - Providing *semantics* to ility terms

Ross's semantic basis approach [1]

Prescriptive Semantic Basis for Change-type Ilities

In response to "perturbation" in "context", desire "agent" to make some "change" in "system" that is "valuable"

Perturbation	Context	Phase	Agent	Impetus Change	Mech	Outcome Change	System	Valuable* (this category is not complete)

In response to "perturbation" in "context" during "phase" desire "agent" to make some "nature" impetus to the system "parameter" from "origin(s)" to "destination(s)" in the "aspect" using "mechanism" in order to have an "effect" to the outcome "parameter" from "origin(s)" to "destination(s)" in the "aspect" of the "abstraction" that are valuable with respect to thresholds in "reaction", "span", "cost" and "benefits"

Perturbation	Context	Phase	Agent	Impetus* (optional)					Mech	Outcome					Abstraction	Reaction	Span	Cost	Benefit
				Nature	Parameter	Origin	Destination	Aspect	Mechanism	Effect	Parameter	Origin	Destination	Aspect					
optional	circumstantial: required; general: optional	null	optional	null	required	optional	optional	null* (this is implied by "parameter")	Optional	null	required	optional	optional	null*	optional	required	required	required	required
"name"	*"name(s)"*		*"name(s)"*		*"parameter"*	*"state(s)"*	*"state(s)"*		*"name"*		*"parameter"*	*"state(s)"*	*"state(s)"*		*"name"*	*"threshold w/units"*	*"threshold w/units"*	*"threshold w/units"*	*"threshold w/units"*
none	circumstantial	pre-ops	none	decrease	level	one	one	form		decrease	level	one	one	form	architecture	sooner	shorter	less	more
disturbance	general	ops	internal	same	set	few	few	function		same	set	few	few	function	design	later	longer	same	same
shift	<empty>	inter-LC	external	increase	<empty>	many	many	operations		increase	<empty>	many	many	operations	system	always	same	more	less
<empty>		<empty>	either	not-same		<empty>	<empty>	<empty>		not-same		<empty>	<empty>	<empty>	<empty>	<empty>	<empty>	<empty>	<empty>
			<empty>	<empty>						<empty>									

Perturbation	Context	Phase	Agent	Impetus* (optional)					Mech	Outcome					Abstraction	Reaction	Span	Cost	Benefit	
				Nature	Parameter	Origin	Destination	Aspect	Mechanism	Effect	Parameter	Origin	Destination	Aspect						Ility Label
shift		ops								same	"Value"		few							Value Robustness
disturbance		ops								same	"Value"		few							Value Survivability
shift		ops								same			few							Robustness
shift		ops		not-same						same			few							Active Robustness
shift		ops		same		few	few			same			few							Passive Robustness
shift		ops	none	same		few	few			same	level		few	form	system					Classical Passive Robustness
disturbance		ops								same			few							Survivability
			either	not-same						not-same										Changeability
shift	general	inter-LC		not-same						not-same					architecture					Evolvability
			internal	not-same						not-same										Adaptability
			external	not-same						not-same										Flexibility
				not-same						not-same	level									Scalability
				not-same						not-same	set									Modifiability
		ops	either	not-same						increase	set									Extensibility
				not-same						not-same							shorter			Agility
				not-same						not-same						sooner				Reactivity
		ops		same	"Element set"	one	one	form		not-same	"Link set"			form						Form Reconfigurability
		ops		same	"Element set"	one	one	operations		not-same	"Order set"			operations						Operational Reconfigurability
		ops		same		one	one	form/ops		not-same	set		few/many	function						Functional Versatility
		ops		same		one	one	form/fnct		not-same	set		few/many	operations						Operational Versatility
		ops		same		one	one	fnct/ops		not-same	set		few/many	form						Substitutability

Figure: Ross's prescriptive semantic basis for change-type ilites

[1] Figures from (?, ?)

Ross's semantic basis approach

- **Pros:**
  Defining change-related ilities requirements statements
- **Cons:**
  Informal, not computable, hard to evaluate and evolve

State of The Art

Boehm's top-down Taxonomy (?, ?)

- **Problem:**
  System designs are deficient in balancing system ilites
- **Key Ideas:**
  - Defining language grammer for full range of ilities
  - Balancing ility values for the system's stakeholders
- **Main Contributions:**
  - Proposing a stakeholder-value based property hierarchy
  - An ontology for reasoning about a system's ilities
  - Studied Synergies and Conflicts among key properties

Boehm's top-down Taxonomy [2]

Stakeholder Value-Based QA Ends	Contributing QA Means
Mission Effectiveness	Stakeholders-satisfactory balance of Physical Capability, Cyber Capability, Human Usability, Speed, Endurability, Maneuverability, Accuracy, Impact, Scalability, Versatility, Interoperability
Resource Utilization	Cost, Duration, Key Personnel, Other Scarce Resources; Manufacturability, Sustainability
Dependability	Security, Safety, Reliability, Maintainability, Availability, Survivability, Robustness
Flexibility	Modifiability, Tailorability, Adaptability
Composite QAs	
Affordability	Mission Effectiveness, Resource Utilization
Resilience	Dependability, Flexibility

Figure: Stakeholder-value based property means-ends hierarchy

[2] Figure from (?, ?)

Boehm's top-down Taxonomy

- **Pros:**
  - Clarifying the nature of system ilities
  - Reasoning about the tradeoffs among ilities
  - Addressing stakeholder value conflicts
- **Cons:**
  Informal, difficult to validate, hard to apply

State of The Art

Assurance Cases

- Claim - Assertion about key requirements and properties
- Evidence
  - Testing, Proofs, Process and people, Review and analyses
- Argument - How the evidences support the claims
  - Inference rules: deterministic, probabilistic, qualitative
- Inductive reasoning
  - Providing evidence, not proof that the claim is certain

Assurance Cases [3]



Figure: The relationship among safety case elements

[3] Figure from (?, ?)

State of The Art

Kelly's Goal Structuring Notation (?, ?)

- **Problem:**
  Safety arguments are often poorly communicated
- **Key Idea:**
  Develop safety cases in a reader-friendly manner
- **Main Contributions:**
  - Using graphical notations to annotate the assurance cases
  - Applying *inductive* argumentation to safety cases

Kelly's Goal Structuring Notation



Figure: Example GSN (Figure from (?, ?))

Kelly's GSN safety argument notation

- **Pros:**
  Facilitate comprehension and communication of arguments
- **Cons:**
  Informal, syntax rules are defined in prose text, not scale

State of The Art

Rushby's Theory (?, ?)

- **Problem:**
  Increasing confidence in the soundness of a given case
- **Key Ideas:**
  - Applying formalism to safety cases
  - Eliminating logic doubt and focusing on epistemic logic
- **Main Contributions:**
  - Formalizing parts of a safety argument into deductive logic
  - Providing mechnized support for assurance case argument
  - Helping engineers focus on evidence instead of argument

Rushby's Theory

- **Pros:**
  Improving efficiency and cost of safety argument checking
- **Cons:**
  No empirical evidence

State of The Art

Knight's Assurance Based Development (?, ?)

- **Problem:**
  Assurance cases often fail to guide developers' decisions
- **Key Idea:**
  Co-developing the software system and its assurance case
- **Main Contributions:**
  - Integrating assurance into development process.
  - Assurance requirements drive development decisions

Knight's Assurance Based Development

- **Pros:**
  Detecting the assurance difficulties from the earliest stages
- **Cons:**
  Hard to validate that their approach is optimal

State of The Art

Basir's Automatically Generated Argument (?, ?)

- **Problem:**
  Formal proofs are complex and machine-oriented
- **Key Idea:**
  Automatically generating a safety argument by converting natural deduction style proofs
- **Main Contributions:**
  - helps human understand the formal proofs

Basir's Automatically Generated Argument

- **Pros:**
  Providing easier-to-understand proofs
- **Cons:**
  - No benefit over an hand-generated, informal argument
  - Far from satisfactory as the proofs contain too many details

State of The Art

Bosch's Mobile Service Oriented Architectures (?, ?)

- **Problem:**
  It's hard to achieve success in realizing mobile services
- **Key Idea:**
  Defining the architecture drivers that make success
- **Main Contributions:**
  - Identified the goals for mobile service oriented architectures
  - Identified ilities that influence the success of mobile services
  - Predicted future trends of mobile service

State of The Art

Lundberg's Architecture Design Guidelines (?, ?)

- **Problem:**
  There are conflicts between modifiability and performance
- **Key Idea:**
  Providing guidelines in software architecture design
- **Main Contributions:**
  - A taxonomy for performance and modifiability related QA
  - Four software architecture design evaluation approaches
  - Four architecture design transformation strategies
  - Eight guidelines in software architecture design

Lundberg's Architecture Design Guidelines

- **Pros:**
  - Revealed the relationships among architecture, quality attributes, and implementation
  - The guidelines are extracted from real industry experience
- **Cons:**
  - Only focus on performance and modifiability
  - Such studies may not fit domains other than software design

State of The Art

Knight's Success Arguments (?, ?)

- **Problem:**
  Failure rate of software development efforts is high
- **Key Idea:**
  Defining success argument to establish confidence
- **Main Contributions:**
  - Structuring and documenting the argument
  - Recording the argument and exposing it to examinations

Knight's Success Arguments

- **Pros:**
  - Helps structure the reasoning and expose it to criticism
  - Helps explain the evidence to the reviewers
- **Cons:**
  - Informal, Hard to validate

Our approach

- Combining Bosch's innovation experiment systems theory
- Integrating Boehm's theory and Ross's approach
- Using rigorous formal specification and software synthesis
- Refining and expressing quality theories using Coq
- Building web-based tools to implement the theory concepts
- Driving theory testing, evolution, and validation with tools

Framework Architecture



Figure: The overall architecture of our framework

Top-Most System Value – Satisfactory

Class **Satisfactory** ($System$: Set) ($Stakeholder$: Set) ($Context$: Set) := {
sys: $System$

; physicalCapability : $System \rightarrow Stakeholder \rightarrow Context \rightarrow$ Prop
; cyberCapability : $System \rightarrow Stakeholder \rightarrow Context \rightarrow$ Prop
; humanUsability : $System \rightarrow Stakeholder \rightarrow Context \rightarrow$ Prop
.....
; adaptability : $System \rightarrow Context \rightarrow$ Prop

; me: **MissionEffective** $System$ $Stakeholder$ $Context$ sys physicalCapability cyberCapability humanUsability speed endurability maneuverability accuracy impact scalability versability interoperability
; ru: **ResourceUtilization** $System$ $Context$ sys cost duration keyPersonnel otherScareResources manufacturability sustainability
; dp: **Dependable** $System$ $Context$ sys security safety reliability maintainability availability survivability robustness
; fl: **Flexible** $System$ $Context$ sys modifiability tailorability adaptability

Mission Effectiveness in QA Taxonomy [Boehm, to app]

Mission Effectiveness: a System has achieved a
Stakeholders-satisfactory balance of
Physical Capability, Cyber Capability, Human Usability,
Speed, Endurability, Maneuverability, Accuracy, Impact,
Scalability, Versatility, and Interoperability.

Second-Level Property – Mission Effective

```
Inductive MissionEffective (System: Set) (Stakeholder: Set) (Context: Set) (sys: System)
                           (physical_capable: System → Stakeholder → Context → Prop)
                           (cyber_capable: System → Stakeholder → Context → Prop)
                           (human_usable: System → Stakeholder → Context → Prop)
                           (speed: System → Stakeholder → Context → Prop)
                           (endurable: System → Stakeholder → Context → Prop)
                           ......
                           (interoperable: System → Stakeholder → Context → Prop)
                           : Prop :=
  mk_mission_eff:
     PhysicalCapable System Stakeholder Context sys physical_capable →
     CyberCapable System Stakeholder Context sys cyber_capable →
     HumanUsable System Stakeholder Context sys human_usable →
     Speed System Stakeholder Context sys speed →
     Endurable System Stakeholder Context sys endurable →
     Maneuverable System Stakeholder Context sys maneuverable →
     ......
     MissionEffective System Stakeholder Context sys mission_effective physical_capable
cyber_capable human_usable speed endurable maneuverable accurate impact scalable versatile
interoperable.
```

Second-Level Property – Flexible

```
Inductive Flexible (System: Set) (Context: Set) (sys: System)
                   (flexible: System → Context → Prop)
                   (modifiable: System → Context → Prop)
                   (tailorable: System → Context → Prop)
                   (adaptable: System → Context → Prop)
                   : Prop :=
  mk_flexibility:
  Modifiable System Context sys modifiable →
  Tailorable System Context sys tailorable →
  Adaptable System Context sys adaptable →
  Flexible System Context sys flexible modifiable tailorable adaptable.
```

Leaf Property – Adaptable

```
Inductive Adaptable (System: Set) (Context: Set) (sys: System)
                    (adaptable: System → Context → Prop)
                    : Prop :=
  mk_adaptability:
    (∀ cx: Context, adaptable sys cx) →
      Adaptable System Context sys adaptable.
```

Example – Smart Home

Define System, Stakeholder, and Context for a Smart Home

```
Require Import Satisfactory.
Require Import Changeable.

Definition Smart_Home_System := Datatypes.unit.
Inductive Smart_Home_Stakeholder := investor | end_user |
developer | maintainer | public.
Inductive Smart_Home_Context := normal.
```

Example – Smart Home

Create a Specific Adaptability Requirement using Ross's Approach

```
Definition smart_home_system_adaptability_requirement :
changeStatement :=
  mk_changeStatement
    (perturbation_shift "low temperature")
    (context_circumstantial "late at night")
    phase_preOps
    (agent_internal "controller")
    (mk_change direction_increase (parameter_level "knob angle")
(origin_one "degree") (destination_one "degree") aspect_function)
    (mechanism_description "regulating the airflow")
    (mk_change direction_increase(parameter_level "temperature")
(origin_one "degree") (destination_one "degree") aspect_function)
    (abstraction_architecture " ")
    valuable_simple
```

Example – Smart Home

Corresponding requirement statement:
In response to (Perturbation_shift) *low temperature* (Context_circumstantial) *late at night*, during (Phase_preOps) of system, desire (Agent_internal) *controller* to be able to (Direction_increase) the (Parameter_level) of *knob angle* from (Origin_one) state(s) to (Destination_one) state(s) in the system (Aspect_function) through (Mechanism_description) *regulating the airflow* that results in the effect of (Direction_increase) the (Parameter_level) of *temperature* from (Origin_one) state(s) to (Destination_one) state(s) in the system (Aspect_function) for a (Abstraction_architecture) that is (Valuable_simple).

Example – Smart Home

Check a given system meets the adaptability requirement

```
Inductive systemMeetsSpecificAdaptabilityRequirement:
Smart_Home_System → changeStatement → Prop :=
  systemMeetsSpecificAdaptabilityRequirement_proof:
    ∀ s: Smart_Home_System, ∀ c: changeStatement,
      In adaptability (tipeAssignment c) →
systemMeetsSpecificAdaptabilityRequirement s c.
```

Example – Smart Home

Check a given system has adaptability quality

```
Inductive adaptability (sys: Smart_Home_System) (cx:
Smart_Home_Context): Prop :=
  adaptability_proof:
systemMeetsSpecificAdaptabilityRequirement sys
smart_home_system_adaptability_requirement →
      adaptability sys cx.
```

Example – Smart Home

Formalize two properties with trivial proofs

```
Inductive systemCanControlFurnaceOnOffSwitch:
Smart_Home_System → Prop :=
  systemCanControlFurnaceOnOffSwitch_proof: ∀ s:
Smart_Home_System, systemCanControlFurnaceOnOffSwitch s.

Inductive systemCanControlGarageDoorOpener:
Smart_Home_System → Prop :=
  systemCanControlGarageDoorOpener_proof: ∀ s:
Smart_Home_System, systemCanControlGarageDoorOpener s.
```

Example – Smart Home

Check a given system has Physical Capability quality

```
Inductive physicalCapability (sys: Smart_Home_System) (sh:
Smart_Home_Stakeholder) (cx: Smart_Home_Context): Prop :=
  physicalCapability_proof: systemCanControlFurnaceOnOffSwitch
sys ∧ systemCanControlGarageDoorOpener sys →
physicalCapability sys sh cx.
```

Example – Smart Home

Define an instance of Satisfactory for a smart home project

```
Instance Smart_Home_Instance: Satisfactory Smart_Home_System
Smart_Home_Stakeholder Smart_Home_Context := {
      sys := tt

   ; physicalCapability := physicalCapability
   ; cyberCapability := cyberCapability
   ; humanUsability := humanUsability
   ......
   ; tailorability := tailorability
   ; adaptability := adaptability
}.
```

Our Contributions

- A parameterizable hierarchy of qualities and relationships
- Quality-specific languages for expressing requirements
- Integration of the distinct, previously conflicting theories.
- Web-based software implementations of the theory concepts
- An approach for theory testing, evolution, and validation

The overall contribution of this work is a novel, rigorous, and promising new approach to developing, promulgating, testing, evolving, and validating the scientific theory that is needed to underpin rigorous new approaches to comprehensive system quality engineering.

Why do we think it will work?

- Replaces vague prose with *verifiable propositions*
- Every proposition has corresponding *assurance case*
- Practitioners never have to see formal specifications
- Web-based tools provide for *broad accessibility*
- Evolution of theory driven by *feedback from use*
- Social process of learning, testing, *theory validation*

Conclusion

- To be added

Bibliography