

Sigap — Smart School Service Center PRD

Oct 2, 2026 · @nigga

Name

Recommended: **Sigap**, with "Smart School Service Center" kept as the descriptor. In Bahasa Indonesia *sigap* means alert and quick to respond, and the word contains "gap": the exact problem this product closes.

Suggested tagline: *Sigap — biar fokusmu tetap belajar* (so your focus stays on learning).

Name	Meaning	Strength	Weakness
Sigap (recommended)	Alert, responsive; contains "gap"	One word tells the whole pitch	Common acronym in Indonesian public-sector systems; check for clashes
Tanya Kampus	"Ask Campus"	Instantly clear	Implies Q&A only, hides reminders and handoff
Kawan Kampus	"Campus buddy"	Warm, student- facing tone	Reads like a social app
Loket Pintar	"Smart service counter"	Matches the service-center framing	Formal; less appealing to students
Ingatin	Slang for "remind me"	Catchy	Covers reminders only

Summary

Sigap is one chat assistant that does three jobs for students: **remember** their deadlines and exams, **answer** campus questions from verified documents only, and **route** them to a human staff member when it is not sure. It is built as Langflow flows exposed as MCP tools, with IBM Bob as the conversation layer, under the hackathon theme *Education & Future of Work*.

How might we help university students act on deadlines, exam dates and campus rules at the right moment, even though that information is scattered across the LMS, the academic portal, PDF handbooks and group chats?

Scope for the hackathon: university students first, starting with the team’s own campus, because the rubric rewards a narrow problem the team can observe and test. Schools (K–12) are a later expansion; they involve minors, which adds consent and guardian requirements.

Problem

Problem statement. University students taking several courses a term, often while working, need to know what is due, when exams are, and which rule applies at the moment they must act. That information is split across the LMS, the academic portal, PDF handbooks, email and group chats, and nothing reminds them early enough. So they miss submissions of finished work, start exam prep too late, or act on rules they never read, while student-service staff answer the same questions again and again.

The moments it happens

Moment	Why it goes wrong	Cost to the student
Assignment finished overnight, never uploaded	Deadline lives only on one LMS course page	Zero for completed work
Exam is in 3 days, student thought next week	Exam schedule is a separate portal page or PDF	No time to study; lower grade
"Which week are we in? Has the withdrawal window closed?"	Academic calendar is a PDF nobody re-reads	Missed registration, leave or withdrawal windows
"Can I resubmit late? What is the attendance minimum?"	Rules buried in a handbook; group-chat answers are hearsay	Wrong action on wrong information; a support ticket

Evidence

- **Scale.** Indonesia had 8,467,714 university students in 2024, up 1.81% on the year before ([Dataloka, citing BPS Statistik Indonesia 2025](#)).

- **Timely nudges change grades.** In a fall 2021 randomized trial with 500 students in a fully online Georgia State course, a chatbot sent assignment and exam reminders, offered practice quizzes and took questions. Students who got it earned a B or higher at a 16% higher rate; first-generation students scored about 11 points higher ([Georgia State News](#)). Those students already received email reminders; the direct chat message added the effect.
- **Most questions don't need a human.** Of 50,000+ messages to Georgia State's admissions chatbot, under 1% needed staff attention, and the trial cut summer melt by 21.4% ([Mainstay case study](#)).
- **A wrong answer is the institution's liability.** In *Moffatt v. Air Canada* (14 Feb 2024), a tribunal held the airline responsible for a policy its chatbot got wrong ([ABA Business Law Today](#)). For a campus, that makes grounded answers and human handoff requirements, not extras.
- **Local validation (to collect).** A 10-question survey of at least 20 classmates plus 3 student interviews and 1 staff interview, using the Session 2 prompts ("Tell me about the last time..."). Results go in the submission as the team's own evidence.

Why current methods fail

- **LMS notifications** are per course, passive and easy to mute; there is no single "what's due this week" across courses.
- **Group chats** spread answers fast but unverified, and old answers outlive policy changes.
- **Generic chatbots** know neither the campus rules nor the student's schedule, and can state a rule confidently that the campus never wrote.
- **Staff helpdesks** close outside office hours and spend time on repeat questions the handbook already answers.

Users

The primary user is the student; the staff member who receives handoffs is the second user, and the one who keeps the knowledge base true.

Persona	Who	Job to be done	Pain today	What Sigap gives
Dinda, working student (primary)	3rd-semester undergraduate in an online program, works full time, 6 courses, studies on her phone at night	Know what is due and what applies to her, early enough to act	Checks 6 course pages and a portal; finds out about exams from the group chat	One question — "what's due this week?" — answered across all courses, with reminders she approves
Pak Hendra, student-service officer (secondary)	Academic services staff, answers email and chat tickets	Resolve real cases, not repeat FAQs	Same 20 questions every week; tickets arrive without context	Only the unanswered cases reach him, each with a summary, the student's question and what Sigap already checked
Academic admin (knowledge owner)	Registrar or faculty admin	Publish the calendar, handbook and announcements once	Updates don't reach students who already downloaded the old PDF	Uploads the current version; Sigap answers only from it

Affected without using it: lecturers, whose deadlines Sigap repeats and must match exactly; students on slow connections or with disabilities, who need a text-only path that works; and students who ask in Bahasa Indonesia, regional slang or English, who should get the same quality of answer.

Goals, metrics and non-goals

Sigap succeeds when no deadline it knows about is missed, no answer states a rule the campus never wrote, and staff see only the cases that truly need them.

Metric	Hackathon target (test set)	Pilot target (one faculty, one term)	How it is measured
Policy answers correct and cited	≥ 90% of the 20 policy questions	≥ 90% on monthly spot checks	Each answer graded against the source section it cites
Invented rules or facts	0	0 reported	Golden set + staff review of flagged answers
Dates and deadlines correct	100%	100%	Dates come only from structured data, never from the model
Unanswerable questions handed off, not guessed	≥ 90% of 10 trap questions	≥ 90%	Trap questions with no answer in the sources
Questions resolved without staff	—	≥ 70%	Handoff log ÷ total conversations
Self-reported missed submissions	—	Down vs. the previous term	Start- and end-of-term survey
Time to answer	< 15 s per question	< 15 s	Langflow run time in the logs

All targets are the team's own hypotheses, to be checked against the local survey.

Non-goals — deliberately out of scope:

- Submitting work or changing anything in the LMS on the student's behalf.
- Writing or completing assignments; Sigap reminds, it does not do the homework.
- Making academic decisions (approving leave, extensions, grade appeals); staff decide, Sigap routes.
- Replacing the LMS or the portal; Sigap reads from them.
- Counselling or mental-health support; Sigap points to the campus counselling contact.
- Real student records in the hackathon build; the prototype uses synthetic data only.

Solution and user stories

One chat, three jobs, and one rule that keeps it honest: **dates come from tables, rules come from documents, judgment comes from people.**

- **Remember** — deadlines, exams and the current study period are read from a structured schedule, never generated by the model. Sigap offers reminders and study blocks and writes them to Google Calendar only after the student confirms.
- **Answer** — campus rules and procedures are retrieved (RAG) from documents the campus uploaded, and every answer names its source section.
- **Route** — when retrieval finds nothing solid, or the request needs a decision, Sigap hands the case to student services by email with a summary, and tells the student what happens next.

User stories

1. As a student, I ask "what's due this week?" and get one list across all my courses, so I stop checking six pages.
2. As a student, I ask when my exam is and Sigap offers a reminder plus study blocks before it; nothing lands in my calendar until I say yes.
3. As a student, I ask which week of the term it is and which windows are open (registration, leave, withdrawal).
4. As a student, I ask a rule (late submission, attendance minimum, leave procedure) and get the answer with the handbook section it came from.
5. As a student, when Sigap doesn't know, it says so, sends my question to the right office and gives me a reference number instead of guessing.
6. As a staff member, each handoff reaches me with the student's question, the course context and what Sigap already searched, so one reply closes it.
7. As an admin, I upload a new handbook version and answers stop citing the old one.

Functional requirements

Six requirements make the Stage 1 MVP (due 4 Oct 2026, 23:00 WIB); the rest are sequenced for the semifinal and after.

ID	Requirement	Priority	Acceptance check
FR-1	Answer campus-rule questions from uploaded documents (RAG)	P0 · Stage 1	Answer names document and section; no relevant passage → says so and offers handoff
FR-2	List deadlines and exams from the structured schedule ("what's due this week", "when is my exam")	P0 · Stage 1	Every date matches its schedule row; times in WIB
FR-3	State the current study period and which windows are open	P0 · Stage 1	Matches the academic-calendar table for today's date
FR-4	Create reminders and study blocks in Google Calendar after confirmation	P0 · Stage 1	No event without an explicit yes; event description carries the source
FR-5	Hand off to student services by email with a case summary and reference number	P0 · Stage 1	Email holds question, category, context and sources checked; student told the reference and next step
FR-6	Reply in the student's language (Bahasa Indonesia or English)	P0 · Stage 1	Same golden-set accuracy in both languages
FR-7	Log each handoff to a ticket sheet with status	P1 · Semifinal	Staff mark it answered; student can ask for a ticket's status
FR-8	Turn staff-approved answers into new knowledge-base entries	P1 · Semifinal	Added only after staff approval
FR-9	Ask "was this right?" after answers and log the reply	P1 · Semifinal	Logged with question and sources, no personal data
FR-10	Version documents; cite version and effective date	P1 · Semifinal	Superseded versions excluded from retrieval
FR-11	Student web chat page beyond Bob, calling the same Langflow flows	P1 · Semifinal	Same tools and answers as through Bob
FR-12	Weekly "this week" digest, on request first, scheduled later	P1 · Semifinal	Lists every item due in the next 7 days

ID	Requirement	Priority	Acceptance check
FR-13	Read deadlines from LMS and academic-portal APIs	P2 · Later	Replaces the manual schedule sheet
FR-14	Campus sign-in so each student sees only their own schedule	P2 · Later	No cross-student data access in tests
FR-15	Staff dashboard of top questions and unanswered topics	P2 · Later	Shows which documents need fixing

Langflow tools (exposed to Bob via MCP)

One Langflow project, **Sigap**, holds five small flows; its MCP server exposes each as a tool. Small single-purpose flows let Bob pick the right one from its name and description, as the Session 1 naming guidance asks, and each flow can be tested alone in the Playground.

Tool name	Description Bob reads	Input	Output	Main components
<code>answer_campus_policy</code>	Answers a student's question about campus rules, procedures or academic policy using only the official documents the campus uploaded.	The question, in Indonesian or English	Answer + document title and section, or <code>NOT_FOUND</code>	Chat Input → Astra DB (retrieve) → Parser → Prompt Template → LLM → Chat Output
<code>get_my_deadlines</code>	Lists the student's upcoming assignment deadlines and exams from the official course schedule.	A range ("this week", "next 14 days") or a course name	Course, item, type, due date and time (WIB), source	Chat Input → schedule table → date-filter custom component → Chat Output

Tool name	Description Bob reads	Input	Output	Main components
<code>get_study_period</code>	Tells which academic week and period today falls in and which windows (registration, leave, withdrawal, exams) are open.	Optional date; default today	Period, week number, open windows with dates	Chat Input → academic-calendar table → date-filter custom component → Chat Output
<code>create_study_reminder</code>	Creates Google Calendar events for a deadline or exam the student has confirmed: a reminder and optional study blocks. Call only after the student says yes.	Item, course, due date-time, agreed study-block times	Event links	Agent + Google Calendar (Composio: Create Event) → Chat Output
<code>escalate_to_student_services</code>	Sends a question Sigap could not answer to the student-services inbox with a case summary and returns a reference number. Call only after the student agrees.	Question, category, course, what was already checked	Reference number + expected next step	Agent + Gmail (Composio: Send Email) → Chat Output


Not exposed as a tool: `ingest_campus_documents`, the admin flow that loads the handbook and calendar (File → Split Text → Embedding → Astra DB). Only staff run it, so students can never add content to the knowledge base.

Bob's side: a custom Bob mode, *Sigap*, written in `bob/agent-instructions.md`. Its rules: use a tool for every date and every rule; never answer policy from general knowledge; ask before calling `create_study_reminder` or `escalate_to_student_services`; reply in the student's language; always show the source.

Architecture and data

Bob handles the conversation; Langflow does the work through five tools

Dates come from tables, rules from cited documents, decisions from people



Sigap architecture · Bob, MCP, five Langflow tools, data and people

Bob only talks and chooses; each Langflow flow reaches exactly one kind of source, so a wrong date or an invented rule has nowhere to come from.

Source	Prototype format	Owner	Personal data
Course schedule (deadlines, exams)	Google Sheet or CSV, one row per item	Lecturers, through the academic admin	Synthetic only
Academic calendar (periods, windows)	Google Sheet or CSV	Academic admin	None
Handbook and regulations	PDF chunks in Astra DB, tagged with version and effective date	Academic admin	None
Escalations	Email to the student-services inbox; ticket sheet from the semifinal	Student services	Question and course only; no ID numbers

Demo scenarios

Five scripted conversations cover all three jobs and the safety behaviour; each one is also a screenshot for the pitch deck, which asks for 3–5.

#	Student says	Tools called	What it proves
1	"Apa saja yang deadline minggu ini?"	<code>get_my_deadlines</code>	One list across all courses, with an item due tonight flagged first
2	"When is my Data Structures midterm?" → Sigap offers a reminder 3 days before and two 90-minute study blocks → "Yes"	<code>get_my_deadlines</code> , then <code>create_study_reminder</code>	Dates come from the schedule; nothing is written to the calendar before the yes

#	Student says	Tools called	What it proves
3	"Kalau telat submit tugas, masih dinilai nggak?"	<code>answer_campus_policy</code>	Answer quotes the handbook section it came from
4	"Nilai saya belum keluar 3 minggu, saya harus ke siapa?" → "Ya, kirimkan"	<code>answer_campus_policy</code> returns <code>NOT_FOUND</code> , then <code>escalate_to_student_services</code>	Sigap admits the gap, asks first, sends the case and returns a reference number
5	"Kerjain essay saya dong"	none	Declines the assignment, offers a reminder and a study plan instead

All five run on synthetic student data (one demo student, a 6-course schedule sheet) and on the campus's public academic regulations and calendar; where those aren't public, a team-written sample handbook stands in.

Responsible AI

Each control below answers one specific way Sigap could hurt a student if it were wrong, following the Session 2 split into data, output and action responsibility.

Risk	Where it appears	Control in Sigap	When
Invented rule or procedure	<code>answer_campus_policy</code>	Prompt allows only retrieved passages; weak retrieval returns <code>NOT_FOUND</code> , which triggers the handoff offer; every answer cites its section	Stage 1
Wrong date	Deadlines, exams, study period	Dates are read from tables and filtered in a Python component; the LLM never computes or recalls a date	Stage 1

Risk	Where it appears	Control in Sigap	When
Unwanted external action	Calendar events, staff emails	Bob mode asks before either tool; Composio's <i>Requires Approval</i> toggle and Bob's own tool-permission prompt add two more checks	Stage 1
Personal data exposure	Prompts, logs, demo screens	Prototype uses synthetic students only; the vector store holds campus documents, never student data; API keys live in Langflow Global Variables, not in flows	Stage 1
Data used by the model provider	LLM calls	The free Gemini tier lets Google use prompts to improve its products and warns against sending personal data (Gemini API terms); a pilot moves to a paid tier or IBM watsonx.ai	Pilot
Legal compliance	Pilot with real students	Consent screen at first use, a data-processing agreement with the campus, a deletion path; UU PDP No. 27/2022 has applied in full since 17 Oct 2024 (Antara)	Pilot
Minors	School (K-12) expansion	Gemini's terms bar apps likely to be used by under-18s, so a school version needs a different model and guardian consent	Later

Risk	Where it appears	Control in Sigap	When
Unequal quality	Bahasa Indonesia vs. English, slang, low bandwidth	Golden set run in both languages and scores compared; text-only replies work on slow connections	Stage 1 test
Stale documents	Handbook updates	Each chunk carries document version and effective date; old versions are removed at re-ingest	Semifinal
Academic dishonesty	"Do my assignment"	Declines and offers a reminder or study plan instead	Stage 1
Prompt injection via documents	Knowledge base	Only staff can ingest documents; tool outputs are treated as data, never as instructions	Stage 1

Transparency to the student. The first message says Sigap is an AI assistant that answers from official documents, can be wrong, and sends decisions to staff. Every answer ends with its source, so the student can tell a handbook answer from a schedule lookup.

Evaluation and testing

A 40-question golden set, asked in both Bahasa Indonesia and English, is the single test that produces every number in the metrics table.

Set	Questions	Pass condition
Policy	20 with answers in the handbook	Correct and cites the right section
Dates	10 about deadlines, exams and study period	Date and time match the schedule row exactly
Trap	10 with no answer in any source	Says it can't find it and offers a handoff; never guesses

Test in layers, as Session 1 teaches.

1. **Flow** — run each flow alone in the Langflow Playground with a known input and check its Chat Output.
2. **MCP** — confirm Bob discovers all five tools with the right names and descriptions.
3. **Bob** — one explicit request per tool first ("use get_my_deadlines for this week"), then natural phrasings and the golden set.

Record keeping. Results go in a grading sheet (question, language, expected source, answer, correct, cited, handed off). Flow JSON exports, Bob instructions, sample data and the golden set live in one Git repository, which covers the rubric's version-control item.

User test (semifinal). Five students run the five demo scenarios plus their own questions, rate trust from 1 to 5, and say where they got stuck. Their quotes and scores go into the semifinal deck.

Business model and market

Sigap is sold to institutions and free for students: the campus pays per active student per year, because the campus gains fewer repeat tickets, fewer failed and dropped courses, and 24-hour coverage without new hires.

Tier	For	Includes	Price hypothesis
Pilot	One faculty, one term	Policy Q&A, schedule from a sheet, calendar reminders, email handoff	Free, in exchange for a published case study
Campus	Whole university	Pilot features + ticket log, document versioning, staff knowledge loop, web chat	Rp 3,000 per active student per month (Rp 36,000 a year)

Tier	For	Includes	Price hypothesis
Campus+	Larger or multi-campus groups	Campus + LMS and academic-portal sync, campus sign-in, WhatsApp channel, analytics, support SLA	Quoted per campus

- **Benchmark.** In the Georgia State study, the US chatbot platform cost \$7–\$15 per student per year, against \$100–\$200 for counselor outreach ([Page & Gehlbach, AERA Open 2017](#)). The Campus price sits well below that range, to fit Indonesian private-university budgets.
- **Market size.** At Rp 36,000 per student per year across Indonesia's 8,467,714 students, the ceiling is about Rp 305 billion a year. The beachhead is private universities with online and hybrid programs, whose students rely most on self-service.
- **Unit cost.** LLM tokens per conversation are read from Langflow's run logs during the golden-set test; the target is under 10% of the per-student price.
- **What Sigap never sells:** student data, advertising, or placement in answers.
- **Go-to-market.** One free pilot at the team's own campus, then the case study, then 3 private universities in Jakarta through student-affairs directors.

All prices are hypotheses to test in interviews with at least 3 campus administrators before the semifinal.

Competitive landscape

No option students use today combines official rules, their own deadlines, consented action and an honest handoff; Sigap's edge is doing all four in one conversation.

Option	Answers from official rules	Knows my deadlines across courses	Acts for me	Admits gaps and hands off	Built for Indonesian campuses
Sigap	Yes, with citations	Yes	Yes, after a yes	Yes, with a reference number	Yes
Generic AI chat apps	No, unless the student pastes them	No	Partly	No	Yes


Option	Answers from official rules	Knows my deadlines across courses	Acts for me	Admits gaps and hands off	Built for Indonesian campuses
LMS notifications	No	One course at a time	No, notify only	No	Yes
Campus FAQ page or rule-based bot	Yes, static	No	No	Partly, a contact form	Yes
Class WhatsApp group	Unverified	When someone posts	No	No	Yes
Mainstay (US)	Yes, from a staff-seeded knowledge base	Yes, through student-system integration	Sends nudges	Yes, routes to staff by email	No

What is new in Sigap: the split of facts, rules and judgment into separate MCP tools — dates from tables, rules from cited documents, decisions to people — so the model never has to be trusted with the parts it gets wrong. It runs on IBM's open stack (Langflow, Astra DB, Bob), so a campus can host it itself.

Roadmap

Stage 1 is due in two days; the final is six weeks out

Sigap hackathon plan by week, Oct–Nov 2026 (WIB)



Hackathon roadmap · Stage 1 to the online final

The P0 MVP ships for the 4 Oct, 23:00 WIB deadline; P1 work, the user test and pricing interviews fill the semifinal window, assuming Sigap is shortlisted on 13 Oct. After the final come IBM Day (January 2027) and the free pilot at the team's own campus the following term.

Build order for the next 51 hours

- Fri night** — write the synthetic schedule and academic-calendar sheets; collect the handbook PDF; run the ingest flow into Astra DB; send the survey to classmates.
- Sat morning** — build `answer_campus_policy`, `get_my_deadlines` and `get_study_period`; test each in the Playground.
- Sat afternoon** — build `create_study_reminder` and `escalate_to_student_services` with Composio; test both.
- Sat evening** — expose the project over MCP, add it to Bob with `mcp<2.0.0`, write the Sigap mode, run one explicit request per tool.

5. **Sun morning** — run the golden set (policy and trap questions first), fix prompts, read the survey results.
6. **Sun afternoon** — take the five scenario screenshots, record the demo video, finish the deck, canvas and technical doc; submit by 20:00 WIB to leave a 3-hour buffer.

Risks and limitations

The biggest known limitation is that Bob is a developer IDE, so the hackathon demo shows the conversation in Bob while real students would reach the same Langflow tools through a web chat.

Risk or limitation	Effect	Mitigation
Bob is not a student-facing app	Judges may ask how a student would use it	Flows are channel-independent: the web chat (FR-11) calls the same tools; say this in the pitch
Langflow runs on localhost	Reviewers can't open a live demo	Record a 2–3 minute demo video; share flow JSON and repo; host Langflow on a server for the semifinal
No LMS or portal API access	Deadlines must be entered by hand	Schedule sheet for the prototype; API sync is FR-13
One demo identity, no sign-in	Can't show per-student privacy	Stated openly; campus sign-in is FR-14
Calendar and email run on one team Google account via Composio	Demo emails come from the team	Production uses a campus service account
Free-tier limits (Gemini quota, Bob trial of 40 Bobcoins for 30 days)	Demo can stall; Bob credits run out	Test flows in the Langflow Playground first; save Bob runs for integration tests and the recording
MCP connection breaks	Bob loses the tools	Pin <code>mcp<2.0.0</code> in the Bob config as the course instructs; keep the config in the repo

Risk or limitation	Effect	Mitigation
Weak retrieval on Indonesian text	Wrong or missing answers	Multilingual embedding model; golden set in both languages
51 hours to the Stage 1 deadline	Scope creep sinks the build	Build only the six P0 requirements; everything else waits for the semifinal

Rubric and submission mapping

Every preliminary criterion has a section of this PRD and a piece of evidence behind it. Weights follow the Session 2 deck; the Session 1 deck showed 20/20/20/15/15/10, so confirm with the organisers which applies.

Criterion	Weight	Answered in	Evidence to show
Problem Clarity & Relevance	20%	Problem	Georgia State and Indonesian student data; local survey and interviews
Innovation, Creativity, Feasibility & Monetization	25%	Competitive landscape, Business model, Roadmap, Risks	Facts/rules/judgment split; tiered pricing vs. a published benchmark
User Impact & Benefits	15%	Users, Goals and metrics	Metric targets; bilingual golden set; user-test quotes (semifinal)
Technical Execution & Prototype	15%	Langflow tools, Architecture, Evaluation	Five flows over MCP, Bob mode, repo with flow JSON, grading sheet
Responsible AI	10%	Responsible AI	Citations, NOT_FOUND handoff, consent before actions, synthetic data
Class participation	10%	—	Attendance form and both mentoring sessions

Submission checklist (Stage 1)

- ☐ IBM SkillsBuild University Education 2026 certificate for each team member
- ☐ Team information (individual or 2 people)
- ☐ Project overview: title, theme *Education & Future of Work*, description, problem statement, target user, key features
- ☐ Technical proof: how the Langflow flows, MCP and Bob connect, with a screenshot of Bob's MCP settings showing *Connected*
- ☐ Pitch deck: problem, solution, AI agent, impact, plus 3–5 screenshots from the demo scenarios
- ☐ Idea & Business Canvas
- ☐ Technical documentation (architecture, tools, evaluation from this PRD)
- ☐ Every link set so reviewers can open it
- ☐ Final declarations ticked, then submit at bit.ly/submit-hackathon
- ☐ Attendance at bit.ly/absensi-hackathon

Open questions

- Final name: Sigap, or one of the alternatives? Check app stores and existing campus systems for a clash first.
- Descriptor: keep "Smart School Service Center", or switch to "Smart Campus Service Center" to match the university-first scope?
- Team: solo or two people, and who owns the build versus the pitch?
- Documents: are the campus's academic regulations and calendar public, so the demo can use real ones?
- Model: stay on Gemini (the course default) or add IBM watsonx Granite to strengthen the IBM-integration criterion?
- Demo inbox: which mailbox receives escalations during the demo?
- Rubric: which weights apply, Session 1's or Session 2's?

Sources

- Hactiv8 × IBM, *IBM SkillsBuild University Education National Hackathon 2026* session decks (timeline, rules, scoring rubric, Langflow–MCP–Bob setup) — provided by the team

- [Dataloka — Indonesia's student count 2024, citing BPS Statistik Indonesia 2025](#)
- [Georgia State University News — Classroom chatbot improves student performance \(2022\)](#)
- [Mainstay — Georgia State University case study](#)
- [Page & Gehlbach, "How an Artificially Intelligent Virtual Assistant Helps Students Navigate the Road to College", AERA Open 2017](#)
- [ABA Business Law Today — Moffatt v. Air Canada \(Feb 2024\)](#)
- [Google — Gemini API Additional Terms of Service \(effective 23 Mar 2026\)](#)
- [Antara — UU PDP in full effect from 17 Oct 2024](#)
- [I-Connect007 — IBM closes its acquisition of DataStax, including Langflow and Astra DB \(May 2025\)](#)