Variational Inference for Dirichlet Process to Stratify Cancer Patients Using DNA Methylation

Anonymous Author(s)

Affiliation Address email

Abstract

- The abstract paragraph should be indented ½ inch (3 picas) on both the left- and right-hand margins. Use 10 point type, with a vertical spacing (leading) of 11 points.
- The word **Abstract** must be centered, bold, and in point size 12. Two line spaces
- 4 precede the abstract. The abstract must be limited to one paragraph.

5 1 Introduction

6 1.1 DNA Methylation

Cancers develop via the acquisition of genomic changes. These changes in turn alter the cells harbouring them, leading to changes in cell state (phenotype). One common effect of these mutations is to induce a series of modifications to the genome, which do not alter the encoded DNA but rather the ability of the DNA to be read and processed into protein. These heritable non-genetic changes 10 11 are broadly referred to as epigenetic changes. According to Baylin and Jones (2011), "Epigenetic alterations are leading candidates for the development of specific markers for cancer detection, 12 diagnosis and prognosis". One such epigenetic change is DNA methylation, which is unambiguously 13 linked with transcriptional repression. When present in promoter regions, DNA methylation correlates 14 negatively with gene expression; furthermore, characteristic changes in DNA methylation have 15 been reported for cancer. Research indicates that gene promoter CpG islands acquire abnormal 17 hypermethylation resulting in transcriptional silencing in cancer (Bock, 2012). It is important to note that 70-80% of CpGs in the human genome are affected by DNA methylation. Therefore, 18 understanding the effects of DNA methylation in cancer can provide valuable information for finding 19 an effective remedy for cancer in humans. The potential relationship between DNA methylation and cancer opens up a new avenue of exploration. Advances in next-generation sequencing and 21 microarray technology allow for analysis on DNA methylation in large samples and genome-wide; 22 currently, DNA methylation is the only epigenetic mark that can be measured reliably. As a result, 23 DNA methylation can be profiled accurately using high throughput sequencing and is a potential 24 feature for categorizing cancer patients into functionally similar groups. 25

26 1.2 Variational Inference

- 27 Variational inference is an alternative strategy to MCMC sampling which tends to be faster and
- easier to scale to larger datasets. The key characteristic of variational inference is that it casts
- 29 Bayesian inference as an optimization problem (Salimans et al., 2015). Variational inference attempts
- 30 to approximate the posterior with a distribution $q_t heta(z|x)$ by choosing its parameters theta to
- optimize the evidence lower bound (ELBO) on the marginal likelihood.

$$\log p(x) \ge \log p(x) - D_{KL}(q_{\theta}(z \mid x) || p(z \mid x))$$
$$= E_{q_{\theta}(z \mid x)}(\log p(x, z) - \log q_{\theta}(z \mid x))$$

- 32 Coordinate Ascent Mean-Field VI (CAVI) is one of the most common algorithms for solving this
- optimization problem, and is very similar to the EM algorithm and Gibbs sampling. In short, the
- main difference between MCMC and VI is that MCMC is a sampling algorithm, while VI is an
- 35 optimization algorithm; MCMC constructs an ergodic markov chain, while VI approximates the
- 36 posterior with another distribution.


7 2 Methods

38 2.1 Model

- 39 We propose a Variational Inference Dirichlet Process Gaussian Mixture Model based on the Chinese
- 40 Restaurant Process, to stratify cancer patients based on DNA methylation values. This paper will
- 41 build upon Blei and Jordan's work on Variational Inference for Dirichlet Process Mixtures. Our
- 42 proposed method differs on the basis that we base our model on the Chinese Restaurant Process
- whereas Blei and Jordan base theirs on the Stick-breaking process. TODO

44 **2.2** Plots

Here are some of the plots we expect to obtain.






Figure 1: Example clustermap. Color labels indicate cancer types: Type II, Type III

46 3 Headings: first level

- 47 All headings should be lower case (except for first word and proper nouns), flush left, and bold.
- 48 First-level headings should be in 12-point type.

49 3.1 Headings: second level

50 Second-level headings should be in 10-point type.

3.1.1 Headings: third level

- Third-level headings should be in 10-point type.
- Paragraphs There is also a \paragraph command available, which sets the heading in bold, flush
- left, and inline with the text, with the heading followed by 1 em of space.

55 4 Citations, figures, tables, references

56 These instructions apply to everyone.

7 4.1 Citations within the text

- 58 The natbib package will be loaded for you by default. Citations may be author/year or numeric, as
- 59 long as you maintain internal consistency. As to the format of the references themselves, any style is
- 60 acceptable as long as it is used consistently.
- 61 The documentation for natbib may be found at
- http://mirrors.ctan.org/macros/latex/contrib/natbib/natnotes.pdf
- Of note is the command \citet, which produces citations appropriate for use in inline text. For example,
- 65 \citet{hasselmo} investigated\dots
- 66 produces
- Hasselmo, et al. (1995) investigated...
- If you wish to load the natbib package with options, you may add the following before loading the neurips_2021 package:
- 70 \PassOptionsToPackage{options}{natbib}
- 71 If natbib clashes with another package you load, you can add the optional argument nonatbib 72 when loading the style file:
- 73 \usepackage[nonatbib] {neurips_2021}
- 74 As submission is double blind, refer to your own published work in the third person. That is, use "In
- 75 the previous work of Jones et al. [4]," not "In our previous work [4]." If you cite your other papers
- that are not widely available (e.g., a journal paper under review), use anonymous author names in the
- citation, e.g., an author of the form "A. Anonymous."

78 4.2 Footnotes

- ⁷⁹ Footnotes should be used sparingly. If you do require a footnote, indicate footnotes with a number¹
- 80 in the text. Place the footnotes at the bottom of the page on which they appear. Precede the footnote
- with a horizontal rule of 2 inches (12 picas).
- Note that footnotes are properly typeset *after* punctuation marks.²

83 4.3 Figures

- All artwork must be neat, clean, and legible. Lines should be dark enough for purposes of reproduction.
- 85 The figure number and caption always appear after the figure. Place one line space before the figure
- 86 caption and one line space after the figure. The figure caption should be lower case (except for first
- word and proper nouns); figures are numbered consecutively.
- You may use color figures. However, it is best for the figure captions and the paper body to be legible
- 89 if the paper is printed in either black/white or in color.

¹Sample of the first footnote.

²As in this example.




Figure 2: Sample figure caption.

Table 1: Sample table title

	Part	
Name	Description	Size (μm)
Dendrite Axon Soma	Input terminal Output terminal Cell body	~ 100 ~ 10 up to 10^6

90 **4.4 Tables**

98

108

109

110

111

- 91 All tables must be centered, neat, clean and legible. The table number and title always appear before
- 92 the table. See Table 1.
- 93 Place one line space before the table title, one line space after the table title, and one line space after
- 94 the table. The table title must be lower case (except for first word and proper nouns); tables are
- 95 numbered consecutively.
- 96 Note that publication-quality tables do not contain vertical rules. We strongly suggest the use of the
- booktabs package, which allows for typesetting high-quality, professional tables:

https://www.ctan.org/pkg/booktabs

99 This package was used to typeset Table 1.

100 5 Final instructions

- Do not change any aspects of the formatting parameters in the style files. In particular, do not modify
- the width or length of the rectangle the text should fit into, and do not change font sizes (except
- perhaps in the **References** section; see below). Please note that pages should be numbered.

104 6 Preparing PDF files

- Please prepare submission files with paper size "US Letter," and not, for example, "A4."
- Fonts were the main cause of problems in the past years. Your PDF file must only contain Type 1 or
- 107 Embedded TrueType fonts. Here are a few instructions to achieve this.
 - You should directly generate PDF files using pdflatex.
 - You can check which fonts a PDF files uses. In Acrobat Reader, select the menu Files>Document Properties>Fonts and select Show All Fonts. You can also use the program pdffonts which comes with xpdf and is available out-of-the-box on most Linux machines.

- The IEEE has recommendations for generating PDF files whose fonts are also acceptable for NeurIPS. Please see http://www.emfield.org/icuwb2010/downloads/ IEEE-PDF-SpecV32.pdf
 - xfig "patterned" shapes are implemented with bitmap fonts. Use "solid" shapes instead.
 - The \bbold package almost always uses bitmap fonts. You should use the equivalent AMS Fonts:

```
118 \usepackage{amsfonts}
```

followed by, e.g., \mathbb{R} , \mathbb{N} or \mathbb{C} . You can also use the following workaround for reals, natural and complex:

```
121 \newcommand{\RR}{I\!\!R} %real numbers
122 \newcommand{\Nat}{I\!\!N} %natural numbers
123 \newcommand{\CC}{I\!\!\!C} %complex numbers
```

Note that amsforts is automatically loaded by the amssymb package.

125 If your file contains type 3 fonts or non embedded TrueType fonts, we will ask you to fix it.

126 6.1 Margins in LATEX

115

116

117

124

- 127 Most of the margin problems come from figures positioned by hand using \special or other
- 128 commands. We suggest using the command \includegraphics from the graphicx package.
- Always specify the figure width as a multiple of the line width as in the example below:

```
\usepackage[pdftex]{graphicx} ...
\includegraphics[width=0.8\linewidth]{myfile.pdf}
```

- See Section 4.4 in the graphics bundle documentation (http://mirrors.ctan.org/macros/
- 133 latex/required/graphics/grfguide.pdf)
- A number of width problems arise when LATEX cannot properly hyphenate a line. Please give LaTeX
- hyphenation hints using the \- command when necessary.

136 References

- 137 References follow the acknowledgments. Use unnumbered first-level heading for the references. Any
- choice of citation style is acceptable as long as you are consistent. It is permissible to reduce the font
- size to small (9 point) when listing the references. Note that the Reference section does not count
- 140 towards the page limit.
- 141 [1] Alexander, J.A. & Mozer, M.C. (1995) Template-based algorithms for connectionist rule extraction. In
- G. Tesauro, D.S. Touretzky and T.K. Leen (eds.), Advances in Neural Information Processing Systems 7, pp.
- 143 609–616. Cambridge, MA: MIT Press.
- 144 [2] Bower, J.M. & Beeman, D. (1995) The Book of GENESIS: Exploring Realistic Neural Models with the
- 145 GEneral NEural SImulation System. New York: TELOS/Springer-Verlag.
- 146 [3] Hasselmo, M.E., Schnell, E. & Barkai, E. (1995) Dynamics of learning and recall at excitatory recurrent
- 147 synapses and cholinergic modulation in rat hippocampal region CA3. Journal of Neuroscience 15(7):5249-5262.

8 Checklist

- The checklist follows the references. Please read the checklist guidelines carefully for information on
- how to answer these questions. For each question, change the default [TODO] to [Yes], [No], or
- 151 [N/A]. You are strongly encouraged to include a **justification to your answer**, either by referencing
- the appropriate section of your paper or providing a brief inline description. For example:

- Did you include the license to the code and datasets? [Yes] See Section 2.
 - Did you include the license to the code and datasets? [No] The code and the data are proprietary.
 - Did you include the license to the code and datasets? [N/A]

Please do not modify the questions and only use the provided macros for your answers. Note that the Checklist section does not count towards the page limit. In your paper, please delete this instructions block and only keep the Checklist section heading above along with the questions/answers below.

1. For all authors...

154 155

156

160

161

162

163

164

165

166

167

168

169

170

171 172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

- (a) Do the main claims made in the abstract and introduction accurately reflect the paper's contributions and scope? **[TODO]**
- (b) Did you describe the limitations of your work? [TODO]
- (c) Did you discuss any potential negative societal impacts of your work? [TODO]
- (d) Have you read the ethics review guidelines and ensured that your paper conforms to them? [TODO]
- 2. If you are including theoretical results...
 - (a) Did you state the full set of assumptions of all theoretical results? [TODO]
 - (b) Did you include complete proofs of all theoretical results? [TODO]
- 3. If you ran experiments...
 - (a) Did you include the code, data, and instructions needed to reproduce the main experimental results (either in the supplemental material or as a URL)? [TODO]
 - (b) Did you specify all the training details (e.g., data splits, hyperparameters, how they were chosen)? [TODO]
 - (c) Did you report error bars (e.g., with respect to the random seed after running experiments multiple times)? [TODO]
 - (d) Did you include the total amount of compute and the type of resources used (e.g., type of GPUs, internal cluster, or cloud provider)? [TODO]
- 4. If you are using existing assets (e.g., code, data, models) or curating/releasing new assets...
 - (a) If your work uses existing assets, did you cite the creators? [TODO]
 - (b) Did you mention the license of the assets? [TODO]
 - (c) Did you include any new assets either in the supplemental material or as a URL? **[TODO]**
 - (d) Did you discuss whether and how consent was obtained from people whose data you're using/curating? [TODO]
 - (e) Did you discuss whether the data you are using/curating contains personally identifiable information or offensive content? [TODO]
- 5. If you used crowdsourcing or conducted research with human subjects...
 - (a) Did you include the full text of instructions given to participants and screenshots, if applicable? [TODO]
 - (b) Did you describe any potential participant risks, with links to Institutional Review Board (IRB) approvals, if applicable? [TODO]
 - (c) Did you include the estimated hourly wage paid to participants and the total amount spent on participant compensation? [TODO]

A Appendix

Optionally include extra information (complete proofs, additional experiments and plots) in the appendix. This section will often be part of the supplemental material.