

# DATA304 Project Group 4: A study of the LAB cafe at Victoria University

Kevin Ye, Vivian Dong, Patrick Quito, Tama Hoare

May 2022

# 1 Introduction

Suo Lorem ipsum dolor sit amet, consectetur adipiscing elit. Quisque tincidunt justo nec sem aliquet, vel molestie tortor rhoncus. Aliquam scelerisque metus sit amet mattis commodo. Sed tincidunt sapien vitae sapien volutpat, cursus efficitur lacus consequat. Nunc mi dolor, tempor vitae lorem ut, convallis ullamcorper massa. In hendrerit id purus a vulputate. Pellentesque nulla nunc, bibendum quis vulputate sit amet, dictum at nibh. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Sed nulla nisi, porttitor porta erat vel, porttitor finibus nisi. Quisque diam diam, egestas id ornare mattis, laoreet vitae justo. Curabitur in nunc ornare, fermentum leo non, hendrerit ipsum. Aliquam erat volutpat. Nunc lobortis sem in orci faucibus suscipit. In hac habitasse platea dictumst. Vivamus ante augue, dictum faucibus efficitur non, consequat non enim.

Maecenas ullamcorper sem id magna sodales tempor. Sed non est urna. Mauris nec ante quis diam cursus suscipit non imperdiet erat. Donec posuere consectetur hendrerit. Proin pharetra, nulla eu pharetra vulputate, magna mi malesuada enim, non euismod augue lorem quis nunc. Quisque hendrerit euismod hendrerit. Maecenas tempor augue sit amet ultrices elementum. Proin posuere semper diam, ut lobortis sem eleifend sit amet. Nulla ornare eget ligula in ornare. Ut vel finibus ligula. Donec sollicitudin, dolor non porta faucibus, sapien elit ultrices augue, ac mattis ante neque sed neque.

## 2 Data analysis

Phasellus nec lorem nec nibh aliquet imperdiet nec a dolor. Nunc auctor leo sit amet sem suscipit, et accumsan nunc ultrices. Praesent vitae nulla id dolor vulputate porttitor. Integer nisl lorem, dictum nec ultrices at, malesuada sed ligula. Curabitur vehicula orci non libero eleifend commodo. Cras vitae lacus tellus. Nullam feugiat, nisi at tempus rutrum, arcu nibh commodo odio, at aliquet nulla tortor non neque. Nulla eget nulla vel libero suscipit gravida. Conclusion. idskjslf

### 2.1 Fitting best fit distributions (Vivian)

We tried to approximate "inter-arrival time" and "service time" using the following 12 Distributions: Weibull Minimum Extreme Value distribution, Normal distribution, Weibull Maximum Extreme Value distribution, Beta distribution, Inverse Gaussian distribution, Uniform distribution, Gamma distribution, Exponential distribution, Log-normal distribution, Pearson Type III distribution, Triangular distribution, Erlang distribution. After fitting different distributions, we checked the Goodness of fit based on Chi-square Statistics. The outputs for "inter-arrival time" sorted in order of Goodness of fit looks like this:

**Table 1:** Distributions listed by Betterment of fit

Distribution	chi square
Pearson Type III distribution	9.155252
Weibull Minimum Extreme Value distribution	13.245287
Beta distribution	21.708357
Log Normal distribution	25.596288
Inverse Gaussian distribution	29.389634
Exponential distribution	29.515278
Gamma distribution	48.359331
Triangular distribution	209.930441
Normal distribution	332.531278
Uniform distribution	510.690318
Erlang distribution	672.400334
Weibull Maximum Extreme Value distribution	1137.915014

The outputs for "service time" sorted in order of Goodness of fit looks like this:


The Chi-square statistics suggest that the Pearson Type III distribution best approximates 'inter-arrival time'. We can also see that Beta distribution is the best fit for 'service time'. The python code using the

**Table 2:** Distributions listed by Betterment of fit

Distribution	chi square
Beta distribution	1.231338
Weibull Minimum Extreme Value distribution	2.831316
Pearson Type III distribution	4.130412
Gamma distribution	4.131762
Erlang distribution	4.132443
Inverse Gaussian distribution	10.560874
Log Normal distribution	11.688749
Exponential distribution	29.775131
Triangular distribution	39.441479
Normal distribution	140.194689
Uniform distribution	305.594183
Weibull Maximum Extreme Value distribution	1080.829277

Scipy Library to fit the distribution is from here: [Distribution Fitting Code](#) Suppose we had more time to do this part. In that case, we will add more distributions to fit our data and find a better fit distribution of the interarrival/service times. Furthermore, we can also use the Anderson-Darling test or other goodness-of-fit tests to compare whether we will get the same results.


## 2.2 Histogram plots for visual evaluation (Patrick)

**Figure 1:** Histograms of inter-arrival times and service times

Mauris rhoncus fringilla mollis. Ut tincidunt eros vel dolor aliquam, at consequat erat malesuada. Morbi interdum, lectus non dictum efficitur, mi erat molestie enim, quis gravida felis mi in arcu. Sed sit amet leo eget urna maximus sollicitudin sit amet et nisi. Donec maximus neque a tortor sagittis eleifend. Maecenas felis tortor, feugiat et ipsum in, congue imperdiet lectus. Aenean porta suscipit neque in rutrum. In eros erat, vulputate eu consequat vitae, facilisis nec felis.

Mauris rhoncus fringilla mollis. Ut tincidunt eros vel dolor aliquam, at consequat erat malesuada. Morbi interdum, lectus non dictum efficitur, mi erat molestie enim, quis gravida felis mi in arcu. Sed sit amet leo eget urna maximus sollicitudin sit amet et nisi. Donec maximus neque a tortor sagittis eleifend. Maecenas felis tortor, feugiat et ipsum in, congue imperdiet lectus. Aenean porta suscipit neque in rutrum. In eros erat, vulputate eu consequat vitae, facilisis nec felis.

Nullam dictum enim a diam finibus pretium. Nulla posuere mi vitae ultrices rutrum. Proin pellentesque neque id vulputate sollicitudin. Fusce malesuada dignissim dolor, non suscipit magna convallis semper. Vivamus turpis mauris, semper in quam quis, ultrices vulputate eros. Nulla finibus varius diam, vitae convallis



**Figure 2:** Histograms with best fit distribution pdf overlayed

lacus rutrum in. Pellentesque imperdiet gravida odio, hendrerit sagittis tellus sollicitudin id. Curabitur tincidunt ante mauris, eu venenatis tellus congue at.

### 3 Simulation models

#### 3.1 Performance Measures of collected data (Tama)

**Table 3:** This is the caption that goes at the top of the table

Performance Measures	Values calculated from data
Average time in system (seconds), $W$	140.07
Average number of customers in the system, $L$	1.1819
Proportion of time servers are busy, $B$	0.61148
Effective arrival rate (per second), $\lambda_{\text{eff}}$	0.0084381

**Table 4:** This is the caption that goes at the top of the table

Other parameters	Values calculated from data
Average Inter-arrival time $\frac{1}{\lambda}$ (seconds)	120.329
Average Service time, $W_s$ (seconds)	120.77
Average Queue Time, $W_q$ (seconds)	19.295

Suspendisse accumsan ante velit, a tempor urna porta ac. Proin porttitor, velit non rutrum tincidunt, nibh nulla mattis urna, vitae lobortis erat dui eget risus. Proin tincidunt tincidunt orci eget auctor. Mauris id sodales velit. Aliquam faucibus quam eu tellus varius, molestie dapibus risus sodales. Nullam feugiat vitae augue non ullamcorper. Nulla et nibh orci. Praesent lacus est, mollis efficitur ligula eget, condimentum tempus risus. Nullam auctor placerat dignissim.

#### 3.2 M1 model (Patrick)

Suspendisse accumsan ante velit, a tempor urna porta ac. Proin porttitor, velit non rutrum tincidunt, nibh nulla mattis urna, vitae

$$\pi_0 = \frac{1}{\sum_{k=0}^{s-1} \frac{\rho^k}{k!} + \frac{\rho^s}{s!} \frac{1}{1-\frac{\rho}{s}}}$$

$$\pi_0 = \frac{1}{\frac{\rho^0}{0!} + \frac{\rho^1}{1!} + \frac{\rho^2}{2!} + \frac{\rho^3}{3!} \frac{1}{1-\frac{\rho}{3}}}$$

$$\pi_0 = \frac{1}{1 + \rho + \frac{\rho^2}{2} + \frac{\rho^3}{6} \frac{1}{1-\frac{\rho}{3}}}$$

$$\pi_0 = 0.3690202951$$

$$B = 1 - \pi_0 = 0.6309797049$$

$$L = \pi_0 \frac{\frac{\rho^{s+1}}{s!s}}{(1 - \frac{\rho}{s})^2} + \rho$$

$$L = \pi_0 \frac{\frac{\rho^4}{3!3}}{(1 - \frac{\rho}{3})^2} + \rho$$

$$L = 1.033745189$$

$$W = \frac{L}{\lambda} = 124.3899904$$

Suspendisse accumsan ante velit, a tempor urna porta ac. Proin porttitor, velit non rutrum tincidunt, nibh nulla mattis urna, vitae lobortis erat dui eget risus. Proin tincidunt tincidunt orci eget auctor. Mauris id sodales velit. Aliquam faucibus quam eu tellus

**Table 5:** This is the caption that goes at the top of the table

Performance Measures	Collected Data	M1 model
$W$	140.07	124.33
$L$	1.1819	1.0435
$B$	0.61148	0.63064
$\lambda_{\text{eff}}$	0.0084381	0.0083952

Suspendisse accumsan ante velit, a tempor urna porta ac. Proin porttitor, velit non rutrum tincidunt, nibh nulla mattis urna, vitae lobortis erat dui eget risus. Proin tincidunt tincidunt orci eget auctor. Mauris id sodales velit. Aliquam faucibus quam eu tellus varius, molestie dapibus risus sodales. Nullam feugiat vitae augue non ullamcorper. Nulla et nibh orci. Praesent lacus est, mollis efficitur ligula eget, condimentum tempus risus. Nullam auctor placerat dignissim.

### 3.3 M2 model (Vivian)

The interarrival times are randomly generated from the fitted Pearson Type III distribution in this model. The service times are randomly generated from the fitted Beta distribution.

The performance simulated by this model is from the table below:

**Table 6:** Best fit model

Performance Measures	Collected Data	M2 model
$W$	140.07	143.28
$L$	1.1819	1.6283
$B$	0.61148	0.71400
$\lambda_{\text{eff}}$	0.0084381	0.011347

### 3.4 M3 model (Kevin)

**Table 7:** This is the caption that goes at the top of the table

Performance Measures	Collected Data	M3 model
$W$	140.07	127.14
$L$	1.1819	1.0853
$B$	0.61148	0.62465
$\lambda_{\text{eff}}$	0.0084381	0.0085284

Suspendisse accumsan ante velit, a tempor urna porta ac. Proin porttitor, velit non rutrum tincidunt, nibh nulla mattis urna, vitae lobortis erat dui eget risus. Proin tincidunt tincidunt orci eget auctor. Mauris id sodales velit. Aliquam faucibus quam eu tellus varius, molestie dapibus risus sodales. Nullam feugiat vitae augue non ullamcorper. Nulla et nibh orci. Praesent lacus est, mollis efficitur ligula eget, condimentum tempus risus. Nullam auctor placerat dignissim.

## 4 Conclusion

Nullam dictum enim a diam finibus pretium. Nulla posuere mi vitae ultrices rutrum. Proin pellentesque neque id vulputate sollicitudin. Fusce malesuada dignissim dolor, non suscipit magna convallis semper. Vivamus turpis mauris, semper in quam quis, ultrices vulputate eros. Nulla finibus varius diam, vitae convallis lacus rutrum in. Pellentesque imperdiet gravida odio, hendrerit sagittis tellus sollicitudin id. Curabitur tincidunt ante mauris, eu venenatis tellus congue at.

Aenean non ante lacus. Proin fermentum sapien ut tempor mollis. Maecenas semper, sem cursus efficitur blandit, sapien felis varius massa, at ullamcorper neque libero vel elit. Donec scelerisque ipsum purus, in volutpat sapien facilisis eget. Proin nulla urna, ullamcorper eget urna eget, auctor pharetra mauris. Etiam quis ligula eget elit volutpat sollicitudin. In dolor tortor, iaculis et bibendum eget, gravida at nisl. Nunc tempus dolor in nisi hendrerit, eu fringilla nulla fringilla. Proin vel rutrum nisi, in gravida elit. Aliquam in erat sodales, sodales arcu luctus, laoreet metus. Integer vehicula odio ultricies faucibus bibendum. Curabitur fringilla a ipsum ut imperdiet. Mauris vulputate, lorem vel bibendum ultrices, ex enim vulputate nisi, a blandit urna quam in enim. Donec ac lacus sollicitudin, vulputate dui at, auctor velit. In hac habitasse platea dictumst. Nulla venenatis tellus sed mi rutrum, non auctor sem lacinia.