QUALYS® ENTERPRISE

# Host_112.67.255.175

October 28, 2015

## Report Summary

| | |
|---|---|
| User Name: | Roja Manukonda |
| Login Name: | mcrsf_rm1 |
| Company: | Microsoft |
| User Role: | Unit Manager |
| Address: | 1 Microsoft Way |
| City: | Redmond |
| State: | Washington |
| Zip: | 98052 |
| Country: | United States of America |
| Created: | 10/28/2015 at 14:35:40 (GMT+0530) |
| Template Title: | WASP_Report_Template |
| Sort by: | Host |
| IP Restriction: | - |
| Hosts Matching Filters: | 1 |
| scan/1445925072.00486: | 10/27/2015 at 11:22:04 (GMT+0530) |

## Summary of Vulnerabilities

| | | | |
|---|---|---|---|
| Vulnerabilities Total | 14 | Security Risk (Avg) | 🟥🟥🟥🟥🟥 5.0 |

by Severity

| Severity | Confirmed | Potential | Information Gathered | Total |
|---|---|---|---|---|
| 5 | 14 | 0 | - | 14 |
| 4 | 0 | 0 | - | 0 |
| 3 | 0 | 0 | - | 0 |
| 2 | 0 | 0 | - | 0 |
| 1 | 0 | 0 | - | 0 |
| Total | 14 | 0 | - | 14 |

5 Biggest Categories

| Category | Confirmed | Potential | Information Gathered | Total |
|---|---|---|---|---|
| TCP/IP | 14 | 0 | - | 14 |
| Total | 14 | 0 | - | 14 |

## Vulnerabilities by Severity



## Detailed Results

## 112.67.255.175 (-, -) Ubuntu / Linux 2.x

### Vulnerabilities (14)

🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 81

|  |  |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: |  |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Service 'http' was detected on port 81

### 🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 85

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 85

### 🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 7011

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 7011

🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 7032

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 7032

🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 8001

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:

Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Service 'proxy http' was detected on port 8001

### 5 Unauthorized Open Port Detected port 8012

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Service 'proxy http' was detected on port 8012

### 5 Unauthorized Open Port Detected port 8014

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being

an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 8014

🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 8080

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 8080

🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 8088

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 8088

### 🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 8090

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 8090

### 🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 8888

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |

| | |
|---|---|
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 8888

### 🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 8889

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 8889

🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 60080

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service 'proxy http' was detected on port 60080

🟥🟥🟥🟥🟥 5 Unauthorized Open Port Detected port 161

| | |
|---|---|
| QID: | 82043 |
| Category: | TCP/IP |
| CVE ID: | - |
| Vendor Reference: | - |
| Bugtraq ID: | - |
| Service Modified: | 05/20/2009 |
| User Modified: | - |
| Edited: | No |
| PCI Vuln: | Yes |
| Ticket State: | |

THREAT:
The following port was configured in the report template as being
an "unauthorized" port. This unauthorized port was detected, and is therefore considered a vulnerability.

IMPACT:
As a result, the security policy for your organization is not being adhered to.

SOLUTION:
Configure your firewall(s) to block the port or disable the service using the port.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service 'snmp' was detected on port 161

CONFIDENTIAL AND PROPRIETARY INFORMATION.
Qualys provides the QualysGuard Service "As Is," without any warranty of any kind. Qualys makes no warranty that the information contained in this report is complete or error-free.