# Pre-Meeting Preparation User Journey

**Purpose:** This page documents the end-to-end user journey for the Pre-Meeting Preparation experience in chronological order, including decision points, rework loops, deck refresh behavior, and audit expectations.

**Primary user:** Sales representative
**Supporting system:** AI preparation agent with connected enterprise data sources
**Journey intent:** One trusted, explainable, editable flow from meeting setup through refreshed presentation approval

## Journey summary

The journey starts when a sales representative enters the platform and engages with the agent. The representative provides meeting context, confirms it, reviews a consolidated customer view with evidence-backed briefs, approves recommendations, generates an editable slide deck, and iterates until the presentation is ready. If source data changes before the meeting, the system refreshes affected content, creates a new version, explains what changed and why, and requires the representative to verify the refreshed version before use.

**Key principles**

- Human decision authority stays with the sales representative
- Every material insight should be traceable to source and freshness
- Recommendations and slides remain editable
- Internal analysis stays separate from customer-facing output
- Refresh creates a reviewable new version, not a silent overwrite

**Critical controls**

- Do not proceed with unsupported or inaccessible customer context
- Do not invent missing facts, terms, or evidence
- Do not expose restricted source content
- Do not silently reintroduce rejected recommendations
- Do not mark refreshed output as approved without representative review

## Supporting flow diagram

The following whiteboard was prepared for this journey and should be used as the visual companion to the workflow below.

- Untitled whiteboard 2026-10-23 (217)

**Diagram coverage:** meeting context capture, retrieval, customer view, brief confirmation, recommendation approval, deck generation, edit loops, source-refresh detection, refreshed version comparison, and final readiness for the meeting.

## Chronological user journey

| Step | User action | Agent and system response | Decision or loop | Primary outcome |
|---|---|---|---|---|
| **1. Start preparation** | The sales representative opens the platform and engages with the agent. | The system establishes access, role, and the current preparation state. | If an existing deck is reopened, the flow later checks freshness before reuse. | A new or resumed preparation workspace is available. |
| **2. Enter meeting context** | The representative provides customer, meeting type, season, objectives, hook, products, notes, and duration. | The agent validates the input, clarifies ambiguity, and captures the meeting context needed for downstream generation. | If required information is missing or unclear, the user stays in this step until the context is usable. | A confirmed meeting context is ready for retrieval. |
| **3. Click Next** | The representative confirms the context and clicks **Next**. | The backend starts retrieving authorized information for the selected customer, season, meeting type, and related template logic. | If access or retrieval fails, the issue is surfaced and the user returns to correction or retry. | A retrieval job begins from Databricks and connected sources. |

| | | | | |
|---|---|---|---|---|
| **4. Build customer view** | The representative waits for the platform to assemble the preparation package. | The system gathers customer history, performance, commitments, visit history, open actions, technical content, product information, and other approved evidence into one consolidated view. | Missing, stale, conflicting, or low-confidence information is flagged instead of silently resolved. | A trusted internal customer view is created. |
| **5. Review summary and details** | The representative reviews the summary first, then explores detailed information. | The agent presents a concise summary plus supporting detail, evidence, freshness, and citations. | The user can continue exploring until comfortable with the available evidence. | The representative understands the customer context. |
| **6. Search, filter, and chat** | The representative searches for specific information, filters the view, and asks follow-up questions in chat. | The agent answers using the gathered evidence, cites sources, and distinguishes facts from suggestions. | This is an iterative loop until the relevant information for the meeting is clear. | The representative narrows the preparation to the most relevant content. |
| **7. Generate independent briefs** | The representative reviews the prepared brief set. | The agent generates multiple briefs such as customer brief, narrative brief, | Only relevant briefs should be carried forward; irrelevant templates should not drive | The user gets separately reviewable preparation assets. |

| | | | | |
|---|---|---|---|---|
| | | negotiation brief, seasonal brief, business review brief, and other applicable meeting-specific outputs. | unnecessary output. | |
| **8. Confirm evidence and narrative** | Once satisfied with the information and narrative direction, the representative clicks **Next**. | The system captures the selected evidence, chosen briefs, and narrative focus for recommendation generation. | If the narrative or evidence is not right, the user loops back through search, filter, chat, and brief refinement. | The recommendation phase starts with a controlled input set. |
| **9. Generate recommendations** | The representative moves to the recommendation screen. | The agent proposes what should be included in the presentation, with rationale, evidence, source references, and confidence indicators based on the meeting type and structure. | If recommendations are weak, unsupported, or not relevant, they must be revised rather than accepted blindly. | An explainable recommendation set is presented. |
| **10. Edit recommendations** | The representative views, edits, reorders, or deletes recommendations. | The system preserves user authority and tracks the recommendation decision history. | This is a loop until the representative approves the final recommendation set. | A finalized recommendation package is ready for deck generation. |
| **11. Generate slide deck** | The representative | The agent freezes the | If required content is | A traceable deck-generation |

| | | | | |
|---|---|---|---|---|
| | clicks **Generate slide deck**. | approved inputs and begins the deck creation workflow. | missing or restricted, the system should surface the issue and stop unsupported generation. | job is started. |
| **12. Create plan** | The representative waits while the deck is being assembled. | The agent creates the presentation plan from the approved recommendations, narrative structure, evidence, time available, and presentation constraints. | If the plan cannot be supported by evidence or template rules, generation returns to correction. | A structured plan for the deck is produced. |
| **13. Create outline** | No direct action is required unless an implementation later exposes this stage. | The agent converts the plan into an ordered outline of slide titles, purposes, messages, and supporting evidence. | Traceability should remain intact from recommendation to outline item. | A deck outline is ready for slide construction. |
| **14. Build editable slides** | The representative receives the generated presentation in the UI. | The agent creates editable slides using approved content only, while keeping internal analysis out of customer-facing material. | Validation failures trigger correction and retry before the draft is treated as usable. | The first editable deck version is available. |

| | | | | |
|---|---|---|---|---|
| **15. Review and revise slides** | The representative reviews the deck and asks the agent to make factual, narrative, ordering, or formatting changes. | The system applies permitted changes, validates facts against evidence, and shows what changed. | This is a repeated loop: review → request change → apply and validate → review again. | The deck improves iteratively under user control. |
| **16. Maintain audit trail** | The representative continues editing with confidence that changes are tracked. | The system records revision history, user requests, agent-applied changes, source references, and version events. | No materially changed version should lose its history or overwrite previous approved work without traceability. | A comprehensive audit trail is maintained. |
| **17. Approve deck version** | When satisfied, the representative approves the current deck version for use. | The system stores the approved version together with its evidence snapshot and validation status. | If further edits occur, a new reviewable version should be created rather than silently reusing the old approval. | A customer-ready approved version exists. |
| **18. Reopen before the meeting** | The representative returns to the deck later, for example two days before the meeting. | The system checks whether source data used by the approved deck has changed since the previous generation. | If the freshness check fails, the system must show that freshness is unknown instead of claiming that nothing changed. | The system determines whether refresh is needed. |
| **19. Refresh changed** | If changes exist, the | The agent updates affected | Compatible user edits should be | A refreshed draft version is |

| | | | | |
|---|---|---|---|---|
| **content** | representative reviews the refreshed draft. | insights, briefs, recommendations, and slides, then creates a **new draft version** of the deck. | preserved; conflicts should be surfaced for resolution. | created without replacing history. |
| **20. Explain changes and implications** | The representative inspects what changed. | The system shows slide-level and content-level differences, reasons for change, updated sources, timestamps, and any implications for the story or talking points. | If the refreshed presentation is not appropriate, the representative loops back into editing and refinement. | The user understands what changed and why. |
| **21. Verify refreshed version** | The representative checks whether the refreshed content is presented correctly. | The system supports further edits on the refreshed version, while preserving both prior history and refreshed lineage. | This is another review-and-edit loop until the refreshed version is acceptable. | The refreshed version becomes trustworthy for final review. |
| **22. Approve refreshed version** | The representative approves the refreshed deck only after verification. | The system marks the refreshed version as the current approved version and keeps the earlier version in history. | Approval must not transfer automatically from the earlier version. | The final version is ready for the customer meeting. |

## Flow logic and loops

**Main journey spine:** Start → Enter context → Next → Retrieve sources → Customer view → Search/filter/chat → Confirm evidence and narrative → Next → Recommendations → Approve recommendations → Generate slide deck → Plan → Outline → Editable slides → Review and edit → Approve version → Reopen later → Check freshness → Refresh if needed → Compare changes → Verify refreshed version → Approve refreshed version.

- **Loop 1: Context clarification loop** — used when customer, meeting type, season, objective, hook, or duration is incomplete or ambiguous.
- **Loop 2: Evidence exploration loop** — used when the representative needs more detail, better filtering, or more source-backed answers before moving on.
- **Loop 3: Recommendation refinement loop** — used when proposed content needs editing, reordering, deletion, or replacement.
- **Loop 4: Deck editing loop** — used when slide content, structure, or factual presentation needs revision.
- **Loop 5: Refresh validation loop** — used when source changes create a new version that still needs human review and adjustment.

## Stage-to-epic mapping

| Journey stage | Related epic or story area | Why it matters |
|---|---|---|
| Meeting setup and context capture | E1 — Meeting, Customer and Territory Context | Starts preparation with the correct customer, purpose, season, objectives, and duration. |
| Customer view and evidence retrieval | E2 — Customer, Territory and Market 360 | Creates one trusted, permission-aware view of performance, commitments, portfolio, and evidence. |
| Search, filtering, and source lookup | E3 — Unified Content Library and Enterprise Search | Lets the representative find, inspect, and validate relevant source material. |
| Brief generation | E4 — Customer-Specific Brief and Narrative Generation | Creates reviewable preparation packages tailored to the meeting and customer context. |

| | | |
|---|---|---|
| Recommendations | E5 — Recommended Talking Points and Actions | Turns evidence into prioritized, explainable, editable presentation guidance. |
| Deck plan, outline, and editable slides | E6 — Editable Customer-Facing Presentations | Produces presentation-ready material that remains editable and compliant. |
| Review, annotations, and preserved edits after refresh | E7 — Regional Collaboration and Review | Protects user changes and supports controlled review. |
| Reopen and refresh before meeting | E4, E7, E9 | Ensures updated source data can create a new version without losing auditability or control. |
| Audit trail and governance | E9 — Security, Configuration, Content Governance and Scale | Maintains access control, provenance, validity, and traceability across the workflow. |
| Post-meeting continuation | E10 — Meeting Follow-Up, Feedback and Value Measurement | Extends the journey into outcome capture and value measurement when in scope. |

## Approval gates

| Gate | What is being confirmed | If not approved |
|---|---|---|
| Next after context | The meeting setup is correct and retrieval can start. | Return to input clarification. |
| Next after customer view and briefs | The evidence, narrative direction, and relevant meeting focus are good enough for recommendations. | Return to search, filter, chat, or brief refinement. |

| | | |
|---|---|---|
| Generate slide deck | The recommendation set is finalized for deck creation. | Return to recommendation editing. |
| Approve deck version | The current presentation is customer-ready. | Return to slide review and edits. |
| Approve refreshed version | The new source-driven version has been reviewed and is ready to replace the previously current version. | Return to refreshed-version review and edits. |

## Audit and history requirements

- [x] Track meeting-context confirmation events
- [x] Track source retrieval, freshness, and citation lineage
- [x] Track brief generation and refinement history
- [x] Track recommendation acceptance, edit, reorder, and deletion events
- [x] Track deck generation inputs, plan, outline, and produced versions
- [x] Track direct edits and agent-assisted edits with before/after visibility
- [x] Track refresh events, differences, preserved edits, and conflicts
- [x] Track approval and export actions by version

## Open implementation decisions

View key decisions that still need confirmation

- Which fields are mandatory at context capture
- Which connected systems are included in the first implementation versus target-state scope
- Which brief types are in the initial release and which remain target-state capabilities
- How in-browser editing and PowerPoint round-trip behavior will work
- How freshness thresholds and material-change detection will be defined
- How edit conflicts between refreshed facts and user-authored content will be resolved
- What export, storage, and downstream write-back destinations are supported

- What policy applies to stale but previously approved decks after newer facts arrive

## References

- PMP Epics and User Stories Reference
- Pre-Meeting Preparation — Product Epics and Acceptance Criteria
- Untitled whiteboard 2026-10-23 (217)