

# ENSIME

Getting Started Getting Help

#### **Supported Text Editors**

Supported Build Tools

Contributing

Learning Scala

Sponsor

© 2010 - 2016 ENSIME Contributors Content Licence: CC BY-SA 3.0 Theme Licence: Apache 2.0 Code of Conduct: Typelevel

#### Emacs

Cheat Sheet

Learning Emacs

Installation

User Guide

scala-mode sbt-mode

Hacks

Troubleshooting

Contributing

Atom

Vim

VS Code

Sublime

# **Cheat Sheet**

#### **Customisation**

To customise your ENSIME Emacs experience, don't forget to read through the user-customisable variables with M-x customize-group RET ensime RET, as defined in ensime-vars.el.

#### **Source**

Shortcut	Description
C-c C-v f	Format the current source file
C-c C-v r	List all references to the symbol under the cursor
C-c C-v i <b>or</b> Control+Right-click	Inspect the type of the expression under the cursor
C-c C-v 5 i	Inspect the type of the expression under the cursor, in other frame
C-c C-v t or hover mouse	Show the type of the symbol under the cursor
C-c C-v e or hover mouse	Show compile warnings under the cursor ; show implicit conversions when applicable
C-c C-v p	Inspect the package of the current source file, or the package under the cursor
C-c C-v o	Inspect the package specified in .ensime as :project-package.
C-c C-v u	Undo a refactoring or formatting change

## **Presentation Compiler**

Shortcut	Description
C-c C-c c	Typecheck the current file
C-c C-c a	Typecheck all files in the project
C-c C-c r	Reset the typechecker then typecheck all open files in the project
C-c C-c e	Show all errors and warnings from the last typecheck or compilation

## **Testing**

Shortcut	Description
C-c C-t t	Go to (or create) test for current class
C-c C-t i	Go to implementation of the current test

## Refactoring

Shortcut	Description
C-c C-r a	Add type to the symbol under the cursor
C-c C-r o	Organize imports in the current file
C-c C-r t	Import the type under the cursor
C-c C-r r	Rename the symbol under the cursor
C-c C-r 1	Extract the region into a local value
C-c C-r m	Extract the region into a method

Shortcut	Description
C-c C-r i	Inline the local value under the cursor

# Navigation

Shortcut	Description
M <b>or</b> Control+Left-Click	Jump to the definition of the symbol under the cursor
M-x ensime-edit-definition-other-window	Jump to the definition of the symbol under the cursor, into another window
M-x ensime-edit-definition-other-frame	Jump to the definition of the symbol under the cursor, into another frame
М-,	Pop back to the previously visited position
M-n	Go to the next compilation note in the current buffer
М-р	Go to the previous compilation note in the current buffer
C-c C-v .	Select the surrounding syntactic context. Subsequent taps of "and", will grow and shrink the selection, rest
C-c C-v v	Search globally for methods or types

## **Documentation**

Shortcut	Description
C-c C-v d	Browse the documentation of the symbol under the cursor

#### **SBT**

Much of this is a wrapper over sbt-mode, so don't forget that you also have commands provided as-is by that package.

Shortcut	Description
C-c C-b s or C-c C-v s	Start a SBT process, or switch to an existing one
C-c C-b S	Switch to buffer containing the stack trace parser
C-c C-b c	Compile
C-c C-b n	Clean
C-c C-b o	Run the current test
C-c C-b p	Package
C-c C-b r	Run
C-c C-b T	Run all tests
C-c C-b t	Run "quick" tests (tests impacted by recent changes)

# Type/package inspector

Shortcut	Description
TAB or M-n	Forward page
М-р	Backward page
RET <b>Or</b> Left-Click	If the cursor is over a type, inspect that type. If the cursor is over a method, go to its source code
,	Go back in the inspector history
	Go forward in the inspector history

## Debugger

Shortcut	Description
C-c C-d d	Start the debugger
C-c C-d b	Set a breakpoint at the current line
C-c C-d u	Remove the breakpoint at the current line
C-c C-d a	Remove all breakpoints
C-c C-d r	Start debugging the current program
C-c C-d s	Step into method invocations
C-c C-d o	Step out of method invocations
C-c C-d n	Step to the next line

Shortcut	Description
C-c C-d c	Continue the program execution
C-c C-d q	Stop debugging the current program
C-c C-d t	Show the current backtrace
C-c C-d i	Inspect the value of the symbol under the cursor

## **REPL**

Shortcut	Description
C-c C-v z	Start the Scala REPL or switch to it
C-c C-v C-r	Send the region to the REPL
C-c C-v b	Evaluate the current buffer in the REPL
C-c C-v 1	Prompt for a file and load it in the REPL

## Miscellaneous

Shortcut	Description
C-c C-b S	Create a "stacktrace" buffer or switch to it
M-x ensime-shutdown	Shut down ENSIME
M-x ensime-reload	Reload the .ensime file and recompile the project
M-x ensime-inspect-by-path	Prompt for a type or package and inspect it

[edit]