

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0001		SR 189 - 500' N OF CR 180 (L.G. RUSSELL RD)	N	1900	S	2100	4000 C	9.5	64.7F	13.2A
0005		SR 189 - 525' N OF CR C4A	N	2600	S	2700	5300 C	9.5	64.7F	12.8A
0006		SR 4 - 250' SE OF CR C4A WEST OF BAKER	E	1000	W	1000	2000 C	9.5	64.7F	16.5A
0007		CR 4B (CHARLIE DAY RD) - 225' W OF SR 4, MILLIG	E	0	W	0	1500 C	9.5	51.9F	4.2F
0008		CR 2 (STEELMILL CRK RD) - 225' N OF MILLSIDE RD	E	0	W	0	350 C	9.5	51.9F	4.2F
0009		SR 10 (US90) - 650' W OF SR 4 (BAKER HWY)	E	3300	W	3200	6500 C	9.5	64.7F	14.0A
0010		CR 2 (STEELMILL CREEK RD) - 450' E OF CR 393	E	0	W	0	500 C	9.5	51.9F	4.2F
0018		SR 30 (US98) - 175' W OF EAST PASS BRIDGE	E	22500	W	22000	44500 C	9.0	58.0F	5.7A
0019		CR 2378 - 750' W OF COUNTY LINE (@ ENCLAVE CONDO	E	3400	W	3900	7300 C	9.0	58.0F	2.6A
0051		SR 85 - 0.225 MILE N OF CR 602 (N OF WATER TOWE	N	2200	S	2200	4400 C	9.5	64.7F	12.8A
0054		SR 85 - 350' NE OF CR 85A (2ND AVE), LAUREL HILL	N	0	S	0	4000 C	9.5	64.7F	16.1F
0088		SR 85 - 1000' S OF ANTIOCH RD @ N END OF BRIDGE	N	20000	S	21000	41000 C	9.0	64.7F	4.4A
0090		SR 4 (BAKER HWY) - 0.525 MILE N OF SR 10 (US 90)	E	5600	W	5300	10900 C	9.5	64.7F	11.6A
0098		SR 10 (US90) - 500' W OF CR 189 (LOG LAKE RD)	E	0	W	0	4300 C	9.5	64.7F	11.3F
0101		SR 10(US90)WEST END OF YELLOW RIVER BRIDGE	E	9200	W	8900	18100 C	9.5	64.7F	12.1A
0110		SR 20 - 150' W OF COUNTY LINE RD	E	7700	W	7900	15600 C	9.0	64.7F	7.2A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -01-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0118		SR 85 - 975' E OF CR 85A(2ND AVE) LAUREL HILL	N 1600	S 1800	3400 C	9.5	64.7F	16.1A
0120		SR 189 - 450' S OF CR 2 (S OF RED BARROW RD)	N 2500	S 2500	5000 C	9.5	64.7F	11.2A
0121		SR 189 - 750' N OF CR 2 (EAST)	N 0	S 0	4300 C	9.5	64.7F	13.0F
0122	T	SR-10/US-90,2 MI W OF SR-85,CRESTVIEW,OKALOOSA C	E 8538	W 8358	16896 C	9.5	51.6A	8.6A
0124		SR10 (US90) - 0.600 MILE E OF CR 393 (W OF MARE	E 0	W 0	8400 C	9.5	64.7F	8.7F
0128		SR10 (US90) - 0.500 MILE E OF CR 189 (LOG LAKE R	E 3500	W 3500	7000 C	9.5	64.7F	13.5A
0139		SR 85 - 0.030 M N OF LAKE SILVER RD	N 6400	S 6600	13000 C	9.0	64.7F	8.0A
0167	T	SR-30/US-98,0.3 MI E OF SANTA ROSA C/L,OKALOOSA	E 19602	W 19829	39431 C	9.0	68.6A	4.9A
0170		CR 189 (GALIVER CUTOFF) - 550' SW OF SR 4	N 0	S 0	3500 C	9.5	51.9F	4.2F
0189		CALHOUN AVE - 425' N OF SR 30 (US 98)	E 1500	W 1200	2700 C	9.0	58.0F	4.5A
0190		SR 397 - 0.370 M S OF SR 189 (LEWIS TURNER) N OF	N 4700	S 4700	9400 C	9.0	51.9F	2.2A
0200		CR 393 - 275' N OF CR 2 (STEEL MILL CREEK RD	N 0	S 0	600 C	9.5	51.9F	4.2F
0214		CR 85A (2ND AVE) - 450' W OF SR 85	N 0	S 0	100 C	9.5	64.7F	11.5F
0217		CR 393 - 300' N OF SR 10 (US 90)	N 1500	S 1400	2900 C	9.5	61.3F	8.6A
0219	T	SR-85,1.9 MI N SR-20,2.2 MI S SR-123,OKALOOSA CO	N 8473	S 9292	17765 C	9.5	63.7A	5.9A
0250	T	SR-189,1.6 MI N OF SR-188/US-98,OKALOOSA CO.	N 15629	S 15896	31525 C	9.0	52.1A	5.9X

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -02-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0260		SR 85 - 0.350 MILE N OF SR 189 (LEWIS TURNER BLV	N	26000	S	13500	39500 C	9.0	51.9F	5.5A
0261		SR 85 - 1 MILE S OF SR 190 (NORTH OF AIRPORT)	N	12500	S	12500	25000 C	9.0	64.7F	6.2A
0275		CR 189 (LOG LAKE RD) - 825' S OF SR 10 (US 90)	N	0	S	0	5500 C	9.5	64.7F	11.5F
0278		CR 397 (OLD RIVER RD) - 500' N OF SR 10 (US90)	N	0	S	0	1600 C	9.5	64.7F	11.5F
0280		CR 4 (ANTIOCH RD) - 625' S OF SR 10 (US 90)	E	5600	W	5300	10900 C	9.5	64.7F	7.1A
0282		CR 85A WEST (3RD AVE) - 975' W OF SR 85	N	0	S	0	750 C	9.5	51.9F	4.2F
0283		P J ADAMS PKWY - 0.3 M W OF SR-85 (AT END OF 2 L	E	9100	W	9200	18300 C	9.0	64.7F	3.4A
0284		ANTIOCH RD - 300' W OF SR 85	E	2300	W	2500	4800 C	9.0	51.9F	3.4A
0285		REDWOOD AVE - 500 ' S OF SR 20 (JOHN SIMS PKWY)	N	3900	S	3700	7600 C	9.0	51.9F	3.1A
0289		CR 188(AIRPORT RD) - 1400' E OF SR 85 (E OF FARM	E	0	W	0	8700 C	9.0	64.7F	11.5F
0290		SR 189 (LEWIS TURNER BLVD) - 0.250 M W OF SR 85	N	17000	S	4300	21300 C	9.0	51.9F	6.3A
0291		SR 189 (LEWIS TURNER BLVD) - 0.340 M E OF SR 85	N	5900	S	6100	12000 C	9.0	51.9F	2.9A
0294		SR 20 (JOHN SIMS PKWY) - 1200' W OF BLUEWATER BL	E	15000	W	16000	31000 C	9.0	51.9F	11.1A
0295		SR 293 (WHITE POINT RD) - 0.390 M S OF SR 20	N	2700	S	2700	5400 C	9.0	58.0F	3.0A
0296		SR 293 (DANNY WUERFFEL WAY) - 250' S OF MIDBAY B	N	11500	S	12000	23500 C	9.0	58.0F	2.8A
0297		ROCKY BAYOU DR - 250' S OF ROCKY WOOD WAY	E	3900	W	4000	7900 C	9.0	61.3F	3.4A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -03-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0298		SR 20 (JOHN SIMS PKWY) - 575' W OF LANCASTER DR	E	20000	W	19500	39500 C	9.0	51.9F	9.2F
0299		SR 123 - 1 MILE N OF SR 85	N	11500	S	11500	23000 C	9.5	64.7F	5.3A
0300		CR 189 (LOG LAKE RD) - 475' S OF BROXSON RD	N	0	S	0	1400 C	9.5	64.7F	11.5F
0301		CR 2 - 275' W OF SR 85	E	0	W	0	400 C	9.5	51.9F	4.2F
0302		SR 10(US90) - 1150' E OF FAIRCHILD RD (W END OF	E	4800	W	5300	10100 C	9.5	51.9F	10.3A
0303		CR 188(OLD BETHEL RD) - 0.5 MILE W OF SR 85 (W O	E	0	W	0	5900 C	9.0	64.7F	11.5F
0304		FAIRCHILD RD - 400' N OF SR 10 (US 90)	N	800	S	800	1600 C	9.0	51.9F	8.3A
0305		CR 188 (OLD BETHEL RD) - 625' N OF SR 10 (US90)	N	0	S	0	6900 C	9.0	64.7F	4.2F
0306		SR 30(US98) - 0.75 MILE W OF CODY AVE (HURLBURT	E	24000	W	24000	48000 C	9.0	58.0F	4.9F
0307		SR 85 - 0.25 MILE S OF SR 189 (LEWIS TURNER BL	N	11000	S	11000	22000 C	9.0	51.9F	5.3A
0309		SR 285 - 1000' N OF COLLEGE BLVD @ NICEVILLE CIT	N	0	S	0	8700 C	9.5	64.7F	4.7F
0310		SR 293(D WUERFFEL WAY) - 350' N OF SR 30 (US 98)	N	12000	S	12500	24500 C	9.0	58.0F	6.0F
0311		COMMONS DR - 0.25 MILE E OF INDIAN BAYOU DR	E	0	W	0	13000 C	9.0	61.3F	4.2F
0312		SR 123 - .25 M N OF SR 85 OVERPASS	N	10500		0	10500 C	9.5	99.9W	5.6F
0313		SR 123 SB - 100' N OF SR 85 MERGE	S	11000		0	11000 C	9.5	99.9W	5.6F
0314		SR 85 - 0.133 M N OF GEN R W BOND BLVD	N	26500	S	27000	53500 C	9.0	51.9F	4.5F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -04-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0315		SR 210 / MCWHORTER AVE - 275' W OF OVERPASS	E 0	W 0	2800 C	9.5	64.7F	11.5F
0316		COMMONS DR - 0.1 M E OF HOME DEPOT RAB	E 6500	W 5900	12400 C	9.0	61.3F	1.9A
0317		COMMONS DR EXTENSION - 500' E OF AIRPORT RD	E 0	W 0	16500 C	9.0	61.3F	4.2F
0318	T	SR-8/I-10,@ANTIOCH RD O/P,OKALOOSA CO.	E 15871	W 16613	32484 C	10.5	52.6P	24.4A
0319		SR-123 (NB FLYOVER) - 50' N OF RAMP TO SB SR-85	N 10500	0	10500 C	9.5	99.9W	5.6F
0320		SR 123 SB FROM SR 85	S 11000	0	11000 C	9.5	99.9W	5.6F
0356	T	SR-85,0.757 MI S OF CR-2,LAUREL HILL,OKALOOSA CO	N 2088	S 2049	4137 C	9.5	61.3A	10.3A
0385	T	SR-30/US-98, 3.3 MILES EAST OF BROOKS BRIDGE, FT	E 20240	W 20416	40656 C	9.0	52.6A	4.4A
0386	T	SR 30/US-98, 300' W OF CR-30C /BCH DR	E 21716	W 21595	43311 C	9.0	51.3A	3.0A
1499		COLLEGE BLVD - 0.150 MILE E OF SR 285	E 2200	W 1900	4100 C	9.0	61.3F	4.3A
1500		CR 190 (COLLEGE BLVD) - 0.230 MILE N OF SR 85	N 3700	S 3400	7100 C	9.5	61.3F	6.3A
1501		BAYSHORE DR - 850' E OF VALPARAISO BLVD	N 450	S 600	1050 C	9.0	51.9F	2.6A
1502		SR 20 (JOHN SIMS PKWY) - 200' W OF SWIFT CREEK B	E 18500	W 19000	37500 C	9.0	51.9F	9.2F
1503		SR 85 0.15 M NORTH OF C190(COLLEGE AVENUE)	N 6200	S 6400	12600 C	9.5	64.7F	4.6F
1504		SR 190(VALPARAISO PKWY) - 0.270 MILE E OF SR 85	N 2200	S 2000	4200 C	9.0	51.9F	9.8A
1505		SR 397 (JOHN SIMS PKWY) - 0.42 MILE SE OF SR 85	N 11500	S 10500	22000 C	9.0	51.9F	2.3A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -05-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
1506		SR 285 (PARTIN DR) - 650' NE OF PALM BLVD	N 4400	S 4500	8900 C	9.0	51.9F	4.7A
1507		SR 85 - 350' N OF WOLVERINE AVE	N 11500	S 12000	23500 C	9.0	51.9F	5.9A
1508		CR 190 (COLLEGE BLVD) - 675' E OF SR 85	E 5700	W 5200	10900 C	9.0	51.9F	5.1A
1510		SR 85 (JOHN SIMS PKWY) - 225' E OF EVANS ST	N 22000	S 21500	43500 C	9.0	51.9F	9.2F
1511		BAYSHORE SR - 475' SE OF SR 20 (JOHN SIMS PKWY)	N 0	S 0	2300 C	9.0	51.9F	4.7F
1512		VALPARAISO BLVD - 625' E OF LINDEN AVE	N 0	S 0	2400 C	9.0	51.9F	4.2F
1514		CR 190 (COLLEGE BLVD) - 375' W OF SR 85	E 0	W 0	9100 C	9.0	51.9F	4.2F
1518		SR 293(MID-BAY BR CONNECTOR) - BTWN LAKESHORE &	N 9200	S 10000	19200 C	9.0	58.0F	6.0F
1519		SR 293 (MID-BAY BR CONNECTOR) - BTWN SR 20 & RAN	N 4700E	S 4700E	9400 F	9.0	61.3F	7.3P
1520		SR 20 - 250' W OF CEDAR ST	E 12500	W 12500	25000 C	9.0	51.9F	9.2A
1521		SR 293 - MID BAY BRIDGE CONNECTOR .75 M S OF SR	N 6200	S 6700	12900 C	9.5	61.3F	12.3A
1522		SR 293 - MID BAY BRIGE CONNECTOR 1 M S OF SR 85	N 0	S 0	11000 C	9.5	61.3F	6.0F
1601		SR 10 (US90) - 650' W OF VALLEY RD	E 6200	W 6800	13000 C	9.0	51.9F	7.1A
1602		SR 10 (US90) - 1200' W OF LINDBERG ST	E 10500	W 10000	20500 C	9.0	51.9F	11.3F
1603		SR 85 -375' N OF 3RD AVE	N 14000	S 14500	28500 C	9.0	51.9F	3.4A
1605		CR 280A (CHESTNUT AVE) - 350' NW OF EDNEY AVE	E 0	W 0	500 C	9.0	51.9F	4.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -06-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
1606		SR 85 - 600' S OF DUGGAN AVE (N OF GOODWIN AVE)	N	23000	S	24000	47000 C	9.0	51.9F	4.4A
1607		SR 85 - 300' N OF CRACKER BARREL RD (S OF I-10 R	N	25500	S	25000	50500 C	9.0	51.9F	4.6F
1608		SR 85 - 500' S OF HOSPITAL DR	N	21500	S	22500	44000 C	9.0	51.9F	4.6F
1609		SR-85 (S FERNDON BLVD) - 600' S OF WAL-MART RD	N	24500	S	24500	49000 C	9.0	51.9F	4.6F
1610		SR 85 - 350'S OF HUGO LN	N	20000	S	22000	42000 C	9.0	51.9F	5.1A
1701		SR 189 (BEAL PKWY) - 900' W OF MEMORIAL PKWY	N	15000	S	15000	30000 C	9.0	51.9F	3.7F
1702		SR30(US98) - 850' W OF WRIGHT PKWY	E	14500	W	13500	28000 C	9.0	58.0F	4.9F
1704		SR 85(EGLIN PKWY) - 200' S OF HUGHES ST	N	20500	S	20500	41000 C	9.0	51.9F	4.5F
1705		SR 30 (US98) - 0.15 M E OF MARY ESTHER DRIVE	E	21500	W	22000	43500 C	9.0	61.3F	4.8A
1706		SR 189 - 0.160 M S OF GEN ROBERT M BOND BLVD	N	17000	S	18000	35000 C	9.0	51.9F	5.9A
1707		SR 85 (EGLIN PKWY) - S END OF GARNIER BAYOU BRI	N	23000	S	22000	45000 C	9.0	51.9F	4.5F
1708		SR 393(MARY ESTHER CUTOFF) - 350' S OF LOVE JOY	N	12000	S	12500	24500 C	9.0	51.9F	3.4A
1709		SR 85 (EGLIN PKWY) - N END OF FIVE MILE BAYOU BR	N	24500	S	25000	49500 C	9.0	51.9F	2.8A
1710		SR 85 (EGLIN PKWY) - 0.370 MILE N OF 12TH AVE	N	17000	S	16500	33500 C	9.0	51.9F	4.5F
1711		YACHT CLUB RD - 625' E OF SR 85 (EGLIN PKWY)	N	0	S	0	2400 C	9.0	51.9F	4.2F
2004		SR 8(I-10) - 0.650 MILE E OF SR 85 OVERPASS	E	13500	W	13000	26500 C	10.5	53.6F	31.1A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -07-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2601		I-10 - WB ON RAMP FROM CR 189	W 2000	0	2000 C	9.5	99.9W	11.5F
2602		I-10 - EB OFF RAMP TO CR 189	E 1900	0	1900 C	9.5	99.9W	11.5F
2603		I-10 - WB OFF RAMP TO CR 189	W 900	0	900 C	9.5	99.9W	11.5F
2604		I-10 - EB ON RAMP FROM CR 189	E 1000	0	1000 C	9.5	99.9W	11.5F
2605		I-10 - WB ON RAMP FROM SR 85	W 6300	0	6300 C	9.0	99.9W	4.6F
2606		I-10 - EB OFF RAMP TO SR 85	E 7000	0	7000 C	9.0	99.9W	4.6F
2607		I-10 - WB OFF RAMP TO SR 85	W 3100	0	3100 C	9.0	99.9W	4.6F
2608		I-10 - EB ON RAMP FROM SR 85	E 2600	0	2600 C	9.0	99.9W	4.6F
5002		CR 1778 (EDNEY AVE) - 250' W OF SR 85	E 0	W 0	1300 C	9.0	51.9F	4.2F
5003		CR 285 (PARTIN DR) - 175' N OF BAYSHORE DR	N 0	S 0	2300 C	9.0	51.9F	4.7F
5004		M L KING JR AVE - 300' E OF LLOYD ST	E 0	W 0	1600 C	9.0	51.9F	4.2F
5005		BAYSHORE DR - 425' E OF CR 285 (PARTIN DR)	N 1900	S 2400	4300 C	9.0	51.9F	3.6A
5007		JONES RD - 300' S OF ADAMS ST	E 0	W 0	300 C	9.0	51.9F	4.2F
5009		SR 20 (JOHN SIMS PKWY) - 675' E OF CR 285 (BAYSHOR	E 20500	W 22000	42500 C	9.0	51.9F	9.2F
5010		SR 20 (JOHN SIMS PKWY) - 600' M E OF DAVIS DR	E 20000	W 21000	41000 C	9.0	51.9F	9.2F
5014		DAVIS DRIVE - 275' N OF SR 20 (JOHN SIMS PKWY)	N 0	S 0	650 C	9.0	51.9F	4.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -08-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5016		SR 85 - 350' N OF NATHEY ST, NICEVILLE	N 6600	S 7400	14000 C	9.0	51.9F	5.1A
5022		SR 190 (VALPARAISO PKWY) - 500' E OF HIGHLAND S	N 1700	S 1700	3400 C	9.0	51.9F	5.0A
5023		SR 397 (JOHN SIMS PKWY) - 175' N OF OKALOOSA AVE	N 9700	S 10000	19700 C	9.0	51.9F	7.9A
5024		SR 397 (J SIMS PKWY) - 100' N OF LOUISIANA ST (N 8200	S 8400	16600 C	9.0	51.9F	2.9A
5026		CR 30F(AIRPORT RD) - 700' E OF MAIN ST	E 10500	W 11000	21500 C	9.0	51.9F	2.8A
5027		LEGION DR - 300' W OF MAIN ST	E 5800E	W 6900E	12700 F	9.0	51.9F	3.4P
5034		SR 189 (BEAL PKWY) - 900' NW OF YACHT CLUB DR	N 13500	S 13000	26500 C	9.0	51.9F	3.7F
5038		SR30(US98) .50 MI. WEST OF SR 189 (BEAL PKWY)	E 15000	W 15500	30500 C	9.0	58.0F	4.1A
5039		SR 30 (US98) - 250' E OF SR 189 (BEAL PKWY)	E 18500	W 17500	36000 C	9.0	58.0F	4.9F
5040		SR 30 (US98) - 225' E OF SR 85 (W LEG)	E 15500	W 16000	31500 C	9.0	58.0F	4.9F
5043		SR 85 (W LEG) - 450' NE OF SR 30 (US 98)	N 3000	S 3500	6500 C	9.0	51.9F	2.5A
5045		SR 85 (EGLIN PKWY) - 325' S OF HOLLYWOOD BLVD	N 18000	S 18500	36500 C	9.0	51.9F	4.5F
5051		SR 10 (US90) - 375' E OF SR 85 (W OF MCKASKILL)	E 4800	W 5800	10600 C	9.0	51.9F	8.7F
5052		SR 10 (US90) - 350' W OF SR 85 (FERDON BLVD)	E 9200	W 8000	17200 C	9.0	51.9F	11.3F
5053		SR 10 (US90) - 400' W OF MAIN ST (E OF LLOYD ST)	E 11500	W 11000	22500 C	9.0	51.9F	11.3F
5054		LINDBERGH ST - 200' N OF SR 10 (US90)	N 0	S 0	2100 C	9.0	51.9F	4.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -09-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5055		BRACKIN ST - 475' N OF SR 10 (US 90)	N	0	S	0	2200 C	9.0	51.9F	4.2F
5056		VALLEY RD - 350' N OF SR 10 (US 90)	N	0	S	0	3700 C	9.0	51.9F	4.2F
5057		SR 85 - 0.233 MILE N OF SR 10 (US 90)	N	15000	S	14500	29500 C	9.0	51.9F	3.7P
5060		SR 85 - 150' N OF COBB AVE	N	20500	S	21000	41500 C	9.0	51.9F	3.1A
5061		REED AVE - 200' NE OF EDNEY AVE	E	0	W	0	150 C	9.0	51.9F	4.2F
5063		M L KING JR AVE - 100' W OF MAIN ST	E	0	W	0	1100 C	9.0	51.9F	4.2F
5065		HOLLYWOOD BLVD - 500' E OF SR 189 (BEAL PKWY)	E	5400	W	4900	10300 C	9.0	51.9F	3.2A
5070		MEMORIAL PKWY - 750' N OF SR 30 (US 98)	N	0	S	0	6000 C	9.0	51.9F	4.2F
5071		MEMORIAL PKWY - 325' N OF HOLLYWOOD BLVD	N	0	S	0	5600 C	9.0	51.9F	4.2F
5072		BAYSHORE DR - 425' S OF FINCK RD	N	700	S	800	1500 C	9.0	51.9F	3.2A
5073		SR 20 (JOHN SIMS PKWY) - 850' E OF PALM BLVD	E	20000	W	20000	40000 C	9.0	51.9F	9.2F
5074		SR85 (E LEG) - 375' NW OF SR 30 (US 98)	N	2100	S	5000	7100 C	9.0	51.9F	4.5F
5075		WALTER MARTIN DR - 150' W OF SR 85 (EGLIN PKWY)	E	3100	W	3900	7000 C	9.0	51.9F	4.2F
5076		SR 20 (JOHN SIMS PKWY) - 575' E OF SR 285 (PARTI	E	18500	W	18500	37000 C	9.0	51.9F	9.2F
5077		SR 285 (PARTIN DR) - 475' N OF SR 20 (JOHN SIMS	N	3700	S	4300	8000 C	9.0	51.9F	4.8A
5078		WRIGHT PKWY - 525' N OF SR 30 (US 98)	N	0	S	0	4400 C	9.0	51.9F	4.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -10-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5079		SR 85 (EGLIN PKWY) - 200' S OF 3RD ST SE	N	5400	S	9500	14900 C	9.0	51.9F	3.5A
5080		SR 30(US98) - 750' W OF SR 393 (MARY ESTHER BLVD	E	17000	W	16000	33000 C	9.0	58.0F	5.0A
5083		SR 30 (US 98) - 150' W OF SR 145 (PERRY AVE)	E	18500	W	17500	36000 C	9.0	58.0F	4.4F
5084		SOUTH ST - 400' W OF SR 85 (EGLIN PKWY)	E	0	W	0	8700 C	9.0	51.9F	4.2F
5085		3RD AVE/FARMER ST - 475' E OF SR 85	E	0	W	0	800 C	9.0	51.9F	4.2F
5086		MOONEY RD - 525' N OF SR 188 (RACETRACK RD)	N	2900	S	3300	6200 C	9.0	51.9F	1.0A
5087		COUNTRY CLUB AVE - 300' N OF MOONEY RD	N	950	S	1200	2150 C	9.0	51.9F	3.1A
5088		PINEDALE RD - 300' S OF SR 188(RACETRACK RD)	N	0	S	0	850 C	9.0	51.9F	4.2F
5090		SR189 (BEAL PKWY) - 500' N OF SR 188 (RACETRACK	N	17000	S	15500	32500 C	9.0	51.9F	4.7A
5091		SR 188 (RACETRACK RD) - 950' E OF SR 189 (BEAL P	E	14000	W	13500	27500 C	9.0	51.9F	3.0A
5092		HOLLYWOOD BLVD - 500' E OF MEMORIAL PKWY	E	5100	W	4900	10000 C	9.0	51.9F	5.1A
5093		LANG AVE - 500' E OF SR 189 (BEAL PKWY)	E	0	W	0	1500 C	9.0	51.9F	4.2F
5094		DOLITTLE RD - 300' S OF HOLLYWOOD BLVD	N	7600	S	8700	16300 C	9.0	51.9F	4.2F
5095		SR 189 (BEAL PKWY) - 200' N OF FIVE MILE BAYOU B	N	25000	S	25000	50000 C	9.0	51.9F	3.2A
5096		YACHT CLUB DR - 650' W OF SR 85 (EGLIN PKWY)	E	5900	W	6500	12400 C	9.0	51.9F	4.2F
5097		HILL AVE - 400' S OF LOVEJOY RD	N	0	S	0	21500 C	9.0	51.9F	4.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -11-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5098		SR 393 -250' S OF SR 189 (N OF WRIGHT PKWY)	N	17000	S	16500	33500 C	9.0	51.9F	3.4F
5099		LOVEJOY RD - 300' E OF HILL AVE	E	0	W	0	6300 C	9.0	51.9F	4.2F
5100		LOVE JOY RD - 325' W OF SR 393(MARY ESTHER CUTOFF)	E	0	W	0	6800 C	9.0	51.9F	4.2F
5101		HILL AVE - 1500' N OF LOVEJOY RD	N	13500	S	13500	27000 C	9.0	51.9F	4.2F
5102		SR 189 (BEAL PKWY) - 250' S OF 2ND ST	N	7500	S	7500	15000 C	9.0	51.9F	4.3A
5104		SR 30 (US98) - 800' SE OF OF SANTA ROSA BLVD	E	24000	W	25000	49000 C	9.0	58.0F	4.4F
5105		SR393(MARY ESTHER CUTOFF) - 350' N OF SR 30 (US	N	8800	S	9300	18100 C	9.0	51.9F	3.4F
5106		SR 85 (EGLIN PKWY) - 650' S OF WALTER MARTIN DR	N	20000	S	19500	39500 C	9.0	51.9F	4.5F
5108		SR 85(EGLIN PKWY) - 475' S OF 2ND AVE	N	21000	S	21000	42000 C	9.0	51.9F	3.0A
5109		10TH AVE - 300' EAST OF SR 85 (EGLIN PKWY)	E	0	W	0	1500 C	9.0	51.9F	4.2F
5110		SR 188 (RACETRACK RD) - 625' E OF SKIPPER AVE	E	14500	W	13000	27500 C	9.0	51.9F	2.9A
5111		HOLLYWOOD BLVD - 375' W OF WRIGHT PKWY	E	4600	W	4900	9500 C	9.0	51.9F	3.7A
5112		SR 85 - 825' N OF LONG DR	N	14000	S	15500	29500 C	9.0	51.9F	3.3A
5113		SR 189 (BEAL PKWT) - 625' N OF YANCEY ST	N	20500	S	19500	40000 C	9.0	51.9F	3.5A
5114		HOLLYWOOD BLVD - 525' E OF SR 85 (EGLIN PKWY)	E	3600	W	4200	7800 C	9.0	51.9F	4.2F
5115		GREEN ACRES RD - 1200' W OF SR 189(BEAL PKWY)	E	10000	W	10500	20500 C	9.0	51.9F	3.8A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -12-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5116		HOLLYWOOD BLVD - 625' W OF SR 189 (BEAL PKWY)	E	0	W	0	12500 C	9.0	51.9F	4.2F
5117		PALM BLVD - 150' S OF CR 190 (COLLEGE BLVD)	N	0	S	0	3600 C	9.0	51.9F	4.2F
5118		CR 190 (COLLEGE BLVD) - 150' E OF PALM BLVD	E	0	W	0	9700 C	9.0	51.9F	4.2F
5119		CR 2367 (PALM BLVD) 150' SOUTH OF 21ST STREET	N	0	S	0	5100 C	9.0	51.9F	4.2F
5120		PALM BLVD - 500' S OF SR 20 (JOHN SIMS PKWY)	N	5000	S	3900	8900 C	9.0	51.9F	4.2F
5121		CR 2367 (PALM BLVD) 150' NORTH OF SR 20	N	0	S	0	8400 C	9.0	51.9F	4.2F
5122		MOONEY RD - 300' S OF SR 189 (LEWIS TURNER BLVD)	N	0	S	0	4300 C	9.0	51.9F	4.2F
5124		LEWIS ST - 175' E OF SR 189 (BEAL PKWY)	E	0	W	0	8300 C	9.0	51.9F	4.2F
5125		DENTON RD - 525' S OF SR 188 (RACETRACK RD)	E	0	W	0	3300 C	9.0	51.9F	4.2F
5126		SR 188 (RACETRACK RD) - 1025' E OF DENTON BLVD	E	14000	W	13000	27000 C	9.0	51.9F	3.0F
5128		SR 145 (PERRY ST) - 300' N OF SR 30 (US98); S OF	N	12500	S	9000	21500 C	9.0	51.9F	2.0F
5129		SANTA ROSA BLVD - 1000' S OF SR 30 (US98)	E	7900	W	8100	16000 C	9.0	58.0F	2.3A
5130		SR 30 (US98) - 0.40 MILE E OF GULF SHORE DR	E	27500	W	27500	55000 C	9.0	58.0F	4.4F
5131		CR 30F (AIRPORT RD) - 700' N OF SR 30 (US 98)	N	4200	S	4000	8200 C	9.0	58.0F	4.8A
5132		SR 30 (US98) - 500' W OF GULF SHORES DR (SPLIT C	E	25000	W	23500	48500 C	9.0	58.0F	4.4F
5133		MAIN ST - 825' N OF SR 30 (US98)	N	3600	S	3700	7300 C	9.0	58.0F	4.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -13-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5135		BENNING DR - 400' N OF SR 30 (US98)	N	1700	S	1500	3200 C	9.0	58.0F	7.3A
5136		SR30(US98) - 350' W OF MELVIN ST	E	24500	W	24000	48500 C	9.0	58.0F	5.1P
5137		SR 145 (PERRY ST) - 325' SE OF SR 85 (EGLIN PKWY	N	11000	S	7300	18300 C	9.0	51.9F	2.0F
5138		SR 189 (BEAL PKWY) - 400' N OF HOLLYWOOD BLVD	N	10500	S	10500	21000 C	9.0	51.9F	3.7A
5139		HOLLYWOOD BLVD - 850' W OF SR 393 (MARY ESTHER C	E	3100	W	3800	6900 C	9.0	51.9F	4.2F
5140		HURLBURT FIELD RD - 500 ' E OF MARTIN LUTHER KIN	E	6000	W	5500	11500 C	9.0	51.9F	4.2F
5141		MARTIN LUTHER KING - 625' SW OF COMMANCHE DR	N	15500	S	15500	31000 C	9.0	51.9F	4.7F
5143		SR 30 (US98) - 1000' W OF SR 293 (DANNY WUERFEL	E	30000	W	30000	60000 C	9.0	58.0F	4.4F
5144		HOLMES BLVD - 275' W OF SR 189 (BEAL PKWY)	E	0	W	0	2800 C	9.0	51.9F	4.2F
5145		FLORIDA BLANCA PL - 125' SW OF BROOKS ST	N	0	S	0	900 C	9.0	51.9F	4.2F
5146		HUGHES ST - 225' E OF SR 85 (EGLIN PKWY)	E	0	W	0	4900 C	9.0	51.9F	4.2F
5147		CALHOUN AVE - 125' W OF BENNING DR	E	0	W	0	750 C	9.0	51.9F	4.2F
5148		FERRY RD - 150' SW OF SR 145 (PERRY ST)	N	0	S	0	350 C	9.0	51.9F	4.2F
5149		ROBINWOOD DR - 400' N OF HOLLYWOOD BLVD	N	0	S	0	2100 C	9.0	51.9F	4.2F
5150		KELLY ST - 150' W OF MAIN ST	E	0	W	0	8000 C	9.0	51.9F	4.2F
5151		CR 30A (MAIN ST) - 325' N OF KELLY ST	N	0	S	0	5800 C	9.0	51.9F	4.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -14-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5153		JUSTIN ST - 400' S OF MAYFLOWER AVE	N	0	S	0	2200 C	9.0	51.9F	4.2F
5154		STAHLMAN AVE - 525' NE OF MOUNTAIN DR	E	1100	W	2500	3600 C	9.0	61.3F	4.6A
5164		CALHOUN AVE - 400' E OF BENNING DR	E	0	W	0	450 C	9.0	58.0F	4.2F
5165		HOLLYWOOD BLVD. - 100' E OF OKALOOSA RD (E OF FE	N	1900	S	2000	3900 C	9.0	51.9F	4.2F
5167		FERRY RD - 400' S OF HOLLYWOOD BLVD	N	0	S	0	1500 C	9.0	51.9F	4.2F
5168		HOLLYWOOD BLVD - BETWEEN HILL AND DOOLITTLE	E	9400	W	9100	18500 C	9.0	51.9F	6.4A
5169		US 98 (SR 30) - 750' W OF INDIAN BAYOU TRAIL	E	23000	W	23500	46500 C	9.0	58.0F	3.2A
5901		OLD RIVER RD - 300' N OF BUCKWARD RD	N	0	S	0	750 C	9.5	61.3F	22.5F
5902		OLD RIVER RD 270' S OF CR 2	N	0	S	0	100 C	9.5	61.3F	22.5F
5903		TWO TREES RD - 350' N OF US 98	N	0	S	0	5700 C	9.0	51.9F	4.2F
7701		RAMP FROM SB SR 85 TO MCWHORTER AVE	S	1500		0	1500 C	9.5	99.9W	4.6F
7702		RAMP FROM MCWHORTER AVE TO SB SR 85	S	1400		0	1400 C	9.5	99.9W	11.5F
7703		RAMP FROM NB SR 85 TO MCWHORTER AVE	N	1400		0	1400 C	9.5	99.9W	4.6F
7704		RAMP FROM MCWHORTER TO NB SR 85	N	1400		0	1400 C	9.5	99.9W	11.5F
7705		US 98 EB OFF RAMP TO CODY AVE	E	4900		0	4900 C	9.0	99.9W	4.9F
7706		US 98 WB ON RAMP FROM CODY AVE	W	5000		0	5000 C	9.0	99.9W	4.9F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -15-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
7707		US98 WB OFF RAMP TO CODY AVE	W 1900	0	1900 C	9.0	99.9W	4.9F
7708		US 98 EB ON RAMP FROM CODY AVE	E 2000	0	2000 C	9.0	99.9W	4.9F
7709		RAMP FROM NB SR 123 TO SB SR 85	N 650	0	650 C	9.5	99.9W	5.6F
7710		SR-85 SB FRM AIRPORT - 200' E OF GORE AT SR-85	W 1600	0	1600 C	9.5	99.9W	4.5F
7711		RMP FROM WB SR20 TO NB SR85 - 75' NW OF GORE @ S	N 3600	0	3600 C	9.0	99.9W	9.2F
7712		RMP FROM SR SR 123 TO AIRPORT - 80' WEST OF GORE	S 650	0	650 C	9.5	99.9W	5.6F
7713		RMP FROM SB SR293 TO SR20 - 30' S OF GORE @ SR29	S 900	0	900 C	9.0	99.9W	6.0F
7714		RMP FROM SR20 TO NB SR293 - 50' S OF GORE @ SR29	N 800	0	800 C	9.0	99.9W	6.0F
7715		RMP FROM NB SR293 TO SR 20 - 450' N OF GORE @ SR	N 6300	0	6300 C	9.0	99.9W	6.0F
7716		RMP FROM SR20 TO SB SR293 - 125' N OF GORE @ SR2	S 6300	0	6300 C	9.0	99.9W	6.0F
7717		RMP FROM NB SR293 TO SB SR 85 - @ GORE/END OF SR	N 1000	0	1000 C	9.5	99.9W	6.0F
7718		RMP FROM SB SR85 TO SB SR 293 - @ GORE/END OF SR	N 4500	0	4500 C	9.5	99.9W	6.0F
7719		RMP FROM NB SR293 TO NB SR85 - 100' N OF GORE @	N 4600	0	4600 C	9.5	99.9W	6.0F
7720		RMP FROM NB SR85 TO SB SR293 - 100' N OF GORE @	S 1000	0	1000 C	9.5	99.9W	6.0F
7721		SR-85 CARGO RD @ AIPOINT - 0.35 M E OF GORE	E 150	0	150 C	9.0	99.9W	4.5F
7722		SR-85 FRONTAGE RD N SIDE OF 85-100' BEFORE RD SP	W 0 E 0	0	1500 C	9.5	61.3F	11.6F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -16-

622UPD

3_57_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2023 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 57 OKALOOSA

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
7723		RMP FROM SB SR293 TO LAKESHORE DR-150' N OF LAK	S 250	0	250 C	9.0	99.9W	6.0F
7724		RMP FROM LAKESHORE DR TO NB SR293-300' N OF LAKE	N 250	0	250 C	9.0	99.9W	6.0F
7725		RMP FROM NB SR293 TO LAKESHORE DR-150' S OF LAK	N 1300	0	1300 C	9.0	99.9W	6.0F
7726		RMP FROM LAKESHORE DR TO SB SR293-600' S OF LAKE	S 1200	0	1200 C	9.0	99.9W	6.0F
7727		RMP FROM SB SR293 TO RANGE RD-800' N OF RANGE RD	S 450	0	450 C	9.5	99.9W	6.0F
7728		RMP FROM RANGE RD TO NB SR293-200' N OF RANGE RD	N 400	0	400 C	9.5	99.9W	6.0F
7729		RMP FROM NB SR293 TO RANGE RD-150' S OF RANGE RD	N 550	0	550 C	9.0	99.9W	6.0F
7730		RMP FROM RANGE RD TO SB SR293-150' N OF GORE @ S	S 500	0	500 C	9.0	99.9W	4.6F
7731		RMP FROM SB SR293 TO SR285-100' N OF SR285	S 850	0	850 C	9.5	99.9W	6.0F
7732		RMP FROM SR285 TO NB SR293-100' S OF GORE @ SR29	N 550	0	550 C	9.5	99.9W	6.0F
7733		RMP FROM NB SR293 TO SR285-125' S OF SR 285	N 2200	0	2200 C	9.5	99.9W	6.0F
7734		RMP FROM SR 285 TO SB SR293-300' S OF SR285	S 2200	0	2200 C	9.5	99.9W	6.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

11-MAR-2024 17:14:48

PAGE -17-

622UPD

3_57_CAADT.TXT