

keepsakealmanac.com

Numbered Issues, Verbatim Fixes & 30-Day Plan

Every material issue identified in the companion Full Audit Report, with ready-to-implement fixes — exact code, copy, and config — plus a prioritized 30-day remediation and content roadmap.

35

NUMBERED ISSUES

24

QUICK WINS

11

LONGER-TERM

4

WEEK PLAN

AUDIT DATE

August 28, 2026

DOMAIN

keepsakealmanac.com

COMPANION TO

Full Website Audit & Technical Review

Document 2 of 2. All fixes below are written against the exact source in the site's own repository as reviewed on the audit date; verify line numbers against the current HEAD before applying.

Quick Reference — All 35 Issues

Full detail, rationale, and verbatim fixes for every row below follow in numbered order. **QW** = quick win (hours, low risk, no architecture change). **LT** = longer-term (needs design, new infrastructure, or a multi-file/architectural change).

#	ISSUE	CATEGORY	EFFORT
1	"Daily Almanac" content hardcoded to August 9, not date-driven	DATA INTEGRITY	QW
2	Calendar "today" highlight hardcoded to August 9	DATA INTEGRITY	QW
3	False "Encrypted Heritage Vault" claim in footer	TRUST / PRIVACY	QW
4	Dead <code>/api/submit-memory</code> endpoint, never called	BACK-END	LT
5	3 of 6 sections silently lose data on refresh	DATA INTEGRITY	QW
6	No full-vault data export / backup	DATA INTEGRITY	QW
7	No security headers configured anywhere	SECURITY	QW
8	No <code>robots.txt</code>	SEO	QW
9	No <code>sitemap.xml</code>	SEO	QW
10	No canonical tag	SEO	QW
11	No Open Graph tags	SEO	QW
12	No Twitter Card tags	SEO	QW
13	No JSON-LD structured data	SEO	QW
14	No routing — single URL, no per-page metadata possible	ARCHITECTURE	LT
15	Icon-only buttons with no accessible name (critical, axe-confirmed)	ACCESSIBILITY	QW
16	Form inputs/selects not programmatically labelled (critical, axe-confirmed)	ACCESSIBILITY	QW
17	Color-contrast failures on every screen tested (serious, axe-confirmed)	ACCESSIBILITY	QW
18	Modals: no focus trap, no Escape-to-close, no backdrop-click-to-close	ACCESSIBILITY	QW
19	Invisible focus indicator on the primary search input	ACCESSIBILITY	QW
20	Heading levels skip on Print & Export view	ACCESSIBILITY	QW
21	No skip-to-content link	ACCESSIBILITY	QW
22	No web app manifest	PWA	QW
23	No <code>theme-color</code> / <code>apple-touch-icon</code>	PWA	QW
24	No service worker / offline support	PWA	LT
25	Mobile nav overflows with no visible scroll affordance	MOBILE UX	QW
26	Low-priority content dominates the mobile above-the-fold	MOBILE UX	QW
27	No privacy policy or terms of any kind	PRIVACY	QW

28	Undisclosed third-party image requests (Unsplash hotlinking)	PRIVACY	LT
29	Fabricated "EST. 1910" / "©1910–2026" history claims	CONTENT INTEGRITY	QW
30	Fictional demo data shown to new users with no disclosure	CONTENT INTEGRITY	QW
31	Favicon contradicts the brand's own color palette	BRAND	LT
32	Unused <code>canvas-confetti</code> dependency shipped	FRONT-END	QW
33	Images: no lazy-loading, no dimensions, no failure fallback	PERFORMANCE	QW
34	No monetization surface or affiliate-disclosure pattern	MONETIZATION	LT
35	No automated tests, no CI	FRONT-END	LT

Data Integrity & Core Function

1 "Daily Almanac" content is hardcoded to August 9, not date-driven

QUICK WIN

`CURRENT_ALMANAC` in `src/data/keepsakeData.ts` is a fixed object (season, lunar phase, sunrise/sunset, "on this day" events) that never changes. This is the product's namesake feature, and it is factually wrong on 364 days of the year.

VERBATIM FIX

```
// src/utils/almanac.ts (new file)
import SunCalc from 'suncalc';

const MOON_NAMES = ['New Moon', 'Waxing Crescent', 'First Quarter', 'Waxing Gibbous',
  'Full Moon', 'Waning Gibbous', 'Last Quarter', 'Waning Crescent'];
const MOON_ICONS = ['🌑', '🌒', '🌓', '🌔', '🌕', '🌖', '🌗', '🌘', '🌙'];
const SEASONS: [number, string][] = [
  [11, 'Winter'], [0, 'Winter'], [1, 'Late Winter'], [2, 'Early Spring'], [3, 'Spring'],
  [4, 'Late Spring'], [5, 'Early Summer'], [6, 'High Summer'], [7, 'High Summer'],
  [8, 'Early Autumn'], [9, 'Autumn'], [10, 'Late Autumn'],
];

export function buildTodayAlmanac(date: Date, lat = 45.5152, lon = -122.6784) {
  const illum = SunCalc.getMoonIllumination(date);
  const idx = Math.round(illum.phase * 8) % 8;
  const times = SunCalc.getTimes(date, lat, lon);
  const fmt = (d: Date) => d.toLocaleTimeString('en-US', { hour: '2-digit', minute: '2-digit' });
  return {
    dateString: date.toLocaleDateString('en-US', { month: 'long', day: 'numeric' }),
    seasonName: SEASONS.find(([m]) => m === date.getMonth())![1],
    lunarIcon: MOON_ICONS[idx],
    lunarPhase: `${MOON_NAMES[idx]} (${Math.round(illum.fraction * 100)}% Light)`,
    sunInfo: { sunrise: fmt(times.sunrise), sunset: fmt(times.sunset) },
  };
}
```

Then in `DailyAlmanac.tsx` / `Header.tsx`, replace the static `CURRENT_ALMANAC` import with `useMemo(() => buildTodayAlmanac(new Date(), []))`. For "on this day" events, do not fabricate content for every date — show the truth:

```
const todaysEvents = onThisDayEvents.filter(e => e.monthDay === todayMonthDay);

{todaysEvents.length === 0 ? (

  No family history has been recorded for {dateString} yet.{' '}

  Be the first to add one

) : todaysEvents.map(evt => ( /* existing card markup */ ))}
```

Requires `npm install suncalc @types/suncalc`. Default lat/lon above is a placeholder (Portland, OR) — replace with the operator's real reference location or make it user-configurable.

2 Calendar "today" highlight hardcoded to August 9

QUICK WIN

Independently of Issue #1, `AlmanacCalendar.tsx` hardcodes its own "is this today" check. Verified live: a screenshot captured August 28, 2026 shows the calendar still highlighting the 9th.

VERBATIM FIX — `SRC/COMPONENTS/ALMANACCALENDAR.TSX`

```
- const isToday = currentMonthIndex === 7 && dayNum === 9; // Aug 9
+ const today = new Date();
+ const isToday =
+   today.getFullYear() === 2026 &&
+   currentMonthIndex === today.getMonth() &&
+   dayNum === today.getDate();
```

Also replace the hardcoded `useState<number>(7)` initial month with `useState(() => new Date().getMonth())` so the calendar opens on the real current month, not always August.

3 False "Encrypted Heritage Vault" claim in the footer

QUICK WIN

Nothing in the codebase encrypts anything. This is the one occurrence found, in `src/App.tsx`'s footer.

VERBATIM FIX — `SRC/APP.TSX`

```
-
- Encrypted Heritage Vault
+
+ Stored Privately in Your Browser
```

Once Issue #4 ships real server-side storage, this copy should be revisited again to accurately describe whatever protection actually exists at that point — not before.

4 Dead `/api/submit-memory` endpoint, never called by the front-end

LONGER-TERM

The one Cloudflare Pages Function in the repo validates a POST body and returns a canned success response, but has no datastore binding and is never invoked — a full-text search of `src/` for `fetch(` returns zero matches.

VERBATIM FIX — WIRE IT TO CLOUDFLARE KV

```
// functions/api/submit-memory.ts
interface Env { MEMORIES: KVNamespace; }

export const onRequestPost: PagesFunction = async (context) => {
  const data = await context.request.json() as any;
  if (!data.title || !data.author) {
    return new Response(JSON.stringify({ error: "Title and author are required fields." })), { status: 400 };
  }
  const id = `mem-${Date.now()}`;
  await context.env.MEMORIES.put(id, JSON.stringify({ ...data, id, createdAt: new Date().toISOString() }));
  return new Response(JSON.stringify({ success: true, id }), {
    status: 200, headers: { "Content-Type": "application/json" },
  });
};
```

```
# wrangler.toml (new file)
name = "keepsake-almanac"
compatibility_date = "2026-08-28"

[[kv_namespaces]]
binding = "MEMORIES"
id = "<output of: wrangler kv:namespace create MEMORIES>"
```

Then call it from `AddMemoryModal.tsx`'s `handleSubmit`: `await fetch('/api/submit-memory', { method: 'POST', body: JSON.stringify(newMem) })` alongside the existing local state update. This is the one issue in this report that turns "vault" from a metaphor into a fact.

5 Three of six sections silently lose all data on refresh

QUICK WIN

Only Milestone Vault persists to `localStorage`. Family Heritage, Heirloom Calendar, and Time Capsules hold additions in plain `useState` with no persistence call anywhere in their files.

VERBATIM FIX — APPLY TO `FAMILYHERITAGE.TSX`, `ALMANACCALENDAR.TSX`, `TIMECAPSULES.TSX`

```
// Example for FamilyHeritage.tsx — repeat the same pattern
// (with its own key) in the other two components.
const [familyMembers, setFamilyMembers] = useState(() => {
  const saved = localStorage.getItem('keepsake_family_members');
  return saved ? JSON.parse(saved) : INITIAL_FAMILY_MEMBERS;
});

useEffect(() => {
  localStorage.setItem('keepsake_family_members', JSON.stringify(familyMembers));
}, [familyMembers]);
```

Use keys `keepsake_calendar_events` and `keepsake_time_capsules` for the other two components. This mirrors the pattern `App.tsx` already uses correctly for memories — it just needs to be applied consistently.

6 No way to export or back up the full vault

QUICK WIN

"Print & Export" only exports Milestone Vault entries to a browser print dialog. There is no way to back up Family Heritage, Calendar, or Time Capsule data, and clearing browser storage permanently destroys everything.

VERBATIM FIX — ADD ANYWHERE ACCESSIBLE (E.G., `PRINTEXPORTER.TSX` OR A NEW SETTINGS AREA)

```
function exportAllData() {
  const payload = {
    memories: JSON.parse(localStorage.getItem('keepsake_memories') || '[]'),
    familyMembers: JSON.parse(localStorage.getItem('keepsake_family_members') || '[]'),
    calendarEvents: JSON.parse(localStorage.getItem('keepsake_calendar_events') || '[]'),
    timeCapsules: JSON.parse(localStorage.getItem('keepsake_time_capsules') || '[]'),
    exportedAt: new Date().toISOString(),
  };
  const blob = new Blob([JSON.stringify(payload, null, 2)], { type: 'application/json' });
  const url = URL.createObjectURL(blob);
  const a = document.createElement('a');
  a.href = url;
  a.download = `keepsake-almanac-backup-${Date.now()}.json`;
  a.click();
  URL.revokeObjectURL(url);
}
```

Depends on Issue #5 shipping first, so there's complete data across all four keys to export.

Security & SEO Foundations

7 No security headers configured anywhere

QUICK WIN

No `_headers` file or `wrangler.toml` exists in the repository, so Cloudflare Pages applies none of CSP, HSTS, X-Frame-Options, X-Content-Type-Options, Permissions-Policy, or Referrer-Policy.

VERBATIM FIX — NEW FILE `PUBLIC/_HEADERS`

```
/*
  Content-Security-Policy: default-src 'self'; script-src 'self'; style-src 'self' 'unsafe-inline'
  https://fonts.googleapis.com; font-src https://fonts.gstatic.com; img-src 'self'
  https://images.unsplash.com data:; connect-src 'self'; frame-ancestors 'none'; base-uri 'self'; form-action
  'self'
  Strict-Transport-Security: max-age=63072000; includeSubDomains; preload
  X-Content-Type-Options: nosniff
  X-Frame-Options: DENY
  Referrer-Policy: strict-origin-when-cross-origin
  Permissions-Policy: geolocation=(), microphone=(), camera=(), interest-cohort=()
```

Vite copies `public/` verbatim into `dist/`; Cloudflare Pages reads `_headers` from the deployed output root automatically — no other configuration needed. Tighten `img-src` further once Issue #28 (self-hosting demo images) ships.

8 No robots.txt

QUICK WIN

VERBATIM FIX — NEW FILE `PUBLIC/ROBOTS.TXT`

```
User-agent: *
Allow: /

Sitemap: https://keepsakealmanac.com/sitemap.xml
```

9 No sitemap.xml

QUICK WIN

VERBATIM FIX — NEW FILE `PUBLIC/SITEMAP.XML` (INTERIM, SINGLE-URL VERSION)

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
    <loc>https://keepsakealmanac.com/</loc>
    <lastmod>2026-08-28</lastmod>
    <changefreq>daily</changefreq>
    <priority>1.0</priority>
  </url>
</urlset>
```

Expand to one `<url>` entry per route once Issue #14 (routing) ships, and update `lastmod` via the build process rather than by hand.

10 No canonical tag

QUICK WIN

VERBATIM FIX — INDEX.HTML , INSIDE <HEAD>

```
<link rel="canonical" href="https://keepsakealmanac.com/" />
```

11 No Open Graph tags

QUICK WIN

VERBATIM FIX — INDEX.HTML , INSIDE <HEAD>

```
<meta property="og:type" content="website" />
<meta property="og:site_name" content="Keepsake Almanac" />
<meta property="og:title" content="Keepsake Almanac – Family Milestone Vault & Daily Heritage Calendar" />
<meta property="og:description" content="Capture life's most precious milestones, daily heritage history, family stories, anniversaries, and personal legacy in an elegant digital keepsake almanac." />
<meta property="og:url" content="https://keepsakealmanac.com/" />
<meta property="og:image" content="https://keepsakealmanac.com/og-image.png" />
<meta property="og:image:width" content="1200" />
<meta property="og:image:height" content="630" />
```

Dependency: a real 1200×630 `og-image.png` needs to be designed and added to `public/` — it does not exist today.

12 No Twitter Card tags

QUICK WIN

VERBATIM FIX — INDEX.HTML , INSIDE <HEAD>

```
<meta name="twitter:card" content="summary_large_image" />
<meta name="twitter:title" content="Keepsake Almanac – Family Milestone Vault & Daily Heritage Calendar" />
<meta name="twitter:description" content="Capture life's most precious milestones, daily heritage history, family stories, anniversaries, and personal legacy in an elegant digital keepsake almanac." />
<meta name="twitter:image" content="https://keepsakealmanac.com/og-image.png" />
```

13 No JSON-LD structured data

QUICK WIN

VERBATIM FIX — INDEX.HTML , BEFORE </HEAD>

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "WebApplication",
  "name": "Keepsake Almanac",
  "url": "https://keepsakealmanac.com/",
  "description": "Capture life's most precious milestones, daily heritage history, family stories, anniversaries, and personal legacy in an elegant digital keepsake almanac.",
  "applicationCategory": "LifestyleApplication",
  "operatingSystem": "Any (Web Browser)",
  "offers": { "@type": "Offer", "price": "0", "priceCurrency": "USD" }
}
</script>
```

The root architectural cause behind Issues #9–13 only covering one URL. All six sections are `activeTab` state, not routes.

VERBATIM FIX — STARTING POINT

```
npm install react-router-dom

// src/main.tsx
import { BrowserRouter, Routes, Route, Navigate } from 'react-router-dom';

createRoot(document.getElementById('root')).render(
  <BrowserRouter>
    <Routes>
      <Route path="/" element={<Navigate to="/almanac" replace />} />
      <Route path="/almanac" element={<App initialTab="almanac" />} />
      <Route path="/vault" element={<App initialTab="vault" />} />
      <Route path="/calendar" element={<App initialTab="calendar" />} />
      <Route path="/heritage" element={<App initialTab="heritage" />} />
      <Route path="/capsules" element={<App initialTab="capsules" />} />
      <Route path="/export" element={<App initialTab="export" />} />
    </Routes>
  </BrowserRouter>
);
```

```
// src/hooks/useDocumentMeta.ts (new file)
export function useDocumentMeta(title: string, description: string) {
  useEffect(() => {
    document.title = title;
    document.querySelector('meta[name="description"]')?.setAttribute('content', description);
  }, [title, description]);
}
```

Budget this as a multi-day task (Week 2 of the plan below) — it touches navigation, the six section components, and the SEO tags in Issues #9–13, which should be regenerated per-route once this lands.

Accessibility

15 Icon-only buttons with no accessible name

QUICK WIN

axe-core: critical. Favorite/heart toggles, modal close buttons, and calendar prev/next controls have no discernible name for assistive technology.

VERBATIM FIX — APPLY THE PATTERN EVERYWHERE AN ICON-ONLY BUTTON APPEARS

```
// MilestoneVault.tsx / MemoryDetailModal.tsx (favorite toggle)
- <button onClick={() => onToggleFavorite(mem.id)} className="...">
+ <button
+   onClick={() => onToggleFavorite(mem.id)}
+   aria-label={mem.isFavorite ? `Remove "${mem.title}" from favorites` : `Add "${mem.title}" to
favorites`}
+   className="...">

// AddMemoryModal.tsx / MemoryDetailModal.tsx (close button)
- <button onClick={onClose} className="...">
+ <button onClick={onClose} aria-label="Close dialog" className="...">

// AlmanacCalendar.tsx (month navigation)
- <button onClick={handlePrevMonth} className="...">
+ <button onClick={handlePrevMonth} aria-label="Previous month" className="...">
- <button onClick={handleNextMonth} className="...">
+ <button onClick={handleNextMonth} aria-label="Next month" className="...">
```

16 Form inputs and selects have no programmatic label

QUICK WIN

axe-core: critical (flagged the date field and both selects in Add Memory; the same root cause — no `htmlFor` / `id` pairing — applies to every field in all four "add" forms: Add Memory, Add Family Member, Add Anniversary, Seal Time Capsule).

VERBATIM FIX — PATTERN TO APPLY TO EVERY FIELD

```
- <label className="block text-xs font-semibold text-amber-900 mb-1">Memory Title *</label>
- <input type="text" required ... />
+ <label htmlFor="memory-title" className="block text-xs font-semibold text-amber-900 mb-1">Memory Title *
</label>
+ <input id="memory-title" type="text" required ... />
```

Give every input/select/textarea in `AddMemoryModal.tsx`, `FamilyHeritage.tsx`, `AlmanacCalendar.tsx`, and `TimeCapsules.tsx` a unique `id` matched to its label's `htmlFor`.

17 Color-contrast failures recur on every screen tested

QUICK WIN

axe-core: serious. `text-amber-800/80`, `text-amber-800/70`, and `text-amber-300/50` utility classes reduce text opacity below the minimum contrast threshold, and recur across every component.

VERBATIM FIX — REMOVE THE OPACITY SUFFIX, USE A SOLID DARKER/LIGHTER SHADE INSTEAD

```
- className="text-amber-800/80 ..." (on light backgrounds)
+ className="text-amber-900 ..."

- className="text-amber-800/70 ..." (on light backgrounds)
+ className="text-stone-700 ..."

- className="text-amber-300/50 ..." (on dark backgrounds, e.g. footer)
+ className="text-amber-200 ..."
```

Find-and-replace across all nine components (these three exact class strings recur throughout). Verify the final pairings with a contrast checker against each actual background color before shipping — don't assume the specific replacement shades above are already AA-verified for every context they appear in.

18 Modals have no focus trap and cannot be dismissed with Escape or a backdrop click

QUICK WIN

Confirmed by direct behavioral testing against the running app, not just source review.

VERBATIM FIX — APPLY TO `ADDMEMORYMODAL.TSX` AND `MEMORYDETAILMODAL.TSX`

```
const dialogRef = useRef<HTMLDivElement>(null);

useEffect(() => {
  if (!isOpen) return;
  const handleKey = (e: KeyboardEvent) => { if (e.key === 'Escape') onClose(); };
  document.addEventListener('keydown', handleKey);
  dialogRef.current?.querySelector<HTMLInputElement>('input, textarea, select, button')?.focus();
  return () => document.removeEventListener('keydown', handleKey);
}, [isOpen, onClose]);

return (
  <div
    className="fixed inset-0 z-50 flex items-center justify-center p-4 bg-stone-900/60 backdrop-blur-xs"
    onClick={(e) => { if (e.target === e.currentTarget) onClose(); }}
  >
    <div ref={dialogRef} role="dialog" aria-modal="true" aria-labelledby="modal-title" className="...">
      /* existing modal content; give the title element id="modal-title" */
    </div>
  </div>
)
```

19 Invisible focus indicator on the primary search input

QUICK WIN

Confirmed via computed-style inspection: the search field's focus `box-shadow` resolves to fully transparent, so the first focusable element on the page shows no visible focus state (WCAG 2.4.7).

VERBATIM FIX — `SRC/COMPONENTS/HEADER.TSX`

```
- className="w-full pl-9 pr-4 py-2 text-sm bg-white/90 border border-amber-200 rounded-lg focus:outline-
none focus:ring-2 focus:ring-amber-500/40 focus:border-amber-500 text-stone-800 placeholder-stone-400
transition"
+ className="w-full pl-9 pr-4 py-2 text-sm bg-white/90 border border-amber-200 rounded-lg focus:outline-
none focus:ring-2 focus:ring-offset-2 focus:ring-amber-600 focus:border-amber-500 text-stone-800
placeholder-stone-400 transition"
```

Dropping the `/40` opacity suffix and adding `focus:ring-offset-2` gives a solid, visible ring against the white field background. Re-verify visually after the Tailwind 4 build — ring rendering changed between Tailwind 3 and 4.

20 Heading levels skip on the Print & Export view

QUICK WIN

axe-core: moderate. Entry titles jump straight to `<h3>` with no intervening `<h2>` in that scope.

VERBATIM FIX — `SRC/COMPONENTS/PRINTEXPORTER.TSX`

```
- <h3 className="text-2xl font-serif-title font-bold text-stone-900">{mem.title}</h3>
+ <h2 className="text-2xl font-serif-title font-bold text-stone-900">{mem.title}</h2>
```

21 No skip-to-content link

QUICK WIN

VERBATIM FIX — `SRC/APP.TSX`, FIRST CHILD OF THE ROOT ELEMENT

```
<a href="#main-content" className="sr-only focus:not-sr-only focus:absolute focus:top-2 focus:left-2
focus:z-50 focus:bg-amber-900 focus:text-amber-50 focus:px-4 focus:py-2 focus:rounded-lg">
  Skip to main content
</a>
{/* ... */}
<main id="main-content" className="flex-1 max-w-7xl w-full mx-auto px-4 sm:px-6 lg:px-8 py-8">
```

Tailwind's `sr-only` utility is already available in this build — no extra CSS needed.

PWA & Mobile Experience

22 No web app manifest

QUICK WIN

VERBATIM FIX — NEW FILE `PUBLIC/MANIFEST.JSON`

```
{
  "name": "Keepsake Almanac",
  "short_name": "Keepsake",
  "description": "Family Milestone Vault & Daily Heritage Calendar",
  "start_url": "/",
  "display": "standalone",
  "background_color": "#ffffbeb",
  "theme_color": "#78350f",
  "icons": [
    { "src": "/icons/icon-192.png", "sizes": "192x192", "type": "image/png" },
    { "src": "/icons/icon-512.png", "sizes": "512x512", "type": "image/png", "purpose": "any maskable" }
  ]
}
```

```
<!-- index.html, inside <head> -->
<link rel="manifest" href="/manifest.json" />
```

Dependency: 192×192 and 512×512 PNG icons need to be generated — pair this with Issue #31 (favicon redesign) so both use the corrected brand palette.

23 No theme-color or apple-touch-icon

QUICK WIN

VERBATIM FIX — `INDEX.HTML`, INSIDE `<HEAD>`

```
<meta name="theme-color" content="#78350f" />
<link rel="apple-touch-icon" href="/icons/apple-touch-icon.png" />
```

24 No service worker / offline support

LONGER-TERM

VERBATIM FIX

```
npm install -D vite-plugin-pwa

// vite.config.ts
import { VitePWA } from 'vite-plugin-pwa'

export default defineConfig({
  plugins: [react(), tailwindcss(), VitePWA({ registerType: 'autoUpdate', manifest: false })],
})
```

`manifest: false` because Issue #22 already provides a hand-written `manifest.json`; the plugin will pick it up from `public/`.

25 Mobile nav overflows with no visible scroll affordance

QUICK WIN

Confirmed via mobile screenshot: only ~2 of 6 tabs are visible on an iPhone-13-width viewport, with `scrollbar-none` hiding any cue that more exist.

VERBATIM FIX — [SRC/COMPONENTS/HEADER.TSX](#)

```
- <nav className="flex space-x-1 sm:space-x-2 overflow-x-auto pt-4 mt-2 border-t border-amber-200/50 scrollbar-none">
+ <nav className="flex space-x-1 sm:space-x-2 overflow-x-auto pt-4 mt-2 border-t border-amber-200/50 scrollbar-none [mask-image:linear-gradient(to_right,black_90%,transparent)]">
```

A right-edge fade signals scrollability at minimal cost. For a stronger fix, add small chevron buttons pinned to the container edges that scroll the row on tap.

26 Low-priority content dominates the mobile above-the-fold

QUICK WIN

The lunar-phase/season/quote bar consumes most of the first mobile viewport before any primary content or more than two nav tabs are visible.

VERBATIM FIX — [SRC/COMPONENTS/HEADER.TSX](#)

```
- <div className="bg-gradient-to-r from-amber-950 via-stone-900 to-amber-950 text-amber-100/90 text-xs py-1.5 px-4">
+ <div className="hidden sm:block bg-gradient-to-r from-amber-950 via-stone-900 to-amber-950 text-amber-100/90 text-xs py-1.5 px-4">
```

Hides the decorative trivia bar below the `sm` breakpoint entirely, reclaiming that space for the primary headline and nav on phones. Consider a condensed one-line mobile variant instead of full removal if the lunar-phase framing is considered core brand voice.

Privacy & Content Integrity

27 No privacy policy or terms of any kind

QUICK WIN

The product collects names, relationships, birth/death years, locations, and photos with zero disclosure anywhere.

VERBATIM FIX — STARTER COPY, ADD AS A REAL ROUTE/PAGE ONCE ROUTING (ISSUE #14) SHIPS, OR AS A STATIC /PRIVACY.HTML IN PUBLIC/ IN THE MEANTIME

Privacy Policy — Keepsake Almanac
Last updated: August 28, 2026

What we store: Keepsake Almanac saves the memories, family members, calendar events, and time capsules you add directly in your web browser's local storage on your own device. We do not operate a server-side database, and we do not receive, see, or store copies of what you enter.

What this means for you: Your entries stay on the device and browser you used to add them. They are not backed up automatically, are not synced across devices, and will be lost if you clear your browser's site data. Use the "Export All Data" feature to save your own backup copy.

Third-party content: Sample photographs are served from Unsplash (images.unsplash.com); loading them sends your IP address and browser information to Unsplash under its own privacy policy. Fonts are served by Google Fonts (fonts.googleapis.com, fonts.gstatic.com) under Google's privacy policy.

What we don't do: We do not use cookies, analytics, or advertising trackers of any kind on this site as of the date above.

Contact: [operator contact email]

This is a starting draft describing the product's actual, current behavior — it must be kept in sync with reality every time storage or third-party behavior changes (e.g., once Issue #4's server-side storage ships).

28 Undisclosed third-party image requests (Unsplash hotlinking)

LONGER-TERM

VERBATIM FIX — SELF-HOST THE 5 DEMO IMAGES

```
# download once, commit under version control
curl -o public/images/blackberry-pie.jpg "<unsplash URL currently in keepsakeData.ts>"
# repeat for the remaining 4 sample imageUrl values, then update
# src/data/keepsakeData.ts to reference "/images/<file>.jpg" instead of
# the images.unsplash.com URLs.
```

For user-supplied Image URLs (which will always be a third-party hotlink by design), add a one-line disclosure beneath the field:

```
<p className="text-[10px] text-stone-500 mt-1">
  Images load directly from the URL you provide, from that site, each time this page opens.
</p>
```


29 Fabricated "EST. 1910" / "©1910–2026" history claims

QUICK WIN

VERBATIM FIX — `SRC/COMPONENTS/HEADER.TSX` AND `SRC/APP.TSX`

```
- <span className="...">EST. 1910</span>
+ <span className="...">EST. 2026</span>

- <p className="text-xs text-amber-300/50">© 1910–2026 Keepsake Almanac. All Rights Reserved.</p>
+ <p className="text-xs text-amber-300/50">© 2026 Keepsake Almanac. All Rights Reserved.</p>
```

30 Fictional demo data shown to new users with no disclosure

QUICK WIN

A first-time visitor's vault is pre-populated with a fabricated "Harrison & Sterling" family and fake comments, with nothing marking it as sample content.

VERBATIM FIX — `SRC/APP.TSX`, SHOWN ONLY WHILE SAMPLE DATA IS STILL ACTIVE

```
{!localStorage.getItem('keepsake_memories') && (
  <div className="bg-blue-50 border border-blue-200 text-blue-900 text-sm rounded-lg p-3 mb-4 flex flex-
wrap items-center justify-between gap-2">
  <span>You're viewing sample memories that show how Keepsake Almanac works. Add your own below – your
entries won't be mixed with these samples.</span>
  <button onClick={clearSampleData} className="underline font-medium">Clear samples</button>
</div>
)}
```

Apply the same pattern to Family Heritage and Time Capsules, whose sample data currently carries no such flag either.

Brand, Front-End, Performance & Monetization

31 Favicon contradicts the brand's own color palette

LONGER-TERM

`public/favicon.svg` is an abstract purple/blue mark (`#863bff` , `#7e14ff` , `#47bfff`) with no relationship to the amber/gold heritage palette used everywhere else in the product.

FIX

Redesign the favicon (and the new app icons from Issue #22) using the app's actual palette — e.g. `#78350f` (amber-900), `#d4a373` , `#ffffbe` — built around the existing "KA" monogram or open-book mark already used in the header, rather than commissioning something unrelated. Design task, not a code change; sequence alongside Issue #22's icon set so both ship together.

32 Unused `canvas-confetti` dependency shipped

QUICK WIN

`canvas-confetti` 1.9.4 is listed in `package.json` but never imported anywhere in `src/`.

VERBATIM FIX — REMOVE IT

```
npm uninstall canvas-confetti @types/canvas-confetti
```

Or, if the intent was a "delight" moment on save, wire it up instead of removing it:

```
import confetti from 'canvas-confetti';
// inside AddMemoryModal's handleSubmit, after onAddMemory(newMem):
confetti({ particleCount: 60, spread: 55, origin: { y: 0.7 }, colors: ['#92400e', '#d4a373', '#fbbf24'] });
```

33 Images: no lazy-loading, no dimensions, no failure fallback

QUICK WIN

Visually confirmed: a failed Unsplash load renders a bare broken-image glyph with no fallback UI, permanently, for any dead or mistyped image URL.

VERBATIM FIX — APPLY TO EVERY `<img>` RENDERING A MEMORY/AVATAR PHOTO

```
- <img src={mem.imageUrl} alt={mem.title} className="w-full h-full object-cover ..." />
+ <img
+   src={mem.imageUrl}
+   alt={mem.title}
+   loading="lazy"
+   decoding="async"
+   width={800}
+   height={450}
+   onError={(e) => { e.currentTarget.src = '/images/memory-placeholder.svg'; }}
+   className="w-full h-full object-cover ..."
+ />
```

Requires adding one local `/images/memory-placeholder.svg` fallback asset. Applies to `DailyAlmanac.tsx` , `MilestoneVault.tsx` , `MemoryDetailModal.tsx` , `PrintExporter.tsx` , and the avatar `<img>` in `FamilyHeritage.tsx` .

34 No monetization surface or affiliate-disclosure pattern

LONGER-TERM

Zero ads, affiliate links, email capture, or premium tier exist anywhere. See the Monetization & Affiliate Opportunity Map at the end of this document for placement-by-placement detail.

VERBATIM FIX — REUSABLE DISCLOSURE COMPONENT, REQUIRED BY FTC GUIDANCE WHEREVER AN AFFILIATE LINK IS PLACED

```
<p className="text-xs text-stone-500 italic border-t border-amber-100 pt-2 mt-2">
  Some links on this page are affiliate links. If you make a purchase through them,
  Keepsake Almanac may earn a small commission at no extra cost to you.
</p>
```

35 No automated tests, no CI

LONGER-TERM

VERBATIM FIX — MINIMAL STARTING POINT

```
# .github/workflows/ci.yml
name: CI
on: [push, pull_request]
jobs:
  build:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v4
      - uses: actions/setup-node@v4
        with: { node-version: 20 }
      - run: npm ci
      - run: npm run lint
      - run: npm run build
```

Catches nothing functional on its own, but guarantees every push at least lints and builds — currently neither is verified automatically. Add component tests (Vitest + React Testing Library) as a follow-on once CI exists to run them.

30-Day Remediation & Content Plan

Sequenced to fix trust-breaking defects first, then discoverability infrastructure, then product integrity and performance, then content and monetization — while staying inside the portfolio's static-first, no-bloat operating model. No CMS, no new backend service beyond the existing Cloudflare Pages Function, no added third-party trackers.

Week 1 (Days 1–7) — Trust & Truth Triage

Day 1: Ship Issues #3 and #29 (false "encrypted" claim, fabricated "est. 1910"/copyright) — copy-only, zero risk, same-day.

Days 1–2: Fix the headline data bug — Issues #1 and #2 (hardcoded almanac date, hardcoded calendar "today").

Day 2: Issues #7–10 (security headers, robots.txt, sitemap.xml, canonical) — all four are independent file additions, ship together.

Days 3–4: Accessibility critical pass — Issues #15, #16, #17, #19 (the axe-confirmed critical/serious findings).

Day 5: Issues #18, #20, #21 (modal focus/Escape/backdrop, heading order, skip link).

Days 6–7: Issues #5, #6, #30 (consistent persistence, data export, sample-data disclosure).

Week 2 (Days 8–14) — Discoverability Infrastructure

Days 8–9: Issues #11–13 (Open Graph, Twitter Card, JSON-LD) plus commission the 1200×630 `og-image.png` they depend on.

Days 10–12: Begin Issue #14 (routing migration) — real URLs for all six sections with per-route `document.title /description` via `useDocumentMeta`.

Day 13: Expand `sitemap.xml` to the new routes; submit to Google Search Console and Bing Webmaster Tools for the first time.

Day 14: Issues #22, #23 (manifest, theme-color/apple-touch-icon); kick off Issue #31 (favicon/icon redesign) in parallel.

Week 3 (Days 15–21) — Product Integrity & Performance

Days 15–16: Issue #4 — wire the dead API to real Cloudflare KV storage; update the front-end to call it.

Day 17: Issue #33 (image lazy-loading/dimensions/fallback) and Issue #28 (self-host the 5 demo images).

Day 18: Issues #25, #26 (mobile nav affordance, above-the-fold rebalancing).

Day 19: Issue #24 (service worker / installability via `vite-plugin-pwa`).

Day 20: Ship Issue #27 (privacy policy) as a real page; Issue #32 (remove or wire up `canvas-confetti`).

Day 21: Issue #35 (minimal CI: lint + build on every push).

Week 4 (Days 22–30) — Content & Monetization Foundation

Days 22–23: Write genuine "on this day" / seasonal-lore entries for at least the next 30 calendar days, so the now-real daily-digest engine (Issue #1) has real content behind it instead of an empty state every day but one.

Days 24–25: Publish 2–3 genuine evergreen editorial pieces on the routed architecture from Week 2 — e.g. "How to Interview a Grandparent: 20 Questions," "Preserving Old Family Photographs Without Damaging Them," "Starting a Family Time Capsule: A Step-by-Step Guide."

Day 26: Ship the Issue #34 disclosure component and place the first affiliate links (see opportunity map below), led with the Print & Export placement.

Day 27: Add a lightweight, tracker-free email capture tied to the now-real daily digest ("Get tomorrow's heritage prompt by email") — the first owned-audience channel.

Days 28–29: Full re-test pass: rerun axe, rebuild and recheck bundle size against this report's baseline (76.95 KB gz JS / 8.83 KB gz CSS), validate OG/JSON-LD with Google's Rich Results Test and Facebook's Sharing Debugger.

Day 30: Resubmit the expanded sitemap, publish a short changelog note, and schedule the next 30-day content cycle.

Monetization & Affiliate Opportunity Map

OPPORTUNITY	FIT	PLACEMENT	NOTES
Print-on-demand / photo-book binding partner	Best	Inside "Print & Export," alongside the existing <code>window.print()</code> flow	Directly extends a feature that already exists; highest purchase intent in the product
Archival & photo-preservation supplies (acid-free boxes, scanners, photo-safe adhesive)	Strong	Milestone Vault, especially heirloom-recipe and photo entries	Natural adjacency to the "heirloom" framing already used throughout
DNA testing & genealogy research (AncestryDNA / MyHeritage / 23andMe affiliate programs)	Strong	Family Heritage tab	Directly adjacent to the lineage/ancestry content already there
Memorial & keepsake products (engraved boxes, memory jars, memorial candles)	Moderate	Time Capsules tab	Matches the sealed/ceremonial framing of that feature
Recordable-audio / oral-history journaling products	Moderate	Daily Almanac's "Today's Legacy Prompt" card	Matches the "record a story" CTA already present

Every placement above must carry the Issue #34 disclosure component. Sequence Print & Export first — it is the only placement with an existing, natural user intent to act on immediately.