Figure 2

Sam Gould, Kexin Dong

Cleaned: May 1, 2026

Last Updated: May 1, 2026

Figure 2 | Multiplexed in vivo base editing screens identify contextual and variant-specific phenotypes.

2b

The 90/10 skew ratio (counts of 90th percentile guide/counts of 10th percentile guide) for each indicated sample for ABE screen.



2c

Principal components analysis of the correlation matrix of barcode counts for replicates of indicated ABE samples.

```
No artists with labels found to put in legend.  Note that artists whose label start w
ith an underscore are ignored when legend() is called with no argument.
[53.11619452 14.31995016]
```



2d

Average target base editing % (with bystander edits allowed, dark blue) and pure correct editing % (no bystander edits allowed, light blue) at the sensor locus.

```
Loaded:
  ABE_OG: 1070 guides
  CBE_OG: 13242 guides
  ABE_EPO_T0: 376 guides
  CBE_EPO_T0: 1257 guides
  ABE_EPO_BC: 376 guides
  CBE_EPO_BC: 1257 guides
  ABE_BC_T0: 376 guides
  CBE_BC_T0: 1257 guides
  ABE_EPO_T0_FSR: 376 guides
  CBE_EPO_T0_FSR: 1257 guides
  ABE_EPO_BC_FSR: 376 guides
  CBE_EPO_BC_FSR: 1257 guides
  ABE_BC_T0_FSR: 376 guides
  CBE_BC_T0_FSR: 1257 guides
```



2e

Waterfall plot of ABE gRNA enrichment in each sample type, with top 10 and bottom 10 gRNAs (as ranked by LFC, with FDR < 0.1) labeled. Guides with target base editing <20% excluded. Points colored by COSMIC Cancer Gene Census annotation. Point size indicates FDR value.

```
d15
1 Pik3r3 D11G tab:grey
2 Daxx N274S tab:purple
3 Syk N451S tab:red
4 Raf1 R391G tab:red
5 Myc T73A tab:red
6 Ret K809E tab:red
7 Erbb3 Q807R tab:red
8 Keap1 Y33H tab:blue
9 Rbm10 H777R tab:blue
10 Arid5b K1026E tab:grey
786 Trp53 C138R tab:purple
787 Vhl L124P tab:blue
788 Ctnnb1 S45P tab:red
789 Braf K638E tab:red
790 Ctnnb1 S45P tab:red
791 Ctcf C384R tab:blue
792 Map2k1 F53L tab:red
793 Ctnnb1 T41A tab:red
794 Ezh2 Non-coding tab:purple
795 Vhl N44S tab:blue
1. Pik3r3 D11G
2. Daxx N274S
3. Syk N451S
4. Raf1 R391G
5. Myc T73A
6. Ret K809E
7. Erbb3 Q807R
8. Keap1 Y33H
9. Rbm10 H777R
10. Arid5b K1026E
786. Trp53 C138R
787. Vhl L124P
788. Ctnnb1 S45P
789. Braf K638E
790. Ctnnb1 S45P
791. Ctcf C384R
792. Map2k1 F53L
793. Ctnnb1 T41A
794. Ezh2 Non-coding
795. Vhl N44S
spleen
1 Ctnnb1 S45P tab:red
2 Ercc2 T484A tab:blue
3 Nfe2 Q286R tab:grey
4 Ep300 H350R tab:blue
5 Syk N451S tab:red
6 Raf1 R391G tab:red
7 Gata3 H281R tab:purple
8 Smo I160V tab:red
9 Keap1 H311R tab:blue
10 Myd88 M219T tab:red
782 Crebbp W1503R tab:purple
787 Crebbp Y1504H tab:purple
788 Jak2 R683G tab:red
```

```
789 Smarca4 F1102L tab:blue
790 Ctcf C384R tab:blue
791 Ctnnb1 D32G tab:red
792 Fbxw7 W428R tab:blue
793 Arid1a D1051G tab:blue
794 Ctnnb1 T41A tab:red
795 Vhl N44S tab:blue
1. Ctnnb1 S45P
2. Ercc2 T484A
3. Nfe2 Q286R
4. Ep300 H350R
5. Syk N451S
6. Raf1 R391G
7. Gata3 H281R
8. Smo I160V
9. Keap1 H311R
10. Myd88 M219T
782. Crebbp W1503R
787. Crebbp Y1504H
788. Jak2 R683G
789. Smarca4 F1102L
790. Ctcf C384R
791. Ctnnb1 D32G
792. Fbxw7 W428R
793. Arid1a D1051G
794. Ctnnb1 T41A
795. Vhl N44S
bonemarrow
1 Syk N451S tab:red
2 Ep300 H350R tab:blue
3 Arid5b K1026E tab:grey
4 Keap1 H311R tab:blue
5 Myd88 M219T tab:red
6 Smo I160V tab:red
7 Ret K809E tab:red
8 Dis3 M749T tab:grey
9 Arid5b K1026E tab:grey
10 Myd88 M219T tab:red
784 Mga Non-coding tab:grey
785 Smarca4 F1102L tab:blue
788 Smarca4 D1183G tab:blue
789 Ctcf C384R tab:blue
790 Fbxw7 W428R tab:blue
791 Crebbp Y1504H tab:purple
792 Ctnnb1 T41A tab:red
793 Rhoa L57S tab:purple
794 Vhl N44S tab:blue
795 Arid1a D1051G tab:blue
1. Syk N451S
2. Ep300 H350R
3. Arid5b K1026E
4. Keap1 H311R
5. Myd88 M219T
6. Smo I160V
7. Ret K809E
8. Dis3 M749T
```

```
9. Arid5b K1026E
10. Myd88 M219T
784. Mga Non-coding
785. Smarca4 F1102L
788. Smarca4 D1183G
789. Ctcf C384R
790. Fbxw7 W428R
791. Crebbp Y1504H
792. Ctnnb1 T41A
793. Rhoa L57S
794. Vhl N44S
795. Arid1a D1051G
meninges
1 Daxx N274S tab:purple
2 Keap1 Y33H tab:blue
3 Raf1 S259P tab:red
4 Ep300 H350R tab:blue
5 Foxa1 Y259C tab:red
6 Erbb3 Q807R tab:red
8 Ercc2 I80T tab:blue
10 Kmt2d K4845R tab:purple
11 Keap1 H311R tab:blue
13 Pik3cg L44P tab:grey
770 Smarca4 H1181R tab:blue
782 Ctnnb1 S45P tab:red
784 Ezh2 Non-coding tab:purple
785 Smarca4 D1183G tab:blue
786 Gnas Q966R tab:red
787 Pik3cg L44P tab:grey
789 Ctnnb1 T41A tab:red
793 Rb1 D597G tab:blue
794 Ctcf C384R tab:blue
795 Arid1a D1051G tab:blue
1. Daxx N274S
2. Keap1 Y33H
3. Raf1 S259P
4. Ep300 H350R
5. Foxa1 Y259C
6. Erbb3 Q807R
8. Ercc2 I80T
10. Kmt2d K4845R
11. Keap1 H311R
13. Pik3cg L44P
770. Smarca4 H1181R
782. Ctnnb1 S45P
784. Ezh2 Non-coding
785. Smarca4 D1183G
786. Gnas Q966R
787. Pik3cg L44P
789. Ctnnb1 T41A
793. Rb1 D597G
794. Ctcf C384R
795. Arid1a D1051G
Text(0.5, 1.0, 'Meninges')
```



2f

Volcano plot of ABE sgRNA enrichment and depletion in bone marrow. Axes show median LFC versus empirical –log10(FDR). Enriched (orange) and depleted (blue) gRNAs targeting leukemia-related genes are labeled.

	Hugo_Symbol	Entrez_Gene_Id	Center	NCBI_Build	Chromosome	Start_Position	End_Po
0	NRAS	4893.0	MSK	GRCh37	1	115258747	11525
1	NRAS	4893.0	MSK	GRCh37	1	115258747	11525
2	HGF	3082.0	MSK	GRCh37	7	81381472	8138
3	PTPN11	5781.0	MSK	GRCh37	12	112888165	11288
4	NRAS	4893.0	MSK	GRCh37	1	115252204	11525
...	...	...	...	...	...	...	
11140	DNMT3A	1788.0	MSK	GRCh37	2	25457242	2545
11141	EPHA5	2044.0	MSK	GRCh37	4	66213844	6621
11142	DNMT3A	1788.0	MSK	GRCh37	2	25457242	2545
11143	IDH1	3417.0	MSK	GRCh37	2	209113113	2091
11144	ZRSR2	8233.0	MSK	GRCh37	X	15833962	1583

11145 rows × 64 columns

	Hugo_Symbol	Entrez_Gene_Id	Chromosome	Start_Position	End_Position	Reference_Alle
0	DNMT3A	1788.0	2	25457242	25457242	
1	IDH2	3418.0	15	90631934	90631934	
2	SRSF2	6427.0	17	74732959	74732959	
3	NRAS	4893.0	1	115258747	115258747	
4	SRSF2	6427.0	17	74732959	74732959	
...	...	...	...	...	...	
3869	IKZF1	10320.0	7	50468004	50468004	
3870	IKZF1	10320.0	7	50468065	50468065	
3871	IKZF1	10320.0	7	50468165	50468165	
3872	IKZF1	10320.0	7	50468180	50468180	
3873	ZRSR2	8233.0	X	15841226	15841226	

3874 rows × 11 columns

	Hugo_Symbol	Entrez_Gene_Id	Center	NCBI_Build	Chromosome	Start_Position	End_Po
0	NRAS	4893.0	MSK	GRCh37	1	115258747	11525
1	NRAS	4893.0	MSK	GRCh37	1	115258747	11525
2	HGF	3082.0	MSK	GRCh37	7	81381472	813
3	PTPN11	5781.0	MSK	GRCh37	12	112888165	11288
4	NRAS	4893.0	MSK	GRCh37	1	115252204	11525
...	...	...	...	...	...	...	
11140	DNMT3A	1788.0	MSK	GRCh37	2	25457242	2545
11141	EPHA5	2044.0	MSK	GRCh37	4	66213844	662
11142	DNMT3A	1788.0	MSK	GRCh37	2	25457242	2545
11143	IDH1	3417.0	MSK	GRCh37	2	209113113	2091
11144	ZRSR2	8233.0	MSK	GRCh37	X	15833962	1583

11145 rows × 64 columns

	Hugo_Symbol	Entrez_Gene_Id	Chromosome	Start_Position	End_Position	Reference_Alle
0	DNMT3A	1788.0	2	25457242	25457242	
1	IDH2	3418.0	15	90631934	90631934	
2	SRSF2	6427.0	17	74732959	74732959	
3	NRAS	4893.0	1	115258747	115258747	
4	SRSF2	6427.0	17	74732959	74732959	
...	...	...	...	...	...	
3869	IKZF1	10320.0	7	50468004	50468004	
3870	IKZF1	10320.0	7	50468065	50468065	
3871	IKZF1	10320.0	7	50468165	50468165	
3872	IKZF1	10320.0	7	50468180	50468180	
3873	ZRSR2	8233.0	X	15841226	15841226	

3874 rows × 11 columns

```
2 [0.55488685 0.14630879]
8 [-0.74670748 -0.80453817]
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Looks like you are using a tranform that doesn't support FancyArrowPatch, using ax.an
notate instead. The arrows might strike through texts. Increasing shrinkA in arrowpro
ps might help.
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```



```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```



Additional volcano plots (filtered, targeting only)

	Hugo_Symbol	Entrez_Gene_Id	Center	NCBI_Build	Chromosome	Start_Position	End_Pos
0	NRAS	4893.0	MSK	GRCh37	1	115258747	11525
1	HGF	3082.0	MSK	GRCh37	7	81381472	8138
2	SOX2	6657.0	MSK	GRCh37	3	181430972	18143
3	KRAS	3845.0	MSK	GRCh37	12	25398285	25398
4	ATRX	546.0	MSK	GRCh37	X	76889169	7688
...	...	...	...	...	...	...	
1511	KIT	3815.0	MSK	GRCh37	4	55594093	5559
1512	SMARCA4	6597.0	MSK	GRCh37	19	11105660	1110
1513	NRAS	4893.0	MSK	GRCh37	1	115258744	11525
1514	MSH6	2956.0	MSK	GRCh37	2	48028296	4802
1515	EPHA5	2044.0	MSK	GRCh37	4	66213844	6621

1516 rows × 64 columns

	Hugo_Symbol	Entrez_Gene_Id	Chromosome	Start_Position	End_Position	Reference_Allel
0	MYD88	4615.0	3	38182641	38182641	
1	NRAS	4893.0	1	115258747	115258747	
2	ABL1	25.0	9	133748283	133748283	
3	JAK2	3717.0	9	5078360	5078360	
4	KRAS	3845.0	12	25398284	25398284	
...	...	...	...	...	...	.
1170	HDAC4	9759.0	2	240098156	240098156	
1171	HDAC4	9759.0	2	240111564	240111564	
1172	HDAC7	51564.0	12	48185368	48185368	
1173	HDAC7	51564.0	12	48185659	48185659	
1174	ZRSR2	8233.0	X	15841226	15841226	

1175 rows × 11 columns

```
2 [-0.41375298 -0.1538141 ]
3 [0.08176771 0.48538608]
1 [ 0.88494827 -0.53928437]
2 [-0.44976315  0.90148064]
4 [ 0.44854447 -0.84547782]
5 [ 0.01559845 -0.96691117]
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_ABE_OG.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_CBE_OG.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_ABE_EPO_T0.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_CBE_EPO_T0.pdf
2 [ 0.07073299 -0.27144592]
5 [0.76748396 0.4176409 ]
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_ABE_EPO_BC.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_CBE_EPO_BC.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_ABE_BC_T0.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_CBE_BC_T0.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_ABE_EPO_T0_FSR.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_CBE_EPO_T0_FSR.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```

ABE_EPO_BC_FSR — B-ALL gene hits (FDR<0.1, |LFC|≥1.0, edit≥20%)




```
Saved: figures_final_volcano_b-all/volcano_leukemia_ABE_EPO_BC_FSR.pdf
2 [0.83000385 0.91549043]
3 [ 0.5612457  -0.63054018]
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```

CBE_EPO_BC_FSR — B-ALL gene hits (FDR<0.1, |LFC|≥1.0, edit≥20%)




```
Saved: figures_final_volcano_b-all/volcano_leukemia_CBE_EPO_BC_FSR.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```

ABE_BC_T0_FSR — B-ALL gene hits (FDR<0.1, |LFC|≥1.0, edit≥20%)



```
Saved: figures_final_volcano_b-all/volcano_leukemia_ABE_BC_T0_FSR.pdf
```

```
1 extra bytes in post.stringData array
'created' timestamp seems very low; regarding as unix timestamp
Zapf NOT subset; don't know how to subset; dropped
feat NOT subset; don't know how to subset; dropped
morx NOT subset; don't know how to subset; dropped
```




```
Saved: figures_final_volcano_b-all/volcano_leukemia_CBE_BC_T0_FSR.pdf
```

Additional volcano plots (not filtered, everything)




ABE_OG | avg | fishers | sensor>=10, edit>=20%, input>=10
D15 (n=109 hits)
Bone Marrow (n=109 hits)
Spleen (n=113 hits)
Meninges (n=35 hits)
-log10(FDR fishers)
Avg LFC
ABE_OG | avg | stouffers | sensor>=10, edit>=20%, input>=10
D15 (n=110 hits)
Bone Marrow (n=102 hits)
Spleen (n=129 hits)
Meninges (n=37 hits)
-log10(FDR stouffers)
Avg LFC
ABE_OG | concordant_mean | fishers | sensor>=10, edit>=20%, input>=10
D15 (n=112 hits)
Bone Marrow (n=115 hits)
Spleen (n=114 hits)
Meninges (n=30 hits)
-log10(FDR fishers)
Concordant Mean LFC
ABE_OG | concordant_mean | stouffers | sensor>=10, edit>=20%, input>=10
D15 (n=111 hits)
Bone Marrow (n=122 hits)
Spleen (n=131 hits)
Meninges (n=34 hits)
-log10(FDR stouffers)
Concordant Mean LFC
CBE_OG | median | fishers | sensor>=10, edit>=20%, input>=10
D15 (n=15 hits)
Bone Marrow (n=168 hits)
Spleen (n=354 hits)
Meninges (n=82 hits)
-log10(FDR fishers)
Median LFC


CBE_OG | median | stouffers | sensor>=10, edit>=20%, input>=10
D15 (n=162 hits)
Bone Marrow (n=385 hits)
Spleen (n=1156 hits)
Meninges (n=209 hits)
-log10(FDR stouffers)
Median LFC
CBE_OG | avg | fishers | sensor>=10, edit>=20%, input>=10
D15 (n=15 hits)
Bone Marrow (n=169 hits)
Spleen (n=358 hits)
Meninges (n=88 hits)
-log10(FDR fishers)
Avg LFC
CBE_OG | avg | stouffers | sensor>=10, edit>=20%, input>=10
D15 (n=162 hits)
Bone Marrow (n=421 hits)
Spleen (n=1250 hits)
Meninges (n=203 hits)
-log10(FDR stouffers)
Avg LFC
CBE_OG | concordant_mean | fishers | sensor>=10, edit>=20%, input>=10
D15 (n=15 hits)
Bone Marrow (n=168 hits)
Spleen (n=358 hits)
Meninges (n=79 hits)
-log10(FDR fishers)
Concordant Mean LFC
CBE_OG | concordant_mean | stouffers | sensor>=10, edit>=20%, input>=10
D15 (n=162 hits)
Bone Marrow (n=415 hits)
Spleen (n=1249 hits)
Meninges (n=202 hits)
-log10(FDR stouffers)
Concordant Mean LFC

ABE_EPO_T0 | median | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0 | median | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0 | avg | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0 | avg | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0 | concordant_mean | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0 | concordant_mean | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0 | median | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0 | median | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0 | avg | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0 | avg | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0 | concordant_mean | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0 | concordant_mean | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC | median | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC | median | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC | avg | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC | avg | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC | concordant_mean | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC | concordant_mean | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC | median | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC | median | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC | avg | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC | avg | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC | concordant_mean | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC | concordant_mean | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0_FSR | median | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0_FSR | median | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0_FSR | avg | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0_FSR | avg | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0_FSR | concordant_mean | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_T0_FSR | concordant_mean | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0_FSR | median | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0_FSR | median | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0_FSR | avg | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0_FSR | avg | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0_FSR | concordant_mean | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_T0_FSR | concordant_mean | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC_FSR | median | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC_FSR | median | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC_FSR | avg | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC_FSR | avg | stouffers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC_FSR | concordant_mean | fishers | sensor>=100, edit>=20%, input>=100



ABE_EPO_BC_FSR | concordant_mean | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC_FSR | median | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC_FSR | median | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC_FSR | avg | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC_FSR | avg | stouffers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC_FSR | concordant_mean | fishers | sensor>=100, edit>=20%, input>=100



CBE_EPO_BC_FSR | concordant_mean | stouffers | sensor>=100, edit>=20%, input>=100



```
ABE_OG
CBE_OG
ABE_EPO_T0
CBE_EPO_T0
ABE_EPO_BC
CBE_EPO_BC
ABE_BC_T0
CBE_BC_T0
ABE_EPO_T0_FSR
CBE_EPO_T0_FSR
ABE_EPO_BC_FSR
CBE_EPO_BC_FSR
ABE_BC_T0_FSR
CBE_BC_T0_FSR
```

```
dict_keys(['ABE_OG', 'CBE_OG', 'ABE_EPO_T0', 'CBE_EPO_T0', 'ABE_EPO_BC', 'CBE_EPO_B
C', 'ABE_BC_T0', 'CBE_BC_T0', 'ABE_EPO_T0_FSR', 'CBE_EPO_T0_FSR', 'ABE_EPO_BC_FSR',
'CBE_EPO_BC_FSR', 'ABE_BC_T0_FSR', 'CBE_BC_T0_FSR'])
```





ABE_BC_T0 vs ABE_BC_T0_FSR | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=0%



ABE_BC_T0 vs ABE_BC_T0_FSR | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=0%



ABE_BC_T0 vs ABE_BC_T0_FSR | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=0%



ABE_BC_T0 vs ABE_BC_T0_FSR | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=0%



ABE_EPO_T0 vs ABE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0 vs ABE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0 vs ABE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0 vs ABE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0 vs ABE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0 vs ABE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0 vs ABE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0 vs ABE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0 vs ABE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0 vs ABE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0 vs ABE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0 vs ABE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_T0_FSR vs ABE_EPO_T0 | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC vs ABE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC vs ABE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC vs ABE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC vs ABE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC vs ABE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC vs ABE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC vs ABE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC vs ABE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC vs ABE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC vs ABE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC vs ABE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC vs ABE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC_FSR vs ABE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC_FSR vs ABE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC_FSR vs ABE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC_FSR vs ABE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC_FSR vs ABE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC_FSR vs ABE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%




ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%
D15
Rp=0.24, Rs=0.26
ABE_EPO_BC_FSR only (n=18)
Both (n=8)
ABE_EPO_BC only (n=25)
Neither (n=102)
Bone Marrow
Rp=0.31, Rs=0.28
ABE_EPO_BC_FSR only (n=12)
Both (n=11)
ABE_EPO_BC only (n=32)
Neither (n=106)
Spleen
Rp=0.37, Rs=0.36
ABE_EPO_BC_FSR only (n=5)
Both (n=9)
ABE_EPO_BC only (n=17)
Neither (n=132)
ABE_EPO_BC LFC
ABE_EPO_BC_FSR LFC


ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%
D15
Rp=0.23, Rs=0.24
ABE_EPO_BC_FSR only (n=16)
Both (n=8)
ABE_EPO_BC only (n=22)
Neither (n=94)
Bone Marrow
Rp=0.31, Rs=0.28
ABE_EPO_BC_FSR only (n=12)
Both (n=10)
ABE_EPO_BC only (n=30)
Neither (n=91)
Spleen
Rp=0.38, Rs=0.37
ABE_EPO_BC_FSR only (n=5)
Both (n=9)
ABE_EPO_BC only (n=14)
Neither (n=119)
ABE_EPO_BC LFC
ABE_EPO_BC_FSR LFC


ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%
D15
Rp=0.24, Rs=0.26
ABE_EPO_BC_FSR only (n=18)
Both (n=8)
ABE_EPO_BC only (n=25)
Neither (n=102)
Bone Marrow
Rp=0.31, Rs=0.28
ABE_EPO_BC_FSR only (n=11)
Both (n=12)
ABE_EPO_BC only (n=33)
Neither (n=105)
Spleen
Rp=0.37, Rs=0.36
ABE_EPO_BC_FSR only (n=5)
Both (n=9)
ABE_EPO_BC only (n=17)
Neither (n=132)
ABE_EPO_BC LFC
ABE_EPO_BC_FSR LFC


ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%
D15
Rp=0.23, Rs=0.24
ABE_EPO_BC_FSR only (n=16)
Both (n=8)
ABE_EPO_BC only (n=22)
Neither (n=94)
Bone Marrow
Rp=0.31, Rs=0.28
ABE_EPO_BC_FSR only (n=11)
Both (n=11)
ABE_EPO_BC only (n=31)
Neither (n=90)
Spleen
Rp=0.38, Rs=0.37
ABE_EPO_BC_FSR only (n=5)
Both (n=9)
ABE_EPO_BC only (n=14)
Neither (n=119)
ABE_EPO_BC LFC
ABE_EPO_BC_FSR LFC

ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



ABE_EPO_BC_FSR vs ABE_EPO_BC | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_BC_T0 vs CBE_BC_T0_FSR | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=0%



CBE_BC_T0 vs CBE_BC_T0_FSR | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=0%



CBE_BC_T0 vs CBE_BC_T0_FSR | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=0%



CBE_BC_T0 vs CBE_BC_T0_FSR | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=0%



CBE_BC_T0 vs CBE_BC_T0_FSR | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=0%



CBE_BC_T0 vs CBE_BC_T0_FSR | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=0%



CBE_EPO_T0 vs CBE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0 vs CBE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0 vs CBE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0 vs CBE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0 vs CBE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0 vs CBE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0 vs CBE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0 vs CBE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0 vs CBE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0 vs CBE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0 vs CBE_OG | effect=avg | FDR (stouffers)<0.1 | lLFCl>1.0 | edit>=20%



CBE_EPO_T0 vs CBE_OG | effect=avg | FDR (stouffers)<0.1 | lLFCl>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_OG | effect=median | FDR (fishers)<0.1 | lLFCl>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_OG | effect=median | FDR (fishers)<0.1 | lLFCl>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_T0_FSR vs CBE_EPO_T0 | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC vs CBE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC vs CBE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC vs CBE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC vs CBE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC vs CBE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC vs CBE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC vs CBE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC vs CBE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC vs CBE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC vs CBE_OG | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC vs CBE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC vs CBE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_OG | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_OG | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_OG | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | lLFCl>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_OG | effect=concordant_mean | FDR (stouffers)<0.1 | lLFCl>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_OG | effect=avg | FDR (fishers)<0.1 | lLFCl>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_OG | effect=avg | FDR (fishers)<0.1 | lLFCl>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_OG | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=median | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=median | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=concordant_mean | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=concordant_mean | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=20%



CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=avg | FDR (fishers)<0.1 | |LFC|>1.0 | edit>=50%




CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=20%
D15
Rp=0.18, Rs=0.21
CBE_EPO_BC_FSR only (n=3)
Both (n=0)
CBE_EPO_BC only (n=8)
Neither (n=445)
Bone Marrow
Rp=-0.11, Rs=-0.08
CBE_EPO_BC_FSR only (n=20)
Both (n=1)
CBE_EPO_BC only (n=11)
Neither (n=310)
Spleen
Rp=0.15, Rs=0.17
CBE_EPO_BC_FSR only (n=47)
Both (n=5)
CBE_EPO_BC only (n=24)
Neither (n=313)
CBE_EPO_BC LFC
CBE_EPO_BC_FSR LFC


CBE_EPO_BC_FSR vs CBE_EPO_BC | effect=avg | FDR (stouffers)<0.1 | |LFC|>1.0 | edit>=50%
D15
Rp=0.15, Rs=0.17
CBE_EPO_BC_FSR only (n=2)
Both (n=0)
CBE_EPO_BC only (n=7)
Neither (n=310)
Bone Marrow
Rp=-0.08, Rs=-0.05
CBE_EPO_BC_FSR only (n=14)
Both (n=0)
CBE_EPO_BC only (n=6)
Neither (n=210)
Spleen
Rp=0.10, Rs=0.13
CBE_EPO_BC_FSR only (n=30)
Both (n=3)
CBE_EPO_BC only (n=16)
Neither (n=214)
CBE_EPO_BC LFC
CBE_EPO_BC_FSR LFC