




목록 화면 구성: RelativeLayout

# Step 1 \_ Activity 생성




New Android Activity

 **Configure Activity**  
Android Studio



### Creates a new empty activity



Activity Name:

Lab02\_2Activity

☒ Generate Layout File

Layout Name:

activity\_lab02\_2

☒ Launcher Activity

Package name:

com.example.user.lab02

Source Language:

Java

If true, this activity will have a CATEGORY\_LAUNCHER intent filter, making it visible in the launcher

Previous

Next

Cancel

Finish

# Step 2 \_ activity\_lab02\_2.xml 작성

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:padding="16dp">

    <ImageView
        android:id="@+id/icon"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:src="@drawable/icon" />

    <TextView
        android:id="@+id/name"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginLeft="16dp"
        android:text="홍길동"
        android:textSize="20dp"
        android:textStyle="bold"
        android:layout_toRightOf="@id/icon" />
```

```
<TextView
    android:id="@+id/content"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="16dp"
    android:text="안녕하세요. 잘 지내시지요?"
    android:layout_below="@id/name"
    android:layout_alignLeft="@id/name" />
```

```
<TextView
    android:id="@+id/date"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="19.1.26"
    android:layout_alignBaseline="@id/name"
    android:layout_alignParentRight="true" />
```

```
</RelativeLayout>
```

# Step 3 \_ Lab02\_2Activity.java 실행

