

PYTHON

ASSIGNMENT BOOK



CONSULTADD INC, TRAINING TEAM

@ 2020

TASK SEVEN

CLASSES AND OBJECTS

1. Write a program that calculates and prints the value according to the given formula:

$Q = \text{Square root of } [(2 * C * D) / H]$

Following are the fixed values of C and H:

C is 50.

H is 30.

D is a variable whose values should be input to your program in a comma-separated sequence.

2. Define a class named Shape and its subclass Square. The Square class has an init function which takes length as argument. Both classes have an area function which can print the area of the shape where Shape's area is 0 by default.



3. Create a class to find three elements that sum to zero from a set of n real numbers

Input array: [-25,-10,-7,-3,2,4,8,10]

Expected output: [[-10,2,8],[-7,-3,10]]

4. Create a Time class and initialize it with hours and minutes.

Create a method **addTime** which should take two Time objects and add them.

E.g.- (2 hour and 50 min)+(1 hr and 20 min) is (4 hr and 10 min)

Create another method **displayTime** which should print the time.

Also create a method **displayMinute** which should display the total minutes in the Time.

E.g.- (1 hr 2 min) should display 62 minute.

5. Write a Person class with an instance variable "age" and a constructor that takes an integer as a parameter. The constructor must assign the integer value to the age variable after confirming the argument passed is not negative; if a negative argument is passed then the constructor should set age to 0 and print "Age is not valid, setting age to 0". In addition, you must write the following instance methods:

- **yearPasses()** should increase age by the integer value that you are passing inside the function.
- **amIOld()** should perform the following conditional actions:
 - If age is between 0 and <13, print "**You are young**".
 - If age is >=13 and <=19, print "**You are a teenager**".
 - Otherwise, print "**You are old**".



Sample Input for **amIOld()**:

-1
4
10
16
18
64
38

Expected Output for amIOld():

Age is not valid, setting age to 0.

You are young.

You are young.

You are a teenager.

You are a teenager.

You are old.

You are old.

Consider the age variable to be set to 38 then:

Sample Input for yearPasses(): 4

Expected Output for yearPasses(): 42



Welcome to

INNOVATION WITH PYTHON

Training

Copyright © 2020 Consultadd Inc | All Rights Reserved

