Reservoir Storage Tables

April 1998
US Army Corps of Engineers, North Pacific Division

Table of Contents

Reservoir Storage Tables

April 1998

US Army Corps of Engineers, North Pacific Division

Table of Contents (Continued)

Reservoir Storage Tables

STORAGE LOWER BOUND (SLB) = -4553.85KAF   STORAGE UPPER BOUND (SUB) = 7000.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2319.0	SLB	-4553.9	-2295.9	0.0	0.0	11553.8	5825.1
.1		-4553.9	-2295.9	0.0	0.0	11553.8	5825.1
.2		-4553.9	-2295.9	0.0	0.0	11553.8	5825.1
.3		-4553.9	-2295.9	0.0	0.0	11553.8	5825.1
.4		-4553.9	-2295.9	0.0	0.0	11553.8	5825.1
.5		-4550.1	-2294.0	3.8	1.9	11550.1	5823.2
.6		-4544.7	-2291.3	9.1	4.6	11544.7	5820.5
.7		-4539.4	-2288.6	14.5	7.3	11539.4	5817.8
.8		-4534.0	-2285.9	19.9	10.0	11534.0	5815.1
.9		-4528.6	-2283.2	25.2	12.7	11528.6	5812.4
2320.0		-4523.3	-2280.5	30.6	15.4	11523.3	5809.6
.1		-4517.9	-2277.8	36.0	18.1	11517.9	5806.9
.2		-4512.5	-2275.1	41.3	20.8	11512.5	5804.2
.3		-4507.2	-2272.4	46.7	23.5	11507.2	5801.5
.4		-4501.8	-2269.7	52.0	26.2	11501.8	5798.8
.5		-4496.4	-2267.0	57.4	28.9	11496.4	5796.1
.6		-4491.1	-2264.2	62.8	31.7	11491.1	5793.4
.7		-4485.7	-2261.5	68.1	34.4	11485.7	5790.7
.8		-4480.3	-2258.8	73.5	37.1	11480.3	5788.0
.9		-4475.0	-2256.1	78.9	39.8	11475.0	5785.3
2321.0		-4469.6	-2253.4	84.2	42.5	11469.6	5782.6
.1		-4464.2	-2250.7	89.6	45.2	11464.2	5779.9
.2		-4458.9	-2248.0	95.0	47.9	11458.9	5777.2
.3		-4453.5	-2245.3	100.3	50.6	11453.5	5774.5
.4		-4448.1	-2242.6	105.7	53.3	11448.1	5771.8
.5		-4442.8	-2239.9	111.1	56.0	11442.8	5769.1
.6		-4437.4	-2237.2	116.4	58.7	11437.4	5766.4
.7		-4432.0	-2234.5	121.8	61.4	11432.0	5763.7
.8		-4426.7	-2231.8	127.2	64.1	11426.7	5760.9
.9		-4421.3	-2229.1	132.5	66.8	11421.3	5758.2
2322.0		-4415.9	-2226.4	137.9	69.5	11415.9	5755.5
.1		-4410.6	-2223.7	143.3	72.2	11410.6	5752.8
.2		-4405.2	-2221.0	148.6	74.9	11405.2	5750.1
.3		-4399.8	-2218.3	154.0	77.6	11399.8	5747.4
.4		-4394.5	-2215.6	159.4	80.3	11394.5	5744.7
.5		-4389.1	-2212.8	164.7	83.1	11389.1	5742.0
.6		-4383.7	-2210.1	170.1	85.8	11383.7	5739.3
.7		-4378.4	-2207.4	175.5	88.5	11378.4	5736.6
.8		-4373.0	-2204.7	180.8	91.2	11373.0	5733.9
.9		-4367.7	-2202.0	186.2	93.9	11367.7	5731.2
2323.0		-4362.3	-2199.3	191.6	96.6	11362.3	5728.5
.1		-4356.9	-2196.6	196.9	99.3	11356.9	5725.8
.2		-4351.6	-2193.9	202.3	102.0	11351.6	5723.1
.3		-4346.2	-2191.2	207.7	104.7	11346.2	5720.4
.4		-4340.8	-2188.5	213.0	107.4	11340.8	5717.7
.5		-4335.5	-2185.8	218.4	110.1	11335.5	5715.0
.6		-4330.1	-2183.1	223.8	112.8	11330.1	5712.3
.7		-4324.7	-2180.4	229.1	115.5	11324.7	5709.5
.8		-4319.4	-2177.7	234.5	118.2	11319.4	5706.8
.9		-4314.0	-2175.0	239.9	120.9	11314.0	5704.1

Reservoir Storage Tables

ELEVATION   GROSS STORAGE   USABLE STORAGE   CUMULATIVE DRAFT

FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
2324.0	-4308.6	-2172.3	245.2	123.6	11308.6	5701.4
.1	-4303.3	-2169.6	250.6	126.3	11303.3	5698.7
.2	-4297.9	-2166.9	256.0	129.0	11297.9	5696.0
.3	-4292.5	-2164.1	261.3	131.8	11292.5	5693.3
.4	-4287.2	-2161.4	266.7	134.5	11287.2	5690.6
.5	-4281.8	-2158.7	272.1	137.2	11281.8	5687.9
.6	-4276.4	-2156.0	277.4	139.9	11276.4	5685.2
.7	-4271.1	-2153.3	282.8	142.6	11271.1	5682.5
.8	-4265.7	-2150.6	288.2	145.3	11265.7	5679.8
.9	-4260.3	-2147.9	293.5	148.0	11260.3	5677.1
2325.0	-4255.0	-2145.2	298.9	150.7	11255.0	5674.4
.1	-4249.6	-2142.5	304.3	153.4	11249.6	5671.7
.2	-4244.2	-2139.8	309.6	156.1	11244.2	5669.0
.3	-4238.9	-2137.1	315.0	158.8	11238.9	5666.3
.4	-4233.5	-2134.4	320.3	161.5	11233.5	5663.6
.5	-4228.1	-2131.7	325.7	164.2	11228.1	5660.9
.6	-4222.8	-2129.0	331.1	166.9	11222.8	5658.1
.7	-4217.4	-2126.3	336.4	169.6	11217.4	5655.4
.8	-4212.0	-2123.6	341.8	172.3	11212.0	5652.7
.9	-4206.7	-2120.9	347.2	175.0	11206.7	5650.0
2326.0	-4201.3	-2118.2	352.5	177.7	11201.3	5647.3
.1	-4195.9	-2115.5	357.9	180.4	11195.9	5644.6
.2	-4190.6	-2112.8	363.3	183.1	11190.6	5641.9
.3	-4185.2	-2110.0	368.6	185.9	11185.2	5639.2
.4	-4179.9	-2107.3	374.0	188.6	11179.9	5636.5
.5	-4174.5	-2104.6	379.4	191.3	11174.5	5633.8
.6	-4169.1	-2101.9	384.7	194.0	11169.1	5631.1
.7	-4163.8	-2099.2	390.1	196.7	11163.8	5628.4
.8	-4158.4	-2096.5	395.5	199.4	11158.4	5625.7
.9	-4153.0	-2093.8	400.8	202.1	11153.0	5623.0
2327.0	-4147.6	-2091.1	406.2	204.8	11147.7	5620.3
.1	-4142.3	-2088.4	411.6	207.5	11142.3	5617.6
.2	-4136.9	-2085.7	416.9	210.2	11136.9	5614.9
.3	-4131.5	-2083.0	422.3	212.9	11131.5	5612.2
.4	-4126.2	-2080.3	427.7	215.6	11126.2	5609.5
.5	-4120.8	-2077.6	433.0	218.3	11120.8	5606.7
.6	-4115.4	-2074.9	438.4	221.0	11115.4	5604.0
.7	-4110.1	-2072.2	443.8	223.7	11110.1	5601.3
.8	-4104.7	-2069.5	449.1	226.4	11104.7	5598.6
.9	-4099.4	-2066.8	454.5	229.1	11099.4	5595.9
2328.0	-4094.0	-2064.1	459.9	231.8	11094.0	5593.2
.1	-4088.6	-2061.3	465.2	234.6	11088.6	5590.5
.2	-4083.3	-2058.6	470.6	237.3	11083.3	5587.8
.3	-4077.9	-2055.9	476.0	240.0	11077.9	5585.1
.4	-4072.5	-2053.2	481.3	242.7	11072.5	5582.4
.5	-4067.2	-2050.5	486.7	245.4	11067.2	5579.7
.6	-4061.8	-2047.8	492.1	248.1	11061.8	5577.0
.7	-4056.4	-2045.1	497.4	250.8	11056.4	5574.3
.8	-4051.1	-2042.4	502.8	253.5	11051.1	5571.6
.9	-4045.7	-2039.7	508.1	256.2	11045.7	5568.9

Mica – (Full=2470)

April 98
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2329.0	-4040.3	-2037.0	513.5	258.9	11040.3	5566.2
.1	-4035.0	-2034.3	518.9	261.6	11035.0	5563.5
.2	-4029.6	-2031.6	524.2	264.3	11029.6	5560.8
.3	-4024.2	-2028.9	529.6	267.0	11024.2	5558.1
.4	-4018.9	-2026.2	535.0	269.7	11018.9	5555.3
.5	-4013.5	-2023.5	540.3	272.4	11013.5	5552.6
.6	-4008.1	-2020.8	545.7	275.1	11008.1	5549.9
.7	-4002.8	-2018.1	551.1	277.8	11002.8	5547.2
.8	-3997.4	-2015.4	556.4	280.5	10997.4	5544.5
.9	-3992.0	-2012.7	561.8	283.2	10992.0	5541.8
2330.0	-3986.7	-2009.9	567.2	286.0	10986.7	5539.1
.1	-3981.3	-2007.2	572.5	288.7	10981.3	5536.4
.2	-3975.9	-2004.5	577.9	291.4	10975.9	5533.7
.3	-3970.6	-2001.8	583.3	294.1	10970.6	5531.0
.4	-3965.2	-1999.1	588.6	296.8	10965.2	5528.3
.5	-3959.8	-1996.4	594.0	299.5	10959.8	5525.6
.6	-3954.5	-1993.7	599.4	302.2	10954.5	5522.9
.7	-3949.1	-1991.0	604.7	304.9	10949.1	5520.2
.8	-3943.7	-1988.3	610.1	307.6	10943.7	5517.5
.9	-3938.4	-1985.6	615.5	310.3	10938.4	5514.8
2331.0	-3933.0	-1982.9	620.8	313.0	10933.0	5512.1
.1	-3927.6	-1980.2	626.2	315.7	10927.6	5509.4
.2	-3922.3	-1977.5	631.6	318.4	10922.3	5506.7
.3	-3916.9	-1974.8	636.9	321.1	10916.9	5503.9
.4	-3911.6	-1972.1	642.3	323.8	10911.6	5501.2
.5	-3906.2	-1969.4	647.7	326.5	10906.2	5498.5
.6	-3900.8	-1966.7	653.0	329.2	10900.8	5495.8
.7	-3895.5	-1964.0	658.4	331.9	10895.5	5493.1
.8	-3890.1	-1961.3	663.8	334.6	10890.1	5490.4
.9	-3884.7	-1958.6	669.1	337.3	10884.7	5487.7
2332.0	-3879.4	-1955.8	674.5	340.1	10879.4	5485.0
.1	-3874.0	-1953.1	679.9	342.8	10874.0	5482.3
.2	-3868.6	-1950.4	685.2	345.5	10868.6	5479.6
.3	-3863.3	-1947.7	690.6	348.2	10863.3	5476.9
.4	-3857.9	-1945.0	696.0	350.9	10857.9	5474.2
.5	-3852.5	-1942.3	701.3	353.6	10852.5	5471.5
.6	-3847.2	-1939.6	706.7	356.3	10847.2	5468.8
.7	-3841.8	-1936.9	712.1	359.0	10841.8	5466.1
.8	-3836.4	-1934.2	717.4	361.7	10836.4	5463.4
.9	-3831.1	-1931.5	722.8	364.4	10831.1	5460.7
2333.0	-3825.7	-1928.8	728.2	367.1	10825.7	5458.0
.1	-3820.3	-1926.1	733.5	369.8	10820.3	5455.2
.2	-3815.0	-1923.4	738.9	372.5	10815.0	5452.5
.3	-3809.6	-1920.7	744.3	375.2	10809.6	5449.8
.4	-3804.2	-1918.0	749.6	377.9	10804.2	5447.1
.5	-3798.9	-1915.3	755.0	380.6	10798.9	5444.4
.6	-3793.5	-1912.6	760.4	383.3	10793.5	5441.7
.7	-3788.1	-1909.9	765.7	386.0	10788.1	5439.0
.8	-3782.8	-1907.1	771.1	388.8	10782.8	5436.3
.9	-3777.4	-1904.4	776.4	391.5	10777.4	5433.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2334.0	-3772.0	-1901.7	781.8	394.2	10772.0	5430.9
.1	-3766.7	-1899.0	787.2	396.9	10766.7	5428.2
.2	-3761.3	-1896.3	792.5	399.6	10761.3	5425.5
.3	-3755.9	-1893.6	797.9	402.3	10755.9	5422.8
.4	-3750.6	-1890.9	803.3	405.0	10750.6	5420.1
.5	-3745.2	-1888.2	808.6	407.7	10745.2	5417.4
.6	-3739.8	-1885.5	814.0	410.4	10739.8	5414.7
.7	-3734.5	-1882.8	819.4	413.1	10734.5	5412.0
.8	-3729.1	-1880.1	824.7	415.8	10729.1	5409.3
.9	-3723.8	-1877.4	830.1	418.5	10723.8	5406.6
2335.0	-3718.4	-1874.7	835.5	421.2	10718.4	5403.9
.1	-3713.0	-1872.0	840.8	423.9	10713.0	5401.1
.2	-3707.7	-1869.3	846.2	426.6	10707.7	5398.4
.3	-3702.3	-1866.6	851.6	429.3	10702.3	5395.7
.4	-3696.9	-1863.9	856.9	432.0	10696.9	5393.0
.5	-3691.6	-1861.2	862.3	434.7	10691.6	5390.3
.6	-3686.2	-1858.4	867.7	437.5	10686.2	5387.6
.7	-3680.8	-1855.7	873.0	440.2	10680.8	5384.9
.8	-3675.5	-1853.0	878.4	442.9	10675.5	5382.2
.9	-3670.1	-1850.3	883.8	445.6	10670.1	5379.5
2336.0	-3664.7	-1847.6	889.1	448.3	10664.7	5376.8
.1	-3659.4	-1844.9	894.5	451.0	10659.4	5374.1
.2	-3654.0	-1842.2	899.9	453.7	10654.0	5371.4
.3	-3648.6	-1839.5	905.2	456.4	10648.6	5368.7
.4	-3643.3	-1836.8	910.6	459.1	10643.3	5366.0
.5	-3637.9	-1834.1	916.0	461.8	10637.9	5363.3
.6	-3632.5	-1831.4	921.3	464.5	10632.5	5360.6
.7	-3627.2	-1828.7	926.7	467.2	10627.2	5357.9
.8	-3621.8	-1826.0	932.1	469.9	10621.8	5355.2
.9	-3616.4	-1823.3	937.4	472.6	10616.4	5352.5
2337.0	-3611.1	-1820.6	942.8	475.3	10611.1	5349.7
.1	-3605.7	-1817.9	948.2	478.0	10605.7	5347.0
.2	-3600.3	-1815.2	953.5	480.7	10600.3	5344.3
.3	-3595.0	-1812.5	958.9	483.4	10595.0	5341.6
.4	-3589.6	-1809.8	964.2	486.1	10589.6	5338.9
.5	-3584.2	-1807.1	969.6	488.8	10584.2	5336.2
.6	-3578.9	-1804.3	975.0	491.6	10578.9	5333.5
.7	-3573.5	-1801.6	980.3	494.3	10573.5	5330.8
.8	-3568.1	-1798.9	985.7	497.0	10568.1	5328.1
.9	-3562.8	-1796.2	991.1	499.7	10562.8	5325.4
2338.0	-3557.4	-1793.5	996.4	502.4	10557.4	5322.7
.1	-3552.0	-1790.8	1001.8	505.1	10552.0	5320.0
.2	-3546.7	-1788.1	1007.2	507.8	10546.7	5317.3
.3	-3541.3	-1785.4	1012.5	510.5	10541.3	5314.6
.4	-3535.9	-1782.7	1017.9	513.2	10535.9	5311.9
.5	-3530.6	-1780.0	1023.3	515.9	10530.6	5309.2
.6	-3525.2	-1777.3	1028.6	518.6	10525.2	5306.5
.7	-3519.8	-1774.6	1034.0	521.3	10519.8	5303.8
.8	-3514.5	-1771.9	1039.4	524.0	10514.5	5301.0
.9	-3509.1	-1769.2	1044.7	526.7	10509.1	5298.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2339.0	-3503.7	-1766.5	1050.1	529.4	10503.7	5295.6
.1	-3498.4	-1763.8	1055.5	532.1	10498.4	5292.9
.2	-3493.0	-1761.1	1060.8	534.8	10493.0	5290.2
.3	-3487.6	-1758.4	1066.2	537.5	10487.6	5287.5
.4	-3482.3	-1755.7	1071.6	540.2	10482.3	5284.8
.5	-3476.9	-1752.9	1076.9	543.0	10476.9	5282.1
.6	-3471.5	-1750.2	1082.3	545.7	10471.5	5279.4
.7	-3466.2	-1747.5	1087.7	548.4	10466.2	5276.7
.8	-3460.8	-1744.8	1093.0	551.1	10460.8	5274.0
.9	-3455.5	-1742.1	1098.4	553.8	10455.5	5271.3
2340.0	-3450.1	-1739.4	1103.8	556.5	10450.1	5268.6
.1	-3444.7	-1736.7	1109.1	559.2	10444.7	5265.9
.2	-3439.4	-1734.0	1114.5	561.9	10439.4	5263.2
.3	-3434.0	-1731.3	1119.9	564.6	10434.0	5260.5
.4	-3428.6	-1728.6	1125.2	567.3	10428.6	5257.8
.5	-3423.3	-1725.9	1130.6	570.0	10423.3	5255.1
.6	-3417.9	-1723.2	1136.0	572.7	10417.9	5252.4
.7	-3412.5	-1720.5	1141.3	575.4	10412.5	5249.6
.8	-3407.2	-1717.8	1146.7	578.1	10407.2	5246.9
.9	-3401.8	-1715.1	1152.1	580.8	10401.8	5244.2
2341.0	-3396.4	-1712.4	1157.4	583.5	10396.4	5241.5
.1	-3391.1	-1709.7	1162.8	586.2	10391.1	5238.8
.2	-3385.7	-1707.0	1168.2	588.9	10385.7	5236.1
.3	-3380.3	-1704.2	1173.5	591.7	10380.3	5233.4
.4	-3375.0	-1701.5	1178.9	594.4	10375.0	5230.7
.5	-3369.6	-1698.8	1184.3	597.1	10369.6	5228.0
.6	-3364.2	-1696.1	1189.6	599.8	10364.2	5225.3
.7	-3358.9	-1693.4	1195.0	602.5	10358.9	5222.6
.8	-3353.5	-1690.7	1200.4	605.2	10353.5	5219.9
.9	-3348.1	-1688.0	1205.7	607.9	10348.1	5217.2
2342.0	-3342.8	-1685.3	1211.1	610.6	10342.8	5214.5
.1	-3337.4	-1682.6	1216.5	613.3	10337.4	5211.8
.2	-3332.0	-1679.9	1221.8	616.0	10332.0	5209.1
.3	-3326.7	-1677.2	1227.2	618.7	10326.7	5206.4
.4	-3321.3	-1674.5	1232.5	621.4	10321.3	5203.7
.5	-3315.9	-1671.8	1237.9	624.1	10315.9	5201.0
.6	-3310.6	-1669.1	1243.3	626.8	10310.6	5198.2
.7	-3305.2	-1666.4	1248.6	629.5	10305.2	5195.5
.8	-3299.8	-1663.7	1254.0	632.2	10299.8	5192.8
.9	-3294.5	-1661.0	1259.4	634.9	10294.5	5190.1
2343.0	-3289.1	-1658.3	1264.7	637.6	10289.1	5187.4
.1	-3283.7	-1655.6	1270.1	640.3	10283.7	5184.7
.2	-3278.4	-1652.9	1275.5	643.0	10278.4	5182.0
.3	-3273.0	-1650.1	1280.8	645.8	10273.0	5179.3
.4	-3267.7	-1647.4	1286.2	648.5	10267.7	5176.6
.5	-3262.3	-1644.7	1291.6	651.2	10262.3	5173.9
.6	-3256.9	-1642.0	1296.9	653.9	10256.9	5171.2
.7	-3251.6	-1639.3	1302.3	656.6	10251.6	5168.5
.8	-3246.2	-1636.6	1307.7	659.3	10246.2	5165.8
.9	-3240.8	-1633.9	1313.0	662.0	10240.8	5163.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2344.0	-3235.5	-1631.2	1318.4	664.7	10235.5	5160.4
.1	-3230.1	-1628.5	1323.8	667.4	10230.1	5157.7
.2	-3224.7	-1625.8	1329.1	670.1	10224.7	5155.0
.3	-3219.4	-1623.1	1334.5	672.8	10219.4	5152.3
.4	-3214.0	-1620.4	1339.9	675.5	10214.0	5149.6
.5	-3208.6	-1617.7	1345.2	678.2	10208.6	5146.8
.6	-3203.3	-1615.0	1350.6	680.9	10203.3	5144.1
.7	-3197.9	-1612.3	1356.0	683.6	10197.9	5141.4
.8	-3192.5	-1609.6	1361.3	686.3	10192.5	5138.7
.9	-3187.2	-1606.9	1366.7	689.0	10187.2	5136.0
2345.0	-3181.8	-1604.2	1372.1	691.7	10181.8	5133.3
.1	-3176.4	-1601.4	1377.4	694.5	10176.4	5130.6
.2	-3171.1	-1598.7	1382.8	697.2	10171.1	5127.9
.3	-3165.7	-1596.0	1388.2	699.9	10165.7	5125.2
.4	-3160.3	-1593.3	1393.5	702.6	10160.3	5122.5
.5	-3155.0	-1590.6	1398.9	705.3	10155.0	5119.8
.6	-3149.6	-1587.9	1404.3	708.0	10149.6	5117.1
.7	-3144.2	-1585.2	1409.6	710.7	10144.2	5114.4
.8	-3138.9	-1582.5	1415.0	713.4	10138.9	5111.7
.9	-3133.5	-1579.8	1420.3	716.1	10133.5	5109.0
2346.0	-3128.1	-1577.1	1425.7	718.8	10128.1	5106.3
.1	-3122.8	-1574.4	1431.1	721.5	10122.8	5103.6
.2	-3117.4	-1571.7	1436.4	724.2	10117.4	5100.9
.3	-3112.0	-1569.0	1441.8	726.9	10112.0	5098.2
.4	-3106.7	-1566.3	1447.2	729.6	10106.7	5095.4
.5	-3101.3	-1563.6	1452.5	732.3	10101.3	5092.7
.6	-3095.9	-1560.9	1457.9	735.0	10095.9	5090.0
.7	-3090.6	-1558.2	1463.3	737.7	10090.6	5087.3
.8	-3085.2	-1555.5	1468.6	740.4	10085.2	5084.6
.9	-3079.8	-1552.8	1474.0	743.1	10079.8	5081.9
2347.0	-3074.5	-1550.0	1479.4	745.9	10074.5	5079.2
.1	-3069.1	-1547.3	1484.7	748.6	10069.1	5076.5
.2	-3063.7	-1544.6	1490.1	751.3	10063.7	5073.8
.3	-3058.4	-1541.9	1495.5	754.0	10058.4	5071.1
.4	-3053.0	-1539.2	1500.8	756.7	10053.0	5068.4
.5	-3047.6	-1536.5	1506.2	759.4	10047.6	5065.7
.6	-3042.3	-1533.8	1511.6	762.1	10042.3	5063.0
.7	-3036.9	-1531.1	1516.9	764.8	10036.9	5060.3
.8	-3031.5	-1528.4	1522.3	767.5	10031.5	5057.6
.9	-3026.2	-1525.7	1527.7	770.2	10026.2	5054.9
2348.0	-3020.8	-1523.0	1533.0	772.9	10020.8	5052.2
.1	-3015.4	-1520.3	1538.4	775.6	10015.4	5049.5
.2	-3010.1	-1517.6	1543.8	778.3	10010.1	5046.8
.3	-3004.7	-1514.9	1549.1	781.0	10004.7	5044.0
.4	-2999.4	-1512.2	1554.5	783.7	9999.4	5041.3
.5	-2994.0	-1509.5	1559.9	786.4	9994.0	5038.6
.6	-2988.6	-1506.8	1565.2	789.1	9988.6	5035.9
.7	-2983.3	-1504.1	1570.6	791.8	9983.3	5033.2
.8	-2977.9	-1501.4	1576.0	794.5	9977.9	5030.5
.9	-2972.5	-1498.7	1581.3	797.2	9972.5	5027.8

Reservoir Storage Tables

1   MICA

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2349.0	-2967.2	-1495.9	1586.7	800.0	9967.2	5025.1
.1	-2961.8	-1493.2	1592.1	802.7	9961.8	5022.4
.2	-2956.4	-1490.5	1597.4	805.4	9956.4	5019.7
.3	-2951.1	-1487.8	1602.8	808.1	9951.1	5017.0
.4	-2945.7	-1485.1	1608.1	810.8	9945.7	5014.3
.5	-2940.3	-1482.4	1613.5	813.5	9940.3	5011.6
.6	-2935.0	-1479.7	1618.9	816.2	9935.0	5008.9
.7	-2929.6	-1477.0	1624.2	818.9	9929.6	5006.2
.8	-2924.2	-1474.3	1629.6	821.6	9924.2	5003.5
.9	-2918.9	-1471.6	1635.0	824.3	9918.9	5000.8
2350.0	-2913.5	-1468.9	1640.3	827.0	9913.5	4998.1
.1	-2907.2	-1465.7	1646.6	830.2	9907.2	4994.9
.2	-2901.0	-1462.6	1652.9	833.3	9901.0	4991.7
.3	-2894.7	-1459.4	1659.1	836.5	9894.7	4988.6
.4	-2888.5	-1456.3	1665.4	839.6	9888.5	4985.4
.5	-2882.2	-1453.1	1671.6	842.8	9882.2	4982.3
.6	-2875.9	-1450.0	1677.9	845.9	9875.9	4979.1
.7	-2869.7	-1446.8	1684.2	849.1	9869.7	4976.0
.8	-2863.4	-1443.6	1690.4	852.3	9863.4	4972.8
.9	-2857.2	-1440.5	1696.7	855.4	9857.2	4969.7
2351.0	-2850.9	-1437.3	1702.9	858.6	9850.9	4966.5
.1	-2844.6	-1434.2	1709.2	861.7	9844.6	4963.3
.2	-2838.4	-1431.0	1715.5	864.9	9838.4	4960.2
.3	-2832.1	-1427.9	1721.7	868.0	9832.1	4957.0
.4	-2825.9	-1424.7	1728.0	871.2	9825.9	4953.9
.5	-2819.6	-1421.6	1734.2	874.3	9819.6	4950.7
.6	-2813.3	-1418.4	1740.5	877.5	9813.3	4947.6
.7	-2807.1	-1415.2	1746.8	880.7	9807.1	4944.4
.8	-2800.8	-1412.1	1753.0	883.8	9800.8	4941.3
.9	-2794.6	-1408.9	1759.3	887.0	9794.6	4938.1
2352.0	-2788.3	-1405.8	1765.5	890.1	9788.3	4934.9
.1	-2782.1	-1402.6	1771.8	893.3	9782.1	4931.8
.2	-2775.8	-1399.5	1778.0	896.4	9775.8	4928.6
.3	-2769.5	-1396.3	1784.3	899.6	9769.5	4925.5
.4	-2763.3	-1393.2	1790.6	902.7	9763.3	4922.3
.5	-2757.0	-1390.0	1796.8	905.9	9757.0	4919.2
.6	-2750.8	-1386.8	1803.1	909.1	9750.8	4916.0
.7	-2744.5	-1383.7	1809.3	912.2	9744.5	4912.9
.8	-2738.2	-1380.5	1815.6	915.4	9738.2	4909.7
.9	-2732.0	-1377.4	1821.9	918.5	9732.0	4906.5
2353.0	-2725.7	-1374.2	1828.1	921.7	9725.7	4903.4
.1	-2719.5	-1371.1	1834.4	924.8	9719.5	4900.2
.2	-2713.2	-1367.9	1840.6	928.0	9713.2	4897.1
.3	-2706.9	-1364.8	1846.9	931.1	9706.9	4893.9
.4	-2700.7	-1361.6	1853.2	934.3	9700.7	4890.8
.5	-2694.4	-1358.4	1859.4	937.5	9694.4	4887.6
.6	-2688.2	-1355.3	1865.7	940.6	9688.2	4884.4
.7	-2681.9	-1352.1	1871.9	943.8	9681.9	4881.3
.8	-2675.6	-1349.0	1878.2	946.9	9675.6	4878.1
.9	-2669.4	-1345.8	1884.5	950.1	9669.4	4875.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2354.0	-2663.1	-1342.7	1890.7	953.2	9663.1	4871.8
.1	-2656.9	-1339.5	1897.0	956.4	9656.9	4868.7
.2	-2650.6	-1336.4	1903.2	959.5	9650.6	4865.5
.3	-2644.4	-1333.2	1909.5	962.7	9644.4	4862.4
.4	-2638.1	-1330.0	1915.7	965.9	9638.1	4859.2
.5	-2631.8	-1326.9	1922.0	969.0	9631.8	4856.1
.6	-2625.6	-1323.7	1928.3	972.2	9625.6	4852.9
.7	-2619.3	-1320.6	1934.5	975.3	9619.3	4849.7
.8	-2613.1	-1317.4	1940.8	978.5	9613.1	4846.6
.9	-2606.8	-1314.3	1947.0	981.6	9606.8	4843.4
2355.0	-2600.5	-1311.1	1953.3	984.8	9600.5	4840.3
.1	-2594.3	-1307.9	1959.6	988.0	9594.3	4837.1
.2	-2588.0	-1304.8	1965.8	991.1	9588.0	4834.0
.3	-2581.8	-1301.6	1972.1	994.3	9581.8	4830.8
.4	-2575.5	-1298.5	1978.3	997.4	9575.5	4827.7
.5	-2569.2	-1295.3	1984.6	1000.6	9569.2	4824.5
.6	-2563.0	-1292.2	1990.9	1003.7	9563.0	4821.3
.7	-2556.7	-1289.0	1997.1	1006.9	9556.7	4818.2
.8	-2550.5	-1285.9	2003.4	1010.0	9550.5	4815.0
.9	-2544.2	-1282.7	2009.6	1013.2	9544.2	4811.9
2356.0	-2537.9	-1279.5	2015.9	1016.3	9538.0	4808.7
.1	-2531.7	-1276.4	2022.2	1019.5	9531.7	4805.6
.2	-2525.4	-1273.2	2028.4	1022.7	9525.4	4802.4
.3	-2519.2	-1270.1	2034.7	1025.8	9519.2	4799.2
.4	-2512.9	-1266.9	2040.9	1029.0	9512.9	4796.1
.5	-2506.7	-1263.8	2047.2	1032.1	9506.7	4792.9
.6	-2500.4	-1260.6	2053.5	1035.3	9500.4	4789.8
.7	-2494.1	-1257.5	2059.7	1038.4	9494.1	4786.6
.8	-2487.9	-1254.3	2066.0	1041.6	9487.9	4783.5
.9	-2481.6	-1251.2	2072.2	1044.7	9481.6	4780.3
2357.0	-2475.4	-1248.0	2078.5	1047.9	9475.4	4777.2
.1	-2469.1	-1244.8	2084.8	1051.1	9469.1	4774.0
.2	-2462.8	-1241.7	2091.0	1054.2	9462.8	4770.9
.3	-2456.6	-1238.5	2097.3	1057.4	9456.6	4767.7
.4	-2450.3	-1235.4	2103.5	1060.5	9450.3	4764.5
.5	-2444.1	-1232.2	2109.8	1063.7	9444.1	4761.4
.6	-2437.8	-1229.1	2116.1	1066.8	9437.8	4758.2
.7	-2431.5	-1225.9	2122.3	1070.0	9431.5	4755.1
.8	-2425.3	-1222.7	2128.6	1073.2	9425.3	4751.9
.9	-2419.0	-1219.6	2134.8	1076.3	9419.0	4748.8
2358.0	-2412.8	-1216.4	2141.1	1079.5	9412.8	4745.6
.1	-2406.5	-1213.3	2147.3	1082.6	9406.5	4742.4
.2	-2400.3	-1210.1	2153.6	1085.8	9400.3	4739.3
.3	-2394.0	-1207.0	2159.9	1088.9	9394.0	4736.1
.4	-2387.7	-1203.8	2166.1	1092.1	9387.7	4733.0
.5	-2381.5	-1200.7	2172.4	1095.2	9381.5	4729.8
.6	-2375.2	-1197.5	2178.6	1098.4	9375.2	4726.7
.7	-2369.0	-1194.3	2184.9	1101.6	9369.0	4723.5
.8	-2362.7	-1191.2	2191.2	1104.7	9362.7	4720.4
.9	-2356.4	-1188.0	2197.4	1107.9	9356.4	4717.2

Mica – (Full=2470)

6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2359.0	-2350.2	-1184.9	2203.7	1111.0	9350.2	4714.0
.1	-2343.9	-1181.7	2209.9	1114.2	9343.9	4710.9
.2	-2337.7	-1178.6	2216.2	1117.3	9337.7	4707.7
.3	-2331.4	-1175.4	2222.5	1120.5	9331.4	4704.6
.4	-2325.1	-1172.3	2228.7	1123.6	9325.1	4701.4
.5	-2318.9	-1169.1	2235.0	1126.8	9318.9	4698.3
.6	-2312.6	-1165.9	2241.2	1130.0	9312.6	4695.1
.7	-2306.4	-1162.8	2247.5	1133.1	9306.4	4692.0
.8	-2300.1	-1159.6	2253.8	1136.3	9300.1	4688.8
.9	-2293.8	-1156.5	2260.0	1139.4	9293.8	4685.6
2360.0	-2287.6	-1153.3	2266.3	1142.6	9287.6	4682.5
.1	-2281.3	-1150.2	2272.5	1145.7	9281.3	4679.3
.2	-2275.1	-1147.0	2278.8	1148.9	9275.1	4676.2
.3	-2268.8	-1143.9	2285.0	1152.0	9268.8	4673.0
.4	-2262.6	-1140.7	2291.3	1155.2	9262.6	4669.9
.5	-2256.3	-1137.5	2297.6	1158.4	9256.3	4666.7
.6	-2250.0	-1134.4	2303.8	1161.5	9250.0	4663.6
.7	-2243.8	-1131.2	2310.1	1164.7	9243.8	4660.4
.8	-2237.5	-1128.1	2316.3	1167.8	9237.5	4657.2
.9	-2231.3	-1124.9	2322.6	1171.0	9231.3	4654.1
2361.0	-2225.0	-1121.8	2328.9	1174.1	9225.0	4650.9
.1	-2218.7	-1118.6	2335.1	1177.3	9218.7	4647.8
.2	-2212.5	-1115.5	2341.4	1180.4	9212.5	4644.6
.3	-2206.2	-1112.3	2347.6	1183.6	9206.2	4641.5
.4	-2200.0	-1109.1	2353.9	1186.8	9200.0	4638.3
.5	-2193.7	-1106.0	2360.2	1189.9	9193.7	4635.2
.6	-2187.4	-1102.8	2366.4	1193.1	9187.4	4632.0
.7	-2181.2	-1099.7	2372.7	1196.2	9181.2	4628.8
.8	-2174.9	-1096.5	2378.9	1199.4	9174.9	4625.7
.9	-2168.7	-1093.4	2385.2	1202.5	9168.7	4622.5
2362.0	-2162.4	-1090.2	2391.5	1205.7	9162.4	4619.4
.1	-2156.1	-1087.1	2397.7	1208.8	9156.1	4616.2
.2	-2149.9	-1083.9	2404.0	1212.0	9149.9	4613.1
.3	-2143.6	-1080.7	2410.2	1215.2	9143.6	4609.9
.4	-2137.4	-1077.6	2416.5	1218.3	9137.4	4606.8
.5	-2131.1	-1074.4	2422.7	1221.5	9131.1	4603.6
.6	-2124.8	-1071.3	2429.0	1224.6	9124.8	4600.4
.7	-2118.6	-1068.1	2435.3	1227.8	9118.6	4597.3
.8	-2112.3	-1065.0	2441.5	1230.9	9112.3	4594.1
.9	-2106.1	-1061.8	2447.8	1234.1	9106.1	4591.0
2363.0	-2099.8	-1058.7	2454.0	1237.2	9099.8	4587.8
.1	-2093.5	-1055.5	2460.3	1240.4	9093.5	4584.7
.2	-2087.3	-1052.3	2466.6	1243.6	9087.3	4581.5
.3	-2081.0	-1049.2	2472.8	1246.7	9081.0	4578.4
.4	-2074.8	-1046.0	2479.1	1249.9	9074.8	4575.2
.5	-2068.5	-1042.9	2485.3	1253.0	9068.5	4572.0
.6	-2062.2	-1039.7	2491.6	1256.2	9062.2	4568.9
.7	-2056.0	-1036.6	2497.9	1259.3	9056.0	4565.7
.8	-2049.7	-1033.4	2504.1	1262.5	9049.7	4562.6
.9	-2043.5	-1030.3	2510.4	1265.6	9043.5	4559.4

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2364.0	-2037.2	-1027.1	2516.6	1268.8	9037.2	4556.3
.1	-2031.0	-1023.9	2522.9	1272.0	9031.0	4553.1
.2	-2024.7	-1020.8	2529.1	1275.1	9024.7	4550.0
.3	-2018.4	-1017.6	2535.4	1278.3	9018.4	4546.8
.4	-2012.2	-1014.5	2541.7	1281.4	9012.2	4543.6
.5	-2005.9	-1011.3	2547.9	1284.6	9005.9	4540.5
.6	-1999.7	-1008.2	2554.2	1287.7	8999.7	4537.3
.7	-1993.4	-1005.0	2560.4	1290.9	8993.4	4534.2
.8	-1987.1	-1001.8	2566.7	1294.0	8987.1	4531.0
.9	-1980.9	-998.7	2573.0	1297.2	8980.9	4527.9
2365.0	-1974.6	-995.5	2579.2	1300.4	8974.6	4524.7
.1	-1968.4	-992.4	2585.5	1303.5	8968.4	4521.5
.2	-1962.1	-989.2	2591.7	1306.7	8962.1	4518.4
.3	-1955.8	-986.1	2598.0	1309.8	8955.8	4515.2
.4	-1949.6	-982.9	2604.3	1313.0	8949.6	4512.1
.5	-1943.3	-979.8	2610.5	1316.1	8943.3	4508.9
.6	-1937.1	-976.6	2616.8	1319.3	8937.1	4505.8
.7	-1930.8	-973.5	2623.0	1322.4	8930.8	4502.6
.8	-1924.5	-970.3	2629.3	1325.6	8924.5	4499.5
.9	-1918.3	-967.1	2635.6	1328.8	8918.3	4496.3
2366.0	-1912.0	-964.0	2641.8	1331.9	8912.0	4493.2
.1	-1905.8	-960.8	2648.1	1335.1	8905.8	4490.0
.2	-1899.5	-957.7	2654.3	1338.2	8899.5	4486.8
.3	-1893.3	-954.5	2660.6	1341.4	8893.3	4483.7
.4	-1887.0	-951.4	2666.8	1344.5	8887.0	4480.5
.5	-1880.7	-948.2	2673.1	1347.7	8880.7	4477.4
.6	-1874.5	-945.0	2679.4	1350.9	8874.5	4474.2
.7	-1868.2	-941.9	2685.6	1354.0	8868.2	4471.1
.8	-1862.0	-938.7	2691.9	1357.2	8862.0	4467.9
.9	-1855.7	-935.6	2698.1	1360.3	8855.7	4464.8
2367.0	-1849.4	-932.4	2704.4	1363.5	8849.4	4461.6
.1	-1843.2	-929.3	2710.7	1366.6	8843.2	4458.4
.2	-1836.9	-926.1	2716.9	1369.8	8836.9	4455.3
.3	-1830.7	-923.0	2723.2	1372.9	8830.7	4452.1
.4	-1824.4	-919.8	2729.4	1376.1	8824.4	4449.0
.5	-1818.1	-916.6	2735.7	1379.3	8818.1	4445.8
.6	-1811.9	-913.5	2742.0	1382.4	8811.9	4442.7
.7	-1805.6	-910.3	2748.2	1385.6	8805.6	4439.5
.8	-1799.4	-907.2	2754.5	1388.7	8799.4	4436.3
.9	-1793.1	-904.0	2760.7	1391.9	8793.1	4433.2
2368.0	-1786.8	-900.9	2767.0	1395.0	8786.8	4430.0
.1	-1780.6	-897.7	2773.3	1398.2	8780.6	4426.9
.2	-1774.3	-894.6	2779.5	1401.3	8774.3	4423.7
.3	-1768.1	-891.4	2785.8	1404.5	8768.1	4420.6
.4	-1761.8	-888.3	2792.0	1407.6	8761.8	4417.4
.5	-1755.6	-885.1	2798.3	1410.8	8755.6	4414.3
.6	-1749.3	-881.9	2804.6	1414.0	8749.3	4411.1
.7	-1743.0	-878.8	2810.8	1417.1	8743.0	4407.9
.8	-1736.8	-875.6	2817.1	1420.3	8736.8	4404.8
.9	-1730.5	-872.5	2823.3	1423.4	8730.5	4401.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2369.0	-1724.3	-869.3	2829.6	1426.6	8724.3	4398.5
.1	-1718.0	-866.2	2835.9	1429.7	8718.0	4395.3
.2	-1711.7	-863.0	2842.1	1432.9	8711.7	4392.2
.3	-1705.5	-859.8	2848.4	1436.1	8705.5	4389.0
.4	-1699.2	-856.7	2854.6	1439.2	8699.2	4385.9
.5	-1693.0	-853.5	2860.9	1442.4	8693.0	4382.7
.6	-1686.7	-850.4	2867.2	1445.5	8686.7	4379.5
.7	-1680.4	-847.2	2873.4	1448.7	8680.4	4376.4
.8	-1674.2	-844.1	2879.7	1451.8	8674.2	4373.2
.9	-1667.9	-840.9	2885.9	1455.0	8667.9	4370.1
2370.0	-1661.7	-837.8	2892.2	1458.1	8661.7	4366.9
.1	-1655.4	-834.6	2898.4	1461.3	8655.4	4363.8
.2	-1649.2	-831.4	2904.7	1464.5	8649.2	4360.6
.3	-1642.9	-828.3	2911.0	1467.6	8642.9	4357.5
.4	-1636.6	-825.1	2917.2	1470.8	8636.6	4354.3
.5	-1630.4	-822.0	2923.5	1473.9	8630.4	4351.1
.6	-1624.1	-818.8	2929.7	1477.1	8624.1	4348.0
.7	-1617.9	-815.7	2936.0	1480.2	8617.9	4344.8
.8	-1611.6	-812.5	2942.3	1483.4	8611.6	4341.7
.9	-1605.3	-809.4	2948.5	1486.5	8605.3	4338.5
2371.0	-1599.1	-806.2	2954.8	1489.7	8599.1	4335.4
.1	-1592.8	-803.0	2961.0	1492.9	8592.8	4332.2
.2	-1586.6	-799.9	2967.3	1496.0	8586.6	4329.1
.3	-1580.3	-796.7	2973.6	1499.2	8580.3	4325.9
.4	-1574.0	-793.6	2979.8	1502.3	8574.0	4322.7
.5	-1567.8	-790.4	2986.1	1505.5	8567.8	4319.6
.6	-1561.5	-787.3	2992.3	1508.6	8561.5	4316.4
.7	-1555.3	-784.1	2998.6	1511.8	8555.3	4313.3
.8	-1549.0	-781.0	3004.9	1514.9	8549.0	4310.1
.9	-1542.7	-777.8	3011.1	1518.1	8542.7	4307.0
2372.0	-1536.5	-774.6	3017.4	1521.3	8536.5	4303.8
.1	-1530.2	-771.5	3023.6	1524.4	8530.2	4300.7
.2	-1524.0	-768.3	3029.9	1527.6	8524.0	4297.5
.3	-1517.7	-765.2	3036.1	1530.7	8517.7	4294.3
.4	-1511.5	-762.0	3042.4	1533.9	8511.5	4291.2
.5	-1505.2	-758.9	3048.7	1537.0	8505.2	4288.0
.6	-1498.9	-755.7	3054.9	1540.2	8498.9	4284.9
.7	-1492.7	-752.6	3061.2	1543.3	8492.7	4281.7
.8	-1486.4	-749.4	3067.4	1546.5	8486.4	4278.6
.9	-1480.2	-746.2	3073.7	1549.7	8480.2	4275.4
2373.0	-1473.9	-743.1	3080.0	1552.8	8473.9	4272.3
.1	-1467.6	-739.9	3086.2	1556.0	8467.6	4269.1
.2	-1461.4	-736.8	3092.5	1559.1	8461.4	4265.9
.3	-1455.1	-733.6	3098.7	1562.3	8455.1	4262.8
.4	-1448.9	-730.5	3105.0	1565.4	8448.9	4259.6
.5	-1442.6	-727.3	3111.3	1568.6	8442.6	4256.5
.6	-1436.3	-724.1	3117.5	1571.7	8436.3	4253.3
.7	-1430.1	-721.0	3123.8	1574.9	8430.1	4250.2
.8	-1423.8	-717.8	3130.0	1578.1	8423.8	4247.0
.9	-1417.6	-714.7	3136.3	1581.2	8417.6	4243.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2374.0	-1411.3	-711.5	3142.6	1584.4	8411.3	4240.7
.1	-1405.0	-708.4	3148.8	1587.5	8405.0	4237.5
.2	-1398.8	-705.2	3155.1	1590.7	8398.8	4234.4
.3	-1392.5	-702.1	3161.3	1593.8	8392.5	4231.2
.4	-1386.3	-698.9	3167.6	1597.0	8386.3	4228.1
.5	-1380.0	-695.8	3173.8	1600.1	8380.0	4224.9
.6	-1373.7	-692.6	3180.1	1603.3	8373.7	4221.8
.7	-1367.5	-689.4	3186.4	1606.5	8367.5	4218.6
.8	-1361.2	-686.3	3192.6	1609.6	8361.2	4215.5
.9	-1355.0	-683.1	3198.9	1612.8	8355.0	4212.3
2375.0	-1348.7	-680.0	3205.1	1615.9	8348.7	4209.1
.1	-1342.4	-676.8	3211.4	1619.1	8342.4	4206.0
.2	-1336.2	-673.7	3217.7	1622.2	8336.2	4202.8
.3	-1329.9	-670.5	3223.9	1625.4	8329.9	4199.7
.4	-1323.7	-667.4	3230.2	1628.5	8323.7	4196.5
.5	-1317.4	-664.2	3236.4	1631.7	8317.4	4193.4
.6	-1311.1	-661.0	3242.7	1634.9	8311.1	4190.2
.7	-1304.9	-657.9	3249.0	1638.0	8304.9	4187.1
.8	-1298.6	-654.7	3255.2	1641.2	8298.6	4183.9
.9	-1292.4	-651.6	3261.5	1644.3	8292.4	4180.7
2376.0	-1286.1	-648.4	3267.7	1647.5	8286.1	4177.6
.1	-1279.9	-645.3	3274.0	1650.6	8279.9	4174.4
.2	-1273.6	-642.1	3280.2	1653.8	8273.6	4171.3
.3	-1267.3	-638.9	3286.5	1657.0	8267.3	4168.1
.4	-1261.1	-635.8	3292.8	1660.1	8261.1	4165.0
.5	-1254.8	-632.6	3299.0	1663.3	8254.8	4161.8
.6	-1248.6	-629.5	3305.3	1666.4	8248.6	4158.6
.7	-1242.3	-626.3	3311.5	1669.6	8242.3	4155.5
.8	-1236.0	-623.2	3317.8	1672.7	8236.0	4152.3
.9	-1229.8	-620.0	3324.1	1675.9	8229.8	4149.2
2377.0	-1223.5	-616.9	3330.3	1679.0	8223.5	4146.0
.1	-1217.3	-613.7	3336.6	1682.2	8217.3	4142.9
.2	-1211.0	-610.6	3342.8	1685.3	8211.0	4139.7
.3	-1204.7	-607.4	3349.1	1688.5	8204.7	4136.6
.4	-1198.5	-604.2	3355.4	1691.7	8198.5	4133.4
.5	-1192.2	-601.1	3361.6	1694.8	8192.2	4130.2
.6	-1186.0	-597.9	3367.9	1698.0	8186.0	4127.1
.7	-1179.7	-594.8	3374.1	1701.1	8179.7	4123.9
.8	-1173.4	-591.6	3380.4	1704.3	8173.4	4120.8
.9	-1167.2	-588.5	3386.7	1707.4	8167.2	4117.6
2378.0	-1160.9	-585.3	3392.9	1710.6	8160.9	4114.5
.1	-1154.7	-582.1	3399.2	1713.8	8154.7	4111.3
.2	-1148.4	-579.0	3405.4	1716.9	8148.4	4108.2
.3	-1142.2	-575.8	3411.7	1720.1	8142.2	4105.0
.4	-1135.9	-572.7	3417.9	1723.2	8135.9	4101.9
.5	-1129.6	-569.5	3424.2	1726.4	8129.6	4098.7
.6	-1123.4	-566.4	3430.5	1729.5	8123.4	4095.5
.7	-1117.1	-563.2	3436.7	1732.7	8117.1	4092.4
.8	-1110.9	-560.1	3443.0	1735.8	8110.9	4089.2
.9	-1104.6	-556.9	3449.2	1739.0	8104.6	4086.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2379.0	-1098.3	-553.7	3455.5	1742.2	8098.3	4082.9
.1	-1092.1	-550.6	3461.8	1745.3	8092.1	4079.8
.2	-1085.8	-547.4	3468.0	1748.5	8085.8	4076.6
.3	-1079.6	-544.3	3474.3	1751.6	8079.6	4073.4
.4	-1073.3	-541.1	3480.5	1754.8	8073.3	4070.3
.5	-1067.0	-538.0	3486.8	1757.9	8067.0	4067.1
.6	-1060.8	-534.8	3493.1	1761.1	8060.8	4064.0
.7	-1054.5	-531.7	3499.3	1764.2	8054.5	4060.8
.8	-1048.3	-528.5	3505.6	1767.4	8048.3	4057.7
.9	-1042.0	-525.3	3511.8	1770.6	8042.0	4054.5
2380.0	-1035.8	-522.2	3518.1	1773.7	8035.8	4051.4
.1	-1028.4	-518.5	3525.4	1777.4	8028.4	4047.7
.2	-1021.1	-514.8	3532.8	1781.1	8021.1	4044.0
.3	-1013.7	-511.1	3540.1	1784.8	8013.7	4040.3
.4	-1006.4	-507.4	3547.4	1788.5	8006.4	4036.6
.5	-999.1	-503.7	3554.8	1792.2	7999.1	4032.9
.6	-991.7	-500.0	3562.1	1795.9	7991.7	4029.2
.7	-984.4	-496.3	3569.4	1799.6	7984.4	4025.5
.8	-977.1	-492.6	3576.8	1803.3	7977.1	4021.8
.9	-969.7	-488.9	3584.1	1807.0	7969.7	4018.1
2381.0	-962.4	-485.2	3591.5	1810.7	7962.4	4014.4
.1	-955.1	-481.5	3598.8	1814.4	7955.1	4010.7
.2	-947.7	-477.8	3606.1	1818.1	7947.7	4007.0
.3	-940.4	-474.1	3613.5	1821.8	7940.4	4003.3
.4	-933.1	-470.4	3620.8	1825.5	7933.1	3999.6
.5	-925.7	-466.7	3628.1	1829.2	7925.7	3995.9
.6	-918.4	-463.0	3635.5	1832.9	7918.4	3992.2
.7	-911.1	-459.3	3642.8	1836.6	7911.1	3988.5
.8	-903.7	-455.6	3650.1	1840.3	7903.7	3984.8
.9	-896.4	-451.9	3657.5	1844.0	7896.4	3981.1
2382.0	-889.0	-448.2	3664.8	1847.7	7889.0	3977.4
.1	-881.7	-444.5	3672.1	1851.4	7881.7	3973.7
.2	-874.4	-440.8	3679.5	1855.1	7874.4	3970.0
.3	-867.0	-437.1	3686.8	1858.8	7867.0	3966.3
.4	-859.7	-433.4	3694.1	1862.5	7859.7	3962.6
.5	-852.4	-429.7	3701.5	1866.2	7852.4	3958.9
.6	-845.0	-426.0	3708.8	1869.9	7845.0	3955.2
.7	-837.7	-422.3	3716.1	1873.6	7837.7	3951.5
.8	-830.4	-418.6	3723.5	1877.3	7830.4	3947.8
.9	-823.0	-414.9	3730.8	1881.0	7823.0	3944.1
2383.0	-815.7	-411.2	3738.2	1884.7	7815.7	3940.4
.1	-808.3	-407.5	3745.5	1888.4	7808.3	3936.7
.2	-801.0	-403.8	3752.8	1892.0	7801.0	3933.0
.3	-793.7	-400.1	3760.2	1895.8	7793.7	3929.3
.4	-786.4	-396.5	3767.5	1899.4	7786.4	3925.6
.5	-779.0	-392.8	3774.8	1903.1	7779.0	3921.9
.6	-771.7	-389.1	3782.2	1906.8	7771.7	3918.2
.7	-764.3	-385.4	3789.5	1910.5	7764.3	3914.5
.8	-757.0	-381.7	3796.8	1914.2	7757.0	3910.8
.9	-749.7	-378.0	3804.2	1917.9	7749.7	3907.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2384.0	-742.3	-374.3	3811.5	1921.6	7742.3	3903.4
.1	-735.0	-370.6	3818.9	1925.3	7735.0	3899.7
.2	-727.7	-366.9	3826.2	1929.0	7727.7	3896.0
.3	-720.3	-363.2	3833.5	1932.7	7720.3	3892.3
.4	-713.0	-359.5	3840.8	1936.4	7713.0	3888.6
.5	-705.7	-355.8	3848.2	1940.1	7705.7	3884.9
.6	-698.3	-352.1	3855.5	1943.8	7698.3	3881.2
.7	-691.0	-348.4	3862.9	1947.5	7691.0	3877.5
.8	-683.7	-344.7	3870.2	1951.2	7683.7	3873.8
.9	-676.3	-341.0	3877.5	1954.9	7676.3	3870.1
2385.0	-669.0	-337.3	3884.9	1958.6	7669.0	3866.4
.1	-661.6	-333.6	3892.2	1962.3	7661.6	3862.7
.2	-654.3	-329.9	3899.5	1966.0	7654.3	3859.1
.3	-647.0	-326.2	3906.9	1969.7	7647.0	3855.4
.4	-639.7	-322.5	3914.2	1973.4	7639.7	3851.7
.5	-632.3	-318.8	3921.5	1977.1	7632.3	3848.0
.6	-625.0	-315.1	3928.9	1980.8	7625.0	3844.3
.7	-617.6	-311.4	3936.2	1984.5	7617.6	3840.6
.8	-610.3	-307.7	3943.5	1988.2	7610.3	3836.9
.9	-603.0	-304.0	3950.9	1991.9	7603.0	3833.2
2386.0	-595.6	-300.3	3958.2	1995.6	7595.6	3829.5
.1	-588.3	-296.6	3965.6	1999.3	7588.3	3825.8
.2	-581.0	-292.9	3972.9	2003.0	7581.0	3822.1
.3	-573.6	-289.2	3980.2	2006.7	7573.6	3818.4
.4	-566.3	-285.5	3987.6	2010.4	7566.3	3814.7
.5	-559.0	-281.8	3994.9	2014.1	7559.0	3811.0
.6	-551.6	-278.1	4002.2	2017.8	7551.6	3807.3
.7	-544.3	-274.4	4009.6	2021.5	7544.3	3803.6
.8	-536.9	-270.7	4016.9	2025.2	7536.9	3799.9
.9	-529.6	-267.0	4024.2	2028.9	7529.6	3796.2
2387.0	-522.3	-263.3	4031.6	2032.6	7522.3	3792.5
.1	-514.9	-259.6	4038.9	2036.3	7514.9	3788.8
.2	-507.6	-255.9	4046.2	2040.0	7507.6	3785.1
.3	-500.3	-252.2	4053.6	2043.7	7500.3	3781.4
.4	-492.9	-248.5	4060.9	2047.4	7492.9	3777.7
.5	-485.6	-244.8	4068.2	2051.1	7485.6	3774.0
.6	-478.3	-241.1	4075.6	2054.8	7478.3	3770.3
.7	-470.9	-237.4	4082.9	2058.5	7470.9	3766.6
.8	-463.6	-233.7	4090.3	2062.2	7463.6	3762.9
.9	-456.3	-230.0	4097.6	2065.9	7456.3	3759.2
2388.0	-448.9	-226.3	4104.9	2069.6	7448.9	3755.5
.1	-441.6	-222.6	4112.3	2073.3	7441.6	3751.8
.2	-434.3	-218.9	4119.6	2077.0	7434.3	3748.1
.3	-426.9	-215.2	4126.9	2080.7	7426.9	3744.4
.4	-419.6	-211.5	4134.3	2084.4	7419.6	3740.7
.5	-412.3	-207.8	4141.6	2088.1	7412.3	3737.0
.6	-404.9	-204.1	4148.9	2091.8	7404.9	3733.3
.7	-397.6	-200.4	4156.3	2095.5	7397.6	3729.6
.8	-390.2	-196.7	4163.6	2099.2	7390.2	3725.9
.9	-382.9	-193.1	4170.9	2102.8	7382.9	3722.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2389.0	-375.6	-189.4	4178.3	2106.5	7375.6	3718.5
.1	-368.2	-185.7	4185.6	2110.2	7368.2	3714.8
.2	-360.9	-182.0	4192.9	2113.9	7360.9	3711.1
.3	-353.6	-178.3	4200.3	2117.6	7353.6	3707.4
.4	-346.2	-174.6	4207.6	2121.3	7346.2	3703.7
.5	-338.9	-170.9	4215.0	2125.0	7338.9	3700.0
.6	-331.6	-167.2	4222.3	2128.7	7331.6	3696.3
.7	-324.2	-163.5	4229.6	2132.4	7324.2	3692.6
.8	-316.9	-159.8	4237.0	2136.1	7316.9	3688.9
.9	-309.6	-156.1	4244.3	2139.8	7309.6	3685.2
2390.0	-302.2	-152.4	4251.6	2143.5	7302.2	3681.5
.1	-294.9	-148.7	4259.0	2147.2	7294.9	3677.8
.2	-287.6	-145.0	4266.3	2150.9	7287.6	3674.1
.3	-280.2	-141.3	4273.6	2154.6	7280.2	3670.4
.4	-272.9	-137.6	4281.0	2158.3	7272.9	3666.7
.5	-265.5	-133.9	4288.3	2162.0	7265.5	3663.0
.6	-258.2	-130.2	4295.6	2165.7	7258.2	3659.3
.7	-250.9	-126.5	4303.0	2169.4	7250.9	3655.7
.8	-243.5	-122.8	4310.3	2173.1	7243.5	3651.9
.9	-236.2	-119.1	4317.6	2176.8	7236.2	3648.3
2391.0	-228.9	-115.4	4325.0	2180.5	7228.9	3644.6
.1	-221.5	-111.7	4332.3	2184.2	7221.5	3640.9
.2	-214.2	-108.0	4339.6	2187.9	7214.2	3637.2
.3	-206.9	-104.3	4347.0	2191.6	7206.9	3633.5
.4	-199.5	-100.6	4354.3	2195.3	7199.5	3629.8
.5	-192.2	-96.9	4361.7	2199.0	7192.2	3626.1
.6	-184.9	-93.2	4369.0	2202.7	7184.9	3622.4
.7	-177.5	-89.5	4376.3	2206.4	7177.5	3618.7
.8	-170.2	-85.8	4383.7	2210.1	7170.2	3615.0
.9	-162.9	-82.1	4391.0	2213.8	7162.9	3611.3
2392.0	-155.5	-78.4	4398.3	2217.5	7155.5	3607.6
.1	-148.2	-74.7	4405.7	2221.2	7148.2	3603.9
.2	-140.8	-71.0	4413.0	2224.9	7140.8	3600.2
.3	-133.5	-67.3	4420.3	2228.6	7133.5	3596.5
.4	-126.2	-63.6	4427.7	2232.3	7126.2	3592.8
.5	-118.8	-59.9	4435.0	2236.0	7118.8	3589.1
.6	-111.5	-56.2	4442.4	2239.7	7111.5	3585.4
.7	-104.2	-52.5	4449.7	2243.4	7104.2	3581.7
.8	-96.8	-48.8	4457.0	2247.1	7096.8	3578.0
.9	-89.5	-45.1	4464.3	2250.8	7089.5	3574.3
2393.0	-82.2	-41.4	4471.7	2254.5	7082.2	3570.6
.1	-74.8	-37.7	4479.0	2258.2	7074.8	3566.9
.2	-67.5	-34.0	4486.4	2261.9	7067.5	3563.2
.3	-60.2	-30.3	4493.7	2265.6	7060.2	3559.5
.4	-52.8	-26.6	4501.0	2269.3	7052.8	3555.8
.5	-45.5	-22.9	4508.4	2273.0	7045.5	3552.1
.6	-38.1	-19.2	4515.7	2276.7	7038.1	3548.4
.7	-30.8	-15.5	4523.0	2280.4	7030.8	3544.7
.8	-23.5	-11.8	4530.4	2284.1	7023.5	3541.0
.9	-16.2	-8.1	4537.7	2287.8	7016.2	3537.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2394.0	-8.8	-4.4	4545.0	2291.5	7008.8	3533.6
.1	-1.5	-0.7	4552.4	2295.2	7001.5	3529.9
.2	6.4	3.2	4560.2	2299.1	6993.6	3526.0
.3	14.3	7.2	4568.2	2303.1	6985.7	3521.9
.4	22.3	11.2	4576.2	2307.1	6977.7	3517.9
.5	30.3	15.3	4584.1	2311.2	6969.7	3513.9
.6	38.3	19.3	4592.1	2315.2	6961.7	3509.9
.7	46.2	23.3	4600.1	2319.2	6953.8	3505.9
.8	54.2	27.3	4608.1	2323.2	6945.8	3501.8
.9	62.2	31.3	4616.0	2327.2	6937.8	3497.8
2395.0	70.1	35.4	4624.0	2331.3	6929.9	3493.8
.1	78.1	39.4	4632.0	2335.3	6921.9	3489.8
.2	86.1	43.4	4639.9	2339.3	6913.9	3485.8
.3	94.1	47.4	4647.9	2343.3	6905.9	3481.7
.4	102.0	51.4	4655.9	2347.3	6898.0	3477.7
.5	110.0	55.5	4663.8	2351.4	6890.0	3473.7
.6	118.0	59.5	4671.8	2355.4	6882.0	3469.7
.7	125.9	63.5	4679.8	2359.4	6874.1	3465.7
.8	133.9	67.5	4687.8	2363.4	6866.1	3461.7
.9	141.9	71.5	4695.7	2367.4	6858.1	3457.6
2396.0	149.9	75.6	4703.7	2371.5	6850.1	3453.6
.1	157.8	79.6	4711.7	2375.5	6842.2	3449.6
.2	165.8	83.6	4719.6	2379.5	6834.2	3445.6
.3	173.8	87.6	4727.6	2383.5	6826.2	3441.6
.4	181.7	91.6	4735.6	2387.5	6818.3	3437.5
.5	189.7	95.6	4743.6	2391.5	6810.3	3433.5
.6	197.7	99.7	4751.5	2395.6	6802.3	3429.5
.7	205.6	103.7	4759.5	2399.6	6794.4	3425.5
.8	213.6	107.7	4767.5	2403.6	6786.4	3421.5
.9	221.6	111.7	4775.4	2407.6	6778.4	3417.4
2397.0	229.6	115.7	4783.4	2411.6	6770.4	3413.4
.1	237.5	119.8	4791.4	2415.7	6762.5	3409.4
.2	245.5	123.8	4799.4	2419.7	6754.5	3405.4
.3	253.5	127.8	4807.3	2423.7	6746.5	3401.4
.4	261.4	131.8	4815.3	2427.7	6738.6	3397.4
.5	269.4	135.8	4823.3	2431.7	6730.6	3393.3
.6	277.4	139.9	4831.3	2435.8	6722.6	3389.3
.7	285.4	143.9	4839.2	2439.8	6714.6	3385.3
.8	293.3	147.9	4847.2	2443.8	6706.7	3381.3
.9	301.3	151.9	4855.2	2447.8	6698.7	3377.3
2398.0	309.3	155.9	4863.1	2451.8	6690.7	3373.2
.1	317.3	160.0	4871.1	2455.9	6682.7	3369.2
.2	325.2	164.0	4879.1	2459.9	6674.8	3365.2
.3	333.2	168.0	4887.0	2463.9	6666.8	3361.2
.4	341.2	172.0	4895.0	2467.9	6658.8	3357.2
.5	349.1	176.0	4903.0	2471.9	6650.9	3353.1
.6	357.1	180.0	4911.0	2475.9	6642.9	3349.1
.7	365.1	184.1	4918.9	2480.0	6634.9	3345.1
.8	373.1	188.1	4926.9	2484.0	6626.9	3341.1
.9	381.0	192.1	4934.9	2488.0	6619.0	3337.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2399.0	389.0	196.1	4942.8	2492.0	6611.0	3333.0
.1	397.0	200.1	4950.8	2496.0	6603.0	3329.0
.2	404.9	204.2	4958.8	2500.1	6595.1	3325.0
.3	412.9	208.2	4966.8	2504.1	6587.1	3321.0
.4	420.9	212.2	4974.7	2508.1	6579.1	3317.0
.5	428.9	216.2	4982.7	2512.1	6571.1	3313.0
.6	436.8	220.2	4990.7	2516.1	6563.2	3308.9
.7	444.8	224.2	4998.6	2520.1	6555.2	3304.9
.8	452.8	228.3	5006.6	2524.2	6547.2	3300.9
.9	460.7	232.3	5014.6	2528.2	6539.3	3296.9
2400.0	468.7	236.3	5022.6	2532.2	6531.3	3292.9
.1	477.0	240.5	5030.9	2536.4	6523.0	3288.7
.2	485.4	244.7	5039.2	2540.6	6514.6	3284.5
.3	493.7	248.9	5047.5	2544.8	6506.3	3280.3
.4	502.0	253.1	5055.8	2549.0	6498.0	3276.1
.5	510.3	257.3	5064.2	2553.2	6489.7	3271.9
.6	518.7	261.5	5072.5	2557.4	6481.3	3267.7
.7	527.0	265.7	5080.8	2561.6	6473.0	3263.5
.8	535.3	269.9	5089.1	2565.8	6464.7	3259.3
.9	543.6	274.1	5097.5	2570.0	6456.4	3255.1
2401.0	551.9	278.3	5105.8	2574.2	6448.1	3250.9
.1	560.3	282.5	5114.1	2578.4	6439.7	3246.7
.2	568.6	286.7	5122.4	2582.6	6431.4	3242.5
.3	576.9	290.9	5130.8	2586.8	6423.1	3238.3
.4	585.2	295.0	5139.1	2590.9	6414.8	3234.1
.5	593.6	299.2	5147.4	2595.1	6406.4	3229.9
.6	601.9	303.4	5155.7	2599.3	6398.1	3225.7
.7	610.2	307.6	5164.0	2603.5	6389.8	3221.5
.8	618.5	311.8	5172.4	2607.7	6381.5	3217.3
.9	626.8	316.0	5180.7	2611.9	6373.2	3213.1
2402.0	635.2	320.2	5189.0	2616.1	6364.8	3208.9
.1	643.5	324.4	5197.3	2620.3	6356.5	3204.7
.2	651.8	328.6	5205.7	2624.5	6348.2	3200.5
.3	660.1	332.8	5214.0	2628.7	6339.9	3196.3
.4	668.4	337.0	5222.3	2632.9	6331.6	3192.2
.5	676.8	341.2	5230.6	2637.1	6323.2	3188.0
.6	685.1	345.4	5239.0	2641.3	6314.9	3183.8
.7	693.4	349.6	5247.3	2645.5	6306.6	3179.6
.8	701.7	353.8	5255.6	2649.7	6298.3	3175.4
.9	710.1	358.0	5263.9	2653.9	6289.9	3171.2
2403.0	718.4	362.2	5272.2	2658.1	6281.6	3167.0
.1	726.7	366.4	5280.6	2662.3	6273.3	3162.8
.2	735.0	370.6	5288.9	2666.5	6265.0	3158.6
.3	743.4	374.8	5297.2	2670.7	6256.6	3154.4
.4	751.7	379.0	5305.5	2674.9	6248.3	3150.2
.5	760.0	383.2	5313.9	2679.1	6240.0	3146.0
.6	768.3	387.4	5322.2	2683.3	6231.7	3141.8
.7	776.6	391.6	5330.5	2687.5	6223.4	3137.6
.8	785.0	395.8	5338.8	2691.7	6215.0	3133.4
.9	793.3	399.9	5347.1	2695.8	6206.7	3129.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2404.0	801.6	404.1	5355.5	2700.0	6198.4	3125.0
.1	809.9	408.3	5363.8	2704.2	6190.1	3120.8
.2	818.3	412.5	5372.1	2708.4	6181.7	3116.6
.3	826.6	416.7	5380.4	2712.6	6173.4	3112.4
.4	834.9	420.9	5388.8	2716.8	6165.1	3108.2
.5	843.2	425.1	5397.1	2721.0	6156.8	3104.0
.6	851.6	429.3	5405.4	2725.2	6148.4	3099.8
.7	859.9	433.5	5413.7	2729.4	6140.1	3095.6
.8	868.2	437.7	5422.1	2733.6	6131.8	3091.4
.9	876.5	441.9	5430.4	2737.8	6123.5	3087.3
2405.0	884.8	446.1	5438.7	2742.0	6115.2	3083.1
.1	893.2	450.3	5447.0	2746.2	6106.8	3078.9
.2	901.5	454.5	5455.3	2750.4	6098.5	3074.7
.3	909.8	458.7	5463.7	2754.6	6090.2	3070.5
.4	918.1	462.9	5472.0	2758.8	6081.9	3066.3
.5	926.5	467.1	5480.3	2763.0	6073.5	3062.1
.6	934.8	471.3	5488.6	2767.2	6065.2	3057.9
.7	943.1	475.5	5496.9	2771.4	6056.9	3053.7
.8	951.4	479.7	5505.3	2775.6	6048.6	3049.5
.9	959.7	483.9	5513.6	2779.8	6040.3	3045.3
2406.0	968.1	488.1	5521.9	2784.0	6031.9	3041.1
.1	976.4	492.3	5530.3	2788.2	6023.6	3036.9
.2	984.7	496.5	5538.6	2792.4	6015.3	3032.7
.3	993.0	500.7	5546.9	2796.6	6007.0	3028.5
.4	1001.4	504.8	5555.2	2800.7	5998.6	3024.3
.5	1009.7	509.0	5563.5	2804.9	5990.3	3020.1
.6	1018.0	513.2	5571.9	2809.1	5982.0	3015.9
.7	1026.3	517.4	5580.2	2813.3	5973.7	3011.7
.8	1034.7	521.6	5588.5	2817.5	5965.3	3007.5
.9	1043.0	525.8	5596.8	2821.7	5957.0	3003.3
2407.0	1051.3	530.0	5605.1	2825.9	5948.7	2999.1
.1	1059.6	534.2	5613.5	2830.1	5940.4	2994.9
.2	1067.9	538.4	5621.8	2834.3	5932.1	2990.7
.3	1076.3	542.6	5630.1	2838.5	5923.7	2986.5
.4	1084.6	546.8	5638.4	2842.7	5915.4	2982.4
.5	1092.9	551.0	5646.8	2846.9	5907.1	2978.2
.6	1101.2	555.2	5655.1	2851.1	5898.8	2974.0
.7	1109.6	559.4	5663.4	2855.3	5890.4	2969.8
.8	1117.9	563.6	5671.7	2859.5	5882.1	2965.6
.9	1126.2	567.8	5680.0	2863.7	5873.8	2961.4
2408.0	1134.5	572.0	5688.4	2867.9	5865.5	2957.2
.1	1142.9	576.2	5696.7	2872.1	5857.1	2953.0
.2	1151.2	580.4	5705.0	2876.3	5848.8	2948.8
.3	1159.5	584.6	5713.3	2880.5	5840.5	2944.6
.4	1167.8	588.8	5721.7	2884.7	5832.2	2940.4
.5	1176.1	593.0	5730.0	2888.9	5823.9	2936.2
.6	1184.5	597.2	5738.3	2893.1	5815.5	2932.0
.7	1192.8	601.4	5746.6	2897.3	5807.2	2927.8
.8	1201.1	605.6	5755.0	2901.5	5798.9	2923.6
.9	1209.4	609.8	5763.3	2905.6	5790.6	2919.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2409.0	1217.8	614.0	5771.6	2909.8	5782.2	2915.2
.1	1226.1	618.2	5779.9	2914.1	5773.9	2911.0
.2	1234.4	622.3	5788.2	2918.2	5765.6	2906.8
.3	1242.7	626.5	5796.6	2922.4	5757.3	2902.6
.4	1251.0	630.7	5804.9	2926.6	5749.0	2898.4
.5	1259.4	634.9	5813.2	2930.8	5740.6	2894.2
.6	1267.7	639.1	5821.5	2935.0	5732.3	2890.0
.7	1276.0	643.3	5829.9	2939.2	5724.0	2885.8
.8	1284.3	647.5	5838.2	2943.4	5715.7	2881.6
.9	1292.6	651.7	5846.5	2947.6	5707.4	2877.5
2410.0	1301.0	655.9	5854.8	2951.8	5699.0	2873.3
.1	1309.6	660.2	5863.4	2956.1	5690.4	2868.9
.2	1318.1	664.6	5872.0	2960.5	5681.9	2864.6
.3	1326.7	668.9	5880.6	2964.8	5673.3	2860.3
.4	1335.3	673.2	5889.1	2969.1	5664.7	2856.0
.5	1343.9	677.5	5897.7	2973.4	5656.1	2851.6
.6	1352.4	681.9	5906.3	2977.8	5647.6	2847.3
.7	1361.0	686.2	5914.9	2982.1	5639.0	2843.0
.8	1369.6	690.5	5923.4	2986.4	5630.4	2838.7
.9	1378.2	694.8	5932.0	2990.7	5621.8	2834.3
2411.0	1386.7	699.2	5940.6	2995.0	5613.3	2830.0
.1	1395.3	703.5	5949.2	2999.4	5604.7	2825.7
.2	1403.9	707.8	5957.7	3003.7	5596.1	2821.4
.3	1412.5	712.1	5966.3	3008.0	5587.5	2817.0
.4	1421.0	716.4	5974.9	3012.3	5579.0	2812.7
.5	1429.6	720.8	5983.5	3016.7	5570.4	2808.4
.6	1438.2	725.1	5992.1	3021.0	5561.8	2804.1
.7	1446.8	729.4	6000.6	3025.3	5553.2	2799.8
.8	1455.4	733.7	6009.2	3029.6	5544.6	2795.4
.9	1463.9	738.1	6017.8	3034.0	5536.1	2791.1
2412.0	1472.5	742.4	6026.4	3038.3	5527.5	2786.8
.1	1481.1	746.7	6034.9	3042.6	5518.9	2782.4
.2	1489.7	751.0	6043.5	3046.9	5510.3	2778.1
.3	1498.2	755.4	6052.1	3051.3	5501.8	2773.8
.4	1506.8	759.7	6060.7	3055.6	5493.2	2769.5
.5	1515.4	764.0	6069.2	3059.9	5484.6	2765.2
.6	1524.0	768.3	6077.8	3064.2	5476.0	2760.8
.7	1532.5	772.7	6086.4	3068.6	5467.5	2756.5
.8	1541.1	777.0	6095.0	3072.9	5458.9	2752.2
.9	1549.7	781.3	6103.5	3077.2	5450.3	2747.9
2413.0	1558.3	785.6	6112.1	3081.5	5441.7	2743.5
.1	1566.9	790.0	6120.7	3085.9	5433.1	2739.2
.2	1575.4	794.3	6129.3	3090.2	5424.6	2734.9
.3	1584.0	798.6	6137.9	3094.5	5416.0	2730.6
.4	1592.6	802.9	6146.4	3098.8	5407.4	2726.2
.5	1601.2	807.2	6155.0	3103.1	5398.8	2721.9
.6	1609.7	811.6	6163.6	3107.5	5390.3	2717.6
.7	1618.3	815.9	6172.2	3111.8	5381.7	2713.3
.8	1626.9	820.2	6180.7	3116.1	5373.1	2708.9
.9	1635.5	824.5	6189.3	3120.4	5364.5	2704.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2414.0	1644.0	828.9	6197.9	3124.8	5356.0	2700.3
.1	1652.6	833.2	6206.5	3129.1	5347.4	2696.0
.2	1661.2	837.5	6215.0	3133.4	5338.8	2691.7
.3	1669.8	841.8	6223.6	3137.7	5330.2	2687.3
.4	1678.3	846.2	6232.2	3142.1	5321.7	2683.0
.5	1686.9	850.5	6240.8	3146.4	5313.1	2678.7
.6	1695.5	854.8	6249.4	3150.7	5304.5	2674.4
.7	1704.1	859.1	6257.9	3155.0	5295.9	2670.0
.8	1712.7	863.5	6266.5	3159.4	5287.3	2665.7
.9	1721.2	867.8	6275.1	3163.7	5278.8	2661.4
2415.0	1729.8	872.1	6283.6	3168.0	5270.2	2657.0
.1	1738.5	876.5	6292.4	3172.4	5261.5	2652.6
.2	1747.3	880.9	6301.1	3176.8	5252.7	2648.2
.3	1756.0	885.3	6309.9	3181.2	5244.0	2643.8
.4	1764.7	889.7	6318.6	3185.6	5235.3	2639.4
.5	1773.5	894.1	6327.3	3190.0	5226.5	2635.0
.6	1782.2	898.5	6336.1	3194.4	5217.8	2630.6
.7	1791.0	902.9	6344.8	3198.8	5209.0	2626.2
.8	1799.7	907.4	6353.6	3203.3	5200.3	2621.8
.9	1808.4	911.8	6362.3	3207.7	5191.6	2617.4
2416.0	1817.2	916.2	6371.0	3212.1	5182.8	2613.0
.1	1825.9	920.6	6379.8	3216.5	5174.1	2608.6
.2	1834.7	925.0	6388.5	3220.9	5165.3	2604.2
.3	1843.4	929.4	6397.3	3225.3	5156.6	2599.8
.4	1852.1	933.8	6406.0	3229.7	5147.9	2595.4
.5	1860.9	938.2	6414.7	3234.1	5139.1	2591.0
.6	1869.6	942.6	6423.5	3238.5	5130.4	2586.6
.7	1878.4	947.0	6432.2	3242.9	5121.6	2582.2
.8	1887.1	951.4	6441.0	3247.3	5112.9	2577.7
.9	1895.8	955.8	6449.7	3251.7	5104.2	2573.3
2417.0	1904.6	960.2	6458.4	3256.1	5095.4	2568.9
.1	1913.3	964.6	6467.2	3260.5	5086.7	2564.5
.2	1922.1	969.0	6475.9	3264.9	5077.9	2560.1
.3	1930.8	973.4	6484.7	3269.3	5069.2	2555.7
.4	1939.5	977.8	6493.4	3273.7	5060.5	2551.3
.5	1948.3	982.3	6502.1	3278.2	5051.7	2546.9
.6	1957.0	986.7	6510.9	3282.6	5043.0	2542.5
.7	1965.8	991.1	6519.6	3287.0	5034.2	2538.1
.8	1974.5	995.5	6528.4	3291.4	5025.5	2533.7
.9	1983.2	999.9	6537.1	3295.8	5016.8	2529.3
2418.0	1992.0	1004.3	6545.8	3300.2	5008.0	2524.9
.1	2000.7	1008.7	6554.6	3304.6	4999.3	2520.5
.2	2009.5	1013.1	6563.3	3309.0	4990.5	2516.1
.3	2018.2	1017.5	6572.0	3313.4	4981.8	2511.7
.4	2026.9	1021.9	6580.8	3317.8	4973.1	2507.3
.5	2035.7	1026.3	6589.5	3322.2	4964.3	2502.8
.6	2044.4	1030.7	6598.3	3326.6	4955.6	2498.4
.7	2053.1	1035.1	6607.0	3331.0	4946.9	2494.0
.8	2061.9	1039.5	6615.7	3335.4	4938.1	2489.6
.9	2070.6	1043.9	6624.5	3339.8	4929.4	2485.2

Mica – (Full=2470)   **12**   April 98

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2419.0	2079.4	1048.3	6633.2	3344.2	4920.6	2480.8
.1	2088.1	1052.8	6642.0	3348.7	4911.9	2476.4
.2	2096.8	1057.2	6650.7	3353.1	4903.2	2472.0
.3	2105.6	1061.6	6659.4	3357.5	4894.4	2467.6
.4	2114.3	1066.0	6668.2	3361.9	4885.7	2463.2
.5	2123.1	1070.4	6676.9	3366.3	4876.9	2458.8
.6	2131.8	1074.8	6685.7	3370.7	4868.2	2454.4
.7	2140.5	1079.2	6694.4	3375.1	4859.5	2450.0
.8	2149.3	1083.6	6703.1	3379.5	4850.7	2445.6
.9	2158.0	1088.0	6711.9	3383.9	4842.0	2441.2
2420.0	2166.8	1092.4	6720.6	3388.3	4833.2	2436.8
.1	2175.7	1096.9	6729.5	3392.8	4824.3	2432.3
.2	2184.6	1101.4	6738.4	3397.3	4815.4	2427.8
.3	2193.5	1105.9	6747.3	3401.8	4806.5	2423.3
.4	2202.4	1110.4	6756.2	3406.3	4797.6	2418.8
.5	2211.3	1114.9	6765.2	3410.8	4788.7	2414.3
.6	2220.2	1119.4	6774.1	3415.3	4779.8	2409.8
.7	2229.1	1123.9	6783.0	3419.7	4770.9	2405.3
.8	2238.0	1128.3	6791.9	3424.2	4762.0	2400.8
.9	2246.9	1132.8	6800.8	3428.7	4753.1	2396.3
2421.0	2255.9	1137.3	6809.7	3433.2	4744.1	2391.8
.1	2264.8	1141.8	6818.6	3437.7	4735.2	2387.3
.2	2273.7	1146.3	6827.5	3442.2	4726.3	2382.9
.3	2282.6	1150.8	6836.4	3446.7	4717.4	2378.4
.4	2291.5	1155.3	6845.3	3451.2	4708.5	2373.9
.5	2300.4	1159.8	6854.3	3455.7	4699.6	2369.4
.6	2309.3	1164.3	6863.2	3460.2	4690.7	2364.9
.7	2318.2	1168.8	6872.1	3464.7	4681.8	2360.4
.8	2327.1	1173.3	6881.0	3469.2	4672.9	2355.9
.9	2336.0	1177.8	6889.9	3473.7	4664.0	2351.4
2422.0	2345.0	1182.2	6898.8	3478.1	4655.0	2346.9
.1	2353.9	1186.7	6907.7	3482.6	4646.1	2342.4
.2	2362.8	1191.2	6916.6	3487.1	4637.2	2337.9
.3	2371.7	1195.7	6925.5	3491.6	4628.3	2333.4
.4	2380.6	1200.2	6934.4	3496.1	4619.4	2329.0
.5	2389.5	1204.7	6943.4	3500.6	4610.5	2324.5
.6	2398.4	1209.2	6952.3	3505.1	4601.6	2320.0
.7	2407.3	1213.7	6961.2	3509.6	4592.7	2315.5
.8	2416.2	1218.2	6970.1	3514.1	4583.8	2311.0
.9	2425.1	1222.7	6979.0	3518.6	4574.9	2306.5
2423.0	2434.1	1227.2	6987.9	3523.1	4565.9	2302.0
.1	2443.0	1231.7	6996.8	3527.6	4557.0	2297.5
.2	2451.9	1236.2	7005.7	3532.1	4548.1	2293.0
.3	2460.8	1240.6	7014.6	3536.5	4539.2	2288.5
.4	2469.7	1245.1	7023.5	3541.0	4530.3	2284.0
.5	2478.6	1249.6	7032.5	3545.5	4521.4	2279.5
.6	2487.5	1254.1	7041.4	3550.0	4512.5	2275.0
.7	2496.4	1258.6	7050.3	3554.5	4503.6	2270.6
.8	2505.3	1263.1	7059.2	3559.0	4494.7	2266.1
.9	2514.2	1267.6	7068.1	3563.5	4485.8	2261.6

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2424.0	2523.2	1272.1	7077.0	3568.0	4476.8	2257.1
.1	2532.1	1276.6	7085.9	3572.5	4467.9	2252.6
.2	2541.0	1281.1	7094.8	3577.0	4459.0	2248.1
.3	2549.9	1285.6	7103.7	3581.5	4450.1	2243.6
.4	2558.8	1290.1	7112.6	3586.0	4441.2	2239.1
.5	2567.7	1294.5	7121.6	3590.4	4432.3	2234.6
.6	2576.6	1299.0	7130.5	3594.9	4423.4	2230.1
.7	2585.5	1303.5	7139.4	3599.4	4414.5	2225.6
.8	2594.4	1308.0	7148.3	3603.9	4405.6	2221.1
.9	2603.3	1312.5	7157.2	3608.4	4396.7	2216.7
2425.0	2612.3	1317.0	7166.1	3612.9	4387.8	2212.2
.1	2621.3	1321.6	7175.2	3617.5	4378.7	2207.6
.2	2630.4	1326.2	7184.2	3622.1	4369.6	2203.0
.3	2639.5	1330.7	7193.3	3626.6	4360.5	2198.4
.4	2648.5	1335.3	7202.4	3631.2	4351.5	2193.9
.5	2657.6	1339.9	7211.5	3635.8	4342.4	2189.3
.6	2666.7	1344.5	7220.5	3640.4	4333.3	2184.7
.7	2675.8	1349.0	7229.6	3644.9	4324.2	2180.1
.8	2684.8	1353.6	7238.7	3649.5	4315.2	2175.6
.9	2693.9	1358.2	7247.7	3654.1	4306.1	2171.0
2426.0	2703.0	1362.7	7256.8	3658.6	4297.0	2166.4
.1	2712.1	1367.3	7265.9	3663.2	4287.9	2161.8
.2	2721.1	1371.9	7275.0	3667.8	4278.9	2157.3
.3	2730.2	1376.5	7284.0	3672.4	4269.8	2152.7
.4	2739.3	1381.0	7293.1	3676.9	4260.7	2148.1
.5	2748.3	1385.6	7302.2	3681.5	4251.7	2143.5
.6	2757.4	1390.2	7311.3	3686.1	4242.6	2139.0
.7	2766.5	1394.8	7320.3	3690.7	4233.5	2134.4
.8	2775.6	1399.3	7329.4	3695.2	4224.4	2129.8
.9	2784.6	1403.9	7338.5	3699.8	4215.4	2125.3
2427.0	2793.7	1408.5	7347.5	3704.4	4206.3	2120.7
.1	2802.8	1413.1	7356.6	3709.0	4197.2	2116.1
.2	2811.8	1417.6	7365.7	3713.5	4188.2	2111.5
.3	2820.9	1422.2	7374.8	3718.1	4179.1	2107.0
.4	2830.0	1426.8	7383.8	3722.7	4170.0	2102.4
.5	2839.1	1431.4	7392.9	3727.3	4160.9	2097.8
.6	2848.1	1435.9	7402.0	3731.8	4151.9	2093.2
.7	2857.2	1440.5	7411.1	3736.4	4142.8	2088.7
.8	2866.3	1445.1	7420.1	3741.0	4133.7	2084.1
.9	2875.3	1449.7	7429.2	3745.6	4124.7	2079.5
2428.0	2884.4	1454.2	7438.3	3750.1	4115.6	2074.9
.1	2893.5	1458.8	7447.4	3754.7	4106.5	2070.4
.2	2902.6	1463.4	7456.4	3759.3	4097.4	2065.8
.3	2911.6	1468.0	7465.5	3763.9	4088.4	2061.2
.4	2920.7	1472.5	7474.6	3768.4	4079.3	2056.6
.5	2929.8	1477.1	7483.6	3773.0	4070.2	2052.1
.6	2938.9	1481.7	7492.7	3777.6	4061.1	2047.5
.7	2947.9	1486.2	7501.8	3782.1	4052.1	2042.9
.8	2957.0	1490.8	7510.9	3786.7	4043.0	2038.3
.9	2966.1	1495.4	7519.9	3791.3	4033.9	2033.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2429.0	2975.1	1500.0	7529.0	3795.9	4024.9	2029.2
.1	2984.2	1504.5	7538.1	3800.4	4015.8	2024.6
.2	2993.3	1509.1	7547.1	3805.0	4006.7	2020.1
.3	3002.4	1513.7	7556.2	3809.6	3997.6	2015.5
.4	3011.4	1518.3	7565.3	3814.2	3988.6	2010.9
.5	3020.5	1522.8	7574.4	3818.7	3979.5	2006.3
.6	3029.6	1527.4	7583.4	3823.3	3970.4	2001.7
.7	3038.6	1532.0	7592.5	3827.9	3961.4	1997.2
.8	3047.7	1536.6	7601.6	3832.5	3952.3	1992.6
.9	3056.8	1541.1	7610.6	3837.0	3943.2	1988.0
2430.0	3065.9	1545.7	7619.7	3841.6	3934.1	1983.5
.1	3075.1	1550.4	7629.0	3846.3	3924.9	1978.8
.2	3084.3	1555.0	7638.2	3850.9	3915.7	1974.1
.3	3093.6	1559.7	7647.4	3855.6	3906.4	1969.5
.4	3102.8	1564.3	7656.7	3860.2	3897.2	1964.8
.5	3112.1	1569.0	7665.9	3864.9	3887.9	1960.2
.6	3121.3	1573.7	7675.2	3869.6	3878.7	1955.5
.7	3130.5	1578.3	7684.4	3874.2	3869.5	1950.9
.8	3139.8	1583.0	7693.6	3878.9	3860.2	1946.2
.9	3149.0	1587.6	7702.9	3883.5	3851.0	1941.5
2431.0	3158.3	1592.3	7712.1	3888.2	3841.7	1936.9
.1	3167.5	1597.0	7721.4	3892.9	3832.5	1932.2
.2	3176.7	1601.6	7730.6	3897.5	3823.3	1927.6
.3	3186.0	1606.3	7739.8	3902.2	3814.0	1922.9
.4	3195.2	1610.9	7749.1	3906.8	3804.8	1918.2
.5	3204.5	1615.6	7758.3	3911.5	3795.5	1913.6
.6	3213.7	1620.2	7767.6	3916.1	3786.3	1908.9
.7	3222.9	1624.9	7776.8	3920.8	3777.1	1904.3
.8	3232.2	1629.6	7786.0	3925.5	3767.8	1899.6
.9	3241.4	1634.2	7795.3	3930.1	3758.6	1895.0
2432.0	3250.6	1638.9	7804.5	3934.8	3749.4	1890.3
.1	3259.9	1643.5	7813.7	3939.4	3740.1	1885.6
.2	3269.1	1648.2	7823.0	3944.1	3730.9	1881.0
.3	3278.4	1652.8	7832.2	3948.7	3721.6	1876.3
.4	3287.6	1657.5	7841.4	3953.4	3712.4	1871.7
.5	3296.8	1662.2	7850.7	3958.1	3703.2	1867.0
.6	3306.1	1666.8	7859.9	3962.7	3693.9	1862.3
.7	3315.3	1671.5	7869.2	3967.4	3684.7	1857.7
.8	3324.6	1676.1	7878.4	3972.0	3675.4	1853.0
.9	3333.8	1680.8	7887.6	3976.7	3666.2	1848.4
2433.0	3343.0	1685.4	7896.9	3981.3	3657.0	1843.7
.1	3352.3	1690.1	7906.1	3986.0	3647.7	1839.1
.2	3361.5	1694.8	7915.4	3990.7	3638.5	1834.4
.3	3370.8	1699.4	7924.6	3995.3	3629.2	1829.7
.4	3380.0	1704.1	7933.8	4000.0	3620.0	1825.1
.5	3389.2	1708.7	7943.1	4004.6	3610.8	1820.4
.6	3398.5	1713.4	7952.3	4009.3	3601.5	1815.8
.7	3407.7	1718.1	7961.6	4014.0	3592.3	1811.1
.8	3417.0	1722.7	7970.8	4018.6	3583.0	1806.5
.9	3426.2	1727.4	7980.0	4023.3	3573.8	1801.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2434.0	3435.4	1732.0	7989.3	4027.9	3564.6	1797.1
.1	3444.7	1736.7	7998.5	4032.6	3555.3	1792.5
.2	3453.9	1741.3	8007.8	4037.2	3546.1	1787.8
.3	3463.2	1746.0	8017.0	4041.9	3536.8	1783.2
.4	3472.4	1750.7	8026.2	4046.6	3527.6	1778.5
.5	3481.6	1755.3	8035.5	4051.2	3518.4	1773.8
.6	3490.9	1760.0	8044.7	4055.9	3509.1	1769.2
.7	3500.1	1764.6	8053.9	4060.5	3499.9	1764.5
.8	3509.3	1769.3	8063.2	4065.2	3490.7	1759.9
.9	3518.6	1773.9	8072.4	4069.8	3481.4	1755.2
2435.0	3527.8	1778.6	8081.7	4074.5	3472.2	1750.6
.1	3537.2	1783.4	8091.1	4079.3	3462.8	1745.8
.2	3546.6	1788.1	8100.5	4084.0	3453.4	1741.1
.3	3556.0	1792.8	8109.9	4088.7	3444.0	1736.3
.4	3565.4	1797.6	8119.3	4093.5	3434.6	1731.6
.5	3574.8	1802.3	8128.7	4098.2	3425.2	1726.9
.6	3584.2	1807.1	8138.1	4103.0	3415.8	1722.1
.7	3593.6	1811.8	8147.5	4107.7	3406.4	1717.4
.8	3603.0	1816.5	8156.9	4112.4	3397.0	1712.6
.9	3612.4	1821.3	8166.3	4117.2	3387.6	1707.9
2436.0	3621.8	1826.0	8175.7	4121.9	3378.2	1703.2
.1	3631.2	1830.8	8185.1	4126.7	3368.8	1698.4
.2	3640.6	1835.5	8194.5	4131.4	3359.4	1693.7
.3	3650.0	1840.2	8203.9	4136.1	3350.0	1688.9
.4	3659.4	1845.0	8213.3	4140.9	3340.6	1684.2
.5	3668.8	1849.7	8222.7	4145.6	3331.2	1679.5
.6	3678.3	1854.5	8232.1	4150.4	3321.7	1674.7
.7	3687.6	1859.2	8241.5	4155.1	3312.4	1670.0
.8	3697.1	1863.9	8250.9	4159.8	3302.9	1665.2
.9	3706.4	1868.7	8260.3	4164.6	3293.6	1660.5
2437.0	3715.9	1873.4	8269.7	4169.3	3284.1	1655.8
.1	3725.3	1878.2	8279.1	4174.1	3274.7	1651.0
.2	3734.7	1882.9	8288.5	4178.8	3265.3	1646.3
.3	3744.1	1887.6	8297.9	4183.5	3255.9	1641.5
.4	3753.4	1892.4	8307.3	4188.3	3246.6	1636.8
.5	3762.9	1897.1	8316.7	4193.0	3237.1	1632.1
.6	3772.3	1901.9	8326.1	4197.8	3227.7	1627.3
.7	3781.7	1906.6	8335.5	4202.5	3218.3	1622.6
.8	3791.1	1911.3	8344.9	4207.2	3208.9	1617.8
.9	3800.5	1916.1	8354.3	4212.0	3199.5	1613.1
2438.0	3809.9	1920.8	8363.7	4216.7	3190.1	1608.4
.1	3819.3	1925.6	8373.1	4221.5	3180.7	1603.6
.2	3828.7	1930.3	8382.5	4226.2	3171.3	1598.9
.3	3838.1	1935.0	8391.9	4230.9	3161.9	1594.1
.4	3847.5	1939.8	8401.3	4235.7	3152.5	1589.4
.5	3856.9	1944.5	8410.7	4240.4	3143.1	1584.7
.6	3866.3	1949.3	8420.1	4245.2	3133.7	1579.9
.7	3875.7	1954.0	8429.5	4249.9	3124.3	1575.2
.8	3885.1	1958.7	8438.9	4254.6	3114.9	1570.4
.9	3894.5	1963.5	8448.3	4259.4	3105.5	1565.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2439.0	3903.9	1968.2	8457.7	4264.1	3096.1	1561.0
.1	3913.3	1973.0	8467.1	4268.9	3086.7	1556.2
.2	3922.7	1977.7	8476.5	4273.6	3077.3	1551.5
.3	3932.1	1982.4	8485.9	4278.3	3067.9	1546.7
.4	3941.5	1987.2	8495.3	4283.1	3058.5	1542.0
.5	3950.9	1991.9	8504.7	4287.8	3049.1	1537.3
.6	3960.3	1996.7	8514.2	4292.6	3039.7	1532.5
.7	3969.7	2001.4	8523.5	4297.3	3030.3	1527.8
.8	3979.1	2006.1	8533.0	4302.0	3020.9	1523.0
.9	3988.5	2010.9	8542.3	4306.8	3011.5	1518.3
2440.0	3997.9	2015.6	8551.8	4311.5	3002.1	1513.6
.1	4007.5	2020.4	8561.3	4316.3	2992.5	1508.7
.2	4017.0	2025.3	8570.9	4321.2	2983.0	1503.9
.3	4026.6	2030.1	8580.5	4326.0	2973.4	1499.1
.4	4036.2	2034.9	8590.0	4330.8	2963.8	1494.3
.5	4045.7	2039.7	8599.6	4335.6	2954.3	1489.4
.6	4055.3	2044.6	8609.2	4340.5	2944.7	1484.6
.7	4064.9	2049.4	8618.7	4345.3	2935.1	1479.8
.8	4074.5	2054.2	8628.3	4350.1	2925.5	1475.0
.9	4084.0	2059.0	8637.9	4354.9	2916.0	1470.1
2441.0	4093.6	2063.8	8647.4	4359.7	2906.4	1465.3
.1	4103.2	2068.7	8657.0	4364.6	2896.8	1460.5
.2	4112.7	2073.5	8666.6	4369.4	2887.3	1455.7
.3	4122.3	2078.3	8676.1	4374.2	2877.7	1450.8
.4	4131.8	2083.1	8685.7	4379.0	2868.2	1446.0
.5	4141.4	2088.0	8695.3	4383.9	2858.6	1441.2
.6	4151.0	2092.8	8704.9	4388.7	2849.0	1436.4
.7	4160.6	2097.6	8714.4	4393.5	2839.4	1431.6
.8	4170.1	2102.4	8724.0	4398.3	2829.9	1426.7
.9	4179.7	2107.3	8733.5	4403.2	2820.3	1421.9
2442.0	4189.3	2112.1	8743.1	4408.0	2810.7	1417.1
.1	4198.8	2116.9	8752.7	4412.8	2801.2	1412.3
.2	4208.4	2121.7	8762.2	4417.6	2791.6	1407.4
.3	4218.0	2126.6	8771.8	4422.5	2782.0	1402.6
.4	4227.5	2131.4	8781.4	4427.3	2772.5	1397.8
.5	4237.1	2136.2	8791.0	4432.1	2762.9	1393.0
.6	4246.7	2141.0	8800.5	4436.9	2753.3	1388.1
.7	4256.2	2145.9	8810.1	4441.8	2743.8	1383.3
.8	4265.8	2150.7	8819.7	4446.6	2734.2	1378.5
.9	4275.4	2155.5	8829.2	4451.4	2724.6	1373.7
2443.0	4284.9	2160.3	8838.8	4456.2	2715.1	1368.8
.1	4294.5	2165.2	8848.4	4461.1	2705.5	1364.0
.2	4304.1	2170.0	8857.9	4465.9	2695.9	1359.2
.3	4313.7	2174.8	8867.5	4470.7	2686.3	1354.4
.4	4323.2	2179.6	8877.1	4475.5	2676.8	1349.5
.5	4332.8	2184.4	8886.6	4480.3	2667.2	1344.7
.6	4342.4	2189.3	8896.2	4485.2	2657.6	1339.9
.7	4351.9	2194.1	8905.8	4490.0	2648.1	1335.1
.8	4361.5	2198.9	8915.3	4494.8	2638.5	1330.2
.9	4371.1	2203.7	8924.9	4499.6	2628.9	1325.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2444.0	4380.6	2208.6	8934.5	4504.5	2619.4	1320.6
.1	4390.2	2213.4	8944.1	4509.3	2609.8	1315.8
.2	4399.8	2218.2	8953.6	4514.1	2600.2	1311.0
.3	4409.3	2223.0	8963.2	4518.9	2590.7	1306.1
.4	4418.9	2227.9	8972.7	4523.8	2581.1	1301.3
.5	4428.5	2232.7	8982.3	4528.6	2571.5	1296.5
.6	4438.0	2237.5	8991.9	4533.4	2562.0	1291.7
.7	4447.6	2242.3	9001.5	4538.2	2552.4	1286.8
.8	4457.2	2247.2	9011.0	4543.1	2542.8	1282.0
.9	4466.7	2252.0	9020.6	4547.9	2533.3	1277.2
2445.0	4476.3	2256.8	9030.2	4552.7	2523.7	1272.4
.1	4486.1	2261.7	9039.9	4557.6	2513.9	1267.4
.2	4495.8	2266.6	9049.6	4562.5	2504.2	1262.5
.3	4505.5	2271.5	9059.4	4567.4	2494.5	1257.6
.4	4515.2	2276.4	9069.1	4572.3	2484.8	1252.7
.5	4525.0	2281.3	9078.8	4577.2	2475.0	1247.8
.6	4534.7	2286.3	9088.6	4582.2	2465.3	1242.9
.7	4544.5	2291.2	9098.3	4587.1	2455.5	1238.0
.8	4554.2	2296.1	9108.0	4592.0	2445.8	1233.1
.9	4563.9	2301.0	9117.8	4596.9	2436.1	1228.2
2446.0	4573.7	2305.9	9127.5	4601.8	2426.3	1223.3
.1	4583.4	2310.8	9137.3	4606.7	2416.6	1218.4
.2	4593.1	2315.7	9147.0	4611.6	2406.9	1213.5
.3	4602.9	2320.6	9156.7	4616.5	2397.1	1208.6
.4	4612.6	2325.5	9166.4	4621.4	2387.4	1203.7
.5	4622.3	2330.4	9176.2	4626.3	2377.7	1198.7
.6	4632.1	2335.3	9185.9	4631.2	2367.9	1193.8
.7	4641.8	2340.2	9195.6	4636.1	2358.2	1188.9
.8	4651.5	2345.2	9205.4	4641.1	2348.5	1184.0
.9	4661.3	2350.1	9215.1	4646.0	2338.7	1179.1
2447.0	4671.0	2355.0	9224.9	4650.9	2329.0	1174.2
.1	4680.8	2359.9	9234.6	4655.8	2319.2	1169.3
.2	4690.5	2364.8	9244.3	4660.7	2309.5	1164.4
.3	4700.2	2369.7	9254.1	4665.6	2299.8	1159.5
.4	4709.9	2374.6	9263.8	4670.5	2290.1	1154.6
.5	4719.7	2379.5	9273.5	4675.4	2280.3	1149.7
.6	4729.4	2384.4	9283.3	4680.3	2270.6	1144.7
.7	4739.1	2389.3	9293.0	4685.2	2260.9	1139.8
.8	4748.9	2394.2	9302.7	4690.1	2251.1	1134.9
.9	4758.6	2399.1	9312.5	4695.0	2241.4	1130.0
2448.0	4768.4	2404.0	9322.2	4699.9	2231.6	1125.1
.1	4778.1	2409.0	9332.0	4704.9	2221.9	1120.2
.2	4787.8	2413.9	9341.7	4709.8	2212.2	1115.3
.3	4797.6	2418.8	9351.4	4714.7	2202.4	1110.4
.4	4807.3	2423.7	9361.1	4719.6	2192.7	1105.5
.5	4817.0	2428.6	9370.9	4724.5	2183.0	1100.6
.6	4826.8	2433.5	9380.6	4729.4	2173.2	1095.7
.7	4836.5	2438.4	9390.3	4734.3	2163.5	1090.8
.8	4846.2	2443.3	9400.1	4739.2	2153.8	1085.9
.9	4856.0	2448.2	9409.8	4744.1	2144.0	1081.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2449.0	4865.7	2453.1	9419.6	4749.0	2134.3	1076.0
.1	4875.5	2458.0	9429.3	4753.9	2124.5	1071.1
.2	4885.2	2462.9	9439.0	4758.8	2114.8	1066.2
.3	4894.9	2467.9	9448.8	4763.8	2105.1	1061.3
.4	4904.6	2472.8	9458.5	4768.7	2095.4	1056.4
.5	4914.4	2477.7	9468.2	4773.6	2085.6	1051.5
.6	4924.1	2482.6	9478.0	4778.5	2075.9	1046.6
.7	4933.9	2487.5	9487.7	4783.4	2066.1	1041.7
.8	4943.6	2492.4	9497.4	4788.3	2056.4	1036.8
.9	4953.3	2497.3	9507.2	4793.2	2046.7	1031.9
2450.0	4963.1	2502.2	9516.9	4798.1	2036.9	1027.0
.1	4973.0	2507.2	9526.8	4803.1	2027.0	1022.0
.2	4982.9	2512.2	9536.7	4808.1	2017.1	1017.0
.3	4992.8	2517.2	9546.6	4813.1	2007.2	1012.0
.4	5002.7	2522.2	9556.5	4818.1	1997.3	1007.0
.5	5012.6	2527.2	9566.4	4823.1	1987.4	1002.0
.6	5022.5	2532.2	9576.3	4828.1	1977.5	997.0
.7	5032.4	2537.2	9586.2	4833.1	1967.6	992.0
.8	5042.3	2542.1	9596.1	4838.0	1957.7	987.0
.9	5052.2	2547.1	9606.0	4843.0	1947.8	982.0
2451.0	5062.1	2552.1	9615.9	4848.0	1937.9	977.0
.1	5072.0	2557.1	9625.8	4853.0	1928.0	972.0
.2	5081.9	2562.1	9635.7	4858.0	1918.1	967.1
.3	5091.8	2567.1	9645.6	4863.0	1908.2	962.1
.4	5101.7	2572.1	9655.5	4868.0	1898.3	957.1
.5	5111.6	2577.1	9665.4	4873.0	1888.4	952.1
.6	5121.5	2582.1	9675.3	4878.0	1878.5	947.1
.7	5131.4	2587.1	9685.2	4883.0	1868.6	942.1
.8	5141.3	2592.1	9695.1	4888.0	1858.7	937.1
.9	5151.2	2597.1	9705.0	4893.0	1848.8	932.1
2452.0	5161.1	2602.0	9714.9	4897.9	1838.9	927.1
.1	5171.0	2607.0	9724.8	4902.9	1829.0	922.1
.2	5180.9	2612.0	9734.7	4907.9	1819.1	917.1
.3	5190.8	2617.0	9744.6	4912.9	1809.2	912.1
.4	5200.7	2622.0	9754.5	4917.9	1799.3	907.2
.5	5210.6	2627.0	9764.4	4922.9	1789.4	902.2
.6	5220.5	2632.0	9774.4	4927.9	1779.5	897.2
.7	5230.4	2637.0	9784.2	4932.9	1769.6	892.2
.8	5240.3	2642.0	9794.2	4937.9	1759.7	887.2
.9	5250.2	2647.0	9804.0	4942.9	1749.8	882.2
2453.0	5260.1	2652.0	9814.0	4947.9	1739.9	877.2
.1	5270.0	2657.0	9823.9	4952.9	1730.0	872.2
.2	5279.9	2661.9	9833.8	4957.8	1720.1	867.2
.3	5289.8	2666.9	9843.7	4962.8	1710.2	862.2
.4	5299.7	2671.9	9853.5	4967.8	1700.3	857.2
.5	5309.6	2676.9	9863.5	4972.8	1690.4	852.2
.6	5319.5	2681.9	9873.4	4977.8	1680.5	847.2
.7	5329.4	2686.9	9883.3	4982.8	1670.6	842.3
.8	5339.3	2691.9	9893.2	4987.8	1660.7	837.3
.9	5349.2	2696.9	9903.1	4992.8	1650.8	832.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2454.0	5359.1	2701.9	9913.0	4997.8	1640.9	827.3
.1	5369.0	2706.9	9922.9	5002.8	1631.0	822.3
.2	5378.9	2711.9	9932.8	5007.8	1621.1	817.3
.3	5388.8	2716.9	9942.7	5012.8	1611.2	812.3
.4	5398.7	2721.9	9952.6	5017.8	1601.3	807.3
.5	5408.6	2726.8	9962.5	5022.7	1591.4	802.3
.6	5418.5	2731.8	9972.4	5027.7	1581.5	797.3
.7	5428.4	2736.8	9982.3	5032.7	1571.6	792.3
.8	5438.3	2741.8	9992.2	5037.7	1561.7	787.3
.9	5448.2	2746.8	10002.1	5042.7	1551.8	782.4
2455.0	5458.1	2751.8	10012.0	5047.7	1541.9	777.4
.1	5468.2	2756.9	10022.1	5052.8	1531.8	772.3
.2	5478.3	2762.0	10032.1	5057.9	1521.7	767.2
.3	5488.3	2767.0	10042.2	5062.9	1511.7	762.1
.4	5498.4	2772.1	10052.2	5068.0	1501.6	757.1
.5	5508.5	2777.2	10062.3	5073.1	1491.5	752.0
.6	5518.5	2782.3	10072.4	5078.2	1481.5	746.9
.7	5528.6	2787.3	10082.5	5083.2	1471.4	741.8
.8	5538.7	2792.4	10092.5	5088.3	1461.3	736.7
.9	5548.7	2797.5	10102.6	5093.4	1451.3	731.7
2456.0	5558.8	2802.6	10112.7	5098.5	1441.2	726.6
.1	5568.9	2807.6	10122.7	5103.5	1431.1	721.5
.2	5578.9	2812.7	10132.8	5108.6	1421.1	716.4
.3	5589.0	2817.8	10142.9	5113.7	1411.0	711.4
.4	5599.1	2822.9	10152.9	5118.8	1400.9	706.3
.5	5609.2	2827.9	10163.0	5123.8	1390.8	701.2
.6	5619.2	2833.0	10173.1	5128.9	1380.8	696.1
.7	5629.3	2838.1	10183.1	5134.0	1370.7	691.1
.8	5639.4	2843.2	10193.2	5139.1	1360.6	686.0
.9	5649.4	2848.2	10203.3	5144.1	1350.6	680.9
2457.0	5659.5	2853.3	10213.3	5149.2	1340.5	675.8
.1	5669.6	2858.4	10223.4	5154.3	1330.4	670.8
.2	5679.6	2863.5	10233.5	5159.4	1320.4	665.7
.3	5689.7	2868.6	10243.6	5164.5	1310.3	660.6
.4	5699.8	2873.6	10253.6	5169.5	1300.2	655.5
.5	5709.8	2878.7	10263.7	5174.6	1290.2	650.5
.6	5719.9	2883.8	10273.8	5179.7	1280.1	645.4
.7	5730.0	2888.9	10283.8	5184.8	1270.0	640.3
.8	5740.0	2893.9	10293.9	5189.8	1260.0	635.2
.9	5750.1	2899.0	10303.9	5194.9	1249.9	630.2
2458.0	5760.2	2904.1	10314.0	5200.0	1239.8	625.1
.1	5770.3	2909.2	10324.1	5205.1	1229.7	620.0
.2	5780.3	2914.2	10334.2	5210.1	1219.7	614.9
.3	5790.4	2919.3	10344.2	5215.2	1209.6	609.8
.4	5800.4	2924.4	10354.3	5220.3	1199.6	604.8
.5	5810.5	2929.5	10364.4	5225.4	1189.5	599.7
.6	5820.6	2934.6	10374.4	5230.4	1179.4	594.6
.7	5830.6	2939.6	10384.5	5235.5	1169.4	589.5
.8	5840.7	2944.7	10394.6	5240.6	1159.3	584.5
.9	5850.8	2949.8	10404.6	5245.7	1149.2	579.4

Reservoir Storage Tables

| ELEVATION | GROSS STORAGE | | USABLE STORAGE | | CUMULATIVE DRAFT | |
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
2459.0	5860.9	2954.8	10414.7	5250.7	1139.1	574.3
.1	5870.9	2959.9	10424.8	5255.8	1129.1	569.2
.2	5881.0	2965.0	10434.8	5260.9	1119.0	564.2
.3	5891.1	2970.1	10444.9	5266.0	1108.9	559.1
.4	5901.1	2975.1	10455.0	5271.0	1098.9	554.0
.5	5911.2	2980.2	10465.0	5276.1	1088.8	548.9
.6	5921.3	2985.3	10475.1	5281.2	1078.7	543.9
.7	5931.3	2990.4	10485.2	5286.3	1068.7	538.8
.8	5941.4	2995.5	10495.3	5291.4	1058.6	533.7
.9	5951.5	3000.5	10505.3	5296.4	1048.5	528.6
2460.0	5961.5	3005.6	10515.4	5301.5	1038.5	523.6
.1	5971.8	3010.8	10525.6	5306.7	1028.2	518.4
.2	5982.0	3015.9	10535.8	5311.8	1018.0	513.2
.3	5992.2	3021.1	10546.1	5317.0	1007.8	508.1
.4	6002.5	3026.2	10556.3	5322.1	997.5	502.9
.5	6012.7	3031.4	10566.5	5327.3	987.3	497.8
.6	6022.9	3036.6	10576.8	5332.5	977.1	492.6
.7	6033.1	3041.7	10587.0	5337.6	966.9	487.5
.8	6043.4	3046.9	10597.2	5342.8	956.6	482.3
.9	6053.6	3052.0	10607.5	5347.9	946.4	477.1
2461.0	6063.8	3057.2	10617.7	5353.1	936.2	472.0
.1	6074.1	3062.4	10627.9	5358.3	925.9	466.8
.2	6084.3	3067.5	10638.2	5363.4	915.7	461.7
.3	6094.5	3072.7	10648.4	5368.6	905.5	456.5
.4	6104.8	3077.8	10658.6	5373.7	895.2	451.4
.5	6115.0	3083.0	10668.8	5378.9	885.0	446.2
.6	6125.2	3088.1	10679.1	5384.0	874.8	441.0
.7	6135.5	3093.3	10689.3	5389.2	864.5	435.9
.8	6145.7	3098.5	10699.5	5394.4	854.3	430.7
.9	6155.9	3103.6	10709.8	5399.5	844.1	425.6
2462.0	6166.2	3108.8	10720.0	5404.7	833.8	420.4
.1	6176.4	3113.9	10730.2	5409.8	823.6	415.2
.2	6186.6	3119.1	10740.5	5415.0	813.4	410.1
.3	6196.8	3124.2	10750.7	5420.1	803.2	404.9
.4	6207.1	3129.4	10760.9	5425.3	792.9	399.8
.5	6217.3	3134.6	10771.2	5430.5	782.7	394.6
.6	6227.5	3139.7	10781.4	5435.6	772.5	389.4
.7	6237.8	3144.9	10791.6	5440.8	762.2	384.3
.8	6248.0	3150.0	10801.9	5445.9	752.0	379.1
.9	6258.2	3155.2	10812.1	5451.1	741.8	374.0
2463.0	6268.5	3160.3	10822.3	5456.2	731.5	368.8
.1	6278.7	3165.5	10832.5	5461.4	721.3	363.7
.2	6288.9	3170.7	10842.8	5466.6	711.1	358.5
.3	6299.2	3175.8	10853.0	5471.7	700.8	353.3
.4	6309.4	3181.0	10863.2	5476.9	690.6	348.2
.5	6319.6	3186.1	10873.5	5482.0	680.4	343.0
.6	6329.9	3191.3	10883.7	5487.2	670.1	337.9
.7	6340.1	3196.5	10893.9	5492.4	659.9	332.7
.8	6350.3	3201.6	10904.2	5497.5	649.7	327.6
.9	6360.5	3206.8	10914.4	5502.7	639.5	322.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
	KAF	KSFD	KAF	KSFD	KAF	KSFD
2464.0	6370.8	3211.9	10924.6	5507.8	629.2	317.2
.1	6381.0	3217.1	10934.9	5513.0	619.0	312.1
.2	6391.2	3222.2	10945.1	5518.1	608.8	306.9
.3	6401.5	3227.4	10955.3	5523.3	598.5	301.8
.4	6411.7	3232.6	10965.5	5528.5	588.3	296.6
.5	6421.9	3237.7	10975.8	5533.6	578.1	291.5
.6	6432.2	3242.9	10986.0	5538.8	567.8	286.3
.7	6442.4	3248.0	10996.2	5543.9	557.6	281.1
.8	6452.6	3253.2	11006.5	5549.1	547.4	276.0
.9	6462.8	3258.3	11016.7	5554.2	537.2	270.8
2465.0	6473.1	3263.5	11026.9	5559.4	526.9	265.7
.1	6483.4	3268.7	11037.3	5564.6	516.6	260.4
.2	6493.7	3273.9	11047.6	5569.8	506.3	255.2
.3	6504.1	3279.1	11057.9	5575.0	495.9	250.0
.4	6514.4	3284.3	11068.2	5580.2	485.6	244.8
.5	6524.7	3289.6	11078.6	5585.5	475.3	239.6
.6	6535.1	3294.8	11088.9	5590.7	464.9	234.4
.7	6545.4	3300.0	11099.2	5595.9	454.6	229.2
.8	6555.7	3305.2	11109.6	5601.1	444.3	224.0
.9	6566.0	3310.4	11119.9	5606.3	434.0	218.8
2466.0	6576.4	3315.6	11130.2	5611.5	423.6	213.6
.1	6586.7	3320.8	11140.6	5616.7	413.3	208.4
.2	6597.0	3326.0	11150.9	5621.9	403.0	203.2
.3	6607.4	3331.2	11161.2	5627.1	392.6	197.9
.4	6617.7	3336.4	11171.6	5632.3	382.3	192.7
.5	6628.0	3341.6	11181.9	5637.5	372.0	187.5
.6	6638.4	3346.9	11192.2	5642.8	361.6	182.3
.7	6648.7	3352.1	11202.6	5648.0	351.3	177.1
.8	6659.0	3357.3	11212.9	5653.2	341.0	171.9
.9	6669.4	3362.5	11223.2	5658.4	330.6	166.7
2467.0	6679.7	3367.7	11233.6	5663.6	320.3	161.5
.1	6690.0	3372.9	11243.9	5668.8	310.0	156.3
.2	6700.4	3378.1	11254.2	5674.0	299.6	151.1
.3	6710.7	3383.3	11264.6	5679.2	289.3	145.9
.4	6721.0	3388.5	11274.9	5684.4	279.0	140.7
.5	6731.4	3393.7	11285.2	5689.6	268.6	135.4
.6	6741.7	3398.9	11295.6	5694.8	258.3	130.2
.7	6752.0	3404.1	11305.9	5700.0	248.0	125.0
.8	6762.4	3409.4	11316.2	5705.3	237.6	119.8
.9	6772.7	3414.6	11326.5	5710.5	227.3	114.6
2468.0	6783.0	3419.8	11336.9	5715.7	217.0	109.4
.1	6793.4	3425.0	11347.2	5720.9	206.6	104.2
.2	6803.7	3430.2	11357.5	5726.1	196.3	99.0
.3	6814.0	3435.4	11367.9	5731.3	186.0	93.8
.4	6824.3	3440.6	11378.2	5736.5	175.7	88.6
.5	6834.7	3445.8	11388.5	5741.7	165.3	83.3
.6	6845.0	3451.0	11398.9	5746.9	155.0	78.1
.7	6855.3	3456.2	11409.2	5752.1	144.7	72.9
.8	6865.7	3461.4	11419.5	5757.3	134.3	67.7
.9	6876.0	3466.6	11429.8	5762.5	124.0	62.5

Mica – (Full=2470)   **18**

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
		KAF	KSFD	KAF	KSFD	KAF	KSFD
2469.0		6886.3	3471.9	11440.2	5767.8	113.7	57.3
.1		6896.7	3477.1	11450.5	5773.0	103.3	52.1
.2		6907.0	3482.3	11460.8	5778.2	93.0	46.9
.3		6917.3	3487.5	11471.2	5783.4	82.7	41.7
.4		6927.7	3492.7	11481.5	5788.6	72.3	36.5
.5		6938.0	3497.9	11491.8	5793.8	62.0	31.3
.6		6948.3	3503.1	11502.2	5799.0	51.7	26.0
.7		6958.7	3508.3	11512.5	5804.2	41.3	20.8
.8		6969.0	3513.5	11522.8	5809.4	31.0	15.6
.9		6979.3	3518.7	11533.2	5814.6	20.7	10.4
2470.0		6989.7	3524.0	11543.5	5819.9	10.3	5.2
.1	SUB	7000.0	3529.2	11553.8	5825.1	0.0	0.0
.2		7010.3	3534.4				
.3		7020.7	3539.6				
.4		7031.0	3544.8				
.5		7041.3	3550.0				
.6		7051.7	3555.2				
.7		7062.0	3560.4				
.8		7072.3	3565.6				
.9		7082.6	3570.8				
2471.0		7093.0	3576.0				

Reservoir Storage Tables

STORAGE LOWER BOUND (SLB) = 4033.29KAF   STORAGE UPPER BOUND (SUB) =20075.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2319.0	SLB	8000.0	4033.3	3966.7	1999.9	12075.0	6087.8
.1		8000.0	4033.3	3966.7	1999.9	12075.0	6087.8
.2		8000.0	4033.3	3966.7	1999.9	12075.0	6087.8
.3		8000.0	4033.3	3966.7	1999.9	12075.0	6087.8
.4		8000.0	4033.3	3966.7	1999.9	12075.0	6087.8
.5		8005.4	4036.0	3972.1	2002.6	12069.6	6085.1
.6		8010.7	4038.7	3977.4	2005.3	12064.3	6082.4
.7		8016.1	4041.4	3982.8	2008.0	12058.9	6079.7
.8		8021.4	4044.1	3988.2	2010.7	12053.6	6077.0
.9		8026.8	4046.8	3993.5	2013.4	12048.2	6074.3
2320.0		8032.2	4049.5	3998.9	2016.1	12042.8	6071.6
.1		8037.5	4052.3	4004.2	2018.8	12037.5	6068.9
.2		8042.9	4055.0	4009.6	2021.5	12032.1	6066.2
.3		8048.2	4057.7	4015.0	2024.2	12026.8	6063.5
.4		8053.6	4060.4	4020.3	2026.9	12021.4	6060.8
.5		8059.0	4063.1	4025.7	2029.6	12016.0	6058.1
.6		8064.3	4065.8	4031.0	2032.3	12010.7	6055.4
.7		8069.7	4068.5	4036.4	2035.0	12005.3	6052.7
.8		8075.0	4071.2	4041.8	2037.7	12000.0	6050.0
.9		8080.4	4073.9	4047.1	2040.4	11994.6	6047.3
2321.0		8085.8	4076.6	4052.5	2043.1	11989.2	6044.6
.1		8091.1	4079.3	4057.8	2045.8	11983.9	6041.9
.2		8096.5	4082.0	4063.2	2048.5	11978.5	6039.2
.3		8101.8	4084.7	4068.5	2051.2	11973.2	6036.5
.4		8107.2	4087.4	4073.9	2053.9	11967.8	6033.8
.5		8112.6	4090.1	4079.3	2056.6	11962.4	6031.1
.6		8117.9	4092.8	4084.6	2059.3	11957.1	6028.4
.7		8123.3	4095.5	4090.0	2062.0	11951.7	6025.7
.8		8128.6	4098.2	4095.3	2064.7	11946.4	6023.0
.9		8134.0	4100.9	4100.7	2067.4	11941.0	6020.3
2322.0		8139.4	4103.6	4106.1	2070.1	11935.6	6017.6
.1		8144.7	4106.3	4111.4	2072.8	11930.3	6014.9
.2		8150.1	4109.0	4116.8	2075.5	11924.9	6012.2
.3		8155.4	4111.7	4122.1	2078.2	11919.6	6009.4
.4		8160.8	4114.4	4127.5	2080.9	11914.2	6006.8
.5		8166.1	4117.1	4132.9	2083.6	11908.9	6004.0
.6		8171.5	4119.8	4138.2	2086.4	11903.5	6001.3
.7		8176.9	4122.5	4143.6	2089.1	11898.1	5998.6
.8		8182.2	4125.2	4148.9	2091.8	11892.8	5995.9
.9		8187.6	4127.9	4154.3	2094.5	11887.4	5993.2
2323.0		8192.9	4130.6	4159.7	2097.2	11882.1	5990.5
.1		8198.3	4133.3	4165.0	2099.9	11876.7	5987.8
.2		8203.7	4136.0	4170.4	2102.6	11871.3	5985.1
.3		8209.0	4138.7	4175.7	2105.3	11866.0	5982.4
.4		8214.4	4141.4	4181.1	2108.0	11860.6	5979.7
.5		8219.7	4144.1	4186.5	2110.7	11855.3	5977.0
.6		8225.1	4146.8	4191.8	2113.4	11849.9	5974.3
.7		8230.5	4149.5	4197.2	2116.1	11844.5	5971.6
.8		8235.8	4152.2	4202.5	2118.8	11839.2	5968.9
.9		8241.2	4154.9	4207.9	2121.5	11833.8	5966.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2324.0	8246.5	4157.6	4213.3	2124.2	11828.5	5963.5
.1	8251.9	4160.3	4218.6	2126.9	11823.1	5960.8
.2	8257.3	4163.0	4224.0	2129.6	11817.7	5958.1
.3	8262.6	4165.7	4229.3	2132.3	11812.4	5955.4
.4	8268.0	4168.4	4234.7	2135.0	11807.0	5952.7
.5	8273.3	4171.1	4240.0	2137.7	11801.7	5950.0
.6	8278.7	4173.8	4245.4	2140.4	11796.3	5947.3
.7	8284.1	4176.5	4250.8	2143.1	11790.9	5944.6
.8	8289.4	4179.2	4256.1	2145.8	11785.6	5941.9
.9	8294.8	4181.9	4261.5	2148.5	11780.2	5939.2
2325.0	8300.1	4184.7	4266.8	2151.2	11774.9	5936.5
.1	8305.5	4187.4	4272.2	2153.9	11769.5	5933.8
.2	8310.9	4190.1	4277.6	2156.6	11764.1	5931.1
.3	8316.2	4192.8	4282.9	2159.3	11758.8	5928.4
.4	8321.6	4195.5	4288.3	2162.0	11753.4	5925.7
.5	8326.9	4198.2	4293.6	2164.7	11748.1	5923.0
.6	8332.3	4200.9	4299.0	2167.4	11742.7	5920.3
.7	8337.6	4203.6	4304.4	2170.1	11737.4	5917.6
.8	8343.0	4206.3	4309.7	2172.8	11732.0	5914.9
.9	8348.4	4209.0	4315.1	2175.5	11726.6	5912.2
2326.0	8353.7	4211.7	4320.4	2178.2	11721.3	5909.5
.1	8359.1	4214.4	4325.8	2180.9	11715.9	5906.8
.2	8364.4	4217.1	4331.2	2183.6	11710.6	5904.1
.3	8369.8	4219.8	4336.5	2186.3	11705.2	5901.4
.4	8375.2	4222.5	4341.9	2189.0	11699.8	5898.7
.5	8380.5	4225.2	4347.2	2191.7	11694.5	5896.0
.6	8385.9	4227.9	4352.6	2194.4	11689.1	5893.3
.7	8391.2	4230.6	4358.0	2197.1	11683.8	5890.6
.8	8396.6	4233.3	4363.3	2199.8	11678.4	5887.9
.9	8402.0	4236.0	4368.7	2202.5	11673.0	5885.2
2327.0	8407.3	4238.7	4374.0	2205.2	11667.7	5882.5
.1	8412.7	4241.4	4379.4	2207.9	11662.3	5879.7
.2	8418.0	4244.1	4384.8	2210.6	11657.0	5877.1
.3	8423.4	4246.8	4390.1	2213.3	11651.6	5874.3
.4	8428.8	4249.5	4395.5	2216.0	11646.2	5871.6
.5	8434.1	4252.2	4400.8	2218.8	11640.9	5868.9
.6	8439.5	4254.9	4406.2	2221.5	11635.5	5866.2
.7	8444.8	4257.6	4411.5	2224.2	11630.2	5863.5
.8	8450.2	4260.3	4416.9	2226.9	11624.8	5860.8
.9	8455.6	4263.0	4422.3	2229.6	11619.4	5858.1
2328.0	8460.9	4265.7	4427.6	2232.3	11614.1	5855.4
.1	8466.3	4268.4	4433.0	2235.0	11608.7	5852.7
.2	8471.6	4271.1	4438.3	2237.7	11603.4	5850.0
.3	8477.0	4273.8	4443.7	2240.4	11598.0	5847.3
.4	8482.4	4276.5	4449.1	2243.1	11592.6	5844.6
.5	8487.7	4279.2	4454.4	2245.8	11587.3	5841.9
.6	8493.1	4281.9	4459.8	2248.5	11581.9	5839.2
.7	8498.4	4284.6	4465.1	2251.2	11576.6	5836.5
.8	8503.8	4287.3	4470.5	2253.9	11571.2	5833.8
.9	8509.1	4290.0	4475.9	2256.6	11565.9	5831.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2329.0	8514.5	4292.7	4481.2	2259.3	11560.5	5828.4
.1	8519.9	4295.4	4486.6	2262.0	11555.1	5825.7
.2	8525.2	4298.1	4491.9	2264.7	11549.8	5823.0
.3	8530.6	4300.8	4497.3	2267.4	11544.4	5820.3
.4	8535.9	4303.5	4502.7	2270.1	11539.1	5817.6
.5	8541.3	4306.2	4508.0	2272.8	11533.7	5814.9
.6	8546.7	4308.9	4513.4	2275.5	11528.3	5812.2
.7	8552.0	4311.6	4518.7	2278.2	11523.0	5809.5
.8	8557.4	4314.4	4524.1	2280.9	11517.6	5806.8
.9	8562.7	4317.0	4529.5	2283.6	11512.3	5804.1
2330.0	8568.1	4319.8	4534.8	2286.3	11506.9	5801.4
.1	8573.5	4322.5	4540.2	2289.0	11501.5	5798.7
.2	8578.8	4325.2	4545.5	2291.7	11496.2	5796.0
.3	8584.2	4327.9	4550.9	2294.4	11490.8	5793.3
.4	8589.5	4330.6	4556.3	2297.1	11485.5	5790.6
.5	8594.9	4333.3	4561.6	2299.8	11480.1	5787.9
.6	8600.3	4336.0	4567.0	2302.5	11474.7	5785.2
.7	8605.6	4338.7	4572.3	2305.2	11469.4	5782.5
.8	8611.0	4341.4	4577.7	2307.9	11464.0	5779.8
.9	8616.3	4344.1	4583.0	2310.6	11458.7	5777.1
2331.0	8621.7	4346.8	4588.4	2313.3	11453.3	5774.4
.1	8627.1	4349.5	4593.8	2316.0	11447.9	5771.7
.2	8632.4	4352.2	4599.1	2318.7	11442.6	5769.0
.3	8637.8	4354.9	4604.5	2321.4	11437.2	5766.3
.4	8643.1	4357.6	4609.8	2324.1	11431.9	5763.6
.5	8648.5	4360.3	4615.2	2326.8	11426.5	5760.9
.6	8653.9	4363.0	4620.6	2329.5	11421.1	5758.2
.7	8659.2	4365.7	4625.9	2332.2	11415.8	5755.5
.8	8664.6	4368.4	4631.3	2334.9	11410.4	5752.8
.9	8669.9	4371.1	4636.6	2337.6	11405.1	5750.1
2332.0	8675.3	4373.8	4642.0	2340.3	11399.7	5747.4
.1	8680.7	4376.5	4647.4	2343.1	11394.3	5744.6
.2	8686.0	4379.2	4652.7	2345.7	11389.0	5741.9
.3	8691.4	4381.9	4658.1	2348.5	11383.6	5739.2
.4	8696.7	4384.6	4663.4	2351.2	11378.3	5736.5
.5	8702.1	4387.3	4668.8	2353.9	11372.9	5733.8
.6	8707.5	4390.0	4674.2	2356.6	11367.5	5731.1
.7	8712.8	4392.7	4679.5	2359.3	11362.2	5728.4
.8	8718.2	4395.4	4684.9	2362.0	11356.8	5725.7
.9	8723.5	4398.1	4690.2	2364.7	11351.5	5723.0
2333.0	8728.9	4400.8	4695.6	2367.4	11346.1	5720.3
.1	8734.3	4403.5	4701.0	2370.1	11340.7	5717.6
.2	8739.6	4406.2	4706.3	2372.8	11335.4	5714.9
.3	8745.0	4408.9	4711.7	2375.5	11330.0	5712.2
.4	8750.3	4411.6	4717.0	2378.2	11324.7	5709.5
.5	8755.7	4414.3	4722.4	2380.9	11319.3	5706.8
.6	8761.1	4417.0	4727.8	2383.6	11313.9	5704.1
.7	8766.4	4419.7	4733.1	2386.3	11308.6	5701.4
.8	8771.8	4422.4	4738.5	2389.0	11303.2	5698.7
.9	8777.1	4425.1	4743.8	2391.7	11297.9	5696.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2334.0	8782.5	4427.8	4749.2	2394.4	11292.5	5693.3
.1	8787.9	4430.5	4754.6	2397.1	11287.1	5690.6
.2	8793.2	4433.2	4759.9	2399.8	11281.8	5687.9
.3	8798.6	4435.9	4765.3	2402.5	11276.4	5685.2
.4	8803.9	4438.6	4770.6	2405.2	11271.1	5682.5
.5	8809.3	4441.3	4776.0	2407.9	11265.7	5679.8
.6	8814.6	4444.1	4781.4	2410.6	11260.4	5677.1
.7	8820.0	4446.8	4786.7	2413.3	11255.0	5674.4
.8	8825.4	4449.5	4792.1	2416.0	11249.6	5671.7
.9	8830.7	4452.2	4797.4	2418.7	11244.3	5669.0
2335.0	8836.1	4454.9	4802.8	2421.4	11238.9	5666.3
.1	8841.4	4457.6	4808.2	2424.1	11233.6	5663.6
.2	8846.8	4460.3	4813.5	2426.8	11228.2	5660.9
.3	8852.2	4463.0	4818.9	2429.5	11222.8	5658.2
.4	8857.5	4465.7	4824.2	2432.2	11217.5	5655.5
.5	8862.9	4468.4	4829.6	2434.9	11212.1	5652.8
.6	8868.2	4471.1	4835.0	2437.6	11206.8	5650.1
.7	8873.6	4473.8	4840.3	2440.3	11201.4	5647.4
.8	8879.0	4476.5	4845.7	2443.0	11196.0	5644.7
.9	8884.3	4479.2	4851.0	2445.7	11190.7	5642.0
2336.0	8889.7	4481.9	4856.4	2448.4	11185.3	5639.3
.1	8895.0	4484.6	4861.8	2451.1	11180.0	5636.6
.2	8900.4	4487.3	4867.1	2453.8	11174.6	5633.9
.3	8905.8	4490.0	4872.5	2456.5	11169.2	5631.2
.4	8911.1	4492.7	4877.8	2459.2	11163.9	5628.5
.5	8916.5	4495.4	4883.2	2461.9	11158.5	5625.8
.6	8921.8	4498.1	4888.5	2464.6	11153.2	5623.1
.7	8927.2	4500.8	4893.9	2467.3	11147.8	5620.4
.8	8932.6	4503.5	4899.3	2470.0	11142.4	5617.6
.9	8937.9	4506.2	4904.6	2472.7	11137.1	5615.0
2337.0	8943.3	4508.9	4910.0	2475.4	11131.7	5612.2
.1	8948.6	4511.6	4915.3	2478.2	11126.4	5609.5
.2	8954.0	4514.3	4920.7	2480.9	11121.0	5606.8
.3	8959.4	4517.0	4926.1	2483.6	11115.6	5604.1
.4	8964.7	4519.7	4931.4	2486.3	11110.3	5601.4
.5	8970.1	4522.4	4936.8	2489.0	11104.9	5598.7
.6	8975.4	4525.1	4942.1	2491.7	11099.6	5596.0
.7	8980.8	4527.8	4947.5	2494.4	11094.2	5593.3
.8	8986.1	4530.5	4952.9	2497.1	11088.9	5590.6
.9	8991.5	4533.2	4958.2	2499.8	11083.5	5587.9
2338.0	8996.9	4535.9	4963.6	2502.5	11078.1	5585.2
.1	9002.2	4538.6	4968.9	2505.2	11072.8	5582.5
.2	9007.6	4541.3	4974.3	2507.9	11067.4	5579.8
.3	9012.9	4544.0	4979.7	2510.6	11062.1	5577.1
.4	9018.3	4546.7	4985.0	2513.3	11056.7	5574.4
.5	9023.7	4549.4	4990.4	2516.0	11051.3	5571.7
.6	9029.0	4552.1	4995.7	2518.7	11046.0	5569.0
.7	9034.4	4554.8	5001.1	2521.4	11040.6	5566.3
.8	9039.7	4557.5	5006.5	2524.1	11035.3	5563.6
.9	9045.1	4560.2	5011.8	2526.8	11029.9	5560.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2339.0	9050.5	4562.9	5017.2	2529.5	11024.5	5558.2
.1	9055.8	4565.6	5022.5	2532.2	11019.2	5555.5
.2	9061.2	4568.3	5027.9	2534.9	11013.8	5552.8
.3	9066.5	4571.0	5033.3	2537.6	11008.5	5550.1
.4	9071.9	4573.7	5038.6	2540.3	11003.1	5547.4
.5	9077.3	4576.5	5044.0	2543.0	10997.7	5544.7
.6	9082.6	4579.2	5049.3	2545.7	10992.4	5542.0
.7	9088.0	4581.9	5054.7	2548.4	10987.0	5539.3
.8	9093.3	4584.6	5060.0	2551.1	10981.7	5536.6
.9	9098.7	4587.3	5065.4	2553.8	10976.3	5533.9
2340.0	9104.1	4590.0	5070.8	2556.5	10970.9	5531.2
.1	9109.4	4592.7	5076.1	2559.2	10965.6	5528.5
.2	9114.8	4595.4	5081.5	2561.9	10960.2	5525.8
.3	9120.1	4598.1	5086.8	2564.6	10954.9	5523.1
.4	9125.5	4600.8	5092.2	2567.3	10949.5	5520.4
.5	9130.9	4603.5	5097.6	2570.0	10944.1	5517.7
.6	9136.2	4606.2	5102.9	2572.7	10938.8	5515.0
.7	9141.6	4608.9	5108.3	2575.4	10933.4	5512.3
.8	9146.9	4611.6	5113.6	2578.1	10928.1	5509.6
.9	9152.3	4614.3	5119.0	2580.8	10922.7	5506.9
2341.0	9157.6	4617.0	5124.4	2583.5	10917.4	5504.2
.1	9163.0	4619.7	5129.7	2586.2	10912.0	5501.5
.2	9168.4	4622.4	5135.1	2588.9	10906.6	5498.8
.3	9173.7	4625.1	5140.4	2591.6	10901.3	5496.1
.4	9179.1	4627.8	5145.8	2594.3	10895.9	5493.4
.5	9184.4	4630.5	5151.2	2597.0	10890.6	5490.7
.6	9189.8	4633.2	5156.5	2599.7	10885.2	5487.9
.7	9195.2	4635.9	5161.9	2602.4	10879.8	5485.3
.8	9200.5	4638.6	5167.2	2605.1	10874.5	5482.5
.9	9205.9	4641.3	5172.6	2607.8	10869.1	5479.8
2342.0	9211.2	4644.0	5178.0	2610.6	10863.8	5477.1
.1	9216.6	4646.7	5183.3	2613.3	10858.4	5474.4
.2	9222.0	4649.4	5188.7	2616.0	10853.0	5471.7
.3	9227.3	4652.1	5194.0	2618.7	10847.7	5469.0
.4	9232.7	4654.8	5199.4	2621.4	10842.3	5466.3
.5	9238.0	4657.5	5204.8	2624.1	10837.0	5463.6
.6	9243.4	4660.2	5210.1	2626.8	10831.6	5460.9
.7	9248.8	4662.9	5215.5	2629.5	10826.2	5458.2
.8	9254.1	4665.6	5220.8	2632.2	10820.9	5455.5
.9	9259.5	4668.3	5226.2	2634.9	10815.5	5452.8
2343.0	9264.8	4671.0	5231.5	2637.6	10810.2	5450.1
.1	9270.2	4673.7	5236.9	2640.3	10804.8	5447.4
.2	9275.6	4676.4	5242.3	2643.0	10799.4	5444.7
.3	9280.9	4679.1	5247.6	2645.7	10794.1	5442.0
.4	9286.3	4681.8	5253.0	2648.4	10788.7	5439.3
.5	9291.6	4684.5	5258.3	2651.1	10783.4	5436.6
.6	9297.0	4687.2	5263.7	2653.8	10778.0	5433.9
.7	9302.4	4689.9	5269.1	2656.5	10772.6	5431.2
.8	9307.7	4692.6	5274.4	2659.2	10767.3	5428.5
.9	9313.1	4695.3	5279.8	2661.9	10761.9	5425.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2344.0	9318.4	4698.0	5285.1	2664.6	10756.6	5423.1
.1	9323.8	4700.7	5290.5	2667.3	10751.2	5420.4
.2	9329.1	4703.4	5295.9	2670.0	10745.9	5417.7
.3	9334.5	4706.2	5301.2	2672.7	10740.5	5415.0
.4	9339.9	4708.8	5306.6	2675.4	10735.1	5412.3
.5	9345.2	4711.6	5311.9	2678.1	10729.8	5409.6
.6	9350.6	4714.3	5317.3	2680.8	10724.4	5406.9
.7	9355.9	4717.0	5322.7	2683.5	10719.1	5404.2
.8	9361.3	4719.7	5328.0	2686.2	10713.7	5401.5
.9	9366.7	4722.4	5333.4	2688.9	10708.3	5398.8
2345.0	9372.0	4725.1	5338.7	2691.6	10703.0	5396.1
.1	9377.4	4727.8	5344.1	2694.3	10697.6	5393.4
.2	9382.7	4730.5	5349.5	2697.0	10692.3	5390.7
.3	9388.1	4733.2	5354.8	2699.7	10686.9	5388.0
.4	9393.5	4735.9	5360.2	2702.4	10681.5	5385.3
.5	9398.8	4738.6	5365.5	2705.1	10676.2	5382.6
.6	9404.2	4741.3	5370.9	2707.8	10670.8	5379.9
.7	9409.5	4744.0	5376.3	2710.5	10665.5	5377.2
.8	9414.9	4746.7	5381.6	2713.2	10660.1	5374.5
.9	9420.3	4749.4	5387.0	2715.9	10654.7	5371.8
2346.0	9425.6	4752.1	5392.3	2718.6	10649.4	5369.1
.1	9431.0	4754.8	5397.7	2721.3	10644.0	5366.4
.2	9436.3	4757.5	5403.0	2724.0	10638.7	5363.7
.3	9441.7	4760.2	5408.4	2726.7	10633.3	5361.0
.4	9447.1	4762.9	5413.8	2729.4	10627.9	5358.3
.5	9452.4	4765.6	5419.1	2732.1	10622.6	5355.6
.6	9457.8	4768.3	5424.5	2734.8	10617.2	5352.8
.7	9463.1	4771.0	5429.8	2737.5	10611.9	5350.1
.8	9468.5	4773.7	5435.2	2740.3	10606.5	5347.4
.9	9473.9	4776.4	5440.6	2742.9	10601.1	5344.7
2347.0	9479.2	4779.1	5445.9	2745.7	10595.8	5342.0
.1	9484.6	4781.8	5451.3	2748.4	10590.4	5339.3
.2	9489.9	4784.5	5456.6	2751.1	10585.1	5336.6
.3	9495.3	4787.2	5462.0	2753.8	10579.7	5333.9
.4	9500.6	4789.9	5467.4	2756.5	10574.4	5331.2
.5	9506.0	4792.6	5472.7	2759.2	10569.0	5328.5
.6	9511.4	4795.3	5478.1	2761.9	10563.6	5325.8
.7	9516.7	4798.0	5483.4	2764.6	10558.3	5323.1
.8	9522.1	4800.7	5488.8	2767.3	10552.9	5320.4
.9	9527.4	4803.4	5494.2	2770.0	10547.6	5317.7
2348.0	9532.8	4806.1	5499.5	2772.7	10542.2	5315.0
.1	9538.2	4808.8	5504.9	2775.4	10536.8	5312.3
.2	9543.5	4811.5	5510.2	2778.1	10531.5	5309.6
.3	9548.9	4814.2	5515.6	2780.8	10526.1	5306.9
.4	9554.2	4816.9	5521.0	2783.5	10520.8	5304.2
.5	9559.6	4819.6	5526.3	2786.2	10515.4	5301.5
.6	9565.0	4822.3	5531.7	2788.9	10510.0	5298.8
.7	9570.3	4825.0	5537.0	2791.6	10504.7	5296.1
.8	9575.7	4827.7	5542.4	2794.3	10499.3	5293.4
.9	9581.0	4830.4	5547.8	2797.0	10494.0	5290.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2349.0	9586.4	4833.1	5553.1	2799.7	10488.6	5288.0
.1	9591.8	4835.9	5558.5	2802.4	10483.2	5285.3
.2	9597.1	4838.5	5563.8	2805.1	10477.9	5282.6
.3	9602.5	4841.3	5569.2	2807.8	10472.5	5279.9
.4	9607.8	4844.0	5574.5	2810.5	10467.2	5277.2
.5	9613.2	4846.7	5579.9	2813.2	10461.8	5274.5
.6	9618.6	4849.4	5585.3	2815.9	10456.4	5271.8
.7	9623.9	4852.1	5590.6	2818.6	10451.1	5269.1
.8	9629.3	4854.8	5596.0	2821.3	10445.7	5266.4
.9	9634.6	4857.5	5601.3	2824.0	10440.4	5263.7
2350.0	9640.0	4860.2	5606.7	2826.7	10435.0	5261.0
.1	9646.3	4863.3	5613.0	2829.9	10428.7	5257.8
.2	9652.5	4866.5	5619.2	2833.0	10422.5	5254.7
.3	9658.8	4869.6	5625.5	2836.2	10416.2	5251.5
.4	9665.0	4872.8	5631.7	2839.3	10410.0	5248.4
.5	9671.3	4875.9	5638.0	2842.5	10403.7	5245.2
.6	9677.6	4879.1	5644.3	2845.7	10397.4	5242.0
.7	9683.8	4882.3	5650.5	2848.8	10391.2	5238.9
.8	9690.1	4885.4	5656.8	2852.0	10384.9	5235.7
.9	9696.3	4888.6	5663.0	2855.1	10378.7	5232.6
2351.0	9702.6	4891.7	5669.3	2858.3	10372.4	5229.4
.1	9708.9	4894.9	5675.6	2861.4	10366.1	5226.3
.2	9715.1	4898.0	5681.8	2864.6	10359.9	5223.1
.3	9721.4	4901.2	5688.1	2867.7	10353.6	5219.9
.4	9727.6	4904.3	5694.3	2870.9	10347.4	5216.8
.5	9733.9	4907.5	5700.6	2874.1	10341.1	5213.6
.6	9740.2	4910.7	5706.9	2877.2	10334.8	5210.5
.7	9746.4	4913.8	5713.1	2880.4	10328.6	5207.3
.8	9752.7	4917.0	5719.4	2883.5	10322.3	5204.2
.9	9758.9	4920.1	5725.6	2886.7	10316.1	5201.0
2352.0	9765.2	4923.3	5731.9	2889.8	10309.8	5197.9
.1	9771.5	4926.4	5738.2	2893.0	10303.5	5194.7
.2	9777.7	4929.6	5744.4	2896.1	10297.3	5191.5
.3	9784.0	4932.8	5750.7	2899.3	10291.0	5188.4
.4	9790.2	4935.9	5756.9	2902.5	10284.8	5185.2
.5	9796.5	4939.1	5763.2	2905.6	10278.5	5182.1
.6	9802.8	4942.2	5769.5	2908.8	10272.2	5178.9
.7	9809.0	4945.4	5775.7	2911.9	10266.0	5175.8
.8	9815.3	4948.5	5782.0	2915.1	10259.7	5172.6
.9	9821.5	4951.7	5788.2	2918.2	10253.5	5169.5
2353.0	9827.8	4954.8	5794.5	2921.4	10247.2	5166.3
.1	9834.1	4958.0	5800.8	2924.6	10240.9	5163.1
.2	9840.3	4961.2	5807.0	2927.7	10234.7	5160.0
.3	9846.6	4964.3	5813.3	2930.9	10228.4	5156.8
.4	9852.8	4967.5	5819.5	2934.0	10222.2	5153.7
.5	9859.1	4970.6	5825.8	2937.2	10215.9	5150.5
.6	9865.4	4973.8	5832.1	2940.3	10209.6	5147.4
.7	9871.6	4976.9	5838.3	2943.5	10203.4	5144.2
.8	9877.9	4980.1	5844.6	2946.6	10197.1	5141.0
.9	9884.1	4983.3	5850.8	2949.8	10190.9	5137.9

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2354.0	9890.4	4986.4	5857.1	2953.0	10184.6	5134.7
.1	9896.7	4989.6	5863.4	2956.1	10178.3	5131.6
.2	9902.9	4992.7	5869.6	2959.3	10172.1	5128.4
.3	9909.2	4995.9	5875.9	2962.4	10165.8	5125.3
.4	9915.4	4999.0	5882.1	2965.6	10159.6	5122.1
.5	9921.7	5002.2	5888.4	2968.7	10153.3	5119.0
.6	9928.0	5005.3	5894.7	2971.9	10147.0	5115.8
.7	9934.2	5008.5	5900.9	2975.1	10140.8	5112.6
.8	9940.5	5011.7	5907.2	2978.2	10134.5	5109.5
.9	9946.7	5014.8	5913.4	2981.4	10128.3	5106.3
2355.0	9953.0	5018.0	5919.7	2984.5	10122.0	5103.2
.1	9959.3	5021.1	5926.0	2987.7	10115.7	5100.0
.2	9965.5	5024.3	5932.2	2990.8	10109.5	5096.9
.3	9971.8	5027.4	5938.5	2994.0	10103.2	5093.7
.4	9978.0	5030.6	5944.7	2997.1	10097.0	5090.6
.5	9984.3	5033.8	5951.0	3000.3	10090.7	5087.4
.6	9990.6	5036.9	5957.3	3003.5	10084.4	5084.2
.7	9996.8	5040.1	5963.5	3006.6	10078.2	5081.1
.8	10003.1	5043.2	5969.8	3009.8	10071.9	5077.9
.9	10009.3	5046.4	5976.0	3012.9	10065.7	5074.8
2356.0	10015.6	5049.5	5982.3	3016.1	10059.4	5071.6
.1	10021.9	5052.7	5988.6	3019.2	10053.1	5068.5
.2	10028.1	5055.8	5994.8	3022.4	10046.9	5065.3
.3	10034.4	5059.0	6001.1	3025.6	10040.6	5062.1
.4	10040.6	5062.2	6007.3	3028.7	10034.4	5059.0
.5	10046.9	5065.3	6013.6	3031.9	10028.1	5055.8
.6	10053.2	5068.5	6019.9	3035.0	10021.8	5052.7
.7	10059.4	5071.6	6026.1	3038.2	10015.6	5049.5
.8	10065.7	5074.8	6032.4	3041.3	10009.3	5046.4
.9	10071.9	5077.9	6038.6	3044.5	10003.1	5043.2
2357.0	10078.2	5081.1	6044.9	3047.6	9996.8	5040.1
.1	10084.5	5084.3	6051.2	3050.8	9990.5	5036.9
.2	10090.7	5087.4	6057.4	3054.0	9984.3	5033.7
.3	10097.0	5090.6	6063.7	3057.1	9978.0	5030.6
.4	10103.2	5093.7	6069.9	3060.3	9971.8	5027.4
.5	10109.5	5096.9	6076.2	3063.4	9965.5	5024.3
.6	10115.8	5100.0	6082.5	3066.6	9959.2	5021.1
.7	10122.0	5103.2	6088.7	3069.7	9953.0	5018.0
.8	10128.3	5106.3	6095.0	3072.9	9946.7	5014.8
.9	10134.5	5109.5	6101.2	3076.0	9940.5	5011.7
2358.0	10140.8	5112.7	6107.5	3079.2	9934.2	5008.5
.1	10147.1	5115.8	6113.8	3082.4	9927.9	5005.3
.2	10153.3	5119.0	6120.0	3085.5	9921.7	5002.2
.3	10159.6	5122.1	6126.3	3088.7	9915.4	4999.0
.4	10165.8	5125.3	6132.5	3091.8	9909.2	4995.9
.5	10172.1	5128.4	6138.8	3095.0	9902.9	4992.7
.6	10178.4	5131.6	6145.1	3098.1	9896.6	4989.6
.7	10184.6	5134.7	6151.3	3101.3	9890.4	4986.4
.8	10190.9	5137.9	6157.6	3104.5	9884.1	4983.2
.9	10197.1	5141.1	6163.8	3107.6	9877.9	4980.1

Mica – (Full=2475)

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2359.0	10203.4	5144.2	6170.1	3110.8	9871.6	4976.9
.1	10209.7	5147.4	6176.4	3113.9	9865.3	4973.8
.2	10215.9	5150.5	6182.6	3117.1	9859.1	4970.6
.3	10222.2	5153.7	6188.9	3120.2	9852.8	4967.5
.4	10228.4	5156.8	6195.1	3123.4	9846.6	4964.3
.5	10234.7	5160.0	6201.4	3126.5	9840.3	4961.2
.6	10241.0	5163.2	6207.7	3129.7	9834.0	4958.0
.7	10247.2	5166.3	6213.9	3132.9	9827.8	4954.8
.8	10253.5	5169.5	6220.2	3136.0	9821.5	4951.7
.9	10259.7	5172.6	6226.4	3139.2	9815.3	4948.5
2360.0	10266.0	5175.8	6232.7	3142.3	9809.0	4945.4
.1	10272.3	5178.9	6239.0	3145.5	9802.7	4942.2
.2	10278.5	5182.1	6245.2	3148.6	9796.5	4939.1
.3	10284.8	5185.2	6251.5	3151.8	9790.2	4935.9
.4	10291.0	5188.4	6257.7	3154.9	9784.0	4932.7
.5	10297.3	5191.6	6264.0	3158.1	9777.7	4929.6
.6	10303.6	5194.7	6270.3	3161.3	9771.4	4926.4
.7	10309.8	5197.9	6276.5	3164.4	9765.2	4923.3
.8	10316.1	5201.0	6282.8	3167.6	9758.9	4920.1
.9	10322.3	5204.2	6289.0	3170.7	9752.7	4917.0
2361.0	10328.6	5207.3	6295.3	3173.9	9746.4	4913.8
.1	10334.9	5210.5	6301.6	3177.0	9740.1	4910.7
.2	10341.1	5213.6	6307.8	3180.2	9733.9	4907.5
.3	10347.4	5216.8	6314.1	3183.4	9727.6	4904.3
.4	10353.6	5220.0	6320.3	3186.5	9721.4	4901.2
.5	10359.9	5223.1	6326.6	3189.7	9715.1	4898.0
.6	10366.2	5226.3	6332.9	3192.8	9708.8	4894.9
.7	10372.4	5229.4	6339.1	3196.0	9702.6	4891.7
.8	10378.7	5232.6	6345.4	3199.1	9696.3	4888.6
.9	10384.9	5235.7	6351.6	3202.3	9690.1	4885.4
2362.0	10391.2	5238.9	6357.9	3205.4	9683.8	4882.2
.1	10397.5	5242.1	6364.2	3208.6	9677.5	4879.1
.2	10403.7	5245.2	6370.4	3211.8	9671.3	4875.9
.3	10410.0	5248.4	6376.7	3214.9	9665.0	4872.8
.4	10416.2	5251.5	6382.9	3218.1	9658.8	4869.6
.5	10422.5	5254.7	6389.2	3221.2	9652.5	4866.5
.6	10428.8	5257.8	6395.5	3224.4	9646.2	4863.3
.7	10435.0	5261.0	6401.7	3227.5	9640.0	4860.2
.8	10441.3	5264.1	6408.0	3230.7	9633.7	4857.0
.9	10447.5	5267.3	6414.2	3233.8	9627.5	4853.8
2363.0	10453.8	5270.5	6420.5	3237.0	9621.2	4850.7
.1	10460.1	5273.6	6426.8	3240.2	9614.9	4847.5
.2	10466.3	5276.8	6433.0	3243.3	9608.7	4844.4
.3	10472.6	5279.9	6439.3	3246.5	9602.4	4841.2
.4	10478.8	5283.1	6445.5	3249.6	9596.2	4838.1
.5	10485.1	5286.2	6451.8	3252.8	9589.9	4834.9
.6	10491.4	5289.4	6458.1	3255.9	9583.6	4831.7
.7	10497.6	5292.5	6464.3	3259.1	9577.4	4828.6
.8	10503.9	5295.7	6470.6	3262.3	9571.1	4825.4
.9	10510.1	5298.9	6476.8	3265.4	9564.9	4822.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2364.0	10516.4	5302.0	6483.1	3268.6	9558.6	4819.1
.1	10522.7	5305.2	6489.4	3271.7	9552.3	4816.0
.2	10528.9	5308.3	6495.6	3274.9	9546.1	4812.8
.3	10535.2	5311.5	6501.9	3278.0	9539.8	4809.7
.4	10541.4	5314.6	6508.1	3281.2	9533.6	4806.5
.5	10547.7	5317.8	6514.4	3284.3	9527.3	4803.3
.6	10554.0	5321.0	6520.7	3287.5	9521.0	4800.2
.7	10560.2	5324.1	6526.9	3290.7	9514.8	4797.0
.8	10566.5	5327.3	6533.2	3293.8	9508.5	4793.9
.9	10572.7	5330.4	6539.4	3297.0	9502.3	4790.7
2365.0	10579.0	5333.6	6545.7	3300.1	9496.0	4787.6
.1	10585.3	5336.7	6552.0	3303.3	9489.7	4784.4
.2	10591.5	5339.9	6558.2	3306.4	9483.5	4781.3
.3	10597.8	5343.0	6564.5	3309.6	9477.2	4778.1
.4	10604.0	5346.2	6570.7	3312.8	9471.0	4774.9
.5	10610.3	5349.4	6577.0	3315.9	9464.7	4771.8
.6	10616.6	5352.5	6583.3	3319.1	9458.4	4768.6
.7	10622.8	5355.7	6589.5	3322.2	9452.2	4765.5
.8	10629.1	5358.8	6595.8	3325.4	9445.9	4762.3
.9	10635.3	5362.0	6602.0	3328.5	9439.7	4759.2
2366.0	10641.6	5365.1	6608.3	3331.7	9433.4	4756.0
.1	10647.9	5368.3	6614.6	3334.8	9427.1	4752.8
.2	10654.1	5371.5	6620.8	3338.0	9420.9	4749.7
.3	10660.4	5374.6	6627.1	3341.2	9414.6	4746.5
.4	10666.6	5377.8	6633.3	3344.3	9408.4	4743.4
.5	10672.9	5380.9	6639.6	3347.5	9402.1	4740.2
.6	10679.2	5384.1	6645.9	3350.6	9395.8	4737.1
.7	10685.4	5387.2	6652.1	3353.8	9389.6	4733.9
.8	10691.7	5390.4	6658.4	3356.9	9383.3	4730.8
.9	10697.9	5393.5	6664.6	3360.1	9377.1	4727.6
2367.0	10704.2	5396.7	6670.9	3363.3	9370.8	4724.4
.1	10710.5	5399.9	6677.2	3366.4	9364.5	4721.3
.2	10716.7	5403.0	6683.4	3369.6	9358.3	4718.1
.3	10723.0	5406.2	6689.7	3372.7	9352.0	4715.0
.4	10729.2	5409.3	6695.9	3375.9	9345.8	4711.8
.5	10735.5	5412.5	6702.2	3379.0	9339.5	4708.7
.6	10741.8	5415.6	6708.5	3382.2	9333.2	4705.5
.7	10748.0	5418.8	6714.7	3385.3	9327.0	4702.4
.8	10754.3	5422.0	6721.0	3388.5	9320.7	4699.2
.9	10760.5	5425.1	6727.2	3391.7	9314.5	4696.0
2368.0	10766.8	5428.3	6733.5	3394.8	9308.2	4692.9
.1	10773.1	5431.4	6739.8	3398.0	9301.9	4689.7
.2	10779.3	5434.6	6746.0	3401.1	9295.7	4686.6
.3	10785.6	5437.7	6752.3	3404.3	9289.4	4683.4
.4	10791.8	5440.9	6758.5	3407.4	9283.2	4680.3
.5	10798.1	5444.0	6764.8	3410.6	9276.9	4677.1
.6	10804.4	5447.2	6771.1	3413.8	9270.6	4673.9
.7	10810.6	5450.4	6777.3	3416.9	9264.4	4670.8
.8	10816.9	5453.5	6783.6	3420.1	9258.1	4667.6
.9	10823.1	5456.7	6789.8	3423.2	9251.9	4664.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2369.0	10829.4	5459.8	6796.1	3426.4	9245.6	4661.3
.1	10835.7	5463.0	6802.4	3429.5	9239.3	4658.2
.2	10841.9	5466.1	6808.6	3432.7	9233.1	4655.0
.3	10848.2	5469.3	6814.9	3435.8	9226.8	4651.9
.4	10854.4	5472.4	6821.1	3439.0	9220.6	4648.7
.5	10860.7	5475.6	6827.4	3442.2	9214.3	4645.5
.6	10867.0	5478.8	6833.7	3445.3	9208.0	4642.4
.7	10873.2	5481.9	6839.9	3448.5	9201.8	4639.2
.8	10879.5	5485.1	6846.2	3451.6	9195.5	4636.1
.9	10885.7	5488.2	6852.4	3454.8	9189.3	4632.9
2370.0	10892.0	5491.4	6858.7	3457.9	9183.0	4629.8
.1	10898.3	5494.5	6865.0	3461.1	9176.7	4626.6
.2	10904.5	5497.7	6871.2	3464.2	9170.5	4623.5
.3	10910.8	5500.9	6877.5	3467.4	9164.2	4620.3
.4	10917.0	5504.0	6883.7	3470.6	9158.0	4617.1
.5	10923.3	5507.2	6890.0	3473.7	9151.7	4614.0
.6	10929.6	5510.3	6896.3	3476.9	9145.4	4610.8
.7	10935.8	5513.5	6902.5	3480.0	9139.2	4607.7
.8	10942.1	5516.6	6908.8	3483.2	9132.9	4604.5
.9	10948.3	5519.8	6915.0	3486.3	9126.7	4601.4
2371.0	10954.6	5522.9	6921.3	3489.5	9120.4	4598.2
.1	10960.9	5526.1	6927.6	3492.7	9114.1	4595.0
.2	10967.1	5529.3	6933.8	3495.8	9107.9	4591.9
.3	10973.4	5532.4	6940.1	3499.0	9101.6	4588.7
.4	10979.6	5535.6	6946.3	3502.1	9095.4	4585.6
.5	10985.9	5538.7	6952.6	3505.3	9089.1	4582.4
.6	10992.2	5541.9	6958.9	3508.4	9082.8	4579.3
.7	10998.4	5545.0	6965.1	3511.6	9076.6	4576.1
.8	11004.7	5548.2	6971.4	3514.7	9070.3	4573.0
.9	11010.9	5551.3	6977.6	3517.9	9064.1	4569.8
2372.0	11017.2	5554.5	6983.9	3521.1	9057.8	4566.6
.1	11023.5	5557.7	6990.2	3524.2	9051.5	4563.5
.2	11029.7	5560.8	6996.4	3527.4	9045.3	4560.3
.3	11036.0	5564.0	7002.7	3530.5	9039.0	4557.2
.4	11042.2	5567.1	7008.9	3533.7	9032.8	4554.0
.5	11048.5	5570.3	7015.2	3536.8	9026.5	4550.9
.6	11054.8	5573.4	7021.5	3540.0	9020.2	4547.7
.7	11061.0	5576.6	7027.7	3543.1	9014.0	4544.6
.8	11067.3	5579.8	7034.0	3546.3	9007.7	4541.4
.9	11073.5	5582.9	7040.2	3549.5	9001.5	4538.2
2373.0	11079.8	5586.1	7046.5	3552.6	8995.2	4535.1
.1	11086.1	5589.2	7052.8	3555.8	8988.9	4531.9
.2	11092.3	5592.4	7059.0	3558.9	8982.7	4528.8
.3	11098.6	5595.5	7065.3	3562.1	8976.4	4525.6
.4	11104.8	5598.7	7071.5	3565.2	8970.2	4522.5
.5	11111.1	5601.8	7077.8	3568.4	8963.9	4519.3
.6	11117.4	5605.0	7084.1	3571.6	8957.6	4516.1
.7	11123.6	5608.2	7090.3	3574.7	8951.4	4513.0
.8	11129.9	5611.3	7096.6	3577.9	8945.1	4509.8
.9	11136.1	5614.5	7102.8	3581.0	8938.9	4506.7

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2374.0	11142.4	5617.6	7109.1	3584.2	8932.6	4503.5
.1	11148.7	5620.8	7115.4	3587.3	8926.3	4500.4
.2	11154.9	5623.9	7121.6	3590.5	8920.1	4497.2
.3	11161.2	5627.1	7127.9	3593.6	8913.8	4494.0
.4	11167.4	5630.2	7134.1	3596.8	8907.6	4490.9
.5	11173.7	5633.4	7140.4	3600.0	8901.3	4487.7
.6	11180.0	5636.6	7146.7	3603.1	8895.0	4484.6
.7	11186.2	5639.7	7152.9	3606.3	8888.8	4481.4
.8	11192.5	5642.9	7159.2	3609.4	8882.5	4478.3
.9	11198.7	5646.0	7165.4	3612.6	8876.3	4475.1
2375.0	11205.0	5649.2	7171.7	3615.7	8870.0	4472.0
.1	11211.3	5652.3	7178.0	3618.9	8863.7	4468.8
.2	11217.5	5655.5	7184.2	3622.0	8857.5	4465.6
.3	11223.8	5658.7	7190.5	3625.2	8851.2	4462.5
.4	11230.0	5661.8	7196.7	3628.4	8845.0	4459.3
.5	11236.3	5665.0	7203.0	3631.5	8838.7	4456.2
.6	11242.6	5668.1	7209.3	3634.7	8832.4	4453.0
.7	11248.8	5671.3	7215.5	3637.8	8826.2	4449.9
.8	11255.1	5674.4	7221.8	3641.0	8819.9	4446.7
.9	11261.3	5677.6	7228.0	3644.1	8813.7	4443.6
2376.0	11267.6	5680.7	7234.3	3647.3	8807.4	4440.4
.1	11273.9	5683.9	7240.6	3650.5	8801.1	4437.2
.2	11280.1	5687.1	7246.8	3653.6	8794.9	4434.1
.3	11286.4	5690.2	7253.1	3656.8	8788.6	4430.9
.4	11292.6	5693.4	7259.3	3659.9	8782.4	4427.8
.5	11298.9	5696.5	7265.6	3663.1	8776.1	4424.6
.6	11305.2	5699.7	7271.9	3666.2	8769.8	4421.5
.7	11311.4	5702.8	7278.1	3669.4	8763.6	4418.3
.8	11317.7	5706.0	7284.4	3672.5	8757.3	4415.1
.9	11323.9	5709.2	7290.6	3675.7	8751.1	4412.0
2377.0	11330.2	5712.3	7296.9	3678.9	8744.8	4408.8
.1	11336.5	5715.5	7303.2	3682.0	8738.5	4405.7
.2	11342.7	5718.6	7309.4	3685.2	8732.3	4402.5
.3	11349.0	5721.8	7315.7	3688.3	8726.0	4399.4
.4	11355.2	5724.9	7321.9	3691.5	8719.8	4396.2
.5	11361.5	5728.1	7328.2	3694.6	8713.5	4393.1
.6	11367.8	5731.2	7334.5	3697.8	8707.2	4389.9
.7	11374.0	5734.4	7340.7	3700.9	8701.0	4386.7
.8	11380.3	5737.6	7347.0	3704.1	8694.7	4383.6
.9	11386.5	5740.7	7353.2	3707.3	8688.5	4380.4
2378.0	11392.8	5743.9	7359.5	3710.4	8682.2	4377.3
.1	11399.1	5747.0	7365.8	3713.6	8675.9	4374.1
.2	11405.3	5750.2	7372.0	3716.7	8669.7	4371.0
.3	11411.6	5753.3	7378.3	3719.9	8663.4	4367.8
.4	11417.8	5756.5	7384.5	3723.0	8657.2	4364.7
.5	11424.1	5759.7	7390.8	3726.2	8650.9	4361.5
.6	11430.4	5762.8	7397.1	3729.4	8644.6	4358.3
.7	11436.6	5766.0	7403.3	3732.5	8638.4	4355.2
.8	11442.9	5769.1	7409.6	3735.7	8632.1	4352.0
.9	11449.1	5772.3	7415.8	3738.8	8625.9	4348.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2379.0	11455.4	5775.4	7422.1	3742.0	8619.6	4345.7
.1	11461.7	5778.6	7428.4	3745.1	8613.3	4342.6
.2	11467.9	5781.7	7434.6	3748.3	8607.1	4339.4
.3	11474.2	5784.9	7440.9	3751.5	8600.8	4336.2
.4	11480.4	5788.1	7447.1	3754.6	8594.6	4333.1
.5	11486.7	5791.2	7453.4	3757.8	8588.3	4329.9
.6	11493.0	5794.4	7459.7	3760.9	8582.0	4326.8
.7	11499.2	5797.5	7465.9	3764.1	8575.8	4323.6
.8	11505.5	5800.7	7472.2	3767.2	8569.5	4320.5
.9	11511.7	5803.8	7478.4	3770.4	8563.3	4317.3
2380.0	11518.0	5807.0	7484.7	3773.5	8557.0	4314.2
.1	11525.4	5810.7	7492.1	3777.2	8549.6	4310.4
.2	11532.7	5814.4	7499.4	3780.9	8542.3	4306.7
.3	11540.0	5818.1	7506.8	3784.7	8535.0	4303.0
.4	11547.4	5821.8	7514.1	3788.4	8527.6	4299.3
.5	11554.7	5825.5	7521.4	3792.1	8520.3	4295.6
.6	11562.1	5829.2	7528.8	3795.8	8512.9	4291.9
.7	11569.4	5832.9	7536.1	3799.5	8505.6	4288.2
.8	11576.8	5836.6	7543.5	3803.2	8498.2	4284.5
.9	11584.1	5840.3	7550.8	3806.9	8490.9	4280.8
2381.0	11591.5	5844.0	7558.2	3810.6	8483.5	4277.1
.1	11598.8	5847.7	7565.5	3814.3	8476.2	4273.4
.2	11606.2	5851.4	7572.9	3818.0	8468.8	4269.7
.3	11613.5	5855.2	7580.2	3821.7	8461.5	4266.0
.4	11620.9	5858.8	7587.6	3825.4	8454.1	4262.3
.5	11628.2	5862.6	7594.9	3829.1	8446.8	4258.6
.6	11635.6	5866.3	7602.3	3832.8	8439.4	4254.9
.7	11642.9	5870.0	7609.6	3836.5	8432.1	4251.2
.8	11650.3	5873.7	7617.0	3840.2	8424.7	4247.5
.9	11657.6	5877.4	7624.3	3843.9	8417.4	4243.8
2382.0	11664.9	5881.1	7631.7	3847.6	8410.1	4240.1
.1	11672.3	5884.8	7639.0	3851.3	8402.7	4236.4
.2	11679.6	5888.5	7646.4	3855.0	8395.4	4232.7
.3	11687.0	5892.2	7653.7	3858.7	8388.0	4229.0
.4	11694.3	5895.9	7661.0	3862.4	8380.7	4225.3
.5	11701.7	5899.6	7668.4	3866.1	8373.3	4221.5
.6	11709.0	5903.3	7675.8	3869.9	8366.0	4217.8
.7	11716.4	5907.0	7683.1	3873.6	8358.6	4214.1
.8	11723.7	5910.7	7690.4	3877.3	8351.3	4210.4
.9	11731.1	5914.4	7697.8	3881.0	8343.9	4206.7
2383.0	11738.4	5918.1	7705.1	3884.7	8336.6	4203.0
.1	11745.8	5921.8	7712.5	3888.4	8329.2	4199.3
.2	11753.1	5925.5	7719.8	3892.1	8321.9	4195.6
.3	11760.5	5929.2	7727.2	3895.8	8314.5	4191.9
.4	11767.8	5932.9	7734.5	3899.5	8307.2	4188.2
.5	11775.2	5936.6	7741.9	3903.2	8299.8	4184.5
.6	11782.5	5940.4	7749.2	3906.9	8292.5	4180.8
.7	11789.9	5944.1	7756.6	3910.6	8285.1	4177.1
.8	11797.2	5947.8	7763.9	3914.3	8277.8	4173.4
.9	11804.5	5951.5	7771.3	3918.0	8270.5	4169.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2384.0	11811.9	5955.2	7778.6	3921.7	8263.1	4166.0
.1	11819.3	5958.9	7786.0	3925.4	8255.7	4162.3
.2	11826.6	5962.6	7793.3	3929.1	8248.4	4158.6
.3	11833.9	5966.3	7800.7	3932.8	8241.1	4154.9
.4	11841.3	5970.0	7808.0	3936.5	8233.7	4151.2
.5	11848.6	5973.7	7815.3	3940.2	8226.4	4147.5
.6	11856.0	5977.4	7822.7	3943.9	8219.0	4143.8
.7	11863.3	5981.1	7830.0	3947.6	8211.7	4140.1
.8	11870.7	5984.8	7837.4	3951.4	8204.3	4136.3
.9	11878.0	5988.5	7844.7	3955.1	8197.0	4132.6
2385.0	11885.4	5992.2	7852.1	3958.8	8189.6	4128.9
.1	11892.7	5995.9	7859.4	3962.5	8182.3	4125.2
.2	11900.1	5999.6	7866.8	3966.2	8174.9	4121.5
.3	11907.4	6003.3	7874.1	3969.9	8167.6	4117.8
.4	11914.8	6007.0	7881.5	3973.6	8160.2	4114.1
.5	11922.1	6010.7	7888.8	3977.3	8152.9	4110.4
.6	11929.5	6014.4	7896.2	3981.0	8145.5	4106.7
.7	11936.8	6018.1	7903.5	3984.7	8138.2	4103.0
.8	11944.2	6021.8	7910.9	3988.4	8130.8	4099.3
.9	11951.5	6025.5	7918.2	3992.1	8123.5	4095.6
2386.0	11958.8	6029.3	7925.6	3995.8	8116.2	4091.9
.1	11966.2	6033.0	7932.9	3999.5	8108.8	4088.2
.2	11973.5	6036.7	7940.2	4003.2	8101.5	4084.5
.3	11980.9	6040.4	7947.6	4006.9	8094.1	4080.8
.4	11988.2	6044.1	7954.9	4010.6	8086.8	4077.1
.5	11995.6	6047.8	7962.3	4014.3	8079.4	4073.4
.6	12002.9	6051.5	7969.7	4018.0	8072.1	4069.7
.7	12010.3	6055.2	7977.0	4021.7	8064.7	4066.0
.8	12017.6	6058.9	7984.3	4025.4	8057.4	4062.3
.9	12025.0	6062.6	7991.7	4029.1	8050.0	4058.6
2387.0	12032.3	6066.3	7999.0	4032.8	8042.7	4054.8
.1	12039.7	6070.0	8006.4	4036.6	8035.3	4051.1
.2	12047.0	6073.7	8013.7	4040.3	8028.0	4047.4
.3	12054.4	6077.4	8021.1	4044.0	8020.6	4043.7
.4	12061.7	6081.1	8028.4	4047.7	8013.3	4040.0
.5	12069.1	6084.8	8035.8	4051.4	8005.9	4036.3
.6	12076.4	6088.5	8043.1	4055.1	7998.6	4032.6
.7	12083.8	6092.2	8050.5	4058.8	7991.2	4028.9
.8	12091.1	6095.9	8057.8	4062.5	7983.9	4025.2
.9	12098.4	6099.6	8065.2	4066.2	7976.6	4021.5
2388.0	12105.8	6103.3	8072.5	4069.9	7969.2	4017.8
.1	12113.2	6107.0	8079.9	4073.6	7961.8	4014.1
.2	12120.5	6110.7	8087.2	4077.3	7954.5	4010.4
.3	12127.8	6114.5	8094.6	4081.0	7947.2	4006.7
.4	12135.2	6118.2	8101.9	4084.7	7939.8	4003.0
.5	12142.5	6121.9	8109.2	4088.4	7932.5	3999.3
.6	12149.9	6125.6	8116.6	4092.1	7925.1	3995.6
.7	12157.2	6129.3	8123.9	4095.8	7917.8	3991.9
.8	12164.6	6133.0	8131.3	4099.5	7910.4	3988.2
.9	12171.9	6136.7	8138.6	4103.2	7903.1	3984.5

Mica – (Full=2475)   **26**

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2389.0	12179.3	6140.4	8146.0	4106.9	7895.7	3980.8
.1	12186.6	6144.1	8153.3	4110.6	7888.4	3977.1
.2	12194.0	6147.8	8160.7	4114.3	7881.0	3973.4
.3	12201.3	6151.5	8168.0	4118.0	7873.7	3969.6
.4	12208.7	6155.2	8175.4	4121.7	7866.3	3965.9
.5	12216.0	6158.9	8182.7	4125.5	7859.0	3962.2
.6	12223.4	6162.6	8190.1	4129.2	7851.6	3958.5
.7	12230.7	6166.3	8197.4	4132.9	7844.3	3954.8
.8	12238.1	6170.0	8204.8	4136.6	7836.9	3951.1
.9	12245.4	6173.7	8212.1	4140.3	7829.6	3947.4
2390.0	12252.7	6177.4	8219.5	4144.0	7822.3	3943.7
.1	12260.1	6181.1	8226.8	4147.7	7814.9	3940.0
.2	12267.4	6184.8	8234.1	4151.4	7807.6	3936.3
.3	12274.8	6188.5	8241.5	4155.1	7800.2	3932.6
.4	12282.1	6192.2	8248.8	4158.8	7792.9	3928.9
.5	12289.5	6195.9	8256.2	4162.5	7785.5	3925.2
.6	12296.8	6199.7	8263.5	4166.2	7778.2	3921.5
.7	12304.2	6203.4	8270.9	4169.9	7770.8	3917.8
.8	12311.5	6207.1	8278.2	4173.6	7763.5	3914.1
.9	12318.9	6210.8	8285.6	4177.3	7756.1	3910.4
2391.0	12326.2	6214.5	8292.9	4181.0	7748.8	3906.7
.1	12333.6	6218.2	8300.3	4184.7	7741.4	3903.0
.2	12340.9	6221.9	8307.6	4188.4	7734.1	3899.3
.3	12348.3	6225.6	8315.0	4192.1	7726.7	3895.6
.4	12355.6	6229.3	8322.3	4195.8	7719.4	3891.9
.5	12363.0	6233.0	8329.7	4199.5	7712.0	3888.2
.6	12370.3	6236.7	8337.0	4203.2	7704.7	3884.4
.7	12377.7	6240.4	8344.4	4206.9	7697.3	3880.7
.8	12385.0	6244.1	8351.7	4210.7	7690.0	3877.0
.9	12392.3	6247.8	8359.1	4214.4	7682.7	3873.3
2392.0	12399.7	6251.5	8366.4	4218.1	7675.3	3869.6
.1	12407.1	6255.2	8373.8	4221.8	7667.9	3865.9
.2	12414.4	6258.9	8381.1	4225.5	7660.6	3862.2
.3	12421.7	6262.6	8388.5	4229.2	7653.3	3858.5
.4	12429.1	6266.3	8395.8	4232.9	7645.9	3854.8
.5	12436.4	6270.0	8403.1	4236.6	7638.6	3851.1
.6	12443.8	6273.7	8410.5	4240.3	7631.2	3847.4
.7	12451.1	6277.4	8417.8	4244.0	7623.9	3843.7
.8	12458.5	6281.1	8425.2	4247.7	7616.5	3840.0
.9	12465.8	6284.8	8432.5	4251.4	7609.2	3836.3
2393.0	12473.2	6288.6	8439.9	4255.1	7601.8	3832.6
.1	12480.5	6292.3	8447.2	4258.8	7594.5	3828.9
.2	12487.9	6296.0	8454.6	4262.5	7587.1	3825.2
.3	12495.2	6299.7	8461.9	4266.2	7579.8	3821.5
.4	12502.6	6303.4	8469.3	4269.9	7572.4	3817.8
.5	12509.9	6307.1	8476.6	4273.6	7565.1	3814.1
.6	12517.3	6310.8	8484.0	4277.3	7557.7	3810.4
.7	12524.6	6314.5	8491.3	4281.0	7550.4	3806.7
.8	12532.0	6318.2	8498.7	4284.7	7543.0	3803.0
.9	12539.3	6321.9	8506.0	4288.4	7535.7	3799.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2394.0	12546.6	6325.6	8513.4	4292.1	7528.4	3795.5
.1	12554.0	6329.3	8520.7	4295.9	7521.0	3791.8
.2	12561.9	6333.3	8528.6	4299.9	7513.1	3787.8
.3	12569.9	6337.3	8536.6	4303.9	7505.1	3783.8
.4	12577.8	6341.3	8544.5	4307.8	7497.2	3779.8
.5	12585.7	6345.3	8552.4	4311.9	7489.3	3775.8
.6	12593.7	6349.3	8560.4	4315.9	7481.3	3771.8
.7	12601.6	6353.3	8568.3	4319.8	7473.4	3767.8
.8	12609.5	6357.3	8576.2	4323.9	7465.5	3763.8
.9	12617.4	6361.3	8584.2	4327.8	7457.6	3759.9
2395.0	12625.4	6365.3	8592.1	4331.8	7449.6	3755.8
.1	12633.3	6369.3	8600.0	4335.9	7441.7	3751.8
.2	12641.2	6373.3	8608.0	4339.8	7433.8	3747.9
.3	12649.2	6377.3	8615.9	4343.8	7425.8	3743.8
.4	12657.1	6381.3	8623.8	4347.8	7417.9	3739.9
.5	12665.0	6385.3	8631.8	4351.8	7410.0	3735.9
.6	12673.0	6389.3	8639.7	4355.8	7402.0	3731.8
.7	12680.9	6393.3	8647.6	4359.8	7394.1	3727.9
.8	12688.8	6397.3	8655.6	4363.8	7386.2	3723.9
.9	12696.8	6401.3	8663.5	4367.8	7378.2	3719.9
2396.0	12704.7	6405.3	8671.4	4371.8	7370.3	3715.9
.1	12712.6	6409.3	8679.4	4375.8	7362.4	3711.9
.2	12720.6	6413.3	8687.3	4379.8	7354.4	3707.9
.3	12728.5	6417.3	8695.2	4383.8	7346.5	3703.9
.4	12736.4	6421.3	8703.1	4387.8	7338.6	3699.9
.5	12744.4	6425.3	8711.1	4391.8	7330.6	3695.9
.6	12752.3	6429.3	8719.0	4395.8	7322.7	3691.9
.7	12760.2	6433.3	8726.9	4399.8	7314.8	3687.9
.8	12768.2	6437.3	8734.9	4403.8	7306.8	3683.9
.9	12776.1	6441.3	8742.8	4407.8	7298.9	3679.9
2397.0	12784.0	6445.3	8750.7	4411.8	7291.0	3675.9
.1	12792.0	6449.3	8758.7	4415.8	7283.0	3671.9
.2	12799.9	6453.3	8766.6	4419.8	7275.1	3667.9
.3	12807.8	6457.3	8774.5	4423.8	7267.2	3663.9
.4	12815.8	6461.3	8782.5	4427.8	7259.2	3659.9
.5	12823.7	6465.3	8790.4	4431.8	7251.3	3655.9
.6	12831.6	6469.3	8798.3	4435.8	7243.4	3651.9
.7	12839.6	6473.3	8806.3	4439.8	7235.4	3647.9
.8	12847.5	6477.3	8814.2	4443.8	7227.5	3643.9
.9	12855.4	6481.3	8822.1	4447.8	7219.6	3639.9
2398.0	12863.4	6485.3	8830.1	4451.8	7211.6	3635.9
.1	12871.3	6489.3	8838.0	4455.8	7203.7	3631.9
.2	12879.2	6493.3	8845.9	4459.8	7195.8	3627.9
.3	12887.2	6497.3	8853.9	4463.8	7187.8	3623.9
.4	12895.1	6501.3	8861.8	4467.8	7179.9	3619.9
.5	12903.0	6505.3	8869.7	4471.8	7172.0	3615.9
.6	12911.0	6509.3	8877.7	4475.8	7164.0	3611.9
.7	12918.9	6513.3	8885.6	4479.8	7156.1	3607.9
.8	12926.8	6517.3	8893.5	4483.8	7148.2	3603.9
.9	12934.7	6521.3	8901.4	4487.8	7140.3	3599.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2399.0	12942.7	6525.3	8909.4	4491.8	7132.3	3595.9
.1	12950.6	6529.3	8917.3	4495.8	7124.4	3591.9
.2	12958.5	6533.3	8925.2	4499.8	7116.5	3587.9
.3	12966.5	6537.3	8933.2	4503.8	7108.5	3583.9
.4	12974.4	6541.3	8941.1	4507.8	7100.6	3579.9
.5	12982.3	6545.3	8949.0	4511.8	7092.7	3575.9
.6	12990.3	6549.3	8957.0	4515.8	7084.7	3571.9
.7	12998.2	6553.3	8964.9	4519.8	7076.8	3567.9
.8	13006.1	6557.3	8972.8	4523.8	7068.9	3563.9
.9	13014.1	6561.3	8980.8	4527.8	7060.9	3559.9
2400.0	13022.0	6565.3	8988.7	4531.8	7053.0	3555.9
.1	13030.3	6569.5	8997.0	4536.0	7044.7	3551.7
.2	13038.7	6573.7	9005.4	4540.2	7036.3	3547.5
.3	13047.0	6577.9	9013.7	4544.4	7028.0	3543.3
.4	13055.3	6582.1	9022.0	4548.6	7019.7	3539.1
.5	13063.7	6586.3	9030.4	4552.8	7011.3	3534.9
.6	13072.0	6590.5	9038.7	4557.0	7003.0	3530.7
.7	13080.3	6594.7	9047.0	4561.2	6994.7	3526.5
.8	13088.6	6598.9	9055.4	4565.4	6986.4	3522.3
.9	13097.0	6603.1	9063.7	4569.6	6978.0	3518.1
2401.0	13105.3	6607.3	9072.0	4573.8	6969.7	3513.9
.1	13113.6	6611.5	9080.3	4578.0	6961.4	3509.7
.2	13122.0	6615.7	9088.7	4582.2	6953.0	3505.5
.3	13130.3	6619.9	9097.0	4586.4	6944.7	3501.3
.4	13138.6	6624.1	9105.3	4590.6	6936.4	3497.1
.5	13147.0	6628.3	9113.7	4594.8	6928.0	3492.9
.6	13155.3	6632.5	9122.0	4599.0	6919.7	3488.7
.7	13163.6	6636.7	9130.3	4603.2	6911.4	3484.5
.8	13171.9	6640.9	9138.7	4607.4	6903.1	3480.3
.9	13180.3	6645.0	9147.0	4611.6	6894.7	3476.1
2402.0	13188.6	6649.3	9155.3	4615.8	6886.4	3471.9
.1	13196.9	6653.5	9163.6	4620.0	6878.1	3467.7
.2	13205.3	6657.6	9172.0	4624.2	6869.7	3463.5
.3	13213.6	6661.9	9180.3	4628.4	6861.4	3459.3
.4	13221.9	6666.0	9188.6	4632.6	6853.1	3455.1
.5	13230.3	6670.3	9197.0	4636.8	6844.8	3450.9
.6	13238.6	6674.5	9205.3	4641.0	6836.4	3446.7
.7	13246.9	6678.6	9213.6	4645.2	6828.1	3442.5
.8	13255.2	6682.9	9222.0	4649.4	6819.8	3438.3
.9	13263.6	6687.0	9230.3	4653.6	6811.4	3434.1
2403.0	13271.9	6691.2	9238.6	4657.8	6803.1	3429.9
.1	13280.2	6695.5	9246.9	4662.0	6794.8	3425.7
.2	13288.6	6699.6	9255.3	4666.2	6786.4	3421.5
.3	13296.9	6703.9	9263.6	4670.4	6778.1	3417.3
.4	13305.2	6708.0	9271.9	4674.6	6769.8	3413.1
.5	13313.5	6712.2	9280.3	4678.8	6761.5	3408.9
.6	13321.9	6716.5	9288.6	4683.0	6753.1	3404.7
.7	13330.2	6720.6	9296.9	4687.2	6744.8	3400.5
.8	13338.5	6724.8	9305.3	4691.4	6736.5	3396.3
.9	13346.9	6729.0	9313.6	4695.6	6728.1	3392.1

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2404.0	13355.2	6733.2	9321.9	4699.8	6719.8	3387.9
.1	13363.5	6737.5	9330.2	4704.0	6711.5	3383.7
.2	13371.9	6741.6	9338.6	4708.2	6703.1	3379.5
.3	13380.2	6745.8	9346.9	4712.4	6694.8	3375.3
.4	13388.5	6750.0	9355.2	4716.6	6686.5	3371.1
.5	13396.8	6754.2	9363.6	4720.8	6678.2	3366.9
.6	13405.2	6758.4	9371.9	4725.0	6669.8	3362.7
.7	13413.5	6762.6	9380.2	4729.2	6661.5	3358.5
.8	13421.8	6766.8	9388.6	4733.4	6653.2	3354.3
.9	13430.2	6771.0	9396.9	4737.6	6644.8	3350.1
2405.0	13438.5	6775.2	9405.2	4741.8	6636.5	3345.9
.1	13446.8	6779.4	9413.5	4746.0	6628.2	3341.7
.2	13455.2	6783.6	9421.9	4750.2	6619.8	3337.5
.3	13463.5	6787.8	9430.2	4754.4	6611.5	3333.3
.4	13471.8	6792.0	9438.5	4758.6	6603.2	3329.1
.5	13480.2	6796.2	9446.9	4762.8	6594.8	3324.9
.6	13488.5	6800.4	9455.2	4767.0	6586.5	3320.7
.7	13496.8	6804.6	9463.5	4771.2	6578.2	3316.5
.8	13505.1	6808.8	9471.9	4775.4	6569.9	3312.3
.9	13513.5	6813.0	9480.2	4779.6	6561.5	3308.1
2406.0	13521.8	6817.2	9488.5	4783.8	6553.2	3303.9
.1	13530.1	6821.4	9496.8	4788.0	6544.9	3299.7
.2	13538.5	6825.6	9505.2	4792.2	6536.5	3295.5
.3	13546.8	6829.8	9513.5	4796.4	6528.2	3291.3
.4	13555.1	6834.0	9521.8	4800.6	6519.9	3287.1
.5	13563.5	6838.2	9530.2	4804.8	6511.5	3282.9
.6	13571.8	6842.4	9538.5	4809.0	6503.2	3278.7
.7	13580.1	6846.6	9546.8	4813.2	6494.9	3274.5
.8	13588.4	6850.8	9555.2	4817.4	6486.6	3270.3
.9	13596.8	6855.0	9563.5	4821.6	6478.2	3266.1
2407.0	13605.1	6859.2	9571.8	4825.8	6469.9	3261.9
.1	13613.4	6863.4	9580.1	4830.0	6461.6	3257.7
.2	13621.8	6867.6	9588.5	4834.2	6453.2	3253.5
.3	13630.1	6871.8	9596.8	4838.4	6444.9	3249.3
.4	13638.4	6876.0	9605.1	4842.6	6436.6	3245.1
.5	13646.8	6880.2	9613.5	4846.8	6428.3	3240.9
.6	13655.1	6884.4	9621.8	4851.0	6419.9	3236.7
.7	13663.4	6888.6	9630.1	4855.2	6411.6	3232.5
.8	13671.7	6892.8	9638.5	4859.4	6403.3	3228.3
.9	13680.1	6897.0	9646.8	4863.6	6394.9	3224.1
2408.0	13688.4	6901.2	9655.1	4867.8	6386.6	3219.9
.1	13696.7	6905.4	9663.4	4872.0	6378.3	3215.7
.2	13705.1	6909.6	9671.8	4876.2	6369.9	3211.5
.3	13713.4	6913.8	9680.1	4880.4	6361.6	3207.3
.4	13721.7	6918.0	9688.4	4884.6	6353.3	3203.1
.5	13730.0	6922.2	9696.8	4888.8	6345.0	3198.9
.6	13738.4	6926.4	9705.1	4893.0	6336.6	3194.7
.7	13746.7	6930.6	9713.4	4897.2	6328.3	3190.5
.8	13755.0	6934.8	9721.8	4901.4	6320.0	3186.3
.9	13763.4	6939.0	9730.1	4905.6	6311.6	3182.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2409.0	13771.7	6943.2	9738.4	4909.8	6303.3	3177.9
.1	13780.0	6947.4	9746.7	4914.0	6295.0	3173.7
.2	13788.4	6951.6	9755.1	4918.2	6286.6	3169.5
.3	13796.7	6955.8	9763.4	4922.4	6278.3	3165.3
.4	13805.0	6960.0	9771.7	4926.6	6270.0	3161.1
.5	13813.3	6964.2	9780.1	4930.8	6261.7	3156.9
.6	13821.7	6968.4	9788.4	4935.0	6253.3	3152.7
.7	13830.0	6972.6	9796.7	4939.2	6245.0	3148.5
.8	13838.3	6976.8	9805.1	4943.4	6236.7	3144.3
.9	13846.7	6981.0	9813.4	4947.6	6228.3	3140.1
2410.0	13855.0	6985.2	9821.7	4951.8	6220.0	3135.9
.1	13863.6	6989.6	9830.3	4956.1	6211.4	3131.6
.2	13872.2	6993.9	9838.9	4960.4	6202.8	3127.3
.3	13880.7	6998.2	9847.5	4964.8	6194.3	3122.9
.4	13889.3	7002.5	9856.0	4969.1	6185.7	3118.6
.5	13897.9	7006.9	9864.6	4973.4	6177.1	3114.3
.6	13906.5	7011.2	9873.2	4977.7	6168.5	3110.0
.7	13915.1	7015.5	9881.8	4982.1	6159.9	3105.6
.8	13923.6	7019.8	9890.4	4986.4	6151.4	3101.3
.9	13932.2	7024.2	9898.9	4990.7	6142.8	3097.0
2411.0	13940.8	7028.5	9907.5	4995.0	6134.2	3092.7
.1	13949.4	7032.8	9916.1	4999.4	6125.6	3088.3
.2	13958.0	7037.1	9924.7	5003.7	6117.0	3084.0
.3	13966.5	7041.5	9933.3	5008.0	6108.5	3079.7
.4	13975.1	7045.8	9941.8	5012.3	6099.9	3075.4
.5	13983.7	7050.1	9950.4	5016.7	6091.3	3071.0
.6	13992.3	7054.4	9959.0	5021.0	6082.7	3066.7
.7	14000.9	7058.8	9967.6	5025.3	6074.1	3062.4
.8	14009.4	7063.1	9976.2	5029.6	6065.6	3058.1
.9	14018.0	7067.4	9984.7	5034.0	6057.0	3053.7
2412.0	14026.6	7071.7	9993.3	5038.3	6048.4	3049.4
.1	14035.2	7076.1	10001.9	5042.6	6039.8	3045.1
.2	14043.8	7080.4	10010.5	5046.9	6031.2	3040.8
.3	14052.3	7084.7	10019.1	5051.3	6022.7	3036.4
.4	14060.9	7089.0	10027.6	5055.6	6014.1	3032.1
.5	14069.5	7093.4	10036.2	5059.9	6005.5	3027.8
.6	14078.1	7097.7	10044.8	5064.3	5996.9	3023.4
.7	14086.7	7102.0	10053.4	5068.6	5988.3	3019.1
.8	14095.2	7106.4	10062.0	5072.9	5979.8	3014.8
.9	14103.8	7110.7	10070.5	5077.2	5971.2	3010.5
2413.0	14112.4	7115.0	10079.1	5081.6	5962.6	3006.1
.1	14121.0	7119.3	10087.7	5085.9	5954.0	3001.8
.2	14129.6	7123.7	10096.3	5090.2	5945.4	2997.5
.3	14138.1	7128.0	10104.9	5094.5	5936.9	2993.2
.4	14146.7	7132.3	10113.4	5098.9	5928.3	2988.8
.5	14155.3	7136.6	10122.0	5103.2	5919.7	2984.5
.6	14163.9	7141.0	10130.6	5107.5	5911.1	2980.2
.7	14172.5	7145.3	10139.2	5111.8	5902.5	2975.9
.8	14181.0	7149.6	10147.8	5116.2	5894.0	2971.5
.9	14189.6	7153.9	10156.3	5120.5	5885.4	2967.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2414.0	14198.2	7158.3	10164.9	5124.8	5876.8	2962.9
.1	14206.8	7162.6	10173.5	5129.1	5868.2	2958.6
.2	14215.4	7166.9	10182.1	5133.5	5859.6	2954.2
.3	14223.9	7171.2	10190.7	5137.8	5851.1	2949.9
.4	14232.5	7175.6	10199.2	5142.1	5842.5	2945.6
.5	14241.1	7179.9	10207.8	5146.4	5833.9	2941.3
.6	14249.7	7184.2	10216.4	5150.8	5825.3	2936.9
.7	14258.3	7188.5	10225.0	5155.1	5816.7	2932.6
.8	14266.8	7192.9	10233.6	5159.4	5808.2	2928.3
.9	14275.4	7197.2	10242.1	5163.7	5799.6	2924.0
2415.0	14284.0	7201.5	10250.7	5168.1	5791.0	2919.6
.1	14292.7	7205.9	10259.5	5172.5	5782.3	2915.2
.2	14301.5	7210.3	10268.2	5176.9	5773.5	2910.8
.3	14310.2	7214.7	10276.9	5181.3	5764.8	2906.4
.4	14319.0	7219.1	10285.7	5185.7	5756.0	2902.0
.5	14327.7	7223.5	10294.4	5190.1	5747.3	2897.6
.6	14336.4	7228.0	10303.2	5194.5	5738.6	2893.2
.7	14345.2	7232.4	10311.9	5198.9	5729.8	2888.8
.8	14353.9	7236.8	10320.6	5203.3	5721.1	2884.4
.9	14362.7	7241.2	10329.4	5207.7	5712.3	2880.0
2416.0	14371.4	7245.6	10338.1	5212.1	5703.6	2875.6
.1	14380.1	7250.0	10346.9	5216.5	5694.9	2871.2
.2	14388.9	7254.4	10355.6	5220.9	5686.1	2866.8
.3	14397.6	7258.8	10364.3	5225.4	5677.4	2862.3
.4	14406.4	7263.2	10373.1	5229.8	5668.6	2857.9
.5	14415.1	7267.6	10381.8	5234.2	5659.9	2853.5
.6	14423.8	7272.0	10390.6	5238.6	5651.2	2849.1
.7	14432.6	7276.4	10399.3	5243.0	5642.4	2844.7
.8	14441.3	7280.8	10408.0	5247.4	5633.7	2840.3
.9	14450.1	7285.2	10416.8	5251.8	5624.9	2835.9
2417.0	14458.8	7289.6	10425.5	5256.2	5616.2	2831.5
.1	14467.5	7294.1	10434.3	5260.6	5607.5	2827.1
.2	14476.3	7298.5	10443.0	5265.0	5598.7	2822.7
.3	14485.0	7302.9	10451.7	5269.4	5590.0	2818.3
.4	14493.8	7307.3	10460.5	5273.8	5581.2	2813.9
.5	14502.5	7311.7	10469.2	5278.2	5572.5	2809.5
.6	14511.2	7316.1	10478.0	5282.6	5563.8	2805.1
.7	14520.0	7320.5	10486.7	5287.0	5555.0	2800.7
.8	14528.7	7324.9	10495.4	5291.4	5546.3	2796.2
.9	14537.5	7329.3	10504.2	5295.8	5537.5	2791.8
2418.0	14546.2	7333.7	10512.9	5300.3	5528.8	2787.4
.1	14554.9	7338.1	10521.7	5304.7	5520.1	2783.0
.2	14563.7	7342.5	10530.4	5309.1	5511.3	2778.6
.3	14572.4	7346.9	10539.1	5313.5	5502.6	2774.2
.4	14581.2	7351.3	10547.9	5317.9	5493.8	2769.8
.5	14589.9	7355.7	10556.6	5322.3	5485.1	2765.4
.6	14598.6	7360.2	10565.4	5326.7	5476.4	2761.0
.7	14607.4	7364.6	10574.1	5331.1	5467.6	2756.6
.8	14616.1	7369.0	10582.8	5335.5	5458.9	2752.2
.9	14624.9	7373.4	10591.6	5339.9	5450.1	2747.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2419.0	14633.6	7377.8	10600.3	5344.3	5441.4	2743.4
.1	14642.3	7382.2	10609.1	5348.7	5432.7	2739.0
.2	14651.1	7386.6	10617.8	5353.1	5423.9	2734.6
.3	14659.8	7391.0	10626.5	5357.5	5415.2	2730.2
.4	14668.6	7395.4	10635.3	5361.9	5406.4	2725.8
.5	14677.3	7399.8	10644.0	5366.4	5397.7	2721.3
.6	14686.0	7404.2	10652.8	5370.8	5389.0	2716.9
.7	14694.8	7408.6	10661.5	5375.2	5380.2	2712.5
.8	14703.5	7413.0	10670.2	5379.6	5371.5	2708.1
.9	14712.3	7417.4	10679.0	5384.0	5362.7	2703.7
2420.0	14721.0	7421.8	10687.7	5388.4	5354.0	2699.3
.1	14729.9	7426.3	10696.6	5392.9	5345.1	2694.8
.2	14738.8	7430.8	10705.5	5397.4	5336.2	2690.3
.3	14747.7	7435.3	10714.4	5401.9	5327.3	2685.8
.4	14756.6	7439.8	10723.3	5406.3	5318.4	2681.4
.5	14765.5	7444.3	10732.2	5410.8	5309.5	2676.9
.6	14774.4	7448.8	10741.1	5415.3	5300.6	2672.4
.7	14783.3	7453.2	10750.0	5419.8	5291.7	2667.9
.8	14792.2	7457.7	10758.9	5424.3	5282.8	2663.4
.9	14801.1	7462.2	10767.8	5428.8	5273.9	2658.9
2421.0	14810.0	7466.7	10776.7	5433.3	5265.0	2654.4
.1	14818.9	7471.2	10785.6	5437.8	5256.1	2649.9
.2	14827.8	7475.7	10794.5	5442.2	5247.2	2645.5
.3	14836.7	7480.2	10803.4	5446.7	5238.3	2641.0
.4	14845.6	7484.7	10812.3	5451.2	5229.4	2636.5
.5	14854.5	7489.1	10821.2	5455.7	5220.5	2632.0
.6	14863.4	7493.6	10830.1	5460.2	5211.6	2627.5
.7	14872.3	7498.1	10839.0	5464.7	5202.7	2623.0
.8	14881.2	7502.6	10847.9	5469.2	5193.8	2618.5
.9	14890.1	7507.1	10856.8	5473.6	5184.9	2614.1
2422.0	14899.0	7511.6	10865.7	5478.1	5176.0	2609.6
.1	14907.9	7516.1	10874.6	5482.6	5167.1	2605.1
.2	14916.8	7520.6	10883.5	5487.1	5158.2	2600.6
.3	14925.7	7525.0	10892.4	5491.6	5149.3	2596.1
.4	14934.6	7529.5	10901.3	5496.1	5140.4	2591.6
.5	14943.5	7534.0	10910.2	5500.6	5131.5	2587.1
.6	14952.4	7538.5	10919.1	5505.1	5122.6	2582.6
.7	14961.3	7543.0	10928.0	5509.5	5113.7	2578.2
.8	14970.2	7547.5	10936.9	5514.0	5104.8	2573.7
.9	14979.1	7552.0	10945.8	5518.5	5095.9	2569.2
2423.0	14988.0	7556.5	10954.7	5523.0	5087.0	2564.7
.1	14996.9	7560.9	10963.6	5527.5	5078.1	2560.2
.2	15005.8	7565.4	10972.5	5532.0	5069.2	2555.7
.3	15014.7	7569.9	10981.4	5536.5	5060.3	2551.2
.4	15023.6	7574.4	10990.3	5540.9	5051.4	2546.8
.5	15032.5	7578.9	10999.2	5545.4	5042.5	2542.3
.6	15041.4	7583.4	11008.1	5549.9	5033.6	2537.8
.7	15050.3	7587.9	11017.0	5554.4	5024.7	2533.3
.8	15059.2	7592.3	11025.9	5558.9	5015.8	2528.8
.9	15068.1	7596.8	11034.8	5563.4	5006.9	2524.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2424.0	15077.0	7601.3	11043.7	5567.9	4998.0	2519.8
.1	15085.9	7605.8	11052.6	5572.4	4989.1	2515.3
.2	15094.8	7610.3	11061.5	5576.8	4980.2	2510.9
.3	15103.7	7614.8	11070.4	5581.3	4971.3	2506.4
.4	15112.6	7619.3	11079.3	5585.8	4962.4	2501.9
.5	15121.5	7623.8	11088.2	5590.3	4953.5	2497.4
.6	15130.4	7628.2	11097.1	5594.8	4944.6	2492.9
.7	15139.3	7632.7	11106.0	5599.3	4935.7	2488.4
.8	15148.2	7637.2	11114.9	5603.8	4926.8	2483.9
.9	15157.1	7641.7	11123.8	5608.2	4917.9	2479.4
2425.0	15166.0	7646.2	11132.7	5612.7	4909.0	2475.0
.1	15175.1	7650.8	11141.8	5617.3	4899.9	2470.4
.2	15184.2	7655.3	11150.9	5621.9	4890.8	2465.8
.3	15193.2	7659.9	11160.0	5626.5	4881.8	2461.2
.4	15202.3	7664.5	11169.0	5631.0	4872.7	2456.6
.5	15211.4	7669.1	11178.1	5635.6	4863.6	2452.1
.6	15220.5	7673.7	11187.2	5640.2	4854.5	2447.5
.7	15229.6	7678.2	11196.3	5644.8	4845.4	2442.9
.8	15238.6	7682.8	11205.4	5649.4	4836.4	2438.3
.9	15247.7	7687.4	11214.4	5653.9	4827.3	2433.8
2426.0	15256.8	7692.0	11223.5	5658.5	4818.2	2429.2
.1	15265.9	7696.6	11232.6	5663.1	4809.1	2424.6
.2	15275.0	7701.1	11241.7	5667.7	4800.0	2420.0
.3	15284.0	7705.7	11250.8	5672.3	4791.0	2415.4
.4	15293.1	7710.3	11259.8	5676.8	4781.9	2410.9
.5	15302.2	7714.9	11268.9	5681.4	4772.8	2406.3
.6	15311.3	7719.4	11278.0	5686.0	4763.7	2401.7
.7	15320.4	7724.0	11287.1	5690.6	4754.6	2397.1
.8	15329.4	7728.6	11296.2	5695.1	4745.6	2392.6
.9	15338.5	7733.2	11305.2	5699.7	4736.5	2388.0
2427.0	15347.6	7737.7	11314.3	5704.3	4727.4	2383.4
.1	15356.7	7742.3	11323.4	5708.9	4718.3	2378.8
.2	15365.8	7746.9	11332.5	5713.5	4709.2	2374.2
.3	15374.8	7751.5	11341.6	5718.0	4700.2	2369.7
.4	15383.9	7756.1	11350.6	5722.6	4691.1	2365.1
.5	15393.0	7760.6	11359.7	5727.2	4682.0	2360.5
.6	15402.1	7765.2	11368.8	5731.8	4672.9	2355.9
.7	15411.2	7769.8	11377.9	5736.3	4663.8	2351.4
.8	15420.2	7774.4	11387.0	5740.9	4654.8	2346.8
.9	15429.3	7778.9	11396.0	5745.5	4645.7	2342.2
2428.0	15438.4	7783.5	11405.1	5750.1	4636.6	2337.6
.1	15447.5	7788.1	11414.2	5754.7	4627.5	2333.0
.2	15456.6	7792.7	11423.3	5759.2	4618.4	2328.5
.3	15465.6	7797.3	11432.4	5763.8	4609.4	2323.9
.4	15474.7	7801.8	11441.4	5768.4	4600.3	2319.3
.5	15483.8	7806.4	11450.5	5773.0	4591.2	2314.7
.6	15492.9	7811.0	11459.6	5777.5	4582.1	2310.1
.7	15502.0	7815.6	11468.7	5782.1	4573.0	2305.6
.8	15511.0	7820.2	11477.8	5786.7	4564.0	2301.0
.9	15520.1	7824.7	11486.8	5791.3	4554.9	2296.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2429.0	15529.2	7829.3	11495.9	5795.9	4545.8	2291.8
.1	15538.3	7833.9	11505.0	5800.4	4536.7	2287.3
.2	15547.4	7838.5	11514.1	5805.0	4527.6	2282.7
.3	15556.4	7843.0	11523.2	5809.6	4518.6	2278.1
.4	15565.5	7847.6	11532.2	5814.2	4509.5	2273.5
.5	15574.6	7852.2	11541.3	5818.7	4500.4	2269.0
.6	15583.7	7856.8	11550.4	5823.3	4491.3	2264.4
.7	15592.8	7861.3	11559.5	5827.9	4482.2	2259.8
.8	15601.8	7865.9	11568.6	5832.5	4473.2	2255.2
.9	15610.9	7870.5	11577.6	5837.1	4464.1	2250.6
2430.0	15620.0	7875.1	11586.7	5841.6	4455.0	2246.1
.1	15629.2	7879.7	11596.0	5846.3	4445.8	2241.4
.2	15638.5	7884.4	11605.2	5850.9	4436.5	2236.7
.3	15647.7	7889.1	11614.4	5855.6	4427.3	2232.1
.4	15657.0	7893.7	11623.7	5860.3	4418.0	2227.4
.5	15666.2	7898.4	11632.9	5864.9	4408.8	2222.8
.6	15675.4	7903.0	11642.2	5869.6	4399.6	2218.1
.7	15684.7	7907.7	11651.4	5874.2	4390.3	2213.5
.8	15693.9	7912.4	11660.6	5878.9	4381.1	2208.8
.9	15703.2	7917.0	11669.9	5883.6	4371.8	2204.1
2431.0	15712.4	7921.7	11679.1	5888.2	4362.6	2199.5
.1	15721.6	7926.3	11688.4	5892.9	4353.4	2194.8
.2	15730.9	7931.0	11697.6	5897.5	4344.1	2190.2
.3	15740.1	7935.6	11706.8	5902.2	4334.9	2185.5
.4	15749.4	7940.3	11716.1	5906.8	4325.6	2180.8
.5	15758.6	7945.0	11725.3	5911.5	4316.4	2176.2
.6	15767.8	7949.6	11734.6	5916.2	4307.2	2171.5
.7	15777.1	7954.3	11743.8	5920.8	4297.9	2166.9
.8	15786.3	7958.9	11753.0	5925.5	4288.7	2162.2
.9	15795.6	7963.6	11762.3	5930.1	4279.4	2157.6
2432.0	15804.8	7968.3	11771.5	5934.8	4270.2	2152.9
.1	15814.0	7972.9	11780.8	5939.5	4261.0	2148.2
.2	15823.3	7977.6	11790.0	5944.1	4251.7	2143.6
.3	15832.5	7982.2	11799.2	5948.8	4242.5	2138.9
.4	15841.8	7986.9	11808.5	5953.4	4233.2	2134.3
.5	15851.0	7991.5	11817.7	5958.1	4224.0	2129.6
.6	15860.2	7996.2	11827.0	5962.8	4214.8	2124.9
.7	15869.5	8000.9	11836.2	5967.4	4205.5	2120.3
.8	15878.7	8005.5	11845.4	5972.1	4196.3	2115.6
.9	15888.0	8010.2	11854.7	5976.7	4187.0	2111.0
2433.0	15897.2	8014.8	11863.9	5981.4	4177.8	2106.3
.1	15906.4	8019.5	11873.2	5986.1	4168.6	2101.6
.2	15915.7	8024.2	11882.4	5990.7	4159.3	2097.0
.3	15924.9	8028.8	11891.6	5995.4	4150.1	2092.3
.4	15934.2	8033.5	11900.9	6000.0	4140.8	2087.7
.5	15943.4	8038.1	11910.1	6004.7	4131.6	2083.0
.6	15952.6	8042.8	11919.4	6009.3	4122.4	2078.4
.7	15961.9	8047.4	11928.6	6014.0	4113.1	2073.7
.8	15971.1	8052.1	11937.8	6018.7	4103.9	2069.0
.9	15980.4	8056.8	11947.1	6023.3	4094.6	2064.4

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2434.0	15989.6	8061.4	11956.3	6028.0	4085.4	2059.7
.1	15998.8	8066.1	11965.6	6032.6	4076.2	2055.1
.2	16008.1	8070.7	11974.8	6037.3	4066.9	2050.4
.3	16017.3	8075.4	11984.0	6042.0	4057.7	2045.7
.4	16026.6	8080.1	11993.3	6046.6	4048.4	2041.1
.5	16035.8	8084.7	12002.5	6051.3	4039.2	2036.4
.6	16045.0	8089.4	12011.8	6055.9	4030.0	2031.8
.7	16054.3	8094.0	12021.0	6060.6	4020.7	2027.1
.8	16063.5	8098.7	12030.2	6065.2	4011.5	2022.5
.9	16072.8	8103.3	12039.5	6069.9	4002.2	2017.8
2435.0	16082.0	8108.0	12048.7	6074.6	3993.0	2013.1
.1	16091.4	8112.8	12058.1	6079.3	3983.6	2008.4
.2	16100.8	8117.5	12067.5	6084.0	3974.2	2003.7
.3	16110.2	8122.2	12076.9	6088.8	3964.8	1998.9
.4	16119.6	8127.0	12086.3	6093.5	3955.4	1994.2
.5	16129.0	8131.7	12095.7	6098.3	3946.0	1989.4
.6	16138.4	8136.4	12105.1	6103.0	3936.6	1984.7
.7	16147.8	8141.2	12114.5	6107.7	3927.2	1980.0
.8	16157.2	8145.9	12123.9	6112.5	3917.8	1975.2
.9	16166.6	8150.7	12133.3	6117.2	3908.4	1970.5
2436.0	16176.0	8155.4	12142.7	6121.9	3899.0	1965.7
.1	16185.4	8160.1	12152.1	6126.7	3889.6	1961.0
.2	16194.8	8164.9	12161.5	6131.4	3880.2	1956.3
.3	16204.2	8169.6	12170.9	6136.2	3870.8	1951.5
.4	16213.6	8174.4	12180.3	6140.9	3861.4	1946.8
.5	16223.0	8179.1	12189.7	6145.6	3852.0	1942.1
.6	16232.4	8183.8	12199.1	6150.4	3842.6	1937.3
.7	16241.8	8188.6	12208.5	6155.1	3833.2	1932.6
.8	16251.2	8193.3	12217.9	6159.9	3823.8	1927.8
.9	16260.6	8198.0	12227.3	6164.6	3814.4	1923.1
2437.0	16270.0	8202.8	12236.7	6169.3	3805.0	1918.4
.1	16279.4	8207.5	12246.1	6174.1	3795.6	1913.6
.2	16288.8	8212.3	12255.5	6178.8	3786.2	1908.9
.3	16298.2	8217.0	12264.9	6183.6	3776.8	1904.1
.4	16307.6	8221.7	12274.3	6188.3	3767.4	1899.4
.5	16317.0	8226.5	12283.7	6193.0	3758.0	1894.7
.6	16326.4	8231.2	12293.1	6197.8	3748.6	1889.9
.7	16335.8	8236.0	12302.5	6202.5	3739.2	1885.2
.8	16345.2	8240.7	12311.9	6207.3	3729.8	1880.4
.9	16354.6	8245.4	12321.3	6212.0	3720.4	1875.7
2438.0	16364.0	8250.2	12330.7	6216.7	3711.0	1871.0
.1	16373.4	8254.9	12340.1	6221.5	3701.6	1866.2
.2	16382.8	8259.7	12349.5	6226.2	3692.2	1861.5
.3	16392.2	8264.4	12358.9	6231.0	3682.8	1856.7
.4	16401.6	8269.1	12368.3	6235.7	3673.4	1852.0
.5	16411.0	8273.9	12377.7	6240.4	3664.0	1847.3
.6	16420.4	8278.6	12387.1	6245.2	3654.6	1842.5
.7	16429.8	8283.4	12396.5	6249.9	3645.2	1837.8
.8	16439.2	8288.1	12405.9	6254.6	3635.8	1833.0
.9	16448.6	8292.8	12415.3	6259.4	3626.4	1828.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2439.0	16458.0	8297.6	12424.7	6264.1	3617.0	1823.6
.1	16467.4	8302.3	12434.1	6268.9	3607.6	1818.8
.2	16476.8	8307.1	12443.5	6273.6	3598.2	1814.1
.3	16486.2	8311.8	12452.9	6278.3	3588.8	1809.4
.4	16495.6	8316.5	12462.3	6283.1	3579.4	1804.6
.5	16505.0	8321.3	12471.7	6287.8	3570.0	1799.9
.6	16514.4	8326.0	12481.1	6292.6	3560.6	1795.1
.7	16523.8	8330.7	12490.5	6297.3	3551.2	1790.4
.8	16533.2	8335.5	12499.9	6302.0	3541.8	1785.7
.9	16542.6	8340.2	12509.3	6306.8	3532.4	1780.9
2440.0	16552.0	8345.0	12518.7	6311.5	3523.0	1776.2
.1	16561.6	8349.8	12528.3	6316.3	3513.4	1771.4
.2	16571.1	8354.6	12537.8	6321.2	3503.9	1766.5
.3	16580.7	8359.4	12547.4	6326.0	3494.3	1761.7
.4	16590.2	8364.2	12556.9	6330.8	3484.8	1756.9
.5	16599.8	8369.1	12566.5	6335.6	3475.2	1752.1
.6	16609.4	8373.9	12576.1	6340.4	3465.6	1747.3
.7	16618.9	8378.7	12585.6	6345.3	3456.1	1742.4
.8	16628.5	8383.5	12595.2	6350.1	3446.5	1737.6
.9	16638.0	8388.3	12604.7	6354.9	3437.0	1732.8
2441.0	16647.6	8393.2	12614.3	6359.7	3427.4	1728.0
.1	16657.2	8398.0	12623.9	6364.5	3417.8	1723.2
.2	16666.7	8402.8	12633.4	6369.4	3408.3	1718.3
.3	16676.3	8407.6	12643.0	6374.2	3398.7	1713.5
.4	16685.8	8412.4	12652.5	6379.0	3389.2	1708.7
.5	16695.4	8417.3	12662.1	6383.8	3379.6	1703.9
.6	16705.0	8422.1	12671.7	6388.6	3370.0	1699.1
.7	16714.5	8426.9	12681.2	6393.5	3360.5	1694.2
.8	16724.1	8431.7	12690.8	6398.3	3350.9	1689.4
.9	16733.6	8436.5	12700.3	6403.1	3341.4	1684.6
2442.0	16743.2	8441.4	12709.9	6407.9	3331.8	1679.8
.1	16752.8	8446.2	12719.5	6412.7	3322.2	1675.0
.2	16762.3	8451.0	12729.0	6417.5	3312.7	1670.1
.3	16771.9	8455.8	12738.6	6422.4	3303.1	1665.3
.4	16781.4	8460.6	12748.1	6427.2	3293.6	1660.5
.5	16791.0	8465.5	12757.7	6432.0	3284.0	1655.7
.6	16800.6	8470.3	12767.3	6436.8	3274.4	1650.9
.7	16810.1	8475.1	12776.8	6441.6	3264.9	1646.0
.8	16819.7	8479.9	12786.4	6446.5	3255.3	1641.2
.9	16829.2	8484.7	12795.9	6451.3	3245.8	1636.4
2443.0	16838.8	8489.6	12805.5	6456.1	3236.2	1631.6
.1	16848.4	8494.4	12815.1	6460.9	3226.6	1626.8
.2	16857.9	8499.2	12824.6	6465.7	3217.1	1621.9
.3	16867.5	8504.0	12834.2	6470.6	3207.5	1617.1
.4	16877.0	8508.8	12843.7	6475.4	3198.0	1612.3
.5	16886.6	8513.7	12853.3	6480.2	3188.4	1607.5
.6	16896.2	8518.5	12862.9	6485.0	3178.8	1602.7
.7	16905.7	8523.3	12872.4	6489.8	3169.3	1597.8
.8	16915.3	8528.1	12882.0	6494.7	3159.7	1593.0
.9	16924.8	8532.9	12891.5	6499.5	3150.2	1588.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2444.0	16934.4	8537.8	12901.1	6504.3	3140.6	1583.4
.1	16944.0	8542.6	12910.7	6509.1	3131.0	1578.6
.2	16953.5	8547.4	12920.2	6513.9	3121.5	1573.7
.3	16963.1	8552.2	12929.8	6518.8	3111.9	1568.9
.4	16972.6	8557.0	12939.3	6523.6	3102.4	1564.1
.5	16982.2	8561.9	12948.9	6528.4	3092.8	1559.3
.6	16991.8	8566.7	12958.5	6533.2	3083.2	1554.5
.7	17001.3	8571.5	12968.0	6538.0	3073.7	1549.6
.8	17010.9	8576.3	12977.6	6542.9	3064.1	1544.8
.9	17020.4	8581.1	12987.1	6547.7	3054.6	1540.0
2445.0	17030.0	8586.0	12996.7	6552.5	3045.0	1535.2
.1	17039.8	8590.9	13006.5	6557.4	3035.3	1530.3
.2	17049.5	8595.8	13016.2	6562.3	3025.5	1525.4
.3	17059.2	8600.7	13025.9	6567.2	3015.8	1520.5
.4	17068.9	8605.6	13035.7	6572.1	3006.1	1515.6
.5	17078.7	8610.5	13045.4	6577.1	2996.3	1510.6
.6	17088.4	8615.4	13055.2	6582.0	2986.6	1505.7
.7	17098.2	8620.3	13064.9	6586.9	2976.8	1500.8
.8	17107.9	8625.2	13074.6	6591.8	2967.1	1495.9
.9	17117.7	8630.1	13084.4	6596.7	2957.3	1491.0
2446.0	17127.4	8635.1	13094.1	6601.6	2947.6	1486.1
.1	17137.2	8640.0	13103.9	6606.5	2937.8	1481.2
.2	17146.9	8644.9	13113.6	6611.4	2928.1	1476.3
.3	17156.6	8649.8	13123.3	6616.3	2918.4	1471.3
.4	17166.3	8654.7	13133.1	6621.3	2908.7	1466.4
.5	17176.1	8659.6	13142.8	6626.2	2898.9	1461.5
.6	17185.8	8664.5	13152.6	6631.1	2889.2	1456.6
.7	17195.6	8669.4	13162.3	6636.0	2879.4	1451.7
.8	17205.3	8674.4	13172.0	6640.9	2869.7	1446.8
.9	17215.1	8679.3	13181.8	6645.8	2859.9	1441.9
2447.0	17224.8	8684.2	13191.5	6650.7	2850.2	1437.0
.1	17234.6	8689.1	13201.3	6655.6	2840.4	1432.1
.2	17244.3	8694.0	13211.0	6660.5	2830.7	1427.2
.3	17254.0	8698.9	13220.7	6665.5	2821.0	1422.2
.4	17263.8	8703.8	13230.5	6670.4	2811.3	1417.3
.5	17273.5	8708.7	13240.2	6675.3	2801.5	1412.4
.6	17283.3	8713.6	13250.0	6680.2	2791.8	1407.5
.7	17293.0	8718.5	13259.7	6685.1	2782.0	1402.6
.8	17302.7	8723.5	13269.4	6690.0	2772.3	1397.7
.9	17312.4	8728.4	13279.2	6694.9	2762.6	1392.8
2448.0	17322.2	8733.3	13288.9	6699.8	2752.8	1387.9
.1	17331.9	8738.2	13298.7	6704.7	2743.1	1383.0
.2	17341.7	8743.1	13308.4	6709.6	2733.3	1378.1
.3	17351.4	8748.0	13318.1	6714.6	2723.6	1373.1
.4	17361.2	8752.9	13327.9	6719.5	2713.8	1368.2
.5	17370.9	8757.8	13337.6	6724.4	2704.1	1363.3
.6	17380.7	8762.7	13347.4	6729.3	2694.3	1358.4
.7	17390.4	8767.6	13357.1	6734.2	2684.6	1353.5
.8	17400.1	8772.6	13366.8	6739.1	2674.9	1348.6
.9	17409.8	8777.5	13376.6	6744.0	2665.2	1343.7

Mica – (Full=2475)

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2449.0	17419.6	8782.4	13386.3	6748.9	2655.4	1338.8
.1	17429.3	8787.3	13396.1	6753.8	2645.7	1333.8
.2	17439.1	8792.2	13405.8	6758.8	2635.9	1328.9
.3	17448.8	8797.1	13415.5	6763.7	2626.2	1324.0
.4	17458.6	8802.0	13425.3	6768.6	2616.4	1319.1
.5	17468.3	8806.9	13435.0	6773.5	2606.7	1314.2
.6	17478.1	8811.9	13444.8	6778.4	2596.9	1309.3
.7	17487.8	8816.8	13454.5	6783.3	2587.2	1304.4
.8	17497.5	8821.7	13464.2	6788.2	2577.5	1299.5
.9	17507.3	8826.6	13474.0	6793.1	2567.8	1294.6
2450.0	17517.0	8831.5	13483.7	6798.0	2558.0	1289.7
.1	17526.9	8836.5	13493.6	6803.0	2548.1	1284.7
.2	17536.8	8841.5	13503.5	6808.0	2538.2	1279.7
.3	17546.7	8846.5	13513.4	6813.0	2528.3	1274.7
.4	17556.6	8851.4	13523.3	6818.0	2518.4	1269.7
.5	17566.5	8856.4	13533.2	6823.0	2508.5	1264.7
.6	17576.4	8861.4	13543.1	6828.0	2498.6	1259.7
.7	17586.3	8866.4	13553.0	6833.0	2488.7	1254.7
.8	17596.2	8871.4	13562.9	6838.0	2478.8	1249.7
.9	17606.1	8876.4	13572.8	6843.0	2468.9	1244.7
2451.0	17616.0	8881.4	13582.7	6847.9	2459.0	1239.7
.1	17625.9	8886.4	13592.6	6852.9	2449.1	1234.7
.2	17635.8	8891.4	13602.5	6857.9	2439.2	1229.8
.3	17645.7	8896.4	13612.4	6862.9	2429.3	1224.8
.4	17655.6	8901.4	13622.3	6867.9	2419.4	1219.8
.5	17665.5	8906.4	13632.2	6872.9	2409.5	1214.8
.6	17675.4	8911.4	13642.1	6877.9	2399.6	1209.8
.7	17685.3	8916.3	13652.0	6882.9	2389.7	1204.8
.8	17695.2	8921.3	13661.9	6887.9	2379.8	1199.8
.9	17705.1	8926.3	13671.8	6892.9	2369.9	1194.8
2452.0	17715.0	8931.3	13681.7	6897.9	2360.0	1189.8
.1	17724.9	8936.3	13691.6	6902.9	2350.1	1184.8
.2	17734.8	8941.3	13701.5	6907.8	2340.2	1179.9
.3	17744.7	8946.3	13711.4	6912.8	2330.3	1174.9
.4	17754.6	8951.3	13721.3	6917.8	2320.4	1169.9
.5	17764.5	8956.3	13731.2	6922.8	2310.5	1164.9
.6	17774.4	8961.3	13741.1	6927.8	2300.6	1159.9
.7	17784.3	8966.2	13751.0	6932.8	2290.7	1154.9
.8	17794.2	8971.2	13760.9	6937.8	2280.8	1149.9
.9	17804.1	8976.2	13770.8	6942.8	2270.9	1144.9
2453.0	17814.0	8981.2	13780.7	6947.8	2261.0	1139.9
.1	17823.9	8986.2	13790.6	6952.8	2251.1	1134.9
.2	17833.8	8991.2	13800.5	6957.8	2241.2	1129.9
.3	17843.7	8996.2	13810.4	6962.8	2231.3	1124.9
.4	17853.6	9001.2	13820.3	6967.7	2221.4	1120.0
.5	17863.5	9006.2	13830.2	6972.7	2211.5	1115.0
.6	17873.4	9011.2	13840.1	6977.7	2201.6	1110.0
.7	17883.3	9016.2	13850.0	6982.7	2191.7	1105.0
.8	17893.2	9021.2	13859.9	6987.7	2181.8	1100.0
.9	17903.1	9026.1	13869.8	6992.7	2171.9	1095.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2454.0	17913.0	9031.1	13879.7	6997.7	2162.0	1090.0
.1	17922.9	9036.1	13889.6	7002.7	2152.1	1085.0
.2	17932.8	9041.1	13899.5	7007.7	2142.2	1080.0
.3	17942.7	9046.1	13909.4	7012.7	2132.3	1075.0
.4	17952.6	9051.1	13919.3	7017.6	2122.4	1070.0
.5	17962.5	9056.1	13929.2	7022.6	2112.5	1065.1
.6	17972.4	9061.1	13939.1	7027.6	2102.6	1060.1
.7	17982.3	9066.1	13949.0	7032.6	2092.7	1055.1
.8	17992.2	9071.1	13958.9	7037.6	2082.8	1050.1
.9	18002.1	9076.1	13968.8	7042.6	2072.9	1045.1
2455.0	18012.0	9081.0	13978.7	7047.6	2063.0	1040.1
.1	18022.1	9086.1	13988.8	7052.7	2052.9	1035.0
.2	18032.1	9091.2	13998.8	7057.7	2042.9	1030.0
.3	18042.2	9096.3	14008.9	7062.8	2032.8	1024.9
.4	18052.2	9101.3	14018.9	7067.9	2022.8	1019.8
.5	18062.3	9106.4	14029.0	7073.0	2012.7	1014.7
.6	18072.4	9111.5	14039.1	7078.0	2002.6	1009.7
.7	18082.4	9116.6	14049.1	7083.1	1992.6	1004.6
.8	18092.5	9121.6	14059.2	7088.2	1982.5	999.5
.9	18102.5	9126.7	14069.2	7093.2	1972.5	994.5
2456.0	18112.6	9131.8	14079.3	7098.3	1962.4	989.4
.1	18122.7	9136.8	14089.4	7103.4	1952.3	984.3
.2	18132.7	9141.9	14099.4	7108.5	1942.3	979.2
.3	18142.8	9147.0	14109.5	7113.5	1932.2	974.2
.4	18152.8	9152.1	14119.5	7118.6	1922.2	969.1
.5	18162.9	9157.1	14129.6	7123.7	1912.1	964.0
.6	18173.0	9162.2	14139.7	7128.8	1902.0	958.9
.7	18183.0	9167.3	14149.7	7133.8	1892.0	953.9
.8	18193.1	9172.3	14159.8	7138.9	1881.9	948.8
.9	18203.1	9177.4	14169.8	7144.0	1871.9	943.7
2457.0	18213.2	9182.5	14179.9	7149.0	1861.8	938.7
.1	18223.3	9187.6	14190.0	7154.1	1851.7	933.6
.2	18233.3	9192.6	14200.0	7159.2	1841.7	928.5
.3	18243.4	9197.7	14210.1	7164.3	1831.6	923.4
.4	18253.4	9202.8	14220.1	7169.3	1821.6	918.4
.5	18263.5	9207.8	14230.2	7174.4	1811.5	913.3
.6	18273.6	9212.9	14240.3	7179.5	1801.4	908.2
.7	18283.6	9218.0	14250.3	7184.5	1791.4	903.2
.8	18293.7	9223.1	14260.4	7189.6	1781.3	898.1
.9	18303.7	9228.1	14270.4	7194.7	1771.3	893.0
2458.0	18313.8	9233.2	14280.5	7199.8	1761.2	887.9
.1	18323.9	9238.3	14290.6	7204.8	1751.1	882.9
.2	18333.9	9243.3	14300.6	7209.9	1741.1	877.8
.3	18344.0	9248.4	14310.7	7215.0	1731.0	872.7
.4	18354.0	9253.5	14320.7	7220.0	1721.0	867.7
.5	18364.1	9258.6	14330.8	7225.1	1710.9	862.6
.6	18374.2	9263.6	14340.9	7230.2	1700.8	857.5
.7	18384.2	9268.7	14350.9	7235.3	1690.8	852.4
.8	18394.3	9273.8	14361.0	7240.3	1680.7	847.4
.9	18404.3	9278.8	14371.0	7245.4	1670.7	842.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2459.0	18414.4	9283.9	14381.1	7250.5	1660.6	837.2
.1	18424.5	9289.0	14391.2	7255.6	1650.5	832.1
.2	18434.5	9294.1	14401.2	7260.6	1640.5	827.1
.3	18444.6	9299.1	14411.3	7265.7	1630.4	822.0
.4	18454.6	9304.2	14421.3	7270.8	1620.4	816.9
.5	18464.7	9309.3	14431.4	7275.8	1610.3	811.9
.6	18474.8	9314.4	14441.5	7280.9	1600.2	806.8
.7	18484.8	9319.4	14451.5	7286.0	1590.2	801.7
.8	18494.9	9324.5	14461.6	7291.1	1580.1	796.6
.9	18504.9	9329.6	14471.6	7296.1	1570.1	791.6
2460.0	18515.0	9334.6	14481.7	7301.2	1560.0	786.5
.1	18525.3	9339.8	14492.0	7306.4	1549.8	781.3
.2	18535.5	9345.0	14502.2	7311.5	1539.5	776.2
.3	18545.7	9350.1	14512.4	7316.7	1529.3	771.0
.4	18555.9	9355.3	14522.7	7321.8	1519.1	765.9
.5	18566.2	9360.5	14532.9	7327.0	1508.8	760.7
.6	18576.4	9365.6	14543.2	7332.2	1498.6	755.5
.7	18586.7	9370.8	14553.4	7337.3	1488.3	750.4
.8	18596.9	9375.9	14563.6	7342.5	1478.1	745.2
.9	18607.2	9381.1	14573.9	7347.7	1467.8	740.0
2461.0	18617.4	9386.3	14584.1	7352.8	1457.6	734.9
.1	18627.7	9391.4	14594.4	7358.0	1447.3	729.7
.2	18637.9	9396.6	14604.6	7363.1	1437.1	724.5
.3	18648.1	9401.8	14614.8	7368.3	1426.9	719.4
.4	18658.3	9406.9	14625.1	7373.5	1416.7	714.2
.5	18668.6	9412.1	14635.3	7378.6	1406.4	709.1
.6	18678.8	9417.3	14645.6	7383.8	1396.2	703.9
.7	18689.1	9422.4	14655.8	7389.0	1385.9	698.7
.8	18699.3	9427.6	14666.0	7394.1	1375.7	693.6
.9	18709.6	9432.7	14676.3	7399.3	1365.4	688.4
2462.0	18719.8	9437.9	14686.5	7404.4	1355.2	683.2
.1	18730.1	9443.1	14696.8	7409.6	1344.9	678.1
.2	18740.3	9448.2	14707.0	7414.8	1334.7	672.9
.3	18750.5	9453.4	14717.2	7419.9	1324.5	667.8
.4	18760.8	9458.5	14727.5	7425.1	1314.3	662.6
.5	18771.0	9463.7	14737.7	7430.3	1304.0	657.4
.6	18781.3	9468.9	14748.0	7435.4	1293.8	652.3
.7	18791.5	9474.0	14758.2	7440.6	1283.5	647.1
.8	18801.7	9479.2	14768.4	7445.8	1273.3	641.9
.9	18811.9	9484.4	14778.7	7450.9	1263.1	636.8
2463.0	18822.2	9489.5	14788.9	7456.1	1252.8	631.6
.1	18832.4	9494.7	14799.2	7461.2	1242.6	626.5
.2	18842.7	9499.8	14809.4	7466.4	1232.3	621.3
.3	18852.9	9505.0	14819.6	7471.6	1222.1	616.1
.4	18863.2	9510.2	14829.9	7476.7	1211.8	611.0
.5	18873.4	9515.3	14840.1	7481.9	1201.6	605.8
.6	18883.7	9520.5	14850.4	7487.1	1191.3	600.6
.7	18893.9	9525.7	14860.6	7492.2	1181.1	595.5
.8	18904.1	9530.8	14870.8	7497.4	1170.9	590.3
.9	18914.3	9536.0	14881.1	7502.5	1160.7	585.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2464.0	18924.6	9541.2	14891.3	7507.7	1150.4	580.0
.1	18934.8	9546.3	14901.6	7512.9	1140.2	574.8
.2	18945.1	9551.5	14911.8	7518.0	1129.9	569.7
.3	18955.3	9556.6	14922.0	7523.2	1119.7	564.5
.4	18965.6	9561.8	14932.3	7528.3	1109.4	559.3
.5	18975.8	9567.0	14942.5	7533.5	1099.2	554.2
.6	18986.1	9572.1	14952.8	7538.7	1088.9	549.0
.7	18996.3	9577.3	14963.0	7543.8	1078.7	543.9
.8	19006.5	9582.5	14973.2	7549.0	1068.5	538.7
.9	19016.8	9587.6	14983.5	7554.2	1058.3	533.5
2465.0	19027.0	9592.8	14993.7	7559.3	1048.0	528.4
.1	19037.3	9598.0	15004.1	7564.5	1037.7	523.2
.2	19047.7	9603.2	15014.4	7569.7	1027.3	517.9
.3	19058.0	9608.4	15024.7	7575.0	1017.0	512.7
.4	19068.3	9613.6	15035.0	7580.2	1006.7	507.5
.5	19078.7	9618.8	15045.4	7585.4	996.3	502.3
.6	19089.0	9624.0	15055.7	7590.6	986.0	497.1
.7	19099.3	9629.2	15066.0	7595.8	975.7	491.9
.8	19109.7	9634.5	15076.4	7601.0	965.3	486.7
.9	19120.0	9639.7	15086.7	7606.2	955.0	481.5
2466.0	19130.3	9644.9	15097.0	7611.4	944.7	476.3
.1	19140.7	9650.1	15107.4	7616.6	934.3	471.1
.2	19151.0	9655.3	15117.7	7621.8	924.0	465.9
.3	19161.3	9660.5	15128.0	7627.1	913.7	460.6
.4	19171.7	9665.7	15138.4	7632.3	903.3	455.4
.5	19182.0	9670.9	15148.7	7637.5	893.0	450.2
.6	19192.3	9676.1	15159.0	7642.7	882.7	445.0
.7	19202.7	9681.3	15169.4	7647.9	872.3	439.8
.8	19213.0	9686.6	15179.7	7653.1	862.0	434.6
.9	19223.3	9691.8	15190.0	7658.3	851.7	429.4
2467.0	19233.7	9697.0	15200.4	7663.5	841.3	424.2
.1	19244.0	9702.2	15210.7	7668.7	831.0	419.0
.2	19254.3	9707.4	15221.0	7673.9	820.7	413.8
.3	19264.7	9712.6	15231.4	7679.2	810.3	408.5
.4	19275.0	9717.8	15241.7	7684.4	800.0	403.3
.5	19285.3	9723.0	15252.0	7689.6	789.7	398.1
.6	19295.7	9728.2	15262.4	7694.8	779.3	392.9
.7	19306.0	9733.4	15272.7	7700.0	769.0	387.7
.8	19316.3	9738.7	15283.0	7705.2	758.7	382.5
.9	19326.7	9743.9	15293.4	7710.4	748.3	377.3
2468.0	19337.0	9749.1	15303.7	7715.6	738.0	372.1
.1	19347.3	9754.3	15314.0	7720.8	727.7	366.9
.2	19357.7	9759.5	15324.4	7726.0	717.3	361.7
.3	19368.0	9764.7	15334.7	7731.2	707.0	356.4
.4	19378.3	9769.9	15345.0	7736.5	696.7	351.2
.5	19388.7	9775.1	15355.4	7741.7	686.3	346.0
.6	19399.0	9780.3	15365.7	7746.9	676.0	340.8
.7	19409.3	9785.5	15376.0	7752.1	665.7	335.6
.8	19419.7	9790.7	15386.4	7757.3	655.3	330.4
.9	19430.0	9795.9	15396.7	7762.5	645.0	325.2

Mica – (Full=2475)

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2469.0	19440.3	9801.2	15407.0	7767.7	634.7	320.0
.1	19450.7	9806.4	15417.4	7772.9	624.3	314.8
.2	19461.0	9811.6	15427.7	7778.1	614.0	309.6
.3	19471.3	9816.8	15438.0	7783.3	603.7	304.4
.4	19481.6	9822.0	15448.4	7788.5	593.4	299.1
.5	19492.0	9827.2	15458.7	7793.8	583.0	293.9
.6	19502.3	9832.4	15469.0	7799.0	572.7	288.7
.7	19512.7	9837.6	15479.4	7804.2	562.3	283.5
.8	19523.0	9842.8	15489.7	7809.4	552.0	278.3
.9	19533.3	9848.0	15500.0	7814.6	541.7	273.1
2470.0	19543.7	9853.3	15510.4	7819.8	531.3	267.9
.1	19554.0	9858.5	15520.7	7825.0	521.0	262.7
.2	19564.6	9863.8	15531.3	7830.4	510.4	257.3
.3	19575.3	9869.2	15542.0	7835.7	499.7	252.0
.4	19585.9	9874.5	15552.6	7841.1	489.1	246.6
.5	19596.5	9879.9	15563.2	7846.5	478.5	241.2
.6	19607.2	9885.3	15573.9	7851.8	467.8	235.9
.7	19617.8	9890.6	15584.5	7857.2	457.2	230.5
.8	19628.4	9896.0	15595.1	7862.5	446.6	225.1
.9	19639.0	9901.4	15605.8	7867.9	436.0	219.8
2471.0	19649.7	9906.7	15616.4	7873.3	425.3	214.4
.1	19660.3	9912.1	15627.0	7878.6	414.7	209.1
.2	19670.9	9917.4	15637.7	7884.0	404.1	203.7
.3	19681.6	9922.8	15648.3	7889.4	393.4	198.3
.4	19692.2	9928.2	15658.9	7894.7	382.8	193.0
.5	19702.8	9933.5	15669.6	7900.1	372.2	187.6
.6	19713.5	9938.9	15680.2	7905.4	361.5	182.3
.7	19724.1	9944.2	15690.8	7910.8	350.9	176.9
.8	19734.8	9949.6	15701.5	7916.2	340.2	171.5
.9	19745.4	9955.0	15712.1	7921.5	329.6	166.2
2472.0	19756.0	9960.3	15722.7	7926.9	319.0	160.8
.1	19766.7	9965.7	15733.4	7932.2	308.3	155.5
.2	19777.3	9971.0	15744.0	7937.6	297.7	150.1
.3	19787.9	9976.4	15754.6	7943.0	287.1	144.7
.4	19798.5	9981.8	15765.2	7948.3	276.5	139.4
.5	19809.2	9987.1	15775.9	7953.7	265.8	134.0
.6	19819.8	9992.5	15786.5	7959.0	255.2	128.7
.7	19830.4	9997.8	15797.1	7964.4	244.6	123.3
.8	19841.1	10003.2	15807.8	7969.8	233.9	117.9
.9	19851.7	10008.6	15818.4	7975.1	223.3	112.6
2473.0	19862.3	10013.9	15829.1	7980.5	212.7	107.2
.1	19873.0	10019.3	15839.7	7985.8	202.0	101.8
.2	19883.6	10024.7	15850.3	7991.2	191.4	96.5
.3	19894.2	10030.0	15861.0	7996.6	180.8	91.1
.4	19904.9	10035.4	15871.6	8001.9	170.1	85.8
.5	19915.5	10040.7	15882.2	8007.3	159.5	80.4
.6	19926.2	10046.1	15892.9	8012.7	148.8	75.0
.7	19936.8	10051.5	15903.5	8018.0	138.2	69.7
.8	19947.4	10056.8	15914.1	8023.4	127.6	64.3
.9	19958.0	10062.2	15924.7	8028.7	117.0	59.0

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2474.0		19968.7	10067.5	15935.4	8034.1	106.3	53.6
.1		19979.3	10072.9	15946.0	8039.5	95.7	48.2
.2		19989.9	10078.3	15956.6	8044.8	85.1	42.9
.3		20000.6	10083.6	15967.3	8050.2	74.4	37.5
.4		20011.2	10089.0	15977.9	8055.5	63.8	32.2
.5		20021.8	10094.3	15988.5	8060.9	53.2	26.8
.6		20032.5	10099.7	15999.2	8066.3	42.5	21.4
.7		20043.1	10105.1	16009.8	8071.6	31.9	16.1
.8		20053.7	10110.4	16020.5	8077.0	21.3	10.7
.9		20064.4	10115.8	16031.1	8082.3	10.6	5.4
2475.0	SUB	20075.0	10121.1	16041.7	8087.7	0.0	0.0
.1		20085.6	10126.5				
.2		20096.3	10131.9				
.3		20106.9	10137.2				
.4		20117.5	10142.6				
.5		20128.2	10147.9				
.6		20138.8	10153.3				
.7		20149.4	10158.7				
.8		20160.1	10164.0				
.9		20170.7	10169.4				
2476.0		20181.3	10174.8				

Reservoir Storage Tables

PROJECT NUMBER: 2   PAGE 1

STORAGE LOWER BOUND (SLB) = 227.31KAF   STORAGE UPPER BOUND (SUB) = 7327.33 KAF

ELEVATION FEET		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
		KAF	KSFD	KAF	KSFD	KAF	KSFD
1377.0	SLB	227.3	114.6	0.0	0.0	7100.0	3579.6
.1		227.3	114.6	0.0	0.0	7100.0	3579.6
.2		227.3	114.6	0.0	0.0	7100.0	3579.6
.3		227.3	114.6	0.0	0.0	7100.0	3579.6
.4		227.3	114.6	0.0	0.0	7100.0	3579.6
.5		227.3	114.6	0.0	0.0	7100.0	3579.6
.6		227.3	114.6	0.0	0.0	7100.0	3579.6
.7		227.3	114.6	0.0	0.0	7100.0	3579.6
.8		227.3	114.6	0.0	0.0	7100.0	3579.6
.9		227.3	114.6	0.0	0.0	7100.0	3579.6
1378.0		235.7	118.8	8.4	4.2	7091.6	3575.4
.1		244.1	123.1	16.8	8.5	7083.2	3571.1
.2		252.5	127.3	25.2	12.7	7074.8	3566.9
.3		260.9	131.5	33.6	16.9	7066.4	3562.7
.4		269.3	135.8	42.0	21.2	7058.0	3558.4
.5		277.7	140.0	50.4	25.4	7049.6	3554.2
.6		286.1	144.2	58.8	29.6	7041.3	3550.0
.7		294.5	148.5	67.2	33.9	7032.9	3545.7
.8		302.9	152.7	75.6	38.1	7024.5	3541.5
.9		311.3	156.9	84.0	42.3	7016.1	3537.3
1379.0		319.7	161.2	92.4	46.6	7007.7	3533.0
.1		328.1	165.4	100.7	50.8	6999.3	3528.8
.2		336.5	169.6	109.1	55.0	6990.9	3524.6
.3		344.9	173.9	117.5	59.3	6982.5	3520.3
.4		353.2	178.1	125.9	63.5	6974.1	3516.1
.5		361.6	182.3	134.3	67.7	6965.7	3511.9
.6		370.0	186.6	142.7	72.0	6957.3	3507.6
.7		378.4	190.8	151.1	76.2	6948.9	3503.4
.8		386.8	195.0	159.5	80.4	6940.5	3499.2
.9		395.2	199.3	167.9	84.7	6932.1	3494.9
1380.0		403.6	203.5	176.3	88.9	6923.7	3490.7
.1		412.0	207.7	184.7	93.1	6915.3	3486.5
.2		420.4	212.0	193.1	97.4	6906.9	3482.2
.3		428.8	216.2	201.5	101.6	6898.5	3478.0
.4		437.2	220.4	209.9	105.8	6890.1	3473.8
.5		445.6	224.7	218.3	110.1	6881.7	3469.5
.6		454.0	228.9	226.7	114.3	6873.3	3465.3
.7		462.4	233.1	235.1	118.5	6864.9	3461.1
.8		470.8	237.4	243.5	122.8	6856.5	3456.8
.9		479.2	241.6	251.9	127.0	6848.1	3452.6
1381.0		487.6	245.8	260.3	131.2	6839.7	3448.4
.1		496.0	250.1	268.7	135.5	6831.4	3444.1
.2		504.4	254.3	277.1	139.7	6823.0	3439.9
.3		512.8	258.5	285.5	143.9	6814.6	3435.7
.4		521.2	262.8	293.9	148.2	6806.2	3431.4
.5		529.6	267.0	302.3	152.4	6797.8	3427.2
.6		538.0	271.2	310.6	156.6	6789.4	3423.0
.7		546.3	275.5	319.0	160.8	6781.0	3418.7
.8		554.8	279.7	327.4	165.1	6772.6	3414.5
.9		563.1	283.9	335.8	169.3	6764.2	3410.3

ELEVATION FEET	GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
	KAF	KSFD	KAF	KSFD	KAF	KSFD
1382.0	571.5	288.2	344.2	173.5	6755.8	3406.0
.1	579.9	292.4	352.6	177.8	6747.4	3401.8
.2	588.3	296.6	361.0	182.0	6739.0	3397.6
.3	596.7	300.9	369.4	186.3	6730.6	3393.3
.4	605.1	305.1	377.8	190.5	6722.2	3389.1
.5	613.5	309.3	386.2	194.7	6713.8	3384.9
.6	621.9	313.5	394.6	198.9	6705.4	3380.6
.7	630.3	317.8	403.0	203.2	6697.0	3376.4
.8	638.7	322.0	411.4	207.4	6688.6	3372.2
.9	647.1	326.2	419.8	211.6	6680.2	3367.9
1383.0	655.5	330.5	428.2	215.9	6671.8	3363.7
.1	663.9	334.7	436.6	220.1	6663.4	3359.5
.2	672.3	338.9	445.0	224.3	6655.0	3355.3
.3	680.7	343.2	453.4	228.6	6646.6	3351.0
.4	689.1	347.4	461.8	232.8	6638.2	3346.8
.5	697.5	351.6	470.2	237.0	6629.9	3342.6
.6	705.9	355.9	478.6	241.3	6621.5	3338.3
.7	714.3	360.1	487.0	245.5	6613.1	3334.1
.8	722.7	364.3	495.4	249.7	6604.7	3329.8
.9	731.1	368.6	503.8	254.0	6596.3	3325.6
1384.0	739.5	372.8	512.1	258.2	6587.9	3321.4
.1	747.9	377.0	520.5	262.4	6579.5	3317.2
.2	756.2	381.3	528.9	266.7	6571.1	3312.9
.3	764.6	385.5	537.3	270.9	6562.7	3308.7
.4	773.0	389.7	545.7	275.1	6554.3	3304.5
.5	781.4	394.0	554.1	279.4	6545.9	3300.2
.6	789.8	398.2	562.5	283.6	6537.5	3296.0
.7	798.2	402.4	570.9	287.8	6529.1	3291.8
.8	806.6	406.7	579.3	292.1	6520.7	3287.5
.9	815.0	410.9	587.7	296.3	6512.3	3283.3
1385.0	823.4	415.1	596.1	300.5	6503.9	3279.1
.1	831.8	419.4	604.5	304.8	6495.5	3274.8
.2	840.2	423.6	612.9	309.0	6487.1	3270.6
.3	848.6	427.8	621.3	313.2	6478.7	3266.4
.4	857.0	432.1	629.7	317.5	6470.3	3262.1
.5	865.4	436.3	638.1	321.7	6461.9	3257.9
.6	873.8	440.5	646.5	325.9	6453.5	3253.7
.7	882.2	444.8	654.9	330.2	6445.1	3249.4
.8	890.6	449.0	663.3	334.4	6436.7	3245.2
.9	899.0	453.2	671.7	338.6	6428.3	3241.0
1386.0	907.4	457.5	680.1	342.9	6420.0	3236.7
.1	915.8	461.7	688.5	347.1	6411.6	3232.5
.2	925.2	466.4	697.9	351.8	6402.1	3227.8
.3	934.6	471.2	707.3	356.6	6392.7	3223.0
.4	944.0	475.9	716.7	361.3	6383.3	3218.3
.5	953.4	480.7	726.1	366.1	6373.9	3213.5
.6	962.8	485.4	735.5	370.8	6364.5	3208.8
.7	972.3	490.2	744.9	375.6	6355.1	3204.0
.8	981.7	494.9	754.4	380.3	6345.7	3199.3
.9	991.1	499.7	763.8	385.1	6336.2	3194.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1387.0	1000.5	504.4	773.2	389.8	6326.8	3189.8
.1	1009.9	509.2	782.6	394.6	6317.4	3185.0
.2	1019.3	513.9	792.0	399.3	6308.0	3180.3
.3	1028.7	518.7	801.4	404.1	6298.6	3175.5
.4	1038.2	523.4	810.8	408.8	6289.2	3170.8
.5	1047.6	528.1	820.3	413.5	6279.8	3166.0
.6	1057.0	532.9	829.7	418.3	6270.4	3161.3
.7	1066.4	537.6	839.1	423.0	6260.9	3156.6
.8	1075.8	542.4	848.5	427.8	6251.5	3151.8
.9	1085.2	547.1	857.9	432.5	6242.1	3147.1
1388.0	1094.6	551.9	867.3	437.3	6232.7	3142.3
.1	1104.0	556.6	876.7	442.0	6223.3	3137.6
.2	1113.5	561.4	886.1	446.8	6213.9	3132.8
.3	1122.9	566.1	895.6	451.5	6204.5	3128.1
.4	1132.3	570.9	905.0	456.3	6195.0	3123.3
.5	1141.7	575.6	914.4	461.0	6185.6	3118.6
.6	1151.1	580.4	923.8	465.8	6176.2	3113.8
.7	1160.5	585.1	933.2	470.5	6166.8	3109.1
.8	1169.9	589.8	942.6	475.2	6157.4	3104.3
.9	1179.4	594.6	952.0	480.0	6148.0	3099.6
1389.0	1188.8	599.3	961.5	484.7	6138.6	3094.9
.1	1198.2	604.1	970.9	489.5	6129.1	3090.1
.2	1207.6	608.8	980.3	494.2	6119.7	3085.4
.3	1217.0	613.6	989.7	499.0	6110.3	3080.6
.4	1226.4	618.3	999.1	503.7	6100.9	3075.9
.5	1235.8	623.1	1008.5	508.5	6091.5	3071.1
.6	1245.3	627.8	1017.9	513.2	6082.1	3066.4
.7	1254.7	632.6	1027.4	518.0	6072.7	3061.6
.8	1264.1	637.3	1036.8	522.7	6063.2	3056.9
.9	1273.5	642.1	1046.2	527.5	6053.8	3052.1
1390.0	1282.9	646.8	1055.6	532.2	6044.4	3047.4
.1	1292.3	651.5	1065.0	536.9	6035.0	3042.7
.2	1301.7	656.3	1074.4	541.7	6025.6	3037.9
.3	1311.2	661.0	1083.8	546.4	6016.2	3033.2
.4	1320.6	665.8	1093.3	551.2	6006.8	3028.4
.5	1330.0	670.5	1102.7	555.9	5997.4	3023.7
.6	1339.4	675.3	1112.1	560.7	5987.9	3018.9
.7	1348.8	680.0	1121.5	565.4	5978.5	3014.2
.8	1358.2	684.8	1130.9	570.2	5969.1	3009.4
.9	1367.6	689.5	1140.3	574.9	5959.7	3004.7
1391.0	1377.0	694.3	1149.7	579.7	5950.3	2999.9
.1	1386.5	699.0	1159.1	584.4	5940.9	2995.2
.2	1395.9	703.8	1168.6	589.1	5931.5	2990.4
.3	1405.3	708.5	1178.0	593.9	5922.0	2985.7
.4	1414.7	713.2	1187.4	598.6	5912.6	2980.9
.5	1424.1	718.0	1196.8	603.4	5903.2	2976.2
.6	1433.5	722.7	1206.2	608.1	5893.8	2971.5
.7	1442.9	727.5	1215.6	612.9	5884.4	2966.7
.8	1452.4	732.2	1225.0	617.6	5875.0	2962.0
.9	1461.8	737.0	1234.5	622.4	5865.6	2957.2

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1392.0	1471.2	741.7	1243.9	627.1	5856.1	2952.5
.1	1480.6	746.5	1253.3	631.9	5846.7	2947.7
.2	1490.0	751.2	1262.7	636.6	5837.3	2943.0
.3	1499.4	756.0	1272.1	641.4	5827.9	2938.2
.4	1508.8	760.7	1281.5	646.1	5818.5	2933.5
.5	1518.3	765.5	1290.9	650.8	5809.1	2928.7
.6	1527.7	770.2	1300.4	655.6	5799.7	2924.0
.7	1537.1	774.9	1309.8	660.3	5790.3	2919.3
.8	1546.5	779.7	1319.2	665.1	5780.8	2914.5
.9	1555.9	784.4	1328.6	669.8	5771.4	2909.8
1393.0	1565.3	789.2	1338.0	674.6	5762.0	2905.0
.1	1574.7	793.9	1347.4	679.3	5752.6	2900.3
.2	1584.1	798.7	1356.8	684.1	5743.2	2895.5
.3	1593.6	803.4	1366.3	688.8	5733.8	2890.8
.4	1603.0	808.2	1375.7	693.6	5724.4	2886.0
.5	1612.4	812.9	1385.1	698.3	5714.9	2881.3
.6	1621.8	817.7	1394.5	703.1	5705.5	2876.5
.7	1631.2	822.4	1403.9	707.8	5696.1	2871.8
.8	1640.6	827.2	1413.3	712.6	5686.7	2867.0
.9	1650.0	831.9	1422.7	717.3	5677.3	2862.3
1394.0	1659.5	836.6	1432.1	722.0	5667.9	2857.6
.1	1668.9	841.4	1441.6	726.8	5658.5	2852.8
.2	1678.3	846.1	1451.0	731.5	5649.0	2848.1
.3	1687.7	850.9	1460.4	736.3	5639.6	2843.3
.4	1697.1	855.6	1469.8	741.0	5630.2	2838.6
.5	1706.5	860.4	1479.2	745.8	5620.8	2833.8
.6	1715.9	865.1	1488.6	750.5	5611.4	2829.1
.7	1725.3	869.9	1498.0	755.3	5602.0	2824.3
.8	1734.8	874.6	1507.5	760.0	5592.6	2819.6
.9	1744.2	879.4	1516.9	764.8	5583.1	2814.8
1395.0	1753.6	884.1	1526.3	769.5	5573.7	2810.1
.1	1763.0	888.8	1535.7	774.2	5564.3	2805.3
.2	1772.4	893.6	1545.1	779.0	5554.9	2800.6
.3	1781.8	898.3	1554.5	783.7	5545.5	2795.9
.4	1791.3	903.1	1563.9	788.5	5536.1	2791.1
.5	1800.7	907.8	1573.4	793.2	5526.7	2786.4
.6	1810.1	912.6	1582.8	798.0	5517.3	2781.6
.7	1819.5	917.3	1592.2	802.7	5507.8	2776.9
.8	1828.9	922.1	1601.6	807.5	5498.4	2772.1
.9	1838.3	926.8	1611.0	812.2	5489.0	2767.4
1396.0	1847.7	931.6	1620.4	817.0	5479.6	2762.6
.1	1857.1	936.3	1629.8	821.7	5470.2	2757.9
.2	1866.6	941.1	1639.2	826.5	5460.8	2753.1
.3	1876.0	945.8	1648.7	831.2	5451.4	2748.4
.4	1885.4	950.6	1658.1	835.9	5441.9	2743.6
.5	1894.8	955.3	1667.5	840.7	5432.5	2738.9
.6	1904.2	960.0	1676.9	845.4	5423.1	2734.2
.7	1913.6	964.8	1686.3	850.2	5413.7	2729.4
.8	1923.0	969.5	1695.7	854.9	5404.3	2724.7
.9	1932.5	974.3	1705.1	859.7	5394.9	2719.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1397.0	1941.9	979.0	1714.6	864.4	5385.5	2715.2
.1	1951.3	983.8	1724.0	869.2	5376.0	2710.4
.2	1960.7	988.5	1733.4	873.9	5366.6	2705.7
.3	1970.1	993.3	1742.8	878.7	5357.2	2700.9
.4	1979.5	998.0	1752.2	883.4	5347.8	2696.2
.5	1988.9	1002.8	1761.6	888.2	5338.4	2691.4
.6	1998.3	1007.5	1771.0	892.9	5329.0	2686.7
.7	2008.5	1012.6	1781.2	898.0	5318.8	2681.6
.8	2018.7	1017.8	1791.4	903.2	5308.6	2676.4
.9	2028.9	1022.9	1801.6	908.3	5298.4	2671.3
1398.0	2039.1	1028.1	1811.8	913.5	5288.2	2666.1
.1	2049.3	1033.2	1822.0	918.6	5278.0	2661.0
.2	2059.5	1038.3	1832.2	923.7	5267.8	2655.9
.3	2069.7	1043.5	1842.4	928.9	5257.6	2650.7
.4	2079.9	1048.6	1852.6	934.0	5247.4	2645.6
.5	2090.1	1053.8	1862.8	939.2	5237.2	2640.4
.6	2100.3	1058.9	1873.0	944.3	5227.0	2635.3
.7	2110.5	1064.0	1883.2	949.4	5216.8	2630.2
.8	2120.7	1069.2	1893.4	954.6	5206.6	2625.0
.9	2130.9	1074.3	1903.6	959.7	5196.4	2619.9
1399.0	2141.1	1079.5	1913.8	964.9	5186.2	2614.7
.1	2151.3	1084.6	1924.0	970.0	5176.0	2609.6
.2	2161.5	1089.7	1934.2	975.1	5165.8	2604.4
.3	2171.7	1094.9	1944.4	980.3	5155.6	2599.3
.4	2181.9	1100.0	1954.6	985.4	5145.4	2594.2
.5	2192.1	1105.2	1964.8	990.6	5135.3	2589.0
.6	2202.3	1110.3	1975.0	995.7	5125.1	2583.9
.7	2212.5	1115.4	1985.2	1000.8	5114.9	2578.7
.8	2222.7	1120.6	1995.4	1006.0	5104.7	2573.6
.9	2232.9	1125.7	2005.6	1011.1	5094.5	2568.5
1400.0	2243.1	1130.9	2015.7	1016.3	5084.3	2563.3
.1	2253.2	1136.0	2025.9	1021.4	5074.1	2558.2
.2	2263.4	1141.2	2036.1	1026.5	5063.9	2553.0
.3	2273.6	1146.3	2046.3	1031.7	5053.7	2547.9
.4	2283.8	1151.4	2056.5	1036.8	5043.5	2542.8
.5	2294.0	1156.6	2066.7	1042.0	5033.3	2537.6
.6	2304.2	1161.7	2076.9	1047.1	5023.1	2532.5
.7	2314.4	1166.9	2087.1	1052.3	5012.9	2527.3
.8	2324.6	1172.0	2097.3	1057.4	5002.7	2522.2
.9	2334.8	1177.1	2107.5	1062.5	4992.5	2517.1
1401.0	2345.0	1182.3	2117.7	1067.7	4982.3	2511.9
.1	2355.2	1187.4	2127.9	1072.8	4972.1	2506.8
.2	2365.4	1192.6	2138.1	1078.0	4961.9	2501.6
.3	2375.6	1197.7	2148.3	1083.1	4951.7	2496.5
.4	2385.8	1202.8	2158.5	1088.2	4941.5	2491.4
.5	2396.0	1208.0	2168.7	1093.4	4931.3	2486.2
.6	2406.2	1213.1	2178.9	1098.5	4921.1	2481.1
.7	2416.4	1218.3	2189.1	1103.7	4910.9	2475.9
.8	2426.6	1223.4	2199.3	1108.8	4900.7	2470.8
.9	2436.8	1228.5	2209.5	1113.9	4890.6	2465.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1402.0	2447.0	1233.7	2219.7	1119.1	4880.4	2460.5
.1	2457.2	1238.8	2229.9	1124.2	4870.2	2455.4
.2	2467.4	1244.0	2240.1	1129.4	4860.0	2450.2
.3	2477.6	1249.1	2250.3	1134.5	4849.8	2445.1
.4	2487.8	1254.2	2260.4	1139.6	4839.6	2440.0
.5	2498.0	1259.4	2270.6	1144.8	4829.4	2434.8
.6	2508.1	1264.5	2280.8	1149.9	4819.2	2429.7
.7	2518.3	1269.7	2291.0	1155.1	4809.0	2424.5
.8	2528.5	1274.8	2301.2	1160.2	4798.8	2419.4
.9	2538.7	1279.9	2311.4	1165.3	4788.6	2414.2
1403.0	2548.9	1285.1	2321.6	1170.5	4778.4	2409.1
.1	2559.1	1290.2	2331.8	1175.6	4768.2	2404.0
.2	2569.3	1295.4	2342.0	1180.8	4758.0	2398.8
.3	2579.5	1300.5	2352.2	1185.9	4747.8	2393.7
.4	2589.7	1305.6	2362.4	1191.0	4737.6	2388.5
.5	2599.9	1310.8	2372.6	1196.2	4727.4	2383.4
.6	2610.1	1315.9	2382.8	1201.3	4717.2	2378.3
.7	2620.3	1321.1	2393.0	1206.5	4707.0	2373.1
.8	2630.5	1326.2	2403.2	1211.6	4696.8	2368.0
.9	2640.7	1331.4	2413.4	1216.7	4686.6	2362.8
1404.0	2650.9	1336.5	2423.6	1221.9	4676.4	2357.7
.1	2661.1	1341.6	2433.8	1227.0	4666.2	2352.6
.2	2671.3	1346.8	2444.0	1232.2	4656.1	2347.4
.3	2681.5	1351.9	2454.2	1237.3	4645.8	2342.3
.4	2691.7	1357.1	2464.4	1242.5	4635.7	2337.1
.5	2701.9	1362.2	2474.6	1247.6	4625.5	2332.0
.6	2712.1	1367.3	2484.8	1252.7	4615.3	2326.9
.7	2722.3	1372.5	2494.9	1257.9	4605.1	2321.7
.8	2732.5	1377.6	2505.2	1263.0	4594.9	2316.6
.9	2742.7	1382.8	2515.3	1268.2	4584.7	2311.4
1405.0	2752.9	1387.9	2525.5	1273.3	4574.5	2306.3
.1	2763.0	1393.0	2535.7	1278.4	4564.3	2301.2
.2	2773.2	1398.2	2545.9	1283.6	4554.1	2296.0
.3	2783.4	1403.3	2556.1	1288.7	4543.9	2290.9
.4	2793.6	1408.5	2566.3	1293.9	4533.7	2285.7
.5	2803.8	1413.6	2576.5	1299.0	4523.5	2280.6
.6	2814.0	1418.7	2586.7	1304.1	4513.3	2275.5
.7	2824.2	1423.9	2596.9	1309.3	4503.1	2270.3
.8	2834.4	1429.0	2607.1	1314.4	4492.9	2265.2
.9	2844.6	1434.2	2617.3	1319.6	4482.7	2260.0
1406.0	2854.8	1439.3	2627.5	1324.7	4472.5	2254.9
.1	2865.3	1444.6	2638.0	1330.0	4462.0	2249.6
.2	2875.9	1449.9	2648.6	1335.3	4451.4	2244.3
.3	2886.4	1455.2	2659.1	1340.6	4440.9	2239.0
.4	2897.0	1460.6	2669.7	1346.0	4430.4	2233.6
.5	2907.5	1465.9	2680.2	1351.3	4419.8	2228.3
.6	2918.1	1471.2	2690.7	1356.6	4409.3	2223.0
.7	2928.6	1476.5	2701.3	1361.9	4398.7	2217.7
.8	2939.1	1481.8	2711.8	1367.2	4388.2	2212.4
.9	2949.7	1487.1	2722.4	1372.5	4377.7	2207.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1407.0	2960.2	1492.4	2732.9	1377.8	4367.1	2201.8
.1	2970.8	1497.8	2743.4	1383.2	4356.6	2196.4
.2	2981.3	1503.1	2754.0	1388.5	4346.0	2191.1
.3	2991.8	1508.4	2764.5	1393.8	4335.5	2185.8
.4	3002.4	1513.7	2775.1	1399.1	4324.9	2180.5
.5	3012.9	1519.0	2785.6	1404.4	4314.4	2175.2
.6	3023.5	1524.3	2796.1	1409.7	4303.9	2169.9
.7	3034.0	1529.6	2806.7	1415.0	4293.3	2164.6
.8	3044.5	1535.0	2817.2	1420.4	4282.8	2159.2
.9	3055.1	1540.3	2827.8	1425.7	4272.2	2153.9
1408.0	3065.6	1545.6	2838.3	1431.0	4261.7	2148.6
.1	3076.2	1550.9	2848.8	1436.3	4251.2	2143.3
.2	3087.2	1556.4	2859.9	1441.8	4240.2	2137.7
.3	3098.2	1562.0	2870.9	1447.4	4229.1	2132.2
.4	3109.2	1567.6	2881.9	1453.0	4218.1	2126.6
.5	3120.2	1573.1	2892.9	1458.5	4207.1	2121.1
.6	3131.2	1578.7	2903.9	1464.1	4196.1	2115.5
.7	3142.2	1584.2	2914.9	1469.6	4185.1	2110.0
.8	3153.2	1589.8	2925.9	1475.2	4174.1	2104.4
.9	3164.3	1595.3	2936.9	1480.7	4163.1	2098.9
1409.0	3175.3	1600.9	2948.0	1486.3	4152.1	2093.3
.1	3186.3	1606.4	2959.0	1491.8	4141.1	2087.8
.2	3197.3	1612.0	2970.0	1497.4	4130.1	2082.2
.3	3208.3	1617.5	2981.0	1502.9	4119.0	2076.7
.4	3219.3	1623.1	2992.0	1508.5	4108.0	2071.1
.5	3230.3	1628.6	3003.0	1514.0	4097.0	2065.6
.6	3241.3	1634.2	3014.0	1519.6	4086.0	2060.0
.7	3252.3	1639.7	3025.0	1525.1	4075.0	2054.5
.8	3263.4	1645.3	3036.0	1530.7	4064.0	2048.9
.9	3274.4	1650.8	3047.1	1536.2	4053.0	2043.4
1410.0	3285.4	1656.4	3058.1	1541.8	4042.0	2037.8
.1	3296.4	1661.9	3069.1	1547.3	4031.0	2032.3
.2	3307.4	1667.5	3080.1	1552.9	4019.9	2026.7
.3	3318.4	1673.0	3091.1	1558.4	4008.9	2021.2
.4	3329.4	1678.6	3102.1	1564.0	3997.9	2015.6
.5	3340.4	1684.1	3113.1	1569.5	3986.9	2010.1
.6	3351.4	1689.7	3124.1	1575.1	3975.9	2004.5
.7	3362.4	1695.2	3135.1	1580.6	3964.9	1999.0
.8	3373.5	1700.8	3146.2	1586.2	3953.9	1993.4
.9	3384.5	1706.3	3157.2	1591.7	3942.9	1987.9
1411.0	3395.5	1711.9	3168.2	1597.3	3931.9	1982.3
.1	3406.5	1717.4	3179.2	1602.8	3920.8	1976.8
.2	3417.5	1723.0	3190.2	1608.4	3909.8	1971.2
.3	3428.5	1728.5	3201.2	1613.9	3898.8	1965.7
.4	3439.5	1734.1	3212.2	1619.5	3887.8	1960.1
.5	3450.5	1739.6	3223.2	1625.0	3876.8	1954.6
.6	3461.5	1745.2	3234.2	1630.6	3865.8	1949.0
.7	3472.5	1750.7	3245.2	1636.1	3854.8	1943.5
.8	3483.6	1756.3	3256.3	1641.7	3843.8	1937.9
.9	3494.6	1761.8	3267.3	1647.2	3832.8	1932.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1412.0	3505.6	1767.4	3278.3	1652.8	3821.7	1926.8
.1	3516.6	1772.9	3289.3	1658.3	3810.7	1921.2
.2	3527.6	1778.5	3300.3	1663.9	3799.7	1915.7
.3	3538.6	1784.1	3311.3	1669.5	3788.7	1910.1
.4	3549.6	1789.6	3322.3	1675.0	3777.7	1904.6
.5	3560.6	1795.2	3333.3	1680.6	3766.7	1899.0
.6	3571.6	1800.7	3344.3	1686.1	3755.7	1893.5
.7	3582.7	1806.3	3355.3	1691.7	3744.7	1887.9
.8	3593.7	1811.8	3366.4	1697.2	3733.7	1882.4
.9	3604.7	1817.4	3377.4	1702.8	3722.6	1876.8
1413.0	3615.7	1822.9	3388.4	1708.3	3711.6	1871.3
.1	3626.7	1828.5	3399.4	1713.9	3700.6	1865.7
.2	3637.7	1834.0	3410.4	1719.4	3689.6	1860.2
.3	3648.7	1839.6	3421.4	1725.0	3678.6	1854.6
.4	3659.7	1845.1	3432.4	1730.5	3667.6	1849.1
.5	3670.7	1850.7	3443.4	1736.1	3656.6	1843.5
.6	3681.8	1856.2	3454.4	1741.6	3645.6	1838.0
.7	3692.8	1861.8	3465.5	1747.2	3634.6	1832.4
.8	3703.8	1867.3	3476.5	1752.7	3623.5	1826.9
.9	3714.8	1872.9	3487.5	1758.3	3612.5	1821.3
1414.0	3725.8	1878.4	3498.5	1763.8	3601.5	1815.8
.1	3736.8	1884.0	3509.5	1769.4	3590.5	1810.2
.2	3747.8	1889.5	3520.5	1774.9	3579.5	1804.7
.3	3758.8	1895.1	3531.5	1780.5	3568.5	1799.1
.4	3769.9	1900.6	3542.5	1786.0	3557.5	1793.6
.5	3780.9	1906.2	3553.5	1791.6	3546.5	1788.0
.6	3791.9	1911.7	3564.6	1797.1	3535.5	1782.5
.7	3802.9	1917.3	3575.6	1802.7	3524.5	1776.9
.8	3813.9	1922.8	3586.6	1808.2	3513.4	1771.4
.9	3824.9	1928.4	3597.6	1813.8	3502.4	1765.8
1415.0	3835.9	1933.9	3608.6	1819.3	3491.4	1760.3
.1	3846.9	1939.5	3619.6	1824.9	3480.4	1754.7
.2	3857.9	1945.0	3630.6	1830.4	3469.4	1749.2
.3	3869.0	1950.6	3641.6	1836.0	3458.4	1743.6
.4	3880.0	1956.1	3652.6	1841.5	3447.4	1738.0
.5	3891.0	1961.7	3663.7	1847.1	3436.4	1732.5
.6	3902.0	1967.2	3674.7	1852.6	3425.4	1726.9
.7	3913.0	1972.8	3685.7	1858.2	3414.3	1721.4
.8	3924.0	1978.4	3696.7	1863.8	3403.3	1715.8
.9	3935.0	1983.9	3707.7	1869.3	3392.3	1710.3
1416.0	3946.0	1989.5	3718.7	1874.9	3381.3	1704.7
.1	3957.0	1995.0	3729.7	1880.4	3370.3	1699.2
.2	3968.0	2000.6	3740.7	1886.0	3359.3	1693.6
.3	3979.1	2006.1	3751.7	1891.5	3348.3	1688.1
.4	3990.1	2011.7	3762.8	1897.1	3337.3	1682.5
.5	4001.1	2017.2	3773.8	1902.6	3326.3	1677.0
.6	4012.1	2022.8	3784.8	1908.2	3315.2	1671.4
.7	4023.1	2028.3	3795.8	1913.7	3304.2	1665.9
.8	4034.1	2033.9	3806.8	1919.3	3293.2	1660.3
.9	4045.1	2039.4	3817.8	1924.8	3282.2	1654.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1417.0	4056.1	2045.0	3828.8	1930.4	3271.2	1649.2
.1	4067.1	2050.5	3839.8	1935.9	3260.2	1643.7
.2	4078.1	2056.1	3850.8	1941.5	3249.2	1638.1
.3	4089.2	2061.6	3861.9	1947.0	3238.2	1632.6
.4	4100.2	2067.2	3872.9	1952.6	3227.2	1627.0
.5	4111.2	2072.7	3883.9	1958.1	3216.1	1621.5
.6	4122.2	2078.3	3894.9	1963.7	3205.1	1615.9
.7	4133.2	2083.8	3905.9	1969.2	3194.1	1610.4
.8	4144.2	2089.4	3916.9	1974.8	3183.1	1604.8
.9	4155.2	2094.9	3927.9	1980.3	3172.1	1599.3
1418.0	4166.2	2100.5	3938.9	1985.9	3161.1	1593.7
.1	4177.2	2106.0	3949.9	1991.4	3150.1	1588.2
.2	4188.3	2111.6	3960.9	1997.0	3139.1	1582.6
.3	4199.3	2117.1	3972.0	2002.5	3128.1	1577.1
.4	4210.3	2122.7	3983.0	2008.1	3117.0	1571.5
.5	4221.3	2128.2	3994.0	2013.6	3106.0	1566.0
.6	4232.3	2133.8	4005.0	2019.2	3095.0	1560.4
.7	4243.3	2139.3	4016.0	2024.7	3084.0	1554.9
.8	4254.3	2144.9	4027.0	2030.3	3073.0	1549.3
.9	4265.3	2150.4	4038.0	2035.8	3062.0	1543.8
1419.0	4276.3	2156.0	4049.0	2041.4	3051.0	1538.2
.1	4287.4	2161.5	4060.0	2046.9	3040.0	1532.7
.2	4298.4	2167.1	4071.0	2052.5	3029.0	1527.1
.3	4309.4	2172.6	4082.1	2058.0	3017.9	1521.5
.4	4320.4	2178.2	4093.1	2063.6	3006.9	1516.0
.5	4331.4	2183.7	4104.1	2069.1	2995.9	1510.4
.6	4342.4	2189.3	4115.1	2074.7	2984.9	1504.9
.7	4354.3	2195.3	4127.0	2080.7	2973.0	1498.9
.8	4366.3	2201.3	4139.0	2086.7	2961.1	1492.9
.9	4378.2	2207.3	4150.9	2092.7	2949.1	1486.9
1420.0	4390.1	2213.4	4162.8	2098.8	2937.2	1480.8
.1	4402.0	2219.4	4174.7	2104.8	2925.3	1474.8
.2	4414.0	2225.4	4186.7	2110.8	2913.4	1468.8
.3	4425.9	2231.4	4198.6	2116.8	2901.4	1462.8
.4	4437.8	2237.4	4210.5	2122.8	2889.5	1456.8
.5	4449.8	2243.4	4222.4	2128.8	2877.6	1450.8
.6	4461.7	2249.4	4234.4	2134.8	2865.6	1444.8
.7	4473.6	2255.4	4246.3	2140.8	2853.7	1438.8
.8	4485.5	2261.5	4258.2	2146.9	2841.8	1432.7
.9	4497.5	2267.5	4270.2	2152.9	2829.9	1426.7
1421.0	4509.4	2273.5	4282.1	2158.9	2817.9	1420.7
.1	4521.3	2279.5	4294.0	2164.9	2806.0	1414.7
.2	4533.2	2285.5	4305.9	2170.9	2794.1	1408.7
.3	4545.2	2291.5	4317.9	2176.9	2782.1	1402.7
.4	4557.1	2297.5	4329.8	2182.9	2770.2	1396.7
.5	4569.0	2303.6	4341.7	2189.0	2758.3	1390.6
.6	4581.0	2309.6	4353.6	2195.0	2746.4	1384.6
.7	4592.9	2315.6	4365.6	2201.0	2734.5	1378.6
.8	4604.8	2321.6	4377.5	2207.0	2722.5	1372.6
.9	4616.7	2327.6	4389.4	2213.0	2710.6	1366.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1422.0	4628.7	2333.6	4401.4	2219.0	2698.7	1360.6
.1	4640.6	2339.6	4413.3	2225.0	2686.7	1354.6
.2	4652.5	2345.6	4425.2	2231.0	2674.8	1348.6
.3	4664.5	2351.7	4437.1	2237.1	2662.9	1342.5
.4	4676.4	2357.7	4449.1	2243.1	2651.0	1336.5
.5	4688.3	2363.7	4461.0	2249.1	2639.0	1330.5
.6	4700.2	2369.7	4472.9	2255.1	2627.1	1324.5
.7	4712.2	2375.7	4484.8	2261.1	2615.2	1318.5
.8	4724.1	2381.7	4496.8	2267.1	2603.2	1312.5
.9	4736.0	2387.7	4508.7	2273.1	2591.3	1306.5
1423.0	4747.9	2393.8	4520.6	2279.2	2579.4	1300.4
.1	4759.9	2399.8	4532.6	2285.2	2567.5	1294.4
.2	4771.8	2405.8	4544.5	2291.2	2555.5	1288.4
.3	4783.7	2411.8	4556.4	2297.2	2543.6	1282.4
.4	4795.7	2417.8	4568.3	2303.2	2531.7	1276.4
.5	4807.6	2423.8	4580.3	2309.2	2519.8	1270.4
.6	4819.5	2429.8	4592.2	2315.2	2507.8	1264.4
.7	4831.4	2435.8	4604.1	2321.2	2495.9	1258.4
.8	4843.4	2441.9	4616.1	2327.3	2484.0	1252.3
.9	4855.3	2447.9	4628.0	2333.3	2472.0	1246.3
1424.0	4867.2	2453.9	4639.9	2339.3	2460.1	1240.3
.1	4879.1	2459.9	4651.8	2345.3	2448.2	1234.3
.2	4891.1	2465.9	4663.8	2351.3	2436.3	1228.3
.3	4903.0	2471.9	4675.7	2357.3	2424.3	1222.3
.4	4914.9	2477.9	4687.6	2363.3	2412.4	1216.3
.5	4926.8	2484.0	4699.5	2369.4	2400.5	1210.2
.6	4938.8	2490.0	4711.5	2375.4	2388.6	1204.2
.7	4950.7	2496.0	4723.4	2381.4	2376.6	1198.2
.8	4962.6	2502.0	4735.3	2387.4	2364.7	1192.2
.9	4974.6	2508.0	4747.3	2393.4	2352.8	1186.2
1425.0	4986.5	2514.0	4759.2	2399.4	2340.8	1180.2
.1	4998.4	2520.0	4771.1	2405.4	2328.9	1174.2
.2	5010.3	2526.0	4783.0	2411.4	2317.0	1168.2
.3	5022.3	2532.1	4795.0	2417.5	2305.1	1162.1
.4	5034.2	2538.1	4806.9	2423.5	2293.1	1156.1
.5	5046.1	2544.1	4818.8	2429.5	2281.2	1150.1
.6	5058.0	2550.1	4830.7	2435.5	2269.3	1144.1
.7	5070.0	2556.1	4842.7	2441.5	2257.4	1138.1
.8	5081.9	2562.1	4854.6	2447.5	2245.4	1132.1
.9	5093.8	2568.1	4866.5	2453.5	2233.5	1126.1
1426.0	5105.8	2574.2	4878.4	2459.6	2221.6	1120.0
.1	5117.7	2580.2	4890.4	2465.6	2209.6	1114.0
.2	5129.6	2586.2	4902.3	2471.6	2197.7	1108.0
.3	5141.5	2592.2	4914.2	2477.6	2185.8	1102.0
.4	5153.5	2598.2	4926.2	2483.6	2173.9	1096.0
.5	5165.4	2604.2	4938.1	2489.6	2161.9	1090.0
.6	5177.3	2610.2	4950.0	2495.6	2150.0	1084.0
.7	5189.2	2616.2	4961.9	2501.6	2138.1	1078.0
.8	5201.2	2622.3	4973.9	2507.7	2126.1	1071.9
.9	5213.1	2628.3	4985.8	2513.7	2114.2	1065.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1427.0	5225.0	2634.3	4997.7	2519.7	2102.3	1059.9
.1	5237.0	2640.3	5009.6	2525.7	2090.4	1053.9
.2	5248.9	2646.3	5021.6	2531.7	2078.5	1047.9
.3	5260.8	2652.3	5033.5	2537.7	2066.5	1041.9
.4	5272.7	2658.3	5045.4	2543.7	2054.6	1035.9
.5	5284.7	2664.4	5057.4	2549.8	2042.7	1029.8
.6	5296.6	2670.4	5069.3	2555.8	2030.7	1023.8
.7	5308.5	2676.4	5081.2	2561.8	2018.8	1017.8
.8	5320.5	2682.4	5093.1	2567.8	2006.9	1011.8
.9	5332.4	2688.4	5105.1	2573.8	1995.0	1005.8
1428.0	5344.3	2694.4	5117.0	2579.8	1983.0	999.8
.1	5356.2	2700.4	5128.9	2585.8	1971.1	993.8
.2	5368.2	2706.4	5140.8	2591.8	1959.2	987.8
.3	5380.1	2712.5	5152.8	2597.9	1947.2	981.7
.4	5392.0	2718.5	5164.7	2603.9	1935.3	975.7
.5	5403.9	2724.5	5176.6	2609.9	1923.4	969.7
.6	5415.9	2730.5	5188.6	2615.9	1911.5	963.7
.7	5427.8	2736.5	5200.5	2621.9	1899.5	957.7
.8	5439.7	2742.5	5212.4	2627.9	1887.6	951.7
.9	5451.7	2748.5	5224.3	2633.9	1875.7	945.7
1429.0	5463.6	2754.6	5236.3	2640.0	1863.8	939.6
.1	5475.5	2760.6	5248.2	2646.0	1851.8	933.6
.2	5487.4	2766.6	5260.1	2652.0	1839.9	927.6
.3	5499.4	2772.6	5272.1	2658.0	1828.0	921.6
.4	5511.3	2778.6	5284.0	2664.0	1816.0	915.6
.5	5523.2	2784.6	5295.9	2670.0	1804.1	909.6
.6	5535.1	2790.6	5307.8	2676.0	1792.2	903.6
.7	5547.1	2796.6	5319.8	2682.0	1780.3	897.6
.8	5559.0	2802.7	5331.7	2688.1	1768.3	891.5
.9	5570.9	2808.7	5343.6	2694.1	1756.4	885.5
1430.0	5582.8	2814.7	5355.5	2700.1	1744.5	879.5
.1	5594.8	2820.7	5367.5	2706.1	1732.6	873.5
.2	5606.7	2826.7	5379.4	2712.1	1720.6	867.5
.3	5618.6	2832.7	5391.3	2718.1	1708.7	861.5
.4	5630.6	2838.7	5403.3	2724.1	1696.8	855.5
.5	5642.5	2844.8	5415.2	2730.2	1684.8	849.4
.6	5654.4	2850.8	5427.1	2736.2	1672.9	843.4
.7	5666.3	2856.8	5439.0	2742.2	1661.0	837.4
.8	5678.3	2862.8	5451.0	2748.2	1649.1	831.4
.9	5690.2	2868.8	5462.9	2754.2	1637.1	825.4
1431.0	5702.1	2874.8	5474.8	2760.2	1625.2	819.4
.1	5714.0	2880.8	5486.7	2766.2	1613.3	813.4
.2	5726.0	2886.8	5498.7	2772.2	1601.4	807.4
.3	5737.9	2892.9	5510.6	2778.3	1589.4	801.3
.4	5749.8	2898.9	5522.5	2784.3	1577.5	795.3
.5	5761.8	2904.9	5534.4	2790.3	1565.6	789.3
.6	5773.7	2910.9	5546.4	2796.3	1553.6	783.3
.7	5785.6	2916.9	5558.3	2802.3	1541.7	777.3
.8	5797.5	2922.9	5570.2	2808.3	1529.8	771.3
.9	5809.5	2928.9	5582.2	2814.3	1517.9	765.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1432.0	5821.4	2935.0	5594.1	2820.4	1505.9	759.2
.1	5833.3	2941.0	5606.0	2826.4	1494.0	753.2
.2	5845.2	2947.0	5617.9	2832.4	1482.1	747.2
.3	5857.2	2953.0	5629.9	2838.4	1470.1	741.2
.4	5869.1	2959.0	5641.8	2844.4	1458.2	735.2
.5	5881.0	2965.0	5653.7	2850.4	1446.3	729.2
.6	5893.0	2971.0	5665.6	2856.4	1434.4	723.2
.7	5904.9	2977.0	5677.6	2862.4	1422.5	717.2
.8	5916.8	2983.1	5689.5	2868.5	1410.5	711.1
.9	5928.7	2989.1	5701.4	2874.5	1398.6	705.1
1433.0	5940.7	2995.1	5713.4	2880.5	1386.7	699.1
.1	5952.6	3001.1	5725.3	2886.5	1374.7	693.1
.2	5964.5	3007.1	5737.2	2892.5	1362.8	687.1
.3	5976.5	3013.1	5749.1	2898.5	1350.9	681.1
.4	5988.0	3019.1	5761.1	2904.5	1339.0	675.1
.5	6000.3	3025.2	5773.0	2910.6	1327.0	669.0
.6	6012.3	3031.2	5784.9	2916.6	1315.1	663.0
.7	6024.2	3037.2	5796.8	2922.6	1303.2	657.0
.8	6036.1	3043.2	5808.8	2928.6	1291.2	651.0
.9	6048.0	3049.2	5820.7	2934.6	1279.3	645.0
1434.0	6059.9	3055.2	5832.6	2940.6	1267.4	639.0
.1	6071.9	3061.2	5844.6	2946.6	1255.5	633.0
.2	6083.8	3067.2	5856.5	2952.6	1243.5	627.0
.3	6095.7	3073.3	5868.4	2958.7	1231.6	620.9
.4	6107.7	3079.3	5880.3	2964.7	1219.7	614.9
.5	6119.6	3085.3	5892.3	2970.7	1207.8	608.9
.6	6131.5	3091.3	5904.2	2976.7	1195.8	602.9
.7	6144.2	3097.7	5916.9	2983.1	1183.1	596.5
.8	6157.0	3104.1	5929.6	2989.5	1170.4	590.1
.9	6169.7	3110.5	5942.4	2995.9	1157.7	583.7
1435.0	6182.4	3117.0	5955.1	3002.4	1144.9	577.2
.1	6195.1	3123.4	5967.8	3008.8	1132.2	570.8
.2	6207.8	3129.8	5980.5	3015.2	1119.5	564.4
.3	6220.6	3136.2	5993.3	3021.6	1106.8	558.0
.4	6233.2	3142.6	6006.0	3028.0	1094.1	551.6
.5	6246.0	3149.0	6018.7	3034.4	1081.3	545.2
.6	6258.7	3155.4	6031.4	3040.8	1068.6	538.8
.7	6271.4	3161.8	6044.1	3047.2	1055.9	532.3
.8	6284.2	3168.3	6056.9	3053.7	1043.2	525.9
.9	6296.9	3174.7	6069.6	3060.1	1030.4	519.5
1436.0	6309.6	3181.1	6082.3	3066.5	1017.7	513.1
.1	6322.3	3187.5	6095.0	3072.9	1005.0	506.7
.2	6335.0	3193.9	6107.7	3079.3	992.3	500.3
.3	6347.8	3200.3	6120.5	3085.7	979.6	493.9
.4	6360.5	3206.7	6133.2	3092.1	966.8	487.4
.5	6373.2	3213.2	6145.9	3098.6	954.1	481.0
.6	6385.9	3219.6	6158.6	3105.0	941.4	474.6
.7	6398.6	3226.0	6171.3	3111.4	928.7	468.2
.8	6411.4	3232.4	6184.1	3117.8	915.9	461.8
.9	6424.1	3238.8	6196.8	3124.2	903.2	455.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1437.0	6436.8	3245.2	6209.5	3130.6	890.5	449.0
.1	6449.5	3251.6	6222.2	3137.0	877.8	442.6
.2	6462.3	3258.1	6234.9	3143.5	865.1	436.1
.3	6475.0	3264.5	6247.7	3149.9	852.3	429.7
.4	6487.7	3270.9	6260.4	3156.3	839.6	423.3
.5	6500.4	3277.3	6273.1	3162.7	826.9	416.9
.6	6513.1	3283.7	6285.8	3169.1	814.2	410.5
.7	6525.9	3290.1	6298.6	3175.5	801.5	404.1
.8	6538.6	3296.5	6311.3	3181.9	788.7	397.7
.9	6551.3	3303.0	6324.0	3188.4	776.0	391.2
1438.0	6564.0	3309.4	6336.7	3194.8	763.3	384.8
.1	6576.8	3315.8	6349.4	3201.2	750.6	378.4
.2	6589.5	3322.2	6362.2	3207.6	737.9	372.0
.3	6602.2	3328.6	6374.9	3214.0	725.1	365.6
.4	6614.9	3335.0	6387.6	3220.4	712.4	359.2
.5	6627.6	3341.4	6400.3	3226.8	699.7	352.8
.6	6640.4	3347.8	6413.1	3233.2	687.0	346.3
.7	6653.1	3354.3	6425.8	3239.7	674.2	339.9
.8	6665.8	3360.7	6438.5	3246.1	661.5	333.5
.9	6678.5	3367.1	6451.2	3252.5	648.8	327.1
1439.0	6691.3	3373.5	6463.9	3258.9	636.1	320.7
.1	6704.0	3379.9	6476.7	3265.3	623.4	314.3
.2	6716.7	3386.3	6489.4	3271.7	610.6	307.9
.3	6729.4	3392.8	6502.1	3278.1	597.9	301.4
.4	6742.1	3399.2	6514.8	3284.6	585.2	295.0
.5	6754.9	3405.6	6527.5	3291.0	572.5	288.6
.6	6767.6	3412.0	6540.3	3297.4	559.8	282.2
.7	6780.3	3418.4	6553.0	3303.8	547.0	275.8
.8	6793.0	3424.8	6565.7	3310.2	534.3	269.4
.9	6805.7	3431.2	6578.4	3316.6	521.6	263.0
1440.0	6818.5	3437.6	6591.2	3323.0	508.9	256.6
.1	6831.2	3444.1	6603.9	3329.5	496.1	250.1
.2	6843.9	3450.5	6616.6	3335.9	483.4	243.7
.3	6856.6	3456.9	6629.3	3342.3	470.7	237.3
.4	6869.4	3463.3	6642.0	3348.7	458.0	230.9
.5	6882.1	3469.7	6654.8	3355.1	445.3	224.5
.6	6894.8	3476.1	6667.5	3361.5	432.5	218.1
.7	6907.5	3482.5	6680.2	3367.9	419.8	211.7
.8	6920.2	3489.0	6692.9	3374.4	407.1	205.2
.9	6933.0	3495.4	6705.7	3380.8	394.4	198.8
1441.0	6945.7	3501.8	6718.4	3387.2	381.6	192.4
.1	6958.4	3508.2	6731.1	3393.6	368.9	186.0
.2	6971.1	3514.6	6743.8	3400.0	356.2	179.6
.3	6983.9	3521.0	6756.5	3406.4	343.5	173.2
.4	6996.6	3527.4	6769.3	3412.8	330.8	166.8
.5	7009.3	3533.9	6782.0	3419.2	318.0	160.3
.6	7022.0	3540.3	6794.7	3425.7	305.3	153.9
.7	7034.7	3546.7	6807.4	3432.1	292.6	147.5
.8	7047.5	3553.1	6820.2	3438.5	279.9	141.1
.9	7060.2	3559.5	6832.9	3444.9	267.1	134.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1442.0	7072.9	3565.9	6845.6	3451.3	254.4	128.3
.1	7085.6	3572.3	6858.3	3457.7	241.7	121.9
.2	7098.3	3578.7	6871.0	3464.1	229.0	115.5
.3	7111.1	3585.2	6883.8	3470.6	216.3	109.0
.4	7123.8	3591.6	6896.5	3477.0	203.5	102.6
.5	7136.5	3598.0	6909.2	3483.4	190.8	96.2
.6	7149.2	3604.4	6921.9	3489.8	178.1	89.8
.7	7161.9	3610.8	6934.6	3496.2	165.4	83.4
.8	7174.7	3617.2	6947.4	3502.6	152.7	77.0
.9	7187.4	3623.6	6960.1	3509.0	139.9	70.6
1443.0	7200.1	3630.1	6972.8	3515.5	127.2	64.1
.1	7212.8	3636.5	6985.5	3521.9	114.5	57.7
.2	7225.6	3642.9	6998.2	3528.3	101.8	51.3
.3	7238.3	3649.3	7011.0	3534.7	89.0	44.9
.4	7251.0	3655.7	7023.7	3541.1	76.3	38.5
.5	7263.7	3662.1	7036.4	3547.5	63.6	32.1
.6	7276.4	3668.5	7049.1	3553.9	50.9	25.7
.7	7289.2	3675.0	7061.8	3560.3	38.2	19.2
.8	7301.9	3681.4	7074.6	3566.8	25.4	12.8
.9	7314.6	3687.8	7087.3	3573.2	12.7	6.4
1444.0 SUB	7327.3	3694.2	7100.0	3579.6	0.0	0.0
.1	7340.0	3700.6				
.2	7352.8	3707.0				
.3	7365.5	3713.4				
.4	7378.2	3719.9				
.5	7390.9	3726.3				
.6	7403.7	3732.7				
.7	7416.4	3739.1				
.8	7429.1	3745.5				
.9	7441.8	3751.9				
1445.0	7454.5	3758.3				

Reservoir Storage Tables

PROJECT NAME: LIBBY

PROJECT NUMBER: 3

STORAGE LOWER BOUND (SLB) =   889.90KAF   STORAGE UPPER BOUND (SUB) = 5869.40 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2287.0 SLB	889.9	448.7	0.0	0.0	4979.5	2510.5
.1	891.5	449.5	1.6	0.8	4977.9	2509.7
.2	893.0	450.2	3.1	1.6	4976.4	2508.9
.3	894.6	451.0	4.7	2.4	4974.8	2508.1
.4	896.2	451.8	6.3	3.2	4973.2	2507.3
.5	897.8	452.6	7.9	4.0	4971.6	2506.5
.6	899.3	453.4	9.4	4.8	4970.1	2505.7
.7	900.9	454.2	11.0	5.6	4968.5	2504.9
.8	902.5	455.0	12.6	6.4	4966.9	2504.1
.9	904.1	455.8	14.2	7.1	4965.3	2503.4
2288.0	905.6	456.6	15.7	7.9	4963.8	2502.6
.1	907.2	457.4	17.3	8.7	4962.2	2501.8
.2	908.8	458.2	18.9	9.5	4960.6	2501.0
.3	910.4	459.0	20.5	10.3	4959.0	2500.2
.4	911.9	459.8	22.0	11.1	4957.5	2499.4
.5	913.5	460.6	23.6	11.9	4955.9	2498.6
.6	915.1	461.4	25.2	12.7	4954.3	2497.8
.7	916.7	462.2	26.8	13.5	4952.7	2497.0
.8	918.2	462.9	28.3	14.3	4951.2	2496.2
.9	919.8	463.7	29.9	15.1	4949.6	2495.4
2289.0	921.4	464.5	31.5	15.9	4948.0	2494.6
.1	923.0	465.3	33.1	16.7	4946.4	2493.8
.2	924.5	466.1	34.6	17.5	4944.9	2493.0
.3	926.1	466.9	36.2	18.3	4943.3	2492.2
.4	927.7	467.7	37.8	19.1	4941.7	2491.4
.5	929.3	468.5	39.4	19.8	4940.1	2490.7
.6	930.8	469.3	40.9	20.6	4938.6	2489.9
.7	932.4	470.1	42.5	21.4	4937.0	2489.1
.8	934.0	470.9	44.1	22.2	4935.4	2488.3
.9	935.6	471.7	45.7	23.0	4933.8	2487.5
2290.0	937.1	472.5	47.2	23.8	4932.3	2486.7
.1	938.7	473.3	48.8	24.6	4930.7	2485.9
.2	940.3	474.1	50.4	25.4	4929.1	2485.1
.3	941.9	474.9	52.0	26.2	4927.5	2484.3
.4	943.4	475.6	53.5	27.0	4926.0	2483.5
.5	945.0	476.4	55.1	27.8	4924.4	2482.7
.6	946.6	477.2	56.7	28.6	4922.8	2481.9
.7	948.2	478.0	58.3	29.4	4921.2	2481.1
.8	949.7	478.8	59.8	30.2	4919.7	2480.3
.9	951.3	479.6	61.4	31.0	4918.1	2479.5
2291.0	952.9	480.4	63.0	31.8	4916.5	2478.7
.1	954.5	481.2	64.6	32.5	4914.9	2477.9
.2	956.0	482.0	66.1	33.3	4913.4	2477.2
.3	957.6	482.8	67.7	34.1	4911.8	2476.4
.4	959.2	483.6	69.3	34.9	4910.2	2475.6
.5	960.8	484.4	70.9	35.7	4908.6	2474.8
.6	962.3	485.2	72.4	36.5	4907.1	2474.0
.7	963.9	486.0	74.0	37.3	4905.5	2473.2
.8	965.5	486.8	75.6	38.1	4903.9	2472.4
.9	967.1	487.6	77.2	38.9	4902.3	2471.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2292.0	968.6	488.4	78.7	39.7	4900.8	2470.8
.1	970.2	489.1	80.3	40.5	4899.2	2470.0
.2	971.8	489.9	81.9	41.3	4897.6	2469.2
.3	973.4	490.7	83.5	42.1	4896.0	2468.4
.4	974.9	491.5	85.0	42.9	4894.5	2467.6
.5	976.5	492.3	86.6	43.7	4892.9	2466.8
.6	978.1	493.1	88.2	44.5	4891.3	2466.0
.7	979.7	493.9	89.8	45.3	4889.7	2465.2
.8	981.2	494.7	91.3	46.0	4888.2	2464.5
.9	982.8	495.5	92.9	46.8	4886.6	2463.7
2293.0	984.4	496.3	94.5	47.6	4885.0	2462.9
.1	986.0	497.1	96.1	48.4	4883.4	2462.1
.2	987.5	497.9	97.6	49.2	4881.9	2461.3
.3	989.1	498.7	99.2	50.0	4880.3	2460.5
.4	990.7	499.5	100.8	50.8	4878.7	2459.7
.5	992.3	500.3	102.3	51.6	4877.1	2458.9
.6	993.8	501.1	103.9	52.4	4875.6	2458.1
.7	995.4	501.8	105.5	53.2	4874.0	2457.3
.8	997.0	502.6	107.1	54.0	4872.4	2456.5
.9	998.5	503.4	108.6	54.8	4870.9	2455.7
2294.0	1000.1	504.2	110.2	55.6	4869.3	2454.9
.1	1001.7	505.0	111.8	56.4	4867.7	2454.1
.2	1003.3	505.8	113.4	57.2	4866.1	2453.3
.3	1004.8	506.6	114.9	58.0	4864.6	2452.5
.4	1006.4	507.4	116.5	58.7	4863.0	2451.8
.5	1008.0	508.2	118.1	59.5	4861.4	2451.0
.6	1009.6	509.0	119.7	60.3	4859.8	2450.2
.7	1011.1	509.8	121.2	61.1	4858.3	2449.4
.8	1012.7	510.6	122.8	61.9	4856.7	2448.6
.9	1014.3	511.4	124.4	62.7	4855.1	2447.8
2295.0	1015.9	512.2	126.0	63.5	4853.5	2447.0
.1	1017.4	513.0	127.5	64.3	4852.0	2446.2
.2	1019.0	513.8	129.1	65.1	4850.4	2445.4
.3	1020.6	514.5	130.7	65.9	4848.8	2444.6
.4	1022.2	515.3	132.3	66.7	4847.2	2443.8
.5	1023.7	516.1	133.8	67.5	4845.7	2443.0
.6	1025.3	516.9	135.4	68.3	4844.1	2442.2
.7	1026.9	517.7	137.0	69.1	4842.5	2441.4
.8	1028.5	518.5	138.6	69.9	4840.9	2440.6
.9	1030.0	519.3	140.1	70.7	4839.4	2439.8
2296.0	1031.6	520.1	141.7	71.4	4837.8	2439.0
.1	1033.2	520.9	143.3	72.2	4836.2	2438.3
.2	1034.8	521.7	144.9	73.0	4834.6	2437.5
.3	1036.3	522.5	146.4	73.8	4833.1	2436.7
.4	1037.9	523.3	148.0	74.6	4831.5	2435.9
.5	1039.5	524.1	149.6	75.4	4829.9	2435.1
.6	1041.1	524.9	151.2	76.2	4828.3	2434.3
.7	1042.6	525.7	152.7	77.0	4826.8	2433.5
.8	1044.2	526.5	154.3	77.8	4825.2	2432.7
.9	1045.8	527.3	155.9	78.6	4823.6	2431.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2297.0	1047.4	528.0	157.5	79.4	4822.0	2431.1
.1	1048.9	528.8	159.0	80.2	4820.5	2430.3
.2	1050.5	529.6	160.6	81.0	4818.9	2429.5
.3	1052.1	530.4	162.2	81.8	4817.3	2428.7
.4	1053.7	531.2	163.8	82.6	4815.7	2427.9
.5	1055.2	532.0	165.3	83.4	4814.2	2427.1
.6	1056.8	532.8	166.9	84.2	4812.6	2426.3
.7	1058.4	533.6	168.5	84.9	4811.0	2425.6
.8	1060.0	534.4	170.1	85.7	4809.4	2424.8
.9	1061.5	535.2	171.6	86.5	4807.9	2424.0
2298.0	1063.1	536.0	173.2	87.3	4806.3	2423.2
.1	1064.7	536.8	174.8	88.1	4804.7	2422.4
.2	1066.3	537.6	176.4	88.9	4803.1	2421.6
.3	1067.8	538.4	177.9	89.7	4801.6	2420.8
.4	1069.4	539.2	179.5	90.5	4800.0	2420.0
.5	1071.0	540.0	181.1	91.3	4798.4	2419.2
.6	1072.6	540.7	182.7	92.1	4796.8	2418.4
.7	1074.1	541.5	184.2	92.9	4795.3	2417.6
.8	1075.7	542.3	185.8	93.7	4793.7	2416.8
.9	1077.3	543.1	187.4	94.5	4792.1	2416.0
2299.0	1078.9	543.9	189.0	95.3	4790.5	2415.2
.1	1080.4	544.7	190.5	96.1	4789.0	2414.4
.2	1082.0	545.5	192.1	96.9	4787.4	2413.6
.3	1083.6	546.3	193.7	97.6	4785.8	2412.9
.4	1085.2	547.1	195.3	98.4	4784.2	2412.1
.5	1086.7	547.9	196.8	99.2	4782.7	2411.3
.6	1088.3	548.7	198.4	100.0	4781.1	2410.5
.7	1089.9	549.5	200.0	100.8	4779.5	2409.7
.8	1091.5	550.3	201.6	101.6	4777.9	2408.9
.9	1093.0	551.1	203.1	102.4	4776.4	2408.1
2300.0	1094.6	551.9	204.7	103.2	4774.8	2407.3
.1	1096.4	552.8	206.5	104.1	4773.0	2406.4
.2	1098.1	553.6	208.2	105.0	4771.3	2405.5
.3	1099.9	554.5	210.0	105.9	4769.5	2404.6
.4	1101.7	555.4	211.8	106.8	4767.7	2403.7
.5	1103.4	556.3	213.5	107.7	4766.0	2402.8
.6	1105.2	557.2	215.3	108.5	4764.2	2401.9
.7	1107.0	558.1	217.1	109.4	4762.4	2401.1
.8	1108.7	559.0	218.8	110.3	4760.7	2400.2
.9	1110.5	559.9	220.6	111.2	4758.9	2399.3
2301.0	1112.3	560.8	222.4	112.1	4757.1	2398.4
.1	1114.0	561.7	224.1	113.0	4755.4	2397.5
.2	1115.8	562.6	225.9	113.9	4753.6	2396.6
.3	1117.6	563.4	227.7	114.8	4751.8	2395.7
.4	1119.3	564.3	229.4	115.7	4750.1	2394.8
.5	1121.1	565.2	231.2	116.6	4748.3	2393.9
.6	1122.9	566.1	233.0	117.5	4746.5	2393.0
.7	1124.6	567.0	234.7	118.3	4744.8	2392.2
.8	1126.4	567.9	236.5	119.2	4743.0	2391.3
.9	1128.2	568.8	238.3	120.1	4741.2	2390.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2302.0	1129.9	569.7	240.0	121.0	4739.5	2389.5
.1	1131.7	570.6	241.8	121.9	4737.7	2388.6
.2	1133.5	571.5	243.6	122.8	4735.9	2387.7
.3	1135.2	572.4	245.3	123.7	4734.2	2386.8
.4	1137.0	573.2	247.1	124.6	4732.4	2385.9
.5	1138.8	574.1	248.9	125.5	4730.6	2385.0
.6	1140.5	575.0	250.6	126.4	4728.9	2384.1
.7	1142.3	575.9	252.4	127.3	4727.1	2383.2
.8	1144.1	576.8	254.2	128.1	4725.3	2382.4
.9	1145.8	577.7	255.9	129.0	4723.6	2381.5
2303.0	1147.6	578.6	257.7	129.9	4721.8	2380.6
.1	1149.4	579.5	259.5	130.8	4720.0	2379.7
.2	1151.1	580.4	261.2	131.7	4718.3	2378.8
.3	1152.9	581.3	263.0	132.6	4716.5	2377.9
.4	1154.7	582.1	264.8	133.5	4714.7	2377.0
.5	1156.4	583.0	266.5	134.4	4713.0	2376.1
.6	1158.2	583.9	268.3	135.3	4711.2	2375.2
.7	1160.0	584.8	270.1	136.2	4709.4	2374.3
.8	1161.7	585.7	271.8	137.1	4707.7	2373.4
.9	1163.5	586.6	273.6	137.9	4705.9	2372.6
2304.0	1165.3	587.5	275.4	138.8	4704.1	2371.7
.1	1167.0	588.4	277.1	139.7	4702.4	2370.8
.2	1168.8	589.3	278.9	140.6	4700.6	2369.9
.3	1170.6	590.2	280.7	141.5	4698.8	2369.0
.4	1172.3	591.1	282.4	142.4	4697.1	2368.1
.5	1174.1	591.9	284.2	143.3	4695.3	2367.2
.6	1175.9	592.8	286.0	144.2	4693.5	2366.3
.7	1177.6	593.7	287.7	145.1	4691.8	2365.4
.8	1179.4	594.6	289.5	146.0	4690.0	2364.5
.9	1181.2	595.5	291.3	146.9	4688.2	2363.6
2305.0	1182.9	596.4	293.0	147.7	4686.5	2362.8
.1	1184.7	597.3	294.8	148.6	4684.7	2361.9
.2	1186.5	598.2	296.6	149.5	4682.9	2361.0
.3	1188.3	599.1	298.4	150.4	4681.1	2360.1
.4	1190.0	600.0	300.1	151.3	4679.4	2359.2
.5	1191.8	600.9	301.9	152.2	4677.6	2358.3
.6	1193.6	601.8	303.7	153.1	4675.8	2357.4
.7	1195.3	602.6	305.4	154.0	4674.1	2356.5
.8	1197.1	603.5	307.2	154.9	4672.3	2355.6
.9	1198.9	604.4	309.0	155.8	4670.5	2354.7
2306.0	1200.6	605.3	310.7	156.7	4668.8	2353.8
.1	1202.4	606.2	312.5	157.5	4667.0	2353.0
.2	1204.2	607.1	314.3	158.4	4665.2	2352.1
.3	1205.9	608.0	316.0	159.3	4663.5	2351.2
.4	1207.7	608.9	317.8	160.2	4661.7	2350.3
.5	1209.5	609.8	319.6	161.1	4659.9	2349.4
.6	1211.2	610.7	321.3	162.0	4658.2	2348.5
.7	1213.0	611.5	323.1	162.9	4656.4	2347.6
.8	1214.8	612.4	324.9	163.8	4654.6	2346.7
.9	1216.5	613.3	326.6	164.7	4652.9	2345.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2307.0	1218.3	614.2	328.4	165.6	4651.1	2344.9
.1	1220.1	615.1	330.2	166.5	4649.3	2344.0
.2	1221.8	616.0	331.9	167.3	4647.6	2343.2
.3	1223.6	616.9	333.7	168.2	4645.8	2342.3
.4	1225.4	617.8	335.5	169.1	4644.0	2341.4
.5	1227.1	618.7	337.2	170.0	4642.3	2340.5
.6	1228.9	619.6	339.0	170.9	4640.5	2339.6
.7	1230.7	620.5	340.8	171.8	4638.7	2338.7
.8	1232.4	621.3	342.5	172.7	4637.0	2337.8
.9	1234.2	622.2	344.3	173.6	4635.2	2336.9
2308.0	1236.0	623.1	346.1	174.5	4633.4	2336.0
.1	1237.7	624.0	347.8	175.4	4631.7	2335.1
.2	1239.5	624.9	349.6	176.3	4629.9	2334.2
.3	1241.3	625.8	351.4	177.1	4628.1	2333.4
.4	1243.0	626.7	353.1	178.0	4626.4	2332.5
.5	1244.8	627.6	354.9	178.9	4624.6	2331.6
.6	1246.6	628.5	356.7	179.8	4622.8	2330.7
.7	1248.3	629.4	358.4	180.7	4621.1	2329.8
.8	1250.1	630.3	360.2	181.6	4619.3	2328.9
.9	1251.9	631.1	362.0	182.5	4617.5	2328.0
2309.0	1253.6	632.0	363.7	183.4	4615.8	2327.1
.1	1255.4	632.9	365.5	184.3	4614.0	2326.2
.2	1257.2	633.8	367.3	185.2	4612.2	2325.3
.3	1258.9	634.7	369.0	186.1	4610.5	2324.4
.4	1260.7	635.6	370.8	186.9	4608.7	2323.6
.5	1262.5	636.5	372.6	187.8	4606.9	2322.7
.6	1264.2	637.4	374.3	188.7	4605.2	2321.8
.7	1266.0	638.3	376.1	189.6	4603.4	2320.9
.8	1267.8	639.2	377.9	190.5	4601.6	2320.0
.9	1269.5	640.1	379.6	191.4	4599.9	2319.1
2310.0	1271.3	640.9	381.4	192.3	4598.1	2318.2
.1	1273.2	641.9	383.3	193.2	4596.2	2317.3
.2	1275.1	642.8	385.2	194.2	4594.3	2316.3
.3	1276.9	643.8	387.0	195.1	4592.5	2315.4
.4	1278.8	644.7	388.9	196.1	4590.6	2314.4
.5	1280.7	645.7	390.8	197.0	4588.7	2313.5
.6	1282.6	646.6	392.7	198.0	4586.8	2312.5
.7	1284.5	647.6	394.6	198.9	4584.9	2311.6
.8	1286.4	648.5	396.5	199.9	4583.0	2310.6
.9	1288.2	649.5	398.3	200.8	4581.2	2309.7
2311.0	1290.1	650.4	400.2	201.8	4579.3	2308.7
.1	1292.0	651.4	402.1	202.7	4577.4	2307.8
.2	1293.9	652.3	404.0	203.7	4575.5	2306.8
.3	1295.8	653.3	405.9	204.6	4573.6	2305.9
.4	1297.7	654.2	407.8	205.6	4571.7	2304.9
.5	1299.5	655.2	409.6	206.5	4569.9	2304.0
.6	1301.4	656.1	411.5	207.5	4568.0	2303.0
.7	1303.3	657.1	413.4	208.4	4566.1	2302.1
.8	1305.2	658.0	415.3	209.4	4564.2	2301.1
.9	1307.1	659.0	417.2	210.3	4562.3	2300.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2312.0	1309.0	659.9	419.1	211.3	4560.4	2299.2
.1	1310.8	660.9	420.9	212.2	4558.6	2298.3
.2	1312.7	661.8	422.8	213.2	4556.7	2297.3
.3	1314.6	662.8	424.7	214.1	4554.8	2296.4
.4	1316.5	663.7	426.6	215.1	4552.9	2295.4
.5	1318.4	664.7	428.5	216.0	4551.0	2294.5
.6	1320.3	665.6	430.4	217.0	4549.1	2293.5
.7	1322.1	666.6	432.2	217.9	4547.3	2292.6
.8	1324.0	667.5	434.1	218.9	4545.4	2291.6
.9	1325.9	668.5	436.0	219.8	4543.5	2290.7
2313.0	1327.8	669.4	437.9	220.8	4541.6	2289.7
.1	1329.7	670.4	439.8	221.7	4539.7	2288.8
.2	1331.6	671.3	441.7	222.7	4537.8	2287.8
.3	1333.4	672.3	443.5	223.6	4536.0	2286.9
.4	1335.3	673.2	445.4	224.6	4534.1	2285.9
.5	1337.2	674.2	447.3	225.5	4532.2	2285.0
.6	1339.1	675.1	449.2	226.5	4530.3	2284.0
.7	1341.0	676.1	451.1	227.4	4528.4	2283.1
.8	1342.9	677.0	453.0	228.4	4526.5	2282.1
.9	1344.7	678.0	454.8	229.3	4524.7	2281.2
2314.0	1346.6	678.9	456.7	230.3	4522.8	2280.2
.1	1348.5	679.9	458.6	231.2	4520.9	2279.3
.2	1350.4	680.8	460.5	232.2	4519.0	2278.3
.3	1352.3	681.8	462.4	233.1	4517.1	2277.4
.4	1354.2	682.7	464.3	234.1	4515.3	2276.4
.5	1356.0	683.7	466.1	235.0	4513.4	2275.5
.6	1357.9	684.6	468.0	236.0	4511.5	2274.5
.7	1359.8	685.6	469.9	236.9	4509.6	2273.6
.8	1361.7	686.5	471.8	237.9	4507.7	2272.6
.9	1363.6	687.5	473.7	238.8	4505.8	2271.7
2315.0	1365.4	688.4	475.5	239.8	4504.0	2270.7
.1	1367.3	689.4	477.4	240.7	4502.1	2269.8
.2	1369.2	690.3	479.3	241.7	4500.2	2268.8
.3	1371.1	691.3	481.2	242.6	4498.3	2267.9
.4	1373.0	692.2	483.1	243.6	4496.4	2266.9
.5	1374.9	693.2	485.0	244.5	4494.5	2266.0
.6	1376.7	694.1	486.8	245.5	4492.6	2265.0
.7	1378.6	695.1	488.7	246.4	4490.8	2264.1
.8	1380.5	696.0	490.6	247.4	4488.9	2263.1
.9	1382.4	697.0	492.5	248.3	4487.0	2262.2
2316.0	1384.3	697.9	494.4	249.2	4485.1	2261.2
.1	1386.2	698.9	496.3	250.2	4483.2	2260.3
.2	1388.0	699.8	498.1	251.1	4481.4	2259.3
.3	1389.8	700.8	500.0	252.1	4479.5	2258.4
.4	1391.8	701.7	501.9	253.0	4477.6	2257.5
.5	1393.7	702.7	503.8	254.0	4475.7	2256.5
.6	1395.6	703.6	505.7	254.9	4473.8	2255.6
.7	1397.5	704.6	507.6	255.9	4471.9	2254.6
.8	1399.3	705.5	509.4	256.8	4470.1	2253.7
.9	1401.2	706.5	511.3	257.8	4468.2	2252.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2317.0	1403.1	707.4	513.2	258.7	4466.3	2251.8
.1	1405.0	708.4	515.1	259.7	4464.4	2250.8
.2	1406.9	709.3	517.0	260.6	4462.5	2249.9
.3	1408.8	710.2	518.9	261.6	4460.6	2248.9
.4	1410.6	711.2	520.7	262.5	4458.8	2248.0
.5	1412.5	712.1	522.6	263.5	4456.9	2247.0
.6	1414.4	713.1	524.5	264.4	4455.0	2246.1
.7	1416.3	714.0	526.4	265.4	4453.1	2245.1
.8	1418.2	715.0	528.3	266.3	4451.2	2244.2
.9	1420.1	715.9	530.2	267.3	4449.3	2243.2
2318.0	1421.9	716.9	532.0	268.2	4447.5	2242.3
.1	1423.8	717.8	533.9	269.2	4445.6	2241.3
.2	1425.7	718.8	535.8	270.1	4443.7	2240.4
.3	1427.6	719.7	537.7	271.1	4441.8	2239.4
.4	1429.5	720.7	539.6	272.0	4439.9	2238.5
.5	1431.4	721.6	541.5	273.0	4438.0	2237.5
.6	1433.2	722.6	543.3	273.9	4436.2	2236.6
.7	1435.1	723.5	545.2	274.9	4434.3	2235.6
.8	1437.0	724.5	547.1	275.8	4432.4	2234.7
.9	1438.9	725.4	549.0	276.8	4430.5	2233.7
2319.0	1440.8	726.4	550.9	277.7	4428.6	2232.8
.1	1442.7	727.3	552.8	278.7	4426.7	2231.8
.2	1444.5	728.3	554.6	279.6	4424.9	2230.9
.3	1446.4	729.2	556.5	280.6	4423.0	2229.9
.4	1448.3	730.2	558.4	281.5	4421.1	2229.0
.5	1450.2	731.1	560.3	282.5	4419.2	2228.0
.6	1452.1	732.1	562.2	283.4	4417.3	2227.1
.7	1454.0	733.0	564.1	284.4	4415.4	2226.1
.8	1455.8	734.0	565.9	285.3	4413.6	2225.2
.9	1457.7	734.9	567.8	286.3	4411.7	2224.2
2320.0	1459.6	735.9	569.7	287.2	4409.8	2223.3
.1	1461.6	736.9	571.7	288.2	4407.8	2222.3
.2	1463.7	737.9	573.8	289.3	4405.7	2221.2
.3	1465.7	738.9	575.8	290.3	4403.7	2220.2
.4	1467.7	740.0	577.8	291.3	4401.7	2219.2
.5	1469.7	741.0	579.8	292.3	4399.7	2218.2
.6	1471.8	742.0	581.9	293.4	4397.6	2217.1
.7	1473.8	743.0	583.9	294.4	4395.6	2216.1
.8	1475.8	744.1	585.9	295.4	4393.6	2215.1
.9	1477.8	745.1	587.9	296.4	4391.6	2214.1
2321.0	1479.9	746.1	590.0	297.4	4389.5	2213.1
.1	1481.9	747.1	592.0	298.5	4387.5	2212.0
.2	1483.9	748.1	594.0	299.5	4385.5	2211.0
.3	1485.9	749.2	596.0	300.5	4383.5	2210.0
.4	1488.0	750.2	598.1	301.5	4381.4	2209.0
.5	1490.0	751.2	600.1	302.5	4379.4	2208.0
.6	1492.0	752.2	602.1	303.6	4377.4	2206.9
.7	1494.0	753.2	604.1	304.6	4375.4	2205.9
.8	1496.1	754.3	606.2	305.6	4373.3	2204.9
.9	1498.1	755.3	608.2	306.6	4371.3	2203.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2322.0	1500.1	756.3	610.2	307.7	4369.3	2202.8
.1	1502.1	757.3	612.2	308.7	4367.3	2201.8
.2	1504.2	758.4	614.3	309.7	4365.2	2200.8
.3	1506.2	759.4	616.3	310.7	4363.2	2199.8
.4	1508.2	760.4	618.3	311.7	4361.2	2198.8
.5	1510.3	761.4	620.3	312.8	4359.1	2197.7
.6	1512.3	762.4	622.4	313.8	4357.1	2196.7
.7	1514.3	763.5	624.4	314.8	4355.1	2195.7
.8	1516.3	764.5	626.4	315.8	4353.1	2194.7
.9	1518.4	765.5	628.5	316.8	4351.0	2193.7
2323.0	1520.4	766.5	630.5	317.9	4349.0	2192.6
.1	1522.4	767.5	632.5	318.9	4347.0	2191.6
.2	1524.4	768.6	634.5	319.9	4345.0	2190.6
.3	1526.5	769.6	636.6	320.9	4342.9	2189.6
.4	1528.5	770.6	638.6	322.0	4340.9	2188.5
.5	1530.5	771.6	640.6	323.0	4338.9	2187.5
.6	1532.5	772.7	642.6	324.0	4336.9	2186.5
.7	1534.6	773.7	644.7	325.0	4334.8	2185.5
.8	1536.6	774.7	646.7	326.0	4332.8	2184.5
.9	1538.6	775.7	648.7	327.1	4330.8	2183.4
2324.0	1540.6	776.7	650.7	328.1	4328.8	2182.4
.1	1542.7	777.8	652.8	329.1	4326.7	2181.4
.2	1544.7	778.8	654.8	330.1	4324.7	2180.4
.3	1546.7	779.8	656.8	331.1	4322.7	2179.4
.4	1548.7	780.8	658.8	332.2	4320.7	2178.3
.5	1550.8	781.8	660.9	333.2	4318.6	2177.3
.6	1552.8	782.9	662.9	334.2	4316.6	2176.3
.7	1554.8	783.9	664.9	335.2	4314.6	2175.3
.8	1556.8	784.9	666.9	336.3	4312.6	2174.2
.9	1558.9	785.9	669.0	337.3	4310.5	2173.2
2325.0	1560.9	787.0	671.0	338.3	4308.5	2172.2
.1	1562.9	788.0	673.0	339.3	4306.5	2171.2
.2	1565.0	789.0	675.1	340.3	4304.4	2170.2
.3	1567.0	790.0	677.1	341.4	4302.4	2169.1
.4	1569.0	791.0	679.1	342.4	4300.4	2168.1
.5	1571.0	792.1	681.1	343.4	4298.4	2167.1
.6	1573.1	793.1	683.2	344.4	4296.3	2166.1
.7	1575.1	794.1	685.2	345.4	4294.3	2165.1
.8	1577.1	795.1	687.2	346.5	4292.3	2164.0
.9	1579.1	796.1	689.2	347.5	4290.3	2163.0
2326.0	1581.2	797.2	691.3	348.5	4288.2	2162.0
.1	1583.2	798.2	693.3	349.5	4286.2	2161.0
.2	1585.2	799.2	695.3	350.6	4284.2	2159.9
.3	1587.2	800.2	697.3	351.6	4282.2	2158.9
.4	1589.3	801.3	699.4	352.6	4280.1	2157.9
.5	1591.3	802.3	701.4	353.6	4278.1	2156.9
.6	1593.3	803.3	703.4	354.6	4276.1	2155.9
.7	1595.3	804.3	705.4	355.7	4274.1	2154.8
.8	1597.4	805.3	707.5	356.7	4272.0	2153.8
.9	1599.4	806.4	709.5	357.7	4270.0	2152.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2327.0	1601.4	807.4	711.5	358.7	4268.0	2151.8
.1	1603.4	808.4	713.5	359.7	4266.0	2150.8
.2	1605.5	809.4	715.6	360.8	4263.9	2149.7
.3	1607.5	810.4	717.6	361.8	4261.9	2148.7
.4	1609.5	811.5	719.6	362.8	4259.9	2147.7
.5	1611.6	812.5	721.7	363.8	4257.9	2146.7
.6	1613.6	813.5	723.7	364.9	4255.8	2145.6
.7	1615.6	814.5	725.7	365.9	4253.8	2144.6
.8	1617.6	815.6	727.7	366.9	4251.8	2143.6
.9	1619.7	816.6	729.8	367.9	4249.7	2142.6
2328.0	1621.7	817.6	731.8	368.9	4247.7	2141.6
.1	1623.7	818.6	733.8	370.0	4245.7	2140.5
.2	1625.7	819.6	735.8	371.0	4243.7	2139.5
.3	1627.8	820.7	737.9	372.0	4241.6	2138.5
.4	1629.8	821.7	739.9	373.0	4239.6	2137.5
.5	1631.8	822.7	741.9	374.0	4237.6	2136.5
.6	1633.8	823.7	743.9	375.1	4235.6	2135.4
.7	1635.9	824.7	746.0	376.1	4233.5	2134.4
.8	1637.9	825.8	748.0	377.1	4231.5	2133.4
.9	1639.9	826.8	750.0	378.1	4229.5	2132.4
2329.0	1641.9	827.8	752.0	379.2	4227.5	2131.3
.1	1644.0	828.8	754.1	380.2	4225.4	2130.3
.2	1646.0	829.9	756.1	381.2	4223.4	2129.3
.3	1648.0	830.9	758.1	382.2	4221.4	2128.3
.4	1650.0	831.9	760.1	383.2	4219.4	2127.3
.5	1652.1	832.9	762.2	384.3	4217.3	2126.2
.6	1654.1	833.9	764.2	385.3	4215.3	2125.2
.7	1656.1	835.0	766.2	386.3	4213.3	2124.2
.8	1658.1	836.0	768.2	387.3	4211.3	2123.2
.9	1660.2	837.0	770.3	388.3	4209.2	2122.2
2330.0	1662.2	838.0	772.3	389.4	4207.2	2121.1
.1	1664.4	839.1	774.5	390.5	4205.0	2120.0
.2	1666.6	840.2	776.7	391.6	4202.8	2118.9
.3	1668.7	841.3	778.8	392.7	4200.7	2117.8
.4	1670.9	842.4	781.0	393.8	4198.5	2116.7
.5	1673.1	843.5	783.2	394.9	4196.3	2115.6
.6	1675.3	844.6	785.4	396.0	4194.1	2114.5
.7	1677.5	845.7	787.6	397.1	4191.9	2113.4
.8	1679.6	846.8	789.7	398.2	4189.8	2112.3
.9	1681.8	847.9	791.9	399.3	4187.6	2111.2
2331.0	1684.0	849.0	794.1	400.4	4185.4	2110.1
.1	1686.2	850.1	796.3	401.5	4183.2	2109.0
.2	1688.3	851.2	798.4	402.6	4181.1	2107.9
.3	1690.5	852.3	800.6	403.6	4178.9	2106.8
.4	1692.7	853.4	802.8	404.7	4176.7	2105.8
.5	1694.9	854.5	805.0	405.8	4174.5	2104.7
.6	1697.1	855.6	807.2	406.9	4172.3	2103.6
.7	1699.2	856.7	809.3	408.0	4170.2	2102.5
.8	1701.4	857.8	811.5	409.1	4168.0	2101.4
.9	1703.6	858.9	813.7	410.2	4165.8	2100.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2332.0	1705.8	860.0	815.9	411.3	4163.6	2099.2
.1	1708.0	861.1	818.1	412.4	4161.4	2098.1
.2	1710.1	862.2	820.2	413.5	4159.3	2097.0
.3	1712.3	863.3	822.4	414.6	4157.1	2095.9
.4	1714.5	864.4	824.6	415.7	4154.9	2094.8
.5	1716.7	865.5	826.8	416.8	4152.7	2093.7
.6	1718.9	866.6	829.0	417.9	4150.5	2092.6
.7	1721.0	867.7	831.1	419.0	4148.4	2091.5
.8	1723.2	868.8	833.3	420.1	4146.2	2090.4
.9	1725.4	869.9	835.5	421.2	4144.0	2089.3
2333.0	1727.6	871.0	837.7	422.3	4141.8	2088.2
.1	1729.8	872.1	839.9	423.4	4139.6	2087.1
.2	1731.9	873.2	842.0	424.5	4137.5	2086.0
.3	1734.1	874.3	844.2	425.6	4135.3	2084.9
.4	1736.3	875.4	846.4	426.7	4133.1	2083.8
.5	1738.5	876.5	848.6	427.8	4130.9	2082.7
.6	1740.6	877.6	850.7	428.9	4128.8	2081.6
.7	1742.8	878.7	852.9	430.0	4126.6	2080.5
.8	1745.0	879.8	855.1	431.1	4124.4	2079.4
.9	1747.2	880.9	857.3	432.2	4122.2	2078.3
2334.0	1749.4	882.0	859.5	433.3	4120.0	2077.2
.1	1751.5	883.1	861.6	434.4	4117.9	2076.1
.2	1753.7	884.2	863.8	435.5	4115.7	2075.0
.3	1755.9	885.3	866.0	436.6	4113.5	2073.9
.4	1758.1	886.4	868.2	437.7	4111.3	2072.8
.5	1760.3	887.5	870.4	438.8	4109.1	2071.7
.6	1762.4	888.6	872.5	439.9	4107.0	2070.6
.7	1764.6	889.7	874.7	441.0	4104.8	2069.5
.8	1766.8	890.8	876.9	442.1	4102.6	2068.4
.9	1769.0	891.9	879.1	443.2	4100.4	2067.3
2335.0	1771.2	893.0	881.3	444.3	4098.3	2066.2
.1	1773.3	894.1	883.4	445.4	4096.1	2065.1
.2	1775.5	895.2	885.6	446.5	4093.9	2064.0
.3	1777.7	896.3	887.8	447.6	4091.7	2062.9
.4	1779.9	897.3	890.0	448.7	4089.5	2061.8
.5	1782.0	898.4	892.1	449.8	4087.4	2060.7
.6	1784.2	899.5	894.3	450.9	4085.2	2059.6
.7	1786.4	900.6	896.5	452.0	4083.0	2058.5
.8	1788.6	901.7	898.7	453.1	4080.8	2057.4
.9	1790.8	902.8	900.9	454.2	4078.6	2056.3
2336.0	1792.9	903.9	903.0	455.3	4076.5	2055.2
.1	1795.1	905.0	905.2	456.4	4074.3	2054.1
.2	1797.3	906.1	907.4	457.5	4072.1	2053.0
.3	1799.5	907.2	909.6	458.6	4069.9	2051.9
.4	1801.7	908.3	911.8	459.7	4067.7	2050.8
.5	1803.8	909.4	913.9	460.8	4065.6	2049.7
.6	1806.0	910.5	916.1	461.9	4063.4	2048.6
.7	1808.2	911.6	918.3	463.0	4061.2	2047.5
.8	1810.4	912.7	920.5	464.1	4059.0	2046.4
.9	1812.5	913.8	922.6	465.2	4056.9	2045.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2337.0	1814.7	914.9	924.8	466.3	4054.7	2044.2
.1	1816.9	916.0	927.0	467.4	4052.5	2043.1
.2	1819.1	917.1	929.2	468.5	4050.3	2042.0
.3	1821.3	918.2	931.4	469.6	4048.1	2040.9
.4	1823.4	919.3	933.5	470.7	4046.0	2039.8
.5	1825.6	920.4	935.7	471.8	4043.8	2038.7
.6	1827.8	921.5	937.9	472.9	4041.6	2037.6
.7	1830.0	922.6	940.1	474.0	4039.4	2036.5
.8	1832.2	923.7	942.3	475.1	4037.2	2035.4
.9	1834.3	924.8	944.4	476.2	4035.1	2034.3
2338.0	1836.5	925.9	946.6	477.3	4032.9	2033.2
.1	1838.7	927.0	948.8	478.4	4030.7	2032.1
.2	1840.9	928.1	951.0	479.5	4028.5	2031.0
.3	1843.1	929.2	953.2	480.6	4026.3	2029.9
.4	1845.2	930.3	955.3	481.6	4024.2	2028.9
.5	1847.4	931.4	957.5	482.7	4022.0	2027.8
.6	1849.6	932.5	959.7	483.8	4019.8	2026.7
.7	1851.8	933.6	961.9	484.9	4017.6	2025.6
.8	1854.0	934.7	964.1	486.0	4015.4	2024.5
.9	1856.1	935.8	966.2	487.1	4013.3	2023.4
2339.0	1858.3	936.9	968.4	488.2	4011.1	2022.3
.1	1860.5	938.0	970.6	489.3	4008.9	2021.2
.2	1862.7	939.1	972.8	490.4	4006.7	2020.1
.3	1864.8	940.2	974.9	491.5	4004.6	2019.0
.4	1867.0	941.3	977.1	492.6	4002.4	2017.9
.5	1869.2	942.4	979.3	493.7	4000.2	2016.8
.6	1871.4	943.5	981.5	494.8	3998.0	2015.7
.7	1873.6	944.6	983.7	495.9	3995.8	2014.6
.8	1875.7	945.7	985.8	497.0	3993.7	2013.5
.9	1877.9	946.8	988.0	498.1	3991.5	2012.4
2340.0	1880.1	947.9	990.2	499.2	3989.3	2011.3
.1	1882.4	949.0	992.5	500.4	3987.0	2010.1
.2	1884.7	950.2	994.8	501.5	3984.7	2009.0
.3	1887.0	951.4	997.1	502.7	3982.4	2007.8
.4	1889.3	952.5	999.4	503.9	3980.1	2006.6
.5	1891.6	953.7	1001.7	505.0	3977.8	2005.5
.6	1893.9	954.8	1004.0	506.2	3975.5	2004.3
.7	1896.2	956.0	1006.3	507.3	3973.2	2003.1
.8	1898.5	957.2	1008.6	508.5	3970.9	2002.0
.9	1900.8	958.3	1010.9	509.7	3968.6	2000.8
2341.0	1903.1	959.5	1013.2	510.8	3966.3	1999.7
.1	1905.4	960.7	1015.5	512.0	3964.0	1998.5
.2	1907.7	961.8	1017.8	513.2	3961.7	1997.3
.3	1910.0	963.0	1020.1	514.3	3959.4	1996.2
.4	1912.3	964.1	1022.4	515.5	3957.1	1995.0
.5	1914.6	965.3	1024.7	516.6	3954.8	1993.9
.6	1916.9	966.5	1027.0	517.8	3952.5	1992.7
.7	1919.2	967.6	1029.3	519.0	3950.2	1991.5
.8	1921.5	968.8	1031.6	520.1	3947.9	1990.4
.9	1923.8	969.9	1033.9	521.3	3945.6	1989.2

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2342.0	1926.1	971.1	1036.2	522.4	3943.3	1988.1
.1	1928.4	972.3	1038.5	523.6	3941.0	1986.9
.2	1930.7	973.4	1040.8	524.8	3938.7	1985.7
.3	1933.0	974.6	1043.1	525.9	3936.4	1984.6
.4	1935.3	975.7	1045.4	527.1	3934.1	1983.4
.5	1937.7	976.9	1047.8	528.2	3931.8	1982.3
.6	1940.0	978.1	1050.1	529.4	3929.4	1981.1
.7	1942.3	979.2	1052.4	530.6	3927.1	1979.9
.8	1944.6	980.4	1054.7	531.7	3924.8	1978.8
.9	1946.9	981.5	1057.0	532.9	3922.5	1977.6
2343.0	1949.2	982.7	1059.3	534.0	3920.2	1976.5
.1	1951.5	983.9	1061.6	535.2	3917.9	1975.3
.2	1953.8	985.0	1063.9	536.4	3915.6	1974.1
.3	1956.1	986.2	1066.2	537.5	3913.3	1973.0
.4	1958.4	987.3	1068.5	538.7	3911.0	1971.8
.5	1960.7	988.5	1070.8	539.8	3908.7	1970.7
.6	1963.0	989.7	1073.1	541.0	3906.4	1969.5
.7	1965.3	990.8	1075.4	542.2	3904.1	1968.3
.8	1967.6	992.0	1077.7	543.3	3901.8	1967.2
.9	1969.9	993.1	1080.0	544.5	3899.5	1966.0
2344.0	1972.2	994.3	1082.3	545.6	3897.2	1964.8
.1	1974.5	995.5	1084.6	546.8	3894.9	1963.7
.2	1976.8	996.6	1086.9	548.0	3892.6	1962.5
.3	1979.1	997.8	1089.2	549.1	3890.3	1961.4
.4	1981.4	998.9	1091.5	550.3	3888.0	1960.2
.5	1983.7	1000.1	1093.8	551.5	3885.7	1959.0
.6	1986.0	1001.3	1096.1	552.6	3883.4	1957.9
.7	1988.3	1002.4	1098.4	553.8	3881.1	1956.7
.8	1990.6	1003.6	1100.7	554.9	3878.8	1955.6
.9	1992.9	1004.8	1103.0	556.1	3876.5	1954.4
2345.0	1995.2	1005.9	1105.3	557.3	3874.2	1953.2
.1	1997.5	1007.1	1107.6	558.4	3871.9	1952.1
.2	1999.8	1008.2	1109.9	559.6	3869.6	1950.9
.3	2002.1	1009.4	1112.2	560.7	3867.3	1949.8
.4	2004.4	1010.6	1114.5	561.9	3865.0	1948.6
.5	2006.7	1011.7	1116.8	563.1	3862.7	1947.4
.6	2009.0	1012.9	1119.1	564.2	3860.4	1946.3
.7	2011.3	1014.0	1121.4	565.4	3858.1	1945.1
.8	2013.6	1015.2	1123.7	566.5	3855.8	1944.0
.9	2015.9	1016.4	1126.0	567.7	3853.5	1942.8
2346.0	2018.2	1017.5	1128.3	568.9	3851.2	1941.6
.1	2020.5	1018.7	1130.6	570.0	3848.9	1940.5
.2	2022.8	1019.8	1132.9	571.2	3846.6	1939.3
.3	2025.1	1021.0	1135.2	572.3	3844.3	1938.2
.4	2027.4	1022.2	1137.5	573.5	3842.0	1937.0
.5	2029.7	1023.3	1139.8	574.7	3839.7	1935.8
.6	2032.0	1024.5	1142.1	575.8	3837.4	1934.7
.7	2034.3	1025.6	1144.4	577.0	3835.1	1933.5
.8	2036.6	1026.8	1146.7	578.1	3832.8	1932.4
.9	2038.9	1028.0	1149.0	579.3	3830.5	1931.2

Reservoir Storage Tables

PAGE 13

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2347.0	2041.2	1029.1	1151.3	580.5	3828.2	1930.0
.1	2043.5	1030.3	1153.6	581.6	3825.9	1928.9
.2	2045.8	1031.4	1155.9	582.8	3823.6	1927.7
.3	2048.1	1032.6	1158.2	583.9	3821.3	1926.5
.4	2050.4	1033.8	1160.5	585.1	3819.0	1925.4
.5	2052.8	1034.9	1162.8	586.3	3816.6	1924.2
.6	2055.1	1036.1	1165.2	587.4	3814.3	1923.1
.7	2057.4	1037.2	1167.5	588.6	3812.0	1921.9
.8	2059.7	1038.4	1169.8	589.8	3809.7	1920.7
.9	2062.0	1039.6	1172.1	590.9	3807.4	1919.6
2348.0	2064.3	1040.7	1174.4	592.1	3805.1	1918.4
.1	2066.6	1041.9	1176.7	593.2	3802.8	1917.3
.2	2068.9	1043.1	1179.0	594.4	3800.5	1916.1
.3	2071.2	1044.2	1181.3	595.6	3798.2	1914.9
.4	2073.5	1045.4	1183.6	596.7	3795.9	1913.8
.5	2075.8	1046.5	1185.9	597.9	3793.6	1912.6
.6	2078.1	1047.7	1188.2	599.0	3791.3	1911.5
.7	2080.4	1048.9	1190.5	600.2	3789.0	1910.3
.8	2082.7	1050.0	1192.8	601.4	3786.7	1909.1
.9	2085.0	1051.2	1195.1	602.5	3784.4	1908.0
2349.0	2087.3	1052.3	1197.4	603.7	3782.1	1906.8
.1	2089.6	1053.5	1199.7	604.8	3779.8	1905.7
.2	2091.9	1054.7	1202.0	606.0	3777.5	1904.5
.3	2094.2	1055.8	1204.3	607.2	3775.2	1903.3
.4	2096.5	1057.0	1206.6	608.3	3772.9	1902.2
.5	2098.8	1058.1	1208.9	609.5	3770.6	1901.0
.6	2101.1	1059.3	1211.2	610.6	3768.3	1899.9
.7	2103.4	1060.5	1213.5	611.8	3766.0	1898.7
.8	2105.7	1061.6	1215.8	613.0	3763.7	1897.5
.9	2108.0	1062.8	1218.1	614.1	3761.4	1896.4
2350.0	2110.3	1063.9	1220.4	615.3	3759.1	1895.2
.1	2112.7	1065.2	1222.8	616.5	3756.7	1894.0
.2	2115.2	1066.4	1225.3	617.7	3754.2	1892.8
.3	2117.6	1067.6	1227.7	619.0	3751.8	1891.5
.4	2120.0	1068.8	1230.1	620.2	3749.4	1890.3
.5	2122.5	1070.1	1232.6	621.4	3746.9	1889.1
.6	2124.9	1071.3	1235.0	622.6	3744.5	1887.9
.7	2127.3	1072.5	1237.4	623.9	3742.1	1886.6
.8	2129.7	1073.7	1239.8	625.1	3739.7	1885.4
.9	2132.2	1075.0	1242.3	626.3	3737.2	1884.2
2351.0	2134.6	1076.2	1244.7	627.5	3734.8	1883.0
.1	2137.0	1077.4	1247.1	628.8	3732.4	1881.7
.2	2139.5	1078.6	1249.6	630.0	3729.9	1880.5
.3	2141.9	1079.9	1252.0	631.2	3727.5	1879.3
.4	2144.3	1081.1	1254.4	632.4	3725.1	1878.1
.5	2146.8	1082.3	1256.9	633.7	3722.6	1876.8
.6	2149.2	1083.6	1259.3	634.9	3720.2	1875.6
.7	2151.6	1084.8	1261.7	636.1	3717.8	1874.4
.8	2154.1	1086.0	1264.2	637.3	3715.3	1873.2
.9	2156.5	1087.2	1266.6	638.6	3712.9	1871.9

PAGE 14

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2352.0	2158.9	1088.5	1269.0	639.8	3710.5	1870.7
.1	2161.4	1089.7	1271.5	641.0	3708.0	1869.5
.2	2163.8	1090.9	1273.9	642.2	3705.6	1868.2
.3	2166.2	1092.1	1276.3	643.5	3703.2	1867.0
.4	2168.6	1093.4	1278.7	644.7	3700.8	1865.8
.5	2171.1	1094.6	1281.2	645.9	3698.3	1864.6
.6	2173.5	1095.8	1283.6	647.2	3695.9	1863.3
.7	2175.9	1097.0	1286.0	648.4	3693.5	1862.1
.8	2178.4	1098.3	1288.5	649.6	3691.0	1860.9
.9	2180.8	1099.5	1290.9	650.8	3688.6	1859.7
2353.0	2183.2	1100.7	1293.3	652.1	3686.2	1858.4
.1	2185.7	1101.9	1295.8	653.3	3683.7	1857.2
.2	2188.1	1103.2	1298.2	654.5	3681.3	1856.0
.3	2190.5	1104.4	1300.6	655.7	3678.9	1854.8
.4	2193.0	1105.6	1303.1	657.0	3676.4	1853.5
.5	2195.4	1106.8	1305.5	658.2	3674.0	1852.3
.6	2197.8	1108.1	1307.9	659.4	3671.6	1851.1
.7	2200.2	1109.3	1310.3	660.6	3669.2	1849.9
.8	2202.7	1110.5	1312.8	661.9	3666.7	1848.6
.9	2205.1	1111.7	1315.2	663.1	3664.3	1847.4
2354.0	2207.5	1113.0	1317.6	664.3	3661.9	1846.2
.1	2210.0	1114.2	1320.1	665.5	3659.4	1845.0
.2	2212.4	1115.4	1322.5	666.8	3657.0	1843.7
.3	2214.8	1116.6	1324.9	668.0	3654.6	1842.5
.4	2217.3	1117.9	1327.4	669.2	3652.1	1841.3
.5	2219.7	1119.1	1329.8	670.4	3649.7	1840.1
.6	2222.1	1120.3	1332.2	671.7	3647.3	1838.8
.7	2224.6	1121.5	1334.7	672.9	3644.8	1837.6
.8	2227.0	1122.8	1337.1	674.1	3642.4	1836.4
.9	2229.4	1124.0	1339.5	675.3	3640.0	1835.2
2355.0	2231.9	1125.2	1342.0	676.6	3637.5	1833.9
.1	2234.3	1126.5	1344.4	677.8	3635.1	1832.7
.2	2236.7	1127.7	1346.8	679.0	3632.7	1831.5
.3	2239.1	1128.9	1349.2	680.2	3630.3	1830.3
.4	2241.6	1130.1	1351.7	681.5	3627.8	1829.0
.5	2244.0	1131.4	1354.1	682.7	3625.4	1827.8
.6	2246.4	1132.6	1356.5	683.9	3623.0	1826.6
.7	2248.9	1133.8	1359.0	685.1	3620.5	1825.4
.8	2251.3	1135.0	1361.4	686.4	3618.1	1824.1
.9	2253.7	1136.3	1363.8	687.6	3615.7	1822.9
2356.0	2256.2	1137.5	1366.3	688.8	3613.2	1821.7
.1	2258.6	1138.7	1368.7	690.0	3610.8	1820.4
.2	2261.0	1139.9	1371.1	691.3	3608.4	1819.2
.3	2263.5	1141.2	1373.6	692.5	3605.9	1818.0
.4	2265.9	1142.4	1376.0	693.7	3603.5	1816.8
.5	2268.3	1143.6	1378.4	695.0	3601.1	1815.5
.6	2270.7	1144.8	1380.8	696.2	3598.7	1814.3
.7	2273.2	1146.1	1383.3	697.4	3596.2	1813.1
.8	2275.6	1147.3	1385.7	698.6	3593.8	1811.9
.9	2278.0	1148.5	1388.1	699.9	3591.4	1810.6

Reservoir Storage Tables

LIBBY

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2357.0	2280.5	1149.7	1390.6	701.1	3588.9	1809.4
.1	2282.9	1151.0	1393.0	702.3	3586.5	1808.2
.2	2285.3	1152.2	1395.4	703.5	3584.1	1807.0
.3	2287.8	1153.4	1397.9	704.8	3581.6	1805.7
.4	2290.2	1154.6	1400.3	706.0	3579.2	1804.5
.5	2292.6	1155.9	1402.7	707.2	3576.8	1803.3
.6	2295.1	1157.1	1405.2	708.4	3574.3	1802.1
.7	2297.5	1158.3	1407.6	709.7	3571.9	1800.8
.8	2299.9	1159.5	1410.0	710.9	3569.5	1799.6
.9	2302.3	1160.8	1412.4	712.1	3567.1	1798.4
2358.0	2304.8	1162.0	1414.9	713.3	3564.6	1797.2
.1	2307.2	1163.2	1417.3	714.6	3562.2	1795.9
.2	2309.6	1164.4	1419.7	715.8	3559.8	1794.7
.3	2312.1	1165.7	1422.2	717.0	3557.3	1793.5
.4	2314.5	1166.9	1424.6	718.2	3554.9	1792.3
.5	2316.9	1168.1	1427.0	719.5	3552.5	1791.0
.6	2319.4	1169.3	1429.5	720.7	3550.0	1789.8
.7	2321.8	1170.6	1431.9	721.9	3547.6	1788.6
.8	2324.2	1171.8	1434.3	723.1	3545.2	1787.4
.9	2326.7	1173.0	1436.8	724.4	3542.7	1786.1
2359.0	2329.1	1174.2	1439.3	725.6	3540.3	1784.9
.1	2331.5	1175.5	1441.6	726.8	3537.9	1783.7
.2	2334.0	1176.7	1444.1	728.0	3535.4	1782.5
.3	2336.4	1177.9	1446.5	729.3	3533.0	1781.2
.4	2338.8	1179.2	1448.9	730.5	3530.6	1780.0
.5	2341.2	1180.4	1451.3	731.7	3528.2	1778.8
.6	2343.7	1181.6	1453.8	732.9	3525.7	1777.6
.7	2346.1	1182.8	1456.2	734.2	3523.3	1776.3
.8	2348.5	1184.1	1458.6	735.4	3520.9	1775.1
.9	2351.0	1185.3	1461.1	736.6	3518.4	1773.9
2360.0	2353.4	1186.5	1463.5	737.8	3516.0	1772.7
.1	2356.0	1187.8	1466.1	739.2	3513.4	1771.3
.2	2358.6	1189.1	1468.7	740.5	3510.8	1770.0
.3	2361.2	1190.4	1471.3	741.8	3508.2	1768.7
.4	2363.7	1191.7	1473.8	743.1	3505.7	1767.4
.5	2366.3	1193.0	1476.4	744.4	3503.1	1766.1
.6	2368.9	1194.3	1479.0	745.7	3500.5	1764.8
.7	2371.5	1195.6	1481.6	747.0	3497.9	1763.5
.8	2374.1	1196.9	1484.2	748.3	3495.3	1762.2
.9	2376.6	1198.2	1486.7	749.6	3492.8	1760.9
2361.0	2379.2	1199.5	1489.3	750.9	3490.2	1759.6
.1	2381.8	1200.8	1491.9	752.2	3487.6	1758.3
.2	2384.4	1202.1	1494.5	753.5	3485.0	1757.0
.3	2387.0	1203.4	1497.1	754.8	3482.4	1755.7
.4	2389.6	1204.7	1499.7	756.1	3479.8	1754.4
.5	2392.1	1206.0	1502.2	757.4	3477.3	1753.1
.6	2394.7	1207.3	1504.8	758.7	3474.7	1751.8
.7	2397.3	1208.6	1507.4	760.0	3472.1	1750.5
.8	2399.9	1209.9	1510.0	761.3	3469.5	1749.2
.9	2402.5	1211.2	1512.6	762.6	3466.9	1747.9

LIBBY

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2362.0	2405.1	1212.6	1515.2	763.9	3464.3	1746.6
.1	2407.6	1213.9	1517.7	765.2	3461.8	1745.3
.2	2410.2	1215.2	1520.3	766.5	3459.2	1744.0
.3	2412.8	1216.5	1522.9	767.8	3456.6	1742.7
.4	2415.4	1217.8	1525.5	769.1	3454.0	1741.4
.5	2418.0	1219.1	1528.1	770.4	3451.4	1740.1
.6	2420.6	1220.4	1530.7	771.7	3448.8	1738.8
.7	2423.1	1221.7	1533.2	773.0	3446.3	1737.5
.8	2425.7	1223.0	1535.8	774.3	3443.7	1736.2
.9	2428.3	1224.3	1538.4	775.6	3441.1	1734.9
2363.0	2430.9	1225.6	1541.0	776.9	3438.5	1733.6
.1	2433.5	1226.9	1543.6	778.2	3435.9	1732.3
.2	2436.1	1228.2	1546.2	779.5	3433.3	1731.0
.3	2438.6	1229.5	1548.7	780.8	3430.8	1729.7
.4	2441.2	1230.8	1551.3	782.1	3428.2	1728.4
.5	2443.8	1232.1	1553.9	783.4	3425.6	1727.1
.6	2446.4	1233.4	1556.5	784.7	3423.0	1725.8
.7	2449.0	1234.7	1559.1	786.0	3420.4	1724.5
.8	2451.6	1236.0	1561.7	787.3	3417.8	1723.2
.9	2454.1	1237.3	1564.2	788.6	3415.3	1721.9
2364.0	2456.7	1238.6	1566.8	789.9	3412.7	1720.6
.1	2459.3	1239.9	1569.4	791.2	3410.1	1719.3
.2	2461.9	1241.2	1572.0	792.5	3407.5	1718.0
.3	2464.5	1242.5	1574.6	793.8	3404.9	1716.7
.4	2467.0	1243.8	1577.1	795.1	3402.4	1715.4
.5	2469.6	1245.1	1579.7	796.4	3399.8	1714.0
.6	2472.2	1246.4	1582.3	797.8	3397.2	1712.7
.7	2474.8	1247.7	1584.9	799.1	3394.6	1711.4
.8	2477.4	1249.0	1587.5	800.4	3392.0	1710.1
.9	2480.0	1250.3	1590.1	801.7	3389.4	1708.8
2365.0	2482.6	1251.6	1592.7	803.0	3386.8	1707.5
.1	2485.1	1252.9	1595.2	804.3	3384.3	1706.2
.2	2487.7	1254.2	1597.8	805.6	3381.7	1704.9
.3	2490.3	1255.5	1600.4	806.9	3379.1	1703.6
.4	2492.9	1256.8	1603.0	808.2	3376.5	1702.3
.5	2495.5	1258.1	1605.6	809.5	3373.9	1701.0
.6	2498.1	1259.4	1608.2	810.8	3371.3	1699.7
.7	2500.6	1260.7	1610.7	812.1	3368.8	1698.4
.8	2503.2	1262.0	1613.3	813.4	3366.2	1697.1
.9	2505.8	1263.3	1615.9	814.7	3363.6	1695.8
2366.0	2508.4	1264.6	1618.5	816.0	3361.0	1694.5
.1	2511.0	1265.9	1621.1	817.3	3358.4	1693.2
.2	2513.5	1267.2	1623.6	818.6	3355.9	1691.9
.3	2516.1	1268.5	1626.2	819.9	3353.3	1690.6
.4	2518.7	1269.8	1628.8	821.2	3350.7	1689.3
.5	2521.3	1271.2	1631.4	822.5	3348.1	1688.0
.6	2523.9	1272.5	1634.0	823.8	3345.5	1686.7
.7	2526.5	1273.8	1636.6	825.1	3342.9	1685.4
.8	2529.0	1275.1	1639.1	826.4	3340.4	1684.1
.9	2531.6	1276.4	1641.7	827.7	3337.8	1682.8

Reservoir Storage Tables

PAGE 17

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2367.0	2534.2	1277.7	1644.3	829.0	3335.2	1681.5
.1	2536.8	1279.0	1646.9	830.3	3332.6	1680.2
.2	2539.4	1280.3	1649.5	831.6	3330.0	1678.9
.3	2542.0	1281.6	1652.1	832.9	3327.4	1677.6
.4	2544.5	1282.9	1654.6	834.2	3324.9	1676.3
.5	2547.1	1284.2	1657.2	835.5	3322.3	1675.0
.6	2549.7	1285.5	1659.8	836.8	3319.7	1673.7
.7	2552.3	1286.8	1662.4	838.1	3317.1	1672.4
.8	2554.9	1288.1	1665.0	839.4	3314.5	1671.1
.9	2557.5	1289.4	1667.6	840.7	3311.9	1669.8
2368.0	2560.0	1290.7	1670.1	842.0	3309.4	1668.5
.1	2562.6	1292.0	1672.7	843.3	3306.8	1667.2
.2	2565.2	1293.3	1675.3	844.6	3304.2	1665.9
.3	2567.8	1294.6	1677.9	845.9	3301.6	1664.6
.4	2570.4	1295.9	1680.5	847.2	3299.0	1663.3
.5	2573.0	1297.2	1683.1	848.5	3296.4	1662.0
.6	2575.5	1298.5	1685.6	849.8	3293.9	1660.7
.7	2578.1	1299.8	1688.2	851.1	3291.3	1659.4
.8	2580.7	1301.1	1690.8	852.4	3288.7	1658.1
.9	2583.3	1302.4	1693.4	853.7	3286.1	1656.8
2369.0	2585.9	1303.7	1696.0	855.1	3283.5	1655.4
.1	2588.5	1305.0	1698.6	856.4	3280.9	1654.1
.2	2591.0	1306.3	1701.1	857.7	3278.4	1652.8
.3	2593.6	1307.6	1703.7	859.0	3275.8	1651.5
.4	2596.2	1308.9	1706.3	860.3	3273.2	1650.2
.5	2598.8	1310.2	1708.9	861.6	3270.6	1648.9
.6	2601.4	1311.5	1711.5	862.9	3268.0	1647.6
.7	2603.9	1312.8	1714.0	864.2	3265.5	1646.3
.8	2606.5	1314.1	1716.6	865.5	3262.9	1645.0
.9	2609.1	1315.4	1719.2	866.8	3260.3	1643.7
2370.0	2611.7	1316.7	1721.8	868.1	3257.7	1642.4
.1	2614.4	1318.1	1724.5	869.5	3255.0	1641.0
.2	2617.2	1319.5	1727.3	870.8	3252.2	1639.7
.3	2619.9	1320.9	1730.0	872.2	3249.5	1638.3
.4	2622.7	1322.3	1732.8	873.6	3246.7	1636.9
.5	2625.4	1323.6	1735.5	875.0	3244.0	1635.5
.6	2628.2	1325.0	1738.3	876.4	3241.2	1634.1
.7	2630.9	1326.4	1741.0	877.8	3238.5	1632.7
.8	2633.6	1327.8	1743.7	879.1	3235.8	1631.4
.9	2636.4	1329.2	1746.5	880.5	3233.0	1630.0
2371.0	2639.1	1330.6	1749.2	881.9	3230.3	1628.6
.1	2641.9	1331.9	1752.0	883.3	3227.5	1627.2
.2	2644.6	1333.3	1754.7	884.7	3224.8	1625.8
.3	2647.4	1334.7	1757.5	886.1	3222.0	1624.4
.4	2650.1	1336.1	1760.2	887.4	3219.3	1623.1
.5	2652.8	1337.5	1762.9	888.8	3216.6	1621.7
.6	2655.6	1338.9	1765.7	890.2	3213.8	1620.3
.7	2658.3	1340.2	1768.4	891.6	3211.1	1618.9
.8	2661.1	1341.6	1771.2	893.0	3208.3	1617.5
.9	2663.8	1343.0	1773.9	894.3	3205.6	1616.1

PAGE 18

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2372.0	2666.6	1344.4	1776.7	895.7	3202.8	1614.8
.1	2669.3	1345.8	1779.4	897.1	3200.1	1613.4
.2	2672.0	1347.2	1782.1	898.5	3197.4	1612.0
.3	2674.8	1348.5	1784.9	899.9	3194.6	1610.6
.4	2677.5	1349.9	1787.6	901.3	3191.9	1609.2
.5	2680.3	1351.3	1790.4	902.6	3189.1	1607.9
.6	2683.0	1352.7	1793.1	904.0	3186.4	1606.5
.7	2685.8	1354.1	1795.9	905.4	3183.6	1605.1
.8	2688.5	1355.5	1798.6	906.8	3180.9	1603.7
.9	2691.2	1356.8	1801.3	908.2	3178.2	1602.3
2373.0	2694.0	1358.2	1804.1	909.6	3175.4	1600.9
.1	2696.7	1359.6	1806.8	910.9	3172.7	1599.6
.2	2699.5	1361.0	1809.6	912.3	3169.9	1598.2
.3	2702.2	1362.4	1812.3	913.7	3167.2	1596.8
.4	2705.0	1363.8	1815.1	915.1	3164.4	1595.4
.5	2707.7	1365.1	1817.8	916.5	3161.7	1594.0
.6	2710.5	1366.5	1820.6	917.9	3158.9	1592.6
.7	2713.2	1367.9	1823.3	919.2	3156.2	1591.3
.8	2715.9	1369.3	1826.0	920.6	3153.5	1589.9
.9	2718.7	1370.7	1828.8	922.0	3150.7	1588.5
2374.0	2721.4	1372.0	1831.5	923.4	3148.0	1587.1
.1	2724.2	1373.4	1834.3	924.8	3145.2	1585.7
.2	2726.9	1374.8	1837.0	926.2	3142.5	1584.3
.3	2729.7	1376.2	1839.8	927.5	3139.7	1583.0
.4	2732.4	1377.6	1842.5	928.9	3137.0	1581.6
.5	2735.1	1379.0	1845.2	930.3	3134.3	1580.2
.6	2737.9	1380.3	1848.0	931.7	3131.5	1578.8
.7	2740.6	1381.7	1850.7	933.1	3128.8	1577.4
.8	2743.4	1383.1	1853.5	934.5	3126.0	1576.0
.9	2746.1	1384.5	1856.2	935.8	3123.3	1574.7
2375.0	2748.9	1385.9	1859.0	937.2	3120.5	1573.3
.1	2751.6	1387.3	1861.7	938.6	3117.8	1571.9
.2	2754.3	1388.6	1864.4	940.0	3115.1	1570.5
.3	2757.1	1390.0	1867.2	941.4	3112.3	1569.1
.4	2759.8	1391.4	1869.9	942.8	3109.6	1567.7
.5	2762.6	1392.8	1872.7	944.1	3106.8	1566.4
.6	2765.3	1394.2	1875.4	945.5	3104.1	1565.0
.7	2768.0	1395.6	1878.1	946.9	3101.4	1563.6
.8	2770.8	1396.9	1880.9	948.3	3098.6	1562.2
.9	2773.5	1398.3	1883.6	949.7	3095.9	1560.8
2376.0	2776.3	1399.7	1886.4	951.0	3093.1	1559.4
.1	2779.0	1401.1	1889.1	952.4	3090.4	1558.1
.2	2781.8	1402.5	1891.9	953.8	3087.6	1556.7
.3	2784.5	1403.9	1894.6	955.2	3084.9	1555.3
.4	2787.2	1405.2	1897.3	956.6	3082.2	1553.9
.5	2790.0	1406.6	1900.1	958.0	3079.4	1552.5
.6	2792.7	1408.0	1902.8	959.3	3076.7	1551.1
.7	2795.5	1409.4	1905.6	960.7	3073.9	1549.8
.8	2798.2	1410.8	1908.3	962.1	3071.2	1548.4
.9	2801.0	1412.2	1911.1	963.5	3068.4	1547.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2377.0	2803.7	1413.5	1913.8	964.9	3065.7	1545.6
.1	2806.5	1414.9	1916.6	966.3	3062.9	1544.2
.2	2809.2	1416.3	1919.3	967.6	3060.2	1542.9
.3	2811.9	1417.7	1922.0	969.0	3057.5	1541.5
.4	2814.7	1419.1	1924.8	970.4	3054.7	1540.1
.5	2817.4	1420.5	1927.5	971.8	3052.0	1538.7
.6	2820.2	1421.8	1930.3	973.2	3049.2	1537.3
.7	2822.9	1423.2	1933.0	974.6	3046.5	1535.9
.8	2825.7	1424.6	1935.8	975.9	3043.7	1534.6
.9	2828.4	1426.0	1938.5	977.3	3041.0	1533.2
2378.0	2831.1	1427.4	1941.2	978.7	3038.3	1531.8
.1	2833.9	1428.8	1944.0	980.1	3035.5	1530.4
.2	2836.6	1430.1	1946.7	981.5	3032.8	1529.0
.3	2839.4	1431.5	1949.5	982.9	3030.0	1527.6
.4	2842.1	1432.9	1952.2	984.2	3027.3	1526.3
.5	2844.9	1434.3	1955.0	985.6	3024.5	1524.9
.6	2847.6	1435.7	1957.7	987.0	3021.8	1523.5
.7	2850.3	1437.0	1960.4	988.4	3019.1	1522.1
.8	2853.1	1438.4	1963.2	989.8	3016.3	1520.7
.9	2855.8	1439.8	1965.9	991.2	3013.6	1519.3
2379.0	2858.6	1441.2	1968.7	992.5	3010.8	1518.0
.1	2861.3	1442.6	1971.4	993.9	3008.1	1516.6
.2	2864.1	1444.0	1974.2	995.3	3005.3	1515.2
.3	2866.8	1445.3	1976.9	996.7	3002.6	1513.8
.4	2869.5	1446.7	1979.6	998.1	2999.9	1512.4
.5	2872.3	1448.1	1982.4	999.5	2997.1	1511.0
.6	2875.0	1449.5	1985.1	1000.8	2994.4	1509.7
.7	2877.8	1450.9	1987.9	1002.2	2991.6	1508.3
.8	2880.5	1452.3	1990.6	1003.6	2988.9	1506.9
.9	2883.3	1453.6	1993.4	1005.0	2986.1	1505.5
2380.0	2886.0	1455.0	1996.1	1006.4	2983.4	1504.1
.1	2888.9	1456.5	1999.0	1007.8	2980.5	1502.7
.2	2891.8	1457.9	2001.9	1009.3	2977.6	1501.2
.3	2894.7	1459.4	2004.8	1010.7	2974.7	1499.7
.4	2897.6	1460.9	2007.7	1012.2	2971.8	1498.3
.5	2900.5	1462.3	2010.6	1013.7	2968.9	1496.8
.6	2903.4	1463.8	2013.5	1015.1	2966.0	1495.4
.7	2906.3	1465.2	2016.4	1016.6	2963.1	1493.9
.8	2909.2	1466.7	2019.3	1018.1	2960.2	1492.4
.9	2912.1	1468.2	2022.2	1019.5	2957.3	1491.0
2381.0	2915.0	1469.6	2025.1	1021.0	2954.4	1489.5
.1	2917.9	1471.1	2028.0	1022.4	2951.5	1488.1
.2	2920.8	1472.6	2030.9	1023.9	2948.6	1486.6
.3	2923.7	1474.0	2033.8	1025.4	2945.7	1485.1
.4	2926.6	1475.5	2036.7	1026.8	2942.8	1483.7
.5	2929.5	1476.9	2039.6	1028.3	2939.9	1482.2
.6	2932.4	1478.4	2042.5	1029.7	2937.0	1480.8
.7	2935.2	1479.9	2045.3	1031.2	2934.2	1479.3
.8	2938.1	1481.3	2048.2	1032.7	2931.3	1477.8
.9	2941.0	1482.8	2051.1	1034.1	2928.4	1476.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2382.0	2943.9	1484.2	2054.0	1035.6	2925.5	1474.9
.1	2946.8	1485.7	2056.9	1037.0	2922.6	1473.5
.2	2949.7	1487.2	2059.8	1038.5	2919.7	1472.0
.3	2952.6	1488.6	2062.7	1040.0	2916.8	1470.5
.4	2955.5	1490.1	2065.6	1041.4	2913.9	1469.1
.5	2958.4	1491.5	2068.5	1042.9	2911.0	1467.6
.6	2961.3	1493.0	2071.4	1044.3	2908.1	1466.2
.7	2964.2	1494.5	2074.3	1045.8	2905.2	1464.7
.8	2967.1	1495.9	2077.2	1047.3	2902.3	1463.2
.9	2970.0	1497.4	2080.1	1048.7	2899.4	1461.8
2383.0	2972.9	1498.8	2083.0	1050.2	2896.5	1460.3
.1	2975.8	1500.3	2085.9	1051.6	2893.6	1458.9
.2	2978.7	1501.8	2088.8	1053.1	2890.7	1457.4
.3	2981.6	1503.2	2091.7	1054.6	2887.8	1455.9
.4	2984.5	1504.7	2094.6	1056.0	2884.9	1454.5
.5	2987.4	1506.1	2097.5	1057.5	2882.0	1453.0
.6	2990.3	1507.6	2100.4	1058.9	2879.1	1451.5
.7	2993.2	1509.1	2103.3	1060.4	2876.2	1450.1
.8	2996.1	1510.5	2106.2	1061.9	2873.3	1448.6
.9	2999.0	1512.0	2109.1	1063.3	2870.4	1447.2
2384.0	3001.9	1513.4	2112.0	1064.8	2867.5	1445.7
.1	3004.8	1514.9	2114.9	1066.3	2864.6	1444.2
.2	3007.7	1516.4	2117.8	1067.7	2861.7	1442.8
.3	3010.6	1517.8	2120.7	1069.2	2858.8	1441.3
.4	3013.5	1519.3	2123.6	1070.6	2855.9	1439.9
.5	3016.4	1520.8	2126.5	1072.1	2853.0	1438.4
.6	3019.3	1522.2	2129.4	1073.6	2850.1	1436.9
.7	3022.2	1523.7	2132.3	1075.0	2847.2	1435.5
.8	3025.1	1525.1	2135.2	1076.5	2844.3	1434.0
.9	3028.0	1526.6	2138.1	1077.9	2841.4	1432.6
2385.0	3030.9	1528.1	2141.0	1079.4	2838.5	1431.1
.1	3033.7	1529.5	2143.8	1080.9	2835.7	1429.6
.2	3036.6	1531.0	2146.7	1082.3	2832.8	1428.2
.3	3039.5	1532.4	2149.6	1083.8	2829.9	1426.7
.4	3042.4	1533.9	2152.5	1085.2	2827.0	1425.3
.5	3045.3	1535.4	2155.4	1086.7	2824.1	1423.8
.6	3048.2	1536.8	2158.3	1088.2	2821.2	1422.3
.7	3051.1	1538.3	2161.2	1089.6	2818.3	1420.9
.8	3054.0	1539.7	2164.1	1091.1	2815.4	1419.4
.9	3056.9	1541.2	2167.0	1092.5	2812.5	1418.0
2386.0	3059.8	1542.7	2169.9	1094.0	2809.6	1416.5
.1	3062.7	1544.1	2172.8	1095.5	2806.7	1415.0
.2	3065.6	1545.6	2175.7	1096.9	2803.8	1413.6
.3	3068.5	1547.0	2178.6	1098.4	2800.9	1412.1
.4	3071.4	1548.5	2181.5	1099.8	2798.0	1410.7
.5	3074.3	1550.0	2184.4	1101.3	2795.1	1409.2
.6	3077.2	1551.4	2187.3	1102.8	2792.2	1407.7
.7	3080.1	1552.9	2190.2	1104.2	2789.3	1406.3
.8	3083.0	1554.3	2193.1	1105.7	2786.4	1404.8
.9	3085.9	1555.8	2196.0	1107.1	2783.5	1403.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2387.0	3088.8	1557.3	2198.9	1108.6	2780.6	1401.9
.1	3091.7	1558.7	2201.8	1110.1	2777.7	1400.4
.2	3094.6	1560.2	2204.7	1111.5	2774.8	1399.0
.3	3097.5	1561.6	2207.6	1113.0	2771.9	1397.5
.4	3100.4	1563.1	2210.5	1114.4	2769.0	1396.1
.5	3103.3	1564.6	2213.4	1115.9	2766.1	1394.6
.6	3106.2	1566.0	2216.3	1117.4	2763.2	1393.1
.7	3109.1	1567.5	2219.2	1118.8	2760.3	1391.7
.8	3112.0	1569.0	2222.1	1120.3	2757.4	1390.2
.9	3114.9	1570.4	2225.0	1121.8	2754.5	1388.7
2388.0	3117.8	1571.9	2227.9	1123.2	2751.6	1387.3
.1	3120.7	1573.3	2230.8	1124.7	2748.7	1385.8
.2	3123.6	1574.8	2233.7	1126.1	2745.8	1384.4
.3	3126.5	1576.3	2236.6	1127.6	2742.9	1382.9
.4	3129.3	1577.7	2239.4	1129.1	2740.1	1381.4
.5	3132.2	1579.2	2242.3	1130.5	2737.2	1380.0
.6	3135.1	1580.6	2245.2	1132.0	2734.3	1378.5
.7	3138.0	1582.1	2248.1	1133.4	2731.4	1377.1
.8	3140.9	1583.6	2251.0	1134.9	2728.5	1375.6
.9	3143.8	1585.0	2253.9	1136.4	2725.6	1374.1
2389.0	3146.7	1586.5	2256.8	1137.8	2722.7	1372.7
.1	3149.6	1587.9	2259.7	1139.3	2719.8	1371.2
.2	3152.5	1589.4	2262.6	1140.7	2716.9	1369.8
.3	3155.4	1590.9	2265.5	1142.2	2714.0	1368.3
.4	3158.3	1592.3	2268.4	1143.7	2711.1	1366.8
.5	3161.2	1593.8	2271.3	1145.1	2708.2	1365.4
.6	3164.1	1595.2	2274.2	1146.6	2705.3	1363.9
.7	3167.0	1596.7	2277.1	1148.0	2702.4	1362.5
.8	3169.9	1598.2	2280.0	1149.5	2699.5	1361.0
.9	3172.8	1599.6	2282.9	1151.0	2696.6	1359.5
2390.0	3175.7	1601.1	2285.8	1152.4	2693.7	1358.1
.1	3178.8	1602.7	2288.9	1154.0	2690.6	1356.5
.2	3182.0	1604.2	2292.1	1155.6	2687.4	1354.9
.3	3185.1	1605.8	2295.2	1157.2	2684.3	1353.3
.4	3188.2	1607.4	2298.3	1158.7	2681.2	1351.8
.5	3191.3	1609.0	2301.4	1160.3	2678.1	1350.2
.6	3194.5	1610.5	2304.6	1161.9	2674.9	1348.6
.7	3197.6	1612.1	2307.7	1163.5	2671.8	1347.0
.8	3200.7	1613.7	2310.8	1165.0	2668.7	1345.5
.9	3203.8	1615.3	2313.9	1166.6	2665.6	1343.9
2391.0	3207.0	1616.8	2317.1	1168.2	2662.4	1342.3
.1	3210.1	1618.4	2320.2	1169.8	2659.3	1340.7
.2	3213.2	1620.0	2323.3	1171.3	2656.2	1339.2
.3	3216.3	1621.6	2326.4	1172.9	2653.1	1337.6
.4	3219.5	1623.1	2329.6	1174.5	2649.9	1336.0
.5	3222.6	1624.7	2332.7	1176.1	2646.8	1334.4
.6	3225.7	1626.3	2335.8	1177.6	2643.7	1332.9
.7	3228.8	1627.9	2338.9	1179.2	2640.6	1331.3
.8	3232.0	1629.5	2342.1	1180.8	2637.4	1329.7
.9	3235.1	1631.0	2345.2	1182.4	2634.3	1328.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2392.0	3238.2	1632.6	2348.3	1183.9	2631.2	1326.6
.1	3241.3	1634.2	2351.4	1185.5	2628.1	1325.0
.2	3244.5	1635.8	2354.6	1187.1	2624.9	1323.4
.3	3247.6	1637.3	2357.7	1188.7	2621.8	1321.8
.4	3250.7	1638.9	2360.8	1190.2	2618.7	1320.3
.5	3253.9	1640.5	2364.0	1191.8	2615.5	1318.7
.6	3257.0	1642.1	2367.1	1193.4	2612.4	1317.1
.7	3260.1	1643.6	2370.2	1195.0	2609.3	1315.5
.8	3263.2	1645.2	2373.3	1196.6	2606.2	1313.9
.9	3266.4	1646.8	2376.5	1198.1	2603.0	1312.4
2393.0	3269.5	1648.4	2379.6	1199.7	2599.9	1310.8
.1	3272.6	1649.9	2382.7	1201.3	2596.8	1309.2
.2	3275.7	1651.5	2385.8	1202.9	2593.7	1307.6
.3	3278.9	1653.1	2389.0	1204.4	2590.5	1306.1
.4	3282.0	1654.7	2392.1	1206.0	2587.4	1304.5
.5	3285.1	1656.2	2395.2	1207.6	2584.3	1302.9
.6	3288.2	1657.8	2398.3	1209.2	2581.2	1301.3
.7	3291.4	1659.4	2401.5	1210.7	2578.0	1299.8
.8	3294.5	1661.0	2404.6	1212.3	2574.9	1298.2
.9	3297.6	1662.5	2407.7	1213.9	2571.8	1296.6
2394.0	3300.7	1664.1	2410.8	1215.5	2568.7	1295.0
.1	3303.9	1665.7	2414.0	1217.0	2565.5	1293.5
.2	3307.0	1667.3	2417.1	1218.6	2562.4	1291.9
.3	3310.1	1668.9	2420.2	1220.2	2559.3	1290.3
.4	3313.2	1670.4	2423.3	1221.8	2556.2	1288.7
.5	3316.4	1672.0	2426.5	1223.3	2553.0	1287.2
.6	3319.5	1673.6	2429.6	1224.9	2549.9	1285.6
.7	3322.6	1675.2	2432.7	1226.5	2546.8	1284.0
.8	3325.7	1676.7	2435.8	1228.1	2543.7	1282.4
.9	3328.9	1678.3	2439.0	1229.6	2540.5	1280.8
2395.0	3332.0	1679.9	2442.1	1231.2	2537.4	1279.3
.1	3335.1	1681.5	2445.2	1232.8	2534.3	1277.7
.2	3338.3	1683.0	2448.4	1234.4	2531.1	1276.1
.3	3341.4	1684.6	2451.5	1236.0	2528.0	1274.5
.4	3344.5	1686.2	2454.6	1237.5	2524.9	1273.0
.5	3347.6	1687.8	2457.7	1239.1	2521.8	1271.4
.6	3350.8	1689.3	2460.9	1240.7	2518.6	1269.8
.7	3353.9	1690.9	2464.0	1242.3	2515.5	1268.2
.8	3357.0	1692.5	2467.1	1243.8	2512.4	1266.7
.9	3360.1	1694.1	2470.2	1245.4	2509.3	1265.1
2396.0	3363.3	1695.6	2473.4	1247.0	2506.1	1263.5
.1	3366.4	1697.2	2476.5	1248.6	2503.0	1261.9
.2	3369.5	1698.8	2479.6	1250.1	2499.9	1260.4
.3	3372.6	1700.4	2482.7	1251.7	2496.8	1258.8
.4	3375.8	1701.9	2485.9	1253.3	2493.6	1257.2
.5	3378.9	1703.5	2489.0	1254.9	2490.5	1255.6
.6	3382.0	1705.1	2492.1	1256.4	2487.4	1254.1
.7	3385.1	1706.7	2495.2	1258.0	2484.3	1252.5
.8	3388.3	1708.3	2498.4	1259.6	2481.1	1250.9
.9	3391.4	1709.8	2501.5	1261.2	2478.0	1249.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2397.0	3394.5	1711.4	2504.6	1262.7	2474.9	1247.8
.1	3397.6	1713.0	2507.7	1264.3	2471.8	1246.2
.2	3400.8	1714.6	2510.9	1265.9	2468.6	1244.6
.3	3403.9	1716.1	2514.0	1267.5	2465.5	1243.0
.4	3407.0	1717.7	2517.1	1269.0	2462.4	1241.4
.5	3410.1	1719.3	2520.3	1270.6	2459.3	1239.9
.6	3413.3	1720.9	2523.4	1272.2	2456.1	1238.3
.7	3416.4	1722.4	2526.5	1273.8	2453.0	1236.7
.8	3419.5	1724.0	2529.6	1275.4	2449.9	1235.1
.9	3422.7	1725.6	2532.8	1276.9	2446.7	1233.6
2398.0	3425.8	1727.2	2535.9	1278.5	2443.6	1232.0
.1	3428.9	1728.7	2539.0	1280.1	2440.5	1230.4
.2	3432.0	1730.3	2542.1	1281.7	2437.4	1228.8
.3	3435.2	1731.9	2545.3	1283.2	2434.2	1227.3
.4	3438.3	1733.5	2548.4	1284.8	2431.1	1225.7
.5	3441.4	1735.0	2551.5	1286.4	2428.0	1224.1
.6	3444.5	1736.6	2554.6	1288.0	2424.9	1222.5
.7	3447.7	1738.2	2557.8	1289.5	2421.7	1221.0
.8	3450.8	1739.8	2560.9	1291.1	2418.6	1219.4
.9	3453.9	1741.3	2564.0	1292.7	2415.5	1217.8
2399.0	3457.0	1742.9	2567.1	1294.3	2412.4	1216.2
.1	3460.2	1744.5	2570.3	1295.8	2409.2	1214.7
.2	3463.3	1746.1	2573.4	1297.4	2406.1	1213.1
.3	3466.4	1747.7	2576.5	1299.0	2403.0	1211.5
.4	3469.5	1749.2	2579.6	1300.6	2399.9	1209.9
.5	3472.7	1750.8	2582.8	1302.1	2396.7	1208.4
.6	3475.8	1752.4	2585.9	1303.7	2393.6	1206.8
.7	3478.9	1754.0	2589.0	1305.3	2390.5	1205.2
.8	3482.0	1755.5	2592.1	1306.9	2387.4	1203.6
.9	3485.2	1757.1	2595.3	1308.4	2384.2	1202.0
2400.0	3488.3	1758.7	2598.4	1310.0	2381.1	1200.5
.1	3491.7	1760.4	2601.8	1311.8	2377.7	1198.7
.2	3495.2	1762.2	2605.3	1313.5	2374.2	1197.0
.3	3498.6	1763.9	2608.7	1315.2	2370.8	1195.3
.4	3502.1	1765.6	2612.2	1317.0	2367.3	1193.5
.5	3505.5	1767.4	2615.6	1318.7	2363.9	1191.8
.6	3509.0	1769.1	2619.1	1320.4	2360.4	1190.1
.7	3512.4	1770.8	2622.5	1322.2	2357.0	1188.3
.8	3515.9	1772.6	2626.0	1323.9	2353.5	1186.6
.9	3519.3	1774.3	2629.4	1325.7	2350.1	1184.8
2401.0	3522.7	1776.0	2632.8	1327.4	2346.7	1183.1
.1	3526.2	1777.8	2636.3	1329.1	2343.2	1181.4
.2	3529.6	1779.5	2639.7	1330.9	2339.8	1179.6
.3	3533.1	1781.3	2643.2	1332.6	2336.3	1177.9
.4	3536.5	1783.0	2646.6	1334.3	2332.9	1176.2
.5	3540.0	1784.7	2650.1	1336.1	2329.4	1174.4
.6	3543.4	1786.5	2653.5	1337.8	2326.0	1172.7
.7	3546.8	1788.2	2656.9	1339.5	2322.6	1171.0
.8	3550.3	1789.9	2660.4	1341.3	2319.1	1169.2
.9	3553.7	1791.7	2663.8	1343.0	2315.7	1167.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2402.0	3557.2	1793.4	2667.3	1344.8	2312.2	1165.7
.1	3560.6	1795.1	2670.7	1346.5	2308.8	1164.0
.2	3564.1	1796.9	2674.2	1348.2	2305.3	1162.3
.3	3567.5	1798.6	2677.6	1350.0	2301.9	1160.5
.4	3571.0	1800.4	2681.1	1351.7	2298.4	1158.8
.5	3574.4	1802.1	2684.5	1353.4	2295.0	1157.1
.6	3577.8	1803.8	2687.9	1355.2	2291.6	1155.3
.7	3581.3	1805.6	2691.4	1356.9	2288.1	1153.6
.8	3584.7	1807.3	2694.8	1358.6	2284.7	1151.9
.9	3588.2	1809.0	2698.3	1360.4	2281.2	1150.1
2403.0	3591.6	1810.8	2701.7	1362.1	2277.8	1148.4
.1	3595.1	1812.5	2705.2	1363.9	2274.3	1146.6
.2	3598.5	1814.2	2708.6	1365.6	2270.9	1144.9
.3	3602.0	1816.0	2712.1	1367.3	2267.4	1143.2
.4	3605.4	1817.7	2715.5	1369.1	2264.0	1141.4
.5	3608.8	1819.5	2718.9	1370.8	2260.6	1139.7
.6	3612.3	1821.2	2722.4	1372.5	2257.1	1138.0
.7	3615.7	1822.9	2725.8	1374.3	2253.7	1136.2
.8	3619.2	1824.7	2729.3	1376.0	2250.2	1134.5
.9	3622.6	1826.4	2732.7	1377.7	2246.8	1132.8
2404.0	3626.1	1828.1	2736.2	1379.5	2243.3	1131.0
.1	3629.5	1829.9	2739.6	1381.2	2239.9	1129.3
.2	3632.9	1831.6	2743.0	1383.0	2236.5	1127.5
.3	3636.4	1833.3	2746.5	1384.7	2233.0	1125.8
.4	3639.8	1835.1	2749.9	1386.4	2229.6	1124.1
.5	3643.3	1836.8	2753.4	1388.2	2226.1	1122.3
.6	3646.7	1838.6	2756.8	1389.9	2222.7	1120.6
.7	3650.2	1840.3	2760.3	1391.6	2219.2	1118.9
.8	3653.6	1842.0	2763.7	1393.4	2215.8	1117.1
.9	3657.1	1843.8	2767.2	1395.1	2212.3	1115.4
2405.0	3660.5	1845.5	2770.6	1396.8	2208.9	1113.7
.1	3663.9	1847.2	2774.0	1398.6	2205.5	1111.9
.2	3667.4	1849.0	2777.5	1400.3	2202.0	1110.2
.3	3670.8	1850.7	2780.9	1402.1	2198.6	1108.4
.4	3674.3	1852.4	2784.4	1403.8	2195.1	1106.7
.5	3677.7	1854.2	2787.8	1405.5	2191.7	1105.0
.6	3681.2	1855.9	2791.3	1407.3	2188.2	1103.2
.7	3684.6	1857.7	2794.7	1409.0	2184.8	1101.5
.8	3688.1	1859.4	2798.2	1410.7	2181.3	1099.8
.9	3691.5	1861.1	2801.6	1412.5	2177.9	1098.0
2406.0	3694.9	1862.9	2805.0	1414.2	2174.5	1096.3
.1	3698.4	1864.6	2808.5	1415.9	2171.0	1094.6
.2	3701.8	1866.3	2811.9	1417.7	2167.6	1092.8
.3	3705.3	1868.1	2815.4	1419.4	2164.1	1091.1
.4	3708.7	1869.8	2818.8	1421.2	2160.7	1089.3
.5	3712.2	1871.5	2822.3	1422.9	2157.2	1087.6
.6	3715.6	1873.3	2825.7	1424.6	2153.8	1085.9
.7	3719.0	1875.0	2829.1	1426.4	2150.4	1084.1
.8	3722.5	1876.8	2832.6	1428.1	2146.9	1082.4
.9	3725.9	1878.5	2836.0	1429.8	2143.5	1080.7

Reservoir Storage Tables

LIBBY

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2407.0	3729.4	1880.2	2839.5	1431.6	2140.0	1078.9
.1	3732.8	1882.0	2842.9	1433.3	2136.6	1077.2
.2	3736.3	1883.7	2846.4	1435.0	2133.1	1075.5
.3	3739.7	1885.4	2849.8	1436.8	2129.7	1073.7
.4	3743.2	1887.2	2853.3	1438.5	2126.2	1072.0
.5	3746.6	1888.9	2856.7	1440.3	2122.8	1070.2
.6	3750.0	1890.6	2860.1	1442.0	2119.4	1068.5
.7	3753.5	1892.4	2863.6	1443.7	2115.9	1066.8
.8	3756.9	1894.1	2867.0	1445.5	2112.5	1065.0
.9	3760.4	1895.9	2870.5	1447.2	2109.0	1063.3
2408.0	3763.8	1897.6	2873.9	1448.9	2105.6	1061.6
.1	3767.3	1899.3	2877.4	1450.7	2102.1	1059.8
.2	3770.7	1901.1	2880.8	1452.4	2098.7	1058.1
.3	3774.2	1902.8	2884.3	1454.1	2095.2	1056.4
.4	3777.6	1904.5	2887.7	1455.9	2091.8	1054.6
.5	3781.0	1906.3	2891.1	1457.6	2088.4	1052.9
.6	3784.5	1908.0	2894.6	1459.4	2084.9	1051.1
.7	3787.9	1909.7	2898.0	1461.1	2081.5	1049.4
.8	3791.4	1911.5	2901.5	1462.8	2078.0	1047.7
.9	3794.8	1913.2	2904.9	1464.6	2074.6	1045.9
2409.0	3798.3	1915.0	2908.4	1466.3	2071.1	1044.2
.1	3801.7	1916.7	2911.8	1468.0	2067.7	1042.5
.2	3805.1	1918.4	2915.2	1469.8	2064.3	1040.7
.3	3808.6	1920.2	2918.7	1471.5	2060.8	1039.0
.4	3812.0	1921.9	2922.1	1473.2	2057.4	1037.3
.5	3815.5	1923.6	2925.6	1475.0	2053.9	1035.5
.6	3818.9	1925.4	2929.0	1476.7	2050.5	1033.8
.7	3822.4	1927.1	2932.5	1478.5	2047.0	1032.0
.8	3825.8	1928.8	2935.9	1480.2	2043.6	1030.3
.9	3829.3	1930.6	2939.4	1481.9	2040.1	1028.6
2410.0	3832.7	1932.3	2942.8	1483.7	2036.7	1026.8
.1	3836.4	1934.2	2946.5	1485.5	2033.0	1025.0
.2	3840.2	1936.1	2950.3	1487.4	2029.2	1023.1
.3	3843.9	1938.0	2954.0	1489.3	2025.5	1021.2
.4	3847.6	1939.9	2957.7	1491.2	2021.8	1019.3
.5	3851.4	1941.7	2961.5	1493.1	2018.0	1017.4
.6	3855.1	1943.6	2965.2	1495.0	2014.3	1015.5
.7	3858.9	1945.5	2969.0	1496.8	2010.5	1013.7
.8	3862.6	1947.4	2972.7	1498.7	2006.8	1011.8
.9	3866.3	1949.3	2976.4	1500.6	2003.1	1009.9
2411.0	3870.1	1951.2	2980.2	1502.5	1999.3	1008.0
.1	3873.8	1953.0	2983.9	1504.4	1995.6	1006.1
.2	3877.5	1954.9	2987.6	1506.3	1991.9	1004.2
.3	3881.3	1956.8	2991.4	1508.1	1988.1	1002.3
.4	3885.0	1958.7	2995.1	1510.0	1984.4	1000.5
.5	3888.7	1960.6	2998.8	1511.9	1980.7	998.6
.6	3892.5	1962.5	3002.6	1513.8	1976.9	996.7
.7	3896.2	1964.3	3006.3	1515.7	1973.2	994.8
.8	3899.9	1966.2	3010.0	1517.6	1969.5	992.9
.9	3903.7	1968.1	3013.8	1519.4	1965.7	991.1

LIBBY

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2412.0	3907.4	1970.0	3017.5	1521.3	1962.0	989.2
.1	3911.2	1971.9	3021.3	1523.2	1958.2	987.3
.2	3914.9	1973.8	3025.0	1525.1	1954.5	985.4
.3	3918.6	1975.6	3028.7	1527.0	1950.8	983.5
.4	3922.4	1977.5	3032.5	1528.9	1947.0	981.6
.5	3926.1	1979.4	3036.2	1530.8	1943.3	979.7
.6	3929.8	1981.3	3039.9	1532.6	1939.6	977.9
.7	3933.6	1983.2	3043.7	1534.5	1935.8	976.0
.8	3937.3	1985.1	3047.4	1536.4	1932.1	974.1
.9	3941.0	1986.9	3051.1	1538.3	1928.4	972.2
2413.0	3944.8	1988.8	3054.9	1540.2	1924.6	970.3
.1	3948.5	1990.7	3058.6	1542.1	1920.9	968.4
.2	3952.3	1992.6	3062.4	1543.9	1917.1	966.6
.3	3956.0	1994.5	3066.1	1545.8	1913.4	964.7
.4	3959.7	1996.4	3069.8	1547.7	1909.7	962.8
.5	3963.5	1998.2	3073.6	1549.6	1905.9	960.9
.6	3967.2	2000.1	3077.3	1551.5	1902.2	959.0
.7	3970.9	2002.0	3081.0	1553.4	1898.5	957.1
.8	3974.7	2003.9	3084.8	1555.2	1894.7	955.3
.9	3978.4	2005.8	3088.5	1557.1	1891.0	953.4
2414.0	3982.1	2007.7	3092.2	1559.0	1887.3	951.5
.1	3985.9	2009.5	3096.0	1560.9	1883.5	949.6
.2	3989.6	2011.4	3099.7	1562.8	1879.8	947.7
.3	3993.3	2013.3	3103.4	1564.7	1876.1	945.8
.4	3997.1	2015.2	3107.2	1566.5	1872.3	944.0
.5	4000.8	2017.1	3110.9	1568.4	1868.6	942.1
.6	4004.6	2019.0	3114.7	1570.3	1864.8	940.2
.7	4008.3	2020.8	3118.4	1572.2	1861.1	938.3
.8	4012.0	2022.7	3122.1	1574.1	1857.4	936.4
.9	4015.8	2024.6	3125.9	1576.0	1853.6	934.5
2415.0	4019.5	2026.5	3129.6	1577.8	1849.9	932.7
.1	4023.2	2028.4	3133.3	1579.7	1846.2	930.8
.2	4027.0	2030.3	3137.1	1581.6	1842.4	928.9
.3	4030.7	2032.1	3140.8	1583.5	1838.7	927.0
.4	4034.4	2034.0	3144.5	1585.4	1835.0	925.1
.5	4038.2	2035.9	3148.3	1587.3	1831.2	923.2
.6	4041.9	2037.8	3152.0	1589.1	1827.5	921.4
.7	4045.7	2039.7	3155.8	1591.0	1823.7	919.5
.8	4049.4	2041.6	3159.5	1592.9	1820.0	917.6
.9	4053.1	2043.4	3163.2	1594.8	1816.3	915.7
2416.0	4056.9	2045.3	3167.0	1596.7	1812.5	913.8
.1	4060.6	2047.2	3170.7	1598.6	1808.8	911.9
.2	4064.3	2049.1	3174.4	1600.4	1805.1	910.1
.3	4068.1	2051.0	3178.2	1602.3	1801.3	908.2
.4	4071.8	2052.9	3181.9	1604.2	1797.6	906.3
.5	4075.5	2054.8	3185.6	1606.1	1793.9	904.4
.6	4079.3	2056.6	3189.4	1608.0	1790.1	902.5
.7	4083.0	2058.5	3193.1	1609.9	1786.4	900.6
.8	4086.7	2060.4	3196.8	1611.7	1782.7	898.8
.9	4090.5	2062.3	3200.6	1613.6	1778.9	896.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2417.0	4094.2	2064.2	3204.3	1615.5	1775.2	895.0
.1	4098.0	2066.1	3208.1	1617.4	1771.4	893.1
.2	4101.7	2067.9	3211.8	1619.3	1767.7	891.2
.3	4105.4	2069.8	3215.5	1621.2	1764.0	889.3
.4	4109.2	2071.7	3219.3	1623.0	1760.2	887.5
.5	4112.9	2073.6	3223.0	1624.9	1756.5	885.6
.6	4116.6	2075.5	3226.7	1626.8	1752.8	883.7
.7	4120.4	2077.4	3230.5	1628.7	1749.0	881.8
.8	4124.1	2079.2	3234.2	1630.6	1745.3	879.9
.9	4127.8	2081.1	3237.9	1632.5	1741.6	878.0
2418.0	4131.6	2083.0	3241.7	1634.3	1737.8	876.2
.1	4135.3	2084.9	3245.4	1636.2	1734.1	874.3
.2	4139.1	2086.8	3249.2	1638.1	1730.3	872.4
.3	4142.8	2088.7	3252.9	1640.0	1726.6	870.5
.4	4146.5	2090.5	3256.6	1641.9	1722.9	868.6
.5	4150.3	2092.4	3260.4	1643.8	1719.1	866.7
.6	4154.0	2094.3	3264.1	1645.7	1715.4	864.8
.7	4157.7	2096.2	3267.8	1647.5	1711.7	863.0
.8	4161.5	2098.1	3271.6	1649.4	1707.9	861.1
.9	4165.2	2100.0	3275.3	1651.3	1704.2	859.2
2419.0	4168.9	2101.8	3279.0	1653.2	1700.5	857.3
.1	4172.7	2103.7	3282.8	1655.1	1696.7	855.4
.2	4176.4	2105.6	3286.5	1656.9	1693.0	853.5
.3	4180.1	2107.5	3290.3	1658.8	1689.3	851.7
.4	4183.9	2109.4	3294.0	1660.7	1685.5	849.8
.5	4187.6	2111.3	3297.7	1662.6	1681.8	847.9
.6	4191.4	2113.1	3301.5	1664.5	1678.0	846.0
.7	4195.1	2115.0	3305.2	1666.4	1674.3	844.1
.8	4198.8	2116.9	3308.9	1668.3	1670.6	842.2
.9	4202.6	2118.8	3312.7	1670.1	1666.8	840.4
2420.0	4206.3	2120.7	3316.4	1672.0	1663.1	838.5
.1	4210.3	2122.7	3320.4	1674.0	1659.1	836.5
.2	4214.2	2124.7	3324.3	1676.0	1655.2	834.5
.3	4218.2	2126.7	3328.3	1678.0	1651.2	832.5
.4	4222.2	2128.7	3332.3	1680.0	1647.2	830.5
.5	4226.1	2130.7	3336.2	1682.0	1643.3	828.5
.6	4230.1	2132.7	3340.2	1684.0	1639.3	826.5
.7	4234.0	2134.7	3344.1	1686.0	1635.4	824.5
.8	4238.0	2136.7	3348.1	1688.0	1631.4	822.5
.9	4242.0	2138.7	3352.1	1690.0	1627.4	820.5
2421.0	4245.9	2140.7	3356.0	1692.0	1623.5	818.5
.1	4249.9	2142.7	3360.0	1694.0	1619.5	816.5
.2	4253.9	2144.7	3364.0	1696.0	1615.5	814.5
.3	4257.8	2146.7	3367.9	1698.0	1611.6	812.5
.4	4261.8	2148.7	3371.9	1700.0	1607.6	810.5
.5	4265.8	2150.7	3375.9	1702.0	1603.6	808.5
.6	4269.7	2152.7	3379.8	1704.0	1599.7	806.5
.7	4273.7	2154.7	3383.8	1706.0	1595.7	804.5
.8	4277.7	2156.7	3387.8	1708.0	1591.7	802.5
.9	4281.6	2158.6	3391.7	1710.0	1587.8	800.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2422.0	4285.6	2160.6	3395.7	1712.0	1583.8	798.5
.1	4289.5	2162.6	3399.6	1714.0	1579.9	796.5
.2	4293.5	2164.6	3403.6	1716.0	1575.9	794.5
.3	4297.5	2166.6	3407.6	1718.0	1571.9	792.5
.4	4301.4	2168.6	3411.5	1720.0	1568.0	790.5
.5	4305.4	2170.6	3415.5	1722.0	1564.0	788.5
.6	4309.4	2172.6	3419.5	1724.0	1560.0	786.5
.7	4313.3	2174.6	3423.4	1726.0	1556.1	784.5
.8	4317.3	2176.6	3427.4	1728.0	1552.1	782.5
.9	4321.3	2178.6	3431.4	1730.0	1548.1	780.5
2423.0	4325.2	2180.6	3435.3	1732.0	1544.2	778.5
.1	4329.2	2182.6	3439.3	1734.0	1540.2	776.5
.2	4333.1	2184.6	3443.2	1736.0	1536.3	774.5
.3	4337.1	2186.6	3447.2	1738.0	1532.3	772.5
.4	4341.1	2188.6	3451.2	1740.0	1528.3	770.5
.5	4345.0	2190.6	3455.1	1742.0	1524.4	768.5
.6	4349.0	2192.6	3459.1	1744.0	1520.4	766.5
.7	4353.0	2194.6	3463.1	1746.0	1516.4	764.5
.8	4356.9	2196.6	3467.0	1748.0	1512.5	762.5
.9	4360.9	2198.6	3471.0	1750.0	1508.5	760.5
2424.0	4364.9	2200.6	3475.0	1752.0	1504.5	758.5
.1	4368.8	2202.6	3478.9	1754.0	1500.6	756.5
.2	4372.8	2204.6	3482.9	1756.0	1496.6	754.5
.3	4376.8	2206.6	3486.9	1758.0	1492.6	752.5
.4	4380.7	2208.6	3490.8	1760.0	1488.7	750.5
.5	4384.7	2210.6	3494.8	1762.0	1484.7	748.5
.6	4388.6	2212.6	3498.7	1764.0	1480.8	746.5
.7	4392.6	2214.6	3502.7	1765.9	1476.8	744.6
.8	4396.6	2216.6	3506.7	1767.9	1472.8	742.5
.9	4400.5	2218.6	3510.6	1769.9	1468.9	740.6
2425.0	4404.5	2220.6	3514.6	1771.9	1464.9	738.6
.1	4408.5	2222.6	3518.6	1773.9	1460.9	736.6
.2	4412.4	2224.6	3522.5	1775.9	1457.0	734.6
.3	4416.4	2226.6	3526.5	1777.9	1453.0	732.6
.4	4420.4	2228.6	3530.5	1779.9	1449.0	730.6
.5	4424.3	2230.6	3534.4	1781.9	1445.1	728.6
.6	4428.3	2232.6	3538.4	1783.9	1441.1	726.6
.7	4432.2	2234.6	3542.3	1785.9	1437.2	724.6
.8	4436.2	2236.6	3546.3	1787.9	1433.2	722.6
.9	4440.2	2238.6	3550.3	1789.9	1429.2	720.6
2426.0	4444.1	2240.6	3554.2	1791.9	1425.3	718.6
.1	4448.1	2242.6	3558.2	1793.9	1421.3	716.6
.2	4452.1	2244.6	3562.2	1795.9	1417.3	714.6
.3	4456.0	2246.6	3566.1	1797.9	1413.4	712.6
.4	4460.0	2248.6	3570.1	1799.9	1409.4	710.6
.5	4464.0	2250.6	3574.1	1801.9	1405.4	708.6
.6	4467.9	2252.6	3578.0	1803.9	1401.5	706.6
.7	4471.9	2254.6	3582.0	1805.9	1397.5	704.6
.8	4475.9	2256.6	3586.0	1807.9	1393.5	702.6
.9	4479.8	2258.6	3589.9	1809.9	1389.6	700.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2427.0	4483.8	2260.6	3593.9	1811.9	1385.6	698.6
.1	4487.7	2262.6	3597.8	1813.9	1381.7	696.6
.2	4491.7	2264.6	3601.8	1815.9	1377.7	694.6
.3	4495.7	2266.6	3605.8	1817.9	1373.7	692.6
.4	4499.6	2268.6	3609.7	1819.9	1369.8	690.6
.5	4503.6	2270.6	3613.7	1821.9	1365.8	688.6
.6	4507.6	2272.6	3617.7	1823.9	1361.8	686.6
.7	4511.5	2274.6	3621.6	1825.9	1357.9	684.6
.8	4515.5	2276.6	3625.6	1827.9	1353.9	682.6
.9	4519.5	2278.6	3629.6	1829.9	1349.9	680.6
2428.0	4523.4	2280.6	3633.5	1831.9	1346.0	678.6
.1	4527.4	2282.6	3637.5	1833.9	1342.0	676.6
.2	4531.3	2284.6	3641.4	1835.9	1338.1	674.6
.3	4535.3	2286.6	3645.4	1837.9	1334.1	672.6
.4	4539.3	2288.5	3649.4	1839.9	1330.1	670.6
.5	4543.2	2290.6	3653.3	1841.9	1326.2	668.6
.6	4547.2	2292.6	3657.3	1843.9	1322.2	666.6
.7	4551.2	2294.5	3661.3	1845.9	1318.2	664.6
.8	4555.1	2296.5	3665.2	1847.9	1314.3	662.6
.9	4559.1	2298.5	3669.2	1849.9	1310.3	660.6
2429.0	4563.1	2300.5	3673.2	1851.9	1306.3	658.6
.1	4567.0	2302.5	3677.1	1853.9	1302.4	656.6
.2	4571.0	2304.5	3681.1	1855.9	1298.4	654.6
.3	4575.0	2306.5	3685.1	1857.9	1294.4	652.6
.4	4578.9	2308.5	3689.0	1859.9	1290.5	650.6
.5	4582.9	2310.5	3693.0	1861.9	1286.5	648.6
.6	4586.8	2312.5	3696.9	1863.9	1282.6	646.6
.7	4590.8	2314.5	3700.9	1865.9	1278.6	644.6
.8	4594.8	2316.5	3704.9	1867.9	1274.6	642.6
.9	4598.7	2318.5	3708.8	1869.9	1270.7	640.6
2430.0	4602.7	2320.5	3712.8	1871.9	1266.7	638.6
.1	4606.9	2322.6	3717.0	1874.0	1262.5	636.5
.2	4611.1	2324.7	3721.2	1876.1	1258.3	634.4
.3	4615.2	2326.8	3725.3	1878.2	1254.2	632.3
.4	4619.4	2329.0	3729.5	1880.3	1250.0	630.2
.5	4623.6	2331.1	3733.7	1882.4	1245.8	628.1
.6	4627.8	2333.2	3737.9	1884.5	1241.6	626.0
.7	4631.9	2335.3	3742.0	1886.6	1237.5	623.9
.8	4636.1	2337.4	3746.2	1888.7	1233.3	621.8
.9	4640.3	2339.5	3750.4	1890.8	1229.1	619.7
2431.0	4644.5	2341.6	3754.6	1892.9	1224.9	617.6
.1	4648.7	2343.7	3758.8	1895.0	1220.7	615.5
.2	4652.8	2345.8	3762.9	1897.1	1216.6	613.4
.3	4657.0	2347.9	3767.1	1899.3	1212.4	611.2
.4	4661.2	2350.0	3771.3	1901.4	1208.2	609.1
.5	4665.4	2352.1	3775.5	1903.5	1204.0	607.0
.6	4669.6	2354.2	3779.7	1905.6	1199.8	604.9
.7	4673.7	2356.3	3783.8	1907.7	1195.7	602.8
.8	4677.9	2358.4	3788.0	1909.8	1191.5	600.7
.9	4682.1	2360.5	3792.2	1911.9	1187.3	598.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2432.0	4686.3	2362.7	3796.4	1914.0	1183.1	596.5
.1	4690.4	2364.8	3800.5	1916.1	1179.0	594.4
.2	4694.6	2366.9	3804.7	1918.2	1174.8	592.3
.3	4698.8	2369.0	3808.9	1920.3	1170.6	590.2
.4	4703.0	2371.1	3813.1	1922.4	1166.4	588.1
.5	4707.1	2373.2	3817.3	1924.5	1162.3	586.0
.6	4711.3	2375.3	3821.4	1926.6	1158.1	583.9
.7	4715.5	2377.4	3825.6	1928.7	1153.9	581.8
.8	4719.7	2379.5	3829.8	1930.9	1149.7	579.6
.9	4723.9	2381.6	3834.0	1933.0	1145.5	577.5
2433.0	4728.0	2383.7	3838.1	1935.1	1141.4	575.4
.1	4732.2	2385.8	3842.3	1937.2	1137.2	573.3
.2	4736.4	2387.9	3846.5	1939.3	1133.0	571.2
.3	4740.6	2390.0	3850.7	1941.4	1128.8	569.1
.4	4744.7	2392.1	3854.8	1943.5	1124.7	567.0
.5	4748.9	2394.3	3859.0	1945.6	1120.5	564.9
.6	4753.1	2396.4	3863.2	1947.7	1116.3	562.8
.7	4757.3	2398.5	3867.4	1949.8	1112.1	560.7
.8	4761.5	2400.6	3871.6	1951.9	1107.9	558.6
.9	4765.6	2402.7	3875.7	1954.0	1103.8	556.5
2434.0	4769.8	2404.8	3879.9	1956.1	1099.6	554.4
.1	4774.0	2406.9	3884.1	1958.2	1095.4	552.3
.2	4778.2	2409.0	3888.3	1960.3	1091.2	550.2
.3	4782.4	2411.1	3892.5	1962.4	1087.0	548.1
.4	4786.5	2413.2	3896.6	1964.5	1082.9	545.9
.5	4790.7	2415.3	3900.8	1966.7	1078.7	543.8
.6	4794.9	2417.4	3905.0	1968.8	1074.5	541.7
.7	4799.1	2419.5	3909.2	1970.9	1070.3	539.6
.8	4803.2	2421.6	3913.3	1973.0	1066.2	537.5
.9	4807.4	2423.7	3917.5	1975.1	1062.0	535.4
2435.0	4811.6	2425.8	3921.7	1977.2	1057.8	533.3
.1	4815.8	2428.0	3925.9	1979.3	1053.6	531.2
.2	4820.0	2430.1	3930.1	1981.4	1049.4	529.1
.3	4824.1	2432.2	3934.2	1983.5	1045.3	527.0
.4	4828.3	2434.3	3938.4	1985.6	1041.1	524.9
.5	4832.5	2436.4	3942.6	1987.7	1036.9	522.8
.6	4836.7	2438.5	3946.8	1989.8	1032.7	520.7
.7	4840.8	2440.6	3950.9	1991.9	1028.6	518.6
.8	4845.0	2442.7	3955.1	1994.0	1024.4	516.5
.9	4849.2	2444.8	3959.3	1996.1	1020.2	514.4
2436.0	4853.4	2446.9	3963.5	1998.3	1016.0	512.2
.1	4857.6	2449.0	3967.7	2000.4	1011.8	510.1
.2	4861.7	2451.1	3971.8	2002.5	1007.7	508.0
.3	4865.9	2453.2	3976.0	2004.6	1003.5	505.9
.4	4870.1	2455.3	3980.2	2006.7	999.3	503.8
.5	4874.3	2457.4	3984.4	2008.8	995.1	501.7
.6	4878.5	2459.6	3988.6	2010.9	990.9	499.6
.7	4882.6	2461.7	3992.7	2013.0	986.8	497.5
.8	4886.8	2463.8	3996.9	2015.1	982.6	495.4
.9	4891.0	2465.9	4001.1	2017.2	978.4	493.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2437.0	4895.2	2468.0	4005.3	2019.3	974.2	491.2
.1	4899.3	2470.1	4009.4	2021.4	970.1	489.1
.2	4903.5	2472.2	4013.6	2023.5	965.9	487.0
.3	4907.7	2474.3	4017.8	2025.6	961.7	484.9
.4	4911.9	2476.4	4022.0	2027.7	957.5	482.8
.5	4916.0	2478.5	4026.1	2029.9	953.4	480.6
.6	4920.2	2480.6	4030.3	2032.0	949.2	478.5
.7	4924.4	2482.7	4034.5	2034.1	945.0	476.4
.8	4928.6	2484.8	4038.7	2036.2	940.8	474.3
.9	4932.8	2486.9	4042.9	2038.3	936.6	472.2
2438.0	4936.9	2489.0	4047.0	2040.4	932.5	470.1
.1	4941.1	2491.1	4051.2	2042.5	928.3	468.0
.2	4945.3	2493.3	4055.4	2044.6	924.1	465.9
.3	4949.5	2495.4	4059.6	2046.7	919.9	463.8
.4	4953.6	2497.5	4063.7	2048.8	915.8	461.7
.5	4957.8	2499.6	4067.9	2050.9	911.6	459.6
.6	4962.0	2501.7	4072.1	2053.0	907.4	457.5
.7	4966.2	2503.8	4076.3	2055.1	903.2	455.4
.8	4970.4	2505.9	4080.5	2057.2	899.0	453.3
.9	4974.5	2508.0	4084.6	2059.3	894.9	451.2
2439.0	4978.7	2510.1	4088.8	2061.4	890.7	449.1
.1	4982.9	2512.2	4093.0	2063.6	886.5	446.9
.2	4987.1	2514.3	4097.2	2065.7	882.3	444.8
.3	4991.3	2516.4	4101.4	2067.8	878.1	442.7
.4	4995.4	2518.5	4105.5	2069.9	874.0	440.6
.5	4999.6	2520.6	4109.7	2072.0	869.8	438.5
.6	5003.8	2522.7	4113.9	2074.1	865.6	436.4
.7	5008.0	2524.8	4118.1	2076.2	861.4	434.3
.8	5012.1	2527.0	4122.2	2078.3	857.3	432.2
.9	5016.3	2529.1	4126.4	2080.4	853.1	430.1
2440.0	5020.5	2531.2	4130.6	2082.5	848.9	428.0
.1	5024.9	2533.4	4135.0	2084.7	844.5	425.8
.2	5029.3	2535.6	4139.4	2086.9	840.1	423.6
.3	5033.6	2537.8	4143.7	2089.1	835.8	421.4
.4	5038.0	2540.0	4148.1	2091.3	831.4	419.2
.5	5042.4	2542.2	4152.5	2093.6	827.0	416.9
.6	5046.8	2544.4	4156.9	2095.8	822.6	414.7
.7	5051.2	2546.6	4161.3	2098.0	818.2	412.5
.8	5055.6	2548.8	4165.7	2100.2	813.8	410.3
.9	5059.9	2551.0	4170.0	2102.4	809.5	408.1
2441.0	5064.3	2553.3	4174.4	2104.6	805.1	405.9
.1	5068.7	2555.5	4178.8	2106.8	800.7	403.7
.2	5073.1	2557.7	4183.2	2109.0	796.3	401.5
.3	5077.5	2559.9	4187.6	2111.2	791.9	399.3
.4	5081.8	2562.1	4191.9	2113.4	787.6	397.1
.5	5086.2	2564.3	4196.3	2115.6	783.2	394.8
.6	5090.6	2566.5	4200.7	2117.9	778.8	392.6
.7	5095.0	2568.7	4205.1	2120.1	774.4	390.4
.8	5099.4	2570.9	4209.5	2122.3	770.0	388.2
.9	5103.8	2573.1	4213.9	2124.5	765.6	386.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2442.0	5108.1	2575.4	4218.2	2126.7	761.3	383.8
.1	5112.5	2577.6	4222.6	2128.9	756.9	381.6
.2	5116.9	2579.8	4227.0	2131.1	752.5	379.4
.3	5121.3	2582.0	4231.4	2133.3	748.1	377.2
.4	5125.7	2584.2	4235.8	2135.5	743.7	375.0
.5	5130.0	2586.4	4240.1	2137.7	739.4	372.8
.6	5134.4	2588.6	4244.5	2140.0	735.0	370.5
.7	5138.8	2590.8	4248.9	2142.2	730.6	368.3
.8	5143.2	2593.0	4253.3	2144.4	726.2	366.1
.9	5147.6	2595.2	4257.7	2146.6	721.8	363.9
2443.0	5152.0	2597.4	4262.1	2148.8	717.4	361.7
.1	5156.3	2599.7	4266.4	2151.0	713.1	359.5
.2	5160.7	2601.9	4270.8	2153.2	708.7	357.3
.3	5165.1	2604.1	4275.2	2155.4	704.3	355.1
.4	5169.5	2606.3	4279.6	2157.6	699.9	352.9
.5	5173.9	2608.5	4284.0	2159.8	695.5	350.7
.6	5178.3	2610.7	4288.4	2162.0	691.1	348.5
.7	5182.6	2612.9	4292.7	2164.3	686.8	346.2
.8	5187.0	2615.1	4297.1	2166.5	682.4	344.0
.9	5191.4	2617.3	4301.5	2168.7	678.0	341.8
2444.0	5195.8	2619.5	4305.9	2170.9	673.6	339.6
.1	5200.2	2621.8	4310.3	2173.1	669.2	337.4
.2	5204.5	2624.0	4314.6	2175.3	664.9	335.2
.3	5208.9	2626.2	4319.0	2177.5	660.5	333.0
.4	5213.3	2628.4	4323.4	2179.7	656.1	330.8
.5	5217.7	2630.6	4327.8	2181.9	651.7	328.6
.6	5222.1	2632.8	4332.2	2184.1	647.3	326.4
.7	5226.5	2635.0	4336.6	2186.3	642.9	324.2
.8	5230.8	2637.2	4340.9	2188.6	638.6	321.9
.9	5235.2	2639.4	4345.3	2190.8	634.2	319.7
2445.0	5239.6	2641.6	4349.7	2193.0	629.8	317.5
.1	5244.0	2643.8	4354.1	2195.2	625.4	315.3
.2	5248.4	2646.0	4358.5	2197.4	621.0	313.1
.3	5252.7	2648.3	4362.8	2199.6	616.7	310.9
.4	5257.1	2650.5	4367.2	2201.8	612.3	308.7
.5	5261.5	2652.7	4371.6	2204.0	607.9	306.5
.6	5265.9	2654.9	4376.0	2206.2	603.5	304.3
.7	5270.3	2657.1	4380.4	2208.4	599.1	302.1
.8	5274.7	2659.3	4384.8	2210.6	594.7	299.8
.9	5279.0	2661.5	4389.1	2212.9	590.4	297.6
2446.0	5283.4	2663.7	4393.5	2215.1	586.0	295.4
.1	5287.8	2665.9	4397.9	2217.3	581.6	293.2
.2	5292.2	2668.1	4402.3	2219.5	577.2	291.0
.3	5296.6	2670.4	4406.7	2221.7	572.8	288.8
.4	5300.9	2672.6	4411.0	2223.9	568.5	286.6
.5	5305.3	2674.8	4415.4	2226.1	564.1	284.4
.6	5309.7	2677.0	4419.8	2228.3	559.7	282.2
.7	5314.1	2679.2	4424.2	2230.5	555.3	280.0
.8	5318.5	2681.4	4428.6	2232.7	550.9	277.8
.9	5322.9	2683.6	4433.0	2234.9	546.5	275.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2447.0	5327.2	2685.8	4437.3	2237.2	542.2	273.3
.1	5331.6	2688.0	4441.7	2239.4	537.8	271.1
.2	5336.0	2690.2	4446.1	2241.6	533.4	268.9
.3	5340.4	2692.4	4450.5	2243.8	529.0	266.7
.4	5344.8	2694.7	4454.9	2246.0	524.6	264.5
.5	5349.1	2696.9	4459.3	2248.2	520.3	262.3
.6	5353.5	2699.1	4463.6	2250.4	515.9	260.1
.7	5357.9	2701.3	4468.0	2252.6	511.5	257.9
.8	5362.3	2703.5	4472.4	2254.8	507.1	255.7
.9	5366.7	2705.7	4476.8	2257.0	502.7	253.5
2448.0	5371.1	2707.9	4481.2	2259.3	498.3	251.2
.1	5375.4	2710.1	4485.5	2261.5	494.0	249.0
.2	5379.8	2712.3	4489.9	2263.7	489.6	246.8
.3	5384.2	2714.5	4494.3	2265.9	485.2	244.6
.4	5388.6	2716.7	4498.7	2268.1	480.8	242.4
.5	5393.0	2719.0	4503.1	2270.3	476.4	240.2
.6	5397.4	2721.2	4507.5	2272.5	472.0	238.0
.7	5401.7	2723.4	4511.8	2274.7	467.7	235.8
.8	5406.1	2725.6	4516.2	2276.9	463.3	233.6
.9	5410.5	2727.8	4520.6	2279.1	458.9	231.4
2449.0	5414.9	2730.0	4525.0	2281.3	454.5	229.2
.1	5419.3	2732.2	4529.4	2283.6	450.1	226.9
.2	5423.6	2734.4	4533.7	2285.8	445.8	224.7
.3	5428.0	2736.6	4538.1	2288.0	441.4	222.5
.4	5432.4	2738.8	4542.5	2290.2	437.0	220.3
.5	5436.8	2741.0	4546.9	2292.4	432.6	218.1
.6	5441.2	2743.3	4551.3	2294.6	428.2	215.9
.7	5445.6	2745.5	4555.7	2296.8	423.8	213.7
.8	5449.9	2747.7	4560.0	2299.0	419.5	211.5
.9	5454.3	2749.9	4564.4	2301.2	415.1	209.3
2450.0	5458.7	2752.1	4568.8	2303.4	410.7	207.1
.1	5463.3	2754.4	4573.4	2305.7	406.1	204.8
.2	5467.8	2756.7	4577.9	2308.0	401.6	202.5
.3	5472.4	2759.0	4582.5	2310.3	397.0	200.2
.4	5476.9	2761.3	4587.0	2312.6	392.5	197.9
.5	5481.5	2763.6	4591.6	2314.9	387.9	195.6
.6	5486.1	2765.9	4596.2	2317.2	383.3	193.3
.7	5490.6	2768.2	4600.7	2319.5	378.8	191.0
.8	5495.2	2770.5	4605.3	2321.8	374.2	188.7
.9	5499.8	2772.8	4609.9	2324.1	369.6	186.4
2451.0	5504.3	2775.1	4614.4	2326.4	365.1	184.1
.1	5508.9	2777.4	4619.0	2328.7	360.5	181.8
.2	5513.5	2779.7	4623.6	2331.0	355.9	179.5
.3	5518.0	2782.0	4628.1	2333.3	351.4	177.2
.4	5522.6	2784.3	4632.7	2335.6	346.8	174.9
.5	5527.1	2786.6	4637.3	2337.9	342.3	172.6
.6	5531.7	2788.9	4641.8	2340.2	337.7	170.2
.7	5536.3	2791.2	4646.4	2342.5	333.1	168.0
.8	5540.8	2793.5	4650.9	2344.8	328.6	165.6
.9	5545.4	2795.8	4655.5	2347.1	324.0	163.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2452.0	5550.0	2798.1	4660.1	2349.5	319.4	161.0
.1	5554.5	2800.4	4664.6	2351.8	314.9	158.7
.2	5559.1	2802.7	4669.2	2354.1	310.3	156.4
.3	5563.7	2805.0	4673.8	2356.4	305.7	154.1
.4	5568.2	2807.3	4678.3	2358.7	301.2	151.8
.5	5572.8	2809.6	4682.9	2361.0	296.6	149.5
.6	5577.4	2811.9	4687.5	2363.3	292.0	147.2
.7	5581.9	2814.2	4692.0	2365.6	287.5	144.9
.8	5586.5	2816.5	4696.6	2367.9	282.9	142.6
.9	5591.0	2818.8	4701.1	2370.2	278.4	140.3
2453.0	5595.6	2821.1	4705.7	2372.5	273.8	138.0
.1	5600.2	2823.4	4710.3	2374.8	269.2	135.7
.2	5604.7	2825.7	4714.8	2377.1	264.7	133.4
.3	5609.3	2828.0	4719.4	2379.4	260.1	131.1
.4	5613.8	2830.3	4723.9	2381.7	255.6	128.8
.5	5618.4	2832.6	4728.5	2384.0	251.0	126.5
.6	5623.0	2834.9	4733.1	2386.3	246.4	124.2
.7	5627.5	2837.2	4737.6	2388.6	241.9	121.9
.8	5632.1	2839.5	4742.2	2390.9	237.3	119.6
.9	5636.7	2841.8	4746.8	2393.2	232.7	117.3
2454.0	5641.2	2844.1	4751.3	2395.5	228.2	115.0
.1	5645.8	2846.4	4755.9	2397.8	223.6	112.7
.2	5650.4	2848.7	4760.5	2400.1	219.0	110.4
.3	5654.9	2851.0	4765.0	2402.4	214.5	108.1
.4	5659.5	2853.3	4769.6	2404.7	209.9	105.8
.5	5664.0	2855.6	4774.1	2407.0	205.4	103.5
.6	5668.6	2857.9	4778.7	2409.3	200.8	101.2
.7	5673.2	2860.2	4783.3	2411.6	196.2	98.9
.8	5677.7	2862.5	4787.8	2413.9	191.7	96.6
.9	5682.3	2864.8	4792.4	2416.2	187.1	94.3
2455.0	5686.9	2867.1	4797.0	2418.5	182.5	92.0
.1	5691.4	2869.4	4801.5	2420.8	178.0	89.7
.2	5696.0	2871.7	4806.1	2423.1	173.4	87.4
.3	5700.6	2874.0	4810.7	2425.4	168.8	85.1
.4	5705.1	2876.3	4815.2	2427.7	164.3	82.8
.5	5709.7	2878.6	4819.8	2430.0	159.7	80.5
.6	5714.3	2880.9	4824.4	2432.3	155.1	78.2
.7	5718.8	2883.2	4828.9	2434.6	150.6	75.9
.8	5723.4	2885.5	4833.5	2436.9	146.0	73.6
.9	5727.9	2887.8	4838.0	2439.2	141.5	71.3
2456.0	5732.5	2890.1	4842.6	2441.5	136.9	69.0
.1	5737.1	2892.4	4847.2	2443.8	132.3	66.7
.2	5741.6	2894.7	4851.7	2446.1	127.8	64.4
.3	5746.2	2897.0	4856.3	2448.4	123.2	62.1
.4	5750.7	2899.3	4860.8	2450.7	118.7	59.8
.5	5755.3	2901.6	4865.4	2453.0	114.1	57.5
.6	5759.9	2903.9	4870.0	2455.3	109.5	55.2
.7	5764.4	2906.2	4874.5	2457.6	105.0	52.9
.8	5769.0	2908.5	4879.1	2459.9	100.4	50.6
.9	5773.6	2910.8	4883.7	2462.2	95.8	48.3

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2457.0		5778.1	2913.1	4888.2	2464.5	91.3	46.0
.1		5782.7	2915.4	4892.8	2466.8	86.7	43.7
.2		5787.3	2917.7	4897.4	2469.1	82.1	41.4
.3		5791.8	2920.0	4901.9	2471.4	77.6	39.1
.4		5796.4	2922.3	4906.5	2473.7	73.0	36.8
.5		5801.0	2924.6	4911.1	2476.0	68.4	34.5
.6		5805.5	2926.9	4915.6	2478.3	63.9	32.2
.7		5810.1	2929.2	4920.2	2480.6	59.3	29.9
.8		5814.6	2931.5	4924.7	2482.9	54.8	27.6
.9		5819.2	2933.8	4929.3	2485.2	50.2	25.3
2458.0		5823.8	2936.1	4933.9	2487.5	45.6	23.0
.1		5828.3	2938.5	4938.4	2489.8	41.1	20.7
.2		5832.9	2940.7	4943.0	2492.1	36.5	18.4
.3		5837.5	2943.1	4947.6	2494.4	31.9	16.1
.4		5842.0	2945.3	4952.1	2496.7	27.4	13.8
.5		5846.6	2947.7	4956.7	2499.0	22.8	11.5
.6		5851.2	2950.0	4961.3	2501.3	18.2	9.2
.7		5855.7	2952.3	4965.8	2503.6	13.7	6.9
.8		5860.3	2954.6	4970.4	2505.9	9.1	4.6
.9		5864.8	2956.9	4974.9	2508.2	4.6	2.3
2459.0	SUB	5869.4	2959.2	4979.5	2510.5	0.0	0.0
.1		5874.0	2961.5				
.2		5878.5	2963.8				
.3		5883.1	2966.1				
.4		5887.6	2968.4				
.5		5892.2	2970.7				
.6		5896.8	2973.0				
.7		5901.3	2975.3				
.8		5905.9	2977.6				
.9		5910.5	2979.9				
2460.0		5915.0	2982.2				

Reservoir Storage Tables

STORAGE LOWER BOUND (SLB) =   24.99KAF   STORAGE UPPER BOUND (SUB) = 1424.92 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1794.0	SLB	25.0	12.6	0.0	0.0	1399.9	705.8
.1		25.0	12.6	0.0	0.0	1399.9	705.8
.2		25.0	12.6	0.0	0.0	1399.9	705.8
.3		25.8	13.0	0.8	0.4	1399.1	705.4
.4		26.7	13.4	1.7	0.8	1398.3	705.0
.5		27.5	13.9	2.5	1.3	1397.4	704.5
.6		28.3	14.3	3.3	1.7	1396.6	704.1
.7		29.2	14.7	4.2	2.1	1395.8	703.7
.8		30.0	15.1	5.0	2.5	1394.9	703.3
.9		30.8	15.5	5.8	2.9	1394.1	702.9
1795.0		31.7	16.0	6.7	3.4	1393.3	702.4
.1		32.5	16.4	7.5	3.8	1392.4	702.0
.2		33.3	16.8	8.3	4.2	1391.6	701.6
.3		34.2	17.2	9.2	4.6	1390.8	701.2
.4		35.0	17.6	10.0	5.0	1389.9	700.8
.5		35.8	18.1	10.8	5.5	1389.1	700.3
.6		36.7	18.5	11.7	5.9	1388.3	699.9
.7		37.5	18.9	12.5	6.3	1387.4	699.5
.8		38.3	19.3	13.3	6.7	1386.6	699.1
.9		39.2	19.7	14.2	7.1	1385.7	698.6
1796.0		40.0	20.2	15.0	7.6	1384.9	698.2
.1		40.8	20.6	15.8	8.0	1384.1	697.8
.2		41.7	21.0	16.7	8.4	1383.2	697.4
.3		42.5	21.4	17.5	8.8	1382.4	697.0
.4		43.3	21.9	18.4	9.3	1381.6	696.5
.5		44.2	22.3	19.2	9.7	1380.7	696.1
.6		45.0	22.7	20.0	10.1	1379.9	695.7
.7		45.8	23.1	20.9	10.5	1379.1	695.3
.8		46.7	23.5	21.7	10.9	1378.2	694.9
.9		47.5	24.0	22.5	11.4	1377.4	694.4
1797.0		48.3	24.4	23.4	11.8	1376.6	694.0
.1		49.2	24.8	24.2	12.2	1375.7	693.6
.2		50.0	25.2	25.0	12.6	1374.9	693.2
.3		50.8	25.6	25.9	13.0	1374.1	692.8
.4		51.7	26.1	26.7	13.5	1373.2	692.3
.5		52.5	26.5	27.5	13.9	1372.4	691.9
.6		53.3	26.9	28.4	14.3	1371.6	691.5
.7		54.2	27.3	29.2	14.7	1370.7	691.1
.8		55.0	27.7	30.0	15.1	1369.9	690.7
.9		55.9	28.2	30.9	15.6	1369.1	690.2
1798.0		56.7	28.6	31.7	16.0	1368.2	689.8
.1		57.5	29.0	32.5	16.4	1367.4	689.4
.2		58.4	29.4	33.4	16.8	1366.6	689.0
.3		59.2	29.8	34.2	17.2	1365.7	688.6
.4		60.0	30.3	35.0	17.7	1364.9	688.1
.5		60.9	30.7	35.9	18.1	1364.1	687.7
.6		61.7	31.1	36.7	18.5	1363.2	687.3
.7		62.7	31.6	37.7	19.0	1362.2	686.8
.8		63.7	32.1	38.7	19.5	1361.2	686.3
.9		64.7	32.6	39.7	20.0	1360.2	685.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1799.0	65.7	33.1	40.7	20.5	1359.3	685.3
.1	66.7	33.6	41.7	21.0	1358.3	684.8
.2	67.7	34.1	42.7	21.5	1357.3	684.3
.3	68.7	34.6	43.7	22.0	1356.3	683.8
.4	69.6	35.1	44.7	22.5	1355.3	683.3
.5	70.6	35.6	45.7	23.0	1354.3	682.8
.6	71.6	36.1	46.6	23.5	1353.3	682.3
.7	72.6	36.6	47.6	24.0	1352.3	681.8
.8	73.6	37.1	48.6	24.5	1351.3	681.3
.9	74.6	37.6	49.6	25.0	1350.3	680.8
1800.0	75.6	38.1	50.6	25.5	1349.3	680.3
.1	76.6	38.6	51.6	26.0	1348.3	679.8
.2	77.6	39.1	52.6	26.5	1347.3	679.3
.3	78.6	39.6	53.6	27.0	1346.3	678.8
.4	79.6	40.1	54.6	27.5	1345.3	678.3
.5	80.6	40.6	55.6	28.0	1344.3	677.8
.6	81.6	41.1	56.6	28.5	1343.3	677.3
.7	82.6	41.6	57.6	29.0	1342.3	676.8
.8	83.6	42.1	58.6	29.5	1341.3	676.3
.9	84.6	42.6	59.6	30.0	1340.4	675.8
1801.0	85.6	43.1	60.6	30.5	1339.4	675.3
.1	86.6	43.6	61.6	31.0	1338.4	674.8
.2	87.5	44.1	62.6	31.5	1337.4	674.3
.3	88.5	44.6	63.6	32.0	1336.4	673.8
.4	89.5	45.1	64.5	32.5	1335.4	673.3
.5	90.5	45.6	65.5	33.0	1334.4	672.8
.6	91.5	46.1	66.5	33.5	1333.4	672.3
.7	92.5	46.6	67.5	34.0	1332.4	671.8
.8	93.5	47.1	68.5	34.5	1331.4	671.2
.9	94.5	47.6	69.5	35.1	1330.4	670.7
1802.0	95.5	48.2	70.5	35.6	1329.4	670.2
.1	96.5	48.7	71.5	36.1	1328.4	669.7
.2	97.5	49.2	72.5	36.6	1327.4	669.2
.3	98.5	49.7	73.5	37.1	1326.4	668.7
.4	99.5	50.2	74.5	37.6	1325.4	668.2
.5	100.5	50.7	75.5	38.1	1324.4	667.7
.6	101.5	51.2	76.5	38.6	1323.4	667.2
.7	102.5	51.7	77.5	39.1	1322.5	666.7
.8	103.5	52.2	78.5	39.6	1321.5	666.2
.9	104.5	52.7	79.5	40.1	1320.5	665.7
1803.0	105.5	53.2	80.5	40.6	1319.5	665.2
.1	106.4	53.7	81.5	41.1	1318.5	664.7
.2	107.4	54.2	82.5	41.6	1317.5	664.2
.3	108.4	54.7	83.4	42.1	1316.5	663.7
.4	109.4	55.2	84.4	42.6	1315.5	663.2
.5	110.4	55.7	85.4	43.1	1314.5	662.7
.6	111.4	56.2	86.4	43.6	1313.5	662.2
.7	112.4	56.7	87.4	44.1	1312.5	661.7
.8	113.4	57.2	88.4	44.6	1311.5	661.2
.9	114.4	57.7	89.4	45.1	1310.5	660.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1804.0	115.4	58.2	90.4	45.6	1309.5	660.2
.1	116.4	58.7	91.4	46.1	1308.5	659.7
.2	117.4	59.2	92.4	46.6	1307.5	659.2
.3	118.4	59.7	93.4	47.1	1306.5	658.7
.4	119.4	60.2	94.4	47.6	1305.5	658.2
.5	120.4	60.7	95.4	48.1	1304.6	657.7
.6	121.4	61.2	96.4	48.6	1303.6	657.2
.7	122.4	61.7	97.4	49.1	1302.6	656.7
.8	123.4	62.2	98.4	49.6	1301.6	656.2
.9	124.3	62.7	99.4	50.1	1300.6	655.7
1805.0	125.3	63.2	100.4	50.6	1299.6	655.2
.1	126.3	63.7	101.3	51.1	1298.6	654.7
.2	127.3	64.2	102.3	51.6	1297.6	654.2
.3	128.3	64.7	103.3	52.1	1296.6	653.7
.4	129.3	65.2	104.3	52.6	1295.6	653.2
.5	130.3	65.7	105.3	53.1	1294.6	652.7
.6	131.3	66.2	106.3	53.6	1293.6	652.2
.7	132.5	66.8	107.5	54.2	1292.5	651.6
.8	133.6	67.4	108.6	54.8	1291.3	651.0
.9	134.8	67.9	109.8	55.3	1290.2	650.5
1806.0	135.9	68.5	110.9	55.9	1289.0	649.9
.1	137.1	69.1	112.1	56.5	1287.9	649.3
.2	138.2	69.7	113.2	57.1	1286.7	648.7
.3	139.4	70.3	114.4	57.7	1285.6	648.1
.4	140.5	70.8	115.5	58.2	1284.4	647.6
.5	141.7	71.4	116.7	58.8	1283.3	647.0
.6	142.8	72.0	117.8	59.4	1282.1	646.4
.7	144.0	72.6	119.0	60.0	1281.0	645.8
.8	145.1	73.2	120.1	60.6	1279.8	645.2
.9	146.3	73.7	121.3	61.1	1278.7	644.7
1807.0	147.4	74.3	122.4	61.7	1277.5	644.1
.1	148.6	74.9	123.6	62.3	1276.4	643.5
.2	149.7	75.5	124.7	62.9	1275.2	642.9
.3	150.9	76.1	125.9	63.5	1274.1	642.3
.4	152.0	76.6	127.0	64.0	1272.9	641.8
.5	153.2	77.2	128.2	64.6	1271.8	641.2
.6	154.3	77.8	129.3	65.2	1270.6	640.6
.7	155.5	78.4	130.5	65.8	1269.5	640.0
.8	156.6	79.0	131.6	66.4	1268.3	639.4
.9	157.8	79.5	132.8	66.9	1267.2	638.9
1808.0	158.9	80.1	133.9	67.5	1266.0	638.3
.1	160.1	80.7	135.1	68.1	1264.9	637.7
.2	161.2	81.3	136.2	68.7	1263.7	637.1
.3	162.4	81.9	137.4	69.3	1262.6	636.5
.4	163.5	82.4	138.5	69.8	1261.4	636.0
.5	164.7	83.0	139.7	70.4	1260.3	635.4
.6	165.8	83.6	140.8	71.0	1259.1	634.8
.7	167.0	84.2	142.0	71.6	1258.0	634.2
.8	168.1	84.8	143.1	72.2	1256.8	633.6
.9	169.3	85.3	144.3	72.7	1255.6	633.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1809.0	170.4	85.9	145.4	73.3	1254.5	632.5
.1	171.6	86.5	146.6	73.9	1253.3	631.9
.2	172.7	87.1	147.7	74.5	1252.2	631.3
.3	173.9	87.7	148.9	75.1	1251.0	630.7
.4	175.0	88.2	150.0	75.6	1249.9	630.2
.5	176.2	88.8	151.2	76.2	1248.7	629.6
.6	177.3	89.4	152.3	76.8	1247.6	629.0
.7	178.5	90.0	153.5	77.4	1246.4	628.4
.8	179.6	90.6	154.6	78.0	1245.3	627.8
.9	180.8	91.1	155.8	78.5	1244.1	627.3
1810.0	181.9	91.7	156.9	79.1	1243.0	626.7
.1	183.1	92.3	158.1	79.7	1241.8	626.1
.2	184.2	92.9	159.2	80.3	1240.7	625.5
.3	185.4	93.5	160.4	80.9	1239.5	624.9
.4	186.5	94.0	161.5	81.4	1238.4	624.4
.5	187.7	94.6	162.7	82.0	1237.2	623.8
.6	188.8	95.2	163.8	82.6	1236.1	623.2
.7	190.0	95.8	165.0	83.2	1234.9	622.6
.8	191.1	96.4	166.1	83.8	1233.8	622.0
.9	192.3	96.9	167.3	84.3	1232.6	621.5
1811.0	193.4	97.5	168.4	84.9	1231.5	620.9
.1	194.6	98.1	169.6	85.5	1230.3	620.3
.2	195.7	98.7	170.7	86.1	1229.2	619.7
.3	196.9	99.3	171.9	86.7	1228.0	619.1
.4	198.0	99.8	173.0	87.2	1226.9	618.6
.5	199.2	100.4	174.2	87.8	1225.7	618.0
.6	200.3	101.0	175.3	88.4	1224.6	617.4
.7	201.5	101.6	176.5	89.0	1223.4	616.8
.8	202.6	102.2	177.6	89.6	1222.3	616.2
.9	203.8	102.7	178.8	90.1	1221.1	615.7
1812.0	204.9	103.3	179.9	90.7	1220.0	615.1
.1	206.1	103.9	181.1	91.3	1218.8	614.5
.2	207.2	104.5	182.2	91.9	1217.7	613.9
.3	208.4	105.1	183.4	92.5	1216.5	613.3
.4	209.5	105.6	184.5	93.0	1215.4	612.8
.5	210.7	106.2	185.7	93.6	1214.2	612.2
.6	211.8	106.8	186.8	94.2	1213.1	611.6
.7	213.0	107.4	188.0	94.8	1211.9	611.0
.8	214.1	108.0	189.1	95.4	1210.8	610.4
.9	215.3	108.5	190.3	95.9	1209.6	609.9
1813.0	216.4	109.1	191.4	96.5	1208.5	609.3
.1	217.6	109.7	192.6	97.1	1207.3	608.7
.2	218.7	110.3	193.7	97.7	1206.2	608.1
.3	219.9	110.9	194.9	98.3	1205.0	607.5
.4	221.0	111.4	196.0	98.8	1203.9	607.0
.5	222.2	112.0	197.2	99.4	1202.7	606.4
.6	223.3	112.6	198.3	100.0	1201.6	605.8
.7	224.5	113.2	199.5	100.6	1200.4	605.2
.8	225.6	113.8	200.6	101.2	1199.3	604.6
.9	226.8	114.3	201.8	101.7	1198.1	604.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1814.0	227.9	114.9	202.9	102.3	1197.0	603.5
.1	229.1	115.5	204.1	102.9	1195.8	602.9
.2	230.2	116.1	205.2	103.5	1194.7	602.3
.3	231.4	116.7	206.4	104.1	1193.5	601.7
.4	232.5	117.2	207.5	104.6	1192.4	601.2
.5	233.7	117.8	208.7	105.2	1191.2	600.6
.6	234.8	118.4	209.8	105.8	1190.1	600.0
.7	236.0	119.0	211.0	106.4	1188.9	599.4
.8	237.1	119.6	212.1	107.0	1187.8	598.8
.9	238.3	120.1	213.3	107.5	1186.6	598.3
1815.0	239.4	120.7	214.4	108.1	1185.5	597.7
.1	240.6	121.3	215.6	108.7	1184.3	597.1
.2	241.9	121.9	216.9	109.3	1183.0	596.4
.3	243.2	122.6	218.2	110.0	1181.7	595.8
.4	244.5	123.3	219.5	110.7	1180.5	595.1
.5	245.8	123.9	220.8	111.3	1179.2	594.5
.6	247.0	124.6	222.1	112.0	1177.9	593.8
.7	248.3	125.2	223.3	112.6	1176.6	593.2
.8	249.6	125.9	224.6	113.3	1175.3	592.5
.9	250.9	126.5	225.9	113.9	1174.0	591.9
1816.0	252.2	127.2	227.2	114.6	1172.7	591.2
.1	253.5	127.8	228.5	115.2	1171.4	590.6
.2	254.8	128.5	229.8	115.9	1170.1	589.9
.3	256.1	129.1	231.1	116.5	1168.8	589.3
.4	257.4	129.8	232.4	117.2	1167.5	588.6
.5	258.7	130.4	233.7	117.8	1166.3	588.0
.6	260.0	131.1	235.0	118.5	1165.0	587.3
.7	261.2	131.7	236.3	119.1	1163.7	586.7
.8	262.5	132.4	237.5	119.8	1162.4	586.0
.9	263.8	133.0	238.8	120.4	1161.1	585.4
1817.0	265.1	133.7	240.1	121.1	1159.8	584.7
.1	266.4	134.3	241.4	121.7	1158.5	584.1
.2	267.7	135.0	242.7	122.4	1157.2	583.4
.3	269.0	135.6	244.0	123.0	1155.9	582.8
.4	270.3	136.3	245.3	123.7	1154.6	582.1
.5	271.6	136.9	246.6	124.3	1153.3	581.5
.6	272.9	137.6	247.9	125.0	1152.1	580.8
.7	274.2	138.2	249.2	125.6	1150.8	580.2
.8	275.4	138.9	250.5	126.3	1149.5	579.5
.9	276.7	139.5	251.7	126.9	1148.2	578.9
1818.0	278.0	140.2	253.0	127.6	1146.9	578.2
.1	279.3	140.8	254.3	128.2	1145.6	577.6
.2	280.6	141.5	255.6	128.9	1144.3	576.9
.3	281.9	142.1	256.9	129.5	1143.0	576.3
.4	283.2	142.8	258.2	130.2	1141.7	575.6
.5	284.5	143.4	259.5	130.8	1140.4	575.0
.6	285.8	144.1	260.8	131.5	1139.1	574.3
.7	287.1	144.7	262.1	132.1	1137.9	573.7
.8	288.4	145.4	263.4	132.8	1136.6	573.0
.9	289.6	146.0	264.7	133.4	1135.3	572.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1819.0	290.9	146.7	265.9	134.1	1134.0	571.7
.1	292.2	147.3	267.2	134.7	1132.7	571.1
.2	293.5	148.0	268.5	135.4	1131.4	570.4
.3	294.8	148.6	269.8	136.0	1130.1	569.8
.4	296.1	149.3	271.1	136.7	1128.8	569.1
.5	297.4	149.9	272.4	137.3	1127.5	568.5
.6	298.7	150.6	273.7	138.0	1126.2	567.8
.7	300.0	151.2	275.0	138.6	1124.9	567.2
.8	301.3	151.9	276.3	139.3	1123.7	566.5
.9	302.6	152.5	277.6	139.9	1122.4	565.9
1820.0	303.8	153.2	278.9	140.6	1121.1	565.2
.1	305.1	153.8	280.1	141.2	1119.8	564.6
.2	306.4	154.5	281.4	141.9	1118.5	563.9
.3	307.7	155.1	282.7	142.5	1117.2	563.3
.4	309.0	155.8	284.0	143.2	1115.9	562.6
.5	310.3	156.4	285.3	143.8	1114.6	562.0
.6	311.6	157.1	286.6	144.5	1113.3	561.3
.7	312.9	157.7	287.9	145.1	1112.0	560.7
.8	314.2	158.4	289.2	145.8	1110.7	560.0
.9	315.5	159.0	290.5	146.4	1109.5	559.4
1821.0	316.8	159.7	291.8	147.1	1108.2	558.7
.1	318.0	160.3	293.1	147.7	1106.9	558.0
.2	319.3	161.0	294.3	148.4	1105.6	557.4
.3	320.6	161.6	295.6	149.1	1104.3	556.7
.4	321.9	162.3	296.9	149.7	1103.0	556.1
.5	323.2	163.0	298.2	150.4	1101.7	555.4
.6	324.5	163.6	299.5	151.0	1100.4	554.8
.7	325.8	164.3	300.8	151.7	1099.1	554.1
.8	327.1	164.9	302.1	152.3	1097.8	553.5
.9	328.4	165.6	303.4	153.0	1096.5	552.8
1822.0	329.7	166.2	304.7	153.6	1095.3	552.2
.1	331.0	166.9	306.0	154.3	1094.0	551.5
.2	332.2	167.5	307.3	154.9	1092.7	550.9
.3	333.5	168.2	308.5	155.6	1091.4	550.2
.4	334.8	168.8	309.8	156.2	1090.1	549.6
.5	336.1	169.5	311.1	156.9	1088.8	548.9
.6	337.4	170.1	312.4	157.5	1087.5	548.3
.7	338.7	170.8	313.7	158.2	1086.2	547.6
.8	340.0	171.4	315.0	158.8	1084.9	547.0
.9	341.3	172.1	316.3	159.5	1083.6	546.3
1823.0	342.6	172.7	317.6	160.1	1082.3	545.7
.1	343.9	173.4	318.9	160.8	1081.1	545.0
.2	345.2	174.0	320.2	161.4	1079.8	544.4
.3	346.4	174.7	321.5	162.1	1078.5	543.7
.4	347.7	175.3	322.7	162.7	1077.2	543.1
.5	349.0	176.0	324.0	163.4	1075.9	542.4
.6	350.3	176.6	325.3	164.0	1074.6	541.8
.7	351.6	177.3	326.6	164.7	1073.3	541.1
.8	352.9	177.9	327.9	165.3	1072.0	540.5
.9	354.2	178.6	329.2	166.0	1070.7	539.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1824.0	355.5	179.2	330.5	166.6	1069.4	539.2
.1	356.8	179.9	331.8	167.3	1068.1	538.5
.2	358.1	180.5	333.1	167.9	1066.9	537.9
.3	359.4	181.2	334.4	168.6	1065.6	537.2
.4	360.6	181.8	335.7	169.2	1064.3	536.6
.5	361.9	182.5	336.9	169.9	1063.0	535.9
.6	363.2	183.1	338.2	170.5	1061.7	535.3
.7	364.5	183.8	339.5	171.2	1060.4	534.6
.8	365.8	184.4	340.8	171.8	1059.1	534.0
.9	367.1	185.1	342.1	172.5	1057.8	533.3
1825.0	368.4	185.7	343.4	173.1	1056.5	532.7
.1	369.7	186.4	344.7	173.8	1055.2	532.0
.2	371.0	187.0	346.0	174.4	1053.9	531.4
.3	372.3	187.7	347.3	175.1	1052.7	530.7
.4	373.6	188.3	348.6	175.7	1051.4	530.1
.5	374.8	189.0	349.9	176.4	1050.1	529.4
.6	376.1	189.6	351.1	177.0	1048.8	528.8
.7	377.4	190.3	352.4	177.7	1047.5	528.1
.8	378.7	190.9	353.7	178.3	1046.2	527.5
.9	380.0	191.6	355.0	179.0	1044.9	526.8
1826.0	381.3	192.2	356.3	179.6	1043.6	526.2
.1	382.6	192.9	357.6	180.3	1042.3	525.5
.2	383.9	193.5	358.9	180.9	1041.0	524.9
.3	385.2	194.2	360.2	181.6	1039.7	524.2
.4	386.5	194.8	361.5	182.2	1038.5	523.6
.5	387.8	195.5	362.8	182.9	1037.2	522.9
.6	389.0	196.1	364.1	183.5	1035.9	522.3
.7	390.3	196.8	365.3	184.2	1034.6	521.6
.8	391.6	197.4	366.6	184.8	1033.3	521.0
.9	392.9	198.1	367.9	185.5	1032.0	520.3
1827.0	394.2	198.7	369.2	186.1	1030.7	519.6
.1	395.5	199.4	370.5	186.8	1029.4	519.0
.2	396.9	200.1	371.9	187.5	1028.0	518.3
.3	398.3	200.8	373.3	188.2	1026.6	517.6
.4	399.7	201.5	374.8	188.9	1025.2	516.9
.5	401.2	202.3	376.2	189.7	1023.8	516.1
.6	402.6	203.0	377.6	190.4	1022.3	515.4
.7	404.0	203.7	379.0	191.1	1020.9	514.7
.8	405.4	204.4	380.4	191.8	1019.5	514.0
.9	406.8	205.1	381.8	192.5	1018.1	513.3
1828.0	408.2	205.8	383.2	193.2	1016.7	512.6
.1	409.7	206.5	384.7	193.9	1015.3	511.9
.2	411.1	207.2	386.1	194.6	1013.9	511.2
.3	412.5	208.0	387.5	195.4	1012.4	510.4
.4	413.9	208.7	388.9	196.1	1011.0	509.7
.5	415.3	209.4	390.3	196.8	1009.6	509.0
.6	416.7	210.1	391.7	197.5	1008.2	508.3
.7	418.1	210.8	393.2	198.2	1006.8	507.6
.8	419.6	211.5	394.6	198.9	1005.4	506.9
.9	421.0	212.2	396.0	199.6	1003.9	506.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1829.0	422.4	213.0	397.4	200.4	1002.5	505.4
.1	423.8	213.7	398.8	201.1	1001.1	504.7
.2	425.2	214.4	400.2	201.8	999.7	504.0
.3	426.6	215.1	401.6	202.5	998.3	503.3
.4	428.1	215.8	403.1	203.2	996.9	502.6
.5	429.5	216.5	404.5	203.9	995.5	501.9
.6	430.9	217.2	405.9	204.6	994.0	501.2
.7	432.3	218.0	407.3	205.4	992.6	500.4
.8	433.7	218.7	408.7	206.1	991.2	499.7
.9	435.1	219.4	410.1	206.8	989.8	499.0
1830.0	436.5	220.1	411.6	207.5	988.4	498.3
.1	438.0	220.8	413.0	208.2	987.0	497.6
.2	439.4	221.5	414.4	208.9	985.5	496.9
.3	440.8	222.2	415.8	209.6	984.1	496.2
.4	442.2	222.9	417.2	210.3	982.7	495.5
.5	443.6	223.7	418.6	211.1	981.3	494.7
.6	445.0	224.4	420.0	211.8	979.9	494.0
.7	446.5	225.1	421.5	212.5	978.5	493.3
.8	447.9	225.8	422.9	213.2	977.1	492.6
.9	449.3	226.5	424.3	213.9	975.6	491.9
1831.0	450.7	227.2	425.7	214.6	974.2	491.2
.1	452.1	227.9	427.1	215.3	972.8	490.5
.2	453.5	228.7	428.5	216.1	971.4	489.7
.3	454.9	229.4	430.0	216.8	970.0	489.0
.4	456.4	230.1	431.4	217.5	968.6	488.3
.5	457.8	230.8	432.8	218.2	967.1	487.6
.6	459.2	231.5	434.2	218.9	965.7	486.9
.7	460.6	232.2	435.6	219.6	964.3	486.2
.8	462.0	232.9	437.0	220.3	962.9	485.5
.9	463.4	233.6	438.4	221.1	961.5	484.7
1832.0	464.9	234.4	439.9	221.8	960.1	484.0
.1	466.3	235.1	441.3	222.5	958.7	483.3
.2	467.7	235.8	442.7	223.2	957.2	482.6
.3	469.1	236.5	444.1	223.9	955.8	481.9
.4	470.5	237.2	445.5	224.6	954.4	481.2
.5	471.9	237.9	446.9	225.3	953.0	480.5
.6	473.3	238.6	448.4	226.0	951.6	479.8
.7	474.8	239.4	449.8	226.8	950.2	479.0
.8	476.2	240.1	451.2	227.5	948.7	478.3
.9	477.6	240.8	452.6	228.2	947.3	477.6
1833.0	479.0	241.5	454.0	228.9	945.9	476.9
.1	480.4	242.2	455.4	229.6	944.5	476.2
.2	481.8	242.9	456.8	230.3	943.1	475.5
.3	483.3	243.6	458.3	231.0	941.7	474.8
.4	484.7	244.4	459.7	231.8	940.3	474.0
.5	486.1	245.1	461.1	232.5	938.8	473.3
.6	487.5	245.8	462.5	233.2	937.4	472.6
.7	488.9	246.5	463.9	233.9	936.0	471.9
.8	490.3	247.2	465.3	234.6	934.6	471.2
.9	491.7	247.9	466.8	235.3	933.2	470.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1834.0	493.2	248.6	468.2	236.0	931.8	469.8
.1	494.6	249.3	469.6	236.7	930.3	469.0
.2	496.0	250.1	471.0	237.5	928.9	468.3
.3	497.4	250.8	472.4	238.2	927.5	467.6
.4	498.8	251.5	473.8	238.9	926.1	466.9
.5	500.2	252.2	475.2	239.6	924.7	466.2
.6	501.7	252.9	476.7	240.3	923.3	465.5
.7	503.1	253.6	478.1	241.0	921.9	464.8
.8	504.5	254.3	479.5	241.7	920.4	464.1
.9	505.9	255.1	480.9	242.5	919.0	463.3
1835.0	507.3	255.8	482.3	243.2	917.6	462.6
.1	508.7	256.5	483.7	243.9	916.2	461.9
.2	510.1	257.2	485.2	244.6	914.8	461.2
.3	511.6	257.9	486.6	245.3	913.4	460.5
.4	513.0	258.6	488.0	246.0	911.9	459.8
.5	514.4	259.3	489.4	246.7	910.5	459.1
.6	515.8	260.1	490.8	247.5	909.1	458.3
.7	517.2	260.8	492.2	248.2	907.7	457.6
.8	518.6	261.5	493.6	248.9	906.3	456.9
.9	520.1	262.2	495.1	249.6	904.9	456.2
1836.0	521.5	262.9	496.5	250.3	903.5	455.5
.1	522.9	263.6	497.9	251.0	902.0	454.8
.2	524.3	264.3	499.3	251.7	900.6	454.1
.3	525.7	265.0	500.7	252.4	899.2	453.3
.4	527.1	265.8	502.1	253.2	897.8	452.6
.5	528.5	266.5	503.6	253.9	896.4	451.9
.6	530.0	267.2	505.0	254.6	895.0	451.2
.7	531.4	267.9	506.4	255.3	893.5	450.5
.8	532.8	268.6	507.8	256.0	892.1	449.8
.9	534.2	269.3	509.2	256.7	890.7	449.1
1837.0	535.6	270.0	510.6	257.4	889.3	448.4
.1	537.0	270.8	512.0	258.2	887.9	447.6
.2	538.5	271.5	513.5	258.9	886.5	446.9
.3	539.9	272.2	514.9	259.6	885.1	446.2
.4	541.3	272.9	516.3	260.3	883.6	445.5
.5	542.7	273.6	517.7	261.0	882.2	444.8
.6	544.1	274.3	519.1	261.7	880.8	444.1
.7	545.5	275.0	520.5	262.4	879.4	443.4
.8	546.9	275.8	522.0	263.2	878.0	442.6
.9	548.4	276.5	523.4	263.9	876.6	441.9
1838.0	549.8	277.2	524.8	264.6	875.1	441.2
.1	551.2	277.9	526.2	265.3	873.7	440.5
.2	552.6	278.6	527.6	266.0	872.3	439.8
.3	554.0	279.3	529.0	266.7	870.9	439.1
.4	555.4	280.0	530.4	267.4	869.5	438.4
.5	556.9	280.7	531.9	268.1	868.1	437.7
.6	558.3	281.5	533.3	268.9	866.7	436.9
.7	559.7	282.2	534.7	269.6	865.2	436.2
.8	561.1	282.9	536.1	270.3	863.8	435.5
.9	562.5	283.6	537.5	271.0	862.4	434.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1839.0	563.9	284.3	538.9	271.7	861.0	434.1
.1	565.3	285.0	540.4	272.4	859.6	433.4
.2	566.8	285.7	541.8	273.1	858.2	432.7
.3	568.2	286.5	543.2	273.9	856.7	431.9
.4	569.6	287.2	544.6	274.6	855.3	431.2
.5	571.0	287.9	546.0	275.3	853.9	430.5
.6	572.4	288.6	547.4	276.0	852.5	429.8
.7	573.8	289.3	548.8	276.7	851.1	429.1
.8	575.3	290.0	550.3	277.4	849.7	428.4
.9	576.7	290.7	551.7	278.1	848.3	427.7
1840.0	578.1	291.4	553.1	278.9	846.8	426.9
.1	579.5	292.2	554.5	279.6	845.4	426.2
.2	580.9	292.9	555.9	280.3	844.0	425.5
.3	582.3	293.6	557.3	281.0	842.6	424.8
.4	583.7	294.3	558.8	281.7	841.2	424.1
.5	585.2	295.0	560.2	282.4	839.8	423.4
.6	586.6	295.7	561.6	283.1	838.3	422.7
.7	588.0	296.4	563.0	283.8	836.9	422.0
.8	589.4	297.2	564.4	284.6	835.5	421.2
.9	590.8	297.9	565.8	285.3	834.1	420.5
1841.0	592.2	298.6	567.2	286.0	832.7	419.8
.1	593.7	299.3	568.7	286.7	831.3	419.1
.2	595.2	300.1	570.2	287.5	829.7	418.3
.3	596.7	300.8	571.7	288.2	828.2	417.6
.4	598.2	301.6	573.3	289.0	826.7	416.8
.5	599.8	302.4	574.8	289.8	825.1	416.0
.6	601.3	303.2	576.3	290.6	823.6	415.2
.7	602.8	303.9	577.9	291.3	822.1	414.5
.8	604.4	304.7	579.4	292.1	820.5	413.7
.9	605.9	305.5	580.9	292.9	819.0	412.9
1842.0	607.4	306.3	582.5	293.7	817.5	412.1
.1	609.0	307.0	584.0	294.4	815.9	411.4
.2	610.5	307.8	585.5	295.2	814.4	410.6
.3	612.0	308.6	587.1	296.0	812.9	409.8
.4	613.6	309.3	588.6	296.7	811.3	409.1
.5	615.1	310.1	590.1	297.5	809.8	408.3
.6	616.6	310.9	591.7	298.3	808.3	407.5
.7	618.2	311.7	593.2	299.1	806.7	406.7
.8	619.7	312.4	594.7	299.8	805.2	406.0
.9	621.2	313.2	596.2	300.6	803.7	405.2
1843.0	622.8	314.0	597.8	301.4	802.1	404.4
.1	624.3	314.8	599.3	302.2	800.6	403.6
.2	625.8	315.5	600.8	302.9	799.1	402.9
.3	627.4	316.3	602.4	303.7	797.6	402.1
.4	628.9	317.1	603.9	304.5	796.0	401.3
.5	630.4	317.8	605.4	305.2	794.5	400.6
.6	632.0	318.6	607.0	306.0	793.0	399.8
.7	633.5	319.4	608.5	306.8	791.4	399.0
.8	635.0	320.2	610.0	307.6	789.9	398.2
.9	636.6	320.9	611.6	308.3	788.4	397.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1844.0	638.1	321.7	613.1	309.1	786.8	396.7
.1	639.6	322.5	614.6	309.9	785.3	395.9
.2	641.2	323.3	616.2	310.7	783.8	395.1
.3	642.7	324.0	617.7	311.4	782.2	394.4
.4	644.2	324.8	619.2	312.2	780.7	393.6
.5	645.8	325.6	620.8	313.0	779.2	392.8
.6	647.3	326.3	622.3	313.7	777.6	392.1
.7	648.8	327.1	623.8	314.5	776.1	391.3
.8	650.4	327.9	625.4	315.3	774.6	390.5
.9	651.9	328.7	626.9	316.1	773.0	389.7
1845.0	653.4	329.4	628.4	316.8	771.5	389.0
.1	655.0	330.2	630.0	317.6	770.0	388.2
.2	656.5	331.0	631.5	318.4	768.4	387.4
.3	658.0	331.8	633.0	319.2	766.9	386.6
.4	659.6	332.5	634.6	319.9	765.4	385.9
.5	661.1	333.3	636.1	320.7	763.8	385.1
.6	662.6	334.1	637.6	321.5	762.3	384.3
.7	664.2	334.8	639.2	322.2	760.8	383.6
.8	665.7	335.6	640.7	323.0	759.2	382.8
.9	667.2	336.4	642.2	323.8	757.7	382.0
1846.0	668.8	337.2	643.8	324.6	756.2	381.2
.1	670.3	337.9	645.3	325.3	754.6	380.5
.2	671.8	338.7	646.8	326.1	753.1	379.7
.3	673.3	339.5	648.4	326.9	751.6	378.9
.4	674.9	340.3	649.9	327.7	750.0	378.1
.5	676.4	341.0	651.4	328.4	748.5	377.4
.6	677.9	341.8	653.0	329.2	747.0	376.6
.7	679.5	342.6	654.5	330.0	745.4	375.8
.8	681.0	343.3	656.0	330.7	743.9	375.1
.9	682.5	344.1	657.6	331.5	742.4	374.3
1847.0	684.1	344.9	659.1	332.3	740.8	373.5
.1	685.6	345.7	660.6	333.1	739.3	372.7
.2	687.1	346.4	662.2	333.8	737.8	372.0
.3	688.7	347.2	663.7	334.6	736.2	371.2
.4	690.2	348.0	665.2	335.4	734.7	370.4
.5	691.7	348.8	666.8	336.2	733.2	369.6
.6	693.3	349.5	668.3	336.9	731.6	368.9
.7	694.8	350.3	669.8	337.7	730.1	368.1
.8	696.3	351.1	671.3	338.5	728.6	367.3
.9	697.9	351.8	672.9	339.2	727.0	366.6
1848.0	699.4	352.6	674.4	340.0	725.5	365.8
.1	700.9	353.4	675.9	340.8	724.0	365.0
.2	702.5	354.2	677.5	341.6	722.5	364.2
.3	704.0	354.9	679.0	342.3	720.9	363.5
.4	705.5	355.7	680.5	343.1	719.4	362.7
.5	707.1	356.5	682.1	343.9	717.9	361.9
.6	708.6	357.3	683.6	344.7	716.3	361.1
.7	710.1	358.0	685.1	345.4	714.8	360.4
.8	711.7	358.8	686.7	346.2	713.3	359.6
.9	713.2	359.6	688.2	347.0	711.7	358.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1849.0	714.7	360.3	689.7	347.7	710.2	358.1
.1	716.3	361.1	691.3	348.5	708.7	357.3
.2	717.8	361.9	692.8	349.3	707.1	356.5
.3	719.3	362.7	694.3	350.1	705.6	355.7
.4	720.9	363.4	695.9	350.8	704.1	355.0
.5	722.4	364.2	697.4	351.6	702.5	354.2
.6	723.9	365.0	698.9	352.4	701.0	353.4
.7	725.5	365.8	700.5	353.2	699.5	352.6
.8	727.0	366.5	702.0	353.9	697.9	351.9
.9	728.5	367.3	703.5	354.7	696.4	351.1
1850.0	730.1	368.1	705.1	355.5	694.9	350.3
.1	731.6	368.8	706.6	356.2	693.3	349.6
.2	733.1	369.6	708.1	357.0	691.8	348.8
.3	734.7	370.4	709.7	357.8	690.3	348.0
.4	736.2	371.2	711.2	358.6	688.7	347.2
.5	737.7	371.9	712.7	359.3	687.2	346.5
.6	739.3	372.7	714.3	360.1	685.7	345.7
.7	740.8	373.5	715.8	360.9	684.1	344.9
.8	742.3	374.3	717.3	361.7	682.6	344.1
.9	743.9	375.0	718.9	362.4	681.1	343.4
1851.0	745.4	375.8	720.4	363.2	679.5	342.6
.1	746.9	376.6	721.9	364.0	678.0	341.8
.2	748.4	377.3	723.5	364.7	676.5	341.1
.3	750.0	378.1	725.0	365.5	674.9	340.3
.4	751.5	378.9	726.5	366.3	673.4	339.5
.5	753.0	379.7	728.1	367.1	671.9	338.7
.6	754.6	380.4	729.6	367.8	670.3	338.0
.7	756.1	381.2	731.1	368.6	668.8	337.2
.8	757.6	382.0	732.7	369.4	667.3	336.4
.9	759.2	382.8	734.2	370.2	665.7	335.6
1852.0	760.7	383.5	735.7	370.9	664.2	334.9
.1	762.2	384.3	737.3	371.7	662.7	334.1
.2	763.8	385.1	738.8	372.5	661.1	333.3
.3	765.3	385.8	740.3	373.2	659.6	332.6
.4	766.8	386.6	741.9	374.0	658.1	331.8
.5	768.4	387.4	743.4	374.8	656.5	331.0
.6	769.9	388.2	744.9	375.6	655.0	330.2
.7	771.4	388.9	746.4	376.3	653.5	329.5
.8	773.0	389.7	748.0	377.1	651.9	328.7
.9	774.5	390.5	749.5	377.9	650.4	327.9
1853.0	776.0	391.3	751.0	378.7	648.9	327.1
.1	777.6	392.0	752.6	379.4	647.3	326.4
.2	779.1	392.8	754.1	380.2	645.8	325.6
.3	780.6	393.6	755.6	381.0	644.3	324.8
.4	782.2	394.3	757.2	381.7	642.8	324.1
.5	783.7	395.1	758.7	382.5	641.2	323.3
.6	785.2	395.9	760.2	383.3	639.7	322.5
.7	786.8	396.7	761.8	384.1	638.2	321.7
.8	788.3	397.4	763.3	384.8	636.6	321.0
.9	789.8	398.2	764.8	385.6	635.1	320.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1854.0	791.4	399.0	766.4	386.4	633.6	319.4
.1	792.9	399.8	767.9	387.2	632.0	318.6
.2	794.4	400.5	769.4	387.9	630.5	317.9
.3	796.0	401.3	771.0	388.7	629.0	317.1
.4	797.5	402.1	772.5	389.5	627.4	316.3
.5	799.0	402.8	774.0	390.2	625.9	315.6
.6	800.6	403.6	775.6	391.0	624.4	314.8
.7	802.1	404.4	777.1	391.8	622.8	314.0
.8	803.6	405.2	778.6	392.6	621.3	313.2
.9	805.2	405.9	780.2	393.3	619.8	312.5
1855.0	806.7	406.7	781.7	394.1	618.2	311.7
.1	808.2	407.5	783.2	394.9	616.7	310.9
.2	809.8	408.3	784.8	395.7	615.2	310.1
.3	811.3	409.0	786.3	396.4	613.6	309.4
.4	812.8	409.8	787.8	397.2	612.1	308.6
.5	814.4	410.6	789.4	398.0	610.6	307.8
.6	815.9	411.3	790.9	398.7	609.0	307.1
.7	817.4	412.1	792.4	399.5	607.5	306.3
.8	819.0	412.9	794.0	400.3	606.0	305.5
.9	820.5	413.7	795.5	401.1	604.4	304.7
1856.0	822.0	414.4	797.0	401.8	602.9	304.0
.1	823.5	415.2	798.6	402.6	601.4	303.2
.2	825.1	416.0	800.1	403.4	599.8	302.4
.3	826.6	416.8	801.6	404.2	598.3	301.6
.4	828.1	417.5	803.2	404.9	596.8	300.9
.5	829.7	418.3	804.7	405.7	595.2	300.1
.6	831.2	419.1	806.2	406.5	593.7	299.3
.7	832.7	419.8	807.8	407.2	592.2	298.6
.8	834.3	420.6	809.3	408.0	590.6	297.8
.9	835.8	421.4	810.8	408.8	589.1	297.0
1857.0	837.3	422.2	812.4	409.6	587.6	296.2
.1	838.9	422.9	813.9	410.3	586.0	295.5
.2	840.4	423.7	815.4	411.1	584.5	294.7
.3	841.9	424.5	817.0	411.9	583.0	293.9
.4	843.5	425.3	818.5	412.7	581.4	293.1
.5	845.0	426.0	820.0	413.4	579.9	292.4
.6	846.5	426.8	821.5	414.2	578.4	291.6
.7	848.2	427.6	823.2	415.0	576.7	290.8
.8	849.8	428.5	824.8	415.9	575.1	289.9
.9	851.5	429.3	826.5	416.7	573.5	289.1
1858.0	853.1	430.1	828.1	417.5	571.8	288.3
.1	854.7	430.9	829.8	418.3	570.2	287.5
.2	856.4	431.8	831.4	419.2	568.5	286.6
.3	858.0	432.6	833.0	420.0	566.9	285.8
.4	859.7	433.4	834.7	420.8	565.3	285.0
.5	861.3	434.2	836.3	421.6	563.6	284.2
.6	863.0	435.1	838.0	422.5	562.0	283.3
.7	864.6	435.9	839.6	423.3	560.3	282.5
.8	866.2	436.7	841.2	424.1	558.7	281.7
.9	867.9	437.6	842.9	425.0	557.0	280.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1859.0	869.5	438.4	844.5	425.8	555.4	280.0
.1	871.2	439.2	846.2	426.6	553.8	279.2
.2	872.8	440.0	847.8	427.4	552.1	278.4
.3	874.4	440.9	849.5	428.3	550.5	277.5
.4	876.1	441.7	851.1	429.1	548.8	276.7
.5	877.7	442.5	852.7	429.9	547.2	275.9
.6	879.4	443.3	854.4	430.7	545.6	275.1
.7	881.0	444.2	856.0	431.6	543.9	274.2
.8	882.6	445.0	857.7	432.4	542.3	273.4
.9	884.3	445.8	859.3	433.2	540.6	272.6
1860.0	885.9	446.7	860.9	434.1	539.0	271.7
.1	887.6	447.5	862.6	434.9	537.4	270.9
.2	889.2	448.3	864.2	435.7	535.7	270.1
.3	890.9	449.1	865.9	436.5	534.1	269.3
.4	892.5	450.0	867.5	437.4	532.4	268.4
.5	894.1	450.8	869.1	438.2	530.8	267.6
.6	895.8	451.6	870.8	439.0	529.1	266.8
.7	897.4	452.4	872.4	439.8	527.5	266.0
.8	899.1	453.3	874.1	440.7	525.9	265.1
.9	900.7	454.1	875.7	441.5	524.2	264.3
1861.0	902.3	454.9	877.3	442.3	522.6	263.5
.1	904.0	455.8	879.0	443.2	520.9	262.6
.2	905.6	456.6	880.6	444.0	519.3	261.8
.3	907.3	457.4	882.3	444.8	517.7	261.0
.4	908.9	458.2	883.9	445.6	516.0	260.2
.5	910.5	459.1	885.6	446.5	514.4	259.3
.6	912.2	459.9	887.2	447.3	512.7	258.5
.7	913.8	460.7	888.8	448.1	511.1	257.7
.8	915.5	461.5	890.5	448.9	509.5	256.8
.9	917.1	462.4	892.1	449.8	507.8	256.0
1862.0	918.7	463.2	893.8	450.6	506.2	255.2
.1	920.4	464.0	895.4	451.4	504.5	254.4
.2	922.0	464.9	897.0	452.3	502.9	253.5
.3	923.7	465.7	898.7	453.1	501.2	252.7
.4	925.3	466.5	900.3	453.9	499.6	251.9
.5	927.0	467.3	902.0	454.7	498.0	251.1
.6	928.6	468.2	903.6	455.6	496.3	250.2
.7	930.2	469.0	905.2	456.4	494.7	249.4
.8	931.9	469.8	906.9	457.2	493.0	248.6
.9	933.5	470.6	908.5	458.1	491.4	247.7
1863.0	935.2	471.5	910.2	458.9	489.8	246.9
.1	936.8	472.3	911.8	459.7	488.1	246.1
.2	938.4	473.1	913.5	460.5	486.5	245.3
.3	940.1	474.0	915.1	461.4	484.8	244.4
.4	941.7	474.8	916.7	462.2	483.2	243.6
.5	943.4	475.6	918.4	463.0	481.6	242.8
.6	945.0	476.4	920.0	463.8	479.9	242.0
.7	946.6	477.3	921.7	464.7	478.3	241.1
.8	948.3	478.1	923.3	465.5	476.6	240.3
.9	949.9	478.9	924.9	466.3	475.0	239.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1864.0	951.6	479.8	926.6	467.2	473.3	238.6
.1	953.2	480.6	928.2	468.0	471.7	237.8
.2	954.9	481.4	929.9	468.8	470.1	237.0
.3	956.5	482.2	931.5	469.6	468.4	236.2
.4	958.1	483.1	933.1	470.5	466.8	235.3
.5	959.8	483.9	934.8	471.3	465.1	234.5
.6	961.4	484.7	936.4	472.1	463.5	233.7
.7	963.1	485.5	938.1	472.9	461.9	232.9
.8	964.7	486.4	939.7	473.8	460.2	232.0
.9	966.3	487.2	941.4	474.6	458.6	231.2
1865.0	968.0	488.0	943.0	475.4	456.9	230.4
.1	969.6	488.9	944.6	476.3	455.3	229.5
.2	971.3	489.7	946.3	477.1	453.7	228.7
.3	972.9	490.5	947.9	477.9	452.0	227.9
.4	974.5	491.3	949.6	478.7	450.4	227.1
.5	976.2	492.2	951.2	479.6	448.7	226.2
.6	977.8	493.0	952.8	480.4	447.1	225.4
.7	979.5	493.8	954.5	481.2	445.5	224.6
.8	981.1	494.6	956.1	482.0	443.8	223.8
.9	982.8	495.5	957.8	482.9	442.2	222.9
1866.0	984.4	496.3	959.4	483.7	440.5	222.1
.1	986.0	497.1	961.0	484.5	438.9	221.3
.2	987.7	498.0	962.7	485.4	437.2	220.4
.3	989.3	498.8	964.3	486.2	435.6	219.6
.4	991.0	499.6	966.0	487.0	434.0	218.8
.5	992.6	500.4	967.6	487.8	432.3	218.0
.6	994.2	501.3	969.2	488.7	430.7	217.1
.7	995.9	502.1	970.9	489.5	429.0	216.3
.8	997.5	502.9	972.5	490.3	427.4	215.5
.9	999.2	503.7	974.2	491.1	425.8	214.7
1867.0	1000.8	504.6	975.8	492.0	424.1	213.8
.1	1002.4	505.4	977.5	492.8	422.5	213.0
.2	1004.1	506.2	979.1	493.6	420.8	212.2
.3	1005.7	507.1	980.7	494.5	419.2	211.3
.4	1007.4	507.9	982.4	495.3	417.6	210.5
.5	1009.0	508.7	984.0	496.1	415.9	209.7
.6	1010.7	509.5	985.7	496.9	414.3	208.9
.7	1012.3	510.4	987.3	497.8	412.6	208.0
.8	1013.9	511.2	988.9	498.6	411.0	207.2
.9	1015.6	512.0	990.6	499.4	409.3	206.4
1868.0	1017.2	512.8	992.2	500.2	407.7	205.6
.1	1018.9	513.7	993.9	501.1	406.1	204.7
.2	1020.5	514.5	995.5	501.9	404.4	203.9
.3	1022.1	515.3	997.1	502.7	402.8	203.1
.4	1023.8	516.2	998.8	503.6	401.1	202.2
.5	1025.4	517.0	1000.4	504.4	399.5	201.4
.6	1027.1	517.8	1002.1	505.2	397.9	200.6
.7	1028.7	518.6	1003.7	506.0	396.2	199.8
.8	1030.3	519.5	1005.4	506.9	394.6	198.9
.9	1032.0	520.3	1007.0	507.7	392.9	198.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1869.0	1033.6	521.1	1008.6	508.5	391.3	197.3
.1	1035.3	521.9	1010.3	509.3	389.7	196.5
.2	1036.9	522.8	1011.9	510.2	388.0	195.6
.3	1038.6	523.6	1013.6	511.0	386.4	194.8
.4	1040.2	524.4	1015.2	511.8	384.7	194.0
.5	1041.8	525.3	1016.8	512.7	383.1	193.1
.6	1043.5	526.1	1018.5	513.5	381.4	192.3
.7	1045.1	526.9	1020.1	514.3	379.8	191.5
.8	1046.8	527.7	1021.8	515.1	378.2	190.7
.9	1048.4	528.6	1023.4	516.0	376.5	189.8
1870.0	1050.0	529.4	1025.0	516.8	374.9	189.0
.1	1051.7	530.2	1026.7	517.6	373.2	188.2
.2	1053.3	531.0	1028.3	518.4	371.6	187.3
.3	1055.0	531.9	1030.0	519.3	370.0	186.5
.4	1056.6	532.7	1031.6	520.1	368.3	185.7
.5	1058.2	533.5	1033.2	520.9	366.7	184.9
.6	1059.9	534.4	1034.9	521.8	365.0	184.0
.7	1061.5	535.2	1036.5	522.6	363.4	183.2
.8	1063.2	536.0	1038.2	523.4	361.8	182.4
.9	1064.8	536.8	1039.8	524.2	360.1	181.6
1871.0	1066.4	537.7	1041.5	525.1	358.5	180.7
.1	1068.1	538.5	1043.1	525.9	356.8	179.9
.2	1069.7	539.3	1044.7	526.7	355.2	179.1
.3	1071.4	540.2	1046.4	527.6	353.5	178.2
.4	1073.0	541.0	1048.0	528.4	351.9	177.4
.5	1074.7	541.8	1049.7	529.2	350.3	176.6
.6	1076.3	542.6	1051.3	530.0	348.6	175.8
.7	1077.9	543.5	1052.9	530.9	347.0	174.9
.8	1079.6	544.3	1054.6	531.7	345.3	174.1
.9	1081.2	545.1	1056.2	532.5	343.7	173.3
1872.0	1082.9	545.9	1057.9	533.3	342.1	172.5
.1	1084.5	546.8	1059.5	534.2	340.4	171.6
.2	1086.2	547.6	1061.2	535.0	338.8	170.8
.3	1087.8	548.4	1062.8	535.8	337.1	170.0
.4	1089.4	549.3	1064.4	536.7	335.5	169.1
.5	1091.1	550.1	1066.1	537.5	333.9	168.3
.6	1092.7	550.9	1067.7	538.3	332.2	167.5
.7	1094.3	551.7	1069.4	539.1	330.6	166.7
.8	1096.0	552.6	1071.0	540.0	328.9	165.8
.9	1097.6	553.4	1072.6	540.8	327.3	165.0
1873.0	1099.3	554.2	1074.3	541.6	325.6	164.2
.1	1100.9	555.0	1075.9	542.4	324.0	163.4
.2	1102.6	555.9	1077.6	543.3	322.4	162.5
.3	1104.2	556.7	1079.2	544.1	320.7	161.7
.4	1105.8	557.5	1080.8	544.9	319.1	160.9
.5	1107.5	558.4	1082.5	545.8	317.4	160.0
.6	1109.1	559.2	1084.1	546.6	315.8	159.2
.7	1110.8	560.0	1085.8	547.4	314.2	158.4
.8	1112.4	560.8	1087.4	548.2	312.5	157.6
.9	1114.0	561.7	1089.1	549.1	310.9	156.7

Reservoir Storage Tables

DUNCAN

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1874.0	1115.7	562.5	1090.7	549.9	309.2	155.9
.1	1117.3	563.3	1092.3	550.7	307.6	155.1
.2	1119.0	564.1	1094.0	551.5	306.0	154.3
.3	1120.6	565.0	1095.6	552.4	304.3	153.4
.4	1122.2	565.8	1097.3	553.2	302.7	152.6
.5	1123.9	566.6	1098.9	554.0	301.0	151.8
.6	1125.5	567.5	1100.5	554.9	299.4	150.9
.7	1127.2	568.3	1102.2	555.7	297.8	150.1
.8	1128.8	569.1	1103.8	556.5	296.1	149.3
.9	1130.5	569.9	1105.5	557.3	294.5	148.5
1875.0	1132.1	570.8	1107.1	558.2	292.8	147.6
.1	1133.7	571.6	1108.7	559.0	291.2	146.8
.2	1135.4	572.4	1110.4	559.8	289.5	146.0
.3	1137.0	573.2	1112.0	560.6	287.9	145.2
.4	1138.7	574.1	1113.7	561.5	286.3	144.3
.5	1140.3	574.9	1115.3	562.3	284.6	143.5
.6	1141.9	575.7	1116.9	563.1	283.0	142.7
.7	1143.6	576.6	1118.6	564.0	281.3	141.8
.8	1145.2	577.4	1120.2	564.8	279.7	141.0
.9	1146.9	578.2	1121.9	565.6	278.1	140.2
1876.0	1148.5	579.0	1123.5	566.4	276.4	139.4
.1	1150.1	579.9	1125.2	567.3	274.8	138.5
.2	1151.8	580.7	1126.8	568.1	273.1	137.7
.3	1153.4	581.5	1128.4	568.9	271.5	136.9
.4	1155.1	582.3	1130.1	569.7	269.9	136.1
.5	1156.7	583.2	1131.7	570.6	268.2	135.2
.6	1158.3	584.0	1133.4	571.4	266.6	134.4
.7	1160.1	584.9	1135.1	572.3	264.8	133.5
.8	1161.8	585.7	1136.8	573.1	263.1	132.6
.9	1163.5	586.6	1138.6	574.0	261.4	131.8
1877.0	1165.3	587.5	1140.3	574.9	259.6	130.9
.1	1167.0	588.4	1142.0	575.8	257.9	130.0
.2	1168.7	589.2	1143.7	576.6	256.2	129.2
.3	1170.5	590.1	1145.5	577.5	254.5	128.3
.4	1172.2	591.0	1147.2	578.4	252.7	127.4
.5	1173.9	591.9	1148.9	579.3	251.0	126.5
.6	1175.7	592.7	1150.7	580.1	249.3	125.7
.7	1177.4	593.6	1152.4	581.0	247.5	124.8
.8	1179.1	594.5	1154.1	581.9	245.8	123.9
.9	1180.9	595.3	1155.9	582.7	244.1	123.1
1878.0	1182.6	596.2	1157.6	583.6	242.3	122.2
.1	1184.3	597.1	1159.3	584.5	240.6	121.3
.2	1186.0	598.0	1161.1	585.4	238.9	120.4
.3	1187.8	598.8	1162.8	586.2	237.1	119.6
.4	1189.5	599.7	1164.5	587.1	235.4	118.7
.5	1191.2	600.6	1166.2	588.0	233.7	117.8
.6	1193.0	601.5	1168.0	588.9	232.0	116.9
.7	1194.7	602.3	1169.7	589.7	230.2	116.1
.8	1196.4	603.2	1171.4	590.6	228.5	115.2
.9	1198.2	604.1	1173.2	591.5	226.8	114.3

DUNCAN

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1879.0	1199.9	604.9	1174.9	592.3	225.0	113.5
.1	1201.6	605.8	1176.6	593.2	223.3	112.6
.2	1203.4	606.7	1178.4	594.1	221.6	111.7
.3	1205.1	607.6	1180.1	595.0	219.8	110.8
.4	1206.8	608.4	1181.8	595.8	218.1	110.0
.5	1208.5	609.3	1183.6	596.7	216.4	109.1
.6	1210.3	610.2	1185.3	597.6	214.6	108.2
.7	1212.0	611.1	1187.0	598.5	212.9	107.3
.8	1213.7	611.9	1188.8	599.3	211.2	106.5
.9	1215.5	612.8	1190.5	600.2	209.4	105.6
1880.0	1217.2	613.7	1192.2	601.1	207.7	104.7
.1	1218.9	614.5	1193.9	601.9	206.0	103.9
.2	1220.7	615.4	1195.7	602.8	204.3	103.0
.3	1222.4	616.3	1197.4	603.7	202.5	102.1
.4	1224.1	617.2	1199.1	604.6	200.8	101.2
.5	1225.9	618.0	1200.9	605.4	199.1	100.4
.6	1227.6	618.9	1202.6	606.3	197.3	99.5
.7	1229.3	619.8	1204.3	607.2	195.6	98.6
.8	1231.1	620.7	1206.1	608.1	193.9	97.7
.9	1232.8	621.5	1207.8	608.9	192.1	96.9
1881.0	1234.5	622.4	1209.5	609.8	190.4	96.0
.1	1236.3	623.3	1211.3	610.7	188.7	95.1
.2	1238.0	624.1	1213.0	611.5	186.9	94.3
.3	1239.7	625.0	1214.7	612.4	185.2	93.4
.4	1241.4	625.9	1216.4	613.3	183.5	92.5
.5	1243.2	626.8	1218.2	614.2	181.8	91.6
.6	1244.9	627.6	1219.9	615.0	180.0	90.8
.7	1246.6	628.5	1221.6	615.9	178.3	89.9
.8	1248.4	629.4	1223.4	616.8	176.6	89.0
.9	1250.1	630.3	1225.1	617.7	174.8	88.1
1882.0	1251.8	631.1	1226.8	618.5	173.1	87.3
.1	1253.6	632.0	1228.6	619.4	171.4	86.4
.2	1255.3	632.9	1230.3	620.3	169.6	85.5
.3	1257.0	633.7	1232.0	621.1	167.9	84.7
.4	1258.7	634.6	1233.8	622.0	166.2	83.8
.5	1260.5	635.5	1235.5	622.9	164.4	82.9
.6	1262.2	636.4	1237.2	623.8	162.7	82.0
.7	1263.9	637.2	1238.9	624.6	161.0	81.2
.8	1265.7	638.1	1240.7	625.5	159.2	80.3
.9	1267.4	639.0	1242.4	626.4	157.5	79.4
1883.0	1269.1	639.9	1244.1	627.3	155.8	78.5
.1	1270.9	640.7	1245.9	628.1	154.1	77.7
.2	1272.6	641.6	1247.6	629.0	152.3	76.8
.3	1274.3	642.5	1249.3	629.9	150.6	75.9
.4	1276.1	643.3	1251.1	630.7	148.9	75.1
.5	1277.8	644.2	1252.8	631.6	147.1	74.2
.6	1279.5	645.1	1254.5	632.5	145.4	73.3
.7	1281.2	646.0	1256.3	633.4	143.7	72.4
.8	1283.0	646.8	1258.0	634.2	141.9	71.6
.9	1284.7	647.7	1259.7	635.1	140.2	70.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1884.0	1286.4	648.6	1261.5	636.0	138.5	69.8
.1	1288.2	649.5	1263.2	636.9	136.7	68.9
.2	1289.9	650.3	1264.9	637.7	135.0	68.1
.3	1291.6	651.2	1266.6	638.6	133.3	67.2
.4	1293.4	652.1	1268.4	639.5	131.6	66.3
.5	1295.1	652.9	1270.1	640.3	129.8	65.5
.6	1296.8	653.8	1271.8	641.2	128.1	64.6
.7	1298.6	654.7	1273.6	642.1	126.4	63.7
.8	1300.3	655.6	1275.3	643.0	124.6	62.8
.9	1302.0	656.4	1277.0	643.8	122.9	62.0
1885.0	1303.8	657.3	1278.8	644.7	121.2	61.1
.1	1305.5	658.2	1280.5	645.6	119.4	60.2
.2	1307.2	659.1	1282.2	646.5	117.7	59.3
.3	1308.9	659.9	1284.0	647.3	116.0	58.5
.4	1310.7	660.8	1285.7	648.2	114.2	57.6
.5	1312.4	661.7	1287.4	649.1	112.5	56.7
.6	1314.1	662.5	1289.1	649.9	110.8	55.9
.7	1315.9	663.4	1290.9	650.8	109.1	55.0
.8	1317.6	664.3	1292.6	651.7	107.3	54.1
.9	1319.3	665.2	1294.3	652.6	105.6	53.2
1886.0	1321.1	666.0	1296.1	653.4	103.9	52.4
.1	1322.8	666.9	1297.8	654.3	102.1	51.5
.2	1324.5	667.8	1299.5	655.2	100.4	50.6
.3	1326.3	668.7	1301.3	656.1	98.7	49.7
.4	1328.0	669.5	1303.0	656.9	96.9	48.9
.5	1329.7	670.4	1304.7	657.8	95.2	48.0
.6	1331.4	671.3	1306.5	658.7	93.5	47.1
.7	1333.2	672.1	1308.2	659.5	91.7	46.3
.8	1334.9	673.0	1309.9	660.4	90.0	45.4
.9	1336.6	673.9	1311.7	661.3	88.3	44.5
1887.0	1338.4	674.8	1313.4	662.2	86.5	43.6
.1	1340.1	675.6	1315.1	663.0	84.8	42.8
.2	1341.8	676.5	1316.8	663.9	83.1	41.9
.3	1343.6	677.4	1318.6	664.8	81.4	41.0
.4	1345.3	678.3	1320.3	665.7	79.6	40.1
.5	1347.0	679.1	1322.0	666.5	77.9	39.3
.6	1348.8	680.0	1323.8	667.4	76.2	38.4
.7	1350.5	680.9	1325.5	668.3	74.4	37.5
.8	1352.2	681.7	1327.2	669.1	72.7	36.7
.9	1354.0	682.6	1329.0	670.0	71.0	35.8
1888.0	1355.7	683.5	1330.7	670.9	69.2	34.9
.1	1357.4	684.4	1332.4	671.8	67.5	34.0
.2	1359.1	685.2	1334.2	672.6	65.8	33.2
.3	1360.9	686.1	1335.9	673.5	64.0	32.3
.4	1362.6	687.0	1337.6	674.4	62.3	31.4
.5	1364.3	687.9	1339.3	675.3	60.6	30.5
.6	1366.1	688.7	1341.1	676.1	58.9	29.7
.7	1367.8	689.6	1342.8	677.0	57.1	28.8
.8	1369.5	690.5	1344.5	677.9	55.4	27.9
.9	1371.3	691.3	1346.3	678.7	53.7	27.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1889.0	1373.0	692.2	1348.0	679.6	51.9	26.2
.1	1374.7	693.1	1349.7	680.5	50.2	25.3
.2	1376.5	694.0	1351.5	681.4	48.5	24.4
.3	1378.2	694.8	1353.2	682.2	46.7	23.6
.4	1379.9	695.7	1354.9	683.1	45.0	22.7
.5	1381.6	696.6	1356.7	684.0	43.3	21.8
.6	1383.4	697.5	1358.4	684.9	41.5	20.9
.7	1385.1	698.3	1360.1	685.7	39.8	20.1
.8	1386.8	699.2	1361.8	686.6	38.1	19.2
.9	1388.6	700.1	1363.6	687.5	36.4	18.3
1890.0	1390.3	700.9	1365.3	688.3	34.6	17.5
.1	1392.0	701.8	1367.0	689.2	32.9	16.6
.2	1393.8	702.7	1368.8	690.1	31.2	15.7
.3	1395.5	703.6	1370.5	691.0	29.4	14.8
.4	1397.2	704.4	1372.2	691.8	27.7	14.0
.5	1399.0	705.3	1374.0	692.7	26.0	13.1
.6	1400.7	706.2	1375.7	693.6	24.2	12.2
.7	1402.4	707.1	1377.4	694.5	22.5	11.3
.8	1404.1	707.9	1379.2	695.3	20.8	10.5
.9	1405.9	708.8	1380.9	696.2	19.0	9.6
1891.0	1407.6	709.7	1382.6	697.1	17.3	8.7
.1	1409.3	710.5	1384.4	697.9	15.6	7.9
.2	1411.1	711.4	1386.1	698.8	13.8	7.0
.3	1412.8	712.3	1387.8	699.7	12.1	6.1
.4	1414.5	713.2	1389.5	700.6	10.4	5.2
.5	1416.2	714.0	1391.3	701.4	8.7	4.4
.6	1418.0	714.9	1393.0	702.3	6.9	3.5
.7	1419.7	715.8	1394.7	703.2	5.2	2.6
.8	1421.5	716.7	1396.5	704.1	3.5	1.7
.9	1423.2	717.5	1398.2	704.9	1.7	0.9
1892.0 SUB	1424.9	718.4	1399.9	705.8	0.0	0.0
.1	1426.7	719.3				
.2	1428.4	720.1				
.3	1430.1	721.0				
.4	1431.8	721.9				
.5	1433.6	722.8				
.6	1435.3	723.6				
.7	1437.0	724.5				
.8	1438.8	725.4				
.9	1440.5	726.3				
1893.0	1442.2	727.1				

Reservoir Storage Tables

PROJECT NAME: CORRA LINN

PROJECT NUMBER: 6

STORAGE LOWER BOUND (SLB) =   144.00KAF   STORAGE UPPER BOUND (SUB) = 817.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1739.0		134.7	67.9				
.1	SLB	145.2	73.2	1.2	0.6	671.8	338.7
.2		155.7	78.5	11.7	5.9	661.3	333.4
.3		166.2	83.8	22.2	11.2	650.8	328.1
.4		176.7	89.1	32.7	16.5	640.3	322.8
.5		187.1	94.4	43.1	21.8	629.8	317.5
.6		197.6	99.6	53.6	27.0	619.4	312.3
.7		208.1	104.9	64.1	32.3	608.9	307.0
.8		218.6	110.2	74.6	37.6	598.4	301.7
.9		229.1	115.5	85.1	42.9	587.9	296.4
1740.0		239.6	120.8	95.6	48.2	577.4	291.1
.1		250.3	126.2	106.3	53.6	566.7	285.7
.2		260.9	131.5	116.9	58.9	556.1	280.4
.3		271.6	136.9	127.6	64.3	545.4	275.0
.4		282.3	142.3	138.3	69.7	534.7	269.6
.5		292.9	147.7	148.9	75.1	524.1	264.2
.6		303.6	153.1	159.6	80.5	513.4	258.8
.7		314.2	158.4	170.2	85.8	502.8	253.5
.8		324.9	163.8	180.9	91.2	492.1	248.1
.9		335.6	169.2	191.6	96.6	481.4	242.7
1741.0		346.2	174.6	202.2	102.0	470.8	237.3
.1		356.9	179.9	212.9	107.3	460.1	232.0
.2		367.6	185.3	223.6	112.7	449.4	226.6
.3		378.2	190.7	234.2	118.1	438.8	221.2
.4		388.9	196.1	244.9	123.5	428.1	215.8
.5		399.6	201.4	255.6	128.8	417.4	210.5
.6		410.2	206.8	266.2	134.2	406.8	205.1
.7		420.9	212.2	276.9	139.6	396.1	199.7
.8		431.6	217.6	287.6	145.0	385.4	194.3
.9		442.2	223.0	298.2	150.4	374.8	189.0
1742.0		452.9	228.3	308.9	155.7	364.1	183.6
.1		463.5	233.7	319.5	161.1	353.5	178.2
.2		474.2	239.1	330.2	166.5	342.8	172.8
.3		484.9	244.5	340.9	171.9	332.1	167.4
.4		495.5	249.8	351.5	177.2	321.5	162.1
.5		506.2	255.2	362.2	182.6	310.8	156.7
.6		517.1	260.7	373.1	188.1	299.9	151.2
.7		528.0	266.2	384.0	193.6	289.0	145.7
.8		539.0	271.7	395.0	199.1	278.0	140.2
.9		549.9	277.2	405.9	204.6	267.1	134.7
1743.0		560.8	282.7	416.8	210.1	256.2	129.2
.1		571.7	288.2	427.7	215.6	245.3	123.7
.2		582.6	293.7	438.6	221.1	234.4	118.2
.3		593.6	299.3	449.6	226.7	223.4	112.6
.4		604.5	304.8	460.5	232.2	212.5	107.1
.5		615.4	310.3	471.4	237.7	201.6	101.6
.6		626.3	315.8	482.3	243.2	190.7	96.1
.7		637.2	321.3	493.2	248.7	179.8	90.6
.8		648.2	326.8	504.2	254.2	168.8	85.1
.9		659.1	332.3	515.1	259.7	157.9	79.6

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1744.0		670.0	337.8	526.0	265.2	147.0	74.1
.1		681.3	343.5	537.3	270.9	135.7	68.4
.2		692.6	349.2	548.6	276.6	124.4	62.7
.3		703.9	354.9	559.9	282.3	113.1	57.0
.4		715.2	360.6	571.2	288.0	101.8	51.3
.5		726.5	366.3	582.5	293.7	90.5	45.6
.6		737.8	372.0	593.8	299.4	79.2	39.9
.7		749.1	377.7	605.1	305.1	67.9	34.2
.8		760.5	383.4	616.5	310.8	56.5	28.5
.9		771.8	389.1	627.8	316.5	45.2	22.8
1745.0		783.1	394.8	639.1	322.2	33.9	17.1
.1		794.4	400.5	650.4	327.9	22.6	11.4
.2		805.7	406.2	661.7	333.6	11.3	5.7
.3	SUB	817.0	411.9	673.0	339.3	0.0	0.0
.4		827.0	416.9				
.5		837.0	422.0				
.6		848.4	427.7				
.7		859.7	433.4				
.8		871.1	439.2				
.9		882.5	444.9				
1746.0		893.8	450.6				

Reservoir Storage Tables

PROJECT NAME: HUNGRY HORSE (3 % BANK STORAGE)

HUNGRY HORSE (3 % BANK STORAGE)

PROJECT NUMBER: 10

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) = 3071.49 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3336.0	SLB	0.0	0.0	0.0	0.0	3071.5	1548.5	3341.0	29.5	14.9	29.5	14.9	3042.0	1533.7
.1		0.6	0.3	0.6	0.3	3070.9	1548.2	.1	30.1	15.2	30.1	15.2	3041.3	1533.3
.2		1.2	0.6	1.2	0.6	3070.3	1548.0	.2	30.8	15.5	30.8	15.5	3040.7	1533.0
.3		1.7	0.9	1.7	0.9	3069.7	1547.7	.3	31.4	15.8	31.4	15.8	3040.1	1532.7
.4		2.3	1.2	2.3	1.2	3069.2	1547.4	.4	32.0	16.1	32.0	16.1	3039.5	1532.4
.5		2.9	1.5	2.9	1.5	3068.6	1547.1	.5	32.7	16.5	32.7	16.5	3038.8	1532.1
.6		3.5	1.8	3.5	1.8	3068.0	1546.8	.6	33.3	16.8	33.3	16.8	3038.2	1531.8
.7		4.1	2.0	4.1	2.0	3067.4	1546.5	.7	33.9	17.1	33.9	17.1	3037.6	1531.4
.8		4.6	2.3	4.6	2.3	3066.8	1546.2	.8	34.6	17.4	34.6	17.4	3036.9	1531.1
.9		5.2	2.6	5.2	2.6	3066.3	1545.9	.9	35.2	17.7	35.2	17.7	3036.3	1530.8
3337.0		5.8	2.9	5.8	2.9	3065.7	1545.6	3342.0	35.8	18.1	35.8	18.1	3035.7	1530.5
.1		6.4	3.2	6.4	3.2	3065.1	1545.3	.1	36.4	18.4	36.4	18.4	3035.0	1530.2
.2		7.0	3.5	7.0	3.5	3064.5	1545.0	.2	37.1	18.7	37.1	18.7	3034.4	1529.9
.3		7.5	3.8	7.5	3.8	3063.9	1544.7	.3	37.7	19.0	37.7	19.0	3033.8	1529.5
.4		8.1	4.1	8.1	4.1	3063.4	1544.4	.4	38.3	19.3	38.3	19.3	3033.2	1529.2
.5		8.7	4.4	8.7	4.4	3062.8	1544.2	.5	39.0	19.6	39.0	19.6	3032.5	1528.9
.6		9.3	4.7	9.3	4.7	3062.2	1543.9	.6	39.6	20.0	39.6	20.0	3031.9	1528.6
.7		9.9	5.0	9.9	5.0	3061.6	1543.6	.7	40.2	20.3	40.2	20.3	3031.3	1528.3
.8		10.4	5.3	10.4	5.3	3061.0	1543.3	.8	40.8	20.6	40.8	20.6	3030.6	1527.9
.9		11.0	5.6	11.0	5.6	3060.5	1543.0	.9	41.5	20.9	41.5	20.9	3030.0	1527.6
3338.0		11.6	5.9	11.6	5.9	3059.9	1542.7	3343.0	42.1	21.2	42.1	21.2	3029.4	1527.3
.1		12.2	6.1	12.2	6.1	3059.3	1542.4	.1	42.7	21.5	42.7	21.5	3028.7	1527.0
.2		12.8	6.4	12.8	6.4	3058.7	1542.1	.2	43.4	21.9	43.4	21.9	3028.1	1526.7
.3		13.3	6.7	13.3	6.7	3058.1	1541.8	.3	44.0	22.2	44.0	22.2	3027.5	1526.4
.4		13.9	7.0	13.9	7.0	3057.6	1541.5	.4	44.6	22.5	44.6	22.5	3026.9	1526.0
.5		14.5	7.3	14.5	7.3	3057.0	1541.2	.5	45.3	22.8	45.3	22.8	3026.2	1525.7
.6		15.1	7.6	15.1	7.6	3056.4	1540.9	.6	45.9	23.1	45.9	23.1	3025.6	1525.4
.7		15.7	7.9	15.7	7.9	3055.8	1540.6	.7	46.5	23.5	46.5	23.5	3025.0	1525.1
.8		16.2	8.2	16.2	8.2	3055.2	1540.3	.8	47.1	23.8	47.1	23.8	3024.3	1524.8
.9		16.8	8.5	16.8	8.5	3054.7	1540.1	.9	47.8	24.1	47.8	24.1	3023.7	1524.5
3339.0		17.4	8.8	17.4	8.8	3054.1	1539.8	3344.0	48.4	24.4	48.4	24.4	3023.1	1524.1
.1		18.0	9.1	18.0	9.1	3053.5	1539.5	.1	49.0	24.7	49.0	24.7	3022.5	1523.8
.2		18.6	9.4	18.6	9.4	3052.9	1539.2	.2	49.7	25.0	49.7	25.0	3021.8	1523.5
.3		19.2	9.7	19.2	9.7	3052.3	1538.9	.3	50.3	25.4	50.3	25.4	3021.2	1523.2
.4		19.7	9.9	19.7	9.9	3051.8	1538.6	.4	50.9	25.7	50.9	25.7	3020.6	1522.9
.5		20.3	10.2	20.3	10.2	3051.2	1538.3	.5	51.6	26.0	51.6	26.0	3019.9	1522.5
.6		20.9	10.5	20.9	10.5	3050.6	1538.0	.6	52.2	26.3	52.2	26.3	3019.3	1522.2
.7		21.5	10.8	21.5	10.8	3050.0	1537.7	.7	52.8	26.6	52.8	26.6	3018.7	1521.9
.8		22.1	11.1	22.1	11.1	3049.4	1537.4	.8	53.4	26.9	53.4	26.9	3018.0	1521.6
.9		22.6	11.4	22.6	11.4	3048.9	1537.1	.9	54.1	27.3	54.1	27.3	3017.4	1521.3
3340.0		23.2	11.7	23.2	11.7	3048.3	1536.8	3345.0	54.7	27.6	54.7	27.6	3016.8	1521.0
.1		23.8	12.0	23.8	12.0	3047.6	1536.5	.1	55.3	27.9	55.3	27.9	3016.2	1520.6
.2		24.5	12.3	24.5	12.3	3047.0	1536.2	.2	56.0	28.2	56.0	28.2	3015.5	1520.3
.3		25.1	12.7	25.1	12.7	3046.4	1535.9	.3	56.6	28.5	56.6	28.5	3014.9	1520.0
.4		25.7	13.0	25.7	13.0	3045.8	1535.6	.4	57.2	28.8	57.2	28.8	3014.3	1519.7
.5		26.4	13.3	26.4	13.3	3045.1	1535.2	.5	57.9	29.2	57.9	29.2	3013.6	1519.4
.6		27.0	13.6	27.0	13.6	3044.5	1534.9	.6	58.5	29.5	58.5	29.5	3013.0	1519.1
.7		27.6	13.9	27.6	13.9	3043.9	1534.6	.7	59.1	29.8	59.1	29.8	3012.4	1518.7
.8		28.3	14.2	28.3	14.2	3043.2	1534.3	.8	59.7	30.1	59.7	30.1	3011.7	1518.4
.9		28.9	14.6	28.9	14.6	3042.6	1534.0	.9	60.4	30.4	60.4	30.4	3011.1	1518.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3346.0	61.0	30.8	61.0	30.8	3010.5	1517.8
.1	61.6	31.1	61.6	31.1	3009.9	1517.5
.2	62.3	31.4	62.3	31.4	3009.2	1517.2
.3	62.9	31.7	62.9	31.7	3008.6	1516.8
.4	63.5	32.0	63.5	32.0	3008.0	1516.5
.5	64.1	32.3	64.1	32.3	3007.3	1516.2
.6	64.8	32.7	64.8	32.7	3006.7	1515.9
.7	65.4	33.0	65.4	33.0	3006.1	1515.6
.8	66.0	33.3	66.0	33.3	3005.4	1515.2
.9	66.7	33.6	66.7	33.6	3004.8	1514.9
3347.0	67.3	33.9	67.3	33.9	3004.2	1514.6
.1	67.9	34.2	67.9	34.2	3003.6	1514.3
.2	68.6	34.6	68.6	34.6	3002.9	1514.0
.3	69.2	34.9	69.2	34.9	3002.3	1513.7
.4	69.8	35.2	69.8	35.2	3001.7	1513.3
.5	70.4	35.5	70.4	35.5	3001.0	1513.0
.6	71.1	35.8	71.1	35.8	3000.4	1512.7
.7	71.7	36.2	71.7	36.2	2999.8	1512.4
.8	72.3	36.5	72.3	36.5	2999.2	1512.1
.9	73.0	36.8	73.0	36.8	2998.5	1511.8
3348.0	73.6	37.1	73.6	37.1	2997.9	1511.4
.1	74.2	37.4	74.2	37.4	2997.3	1511.1
.2	74.9	37.7	74.9	37.7	2996.6	1510.8
.3	75.5	38.1	75.5	38.1	2996.0	1510.5
.4	76.1	38.4	76.1	38.4	2995.4	1510.2
.5	76.7	38.7	76.7	38.7	2994.7	1509.8
.6	77.4	39.0	77.4	39.0	2994.1	1509.5
.7	78.0	39.3	78.0	39.3	2993.5	1509.2
.8	78.6	39.6	78.6	39.6	2992.9	1508.9
.9	79.3	40.0	79.3	40.0	2992.2	1508.6
3349.0	79.9	40.3	79.9	40.3	2991.6	1508.3
.1	80.5	40.6	80.5	40.6	2991.0	1507.9
.2	81.1	40.9	81.1	40.9	2990.3	1507.6
.3	81.8	41.2	81.8	41.2	2989.7	1507.3
.4	82.4	41.5	82.4	41.5	2989.1	1507.0
.5	83.0	41.9	83.0	41.9	2988.4	1506.7
.6	83.7	42.2	83.7	42.2	2987.8	1506.4
.7	84.3	42.5	84.3	42.5	2987.2	1506.0
.8	84.9	42.8	84.9	42.8	2986.6	1505.7
.9	85.6	43.1	85.6	43.1	2985.9	1505.4
3350.0	86.2	43.5	86.2	43.5	2985.3	1505.1
.1	86.8	43.8	86.8	43.8	2984.7	1504.8
.2	87.4	44.1	87.4	44.1	2984.0	1504.5
.3	88.1	44.4	88.1	44.4	2983.4	1504.1
.4	88.7	44.7	88.7	44.7	2982.8	1503.8
.5	89.3	45.0	89.3	45.0	2982.1	1503.5
.6	90.0	45.4	90.0	45.4	2981.5	1503.2
.7	90.6	45.7	90.6	45.7	2980.9	1502.9
.8	91.2	46.0	91.2	46.0	2980.3	1502.5
.9	91.9	46.3	91.9	46.3	2979.6	1502.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3351.0	92.5	46.6	92.5	46.6	2979.0	1501.9
.1	93.1	46.9	93.1	46.9	2978.4	1501.6
.2	93.7	47.3	93.7	47.3	2977.7	1501.3
.3	94.4	47.6	94.4	47.6	2977.1	1501.0
.4	95.0	47.9	95.0	47.9	2976.5	1500.6
.5	95.6	48.2	95.6	48.2	2975.9	1500.3
.6	96.3	48.5	96.3	48.5	2975.2	1500.0
.7	96.9	48.9	96.9	48.9	2974.6	1499.7
.8	97.5	49.2	97.5	49.2	2974.0	1499.4
.9	98.2	49.5	98.2	49.5	2973.3	1499.1
3352.0	98.8	49.8	98.8	49.8	2972.7	1498.7
.1	99.4	50.1	99.4	50.1	2972.1	1498.4
.2	100.0	50.4	100.0	50.4	2971.4	1498.1
.3	100.7	50.8	100.7	50.8	2970.8	1497.8
.4	101.3	51.1	101.3	51.1	2970.2	1497.5
.5	101.9	51.4	101.9	51.4	2969.6	1497.2
.6	102.6	51.7	102.6	51.7	2968.9	1496.8
.7	103.2	52.0	103.2	52.0	2968.3	1496.5
.8	103.8	52.3	103.8	52.3	2967.7	1496.2
.9	104.4	52.7	104.4	52.7	2967.0	1495.9
3353.0	105.1	53.0	105.1	53.0	2966.4	1495.6
.1	105.7	53.3	105.7	53.3	2965.8	1495.2
.2	106.3	53.6	106.3	53.6	2965.1	1494.9
.3	107.0	53.9	107.0	53.9	2964.5	1494.6
.4	107.6	54.2	107.6	54.2	2963.9	1494.3
.5	108.2	54.6	108.2	54.6	2963.3	1494.0
.6	108.9	54.9	108.9	54.9	2962.6	1493.7
.7	109.5	55.2	109.5	55.2	2962.0	1493.3
.8	110.1	55.5	110.1	55.5	2961.4	1493.0
.9	110.7	55.8	110.7	55.8	2960.7	1492.7
3354.0	111.4	56.2	111.4	56.2	2960.1	1492.4
.1	112.0	56.5	112.0	56.5	2959.5	1492.1
.2	112.6	56.8	112.6	56.8	2958.8	1491.8
.3	113.3	57.1	113.3	57.1	2958.2	1491.4
.4	113.9	57.4	113.9	57.4	2957.6	1491.1
.5	114.5	57.7	114.5	57.7	2957.0	1490.8
.6	115.2	58.1	115.2	58.1	2956.3	1490.5
.7	115.8	58.4	115.8	58.4	2955.7	1490.2
.8	116.4	58.7	116.4	58.7	2955.1	1489.8
.9	117.0	59.0	117.0	59.0	2954.4	1489.5
3355.0	117.7	59.3	117.7	59.3	2953.8	1489.2
.1	118.3	59.6	118.3	59.6	2953.2	1488.9
.2	118.9	60.0	118.9	60.0	2952.6	1488.6
.3	119.6	60.3	119.6	60.3	2951.9	1488.3
.4	120.2	60.6	120.2	60.6	2951.3	1487.9
.5	120.8	60.9	120.8	60.9	2950.7	1487.6
.6	121.5	61.2	121.5	61.2	2950.0	1487.3
.7	122.1	61.5	122.1	61.5	2949.4	1487.0
.8	122.7	61.9	122.7	61.9	2948.8	1486.7
.9	123.3	62.2	123.3	62.2	2948.1	1486.4

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

HUNGRY HORSE (3 % BANK STORAGE)

PAGE 5

PAGE 6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3356.0	124.0	62.5	124.0	62.5	2947.5	1486.0	3361.0	156.7	79.0	156.7	79.0	2914.8	1469.6
.1	124.6	62.8	124.6	62.8	2946.9	1485.7	.1	157.4	79.4	157.4	79.4	2914.1	1469.2
.2	125.2	63.1	125.2	63.1	2946.3	1485.4	.2	158.2	79.7	158.2	79.7	2913.3	1468.8
.3	125.9	63.5	125.9	63.5	2945.6	1485.1	.3	158.9	80.1	158.9	80.1	2912.6	1468.4
.4	126.5	63.8	126.5	63.8	2945.0	1484.8	.4	159.7	80.5	159.7	80.5	2911.8	1468.0
.5	127.1	64.1	127.1	64.1	2944.4	1484.5	.5	160.4	80.9	160.4	80.9	2911.1	1467.7
.6	127.8	64.4	127.8	64.4	2943.7	1484.1	.6	161.2	81.3	161.2	81.3	2910.3	1467.3
.7	128.4	64.7	128.4	64.7	2943.1	1483.8	.7	161.9	81.6	161.9	81.6	2909.6	1466.9
.8	129.0	65.0	129.0	65.0	2942.5	1483.5	.8	162.7	82.0	162.7	82.0	2908.8	1466.5
.9	129.6	65.4	129.6	65.4	2941.8	1483.2	.9	163.4	82.4	163.4	82.4	2908.1	1466.2
3357.0	130.3	65.7	130.3	65.7	2941.2	1482.9	3362.0	164.2	82.8	164.2	82.8	2907.3	1465.8
.1	130.9	66.0	130.9	66.0	2940.6	1482.5	.1	164.9	83.1	164.9	83.1	2906.6	1465.4
.2	131.5	66.3	131.5	66.3	2940.0	1482.2	.2	165.7	83.5	165.7	83.5	2905.8	1465.0
.3	132.2	66.6	132.2	66.6	2939.3	1481.9	.3	166.4	83.9	166.4	83.9	2905.1	1464.6
.4	132.8	66.9	132.8	66.9	2938.7	1481.6	.4	167.2	84.3	167.2	84.3	2904.3	1464.3
.5	133.4	67.3	133.4	67.3	2938.1	1481.3	.5	167.9	84.7	167.9	84.7	2903.6	1463.9
.6	134.0	67.6	134.0	67.6	2937.4	1481.0	.6	168.7	85.0	168.7	85.0	2902.8	1463.5
.7	134.7	67.9	134.7	67.9	2936.8	1480.6	.7	169.4	85.4	169.4	85.4	2902.1	1463.1
.8	135.3	68.2	135.3	68.2	2936.2	1480.3	.8	170.2	85.8	170.2	85.8	2901.3	1462.7
.9	135.9	68.5	135.9	68.5	2935.5	1480.0	.9	170.9	86.2	170.9	86.2	2900.6	1462.4
3358.0	136.6	68.9	136.6	68.9	2934.9	1479.7	3363.0	171.7	86.5	171.7	86.5	2899.8	1462.0
.1	137.2	69.2	137.2	69.2	2934.3	1479.4	.1	172.4	86.9	172.4	86.9	2899.1	1461.6
.2	137.8	69.5	137.8	69.5	2933.7	1479.1	.2	173.2	87.3	173.2	87.3	2898.3	1461.2
.3	138.5	69.8	138.5	69.8	2933.0	1478.7	.3	173.9	87.7	173.9	87.7	2897.6	1460.9
.4	139.1	70.1	139.1	70.1	2932.4	1478.4	.4	174.7	88.1	174.7	88.1	2896.8	1460.5
.5	139.7	70.4	139.7	70.4	2931.8	1478.1	.5	175.4	88.4	175.4	88.4	2896.1	1460.1
.6	140.3	70.8	140.3	70.8	2931.1	1477.8	.6	176.2	88.8	176.2	88.8	2895.3	1459.7
.7	141.0	71.1	141.0	71.1	2930.5	1477.5	.7	176.9	89.2	176.9	89.2	2894.6	1459.3
.8	141.6	71.4	141.6	71.4	2929.9	1477.1	.8	177.7	89.6	177.7	89.6	2893.8	1459.0
.9	142.2	71.7	142.2	71.7	2929.3	1476.8	.9	178.4	90.0	178.4	90.0	2893.1	1458.6
3359.0	142.9	72.0	142.9	72.0	2928.6	1476.5	3364.0	179.2	90.3	179.2	90.3	2892.3	1458.2
.1	143.5	72.3	143.5	72.3	2928.0	1476.2	.1	179.9	90.7	179.9	90.7	2891.6	1457.8
.2	144.1	72.7	144.1	72.7	2927.4	1475.9	.2	180.7	91.1	180.7	91.1	2890.8	1457.5
.3	144.8	73.0	144.8	73.0	2926.7	1475.6	.3	181.4	91.5	181.4	91.5	2890.1	1457.1
.4	145.4	73.3	145.4	73.3	2926.1	1475.2	.4	182.2	91.8	182.2	91.8	2889.3	1456.7
.5	146.0	73.6	146.0	73.6	2925.5	1474.9	.5	182.9	92.2	182.9	92.2	2888.6	1456.3
.6	146.6	73.9	146.6	73.9	2924.8	1474.6	.6	183.7	92.6	183.7	92.6	2887.8	1455.9
.7	147.3	74.2	147.3	74.2	2924.2	1474.3	.7	184.4	93.0	184.4	93.0	2887.1	1455.6
.8	147.9	74.6	147.9	74.6	2923.6	1474.0	.8	185.2	93.4	185.2	93.4	2886.3	1455.2
.9	148.5	74.9	148.5	74.9	2923.0	1473.7	.9	185.9	93.7	185.9	93.7	2885.6	1454.8
3360.0	149.2	75.2	149.2	75.2	2922.3	1473.3	3365.0	186.7	94.1	186.7	94.1	2884.8	1454.4
.1	149.9	75.6	149.9	75.6	2921.6	1473.0	.1	187.4	94.5	187.4	94.5	2884.1	1454.0
.2	150.7	76.0	150.7	76.0	2920.8	1472.6	.2	188.2	94.9	188.2	94.9	2883.3	1453.7
.3	151.4	76.3	151.4	76.3	2920.1	1472.2	.3	188.9	95.2	188.9	95.2	2882.6	1453.3
.4	152.2	76.7	152.2	76.7	2919.3	1471.8	.4	189.7	95.6	189.7	95.6	2881.8	1452.9
.5	152.9	77.1	152.9	77.1	2918.6	1471.4	.5	190.4	96.0	190.4	96.0	2881.1	1452.5
.6	153.7	77.5	153.7	77.5	2917.8	1471.1	.6	191.2	96.4	191.2	96.4	2880.3	1452.2
.7	154.4	77.8	154.4	77.8	2917.1	1470.7	.7	191.9	96.8	191.9	96.8	2879.6	1451.8
.8	155.2	78.2	155.2	78.2	2916.3	1470.3	.8	192.7	97.1	192.7	97.1	2878.8	1451.4
.9	155.9	78.6	155.9	78.6	2915.6	1469.9	.9	193.4	97.5	193.4	97.5	2878.1	1451.0

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3366.0	194.2	97.9	194.2	97.9	2877.3	1450.6
.1	194.9	98.3	194.9	98.3	2876.6	1450.3
.2	195.7	98.7	195.7	98.7	2875.8	1449.9
.3	196.4	99.0	196.4	99.0	2875.1	1449.5
.4	197.2	99.4	197.2	99.4	2874.3	1449.1
.5	197.9	99.8	197.9	99.8	2873.6	1448.8
.6	198.7	100.2	198.7	100.2	2872.8	1448.4
.7	199.4	100.5	199.4	100.5	2872.1	1448.0
.8	200.2	100.9	200.2	100.9	2871.3	1447.6
.9	200.9	101.3	200.9	101.3	2870.6	1447.2
3367.0	201.7	101.7	201.7	101.7	2869.8	1446.9
.1	202.4	102.1	202.4	102.1	2869.1	1446.5
.2	203.2	102.4	203.2	102.4	2868.3	1446.1
.3	203.9	102.8	203.9	102.8	2867.6	1445.7
.4	204.7	103.2	204.7	103.2	2866.8	1445.3
.5	205.4	103.6	205.4	103.6	2866.1	1445.0
.6	206.2	103.9	206.2	103.9	2865.3	1444.6
.7	206.9	104.3	206.9	104.3	2864.6	1444.2
.8	207.7	104.7	207.7	104.7	2863.8	1443.8
.9	208.4	105.1	208.4	105.1	2863.1	1443.5
3368.0	209.2	105.5	209.2	105.5	2862.3	1443.1
.1	209.9	105.8	209.9	105.8	2861.6	1442.7
.2	210.7	106.2	210.7	106.2	2860.8	1442.3
.3	211.4	106.6	211.4	106.6	2860.1	1441.9
.4	212.2	107.0	212.2	107.0	2859.3	1441.6
.5	212.9	107.4	212.9	107.4	2858.6	1441.2
.6	213.7	107.7	213.7	107.7	2857.8	1440.8
.7	214.4	108.1	214.4	108.1	2857.1	1440.4
.8	215.2	108.5	215.2	108.5	2856.3	1440.1
.9	215.9	108.9	215.9	108.9	2855.6	1439.7
3369.0	216.7	109.2	216.7	109.2	2854.8	1439.3
.1	217.4	109.6	217.4	109.6	2854.1	1438.9
.2	218.2	110.0	218.2	110.0	2853.3	1438.5
.3	218.9	110.4	218.9	110.4	2852.6	1438.2
.4	219.7	110.8	219.7	110.8	2851.8	1437.8
.5	220.4	111.1	220.4	111.1	2851.1	1437.4
.6	221.2	111.5	221.2	111.5	2850.3	1437.0
.7	221.9	111.9	221.9	111.9	2849.6	1436.6
.8	222.7	112.3	222.7	112.3	2848.8	1436.3
.9	223.4	112.6	223.4	112.6	2848.1	1435.9
3370.0	224.2	113.0	224.2	113.0	2847.3	1435.5
.1	224.9	113.4	224.9	113.4	2846.6	1435.1
.2	225.7	113.8	225.7	113.8	2845.8	1434.8
.3	226.4	114.2	226.4	114.2	2845.1	1434.4
.4	227.2	114.5	227.2	114.5	2844.3	1434.0
.5	227.9	114.9	227.9	114.9	2843.6	1433.6
.6	228.7	115.3	228.7	115.3	2842.8	1433.2
.7	229.4	115.7	229.4	115.7	2842.1	1432.9
.8	230.2	116.1	230.2	116.1	2841.3	1432.5
.9	230.9	116.4	230.9	116.4	2840.6	1432.1

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3371.0	231.7	116.8	231.7	116.8	2839.8	1431.7
.1	232.4	117.2	232.4	117.2	2839.0	1431.4
.2	233.2	117.6	233.2	117.6	2838.3	1431.0
.3	233.9	117.9	233.9	117.9	2837.5	1430.6
.4	234.7	118.3	234.7	118.3	2836.8	1430.2
.5	235.4	118.7	235.4	118.7	2836.0	1429.8
.6	236.2	119.1	236.2	119.1	2835.3	1429.5
.7	236.9	119.5	236.9	119.5	2834.5	1429.1
.8	237.7	119.8	237.7	119.8	2833.8	1428.7
.9	238.4	120.2	238.4	120.2	2833.0	1428.3
3372.0	239.2	120.6	239.2	120.6	2832.3	1428.0
.1	239.9	121.0	239.9	121.0	2831.5	1427.6
.2	240.7	121.3	240.7	121.3	2830.8	1427.2
.3	241.4	121.7	241.4	121.7	2830.0	1426.8
.4	242.2	122.1	242.2	122.1	2829.3	1426.4
.5	242.9	122.5	242.9	122.5	2828.5	1426.1
.6	243.7	122.9	243.7	122.9	2827.8	1425.7
.7	244.4	123.2	244.4	123.2	2827.0	1425.3
.8	245.2	123.6	245.2	123.6	2826.3	1424.9
.9	245.9	124.0	245.9	124.0	2825.5	1424.5
3373.0	246.7	124.4	246.7	124.4	2824.8	1424.2
.1	247.4	124.8	247.4	124.8	2824.0	1423.8
.2	248.2	125.1	248.2	125.1	2823.3	1423.4
.3	248.9	125.5	248.9	125.5	2822.5	1423.0
.4	249.7	125.9	249.7	125.9	2821.8	1422.7
.5	250.4	126.3	250.4	126.3	2821.0	1422.3
.6	251.2	126.6	251.2	126.6	2820.3	1421.9
.7	251.9	127.0	251.9	127.0	2819.5	1421.5
.8	252.7	127.4	252.7	127.4	2818.8	1421.1
.9	253.4	127.8	253.4	127.8	2818.0	1420.8
3374.0	254.2	128.2	254.2	128.2	2817.3	1420.4
.1	254.9	128.5	254.9	128.5	2816.5	1420.0
.2	255.7	128.9	255.7	128.9	2815.8	1419.6
.3	256.4	129.3	256.4	129.3	2815.0	1419.3
.4	257.2	129.7	257.2	129.7	2814.3	1418.9
.5	257.9	130.0	257.9	130.0	2813.5	1418.5
.6	258.7	130.4	258.7	130.4	2812.8	1418.1
.7	259.4	130.8	259.4	130.8	2812.0	1417.7
.8	260.2	131.2	260.2	131.2	2811.3	1417.4
.9	260.9	131.6	260.9	131.6	2810.5	1417.0
3375.0	261.7	131.9	261.7	131.9	2809.8	1416.6
.1	262.4	132.3	262.4	132.3	2809.0	1416.2
.2	263.2	132.7	263.2	132.7	2808.3	1415.8
.3	263.9	133.1	263.9	133.1	2807.5	1415.5
.4	264.7	133.4	264.7	133.4	2806.8	1415.1
.5	265.4	133.8	265.4	133.8	2806.0	1414.7
.6	266.2	134.2	266.2	134.2	2805.3	1414.3
.7	266.9	134.6	266.9	134.6	2804.5	1414.0
.8	267.7	135.0	267.7	135.0	2803.8	1413.6
.9	268.4	135.3	268.4	135.3	2803.0	1413.2

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)   HUNGRY HORSE (3 % BANK STORAGE)

PAGE 9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3376.0	269.2	135.7	269.2	135.7	2802.3	1412.8
.1	269.9	136.1	269.9	136.1	2801.5	1412.4
.2	270.7	136.5	270.7	136.5	2800.8	1412.1
.3	271.4	136.9	271.4	136.9	2800.0	1411.7
.4	272.2	137.2	272.2	137.2	2799.3	1411.3
.5	272.9	137.6	272.9	137.6	2798.5	1410.9
.6	273.7	138.0	273.7	138.0	2797.8	1410.6
.7	274.4	138.4	274.4	138.4	2797.0	1410.2
.8	275.2	138.7	275.2	138.7	2796.3	1409.8
.9	275.9	139.1	275.9	139.1	2795.5	1409.4
3377.0	276.7	139.5	276.7	139.5	2794.8	1409.0
.1	277.4	139.9	277.4	139.9	2794.0	1408.7
.2	278.2	140.3	278.2	140.3	2793.3	1408.3
.3	278.9	140.6	278.9	140.6	2792.5	1407.9
.4	279.7	141.0	279.7	141.0	2791.8	1407.5
.5	280.4	141.4	280.4	141.4	2791.0	1407.1
.6	281.2	141.8	281.2	141.8	2790.3	1406.8
.7	281.9	142.1	281.9	142.1	2789.5	1406.4
.8	282.7	142.5	282.7	142.5	2788.8	1406.0
.9	283.4	142.9	283.4	142.9	2788.0	1405.6
3378.0	284.2	143.3	284.2	143.3	2787.3	1405.3
.1	285.0	143.7	285.0	143.7	2786.5	1404.9
.2	285.7	144.0	285.7	144.0	2785.8	1404.5
.3	286.5	144.4	286.5	144.4	2785.0	1404.1
.4	287.2	144.8	287.2	144.8	2784.3	1403.7
.5	288.0	145.2	288.0	145.2	2783.5	1403.4
.6	288.7	145.6	288.7	145.6	2782.8	1403.0
.7	289.5	145.9	289.5	145.9	2782.0	1402.6
.8	290.2	146.3	290.2	146.3	2781.3	1402.2
.9	291.0	146.7	291.0	146.7	2780.5	1401.9
3379.0	291.7	147.1	291.7	147.1	2779.8	1401.5
.1	292.5	147.4	292.5	147.4	2779.0	1401.1
.2	293.2	147.8	293.2	147.8	2778.3	1400.7
.3	294.0	148.2	294.0	148.2	2777.5	1400.3
.4	294.7	148.6	294.7	148.6	2776.8	1400.0
.5	295.5	149.0	295.5	149.0	2776.0	1399.6
.6	296.2	149.3	296.2	149.3	2775.3	1399.2
.7	297.0	149.7	297.0	149.7	2774.5	1398.8
.8	297.7	150.1	297.7	150.1	2773.8	1398.4
.9	298.5	150.5	298.5	150.5	2773.0	1398.1
3380.0	299.2	150.8	299.2	150.8	2772.3	1397.7
.1	300.1	151.3	300.1	151.3	2771.4	1397.3
.2	300.9	151.7	300.9	151.7	2770.5	1396.8
.3	301.8	152.2	301.8	152.2	2769.7	1396.4
.4	302.7	152.6	302.7	152.6	2768.8	1395.9
.5	303.6	153.0	303.6	153.0	2767.9	1395.5
.6	304.4	153.5	304.4	153.5	2767.0	1395.1
.7	305.3	153.9	305.3	153.9	2766.2	1394.6
.8	306.2	154.4	306.2	154.4	2765.3	1394.2
.9	307.1	154.8	307.1	154.8	2764.4	1393.7

PAGE 10

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3381.0	307.9	155.2	307.9	155.2	2763.6	1393.3
.1	308.8	155.7	308.8	155.7	2762.7	1392.9
.2	309.7	156.1	309.7	156.1	2761.8	1392.4
.3	310.5	156.6	310.5	156.6	2760.9	1392.0
.4	311.4	157.0	311.4	157.0	2760.1	1391.5
.5	312.3	157.4	312.3	157.4	2759.2	1391.1
.6	313.2	157.9	313.2	157.9	2758.3	1390.7
.7	314.0	158.3	314.0	158.3	2757.5	1390.2
.8	314.9	158.8	314.9	158.8	2756.6	1389.8
.9	315.8	159.2	315.8	159.2	2755.7	1389.3
3382.0	316.7	159.6	316.7	159.6	2754.8	1388.9
.1	317.5	160.1	317.5	160.1	2754.0	1388.5
.2	318.4	160.5	318.4	160.5	2753.1	1388.0
.3	319.3	161.0	319.3	161.0	2752.2	1387.6
.4	320.1	161.4	320.1	161.4	2751.3	1387.1
.5	321.0	161.8	321.0	161.8	2750.5	1386.7
.6	321.9	162.3	321.9	162.3	2749.6	1386.3
.7	322.8	162.7	322.8	162.7	2748.7	1385.8
.8	323.6	163.2	323.6	163.2	2747.9	1385.4
.9	324.5	163.6	324.5	163.6	2747.0	1384.9
3383.0	325.4	164.0	325.4	164.0	2746.1	1384.5
.1	326.2	164.5	326.2	164.5	2745.2	1384.1
.2	327.1	164.9	327.1	164.9	2744.4	1383.6
.3	328.0	165.4	328.0	165.4	2743.5	1383.2
.4	328.9	165.8	328.9	165.8	2742.6	1382.7
.5	329.7	166.2	329.7	166.2	2741.7	1382.3
.6	330.6	166.7	330.6	166.7	2740.9	1381.9
.7	331.5	167.1	331.5	167.1	2740.0	1381.4
.8	332.4	167.6	332.4	167.6	2739.1	1381.0
.9	333.2	168.0	333.2	168.0	2738.3	1380.5
3384.0	334.1	168.4	334.1	168.4	2737.4	1380.1
.1	335.0	168.9	335.0	168.9	2736.5	1379.7
.2	335.8	169.3	335.8	169.3	2735.6	1379.2
.3	336.7	169.8	336.7	169.8	2734.8	1378.8
.4	337.6	170.2	337.6	170.2	2733.9	1378.3
.5	338.5	170.6	338.5	170.6	2733.0	1377.9
.6	339.3	171.1	339.3	171.1	2732.2	1377.5
.7	340.2	171.5	340.2	171.5	2731.3	1377.0
.8	341.1	172.0	341.1	172.0	2730.4	1376.6
.9	342.0	172.4	342.0	172.4	2729.5	1376.1
3385.0	342.8	172.8	342.8	172.8	2728.7	1375.7
.1	343.7	173.3	343.7	173.3	2727.8	1375.3
.2	344.6	173.7	344.6	173.7	2726.9	1374.8
.3	345.4	174.2	345.4	174.2	2726.0	1374.4
.4	346.3	174.6	346.3	174.6	2725.2	1373.9
.5	347.2	175.0	347.2	175.0	2724.3	1373.5
.6	348.1	175.5	348.1	175.5	2723.4	1373.1
.7	348.9	175.9	348.9	175.9	2722.6	1372.6
.8	349.8	176.4	349.8	176.4	2721.7	1372.2
.9	350.7	176.8	350.7	176.8	2720.8	1371.7

Hungry Horse (3%)   **76**   April 98
CENPD-ET-WP

Reservoir Storage Tables

PAGE 11

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3386.0	351.5	177.2	351.5	177.2	2719.9	1371.3
.1	352.4	177.7	352.4	177.7	2719.1	1370.9
.2	353.3	178.1	353.3	178.1	2718.2	1370.4
.3	354.2	178.6	354.2	178.6	2717.3	1370.0
.4	355.0	179.0	355.0	179.0	2716.4	1369.5
.5	355.9	179.4	355.9	179.4	2715.6	1369.1
.6	356.8	179.9	356.8	179.9	2714.7	1368.7
.7	357.7	180.3	357.7	180.3	2713.8	1368.2
.8	358.5	180.8	358.5	180.8	2713.0	1367.8
.9	359.4	181.2	359.4	181.2	2712.1	1367.3
3387.0	360.3	181.6	360.3	181.6	2711.2	1366.9
.1	361.1	182.1	361.1	182.1	2710.3	1366.5
.2	362.0	182.5	362.0	182.5	2709.5	1366.0
.3	362.9	183.0	362.9	183.0	2708.6	1365.6
.4	363.8	183.4	363.8	183.4	2707.7	1365.1
.5	364.6	183.8	364.6	183.8	2706.9	1364.7
.6	365.5	184.3	365.5	184.3	2706.0	1364.3
.7	366.4	184.7	366.4	184.7	2705.1	1363.8
.8	367.2	185.2	367.2	185.2	2704.2	1363.4
.9	368.1	185.6	368.1	185.6	2703.4	1362.9
3388.0	369.0	186.0	369.0	186.0	2702.5	1362.5
.1	369.9	186.5	369.9	186.5	2701.6	1362.1
.2	370.7	186.9	370.7	186.9	2700.7	1361.6
.3	371.6	187.4	371.6	187.4	2699.9	1361.2
.4	372.5	187.8	372.5	187.8	2699.0	1360.7
.5	373.4	188.2	373.4	188.2	2698.1	1360.3
.6	374.2	188.7	374.2	188.7	2697.3	1359.9
.7	375.1	189.1	375.1	189.1	2696.4	1359.4
.8	376.0	189.6	376.0	189.6	2695.5	1359.0
.9	376.8	190.0	376.8	190.0	2694.6	1358.5
3389.0	377.7	190.4	377.7	190.4	2693.8	1358.1
.1	378.6	190.9	378.6	190.9	2692.9	1357.7
.2	379.5	191.3	379.5	191.3	2692.0	1357.2
.3	380.3	191.8	380.3	191.8	2691.1	1356.8
.4	381.2	192.2	381.2	192.2	2690.3	1356.3
.5	382.1	192.6	382.1	192.6	2689.4	1355.9
.6	383.0	193.1	383.0	193.1	2688.5	1355.5
.7	383.8	193.5	383.8	193.5	2687.7	1355.0
.8	384.7	194.0	384.7	194.0	2686.8	1354.6
.9	385.6	194.4	385.6	194.4	2685.9	1354.1
3390.0	386.4	194.8	386.4	194.8	2685.0	1353.7
.1	387.3	195.3	387.3	195.3	2684.2	1353.3
.2	388.2	195.7	388.2	195.7	2683.3	1352.8
.3	389.1	196.2	389.1	196.2	2682.4	1352.4
.4	389.9	196.6	389.9	196.6	2681.6	1352.0
.5	390.8	197.0	390.8	197.0	2680.7	1351.5
.6	391.7	197.5	391.7	197.5	2679.8	1351.1
.7	392.5	197.9	392.5	197.9	2678.9	1350.6
.8	393.4	198.3	393.4	198.3	2678.1	1350.2
.9	394.3	198.8	394.3	198.8	2677.2	1349.8

PAGE 12

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3391.0	395.2	199.2	395.2	199.2	2676.3	1349.3
.1	396.0	199.7	396.0	199.7	2675.4	1348.9
.2	396.9	200.1	396.9	200.1	2674.6	1348.4
.3	397.8	200.5	397.8	200.5	2673.7	1348.0
.4	398.7	201.0	398.7	201.0	2672.8	1347.6
.5	399.5	201.4	399.5	201.4	2672.0	1347.1
.6	400.4	201.9	400.4	201.9	2671.1	1346.7
.7	401.3	202.3	401.3	202.3	2670.2	1346.2
.8	402.1	202.7	402.1	202.7	2669.3	1345.8
.9	403.0	203.2	403.0	203.2	2668.5	1345.4
3392.0	403.9	203.6	403.9	203.6	2667.6	1344.9
.1	404.8	204.1	404.8	204.1	2666.7	1344.5
.2	405.6	204.5	405.6	204.5	2665.9	1344.0
.3	406.5	204.9	406.5	204.9	2665.0	1343.6
.4	407.4	205.4	407.4	205.4	2664.1	1343.2
.5	408.3	205.8	408.3	205.8	2663.2	1342.7
.6	409.1	206.3	409.1	206.3	2662.4	1342.3
.7	410.0	206.7	410.0	206.7	2661.5	1341.8
.8	410.9	207.1	410.9	207.1	2660.6	1341.4
.9	411.7	207.6	411.7	207.6	2659.7	1341.0
3393.0	412.6	208.0	412.6	208.0	2658.9	1340.5
.1	413.5	208.5	413.5	208.5	2658.0	1340.1
.2	414.4	208.9	414.4	208.9	2657.1	1339.6
.3	415.2	209.3	415.2	209.3	2656.3	1339.2
.4	416.1	209.8	416.1	209.8	2655.4	1338.8
.5	417.0	210.2	417.0	210.2	2654.5	1338.3
.6	417.8	210.7	417.8	210.7	2653.6	1337.9
.7	418.7	211.1	418.7	211.1	2652.8	1337.4
.8	419.6	211.5	419.6	211.5	2651.9	1337.0
.9	420.5	212.0	420.5	212.0	2651.0	1336.6
3394.0	421.3	212.4	421.3	212.4	2650.1	1336.1
.1	422.2	212.9	422.2	212.9	2649.3	1335.7
.2	423.1	213.3	423.1	213.3	2648.4	1335.2
.3	424.0	213.7	424.0	213.7	2647.5	1334.8
.4	424.8	214.2	424.8	214.2	2646.7	1334.4
.5	425.7	214.6	425.7	214.6	2645.8	1333.9
.6	426.6	215.1	426.6	215.1	2644.9	1333.5
.7	427.4	215.5	427.4	215.5	2644.0	1333.0
.8	428.3	215.9	428.3	215.9	2643.2	1332.6
.9	429.2	216.4	429.2	216.4	2642.3	1332.2
3395.0	430.1	216.8	430.1	216.8	2641.4	1331.7
.1	430.9	217.3	430.9	217.3	2640.6	1331.3
.2	431.8	217.7	431.8	217.7	2639.7	1330.8
.3	432.7	218.1	432.7	218.1	2638.8	1330.4
.4	433.5	218.6	433.5	218.6	2637.9	1330.0
.5	434.4	219.0	434.4	219.0	2637.1	1329.5
.6	435.3	219.5	435.3	219.5	2636.2	1329.1
.7	436.2	219.9	436.2	219.9	2635.3	1328.6
.8	437.0	220.3	437.0	220.3	2634.4	1328.2
.9	437.9	220.8	437.9	220.8	2633.6	1327.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3396.0	438.8	221.2	438.8	221.2	2632.7	1327.3	3401.0	483.6	243.8	483.6	243.8	2587.9	1304.7
.1	439.7	221.7	439.7	221.7	2631.8	1326.9	.1	484.6	244.3	484.6	244.3	2586.9	1304.2
.2	440.5	222.1	440.5	222.1	2631.0	1326.4	.2	485.6	244.8	485.6	244.8	2585.9	1303.7
.3	441.4	222.5	441.4	222.5	2630.1	1326.0	.3	486.6	245.3	486.6	245.3	2584.9	1303.2
.4	442.3	223.0	442.3	223.0	2629.2	1325.6	.4	487.6	245.8	487.6	245.8	2583.9	1302.7
.5	443.1	223.4	443.1	223.4	2628.3	1325.1	.5	488.6	246.3	488.6	246.3	2582.9	1302.2
.6	444.0	223.9	444.0	223.9	2627.5	1324.7	.6	489.6	246.8	489.6	246.8	2581.9	1301.7
.7	444.9	224.3	444.9	224.3	2626.6	1324.2	.7	490.6	247.3	490.6	247.3	2580.9	1301.2
.8	445.8	224.7	445.8	224.7	2625.7	1323.8	.8	491.6	247.8	491.6	247.8	2579.9	1300.7
.9	446.6	225.2	446.6	225.2	2624.9	1323.4	.9	492.6	248.3	492.6	248.3	2578.9	1300.2
3397.0	447.5	225.6	447.5	225.6	2624.0	1322.9	3402.0	493.6	248.8	493.6	248.8	2577.9	1299.7
.1	448.4	226.1	448.4	226.1	2623.1	1322.5	.1	494.5	249.3	494.5	249.3	2576.9	1299.2
.2	449.3	226.5	449.3	226.5	2622.2	1322.0	.2	495.5	249.8	495.5	249.8	2575.9	1298.7
.3	450.1	226.9	450.1	226.9	2621.4	1321.6	.3	496.5	250.3	496.5	250.3	2575.0	1298.2
.4	451.0	227.4	451.0	227.4	2620.5	1321.2	.4	497.5	250.8	497.5	250.8	2574.0	1297.7
.5	451.9	227.8	451.9	227.8	2619.6	1320.7	.5	498.5	251.3	498.5	251.3	2573.0	1297.2
.6	452.7	228.3	452.7	228.3	2618.7	1320.3	.6	499.5	251.8	499.5	251.8	2572.0	1296.7
.7	453.6	228.7	453.6	228.7	2617.9	1319.8	.7	500.5	252.3	500.5	252.3	2571.0	1296.2
.8	454.5	229.1	454.5	229.1	2617.0	1319.4	.8	501.5	252.8	501.5	252.8	2570.0	1295.7
.9	455.4	229.6	455.4	229.6	2616.1	1319.0	.9	502.5	253.3	502.5	253.3	2569.0	1295.2
3398.0	456.2	230.0	456.2	230.0	2615.3	1318.5	3403.0	503.5	253.8	503.5	253.8	2568.0	1294.7
.1	457.1	230.5	457.1	230.5	2614.4	1318.1	.1	504.5	254.3	504.5	254.3	2567.0	1294.2
.2	458.0	230.9	458.0	230.9	2613.5	1317.6	.2	505.5	254.8	505.5	254.8	2566.0	1293.7
.3	458.8	231.3	458.8	231.3	2612.6	1317.2	.3	506.5	255.3	506.5	255.3	2565.0	1293.2
.4	459.7	231.8	459.7	231.8	2611.8	1316.8	.4	507.5	255.8	507.5	255.8	2564.0	1292.7
.5	460.6	232.2	460.6	232.2	2610.9	1316.3	.5	508.5	256.3	508.5	256.3	2563.0	1292.2
.6	461.5	232.7	461.5	232.7	2610.0	1315.9	.6	509.4	256.8	509.4	256.8	2562.0	1291.7
.7	462.3	233.1	462.3	233.1	2609.1	1315.5	.7	510.4	257.3	510.4	257.3	2561.0	1291.2
.8	463.2	233.5	463.2	233.5	2608.3	1315.0	.8	511.4	257.8	511.4	257.8	2560.0	1290.7
.9	464.1	234.0	464.1	234.0	2607.4	1314.6	.9	512.4	258.3	512.4	258.3	2559.1	1290.2
3399.0	465.0	234.4	465.0	234.4	2606.5	1314.1	3404.0	513.4	258.9	513.4	258.9	2558.1	1289.7
.1	465.8	234.9	465.8	234.9	2605.7	1313.7	.1	514.4	259.4	514.4	259.4	2557.1	1289.2
.2	466.7	235.3	466.7	235.3	2604.8	1313.2	.2	515.4	259.9	515.4	259.9	2556.1	1288.7
.3	467.6	235.7	467.6	235.7	2603.9	1312.8	.3	516.4	260.4	516.4	260.4	2555.1	1288.2
.4	468.4	236.2	468.4	236.2	2603.0	1312.4	.4	517.4	260.9	517.4	260.9	2554.1	1287.7
.5	469.3	236.6	469.3	236.6	2602.2	1311.9	.5	518.4	261.4	518.4	261.4	2553.1	1287.2
.6	470.2	237.1	470.2	237.1	2601.3	1311.5	.6	519.4	261.9	519.4	261.9	2552.1	1286.7
.7	471.1	237.5	471.1	237.5	2600.4	1311.0	.7	520.4	262.4	520.4	262.4	2551.1	1286.2
.8	471.9	237.9	471.9	237.9	2599.6	1310.6	.8	521.4	262.9	521.4	262.9	2550.1	1285.7
.9	472.8	238.4	472.8	238.4	2598.7	1310.2	.9	522.4	263.4	522.4	263.4	2549.1	1285.2
3400.0	473.7	238.8	473.7	238.8	2597.8	1309.7	3405.0	523.4	263.9	523.4	263.9	2548.1	1284.7
.1	474.7	239.3	474.7	239.3	2596.8	1309.2	.1	524.4	264.4	524.4	264.4	2547.1	1284.2
.2	475.7	239.8	475.7	239.8	2595.8	1308.7	.2	525.3	264.9	525.3	264.9	2546.1	1283.7
.3	476.7	240.3	476.7	240.3	2594.8	1308.2	.3	526.3	265.4	526.3	265.4	2545.1	1283.2
.4	477.7	240.8	477.7	240.8	2593.8	1307.7	.4	527.3	265.9	527.3	265.9	2544.2	1282.7
.5	478.6	241.3	478.6	241.3	2592.8	1307.2	.5	528.3	266.4	528.3	266.4	2543.2	1282.2
.6	479.6	241.8	479.6	241.8	2591.8	1306.7	.6	529.3	266.9	529.3	266.9	2542.2	1281.7
.7	480.6	242.3	480.6	242.3	2590.9	1306.2	.7	530.3	267.4	530.3	267.4	2541.2	1281.2
.8	481.6	242.8	481.6	242.8	2589.9	1305.7	.8	531.3	267.9	531.3	267.9	2540.2	1280.7
.9	482.6	243.3	482.6	243.3	2588.9	1305.2	.9	532.3	268.4	532.3	268.4	2539.2	1280.2

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3406.0	533.3	268.9	533.3	268.9	2538.2	1279.7
.1	534.3	269.4	534.3	269.4	2537.2	1279.2
.2	535.3	269.9	535.3	269.9	2536.2	1278.7
.3	536.3	270.4	536.3	270.4	2535.2	1278.2
.4	537.3	270.9	537.3	270.9	2534.2	1277.7
.5	538.3	271.4	538.3	271.4	2533.2	1277.2
.6	539.3	271.9	539.3	271.9	2532.2	1276.7
.7	540.2	272.4	540.2	272.4	2531.2	1276.2
.8	541.2	272.9	541.2	272.9	2530.2	1275.7
.9	542.2	273.4	542.2	273.4	2529.2	1275.2
3407.0	543.2	273.9	543.2	273.9	2528.3	1274.7
.1	544.2	274.4	544.2	274.4	2527.3	1274.2
.2	545.2	274.9	545.2	274.9	2526.3	1273.7
.3	546.2	275.4	546.2	275.4	2525.3	1273.2
.4	547.2	275.9	547.2	275.9	2524.3	1272.7
.5	548.2	276.4	548.2	276.4	2523.3	1272.2
.6	549.2	276.9	549.2	276.9	2522.3	1271.7
.7	550.2	277.4	550.2	277.4	2521.3	1271.2
.8	551.2	277.9	551.2	277.9	2520.3	1270.7
.9	552.2	278.4	552.2	278.4	2519.3	1270.2
3408.0	553.2	278.9	553.2	278.9	2518.3	1269.7
.1	554.2	279.4	554.2	279.4	2517.3	1269.2
.2	555.2	279.9	555.2	279.9	2516.3	1268.7
.3	556.1	280.4	556.1	280.4	2515.3	1268.1
.4	557.1	280.9	557.1	280.9	2514.3	1267.6
.5	558.1	281.4	558.1	281.4	2513.4	1267.1
.6	559.1	281.9	559.1	281.9	2512.4	1266.6
.7	560.1	282.4	560.1	282.4	2511.4	1266.1
.8	561.1	282.9	561.1	282.9	2510.4	1265.6
.9	562.1	283.4	562.1	283.4	2509.4	1265.1
3409.0	563.1	283.9	563.1	283.9	2508.4	1264.6
.1	564.1	284.4	564.1	284.4	2507.4	1264.1
.2	565.1	284.9	565.1	284.9	2506.4	1263.6
.3	566.1	285.4	566.1	285.4	2505.4	1263.1
.4	567.1	285.9	567.1	285.9	2504.4	1262.6
.5	568.1	286.4	568.1	286.4	2503.4	1262.1
.6	569.1	286.9	569.1	286.9	2502.4	1261.6
.7	570.1	287.4	570.1	287.4	2501.4	1261.1
.8	571.1	287.9	571.1	287.9	2500.4	1260.6
.9	572.0	288.4	572.0	288.4	2499.4	1260.1
3410.0	573.0	288.9	573.0	288.9	2498.4	1259.6
.1	574.0	289.4	574.0	289.4	2497.5	1259.1
.2	575.0	289.9	575.0	289.9	2496.5	1258.6
.3	576.0	290.4	576.0	290.4	2495.5	1258.1
.4	577.0	290.9	577.0	290.9	2494.5	1257.6
.5	578.0	291.4	578.0	291.4	2493.5	1257.1
.6	579.0	291.9	579.0	291.9	2492.5	1256.6
.7	580.0	292.4	580.0	292.4	2491.5	1256.1
.8	581.0	292.9	581.0	292.9	2490.5	1255.6
.9	582.0	293.4	582.0	293.4	2489.5	1255.1

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3411.0	583.0	293.9	583.0	293.9	2488.5	1254.6
.1	584.0	294.4	584.0	294.4	2487.5	1254.1
.2	585.0	294.9	585.0	294.9	2486.5	1253.6
.3	586.0	295.4	586.0	295.4	2485.5	1253.1
.4	586.9	295.9	586.9	295.9	2484.5	1252.6
.5	587.9	296.4	587.9	296.4	2483.5	1252.1
.6	588.9	296.9	588.9	296.9	2482.5	1251.6
.7	589.9	297.4	589.9	297.4	2481.6	1251.1
.8	590.9	297.9	590.9	297.9	2480.6	1250.6
.9	591.9	298.4	591.9	298.4	2479.6	1250.1
3412.0	592.9	298.9	592.9	298.9	2478.6	1249.6
.1	593.9	299.4	593.9	299.4	2477.6	1249.1
.2	594.9	299.9	594.9	299.9	2476.6	1248.6
.3	595.9	300.4	595.9	300.4	2475.6	1248.1
.4	596.9	300.9	596.9	300.9	2474.6	1247.6
.5	597.9	301.4	597.9	301.4	2473.6	1247.1
.6	598.9	301.9	598.9	301.9	2472.6	1246.6
.7	599.9	302.4	599.9	302.4	2471.6	1246.1
.8	600.9	302.9	600.9	302.9	2470.6	1245.6
.9	601.9	303.4	601.9	303.4	2469.6	1245.1
3413.0	602.8	303.9	602.8	303.9	2468.6	1244.6
.1	603.8	304.4	603.8	304.4	2467.6	1244.1
.2	604.8	304.9	604.8	304.9	2466.7	1243.6
.3	605.8	305.4	605.8	305.4	2465.7	1243.1
.4	606.8	305.9	606.8	305.9	2464.7	1242.6
.5	607.8	306.4	607.8	306.4	2463.7	1242.1
.6	608.8	306.9	608.8	306.9	2462.7	1241.6
.7	609.8	307.4	609.8	307.4	2461.7	1241.1
.8	610.8	307.9	610.8	307.9	2460.7	1240.6
.9	611.8	308.4	611.8	308.4	2459.7	1240.1
3414.0	612.8	308.9	612.8	308.9	2458.7	1239.6
.1	613.8	309.4	613.8	309.4	2457.7	1239.1
.2	614.8	309.9	614.8	309.9	2456.7	1238.6
.3	615.8	310.4	615.8	310.4	2455.7	1238.1
.4	616.8	310.9	616.8	310.9	2454.7	1237.6
.5	617.8	311.4	617.8	311.4	2453.7	1237.1
.6	618.7	312.0	618.7	312.0	2452.7	1236.6
.7	619.7	312.5	619.7	312.5	2451.7	1236.1
.8	620.7	313.0	620.7	313.0	2450.8	1235.6
.9	621.7	313.5	621.7	313.5	2449.8	1235.1
3415.0	622.7	314.0	622.7	314.0	2448.8	1234.6
.1	623.7	314.5	623.7	314.5	2447.8	1234.1
.2	624.7	315.0	624.7	315.0	2446.8	1233.6
.3	625.7	315.5	625.7	315.5	2445.8	1233.1
.4	626.7	316.0	626.7	316.0	2444.8	1232.6
.5	627.7	316.5	627.7	316.5	2443.8	1232.1
.6	628.7	317.0	628.7	317.0	2442.8	1231.6
.7	629.7	317.5	629.7	317.5	2441.8	1231.1
.8	630.7	318.0	630.7	318.0	2440.8	1230.6
.9	631.7	318.5	631.7	318.5	2439.8	1230.1

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3416.0	632.7	319.0	632.7	319.0	2438.8	1229.6
.1	633.7	319.5	633.7	319.5	2437.8	1229.1
.2	634.6	320.0	634.6	320.0	2436.8	1228.6
.3	635.6	320.5	635.6	320.5	2435.8	1228.1
.4	636.6	321.0	636.6	321.0	2434.9	1227.6
.5	637.6	321.5	637.6	321.5	2433.9	1227.1
.6	638.6	322.0	638.6	322.0	2432.9	1226.6
.7	639.6	322.5	639.6	322.5	2431.9	1226.1
.8	640.6	323.0	640.6	323.0	2430.9	1225.6
.9	641.6	323.5	641.6	323.5	2429.9	1225.1
3417.0	642.6	324.0	642.6	324.0	2428.9	1224.6
.1	643.6	324.5	643.6	324.5	2427.9	1224.1
.2	644.6	325.0	644.6	325.0	2426.9	1223.6
.3	645.6	325.5	645.6	325.5	2425.9	1223.1
.4	646.6	326.0	646.6	326.0	2424.9	1222.6
.5	647.6	326.5	647.6	326.5	2423.9	1222.1
.6	648.6	327.0	648.6	327.0	2422.9	1221.6
.7	649.5	327.5	649.5	327.5	2421.9	1221.1
.8	650.5	328.0	650.5	328.0	2420.9	1220.6
.9	651.5	328.5	651.5	328.5	2420.0	1220.1
3418.0	652.5	329.0	652.5	329.0	2419.0	1219.6
.1	653.5	329.5	653.5	329.5	2418.0	1219.1
.2	654.5	330.0	654.5	330.0	2417.0	1218.6
.3	655.5	330.5	655.5	330.5	2416.0	1218.1
.4	656.5	331.0	656.5	331.0	2415.0	1217.6
.5	657.5	331.5	657.5	331.5	2414.0	1217.1
.6	658.5	332.0	658.5	332.0	2413.0	1216.6
.7	659.5	332.5	659.5	332.5	2412.0	1216.1
.8	660.5	333.0	660.5	333.0	2411.0	1215.5
.9	661.5	333.5	661.5	333.5	2410.0	1215.0
3419.0	662.5	334.0	662.5	334.0	2409.0	1214.5
.1	663.5	334.5	663.5	334.5	2408.0	1214.0
.2	664.5	335.0	664.5	335.0	2407.0	1213.5
.3	665.4	335.5	665.4	335.5	2406.0	1213.0
.4	666.4	336.0	666.4	336.0	2405.0	1212.5
.5	667.4	336.5	667.4	336.5	2404.1	1212.0
.6	668.4	337.0	668.4	337.0	2403.1	1211.5
.7	669.4	337.5	669.4	337.5	2402.1	1211.0
.8	670.4	338.0	670.4	338.0	2401.1	1210.5
.9	671.4	338.5	671.4	338.5	2400.1	1210.0
3420.0	672.4	339.0	672.4	339.0	2399.1	1209.5
.1	673.5	339.6	673.5	339.6	2398.0	1209.0
.2	674.7	340.1	674.7	340.1	2396.8	1208.4
.3	675.8	340.7	675.8	340.7	2395.7	1207.8
.4	676.9	341.3	676.9	341.3	2394.6	1207.3
.5	678.1	341.9	678.1	341.9	2393.4	1206.7
.6	679.2	342.4	679.2	342.4	2392.3	1206.1
.7	680.3	343.0	680.3	343.0	2391.2	1205.6
.8	681.4	343.6	681.4	343.6	2390.0	1205.0
.9	682.6	344.1	682.6	344.1	2388.9	1204.4

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3421.0	683.7	344.7	683.7	344.7	2387.8	1203.8
.1	684.8	345.3	684.8	345.3	2386.7	1203.3
.2	686.0	345.8	686.0	345.8	2385.5	1202.7
.3	687.1	346.4	687.1	346.4	2384.4	1202.1
.4	688.2	347.0	688.2	347.0	2383.3	1201.6
.5	689.4	347.5	689.4	347.5	2382.1	1201.0
.6	690.5	348.1	690.5	348.1	2381.0	1200.4
.7	691.6	348.7	691.6	348.7	2379.9	1199.9
.8	692.7	349.3	692.7	349.3	2378.7	1199.3
.9	693.9	349.8	693.9	349.8	2377.6	1198.7
3422.0	695.0	350.4	695.0	350.4	2376.5	1198.1
.1	696.1	351.0	696.1	351.0	2375.3	1197.6
.2	697.3	351.5	697.3	351.5	2374.2	1197.0
.3	698.4	352.1	698.4	352.1	2373.1	1196.4
.4	699.5	352.7	699.5	352.7	2372.0	1195.9
.5	700.7	353.2	700.7	353.2	2370.8	1195.3
.6	701.8	353.8	701.8	353.8	2369.7	1194.7
.7	702.9	354.4	702.9	354.4	2368.6	1194.2
.8	704.0	355.0	704.0	355.0	2367.4	1193.6
.9	705.2	355.5	705.2	355.5	2366.3	1193.0
3423.0	706.3	356.1	706.3	356.1	2365.2	1192.4
.1	707.4	356.7	707.4	356.7	2364.0	1191.9
.2	708.6	357.2	708.6	357.2	2362.9	1191.3
.3	709.7	357.8	709.7	357.8	2361.8	1190.7
.4	710.8	358.4	710.8	358.4	2360.7	1190.2
.5	712.0	358.9	712.0	358.9	2359.5	1189.6
.6	713.1	359.5	713.1	359.5	2358.4	1189.0
.7	714.2	360.1	714.2	360.1	2357.3	1188.5
.8	715.4	360.7	715.4	360.7	2356.1	1187.9
.9	716.5	361.2	716.5	361.2	2355.0	1187.3
3424.0	717.6	361.8	717.6	361.8	2353.9	1186.7
.1	718.7	362.4	718.7	362.4	2352.7	1186.2
.2	719.9	362.9	719.9	362.9	2351.6	1185.6
.3	721.0	363.5	721.0	363.5	2350.5	1185.0
.4	722.1	364.1	722.1	364.1	2349.4	1184.5
.5	723.3	364.6	723.3	364.6	2348.2	1183.9
.6	724.4	365.2	724.4	365.2	2347.1	1183.3
.7	725.5	365.8	725.5	365.8	2346.0	1182.8
.8	726.7	366.4	726.7	366.4	2344.8	1182.2
.9	727.8	366.9	727.8	366.9	2343.7	1181.6
3425.0	728.9	367.5	728.9	367.5	2342.6	1181.0
.1	730.0	368.1	730.0	368.1	2341.4	1180.5
.2	731.2	368.6	731.2	368.6	2340.3	1179.9
.3	732.3	369.2	732.3	369.2	2339.2	1179.3
.4	733.4	369.8	733.4	369.8	2338.1	1178.8
.5	734.6	370.3	734.6	370.3	2336.9	1178.2
.6	735.7	370.9	735.7	370.9	2335.8	1177.6
.7	736.8	371.5	736.8	371.5	2334.7	1177.1
.8	738.0	372.1	738.0	372.1	2333.5	1176.5
.9	739.1	372.6	739.1	372.6	2332.4	1175.9

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3426.0	740.2	373.2	740.2	373.2	2331.3	1175.3
.1	741.3	373.8	741.3	373.8	2330.1	1174.8
.2	742.5	374.3	742.5	374.3	2329.0	1174.2
.3	743.6	374.9	743.6	374.9	2327.9	1173.6
.4	744.7	375.5	744.7	375.5	2326.8	1173.1
.5	745.9	376.0	745.9	376.0	2325.6	1172.5
.6	747.0	376.6	747.0	376.6	2324.5	1171.9
.7	748.1	377.2	748.1	377.2	2323.4	1171.4
.8	749.3	377.8	749.3	377.8	2322.2	1170.8
.9	750.4	378.3	750.4	378.3	2321.1	1170.2
3427.0	751.5	378.9	751.5	378.9	2320.0	1169.7
.1	752.6	379.5	752.6	379.5	2318.8	1169.1
.2	753.8	380.0	753.8	380.0	2317.7	1168.5
.3	754.9	380.6	754.9	380.6	2316.6	1167.9
.4	756.0	381.2	756.0	381.2	2315.4	1167.4
.5	757.2	381.7	757.2	381.7	2314.3	1166.8
.6	758.3	382.3	758.3	382.3	2313.2	1166.2
.7	759.4	382.9	759.4	382.9	2312.1	1165.7
.8	760.6	383.4	760.6	383.4	2310.9	1165.1
.9	761.7	384.0	761.7	384.0	2309.8	1164.5
3428.0	762.8	384.6	762.8	384.6	2308.7	1164.0
.1	764.0	385.2	764.0	385.2	2307.5	1163.4
.2	765.1	385.7	765.1	385.7	2306.4	1162.8
.3	766.2	386.3	766.2	386.3	2305.3	1162.2
.4	767.3	386.9	767.3	386.9	2304.1	1161.7
.5	768.5	387.4	768.5	387.4	2303.0	1161.1
.6	769.6	388.0	769.6	388.0	2301.9	1160.5
.7	770.7	388.6	770.7	388.6	2300.8	1160.0
.8	771.9	389.1	771.9	389.1	2299.6	1159.4
.9	773.0	389.7	773.0	389.7	2298.5	1158.8
3429.0	774.1	390.3	774.1	390.3	2297.4	1158.3
.1	775.3	390.9	775.3	390.9	2296.2	1157.7
.2	776.4	391.4	776.4	391.4	2295.1	1157.1
.3	777.5	392.0	777.5	392.0	2294.0	1156.5
.4	778.6	392.6	778.6	392.6	2292.8	1156.0
.5	779.8	393.1	779.8	393.1	2291.7	1155.4
.6	780.9	393.7	780.9	393.7	2290.6	1154.8
.7	782.0	394.3	782.0	394.3	2289.5	1154.3
.8	783.2	394.8	783.2	394.8	2288.3	1153.7
.9	784.3	395.4	784.3	395.4	2287.2	1153.1
3430.0	785.4	396.0	785.4	396.0	2286.1	1152.6
.1	786.6	396.6	786.6	396.6	2284.9	1152.0
.2	787.7	397.1	787.7	397.1	2283.8	1151.4
.3	788.8	397.7	788.8	397.7	2282.7	1150.8
.4	789.9	398.3	789.9	398.3	2281.5	1150.3
.5	791.1	398.8	791.1	398.8	2280.4	1149.7
.6	792.2	399.4	792.2	399.4	2279.3	1149.1
.7	793.3	400.0	793.3	400.0	2278.1	1148.6
.8	794.5	400.5	794.5	400.5	2277.0	1148.0
.9	795.6	401.1	795.6	401.1	2275.9	1147.4

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3431.0	796.7	401.7	796.7	401.7	2274.8	1146.9
.1	797.9	402.3	797.9	402.3	2273.6	1146.3
.2	799.0	402.8	799.0	402.8	2272.5	1145.7
.3	800.1	403.4	800.1	403.4	2271.4	1145.1
.4	801.2	404.0	801.2	404.0	2270.2	1144.6
.5	802.4	404.5	802.4	404.5	2269.1	1144.0
.6	803.5	405.1	803.5	405.1	2268.0	1143.4
.7	804.6	405.7	804.6	405.7	2266.8	1142.9
.8	805.8	406.2	805.8	406.2	2265.7	1142.3
.9	806.9	406.8	806.9	406.8	2264.6	1141.7
3432.0	808.0	407.4	808.0	407.4	2263.5	1141.2
.1	809.2	408.0	809.2	408.0	2262.3	1140.6
.2	810.3	408.5	810.3	408.5	2261.2	1140.0
.3	811.4	409.1	811.4	409.1	2260.1	1139.4
.4	812.5	409.7	812.5	409.7	2258.9	1138.9
.5	813.7	410.2	813.7	410.2	2257.8	1138.3
.6	814.8	410.8	814.8	410.8	2256.7	1137.7
.7	815.9	411.4	815.9	411.4	2255.5	1137.2
.8	817.1	411.9	817.1	411.9	2254.4	1136.6
.9	818.2	412.5	818.2	412.5	2253.3	1136.0
3433.0	819.3	413.1	819.3	413.1	2252.2	1135.5
.1	820.5	413.7	820.5	413.7	2251.0	1134.9
.2	821.6	414.2	821.6	414.2	2249.9	1134.3
.3	822.7	414.8	822.7	414.8	2248.8	1133.8
.4	823.9	415.4	823.9	415.4	2247.6	1133.2
.5	825.0	415.9	825.0	415.9	2246.5	1132.6
.6	826.1	416.5	826.1	416.5	2245.4	1132.0
.7	827.2	417.1	827.2	417.1	2244.2	1131.5
.8	828.4	417.6	828.4	417.6	2243.1	1130.9
.9	829.5	418.2	829.5	418.2	2242.0	1130.3
3434.0	830.6	418.8	830.6	418.8	2240.9	1129.8
.1	831.8	419.3	831.8	419.3	2239.7	1129.2
.2	832.9	419.9	832.9	419.9	2238.6	1128.6
.3	834.0	420.5	834.0	420.5	2237.5	1128.1
.4	835.2	421.1	835.2	421.1	2236.3	1127.5
.5	836.3	421.6	836.3	421.6	2235.2	1126.9
.6	837.4	422.2	837.4	422.2	2234.1	1126.3
.7	838.5	422.8	838.5	422.8	2232.9	1125.8
.8	839.7	423.3	839.7	423.3	2231.8	1125.2
.9	840.8	423.9	840.8	423.9	2230.7	1124.6
3435.0	841.9	424.5	841.9	424.5	2229.5	1124.1
.1	843.1	425.0	843.1	425.0	2228.4	1123.5
.2	844.2	425.6	844.2	425.6	2227.3	1122.9
.3	845.3	426.2	845.3	426.2	2226.2	1122.4
.4	846.5	426.8	846.5	426.8	2225.0	1121.8
.5	847.6	427.3	847.6	427.3	2223.9	1121.2
.6	848.7	427.9	848.7	427.9	2222.8	1120.6
.7	849.8	428.5	849.8	428.5	2221.6	1120.1
.8	851.0	429.0	851.0	429.0	2220.5	1119.5
.9	852.1	429.6	852.1	429.6	2219.4	1118.9

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3436.0	853.2	430.2	853.2	430.2	2218.2	1118.4
.1	854.4	430.7	854.4	430.7	2217.1	1117.8
.2	855.5	431.3	855.5	431.3	2216.0	1117.2
.3	856.6	431.9	856.6	431.9	2214.9	1116.7
.4	857.8	432.5	857.8	432.5	2213.7	1116.1
.5	858.9	433.0	858.9	433.0	2212.6	1115.5
.6	860.0	433.6	860.0	433.6	2211.5	1114.9
.7	861.2	434.2	861.2	434.2	2210.3	1114.4
.8	862.3	434.7	862.3	434.7	2209.2	1113.8
.9	863.4	435.3	863.4	435.3	2208.1	1113.2
3437.0	864.5	435.9	864.5	435.9	2206.9	1112.7
.1	865.7	436.4	865.7	436.4	2205.8	1112.1
.2	866.8	437.0	866.8	437.0	2204.7	1111.5
.3	867.9	437.6	867.9	437.6	2203.6	1111.0
.4	869.1	438.2	869.1	438.2	2202.4	1110.4
.5	870.2	438.7	870.2	438.7	2201.3	1109.8
.6	871.3	439.3	871.3	439.3	2200.2	1109.2
.7	872.5	439.9	872.5	439.9	2199.0	1108.7
.8	873.6	440.4	873.6	440.4	2197.9	1108.1
.9	874.7	441.0	874.7	441.0	2196.8	1107.5
3438.0	875.8	441.6	875.8	441.6	2195.6	1107.0
.1	877.0	442.1	877.0	442.1	2194.5	1106.4
.2	878.1	442.7	878.1	442.7	2193.4	1105.8
.3	879.2	443.3	879.2	443.3	2192.2	1105.3
.4	880.4	443.9	880.4	443.9	2191.1	1104.7
.5	881.5	444.4	881.5	444.4	2190.0	1104.1
.6	882.6	445.0	882.6	445.0	2188.9	1103.5
.7	883.8	445.6	883.8	445.6	2187.7	1103.0
.8	884.9	446.1	884.9	446.1	2186.6	1102.4
.9	886.0	446.7	886.0	446.7	2185.5	1101.8
3439.0	887.1	447.3	887.1	447.3	2184.3	1101.3
.1	888.3	447.8	888.3	447.8	2183.2	1100.7
.2	889.4	448.4	889.4	448.4	2182.1	1100.1
.3	890.5	449.0	890.5	449.0	2180.9	1099.6
.4	891.7	449.5	891.7	449.5	2179.8	1099.0
.5	892.8	450.1	892.8	450.1	2178.7	1098.4
.6	893.9	450.7	893.9	450.7	2177.6	1097.9
.7	895.1	451.3	895.1	451.3	2176.4	1097.3
.8	896.2	451.8	896.2	451.8	2175.3	1096.7
.9	897.3	452.4	897.3	452.4	2174.2	1096.1
3440.0	898.5	453.0	898.5	453.0	2173.0	1095.6
.1	899.7	453.6	899.7	453.6	2171.8	1094.9
.2	901.0	454.3	901.0	454.3	2170.5	1094.3
.3	902.3	454.9	902.3	454.9	2169.2	1093.6
.4	903.6	455.6	903.6	455.6	2167.9	1093.0
.5	904.9	456.2	904.9	456.2	2166.6	1092.3
.6	906.1	456.8	906.1	456.8	2165.3	1091.7
.7	907.4	457.5	907.4	457.5	2164.1	1091.1
.8	908.7	458.1	908.7	458.1	2162.8	1090.4
.9	910.0	458.8	910.0	458.8	2161.5	1089.8

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3441.0	911.3	459.4	911.3	459.4	2160.2	1089.1
.1	912.5	460.1	912.5	460.1	2158.9	1088.5
.2	913.8	460.7	913.8	460.7	2157.7	1087.8
.3	915.1	461.4	915.1	461.4	2156.4	1087.2
.4	916.4	462.0	916.4	462.0	2155.1	1086.5
.5	917.7	462.7	917.7	462.7	2153.8	1085.9
.6	918.9	463.3	918.9	463.3	2152.5	1085.2
.7	920.2	463.9	920.2	463.9	2151.3	1084.6
.8	921.5	464.6	921.5	464.6	2150.0	1083.9
.9	922.8	465.2	922.8	465.2	2148.7	1083.3
3442.0	924.1	465.9	924.1	465.9	2147.4	1082.7
.1	925.3	466.5	925.3	466.5	2146.1	1082.0
.2	926.6	467.2	926.6	467.2	2144.9	1081.4
.3	927.9	467.8	927.9	467.8	2143.6	1080.7
.4	929.2	468.5	929.2	468.5	2142.3	1080.1
.5	930.5	469.1	930.5	469.1	2141.0	1079.4
.6	931.7	469.8	931.7	469.8	2139.7	1078.8
.7	933.0	470.4	933.0	470.4	2138.5	1078.1
.8	934.3	471.0	934.3	471.0	2137.2	1077.5
.9	935.6	471.7	935.6	471.7	2135.9	1076.8
3443.0	936.9	472.3	936.9	472.3	2134.6	1076.2
.1	938.2	473.0	938.2	473.0	2133.3	1075.6
.2	939.4	473.6	939.4	473.6	2132.1	1074.9
.3	940.7	474.3	940.7	474.3	2130.8	1074.3
.4	942.0	474.9	942.0	474.9	2129.5	1073.6
.5	943.3	475.6	943.3	475.6	2128.2	1073.0
.6	944.6	476.2	944.6	476.2	2126.9	1072.3
.7	945.8	476.9	945.8	476.9	2125.6	1071.7
.8	947.1	477.5	947.1	477.5	2124.4	1071.0
.9	948.4	478.1	948.4	478.1	2123.1	1070.4
3444.0	949.7	478.8	949.7	478.8	2121.8	1069.7
.1	951.0	479.4	951.0	479.4	2120.5	1069.1
.2	952.2	480.1	952.2	480.1	2119.2	1068.5
.3	953.5	480.7	953.5	480.7	2118.0	1067.8
.4	954.8	481.4	954.8	481.4	2116.7	1067.2
.5	956.1	482.0	956.1	482.0	2115.4	1066.5
.6	957.4	482.7	957.4	482.7	2114.1	1065.9
.7	958.6	483.3	958.6	483.3	2112.8	1065.2
.8	959.9	484.0	959.9	484.0	2111.6	1064.6
.9	961.2	484.6	961.2	484.6	2110.3	1063.9
3445.0	962.5	485.3	962.5	485.3	2109.0	1063.3
.1	963.8	485.9	963.8	485.9	2107.7	1062.6
.2	965.0	486.5	965.0	486.5	2106.4	1062.0
.3	966.3	487.2	966.3	487.2	2105.2	1061.3
.4	967.6	487.8	967.6	487.8	2103.9	1060.7
.5	968.9	488.5	968.9	488.5	2102.6	1060.1
.6	970.2	489.1	970.2	489.1	2101.3	1059.4
.7	971.4	489.8	971.4	489.8	2100.0	1058.8
.8	972.7	490.4	972.7	490.4	2098.8	1058.1
.9	974.0	491.1	974.0	491.1	2097.5	1057.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3446.0	975.3	491.7	975.3	491.7	2096.2	1056.8
.1	976.6	492.4	976.6	492.4	2094.9	1056.2
.2	977.9	493.0	977.9	493.0	2093.6	1055.5
.3	979.1	493.6	979.1	493.6	2092.3	1054.9
.4	980.4	494.3	980.4	494.3	2091.1	1054.2
.5	981.7	494.9	981.7	494.9	2089.8	1053.6
.6	983.0	495.6	983.0	495.6	2088.5	1053.0
.7	984.3	496.2	984.3	496.2	2087.2	1052.3
.8	985.5	496.9	985.5	496.9	2085.9	1051.7
.9	986.8	497.5	986.8	497.5	2084.7	1051.0
3447.0	988.1	498.2	988.1	498.2	2083.4	1050.4
.1	989.4	498.8	989.4	498.8	2082.1	1049.7
.2	990.7	499.5	990.7	499.5	2080.8	1049.1
.3	991.9	500.1	991.9	500.1	2079.5	1048.4
.4	993.2	500.7	993.2	500.7	2078.3	1047.8
.5	994.5	501.4	994.5	501.4	2077.0	1047.1
.6	995.8	502.0	995.8	502.0	2075.7	1046.5
.7	997.1	502.7	997.1	502.7	2074.4	1045.9
.8	998.3	503.3	998.3	503.3	2073.1	1045.2
.9	999.6	504.0	999.6	504.0	2071.9	1044.6
3448.0	1000.9	504.6	1000.9	504.6	2070.6	1043.9
.1	1002.2	505.3	1002.2	505.3	2069.3	1043.3
.2	1003.5	505.9	1003.5	505.9	2068.0	1042.6
.3	1004.7	506.6	1004.7	506.6	2066.7	1042.0
.4	1006.0	507.2	1006.0	507.2	2065.5	1041.3
.5	1007.3	507.9	1007.3	507.9	2064.2	1040.7
.6	1008.6	508.5	1008.6	508.5	2062.9	1040.0
.7	1009.9	509.1	1009.9	509.1	2061.6	1039.4
.8	1011.2	509.8	1011.2	509.8	2060.3	1038.8
.9	1012.4	510.4	1012.4	510.4	2059.1	1038.1
3449.0	1013.7	511.1	1013.7	511.1	2057.8	1037.5
.1	1015.0	511.7	1015.0	511.7	2056.5	1036.8
.2	1016.3	512.4	1016.3	512.4	2055.2	1036.2
.3	1017.6	513.0	1017.6	513.0	2053.9	1035.5
.4	1018.8	513.7	1018.8	513.7	2052.6	1034.9
.5	1020.1	514.3	1020.1	514.3	2051.4	1034.2
.6	1021.4	515.0	1021.4	515.0	2050.1	1033.6
.7	1022.7	515.6	1022.7	515.6	2048.8	1032.9
.8	1024.0	516.2	1024.0	516.2	2047.5	1032.3
.9	1025.2	516.9	1025.2	516.9	2046.2	1031.6
3450.0	1026.5	517.5	1026.5	517.5	2045.0	1031.0
.1	1027.8	518.2	1027.8	518.2	2043.7	1030.4
.2	1029.1	518.8	1029.1	518.8	2042.4	1029.7
.3	1030.4	519.5	1030.4	519.5	2041.1	1029.1
.4	1031.6	520.1	1031.6	520.1	2039.8	1028.4
.5	1032.9	520.8	1032.9	520.8	2038.6	1027.8
.6	1034.2	521.4	1034.2	521.4	2037.3	1027.1
.7	1035.5	522.1	1035.5	522.1	2036.0	1026.5
.8	1036.8	522.7	1036.8	522.7	2034.7	1025.8
.9	1038.0	523.3	1038.0	523.3	2033.4	1025.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3451.0	1039.3	524.0	1039.3	524.0	2032.2	1024.5
.1	1040.6	524.6	1040.6	524.6	2030.9	1023.9
.2	1041.9	525.3	1041.9	525.3	2029.6	1023.3
.3	1043.2	525.9	1043.2	525.9	2028.3	1022.6
.4	1044.4	526.6	1044.4	526.6	2027.0	1022.0
.5	1045.7	527.2	1045.7	527.2	2025.8	1021.3
.6	1047.0	527.9	1047.0	527.9	2024.5	1020.7
.7	1048.3	528.5	1048.3	528.5	2023.2	1020.0
.8	1049.6	529.2	1049.6	529.2	2021.9	1019.4
.9	1050.9	529.8	1050.9	529.8	2020.6	1018.7
3452.0	1052.1	530.5	1052.1	530.5	2019.4	1018.1
.1	1053.4	531.1	1053.4	531.1	2018.1	1017.4
.2	1054.7	531.7	1054.7	531.7	2016.8	1016.8
.3	1056.0	532.4	1056.0	532.4	2015.5	1016.2
.4	1057.3	533.0	1057.3	533.0	2014.2	1015.5
.5	1058.5	533.7	1058.5	533.7	2012.9	1014.9
.6	1059.8	534.3	1059.8	534.3	2011.7	1014.2
.7	1061.1	535.0	1061.1	535.0	2010.4	1013.6
.8	1062.4	535.6	1062.4	535.6	2009.1	1012.9
.9	1063.7	536.3	1063.7	536.3	2007.8	1012.3
3453.0	1064.9	536.9	1064.9	536.9	2006.5	1011.6
.1	1066.2	537.6	1066.2	537.6	2005.3	1011.0
.2	1067.5	538.2	1067.5	538.2	2004.0	1010.3
.3	1068.8	538.8	1068.8	538.8	2002.7	1009.7
.4	1070.1	539.5	1070.1	539.5	2001.4	1009.1
.5	1071.3	540.1	1071.3	540.1	2000.1	1008.4
.6	1072.6	540.8	1072.6	540.8	1998.9	1007.8
.7	1073.9	541.4	1073.9	541.4	1997.6	1007.1
.8	1075.2	542.1	1075.2	542.1	1996.3	1006.5
.9	1076.5	542.7	1076.5	542.7	1995.0	1005.8
3454.0	1077.7	543.4	1077.7	543.4	1993.7	1005.2
.1	1079.0	544.0	1079.0	544.0	1992.5	1004.5
.2	1080.3	544.7	1080.3	544.7	1991.2	1003.9
.3	1081.6	545.3	1081.6	545.3	1989.9	1003.2
.4	1082.9	545.9	1082.9	545.9	1988.6	1002.6
.5	1084.2	546.6	1084.2	546.6	1987.3	1001.9
.6	1085.4	547.2	1085.4	547.2	1986.1	1001.3
.7	1086.7	547.9	1086.7	547.9	1984.8	1000.7
.8	1088.0	548.5	1088.0	548.5	1983.5	1000.0
.9	1089.3	549.2	1089.3	549.2	1982.2	999.4
3455.0	1090.6	549.8	1090.6	549.8	1980.9	998.7
.1	1091.8	550.5	1091.8	550.5	1979.6	998.1
.2	1093.1	551.1	1093.1	551.1	1978.4	997.4
.3	1094.4	551.8	1094.4	551.8	1977.1	996.8
.4	1095.7	552.4	1095.7	552.4	1975.8	996.1
.5	1097.0	553.1	1097.0	553.1	1974.5	995.5
.6	1098.2	553.7	1098.2	553.7	1973.2	994.8
.7	1099.5	554.3	1099.5	554.3	1972.0	994.2
.8	1100.8	555.0	1100.8	555.0	1970.7	993.6
.9	1102.1	555.6	1102.1	555.6	1969.4	992.9

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE) | HUNGRY HORSE (3 % BANK STORAGE)

PAGE 25

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3456.0	1103.4	556.3	1103.4	556.3	1968.1	992.3
.1	1104.6	556.9	1104.6	556.9	1966.8	991.6
.2	1105.9	557.6	1105.9	557.6	1965.6	991.0
.3	1107.2	558.2	1107.2	558.2	1964.3	990.3
.4	1108.5	558.9	1108.5	558.9	1963.0	989.7
.5	1109.8	559.5	1109.8	559.5	1961.7	989.0
.6	1111.0	560.2	1111.0	560.2	1960.4	988.4
.7	1112.3	560.8	1112.3	560.8	1959.2	987.7
.8	1113.6	561.4	1113.6	561.4	1957.9	987.1
.9	1114.9	562.1	1114.9	562.1	1956.6	986.5
3457.0	1116.2	562.7	1116.2	562.7	1955.3	985.8
.1	1117.5	563.4	1117.5	563.4	1954.0	985.2
.2	1118.7	564.0	1118.7	564.0	1952.8	984.5
.3	1120.0	564.7	1120.0	564.7	1951.5	983.9
.4	1121.3	565.3	1121.3	565.3	1950.2	983.2
.5	1122.6	566.0	1122.6	566.0	1948.9	982.6
.6	1123.9	566.6	1123.9	566.6	1947.6	981.9
.7	1125.1	567.3	1125.1	567.3	1946.4	981.3
.8	1126.4	567.9	1126.4	567.9	1945.1	980.6
.9	1127.7	568.5	1127.7	568.5	1943.8	980.0
3458.0	1129.0	569.2	1129.0	569.2	1942.5	979.3
.1	1130.3	569.8	1130.3	569.8	1941.2	978.7
.2	1131.5	570.5	1131.5	570.5	1939.9	978.1
.3	1132.8	571.1	1132.8	571.1	1938.7	977.4
.4	1134.1	571.8	1134.1	571.8	1937.4	976.8
.5	1135.4	572.4	1135.4	572.4	1936.1	976.1
.6	1136.7	573.1	1136.7	573.1	1934.8	975.5
.7	1137.9	573.7	1137.9	573.7	1933.5	974.8
.8	1139.2	574.4	1139.2	574.4	1932.3	974.2
.9	1140.5	575.0	1140.5	575.0	1931.0	973.5
3459.0	1141.8	575.6	1141.8	575.6	1929.7	972.9
.1	1143.1	576.3	1143.1	576.3	1928.4	972.2
.2	1144.3	576.9	1144.3	576.9	1927.1	971.6
.3	1145.6	577.6	1145.6	577.6	1925.9	971.0
.4	1146.9	578.2	1146.9	578.2	1924.6	970.3
.5	1148.2	578.9	1148.2	578.9	1923.3	969.7
.6	1149.5	579.5	1149.5	579.5	1922.0	969.0
.7	1150.7	580.2	1150.7	580.2	1920.7	968.4
.8	1152.0	580.8	1152.0	580.8	1919.5	967.7
.9	1153.3	581.5	1153.3	581.5	1918.2	967.1
3460.0	1154.6	582.1	1154.6	582.1	1916.9	966.4
.1	1156.1	582.9	1156.1	582.9	1915.4	965.7
.2	1157.5	583.6	1157.5	583.6	1913.9	964.9
.3	1159.0	584.3	1159.0	584.3	1912.5	964.2
.4	1160.5	585.1	1160.5	585.1	1911.0	963.5
.5	1162.0	585.8	1162.0	585.8	1909.5	962.7
.6	1163.5	586.6	1163.5	586.6	1908.0	962.0
.7	1164.9	587.3	1164.9	587.3	1906.5	961.2
.8	1166.4	588.1	1166.4	588.1	1905.1	960.5
.9	1167.9	588.8	1167.9	588.8	1903.6	959.7

PAGE 26

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3461.0	1169.4	589.6	1169.4	589.6	1902.1	959.0
.1	1170.9	590.3	1170.9	590.3	1900.6	958.2
.2	1172.3	591.1	1172.3	591.1	1899.2	957.5
.3	1173.8	591.8	1173.8	591.8	1897.7	956.7
.4	1175.3	592.5	1175.3	592.5	1896.2	956.0
.5	1176.8	593.3	1176.8	593.3	1894.7	955.3
.6	1178.3	594.0	1178.3	594.0	1893.2	954.5
.7	1179.7	594.8	1179.7	594.8	1891.8	953.8
.8	1181.2	595.5	1181.2	595.5	1890.3	953.0
.9	1182.7	596.3	1182.7	596.3	1888.8	952.3
3462.0	1184.2	597.0	1184.2	597.0	1887.3	951.5
.1	1185.6	597.8	1185.6	597.8	1885.8	950.8
.2	1187.1	598.5	1187.1	598.5	1884.4	950.0
.3	1188.6	599.3	1188.6	599.3	1882.9	949.3
.4	1190.1	600.0	1190.1	600.0	1881.4	948.5
.5	1191.6	600.7	1191.6	600.7	1879.9	947.8
.6	1193.0	601.5	1193.0	601.5	1878.4	947.1
.7	1194.5	602.2	1194.5	602.2	1877.0	946.3
.8	1196.0	603.0	1196.0	603.0	1875.5	945.6
.9	1197.5	603.7	1197.5	603.7	1874.0	944.8
3463.0	1199.0	604.5	1199.0	604.5	1872.5	944.1
.1	1200.4	605.2	1200.4	605.2	1871.1	943.3
.2	1201.9	606.0	1201.9	606.0	1869.6	942.6
.3	1203.4	606.7	1203.4	606.7	1868.1	941.8
.4	1204.9	607.5	1204.9	607.5	1866.6	941.1
.5	1206.3	608.2	1206.3	608.2	1865.1	940.3
.6	1207.8	608.9	1207.8	608.9	1863.7	939.6
.7	1209.3	609.7	1209.3	609.7	1862.2	938.9
.8	1210.8	610.4	1210.8	610.4	1860.7	938.1
.9	1212.3	611.2	1212.3	611.2	1859.2	937.4
3464.0	1213.7	611.9	1213.7	611.9	1857.7	936.6
.1	1215.2	612.7	1215.2	612.7	1856.3	935.9
.2	1216.7	613.4	1216.7	613.4	1854.8	935.1
.3	1218.2	614.2	1218.2	614.2	1853.3	934.4
.4	1219.7	614.9	1219.7	614.9	1851.8	933.6
.5	1221.1	615.7	1221.1	615.7	1850.4	932.9
.6	1222.6	616.4	1222.6	616.4	1848.9	932.1
.7	1224.1	617.1	1224.1	617.1	1847.4	931.4
.8	1225.6	617.9	1225.6	617.9	1845.9	930.6
.9	1227.0	618.6	1227.0	618.6	1844.4	929.9
3465.0	1228.5	619.4	1228.5	619.4	1843.0	929.2
.1	1230.0	620.1	1230.0	620.1	1841.5	928.4
.2	1231.5	620.9	1231.5	620.9	1840.0	927.7
.3	1233.0	621.6	1233.0	621.6	1838.5	926.9
.4	1234.4	622.4	1234.4	622.4	1837.0	926.2
.5	1235.9	623.1	1235.9	623.1	1835.6	925.4
.6	1237.4	623.9	1237.4	623.9	1834.1	924.7
.7	1238.9	624.6	1238.9	624.6	1832.6	923.9
.8	1240.4	625.3	1240.4	625.3	1831.1	923.2
.9	1241.8	626.1	1241.8	626.1	1829.7	922.5

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3466.0	1243.3	626.8	1243.3	626.8	1828.2	921.7
.1	1244.8	627.6	1244.8	627.6	1826.7	921.0
.2	1246.3	628.3	1246.3	628.3	1825.2	920.2
.3	1247.7	629.1	1247.7	629.1	1823.7	919.5
.4	1249.2	629.8	1249.2	629.8	1822.3	918.7
.5	1250.7	630.6	1250.7	630.6	1820.8	918.0
.6	1252.2	631.3	1252.2	631.3	1819.3	917.2
.7	1253.7	632.1	1253.7	632.1	1817.8	916.5
.8	1255.1	632.8	1255.1	632.8	1816.3	915.7
.9	1256.6	633.5	1256.6	633.5	1814.9	915.0
3467.0	1258.1	634.3	1258.1	634.3	1813.4	914.2
.1	1259.6	635.0	1259.6	635.0	1811.9	913.5
.2	1261.1	635.8	1261.1	635.8	1810.4	912.8
.3	1262.5	636.5	1262.5	636.5	1808.9	912.0
.4	1264.0	637.3	1264.0	637.3	1807.5	911.3
.5	1265.5	638.0	1265.5	638.0	1806.0	910.5
.6	1267.0	638.8	1267.0	638.8	1804.5	909.8
.7	1268.4	639.5	1268.4	639.5	1803.0	909.0
.8	1269.9	640.3	1269.9	640.3	1801.6	908.3
.9	1271.4	641.0	1271.4	641.0	1800.1	907.5
3468.0	1272.9	641.7	1272.9	641.7	1798.6	906.8
.1	1274.4	642.5	1274.4	642.5	1797.1	906.0
.2	1275.8	643.2	1275.8	643.2	1795.6	905.3
.3	1277.3	644.0	1277.3	644.0	1794.2	904.6
.4	1278.8	644.7	1278.8	644.7	1792.7	903.8
.5	1280.3	645.5	1280.3	645.5	1791.2	903.1
.6	1281.8	646.2	1281.8	646.2	1789.7	902.3
.7	1283.2	647.0	1283.2	647.0	1788.2	901.6
.8	1284.7	647.7	1284.7	647.7	1786.8	900.8
.9	1286.2	648.5	1286.2	648.5	1785.3	900.1
3469.0	1287.7	649.2	1287.7	649.2	1783.8	899.3
.1	1289.2	649.9	1289.2	649.9	1782.3	898.6
.2	1290.6	650.7	1290.6	650.7	1780.9	897.8
.3	1292.1	651.4	1292.1	651.4	1779.4	897.1
.4	1293.6	652.2	1293.6	652.2	1777.9	896.4
.5	1295.1	652.9	1295.1	652.9	1776.4	895.6
.6	1296.5	653.7	1296.5	653.7	1774.9	894.9
.7	1298.0	654.4	1298.0	654.4	1773.5	894.1
.8	1299.5	655.2	1299.5	655.2	1772.0	893.4
.9	1301.0	655.9	1301.0	655.9	1770.5	892.6
3470.0	1302.5	656.7	1302.5	656.7	1769.0	891.9
.1	1303.9	657.4	1303.9	657.4	1767.5	891.1
.2	1305.4	658.1	1305.4	658.1	1766.1	890.4
.3	1306.9	658.9	1306.9	658.9	1764.6	889.6
.4	1308.4	659.6	1308.4	659.6	1763.1	888.9
.5	1309.9	660.4	1309.9	660.4	1761.6	888.2
.6	1311.3	661.1	1311.3	661.1	1760.2	887.4
.7	1312.8	661.9	1312.8	661.9	1758.7	886.7
.8	1314.3	662.6	1314.3	662.6	1757.2	885.9
.9	1315.8	663.4	1315.8	663.4	1755.7	885.2

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3471.0	1317.2	664.1	1317.2	664.1	1754.2	884.4
.1	1318.7	664.9	1318.7	664.9	1752.8	883.7
.2	1320.2	665.6	1320.2	665.6	1751.3	882.9
.3	1321.7	666.3	1321.7	666.3	1749.8	882.2
.4	1323.2	667.1	1323.2	667.1	1748.3	881.4
.5	1324.6	667.8	1324.6	667.8	1746.8	880.7
.6	1326.1	668.6	1326.1	668.6	1745.4	880.0
.7	1327.6	669.3	1327.6	669.3	1743.9	879.2
.8	1329.1	670.1	1329.1	670.1	1742.4	878.5
.9	1330.6	670.8	1330.6	670.8	1740.9	877.7
3472.0	1332.0	671.6	1332.0	671.6	1739.5	877.0
.1	1333.5	672.3	1333.5	672.3	1738.0	876.2
.2	1335.0	673.1	1335.0	673.1	1736.5	875.5
.3	1336.5	673.8	1336.5	673.8	1735.0	874.7
.4	1337.9	674.5	1337.9	674.5	1733.5	874.0
.5	1339.4	675.3	1339.4	675.3	1732.1	873.2
.6	1340.9	676.0	1340.9	676.0	1730.6	872.5
.7	1342.4	676.8	1342.4	676.8	1729.1	871.8
.8	1343.9	677.5	1343.9	677.5	1727.6	871.0
.9	1345.3	678.3	1345.3	678.3	1726.1	870.3
3473.0	1346.8	679.0	1346.8	679.0	1724.7	869.5
.1	1348.3	679.8	1348.3	679.8	1723.2	868.8
.2	1349.8	680.5	1349.8	680.5	1721.7	868.0
.3	1351.3	681.3	1351.3	681.3	1720.2	867.3
.4	1352.7	682.0	1352.7	682.0	1718.8	866.5
.5	1354.2	682.7	1354.2	682.7	1717.3	865.8
.6	1355.7	683.5	1355.7	683.5	1715.8	865.0
.7	1357.2	684.2	1357.2	684.2	1714.3	864.3
.8	1358.6	685.0	1358.6	685.0	1712.8	863.6
.9	1360.1	685.7	1360.1	685.7	1711.4	862.8
3474.0	1361.6	686.5	1361.6	686.5	1709.9	862.1
.1	1363.1	687.2	1363.1	687.2	1708.4	861.3
.2	1364.6	688.0	1364.6	688.0	1706.9	860.6
.3	1366.0	688.7	1366.0	688.7	1705.4	859.8
.4	1367.5	689.5	1367.5	689.5	1704.0	859.1
.5	1369.0	690.2	1369.0	690.2	1702.5	858.3
.6	1370.5	691.0	1370.5	691.0	1701.0	857.6
.7	1372.0	691.7	1372.0	691.7	1699.5	856.8
.8	1373.4	692.4	1373.4	692.4	1698.0	856.1
.9	1374.9	693.2	1374.9	693.2	1696.6	855.4
3475.0	1376.4	693.9	1376.4	693.9	1695.1	854.6
.1	1378.0	694.7	1378.0	694.7	1693.5	853.8
.2	1379.6	695.5	1379.6	695.5	1691.9	853.0
.3	1381.1	696.3	1381.1	696.3	1690.4	852.2
.4	1382.7	697.1	1382.7	697.1	1688.8	851.4
.5	1384.3	697.9	1384.3	697.9	1687.2	850.6
.6	1385.9	698.7	1385.9	698.7	1685.6	849.8
.7	1387.5	699.5	1387.5	699.5	1684.0	849.0
.8	1389.0	700.3	1389.0	700.3	1682.4	848.2
.9	1390.6	701.1	1390.6	701.1	1680.9	847.4

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3476.0	1392.2	701.9	1392.2	701.9	1679.3	846.6
.1	1393.8	702.7	1393.8	702.7	1677.7	845.8
.2	1395.4	703.5	1395.4	703.5	1676.1	845.0
.3	1396.9	704.3	1396.9	704.3	1674.5	844.3
.4	1398.5	705.1	1398.5	705.1	1673.0	843.5
.5	1400.1	705.9	1400.1	705.9	1671.4	842.7
.6	1401.7	706.7	1401.7	706.7	1669.8	841.9
.7	1403.3	707.5	1403.3	707.5	1668.2	841.1
.8	1404.8	708.3	1404.8	708.3	1666.6	840.3
.9	1406.4	709.1	1406.4	709.1	1665.1	839.5
3477.0	1408.0	709.9	1408.0	709.9	1663.5	838.7
.1	1409.6	710.7	1409.6	710.7	1661.9	837.9
.2	1411.2	711.5	1411.2	711.5	1660.3	837.1
.3	1412.7	712.3	1412.7	712.3	1658.7	836.3
.4	1414.3	713.1	1414.3	713.1	1657.2	835.5
.5	1415.9	713.8	1415.9	713.8	1655.6	834.7
.6	1417.5	714.6	1417.5	714.6	1654.0	833.9
.7	1419.1	715.4	1419.1	715.4	1652.4	833.1
.8	1420.6	716.2	1420.6	716.2	1650.8	832.3
.9	1422.2	717.0	1422.2	717.0	1649.3	831.5
3478.0	1423.8	717.8	1423.8	717.8	1647.7	830.7
.1	1425.4	718.6	1425.4	718.6	1646.1	829.9
.2	1427.0	719.4	1427.0	719.4	1644.5	829.1
.3	1428.5	720.2	1428.5	720.2	1642.9	828.3
.4	1430.1	721.0	1430.1	721.0	1641.4	827.5
.5	1431.7	721.8	1431.7	721.8	1639.8	826.7
.6	1433.3	722.6	1433.3	722.6	1638.2	825.9
.7	1434.9	723.4	1434.9	723.4	1636.6	825.1
.8	1436.4	724.2	1436.4	724.2	1635.0	824.3
.9	1438.0	725.0	1438.0	725.0	1633.5	823.5
3479.0	1439.6	725.8	1439.6	725.8	1631.9	822.7
.1	1441.2	726.6	1441.2	726.6	1630.3	821.9
.2	1442.8	727.4	1442.8	727.4	1628.7	821.1
.3	1444.3	728.2	1444.3	728.2	1627.1	820.3
.4	1445.9	729.0	1445.9	729.0	1625.6	819.6
.5	1447.5	729.8	1447.5	729.8	1624.0	818.8
.6	1449.1	730.6	1449.1	730.6	1622.4	818.0
.7	1450.7	731.4	1450.7	731.4	1620.8	817.2
.8	1452.2	732.2	1452.2	732.2	1619.2	816.4
.9	1453.8	733.0	1453.8	733.0	1617.7	815.6
3480.0	1455.4	733.8	1455.4	733.8	1616.1	814.8
.1	1457.1	734.6	1457.1	734.6	1614.4	813.9
.2	1458.8	735.5	1458.8	735.5	1612.7	813.1
.3	1460.5	736.3	1460.5	736.3	1611.0	812.2
.4	1462.1	737.2	1462.1	737.2	1609.3	811.4
.5	1463.8	738.0	1463.8	738.0	1607.7	810.5
.6	1465.5	738.9	1465.5	738.9	1606.0	809.7
.7	1467.2	739.7	1467.2	739.7	1604.3	808.8
.8	1468.9	740.6	1468.9	740.6	1602.6	808.0
.9	1470.6	741.4	1470.6	741.4	1600.9	807.1

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3481.0	1472.2	742.3	1472.2	742.3	1599.2	806.3
.1	1473.9	743.1	1473.9	743.1	1597.6	805.4
.2	1475.6	744.0	1475.6	744.0	1595.9	804.6
.3	1477.3	744.8	1477.3	744.8	1594.2	803.7
.4	1479.0	745.6	1479.0	745.6	1592.5	802.9
.5	1480.7	746.5	1480.7	746.5	1590.8	802.0
.6	1482.3	747.3	1482.3	747.3	1589.1	801.2
.7	1484.0	748.2	1484.0	748.2	1587.5	800.3
.8	1485.7	749.0	1485.7	749.0	1585.8	799.5
.9	1487.4	749.9	1487.4	749.9	1584.1	798.6
3482.0	1489.1	750.7	1489.1	750.7	1582.4	797.8
.1	1490.8	751.6	1490.8	751.6	1580.7	796.9
.2	1492.4	752.4	1492.4	752.4	1579.0	796.1
.3	1494.1	753.3	1494.1	753.3	1577.4	795.3
.4	1495.8	754.1	1495.8	754.1	1575.7	794.4
.5	1497.5	755.0	1497.5	755.0	1574.0	793.6
.6	1499.2	755.8	1499.2	755.8	1572.3	792.7
.7	1500.9	756.7	1500.9	756.7	1570.6	791.9
.8	1502.5	757.5	1502.5	757.5	1568.9	791.0
.9	1504.2	758.4	1504.2	758.4	1567.3	790.2
3483.0	1505.9	759.2	1505.9	759.2	1565.6	789.3
.1	1507.6	760.1	1507.6	760.1	1563.9	788.5
.2	1509.3	760.9	1509.3	760.9	1562.2	787.6
.3	1511.0	761.8	1511.0	761.8	1560.5	786.8
.4	1512.6	762.6	1512.6	762.6	1558.8	785.9
.5	1514.3	763.5	1514.3	763.5	1557.2	785.1
.6	1516.0	764.3	1516.0	764.3	1555.5	784.2
.7	1517.7	765.2	1517.7	765.2	1553.8	783.4
.8	1519.4	766.0	1519.4	766.0	1552.1	782.5
.9	1521.1	766.9	1521.1	766.9	1550.4	781.7
3484.0	1522.7	767.7	1522.7	767.7	1548.7	780.8
.1	1524.4	768.6	1524.4	768.6	1547.1	780.0
.2	1526.1	769.4	1526.1	769.4	1545.4	779.1
.3	1527.8	770.3	1527.8	770.3	1543.7	778.3
.4	1529.5	771.1	1529.5	771.1	1542.0	777.4
.5	1531.2	772.0	1531.2	772.0	1540.3	776.6
.6	1532.8	772.8	1532.8	772.8	1538.6	775.7
.7	1534.5	773.7	1534.5	773.7	1537.0	774.9
.8	1536.2	774.5	1536.2	774.5	1535.3	774.0
.9	1537.9	775.4	1537.9	775.4	1533.6	773.2
3485.0	1539.6	776.2	1539.6	776.2	1531.9	772.3
.1	1541.3	777.1	1541.3	777.1	1530.2	771.5
.2	1542.9	777.9	1542.9	777.9	1528.5	770.6
.3	1544.6	778.8	1544.6	778.8	1526.9	769.8
.4	1546.3	779.6	1546.3	779.6	1525.2	768.9
.5	1548.0	780.4	1548.0	780.4	1523.5	768.1
.6	1549.7	781.3	1549.7	781.3	1521.8	767.2
.7	1551.4	782.1	1551.4	782.1	1520.1	766.4
.8	1553.0	783.0	1553.0	783.0	1518.4	765.5
.9	1554.7	783.8	1554.7	783.8	1516.8	764.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3486.0	1556.4	784.7	1556.4	784.7	1515.1	763.8
.1	1558.1	785.5	1558.1	785.5	1513.4	763.0
.2	1559.8	786.4	1559.8	786.4	1511.7	762.2
.3	1561.5	787.2	1561.5	787.2	1510.0	761.3
.4	1563.1	788.1	1563.1	788.1	1508.3	760.5
.5	1564.8	788.9	1564.8	788.9	1506.7	759.6
.6	1566.5	789.8	1566.5	789.8	1505.0	758.8
.7	1568.2	790.6	1568.2	790.6	1503.3	757.9
.8	1569.9	791.5	1569.9	791.5	1501.6	757.1
.9	1571.6	792.3	1571.6	792.3	1499.9	756.2
3487.0	1573.2	793.2	1573.2	793.2	1498.2	755.4
.1	1574.9	794.0	1574.9	794.0	1496.6	754.5
.2	1576.6	794.9	1576.6	794.9	1494.9	753.7
.3	1578.3	795.7	1578.3	795.7	1493.2	752.8
.4	1580.0	796.6	1580.0	796.6	1491.5	752.0
.5	1581.7	797.4	1581.7	797.4	1489.8	751.1
.6	1583.3	798.3	1583.3	798.3	1488.1	750.3
.7	1585.0	799.1	1585.0	799.1	1486.5	749.4
.8	1586.7	800.0	1586.7	800.0	1484.8	748.6
.9	1588.4	800.8	1588.4	800.8	1483.1	747.7
3488.0	1590.1	801.7	1590.1	801.7	1481.4	746.9
.1	1591.8	802.5	1591.8	802.5	1479.7	746.0
.2	1593.4	803.4	1593.4	803.4	1478.0	745.2
.3	1595.1	804.2	1595.1	804.2	1476.4	744.3
.4	1596.8	805.1	1596.8	805.1	1474.7	743.5
.5	1598.5	805.9	1598.5	805.9	1473.0	742.6
.6	1600.2	806.8	1600.2	806.8	1471.3	741.8
.7	1601.9	807.6	1601.9	807.6	1469.6	740.9
.8	1603.5	808.5	1603.5	808.5	1467.9	740.1
.9	1605.2	809.3	1605.2	809.3	1466.3	739.2
3489.0	1606.9	810.2	1606.9	810.2	1464.6	738.4
.1	1608.6	811.0	1608.6	811.0	1462.9	737.5
.2	1610.3	811.8	1610.3	811.8	1461.2	736.7
.3	1612.0	812.7	1612.0	812.7	1459.5	735.8
.4	1613.6	813.5	1613.6	813.5	1457.8	735.0
.5	1615.3	814.4	1615.3	814.4	1456.2	734.1
.6	1617.0	815.2	1617.0	815.2	1454.5	733.3
.7	1618.7	816.1	1618.7	816.1	1452.8	732.4
.8	1620.4	816.9	1620.4	816.9	1451.1	731.6
.9	1622.1	817.8	1622.1	817.8	1449.4	730.7
3490.0	1623.7	818.6	1623.7	818.6	1447.7	729.9
.1	1625.4	819.5	1625.4	819.5	1446.1	729.1
.2	1627.1	820.3	1627.1	820.3	1444.4	728.2
.3	1628.8	821.2	1628.8	821.2	1442.7	727.4
.4	1630.5	822.0	1630.5	822.0	1441.0	726.5
.5	1632.2	822.9	1632.2	822.9	1439.3	725.7
.6	1633.9	823.7	1633.9	823.7	1437.6	724.8
.7	1635.5	824.6	1635.5	824.6	1436.0	724.0
.8	1637.2	825.4	1637.2	825.4	1434.3	723.1
.9	1638.9	826.3	1638.9	826.3	1432.6	722.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3491.0	1640.6	827.1	1640.6	827.1	1430.9	721.4
.1	1642.3	828.0	1642.3	828.0	1429.2	720.6
.2	1643.9	828.8	1643.9	828.8	1427.5	719.7
.3	1645.6	829.7	1645.6	829.7	1425.9	718.9
.4	1647.3	830.5	1647.3	830.5	1424.2	718.0
.5	1649.0	831.4	1649.0	831.4	1422.5	717.2
.6	1650.7	832.2	1650.7	832.2	1420.8	716.3
.7	1652.4	833.1	1652.4	833.1	1419.1	715.5
.8	1654.1	833.9	1654.1	833.9	1417.4	714.6
.9	1655.7	834.8	1655.7	834.8	1415.8	713.8
3492.0	1657.4	835.6	1657.4	835.6	1414.1	712.9
.1	1659.1	836.5	1659.1	836.5	1412.4	712.1
.2	1660.8	837.3	1660.8	837.3	1410.7	711.2
.3	1662.5	838.2	1662.5	838.2	1409.0	710.4
.4	1664.1	839.0	1664.1	839.0	1407.3	709.5
.5	1665.8	839.9	1665.8	839.9	1405.7	708.7
.6	1667.5	840.7	1667.5	840.7	1404.0	707.8
.7	1669.2	841.6	1669.2	841.6	1402.3	707.0
.8	1670.9	842.4	1670.9	842.4	1400.6	706.1
.9	1672.6	843.3	1672.6	843.3	1398.9	705.3
3493.0	1674.3	844.1	1674.3	844.1	1397.2	704.4
.1	1675.9	845.0	1675.9	845.0	1395.5	703.6
.2	1677.6	845.8	1677.6	845.8	1393.9	702.7
.3	1679.3	846.6	1679.3	846.6	1392.2	701.9
.4	1681.0	847.5	1681.0	847.5	1390.5	701.0
.5	1682.7	848.3	1682.7	848.3	1388.8	700.2
.6	1684.4	849.2	1684.4	849.2	1387.1	699.3
.7	1686.0	850.0	1686.0	850.0	1385.5	698.5
.8	1687.7	850.9	1687.7	850.9	1383.8	697.6
.9	1689.4	851.7	1689.4	851.7	1382.1	696.8
3494.0	1691.1	852.6	1691.1	852.6	1380.4	696.0
.1	1692.8	853.4	1692.8	853.4	1378.7	695.1
.2	1694.5	854.3	1694.5	854.3	1377.0	694.3
.3	1696.1	855.1	1696.1	855.1	1375.3	693.4
.4	1697.8	856.0	1697.8	856.0	1373.7	692.6
.5	1699.5	856.8	1699.5	856.8	1372.0	691.7
.6	1701.2	857.7	1701.2	857.7	1370.3	690.9
.7	1702.9	858.5	1702.9	858.5	1368.6	690.0
.8	1704.6	859.4	1704.6	859.4	1366.9	689.2
.9	1706.2	860.2	1706.2	860.2	1365.3	688.3
3495.0	1707.9	861.1	1707.9	861.1	1363.6	687.5
.1	1709.6	861.9	1709.6	861.9	1361.9	686.6
.2	1711.3	862.8	1711.3	862.8	1360.2	685.8
.3	1713.0	863.6	1713.0	863.6	1358.5	684.9
.4	1714.7	864.5	1714.7	864.5	1356.8	684.1
.5	1716.3	865.3	1716.3	865.3	1355.1	683.2
.6	1718.0	866.2	1718.0	866.2	1353.5	682.4
.7	1719.7	867.0	1719.7	867.0	1351.8	681.5
.8	1721.4	867.9	1721.4	867.9	1350.1	680.7
.9	1723.1	868.7	1723.1	868.7	1348.4	679.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3496.0	1724.8	869.6	1724.8	869.6	1346.7	679.0
.1	1726.4	870.4	1726.4	870.4	1345.0	678.1
.2	1728.1	871.3	1728.1	871.3	1343.4	677.3
.3	1729.8	872.1	1729.8	872.1	1341.7	676.4
.4	1731.5	873.0	1731.5	873.0	1340.0	675.6
.5	1733.2	873.8	1733.2	873.8	1338.3	674.7
.6	1734.9	874.7	1734.9	874.7	1336.6	673.9
.7	1736.5	875.5	1736.5	875.5	1334.9	673.0
.8	1738.2	876.4	1738.2	876.4	1333.3	672.2
.9	1739.9	877.2	1739.9	877.2	1331.6	671.3
3497.0	1741.6	878.1	1741.6	878.1	1329.9	670.5
.1	1743.3	878.9	1743.3	878.9	1328.2	669.6
.2	1745.0	879.7	1745.0	879.7	1326.5	668.8
.3	1746.6	880.6	1746.6	880.6	1324.8	667.9
.4	1748.3	881.4	1748.3	881.4	1323.2	667.1
.5	1750.0	882.3	1750.0	882.3	1321.5	666.2
.6	1751.7	883.1	1751.7	883.1	1319.8	665.4
.7	1753.4	884.0	1753.4	884.0	1318.1	664.5
.8	1755.1	884.8	1755.1	884.8	1316.4	663.7
.9	1756.7	885.7	1756.7	885.7	1314.7	662.9
3498.0	1758.4	886.5	1758.4	886.5	1313.1	662.0
.1	1760.1	887.4	1760.1	887.4	1311.4	661.2
.2	1761.8	888.2	1761.8	888.2	1309.7	660.3
.3	1763.5	889.1	1763.5	889.1	1308.0	659.5
.4	1765.2	889.9	1765.2	889.9	1306.3	658.6
.5	1766.8	890.8	1766.8	890.8	1304.6	657.8
.6	1768.5	891.6	1768.5	891.6	1303.0	656.9
.7	1770.2	892.5	1770.2	892.5	1301.3	656.1
.8	1771.9	893.3	1771.9	893.3	1299.6	655.2
.9	1773.6	894.2	1773.6	894.2	1297.9	654.4
3499.0	1775.3	895.0	1775.3	895.0	1296.2	653.5
.1	1776.9	895.9	1776.9	895.9	1294.5	652.7
.2	1778.6	896.7	1778.6	896.7	1292.9	651.8
.3	1780.3	897.6	1780.3	897.6	1291.2	651.0
.4	1782.0	898.4	1782.0	898.4	1289.5	650.1
.5	1783.7	899.3	1783.7	899.3	1287.8	649.3
.6	1785.4	900.1	1785.4	900.1	1286.1	648.4
.7	1787.0	901.0	1787.0	901.0	1284.4	647.6
.8	1788.7	901.8	1788.7	901.8	1282.8	646.7
.9	1790.4	902.7	1790.4	902.7	1281.1	645.9
3500.0	1792.1	903.5	1792.1	903.5	1279.4	645.0
.1	1794.0	904.5	1794.0	904.5	1277.5	644.1
.2	1795.9	905.5	1795.9	905.5	1275.5	643.1
.3	1797.9	906.4	1797.9	906.4	1273.6	642.1
.4	1799.8	907.4	1799.8	907.4	1271.7	641.1
.5	1801.7	908.4	1801.7	908.4	1269.8	640.2
.6	1803.6	909.3	1803.6	909.3	1267.8	639.2
.7	1805.6	910.3	1805.6	910.3	1265.9	638.2
.8	1807.5	911.3	1807.5	911.3	1264.0	637.3
.9	1809.4	912.2	1809.4	912.2	1262.1	636.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3501.0	1811.3	913.2	1811.3	913.2	1260.2	635.3
.1	1813.3	914.2	1813.3	914.2	1258.2	634.4
.2	1815.2	915.2	1815.2	915.2	1256.3	633.4
.3	1817.1	916.1	1817.1	916.1	1254.4	632.4
.4	1819.0	917.1	1819.0	917.1	1252.5	631.4
.5	1821.0	918.1	1821.0	918.1	1250.5	630.5
.6	1822.9	919.0	1822.9	919.0	1248.6	629.5
.7	1824.8	920.0	1824.8	920.0	1246.7	628.5
.8	1826.7	921.0	1826.7	921.0	1244.8	627.6
.9	1828.7	921.9	1828.7	921.9	1242.8	626.6
3502.0	1830.6	922.9	1830.6	922.9	1240.9	625.6
.1	1832.5	923.9	1832.5	923.9	1239.0	624.7
.2	1834.4	924.9	1834.4	924.9	1237.1	623.7
.3	1836.4	925.8	1836.4	925.8	1235.1	622.7
.4	1838.3	926.8	1838.3	926.8	1233.2	621.7
.5	1840.2	927.8	1840.2	927.8	1231.3	620.8
.6	1842.1	928.7	1842.1	928.7	1229.4	619.8
.7	1844.0	929.7	1844.0	929.7	1227.4	618.8
.8	1846.0	930.7	1846.0	930.7	1225.5	617.9
.9	1847.9	931.6	1847.9	931.6	1223.6	616.9
3503.0	1849.8	932.6	1849.8	932.6	1221.7	615.9
.1	1851.7	933.6	1851.7	933.6	1219.7	615.0
.2	1853.7	934.6	1853.7	934.6	1217.8	614.0
.3	1855.6	935.5	1855.6	935.5	1215.9	613.0
.4	1857.5	936.5	1857.5	936.5	1214.0	612.0
.5	1859.4	937.5	1859.4	937.5	1212.0	611.1
.6	1861.4	938.4	1861.4	938.4	1210.1	610.1
.7	1863.3	939.4	1863.3	939.4	1208.2	609.1
.8	1865.2	940.4	1865.2	940.4	1206.3	608.2
.9	1867.1	941.3	1867.1	941.3	1204.3	607.2
3504.0	1869.1	942.3	1869.1	942.3	1202.4	606.2
.1	1871.0	943.3	1871.0	943.3	1200.5	605.2
.2	1872.9	944.3	1872.9	944.3	1198.6	604.3
.3	1874.8	945.2	1874.8	945.2	1196.6	603.3
.4	1876.8	946.2	1876.8	946.2	1194.7	602.3
.5	1878.7	947.2	1878.7	947.2	1192.8	601.4
.6	1880.6	948.1	1880.6	948.1	1190.9	600.4
.7	1882.5	949.1	1882.5	949.1	1188.9	599.4
.8	1884.5	950.1	1884.5	950.1	1187.0	598.5
.9	1886.4	951.1	1886.4	951.1	1185.1	597.5
3505.0	1888.3	952.0	1888.3	952.0	1183.2	596.5
.1	1890.2	953.0	1890.2	953.0	1181.2	595.5
.2	1892.2	954.0	1892.2	954.0	1179.3	594.6
.3	1894.1	954.9	1894.1	954.9	1177.4	593.6
.4	1896.0	955.9	1896.0	955.9	1175.5	592.6
.5	1897.9	956.9	1897.9	956.9	1173.6	591.7
.6	1899.9	957.8	1899.9	957.8	1171.6	590.7
.7	1901.8	958.8	1901.8	958.8	1169.7	589.7
.8	1903.7	959.8	1903.7	959.8	1167.8	588.8
.9	1905.6	960.8	1905.6	960.8	1165.9	587.8

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3506.0	1907.6	961.7	1907.6	961.7	1163.9	586.8
.1	1909.5	962.7	1909.5	962.7	1162.0	585.8
.2	1911.4	963.7	1911.4	963.7	1160.1	584.9
.3	1913.3	964.6	1913.3	964.6	1158.2	583.9
.4	1915.2	965.6	1915.2	965.6	1156.2	582.9
.5	1917.2	966.6	1917.2	966.6	1154.3	582.0
.6	1919.1	967.5	1919.1	967.5	1152.4	581.0
.7	1921.0	968.5	1921.0	968.5	1150.5	580.0
.8	1922.9	969.5	1922.9	969.5	1148.5	579.1
.9	1924.9	970.5	1924.9	970.5	1146.6	578.1
3507.0	1926.8	971.4	1926.8	971.4	1144.7	577.1
.1	1928.7	972.4	1928.7	972.4	1142.8	576.1
.2	1930.6	973.4	1930.6	973.4	1140.8	575.2
.3	1932.6	974.3	1932.6	974.3	1138.9	574.2
.4	1934.5	975.3	1934.5	975.3	1137.0	573.2
.5	1936.4	976.3	1936.4	976.3	1135.1	572.3
.6	1938.3	977.2	1938.3	977.2	1133.1	571.3
.7	1940.3	978.2	1940.3	978.2	1131.2	570.3
.8	1942.2	979.2	1942.2	979.2	1129.3	569.4
.9	1944.1	980.2	1944.1	980.2	1127.4	568.4
3508.0	1946.0	981.1	1946.0	981.1	1125.4	567.4
.1	1948.0	982.1	1948.0	982.1	1123.5	566.4
.2	1949.9	983.1	1949.9	983.1	1121.6	565.5
.3	1951.8	984.0	1951.8	984.0	1119.7	564.5
.4	1953.7	985.0	1953.7	985.0	1117.7	563.5
.5	1955.7	986.0	1955.7	986.0	1115.8	562.6
.6	1957.6	987.0	1957.6	987.0	1113.9	561.6
.7	1959.5	987.9	1959.5	987.9	1112.0	560.6
.8	1961.4	988.9	1961.4	988.9	1110.0	559.6
.9	1963.4	989.9	1963.4	989.9	1108.1	558.7
3509.0	1965.3	990.8	1965.3	990.8	1106.2	557.7
.1	1967.2	991.8	1967.2	991.8	1104.3	556.7
.2	1969.1	992.8	1969.1	992.8	1102.4	555.8
.3	1971.1	993.7	1971.1	993.7	1100.4	554.8
.4	1973.0	994.7	1973.0	994.7	1098.5	553.8
.5	1974.9	995.7	1974.9	995.7	1096.6	552.9
.6	1976.8	996.7	1976.8	996.7	1094.7	551.9
.7	1978.8	997.6	1978.8	997.6	1092.7	550.9
.8	1980.7	998.6	1980.7	998.6	1090.8	549.9
.9	1982.6	999.6	1982.6	999.6	1088.9	549.0
3510.0	1984.5	1000.5	1984.5	1000.5	1087.0	548.0
.1	1986.5	1001.5	1986.5	1001.5	1085.0	547.0
.2	1988.4	1002.5	1988.4	1002.5	1083.1	546.1
.3	1990.3	1003.4	1990.3	1003.4	1081.2	545.1
.4	1992.2	1004.4	1992.2	1004.4	1079.3	544.1
.5	1994.1	1005.4	1994.1	1005.4	1077.3	543.2
.6	1996.1	1006.4	1996.1	1006.4	1075.4	542.2
.7	1998.0	1007.3	1998.0	1007.3	1073.5	541.2
.8	1999.9	1008.3	1999.9	1008.3	1071.6	540.2
.9	2001.8	1009.3	2001.8	1009.3	1069.6	539.3

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3511.0	2003.8	1010.2	2003.8	1010.2	1067.7	538.3
.1	2005.7	1011.2	2005.7	1011.2	1065.8	537.3
.2	2007.6	1012.2	2007.6	1012.2	1063.9	536.4
.3	2009.5	1013.1	2009.5	1013.1	1061.9	535.4
.4	2011.5	1014.1	2011.5	1014.1	1060.0	534.4
.5	2013.4	1015.1	2013.4	1015.1	1058.1	533.5
.6	2015.3	1016.1	2015.3	1016.1	1056.2	532.5
.7	2017.2	1017.0	2017.2	1017.0	1054.2	531.5
.8	2019.2	1018.0	2019.2	1018.0	1052.3	530.5
.9	2021.1	1019.0	2021.1	1019.0	1050.4	529.6
3512.0	2023.0	1019.9	2023.0	1019.9	1048.5	528.6
.1	2024.9	1020.9	2024.9	1020.9	1046.5	527.6
.2	2026.9	1021.9	2026.9	1021.9	1044.6	526.7
.3	2028.8	1022.8	2028.8	1022.8	1042.7	525.7
.4	2030.7	1023.8	2030.7	1023.8	1040.8	524.7
.5	2032.6	1024.8	2032.6	1024.8	1038.8	523.8
.6	2034.6	1025.8	2034.6	1025.8	1036.9	522.8
.7	2036.5	1026.7	2036.5	1026.7	1035.0	521.8
.8	2038.4	1027.7	2038.4	1027.7	1033.1	520.8
.9	2040.3	1028.7	2040.3	1028.7	1031.2	519.9
3513.0	2042.3	1029.6	2042.3	1029.6	1029.2	518.9
.1	2044.2	1030.6	2044.2	1030.6	1027.3	517.9
.2	2046.1	1031.6	2046.1	1031.6	1025.4	517.0
.3	2048.0	1032.5	2048.0	1032.5	1023.5	516.0
.4	2050.0	1033.5	2050.0	1033.5	1021.5	515.0
.5	2051.9	1034.5	2051.9	1034.5	1019.6	514.1
.6	2053.8	1035.5	2053.8	1035.5	1017.7	513.1
.7	2055.7	1036.4	2055.7	1036.4	1015.8	512.1
.8	2057.7	1037.4	2057.7	1037.4	1013.8	511.1
.9	2059.6	1038.4	2059.6	1038.4	1011.9	510.2
3514.0	2061.5	1039.3	2061.5	1039.3	1010.0	509.2
.1	2063.4	1040.3	2063.4	1040.3	1008.1	508.2
.2	2065.3	1041.3	2065.3	1041.3	1006.1	507.3
.3	2067.3	1042.3	2067.3	1042.3	1004.2	506.3
.4	2069.2	1043.2	2069.2	1043.2	1002.3	505.3
.5	2071.1	1044.2	2071.1	1044.2	1000.4	504.3
.6	2073.1	1045.2	2073.1	1045.2	998.4	503.4
.7	2075.0	1046.1	2075.0	1046.1	996.5	502.4
.8	2076.9	1047.1	2076.9	1047.1	994.6	501.4
.9	2078.8	1048.1	2078.8	1048.1	992.7	500.5
3515.0	2080.7	1049.0	2080.7	1049.0	990.7	499.5
.1	2082.7	1050.0	2082.7	1050.0	988.8	498.5
.2	2084.6	1051.0	2084.6	1051.0	986.9	497.6
.3	2086.5	1052.0	2086.5	1052.0	985.0	496.6
.4	2088.4	1052.9	2088.4	1052.9	983.0	495.6
.5	2090.4	1053.9	2090.4	1053.9	981.1	494.6
.6	2092.3	1054.9	2092.3	1054.9	979.2	493.7
.7	2094.2	1055.8	2094.2	1055.8	977.3	492.7
.8	2096.1	1056.8	2096.1	1056.8	975.3	491.7
.9	2098.1	1057.8	2098.1	1057.8	973.4	490.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3516.0	2100.0	1058.7	2100.0	1058.7	971.5	489.8
.1	2101.9	1059.7	2101.9	1059.7	969.6	488.8
.2	2103.8	1060.7	2103.8	1060.7	967.6	487.9
.3	2105.8	1061.7	2105.8	1061.7	965.7	486.9
.4	2107.7	1062.6	2107.7	1062.6	963.8	485.9
.5	2109.6	1063.6	2109.6	1063.6	961.9	484.9
.6	2111.5	1064.6	2111.5	1064.6	959.9	484.0
.7	2113.5	1065.5	2113.5	1065.5	958.0	483.0
.8	2115.4	1066.5	2115.4	1066.5	956.1	482.0
.9	2117.3	1067.5	2117.3	1067.5	954.2	481.1
3517.0	2119.2	1068.4	2119.2	1068.4	952.3	480.1
.1	2121.2	1069.4	2121.2	1069.4	950.3	479.1
.2	2123.1	1070.4	2123.1	1070.4	948.4	478.2
.3	2125.0	1071.4	2125.0	1071.4	946.5	477.2
.4	2126.9	1072.3	2126.9	1072.3	944.6	476.2
.5	2128.9	1073.3	2128.9	1073.3	942.6	475.2
.6	2130.8	1074.3	2130.8	1074.3	940.7	474.3
.7	2132.7	1075.2	2132.7	1075.2	938.8	473.3
.8	2134.6	1076.2	2134.6	1076.2	936.9	472.3
.9	2136.6	1077.2	2136.6	1077.2	934.9	471.4
3518.0	2138.5	1078.1	2138.5	1078.1	933.0	470.4
.1	2140.4	1079.1	2140.4	1079.1	931.1	469.4
.2	2142.3	1080.1	2142.3	1080.1	929.2	468.5
.3	2144.3	1081.1	2144.3	1081.1	927.2	467.5
.4	2146.2	1082.0	2146.2	1082.0	925.3	466.5
.5	2148.1	1083.0	2148.1	1083.0	923.4	465.5
.6	2150.0	1084.0	2150.0	1084.0	921.5	464.6
.7	2151.9	1084.9	2151.9	1084.9	919.5	463.6
.8	2153.9	1085.9	2153.9	1085.9	917.6	462.6
.9	2155.8	1086.9	2155.8	1086.9	915.7	461.7
3519.0	2157.7	1087.9	2157.7	1087.9	913.8	460.7
.1	2159.6	1088.8	2159.6	1088.8	911.8	459.7
.2	2161.6	1089.8	2161.6	1089.8	909.9	458.7
.3	2163.5	1090.8	2163.5	1090.8	908.0	457.8
.4	2165.4	1091.7	2165.4	1091.7	906.1	456.8
.5	2167.3	1092.7	2167.3	1092.7	904.1	455.8
.6	2169.3	1093.7	2169.3	1093.7	902.2	454.9
.7	2171.2	1094.6	2171.2	1094.6	900.3	453.9
.8	2173.1	1095.6	2173.1	1095.6	898.4	452.9
.9	2175.0	1096.6	2175.0	1096.6	896.4	452.0
3520.0	2177.0	1097.6	2177.0	1097.6	894.5	451.0
.1	2179.1	1098.6	2179.1	1098.6	892.4	449.9
.2	2181.2	1099.7	2181.2	1099.7	890.3	448.8
.3	2183.4	1100.8	2183.4	1100.8	888.1	447.8
.4	2185.5	1101.8	2185.5	1101.8	886.0	446.7
.5	2187.6	1102.9	2187.6	1102.9	883.9	445.6
.6	2189.7	1104.0	2189.7	1104.0	881.7	444.5
.7	2191.9	1105.1	2191.9	1105.1	879.6	443.5
.8	2194.0	1106.1	2194.0	1106.1	877.5	442.4
.9	2196.1	1107.2	2196.1	1107.2	875.4	441.3

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3521.0	2198.3	1108.3	2198.3	1108.3	873.2	440.2
.1	2200.4	1109.4	2200.4	1109.4	871.1	439.2
.2	2202.5	1110.4	2202.5	1110.4	869.0	438.1
.3	2204.7	1111.5	2204.7	1111.5	866.8	437.0
.4	2206.8	1112.6	2206.8	1112.6	864.7	436.0
.5	2208.9	1113.7	2208.9	1113.7	862.6	434.9
.6	2211.0	1114.7	2211.0	1114.7	860.4	433.8
.7	2213.2	1115.8	2213.2	1115.8	858.3	432.7
.8	2215.3	1116.9	2215.3	1116.9	856.2	431.7
.9	2217.4	1118.0	2217.4	1118.0	854.0	430.6
3522.0	2219.6	1119.0	2219.6	1119.0	851.9	429.5
.1	2221.7	1120.1	2221.7	1120.1	849.8	428.4
.2	2223.8	1121.2	2223.8	1121.2	847.7	427.4
.3	2226.0	1122.3	2226.0	1122.3	845.5	426.3
.4	2228.1	1123.3	2228.1	1123.3	843.4	425.2
.5	2230.2	1124.4	2230.2	1124.4	841.3	424.1
.6	2232.4	1125.5	2232.4	1125.5	839.1	423.1
.7	2234.5	1126.5	2234.5	1126.5	837.0	422.0
.8	2236.6	1127.6	2236.6	1127.6	834.9	420.9
.9	2238.7	1128.7	2238.7	1128.7	832.7	419.8
3523.0	2240.9	1129.8	2240.9	1129.8	830.6	418.8
.1	2243.0	1130.8	2243.0	1130.8	828.5	417.7
.2	2245.1	1131.9	2245.1	1131.9	826.4	416.6
.3	2247.3	1133.0	2247.3	1133.0	824.2	415.5
.4	2249.4	1134.1	2249.4	1134.1	822.1	414.5
.5	2251.5	1135.1	2251.5	1135.1	820.0	413.4
.6	2253.7	1136.2	2253.7	1136.2	817.8	412.3
.7	2255.8	1137.3	2255.8	1137.3	815.7	411.3
.8	2257.9	1138.4	2257.9	1138.4	813.6	410.2
.9	2260.0	1139.4	2260.0	1139.4	811.4	409.1
3524.0	2262.2	1140.5	2262.2	1140.5	809.3	408.0
.1	2264.3	1141.6	2264.3	1141.6	807.2	407.0
.2	2266.4	1142.7	2266.4	1142.7	805.1	405.9
.3	2268.6	1143.7	2268.6	1143.7	802.9	404.8
.4	2270.7	1144.8	2270.7	1144.8	800.8	403.7
.5	2272.8	1145.9	2272.8	1145.9	798.7	402.7
.6	2275.0	1147.0	2275.0	1147.0	796.5	401.6
.7	2277.1	1148.0	2277.1	1148.0	794.4	400.5
.8	2279.2	1149.1	2279.2	1149.1	792.3	399.4
.9	2281.3	1150.2	2281.3	1150.2	790.1	398.4
3525.0	2283.5	1151.3	2283.5	1151.3	788.0	397.3
.1	2285.6	1152.3	2285.6	1152.3	785.9	396.2
.2	2287.7	1153.4	2287.7	1153.4	783.8	395.1
.3	2289.9	1154.5	2289.9	1154.5	781.6	394.1
.4	2292.0	1155.5	2292.0	1155.5	779.5	393.0
.5	2294.1	1156.6	2294.1	1156.6	777.4	391.9
.6	2296.3	1157.7	2296.3	1157.7	775.2	390.8
.7	2298.4	1158.8	2298.4	1158.8	773.1	389.8
.8	2300.5	1159.8	2300.5	1159.8	771.0	388.7
.9	2302.6	1160.9	2302.6	1160.9	768.8	387.6

Reservoir Storage Tables

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3526.0	2304.8	1162.0	2304.8	1162.0	766.7	386.5
.1	2306.9	1163.1	2306.9	1163.1	764.6	385.5
.2	2309.0	1164.1	2309.0	1164.1	762.5	384.4
.3	2311.2	1165.2	2311.2	1165.2	760.3	383.3
.4	2313.3	1166.3	2313.3	1166.3	758.2	382.3
.5	2315.4	1167.4	2315.4	1167.4	756.1	381.2
.6	2317.6	1168.4	2317.6	1168.4	753.9	380.1
.7	2319.7	1169.5	2319.7	1169.5	751.8	379.0
.8	2321.8	1170.6	2321.8	1170.6	749.7	378.0
.9	2323.9	1171.7	2323.9	1171.7	747.5	376.9
3527.0	2326.1	1172.7	2326.1	1172.7	745.4	375.8
.1	2328.2	1173.8	2328.2	1173.8	743.3	374.7
.2	2330.3	1174.9	2330.3	1174.9	741.1	373.7
.3	2332.5	1176.0	2332.5	1176.0	739.0	372.6
.4	2334.6	1177.0	2334.6	1177.0	736.9	371.5
.5	2336.7	1178.1	2336.7	1178.1	734.8	370.4
.6	2338.9	1179.2	2338.9	1179.2	732.6	369.4
.7	2341.0	1180.2	2341.0	1180.2	730.5	368.3
.8	2343.1	1181.3	2343.1	1181.3	728.4	367.2
.9	2345.2	1182.4	2345.2	1182.4	726.2	366.1
3528.0	2347.4	1183.5	2347.4	1183.5	724.1	365.1
.1	2349.5	1184.5	2349.5	1184.5	722.0	364.0
.2	2351.6	1185.6	2351.6	1185.6	719.8	362.9
.3	2353.8	1186.7	2353.8	1186.7	717.7	361.8
.4	2355.9	1187.8	2355.9	1187.8	715.6	360.8
.5	2358.0	1188.8	2358.0	1188.8	713.5	359.7
.6	2360.2	1189.9	2360.2	1189.9	711.3	358.6
.7	2362.3	1191.0	2362.3	1191.0	709.2	357.6
.8	2364.4	1192.1	2364.4	1192.1	707.1	356.5
.9	2366.5	1193.1	2366.5	1193.1	704.9	355.4
3529.0	2368.7	1194.2	2368.7	1194.2	702.8	354.3
.1	2370.8	1195.3	2370.8	1195.3	700.7	353.3
.2	2372.9	1196.4	2372.9	1196.4	698.5	352.2
.3	2375.1	1197.4	2375.1	1197.4	696.4	351.1
.4	2377.2	1198.5	2377.2	1198.5	694.3	350.0
.5	2379.3	1199.6	2379.3	1199.6	692.2	349.0
.6	2381.5	1200.7	2381.5	1200.7	690.0	347.9
.7	2383.6	1201.7	2383.6	1201.7	687.9	346.8
.8	2385.7	1202.8	2385.7	1202.8	685.8	345.7
.9	2387.9	1203.9	2387.9	1203.9	683.6	344.7
3530.0	2390.0	1204.9	2390.0	1204.9	681.5	343.6
.1	2392.1	1206.0	2392.1	1206.0	679.4	342.5
.2	2394.2	1207.1	2394.2	1207.1	677.2	341.4
.3	2396.4	1208.2	2396.4	1208.2	675.1	340.4
.4	2398.5	1209.2	2398.5	1209.2	673.0	339.3
.5	2400.6	1210.3	2400.6	1210.3	670.9	338.2
.6	2402.8	1211.4	2402.8	1211.4	668.7	337.1
.7	2404.9	1212.5	2404.9	1212.5	666.6	336.1
.8	2407.0	1213.5	2407.0	1213.5	664.5	335.0
.9	2409.2	1214.6	2409.2	1214.6	662.3	333.9

HUNGRY HORSE (3 % BANK STORAGE)

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3531.0	2411.3	1215.7	2411.3	1215.7	660.2	332.9
.1	2413.4	1216.8	2413.4	1216.8	658.1	331.8
.2	2415.5	1217.8	2415.5	1217.8	655.9	330.7
.3	2417.7	1218.9	2417.7	1218.9	653.8	329.6
.4	2419.8	1220.0	2419.8	1220.0	651.7	328.6
.5	2421.9	1221.1	2421.9	1221.1	649.5	327.5
.6	2424.1	1222.1	2424.1	1222.1	647.4	326.4
.7	2426.2	1223.2	2426.2	1223.2	645.3	325.3
.8	2428.3	1224.3	2428.3	1224.3	643.2	324.3
.9	2430.5	1225.4	2430.5	1225.4	641.0	323.2
3532.0	2432.6	1226.4	2432.6	1226.4	638.9	322.1
.1	2434.7	1227.5	2434.7	1227.5	636.8	321.0
.2	2436.8	1228.6	2436.8	1228.6	634.6	320.0
.3	2439.0	1229.7	2439.0	1229.7	632.5	318.9
.4	2441.1	1230.7	2441.1	1230.7	630.4	317.8
.5	2443.2	1231.8	2443.2	1231.8	628.2	316.7
.6	2445.4	1232.9	2445.4	1232.9	626.1	315.7
.7	2447.5	1233.9	2447.5	1233.9	624.0	314.6
.8	2449.6	1235.0	2449.6	1235.0	621.9	313.5
.9	2451.8	1236.1	2451.8	1236.1	619.7	312.4
3533.0	2453.9	1237.2	2453.9	1237.2	617.6	311.4
.1	2456.0	1238.2	2456.0	1238.2	615.5	310.3
.2	2458.1	1239.3	2458.1	1239.3	613.3	309.2
.3	2460.3	1240.4	2460.3	1240.4	611.2	308.1
.4	2462.4	1241.5	2462.4	1241.5	609.1	307.1
.5	2464.5	1242.5	2464.5	1242.5	606.9	306.0
.6	2466.7	1243.6	2466.7	1243.6	604.8	304.9
.7	2468.8	1244.7	2468.8	1244.7	602.7	303.9
.8	2470.9	1245.8	2470.9	1245.8	600.6	302.8
.9	2473.1	1246.8	2473.1	1246.8	598.4	301.7
3534.0	2475.2	1247.9	2475.2	1247.9	596.3	300.6
.1	2477.3	1249.0	2477.3	1249.0	594.2	299.6
.2	2479.4	1250.1	2479.4	1250.1	592.0	298.5
.3	2481.6	1251.1	2481.6	1251.1	589.9	297.4
.4	2483.7	1252.2	2483.7	1252.2	587.8	296.3
.5	2485.8	1253.3	2485.8	1253.3	585.6	295.3
.6	2488.0	1254.4	2488.0	1254.4	583.5	294.2
.7	2490.1	1255.4	2490.1	1255.4	581.4	293.1
.8	2492.2	1256.5	2492.2	1256.5	579.3	292.0
.9	2494.4	1257.6	2494.4	1257.6	577.1	291.0
3535.0	2496.5	1258.6	2496.5	1258.6	575.0	289.9
.1	2498.6	1259.7	2498.6	1259.7	572.9	288.8
.2	2500.8	1260.8	2500.8	1260.8	570.7	287.7
.3	2502.9	1261.9	2502.9	1261.9	568.6	286.7
.4	2505.0	1262.9	2505.0	1262.9	566.5	285.6
.5	2507.1	1264.0	2507.1	1264.0	564.3	284.5
.6	2509.3	1265.1	2509.3	1265.1	562.2	283.4
.7	2511.4	1266.2	2511.4	1266.2	560.1	282.4
.8	2513.5	1267.2	2513.5	1267.2	558.0	281.3
.9	2515.7	1268.3	2515.7	1268.3	555.8	280.2

Reservoir Storage Tables

| ELEVATION | GROSS STORAGE | | USABLE STORAGE | | CUMULATIVE DRAFT | | ELEVATION | GROSS STORAGE | | USABLE STORAGE | | CUMULATIVE DRAFT | |
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD	FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
3536.0	2517.8	1269.4	2517.8	1269.4	553.7	279.2	3541.0	2625.9	1323.9	2625.9	1323.9	445.6	224.7
.1	2519.9	1270.5	2519.9	1270.5	551.6	278.1	.1	2628.2	1325.0	2628.2	1325.0	443.3	223.5
.2	2522.1	1271.5	2522.1	1271.5	549.4	277.0	.2	2630.5	1326.2	2630.5	1326.2	441.0	222.3
.3	2524.2	1272.6	2524.2	1272.6	547.3	275.9	.3	2632.8	1327.3	2632.8	1327.3	438.7	221.2
.4	2526.3	1273.7	2526.3	1273.7	545.2	274.9	.4	2635.0	1328.5	2635.0	1328.5	436.4	220.0
.5	2528.4	1274.8	2528.4	1274.8	543.0	273.8	.5	2637.3	1329.7	2637.3	1329.7	434.2	218.9
.6	2530.6	1275.8	2530.6	1275.8	540.9	272.7	.6	2639.6	1330.8	2639.6	1330.8	431.9	217.7
.7	2532.7	1276.9	2532.7	1276.9	538.8	271.6	.7	2641.9	1332.0	2641.9	1332.0	429.6	216.6
.8	2534.8	1278.0	2534.8	1278.0	536.6	270.6	.8	2644.2	1333.1	2644.2	1333.1	427.3	215.4
.9	2537.0	1279.1	2537.0	1279.1	534.5	269.5	.9	2646.5	1334.3	2646.5	1334.3	425.0	214.3
3537.0	2539.1	1280.1	2539.1	1280.1	532.4	268.4	3542.0	2648.8	1335.4	2648.8	1335.4	422.7	213.1
.1	2541.2	1281.2	2541.2	1281.2	530.3	267.3	.1	2651.1	1336.6	2651.1	1336.6	420.4	212.0
.2	2543.4	1282.3	2543.4	1282.3	528.1	266.3	.2	2653.4	1337.7	2653.4	1337.7	418.1	210.8
.3	2545.5	1283.3	2545.5	1283.3	526.0	265.2	.3	2655.6	1338.9	2655.6	1338.9	415.8	209.7
.4	2547.6	1284.4	2547.6	1284.4	523.9	264.1	.4	2657.9	1340.0	2657.9	1340.0	413.6	208.5
.5	2549.7	1285.5	2549.7	1285.5	521.7	263.0	.5	2660.2	1341.2	2660.2	1341.2	411.3	207.3
.6	2551.9	1286.6	2551.9	1286.6	519.6	262.0	.6	2662.5	1342.4	2662.5	1342.4	409.0	206.2
.7	2554.0	1287.6	2554.0	1287.6	517.5	260.9	.7	2664.8	1343.5	2664.8	1343.5	406.7	205.0
.8	2556.1	1288.7	2556.1	1288.7	515.3	259.8	.8	2667.1	1344.7	2667.1	1344.7	404.4	203.9
.9	2558.3	1289.8	2558.3	1289.8	513.2	258.7	.9	2669.4	1345.8	2669.4	1345.8	402.1	202.7
3538.0	2560.4	1290.9	2560.4	1290.9	511.1	257.7	3543.0	2671.7	1347.0	2671.7	1347.0	399.8	201.6
.1	2562.5	1291.9	2562.5	1291.9	509.0	256.6	.1	2674.0	1348.1	2674.0	1348.1	397.5	200.4
.2	2564.7	1293.0	2564.7	1293.0	506.8	255.5	.2	2676.2	1349.3	2676.2	1349.3	395.2	199.3
.3	2566.8	1294.1	2566.8	1294.1	504.7	254.5	.3	2678.5	1350.4	2678.5	1350.4	393.0	198.1
.4	2568.9	1295.2	2568.9	1295.2	502.6	253.4	.4	2680.8	1351.6	2680.8	1351.6	390.7	197.0
.5	2571.0	1296.2	2571.0	1296.2	500.4	252.3	.5	2683.1	1352.7	2683.1	1352.7	388.4	195.8
.6	2573.2	1297.3	2573.2	1297.3	498.3	251.2	.6	2685.4	1353.9	2685.4	1353.9	386.1	194.7
.7	2575.3	1298.4	2575.3	1298.4	496.2	250.2	.7	2687.7	1355.0	2687.7	1355.0	383.8	193.5
.8	2577.4	1299.5	2577.4	1299.5	494.0	249.1	.8	2690.0	1356.2	2690.0	1356.2	381.5	192.3
.9	2579.6	1300.5	2579.6	1300.5	491.9	248.0	.9	2692.3	1357.3	2692.3	1357.3	379.2	191.2
3539.0	2581.7	1301.6	2581.7	1301.6	489.8	246.9	3544.0	2694.6	1358.5	2694.6	1358.5	376.9	190.0
.1	2583.8	1302.7	2583.8	1302.7	487.7	245.9	.1	2696.8	1359.7	2696.8	1359.7	374.6	188.9
.2	2586.0	1303.8	2586.0	1303.8	485.5	244.8	.2	2699.1	1360.8	2699.1	1360.8	372.4	187.7
.3	2588.1	1304.8	2588.1	1304.8	483.4	243.7	.3	2701.4	1362.0	2701.4	1362.0	370.1	186.6
.4	2590.2	1305.9	2590.2	1305.9	481.3	242.6	.4	2703.7	1363.1	2703.7	1363.1	367.8	185.4
.5	2592.4	1307.0	2592.4	1307.0	479.1	241.6	.5	2706.0	1364.3	2706.0	1364.3	365.5	184.3
.6	2594.5	1308.1	2594.5	1308.1	477.0	240.5	.6	2708.3	1365.4	2708.3	1365.4	363.2	183.1
.7	2596.6	1309.1	2596.6	1309.1	474.9	239.4	.7	2710.6	1366.6	2710.6	1366.6	360.9	182.0
.8	2598.7	1310.2	2598.7	1310.2	472.7	238.3	.8	2712.9	1367.7	2712.9	1367.7	358.6	180.8
.9	2600.9	1311.3	2600.9	1311.3	470.6	237.3	.9	2715.2	1368.9	2715.2	1368.9	356.3	179.7
3540.0	2603.0	1312.3	2603.0	1312.3	468.5	236.2	3545.0	2717.4	1370.0	2717.4	1370.0	354.0	178.5
.1	2605.3	1313.5	2605.3	1313.5	466.2	235.0	.1	2719.7	1371.2	2719.7	1371.2	351.8	177.3
.2	2607.6	1314.7	2607.6	1314.7	463.9	233.9	.2	2722.0	1372.4	2722.0	1372.4	349.5	176.2
.3	2609.9	1315.8	2609.9	1315.8	461.6	232.7	.3	2724.3	1373.5	2724.3	1373.5	347.2	175.0
.4	2612.2	1317.0	2612.2	1317.0	459.3	231.6	.4	2726.6	1374.7	2726.6	1374.7	344.9	173.9
.5	2614.4	1318.1	2614.4	1318.1	457.0	230.4	.5	2728.9	1375.8	2728.9	1375.8	342.6	172.7
.6	2616.7	1319.3	2616.7	1319.3	454.7	229.3	.6	2731.2	1377.0	2731.2	1377.0	340.3	171.6
.7	2619.0	1320.4	2619.0	1320.4	452.5	228.1	.7	2733.5	1378.1	2733.5	1378.1	338.0	170.4
.8	2621.3	1321.6	2621.3	1321.6	450.2	227.0	.8	2735.8	1379.3	2735.8	1379.3	335.7	169.3
.9	2623.6	1322.7	2623.6	1322.7	447.9	225.8	.9	2738.0	1380.4	2738.0	1380.4	333.4	168.1

Reservoir Storage Tables

PAGE 43

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3546.0	2740.3	1381.6	2740.3	1381.6	331.2	167.0
.1	2742.6	1382.7	2742.6	1382.7	328.9	165.8
.2	2744.9	1383.9	2744.9	1383.9	326.6	164.6
.3	2747.2	1385.0	2747.2	1385.0	324.3	163.5
.4	2749.5	1386.2	2749.5	1386.2	322.0	162.3
.5	2751.8	1387.4	2751.8	1387.4	319.7	161.2
.6	2754.1	1388.5	2754.1	1388.5	317.4	160.0
.7	2756.4	1389.7	2756.4	1389.7	315.1	158.9
.8	2758.6	1390.8	2758.6	1390.8	312.8	157.7
.9	2760.9	1392.0	2760.9	1392.0	310.6	156.6
3547.0	2763.2	1393.1	2763.2	1393.1	308.3	155.4
.1	2765.5	1394.3	2765.5	1394.3	306.0	154.3
.2	2767.8	1395.4	2767.8	1395.4	303.7	153.1
.3	2770.1	1396.6	2770.1	1396.6	301.4	152.0
.4	2772.4	1397.7	2772.4	1397.7	299.1	150.8
.5	2774.7	1398.9	2774.7	1398.9	296.8	149.6
.6	2777.0	1400.0	2777.0	1400.0	294.5	148.5
.7	2779.2	1401.2	2779.2	1401.2	292.2	147.3
.8	2781.5	1402.4	2781.5	1402.4	290.0	146.2
.9	2783.8	1403.5	2783.8	1403.5	287.7	145.0
3548.0	2786.1	1404.7	2786.1	1404.7	285.4	143.9
.1	2788.4	1405.8	2788.4	1405.8	283.1	142.7
.2	2790.7	1407.0	2790.7	1407.0	280.8	141.6
.3	2793.0	1408.1	2793.0	1408.1	278.5	140.4
.4	2795.3	1409.3	2795.3	1409.3	276.2	139.3
.5	2797.6	1410.4	2797.6	1410.4	273.9	138.1
.6	2799.8	1411.6	2799.8	1411.6	271.6	137.0
.7	2802.1	1412.7	2802.1	1412.7	269.4	135.8
.8	2804.4	1413.9	2804.4	1413.9	267.1	134.6
.9	2806.7	1415.0	2806.7	1415.0	264.8	133.5
3549.0	2809.0	1416.2	2809.0	1416.2	262.5	132.3
.1	2811.3	1417.4	2811.3	1417.4	260.2	131.2
.2	2813.6	1418.5	2813.6	1418.5	257.9	130.0
.3	2815.9	1419.7	2815.9	1419.7	255.6	128.9
.4	2818.1	1420.8	2818.1	1420.8	253.3	127.7
.5	2820.4	1422.0	2820.4	1422.0	251.0	126.6
.6	2822.7	1423.1	2822.7	1423.1	248.8	125.4
.7	2825.0	1424.3	2825.0	1424.3	246.5	124.3
.8	2827.3	1425.4	2827.3	1425.4	244.2	123.1
.9	2829.6	1426.6	2829.6	1426.6	241.9	122.0
3550.0	2831.9	1427.7	2831.9	1427.7	239.6	120.8
.1	2834.3	1428.9	2834.3	1428.9	237.2	119.6
.2	2836.6	1430.1	2836.6	1430.1	234.9	118.4
.3	2839.0	1431.3	2839.0	1431.3	232.5	117.2
.4	2841.4	1432.5	2841.4	1432.5	230.1	116.0
.5	2843.7	1433.7	2843.7	1433.7	227.8	114.8
.6	2846.1	1434.9	2846.1	1434.9	225.4	113.6
.7	2848.5	1436.1	2848.5	1436.1	223.0	112.4
.8	2850.8	1437.3	2850.8	1437.3	220.6	111.2
.9	2853.2	1438.5	2853.2	1438.5	218.3	110.1

PAGE 44

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3551.0	2855.6	1439.7	2855.6	1439.7	215.9	108.9
.1	2857.9	1440.9	2857.9	1440.9	213.5	107.7
.2	2860.3	1442.1	2860.3	1442.1	211.2	106.5
.3	2862.7	1443.3	2862.7	1443.3	208.8	105.3
.4	2865.0	1444.5	2865.0	1444.5	206.4	104.1
.5	2867.4	1445.7	2867.4	1445.7	204.1	102.9
.6	2869.8	1446.9	2869.8	1446.9	201.7	101.7
.7	2872.2	1448.0	2872.2	1448.0	199.3	100.5
.8	2874.5	1449.2	2874.5	1449.2	197.0	99.3
.9	2876.9	1450.4	2876.9	1450.4	194.6	98.1
3552.0	2879.3	1451.6	2879.3	1451.6	192.2	96.9
.1	2881.6	1452.8	2881.6	1452.8	189.8	95.7
.2	2884.0	1454.0	2884.0	1454.0	187.5	94.5
.3	2886.4	1455.2	2886.4	1455.2	185.1	93.3
.4	2888.7	1456.4	2888.7	1456.4	182.7	92.1
.5	2891.1	1457.6	2891.1	1457.6	180.4	90.9
.6	2893.5	1458.8	2893.5	1458.8	178.0	89.7
.7	2895.8	1460.0	2895.8	1460.0	175.6	88.6
.8	2898.2	1461.2	2898.2	1461.2	173.3	87.4
.9	2900.6	1462.4	2900.6	1462.4	170.9	86.2
3553.0	2903.0	1463.6	2903.0	1463.6	168.5	85.0
.1	2905.3	1464.8	2905.3	1464.8	166.2	83.8
.2	2907.7	1466.0	2907.7	1466.0	163.8	82.6
.3	2910.1	1467.2	2910.1	1467.2	161.4	81.4
.4	2912.4	1468.3	2912.4	1468.3	159.1	80.2
.5	2914.8	1469.5	2914.8	1469.5	156.7	79.0
.6	2917.2	1470.7	2917.2	1470.7	154.3	77.8
.7	2919.5	1471.9	2919.5	1471.9	152.0	76.6
.8	2921.9	1473.1	2921.9	1473.1	149.6	75.4
.9	2924.3	1474.3	2924.3	1474.3	147.2	74.2
3554.0	2926.6	1475.5	2926.6	1475.5	144.8	73.0
.1	2929.0	1476.7	2929.0	1476.7	142.5	71.8
.2	2931.4	1477.9	2931.4	1477.9	140.1	70.6
.3	2933.8	1479.1	2933.8	1479.1	137.7	69.4
.4	2936.1	1480.3	2936.1	1480.3	135.4	68.2
.5	2938.5	1481.5	2938.5	1481.5	133.0	67.1
.6	2940.9	1482.7	2940.9	1482.7	130.6	65.9
.7	2943.2	1483.9	2943.2	1483.9	128.3	64.7
.8	2945.6	1485.1	2945.6	1485.1	125.9	63.5
.9	2948.0	1486.3	2948.0	1486.3	123.5	62.3
3555.0	2950.3	1487.5	2950.3	1487.5	121.2	61.1
.1	2952.8	1488.7	2952.8	1488.7	118.7	59.9
.2	2955.2	1489.9	2955.2	1489.9	116.3	58.6
.3	2957.6	1491.1	2957.6	1491.1	113.9	57.4
.4	2960.0	1492.3	2960.0	1492.3	111.5	56.2
.5	2962.4	1493.6	2962.4	1493.6	109.0	55.0
.6	2964.9	1494.8	2964.9	1494.8	106.6	53.8
.7	2967.3	1496.0	2967.3	1496.0	104.2	52.5
.8	2969.7	1497.2	2969.7	1497.2	101.8	51.3
.9	2972.1	1498.5	2972.1	1498.5	99.3	50.1

Reservoir Storage Tables

PAGE 45

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3556.0		2974.6	1499.7	2974.6	1499.7	96.9	48.9
.1		2977.0	1500.9	2977.0	1500.9	94.5	47.6
.2		2979.4	1502.1	2979.4	1502.1	92.1	46.4
.3		2981.8	1503.3	2981.8	1503.3	89.7	45.2
.4		2984.3	1504.6	2984.3	1504.6	87.2	44.0
.5		2986.7	1505.8	2986.7	1505.8	84.8	42.8
.6		2989.1	1507.0	2989.1	1507.0	82.4	41.5
.7		2991.5	1508.2	2991.5	1508.2	80.0	40.3
.8		2993.9	1509.4	2993.9	1509.4	77.5	39.1
.9		2996.4	1510.7	2996.4	1510.7	75.1	37.9
3557.0		2998.8	1511.9	2998.8	1511.9	72.7	36.6
.1		3001.2	1513.1	3001.2	1513.1	70.3	35.4
.2		3003.6	1514.3	3003.6	1514.3	67.8	34.2
.3		3006.1	1515.6	3006.1	1515.6	65.4	33.0
.4		3008.5	1516.8	3008.5	1516.8	63.0	31.8
.5		3010.9	1518.0	3010.9	1518.0	60.6	30.5
.6		3013.3	1519.2	3013.3	1519.2	58.2	29.3
.7		3015.8	1520.4	3015.8	1520.4	55.7	28.1
.8		3018.2	1521.7	3018.2	1521.7	53.3	26.9
.9		3020.6	1522.9	3020.6	1522.9	50.9	25.7
3558.0		3023.0	1524.1	3023.0	1524.1	48.5	24.4
.1		3025.4	1525.3	3025.4	1525.3	46.0	23.2
.2		3027.9	1526.6	3027.9	1526.6	43.6	22.0
.3		3030.3	1527.8	3030.3	1527.8	41.2	20.8
.4		3032.7	1529.0	3032.7	1529.0	38.8	19.5
.5		3035.1	1530.2	3035.1	1530.2	36.3	18.3
.6		3037.6	1531.4	3037.6	1531.4	33.9	17.1
.7		3040.0	1532.7	3040.0	1532.7	31.5	15.9
.8		3042.4	1533.9	3042.4	1533.9	29.1	14.7
.9		3044.8	1535.1	3044.8	1535.1	26.7	13.4
3559.0		3047.3	1536.3	3047.3	1536.3	24.2	12.2
.1		3049.7	1537.5	3049.7	1537.5	21.8	11.0
.2		3052.1	1538.8	3052.1	1538.8	19.4	9.8
.3		3054.5	1540.0	3054.5	1540.0	17.0	8.6
.4		3056.9	1541.2	3056.9	1541.2	14.5	7.3
.5		3059.4	1542.4	3059.4	1542.4	12.1	6.1
.6		3061.8	1543.7	3061.8	1543.7	9.7	4.9
.7		3064.2	1544.9	3064.2	1544.9	7.3	3.7
.8		3066.6	1546.1	3066.6	1546.1	4.8	2.4
.9		3069.1	1547.3	3069.1	1547.3	2.4	1.2
3560.0	SUB	3071.5	1548.5	3071.5	1548.5	0.0	0.0
.1		3074.0	1549.8				
.2		3076.4	1551.0				
.3		3078.9	1552.3				
.4		3081.3	1553.5				
.5		3083.8	1554.8				
.6		3086.3	1556.0				
.7		3088.7	1557.2				
.8		3091.2	1558.5				
.9		3093.7	1559.7				

PAGE 46

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3561.0	3096.1	1561.0				

Reservoir Storage Tables

PROJECT NAME: HUNGRY HORSE   01/29/98

PROJECT NUMBER: 10   PAGE 1

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) = 3071.49 KAF

| ELEVATION | | GROSS STORAGE | | USABLE STORAGE | | CUMULATIVE DRAFT | |
FEET		KAF	KSFD	KAF	KSFD	KAF	KSFD
3336.0	SLB	0.0	0.0	0.0	0.0	3071.5	1548.5
.1		0.8	0.4	0.8	0.4	3070.7	1548.1
.2		1.6	0.8	1.6	0.8	3069.9	1547.7
.3		2.4	1.2	2.4	1.2	3069.1	1547.3
.4		3.2	1.6	3.2	1.6	3068.3	1546.9
.5		4.0	2.0	4.0	2.0	3067.5	1546.5
.6		4.8	2.4	4.8	2.4	3066.7	1546.1
.7		5.6	2.8	5.6	2.8	3065.9	1545.7
.8		6.4	3.2	6.4	3.2	3065.1	1545.3
.9		7.2	3.6	7.2	3.6	3064.3	1544.9
3337.0		8.0	4.0	8.0	4.0	3063.5	1544.5
.1		8.8	4.5	8.8	4.5	3062.7	1544.1
.2		9.6	4.9	9.6	4.9	3061.9	1543.7
.3		10.4	5.3	10.4	5.3	3061.1	1543.3
.4		11.2	5.7	11.2	5.7	3060.3	1542.9
.5		12.0	6.1	12.0	6.1	3059.4	1542.5
.6		12.8	6.5	12.8	6.5	3058.6	1542.1
.7		13.6	6.9	13.6	6.9	3057.8	1541.7
.8		14.4	7.3	14.4	7.3	3057.0	1541.3
.9		15.2	7.7	15.2	7.7	3056.2	1540.9
3338.0		16.0	8.1	16.0	8.1	3055.4	1540.4
.1		16.9	8.5	16.9	8.5	3054.6	1540.0
.2		17.7	8.9	17.7	8.9	3053.8	1539.6
.3		18.5	9.3	18.5	9.3	3053.0	1539.2
.4		19.3	9.7	19.3	9.7	3052.2	1538.8
.5		20.1	10.1	20.1	10.1	3051.4	1538.4
.6		20.9	10.5	20.9	10.5	3050.6	1538.0
.7		21.7	10.9	21.7	10.9	3049.8	1537.6
.8		22.5	11.3	22.5	11.3	3049.0	1537.2
.9		23.3	11.7	23.3	11.7	3048.2	1536.8
3339.0		24.1	12.1	24.1	12.1	3047.4	1536.4
.1		24.9	12.5	24.9	12.5	3046.6	1536.0
.2		25.7	12.9	25.7	12.9	3045.8	1535.6
.3		26.5	13.3	26.5	13.3	3045.0	1535.2
.4		27.3	13.8	27.3	13.8	3044.2	1534.8
.5		28.1	14.2	28.1	14.2	3043.4	1534.4
.6		28.9	14.6	28.9	14.6	3042.6	1534.0
.7		29.7	15.0	29.7	15.0	3041.8	1533.6
.8		30.5	15.4	30.5	15.4	3041.0	1533.2
.9		31.3	15.8	31.3	15.8	3040.2	1532.8
3340.0		32.1	16.2	32.1	16.2	3039.4	1532.4
.1		32.9	16.6	32.9	16.6	3038.6	1532.0
.2		33.7	17.0	33.7	17.0	3037.8	1531.5
.3		34.5	17.4	34.5	17.4	3037.0	1531.2
.4		35.2	17.8	35.2	17.8	3036.3	1530.8
.5		36.0	18.2	36.0	18.2	3035.5	1530.4
.6		36.8	18.5	36.8	18.5	3034.7	1530.0
.7		37.5	18.9	37.5	18.9	3034.0	1529.6
.8		38.3	19.3	38.3	19.3	3033.2	1529.2
.9		39.1	19.7	39.1	19.7	3032.4	1528.8

| ELEVATION | GROSS STORAGE | | USABLE STORAGE | | CUMULATIVE DRAFT | |
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
3341.0	39.8	20.1	39.8	20.1	3031.7	1528.5
.1	40.6	20.5	40.6	20.5	3030.9	1528.1
.2	41.4	20.9	41.4	20.9	3030.1	1527.7
.3	42.1	21.2	42.1	21.2	3029.4	1527.3
.4	42.9	21.6	42.9	21.6	3028.6	1526.9
.5	43.7	22.0	43.7	22.0	3027.8	1526.5
.6	44.4	22.4	44.4	22.4	3027.1	1526.1
.7	45.2	22.8	45.2	22.8	3026.3	1525.8
.8	46.0	23.2	46.0	23.2	3025.5	1525.4
.9	46.7	23.6	46.7	23.6	3024.8	1525.0
3342.0	47.5	23.9	47.5	23.9	3024.0	1524.6
.1	48.3	24.3	48.3	24.3	3023.2	1524.2
.2	49.0	24.7	49.0	24.7	3022.5	1523.8
.3	49.8	25.1	49.8	25.1	3021.7	1523.4
.4	50.6	25.5	50.6	25.5	3020.9	1523.0
.5	51.3	25.9	51.3	25.9	3020.2	1522.7
.6	52.1	26.3	52.1	26.3	3019.4	1522.3
.7	52.9	26.7	52.9	26.7	3018.6	1521.9
.8	53.6	27.0	53.6	27.0	3017.9	1521.5
.9	54.4	27.4	54.4	27.4	3017.1	1521.1
3343.0	55.2	27.8	55.2	27.8	3016.3	1520.7
.1	55.9	28.2	55.9	28.2	3015.6	1520.3
.2	56.7	28.6	56.7	28.6	3014.8	1520.0
.3	57.5	29.0	57.5	29.0	3014.0	1519.6
.4	58.2	29.4	58.2	29.4	3013.3	1519.2
.5	59.0	29.7	59.0	29.7	3012.5	1518.8
.6	59.8	30.1	59.8	30.1	3011.7	1518.4
.7	60.5	30.5	60.5	30.5	3011.0	1518.0
.8	61.3	30.9	61.3	30.9	3010.2	1517.6
.9	62.1	31.3	62.1	31.3	3009.4	1517.2
3344.0	62.8	31.7	62.8	31.7	3008.7	1516.9
.1	63.6	32.1	63.6	32.1	3007.9	1516.5
.2	64.4	32.5	64.4	32.5	3007.1	1516.1
.3	65.1	32.8	65.1	32.8	3006.4	1515.7
.4	65.9	33.2	65.9	33.2	3005.6	1515.3
.5	66.7	33.6	66.7	33.6	3004.8	1514.9
.6	67.4	34.0	67.4	34.0	3004.1	1514.5
.7	68.2	34.4	68.2	34.4	3003.3	1514.2
.8	69.0	34.8	69.0	34.8	3002.5	1513.8
.9	69.7	35.2	69.7	35.2	3001.8	1513.4
3345.0	70.5	35.5	70.5	35.5	3001.0	1513.0
.1	71.3	35.9	71.3	35.9	3000.2	1512.6
.2	72.0	36.3	72.0	36.3	2999.5	1512.2
.3	72.8	36.7	72.8	36.7	2998.7	1511.8
.4	73.6	37.1	73.6	37.1	2997.9	1511.5
.5	74.3	37.5	74.3	37.5	2997.2	1511.1
.6	75.1	37.9	75.1	37.9	2996.4	1510.7
.7	75.9	38.2	75.9	38.2	2995.6	1510.3
.8	76.6	38.6	76.6	38.6	2994.9	1509.9
.9	77.4	39.0	77.4	39.0	2994.1	1509.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3346.0	78.2	39.4	78.2	39.4	2993.3	1509.1
.1	78.9	39.8	78.9	39.8	2992.6	1508.7
.2	79.7	40.2	79.7	40.2	2991.8	1508.4
.3	80.5	40.6	80.5	40.6	2991.0	1508.0
.4	81.2	41.0	81.2	41.0	2990.3	1507.6
.5	82.0	41.3	82.0	41.3	2989.5	1507.2
.6	82.8	41.7	82.8	41.7	2988.7	1506.8
.7	83.5	42.1	83.5	42.1	2988.0	1506.4
.8	84.3	42.5	84.3	42.5	2987.2	1506.0
.9	85.1	42.9	85.1	42.9	2986.4	1505.7
3347.0	85.8	43.3	85.8	43.3	2985.7	1505.3
.1	86.6	43.7	86.6	43.7	2984.9	1504.9
.2	87.4	44.0	87.4	44.0	2984.1	1504.5
.3	88.1	44.4	88.1	44.4	2983.4	1504.1
.4	88.9	44.8	88.9	44.8	2982.6	1503.7
.5	89.7	45.2	89.7	45.2	2981.8	1503.3
.6	90.4	45.6	90.4	45.6	2981.1	1502.9
.7	91.2	46.0	91.2	46.0	2980.3	1502.6
.8	92.0	46.4	92.0	46.4	2979.5	1502.2
.9	92.7	46.8	92.7	46.8	2978.8	1501.8
3348.0	93.5	47.1	93.5	47.1	2978.0	1501.4
.1	94.3	47.5	94.3	47.5	2977.2	1501.0
.2	95.0	47.9	95.0	47.9	2976.5	1500.6
.3	95.8	48.3	95.8	48.3	2975.7	1500.2
.4	96.6	48.7	96.6	48.7	2974.9	1499.9
.5	97.3	49.1	97.3	49.1	2974.2	1499.5
.6	98.1	49.5	98.1	49.5	2973.4	1499.1
.7	98.9	49.8	98.9	49.8	2972.6	1498.7
.8	99.6	50.2	99.6	50.2	2971.9	1498.3
.9	100.4	50.6	100.4	50.6	2971.1	1497.9
3349.0	101.2	51.0	101.2	51.0	2970.3	1497.5
.1	101.9	51.4	101.9	51.4	2969.6	1497.2
.2	102.7	51.8	102.7	51.8	2968.8	1496.8
.3	103.5	52.2	103.5	52.2	2968.0	1496.4
.4	104.2	52.5	104.2	52.5	2967.3	1496.0
.5	105.0	52.9	105.0	52.9	2966.5	1495.6
.6	105.8	53.3	105.8	53.3	2965.7	1495.2
.7	106.5	53.7	106.5	53.7	2965.0	1494.8
.8	107.3	54.1	107.3	54.1	2964.2	1494.4
.9	108.1	54.5	108.1	54.5	2963.4	1494.1
3350.0	108.8	54.9	108.8	54.9	2962.7	1493.7
.1	109.6	55.3	109.6	55.3	2961.9	1493.3
.2	110.4	55.6	110.4	55.6	2961.1	1492.9
.3	111.1	56.0	111.1	56.0	2960.4	1492.5
.4	111.9	56.4	111.9	56.4	2959.6	1492.1
.5	112.7	56.8	112.7	56.8	2958.8	1491.7
.6	113.5	57.2	113.5	57.2	2958.0	1491.3
.7	114.4	57.7	114.4	57.7	2957.1	1490.9
.8	115.2	58.1	115.2	58.1	2956.3	1490.5
.9	116.0	58.5	116.0	58.5	2955.4	1490.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3351.0	116.9	58.9	116.9	58.9	2954.6	1489.6
.1	117.7	59.4	117.7	59.4	2953.7	1489.2
.2	118.6	59.8	118.6	59.8	2952.9	1488.8
.3	119.4	60.2	119.4	60.2	2952.0	1488.3
.4	120.3	60.6	120.3	60.6	2951.2	1487.9
.5	121.1	61.1	121.1	61.1	2950.4	1487.5
.6	122.0	61.5	122.0	61.5	2949.5	1487.0
.7	122.8	61.9	122.8	61.9	2948.7	1486.6
.8	123.7	62.4	123.7	62.4	2947.8	1486.2
.9	124.5	62.8	124.5	62.8	2947.0	1485.8
3352.0	125.4	63.2	125.4	63.2	2946.1	1485.3
.1	126.2	63.6	126.2	63.6	2945.3	1484.9
.2	127.1	64.1	127.1	64.1	2944.4	1484.5
.3	127.9	64.5	127.9	64.5	2943.6	1484.1
.4	128.8	64.9	128.8	64.9	2942.7	1483.6
.5	129.6	65.3	129.6	65.3	2941.9	1483.2
.6	130.5	65.8	130.5	65.8	2941.0	1482.8
.7	131.3	66.2	131.3	66.2	2940.2	1482.3
.8	132.2	66.6	132.2	66.6	2939.3	1481.9
.9	133.0	67.1	133.0	67.1	2938.5	1481.5
3353.0	133.8	67.5	133.8	67.5	2937.6	1481.1
.1	134.7	67.9	134.7	67.9	2936.8	1480.6
.2	135.5	68.3	135.5	68.3	2935.9	1480.2
.3	136.4	68.8	136.4	68.8	2935.1	1479.8
.4	137.2	69.2	137.2	69.2	2934.3	1479.4
.5	138.1	69.6	138.1	69.6	2933.4	1478.9
.6	138.9	70.0	138.9	70.0	2932.6	1478.5
.7	139.8	70.5	139.8	70.5	2931.7	1478.1
.8	140.6	70.9	140.6	70.9	2930.9	1477.6
.9	141.5	71.3	141.5	71.3	2930.0	1477.2
3354.0	142.3	71.8	142.3	71.8	2929.2	1476.8
.1	143.2	72.2	143.2	72.2	2928.3	1476.4
.2	144.0	72.6	144.0	72.6	2927.5	1475.9
.3	144.9	73.0	144.9	73.0	2926.6	1475.5
.4	145.7	73.5	145.7	73.5	2925.8	1475.1
.5	146.6	73.9	146.6	73.9	2924.9	1474.7
.6	147.4	74.3	147.4	74.3	2924.1	1474.2
.7	148.2	74.7	148.2	74.7	2923.2	1473.8
.8	149.1	75.2	149.1	75.2	2922.4	1473.4
.9	149.9	75.6	149.9	75.6	2921.5	1472.9
3355.0	150.8	76.0	150.8	76.0	2920.7	1472.5
.1	151.6	76.5	151.6	76.5	2919.8	1472.1
.2	152.5	76.9	152.5	76.9	2919.0	1471.7
.3	153.3	77.3	153.3	77.3	2918.2	1471.2
.4	154.2	77.7	154.2	77.7	2917.3	1470.8
.5	155.0	78.2	155.0	78.2	2916.5	1470.4
.6	155.9	78.6	155.9	78.6	2915.6	1470.0
.7	156.7	79.0	156.7	79.0	2914.8	1469.5
.8	157.6	79.4	157.6	79.4	2913.9	1469.1
.9	158.4	79.9	158.4	79.9	2913.1	1468.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3356.0	159.3	80.3	159.3	80.3	2912.2	1468.2
.1	160.1	80.7	160.1	80.7	2911.4	1467.8
.2	161.0	81.2	161.0	81.2	2910.5	1467.4
.3	161.8	81.6	161.8	81.6	2909.7	1467.0
.4	162.7	82.0	162.7	82.0	2908.8	1466.5
.5	163.5	82.4	163.5	82.4	2908.0	1466.1
.6	164.4	82.9	164.4	82.9	2907.1	1465.7
.7	165.2	83.3	165.2	83.3	2906.3	1465.3
.8	166.0	83.7	166.0	83.7	2905.4	1464.8
.9	166.9	84.1	166.9	84.1	2904.6	1464.4
3357.0	167.7	84.6	167.7	84.6	2903.7	1464.0
.1	168.6	85.0	168.6	85.0	2902.9	1463.5
.2	169.4	85.4	169.4	85.4	2902.1	1463.1
.3	170.3	85.9	170.3	85.9	2901.2	1462.7
.4	171.1	86.3	171.1	86.3	2900.4	1462.3
.5	172.0	86.7	172.0	86.7	2899.5	1461.8
.6	172.8	87.1	172.8	87.1	2898.7	1461.4
.7	173.7	87.6	173.7	87.6	2897.8	1461.0
.8	174.5	88.0	174.5	88.0	2897.0	1460.6
.9	175.4	88.4	175.4	88.4	2896.1	1460.1
3358.0	176.2	88.8	176.2	88.8	2895.3	1459.7
.1	177.1	89.3	177.1	89.3	2894.4	1459.3
.2	177.9	89.7	177.9	89.7	2893.6	1458.8
.3	178.8	90.1	178.8	90.1	2892.7	1458.4
.4	179.6	90.5	179.6	90.5	2891.9	1458.0
.5	180.4	91.0	180.4	91.0	2891.0	1457.6
.6	181.3	91.4	181.3	91.4	2890.2	1457.1
.7	182.1	91.8	182.1	91.8	2889.3	1456.7
.8	183.0	92.3	183.0	92.3	2888.5	1456.3
.9	183.8	92.7	183.8	92.7	2887.6	1455.9
3359.0	184.7	93.1	184.7	93.1	2886.8	1455.4
.1	185.5	93.5	185.5	93.5	2885.9	1455.0
.2	186.4	94.0	186.4	94.0	2885.1	1454.6
.3	187.2	94.4	187.2	94.4	2884.3	1454.1
.4	188.1	94.8	188.1	94.8	2883.4	1453.7
.5	188.9	95.2	188.9	95.2	2882.6	1453.3
.6	189.8	95.7	189.8	95.7	2881.7	1452.9
.7	190.6	96.1	190.6	96.1	2880.9	1452.4
.8	191.5	96.5	191.5	96.5	2880.0	1452.0
.9	192.3	97.0	192.3	97.0	2879.2	1451.6
3360.0	193.2	97.4	193.2	97.4	2878.3	1451.2
.1	194.0	97.8	194.0	97.8	2877.5	1450.7
.2	194.9	98.2	194.9	98.2	2876.6	1450.3
.3	195.7	98.7	195.7	98.7	2875.8	1449.9
.4	196.5	99.1	196.5	99.1	2874.9	1449.4
.5	197.4	99.5	197.4	99.5	2874.1	1449.0
.6	198.2	99.9	198.2	99.9	2873.2	1448.6
.7	199.1	100.4	199.1	100.4	2872.4	1448.2
.8	199.9	100.8	199.9	100.8	2871.5	1447.7
.9	200.4	101.1	200.4	101.1	2871.0	1447.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3361.0	201.0	101.3	201.0	101.3	2870.5	1447.2
.1	201.5	101.6	201.5	101.6	2870.0	1447.0
.2	202.0	101.8	202.0	101.8	2869.5	1446.7
.3	202.5	102.1	202.5	102.1	2869.0	1446.5
.4	203.0	102.3	203.0	102.3	2868.5	1446.2
.5	203.5	102.6	203.5	102.6	2868.0	1445.9
.6	204.0	102.9	204.0	102.9	2867.5	1445.7
.7	204.5	103.1	204.5	103.1	2867.0	1445.4
.8	205.0	103.4	205.0	103.4	2866.4	1445.2
.9	205.5	103.6	205.5	103.6	2865.9	1444.9
3362.0	206.1	103.9	206.1	103.9	2865.4	1444.7
.1	206.6	104.1	206.6	104.1	2864.9	1444.4
.2	207.1	104.4	207.1	104.4	2864.4	1444.1
.3	207.6	104.7	207.6	104.7	2863.9	1443.9
.4	208.1	104.9	208.1	104.9	2863.4	1443.6
.5	208.6	105.2	208.6	105.2	2862.9	1443.4
.6	209.1	105.4	209.1	105.4	2862.4	1443.1
.7	209.6	105.7	209.6	105.7	2861.9	1442.9
.8	210.1	105.9	210.1	105.9	2861.4	1442.6
.9	210.6	106.2	210.6	106.2	2860.8	1442.3
3363.0	211.2	106.5	211.2	106.5	2860.3	1442.1
.1	211.7	106.7	211.7	106.7	2859.8	1441.8
.2	212.2	107.0	212.2	107.0	2859.3	1441.6
.3	212.7	107.2	212.7	107.2	2858.8	1441.3
.4	213.2	107.5	213.2	107.5	2858.3	1441.1
.5	213.7	107.7	213.7	107.7	2857.8	1440.8
.6	214.2	108.0	214.2	108.0	2857.3	1440.5
.7	214.7	108.3	214.7	108.3	2856.8	1440.3
.8	215.2	108.5	215.2	108.5	2856.3	1440.0
.9	215.7	108.8	215.7	108.8	2855.7	1439.8
3364.0	216.3	109.0	216.3	109.0	2855.2	1439.5
.1	216.8	109.3	216.8	109.3	2854.7	1439.3
.2	217.3	109.5	217.3	109.5	2854.2	1439.0
.3	217.8	109.8	217.8	109.8	2853.7	1438.7
.4	218.3	110.1	218.3	110.1	2853.2	1438.5
.5	218.8	110.3	218.8	110.3	2852.7	1438.2
.6	219.3	110.6	219.3	110.6	2852.2	1438.0
.7	219.8	110.8	219.8	110.8	2851.7	1437.7
.8	220.3	111.1	220.3	111.1	2851.2	1437.5
.9	220.8	111.3	220.8	111.3	2850.6	1437.2
3365.0	221.3	111.6	221.3	111.6	2850.1	1436.9
.1	221.9	111.9	221.9	111.9	2849.6	1436.7
.2	222.4	112.1	222.4	112.1	2849.1	1436.4
.3	222.9	112.4	222.9	112.4	2848.6	1436.2
.4	223.4	112.6	223.4	112.6	2848.1	1435.9
.5	223.9	112.9	223.9	112.9	2847.6	1435.7
.6	224.4	113.1	224.4	113.1	2847.1	1435.4
.7	224.9	113.4	224.9	113.4	2846.6	1435.1
.8	225.4	113.7	225.4	113.7	2846.1	1434.9
.9	225.9	113.9	225.9	113.9	2845.5	1434.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3366.0	226.4	114.2	226.4	114.2	2845.0	1434.4
.1	227.0	114.4	227.0	114.4	2844.5	1434.1
.2	227.5	114.7	227.5	114.7	2844.0	1433.9
.3	228.0	114.9	228.0	114.9	2843.5	1433.6
.4	228.5	115.2	228.5	115.2	2843.0	1433.3
.5	229.0	115.5	229.0	115.5	2842.5	1433.1
.6	229.5	115.7	229.5	115.7	2842.0	1432.8
.7	230.0	116.0	230.0	116.0	2841.5	1432.6
.8	230.5	116.2	230.5	116.2	2841.0	1432.3
.9	231.0	116.5	231.0	116.5	2840.5	1432.1
3367.0	231.5	116.7	231.5	116.7	2839.9	1431.8
.1	232.1	117.0	232.1	117.0	2839.4	1431.5
.2	232.6	117.3	232.6	117.3	2838.9	1431.3
.3	233.1	117.5	233.1	117.5	2838.4	1431.0
.4	233.6	117.8	233.6	117.8	2837.9	1430.8
.5	234.1	118.0	234.1	118.0	2837.4	1430.5
.6	234.6	118.3	234.6	118.3	2836.9	1430.3
.7	235.1	118.5	235.1	118.5	2836.4	1430.0
.8	235.6	118.8	235.6	118.8	2835.9	1429.7
.9	236.1	119.0	236.1	119.0	2835.4	1429.5
3368.0	236.6	119.3	236.6	119.3	2834.8	1429.2
.1	237.2	119.6	237.2	119.6	2834.3	1429.0
.2	237.7	119.8	237.7	119.8	2833.8	1428.7
.3	238.2	120.1	238.2	120.1	2833.3	1428.5
.4	238.7	120.3	238.7	120.3	2832.8	1428.2
.5	239.2	120.6	239.2	120.6	2832.3	1427.9
.6	239.7	120.8	239.7	120.8	2831.8	1427.7
.7	240.2	121.1	240.2	121.1	2831.3	1427.4
.8	240.7	121.4	240.7	121.4	2830.8	1427.2
.9	241.2	121.6	241.2	121.6	2830.3	1426.9
3369.0	241.7	121.9	241.7	121.9	2829.7	1426.7
.1	242.2	122.1	242.2	122.1	2829.2	1426.4
.2	242.8	122.4	242.8	122.4	2828.7	1426.2
.3	243.3	122.6	243.3	122.6	2828.2	1425.9
.4	243.8	122.9	243.8	122.9	2827.7	1425.6
.5	244.3	123.2	244.3	123.2	2827.2	1425.4
.6	244.8	123.4	244.8	123.4	2826.7	1425.1
.7	245.3	123.7	245.3	123.7	2826.2	1424.9
.8	245.8	123.9	245.8	123.9	2825.7	1424.6
.9	246.3	124.2	246.3	124.2	2825.2	1424.4
3370.0	246.8	124.4	246.8	124.4	2824.6	1424.1
.1	247.3	124.7	247.3	124.7	2824.1	1423.8
.2	247.9	125.0	247.9	125.0	2823.6	1423.6
.3	248.4	125.2	248.4	125.2	2823.1	1423.3
.4	248.9	125.5	248.9	125.5	2822.6	1423.1
.5	249.4	125.7	249.4	125.7	2822.1	1422.8
.6	249.9	126.0	249.9	126.0	2821.6	1422.6
.7	250.4	126.2	250.4	126.2	2821.1	1422.3
.8	250.9	126.5	250.9	126.5	2820.6	1422.0
.9	251.4	126.8	251.4	126.8	2820.1	1421.8

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3371.0	251.9	127.0	251.9	127.0	2819.6	1421.5
.1	252.4	127.3	252.4	127.3	2819.0	1421.3
.2	253.0	127.5	253.0	127.5	2818.5	1421.0
.3	253.5	127.8	253.5	127.8	2818.0	1420.8
.4	254.0	128.0	254.0	128.0	2817.5	1420.5
.5	254.5	128.3	254.5	128.3	2817.0	1420.2
.6	255.0	128.6	255.0	128.6	2816.5	1420.0
.7	255.5	128.8	255.5	128.8	2816.0	1419.7
.8	256.0	129.1	256.0	129.1	2815.5	1419.5
.9	256.5	129.3	256.5	129.3	2815.0	1419.2
3372.0	257.0	129.6	257.0	129.6	2814.5	1419.0
.1	257.5	129.8	257.5	129.8	2813.9	1418.7
.2	258.0	130.1	258.0	130.1	2813.4	1418.4
.3	258.6	130.4	258.6	130.4	2812.9	1418.2
.4	259.1	130.6	259.1	130.6	2812.4	1417.9
.5	259.6	130.9	259.6	130.9	2811.9	1417.7
.6	260.1	131.1	260.1	131.1	2811.4	1417.4
.7	260.6	131.4	260.6	131.4	2810.9	1417.2
.8	261.1	131.6	261.1	131.6	2810.4	1416.9
.9	261.6	131.9	261.6	131.9	2809.9	1416.6
3373.0	262.1	132.2	262.1	132.2	2809.4	1416.4
.1	262.6	132.4	262.6	132.4	2808.8	1416.1
.2	263.1	132.7	263.1	132.7	2808.3	1415.9
.3	263.7	132.9	263.7	132.9	2807.8	1415.6
.4	264.2	133.2	264.2	133.2	2807.3	1415.4
.5	264.7	133.4	264.7	133.4	2806.8	1415.1
.6	265.2	133.7	265.2	133.7	2806.3	1414.8
.7	265.7	134.0	265.7	134.0	2805.8	1414.6
.8	266.2	134.2	266.2	134.2	2805.3	1414.3
.9	266.7	134.5	266.7	134.5	2804.8	1414.1
3374.0	267.2	134.7	267.2	134.7	2804.3	1413.8
.1	267.7	135.0	267.7	135.0	2803.7	1413.6
.2	268.2	135.2	268.2	135.2	2803.2	1413.3
.3	268.8	135.5	268.8	135.5	2802.7	1413.0
.4	269.3	135.8	269.3	135.8	2802.2	1412.8
.5	269.8	136.0	269.8	136.0	2801.7	1412.5
.6	270.3	136.3	270.3	136.3	2801.2	1412.3
.7	270.8	136.5	270.8	136.5	2800.7	1412.0
.8	271.3	136.8	271.3	136.8	2800.2	1411.8
.9	271.8	137.0	271.8	137.0	2799.7	1411.5
3375.0	272.3	137.3	272.3	137.3	2799.2	1411.2
.1	272.8	137.6	272.8	137.6	2798.7	1411.0
.2	273.3	137.8	273.3	137.8	2798.1	1410.7
.3	273.9	138.1	273.9	138.1	2797.6	1410.5
.4	274.4	138.3	274.4	138.3	2797.1	1410.2
.5	274.9	138.6	274.9	138.6	2796.6	1410.0
.6	275.4	138.8	275.4	138.8	2796.1	1409.7
.7	275.9	139.1	275.9	139.1	2795.6	1409.4
.8	276.4	139.4	276.4	139.4	2795.1	1409.2
.9	276.9	139.6	276.9	139.6	2794.6	1408.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3376.0	277.4	139.9	277.4	139.9	2794.1	1408.7
.1	277.9	140.1	277.9	140.1	2793.6	1408.4
.2	278.4	140.4	278.4	140.4	2793.0	1408.2
.3	278.9	140.6	278.9	140.6	2792.5	1407.9
.4	279.5	140.9	279.5	140.9	2792.0	1407.6
.5	280.0	141.2	280.0	141.2	2791.5	1407.4
.6	280.5	141.4	280.5	141.4	2791.0	1407.1
.7	281.0	141.7	281.0	141.7	2790.5	1406.9
.8	281.5	141.9	281.5	141.9	2790.0	1406.6
.9	282.0	142.2	282.0	142.2	2789.5	1406.4
3377.0	282.5	142.4	282.5	142.4	2789.0	1406.1
.1	283.0	142.7	283.0	142.7	2788.5	1405.8
.2	283.5	142.9	283.5	142.9	2787.9	1405.6
.3	284.0	143.2	284.0	143.2	2787.4	1405.3
.4	284.6	143.5	284.6	143.5	2786.9	1405.1
.5	285.1	143.7	285.1	143.7	2786.4	1404.8
.6	285.6	144.0	285.6	144.0	2785.9	1404.6
.7	286.1	144.2	286.1	144.2	2785.4	1404.3
.8	286.6	144.5	286.6	144.5	2784.9	1404.0
.9	287.1	144.7	287.1	144.7	2784.4	1403.8
3378.0	287.6	145.0	287.6	145.0	2783.9	1403.5
.1	288.1	145.3	288.1	145.3	2783.4	1403.3
.2	288.6	145.5	288.6	145.5	2782.9	1403.0
.3	289.1	145.8	289.1	145.8	2782.3	1402.8
.4	289.7	146.0	289.7	146.0	2781.8	1402.5
.5	290.2	146.3	290.2	146.3	2781.3	1402.2
.6	290.7	146.5	290.7	146.5	2780.8	1402.0
.7	291.2	146.8	291.2	146.8	2780.3	1401.7
.8	291.7	147.1	291.7	147.1	2779.8	1401.5
.9	292.2	147.3	292.2	147.3	2779.3	1401.2
3379.0	292.7	147.6	292.7	147.6	2778.8	1401.0
.1	293.2	147.8	293.2	147.8	2778.3	1400.7
.2	293.7	148.1	293.7	148.1	2777.8	1400.5
.3	294.2	148.3	294.2	148.3	2777.2	1400.2
.4	294.8	148.6	294.8	148.6	2776.7	1399.9
.5	295.3	148.9	295.3	148.9	2776.2	1399.7
.6	295.8	149.1	295.8	149.1	2775.7	1399.4
.7	296.3	149.4	296.3	149.4	2775.2	1399.2
.8	296.8	149.6	296.8	149.6	2774.7	1398.9
.9	297.3	149.9	297.3	149.9	2774.2	1398.7
3380.0	297.8	150.1	297.8	150.1	2773.7	1398.4
.1	298.3	150.4	298.3	150.4	2773.2	1398.1
.2	299.4	150.9	299.4	150.9	2772.1	1397.6
.3	300.4	151.5	300.4	151.5	2771.1	1397.1
.4	301.5	152.0	301.5	152.0	2770.0	1396.5
.5	302.5	152.5	302.5	152.5	2769.0	1396.0
.6	303.6	153.1	303.6	153.1	2767.9	1395.5
.7	304.6	153.6	304.6	153.6	2766.9	1395.0
.8	305.7	154.1	305.7	154.1	2765.8	1394.4
.9	306.7	154.6	306.7	154.6	2764.8	1393.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3381.0	307.8	155.2	307.8	155.2	2763.7	1393.4
.1	308.8	155.7	308.8	155.7	2762.7	1392.8
.2	309.9	156.2	309.9	156.2	2761.6	1392.3
.3	310.9	156.8	310.9	156.8	2760.5	1391.8
.4	312.0	157.3	312.0	157.3	2759.5	1391.2
.5	313.0	157.8	313.0	157.8	2758.4	1390.7
.6	314.1	158.4	314.1	158.4	2757.4	1390.2
.7	315.1	158.9	315.1	158.9	2756.3	1389.7
.8	316.2	159.4	316.2	159.4	2755.3	1389.1
.9	317.2	159.9	317.2	159.9	2754.2	1388.6
3382.0	318.3	160.5	318.3	160.5	2753.2	1388.1
.1	319.3	161.0	319.3	161.0	2752.1	1387.5
.2	320.4	161.5	320.4	161.5	2751.1	1387.0
.3	321.5	162.1	321.5	162.1	2750.0	1386.5
.4	322.5	162.6	322.5	162.6	2749.0	1385.9
.5	323.6	163.1	323.6	163.1	2747.9	1385.4
.6	324.6	163.7	324.6	163.7	2746.9	1384.9
.7	325.7	164.2	325.7	164.2	2745.8	1384.4
.8	326.7	164.7	326.7	164.7	2744.8	1383.8
.9	327.8	165.2	327.8	165.2	2743.7	1383.3
3383.0	328.8	165.8	328.8	165.8	2742.7	1382.8
.1	329.9	166.3	329.9	166.3	2741.6	1382.2
.2	330.9	166.8	330.9	166.8	2740.6	1381.7
.3	332.0	167.4	332.0	167.4	2739.5	1381.2
.4	333.0	167.9	333.0	167.9	2738.5	1380.6
.5	334.1	168.4	334.1	168.4	2737.4	1380.1
.6	335.1	169.0	335.1	169.0	2736.4	1379.6
.7	336.2	169.5	336.2	169.5	2735.3	1379.1
.8	337.2	170.0	337.2	170.0	2734.3	1378.5
.9	338.3	170.5	338.3	170.5	2733.2	1378.0
3384.0	339.3	171.1	339.3	171.1	2732.2	1377.5
.1	340.4	171.6	340.4	171.6	2731.1	1376.9
.2	341.4	172.1	341.4	172.1	2730.1	1376.4
.3	342.5	172.7	342.5	172.7	2729.0	1375.9
.4	343.5	173.2	343.5	173.2	2728.0	1375.3
.5	344.6	173.7	344.6	173.7	2726.9	1374.8
.6	345.6	174.3	345.6	174.3	2725.8	1374.3
.7	346.7	174.8	346.7	174.8	2724.8	1373.8
.8	347.7	175.3	347.7	175.3	2723.7	1373.2
.9	348.8	175.8	348.8	175.8	2722.7	1372.7
3385.0	349.8	176.4	349.8	176.4	2721.6	1372.2
.1	350.9	176.9	350.9	176.9	2720.6	1371.6
.2	351.9	177.4	351.9	177.4	2719.5	1371.1
.3	353.0	178.0	353.0	178.0	2718.5	1370.6
.4	354.0	178.5	354.0	178.5	2717.4	1370.0
.5	355.1	179.0	355.1	179.0	2716.4	1369.5
.6	356.2	179.6	356.2	179.6	2715.3	1369.0
.7	357.2	180.1	357.2	180.1	2714.3	1368.5
.8	358.3	180.6	358.3	180.6	2713.2	1367.9
.9	359.3	181.1	359.3	181.1	2712.2	1367.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3386.0	360.4	181.7	360.4	181.7	2711.1	1366.9
.1	361.4	182.2	361.4	182.2	2710.1	1366.3
.2	362.5	182.7	362.5	182.7	2709.0	1365.8
.3	363.5	183.3	363.5	183.3	2708.0	1365.3
.4	364.6	183.8	364.6	183.8	2706.9	1364.7
.5	365.6	184.3	365.6	184.3	2705.9	1364.2
.6	366.7	184.9	366.7	184.9	2704.8	1363.7
.7	367.7	185.4	367.7	185.4	2703.8	1363.2
.8	368.8	185.9	368.8	185.9	2702.7	1362.6
.9	369.8	186.5	369.8	186.5	2701.7	1362.1
3387.0	370.9	187.0	370.9	187.0	2700.6	1361.6
.1	371.9	187.5	371.9	187.5	2699.6	1361.0
.2	373.0	188.0	373.0	188.0	2698.5	1360.5
.3	374.0	188.6	374.0	188.6	2697.5	1360.0
.4	375.1	189.1	375.1	189.1	2696.4	1359.4
.5	376.1	189.6	376.1	189.6	2695.4	1358.9
.6	377.2	190.2	377.2	190.2	2694.3	1358.4
.7	378.2	190.7	378.2	190.7	2693.3	1357.8
.8	379.3	191.2	379.3	191.2	2692.2	1357.3
.9	380.3	191.8	380.3	191.8	2691.2	1356.8
3388.0	381.4	192.3	381.4	192.3	2690.1	1356.3
.1	382.4	192.8	382.4	192.8	2689.0	1355.7
.2	383.5	193.3	383.5	193.3	2688.0	1355.2
.3	384.5	193.9	384.5	193.9	2686.9	1354.7
.4	385.6	194.4	385.6	194.4	2685.9	1354.1
.5	386.6	194.9	386.6	194.9	2684.8	1353.6
.6	387.7	195.5	387.7	195.5	2683.8	1353.1
.7	388.7	196.0	388.7	196.0	2682.7	1352.5
.8	389.8	196.5	389.8	196.5	2681.7	1352.0
.9	390.8	197.1	390.8	197.1	2680.6	1351.5
3389.0	391.9	197.6	391.9	197.6	2679.6	1351.0
.1	393.0	198.1	393.0	198.1	2678.5	1350.4
.2	394.0	198.6	394.0	198.6	2677.5	1349.9
.3	395.1	199.2	395.1	199.2	2676.4	1349.4
.4	396.1	199.7	396.1	199.7	2675.4	1348.8
.5	397.2	200.2	397.2	200.2	2674.3	1348.3
.6	398.2	200.8	398.2	200.8	2673.3	1347.8
.7	399.3	201.3	399.3	201.3	2672.2	1347.2
.8	400.3	201.8	400.3	201.8	2671.2	1346.7
.9	401.4	202.4	401.4	202.4	2670.1	1346.2
3390.0	402.4	202.9	402.4	202.9	2669.1	1345.7
.1	403.5	203.4	403.5	203.4	2668.0	1345.1
.2	404.5	203.9	404.5	203.9	2667.0	1344.6
.3	405.6	204.5	405.6	204.5	2665.9	1344.1
.4	406.6	205.0	406.6	205.0	2664.9	1343.5
.5	407.8	205.6	407.8	205.6	2663.7	1343.0
.6	408.9	206.2	408.9	206.2	2662.6	1342.4
.7	410.1	206.7	410.1	206.7	2661.4	1341.8
.8	411.2	207.3	411.2	207.3	2660.3	1341.2
.9	412.4	207.9	412.4	207.9	2659.1	1340.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3391.0	413.5	208.5	413.5	208.5	2658.0	1340.1
.1	414.7	209.1	414.7	209.1	2656.8	1339.5
.2	415.8	209.6	415.8	209.6	2655.7	1338.9
.3	417.0	210.2	417.0	210.2	2654.5	1338.3
.4	418.1	210.8	418.1	210.8	2653.4	1337.8
.5	419.2	211.4	419.2	211.4	2652.2	1337.2
.6	420.4	211.9	420.4	211.9	2651.1	1336.6
.7	421.5	212.5	421.5	212.5	2649.9	1336.0
.8	422.7	213.1	422.7	213.1	2648.8	1335.4
.9	423.8	213.7	423.8	213.7	2647.7	1334.9
3392.0	425.0	214.3	425.0	214.3	2646.5	1334.3
.1	426.1	214.8	426.1	214.8	2645.4	1333.7
.2	427.3	215.4	427.3	215.4	2644.2	1333.1
.3	428.4	216.0	428.4	216.0	2643.1	1332.5
.4	429.6	216.6	429.6	216.6	2641.9	1332.0
.5	430.7	217.2	430.7	217.2	2640.8	1331.4
.6	431.9	217.7	431.9	217.7	2639.6	1330.8
.7	433.0	218.3	433.0	218.3	2638.5	1330.2
.8	434.2	218.9	434.2	218.9	2637.3	1329.6
.9	435.3	219.5	435.3	219.5	2636.2	1329.1
3393.0	436.5	220.0	436.5	220.0	2635.0	1328.5
.1	437.6	220.6	437.6	220.6	2633.9	1327.9
.2	438.8	221.2	438.8	221.2	2632.7	1327.3
.3	439.9	221.8	439.9	221.8	2631.6	1326.8
.4	441.0	222.4	441.0	222.4	2630.4	1326.2
.5	442.2	222.9	442.2	222.9	2629.3	1325.6
.6	443.3	223.5	443.3	223.5	2628.1	1325.0
.7	444.5	224.1	444.5	224.1	2627.0	1324.4
.8	445.6	224.7	445.6	224.7	2625.8	1323.9
.9	446.8	225.3	446.8	225.3	2624.7	1323.3
3394.0	447.9	225.8	447.9	225.8	2623.5	1322.7
.1	449.1	226.4	449.1	226.4	2622.4	1322.1
.2	450.2	227.0	450.2	227.0	2621.3	1321.5
.3	451.4	227.6	451.4	227.6	2620.1	1321.0
.4	452.5	228.1	452.5	228.1	2619.0	1320.4
.5	453.7	228.7	453.7	228.7	2617.8	1319.8
.6	454.8	229.3	454.8	229.3	2616.7	1319.2
.7	456.0	229.9	456.0	229.9	2615.5	1318.7
.8	457.1	230.5	457.1	230.5	2614.4	1318.1
.9	458.3	231.0	458.3	231.0	2613.2	1317.5
3395.0	459.4	231.6	459.4	231.6	2612.1	1316.9
.1	460.6	232.2	460.6	232.2	2610.9	1316.3
.2	461.7	232.8	461.7	232.8	2609.8	1315.8
.3	462.9	233.4	462.9	233.4	2608.6	1315.2
.4	464.0	233.9	464.0	233.9	2607.5	1314.6
.5	465.2	234.5	465.2	234.5	2606.3	1314.0
.6	466.3	235.1	466.3	235.1	2605.2	1313.4
.7	467.4	235.7	467.4	235.7	2604.0	1312.9
.8	468.6	236.3	468.6	236.3	2602.9	1312.3
.9	469.7	236.8	469.7	236.8	2601.7	1311.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3396.0	470.9	237.4	470.9	237.4	2600.6	1311.1
.1	472.0	238.0	472.0	238.0	2599.4	1310.6
.2	473.2	238.6	473.2	238.6	2598.3	1310.0
.3	474.3	239.1	474.3	239.1	2597.2	1309.4
.4	475.5	239.7	475.5	239.7	2596.0	1308.8
.5	476.6	240.3	476.6	240.3	2594.9	1308.2
.6	477.8	240.9	477.8	240.9	2593.7	1307.7
.7	478.9	241.5	478.9	241.5	2592.6	1307.1
.8	480.1	242.0	480.1	242.0	2591.4	1306.5
.9	481.2	242.6	481.2	242.6	2590.3	1305.9
3397.0	482.4	243.2	482.4	243.2	2589.1	1305.3
.1	483.5	243.8	483.5	243.8	2588.0	1304.8
.2	484.7	244.4	484.7	244.4	2586.8	1304.2
.3	485.8	244.9	485.8	244.9	2585.7	1303.6
.4	487.0	245.5	487.0	245.5	2584.5	1303.0
.5	488.1	246.1	488.1	246.1	2583.4	1302.5
.6	489.3	246.7	489.3	246.7	2582.2	1301.9
.7	490.4	247.2	490.4	247.2	2581.1	1301.3
.8	491.5	247.8	491.5	247.8	2579.9	1300.7
.9	492.7	248.4	492.7	248.4	2578.8	1300.1
3398.0	493.8	249.0	493.8	249.0	2577.6	1299.6
.1	495.0	249.6	495.0	249.6	2576.5	1299.0
.2	496.1	250.1	496.1	250.1	2575.3	1298.4
.3	497.3	250.7	497.3	250.7	2574.2	1297.8
.4	498.4	251.3	498.4	251.3	2573.1	1297.2
.5	499.6	251.9	499.6	251.9	2571.9	1296.7
.6	500.7	252.5	500.7	252.5	2570.8	1296.1
.7	501.9	253.0	501.9	253.0	2569.6	1295.5
.8	503.0	253.6	503.0	253.6	2568.5	1294.9
.9	504.2	254.2	504.2	254.2	2567.3	1294.4
3399.0	505.3	254.8	505.3	254.8	2566.2	1293.8
.1	506.5	255.3	506.5	255.3	2565.0	1293.2
.2	507.6	255.9	507.6	255.9	2563.9	1292.6
.3	508.8	256.5	508.8	256.5	2562.7	1292.0
.4	509.9	257.1	509.9	257.1	2561.6	1291.5
.5	511.1	257.7	511.1	257.7	2560.4	1290.9
.6	512.2	258.2	512.2	258.2	2559.3	1290.3
.7	513.4	258.8	513.4	258.8	2558.1	1289.7
.8	514.5	259.4	514.5	259.4	2557.0	1289.1
.9	515.6	260.0	515.6	260.0	2555.8	1288.6
3400.0	516.8	260.6	516.8	260.6	2554.7	1288.0
.1	517.9	261.1	517.9	261.1	2553.5	1287.4
.2	519.1	261.7	519.1	261.7	2552.4	1286.8
.3	520.2	262.3	520.2	262.3	2551.2	1286.3
.4	521.4	262.9	521.4	262.9	2550.1	1285.7
.5	522.5	263.4	522.5	263.4	2548.9	1285.1
.6	523.7	264.0	523.7	264.0	2547.8	1284.5
.7	524.8	264.6	524.8	264.6	2546.7	1283.9
.8	525.5	264.9	525.5	264.9	2546.0	1283.6
.9	526.2	265.3	526.2	265.3	2545.3	1283.3

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3401.0	526.8	265.6	526.8	265.6	2544.7	1282.9
.1	527.5	265.9	527.5	265.9	2544.0	1282.6
.2	528.1	266.3	528.1	266.3	2543.3	1282.3
.3	528.8	266.6	528.8	266.6	2542.7	1281.9
.4	529.5	266.9	529.5	266.9	2542.0	1281.6
.5	530.1	267.3	530.1	267.3	2541.4	1281.3
.6	530.8	267.6	530.8	267.6	2540.7	1280.9
.7	531.5	267.9	531.5	267.9	2540.0	1280.6
.8	532.1	268.3	532.1	268.3	2539.4	1280.3
.9	532.8	268.6	532.8	268.6	2538.7	1279.9
3402.0	533.4	268.9	533.4	268.9	2538.0	1279.6
.1	534.1	269.3	534.1	269.3	2537.4	1279.3
.2	534.8	269.6	534.8	269.6	2536.7	1278.9
.3	535.4	269.9	535.4	269.9	2536.0	1278.6
.4	536.1	270.3	536.1	270.3	2535.4	1278.3
.5	536.8	270.6	536.8	270.6	2534.7	1277.9
.6	537.4	271.0	537.4	271.0	2534.1	1277.6
.7	538.1	271.3	538.1	271.3	2533.4	1277.3
.8	538.8	271.6	538.8	271.6	2532.7	1276.9
.9	539.4	272.0	539.4	272.0	2532.1	1276.6
3403.0	540.1	272.3	540.1	272.3	2531.4	1276.3
.1	540.7	272.6	540.7	272.6	2530.7	1275.9
.2	541.4	273.0	541.4	273.0	2530.1	1275.6
.3	542.1	273.3	542.1	273.3	2529.4	1275.2
.4	542.7	273.6	542.7	273.6	2528.8	1274.9
.5	543.4	274.0	543.4	274.0	2528.1	1274.6
.6	544.1	274.3	544.1	274.3	2527.4	1274.2
.7	544.7	274.6	544.7	274.6	2526.8	1273.9
.8	545.4	275.0	545.4	275.0	2526.1	1273.6
.9	546.0	275.3	546.0	275.3	2525.4	1273.2
3404.0	546.7	275.6	546.7	275.6	2524.8	1272.9
.1	547.4	276.0	547.4	276.0	2524.1	1272.6
.2	548.0	276.3	548.0	276.3	2523.5	1272.2
.3	548.7	276.6	548.7	276.6	2522.8	1271.9
.4	549.4	277.0	549.4	277.0	2522.1	1271.6
.5	550.0	277.3	550.0	277.3	2521.5	1271.2
.6	550.7	277.6	550.7	277.6	2520.8	1270.9
.7	551.3	278.0	551.3	278.0	2520.1	1270.6
.8	552.0	278.3	552.0	278.3	2519.5	1270.2
.9	552.7	278.6	552.7	278.6	2518.8	1269.9
3405.0	553.3	279.0	553.3	279.0	2518.1	1269.6
.1	554.0	279.3	554.0	279.3	2517.5	1269.2
.2	554.7	279.6	554.7	279.6	2516.8	1268.9
.3	555.3	280.0	555.3	280.0	2516.2	1268.6
.4	556.0	280.3	556.0	280.3	2515.5	1268.2
.5	556.6	280.6	556.6	280.6	2514.8	1267.9
.6	557.3	281.0	557.3	281.0	2514.2	1267.6
.7	558.0	281.3	558.0	281.3	2513.5	1267.2
.8	558.6	281.6	558.6	281.6	2512.8	1266.9
.9	559.3	282.0	559.3	282.0	2512.2	1266.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3406.0	560.0	282.3	560.0	282.3	2511.5	1266.2
.1	560.6	282.6	560.6	282.6	2510.9	1265.9
.2	561.3	283.0	561.3	283.0	2510.2	1265.6
.3	562.0	283.3	562.0	283.3	2509.5	1265.2
.4	562.6	283.7	562.6	283.7	2508.9	1264.9
.5	563.3	284.0	563.3	284.0	2508.2	1264.6
.6	563.9	284.3	563.9	284.3	2507.5	1264.2
.7	564.6	284.7	564.6	284.7	2506.9	1263.9
.8	565.3	285.0	565.3	285.0	2506.2	1263.6
.9	565.9	285.3	565.9	285.3	2505.6	1263.2
3407.0	566.6	285.7	566.6	285.7	2504.9	1262.9
.1	567.3	286.0	567.3	286.0	2504.2	1262.5
.2	567.9	286.3	567.9	286.3	2503.6	1262.2
.3	568.6	286.7	568.6	286.7	2502.9	1261.9
.4	569.2	287.0	569.2	287.0	2502.2	1261.5
.5	569.9	287.3	569.9	287.3	2501.6	1261.2
.6	570.6	287.7	570.6	287.7	2500.9	1260.9
.7	571.2	288.0	571.2	288.0	2500.3	1260.5
.8	571.9	288.3	571.9	288.3	2499.6	1260.2
.9	572.6	288.7	572.6	288.7	2498.9	1259.9
3408.0	573.2	289.0	573.2	289.0	2498.3	1259.5
.1	573.9	289.3	573.9	289.3	2497.6	1259.2
.2	574.5	289.7	574.5	289.7	2496.9	1258.9
.3	575.2	290.0	575.2	290.0	2496.3	1258.5
.4	575.9	290.3	575.9	290.3	2495.6	1258.2
.5	576.5	290.7	576.5	290.7	2494.9	1257.9
.6	577.2	291.0	577.2	291.0	2494.3	1257.5
.7	577.9	291.3	577.9	291.3	2493.6	1257.2
.8	578.5	291.7	578.5	291.7	2493.0	1256.9
.9	579.2	292.0	579.2	292.0	2492.3	1256.5
3409.0	579.9	292.3	579.9	292.3	2491.6	1256.2
.1	580.5	292.7	580.5	292.7	2491.0	1255.9
.2	581.2	293.0	581.2	293.0	2490.3	1255.5
.3	581.8	293.3	581.8	293.3	2489.6	1255.2
.4	582.5	293.7	582.5	293.7	2489.0	1254.9
.5	583.2	294.0	583.2	294.0	2488.3	1254.5
.6	583.8	294.3	583.8	294.3	2487.7	1254.2
.7	584.5	294.7	584.5	294.7	2487.0	1253.9
.8	585.2	295.0	585.2	295.0	2486.3	1253.5
.9	585.8	295.3	585.8	295.3	2485.7	1253.2
3410.0	586.5	295.7	586.5	295.7	2485.0	1252.9
.1	587.1	296.0	587.1	296.0	2484.3	1252.5
.2	587.8	296.4	587.8	296.4	2483.7	1252.2
.3	588.5	296.7	588.5	296.7	2483.0	1251.9
.4	589.1	297.0	589.1	297.0	2482.4	1251.5
.5	589.8	297.4	589.8	297.4	2481.7	1251.2
.6	590.5	297.7	590.5	297.7	2481.0	1250.9
.7	591.1	298.0	591.1	298.0	2480.4	1250.5
.8	591.8	298.4	591.8	298.4	2479.7	1250.2
.9	592.4	298.7	592.4	298.7	2479.0	1249.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3411.0	593.1	299.0	593.1	299.0	2478.4	1249.5
.1	593.8	299.4	593.8	299.4	2477.7	1249.2
.2	594.4	299.7	594.4	299.7	2477.1	1248.8
.3	595.1	300.0	595.1	300.0	2476.4	1248.5
.4	595.8	300.4	595.8	300.4	2475.7	1248.2
.5	596.4	300.7	596.4	300.7	2475.1	1247.8
.6	597.1	301.0	597.1	301.0	2474.4	1247.5
.7	597.7	301.4	597.7	301.4	2473.7	1247.2
.8	598.4	301.7	598.4	301.7	2473.1	1246.8
.9	599.1	302.0	599.1	302.0	2472.4	1246.5
3412.0	599.7	302.4	599.7	302.4	2471.7	1246.2
.1	600.4	302.7	600.4	302.7	2471.1	1245.8
.2	601.1	303.0	601.1	303.0	2470.4	1245.5
.3	601.7	303.4	601.7	303.4	2469.8	1245.2
.4	602.4	303.7	602.4	303.7	2469.1	1244.8
.5	603.1	304.0	603.1	304.0	2468.4	1244.5
.6	603.7	304.4	603.7	304.4	2467.8	1244.2
.7	604.4	304.7	604.4	304.7	2467.1	1243.8
.8	605.0	305.0	605.0	305.0	2466.4	1243.5
.9	605.7	305.4	605.7	305.4	2465.8	1243.2
3413.0	606.4	305.7	606.4	305.7	2465.1	1242.8
.1	607.0	306.0	607.0	306.0	2464.5	1242.5
.2	607.7	306.4	607.7	306.4	2463.8	1242.2
.3	608.4	306.7	608.4	306.7	2463.1	1241.8
.4	609.0	307.0	609.0	307.0	2462.5	1241.5
.5	609.7	307.4	609.7	307.4	2461.8	1241.2
.6	610.3	307.7	610.3	307.7	2461.1	1240.8
.7	611.0	308.0	611.0	308.0	2460.5	1240.5
.8	611.7	308.4	611.7	308.4	2459.8	1240.2
.9	612.3	308.7	612.3	308.7	2459.2	1239.8
3414.0	613.0	309.1	613.0	309.1	2458.5	1239.5
.1	613.7	309.4	613.7	309.4	2457.8	1239.2
.2	614.3	309.7	614.3	309.7	2457.2	1238.8
.3	615.0	310.1	615.0	310.1	2456.5	1238.5
.4	615.6	310.4	615.6	310.4	2455.8	1238.2
.5	616.3	310.7	616.3	310.7	2455.2	1237.8
.6	617.0	311.1	617.0	311.1	2454.5	1237.5
.7	617.6	311.4	617.6	311.4	2453.8	1237.1
.8	618.3	311.7	618.3	311.7	2453.2	1236.8
.9	619.0	312.1	619.0	312.1	2452.5	1236.5
3415.0	619.6	312.4	619.6	312.4	2451.9	1236.1
.1	620.3	312.7	620.3	312.7	2451.2	1235.8
.2	621.0	313.1	621.0	313.1	2450.5	1235.5
.3	621.6	313.4	621.6	313.4	2449.9	1235.1
.4	622.3	313.7	622.3	313.7	2449.2	1234.8
.5	622.9	314.1	622.9	314.1	2448.5	1234.5
.6	623.6	314.4	623.6	314.4	2447.9	1234.1
.7	624.3	314.7	624.3	314.7	2447.2	1233.8
.8	624.9	315.1	624.9	315.1	2446.6	1233.5
.9	625.6	315.4	625.6	315.4	2445.9	1233.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3416.0	626.3	315.7	626.3	315.7	2445.2	1232.8
.1	626.9	316.1	626.9	316.1	2444.6	1232.5
.2	627.6	316.4	627.6	316.4	2443.9	1232.1
.3	628.2	316.7	628.2	316.7	2443.2	1231.8
.4	628.9	317.1	628.9	317.1	2442.6	1231.5
.5	629.6	317.4	629.6	317.4	2441.9	1231.1
.6	630.2	317.7	630.2	317.7	2441.3	1230.8
.7	630.9	318.1	630.9	318.1	2440.6	1230.5
.8	631.6	318.4	631.6	318.4	2439.9	1230.1
.9	632.2	318.7	632.2	318.7	2439.3	1229.8
3417.0	632.9	319.1	632.9	319.1	2438.6	1229.5
.1	633.5	319.4	633.5	319.4	2437.9	1229.1
.2	634.2	319.7	634.2	319.7	2437.3	1228.8
.3	634.9	320.1	634.9	320.1	2436.6	1228.5
.4	635.5	320.4	635.5	320.4	2436.0	1228.1
.5	636.2	320.7	636.2	320.7	2435.3	1227.8
.6	636.9	321.1	636.9	321.1	2434.6	1227.5
.7	637.5	321.4	637.5	321.4	2434.0	1227.1
.8	638.2	321.8	638.2	321.8	2433.3	1226.8
.9	638.8	322.1	638.8	322.1	2432.6	1226.5
3418.0	639.5	322.4	639.5	322.4	2432.0	1226.1
.1	640.2	322.8	640.2	322.8	2431.3	1225.8
.2	640.8	323.1	640.8	323.1	2430.6	1225.5
.3	641.5	323.4	641.5	323.4	2430.0	1225.1
.4	642.2	323.8	642.2	323.8	2429.3	1224.8
.5	642.8	324.1	642.8	324.1	2428.7	1224.4
.6	643.5	324.4	643.5	324.4	2428.0	1224.1
.7	644.2	324.8	644.2	324.8	2427.3	1223.8
.8	644.8	325.1	644.8	325.1	2426.7	1223.4
.9	645.5	325.4	645.5	325.4	2426.0	1223.1
3419.0	646.1	325.8	646.1	325.8	2425.3	1222.8
.1	646.8	326.1	646.8	326.1	2424.7	1222.4
.2	647.5	326.4	647.5	326.4	2424.0	1222.1
.3	648.1	326.8	648.1	326.8	2423.4	1221.8
.4	648.8	327.1	648.8	327.1	2422.7	1221.4
.5	649.5	327.4	649.5	327.4	2422.0	1221.1
.6	650.1	327.8	650.1	327.8	2421.4	1220.8
.7	650.8	328.1	650.8	328.1	2420.7	1220.4
.8	651.4	328.4	651.4	328.4	2420.0	1220.1
.9	652.1	328.8	652.1	328.8	2419.4	1219.8
3420.0	652.8	329.1	652.8	329.1	2418.7	1219.4
.1	654.1	329.8	654.1	329.8	2417.4	1218.8
.2	655.5	330.5	655.5	330.5	2416.0	1218.1
.3	656.8	331.2	656.8	331.2	2414.6	1217.4
.4	658.2	331.8	658.2	331.8	2413.3	1216.7
.5	659.5	332.5	659.5	332.5	2411.9	1216.0
.6	660.9	333.2	660.9	333.2	2410.6	1215.3
.7	662.3	333.9	662.3	333.9	2409.2	1214.7
.8	663.6	334.6	663.6	334.6	2407.9	1214.0
.9	665.0	335.3	665.0	335.3	2406.5	1213.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3421.0	666.3	335.9	666.3	335.9	2405.2	1212.6
.1	667.7	336.6	667.7	336.6	2403.8	1211.9
.2	669.0	337.3	669.0	337.3	2402.4	1211.2
.3	670.4	338.0	670.4	338.0	2401.1	1210.5
.4	671.7	338.7	671.7	338.7	2399.7	1209.9
.5	673.1	339.4	673.1	339.4	2398.4	1209.2
.6	674.5	340.0	674.5	340.0	2397.0	1208.5
.7	675.8	340.7	675.8	340.7	2395.7	1207.8
.8	677.2	341.4	677.2	341.4	2394.3	1207.1
.9	678.5	342.1	678.5	342.1	2393.0	1206.4
3422.0	679.9	342.8	679.9	342.8	2391.6	1205.8
.1	681.2	343.5	681.2	343.5	2390.2	1205.1
.2	682.6	344.1	682.6	344.1	2388.9	1204.4
.3	684.0	344.8	684.0	344.8	2387.5	1203.7
.4	685.3	345.5	685.3	345.5	2386.2	1203.0
.5	686.7	346.2	686.7	346.2	2384.8	1202.3
.6	688.0	346.9	688.0	346.9	2383.5	1201.7
.7	689.4	347.6	689.4	347.6	2382.1	1201.0
.8	690.7	348.2	690.7	348.2	2380.8	1200.3
.9	692.1	348.9	692.1	348.9	2379.4	1199.6
3423.0	693.4	349.6	693.4	349.6	2378.0	1198.9
.1	694.8	350.3	694.8	350.3	2376.7	1198.2
.2	696.2	351.0	696.2	351.0	2375.3	1197.6
.3	697.5	351.7	697.5	351.7	2374.0	1196.9
.4	698.9	352.3	698.9	352.3	2372.6	1196.2
.5	700.2	353.0	700.2	353.0	2371.3	1195.5
.6	701.6	353.7	701.6	353.7	2369.9	1194.8
.7	702.9	354.4	702.9	354.4	2368.6	1194.1
.8	704.3	355.1	704.3	355.1	2367.2	1193.5
.9	705.6	355.8	705.6	355.8	2365.8	1192.8
3424.0	707.0	356.4	707.0	356.4	2364.5	1192.1
.1	708.4	357.1	708.4	357.1	2363.1	1191.4
.2	709.7	357.8	709.7	357.8	2361.8	1190.7
.3	711.1	358.5	711.1	358.5	2360.4	1190.0
.4	712.4	359.2	712.4	359.2	2359.1	1189.4
.5	713.8	359.9	713.8	359.9	2357.7	1188.7
.6	715.1	360.5	715.1	360.5	2356.4	1188.0
.7	716.5	361.2	716.5	361.2	2355.0	1187.3
.8	717.8	361.9	717.8	361.9	2353.6	1186.6
.9	719.2	362.6	719.2	362.6	2352.3	1185.9
3425.0	720.6	363.3	720.6	363.3	2350.9	1185.3
.1	721.9	364.0	721.9	364.0	2349.6	1184.6
.2	723.3	364.6	723.3	364.6	2348.2	1183.9
.3	724.6	365.3	724.6	365.3	2346.9	1183.2
.4	726.0	366.0	726.0	366.0	2345.5	1182.5
.5	727.3	366.7	727.3	366.7	2344.2	1181.8
.6	728.7	367.4	728.7	367.4	2342.8	1181.2
.7	730.0	368.1	730.0	368.1	2341.4	1180.5
.8	731.4	368.7	731.4	368.7	2340.1	1179.8
.9	732.8	369.4	732.8	369.4	2338.7	1179.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3426.0	734.1	370.1	734.1	370.1	2337.4	1178.4
.1	735.5	370.8	735.5	370.8	2336.0	1177.7
.2	736.8	371.5	736.8	371.5	2334.7	1177.1
.3	738.2	372.2	738.2	372.2	2333.3	1176.4
.4	739.5	372.8	739.5	372.8	2332.0	1175.7
.5	740.9	373.5	740.9	373.5	2330.6	1175.0
.6	742.2	374.2	742.2	374.2	2329.2	1174.3
.7	743.6	374.9	743.6	374.9	2327.9	1173.6
.8	745.0	375.6	745.0	375.6	2326.5	1173.0
.9	746.3	376.3	746.3	376.3	2325.2	1172.3
3427.0	747.7	377.0	747.7	377.0	2323.8	1171.6
.1	749.0	377.6	749.0	377.6	2322.5	1170.9
.2	750.4	378.3	750.4	378.3	2321.1	1170.2
.3	751.7	379.0	751.7	379.0	2319.7	1169.5
.4	753.1	379.7	753.1	379.7	2318.4	1168.9
.5	754.4	380.4	754.4	380.4	2317.0	1168.2
.6	755.8	381.1	755.8	381.1	2315.7	1167.5
.7	757.2	381.7	757.2	381.7	2314.3	1166.8
.8	758.5	382.4	758.5	382.4	2313.0	1166.1
.9	759.9	383.1	759.9	383.1	2311.6	1165.4
3428.0	761.2	383.8	761.2	383.8	2310.3	1164.8
.1	762.6	384.5	762.6	384.5	2308.9	1164.1
.2	763.9	385.2	763.9	385.2	2307.5	1163.4
.3	765.3	385.8	765.3	385.8	2306.2	1162.7
.4	766.6	386.5	766.6	386.5	2304.8	1162.0
.5	768.0	387.2	768.0	387.2	2303.5	1161.3
.6	769.4	387.9	769.4	387.9	2302.1	1160.7
.7	770.7	388.6	770.7	388.6	2300.8	1160.0
.8	772.1	389.3	772.1	389.3	2299.4	1159.3
.9	773.4	389.9	773.4	389.9	2298.1	1158.6
3429.0	774.8	390.6	774.8	390.6	2296.7	1157.9
.1	776.1	391.3	776.1	391.3	2295.3	1157.2
.2	777.5	392.0	777.5	392.0	2294.0	1156.6
.3	778.9	392.7	778.9	392.7	2292.6	1155.9
.4	780.2	393.4	780.2	393.4	2291.3	1155.2
.5	781.6	394.0	781.6	394.0	2289.9	1154.5
.6	782.9	394.7	782.9	394.7	2288.6	1153.8
.7	784.3	395.4	784.3	395.4	2287.2	1153.1
.8	785.6	396.1	785.6	396.1	2285.9	1152.5
.9	787.0	396.8	787.0	396.8	2284.5	1151.8
3430.0	788.3	397.5	788.3	397.5	2283.1	1151.1
.1	789.7	398.1	789.7	398.1	2281.8	1150.4
.2	791.1	398.8	791.1	398.8	2280.4	1149.7
.3	792.4	399.5	792.4	399.5	2279.1	1149.0
.4	793.9	400.3	793.9	400.3	2277.6	1148.3
.5	795.4	401.0	795.4	401.0	2276.1	1147.5
.6	796.9	401.8	796.9	401.8	2274.6	1146.8
.7	798.4	402.5	798.4	402.5	2273.1	1146.0
.8	799.9	403.3	799.9	403.3	2271.6	1145.3
.9	801.3	404.0	801.3	404.0	2270.1	1144.5

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3431.0	802.8	404.8	802.8	404.8	2268.7	1143.8
.1	804.3	405.5	804.3	405.5	2267.2	1143.0
.2	805.8	406.3	805.8	406.3	2265.7	1142.3
.3	807.3	407.0	807.3	407.0	2264.2	1141.5
.4	808.8	407.8	808.8	407.8	2262.7	1140.8
.5	810.3	408.5	810.3	408.5	2261.2	1140.0
.6	811.8	409.3	811.8	409.3	2259.7	1139.3
.7	813.2	410.0	813.2	410.0	2258.2	1138.5
.8	814.7	410.8	814.7	410.8	2256.7	1137.8
.9	816.2	411.5	816.2	411.5	2255.3	1137.0
3432.0	817.7	412.3	817.7	412.3	2253.8	1136.3
.1	819.2	413.0	819.2	413.0	2252.3	1135.5
.2	820.7	413.8	820.7	413.8	2250.8	1134.8
.3	822.2	414.5	822.2	414.5	2249.3	1134.0
.4	823.7	415.3	823.7	415.3	2247.8	1133.3
.5	825.2	416.0	825.2	416.0	2246.3	1132.5
.6	826.6	416.8	826.6	416.8	2244.8	1131.8
.7	828.1	417.5	828.1	417.5	2243.4	1131.0
.8	829.6	418.3	829.6	418.3	2241.9	1130.3
.9	831.1	419.0	831.1	419.0	2240.4	1129.5
3433.0	832.6	419.8	832.6	419.8	2238.9	1128.8
.1	834.1	420.5	834.1	420.5	2237.4	1128.0
.2	835.6	421.3	835.6	421.3	2235.9	1127.3
.3	837.1	422.0	837.1	422.0	2234.4	1126.5
.4	838.6	422.8	838.6	422.8	2232.9	1125.8
.5	840.0	423.5	840.0	423.5	2231.4	1125.0
.6	841.5	424.3	841.5	424.3	2230.0	1124.3
.7	843.0	425.0	843.0	425.0	2228.5	1123.5
.8	844.5	425.8	844.5	425.8	2227.0	1122.8
.9	846.0	426.5	846.0	426.5	2225.5	1122.0
3434.0	847.5	427.3	847.5	427.3	2224.0	1121.3
.1	849.0	428.0	849.0	428.0	2222.5	1120.5
.2	850.5	428.8	850.5	428.8	2221.0	1119.8
.3	852.0	429.5	852.0	429.5	2219.5	1119.0
.4	853.4	430.3	853.4	430.3	2218.0	1118.3
.5	854.9	431.0	854.9	431.0	2216.6	1117.5
.6	856.4	431.8	856.4	431.8	2215.1	1116.8
.7	857.9	432.5	857.9	432.5	2213.6	1116.0
.8	859.4	433.3	859.4	433.3	2212.1	1115.3
.9	860.9	434.0	860.9	434.0	2210.6	1114.5
3435.0	862.4	434.8	862.4	434.8	2209.1	1113.8
.1	863.9	435.5	863.9	435.5	2207.6	1113.0
.2	865.3	436.3	865.3	436.3	2206.1	1112.3
.3	866.8	437.0	866.8	437.0	2204.6	1111.5
.4	868.3	437.8	868.3	437.8	2203.2	1110.8
.5	869.8	438.5	869.8	438.5	2201.7	1110.0
.6	871.3	439.3	871.3	439.3	2200.2	1109.3
.7	872.8	440.0	872.8	440.0	2198.7	1108.5
.8	874.3	440.8	874.3	440.8	2197.2	1107.8
.9	875.8	441.5	875.8	441.5	2195.7	1107.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3436.0	877.3	442.3	877.3	442.3	2194.2	1106.3
.1	878.7	443.0	878.7	443.0	2192.7	1105.5
.2	880.2	443.8	880.2	443.8	2191.3	1104.8
.3	881.7	444.5	881.7	444.5	2189.8	1104.0
.4	883.2	445.3	883.2	445.3	2188.3	1103.3
.5	884.7	446.0	884.7	446.0	2186.8	1102.5
.6	886.2	446.8	886.2	446.8	2185.3	1101.8
.7	887.7	447.5	887.7	447.5	2183.8	1101.0
.8	889.2	448.3	889.2	448.3	2182.3	1100.3
.9	890.7	449.0	890.7	449.0	2180.8	1099.5
3437.0	892.1	449.8	892.1	449.8	2179.3	1098.8
.1	893.6	450.5	893.6	450.5	2177.9	1098.0
.2	895.1	451.3	895.1	451.3	2176.4	1097.3
.3	896.6	452.0	896.6	452.0	2174.9	1096.5
.4	898.1	452.8	898.1	452.8	2173.4	1095.8
.5	899.6	453.5	899.6	453.5	2171.9	1095.0
.6	901.1	454.3	901.1	454.3	2170.4	1094.2
.7	902.6	455.0	902.6	455.0	2168.9	1093.5
.8	904.1	455.8	904.1	455.8	2167.4	1092.7
.9	905.5	456.5	905.5	456.5	2165.9	1092.0
3438.0	907.0	457.3	907.0	457.3	2164.5	1091.2
.1	908.5	458.0	908.5	458.0	2163.0	1090.5
.2	910.0	458.8	910.0	458.8	2161.5	1089.7
.3	911.5	459.5	911.5	459.5	2160.0	1089.0
.4	913.0	460.3	913.0	460.3	2158.5	1088.2
.5	914.5	461.0	914.5	461.0	2157.0	1087.5
.6	916.0	461.8	916.0	461.8	2155.5	1086.7
.7	917.4	462.5	917.4	462.5	2154.0	1086.0
.8	918.9	463.3	918.9	463.3	2152.5	1085.2
.9	920.4	464.0	920.4	464.0	2151.1	1084.5
3439.0	921.9	464.8	921.9	464.8	2149.6	1083.7
.1	923.4	465.5	923.4	465.5	2148.1	1083.0
.2	924.9	466.3	924.9	466.3	2146.6	1082.2
.3	926.4	467.0	926.4	467.0	2145.1	1081.5
.4	927.9	467.8	927.9	467.8	2143.6	1080.7
.5	929.4	468.5	929.4	468.5	2142.1	1080.0
.6	930.8	469.3	930.8	469.3	2140.6	1079.2
.7	932.3	470.1	932.3	470.1	2139.2	1078.5
.8	933.8	470.8	933.8	470.8	2137.7	1077.7
.9	935.3	471.6	935.3	471.6	2136.2	1077.0
3440.0	936.8	472.3	936.8	472.3	2134.7	1076.2
.1	938.3	473.1	938.3	473.1	2133.2	1075.5
.2	939.8	473.8	939.8	473.8	2131.7	1074.7
.3	941.3	474.6	941.3	474.6	2130.2	1074.0
.4	942.8	475.3	942.8	475.3	2128.7	1073.2
.5	944.2	476.1	944.2	476.1	2127.2	1072.5
.6	945.7	476.8	945.7	476.8	2125.8	1071.7
.7	947.3	477.6	947.3	477.6	2124.2	1070.9
.8	948.9	478.4	948.9	478.4	2122.6	1070.1
.9	950.4	479.2	950.4	479.2	2121.0	1069.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3441.0	952.0	480.0	952.0	480.0	2119.5	1068.6
.1	953.6	480.8	953.6	480.8	2117.9	1067.8
.2	955.2	481.6	955.2	481.6	2116.3	1067.0
.3	956.7	482.4	956.7	482.4	2114.7	1066.2
.4	958.3	483.1	958.3	483.1	2113.2	1065.4
.5	959.9	483.9	959.9	483.9	2111.6	1064.6
.6	961.5	484.7	961.5	484.7	2110.0	1063.8
.7	963.0	485.5	963.0	485.5	2108.5	1063.0
.8	964.6	486.3	964.6	486.3	2106.9	1062.2
.9	966.2	487.1	966.2	487.1	2105.3	1061.4
3442.0	967.8	487.9	967.8	487.9	2103.7	1060.6
.1	969.3	488.7	969.3	488.7	2102.2	1059.8
.2	970.9	489.5	970.9	489.5	2100.6	1059.0
.3	972.5	490.3	972.5	490.3	2099.0	1058.3
.4	974.0	491.1	974.0	491.1	2097.4	1057.5
.5	975.6	491.9	975.6	491.9	2095.9	1056.7
.6	977.2	492.7	977.2	492.7	2094.3	1055.9
.7	978.8	493.5	978.8	493.5	2092.7	1055.1
.8	980.3	494.3	980.3	494.3	2091.1	1054.3
.9	981.9	495.0	981.9	495.0	2089.6	1053.5
3443.0	983.5	495.8	983.5	495.8	2088.0	1052.7
.1	985.1	496.6	985.1	496.6	2086.4	1051.9
.2	986.6	497.4	986.6	497.4	2084.9	1051.1
.3	988.2	498.2	988.2	498.2	2083.3	1050.3
.4	989.8	499.0	989.8	499.0	2081.7	1049.5
.5	991.4	499.8	991.4	499.8	2080.1	1048.7
.6	992.9	500.6	992.9	500.6	2078.6	1047.9
.7	994.5	501.4	994.5	501.4	2077.0	1047.1
.8	996.1	502.2	996.1	502.2	2075.4	1046.4
.9	997.6	503.0	997.6	503.0	2073.8	1045.6
3444.0	999.2	503.8	999.2	503.8	2072.3	1044.8
.1	1000.8	504.6	1000.8	504.6	2070.7	1044.0
.2	1002.4	505.4	1002.4	505.4	2069.1	1043.2
.3	1003.9	506.2	1003.9	506.2	2067.5	1042.4
.4	1005.5	506.9	1005.5	506.9	2066.0	1041.6
.5	1007.1	507.7	1007.1	507.7	2064.4	1040.8
.6	1008.7	508.5	1008.7	508.5	2062.8	1040.0
.7	1010.2	509.3	1010.2	509.3	2061.3	1039.2
.8	1011.8	510.1	1011.8	510.1	2059.7	1038.4
.9	1013.4	510.9	1013.4	510.9	2058.1	1037.6
3445.0	1015.0	511.7	1015.0	511.7	2056.5	1036.8
.1	1016.5	512.5	1016.5	512.5	2055.0	1036.0
.2	1018.1	513.3	1018.1	513.3	2053.4	1035.2
.3	1019.7	514.1	1019.7	514.1	2051.8	1034.5
.4	1021.2	514.9	1021.2	514.9	2050.2	1033.7
.5	1022.8	515.7	1022.8	515.7	2048.7	1032.9
.6	1024.4	516.5	1024.4	516.5	2047.1	1032.1
.7	1026.0	517.3	1026.0	517.3	2045.5	1031.3
.8	1027.5	518.1	1027.5	518.1	2043.9	1030.5
.9	1029.1	518.8	1029.1	518.8	2042.4	1029.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3446.0	1030.7	519.6	1030.7	519.6	2040.8	1028.9
.1	1032.3	520.4	1032.3	520.4	2039.2	1028.1
.2	1033.8	521.2	1033.8	521.2	2037.7	1027.3
.3	1035.4	522.0	1035.4	522.0	2036.1	1026.5
.4	1037.0	522.8	1037.0	522.8	2034.5	1025.7
.5	1038.6	523.6	1038.6	523.6	2032.9	1024.9
.6	1040.1	524.4	1040.1	524.4	2031.4	1024.1
.7	1041.7	525.2	1041.7	525.2	2029.8	1023.3
.8	1043.3	526.0	1043.3	526.0	2028.2	1022.6
.9	1044.8	526.8	1044.8	526.8	2026.6	1021.8
3447.0	1046.4	527.6	1046.4	527.6	2025.1	1021.0
.1	1048.0	528.4	1048.0	528.4	2023.5	1020.2
.2	1049.6	529.2	1049.6	529.2	2021.9	1019.4
.3	1051.1	530.0	1051.1	530.0	2020.3	1018.6
.4	1052.7	530.7	1052.7	530.7	2018.8	1017.8
.5	1054.3	531.5	1054.3	531.5	2017.2	1017.0
.6	1055.9	532.3	1055.9	532.3	2015.6	1016.2
.7	1057.4	533.1	1057.4	533.1	2014.1	1015.4
.8	1059.0	533.9	1059.0	533.9	2012.5	1014.6
.9	1060.6	534.7	1060.6	534.7	2010.9	1013.8
3448.0	1062.2	535.5	1062.2	535.5	2009.3	1013.0
.1	1063.7	536.3	1063.7	536.3	2007.8	1012.2
.2	1065.3	537.1	1065.3	537.1	2006.2	1011.5
.3	1066.9	537.9	1066.9	537.9	2004.6	1010.7
.4	1068.4	538.7	1068.4	538.7	2003.0	1009.9
.5	1070.0	539.5	1070.0	539.5	2001.5	1009.1
.6	1071.6	540.3	1071.6	540.3	1999.9	1008.3
.7	1073.2	541.1	1073.2	541.1	1998.3	1007.5
.8	1074.7	541.8	1074.7	541.8	1996.7	1006.7
.9	1076.3	542.6	1076.3	542.6	1995.2	1005.9
3449.0	1077.9	543.4	1077.9	543.4	1993.6	1005.1
.1	1079.5	544.2	1079.5	544.2	1992.0	1004.3
.2	1081.0	545.0	1081.0	545.0	1990.5	1003.5
.3	1082.6	545.8	1082.6	545.8	1988.9	1002.7
.4	1084.2	546.6	1084.2	546.6	1987.3	1001.9
.5	1085.8	547.4	1085.8	547.4	1985.7	1001.1
.6	1087.3	548.2	1087.3	548.2	1984.2	1000.3
.7	1088.9	549.0	1088.9	549.0	1982.6	999.6
.8	1090.5	549.8	1090.5	549.8	1981.0	998.8
.9	1092.0	550.6	1092.0	550.6	1979.4	998.0
3450.0	1093.6	551.4	1093.6	551.4	1977.9	997.2
.1	1095.2	552.2	1095.2	552.2	1976.3	996.4
.2	1096.8	553.0	1096.8	553.0	1974.7	995.6
.3	1098.3	553.7	1098.3	553.7	1973.1	994.8
.4	1099.9	554.5	1099.9	554.5	1971.6	994.0
.5	1101.5	555.3	1101.5	555.3	1970.0	993.2
.6	1103.1	556.1	1103.1	556.1	1968.4	992.4
.7	1104.6	556.9	1104.6	556.9	1966.9	991.6
.8	1106.2	557.7	1106.2	557.7	1965.3	990.8
.9	1107.8	558.5	1107.8	558.5	1963.7	990.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3451.0	1108.7	559.0	1108.7	559.0	1962.8	989.6
.1	1109.7	559.5	1109.7	559.5	1961.8	989.1
.2	1110.6	559.9	1110.6	559.9	1960.9	988.6
.3	1111.6	560.4	1111.6	560.4	1959.9	988.1
.4	1112.5	560.9	1112.5	560.9	1959.0	987.6
.5	1113.5	561.4	1113.5	561.4	1958.0	987.2
.6	1114.4	561.9	1114.4	561.9	1957.1	986.7
.7	1115.4	562.3	1115.4	562.3	1956.1	986.2
.8	1116.3	562.8	1116.3	562.8	1955.2	985.7
.9	1117.3	563.3	1117.3	563.3	1954.2	985.2
3452.0	1118.2	563.8	1118.2	563.8	1953.3	984.8
.1	1119.2	564.3	1119.2	564.3	1952.3	984.3
.2	1120.1	564.7	1120.1	564.7	1951.4	983.8
.3	1121.1	565.2	1121.1	565.2	1950.4	983.3
.4	1122.0	565.7	1122.0	565.7	1949.5	982.9
.5	1123.0	566.2	1123.0	566.2	1948.5	982.4
.6	1123.9	566.6	1123.9	566.6	1947.6	981.9
.7	1124.9	567.1	1124.9	567.1	1946.6	981.4
.8	1125.8	567.6	1125.8	567.6	1945.7	980.9
.9	1126.8	568.1	1126.8	568.1	1944.7	980.5
3453.0	1127.7	568.6	1127.7	568.6	1943.8	980.0
.1	1128.7	569.0	1128.7	569.0	1942.8	979.5
.2	1129.6	569.5	1129.6	569.5	1941.9	979.0
.3	1130.6	570.0	1130.6	570.0	1940.9	978.5
.4	1131.5	570.5	1131.5	570.5	1940.0	978.1
.5	1132.5	571.0	1132.5	571.0	1939.0	977.6
.6	1133.4	571.4	1133.4	571.4	1938.1	977.1
.7	1134.4	571.9	1134.4	571.9	1937.1	976.6
.8	1135.3	572.4	1135.3	572.4	1936.2	976.1
.9	1136.3	572.9	1136.3	572.9	1935.2	975.7
3454.0	1137.2	573.3	1137.2	573.3	1934.3	975.2
.1	1138.2	573.8	1138.2	573.8	1933.3	974.7
.2	1139.1	574.3	1139.1	574.3	1932.4	974.2
.3	1140.1	574.8	1140.1	574.8	1931.4	973.8
.4	1141.0	575.3	1141.0	575.3	1930.5	973.3
.5	1142.0	575.7	1142.0	575.7	1929.5	972.8
.6	1142.9	576.2	1142.9	576.2	1928.6	972.3
.7	1143.9	576.7	1143.9	576.7	1927.6	971.8
.8	1144.8	577.2	1144.8	577.2	1926.7	971.4
.9	1145.8	577.7	1145.8	577.7	1925.7	970.9
3455.0	1146.7	578.1	1146.7	578.1	1924.8	970.4
.1	1147.7	578.6	1147.7	578.6	1923.8	969.9
.2	1148.6	579.1	1148.6	579.1	1922.9	969.4
.3	1149.6	579.6	1149.6	579.6	1921.9	969.0
.4	1150.5	580.1	1150.5	580.1	1921.0	968.5
.5	1151.5	580.5	1151.5	580.5	1920.0	968.0
.6	1152.4	581.0	1152.4	581.0	1919.1	967.5
.7	1153.4	581.5	1153.4	581.5	1918.1	967.1
.8	1154.3	582.0	1154.3	582.0	1917.2	966.6
.9	1155.3	582.4	1155.3	582.4	1916.2	966.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3456.0	1156.2	582.9	1156.2	582.9	1915.3	965.6
.1	1157.2	583.4	1157.2	583.4	1914.3	965.1
.2	1158.1	583.9	1158.1	583.9	1913.4	964.7
.3	1159.1	584.4	1159.1	584.4	1912.4	964.2
.4	1160.0	584.8	1160.0	584.8	1911.5	963.7
.5	1161.0	585.3	1161.0	585.3	1910.5	963.2
.6	1161.9	585.8	1161.9	585.8	1909.6	962.7
.7	1162.9	586.3	1162.9	586.3	1908.6	962.3
.8	1163.8	586.8	1163.8	586.8	1907.7	961.8
.9	1164.8	587.2	1164.8	587.2	1906.7	961.3
3457.0	1165.7	587.7	1165.7	587.7	1905.8	960.8
.1	1166.7	588.2	1166.7	588.2	1904.8	960.3
.2	1167.6	588.7	1167.6	588.7	1903.9	959.9
.3	1168.6	589.1	1168.6	589.1	1902.9	959.4
.4	1169.5	589.6	1169.5	589.6	1902.0	958.9
.5	1170.5	590.1	1170.5	590.1	1901.0	958.4
.6	1171.4	590.6	1171.4	590.6	1900.1	958.0
.7	1172.4	591.1	1172.4	591.1	1899.1	957.5
.8	1173.3	591.5	1173.3	591.5	1898.2	957.0
.9	1174.3	592.0	1174.3	592.0	1897.2	956.5
3458.0	1175.2	592.5	1175.2	592.5	1896.3	956.0
.1	1176.2	593.0	1176.2	593.0	1895.3	955.6
.2	1177.1	593.5	1177.1	593.5	1894.4	955.1
.3	1178.1	593.9	1178.1	593.9	1893.4	954.6
.4	1179.0	594.4	1179.0	594.4	1892.5	954.1
.5	1180.0	594.9	1180.0	594.9	1891.5	953.6
.6	1180.9	595.4	1180.9	595.4	1890.6	953.2
.7	1181.9	595.9	1181.9	595.9	1889.6	952.7
.8	1182.8	596.3	1182.8	596.3	1888.7	952.2
.9	1183.8	596.8	1183.8	596.8	1887.7	951.7
3459.0	1184.7	597.3	1184.7	597.3	1886.8	951.3
.1	1185.7	597.8	1185.7	597.8	1885.8	950.8
.2	1186.6	598.2	1186.6	598.2	1884.9	950.3
.3	1187.6	598.7	1187.6	598.7	1883.9	949.8
.4	1188.5	599.2	1188.5	599.2	1883.0	949.3
.5	1189.4	599.7	1189.4	599.7	1882.0	948.9
.6	1190.4	600.2	1190.4	600.2	1881.1	948.4
.7	1191.3	600.6	1191.3	600.6	1880.1	947.9
.8	1192.3	601.1	1192.3	601.1	1879.2	947.4
.9	1193.2	601.6	1193.2	601.6	1878.2	946.9
3460.0	1194.2	602.1	1194.2	602.1	1877.3	946.5
.1	1195.1	602.6	1195.1	602.6	1876.3	946.0
.2	1196.1	603.0	1196.1	603.0	1875.4	945.5
.3	1197.0	603.5	1197.0	603.5	1874.4	945.0
.4	1198.0	604.0	1198.0	604.0	1873.5	944.6
.5	1198.9	604.5	1198.9	604.5	1872.5	944.1
.6	1199.9	604.9	1199.9	604.9	1871.6	943.6
.7	1200.8	605.4	1200.8	605.4	1870.6	943.1
.8	1201.8	605.9	1201.8	605.9	1869.7	942.6
.9	1202.7	606.4	1202.7	606.4	1868.7	942.2

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3461.0	1203.7	606.9	1203.7	606.9	1867.8	941.7
.1	1204.6	607.3	1204.6	607.3	1866.8	941.2
.2	1205.6	607.8	1205.6	607.8	1865.9	940.7
.3	1206.5	608.3	1206.5	608.3	1864.9	940.2
.4	1207.5	608.8	1207.5	608.8	1864.0	939.8
.5	1208.4	609.3	1208.4	609.3	1863.0	939.3
.6	1209.4	609.7	1209.4	609.7	1862.1	938.8
.7	1210.3	610.2	1210.3	610.2	1861.1	938.3
.8	1211.3	610.7	1211.3	610.7	1860.2	937.8
.9	1212.2	611.2	1212.2	611.2	1859.2	937.4
3462.0	1213.2	611.7	1213.2	611.7	1858.3	936.9
.1	1214.1	612.1	1214.1	612.1	1857.3	936.4
.2	1215.1	612.6	1215.1	612.6	1856.4	935.9
.3	1216.0	613.1	1216.0	613.1	1855.4	935.5
.4	1217.0	613.6	1217.0	613.6	1854.5	935.0
.5	1217.9	614.0	1217.9	614.0	1853.5	934.5
.6	1218.9	614.5	1218.9	614.5	1852.6	934.0
.7	1219.8	615.0	1219.8	615.0	1851.6	933.5
.8	1220.8	615.5	1220.8	615.5	1850.7	933.1
.9	1221.7	616.0	1221.7	616.0	1849.7	932.6
3463.0	1222.7	616.4	1222.7	616.4	1848.8	932.1
.1	1223.6	616.9	1223.6	616.9	1847.8	931.6
.2	1224.6	617.4	1224.6	617.4	1846.9	931.1
.3	1225.5	617.9	1225.5	617.9	1845.9	930.7
.4	1226.5	618.4	1226.5	618.4	1845.0	930.2
.5	1227.4	618.8	1227.4	618.8	1844.1	929.7
.6	1228.4	619.3	1228.4	619.3	1843.1	929.2
.7	1229.3	619.8	1229.3	619.8	1842.2	928.8
.8	1230.3	620.3	1230.3	620.3	1841.2	928.3
.9	1231.2	620.7	1231.2	620.7	1840.3	927.8
3464.0	1232.2	621.2	1232.2	621.2	1839.3	927.3
.1	1233.1	621.7	1233.1	621.7	1838.4	926.8
.2	1234.1	622.2	1234.1	622.2	1837.4	926.4
.3	1235.0	622.7	1235.0	622.7	1836.5	925.9
.4	1236.0	623.1	1236.0	623.1	1835.5	925.4
.5	1236.9	623.6	1236.9	623.6	1834.6	924.9
.6	1237.9	624.1	1237.9	624.1	1833.6	924.4
.7	1238.8	624.6	1238.8	624.6	1832.7	924.0
.8	1239.8	625.1	1239.8	625.1	1831.7	923.5
.9	1240.7	625.5	1240.7	625.5	1830.8	923.0
3465.0	1241.7	626.0	1241.7	626.0	1829.8	922.5
.1	1242.6	626.5	1242.6	626.5	1828.9	922.0
.2	1243.6	627.0	1243.6	627.0	1827.9	921.6
.3	1244.5	627.4	1244.5	627.4	1827.0	921.1
.4	1245.5	627.9	1245.5	627.9	1826.0	920.6
.5	1246.4	628.4	1246.4	628.4	1825.1	920.1
.6	1247.4	628.9	1247.4	628.9	1824.1	919.7
.7	1248.3	629.4	1248.3	629.4	1823.2	919.2
.8	1249.3	629.8	1249.3	629.8	1822.2	918.7
.9	1250.2	630.3	1250.2	630.3	1821.3	918.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3466.0	1251.2	630.8	1251.2	630.8	1820.3	917.7
.1	1252.1	631.3	1252.1	631.3	1819.4	917.3
.2	1253.1	631.8	1253.1	631.8	1818.4	916.8
.3	1254.0	632.2	1254.0	632.2	1817.5	916.3
.4	1255.0	632.7	1255.0	632.7	1816.5	915.8
.5	1255.9	633.2	1255.9	633.2	1815.6	915.3
.6	1256.9	633.7	1256.9	633.7	1814.6	914.9
.7	1257.8	634.2	1257.8	634.2	1813.7	914.4
.8	1258.8	634.6	1258.8	634.6	1812.7	913.9
.9	1259.7	635.1	1259.7	635.1	1811.8	913.4
3467.0	1260.7	635.6	1260.7	635.6	1810.8	913.0
.1	1261.6	636.1	1261.6	636.1	1809.9	912.5
.2	1262.6	636.5	1262.6	636.5	1808.9	912.0
.3	1263.5	637.0	1263.5	637.0	1808.0	911.5
.4	1264.5	637.5	1264.5	637.5	1807.0	911.0
.5	1265.4	638.0	1265.4	638.0	1806.1	910.6
.6	1266.4	638.5	1266.4	638.5	1805.1	910.1
.7	1267.3	638.9	1267.3	638.9	1804.2	909.6
.8	1268.3	639.4	1268.3	639.4	1803.2	909.1
.9	1269.2	639.9	1269.2	639.9	1802.3	908.6
3468.0	1270.2	640.4	1270.2	640.4	1801.3	908.2
.1	1271.1	640.9	1271.1	640.9	1800.4	907.7
.2	1272.1	641.3	1272.1	641.3	1799.4	907.2
.3	1273.0	641.8	1273.0	641.8	1798.5	906.7
.4	1274.0	642.3	1274.0	642.3	1797.5	906.2
.5	1274.9	642.8	1274.9	642.8	1796.6	905.8
.6	1275.9	643.2	1275.9	643.2	1795.6	905.3
.7	1276.8	643.7	1276.8	643.7	1794.7	904.8
.8	1277.8	644.2	1277.8	644.2	1793.7	904.3
.9	1278.7	644.7	1278.7	644.7	1792.8	903.9
3469.0	1279.7	645.2	1279.7	645.2	1791.8	903.4
.1	1280.6	645.6	1280.6	645.6	1790.9	902.9
.2	1281.6	646.1	1281.6	646.1	1789.9	902.4
.3	1282.5	646.6	1282.5	646.6	1789.0	901.9
.4	1283.5	647.1	1283.5	647.1	1788.0	901.5
.5	1284.4	647.6	1284.4	647.6	1787.1	901.0
.6	1285.4	648.0	1285.4	648.0	1786.1	900.5
.7	1286.3	648.5	1286.3	648.5	1785.2	900.0
.8	1287.3	649.0	1287.3	649.0	1784.2	899.5
.9	1288.2	649.5	1288.2	649.5	1783.3	899.1
3470.0	1289.2	650.0	1289.2	650.0	1782.3	898.6
.1	1290.1	650.4	1290.1	650.4	1781.4	898.1
.2	1291.1	650.9	1291.1	650.9	1780.4	897.6
.3	1293.0	651.9	1293.0	651.9	1778.5	896.6
.4	1294.9	652.9	1294.9	652.9	1776.5	895.7
.5	1296.9	653.9	1296.9	653.9	1774.6	894.7
.6	1298.8	654.8	1298.8	654.8	1772.6	893.7
.7	1300.8	655.8	1300.8	655.8	1770.7	892.7
.8	1302.7	656.8	1302.7	656.8	1768.8	891.7
.9	1304.7	657.8	1304.7	657.8	1766.8	890.8

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3471.0	1306.6	658.8	1306.6	658.8	1764.9	889.8
.1	1308.6	659.7	1308.6	659.7	1762.9	888.8
.2	1310.5	660.7	1310.5	660.7	1761.0	887.8
.3	1312.5	661.7	1312.5	661.7	1759.0	886.8
.4	1314.4	662.7	1314.4	662.7	1757.1	885.9
.5	1316.3	663.7	1316.3	663.7	1755.1	884.9
.6	1318.3	664.6	1318.3	664.6	1753.2	883.9
.7	1320.2	665.6	1320.2	665.6	1751.3	882.9
.8	1322.2	666.6	1322.2	666.6	1749.3	881.9
.9	1324.1	667.6	1324.1	667.6	1747.4	881.0
3472.0	1326.1	668.6	1326.1	668.6	1745.4	880.0
.1	1328.0	669.5	1328.0	669.5	1743.5	879.0
.2	1330.0	670.5	1330.0	670.5	1741.5	878.0
.3	1331.9	671.5	1331.9	671.5	1739.6	877.0
.4	1333.8	672.5	1333.8	672.5	1737.6	876.1
.5	1335.8	673.5	1335.8	673.5	1735.7	875.1
.6	1337.7	674.4	1337.7	674.4	1733.7	874.1
.7	1339.7	675.4	1339.7	675.4	1731.8	873.1
.8	1341.6	676.4	1341.6	676.4	1729.9	872.1
.9	1343.6	677.4	1343.6	677.4	1727.9	871.2
3473.0	1345.5	678.4	1345.5	678.4	1726.0	870.2
.1	1347.5	679.3	1347.5	679.3	1724.0	869.2
.2	1349.4	680.3	1349.4	680.3	1722.1	868.2
.3	1351.4	681.3	1351.4	681.3	1720.1	867.2
.4	1353.3	682.3	1353.3	682.3	1718.2	866.3
.5	1355.2	683.3	1355.2	683.3	1716.2	865.3
.6	1357.2	684.3	1357.2	684.3	1714.3	864.3
.7	1359.1	685.2	1359.1	685.2	1712.4	863.3
.8	1361.1	686.2	1361.1	686.2	1710.4	862.3
.9	1363.0	687.2	1363.0	687.2	1708.5	861.4
3474.0	1365.0	688.2	1365.0	688.2	1706.5	860.4
.1	1366.9	689.2	1366.9	689.2	1704.6	859.4
.2	1368.9	690.1	1368.9	690.1	1702.6	858.4
.3	1370.8	691.1	1370.8	691.1	1700.7	857.4
.4	1372.7	692.1	1372.7	692.1	1698.7	856.4
.5	1374.7	693.1	1374.7	693.1	1696.8	855.5
.6	1376.6	694.1	1376.6	694.1	1694.8	854.5
.7	1378.6	695.0	1378.6	695.0	1692.9	853.5
.8	1380.5	696.0	1380.5	696.0	1691.0	852.5
.9	1382.5	697.0	1382.5	697.0	1689.0	851.5
3475.0	1384.4	698.0	1384.4	698.0	1687.1	850.6
.1	1386.4	699.0	1386.4	699.0	1685.1	849.6
.2	1388.3	699.9	1388.3	699.9	1683.2	848.6
.3	1390.3	700.9	1390.3	700.9	1681.2	847.6
.4	1392.2	701.9	1392.2	701.9	1679.3	846.6
.5	1394.1	702.9	1394.1	702.9	1677.3	845.7
.6	1396.1	703.9	1396.1	703.9	1675.4	844.7
.7	1398.0	704.8	1398.0	704.8	1673.5	843.7
.8	1400.0	705.8	1400.0	705.8	1671.5	842.7
.9	1401.9	706.8	1401.9	706.8	1669.6	841.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3476.0	1403.9	707.8	1403.9	707.8	1667.6	840.8
.1	1405.8	708.8	1405.8	708.8	1665.7	839.8
.2	1407.8	709.7	1407.8	709.7	1663.7	838.8
.3	1409.7	710.7	1409.7	710.7	1661.8	837.8
.4	1411.6	711.7	1411.6	711.7	1659.8	836.8
.5	1413.6	712.7	1413.6	712.7	1657.9	835.9
.6	1415.5	713.7	1415.5	713.7	1655.9	834.9
.7	1417.5	714.6	1417.5	714.6	1654.0	833.9
.8	1419.4	715.6	1419.4	715.6	1652.1	832.9
.9	1421.4	716.6	1421.4	716.6	1650.1	831.9
3477.0	1423.3	717.6	1423.3	717.6	1648.2	831.0
.1	1425.3	718.6	1425.3	718.6	1646.2	830.0
.2	1427.2	719.5	1427.2	719.5	1644.3	829.0
.3	1429.2	720.5	1429.2	720.5	1642.3	828.0
.4	1431.1	721.5	1431.1	721.5	1640.4	827.0
.5	1433.0	722.5	1433.0	722.5	1638.4	826.0
.6	1435.0	723.5	1435.0	723.5	1636.5	825.1
.7	1436.9	724.5	1436.9	724.5	1634.6	824.1
.8	1438.9	725.4	1438.9	725.4	1632.6	823.1
.9	1440.8	726.4	1440.8	726.4	1630.7	822.1
3478.0	1442.8	727.4	1442.8	727.4	1628.7	821.1
.1	1444.7	728.4	1444.7	728.4	1626.8	820.2
.2	1446.7	729.4	1446.7	729.4	1624.8	819.2
.3	1448.6	730.3	1448.6	730.3	1622.9	818.2
.4	1450.5	731.3	1450.5	731.3	1620.9	817.2
.5	1452.5	732.3	1452.5	732.3	1619.0	816.2
.6	1454.4	733.3	1454.4	733.3	1617.0	815.3
.7	1456.4	734.3	1456.4	734.3	1615.1	814.3
.8	1458.3	735.2	1458.3	735.2	1613.2	813.3
.9	1460.3	736.2	1460.3	736.2	1611.2	812.3
3479.0	1462.2	737.2	1462.2	737.2	1609.3	811.3
.1	1464.2	738.2	1464.2	738.2	1607.3	810.4
.2	1466.1	739.2	1466.1	739.2	1605.4	809.4
.3	1468.1	740.1	1468.1	740.1	1603.4	808.4
.4	1470.0	741.1	1470.0	741.1	1601.5	807.4
.5	1471.9	742.1	1471.9	742.1	1599.5	806.4
.6	1473.9	743.1	1473.9	743.1	1597.6	805.5
.7	1475.8	744.1	1475.8	744.1	1595.7	804.5
.8	1477.8	745.0	1477.8	745.0	1593.7	803.5
.9	1479.7	746.0	1479.7	746.0	1591.8	802.5
3480.0	1481.7	747.0	1481.7	747.0	1589.8	801.5
.1	1483.6	748.0	1483.6	748.0	1587.9	800.6
.2	1485.6	749.0	1485.6	749.0	1585.9	799.6
.3	1487.5	749.9	1487.5	749.9	1584.0	798.6
.4	1489.4	750.9	1489.4	750.9	1582.0	797.6
.5	1491.4	751.9	1491.4	751.9	1580.1	796.6
.6	1493.5	753.0	1493.5	753.0	1578.0	795.6
.7	1495.5	754.0	1495.5	754.0	1575.9	794.5
.8	1497.6	755.0	1497.6	755.0	1573.9	793.5
.9	1499.7	756.1	1499.7	756.1	1571.8	792.4

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3481.0	1501.8	757.1	1501.8	757.1	1569.7	791.4
.1	1503.8	758.2	1503.8	758.2	1567.6	790.4
.2	1505.9	759.2	1505.9	759.2	1565.6	789.3
.3	1508.0	760.3	1508.0	760.3	1563.5	788.3
.4	1510.1	761.3	1510.1	761.3	1561.4	787.2
.5	1512.1	762.4	1512.1	762.4	1559.4	786.2
.6	1514.2	763.4	1514.2	763.4	1557.3	785.1
.7	1516.3	764.5	1516.3	764.5	1555.2	784.1
.8	1518.4	765.5	1518.4	765.5	1553.1	783.0
.9	1520.4	766.5	1520.4	766.5	1551.1	782.0
3482.0	1522.5	767.6	1522.5	767.6	1549.0	780.9
.1	1524.6	768.6	1524.6	768.6	1546.9	779.9
.2	1526.6	769.7	1526.6	769.7	1544.8	778.9
.3	1528.7	770.7	1528.7	770.7	1542.8	777.8
.4	1530.8	771.8	1530.8	771.8	1540.7	776.8
.5	1532.9	772.8	1532.9	772.8	1538.6	775.7
.6	1534.9	773.9	1534.9	773.9	1536.5	774.7
.7	1537.0	774.9	1537.0	774.9	1534.5	773.6
.8	1539.1	776.0	1539.1	776.0	1532.4	772.6
.9	1541.2	777.0	1541.2	777.0	1530.3	771.5
3483.0	1543.2	778.1	1543.2	778.1	1528.2	770.5
.1	1545.3	779.1	1545.3	779.1	1526.2	769.4
.2	1547.4	780.1	1547.4	780.1	1524.1	768.4
.3	1549.5	781.2	1549.5	781.2	1522.0	767.4
.4	1551.5	782.2	1551.5	782.2	1519.9	766.3
.5	1553.6	783.3	1553.6	783.3	1517.9	765.3
.6	1555.7	784.3	1555.7	784.3	1515.8	764.2
.7	1557.8	785.4	1557.8	785.4	1513.7	763.2
.8	1559.8	786.4	1559.8	786.4	1511.6	762.1
.9	1561.9	787.5	1561.9	787.5	1509.6	761.1
3484.0	1564.0	788.5	1564.0	788.5	1507.5	760.0
.1	1566.1	789.6	1566.1	789.6	1505.4	759.0
.2	1568.1	790.6	1568.1	790.6	1503.4	757.9
.3	1570.2	791.6	1570.2	791.6	1501.3	756.9
.4	1572.3	792.7	1572.3	792.7	1499.2	755.9
.5	1574.4	793.7	1574.4	793.7	1497.1	754.8
.6	1576.4	794.8	1576.4	794.8	1495.1	753.8
.7	1578.5	795.8	1578.5	795.8	1493.0	752.7
.8	1580.6	796.9	1580.6	796.9	1490.9	751.7
.9	1582.6	797.9	1582.6	797.9	1488.8	750.6
3485.0	1584.7	799.0	1584.7	799.0	1486.8	749.6
.1	1586.8	800.0	1586.8	800.0	1484.7	748.5
.2	1588.9	801.1	1588.9	801.1	1482.6	747.5
.3	1590.9	802.1	1590.9	802.1	1480.5	746.4
.4	1593.0	803.1	1593.0	803.1	1478.5	745.4
.5	1595.1	804.2	1595.1	804.2	1476.4	744.3
.6	1597.2	805.2	1597.2	805.2	1474.3	743.3
.7	1599.2	806.3	1599.2	806.3	1472.2	742.3
.8	1601.3	807.3	1601.3	807.3	1470.2	741.2
.9	1603.4	808.4	1603.4	808.4	1468.1	740.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3486.0	1605.5	809.4	1605.5	809.4	1466.0	739.1
.1	1607.5	810.5	1607.5	810.5	1463.9	738.1
.2	1609.6	811.5	1609.6	811.5	1461.9	737.0
.3	1611.7	812.6	1611.7	812.6	1459.8	736.0
.4	1613.8	813.6	1613.8	813.6	1457.7	734.9
.5	1615.8	814.6	1615.8	814.6	1455.7	733.9
.6	1617.9	815.7	1617.9	815.7	1453.6	732.8
.7	1620.0	816.7	1620.0	816.7	1451.5	731.8
.8	1622.1	817.8	1622.1	817.8	1449.4	730.8
.9	1624.1	818.8	1624.1	818.8	1447.4	729.7
3487.0	1626.2	819.9	1626.2	819.9	1445.3	728.7
.1	1628.3	820.9	1628.3	820.9	1443.2	727.6
.2	1630.4	822.0	1630.4	822.0	1441.1	726.6
.3	1632.4	823.0	1632.4	823.0	1439.1	725.5
.4	1634.5	824.1	1634.5	824.1	1437.0	724.5
.5	1636.6	825.1	1636.6	825.1	1434.9	723.4
.6	1638.7	826.2	1638.7	826.2	1432.8	722.4
.7	1640.7	827.2	1640.7	827.2	1430.8	721.3
.8	1642.8	828.2	1642.8	828.2	1428.7	720.3
.9	1644.9	829.3	1644.9	829.3	1426.6	719.3
3488.0	1646.9	830.3	1646.9	830.3	1424.5	718.2
.1	1649.0	831.4	1649.0	831.4	1422.5	717.2
.2	1651.1	832.4	1651.1	832.4	1420.4	716.1
.3	1653.2	833.5	1653.2	833.5	1418.3	715.1
.4	1655.2	834.5	1655.2	834.5	1416.2	714.0
.5	1657.3	835.6	1657.3	835.6	1414.2	713.0
.6	1659.4	836.6	1659.4	836.6	1412.1	711.9
.7	1661.5	837.7	1661.5	837.7	1410.0	710.9
.8	1663.5	838.7	1663.5	838.7	1407.9	709.8
.9	1665.6	839.7	1665.6	839.7	1405.9	708.8
3489.0	1667.7	840.8	1667.7	840.8	1403.8	707.7
.1	1669.8	841.8	1669.8	841.8	1401.7	706.7
.2	1671.8	842.9	1671.8	842.9	1399.7	705.7
.3	1673.9	843.9	1673.9	843.9	1397.6	704.6
.4	1676.0	845.0	1676.0	845.0	1395.5	703.6
.5	1678.1	846.0	1678.1	846.0	1393.4	702.5
.6	1680.1	847.1	1680.1	847.1	1391.4	701.5
.7	1682.2	848.1	1682.2	848.1	1389.3	700.4
.8	1684.3	849.2	1684.3	849.2	1387.2	699.4
.9	1686.4	850.2	1686.4	850.2	1385.1	698.3
3490.0	1688.4	851.2	1688.4	851.2	1383.1	697.3
.1	1690.5	852.3	1690.5	852.3	1381.0	696.2
.2	1692.6	853.3	1692.6	853.3	1378.9	695.2
.3	1694.6	854.4	1694.6	854.4	1376.8	694.2
.4	1696.7	855.4	1696.7	855.4	1374.8	693.1
.5	1698.8	856.5	1698.8	856.5	1372.7	692.1
.6	1700.9	857.5	1700.9	857.5	1370.6	691.0
.7	1702.9	858.6	1702.9	858.6	1368.5	690.0
.8	1705.0	859.6	1705.0	859.6	1366.5	688.9
.9	1706.1	860.2	1706.1	860.2	1365.3	688.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3491.0	1707.3	860.8	1707.3	860.8	1364.2	687.8
.1	1708.4	861.3	1708.4	861.3	1363.1	687.2
.2	1709.5	861.9	1709.5	861.9	1362.0	686.7
.3	1710.7	862.5	1710.7	862.5	1360.8	686.1
.4	1711.8	863.0	1711.8	863.0	1359.7	685.5
.5	1712.9	863.6	1712.9	863.6	1358.6	684.9
.6	1714.0	864.2	1714.0	864.2	1357.4	684.4
.7	1715.2	864.7	1715.2	864.7	1356.3	683.8
.8	1716.3	865.3	1716.3	865.3	1355.2	683.2
.9	1717.4	865.9	1717.4	865.9	1354.1	682.7
3492.0	1718.5	866.4	1718.5	866.4	1352.9	682.1
.1	1719.7	867.0	1719.7	867.0	1351.8	681.5
.2	1720.8	867.6	1720.8	867.6	1350.7	681.0
.3	1721.9	868.1	1721.9	868.1	1349.6	680.4
.4	1723.1	868.7	1723.1	868.7	1348.4	679.8
.5	1724.2	869.3	1724.2	869.3	1347.3	679.3
.6	1725.3	869.8	1725.3	869.8	1346.2	678.7
.7	1726.4	870.4	1726.4	870.4	1345.1	678.1
.8	1727.6	871.0	1727.6	871.0	1343.9	677.6
.9	1728.7	871.5	1728.7	871.5	1342.8	677.0
3493.0	1729.8	872.1	1729.8	872.1	1341.7	676.4
.1	1730.9	872.7	1730.9	872.7	1340.5	675.9
.2	1732.1	873.3	1732.1	873.3	1339.4	675.3
.3	1733.2	873.8	1733.2	873.8	1338.3	674.7
.4	1734.3	874.4	1734.3	874.4	1337.2	674.2
.5	1735.5	875.0	1735.5	875.0	1336.0	673.6
.6	1736.6	875.5	1736.6	875.5	1334.9	673.0
.7	1737.7	876.1	1737.7	876.1	1333.8	672.4
.8	1738.8	876.7	1738.8	876.7	1332.7	671.9
.9	1740.0	877.2	1740.0	877.2	1331.5	671.3
3494.0	1741.1	877.8	1741.1	877.8	1330.4	670.7
.1	1742.2	878.4	1742.2	878.4	1329.3	670.2
.2	1743.3	878.9	1743.3	878.9	1328.1	669.6
.3	1744.5	879.5	1744.5	879.5	1327.0	669.0
.4	1745.6	880.1	1745.6	880.1	1325.9	668.5
.5	1746.7	880.6	1746.7	880.6	1324.8	667.9
.6	1747.8	881.2	1747.8	881.2	1323.6	667.3
.7	1749.0	881.8	1749.0	881.8	1322.5	666.8
.8	1750.1	882.3	1750.1	882.3	1321.4	666.2
.9	1751.2	882.9	1751.2	882.9	1320.3	665.6
3495.0	1752.4	883.5	1752.4	883.5	1319.1	665.1
.1	1753.5	884.0	1753.5	884.0	1318.0	664.5
.2	1754.6	884.6	1754.6	884.6	1316.9	663.9
.3	1755.7	885.2	1755.7	885.2	1315.7	663.4
.4	1756.9	885.8	1756.9	885.8	1314.6	662.8
.5	1758.0	886.3	1758.0	886.3	1313.5	662.2
.6	1759.1	886.9	1759.1	886.9	1312.4	661.7
.7	1760.2	887.5	1760.2	887.5	1311.2	661.1
.8	1761.4	888.0	1761.4	888.0	1310.1	660.5
.9	1762.5	888.6	1762.5	888.6	1309.0	659.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3496.0	1763.6	889.2	1763.6	889.2	1307.9	659.4
.1	1764.8	889.7	1764.8	889.7	1306.7	658.8
.2	1765.9	890.3	1765.9	890.3	1305.6	658.2
.3	1767.0	890.9	1767.0	890.9	1304.5	657.7
.4	1768.1	891.4	1768.1	891.4	1303.3	657.1
.5	1769.3	892.0	1769.3	892.0	1302.2	656.5
.6	1770.4	892.6	1770.4	892.6	1301.1	656.0
.7	1771.5	893.1	1771.5	893.1	1300.0	655.4
.8	1772.6	893.7	1772.6	893.7	1298.8	654.8
.9	1773.8	894.3	1773.8	894.3	1297.7	654.3
3497.0	1774.9	894.8	1774.9	894.8	1296.6	653.7
.1	1776.0	895.4	1776.0	895.4	1295.5	653.1
.2	1777.2	896.0	1777.2	896.0	1294.3	652.6
.3	1778.3	896.5	1778.3	896.5	1293.2	652.0
.4	1779.4	897.1	1779.4	897.1	1292.1	651.4
.5	1780.5	897.7	1780.5	897.7	1291.0	650.9
.6	1781.7	898.3	1781.7	898.3	1289.8	650.3
.7	1782.8	898.8	1782.8	898.8	1288.7	649.7
.8	1783.9	899.4	1783.9	899.4	1287.6	649.1
.9	1785.0	900.0	1785.0	900.0	1286.4	648.6
3498.0	1786.2	900.5	1786.2	900.5	1285.3	648.0
.1	1787.3	901.1	1787.3	901.1	1284.2	647.4
.2	1788.4	901.7	1788.4	901.7	1283.1	646.9
.3	1789.6	902.2	1789.6	902.2	1281.9	646.3
.4	1790.7	902.8	1790.7	902.8	1280.8	645.7
.5	1791.8	903.4	1791.8	903.4	1279.7	645.2
.6	1792.9	903.9	1792.9	903.9	1278.6	644.6
.7	1794.1	904.5	1794.1	904.5	1277.4	644.0
.8	1795.2	905.1	1795.2	905.1	1276.3	643.5
.9	1796.3	905.6	1796.3	905.6	1275.2	642.9
3499.0	1797.4	906.2	1797.4	906.2	1274.0	642.3
.1	1798.6	906.8	1798.6	906.8	1272.9	641.8
.2	1799.7	907.3	1799.7	907.3	1271.8	641.2
.3	1800.8	907.9	1800.8	907.9	1270.7	640.6
.4	1801.9	908.5	1801.9	908.5	1269.5	640.1
.5	1803.1	909.1	1803.1	909.1	1268.4	639.5
.6	1804.2	909.6	1804.2	909.6	1267.3	638.9
.7	1805.3	910.2	1805.3	910.2	1266.2	638.4
.8	1806.5	910.8	1806.5	910.8	1265.0	637.8
.9	1807.6	911.3	1807.6	911.3	1263.9	637.2
3500.0	1808.7	911.9	1808.7	911.9	1262.8	636.6
.1	1809.8	912.5	1809.8	912.5	1261.6	636.1
.2	1811.0	913.0	1811.0	913.0	1260.5	635.5
.3	1812.1	913.6	1812.1	913.6	1259.4	634.9
.4	1813.2	914.2	1813.2	914.2	1258.3	634.4
.5	1814.3	914.7	1814.3	914.7	1257.1	633.8
.6	1815.5	915.3	1815.5	915.3	1256.0	633.2
.7	1816.6	915.9	1816.6	915.9	1254.9	632.7
.8	1817.7	916.4	1817.7	916.4	1253.8	632.1
.9	1818.9	917.0	1818.9	917.0	1252.6	631.5

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3501.0	1820.0	917.6	1820.0	917.6	1251.5	631.0
.1	1821.1	918.1	1821.1	918.1	1250.4	630.4
.2	1822.2	918.7	1822.2	918.7	1249.2	629.8
.3	1823.4	919.3	1823.4	919.3	1248.1	629.3
.4	1824.5	919.8	1824.5	919.8	1247.0	628.7
.5	1825.6	920.4	1825.6	920.4	1245.9	628.1
.6	1826.7	921.0	1826.7	921.0	1244.7	627.6
.7	1827.9	921.6	1827.9	921.6	1243.6	627.0
.8	1829.0	922.1	1829.0	922.1	1242.5	626.4
.9	1830.1	922.7	1830.1	922.7	1241.4	625.9
3502.0	1831.3	923.3	1831.3	923.3	1240.2	625.3
.1	1832.4	923.8	1832.4	923.8	1239.1	624.7
.2	1833.5	924.4	1833.5	924.4	1238.0	624.1
.3	1834.6	925.0	1834.6	925.0	1236.9	623.6
.4	1835.8	925.5	1835.8	925.5	1235.7	623.0
.5	1836.9	926.1	1836.9	926.1	1234.6	622.4
.6	1838.0	926.7	1838.0	926.7	1233.5	621.9
.7	1839.1	927.2	1839.1	927.2	1232.3	621.3
.8	1840.3	927.8	1840.3	927.8	1231.2	620.7
.9	1841.4	928.4	1841.4	928.4	1230.1	620.2
3503.0	1842.5	928.9	1842.5	928.9	1229.0	619.6
.1	1843.7	929.5	1843.7	929.5	1227.8	619.0
.2	1844.8	930.1	1844.8	930.1	1226.7	618.5
.3	1845.9	930.6	1845.9	930.6	1225.6	617.9
.4	1847.0	931.2	1847.0	931.2	1224.5	617.3
.5	1848.2	931.8	1848.2	931.8	1223.3	616.8
.6	1849.3	932.3	1849.3	932.3	1222.2	616.2
.7	1850.4	932.9	1850.4	932.9	1221.1	615.6
.8	1851.5	933.5	1851.5	933.5	1219.9	615.1
.9	1852.7	934.1	1852.7	934.1	1218.8	614.5
3504.0	1853.8	934.6	1853.8	934.6	1217.7	613.9
.1	1854.9	935.2	1854.9	935.2	1216.6	613.4
.2	1856.0	935.8	1856.0	935.8	1215.4	612.8
.3	1857.2	936.3	1857.2	936.3	1214.3	612.2
.4	1858.3	936.9	1858.3	936.9	1213.2	611.6
.5	1859.4	937.5	1859.4	937.5	1212.1	611.1
.6	1860.6	938.0	1860.6	938.0	1210.9	610.5
.7	1861.7	938.6	1861.7	938.6	1209.8	609.9
.8	1862.8	939.2	1862.8	939.2	1208.7	609.4
.9	1863.9	939.7	1863.9	939.7	1207.5	608.8
3505.0	1865.1	940.3	1865.1	940.3	1206.4	608.2
.1	1866.2	940.9	1866.2	940.9	1205.3	607.7
.2	1867.3	941.4	1867.3	941.4	1204.2	607.1
.3	1868.4	942.0	1868.4	942.0	1203.0	606.5
.4	1869.6	942.6	1869.6	942.6	1201.9	606.0
.5	1870.7	943.1	1870.7	943.1	1200.8	605.4
.6	1871.8	943.7	1871.8	943.7	1199.7	604.8
.7	1873.0	944.3	1873.0	944.3	1198.5	604.3
.8	1874.1	944.9	1874.1	944.9	1197.4	603.7
.9	1875.2	945.4	1875.2	945.4	1196.3	603.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3506.0	1876.3	946.0	1876.3	946.0	1195.1	602.6
.1	1877.5	946.6	1877.5	946.6	1194.0	602.0
.2	1878.6	947.1	1878.6	947.1	1192.9	601.4
.3	1879.7	947.7	1879.7	947.7	1191.8	600.8
.4	1880.8	948.3	1880.8	948.3	1190.6	600.3
.5	1882.0	948.8	1882.0	948.8	1189.5	599.7
.6	1883.1	949.4	1883.1	949.4	1188.4	599.1
.7	1884.2	950.0	1884.2	950.0	1187.3	598.6
.8	1885.4	950.5	1885.4	950.5	1186.1	598.0
.9	1886.5	951.1	1886.5	951.1	1185.0	597.4
3507.0	1887.6	951.7	1887.6	951.7	1183.9	596.9
.1	1888.7	952.2	1888.7	952.2	1182.7	596.3
.2	1889.9	952.8	1889.9	952.8	1181.6	595.7
.3	1891.0	953.4	1891.0	953.4	1180.5	595.2
.4	1892.1	953.9	1892.1	953.9	1179.4	594.6
.5	1893.2	954.5	1893.2	954.5	1178.2	594.0
.6	1894.4	955.1	1894.4	955.1	1177.1	593.5
.7	1895.5	955.6	1895.5	955.6	1176.0	592.9
.8	1896.6	956.2	1896.6	956.2	1174.9	592.3
.9	1897.8	956.8	1897.8	956.8	1173.7	591.8
3508.0	1898.9	957.4	1898.9	957.4	1172.6	591.2
.1	1900.0	957.9	1900.0	957.9	1171.5	590.6
.2	1901.1	958.5	1901.1	958.5	1170.4	590.1
.3	1902.3	959.1	1902.3	959.1	1169.2	589.5
.4	1903.4	959.6	1903.4	959.6	1168.1	588.9
.5	1904.5	960.2	1904.5	960.2	1167.0	588.3
.6	1905.6	960.8	1905.6	960.8	1165.8	587.8
.7	1906.8	961.3	1906.8	961.3	1164.7	587.2
.8	1907.9	961.9	1907.9	961.9	1163.6	586.6
.9	1909.0	962.5	1909.0	962.5	1162.5	586.1
3509.0	1910.1	963.0	1910.1	963.0	1161.3	585.5
.1	1911.3	963.6	1911.3	963.6	1160.2	584.9
.2	1912.4	964.2	1912.4	964.2	1159.1	584.4
.3	1913.5	964.7	1913.5	964.7	1158.0	583.8
.4	1914.7	965.3	1914.7	965.3	1156.8	583.2
.5	1915.8	965.9	1915.8	965.9	1155.7	582.7
.6	1916.9	966.4	1916.9	966.4	1154.6	582.1
.7	1918.0	967.0	1918.0	967.0	1153.4	581.5
.8	1919.2	967.6	1919.2	967.6	1152.3	581.0
.9	1920.3	968.1	1920.3	968.1	1151.2	580.4
3510.0	1921.4	968.7	1921.4	968.7	1150.1	579.8
.1	1924.0	970.0	1924.0	970.0	1147.4	578.5
.2	1926.6	971.3	1926.6	971.3	1144.8	577.2
.3	1929.3	972.7	1929.3	972.7	1142.2	575.9
.4	1931.9	974.0	1931.9	974.0	1139.6	574.6
.5	1934.5	975.3	1934.5	975.3	1137.0	573.2
.6	1937.1	976.6	1937.1	976.6	1134.4	571.9
.7	1939.7	977.9	1939.7	977.9	1131.8	570.6
.8	1942.3	979.3	1942.3	979.3	1129.2	569.3
.9	1944.9	980.6	1944.9	980.6	1126.6	568.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3511.0	1947.5	981.9	1947.5	981.9	1123.9	566.7
.1	1950.2	983.2	1950.2	983.2	1121.3	565.3
.2	1952.8	984.5	1952.8	984.5	1118.7	564.0
.3	1955.4	985.8	1955.4	985.8	1116.1	562.7
.4	1958.0	987.2	1958.0	987.2	1113.5	561.4
.5	1960.6	988.5	1960.6	988.5	1110.9	560.1
.6	1963.2	989.8	1963.2	989.8	1108.3	558.7
.7	1965.8	991.1	1965.8	991.1	1105.6	557.4
.8	1968.5	992.4	1968.5	992.4	1103.0	556.1
.9	1971.1	993.7	1971.1	993.7	1100.4	554.8
3512.0	1973.7	995.1	1973.7	995.1	1097.8	553.5
.1	1976.3	996.4	1976.3	996.4	1095.2	552.2
.2	1978.9	997.7	1978.9	997.7	1092.6	550.8
.3	1981.5	999.0	1981.5	999.0	1090.0	549.5
.4	1984.1	1000.3	1984.1	1000.3	1087.4	548.2
.5	1986.7	1001.6	1986.7	1001.6	1084.7	546.9
.6	1989.4	1003.0	1989.4	1003.0	1082.1	545.6
.7	1992.0	1004.3	1992.0	1004.3	1079.5	544.3
.8	1994.6	1005.6	1994.6	1005.6	1076.9	542.9
.9	1997.2	1006.9	1997.2	1006.9	1074.3	541.6
3513.0	1999.8	1008.2	1999.8	1008.2	1071.7	540.3
.1	2002.4	1009.6	2002.4	1009.6	1069.1	539.0
.2	2005.0	1010.9	2005.0	1010.9	1066.5	537.7
.3	2007.6	1012.2	2007.6	1012.2	1063.8	536.4
.4	2010.3	1013.5	2010.3	1013.5	1061.2	535.0
.5	2012.9	1014.8	2012.9	1014.8	1058.6	533.7
.6	2015.5	1016.1	2015.5	1016.1	1056.0	532.4
.7	2018.1	1017.5	2018.1	1017.5	1053.4	531.1
.8	2020.7	1018.8	2020.7	1018.8	1050.8	529.8
.9	2023.3	1020.1	2023.3	1020.1	1048.2	528.4
3514.0	2025.9	1021.4	2025.9	1021.4	1045.5	527.1
.1	2028.6	1022.7	2028.6	1022.7	1042.9	525.8
.2	2031.2	1024.0	2031.2	1024.0	1040.3	524.5
.3	2033.8	1025.4	2033.8	1025.4	1037.7	523.2
.4	2036.4	1026.7	2036.4	1026.7	1035.1	521.9
.5	2039.0	1028.0	2039.0	1028.0	1032.5	520.5
.6	2041.6	1029.3	2041.6	1029.3	1029.9	519.2
.7	2044.2	1030.6	2044.2	1030.6	1027.3	517.9
.8	2046.8	1031.9	2046.8	1031.9	1024.6	516.6
.9	2049.4	1033.3	2049.4	1033.3	1022.0	515.3
3515.0	2052.1	1034.6	2052.1	1034.6	1019.4	514.0
.1	2054.7	1035.9	2054.7	1035.9	1016.8	512.6
.2	2057.3	1037.2	2057.3	1037.2	1014.2	511.3
.3	2059.9	1038.5	2059.9	1038.5	1011.6	510.0
.4	2062.5	1039.9	2062.5	1039.9	1009.0	508.7
.5	2065.1	1041.2	2065.1	1041.2	1006.4	507.4
.6	2067.7	1042.5	2067.7	1042.5	1003.7	506.1
.7	2070.4	1043.8	2070.4	1043.8	1001.1	504.7
.8	2073.0	1045.1	2073.0	1045.1	998.5	503.4
.9	2075.6	1046.4	2075.6	1046.4	995.9	502.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3516.0	2078.2	1047.8	2078.2	1047.8	993.3	500.8
.1	2080.8	1049.1	2080.8	1049.1	990.7	499.5
.2	2083.4	1050.4	2083.4	1050.4	988.1	498.1
.3	2086.0	1051.7	2086.0	1051.7	985.5	496.8
.4	2088.6	1053.0	2088.6	1053.0	982.8	495.5
.5	2091.3	1054.3	2091.3	1054.3	980.2	494.2
.6	2093.9	1055.7	2093.9	1055.7	977.6	492.9
.7	2096.5	1057.0	2096.5	1057.0	975.0	491.6
.8	2099.1	1058.3	2099.1	1058.3	972.4	490.2
.9	2101.7	1059.6	2101.7	1059.6	969.8	488.9
3517.0	2104.3	1060.9	2104.3	1060.9	967.2	487.6
.1	2106.9	1062.2	2106.9	1062.2	964.5	486.3
.2	2109.5	1063.6	2109.5	1063.6	961.9	485.0
.3	2112.2	1064.9	2112.2	1064.9	959.3	483.7
.4	2114.8	1066.2	2114.8	1066.2	956.7	482.3
.5	2117.4	1067.5	2117.4	1067.5	954.1	481.0
.6	2120.0	1068.8	2120.0	1068.8	951.5	479.7
.7	2122.6	1070.2	2122.6	1070.2	948.9	478.4
.8	2125.2	1071.5	2125.2	1071.5	946.3	477.1
.9	2127.8	1072.8	2127.8	1072.8	943.6	475.8
3518.0	2130.5	1074.1	2130.5	1074.1	941.0	474.4
.1	2133.1	1075.4	2133.1	1075.4	938.4	473.1
.2	2135.7	1076.7	2135.7	1076.7	935.8	471.8
.3	2138.3	1078.1	2138.3	1078.1	933.2	470.5
.4	2140.9	1079.4	2140.9	1079.4	930.6	469.2
.5	2143.5	1080.7	2143.5	1080.7	928.0	467.9
.6	2146.1	1082.0	2146.1	1082.0	925.4	466.5
.7	2148.7	1083.3	2148.7	1083.3	922.7	465.2
.8	2151.4	1084.6	2151.4	1084.6	920.1	463.9
.9	2154.0	1086.0	2154.0	1086.0	917.5	462.6
3519.0	2156.6	1087.3	2156.6	1087.3	914.9	461.3
.1	2159.2	1088.6	2159.2	1088.6	912.3	459.9
.2	2161.8	1089.9	2161.8	1089.9	909.7	458.6
.3	2164.4	1091.2	2164.4	1091.2	907.1	457.3
.4	2167.0	1092.5	2167.0	1092.5	904.5	456.0
.5	2169.6	1093.9	2169.6	1093.9	901.8	454.7
.6	2172.3	1095.2	2172.3	1095.2	899.2	453.4
.7	2174.9	1096.5	2174.9	1096.5	896.6	452.0
.8	2177.5	1097.8	2177.5	1097.8	894.0	450.7
.9	2180.1	1099.1	2180.1	1099.1	891.4	449.4
3520.0	2182.7	1100.5	2182.7	1100.5	888.8	448.1
.1	2185.3	1101.8	2185.3	1101.8	886.2	446.8
.2	2187.9	1103.1	2187.9	1103.1	883.5	445.5
.3	2190.6	1104.4	2190.6	1104.4	880.9	444.1
.4	2193.2	1105.7	2193.2	1105.7	878.3	442.8
.5	2195.8	1107.0	2195.8	1107.0	875.7	441.5
.6	2198.4	1108.4	2198.4	1108.4	873.1	440.2
.7	2201.0	1109.7	2201.0	1109.7	870.5	438.9
.8	2203.6	1111.0	2203.6	1111.0	867.9	437.6
.9	2206.2	1112.3	2206.2	1112.3	865.3	436.2

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3521.0	2208.8	1113.6	2208.8	1113.6	862.6	434.9
.1	2211.5	1114.9	2211.5	1114.9	860.0	433.6
.2	2214.1	1116.3	2214.1	1116.3	857.4	432.3
.3	2216.7	1117.6	2216.7	1117.6	854.8	431.0
.4	2219.3	1118.9	2219.3	1118.9	852.2	429.6
.5	2221.9	1120.2	2221.9	1120.2	849.6	428.3
.6	2224.5	1121.5	2224.5	1121.5	847.0	427.0
.7	2227.1	1122.8	2227.1	1122.8	844.4	425.7
.8	2229.7	1124.2	2229.7	1124.2	841.7	424.4
.9	2232.4	1125.5	2232.4	1125.5	839.1	423.1
3522.0	2235.0	1126.8	2235.0	1126.8	836.5	421.7
.1	2237.6	1128.1	2237.6	1128.1	833.9	420.4
.2	2240.2	1129.4	2240.2	1129.4	831.3	419.1
.3	2242.8	1130.8	2242.8	1130.8	828.7	417.8
.4	2245.4	1132.1	2245.4	1132.1	826.1	416.5
.5	2248.0	1133.4	2248.0	1133.4	823.4	415.2
.6	2250.7	1134.7	2250.7	1134.7	820.8	413.8
.7	2253.3	1136.0	2253.3	1136.0	818.2	412.5
.8	2255.9	1137.3	2255.9	1137.3	815.6	411.2
.9	2258.5	1138.7	2258.5	1138.7	813.0	409.9
3523.0	2261.1	1140.0	2261.1	1140.0	810.4	408.6
.1	2263.7	1141.3	2263.7	1141.3	807.8	407.2
.2	2266.3	1142.6	2266.3	1142.6	805.2	405.9
.3	2268.9	1143.9	2268.9	1143.9	802.5	404.6
.4	2271.6	1145.2	2271.6	1145.2	799.9	403.3
.5	2274.2	1146.6	2274.2	1146.6	797.3	402.0
.6	2276.8	1147.9	2276.8	1147.9	794.7	400.7
.7	2279.4	1149.2	2279.4	1149.2	792.1	399.3
.8	2282.0	1150.5	2282.0	1150.5	789.5	398.0
.9	2284.6	1151.8	2284.6	1151.8	786.9	396.7
3524.0	2287.2	1153.1	2287.2	1153.1	784.2	395.4
.1	2289.9	1154.5	2289.9	1154.5	781.6	394.1
.2	2292.5	1155.8	2292.5	1155.8	779.0	392.8
.3	2295.1	1157.1	2295.1	1157.1	776.4	391.4
.4	2297.7	1158.4	2297.7	1158.4	773.8	390.1
.5	2300.3	1159.7	2300.3	1159.7	771.2	388.8
.6	2302.9	1161.1	2302.9	1161.1	768.6	387.5
.7	2305.5	1162.4	2305.5	1162.4	766.0	386.2
.8	2308.1	1163.7	2308.1	1163.7	763.3	384.9
.9	2310.8	1165.0	2310.8	1165.0	760.7	383.5
3525.0	2313.4	1166.3	2313.4	1166.3	758.1	382.2
.1	2316.0	1167.6	2316.0	1167.6	755.5	380.9
.2	2318.6	1169.0	2318.6	1169.0	752.9	379.6
.3	2321.2	1170.3	2321.2	1170.3	750.3	378.3
.4	2323.8	1171.6	2323.8	1171.6	747.7	376.9
.5	2326.4	1172.9	2326.4	1172.9	745.0	375.6
.6	2329.1	1174.2	2329.1	1174.2	742.4	374.3
.7	2331.7	1175.5	2331.7	1175.5	739.8	373.0
.8	2334.3	1176.9	2334.3	1176.9	737.2	371.7
.9	2336.9	1178.2	2336.9	1178.2	734.6	370.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3526.0	2339.5	1179.5	2339.5	1179.5	732.0	369.0
.1	2342.1	1180.8	2342.1	1180.8	729.4	367.7
.2	2344.7	1182.1	2344.7	1182.1	726.8	366.4
.3	2347.3	1183.5	2347.3	1183.5	724.1	365.1
.4	2350.0	1184.8	2350.0	1184.8	721.5	363.8
.5	2352.6	1186.1	2352.6	1186.1	718.9	362.5
.6	2355.2	1187.4	2355.2	1187.4	716.3	361.1
.7	2357.8	1188.7	2357.8	1188.7	713.7	359.8
.8	2360.4	1190.0	2360.4	1190.0	711.1	358.5
.9	2363.0	1191.4	2363.0	1191.4	708.5	357.2
3527.0	2365.6	1192.7	2365.6	1192.7	705.9	355.9
.1	2368.2	1194.0	2368.2	1194.0	703.2	354.5
.2	2370.9	1195.3	2370.9	1195.3	700.6	353.2
.3	2373.5	1196.6	2373.5	1196.6	698.0	351.9
.4	2376.1	1197.9	2376.1	1197.9	695.4	350.6
.5	2378.7	1199.3	2378.7	1199.3	692.8	349.3
.6	2381.3	1200.6	2381.3	1200.6	690.2	348.0
.7	2383.9	1201.9	2383.9	1201.9	687.6	346.6
.8	2386.5	1203.2	2386.5	1203.2	684.9	345.3
.9	2389.1	1204.5	2389.1	1204.5	682.3	344.0
3528.0	2391.8	1205.8	2391.8	1205.8	679.7	342.7
.1	2394.4	1207.2	2394.4	1207.2	677.1	341.4
.2	2397.0	1208.5	2397.0	1208.5	674.5	340.1
.3	2399.6	1209.8	2399.6	1209.8	671.9	338.7
.4	2402.2	1211.1	2402.2	1211.1	669.3	337.4
.5	2404.8	1212.4	2404.8	1212.4	666.7	336.1
.6	2407.4	1213.8	2407.4	1213.8	664.0	334.8
.7	2410.1	1215.1	2410.1	1215.1	661.4	333.5
.8	2412.7	1216.4	2412.7	1216.4	658.8	332.2
.9	2415.3	1217.7	2415.3	1217.7	656.2	330.8
3529.0	2417.9	1219.0	2417.9	1219.0	653.6	329.5
.1	2420.5	1220.3	2420.5	1220.3	651.0	328.2
.2	2423.1	1221.7	2423.1	1221.7	648.4	326.9
.3	2425.7	1223.0	2425.7	1223.0	645.7	325.6
.4	2428.3	1224.3	2428.3	1224.3	643.1	324.2
.5	2431.0	1225.6	2431.0	1225.6	640.5	322.9
.6	2433.6	1226.9	2433.6	1226.9	637.9	321.6
.7	2436.2	1228.2	2436.2	1228.2	635.3	320.3
.8	2438.8	1229.6	2438.8	1229.6	632.7	319.0
.9	2441.4	1230.9	2441.4	1230.9	630.1	317.7
3530.0	2444.0	1232.2	2444.0	1232.2	627.5	316.3
.1	2446.6	1233.5	2446.6	1233.5	624.8	315.0
.2	2449.3	1234.8	2449.3	1234.8	622.2	313.7
.3	2451.9	1236.2	2451.9	1236.2	619.6	312.4
.4	2454.5	1237.5	2454.5	1237.5	617.0	311.1
.5	2457.1	1238.8	2457.1	1238.8	614.4	309.8
.6	2459.7	1240.1	2459.7	1240.1	611.8	308.4
.7	2462.3	1241.4	2462.3	1241.4	609.2	307.1
.8	2463.8	1242.2	2463.8	1242.2	607.7	306.4
.9	2465.3	1242.9	2465.3	1242.9	606.2	305.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3531.0	2466.8	1243.7	2466.8	1243.7	604.7	304.9
.1	2468.3	1244.4	2468.3	1244.4	603.2	304.1
.2	2469.8	1245.2	2469.8	1245.2	601.7	303.4
.3	2471.3	1245.9	2471.3	1245.9	600.2	302.6
.4	2472.7	1246.7	2472.7	1246.7	598.7	301.9
.5	2474.2	1247.4	2474.2	1247.4	597.3	301.1
.6	2475.7	1248.2	2475.7	1248.2	595.8	300.4
.7	2477.2	1248.9	2477.2	1248.9	594.3	299.6
.8	2478.7	1249.7	2478.7	1249.7	592.8	298.9
.9	2480.2	1250.4	2480.2	1250.4	591.3	298.1
3532.0	2481.7	1251.2	2481.7	1251.2	589.8	297.4
.1	2483.2	1251.9	2483.2	1251.9	588.3	296.6
.2	2484.6	1252.7	2484.6	1252.7	586.8	295.9
.3	2486.1	1253.4	2486.1	1253.4	585.4	295.1
.4	2487.6	1254.2	2487.6	1254.2	583.9	294.4
.5	2489.1	1254.9	2489.1	1254.9	582.4	293.6
.6	2490.6	1255.7	2490.6	1255.7	580.9	292.9
.7	2492.1	1256.4	2492.1	1256.4	579.4	292.1
.8	2493.6	1257.2	2493.6	1257.2	577.9	291.4
.9	2495.1	1257.9	2495.1	1257.9	576.4	290.6
3533.0	2496.5	1258.7	2496.5	1258.7	574.9	289.9
.1	2498.0	1259.4	2498.0	1259.4	573.4	289.1
.2	2499.5	1260.2	2499.5	1260.2	572.0	288.4
.3	2501.0	1260.9	2501.0	1260.9	570.5	287.6
.4	2502.5	1261.7	2502.5	1261.7	569.0	286.9
.5	2504.0	1262.4	2504.0	1262.4	567.5	286.1
.6	2505.5	1263.2	2505.5	1263.2	566.0	285.4
.7	2507.0	1263.9	2507.0	1263.9	564.5	284.6
.8	2508.5	1264.7	2508.5	1264.7	563.0	283.9
.9	2509.9	1265.4	2509.9	1265.4	561.5	283.1
3534.0	2511.4	1266.2	2511.4	1266.2	560.1	282.4
.1	2512.9	1266.9	2512.9	1266.9	558.6	281.6
.2	2514.4	1267.7	2514.4	1267.7	557.1	280.9
.3	2515.9	1268.4	2515.9	1268.4	555.6	280.1
.4	2517.4	1269.2	2517.4	1269.2	554.1	279.4
.5	2518.9	1269.9	2518.9	1269.9	552.6	278.6
.6	2520.4	1270.7	2520.4	1270.7	551.1	277.9
.7	2521.8	1271.4	2521.8	1271.4	549.6	277.1
.8	2523.3	1272.2	2523.3	1272.2	548.2	276.4
.9	2524.8	1272.9	2524.8	1272.9	546.7	275.6
3535.0	2526.3	1273.7	2526.3	1273.7	545.2	274.9
.1	2527.8	1274.4	2527.8	1274.4	543.7	274.1
.2	2529.3	1275.2	2529.3	1275.2	542.2	273.4
.3	2530.8	1275.9	2530.8	1275.9	540.7	272.6
.4	2532.3	1276.7	2532.3	1276.7	539.2	271.9
.5	2533.8	1277.4	2533.8	1277.4	537.7	271.1
.6	2535.2	1278.2	2535.2	1278.2	536.2	270.4
.7	2536.7	1278.9	2536.7	1278.9	534.8	269.6
.8	2538.2	1279.7	2538.2	1279.7	533.3	268.9
.9	2539.7	1280.4	2539.7	1280.4	531.8	268.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3536.0	2541.2	1281.2	2541.2	1281.2	530.3	267.4
.1	2542.7	1281.9	2542.7	1281.9	528.8	266.6
.2	2544.2	1282.7	2544.2	1282.7	527.3	265.9
.3	2545.7	1283.4	2545.7	1283.4	525.8	265.1
.4	2547.1	1284.2	2547.1	1284.2	524.3	264.4
.5	2548.6	1284.9	2548.6	1284.9	522.9	263.6
.6	2550.1	1285.7	2550.1	1285.7	521.4	262.9
.7	2551.6	1286.4	2551.6	1286.4	519.9	262.1
.8	2553.1	1287.2	2553.1	1287.2	518.4	261.4
.9	2554.6	1287.9	2554.6	1287.9	516.9	260.6
3537.0	2556.1	1288.7	2556.1	1288.7	515.4	259.9
.1	2557.6	1289.4	2557.6	1289.4	513.9	259.1
.2	2559.0	1290.2	2559.0	1290.2	512.4	258.4
.3	2560.5	1290.9	2560.5	1290.9	510.9	257.6
.4	2562.0	1291.7	2562.0	1291.7	509.5	256.9
.5	2563.5	1292.4	2563.5	1292.4	508.0	256.1
.6	2565.0	1293.2	2565.0	1293.2	506.5	255.4
.7	2566.5	1293.9	2566.5	1293.9	505.0	254.6
.8	2568.0	1294.7	2568.0	1294.7	503.5	253.9
.9	2569.5	1295.4	2569.5	1295.4	502.0	253.1
3538.0	2571.0	1296.2	2571.0	1296.2	500.5	252.4
.1	2572.4	1296.9	2572.4	1296.9	499.0	251.6
.2	2573.9	1297.7	2573.9	1297.7	497.6	250.9
.3	2575.4	1298.4	2575.4	1298.4	496.1	250.1
.4	2576.9	1299.2	2576.9	1299.2	494.6	249.4
.5	2578.4	1299.9	2578.4	1299.9	493.1	248.6
.6	2579.9	1300.7	2579.9	1300.7	491.6	247.8
.7	2581.4	1301.4	2581.4	1301.4	490.1	247.1
.8	2582.9	1302.2	2582.9	1302.2	488.6	246.3
.9	2584.3	1302.9	2584.3	1302.9	487.1	245.6
3539.0	2585.8	1303.7	2585.8	1303.7	485.6	244.8
.1	2587.3	1304.4	2587.3	1304.4	484.2	244.1
.2	2588.8	1305.2	2588.8	1305.2	482.7	243.3
.3	2590.3	1305.9	2590.3	1305.9	481.2	242.6
.4	2591.8	1306.7	2591.8	1306.7	479.7	241.8
.5	2593.3	1307.4	2593.3	1307.4	478.2	241.1
.6	2594.8	1308.2	2594.8	1308.2	476.7	240.3
.7	2596.3	1308.9	2596.3	1308.9	475.2	239.6
.8	2597.7	1309.7	2597.7	1309.7	473.7	238.8
.9	2599.2	1310.4	2599.2	1310.4	472.3	238.1
3540.0	2600.7	1311.2	2600.7	1311.2	470.8	237.3
.1	2602.2	1311.9	2602.2	1311.9	469.3	236.6
.2	2603.7	1312.7	2603.7	1312.7	467.8	235.8
.3	2605.2	1313.4	2605.2	1313.4	466.3	235.1
.4	2606.7	1314.2	2606.7	1314.2	464.8	234.3
.5	2608.2	1314.9	2608.2	1314.9	463.3	233.6
.6	2609.6	1315.7	2609.6	1315.7	461.8	232.8
.7	2611.1	1316.4	2611.1	1316.4	460.4	232.1
.8	2612.6	1317.2	2612.6	1317.2	458.9	231.3
.9	2614.1	1317.9	2614.1	1317.9	457.4	230.6

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
3541.0	2615.6	1318.7	2615.6	1318.7	455.9	229.8
.1	2617.1	1319.4	2617.1	1319.4	454.4	229.1
.2	2618.6	1320.2	2618.6	1320.2	452.9	228.3
.3	2620.1	1320.9	2620.1	1320.9	451.4	227.6
.4	2621.5	1321.7	2621.5	1321.7	449.9	226.8
.5	2623.0	1322.4	2623.0	1322.4	448.4	226.1
.6	2624.5	1323.2	2624.5	1323.2	447.0	225.3
.7	2626.0	1323.9	2626.0	1323.9	445.5	224.6
.8	2627.5	1324.7	2627.5	1324.7	444.0	223.8
.9	2629.0	1325.4	2629.0	1325.4	442.5	223.1
3542.0	2630.5	1326.2	2630.5	1326.2	441.0	222.3
.1	2632.0	1327.0	2632.0	1327.0	439.5	221.6
.2	2633.5	1327.7	2633.5	1327.7	438.0	220.8
.3	2634.9	1328.5	2634.9	1328.5	436.5	220.1
.4	2636.4	1329.2	2636.4	1329.2	435.1	219.3
.5	2637.9	1330.0	2637.9	1330.0	433.6	218.6
.6	2639.4	1330.7	2639.4	1330.7	432.1	217.8
.7	2640.9	1331.5	2640.9	1331.5	430.6	217.1
.8	2642.4	1332.2	2642.4	1332.2	429.1	216.3
.9	2643.9	1333.0	2643.9	1333.0	427.6	215.6
3543.0	2645.4	1333.7	2645.4	1333.7	426.1	214.8
.1	2646.9	1334.5	2646.9	1334.5	424.6	214.1
.2	2648.3	1335.2	2648.3	1335.2	423.1	213.3
.3	2649.8	1336.0	2649.8	1336.0	421.7	212.6
.4	2651.3	1336.7	2651.3	1336.7	420.2	211.8
.5	2652.8	1337.5	2652.8	1337.5	418.7	211.1
.6	2654.3	1338.2	2654.3	1338.2	417.2	210.3
.7	2655.8	1339.0	2655.8	1339.0	415.7	209.6
.8	2657.3	1339.7	2657.3	1339.7	414.2	208.8
.9	2658.8	1340.5	2658.8	1340.5	412.7	208.1
3544.0	2660.2	1341.2	2660.2	1341.2	411.2	207.3
.1	2661.7	1342.0	2661.7	1342.0	409.8	206.6
.2	2663.2	1342.7	2663.2	1342.7	408.3	205.8
.3	2664.7	1343.5	2664.7	1343.5	406.8	205.1
.4	2666.2	1344.2	2666.2	1344.2	405.3	204.3
.5	2667.7	1345.0	2667.7	1345.0	403.8	203.6
.6	2669.2	1345.7	2669.2	1345.7	402.3	202.8
.7	2670.7	1346.5	2670.7	1346.5	400.8	202.1
.8	2672.1	1347.2	2672.1	1347.2	399.3	201.3
.9	2673.6	1348.0	2673.6	1348.0	397.9	200.6
3545.0	2675.1	1348.7	2675.1	1348.7	396.4	199.8
.1	2676.6	1349.5	2676.6	1349.5	394.9	199.1
.2	2678.1	1350.2	2678.1	1350.2	393.4	198.3
.3	2679.6	1351.0	2679.6	1351.0	391.9	197.6
.4	2681.1	1351.7	2681.1	1351.7	390.4	196.8
.5	2682.6	1352.5	2682.6	1352.5	388.9	196.1
.6	2684.1	1353.2	2684.1	1353.2	387.4	195.3
.7	2685.5	1354.0	2685.5	1354.0	385.9	194.6
.8	2687.0	1354.7	2687.0	1354.7	384.5	193.8
.9	2688.5	1355.5	2688.5	1355.5	383.0	193.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3546.0	2690.0	1356.2	2690.0	1356.2	381.5	192.3
.1	2691.5	1357.0	2691.5	1357.0	380.0	191.6
.2	2693.0	1357.7	2693.0	1357.7	378.5	190.8
.3	2694.5	1358.5	2694.5	1358.5	377.0	190.1
.4	2696.0	1359.2	2696.0	1359.2	375.5	189.3
.5	2697.4	1360.0	2697.4	1360.0	374.0	188.6
.6	2698.9	1360.7	2698.9	1360.7	372.5	187.8
.7	2700.4	1361.5	2700.4	1361.5	371.1	187.1
.8	2701.9	1362.2	2701.9	1362.2	369.6	186.3
.9	2703.4	1363.0	2703.4	1363.0	368.1	185.6
3547.0	2704.9	1363.7	2704.9	1363.7	366.6	184.8
.1	2706.4	1364.5	2706.4	1364.5	365.1	184.1
.2	2707.9	1365.2	2707.9	1365.2	363.6	183.3
.3	2709.4	1366.0	2709.4	1366.0	362.1	182.6
.4	2710.8	1366.7	2710.8	1366.7	360.6	181.8
.5	2712.3	1367.5	2712.3	1367.5	359.2	181.1
.6	2713.8	1368.2	2713.8	1368.2	357.7	180.3
.7	2715.3	1369.0	2715.3	1369.0	356.2	179.6
.8	2716.8	1369.7	2716.8	1369.7	354.7	178.8
.9	2718.3	1370.5	2718.3	1370.5	353.2	178.1
3548.0	2719.8	1371.2	2719.8	1371.2	351.7	177.3
.1	2721.3	1372.0	2721.3	1372.0	350.2	176.6
.2	2722.7	1372.7	2722.7	1372.7	348.7	175.8
.3	2724.2	1373.5	2724.2	1373.5	347.3	175.1
.4	2725.7	1374.2	2725.7	1374.2	345.8	174.3
.5	2727.2	1375.0	2727.2	1375.0	344.3	173.6
.6	2728.7	1375.7	2728.7	1375.7	342.8	172.8
.7	2730.2	1376.5	2730.2	1376.5	341.3	172.1
.8	2731.7	1377.2	2731.7	1377.2	339.8	171.3
.9	2733.2	1378.0	2733.2	1378.0	338.3	170.6
3549.0	2734.6	1378.7	2734.6	1378.7	336.8	169.8
.1	2736.1	1379.5	2736.1	1379.5	335.3	169.1
.2	2737.6	1380.2	2737.6	1380.2	333.9	168.3
.3	2739.1	1381.0	2739.1	1381.0	332.4	167.6
.4	2740.6	1381.7	2740.6	1381.7	330.9	166.8
.5	2742.1	1382.5	2742.1	1382.5	329.4	166.1
.6	2743.6	1383.2	2743.6	1383.2	327.9	165.3
.7	2745.1	1384.0	2745.1	1384.0	326.4	164.6
.8	2746.6	1384.7	2746.6	1384.7	324.9	163.8
.9	2748.0	1385.5	2748.0	1385.5	323.4	163.1
3550.0	2749.5	1386.2	2749.5	1386.2	322.0	162.3
.1	2751.9	1387.4	2751.9	1387.4	319.6	161.1
.2	2754.2	1388.6	2754.2	1388.6	317.3	160.0
.3	2756.5	1389.7	2756.5	1389.7	315.0	158.8
.4	2758.8	1390.9	2758.8	1390.9	312.7	157.6
.5	2761.2	1392.1	2761.2	1392.1	310.3	156.5
.6	2763.5	1393.3	2763.5	1393.3	308.0	155.3
.7	2765.8	1394.4	2765.8	1394.4	305.7	154.1
.8	2768.1	1395.6	2768.1	1395.6	303.4	152.9
.9	2770.4	1396.8	2770.4	1396.8	301.0	151.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3551.0	2772.8	1397.9	2772.8	1397.9	298.7	150.6
.1	2775.1	1399.1	2775.1	1399.1	296.4	149.4
.2	2777.4	1400.3	2777.4	1400.3	294.1	148.3
.3	2779.8	1401.5	2779.8	1401.5	291.7	147.1
.4	2782.1	1402.6	2782.1	1402.6	289.4	145.9
.5	2784.4	1403.8	2784.4	1403.8	287.1	144.7
.6	2786.7	1405.0	2786.7	1405.0	284.8	143.6
.7	2789.0	1406.1	2789.0	1406.1	282.4	142.4
.8	2791.4	1407.3	2791.4	1407.3	280.1	141.2
.9	2793.7	1408.5	2793.7	1408.5	277.8	140.1
3552.0	2796.0	1409.7	2796.0	1409.7	275.5	138.9
.1	2798.3	1410.8	2798.3	1410.8	273.1	137.7
.2	2800.7	1412.0	2800.7	1412.0	270.8	136.5
.3	2803.0	1413.2	2803.0	1413.2	268.5	135.4
.4	2805.3	1414.3	2805.3	1414.3	266.2	134.2
.5	2807.6	1415.5	2807.6	1415.5	263.8	133.0
.6	2810.0	1416.7	2810.0	1416.7	261.5	131.8
.7	2812.3	1417.9	2812.3	1417.9	259.2	130.7
.8	2814.6	1419.0	2814.6	1419.0	256.9	129.5
.9	2816.9	1420.2	2816.9	1420.2	254.5	128.3
3553.0	2819.3	1421.4	2819.3	1421.4	252.2	127.2
.1	2821.6	1422.6	2821.6	1422.6	249.9	126.0
.2	2823.9	1423.7	2823.9	1423.7	247.6	124.8
.3	2826.2	1424.9	2826.2	1424.9	245.2	123.6
.4	2828.6	1426.1	2828.6	1426.1	242.9	122.5
.5	2830.9	1427.2	2830.9	1427.2	240.6	121.3
.6	2833.2	1428.4	2833.2	1428.4	238.3	120.1
.7	2835.5	1429.6	2835.5	1429.6	235.9	119.0
.8	2837.9	1430.8	2837.9	1430.8	233.6	117.8
.9	2840.2	1431.9	2840.2	1431.9	231.3	116.6
3554.0	2842.5	1433.1	2842.5	1433.1	229.0	115.4
.1	2844.8	1434.3	2844.8	1434.3	226.6	114.3
.2	2847.2	1435.4	2847.2	1435.4	224.3	113.1
.3	2849.5	1436.6	2849.5	1436.6	222.0	111.9
.4	2851.8	1437.8	2851.8	1437.8	219.7	110.8
.5	2854.1	1439.0	2854.1	1439.0	217.3	109.6
.6	2856.5	1440.1	2856.5	1440.1	215.0	108.4
.7	2858.8	1441.3	2858.8	1441.3	212.7	107.2
.8	2861.1	1442.5	2861.1	1442.5	210.4	106.1
.9	2863.4	1443.6	2863.4	1443.6	208.1	104.9
3555.0	2865.8	1444.8	2865.8	1444.8	205.7	103.7
.1	2868.1	1446.0	2868.1	1446.0	203.4	102.5
.2	2870.4	1447.2	2870.4	1447.2	201.1	101.4
.3	2872.7	1448.3	2872.7	1448.3	198.7	100.2
.4	2875.1	1449.5	2875.1	1449.5	196.4	99.0
.5	2877.4	1450.7	2877.4	1450.7	194.1	97.9
.6	2879.7	1451.9	2879.7	1451.9	191.8	96.7
.7	2882.0	1453.0	2882.0	1453.0	189.5	95.5
.8	2884.4	1454.2	2884.4	1454.2	187.1	94.3
.9	2886.7	1455.4	2886.7	1455.4	184.8	93.2

Reservoir Storage Tables

HUNGRY HORSE (0% BANK STORAGE)

| ELEVATION | | GROSS STORAGE | | USABLE STORAGE | | CUMULATIVE DRAFT | |
FEET		KAF	KSFD	KAF	KSFD	KAF	KSFD
3556.0		2889.0	1456.5	2889.0	1456.5	182.5	92.0
.1		2891.3	1457.7	2891.3	1457.7	180.2	90.8
.2		2893.7	1458.9	2893.7	1458.9	177.8	89.7
.3		2896.0	1460.1	2896.0	1460.1	175.5	88.5
.4		2898.3	1461.2	2898.3	1461.2	173.2	87.3
.5		2900.6	1462.4	2900.6	1462.4	170.9	86.1
.6		2903.0	1463.6	2903.0	1463.6	168.5	85.0
.7		2905.3	1464.7	2905.3	1464.7	166.2	83.8
.8		2907.6	1465.9	2907.6	1465.9	163.9	82.6
.9		2909.9	1467.1	2909.9	1467.1	161.6	81.5
3557.0		2912.3	1468.3	2912.3	1468.3	159.2	80.3
.1		2914.6	1469.4	2914.6	1469.4	156.9	79.1
.2		2916.9	1470.6	2916.9	1470.6	154.6	77.9
.3		2919.2	1471.8	2919.2	1471.8	152.3	76.8
.4		2921.5	1472.9	2921.5	1472.9	149.9	75.6
.5		2923.9	1474.1	2923.9	1474.1	147.6	74.4
.6		2926.2	1475.3	2926.2	1475.3	145.3	73.2
.7		2928.5	1476.5	2928.5	1476.5	143.0	72.1
.8		2930.9	1477.6	2930.9	1477.6	140.6	70.9
.9		2933.2	1478.8	2933.2	1478.8	138.3	69.7
3558.0		2935.5	1480.0	2935.5	1480.0	136.0	68.6
.1		2937.8	1481.2	2937.8	1481.2	133.7	67.4
.2		2940.1	1482.3	2940.1	1482.3	131.3	66.2
.3		2942.5	1483.5	2942.5	1483.5	129.0	65.0
.4		2944.8	1484.7	2944.8	1484.7	126.7	63.9
.5		2947.1	1485.8	2947.1	1485.8	124.4	62.7
.6		2949.4	1487.0	2949.4	1487.0	122.0	61.5
.7		2951.8	1488.2	2951.8	1488.2	119.7	60.4
.8		2954.1	1489.4	2954.1	1489.4	117.4	59.2
.9		2956.4	1490.5	2956.4	1490.5	115.1	58.0
3559.0		2958.7	1491.7	2958.7	1491.7	112.7	56.8
.1		2961.1	1492.9	2961.1	1492.9	110.4	55.7
.2		2963.4	1494.0	2963.4	1494.0	108.1	54.5
.3		2965.7	1495.2	2965.7	1495.2	105.8	53.3
.4		2968.0	1496.4	2968.0	1496.4	103.4	52.2
.5		2970.4	1497.6	2970.4	1497.6	101.1	51.0
.6		2972.7	1498.7	2972.7	1498.7	98.8	49.8
.7		2975.0	1499.9	2975.0	1499.9	96.5	48.6
.8		2977.3	1501.1	2977.3	1501.1	94.1	47.5
.9		2979.7	1502.2	2979.7	1502.2	91.8	46.3
3560.0		2982.0	1503.4	2982.0	1503.4	89.5	45.1
.1		3005.9	1515.5	3005.9	1515.5	65.5	33.0
.2		3029.8	1527.5	3029.8	1527.5	41.7	21.0
.3		3053.8	1539.6	3053.8	1539.6	17.7	8.9
.4	SUB	3077.7	1551.7	3077.7	1551.7	0.0	0.0
.5		3101.6	1563.7				
.6		3125.5	1575.8				
.7		3149.4	1587.8				
.8		3173.4	1599.9				
.9		3197.3	1612.0				
3561.0		3221.2	1624.0				

Hungry Horse (0%) **117**

Reservoir Storage Tables

PROJECT NAME: KERR

PROJECT NUMBER: 1   PAGE 1

STORAGE LOWER BOUND (SLB) =   572.80KAF   STORAGE UPPER BOUND (SUB) = 1792.00 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2883.0 SLB	572.8	288.8	0.0	0.0	1219.2	614.7
.1	584.7	294.8	11.9	6.0	1207.3	608.7
.2	596.5	300.7	23.7	11.9	1195.5	602.7
.3	608.3	306.7	35.5	17.9	1183.7	596.8
.4	620.1	312.7	47.3	23.9	1171.9	590.8
.5	632.0	318.6	59.2	29.8	1160.0	584.8
.6	643.9	324.6	71.1	35.8	1148.1	578.9
.7	655.7	330.6	82.9	41.8	1136.3	572.9
.8	667.5	336.5	94.7	47.8	1124.5	566.9
.9	679.3	342.5	106.5	53.7	1112.7	561.0
2884.0	691.2	348.5	118.4	59.7	1100.8	555.0
.1	703.2	354.5	130.4	65.7	1088.8	549.0
.2	715.1	360.5	142.3	71.7	1076.9	543.0
.3	727.0	366.5	154.2	77.8	1065.0	536.9
.4	738.9	372.6	166.1	83.8	1053.1	530.9
.5	750.9	378.6	178.1	89.8	1041.1	524.9
.6	762.9	384.6	190.1	95.8	1029.1	518.9
.7	774.8	390.6	202.0	101.8	1017.2	512.9
.8	786.7	396.6	213.9	107.9	1005.3	506.8
.9	798.6	402.7	225.8	113.9	993.4	500.8
2885.0	810.6	408.7	237.8	119.9	981.4	494.8
.1	822.6	414.7	249.8	126.0	969.4	488.7
.2	834.6	420.8	261.8	132.0	957.4	482.7
.3	846.7	426.9	273.9	138.1	945.3	476.6
.4	858.7	432.9	285.9	144.1	933.3	470.6
.5	870.7	439.0	297.9	150.2	921.3	464.5
.6	882.7	445.0	309.9	156.3	909.3	458.4
.7	894.7	451.1	321.9	162.3	897.3	452.4
.8	906.8	457.2	334.0	168.4	885.2	446.3
.9	918.8	463.2	346.0	174.4	873.2	440.3
2886.0	930.8	469.3	358.0	180.5	861.2	434.2
.1	942.9	475.4	370.1	186.6	849.1	428.1
.2	955.0	481.5	382.2	192.7	837.0	422.0
.3	967.1	487.6	394.3	198.8	824.9	415.9
.4	979.2	493.7	406.4	204.9	812.8	409.8
.5	991.3	499.8	418.5	211.0	800.7	403.7
.6	1003.4	505.9	430.6	217.1	788.6	397.6
.7	1015.5	512.0	442.7	223.2	776.5	391.5
.8	1027.6	518.1	454.8	229.3	764.4	385.4
.9	1039.7	524.2	466.9	235.4	752.3	379.3
2887.0	1051.8	530.3	479.0	241.5	740.2	373.2
.1	1064.0	536.4	491.2	247.6	728.0	367.0
.2	1076.1	542.5	503.3	253.8	715.9	360.9
.3	1088.3	548.7	515.5	259.9	703.7	354.8
.4	1100.4	554.8	527.6	266.0	691.6	348.7
.5	1112.6	560.9	539.8	272.1	679.4	342.5
.6	1124.8	567.1	552.0	278.3	667.2	336.4
.7	1136.9	573.2	564.1	284.4	655.1	330.3
.8	1149.1	579.3	576.3	290.5	642.9	324.1
.9	1161.2	585.5	588.4	296.7	630.8	318.0

KERR

PAGE 2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2888.0	1173.4	591.6	600.6	302.8	618.6	311.9
.1	1185.6	597.8	612.8	309.0	606.4	305.7
.2	1197.8	603.9	625.0	315.1	594.2	299.6
.3	1210.0	610.1	637.2	321.3	582.0	293.4
.4	1222.2	616.2	649.4	327.4	569.8	287.3
.5	1234.4	622.4	661.6	333.6	557.6	281.1
.6	1246.7	628.5	673.9	339.7	545.3	274.9
.7	1258.9	634.7	686.1	345.9	533.1	268.8
.8	1271.1	640.8	698.3	352.1	520.9	262.6
.9	1283.3	647.0	710.5	358.2	508.7	256.5
2889.0	1295.6	653.1	722.7	364.4	496.5	250.3
.1	1307.8	659.3	735.0	370.6	484.2	244.1
.2	1320.1	665.5	747.3	376.7	471.9	237.9
.3	1332.3	671.7	759.5	382.9	459.7	231.7
.4	1344.6	677.9	771.8	389.1	447.4	225.6
.5	1356.9	684.1	784.1	395.3	435.1	219.4
.6	1369.2	690.3	796.4	401.5	422.8	213.2
.7	1381.5	696.5	808.7	407.7	410.5	207.0
.8	1393.7	702.7	820.9	413.9	398.3	200.8
.9	1406.0	708.9	833.2	420.1	386.0	194.6
2890.0	1418.3	715.1	845.5	426.3	373.7	188.4
.1	1430.7	721.3	857.9	432.5	361.3	182.2
.2	1443.0	727.5	870.2	438.7	349.0	175.9
.3	1455.4	733.8	882.6	445.0	336.6	169.7
.4	1467.7	740.0	894.9	451.2	324.3	163.5
.5	1480.1	746.2	907.3	457.4	311.9	157.2
.6	1492.5	752.5	919.7	463.7	299.5	151.0
.7	1504.8	758.7	932.0	469.9	287.2	144.8
.8	1517.2	764.9	944.4	476.1	274.8	138.6
.9	1529.5	771.1	956.7	482.4	262.5	132.3
2891.0	1541.9	777.4	969.1	488.6	250.1	126.1
.1	1554.4	783.7	981.6	494.9	237.6	119.8
.2	1566.8	789.9	994.0	501.1	225.2	113.5
.3	1579.3	796.2	1006.5	507.4	212.7	107.3
.4	1591.7	802.5	1018.9	513.7	200.3	101.0
.5	1604.2	808.8	1031.3	520.0	187.8	94.7
.6	1616.6	815.0	1043.8	526.3	175.4	88.4
.7	1629.0	821.3	1056.2	532.5	163.0	82.2
.8	1641.5	827.6	1068.7	538.8	150.5	75.9
.9	1653.9	833.9	1081.1	545.1	138.1	69.6
2892.0	1666.4	840.1	1093.6	551.4	125.6	63.3
.1	1679.0	846.5	1106.2	557.7	113.0	57.0
.2	1691.5	852.8	1118.7	564.0	100.5	50.7
.3	1704.1	859.1	1131.3	570.4	87.9	44.3
.4	1716.6	865.5	1143.8	576.7	75.4	38.0
.5	1729.2	871.8	1156.4	583.0	62.8	31.7
.6	1741.8	878.1	1169.0	589.4	50.2	25.3
.7	1754.3	884.5	1181.5	595.7	37.7	19.0
.8	1766.9	890.8	1194.1	602.0	25.1	12.7
.9	1779.4	897.1	1206.6	608.3	12.6	6.3

Reservoir Storage Tables

KERR

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2893.0	SUB	1792.0	903.5	1219.2	614.7	0.0	0.0
.1		1804.6	909.8				
.2		1817.1	916.1				
.3		1829.7	922.5				
.4		1842.2	928.8				
.5		1854.8	935.1				
.6		1867.4	941.5				
.7		1879.9	947.8				
.8		1892.5	954.1				
.9		1905.0	960.5				
2894.0		1917.6	966.8				

Kerr

119

Reservoir Storage Tables

PROJECT NAME: ALBENI FALLS

PROJECT NUMBER: 16

STORAGE LOWER BOUND (SLB) =   384.80KAF   STORAGE UPPER BOUND (SUB) = 1540.00 KAF

Page 1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2049.0	327.5	165.1				
.1	335.7	169.2				
.2	343.9	173.4				
.3	352.1	177.5				
.4	360.2	181.6				
.5	368.4	185.7				
.6	376.6	189.9				
.7 SLB	384.8	194.0	0.0	0.0	1155.2	582.4
.8	393.6	198.4	8.8	4.4	1146.4	578.0
.9	402.4	202.9	17.6	8.9	1137.6	573.6
2050.0	411.2	207.3	26.4	13.3	1128.8	569.1
.1	419.9	211.7	35.1	17.7	1120.1	564.7
.2	428.7	216.1	43.9	22.1	1111.3	560.3
.3	437.5	220.6	52.7	26.6	1102.5	555.8
.4	446.3	225.0	61.5	31.0	1093.7	551.4
.5	455.1	229.4	70.3	35.4	1084.9	547.0
.6	463.9	233.9	79.1	39.9	1076.1	542.5
.7	472.6	238.3	87.8	44.3	1067.4	538.1
.8	481.4	242.7	96.6	48.7	1058.6	533.7
.9	490.2	247.1	105.4	53.1	1049.8	529.3
2051.0	499.0	251.6	114.2	57.6	1041.0	524.8
.1	507.8	256.0	123.0	62.0	1032.2	520.4
.2	516.6	260.4	131.8	66.4	1023.4	516.0
.3	525.4	264.9	140.6	70.9	1014.6	511.6
.4	534.1	269.3	149.3	75.3	1005.9	507.1
.5	542.9	273.7	158.1	79.7	997.1	502.7
.6	551.7	278.2	166.9	84.2	988.3	498.3
.7	560.5	282.6	175.7	88.6	979.5	493.8
.8	569.3	287.0	184.5	93.0	970.7	489.4
.9	578.0	291.4	193.2	97.4	962.0	485.0
2052.0	586.8	295.9	202.0	101.9	953.2	480.6
.1	595.6	300.3	210.8	106.3	944.4	476.1
.2	604.4	304.7	219.6	110.7	935.6	471.7
.3	613.2	309.2	228.4	115.1	926.8	467.3
.4	622.0	313.6	237.2	119.6	918.0	462.8
.5	630.8	318.0	246.0	124.0	909.2	458.4
.6	639.6	322.4	254.8	128.4	900.4	454.0
.7	648.3	326.9	263.5	132.9	891.7	449.6
.8	657.1	331.3	272.3	137.3	882.9	445.1
.9	665.9	335.7	281.1	141.7	874.1	440.7
2053.0	674.7	340.2	289.9	146.1	865.3	436.3
.1	683.5	344.6	298.7	150.6	856.5	431.8
.2	692.2	349.0	307.4	155.0	847.8	427.4
.3	701.0	353.4	316.2	159.4	839.0	423.0
.4	709.8	357.9	325.0	163.9	830.2	418.6
.5	718.6	362.3	333.8	168.3	821.4	414.1
.6	727.4	366.7	342.6	172.7	812.6	409.7
.7	736.2	371.1	351.4	177.1	803.8	405.3
.8	745.0	375.6	360.2	181.6	795.0	400.8
.9	753.7	380.0	368.9	186.0	786.3	396.4

Page 2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2054.0	762.5	384.4	377.7	190.4	777.5	392.0
.1	771.3	388.9	386.5	194.9	768.7	387.5
.2	780.1	393.3	395.3	199.3	759.9	383.1
.3	788.9	397.7	404.1	203.7	751.1	378.7
.4	797.6	402.1	412.8	208.1	742.4	374.3
.5	806.4	406.6	421.6	212.6	733.6	369.8
.6	815.2	411.0	430.4	217.0	724.8	365.4
.7	824.0	415.4	439.2	221.4	716.0	361.0
.8	832.8	419.9	448.0	225.9	707.2	356.5
.9	841.6	424.3	456.8	230.3	698.4	352.1
2055.0	850.4	428.7	465.6	234.7	689.6	347.7
.1	859.2	433.2	474.4	239.2	680.8	343.3
.2	867.9	437.6	483.1	243.6	672.1	338.8
.3	876.7	442.0	491.9	248.0	663.3	334.4
.4	885.5	446.4	500.7	252.4	654.5	330.0
.5	894.3	450.9	509.5	256.9	645.7	325.6
.6	903.1	455.3	518.3	261.3	636.9	321.1
.7	911.8	459.7	527.0	265.7	628.2	316.7
.8	920.6	464.2	535.8	270.2	619.4	312.3
.9	929.4	468.6	544.6	274.6	610.6	307.8
2056.0	938.2	473.0	553.4	279.0	601.8	303.4
.1	947.5	477.7	562.7	283.7	592.5	298.7
.2	956.7	482.3	571.9	288.3	583.3	294.1
.3	966.0	487.0	581.2	293.0	574.0	289.4
.4	975.2	491.7	590.4	297.7	564.8	284.7
.5	984.5	496.3	599.7	302.3	555.5	280.1
.6	993.8	501.0	609.0	307.0	546.2	275.4
.7	1003.0	505.7	618.2	311.7	537.0	270.7
.8	1012.3	510.4	627.5	316.4	527.7	266.1
.9	1021.5	515.0	636.7	321.0	518.5	261.4
2057.0	1030.8	519.7	646.0	325.7	509.2	256.7
.1	1040.1	524.4	655.3	330.4	499.9	252.1
.2	1049.3	529.0	664.5	335.0	490.7	247.4
.3	1058.6	533.7	673.8	339.7	481.4	242.7
.4	1067.8	538.4	683.0	344.4	472.2	238.1
.5	1077.1	543.0	692.3	349.0	462.9	233.4
.6	1086.3	547.7	701.5	353.7	453.7	228.7
.7	1095.6	552.4	710.8	358.4	444.4	224.1
.8	1104.9	557.0	720.1	363.0	435.1	219.4
.9	1114.1	561.7	729.3	367.7	425.9	214.7
2058.0	1123.4	566.4	738.6	372.4	416.6	210.1
.1	1132.6	571.0	747.8	377.0	407.4	205.4
.2	1141.9	575.7	757.1	381.7	398.1	200.7
.3	1151.1	580.4	766.3	386.4	388.9	196.0
.4	1160.4	585.0	775.6	391.0	379.6	191.4
.5	1169.7	589.7	784.9	395.7	370.3	186.7
.6	1178.9	594.4	794.1	400.4	361.1	182.0
.7	1188.2	599.0	803.4	405.0	351.8	177.4
.8	1197.4	603.7	812.6	409.7	342.6	172.7
.9	1206.7	608.4	821.9	414.4	333.3	168.0

Reservoir Storage Tables

ALBENI FALLS

PAGE 3

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2059.0		1216.0	613.0	831.2	419.0	324.0	163.4
.1		1225.2	617.7	840.4	423.7	314.8	158.7
.2		1234.5	622.4	849.7	428.4	305.5	154.0
.3		1243.7	627.0	858.9	433.0	296.3	149.4
.4		1253.0	631.7	868.2	437.7	287.0	144.7
.5		1262.2	636.4	877.4	442.4	277.8	140.0
.6		1271.5	641.1	886.7	447.1	268.5	135.4
.7		1280.8	645.7	896.0	451.7	259.2	130.7
.8		1290.0	650.4	905.2	456.4	250.0	126.0
.9		1299.3	655.0	914.5	461.0	240.7	121.4
2060.0		1308.5	659.7	923.7	465.7	231.5	116.7
.1		1317.8	664.4	933.0	470.4	222.2	112.0
.2		1327.1	669.1	942.3	475.1	212.9	107.4
.3		1336.3	673.7	951.5	479.7	203.7	102.7
.4		1345.6	678.4	960.8	484.4	194.4	98.0
.5		1354.8	683.1	970.0	489.1	185.2	93.4
.6		1364.1	687.7	979.3	493.7	175.9	88.7
.7		1373.3	692.4	988.5	498.4	166.7	84.0
.8		1382.6	697.1	997.8	503.1	157.4	79.4
.9		1391.9	701.7	1007.1	507.7	148.1	74.7
2061.0		1401.1	706.4	1016.3	512.4	138.9	70.0
.1		1410.4	711.1	1025.6	517.1	129.6	65.3
.2		1419.6	715.7	1034.8	521.7	120.4	60.7
.3		1428.9	720.4	1044.1	526.4	111.1	56.0
.4		1438.1	725.1	1053.3	531.1	101.9	51.4
.5		1447.4	729.7	1062.6	535.7	92.6	46.7
.6		1456.7	734.4	1071.9	540.4	83.3	42.0
.7		1465.9	739.1	1081.1	545.1	74.1	37.3
.8		1475.2	743.7	1090.4	549.7	64.8	32.7
.9		1484.4	748.4	1099.6	554.4	55.6	28.0
2062.0		1493.7	753.1	1108.9	559.1	46.3	23.3
.1		1503.0	757.8	1118.2	563.7	37.0	18.7
.2		1512.2	762.4	1127.4	568.4	27.8	14.0
.3		1521.5	767.1	1136.7	573.1	18.5	9.3
.4		1530.7	771.7	1145.9	577.7	9.3	4.7
.5	SUB	1540.0	776.4	1155.2	582.4	0.0	0.0
.6		1549.5	781.2				
.7		1559.1	786.0				
.8		1568.6	790.8				
.9		1578.1	795.6				
2063.0		1587.7	800.4				

Albeni Falls

121

Reservoir Storage Tables

PROJECT NAME: POST FALLS

PROJECT NUMBER: 18

STORAGE LOWER BOUND (SLB) =   11.90KAF   STORAGE UPPER BOUND (SUB) = 235.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2120.0	SLB	11.9	6.0	0.0	0.0	223.1	112.5
.1		11.9	6.0	0.0	0.0	223.1	112.5
.2		11.9	6.0	0.0	0.0	223.1	112.5
.3		11.9	6.0	0.0	0.0	223.1	112.5
.4		11.9	6.0	0.0	0.0	223.1	112.5
.5		11.9	6.0	0.0	0.0	223.1	112.5
.6		14.5	7.3	2.6	1.3	220.5	111.1
.7		17.2	8.7	5.3	2.7	217.8	109.8
.8		19.8	10.0	7.9	4.0	215.2	108.5
.9		22.5	11.3	10.6	5.3	212.5	107.2
2121.0		25.1	12.7	13.2	6.7	209.9	105.8
.1		27.8	14.0	15.9	8.0	207.2	104.5
.2		30.5	15.4	18.6	9.4	204.5	103.1
.3		33.1	16.7	21.2	10.7	201.9	101.8
.4		35.8	18.1	23.9	12.1	199.2	100.4
.5		38.5	19.4	26.6	13.4	196.5	99.1
.6		41.2	20.8	29.3	14.8	193.8	97.7
.7		43.9	22.1	32.0	16.1	191.1	96.4
.8		46.5	23.5	34.6	17.5	188.5	95.0
.9		49.2	24.8	37.3	18.8	185.8	93.7
2122.0		51.9	26.2	40.0	20.2	183.1	92.3
.1		54.6	27.5	42.7	21.5	180.4	91.0
.2		57.3	28.9	45.4	22.9	177.7	89.6
.3		59.9	30.2	48.0	24.2	175.1	88.3
.4		62.6	31.6	50.7	25.6	172.4	86.9
.5		65.3	32.9	53.4	26.9	169.7	85.6
.6		68.0	34.3	56.1	28.3	167.0	84.2
.7		70.7	35.6	58.8	29.6	164.3	82.9
.8		73.3	37.0	61.4	31.0	161.7	81.5
.9		76.0	38.3	64.1	32.3	159.0	80.2
2123.0		78.7	39.7	66.8	33.7	156.3	78.8
.1		81.4	41.0	69.5	35.0	153.6	77.4
.2		84.1	42.4	72.2	36.4	150.9	76.1
.3		86.8	43.8	74.9	37.8	148.2	74.7
.4		89.5	45.1	77.6	39.1	145.5	73.3
.5		92.3	46.5	80.3	40.5	142.8	72.0
.6		95.0	47.9	83.1	41.9	140.0	70.6
.7		97.7	49.2	85.8	43.2	137.3	69.2
.8		100.4	50.6	88.5	44.6	134.6	67.9
.9		103.1	52.0	91.2	46.0	131.9	66.5
2124.0		105.8	53.3	93.9	47.3	129.2	65.1
.1		108.5	54.7	96.6	48.7	126.5	63.8
.2		111.2	56.1	99.3	50.1	123.8	62.4
.3		113.9	57.4	102.0	51.4	121.1	61.0
.4		116.6	58.8	104.7	52.8	118.4	59.7
.5		119.3	60.2	107.4	54.2	115.7	58.3
.6		122.1	61.5	110.2	55.5	112.9	56.9
.7		124.8	62.9	112.9	56.9	110.2	55.6
.8		127.5	64.3	115.6	58.3	107.5	54.2
.9		130.2	65.6	118.3	59.6	104.8	52.8

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2125.0		132.9	67.0	121.0	61.0	102.1	51.5
.1		135.7	68.4	123.8	62.4	99.3	50.1
.2		138.4	69.8	126.5	63.8	96.6	48.7
.3		141.2	71.2	129.3	65.2	93.8	47.3
.4		143.9	72.5	132.0	66.5	91.1	45.9
.5		146.6	73.9	134.8	67.9	88.4	44.5
.6		149.4	75.3	137.5	69.3	85.6	43.2
.7		152.1	76.7	140.2	70.7	82.9	41.8
.8		154.9	78.1	143.0	72.1	80.1	40.4
.9		157.6	79.5	145.7	73.5	77.4	39.0
2126.0		160.4	80.9	148.5	74.9	74.6	37.6
.1		163.6	82.5	151.7	76.5	71.4	36.0
.2		166.8	84.1	154.9	78.1	68.2	34.4
.3		170.1	85.7	158.2	79.7	64.9	32.7
.4		173.3	87.4	161.4	81.4	61.7	31.1
.5		176.5	89.0	164.6	83.0	58.5	29.5
.6		179.7	90.6	167.8	84.6	55.3	27.9
.7		182.9	92.2	171.0	86.2	52.1	26.2
.8		186.2	93.9	174.3	87.9	48.8	24.6
.9		189.4	95.5	177.5	89.5	45.6	23.0
2127.0		192.6	97.1	180.7	91.1	42.4	21.4
.1		196.8	99.2	184.9	93.2	38.2	19.2
.2		201.1	101.4	189.2	95.4	33.9	17.1
.3		205.3	103.5	193.4	97.5	29.7	15.0
.4		209.6	105.7	197.7	99.7	25.4	12.8
.5		213.8	107.8	201.9	101.8	21.2	10.7
.6		218.0	109.9	206.1	103.9	17.0	8.5
.7		222.3	112.1	210.4	106.1	12.7	6.4
.8		226.5	114.2	214.6	108.2	8.5	4.3
.9		230.8	116.3	218.9	110.3	4.2	2.1
2128.0	SUB	235.0	118.5	223.1	112.5	0.0	0.0
.1		240.1	121.1				
.2		245.3	123.7				
.3		250.4	126.3				
.4		255.5	128.8				
.5		260.7	131.4				
.6		265.8	134.0				
.7		271.0	136.6				
.8		276.1	139.2				
.9		281.2	141.8				
2129.0		286.4	144.4				

Reservoir Storage Tables

PROJECT NAME: GRAND COULEE

PROJECT NUMBER: 19

STORAGE LOWER BOUND (SLB) = 3921.90KAF   STORAGE UPPER BOUND (SUB) = 9107.40 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1208.0 SLB	3921.9	1977.3	0.0	0.0	5185.5	2614.4
.1	3926.6	1979.7	4.7	2.4	5180.8	2612.0
.2	3931.4	1982.1	9.5	4.8	5176.0	2609.6
.3	3936.1	1984.4	14.2	7.2	5171.3	2607.2
.4	3940.8	1986.8	18.9	9.5	5166.6	2604.8
.5	3945.5	1989.2	23.6	11.9	5161.9	2602.4
.6	3950.3	1991.6	28.4	14.3	5157.1	2600.1
.7	3955.0	1994.0	33.1	16.7	5152.4	2597.7
.8	3959.7	1996.4	37.8	19.1	5147.7	2595.3
.9	3964.5	1998.7	42.6	21.5	5142.9	2592.9
1209.0	3969.2	2001.1	47.3	23.8	5138.2	2590.5
.1	3973.9	2003.5	52.0	26.2	5133.5	2588.1
.2	3978.6	2005.9	56.7	28.6	5128.8	2585.7
.3	3983.4	2008.3	61.5	31.0	5124.0	2583.4
.4	3988.1	2010.7	66.2	33.4	5119.3	2581.0
.5	3992.8	2013.1	70.9	35.8	5114.6	2578.6
.6	3997.6	2015.4	75.7	38.1	5109.8	2576.2
.7	4002.3	2017.8	80.4	40.5	5105.1	2573.8
.8	4007.0	2020.2	85.1	42.9	5100.4	2571.4
.9	4011.8	2022.6	89.9	45.3	5095.6	2569.1
1210.0	4016.5	2025.0	94.6	47.7	5090.9	2566.7
.1	4021.2	2027.4	99.3	50.1	5086.2	2564.3
.2	4025.9	2029.7	104.0	52.5	5081.5	2561.9
.3	4030.7	2032.1	108.8	54.8	5076.7	2559.5
.4	4035.4	2034.5	113.5	57.2	5072.0	2557.1
.5	4040.1	2036.9	118.2	59.6	5067.3	2554.8
.6	4044.9	2039.3	123.0	62.0	5062.5	2552.4
.7	4049.6	2041.7	127.7	64.4	5057.8	2550.0
.8	4054.3	2044.1	132.4	66.8	5053.1	2547.6
.9	4059.0	2046.4	137.1	69.1	5048.4	2545.2
1211.0	4063.8	2048.8	141.9	71.5	5043.6	2542.8
.1	4068.5	2051.2	146.6	73.9	5038.9	2540.4
.2	4073.2	2053.6	151.3	76.3	5034.2	2538.1
.3	4078.0	2056.0	156.1	78.7	5029.4	2535.7
.4	4082.7	2058.4	160.8	81.1	5024.7	2533.3
.5	4087.4	2060.7	165.5	83.4	5020.0	2530.9
.6	4092.1	2063.1	170.2	85.8	5015.3	2528.5
.7	4096.9	2065.5	175.0	88.2	5010.5	2526.1
.8	4101.6	2067.9	179.7	90.6	5005.8	2523.8
.9	4106.3	2070.3	184.4	93.0	5001.1	2521.4
1212.0	4111.1	2072.7	189.2	95.4	4996.3	2519.0
.1	4115.8	2075.0	193.9	97.8	4991.6	2516.6
.2	4120.5	2077.4	198.6	100.1	4986.9	2514.2
.3	4125.3	2079.8	203.4	102.5	4982.1	2511.8
.4	4130.0	2082.2	208.1	104.9	4977.4	2509.5
.5	4134.7	2084.6	212.8	107.3	4972.7	2507.1
.6	4139.4	2087.0	217.5	109.7	4968.0	2504.7
.7	4144.2	2089.3	222.3	112.1	4963.2	2502.3
.8	4148.9	2091.7	227.0	114.4	4958.5	2499.9
.9	4153.6	2094.1	231.7	116.8	4953.8	2497.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1213.0	4158.4	2096.5	236.5	119.2	4949.0	2495.1
.1	4163.1	2098.9	241.2	121.6	4944.3	2492.8
.2	4167.8	2101.3	245.9	124.0	4939.6	2490.4
.3	4172.5	2103.7	250.6	126.4	4934.9	2488.0
.4	4177.3	2106.0	255.4	128.7	4930.1	2485.6
.5	4182.0	2108.4	260.1	131.1	4925.4	2483.2
.6	4186.7	2110.8	264.8	133.5	4920.7	2480.8
.7	4191.5	2113.2	269.6	135.9	4915.9	2478.5
.8	4196.2	2115.6	274.3	138.3	4911.2	2476.1
.9	4200.9	2118.0	279.0	140.7	4906.5	2473.7
1214.0	4205.6	2120.3	283.7	143.1	4901.8	2471.3
.1	4210.4	2122.7	288.5	145.4	4897.0	2468.9
.2	4215.1	2125.1	293.2	147.8	4892.3	2466.5
.3	4219.8	2127.5	297.9	150.2	4887.6	2464.1
.4	4224.6	2129.9	302.7	152.6	4882.8	2461.8
.5	4229.3	2132.3	307.4	155.0	4878.1	2459.4
.6	4234.0	2134.6	312.1	157.4	4873.4	2457.0
.7	4238.7	2137.0	316.8	159.7	4868.7	2454.6
.8	4243.5	2139.4	321.6	162.1	4863.9	2452.2
.9	4248.2	2141.8	326.3	164.5	4859.2	2449.8
1215.0	4252.9	2144.2	331.0	166.9	4854.5	2447.5
.1	4257.7	2146.6	335.8	169.3	4849.7	2445.1
.2	4262.4	2149.0	340.5	171.7	4845.0	2442.7
.3	4267.1	2151.3	345.2	174.0	4840.3	2440.3
.4	4271.8	2153.7	349.9	176.4	4835.6	2437.9
.5	4276.6	2156.1	354.7	178.8	4830.8	2435.5
.6	4281.3	2158.5	359.4	181.2	4826.1	2433.2
.7	4286.0	2160.9	364.1	183.6	4821.4	2430.8
.8	4290.8	2163.3	368.9	186.0	4816.6	2428.4
.9	4295.5	2165.6	373.6	188.4	4811.9	2426.0
1216.0	4300.2	2168.0	378.3	190.7	4807.2	2423.6
.1	4304.9	2170.4	383.0	193.1	4802.5	2421.2
.2	4309.7	2172.8	387.8	195.5	4797.7	2418.9
.3	4314.4	2175.2	392.5	197.9	4793.0	2416.5
.4	4319.1	2177.6	397.2	200.3	4788.3	2414.1
.5	4323.9	2179.9	402.0	202.7	4783.5	2411.7
.6	4328.6	2182.3	406.7	205.0	4778.8	2409.3
.7	4333.3	2184.7	411.4	207.4	4774.1	2406.9
.8	4338.1	2187.1	416.2	209.8	4769.3	2404.5
.9	4342.8	2189.5	420.9	212.2	4764.6	2402.2
1217.0	4347.5	2191.9	425.6	214.6	4759.9	2399.8
.1	4352.2	2194.3	430.3	217.0	4755.2	2397.4
.2	4357.0	2196.6	435.1	219.3	4750.4	2395.0
.3	4361.7	2199.0	439.8	221.7	4745.7	2392.6
.4	4366.4	2201.4	444.5	224.1	4741.0	2390.2
.5	4371.2	2203.8	449.3	226.5	4736.2	2387.9
.6	4375.9	2206.2	454.0	228.9	4731.5	2385.5
.7	4380.6	2208.6	458.7	231.3	4726.8	2383.1
.8	4385.3	2210.9	463.4	233.7	4722.1	2380.7
.9	4390.1	2213.3	468.2	236.0	4717.3	2378.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1218.0	4394.8	2215.7	472.9	238.4	4712.6	2375.9
.1	4399.5	2218.1	477.6	240.8	4707.9	2373.6
.2	4404.3	2220.5	482.4	243.2	4703.1	2371.2
.3	4409.0	2222.9	487.1	245.6	4698.4	2368.8
.4	4413.7	2225.3	491.8	248.0	4693.7	2366.4
.5	4418.4	2227.6	496.5	250.3	4689.0	2364.0
.6	4423.2	2230.0	501.3	252.7	4684.2	2361.6
.7	4427.9	2232.4	506.0	255.1	4679.5	2359.2
.8	4432.6	2234.8	510.7	257.5	4674.8	2356.9
.9	4437.4	2237.2	515.5	259.9	4670.0	2354.5
1219.0	4442.1	2239.6	520.2	262.3	4665.3	2352.1
.1	4446.8	2241.9	524.9	264.6	4660.6	2349.7
.2	4451.5	2244.3	529.6	267.0	4655.9	2347.3
.3	4456.3	2246.7	534.4	269.4	4651.1	2344.9
.4	4461.0	2249.1	539.1	271.8	4646.4	2342.6
.5	4465.7	2251.5	543.8	274.2	4641.7	2340.2
.6	4470.5	2253.9	548.6	276.6	4636.9	2337.8
.7	4475.2	2256.2	553.3	279.0	4632.2	2335.4
.8	4479.9	2258.6	558.0	281.3	4627.5	2333.0
.9	4484.7	2261.0	562.8	283.7	4622.7	2330.6
1220.0	4489.4	2263.4	567.5	286.1	4618.0	2328.3
.1	4494.1	2265.8	572.2	288.5	4613.3	2325.9
.2	4498.8	2268.2	576.9	290.9	4608.6	2323.5
.3	4503.6	2270.6	581.7	293.3	4603.8	2321.1
.4	4508.3	2272.9	586.4	295.6	4599.1	2318.7
.5	4513.7	2275.6	591.8	298.3	4593.7	2316.0
.6	4519.0	2278.3	597.1	301.0	4588.4	2313.3
.7	4524.4	2281.0	602.5	303.7	4583.0	2310.6
.8	4529.7	2283.7	607.8	306.4	4577.7	2307.9
.9	4535.1	2286.4	613.2	309.1	4572.3	2305.2
1221.0	4540.4	2289.1	618.5	311.8	4567.0	2302.5
.1	4545.8	2291.8	623.9	314.5	4561.6	2299.8
.2	4551.1	2294.5	629.2	317.2	4556.3	2297.1
.3	4556.5	2297.2	634.6	319.9	4550.9	2294.4
.4	4561.8	2299.9	639.9	322.6	4545.6	2291.7
.5	4567.2	2302.6	645.3	325.3	4540.2	2289.0
.6	4572.5	2305.3	650.6	328.0	4534.9	2286.3
.7	4577.9	2308.0	656.0	330.7	4529.5	2283.6
.8	4583.3	2310.7	661.4	333.4	4524.1	2280.9
.9	4588.6	2313.4	666.7	336.1	4518.8	2278.2
1222.0	4594.0	2316.1	672.1	338.8	4513.4	2275.5
.1	4599.3	2318.8	677.4	341.5	4508.1	2272.8
.2	4604.7	2321.5	682.8	344.2	4502.7	2270.1
.3	4610.0	2324.2	688.1	346.9	4497.4	2267.4
.4	4615.4	2326.9	693.5	349.6	4492.0	2264.7
.5	4620.7	2329.6	698.8	352.3	4486.7	2262.0
.6	4626.1	2332.3	704.2	355.0	4481.3	2259.3
.7	4631.4	2335.0	709.5	357.7	4476.0	2256.6
.8	4636.8	2337.7	714.9	360.4	4470.6	2253.9
.9	4642.1	2340.4	720.2	363.1	4465.3	2251.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1223.0	4647.5	2343.1	725.6	365.8	4459.9	2248.5
.1	4652.9	2345.8	731.0	368.5	4454.5	2245.8
.2	4658.2	2348.5	736.3	371.2	4449.2	2243.1
.3	4663.6	2351.2	741.7	373.9	4443.8	2240.4
.4	4668.9	2353.9	747.0	376.6	4438.5	2237.7
.5	4674.3	2356.6	752.4	379.3	4433.1	2235.0
.6	4679.6	2359.3	757.7	382.0	4427.8	2232.3
.7	4685.0	2362.0	763.1	384.7	4422.4	2229.6
.8	4690.3	2364.7	768.4	387.4	4417.1	2226.9
.9	4695.7	2367.4	773.8	390.1	4411.7	2224.2
1224.0	4701.0	2370.1	779.1	392.8	4406.4	2221.5
.1	4706.4	2372.8	784.5	395.5	4401.0	2218.8
.2	4711.7	2375.5	789.8	398.2	4395.7	2216.1
.3	4717.1	2378.2	795.2	400.9	4390.3	2213.4
.4	4722.5	2380.9	800.6	403.6	4384.9	2210.7
.5	4727.8	2383.6	805.9	406.3	4379.6	2208.0
.6	4733.2	2386.3	811.3	409.0	4374.2	2205.3
.7	4738.5	2389.0	816.6	411.7	4368.9	2202.6
.8	4743.9	2391.7	822.0	414.4	4363.5	2199.9
.9	4749.2	2394.4	827.3	417.1	4358.2	2197.2
1225.0	4754.6	2397.1	832.7	419.8	4352.8	2194.5
.1	4759.9	2399.8	838.0	422.5	4347.5	2191.8
.2	4765.3	2402.5	843.4	425.2	4342.1	2189.2
.3	4770.6	2405.2	848.7	427.9	4336.8	2186.4
.4	4776.0	2407.9	854.1	430.6	4331.4	2183.8
.5	4781.3	2410.6	859.4	433.3	4326.1	2181.1
.6	4786.7	2413.3	864.8	436.0	4320.7	2178.4
.7	4792.1	2416.0	870.2	438.7	4315.3	2175.7
.8	4797.4	2418.7	875.5	441.4	4310.0	2173.0
.9	4802.8	2421.4	880.9	444.1	4304.6	2170.3
1226.0	4808.1	2424.1	886.2	446.8	4299.3	2167.6
.1	4813.5	2426.8	891.6	449.5	4293.9	2164.9
.2	4818.8	2429.5	896.9	452.2	4288.6	2162.2
.3	4824.2	2432.2	902.3	454.9	4283.2	2159.5
.4	4829.5	2434.9	907.6	457.6	4277.9	2156.8
.5	4834.9	2437.6	913.0	460.3	4272.5	2154.1
.6	4840.2	2440.3	918.3	463.0	4267.2	2151.4
.7	4845.6	2443.0	923.7	465.7	4261.8	2148.7
.8	4850.9	2445.7	929.0	468.4	4256.5	2146.0
.9	4856.3	2448.4	934.4	471.1	4251.1	2143.3
1227.0	4861.7	2451.1	939.8	473.8	4245.7	2140.6
.1	4867.0	2453.8	945.1	476.5	4240.4	2137.9
.2	4872.4	2456.5	950.5	479.2	4235.0	2135.2
.3	4877.7	2459.2	955.8	481.9	4229.7	2132.5
.4	4883.1	2461.9	961.2	484.6	4224.3	2129.8
.5	4888.4	2464.6	966.5	487.3	4219.0	2127.1
.6	4893.8	2467.3	971.9	490.0	4213.6	2124.4
.7	4899.1	2470.0	977.2	492.7	4208.3	2121.7
.8	4904.5	2472.7	982.6	495.4	4202.9	2119.0
.9	4909.8	2475.4	987.9	498.1	4197.6	2116.3

Reservoir Storage Tables

GRAND COULEE

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1228.0	4915.2	2478.1	993.3	500.8	4192.2	2113.6
.1	4920.5	2480.8	998.6	503.5	4186.9	2110.9
.2	4925.9	2483.5	1004.0	506.2	4181.5	2108.2
.3	4931.3	2486.2	1009.4	508.9	4176.1	2105.5
.4	4936.6	2488.9	1014.7	511.6	4170.8	2102.8
.5	4942.0	2491.6	1020.1	514.3	4165.4	2100.1
.6	4947.3	2494.3	1025.4	517.0	4160.1	2097.4
.7	4952.7	2497.0	1030.8	519.7	4154.7	2094.7
.8	4958.0	2499.7	1036.1	522.4	4149.4	2092.0
.9	4963.4	2502.4	1041.5	525.1	4144.0	2089.3
1229.0	4968.7	2505.1	1046.8	527.8	4138.7	2086.6
.1	4974.1	2507.8	1052.2	530.5	4133.3	2083.9
.2	4979.4	2510.5	1057.5	533.2	4128.0	2081.2
.3	4984.8	2513.2	1062.9	535.9	4122.6	2078.5
.4	4990.1	2515.9	1068.2	538.6	4117.3	2075.8
.5	4995.5	2518.6	1073.6	541.3	4111.9	2073.1
.6	5000.9	2521.3	1079.0	544.0	4106.5	2070.4
.7	5006.2	2524.0	1084.3	546.7	4101.2	2067.7
.8	5011.6	2526.7	1089.7	549.4	4095.8	2065.0
.9	5016.9	2529.4	1095.0	552.1	4090.5	2062.3
1230.0	5022.3	2532.1	1100.4	554.8	4085.1	2059.6
.1	5027.6	2534.8	1105.7	557.5	4079.8	2056.9
.2	5033.0	2537.5	1111.1	560.2	4074.4	2054.2
.3	5038.3	2540.2	1116.4	562.9	4069.1	2051.5
.4	5043.7	2542.9	1121.8	565.6	4063.7	2048.8
.5	5049.0	2545.6	1127.1	568.3	4058.4	2046.1
.6	5054.4	2548.3	1132.5	571.0	4053.0	2043.4
.7	5059.7	2551.0	1137.8	573.7	4047.7	2040.7
.8	5065.1	2553.7	1143.2	576.4	4042.3	2038.0
.9	5070.5	2556.4	1148.6	579.1	4036.9	2035.3
1231.0	5075.8	2559.1	1153.9	581.8	4031.6	2032.6
.1	5081.2	2561.8	1159.3	584.5	4026.2	2029.9
.2	5086.5	2564.5	1164.6	587.2	4020.9	2027.2
.3	5091.9	2567.2	1170.0	589.9	4015.5	2024.5
.4	5097.2	2569.9	1175.3	592.6	4010.2	2021.8
.5	5102.6	2572.6	1180.7	595.3	4004.8	2019.1
.6	5107.9	2575.2	1186.0	598.0	3999.5	2016.4
.7	5113.3	2577.9	1191.4	600.7	3994.1	2013.7
.8	5118.6	2580.6	1196.7	603.4	3988.8	2011.0
.9	5124.0	2583.3	1202.1	606.1	3983.4	2008.3
1232.0	5129.3	2586.0	1207.4	608.8	3978.1	2005.6
.1	5134.7	2588.7	1212.8	611.5	3972.7	2002.9
.2	5140.1	2591.4	1218.2	614.2	3967.3	2000.2
.3	5145.4	2594.1	1223.5	616.9	3962.0	1997.5
.4	5150.8	2596.8	1228.9	619.6	3956.6	1994.8
.5	5156.1	2599.5	1234.2	622.3	3951.3	1992.1
.6	5161.5	2602.2	1239.6	625.0	3945.9	1989.4
.7	5166.8	2604.9	1244.9	627.6	3940.6	1986.7
.8	5172.2	2607.6	1250.3	630.4	3935.2	1984.0
.9	5177.5	2610.3	1255.6	633.0	3929.9	1981.3

GRAND COULEE

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1233.0	5182.9	2613.0	1261.0	635.7	3924.5	1978.6
.1	5188.2	2615.7	1266.3	638.4	3919.2	1975.9
.2	5193.6	2618.4	1271.7	641.1	3913.8	1973.2
.3	5199.0	2621.1	1277.1	643.8	3908.4	1970.5
.4	5204.3	2623.8	1282.4	646.5	3903.1	1967.8
.5	5209.7	2626.5	1287.8	649.2	3897.7	1965.1
.6	5215.0	2629.2	1293.1	651.9	3892.4	1962.4
.7	5220.4	2631.9	1298.5	654.6	3887.0	1959.7
.8	5225.7	2634.6	1303.8	657.3	3881.7	1957.0
.9	5231.1	2637.3	1309.2	660.0	3876.3	1954.3
1234.0	5236.4	2640.0	1314.5	662.7	3871.0	1951.6
.1	5241.8	2642.7	1319.9	665.4	3865.6	1948.9
.2	5247.1	2645.4	1325.2	668.1	3860.3	1946.2
.3	5252.5	2648.1	1330.6	670.8	3854.9	1943.5
.4	5257.8	2650.8	1335.9	673.5	3849.6	1940.8
.5	5263.2	2653.5	1341.3	676.2	3844.2	1938.1
.6	5268.5	2656.2	1346.6	678.9	3838.9	1935.4
.7	5273.9	2658.9	1352.0	681.6	3833.5	1932.7
.8	5280.0	2662.0	1358.1	684.7	3827.4	1929.7
.9	5286.0	2665.0	1364.1	687.7	3821.4	1926.6
1235.0	5292.1	2668.1	1370.2	690.8	3815.3	1923.6
.1	5298.1	2671.1	1376.2	693.9	3809.3	1920.5
.2	5304.2	2674.2	1382.3	696.9	3803.2	1917.4
.3	5310.3	2677.3	1388.4	700.0	3797.1	1914.4
.4	5316.3	2680.3	1394.4	703.0	3791.1	1911.3
.5	5322.4	2683.4	1400.5	706.1	3785.0	1908.3
.6	5328.5	2686.4	1406.6	709.1	3778.9	1905.2
.7	5334.5	2689.5	1412.6	712.2	3772.9	1902.2
.8	5340.6	2692.5	1418.7	715.3	3766.8	1899.1
.9	5346.6	2695.6	1424.7	718.3	3760.8	1896.0
1236.0	5352.7	2698.7	1430.8	721.4	3754.7	1893.0
.1	5358.8	2701.7	1436.9	724.4	3748.6	1889.9
.2	5364.8	2704.8	1442.9	727.5	3742.6	1886.9
.3	5370.9	2707.8	1449.0	730.5	3736.5	1883.8
.4	5376.9	2710.9	1455.0	733.6	3730.5	1880.8
.5	5383.0	2713.9	1461.1	736.6	3724.4	1877.7
.6	5389.1	2717.0	1467.2	739.7	3718.3	1874.7
.7	5395.1	2720.0	1473.2	742.8	3712.3	1871.6
.8	5401.2	2723.1	1479.3	745.8	3706.2	1868.5
.9	5407.3	2726.2	1485.4	748.9	3700.1	1865.5
1237.0	5413.3	2729.2	1491.4	751.9	3694.1	1862.4
.1	5419.4	2732.3	1497.5	755.0	3688.0	1859.4
.2	5425.4	2735.3	1503.5	758.0	3682.0	1856.3
.3	5431.5	2738.4	1509.6	761.1	3675.9	1853.3
.4	5437.6	2741.4	1515.7	764.1	3669.8	1850.2
.5	5443.6	2744.5	1521.7	767.2	3663.8	1847.2
.6	5449.7	2747.5	1527.8	770.3	3657.7	1844.1
.7	5455.7	2750.6	1533.8	773.3	3651.7	1841.0
.8	5461.8	2753.7	1539.9	776.4	3645.6	1838.0
.9	5467.9	2756.7	1546.0	779.4	3639.5	1834.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1238.0	5473.9	2759.8	1552.0	782.5	3633.5	1831.9
.1	5480.0	2762.8	1558.1	785.5	3627.4	1828.8
.2	5486.0	2765.9	1564.1	788.6	3621.4	1825.8
.3	5492.1	2768.9	1570.2	791.7	3615.3	1822.7
.4	5498.2	2772.0	1576.3	794.7	3609.2	1819.7
.5	5504.2	2775.1	1582.3	797.8	3603.2	1816.6
.6	5510.3	2778.1	1588.4	800.8	3597.1	1813.5
.7	5516.4	2781.2	1594.5	803.9	3591.0	1810.5
.8	5522.4	2784.2	1600.5	806.9	3585.0	1807.4
.9	5528.5	2787.3	1606.6	810.0	3578.9	1804.4
1239.0	5534.5	2790.3	1612.6	813.0	3572.9	1801.3
.1	5540.6	2793.4	1618.7	816.1	3566.8	1798.3
.2	5546.7	2796.4	1624.8	819.2	3560.7	1795.2
.3	5552.7	2799.5	1630.8	822.2	3554.7	1792.1
.4	5558.8	2802.6	1636.9	825.3	3548.6	1789.1
.5	5564.9	2805.6	1643.0	828.3	3542.5	1786.0
.6	5570.9	2808.7	1649.0	831.4	3536.5	1783.0
.7	5577.0	2811.7	1655.1	834.4	3530.4	1779.9
.8	5583.0	2814.8	1661.1	837.5	3524.4	1776.9
.9	5589.1	2817.8	1667.2	840.5	3518.3	1773.8
1240.0	5595.2	2820.9	1673.3	843.6	3512.2	1770.8
.1	5601.2	2823.9	1679.3	846.7	3506.2	1767.7
.2	5607.3	2827.0	1685.4	849.7	3500.1	1764.6
.3	5613.3	2830.1	1691.4	852.8	3494.1	1761.6
.4	5619.4	2833.1	1697.5	855.8	3488.0	1758.5
.5	5625.5	2836.2	1703.6	858.9	3481.9	1755.5
.6	5631.5	2839.2	1709.6	861.9	3475.9	1752.4
.7	5637.6	2842.3	1715.7	865.0	3469.8	1749.4
.8	5643.7	2845.3	1721.8	868.0	3463.7	1746.3
.9	5649.7	2848.4	1727.8	871.1	3457.7	1743.3
1241.0	5655.8	2851.5	1733.9	874.2	3451.6	1740.2
.1	5661.8	2854.5	1739.9	877.2	3445.6	1737.1
.2	5667.9	2857.6	1746.0	880.3	3439.5	1734.1
.3	5674.0	2860.6	1752.1	883.3	3433.4	1731.0
.4	5680.0	2863.7	1758.1	886.4	3427.4	1728.0
.5	5686.1	2866.7	1764.2	889.4	3421.3	1724.9
.6	5692.1	2869.8	1770.2	892.5	3415.3	1721.9
.7	5698.2	2872.8	1776.3	895.6	3409.2	1718.8
.8	5704.3	2875.9	1782.4	898.6	3403.1	1715.7
.9	5710.3	2879.0	1788.4	901.7	3397.1	1712.7
1242.0	5716.4	2882.0	1794.5	904.7	3391.0	1709.6
.1	5722.4	2885.1	1800.5	907.8	3385.0	1706.6
.2	5728.5	2888.1	1806.6	910.8	3378.9	1703.5
.3	5734.6	2891.2	1812.7	913.9	3372.8	1700.5
.4	5740.6	2894.2	1818.7	916.9	3366.8	1697.4
.5	5746.7	2897.3	1824.8	920.0	3360.7	1694.4
.6	5752.8	2900.3	1830.9	923.1	3354.6	1691.3
.7	5758.8	2903.4	1836.9	926.1	3348.6	1688.2
.8	5764.9	2906.5	1843.0	929.2	3342.5	1685.2
.9	5770.9	2909.5	1849.0	932.2	3336.5	1682.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1243.0	5777.0	2912.6	1855.1	935.3	3330.4	1679.1
.1	5788.4	2918.3	1866.5	941.1	3319.0	1673.3
.2	5799.9	2924.1	1878.0	946.8	3307.5	1667.5
.3	5811.4	2929.9	1889.5	952.6	3296.0	1661.8
.4	5822.8	2935.7	1900.9	958.4	3284.6	1656.0
.5	5825.1	2936.8	1903.2	959.5	3282.3	1654.8
.6	5827.5	2938.0	1905.6	960.7	3279.9	1653.6
.7	5829.8	2939.2	1907.9	961.9	3277.6	1652.5
.8	5832.1	2940.4	1910.2	963.1	3275.3	1651.3
.9	5834.4	2941.5	1912.6	964.2	3272.9	1650.1
1244.0	5836.8	2942.7	1914.9	965.4	3270.6	1648.9
.1	5839.1	2943.9	1917.2	966.6	3268.3	1647.8
.2	5841.4	2945.1	1919.5	967.8	3266.0	1646.6
.3	5843.8	2946.2	1921.9	968.9	3263.6	1645.4
.4	5846.1	2947.4	1924.2	970.1	3261.3	1644.2
.5	5848.4	2948.6	1926.5	971.3	3259.0	1643.1
.6	5850.8	2949.8	1928.9	972.5	3256.6	1641.9
.7	5853.1	2950.9	1931.2	973.6	3254.3	1640.7
.8	5855.4	2952.1	1933.5	974.8	3252.0	1639.5
.9	5857.8	2953.3	1935.9	976.0	3249.6	1638.4
1245.0	5860.1	2954.5	1938.2	977.2	3247.3	1637.2
.1	5869.4	2959.2	1947.5	981.9	3238.0	1632.5
.2	5878.7	2963.8	1956.8	986.5	3228.7	1627.8
.3	5888.0	2968.5	1966.1	991.2	3219.4	1623.1
.4	5897.3	2973.2	1975.4	995.9	3210.1	1618.4
.5	5906.6	2977.9	1984.7	1000.6	3200.8	1613.8
.6	5915.9	2982.6	1994.0	1005.3	3191.5	1609.1
.7	5925.2	2987.3	2003.3	1010.0	3182.2	1604.4
.8	5934.5	2992.0	2012.6	1014.7	3172.9	1599.7
.9	5943.7	2996.6	2021.8	1019.3	3163.7	1595.0
1246.0	5953.0	3001.3	2031.1	1024.0	3154.4	1590.3
.1	5962.3	3006.0	2040.4	1028.7	3145.1	1585.6
.2	5971.6	3010.7	2049.7	1033.4	3135.8	1581.0
.3	5980.9	3015.4	2059.0	1038.1	3126.5	1576.3
.4	5990.2	3020.1	2068.3	1042.8	3117.2	1571.6
.5	5999.5	3024.8	2077.6	1047.5	3107.9	1566.9
.6	6008.8	3029.4	2086.9	1052.1	3098.6	1562.2
.7	6015.1	3032.6	2093.2	1055.3	3092.3	1559.0
.8	6021.4	3035.8	2099.5	1058.5	3086.0	1555.9
.9	6027.7	3038.9	2105.8	1061.7	3079.7	1552.7
1247.0	6033.9	3042.1	2112.0	1064.8	3073.5	1549.5
.1	6040.2	3045.3	2118.3	1068.0	3067.2	1546.4
.2	6046.5	3048.5	2124.6	1071.2	3060.9	1543.2
.3	6052.8	3051.6	2130.9	1074.3	3054.6	1540.0
.4	6059.1	3054.8	2137.2	1077.5	3048.3	1536.9
.5	6065.4	3058.0	2143.5	1080.7	3042.0	1533.7
.6	6071.7	3061.1	2149.8	1083.8	3035.7	1530.5
.7	6077.9	3064.3	2156.0	1087.0	3029.5	1527.3
.8	6084.2	3067.5	2162.3	1090.2	3023.2	1524.2
.9	6090.5	3070.6	2168.6	1093.3	3016.9	1521.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1248.0	6096.8	3073.8	2174.9	1096.5	3010.6	1517.8
.1	6103.1	3077.0	2181.2	1099.7	3004.3	1514.7
.2	6109.4	3080.1	2187.5	1102.9	2998.0	1511.5
.3	6115.7	3083.3	2193.8	1106.0	2991.7	1508.3
.4	6122.0	3086.5	2200.1	1109.2	2985.4	1505.2
.5	6128.2	3089.7	2206.3	1112.4	2979.2	1502.0
.6	6134.5	3092.8	2212.6	1115.5	2972.9	1498.8
.7	6140.8	3096.0	2218.9	1118.7	2966.6	1495.7
.8	6147.1	3099.2	2225.2	1121.9	2960.3	1492.5
.9	6153.4	3102.3	2231.5	1125.0	2954.0	1489.3
1249.0	6159.7	3105.5	2237.8	1128.2	2947.7	1486.1
.1	6166.0	3108.7	2244.1	1131.4	2941.4	1483.0
.2	6172.2	3111.8	2250.3	1134.5	2935.2	1479.8
.3	6178.5	3115.0	2256.6	1137.7	2928.9	1476.6
.4	6184.8	3118.2	2262.9	1140.9	2922.6	1473.5
.5	6191.1	3121.3	2269.2	1144.1	2916.3	1470.3
.6	6197.4	3124.5	2275.5	1147.2	2910.0	1467.1
.7	6203.7	3127.7	2281.8	1150.4	2903.7	1464.0
.8	6210.0	3130.9	2288.1	1153.6	2897.4	1460.8
.9	6216.3	3134.0	2294.4	1156.7	2891.1	1457.6
1250.0	6222.5	3137.2	2300.6	1159.9	2884.9	1454.5
.1	6228.8	3140.4	2306.9	1163.1	2878.6	1451.3
.2	6235.1	3143.5	2313.2	1166.2	2872.3	1448.1
.3	6241.4	3146.7	2319.5	1169.4	2866.0	1444.9
.4	6247.7	3149.9	2325.8	1172.6	2859.7	1441.8
.5	6254.0	3153.0	2332.1	1175.8	2853.4	1438.6
.6	6260.3	3156.2	2338.4	1178.9	2847.1	1435.4
.7	6266.5	3159.4	2344.6	1182.1	2840.9	1432.3
.8	6272.8	3162.6	2350.9	1185.3	2834.6	1429.1
.9	6279.1	3165.7	2357.2	1188.4	2828.3	1425.9
1251.0	6285.4	3168.9	2363.5	1191.6	2822.0	1422.8
.1	6291.7	3172.1	2369.8	1194.8	2815.7	1419.6
.2	6298.0	3175.2	2376.1	1197.9	2809.4	1416.4
.3	6304.3	3178.4	2382.4	1201.1	2803.1	1413.2
.4	6310.5	3181.6	2388.6	1204.3	2796.9	1410.1
.5	6316.8	3184.7	2394.9	1207.4	2790.6	1406.9
.6	6323.1	3187.9	2401.2	1210.6	2784.3	1403.7
.7	6329.4	3191.1	2407.5	1213.8	2778.0	1400.6
.8	6335.7	3194.2	2413.8	1217.0	2771.7	1397.4
.9	6342.0	3197.4	2420.1	1220.1	2765.4	1394.2
1252.0	6348.3	3200.6	2426.4	1223.3	2759.1	1391.1
.1	6354.5	3203.8	2432.6	1226.5	2752.9	1387.9
.2	6360.8	3206.9	2438.9	1229.6	2746.6	1384.7
.3	6367.1	3210.1	2445.2	1232.8	2740.3	1381.6
.4	6373.4	3213.3	2451.5	1236.0	2734.0	1378.4
.5	6379.7	3216.4	2457.8	1239.1	2727.7	1375.2
.6	6386.0	3219.6	2464.1	1242.3	2721.4	1372.0
.7	6392.3	3222.8	2470.4	1245.5	2715.1	1368.9
.8	6398.6	3225.9	2476.7	1248.6	2708.8	1365.7
.9	6404.8	3229.1	2482.9	1251.8	2702.6	1362.5

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1253.0	6411.1	3232.3	2489.2	1255.0	2696.3	1359.4
.1	6417.4	3235.4	2495.5	1258.2	2690.0	1356.2
.2	6423.7	3238.6	2501.8	1261.3	2683.7	1353.0
.3	6430.0	3241.8	2508.1	1264.5	2677.4	1349.9
.4	6436.3	3245.0	2514.4	1267.7	2671.1	1346.7
.5	6442.6	3248.1	2520.7	1270.8	2664.8	1343.5
.6	6448.8	3251.3	2526.9	1274.0	2658.6	1340.4
.7	6455.1	3254.5	2533.2	1277.2	2652.3	1337.2
.8	6461.4	3257.6	2539.5	1280.3	2646.0	1334.0
.9	6467.7	3260.8	2545.8	1283.5	2639.7	1330.8
1254.0	6474.0	3264.0	2552.1	1286.7	2633.4	1327.7
.1	6480.3	3267.1	2558.4	1289.8	2627.1	1324.5
.2	6486.6	3270.3	2564.7	1293.0	2620.8	1321.3
.3	6492.9	3273.5	2571.0	1296.2	2614.5	1318.2
.4	6499.1	3276.6	2577.2	1299.4	2608.3	1315.0
.5	6505.4	3279.8	2583.5	1302.5	2602.0	1311.8
.6	6511.7	3283.0	2589.8	1305.7	2595.7	1308.7
.7	6518.0	3286.2	2596.1	1308.9	2589.4	1305.5
.8	6524.3	3289.3	2602.4	1312.0	2583.1	1302.3
.9	6530.6	3292.5	2608.7	1315.2	2576.8	1299.2
1255.0	6536.9	3295.7	2615.0	1318.4	2570.5	1296.0
.1	6543.1	3298.8	2621.2	1321.5	2564.3	1292.8
.2	6549.4	3302.0	2627.5	1324.7	2558.0	1289.6
.3	6555.7	3305.2	2633.8	1327.9	2551.7	1286.5
.4	6562.0	3308.3	2640.1	1331.0	2545.4	1283.3
.5	6568.3	3311.5	2646.4	1334.2	2539.1	1280.1
.6	6574.6	3314.7	2652.7	1337.4	2532.8	1277.0
.7	6580.9	3317.8	2659.0	1340.6	2526.5	1273.8
.8	6587.1	3321.0	2665.2	1343.7	2520.3	1270.6
.9	6593.4	3324.2	2671.5	1346.9	2514.0	1267.5
1256.0	6599.7	3327.4	2677.8	1350.1	2507.7	1264.3
.1	6606.0	3330.5	2684.1	1353.2	2501.4	1261.1
.2	6613.0	3334.1	2691.1	1356.8	2494.4	1257.6
.3	6620.0	3337.6	2698.1	1360.3	2487.4	1254.1
.4	6627.0	3341.1	2705.1	1363.8	2480.4	1250.5
.5	6634.0	3344.6	2712.1	1367.3	2473.4	1247.0
.6	6641.0	3348.2	2719.1	1370.9	2466.4	1243.5
.7	6648.0	3351.7	2726.1	1374.4	2459.4	1240.0
.8	6655.0	3355.2	2733.1	1377.9	2452.4	1236.4
.9	6662.0	3358.7	2740.1	1381.5	2445.4	1232.9
1257.0	6669.0	3362.3	2747.1	1385.0	2438.4	1229.4
.1	6676.0	3365.8	2754.1	1388.5	2431.4	1225.8
.2	6683.0	3369.3	2761.1	1392.0	2424.4	1222.3
.3	6690.0	3372.9	2768.1	1395.6	2417.4	1218.8
.4	6697.0	3376.4	2775.1	1399.1	2410.4	1215.3
.5	6704.0	3379.9	2782.1	1402.6	2403.4	1211.7
.6	6711.0	3383.4	2789.1	1406.1	2396.4	1208.2
.7	6717.9	3387.0	2796.0	1409.7	2389.5	1204.7
.8	6724.9	3390.5	2803.0	1413.2	2382.5	1201.2
.9	6731.9	3394.0	2810.0	1416.7	2375.5	1197.6

Reservoir Storage Tables

PAGE 11

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1258.0	6738.9	3397.5	2817.0	1420.3	2368.5	1194.1
.1	6745.9	3401.1	2824.0	1423.8	2361.5	1190.6
.2	6752.9	3404.6	2831.0	1427.3	2354.5	1187.0
.3	6759.9	3408.1	2838.0	1430.8	2347.5	1183.5
.4	6766.9	3411.7	2845.0	1434.4	2340.5	1180.0
.5	6773.9	3415.2	2852.0	1437.9	2333.5	1176.5
.6	6780.9	3418.7	2859.0	1441.4	2326.5	1172.9
.7	6787.9	3422.2	2866.0	1444.9	2319.5	1169.4
.8	6794.9	3425.8	2873.0	1448.5	2312.5	1165.9
.9	6801.9	3429.3	2880.0	1452.0	2305.5	1162.4
1259.0	6808.9	3432.8	2887.0	1455.5	2298.5	1158.8
.1	6815.9	3436.4	2894.0	1459.1	2291.5	1155.3
.2	6822.9	3439.9	2901.0	1462.6	2284.5	1151.8
.3	6829.9	3443.4	2908.0	1466.1	2277.5	1148.2
.4	6836.9	3446.9	2915.0	1469.6	2270.5	1144.7
.5	6843.9	3450.5	2922.0	1473.2	2263.5	1141.2
.6	6850.9	3454.0	2929.0	1476.7	2256.5	1137.7
.7	6857.9	3457.5	2936.0	1480.2	2249.5	1134.1
.8	6864.9	3461.0	2943.0	1483.8	2242.5	1130.6
.9	6871.9	3464.6	2950.0	1487.3	2235.5	1127.1
1260.0	6878.9	3468.1	2957.0	1490.8	2228.5	1123.5
.1	6885.9	3471.6	2964.0	1494.3	2221.5	1120.0
.2	6892.9	3475.2	2971.0	1497.9	2214.5	1116.5
.3	6899.9	3478.7	2978.0	1501.4	2207.5	1113.0
.4	6906.9	3482.2	2985.0	1504.9	2200.5	1109.4
.5	6913.9	3485.7	2992.0	1508.4	2193.5	1105.9
.6	6920.9	3489.3	2999.0	1512.0	2186.5	1102.4
.7	6927.8	3492.8	3005.9	1515.5	2179.6	1098.9
.8	6934.9	3496.3	3013.0	1519.0	2172.5	1095.3
.9	6941.8	3499.8	3019.9	1522.6	2165.6	1091.8
1261.0	6948.8	3503.4	3026.9	1526.1	2158.6	1088.3
.1	6955.8	3506.9	3033.9	1529.6	2151.6	1084.7
.2	6962.8	3510.4	3040.9	1533.1	2144.6	1081.2
.3	6969.8	3514.0	3047.9	1536.7	2137.6	1077.7
.4	6976.8	3517.5	3054.9	1540.2	2130.6	1074.2
.5	6983.8	3521.0	3061.9	1543.7	2123.6	1070.6
.6	6990.8	3524.5	3068.9	1547.2	2116.6	1067.1
.7	6997.8	3528.1	3075.9	1550.8	2109.6	1063.6
.8	7004.8	3531.6	3082.9	1554.3	2102.6	1060.1
.9	7011.8	3535.1	3089.9	1557.8	2095.6	1056.5
1262.0	7018.8	3538.6	3096.9	1561.4	2088.6	1053.0
.1	7025.8	3542.2	3103.9	1564.9	2081.6	1049.5
.2	7032.8	3545.7	3110.9	1568.4	2074.6	1045.9
.3	7039.8	3549.2	3117.9	1571.9	2067.6	1042.4
.4	7046.8	3552.8	3124.9	1575.5	2060.6	1038.9
.5	7053.8	3556.3	3131.9	1579.0	2053.6	1035.4
.6	7060.8	3559.8	3138.9	1582.5	2046.6	1031.8
.7	7067.8	3563.3	3145.9	1586.0	2039.6	1028.3
.8	7074.8	3566.9	3152.9	1589.6	2032.6	1024.8
.9	7081.8	3570.4	3159.9	1593.1	2025.6	1021.3

PAGE 12

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1263.0	7088.8	3573.9	3166.9	1596.6	2018.6	1017.7
.1	7095.8	3577.5	3173.9	1600.2	2011.6	1014.2
.2	7102.8	3581.0	3180.9	1603.7	2004.6	1010.7
.3	7109.8	3584.5	3187.9	1607.2	1997.6	1007.1
.4	7116.8	3588.0	3194.9	1610.7	1990.6	1003.6
.5	7123.8	3591.6	3201.9	1614.3	1983.6	1000.1
.6	7130.8	3595.1	3208.9	1617.8	1976.7	996.6
.7	7137.7	3598.6	3215.8	1621.3	1969.7	993.0
.8	7144.8	3602.1	3222.9	1624.9	1962.6	989.5
.9	7151.7	3605.7	3229.8	1628.4	1955.7	986.0
1264.0	7158.7	3609.2	3236.8	1631.9	1948.7	982.4
.1	7165.7	3612.7	3243.8	1635.4	1941.7	978.9
.2	7172.7	3616.3	3250.8	1639.0	1934.7	975.4
.3	7179.7	3619.8	3257.8	1642.5	1927.7	971.9
.4	7186.7	3623.3	3264.8	1646.0	1920.7	968.3
.5	7193.7	3626.8	3271.8	1649.5	1913.7	964.8
.6	7200.7	3630.4	3278.8	1653.1	1906.7	961.3
.7	7207.7	3633.9	3285.8	1656.6	1899.7	957.8
.8	7214.7	3637.4	3292.8	1660.1	1892.7	954.2
.9	7221.7	3640.9	3299.8	1663.7	1885.7	950.7
1265.0	7228.7	3644.5	3306.8	1667.2	1878.7	947.2
.1	7235.7	3648.0	3313.8	1670.7	1871.7	943.6
.2	7242.7	3651.5	3320.8	1674.2	1864.7	940.1
.3	7249.7	3655.1	3327.8	1677.8	1857.7	936.6
.4	7256.7	3658.6	3334.8	1681.3	1850.7	933.1
.5	7263.7	3662.1	3341.8	1684.8	1843.7	929.5
.6	7270.7	3665.6	3348.8	1688.3	1836.7	926.0
.7	7277.7	3669.2	3355.8	1691.9	1829.7	922.5
.8	7284.7	3672.7	3362.8	1695.4	1822.7	919.0
.9	7291.7	3676.2	3369.8	1698.9	1815.7	915.4
1266.0	7298.7	3679.7	3376.8	1702.5	1808.7	911.9
.1	7305.7	3683.3	3383.8	1706.0	1801.7	908.4
.2	7312.7	3686.8	3390.8	1709.5	1794.7	904.8
.3	7319.7	3690.3	3397.8	1713.0	1787.7	901.3
.4	7326.7	3693.9	3404.8	1716.6	1780.7	897.8
.5	7333.7	3697.4	3411.8	1720.1	1773.7	894.3
.6	7340.7	3700.9	3418.8	1723.6	1766.7	890.7
.7	7347.6	3704.4	3425.7	1727.1	1759.8	887.2
.8	7354.7	3708.0	3432.8	1730.7	1752.7	883.7
.9	7361.6	3711.5	3439.7	1734.2	1745.8	880.2
1267.0	7368.6	3715.0	3446.7	1737.7	1738.8	876.6
.1	7375.6	3718.6	3453.7	1741.3	1731.8	873.1
.2	7382.6	3722.1	3460.7	1744.8	1724.8	869.6
.3	7389.6	3725.6	3467.7	1748.3	1717.8	866.0
.4	7396.6	3729.1	3474.7	1751.8	1710.8	862.5
.5	7403.6	3732.7	3481.7	1755.4	1703.8	859.0
.6	7410.6	3736.2	3488.7	1758.9	1696.8	855.5
.7	7417.6	3739.7	3495.7	1762.4	1689.8	851.9
.8	7424.6	3743.2	3502.7	1766.0	1682.8	848.4
.9	7431.6	3746.8	3509.7	1769.5	1675.8	844.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1268.0	7438.6	3750.3	3516.7	1773.0	1668.8	841.3
.1	7445.6	3753.8	3523.7	1776.5	1661.8	837.8
.2	7452.6	3757.4	3530.7	1780.1	1654.8	834.3
.3	7459.6	3760.9	3537.7	1783.6	1647.8	830.8
.4	7466.6	3764.4	3544.7	1787.1	1640.8	827.2
.5	7473.6	3767.9	3551.7	1790.6	1633.8	823.7
.6	7480.6	3771.5	3558.7	1794.2	1626.8	820.2
.7	7487.6	3775.0	3565.7	1797.7	1619.8	816.7
.8	7494.6	3778.5	3572.7	1801.2	1612.8	813.1
.9	7501.6	3782.0	3579.7	1804.8	1605.8	809.6
1269.0	7508.6	3785.6	3586.7	1808.3	1598.8	806.1
.1	7515.6	3789.1	3593.7	1811.8	1591.8	802.5
.2	7522.6	3792.6	3600.7	1815.3	1584.8	799.0
.3	7529.6	3796.2	3607.7	1818.9	1577.8	795.5
.4	7536.6	3799.7	3614.7	1822.4	1570.8	792.0
.5	7543.6	3803.2	3621.7	1825.9	1563.8	788.4
.6	7550.6	3806.7	3628.7	1829.4	1556.8	784.9
.7	7557.5	3810.3	3635.6	1833.0	1549.9	781.4
.8	7564.6	3813.8	3642.7	1836.5	1542.8	777.9
.9	7571.5	3817.3	3649.6	1840.0	1535.9	774.3
1270.0	7578.5	3820.8	3656.6	1843.6	1528.9	770.8
.1	7585.5	3824.4	3663.6	1847.1	1521.9	767.3
.2	7592.5	3827.9	3670.6	1850.6	1514.9	763.7
.3	7599.5	3831.4	3677.6	1854.1	1507.9	760.2
.4	7606.5	3835.0	3684.6	1857.7	1500.9	756.7
.5	7613.5	3838.5	3691.6	1861.2	1493.9	753.2
.6	7620.5	3842.0	3698.6	1864.7	1486.9	749.6
.7	7627.5	3845.5	3705.6	1868.2	1479.9	746.1
.8	7634.5	3849.1	3712.6	1871.8	1472.9	742.6
.9	7641.5	3852.6	3719.6	1875.3	1465.9	739.1
1271.0	7648.5	3856.1	3726.6	1878.8	1458.9	735.5
.1	7655.5	3859.7	3733.6	1882.4	1451.9	732.0
.2	7662.5	3863.2	3740.6	1885.9	1444.9	728.5
.3	7669.5	3866.7	3747.6	1889.4	1437.9	724.9
.4	7676.5	3870.2	3754.6	1892.9	1430.9	721.4
.5	7683.5	3873.8	3761.6	1896.5	1423.9	717.9
.6	7690.5	3877.3	3768.6	1900.0	1416.9	714.4
.7	7697.5	3880.8	3775.6	1903.5	1409.9	710.8
.8	7704.5	3884.3	3782.6	1907.1	1402.9	707.3
.9	7711.5	3887.9	3789.6	1910.6	1395.9	703.8
1272.0	7718.5	3891.4	3796.6	1914.1	1388.9	700.2
.1	7725.5	3894.9	3803.6	1917.6	1381.9	696.7
.2	7732.5	3898.5	3810.6	1921.2	1374.9	693.2
.3	7739.5	3902.0	3817.6	1924.7	1367.9	689.7
.4	7746.5	3905.5	3824.6	1928.2	1360.9	686.1
.5	7753.5	3909.0	3831.6	1931.7	1353.9	682.6
.6	7760.5	3912.6	3838.6	1935.3	1346.9	679.1
.7	7767.5	3916.1	3845.6	1938.8	1339.9	675.6
.8	7774.5	3919.6	3852.6	1942.3	1332.9	672.0
.9	7781.4	3923.1	3859.5	1945.9	1326.0	668.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1273.0	7788.4	3926.7	3866.5	1949.4	1319.0	665.0
.1	7795.4	3930.2	3873.5	1952.9	1312.0	661.4
.2	7802.4	3933.7	3880.5	1956.4	1305.0	657.9
.3	7809.4	3937.3	3887.5	1960.0	1298.0	654.4
.4	7816.4	3940.8	3894.5	1963.5	1291.0	650.9
.5	7823.4	3944.3	3901.5	1967.0	1284.0	647.3
.6	7830.4	3947.8	3908.5	1970.5	1277.0	643.8
.7	7837.4	3951.4	3915.5	1974.1	1270.0	640.3
.8	7844.4	3954.9	3922.5	1977.6	1263.0	636.8
.9	7851.4	3958.4	3929.5	1981.1	1256.0	633.2
1274.0	7858.4	3961.9	3936.5	1984.7	1249.0	629.7
.1	7865.4	3965.5	3943.5	1988.2	1242.0	626.2
.2	7872.4	3969.0	3950.5	1991.7	1235.0	622.6
.3	7879.4	3972.5	3957.5	1995.2	1228.0	619.1
.4	7886.4	3976.1	3964.5	1998.8	1221.0	615.6
.5	7894.2	3980.0	3972.3	2002.7	1213.2	611.6
.6	7902.0	3984.0	3980.1	2006.7	1205.4	607.7
.7	7909.9	3987.9	3988.0	2010.6	1197.5	603.8
.8	7917.7	3991.8	3995.8	2014.6	1189.7	599.8
.9	7925.5	3995.8	4003.6	2018.5	1181.9	595.9
1275.0	7933.4	3999.7	4011.5	2022.4	1174.0	591.9
.1	7941.2	4003.7	4019.3	2026.4	1166.2	588.0
.2	7949.0	4007.6	4027.1	2030.3	1158.4	584.0
.3	7956.8	4011.6	4034.9	2034.3	1150.6	580.1
.4	7964.7	4015.5	4042.8	2038.2	1142.7	576.1
.5	7972.5	4019.5	4050.6	2042.2	1134.9	572.2
.6	7980.3	4023.4	4058.4	2046.1	1127.1	568.2
.7	7988.1	4027.4	4066.2	2050.1	1119.3	564.3
.8	7996.0	4031.3	4074.1	2054.0	1111.4	560.3
.9	8003.8	4035.3	4081.9	2058.0	1103.6	556.4
1276.0	8011.6	4039.2	4089.7	2061.9	1095.8	552.5
.1	8019.5	4043.1	4097.6	2065.9	1087.9	548.5
.2	8027.3	4047.1	4105.4	2069.8	1080.1	544.6
.3	8035.1	4051.0	4113.2	2073.7	1072.3	540.6
.4	8042.9	4055.0	4121.0	2077.7	1064.5	536.7
.5	8050.8	4058.9	4128.9	2081.6	1056.6	532.7
.6	8058.6	4062.9	4136.7	2085.6	1048.8	528.8
.7	8066.4	4066.8	4144.5	2089.5	1041.0	524.8
.8	8074.2	4070.8	4152.3	2093.5	1033.2	520.9
.9	8082.1	4074.7	4160.2	2097.4	1025.3	516.9
1277.0	8089.9	4078.7	4168.0	2101.4	1017.5	513.0
.1	8097.7	4082.6	4175.8	2105.3	1009.7	509.0
.2	8105.5	4086.5	4183.6	2109.3	1001.9	505.1
.3	8113.4	4090.5	4191.5	2113.2	994.0	501.2
.4	8121.2	4094.4	4199.3	2117.2	986.2	497.2
.5	8129.0	4098.4	4207.1	2121.1	978.4	493.3
.6	8136.9	4102.3	4215.0	2125.0	970.5	489.3
.7	8144.7	4106.3	4222.8	2129.0	962.7	485.4
.8	8152.5	4110.2	4230.6	2132.9	954.9	481.4
.9	8160.3	4114.2	4238.4	2136.9	947.1	477.5

Grand Coulee

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

PAGE 15

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1278.0	8168.2	4118.1	4246.3	2140.8	939.2	473.5
.1	8176.0	4122.1	4254.1	2144.8	931.4	469.6
.2	8183.8	4126.0	4261.9	2148.7	923.6	465.6
.3	8191.7	4130.0	4269.8	2152.7	915.7	461.7
.4	8199.5	4133.9	4277.6	2156.6	907.9	457.7
.5	8207.3	4137.8	4285.4	2160.6	900.1	453.8
.6	8215.1	4141.8	4293.2	2164.5	892.3	449.9
.7	8223.0	4145.7	4301.1	2168.4	884.4	445.9
.8	8230.8	4149.7	4308.9	2172.4	876.6	442.0
.9	8238.6	4153.6	4316.7	2176.3	868.8	438.0
1279.0	8246.4	4157.6	4324.5	2180.3	861.0	434.1
.1	8254.3	4161.5	4332.4	2184.2	853.1	430.1
.2	8262.1	4165.5	4340.2	2188.2	845.3	426.2
.3	8269.9	4169.4	4348.0	2192.1	837.5	422.2
.4	8277.7	4173.4	4355.8	2196.1	829.7	418.3
.5	8285.6	4177.3	4363.7	2200.0	821.8	414.3
.6	8293.4	4181.3	4371.5	2204.0	814.0	410.4
.7	8301.2	4185.2	4379.3	2207.9	806.2	406.4
.8	8309.1	4189.1	4387.2	2211.9	798.3	402.5
.9	8316.9	4193.1	4395.0	2215.8	790.5	398.6
1280.0	8324.7	4197.0	4402.8	2219.7	782.7	394.6
.1	8332.5	4201.0	4410.6	2223.7	774.9	390.7
.2	8340.4	4204.9	4418.5	2227.6	767.0	386.7
.3	8348.2	4208.9	4426.3	2231.6	759.2	382.8
.4	8356.0	4212.8	4434.1	2235.5	751.4	378.8
.5	8363.8	4216.8	4441.9	2239.5	743.6	374.9
.6	8371.7	4220.7	4449.8	2243.4	735.7	370.9
.7	8379.5	4224.7	4457.6	2247.4	727.9	367.0
.8	8387.3	4228.6	4465.4	2251.3	720.1	363.0
.9	8395.2	4232.6	4473.3	2255.3	712.2	359.1
1281.0	8403.0	4236.5	4481.1	2259.2	704.4	355.1
.1	8410.8	4240.4	4488.9	2263.2	696.6	351.2
.2	8418.6	4244.4	4496.7	2267.1	688.8	347.3
.3	8426.5	4248.3	4504.6	2271.0	680.9	343.3
.4	8434.3	4252.3	4512.4	2275.0	673.1	339.4
.5	8442.1	4256.2	4520.2	2278.9	665.3	335.4
.6	8449.9	4260.2	4528.0	2282.9	657.5	331.5
.7	8457.8	4264.1	4535.9	2286.8	649.6	327.5
.8	8465.6	4268.1	4543.7	2290.8	641.8	323.6
.9	8473.4	4272.0	4551.5	2294.7	634.0	319.6
1282.0	8481.2	4276.0	4559.3	2298.7	626.2	315.7
.1	8489.1	4279.9	4567.2	2302.6	618.3	311.7
.2	8496.9	4283.9	4575.0	2306.6	610.5	307.8
.3	8504.7	4287.8	4582.8	2310.5	602.7	303.8
.4	8512.6	4291.7	4590.7	2314.5	594.8	299.9
.5	8520.4	4295.7	4598.5	2318.4	587.0	296.0
.6	8528.2	4299.6	4606.3	2322.3	579.2	292.0
.7	8536.0	4303.6	4614.1	2326.3	571.4	288.1
.8	8543.9	4307.5	4622.0	2330.2	563.5	284.1
.9	8551.7	4311.5	4629.8	2334.2	555.7	280.2

PAGE 16

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1283.0	8559.5	4315.4	4637.6	2338.1	547.9	276.2
.1	8567.3	4319.4	4645.4	2342.1	540.1	272.3
.2	8575.2	4323.3	4653.3	2346.0	532.2	268.3
.3	8583.0	4327.3	4661.1	2350.0	524.4	264.4
.4	8590.8	4331.2	4668.9	2353.9	516.6	260.4
.5	8598.6	4335.2	4676.7	2357.9	508.8	256.5
.6	8606.5	4339.1	4684.6	2361.8	500.9	252.6
.7	8614.3	4343.0	4692.4	2365.8	493.1	248.6
.8	8622.1	4347.0	4700.2	2369.7	485.3	244.7
.9	8630.0	4350.9	4708.1	2373.6	477.4	240.7
1284.0	8637.8	4354.9	4715.9	2377.6	469.6	236.8
.1	8645.6	4358.8	4723.7	2381.5	461.8	232.8
.2	8653.4	4362.8	4731.5	2385.5	454.0	228.9
.3	8661.3	4366.7	4739.4	2389.4	446.1	224.9
.4	8669.1	4370.7	4747.2	2393.4	438.3	221.0
.5	8676.9	4374.6	4755.0	2397.3	430.5	217.0
.6	8684.7	4378.6	4762.8	2401.3	422.7	213.1
.7	8692.6	4382.5	4770.7	2405.2	414.8	209.1
.8	8700.4	4386.5	4778.5	2409.2	407.0	205.2
.9	8708.2	4390.4	4786.3	2413.1	399.2	201.2
1285.0	8716.1	4394.3	4794.2	2417.0	391.3	197.3
.1	8723.9	4398.3	4802.0	2421.0	383.5	193.4
.2	8731.7	4402.2	4809.8	2424.9	375.7	189.4
.3	8739.5	4406.2	4817.6	2428.9	367.9	185.5
.4	8747.4	4410.1	4825.5	2432.8	360.0	181.5
.5	8755.2	4414.1	4833.3	2436.8	352.2	177.6
.6	8763.0	4418.0	4841.1	2440.7	344.4	173.6
.7	8770.8	4422.0	4848.9	2444.7	336.6	169.7
.8	8778.7	4425.9	4856.8	2448.6	328.7	165.7
.9	8786.5	4429.9	4864.6	2452.6	320.9	161.8
1286.0	8794.3	4433.8	4872.4	2456.5	313.1	157.8
.1	8802.1	4437.7	4880.2	2460.5	305.3	153.9
.2	8810.0	4441.7	4888.1	2464.4	297.4	150.0
.3	8817.8	4445.6	4895.9	2468.4	289.6	146.0
.4	8825.6	4449.6	4903.7	2472.3	281.8	142.1
.5	8833.5	4453.5	4911.6	2476.2	273.9	138.1
.6	8841.3	4457.5	4919.4	2480.2	266.1	134.2
.7	8849.1	4461.4	4927.2	2484.1	258.3	130.2
.8	8856.9	4465.4	4935.0	2488.1	250.5	126.3
.9	8864.8	4469.3	4942.9	2492.0	242.6	122.3
1287.0	8872.6	4473.3	4950.7	2496.0	234.8	118.4
.1	8880.4	4477.2	4958.5	2499.9	227.0	114.4
.2	8888.2	4481.2	4966.3	2503.9	219.2	110.5
.3	8896.1	4485.1	4974.2	2507.8	211.3	106.5
.4	8903.9	4489.1	4982.0	2511.8	203.5	102.6
.5	8911.7	4493.0	4989.8	2515.7	195.7	98.7
.6	8919.6	4496.9	4997.7	2519.6	187.8	94.7
.7	8927.4	4500.9	5005.5	2523.6	180.0	90.8
.8	8935.2	4504.8	5013.3	2527.5	172.2	86.8
.9	8943.0	4508.8	5021.1	2531.5	164.4	82.9

Grand Coulee

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

GRAND COULEE

PAGE 17

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1288.0		8950.9	4512.7	5029.0	2535.4	156.5	78.9
.1		8958.7	4516.7	5036.8	2539.4	148.7	75.0
.2		8966.5	4520.6	5044.6	2543.3	140.9	71.0
.3		8974.3	4524.6	5052.4	2547.3	133.1	67.1
.4		8982.2	4528.5	5060.3	2551.2	125.2	63.1
.5		8990.0	4532.5	5068.1	2555.2	117.4	59.2
.6		8997.8	4536.4	5075.9	2559.1	109.6	55.2
.7		9005.6	4540.3	5083.7	2563.1	101.8	51.3
.8		9013.5	4544.3	5091.6	2567.0	93.9	47.4
.9		9021.3	4548.2	5099.4	2571.0	86.1	43.4
1289.0		9029.1	4552.2	5107.2	2574.9	78.3	39.5
.1		9037.0	4556.1	5115.1	2578.8	70.4	35.5
.2		9044.8	4560.1	5122.9	2582.8	62.6	31.6
.3		9052.6	4564.0	5130.7	2586.7	54.8	27.6
.4		9060.4	4568.0	5138.5	2590.7	47.0	23.7
.5		9068.3	4571.9	5146.4	2594.6	39.1	19.7
.6		9076.1	4575.9	5154.2	2598.6	31.3	15.8
.7		9083.9	4579.8	5162.0	2602.5	23.5	11.8
.8		9091.8	4583.8	5169.9	2606.5	15.6	7.9
.9		9099.6	4587.7	5177.7	2610.4	7.8	3.9
1290.0	SUB	9107.4	4591.6	5185.5	2614.4	0.0	0.0
.1		9115.2	4595.6				
.2		9123.0	4599.5				
.3		9130.9	4603.5				
.4		9138.7	4607.4				
.5		9146.5	4611.4				
.6		9154.4	4615.3				
.7		9162.2	4619.3				
.8		9170.0	4623.2				
.9		9177.8	4627.2				
1291.0		9185.7	4631.1				

Grand Coulee

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

PROJECT NAME: CHELAN

PROJECT NUMBER: 20

STORAGE LOWER BOUND (SLB) =   998.60KAF   STORAGE UPPER BOUND (SUB) = 1676.00 KAF

CHELAN

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1079.0 SLB	998.6	503.5	0.0	0.0	677.4	341.5	1084.0	1157.2	583.4	158.6	79.9	518.8	261.6
.1	1001.8	505.1	3.2	1.6	674.2	339.9	.1	1160.3	585.0	161.7	81.5	515.7	260.0
.2	1004.9	506.7	6.3	3.2	671.1	338.3	.2	1163.5	586.6	164.9	83.1	512.5	258.4
.3	1008.1	508.3	9.5	4.8	667.9	336.7	.3	1166.7	588.2	168.1	84.7	509.3	256.8
.4	1011.3	509.9	12.7	6.4	664.7	335.1	.4	1169.9	589.8	171.3	86.3	506.1	255.2
.5	1014.5	511.5	15.9	8.0	661.5	333.5	.5	1173.0	591.4	174.4	87.9	503.0	253.6
.6	1017.6	513.1	19.0	9.6	658.4	331.9	.6	1176.2	593.0	177.6	89.5	499.8	252.0
.7	1020.8	514.7	22.2	11.2	655.2	330.3	.7	1179.4	594.6	180.8	91.1	496.6	250.4
.8	1024.0	516.3	25.4	12.8	652.0	328.7	.8	1182.5	596.2	183.9	92.7	493.5	248.8
.9	1027.1	517.9	28.5	14.4	648.9	327.1	.9	1185.7	597.8	187.1	94.3	490.3	247.2
1080.0	1030.3	519.5	31.7	16.0	645.7	325.5	1085.0	1188.9	599.4	190.3	95.9	487.1	245.6
.1	1033.5	521.0	34.9	17.6	642.5	323.9	.1	1192.1	601.0	193.5	97.5	483.9	244.0
.2	1036.7	522.6	38.1	19.2	639.3	322.3	.2	1195.2	602.6	196.6	99.1	480.8	242.4
.3	1039.8	524.2	41.2	20.8	636.2	320.7	.3	1198.4	604.2	199.8	100.7	477.6	240.8
.4	1043.0	525.8	44.4	22.4	633.0	319.1	.4	1201.6	605.8	203.0	102.4	474.4	239.2
.5	1046.2	527.4	47.6	24.0	629.8	317.5	.5	1204.8	607.4	206.2	104.0	471.2	237.5
.6	1049.3	529.0	50.7	25.6	626.7	315.9	.6	1208.1	609.1	209.5	105.6	467.9	235.9
.7	1052.5	530.6	53.9	27.2	623.5	314.3	.7	1211.3	610.7	212.7	107.2	464.7	234.3
.8	1055.7	532.2	57.1	28.8	620.3	312.7	.8	1214.5	612.3	215.9	108.9	461.5	232.7
.9	1058.9	533.8	60.3	30.4	617.1	311.1	.9	1217.7	613.9	219.1	110.5	458.3	231.0
1081.0	1062.0	535.4	63.4	32.0	614.0	309.5	1086.0	1221.0	615.6	222.4	112.1	455.0	229.4
.1	1065.2	537.0	66.6	33.6	610.8	307.9	.1	1224.2	617.2	225.6	113.7	451.8	227.8
.2	1068.4	538.6	69.8	35.2	607.6	306.3	.2	1227.4	618.8	228.8	115.4	448.6	226.2
.3	1071.5	540.2	72.9	36.8	604.5	304.7	.3	1230.6	620.5	232.0	117.0	445.4	224.5
.4	1074.7	541.8	76.1	38.4	601.3	303.1	.4	1233.9	622.1	235.3	118.6	442.1	222.9
.5	1077.9	543.4	79.3	40.0	598.1	301.5	.5	1237.1	623.7	238.5	120.2	438.9	221.3
.6	1081.1	545.0	82.5	41.6	594.9	300.0	.6	1240.3	625.3	241.7	121.9	435.7	219.7
.7	1084.2	546.6	85.6	43.2	591.8	298.4	.7	1243.5	627.0	244.9	123.5	432.5	218.0
.8	1087.4	548.2	88.8	44.8	588.6	296.8	.8	1246.8	628.6	248.2	125.1	429.2	216.4
.9	1090.6	549.8	92.0	46.4	585.4	295.2	.9	1250.0	630.2	251.4	126.7	426.0	214.8
1082.0	1093.7	551.4	95.1	48.0	582.3	293.6	1087.0	1253.2	631.8	254.6	128.4	422.8	213.2
.1	1096.9	553.0	98.3	49.6	579.1	292.0	.1	1256.4	633.5	257.8	130.0	419.6	211.5
.2	1100.1	554.6	101.5	51.2	575.9	290.4	.2	1259.7	635.1	261.1	131.6	416.3	209.9
.3	1103.3	556.2	104.7	52.8	572.7	288.8	.3	1262.9	636.7	264.3	133.2	413.1	208.3
.4	1106.4	557.8	107.8	54.4	569.6	287.2	.4	1266.1	638.3	267.5	134.9	409.9	206.6
.5	1109.6	559.4	111.0	56.0	566.4	285.6	.5	1269.3	640.0	270.7	136.5	406.7	205.0
.6	1112.8	561.0	114.2	57.6	563.2	284.0	.6	1272.6	641.6	274.0	138.1	403.4	203.4
.7	1115.9	562.6	117.3	59.2	560.1	282.4	.7	1275.8	643.2	277.2	139.7	400.2	201.8
.8	1119.1	564.2	120.5	60.8	556.9	280.8	.8	1279.0	644.8	280.4	141.4	397.0	200.1
.9	1122.3	565.8	123.7	62.4	553.7	279.2	.9	1282.2	646.5	283.6	143.0	393.8	198.5
1083.0	1125.5	567.4	126.9	64.0	550.5	277.6	1088.0	1285.5	648.1	286.9	144.6	390.5	196.9
.1	1128.6	569.0	130.0	65.6	547.4	276.0	.1	1288.7	649.7	290.1	146.3	387.1	195.3
.2	1131.8	570.6	133.2	67.2	544.2	274.4	.2	1291.9	651.3	293.3	147.9	384.1	193.6
.3	1135.0	572.2	136.4	68.8	541.0	272.8	.3	1295.1	653.0	296.5	149.5	380.9	192.0
.4	1138.1	573.8	139.5	70.4	537.9	271.2	.4	1298.4	654.6	299.8	151.1	377.6	190.4
.5	1141.3	575.4	142.7	72.0	534.7	269.6	.5	1301.6	656.2	303.0	152.8	374.4	188.8
.6	1144.5	577.0	145.9	73.5	531.5	268.0	.6	1304.8	657.8	306.2	154.4	371.2	187.1
.7	1147.7	578.6	149.1	75.1	528.3	266.4	.7	1308.0	659.5	309.4	156.0	368.0	185.5
.8	1150.8	580.2	152.2	76.7	525.2	264.8	.8	1311.3	661.1	312.7	157.6	364.7	183.9
.9	1154.0	581.8	155.4	78.3	522.0	263.2	.9	1314.5	662.7	315.9	159.3	361.5	182.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1089.0	1317.7	664.3	319.1	160.9	358.3	180.6
.1	1320.9	666.0	322.3	162.5	355.1	179.0
.2	1324.2	667.6	325.6	164.1	351.8	177.4
.3	1327.4	669.2	328.8	165.8	348.6	175.8
.4	1330.6	670.8	332.0	167.4	345.4	174.1
.5	1333.8	672.5	335.2	169.0	342.2	172.5
.6	1337.1	674.1	338.5	170.6	338.9	170.9
.7	1340.3	675.7	341.7	172.3	335.7	169.3
.8	1343.5	677.4	344.9	173.9	332.5	167.6
.9	1346.7	679.0	348.1	175.5	329.3	166.0
1090.0	1350.0	680.6	351.4	177.1	326.0	164.4
.1	1353.2	682.2	354.6	178.8	322.8	162.8
.2	1356.4	683.9	357.8	180.4	319.6	161.1
.3	1359.6	685.5	361.0	182.0	316.4	159.5
.4	1362.9	687.1	364.3	183.6	313.1	157.9
.5	1366.1	688.7	367.5	185.3	309.9	156.3
.6	1369.3	690.4	370.7	186.9	306.7	154.6
.7	1372.5	692.0	373.9	188.5	303.5	153.0
.8	1375.8	693.6	377.2	190.2	300.2	151.4
.9	1379.0	695.2	380.4	191.8	297.0	149.7
1091.0	1382.2	696.9	383.6	193.4	293.8	148.1
.1	1385.4	698.5	386.8	195.0	290.6	146.5
.2	1388.7	700.1	390.1	196.7	287.3	144.9
.3	1391.9	701.7	393.3	198.3	284.1	143.2
.4	1395.1	703.4	396.5	199.9	280.9	141.6
.5	1398.3	705.0	399.7	201.5	277.7	140.0
.6	1401.6	706.6	403.0	203.2	274.4	138.4
.7	1404.8	708.2	406.2	204.8	271.2	136.7
.8	1408.0	709.9	409.4	206.4	268.0	135.1
.9	1411.2	711.5	412.6	208.0	264.8	133.5
1092.0	1414.5	713.1	415.9	209.7	261.5	131.9
.1	1417.7	714.7	419.1	211.3	258.3	130.2
.2	1420.9	716.4	422.3	212.9	255.1	128.6
.3	1424.2	718.0	425.6	214.6	251.8	127.0
.4	1427.4	719.7	428.8	216.2	248.6	125.3
.5	1430.7	721.3	432.1	217.9	245.3	123.7
.6	1434.0	723.0	435.4	219.5	242.0	122.0
.7	1437.3	724.6	438.7	221.2	238.7	120.4
.8	1440.5	726.3	441.9	222.8	235.5	118.7
.9	1443.8	727.9	445.2	224.5	232.2	117.1
1093.0	1447.1	729.6	448.5	226.1	228.9	115.4
.1	1450.3	731.2	451.7	227.7	225.7	113.8
.2	1453.6	732.9	455.0	229.4	222.4	112.1
.3	1456.9	734.5	458.3	231.0	219.1	110.5
.4	1460.1	736.2	461.5	232.7	215.9	108.8
.5	1463.4	737.8	464.8	234.3	212.6	107.2
.6	1466.7	739.5	468.1	236.0	209.3	105.5
.7	1470.0	741.1	471.4	237.6	206.0	103.9
.8	1473.2	742.8	474.6	239.3	202.8	102.2
.9	1476.5	744.4	477.9	240.9	199.5	100.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1094.0	1479.8	746.1	481.2	242.6	196.2	98.9
.1	1483.0	747.7	484.4	244.2	193.0	97.3
.2	1486.3	749.3	487.7	245.9	189.7	95.6
.3	1489.6	751.0	491.0	247.5	186.4	94.0
.4	1492.9	752.6	494.3	249.2	183.1	92.3
.5	1496.1	754.3	497.5	250.8	179.9	90.7
.6	1499.4	755.9	500.8	252.5	176.6	89.0
.7	1502.7	757.6	504.1	254.1	173.3	87.4
.8	1505.9	759.2	507.3	255.8	170.1	85.7
.9	1509.2	760.9	510.6	257.4	166.8	84.1
1095.0	1512.5	762.5	513.9	259.1	163.5	82.4
.1	1515.7	764.2	517.1	260.7	160.3	80.8
.2	1519.0	765.8	520.4	262.4	157.0	79.1
.3	1522.3	767.5	523.7	264.0	153.7	77.5
.4	1525.6	769.1	527.0	265.7	150.4	75.8
.5	1528.8	770.8	530.2	267.3	147.2	74.2
.6	1532.1	772.4	533.5	269.0	143.9	72.6
.7	1535.4	774.1	536.8	270.6	140.6	70.9
.8	1538.6	775.7	540.0	272.3	137.4	69.3
.9	1541.9	777.4	543.3	273.9	134.1	67.6
1096.0	1545.2	779.0	546.6	275.6	130.8	66.0
.1	1548.4	780.7	549.8	277.2	127.6	64.3
.2	1551.7	782.3	553.1	278.9	124.3	62.7
.3	1555.0	784.0	556.4	280.5	121.0	61.0
.4	1558.3	785.6	559.7	282.2	117.7	59.4
.5	1561.5	787.3	562.9	283.8	114.5	57.7
.6	1564.8	788.9	566.2	285.5	111.2	56.1
.7	1568.1	790.6	569.5	287.1	107.9	54.4
.8	1571.3	792.2	572.7	288.8	104.7	52.8
.9	1574.6	793.9	576.0	290.4	101.4	51.1
1097.0	1577.9	795.5	579.3	292.1	98.1	49.5
.1	1581.2	797.2	582.6	293.7	94.8	47.8
.2	1584.4	798.8	585.8	295.4	91.6	46.2
.3	1587.7	800.5	589.1	297.0	88.3	44.5
.4	1591.0	802.1	592.4	298.7	85.0	42.9
.5	1594.2	803.8	595.6	300.3	81.8	41.2
.6	1597.5	805.4	598.9	301.9	78.5	39.6
.7	1600.8	807.1	602.2	303.6	75.2	37.9
.8	1604.1	808.7	605.5	305.2	71.9	36.3
.9	1607.3	810.4	608.7	306.9	68.7	34.6
1098.0	1610.6	812.0	612.0	308.5	65.4	33.0
.1	1613.9	813.7	615.3	310.2	62.1	31.3
.2	1617.1	815.3	618.5	311.8	58.9	29.7
.3	1620.4	817.0	621.8	313.5	55.6	28.0
.4	1623.7	818.6	625.1	315.1	52.3	26.4
.5	1626.9	820.3	628.3	316.8	49.1	24.7
.6	1630.2	821.9	631.6	318.4	45.8	23.1
.7	1633.5	823.5	634.9	320.1	42.5	21.4
.8	1636.8	825.2	638.2	321.7	39.2	19.8
.9	1640.0	826.8	641.4	323.4	36.0	18.1

Reservoir Storage Tables

CHELAN

ELEVATION FEET		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
		KAF	KSFD	KAF	KSFD	KAF	KSFD

****

ELEVATION		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
1099.0		1643.3	828.5	644.7	325.0	32.7	16.5
.1		1646.6	830.1	648.0	326.7	29.4	14.8
.2		1649.8	831.8	651.2	328.3	26.2	13.2
.3		1653.1	833.4	654.5	330.0	22.9	11.5
.4		1656.4	835.1	657.8	331.6	19.6	9.9
.5		1659.6	836.7	661.0	333.3	16.4	8.2
.6		1662.9	838.4	664.3	334.9	13.1	6.6
.7		1666.2	840.0	667.6	336.6	9.8	4.9
.8		1669.5	841.7	670.9	338.2	6.5	3.3
.9		1672.7	843.3	674.1	339.9	3.3	1.6
1100.0	SUB	1676.0	845.0	677.4	341.5	0.0	0.0
.1		1679.3	846.6				
.2		1682.5	848.3				
.3		1685.8	849.9				
.4		1689.1	851.6				
.5		1692.4	853.2				
.6		1695.6	854.9				
.7		1698.9	856.5				
.8		1702.2	858.2				
.9		1705.4	859.8				
1101.0		1708.7	861.5				

Reservoir Storage Tables

```
1                          PROJECT NAME:    BROWNLEE                            BROWNLEE
07/24/96

                           PROJECT NUMBER:     2     PAGE 1

   STORAGE LOWER BOUND (SLB) =    444.70KAF        STORAGE UPPER BOUND (SUB) = 1420.10  KAF    PAGE  2
```

| ELEVATION | GROSS STORAGE | | USABLE STORAGE | | CUMULATIVE DRAFT | | ELEVATION | GROSS STORAGE | | USABLE STORAGE | | CUMULATIVE DRAFT | |
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD	FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
1976.0 SLB	444.7	224.2	0.0	0.0	975.4	491.7	1981.0	479.1	241.5	34.4	17.3	941.0	474.4
.1	445.4	224.6	0.7	0.4	974.7	491.4	.1	479.8	241.9	35.1	17.7	940.3	474.1
.2	446.1	224.9	1.4	0.7	974.0	491.1	.2	480.4	242.2	35.7	18.0	939.7	473.7
.3	446.8	225.3	2.1	1.1	973.3	490.7	.3	481.1	242.6	36.4	18.4	939.0	473.4
.4	447.5	225.6	2.8	1.4	972.6	490.4	.4	481.8	242.9	37.1	18.7	938.3	473.1
.5	448.2	226.0	3.5	1.8	971.9	490.0	.5	482.5	243.3	37.8	19.1	937.6	472.7
.6	448.9	226.3	4.2	2.1	971.2	489.7	.6	483.2	243.6	38.5	19.4	936.9	472.4
.7	449.5	226.6	4.8	2.4	970.6	489.3	.7	483.9	244.0	39.2	19.7	936.2	472.0
.8	450.2	227.0	5.5	2.8	969.9	489.0	.8	484.6	244.3	39.9	20.1	935.5	471.7
.9	450.9	227.3	6.2	3.1	969.2	488.6	.9	485.2	244.6	40.5	20.4	934.9	471.3
1977.0	451.6	227.7	6.9	3.5	968.5	488.3	1982.0	485.9	245.0	41.2	20.8	934.2	471.0
.1	452.3	228.0	7.6	3.8	967.8	487.9	.1	486.6	245.3	41.9	21.1	933.5	470.6
.2	453.0	228.4	8.3	4.2	967.1	487.6	.2	487.3	245.7	42.6	21.5	932.8	470.3
.3	453.7	228.7	9.0	4.5	966.4	487.2	.3	488.0	246.0	43.3	21.8	932.1	469.9
.4	454.4	229.1	9.7	4.9	965.7	486.9	.4	488.7	246.4	44.0	22.2	931.4	469.6
.5	455.0	229.4	10.3	5.2	965.1	486.6	.5	489.4	246.7	44.7	22.5	930.7	469.2
.6	455.7	229.8	11.0	5.6	964.4	486.2	.6	490.0	247.1	45.3	22.9	930.1	468.9
.7	456.4	230.1	11.7	5.9	963.7	485.9	.7	490.7	247.4	46.0	23.2	929.4	468.6
.8	457.1	230.5	12.4	6.3	963.0	485.5	.8	491.4	247.8	46.7	23.6	928.7	468.2
.9	457.8	230.8	13.1	6.6	962.3	485.2	.9	492.1	248.1	47.4	23.9	928.0	467.9
1978.0	458.5	231.1	13.8	6.9	961.6	484.8	1983.0	492.8	248.4	48.1	24.2	927.3	467.5
.1	459.2	231.5	14.5	7.3	960.9	484.5	.1	493.5	248.8	48.8	24.6	926.6	467.2
.2	459.8	231.8	15.1	7.6	960.3	484.1	.2	494.2	249.1	49.5	24.9	925.9	466.8
.3	460.5	232.2	15.8	8.0	959.6	483.8	.3	494.9	249.5	50.2	25.3	925.2	466.5
.4	461.2	232.5	16.5	8.3	958.9	483.4	.4	495.5	249.8	50.8	25.6	924.6	466.1
.5	461.9	232.9	17.2	8.7	958.2	483.1	.5	496.2	250.2	51.5	26.0	923.9	465.8
.6	462.6	233.2	17.9	9.0	957.5	482.7	.6	496.9	250.5	52.2	26.3	923.2	465.4
.7	463.3	233.6	18.6	9.4	956.8	482.4	.7	497.6	250.9	52.9	26.7	922.5	465.1
.8	464.0	233.9	19.3	9.7	956.1	482.1	.8	498.3	251.2	53.6	27.0	921.8	464.7
.9	464.6	234.3	19.9	10.1	955.5	481.7	.9	499.0	251.6	54.3	27.4	921.1	464.4
1979.0	465.3	234.6	20.6	10.4	954.8	481.4	1984.0	499.7	251.9	55.0	27.7	920.4	464.1
.1	466.0	235.0	21.3	10.7	954.1	481.0	.1	500.3	252.3	55.6	28.1	919.8	463.7
.2	466.7	235.3	22.0	11.1	953.4	480.7	.2	501.0	252.6	56.3	28.4	919.1	463.4
.3	467.4	235.6	22.7	11.4	952.7	480.3	.3	501.7	252.9	57.0	28.7	918.4	463.0
.4	468.1	236.0	23.4	11.8	952.0	480.0	.4	502.4	253.3	57.7	29.1	917.7	462.7
.5	468.8	236.3	24.1	12.1	951.3	479.6	.5	503.1	253.6	58.4	29.4	917.0	462.3
.6	469.5	236.7	24.8	12.5	950.6	479.3	.6	503.8	254.0	59.1	29.8	916.3	462.0
.7	470.1	237.0	25.4	12.8	950.0	478.9	.7	504.5	254.3	59.8	30.1	915.6	461.6
.8	470.8	237.4	26.1	13.2	949.3	478.6	.8	505.1	254.7	60.4	30.5	915.0	461.3
.9	471.5	237.7	26.8	13.5	948.6	478.2	.9	505.8	255.0	61.1	30.8	914.3	460.9
1980.0	472.2	238.1	27.5	13.9	947.9	477.9	1985.0	506.5	255.4	61.8	31.2	913.6	460.6
.1	472.9	238.4	28.2	14.2	947.2	477.6	.1	507.2	255.7	62.5	31.5	912.9	460.3
.2	473.6	238.8	28.9	14.6	946.5	477.2	.2	507.9	256.1	63.2	31.9	912.2	459.9
.3	474.3	239.1	29.6	14.9	945.8	476.9	.3	508.6	256.4	63.9	32.2	911.5	459.6
.4	474.9	239.5	30.2	15.2	945.2	476.5	.4	509.3	256.8	64.6	32.6	910.8	459.2
.5	475.6	239.8	30.9	15.6	944.5	476.2	.5	510.0	257.1	65.3	32.9	910.1	458.9
.6	476.3	240.1	31.6	15.9	943.8	475.8	.6	510.6	257.4	65.9	33.2	909.5	458.5
.7	477.0	240.5	32.3	16.3	943.1	475.5	.7	511.3	257.8	66.6	33.6	908.8	458.2
.8	477.7	240.8	33.0	16.6	942.4	475.1	.8	512.0	258.1	67.3	33.9	908.1	457.8
.9	478.4	241.2	33.7	17.0	941.7	474.8	.9	512.7	258.5	68.0	34.3	907.4	457.5

Brownlee

135

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1986.0	513.4	258.8	68.7	34.6	906.7	457.1
.1	514.1	259.2	69.4	35.0	906.0	456.8
.2	514.8	259.5	70.1	35.3	905.3	456.4
.3	515.4	259.9	70.7	35.7	904.7	456.1
.4	516.1	260.2	71.4	36.0	904.0	455.8
.5	516.8	260.6	72.1	36.4	903.3	455.4
.6	517.5	260.9	72.8	36.7	902.6	455.1
.7	518.2	261.3	73.5	37.1	901.9	454.7
.8	518.9	261.6	74.2	37.4	901.2	454.4
.9	519.6	261.9	74.9	37.7	900.5	454.0
1987.0	520.2	262.3	75.5	38.1	899.9	453.7
.1	520.9	262.6	76.2	38.4	899.2	453.3
.2	521.6	263.0	76.9	38.8	898.5	453.0
.3	522.3	263.3	77.6	39.1	897.8	452.6
.4	523.0	263.7	78.3	39.5	897.1	452.3
.5	523.7	264.0	79.0	39.8	896.4	451.9
.6	524.4	264.4	79.7	40.2	895.7	451.6
.7	525.1	264.7	80.4	40.5	895.0	451.3
.8	525.7	265.1	81.0	40.9	894.4	450.9
.9	526.4	265.4	81.7	41.2	893.7	450.6
1988.0	527.1	265.8	82.4	41.5	893.0	450.2
.1	527.8	266.1	83.1	41.9	892.3	449.9
.2	528.5	266.4	83.8	42.2	891.6	449.5
.3	529.2	266.8	84.5	42.6	890.9	449.2
.4	529.9	267.1	85.2	42.9	890.2	448.8
.5	530.5	267.5	85.8	43.3	889.6	448.5
.6	531.2	267.8	86.5	43.6	888.9	448.1
.7	531.9	268.2	87.2	44.0	888.2	447.8
.8	532.6	268.5	87.9	44.3	887.5	447.4
.9	533.3	268.9	88.6	44.7	886.8	447.1
1989.0	534.0	269.2	89.3	45.0	886.1	446.8
.1	534.7	269.6	90.0	45.4	885.4	446.4
.2	535.3	269.9	90.6	45.7	884.8	446.1
.3	536.0	270.3	91.3	46.0	884.1	445.7
.4	536.7	270.6	92.0	46.4	883.4	445.4
.5	537.4	270.9	92.7	46.7	882.7	445.0
.6	538.1	271.3	93.4	47.1	882.0	444.7
.7	538.8	271.6	94.1	47.4	881.3	444.3
.8	539.5	272.0	94.8	47.8	880.6	444.0
.9	540.2	272.3	95.5	48.1	879.9	443.6
1990.0	540.8	272.7	96.1	48.5	879.3	443.3
.1	541.5	273.0	96.8	48.8	878.6	442.9
.2	542.2	273.4	97.5	49.2	877.9	442.6
.3	542.9	273.7	98.2	49.5	877.2	442.3
.4	543.6	274.1	98.9	49.9	876.5	441.9
.5	544.3	274.4	99.6	50.2	875.8	441.6
.6	545.0	274.7	100.3	50.5	875.1	441.2
.7	545.6	275.1	100.9	50.9	874.5	440.9
.8	546.3	275.4	101.6	51.2	873.8	440.5
.9	547.0	275.8	102.3	51.6	873.1	440.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1991.0	547.7	276.1	103.0	51.9	872.4	439.8
.1	548.5	276.5	103.8	52.3	871.6	439.4
.2	549.3	276.9	104.6	52.7	870.8	439.0
.3	550.0	277.3	105.3	53.1	870.1	438.7
.4	550.8	277.7	106.1	53.5	869.3	438.3
.5	551.6	278.1	106.9	53.9	868.5	437.9
.6	552.4	278.5	107.7	54.3	867.7	437.5
.7	553.2	278.9	108.5	54.7	866.9	437.1
.8	553.9	279.3	109.2	55.1	866.2	436.7
.9	554.7	279.7	110.0	55.5	865.4	436.3
1992.0	555.5	280.1	110.8	55.9	864.6	435.9
.1	556.3	280.5	111.6	56.3	863.8	435.5
.2	557.1	280.9	112.4	56.7	863.0	435.1
.3	557.9	281.3	113.2	57.0	862.2	434.7
.4	558.6	281.6	113.9	57.4	861.5	434.3
.5	559.4	282.0	114.7	57.8	860.7	433.9
.6	560.2	282.4	115.5	58.2	859.9	433.5
.7	561.0	282.8	116.3	58.6	859.1	433.1
.8	561.8	283.2	117.1	59.0	858.3	432.7
.9	562.5	283.6	117.8	59.4	857.6	432.4
1993.0	563.3	284.0	118.6	59.8	856.8	432.0
.1	564.1	284.4	119.4	60.2	856.0	431.6
.2	564.9	284.8	120.2	60.6	855.2	431.2
.3	565.7	285.2	121.0	61.0	854.4	430.8
.4	566.4	285.6	121.7	61.4	853.7	430.4
.5	567.2	286.0	122.5	61.8	852.9	430.0
.6	568.0	286.4	123.3	62.2	852.1	429.6
.7	568.8	286.8	124.1	62.6	851.3	429.2
.8	569.6	287.2	124.9	63.0	850.5	428.8
.9	570.3	287.5	125.6	63.3	849.8	428.4
1994.0	571.1	287.9	126.4	63.7	849.0	428.0
.1	571.9	288.3	127.2	64.1	848.2	427.6
.2	572.7	288.7	128.0	64.5	847.4	427.2
.3	573.5	289.1	128.8	64.9	846.6	426.8
.4	574.2	289.5	129.5	65.3	845.9	426.5
.5	575.0	289.9	130.3	65.7	845.1	426.1
.6	575.8	290.3	131.1	66.1	844.3	425.7
.7	576.6	290.7	131.9	66.5	843.5	425.3
.8	577.4	291.1	132.7	66.9	842.7	424.9
.9	578.1	291.5	133.4	67.3	842.0	424.5
1995.0	578.9	291.9	134.2	67.7	841.2	424.1
.1	579.7	292.3	135.0	68.1	840.4	423.7
.2	580.5	292.7	135.8	68.5	839.6	423.3
.3	581.3	293.1	136.6	68.9	838.8	422.9
.4	582.0	293.4	137.3	69.2	838.1	422.5
.5	582.8	293.8	138.1	69.6	837.3	422.1
.6	583.6	294.2	138.9	70.0	836.5	421.7
.7	584.4	294.6	139.7	70.4	835.7	421.3
.8	585.2	295.0	140.5	70.8	834.9	420.9
.9	586.0	295.4	141.3	71.2	834.1	420.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1996.0	586.7	295.8	142.0	71.6	833.4	420.2
.1	587.5	296.2	142.8	72.0	832.6	419.8
.2	588.3	296.6	143.6	72.4	831.8	419.4
.3	589.1	297.0	144.4	72.8	831.0	419.0
.4	589.9	297.4	145.2	73.2	830.2	418.6
.5	590.6	297.8	145.9	73.6	829.5	418.2
.6	591.4	298.2	146.7	74.0	828.7	417.8
.7	592.2	298.6	147.5	74.4	827.9	417.4
.8	593.0	299.0	148.3	74.8	827.1	417.0
.9	593.8	299.4	149.1	75.1	826.3	416.6
1997.0	594.5	299.7	149.8	75.5	825.6	416.2
.1	595.3	300.1	150.6	75.9	824.8	415.8
.2	596.1	300.5	151.4	76.3	824.0	415.4
.3	596.9	300.9	152.2	76.7	823.2	415.0
.4	597.7	301.3	153.0	77.1	822.4	414.6
.5	598.4	301.7	153.7	77.5	821.7	414.3
.6	599.2	302.1	154.5	77.9	820.9	413.9
.7	600.0	302.5	155.3	78.3	820.1	413.5
.8	600.8	302.9	156.1	78.7	819.3	413.1
.9	601.6	303.3	156.9	79.1	818.5	412.7
1998.0	602.3	303.7	157.6	79.5	817.8	412.3
.1	603.1	304.1	158.4	79.9	817.0	411.9
.2	603.9	304.5	159.2	80.3	816.2	411.5
.3	604.7	304.9	160.0	80.7	815.4	411.1
.4	605.5	305.3	160.8	81.1	814.6	410.7
.5	606.2	305.6	161.5	81.4	813.9	410.3
.6	607.0	306.0	162.3	81.8	813.1	409.9
.7	607.8	306.4	163.1	82.2	812.3	409.5
.8	608.6	306.8	163.9	82.6	811.5	409.1
.9	609.4	307.2	164.7	83.0	810.7	408.7
1999.0	610.1	307.6	165.4	83.4	810.0	408.4
.1	610.9	308.0	166.2	83.8	809.2	408.0
.2	611.7	308.4	167.0	84.2	808.4	407.6
.3	612.5	308.8	167.8	84.6	807.6	407.2
.4	613.3	309.2	168.6	85.0	806.8	406.8
.5	614.1	309.6	169.4	85.4	806.0	406.4
.6	614.8	310.0	170.1	85.8	805.3	406.0
.7	615.6	310.4	170.9	86.2	804.5	405.6
.8	616.4	310.8	171.7	86.6	803.7	405.2
.9	617.2	311.2	172.5	87.0	802.9	404.8
2000.0	618.0	311.6	173.3	87.3	802.1	404.4
.1	618.7	311.9	174.0	87.7	801.4	404.0
.2	619.5	312.3	174.8	88.1	800.6	403.6
.3	620.3	312.7	175.6	88.5	799.8	403.2
.4	621.1	313.1	176.4	88.9	799.0	402.8
.5	621.9	313.5	177.2	89.3	798.2	402.4
.6	622.6	313.9	177.9	89.7	797.5	402.1
.7	623.4	314.3	178.7	90.1	796.7	401.7
.8	624.2	314.7	179.5	90.5	795.9	401.3
.9	625.0	315.1	180.3	90.9	795.1	400.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2001.0	625.8	315.5	181.1	91.3	794.3	400.5
.1	626.5	315.9	181.8	91.7	793.6	400.1
.2	627.3	316.3	182.6	92.1	792.8	399.7
.3	628.1	316.7	183.4	92.5	792.0	399.3
.4	628.9	317.1	184.2	92.9	791.2	398.9
.5	629.7	317.5	185.0	93.3	790.4	398.5
.6	630.4	317.8	185.7	93.6	789.7	398.1
.7	631.2	318.2	186.5	94.0	788.9	397.7
.8	632.0	318.6	187.3	94.4	788.1	397.3
.9	632.8	319.0	188.1	94.8	787.3	396.9
2002.0	633.6	319.4	188.9	95.2	786.5	396.5
.1	634.3	319.8	189.6	95.6	785.8	396.2
.2	635.1	320.2	190.4	96.0	785.0	395.8
.3	635.9	320.6	191.2	96.4	784.2	395.4
.4	636.7	321.0	192.0	96.8	783.4	395.0
.5	637.5	321.4	192.8	97.2	782.6	394.6
.6	638.2	321.8	193.5	97.6	781.9	394.2
.7	639.0	322.2	194.3	98.0	781.1	393.8
.8	639.8	322.6	195.1	98.4	780.3	393.4
.9	640.6	323.0	195.9	98.8	779.5	393.0
2003.0	641.4	323.4	196.7	99.2	778.7	392.6
.1	642.1	323.8	197.4	99.5	778.0	392.2
.2	642.9	324.1	198.2	99.9	777.2	391.8
.3	643.7	324.5	199.0	100.3	776.4	391.4
.4	644.5	324.9	199.8	100.7	775.6	391.0
.5	645.3	325.3	200.6	101.1	774.8	390.6
.6	646.1	325.7	201.4	101.5	774.0	390.2
.7	646.8	326.1	202.1	101.9	773.3	389.9
.8	647.6	326.5	202.9	102.3	772.5	389.5
.9	648.4	326.9	203.7	102.7	771.7	389.1
2004.0	649.2	327.3	204.5	103.1	770.9	388.7
.1	650.0	327.7	205.3	103.5	770.1	388.3
.2	650.7	328.1	206.0	103.9	769.4	387.9
.3	651.5	328.5	206.8	104.3	768.6	387.5
.4	652.3	328.9	207.6	104.7	767.8	387.1
.5	653.1	329.3	208.4	105.1	767.0	386.7
.6	653.9	329.7	209.2	105.5	766.2	386.3
.7	654.6	330.0	209.9	105.8	765.5	385.9
.8	655.4	330.4	210.7	106.2	764.7	385.5
.9	656.2	330.8	211.5	106.6	763.9	385.1
2005.0	657.0	331.2	212.3	107.0	763.1	384.7
.1	657.8	331.6	213.1	107.4	762.3	384.3
.2	658.5	332.0	213.8	107.8	761.6	384.0
.3	659.3	332.4	214.6	108.2	760.8	383.6
.4	660.1	332.8	215.4	108.6	760.0	383.2
.5	660.9	333.2	216.2	109.0	759.2	382.8
.6	661.7	333.6	217.0	109.4	758.4	382.4
.7	662.4	334.0	217.7	109.8	757.7	382.0
.8	663.2	334.4	218.5	110.2	756.9	381.6
.9	664.0	334.8	219.3	110.6	756.1	381.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD	ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2006.0	664.8	335.2	220.1	111.0	755.3	380.8	2011.0	705.9	355.9	261.2	131.7	714.2	360.1
.1	665.6	335.6	220.9	111.4	754.5	380.4	.1	706.7	356.3	262.0	132.1	713.4	359.7
.2	666.3	335.9	221.6	111.7	753.8	380.0	.2	707.6	356.8	262.9	132.5	712.5	359.2
.3	667.1	336.3	222.4	112.1	753.0	379.6	.3	708.5	357.2	263.8	133.0	711.6	358.8
.4	667.9	336.7	223.2	112.5	752.2	379.2	.4	709.4	357.6	264.7	133.4	710.7	358.3
.5	668.7	337.1	224.0	112.9	751.4	378.8	.5	710.2	358.1	265.5	133.9	709.9	357.9
.6	669.5	337.5	224.8	113.3	750.6	378.4	.6	711.1	358.5	266.4	134.3	709.0	357.5
.7	670.2	337.9	225.5	113.7	749.9	378.0	.7	712.0	359.0	267.3	134.8	708.1	357.0
.8	671.0	338.3	226.3	114.1	749.1	377.7	.8	712.8	359.4	268.1	135.2	707.3	356.6
.9	671.8	338.7	227.1	114.5	748.3	377.3	.9	713.7	359.8	269.0	135.6	706.4	356.1
2007.0	672.6	339.1	227.9	114.9	747.5	376.9	2012.0	714.6	360.3	269.9	136.1	705.5	355.7
.1	673.4	339.5	228.7	115.3	746.7	376.5	.1	715.5	360.7	270.8	136.5	704.6	355.3
.2	674.2	339.9	229.5	115.7	745.9	376.1	.2	716.3	361.2	271.6	137.0	703.8	354.8
.3	674.9	340.3	230.2	116.1	745.2	375.7	.3	717.2	361.6	272.5	137.4	702.9	354.4
.4	675.7	340.7	231.0	116.5	744.4	375.3	.4	718.1	362.0	273.4	137.8	702.0	353.9
.5	676.5	341.1	231.8	116.9	743.6	374.9	.5	719.0	362.5	274.3	138.3	701.1	353.5
.6	677.3	341.5	232.6	117.3	742.8	374.5	.6	719.8	362.9	275.1	138.7	700.3	353.0
.7	678.1	341.9	233.4	117.6	742.0	374.1	.7	720.7	363.4	276.0	139.2	699.4	352.6
.8	678.8	342.2	234.1	118.0	741.3	373.7	.8	721.6	363.8	276.9	139.6	698.5	352.2
.9	679.6	342.6	234.9	118.4	740.5	373.3	.9	722.5	364.2	277.8	140.0	697.6	351.7
2008.0	680.4	343.0	235.7	118.8	739.7	372.9	2013.0	723.3	364.7	278.6	140.5	696.8	351.3
.1	681.2	343.4	236.5	119.2	738.9	372.5	.1	724.2	365.1	279.5	140.9	695.9	350.8
.2	682.0	343.8	237.3	119.6	738.1	372.1	.2	725.1	365.6	280.4	141.4	695.0	350.4
.3	682.7	344.2	238.0	120.0	737.4	371.8	.3	726.0	366.0	281.3	141.8	694.1	350.0
.4	683.5	344.6	238.8	120.4	736.6	371.4	.4	726.8	366.4	282.1	142.2	693.3	349.5
.5	684.3	345.0	239.6	120.8	735.8	371.0	.5	727.7	366.9	283.0	142.7	692.4	349.1
.6	685.1	345.4	240.4	121.2	735.0	370.6	.6	728.6	367.3	283.9	143.1	691.5	348.6
.7	685.9	345.8	241.2	121.6	734.2	370.2	.7	729.4	367.8	284.7	143.6	690.7	348.2
.8	686.6	346.2	241.9	122.0	733.5	369.8	.8	730.3	368.2	285.6	144.0	689.8	347.8
.9	687.5	346.6	242.8	122.4	732.6	369.3	.9	731.2	368.6	286.5	144.4	688.9	347.3
2009.0	688.4	347.1	243.7	122.9	731.7	368.9	2014.0	732.1	369.1	287.4	144.9	688.0	346.9
.1	689.3	347.5	244.6	123.3	730.8	368.5	.1	732.9	369.5	288.2	145.3	687.2	346.4
.2	690.1	347.9	245.4	123.7	730.0	368.0	.2	733.8	370.0	289.1	145.8	686.3	346.0
.3	691.0	348.4	246.3	124.2	729.1	367.6	.3	734.7	370.4	290.0	146.2	685.4	345.6
.4	691.9	348.8	247.2	124.6	728.2	367.1	.4	735.6	370.8	290.9	146.6	684.5	345.1
.5	692.8	349.3	248.1	125.1	727.3	366.7	.5	736.4	371.3	291.7	147.1	683.7	344.7
.6	693.6	349.7	248.9	125.5	726.5	366.3	.6	737.3	371.7	292.6	147.5	682.8	344.2
.7	694.5	350.1	249.8	125.9	725.6	365.8	.7	738.2	372.2	293.5	148.0	681.9	343.8
.8	695.4	350.6	250.7	126.4	724.7	365.4	.8	739.1	372.6	294.4	148.4	681.0	343.4
.9	696.3	351.0	251.6	126.8	723.8	364.9	.9	739.9	373.0	295.2	148.8	680.2	342.9
2010.0	697.1	351.5	252.4	127.3	723.0	364.5	2015.0	740.8	373.5	296.1	149.3	679.3	342.5
.1	698.0	351.9	253.3	127.7	722.1	364.1	.1	741.7	373.9	297.0	149.7	678.4	342.0
.2	698.9	352.3	254.2	128.1	721.2	363.6	.2	742.6	374.4	297.9	150.2	677.5	341.6
.3	699.7	352.8	255.0	128.6	720.4	363.2	.3	743.4	374.8	298.7	150.6	676.7	341.2
.4	700.6	353.2	255.9	129.0	719.5	362.7	.4	744.3	375.3	299.6	151.0	675.8	340.7
.5	701.5	353.7	256.8	129.5	718.6	362.3	.5	745.2	375.7	300.5	151.5	674.9	340.3
.6	702.4	354.1	257.7	129.9	717.7	361.9	.6	746.0	376.1	301.3	151.9	674.1	339.8
.7	703.2	354.5	258.5	130.3	716.9	361.4	.7	746.9	376.6	302.2	152.4	673.2	339.4
.8	704.1	355.0	259.4	130.8	716.0	361.0	.8	747.8	377.0	303.1	152.8	672.3	339.0
.9	705.0	355.4	260.3	131.2	715.1	360.5	.9	748.7	377.5	304.0	153.3	671.4	338.5

Brownlee

138

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2016.0	749.5	377.9	304.8	153.7	670.6	338.1
.1	750.4	378.3	305.7	154.1	669.7	337.6
.2	751.3	378.8	306.6	154.6	668.8	337.2
.3	752.2	379.2	307.5	155.0	667.9	336.8
.4	753.0	379.7	308.3	155.5	667.1	336.3
.5	753.9	380.1	309.2	155.9	666.2	335.9
.6	754.8	380.5	310.1	156.3	665.3	335.4
.7	755.7	381.0	311.0	156.8	664.4	335.0
.8	756.5	381.4	311.8	157.2	663.6	334.5
.9	757.4	381.9	312.7	157.7	662.7	334.1
2017.0	758.3	382.3	313.6	158.1	661.8	333.7
.1	759.2	382.7	314.5	158.5	660.9	333.2
.2	760.0	383.2	315.3	159.0	660.1	332.8
.3	760.9	383.6	316.2	159.4	659.2	332.3
.4	761.8	384.1	317.1	159.9	658.3	331.9
.5	762.6	384.5	317.9	160.3	657.5	331.5
.6	763.5	384.9	318.8	160.7	656.6	331.0
.7	764.4	385.4	319.7	161.2	655.7	330.6
.8	765.3	385.8	320.6	161.6	654.8	330.1
.9	766.1	386.3	321.4	162.1	654.0	329.7
2018.0	767.0	386.7	322.3	162.5	653.1	329.3
.1	767.9	387.1	323.2	162.9	652.2	328.8
.2	768.8	387.6	324.1	163.4	651.3	328.4
.3	769.6	388.0	324.9	163.8	650.5	327.9
.4	770.5	388.5	325.8	164.3	649.6	327.5
.5	771.4	388.9	326.7	164.7	648.7	327.1
.6	772.3	389.3	327.6	165.1	647.8	326.6
.7	773.1	389.8	328.4	165.6	647.0	326.2
.8	774.0	390.2	329.3	166.0	646.1	325.7
.9	774.9	390.7	330.2	166.5	645.2	325.3
2019.0	775.7	391.1	331.0	166.9	644.4	324.9
.1	776.6	391.5	331.9	167.3	643.5	324.4
.2	777.5	392.0	332.8	167.8	642.6	324.0
.3	778.4	392.4	333.7	168.2	641.7	323.5
.4	779.2	392.9	334.5	168.7	640.9	323.1
.5	780.1	393.3	335.4	169.1	640.0	322.7
.6	781.0	393.7	336.3	169.5	639.1	322.2
.7	781.9	394.2	337.2	170.0	638.2	321.8
.8	782.7	394.6	338.0	170.4	637.4	321.3
.9	783.6	395.1	338.9	170.9	636.5	320.9
2020.0	784.5	395.5	339.8	171.3	635.6	320.5
.1	785.4	396.0	340.7	171.7	634.7	320.0
.2	786.2	396.4	341.5	172.2	633.9	319.6
.3	787.1	396.8	342.4	172.6	633.0	319.1
.4	788.0	397.3	343.3	173.1	632.1	318.7
.5	788.9	397.7	344.2	173.5	631.2	318.3
.6	789.7	398.2	345.0	174.0	630.4	317.8
.7	790.6	398.6	345.9	174.4	629.5	317.4
.8	791.5	399.0	346.8	174.8	628.6	316.9
.9	792.3	399.5	347.6	175.3	627.8	316.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2021.0	793.2	399.9	348.5	175.7	626.9	316.1
.1	794.1	400.4	349.4	176.2	626.0	315.6
.2	795.0	400.8	350.3	176.6	625.1	315.2
.3	795.8	401.2	351.1	177.0	624.3	314.7
.4	796.7	401.7	352.0	177.5	623.4	314.3
.5	797.6	402.1	352.9	177.9	622.5	313.8
.6	798.5	402.6	353.8	178.4	621.6	313.4
.7	799.3	403.0	354.6	178.8	620.8	313.0
.8	800.2	403.4	355.5	179.2	619.9	312.5
.9	801.1	403.9	356.4	179.7	619.0	312.1
2022.0	802.0	404.3	357.3	180.1	618.1	311.6
.1	802.8	404.8	358.1	180.6	617.3	311.2
.2	803.7	405.2	359.0	181.0	616.4	310.8
.3	804.6	405.6	359.9	181.4	615.5	310.3
.4	805.5	406.1	360.8	181.9	614.6	309.9
.5	806.3	406.5	361.6	182.3	613.8	309.4
.6	807.2	407.0	362.5	182.8	612.9	309.0
.7	808.1	407.4	363.4	183.2	612.0	308.6
.8	808.9	407.8	364.2	183.6	611.2	308.1
.9	809.8	408.3	365.1	184.1	610.3	307.7
2023.0	810.7	408.7	366.0	184.5	609.4	307.2
.1	811.6	409.2	366.9	185.0	608.5	306.8
.2	812.4	409.6	367.7	185.4	607.7	306.4
.3	813.3	410.0	368.6	185.8	606.8	305.9
.4	814.2	410.5	369.5	186.3	605.9	305.5
.5	815.1	410.9	370.4	186.7	605.0	305.0
.6	815.9	411.4	371.2	187.2	604.2	304.6
.7	816.8	411.8	372.1	187.6	603.3	304.2
.8	817.7	412.2	373.0	188.0	602.4	303.7
.9	818.6	412.7	373.9	188.5	601.5	303.3
2024.0	819.4	413.1	374.7	188.9	600.7	302.8
.1	820.4	413.6	375.7	189.4	599.7	302.4
.2	821.3	414.1	376.6	189.9	598.8	301.9
.3	822.3	414.6	377.6	190.4	597.8	301.4
.4	823.3	415.1	378.6	190.9	596.8	300.9
.5	824.2	415.5	379.5	191.3	595.9	300.4
.6	825.2	416.0	380.5	191.8	594.9	299.9
.7	826.1	416.5	381.4	192.3	594.0	299.5
.8	827.1	417.0	382.4	192.8	593.0	299.0
.9	828.0	417.5	383.3	193.3	592.1	298.5
2025.0	829.0	418.0	384.3	193.8	591.1	298.0
.1	830.0	418.4	385.3	194.2	590.1	297.5
.2	830.9	418.9	386.2	194.7	589.2	297.0
.3	831.9	419.4	387.2	195.2	588.2	296.6
.4	832.8	419.9	388.1	195.7	587.3	296.1
.5	833.8	420.4	389.1	196.2	586.3	295.6
.6	834.8	420.9	390.1	196.7	585.3	295.1
.7	835.7	421.3	391.0	197.1	584.4	294.6
.8	836.7	421.8	392.0	197.6	583.4	294.1
.9	837.6	422.3	392.9	198.1	582.5	293.7

Reservoir Storage Tables

PAGE 11

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2026.0	838.6	422.8	393.9	198.6	581.5	293.2
.1	839.5	423.3	394.8	199.1	580.6	292.7
.2	840.5	423.8	395.8	199.5	579.6	292.2
.3	841.5	424.2	396.8	200.0	578.6	291.7
.4	842.4	424.7	397.7	200.5	577.7	291.2
.5	843.4	425.2	398.7	201.0	576.7	290.8
.6	844.3	425.7	399.6	201.5	575.8	290.3
.7	845.3	426.2	400.6	202.0	574.8	289.8
.8	846.2	426.6	401.5	202.4	573.9	289.3
.9	847.2	427.1	402.5	202.9	572.9	288.8
2027.0	848.2	427.6	403.5	203.4	571.9	288.4
.1	849.1	428.1	404.4	203.9	571.0	287.9
.2	850.1	428.6	405.4	204.4	570.0	287.4
.3	851.0	429.1	406.3	204.9	569.1	286.9
.4	852.0	429.5	407.3	205.3	568.1	286.4
.5	853.0	430.0	408.3	205.8	567.1	285.9
.6	853.9	430.5	409.2	206.3	566.2	285.5
.7	854.9	431.0	410.2	206.8	565.2	285.0
.8	855.8	431.5	411.1	207.3	564.3	284.5
.9	856.8	432.0	412.1	207.8	563.3	284.0
2028.0	857.7	432.4	413.0	208.2	562.4	283.5
.1	858.7	432.9	414.0	208.7	561.4	283.0
.2	859.7	433.4	415.0	209.2	560.4	282.6
.3	860.6	433.9	415.9	209.7	559.5	282.1
.4	861.6	434.4	416.9	210.2	558.5	281.6
.5	862.5	434.9	417.8	210.7	557.6	281.1
.6	863.5	435.3	418.8	211.1	556.6	280.6
.7	864.4	435.8	419.7	211.6	555.7	280.1
.8	865.4	436.3	420.7	212.1	554.7	279.7
.9	866.4	436.8	421.7	212.6	553.7	279.2
2029.0	867.3	437.3	422.6	213.1	552.8	278.7
.1	868.3	437.8	423.6	213.6	551.8	278.2
.2	869.2	438.2	424.5	214.0	550.9	277.7
.3	870.2	438.7	425.5	214.5	549.9	277.2
.4	871.1	439.2	426.4	215.0	549.0	276.8
.5	872.1	439.7	427.4	215.5	548.0	276.3
.6	873.1	440.2	428.4	216.0	547.0	275.8
.7	874.0	440.7	429.3	216.4	546.1	275.3
.8	875.0	441.1	430.3	216.9	545.1	274.8
.9	875.9	441.6	431.2	217.4	544.2	274.3
2030.0	876.9	442.1	432.2	217.9	543.2	273.9
.1	877.9	442.6	433.2	218.4	542.2	273.4
.2	878.8	443.1	434.1	218.9	541.3	272.9
.3	879.8	443.5	435.1	219.3	540.3	272.4
.4	880.7	444.0	436.0	219.8	539.4	271.9
.5	881.7	444.5	437.0	220.3	538.4	271.5
.6	882.6	445.0	437.9	220.8	537.5	271.0
.7	883.6	445.5	438.9	221.3	536.5	270.5
.8	884.6	446.0	439.9	221.8	535.5	270.0
.9	885.5	446.4	440.8	222.2	534.6	269.5

PAGE 12

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2031.0	886.5	446.9	441.8	222.7	533.6	269.0
.1	887.4	447.4	442.7	223.2	532.7	268.6
.2	888.4	447.9	443.7	223.7	531.7	268.1
.3	889.3	448.4	444.6	224.2	530.8	267.6
.4	890.3	448.9	445.6	224.7	529.8	267.1
.5	891.3	449.3	446.6	225.1	528.8	266.6
.6	892.2	449.8	447.5	225.6	527.9	266.1
.7	893.2	450.3	448.5	226.1	526.9	265.7
.8	894.1	450.8	449.4	226.6	526.0	265.2
.9	895.1	451.3	450.4	227.1	525.0	264.7
2032.0	896.0	451.8	451.3	227.6	524.1	264.2
.1	897.0	452.2	452.3	228.0	523.1	263.7
.2	898.0	452.7	453.3	228.5	522.1	263.2
.3	898.9	453.2	454.2	229.0	521.2	262.8
.4	899.9	453.7	455.2	229.5	520.2	262.3
.5	900.8	454.2	456.1	230.0	519.3	261.8
.6	901.8	454.7	457.1	230.5	518.3	261.3
.7	902.8	455.1	458.1	230.9	517.3	260.8
.8	903.7	455.6	459.0	231.4	516.4	260.3
.9	904.7	456.1	460.0	231.9	515.4	259.9
2033.0	905.6	456.6	460.9	232.4	514.5	259.4
.1	906.6	457.1	461.9	232.9	513.5	258.9
.2	907.5	457.6	462.8	233.3	512.6	258.4
.3	908.5	458.0	463.8	233.8	511.6	257.9
.4	909.5	458.5	464.8	234.3	510.6	257.4
.5	910.4	459.0	465.7	234.8	509.7	257.0
.6	911.4	459.5	466.7	235.3	508.7	256.5
.7	912.3	460.0	467.6	235.8	507.8	256.0
.8	913.3	460.4	468.6	236.2	506.8	255.5
.9	914.2	460.9	469.5	236.7	505.9	255.0
2034.0	915.2	461.4	470.5	237.2	504.9	254.6
.1	916.2	461.9	471.5	237.7	503.9	254.1
.2	917.1	462.4	472.4	238.2	503.0	253.6
.3	918.1	462.9	473.4	238.7	502.0	253.1
.4	919.0	463.3	474.3	239.1	501.1	252.6
.5	920.0	463.8	475.3	239.6	500.1	252.1
.6	920.9	464.3	476.2	240.1	499.2	251.7
.7	921.9	464.8	477.2	240.6	498.2	251.2
.8	922.9	465.3	478.2	241.1	497.2	250.7
.9	923.8	465.8	479.1	241.6	496.3	250.2
2035.0	924.8	466.2	480.1	242.0	495.3	249.7
.1	925.7	466.7	481.0	242.5	494.4	249.2
.2	926.7	467.2	482.0	243.0	493.4	248.8
.3	927.7	467.7	483.0	243.5	492.4	248.3
.4	928.6	468.2	483.9	244.0	491.5	247.8
.5	929.6	468.7	484.9	244.5	490.5	247.3
.6	930.5	469.1	485.8	244.9	489.6	246.8
.7	931.5	469.6	486.8	245.4	488.6	246.3
.8	932.4	470.1	487.7	245.9	487.7	245.9
.9	933.4	470.6	488.7	246.4	486.7	245.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2036.0	934.4	471.1	489.7	246.9	485.7	244.9
.1	935.3	471.6	490.6	247.4	484.8	244.4
.2	936.3	472.0	491.6	247.8	483.8	243.9
.3	937.2	472.5	492.5	248.3	482.9	243.4
.4	938.2	473.0	493.5	248.8	481.9	243.0
.5	939.1	473.5	494.4	249.3	481.0	242.5
.6	940.1	474.0	495.4	249.8	480.0	242.0
.7	941.1	474.5	496.4	250.2	479.0	241.5
.8	942.0	474.9	497.3	250.7	478.1	241.0
.9	943.0	475.4	498.3	251.2	477.1	240.6
2037.0	943.9	475.9	499.2	251.7	476.2	240.1
.1	944.9	476.4	500.2	252.2	475.2	239.6
.2	945.8	476.9	501.1	252.7	474.3	239.1
.3	946.8	477.3	502.1	253.1	473.3	238.6
.4	947.8	477.8	503.1	253.6	472.3	238.1
.5	948.7	478.3	504.0	254.1	471.4	237.7
.6	949.7	478.8	505.0	254.6	470.4	237.2
.7	950.6	479.3	505.9	255.1	469.5	236.7
.8	951.7	479.8	507.0	255.6	468.4	236.2
.9	952.7	480.3	508.0	256.1	467.4	235.6
2038.0	953.8	480.9	509.1	256.7	466.3	235.1
.1	954.9	481.4	510.2	257.2	465.2	234.6
.2	955.9	481.9	511.2	257.7	464.2	234.0
.3	957.0	482.5	512.3	258.3	463.1	233.5
.4	958.0	483.0	513.3	258.8	462.1	233.0
.5	959.1	483.5	514.4	259.3	461.0	232.4
.6	960.1	484.1	515.4	259.9	460.0	231.9
.7	961.2	484.6	516.5	260.4	458.9	231.4
.8	962.2	485.1	517.5	260.9	457.9	230.8
.9	963.3	485.7	518.6	261.5	456.8	230.3
2039.0	964.3	486.2	519.6	262.0	455.8	229.8
.1	965.4	486.7	520.7	262.5	454.7	229.2
.2	966.4	487.3	521.7	263.0	453.7	228.7
.3	967.5	487.8	522.8	263.6	452.6	228.2
.4	968.6	488.3	523.9	264.1	451.5	227.7
.5	969.6	488.8	524.9	264.6	450.5	227.1
.6	970.7	489.4	526.0	265.2	449.4	226.6
.7	971.7	489.9	527.0	265.7	448.4	226.1
.8	972.8	490.4	528.1	266.2	447.3	225.5
.9	973.8	491.0	529.1	266.8	446.3	225.0
2040.0	974.9	491.5	530.2	267.3	445.2	224.5
.1	975.9	492.0	531.2	267.8	444.2	223.9
.2	977.0	492.6	532.3	268.4	443.1	223.4
.3	978.0	493.1	533.3	268.9	442.1	222.9
.4	979.1	493.6	534.4	269.4	441.0	222.3
.5	980.2	494.2	535.5	270.0	439.9	221.8
.6	981.2	494.7	536.5	270.5	438.9	221.3
.7	982.3	495.2	537.6	271.0	437.8	220.7
.8	983.3	495.8	538.6	271.6	436.8	220.2
.9	984.4	496.3	539.7	272.1	435.7	219.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2041.0	985.4	496.8	540.7	272.6	434.7	219.2
.1	986.5	497.3	541.8	273.1	433.6	218.6
.2	987.5	497.9	542.8	273.7	432.6	218.1
.3	988.6	498.4	543.9	274.2	431.5	217.6
.4	989.6	498.9	544.9	274.7	430.5	217.0
.5	990.7	499.5	546.0	275.3	429.4	216.5
.6	991.7	500.0	547.0	275.8	428.4	216.0
.7	992.8	500.5	548.1	276.3	427.3	215.4
.8	993.9	501.1	549.2	276.9	426.2	214.9
.9	994.9	501.6	550.2	277.4	425.2	214.4
2042.0	996.0	502.1	551.3	277.9	424.1	213.8
.1	997.0	502.7	552.3	278.5	423.1	213.3
.2	998.1	503.2	553.4	279.0	422.0	212.8
.3	999.1	503.7	554.4	279.5	421.0	212.2
.4	1000.2	504.3	555.5	280.1	419.9	211.7
.5	1001.2	504.8	556.5	280.6	418.9	211.2
.6	1002.3	505.3	557.6	281.1	417.8	210.6
.7	1003.3	505.9	558.6	281.6	416.8	210.1
.8	1004.4	506.4	559.7	282.2	415.7	209.6
.9	1005.4	506.9	560.7	282.7	414.7	209.1
2043.0	1006.5	507.4	561.8	283.2	413.6	208.5
.1	1007.6	508.0	562.9	283.8	412.5	208.0
.2	1008.6	508.5	563.9	284.3	411.5	207.5
.3	1009.7	509.0	565.0	284.8	410.4	206.9
.4	1010.7	509.6	566.0	285.4	409.4	206.4
.5	1011.8	510.1	567.1	285.9	408.3	205.9
.6	1012.8	510.6	568.1	286.4	407.3	205.3
.7	1013.9	511.2	569.2	287.0	406.2	204.8
.8	1014.9	511.7	570.2	287.5	405.2	204.3
.9	1016.0	512.2	571.3	288.0	404.1	203.7
2044.0	1017.0	512.8	572.3	288.6	403.1	203.2
.1	1018.1	513.3	573.4	289.1	402.0	202.7
.2	1019.1	513.8	574.4	289.6	401.0	202.1
.3	1020.2	514.4	575.5	290.2	399.9	201.6
.4	1021.3	514.9	576.6	290.7	398.8	201.1
.5	1022.3	515.4	577.6	291.2	397.8	200.6
.6	1023.4	515.9	578.7	291.7	396.7	200.0
.7	1024.4	516.5	579.7	292.3	395.7	199.5
.8	1025.5	517.0	580.8	292.8	394.6	199.0
.9	1026.5	517.5	581.8	293.3	393.6	198.4
2045.0	1027.6	518.1	582.9	293.9	392.5	197.9
.1	1028.6	518.6	583.9	294.4	391.5	197.4
.2	1029.7	519.1	585.0	294.9	390.4	196.8
.3	1030.7	519.7	586.0	295.5	389.4	196.3
.4	1031.8	520.2	587.1	296.0	388.4	195.8
.5	1032.9	520.7	588.2	296.5	387.2	195.2
.6	1033.9	521.3	589.2	297.1	386.2	194.7
.7	1035.0	521.8	590.3	297.6	385.1	194.2
.8	1036.0	522.3	591.3	298.1	384.1	193.6
.9	1037.1	522.9	592.4	298.7	383.0	193.1

Reservoir Storage Tables

PAGE 15

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2046.0	1038.1	523.4	593.4	299.2	382.0	192.6
.1	1039.2	523.9	594.5	299.7	380.9	192.0
.2	1040.2	524.4	595.5	300.2	379.9	191.5
.3	1041.3	525.0	596.6	300.8	378.8	191.0
.4	1042.3	525.5	597.6	301.3	377.8	190.5
.5	1043.4	526.0	598.7	301.8	376.7	189.9
.6	1044.4	526.6	599.7	302.4	375.7	189.4
.7	1045.5	527.1	600.8	302.9	374.6	188.9
.8	1046.6	527.6	601.9	303.4	373.5	188.3
.9	1047.6	528.2	602.9	304.0	372.5	187.8
2047.0	1048.7	528.7	604.0	304.5	371.4	187.3
.1	1049.7	529.2	605.0	305.0	370.4	186.7
.2	1050.8	529.8	606.1	305.6	369.3	186.2
.3	1051.8	530.3	607.1	306.1	368.3	185.7
.4	1052.9	530.8	608.2	306.6	367.2	185.1
.5	1053.9	531.4	609.2	307.2	366.2	184.6
.6	1055.0	531.9	610.3	307.7	365.1	184.1
.7	1056.0	532.4	611.3	308.2	364.1	183.5
.8	1057.1	533.0	612.4	308.7	363.0	183.0
.9	1058.1	533.5	613.4	309.3	362.0	182.5
2048.0	1059.2	534.0	614.5	309.8	360.9	182.0
.1	1060.3	534.5	615.6	310.3	359.8	181.4
.2	1061.3	535.1	616.6	310.9	358.8	180.9
.3	1062.4	535.6	617.7	311.4	357.7	180.4
.4	1063.4	536.1	618.7	311.9	356.7	179.8
.5	1064.5	536.7	619.8	312.5	355.6	179.3
.6	1065.5	537.2	620.8	313.0	354.6	178.8
.7	1066.6	537.7	621.9	313.5	353.5	178.2
.8	1067.6	538.3	622.9	314.1	352.5	177.7
.9	1068.7	538.8	624.0	314.6	351.4	177.2
2049.0	1069.7	539.3	625.0	315.1	350.4	176.6
.1	1070.8	539.9	626.1	315.7	349.3	176.1
.2	1071.9	540.4	627.2	316.2	348.2	175.6
.3	1072.9	540.9	628.2	316.7	347.2	175.0
.4	1074.0	541.5	629.3	317.3	346.1	174.5
.5	1075.0	542.0	630.3	317.8	345.1	174.0
.6	1076.1	542.5	631.4	318.3	344.0	173.4
.7	1077.1	543.0	632.4	318.8	343.0	172.9
.8	1078.2	543.6	633.5	319.4	341.9	172.4
.9	1079.2	544.1	634.5	319.9	340.9	171.9
2050.0	1080.3	544.6	635.6	320.4	339.8	171.3
.1	1081.3	545.2	636.6	321.0	338.8	170.8
.2	1082.4	545.7	637.7	321.5	337.7	170.3
.3	1083.4	546.2	638.7	322.0	336.7	169.7
.4	1084.5	546.8	639.8	322.6	335.6	169.2
.5	1085.6	547.3	640.9	323.1	334.5	168.7
.6	1086.6	547.8	641.9	323.6	333.5	168.1
.7	1087.7	548.4	643.0	324.2	332.4	167.6
.8	1088.7	548.9	644.0	324.7	331.4	167.1
.9	1089.8	549.4	645.1	325.2	330.3	166.5

PAGE 16

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2051.0	1090.8	550.0	646.1	325.8	329.3	166.0
.1	1091.9	550.5	647.2	326.3	328.2	165.5
.2	1092.9	551.0	648.2	326.8	327.2	164.9
.3	1094.0	551.6	649.3	327.3	326.1	164.4
.4	1095.0	552.1	650.3	327.9	325.1	163.9
.5	1096.2	552.7	651.5	328.5	323.9	163.3
.6	1097.4	553.3	652.7	329.1	322.7	162.7
.7	1098.6	553.9	653.9	329.7	321.5	162.1
.8	1099.8	554.5	655.1	330.3	320.3	161.5
.9	1101.0	555.1	656.3	330.9	319.1	160.9
2052.0	1102.2	555.7	657.5	331.5	317.9	160.3
.1	1103.4	556.3	658.7	332.1	316.7	159.7
.2	1104.6	556.9	659.9	332.7	315.5	159.1
.3	1105.8	557.5	661.1	333.3	314.3	158.5
.4	1107.0	558.1	662.3	333.9	313.1	157.9
.5	1108.1	558.7	663.4	334.5	312.0	157.3
.6	1109.3	559.3	664.6	335.1	310.8	156.7
.7	1110.5	559.9	665.8	335.7	309.6	156.1
.8	1111.7	560.5	667.0	336.3	308.4	155.5
.9	1112.9	561.1	668.2	336.9	307.2	154.9
2053.0	1114.1	561.7	669.4	337.5	306.0	154.3
.1	1115.3	562.3	670.6	338.1	304.8	153.7
.2	1116.5	562.9	671.8	338.7	303.6	153.1
.3	1117.7	563.5	673.0	339.3	302.4	152.5
.4	1118.9	564.1	674.2	339.9	301.2	151.9
.5	1120.1	564.7	675.4	340.5	300.0	151.3
.6	1121.2	565.3	676.5	341.1	298.9	150.7
.7	1122.4	565.9	677.7	341.7	297.7	150.1
.8	1123.6	566.5	678.9	342.3	296.5	149.5
.9	1124.8	567.1	680.1	342.9	295.3	148.9
2054.0	1126.0	567.7	681.3	343.5	294.1	148.3
.1	1127.2	568.3	682.5	344.1	292.9	147.7
.2	1128.4	568.9	683.7	344.7	291.7	147.1
.3	1129.6	569.5	684.9	345.3	290.5	146.5
.4	1130.8	570.1	686.1	345.9	289.3	145.9
.5	1132.0	570.7	687.3	346.5	288.1	145.3
.6	1133.2	571.3	688.5	347.1	286.9	144.7
.7	1134.3	571.9	689.6	347.7	285.8	144.1
.8	1135.5	572.5	690.8	348.3	284.6	143.5
.9	1136.7	573.1	692.0	348.9	283.4	142.9
2055.0	1137.9	573.7	693.2	349.5	282.2	142.3
.1	1139.1	574.3	694.4	350.1	281.0	141.7
.2	1140.3	574.9	695.6	350.7	279.8	141.1
.3	1141.5	575.5	696.8	351.3	278.6	140.5
.4	1142.7	576.1	698.0	351.9	277.4	139.9
.5	1143.9	576.7	699.2	352.5	276.2	139.3
.6	1145.1	577.3	700.4	353.1	275.0	138.7
.7	1146.3	577.9	701.6	353.7	273.8	138.1
.8	1147.5	578.5	702.8	354.3	272.6	137.5
.9	1148.6	579.1	703.9	354.9	271.5	136.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2056.0	1149.8	579.7	705.1	355.5	270.3	136.3
.1	1151.0	580.3	706.3	356.1	269.1	135.7
.2	1152.2	580.9	707.5	356.7	267.9	135.1
.3	1153.4	581.5	708.7	357.3	266.7	134.5
.4	1154.6	582.1	709.9	357.9	265.5	133.9
.5	1155.8	582.7	711.1	358.5	264.3	133.3
.6	1157.0	583.3	712.3	359.1	263.1	132.7
.7	1158.2	583.9	713.5	359.7	261.9	132.1
.8	1159.4	584.5	714.7	360.3	260.7	131.5
.9	1160.6	585.1	715.9	360.9	259.5	130.9
2057.0	1161.7	585.7	717.0	361.5	258.4	130.3
.1	1162.9	586.3	718.2	362.1	257.2	129.7
.2	1164.1	586.9	719.4	362.7	256.0	129.1
.3	1165.3	587.5	720.6	363.3	254.8	128.5
.4	1166.5	588.1	721.8	363.9	253.6	127.9
.5	1167.7	588.7	723.0	364.5	252.4	127.3
.6	1168.9	589.3	724.2	365.1	251.2	126.6
.7	1170.1	589.9	725.4	365.7	250.0	126.0
.8	1171.3	590.5	726.6	366.3	248.8	125.4
.9	1172.5	591.1	727.8	366.9	247.6	124.8
2058.0	1173.7	591.7	729.0	367.5	246.4	124.2
.1	1174.8	592.3	730.1	368.1	245.3	123.6
.2	1176.0	592.9	731.3	368.7	244.1	123.0
.3	1177.2	593.5	732.5	369.3	242.9	122.4
.4	1178.4	594.1	733.7	369.9	241.7	121.8
.5	1179.6	594.7	734.9	370.5	240.5	121.2
.6	1180.8	595.3	736.1	371.1	239.3	120.6
.7	1182.0	595.9	737.3	371.7	238.1	120.0
.8	1183.2	596.5	738.5	372.3	236.9	119.4
.9	1184.4	597.1	739.7	372.9	235.7	118.8
2059.0	1185.6	597.7	740.9	373.5	234.5	118.2
.1	1186.8	598.3	742.1	374.1	233.3	117.6
.2	1188.0	598.9	743.3	374.7	232.1	117.0
.3	1189.1	599.5	744.4	375.3	231.0	116.4
.4	1190.3	600.1	745.6	375.9	229.8	115.8
.5	1191.5	600.7	746.8	376.5	228.6	115.2
.6	1192.7	601.3	748.0	377.1	227.4	114.6
.7	1193.9	601.9	749.2	377.7	226.2	114.0
.8	1195.1	602.5	750.4	378.3	225.0	113.4
.9	1196.3	603.1	751.6	378.9	223.8	112.8
2060.0	1197.5	603.7	752.8	379.5	222.6	112.2
.1	1198.7	604.3	754.0	380.1	221.4	111.6
.2	1199.9	604.9	755.2	380.7	220.2	111.0
.3	1201.1	605.5	756.4	381.3	219.0	110.4
.4	1202.2	606.1	757.5	381.9	217.9	109.8
.5	1203.4	606.7	758.7	382.5	216.7	109.2
.6	1204.6	607.3	759.9	383.1	215.5	108.6
.7	1205.8	607.9	761.1	383.7	214.3	108.0
.8	1207.0	608.5	762.3	384.3	213.1	107.4
.9	1208.2	609.1	763.5	384.9	211.9	106.8

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
2061.0	1209.4	609.7	764.7	385.5	210.7	106.2
.1	1210.6	610.3	765.9	386.1	209.5	105.6
.2	1211.8	610.9	767.1	386.7	208.3	105.0
.3	1213.0	611.5	768.3	387.3	207.1	104.4
.4	1214.2	612.1	769.5	387.9	205.9	103.8
.5	1215.3	612.7	770.6	388.5	204.8	103.2
.6	1216.5	613.3	771.8	389.1	203.6	102.6
.7	1217.7	613.9	773.0	389.7	202.4	102.0
.8	1218.9	614.5	774.2	390.3	201.2	101.4
.9	1220.1	615.1	775.4	390.9	200.0	100.8
2062.0	1221.3	615.7	776.6	391.5	198.8	100.2
.1	1222.5	616.3	777.8	392.1	197.6	99.6
.2	1223.7	616.9	779.0	392.7	196.4	99.0
.3	1224.9	617.5	780.2	393.3	195.2	98.4
.4	1226.1	618.1	781.4	393.9	194.0	97.8
.5	1227.3	618.7	782.6	394.5	192.8	97.2
.6	1228.5	619.3	783.8	395.1	191.6	96.6
.7	1229.6	619.9	784.9	395.7	190.5	96.0
.8	1230.8	620.5	786.1	396.3	189.3	95.4
.9	1232.0	621.1	787.3	396.9	188.1	94.8
2063.0	1233.2	621.7	788.5	397.5	186.9	94.2
.1	1234.4	622.3	789.7	398.1	185.7	93.6
.2	1235.6	622.9	790.9	398.7	184.5	93.0
.3	1236.8	623.5	792.1	399.3	183.3	92.4
.4	1238.0	624.1	793.3	399.9	182.1	91.8
.5	1239.2	624.7	794.5	400.5	180.9	91.2
.6	1240.4	625.3	795.7	401.1	179.7	90.6
.7	1241.6	625.9	796.9	401.7	178.5	90.0
.8	1242.7	626.6	798.0	402.3	177.4	89.4
.9	1243.9	627.2	799.2	402.9	176.2	88.8
2064.0	1245.1	627.8	800.4	403.5	175.0	88.2
.1	1246.3	628.4	801.6	404.1	173.8	87.6
.2	1247.5	629.0	802.8	404.7	172.6	87.0
.3	1248.7	629.6	804.0	405.4	171.4	86.4
.4	1249.9	630.2	805.2	406.0	170.2	85.8
.5	1251.1	630.8	806.4	406.6	169.0	85.2
.6	1252.3	631.4	807.6	407.2	167.8	84.6
.7	1253.5	632.0	808.8	407.8	166.6	84.0
.8	1254.7	632.6	810.0	408.4	165.4	83.4
.9	1255.8	633.2	811.1	409.0	164.3	82.8
2065.0	1257.0	633.8	812.3	409.6	163.1	82.2
.1	1258.2	634.4	813.5	410.2	161.9	81.6
.2	1259.4	635.0	814.7	410.8	160.7	81.0
.3	1260.6	635.6	815.9	411.4	159.5	80.4
.4	1261.8	636.2	817.1	412.0	158.3	79.8
.5	1263.0	636.8	818.3	412.6	157.1	79.2
.6	1264.2	637.4	819.5	413.2	155.9	78.6
.7	1265.4	638.0	820.7	413.8	154.7	78.0
.8	1266.6	638.6	821.9	414.4	153.5	77.4
.9	1267.8	639.2	823.1	415.0	152.3	76.8

Reservoir Storage Tables

PAGE 19

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2066.0	1268.9	639.8	824.2	415.6	151.2	76.2
.1	1270.3	640.5	825.6	416.3	149.8	75.5
.2	1271.7	641.1	827.0	416.9	148.4	74.8
.3	1273.1	641.8	828.4	417.6	147.0	74.1
.4	1274.4	642.5	829.7	418.3	145.7	73.4
.5	1275.8	643.2	831.1	419.0	144.3	72.7
.6	1277.2	643.9	832.5	419.7	142.9	72.0
.7	1278.6	644.6	833.9	420.4	141.5	71.4
.8	1279.9	645.3	835.2	421.1	140.2	70.7
.9	1281.3	646.0	836.6	421.8	138.8	70.0
2067.0	1282.7	646.7	838.0	422.5	137.4	69.3
.1	1284.1	647.4	839.4	423.2	136.0	68.6
.2	1285.4	648.1	840.7	423.9	134.7	67.9
.3	1286.8	648.8	842.1	424.6	133.3	67.2
.4	1288.2	649.5	843.5	425.3	131.9	66.5
.5	1289.6	650.2	844.9	425.9	130.5	65.8
.6	1290.9	650.8	846.2	426.6	129.2	65.1
.7	1292.3	651.5	847.6	427.3	127.8	64.4
.8	1293.7	652.2	849.0	428.0	126.4	63.7
.9	1295.0	652.9	850.3	428.7	125.1	63.0
2068.0	1296.4	653.6	851.7	429.4	123.7	62.4
.1	1297.8	654.3	853.1	430.1	122.3	61.7
.2	1299.2	655.0	854.5	430.8	120.9	61.0
.3	1300.5	655.7	855.8	431.5	119.6	60.3
.4	1301.9	656.4	857.2	432.2	118.2	59.6
.5	1303.3	657.1	858.6	432.9	116.8	58.9
.6	1304.7	657.8	860.0	433.6	115.4	58.2
.7	1306.0	658.5	861.3	434.3	114.1	57.5
.8	1307.4	659.2	862.7	435.0	112.7	56.8
.9	1308.8	659.8	864.1	435.6	111.3	56.1
2069.0	1310.2	660.5	865.5	436.3	109.9	55.4
.1	1311.5	661.2	866.8	437.0	108.6	54.7
.2	1312.9	661.9	868.2	437.7	107.2	54.0
.3	1314.3	662.6	869.6	438.4	105.8	53.3
.4	1315.7	663.3	871.0	439.1	104.4	52.7
.5	1317.0	664.0	872.3	439.8	103.1	52.0
.6	1318.4	664.7	873.7	440.5	101.7	51.3
.7	1319.8	665.4	875.1	441.2	100.3	50.6
.8	1321.2	666.1	876.5	441.9	98.9	49.9
.9	1322.5	666.8	877.8	442.6	97.6	49.2
2070.0	1323.9	667.5	879.2	443.3	96.2	48.5
.1	1325.3	668.2	880.6	444.0	94.8	47.8
.2	1326.6	668.9	881.9	444.6	93.5	47.1
.3	1328.0	669.5	883.3	445.3	92.1	46.4
.4	1329.4	670.2	884.7	446.0	90.7	45.7
.5	1330.8	670.9	886.1	446.7	89.3	45.0
.6	1332.1	671.6	887.4	447.4	88.0	44.3
.7	1333.5	672.3	888.8	448.1	86.6	43.7
.8	1334.9	673.0	890.2	448.8	85.2	43.0
.9	1336.3	673.7	891.6	449.5	83.8	42.3

PAGE 20

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2071.0	1337.6	674.4	892.9	450.2	82.5	41.6
.1	1339.0	675.1	894.3	450.9	81.1	40.9
.2	1340.4	675.8	895.7	451.6	79.7	40.2
.3	1341.8	676.5	897.1	452.3	78.3	39.5
.4	1343.1	677.2	898.4	453.0	77.0	38.8
.5	1344.5	677.9	899.8	453.7	75.6	38.1
.6	1345.9	678.5	901.2	454.3	74.2	37.4
.7	1347.3	679.2	902.6	455.0	72.8	36.7
.8	1348.6	679.9	903.9	455.7	71.5	36.0
.9	1350.0	680.6	905.3	456.4	70.1	35.3
2072.0	1351.4	681.3	906.7	457.1	68.7	34.6
.1	1352.7	682.0	908.0	457.8	67.4	34.0
.2	1354.1	682.7	909.4	458.5	66.0	33.3
.3	1355.5	683.4	910.8	459.2	64.6	32.6
.4	1356.9	684.1	912.2	459.9	63.2	31.9
.5	1358.2	684.8	913.5	460.6	61.9	31.2
.6	1359.6	685.5	914.9	461.3	60.5	30.5
.7	1361.0	686.2	916.3	462.0	59.1	29.8
.8	1362.4	686.9	917.7	462.7	57.7	29.1
.9	1363.7	687.6	919.0	463.3	56.4	28.4
2073.0	1365.1	688.2	920.4	464.0	55.0	27.7
.1	1366.5	688.9	921.8	464.7	53.6	27.0
.2	1367.9	689.6	923.2	465.4	52.2	26.3
.3	1369.2	690.3	924.5	466.1	50.9	25.6
.4	1370.6	691.0	925.9	466.8	49.5	25.0
.5	1372.0	691.7	927.3	467.5	48.1	24.3
.6	1373.4	692.4	928.7	468.2	46.7	23.6
.7	1374.7	693.1	930.0	468.9	45.4	22.9
.8	1376.1	693.8	931.4	469.6	44.0	22.2
.9	1377.5	694.5	932.8	470.3	42.6	21.5
2074.0	1378.8	695.2	934.1	471.0	41.3	20.8
.1	1380.2	695.9	935.5	471.7	39.9	20.1
.2	1381.6	696.6	936.9	472.4	38.5	19.4
.3	1383.0	697.2	938.3	473.0	37.1	18.7
.4	1384.3	697.9	939.6	473.7	35.8	18.0
.5	1385.7	698.6	941.0	474.4	34.4	17.3
.6	1387.1	699.3	942.4	475.1	33.0	16.6
.7	1388.5	700.0	943.8	475.8	31.6	15.9
.8	1389.8	700.7	945.1	476.5	30.3	15.3
.9	1391.2	701.4	946.5	477.2	28.9	14.6
2075.0	1392.6	702.1	947.9	477.9	27.5	13.9
.1	1394.0	702.8	949.3	478.6	26.1	13.2
.2	1395.3	703.5	950.6	479.3	24.8	12.5
.3	1396.7	704.2	952.0	480.0	23.4	11.8
.4	1398.1	704.9	953.4	480.7	22.0	11.1
.5	1399.5	705.6	954.8	481.4	20.6	10.4
.6	1400.8	706.3	956.1	482.0	19.3	9.7
.7	1402.2	706.9	957.5	482.7	17.9	9.0
.8	1403.6	707.6	958.9	483.4	16.5	8.3
.9	1404.9	708.3	960.2	484.1	15.2	7.6

Brownlee

144

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2076.0		1406.3	709.0	961.6	484.8	13.8	6.9
.1		1407.7	709.7	963.0	485.5	12.4	6.3
.2		1409.1	710.4	964.4	486.2	11.0	5.6
.3		1410.4	711.1	965.7	486.9	9.7	4.9
.4		1411.8	711.8	967.1	487.6	8.3	4.2
.5		1413.2	712.5	968.5	488.3	6.9	3.5
.6		1414.6	713.2	969.9	489.0	5.5	2.8
.7		1415.9	713.9	971.2	489.7	4.2	2.1
.8		1417.3	714.6	972.6	490.4	2.8	1.4
.9		1418.7	715.3	974.0	491.1	1.4	0.7
2077.0	SUB	1420.1	715.9	975.4	491.7	0.0	0.0
.1		1421.5	716.7				
.2		1423.0	717.4				
.3		1424.5	718.2				
.4		1426.0	718.9				
.5		1427.4	719.7				
.6		1428.9	720.4				
.7		1430.4	721.2				
.8		1431.9	721.9				
.9		1433.3	722.6				
2078.0		1434.8	723.4				

Brownlee

145

Reservoir Storage Tables

PROJECT NAME: DWORSHAK

PROJECT NUMBER: 3   PAGE 1

STORAGE LOWER BOUND (SLB) =   1452.80KAF   STORAGE UPPER BOUND (SUB) = 3468.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1445.0	SLB	1452.8	732.5	0.0	0.0	2015.2	1016.0
.1		1453.7	732.9	0.9	0.5	2014.3	1015.5
.2		1454.6	733.4	1.8	0.9	2013.4	1015.1
.3		1455.5	733.8	2.7	1.4	2012.5	1014.6
.4		1456.4	734.3	3.6	1.8	2011.6	1014.2
.5		1457.3	734.7	4.5	2.3	2010.7	1013.7
.6		1458.2	735.2	5.4	2.7	2009.8	1013.3
.7		1459.1	735.6	6.3	3.2	2008.9	1012.8
.8		1460.0	736.1	7.2	3.6	2008.0	1012.4
.9		1460.9	736.5	8.1	4.1	2007.1	1011.9
1446.0		1461.8	737.0	9.0	4.5	2006.2	1011.5
.1		1462.7	737.4	9.9	5.0	2005.3	1011.0
.2		1463.6	737.9	10.8	5.4	2004.4	1010.6
.3		1464.5	738.3	11.7	5.9	2003.5	1010.1
.4		1465.4	738.8	12.6	6.3	2002.6	1009.7
.5		1466.3	739.2	13.5	6.8	2001.7	1009.2
.6		1467.2	739.7	14.4	7.2	2000.8	1008.8
.7		1468.1	740.1	15.3	7.7	1999.9	1008.3
.8		1469.0	740.6	16.2	8.1	1999.0	1007.8
.9		1469.9	741.1	17.1	8.6	1998.1	1007.4
1447.0		1470.8	741.5	18.0	9.1	1997.2	1006.9
.1		1471.7	742.0	18.9	9.5	1996.3	1006.5
.2		1472.6	742.4	19.8	10.0	1995.4	1006.0
.3		1473.5	742.9	20.7	10.4	1994.5	1005.6
.4		1474.4	743.3	21.6	10.9	1993.6	1005.1
.5		1475.3	743.8	22.5	11.3	1992.8	1004.7
.6		1476.1	744.2	23.3	11.8	1991.9	1004.2
.7		1477.0	744.7	24.2	12.2	1991.0	1003.8
.8		1477.9	745.1	25.1	12.7	1990.1	1003.3
.9		1478.8	745.6	26.0	13.1	1989.2	1002.9
1448.0		1479.7	746.0	26.9	13.6	1988.3	1002.4
.1		1480.6	746.5	27.8	14.0	1987.4	1002.0
.2		1481.5	746.9	28.7	14.5	1986.5	1001.5
.3		1482.4	747.4	29.6	14.9	1985.6	1001.1
.4		1483.3	747.8	30.5	15.4	1984.7	1000.6
.5		1484.2	748.3	31.4	15.8	1983.8	1000.2
.6		1485.1	748.8	32.3	16.3	1982.9	999.7
.7		1486.0	749.2	33.2	16.8	1982.0	999.2
.8		1486.9	749.7	34.1	17.2	1981.1	998.8
.9		1487.8	750.1	35.0	17.7	1980.2	998.3
1449.0		1488.7	750.6	35.9	18.1	1979.3	997.9
.1		1489.6	751.0	36.8	18.6	1978.4	997.4
.2		1490.5	751.5	37.7	19.0	1977.5	997.0
.3		1491.4	751.9	38.6	19.5	1976.6	996.5
.4		1492.3	752.4	39.5	19.9	1975.7	996.1
.5		1493.2	752.8	40.4	20.4	1974.8	995.6
.6		1494.1	753.3	41.3	20.8	1973.9	995.2
.7		1495.0	753.7	42.2	21.3	1973.0	994.7
.8		1495.9	754.2	43.1	21.7	1972.1	994.3
.9		1496.8	754.6	44.0	22.2	1971.2	993.8

DWORSHAK

PAGE 2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1450.0	1497.7	755.1	44.9	22.6	1970.3	993.4
.1	1498.6	755.6	45.8	23.1	1969.4	992.9
.2	1499.5	756.0	46.7	23.6	1968.5	992.4
.3	1500.5	756.5	47.7	24.0	1967.5	992.0
.4	1501.4	757.0	48.6	24.5	1966.6	991.5
.5	1502.3	757.4	49.5	25.0	1965.7	991.0
.6	1503.2	757.9	50.4	25.4	1964.8	990.6
.7	1504.2	758.4	51.4	25.9	1963.8	990.1
.8	1505.1	758.8	52.3	26.4	1962.9	989.6
.9	1506.0	759.3	53.2	26.8	1962.0	989.2
1451.0	1506.9	759.8	54.1	27.3	1961.1	988.7
.1	1507.9	760.2	55.1	27.8	1960.1	988.2
.2	1508.8	760.7	56.0	28.2	1959.2	987.8
.3	1509.7	761.2	56.9	28.7	1958.3	987.3
.4	1510.7	761.6	57.9	29.2	1957.3	986.8
.5	1511.6	762.1	58.8	29.6	1956.4	986.4
.6	1512.5	762.6	59.7	30.1	1955.5	985.9
.7	1513.4	763.0	60.6	30.6	1954.6	985.4
.8	1514.4	763.5	61.6	31.0	1953.6	985.0
.9	1515.3	764.0	62.5	31.5	1952.7	984.5
1452.0	1516.2	764.4	63.4	32.0	1951.8	984.0
.1	1517.1	764.9	64.3	32.4	1950.9	983.6
.2	1518.0	765.3	65.2	32.9	1950.0	983.1
.3	1519.0	765.8	66.2	33.4	1949.0	982.6
.4	1519.9	766.3	67.1	33.8	1948.1	982.2
.5	1520.8	766.7	68.0	34.3	1947.2	981.7
.6	1521.7	767.2	68.9	34.8	1946.3	981.2
.7	1522.7	767.7	69.9	35.2	1945.3	980.8
.8	1523.6	768.1	70.8	35.7	1944.4	980.3
.9	1524.5	768.6	71.7	36.2	1943.5	979.8
1453.0	1525.4	769.1	72.6	36.6	1942.6	979.4
.1	1526.4	769.5	73.6	37.1	1941.6	978.9
.2	1527.3	770.0	74.5	37.6	1940.7	978.4
.3	1528.2	770.5	75.4	38.0	1939.8	978.0
.4	1529.2	770.9	76.4	38.5	1938.8	977.5
.5	1530.1	771.4	77.3	39.0	1937.9	977.0
.6	1531.0	771.9	78.2	39.4	1937.0	976.6
.7	1531.9	772.3	79.1	39.9	1936.1	976.1
.8	1532.9	772.8	80.1	40.4	1935.1	975.6
.9	1533.8	773.3	81.0	40.8	1934.2	975.2
1454.0	1534.7	773.7	81.9	41.3	1933.3	974.7
.1	1535.6	774.2	82.8	41.8	1932.4	974.2
.2	1536.6	774.7	83.7	42.2	1931.5	973.8
.3	1537.5	775.1	84.7	42.7	1930.5	973.3
.4	1538.4	775.6	85.6	43.2	1929.6	972.8
.5	1539.3	776.1	86.5	43.6	1928.7	972.4
.6	1540.2	776.5	87.4	44.1	1927.8	971.9
.7	1541.2	777.0	88.4	44.6	1926.8	971.4
.8	1542.1	777.5	89.3	45.0	1925.9	971.0
.9	1543.0	777.9	90.2	45.5	1925.0	970.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1455.0	1543.9	778.4	91.1	46.0	1924.1	970.0
.1	1544.9	778.9	92.1	46.4	1923.1	969.6
.2	1545.8	779.3	93.0	46.9	1922.2	969.1
.3	1546.7	779.8	93.9	47.4	1921.3	968.6
.4	1547.7	780.3	94.9	47.8	1920.3	968.2
.5	1548.6	780.7	95.8	48.3	1919.4	967.7
.6	1549.5	781.2	96.7	48.8	1918.5	967.2
.7	1550.4	781.7	97.6	49.2	1917.6	966.8
.8	1551.4	782.1	98.6	49.7	1916.6	966.3
.9	1552.3	782.6	99.5	50.2	1915.7	965.8
1456.0	1553.2	783.1	100.4	50.6	1914.8	965.4
.1	1554.1	783.5	101.3	51.1	1913.9	964.9
.2	1555.0	784.0	102.2	51.6	1913.0	964.4
.3	1556.0	784.5	103.2	52.0	1912.0	964.0
.4	1556.9	784.9	104.1	52.5	1911.1	963.5
.5	1557.8	785.4	105.0	53.0	1910.2	963.0
.6	1558.7	785.9	105.9	53.4	1909.3	962.6
.7	1559.7	786.3	106.9	53.9	1908.3	962.1
.8	1560.6	786.8	107.8	54.3	1907.4	961.6
.9	1561.5	787.3	108.7	54.8	1906.5	961.2
1457.0	1562.4	787.7	109.6	55.3	1905.6	960.7
.1	1563.4	788.2	110.6	55.7	1904.6	960.2
.2	1564.3	788.7	111.5	56.2	1903.7	959.8
.3	1565.2	789.1	112.4	56.7	1902.8	959.3
.4	1566.2	789.6	113.4	57.1	1901.8	958.8
.5	1567.1	790.1	114.3	57.6	1900.9	958.4
.6	1568.0	790.5	115.2	58.1	1900.0	957.9
.7	1568.9	791.0	116.1	58.5	1899.1	957.5
.8	1569.9	791.5	117.1	59.0	1898.1	957.0
.9	1570.8	791.9	118.0	59.5	1897.2	956.5
1458.0	1571.7	792.4	118.9	59.9	1896.3	956.1
.1	1572.6	792.9	119.8	60.4	1895.4	955.6
.2	1573.5	793.3	120.7	60.9	1894.5	955.1
.3	1574.5	793.8	121.7	61.3	1893.5	954.7
.4	1575.4	794.3	122.6	61.8	1892.6	954.2
.5	1576.3	794.7	123.5	62.3	1891.7	953.7
.6	1577.2	795.2	124.4	62.7	1890.8	953.3
.7	1578.2	795.7	125.4	63.2	1889.8	952.8
.8	1579.1	796.1	126.3	63.7	1888.9	952.3
.9	1580.0	796.6	127.2	64.1	1888.0	951.9
1459.0	1580.9	797.1	128.1	64.6	1887.1	951.4
.1	1581.9	797.5	129.1	65.1	1886.1	950.9
.2	1582.8	798.0	130.0	65.5	1885.2	950.5
.3	1583.7	798.5	130.9	66.0	1884.3	950.0
.4	1584.7	798.9	131.9	66.5	1883.3	949.5
.5	1585.6	799.4	132.8	66.9	1882.4	949.1
.6	1586.5	799.9	133.7	67.4	1881.5	948.6
.7	1587.4	800.3	134.6	67.9	1880.6	948.1
.8	1588.4	800.8	135.6	68.3	1879.6	947.7
.9	1589.3	801.3	136.5	68.8	1878.7	947.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1460.0	1590.2	801.7	137.4	69.3	1877.8	946.7
.1	1591.1	802.2	138.3	69.8	1876.9	946.2
.2	1592.1	802.7	139.3	70.2	1875.9	945.8
.3	1593.0	803.2	140.2	70.7	1875.0	945.3
.4	1594.0	803.6	141.2	71.2	1874.0	944.8
.5	1594.9	804.1	142.1	71.7	1873.1	944.3
.6	1595.9	804.6	143.1	72.1	1872.1	943.9
.7	1596.8	805.1	144.0	72.6	1871.2	943.4
.8	1597.8	805.5	145.0	73.1	1870.2	942.9
.9	1598.7	806.0	145.9	73.6	1869.3	942.4
1461.0	1599.7	806.5	146.9	74.1	1868.3	941.9
.1	1600.6	807.0	147.8	74.5	1867.4	941.5
.2	1601.6	807.5	148.8	75.0	1866.4	941.0
.3	1602.5	807.9	149.7	75.5	1865.5	940.5
.4	1603.5	808.4	150.7	76.0	1864.5	940.0
.5	1604.4	808.9	151.6	76.4	1863.6	939.6
.6	1605.4	809.4	152.6	76.9	1862.6	939.1
.7	1606.3	809.9	153.5	77.4	1861.7	938.6
.8	1607.3	810.3	154.5	77.9	1860.7	938.1
.9	1608.2	810.8	155.4	78.4	1859.8	937.6
1462.0	1609.2	811.3	156.4	78.8	1858.8	937.2
.1	1610.1	811.8	157.3	79.3	1857.9	936.7
.2	1611.1	812.2	158.3	79.8	1856.9	936.2
.3	1612.0	812.7	159.2	80.3	1856.0	935.7
.4	1613.0	813.2	160.2	80.7	1855.0	935.3
.5	1613.9	813.7	161.1	81.2	1854.1	934.8
.6	1614.8	814.2	162.0	81.7	1853.2	934.3
.7	1615.8	814.6	163.0	82.2	1852.2	933.8
.8	1616.7	815.1	163.9	82.7	1851.3	933.3
.9	1617.7	815.6	164.9	83.1	1850.3	932.9
1463.0	1618.6	816.1	165.8	83.6	1849.4	932.4
.1	1619.6	816.5	166.8	84.1	1848.4	931.9
.2	1620.5	817.0	167.7	84.6	1847.5	931.4
.3	1621.5	817.5	168.7	85.0	1846.5	931.0
.4	1622.4	818.0	169.6	85.5	1845.6	930.5
.5	1623.4	818.5	170.6	86.0	1844.6	930.0
.6	1624.3	818.9	171.5	86.5	1843.7	929.5
.7	1625.3	819.4	172.5	87.0	1842.7	929.0
.8	1626.2	819.9	173.4	87.4	1841.8	928.6
.9	1627.2	820.4	174.4	87.9	1840.8	928.1
1464.0	1628.1	820.8	175.3	88.4	1839.9	927.6
.1	1629.1	821.3	176.3	88.9	1838.9	927.1
.2	1630.0	821.8	177.2	89.3	1838.0	926.7
.3	1631.0	822.3	178.2	89.8	1837.0	926.2
.4	1631.9	822.8	179.1	90.3	1836.1	925.7
.5	1632.9	823.2	180.1	90.8	1835.1	925.2
.6	1633.8	823.7	181.0	91.3	1834.2	924.7
.7	1634.8	824.2	182.0	91.7	1833.2	924.3
.8	1635.7	824.7	182.9	92.2	1832.3	923.8
.9	1636.7	825.1	183.9	92.7	1831.3	923.3

Dworshak

147

Reservoir Storage Tables

DWORSHAK

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1465.0	1637.6	825.6	184.8	93.2	1830.4	922.8
.1	1638.5	826.1	185.7	93.6	1829.5	922.3
.2	1639.5	826.6	186.7	94.1	1828.5	921.9
.3	1640.4	827.1	187.6	94.6	1827.6	921.4
.4	1641.4	827.5	188.6	95.1	1826.6	920.9
.5	1642.3	828.0	189.5	95.6	1825.7	920.4
.6	1643.3	828.5	190.5	96.0	1824.7	920.0
.7	1644.2	829.0	191.4	96.5	1823.8	919.5
.8	1645.2	829.4	192.4	97.0	1822.8	919.0
.9	1646.1	829.9	193.3	97.5	1821.9	918.5
1466.0	1647.1	830.4	194.3	97.9	1820.9	918.0
.1	1648.0	830.9	195.2	98.4	1820.0	917.6
.2	1649.0	831.4	196.2	98.9	1819.0	917.1
.3	1649.9	831.8	197.1	99.4	1818.1	916.6
.4	1650.9	832.3	198.1	99.9	1817.1	916.1
.5	1651.8	832.8	199.0	100.3	1816.2	915.7
.6	1652.8	833.3	200.0	100.8	1815.2	915.2
.7	1653.7	833.7	200.9	101.3	1814.3	914.7
.8	1654.7	834.2	201.9	101.8	1813.3	914.2
.9	1655.6	834.7	202.8	102.3	1812.4	913.7
1467.0	1656.6	835.2	203.8	102.7	1811.4	913.3
.1	1657.5	835.7	204.7	103.2	1810.5	912.8
.2	1658.5	836.1	205.7	103.7	1809.5	912.3
.3	1659.4	836.6	206.6	104.2	1808.6	911.8
.4	1660.4	837.1	207.6	104.6	1807.6	911.4
.5	1661.3	837.6	208.5	105.1	1806.7	910.9
.6	1662.2	838.0	209.4	105.6	1805.8	910.4
.7	1663.2	838.5	210.4	106.1	1804.8	909.9
.8	1664.1	839.0	211.3	106.6	1803.9	909.4
.9	1665.1	839.5	212.3	107.0	1802.9	909.0
1468.0	1666.0	840.0	213.2	107.5	1802.0	908.5
.1	1667.0	840.4	214.2	108.0	1801.0	908.0
.2	1667.9	840.9	215.1	108.5	1800.1	907.5
.3	1668.9	841.4	216.1	108.9	1799.1	907.1
.4	1669.8	841.9	217.0	109.4	1798.2	906.6
.5	1670.8	842.4	218.0	109.9	1797.2	906.1
.6	1671.7	842.8	218.9	110.4	1796.3	905.6
.7	1672.7	843.3	219.9	110.9	1795.3	905.1
.8	1673.6	843.8	220.8	111.3	1794.4	904.7
.9	1674.6	844.3	221.8	111.8	1793.4	904.2
1469.0	1675.5	844.7	222.7	112.3	1792.5	903.7
.1	1676.5	845.2	223.7	112.8	1791.5	903.2
.2	1677.4	845.7	224.6	113.2	1790.6	902.8
.3	1678.4	846.2	225.6	113.7	1789.6	902.3
.4	1679.3	846.7	226.5	114.2	1788.7	901.8
.5	1680.3	847.1	227.5	114.7	1787.7	901.3
.6	1681.2	847.6	228.4	115.2	1786.8	900.8
.7	1682.2	848.1	229.4	115.6	1785.8	900.4
.8	1683.1	848.6	230.3	116.1	1784.9	899.9
.9	1684.1	849.0	231.3	116.6	1783.9	899.4

DWORSHAK

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1470.0	1685.0	849.5	232.2	117.1	1783.0	898.9
.1	1686.0	850.0	233.2	117.6	1782.0	898.4
.2	1686.9	850.5	234.1	118.0	1781.1	898.0
.3	1687.9	851.0	235.1	118.5	1780.1	897.5
.4	1688.9	851.5	236.1	119.0	1779.1	897.0
.5	1689.8	852.0	237.0	119.5	1778.2	896.5
.6	1690.8	852.5	238.0	120.0	1777.2	896.0
.7	1691.8	852.9	239.0	120.5	1776.2	895.5
.8	1692.8	853.4	240.0	121.0	1775.2	895.0
.9	1693.7	853.9	240.9	121.5	1774.3	894.5
1471.0	1694.7	854.4	241.9	122.0	1773.3	894.0
.1	1695.7	854.9	242.9	122.4	1772.3	893.5
.2	1696.6	855.4	243.8	122.9	1771.4	893.1
.3	1697.6	855.9	244.8	123.4	1770.4	892.6
.4	1698.6	856.4	245.8	123.9	1769.4	892.1
.5	1699.6	856.9	246.8	124.4	1768.4	891.6
.6	1700.5	857.3	247.7	124.9	1767.5	891.1
.7	1701.5	857.8	248.7	125.4	1766.5	890.6
.8	1702.5	858.3	249.7	125.9	1765.5	890.1
.9	1703.4	858.8	250.6	126.4	1764.6	889.6
1472.0	1704.4	859.3	251.6	126.8	1763.6	889.1
.1	1705.4	859.8	252.6	127.3	1762.6	888.7
.2	1706.3	860.3	253.5	127.8	1761.7	888.2
.3	1707.3	860.8	254.5	128.3	1760.7	887.7
.4	1708.3	861.3	255.5	128.8	1759.7	887.2
.5	1709.3	861.7	256.5	129.3	1758.8	886.7
.6	1710.2	862.2	257.4	129.8	1757.8	886.2
.7	1711.2	862.7	258.4	130.3	1756.8	885.7
.8	1712.2	863.2	259.4	130.8	1755.8	885.2
.9	1713.1	863.7	260.3	131.2	1754.9	884.7
1473.0	1714.1	864.2	261.3	131.7	1753.9	884.3
.1	1715.1	864.7	262.3	132.2	1752.9	883.8
.2	1716.0	865.2	263.2	132.7	1752.0	883.3
.3	1717.0	865.7	264.2	133.2	1751.0	882.8
.4	1718.0	866.1	265.2	133.7	1750.0	882.3
.5	1718.9	866.6	266.1	134.2	1749.1	881.8
.6	1719.9	867.1	267.1	134.7	1748.1	881.3
.7	1720.9	867.6	268.1	135.2	1747.1	880.8
.8	1721.9	868.1	269.1	135.7	1746.1	880.3
.9	1722.8	868.6	270.0	136.1	1745.2	879.9
1474.0	1723.8	869.1	271.0	136.6	1744.2	879.4
.1	1724.8	869.6	272.0	137.1	1743.2	878.9
.2	1725.7	870.1	272.9	137.6	1742.3	878.4
.3	1726.7	870.5	273.9	138.1	1741.3	877.9
.4	1727.7	871.0	274.9	138.6	1740.3	877.4
.5	1728.7	871.5	275.9	139.1	1739.3	876.9
.6	1729.6	872.0	276.8	139.6	1738.4	876.4
.7	1730.6	872.5	277.8	140.1	1737.4	875.9
.8	1731.6	873.0	278.8	140.5	1736.4	875.5
.9	1732.5	873.5	279.7	141.0	1735.5	875.0

Reservoir Storage Tables

DWORSHAK

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1475.0	1733.5	874.0	280.7	141.5	1734.5	874.5
.1	1734.5	874.5	281.7	142.0	1733.5	874.0
.2	1735.4	875.0	282.6	142.5	1732.6	873.5
.3	1736.4	875.4	283.6	143.0	1731.6	873.0
.4	1737.4	875.9	284.6	143.5	1730.6	872.5
.5	1738.3	876.4	285.5	144.0	1729.7	872.0
.6	1739.3	876.9	286.5	144.5	1728.7	871.5
.7	1740.3	877.4	287.5	144.9	1727.7	871.1
.8	1741.3	877.9	288.5	145.4	1726.7	870.6
.9	1742.2	878.4	289.4	145.9	1725.8	870.1
1476.0	1743.2	878.9	290.4	146.4	1724.8	869.6
.1	1744.2	879.4	291.4	146.9	1723.8	869.1
.2	1745.1	879.8	292.3	147.4	1722.9	868.6
.3	1746.1	880.3	293.3	147.9	1721.9	868.1
.4	1747.1	880.8	294.3	148.4	1720.9	867.6
.5	1748.1	881.3	295.3	148.9	1719.9	867.1
.6	1749.0	881.8	296.2	149.3	1719.0	866.7
.7	1750.0	882.3	297.2	149.8	1718.0	866.2
.8	1751.0	882.8	298.2	150.3	1717.0	865.7
.9	1751.9	883.3	299.1	150.8	1716.1	865.2
1477.0	1752.9	883.8	300.1	151.3	1715.1	864.7
.1	1753.9	884.2	301.1	151.8	1714.1	864.2
.2	1754.8	884.7	302.0	152.3	1713.2	863.7
.3	1755.8	885.2	303.0	152.8	1712.2	863.2
.4	1756.8	885.7	304.0	153.3	1711.2	862.7
.5	1757.8	886.2	305.0	153.7	1710.3	862.3
.6	1758.7	886.7	305.9	154.2	1709.3	861.8
.7	1759.7	887.2	306.9	154.7	1708.3	861.3
.8	1760.7	887.7	307.9	155.2	1707.3	860.8
.9	1761.6	888.2	308.8	155.7	1706.4	860.3
1478.0	1762.6	888.6	309.8	156.2	1705.4	859.8
.1	1763.6	889.1	310.8	156.7	1704.4	859.3
.2	1764.5	889.6	311.7	157.2	1703.5	858.8
.3	1765.5	890.1	312.7	157.7	1702.5	858.3
.4	1766.5	890.6	313.7	158.1	1701.5	857.8
.5	1767.4	891.1	314.6	158.6	1700.6	857.4
.6	1768.4	891.6	315.6	159.1	1699.6	856.9
.7	1769.4	892.1	316.6	159.6	1698.6	856.4
.8	1770.4	892.6	317.6	160.1	1697.6	855.9
.9	1771.3	893.0	318.5	160.6	1696.7	855.4
1479.0	1772.3	893.5	319.5	161.1	1695.7	854.9
.1	1773.3	894.0	320.5	161.6	1694.7	854.4
.2	1774.2	894.5	321.4	162.1	1693.8	853.9
.3	1775.2	895.0	322.4	162.5	1692.8	853.4
.4	1776.2	895.5	323.4	163.0	1691.8	853.0
.5	1777.2	896.0	324.4	163.5	1690.8	852.5
.6	1778.1	896.5	325.3	164.0	1689.9	852.0
.7	1779.1	897.0	326.3	164.5	1688.9	851.5
.8	1780.1	897.4	327.3	165.0	1687.9	851.0
.9	1781.0	897.9	328.2	165.5	1687.0	850.5

DWORSHAK

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1480.0	1782.0	898.4	329.2	166.0	1686.0	850.0
.1	1783.0	898.9	330.2	166.5	1685.0	849.5
.2	1784.0	899.5	331.2	167.0	1684.0	849.0
.3	1785.1	900.0	332.3	167.5	1682.9	848.5
.4	1786.1	900.5	333.3	168.0	1681.9	848.0
.5	1787.1	901.0	334.3	168.5	1680.9	847.5
.6	1788.1	901.5	335.3	169.1	1679.9	846.9
.7	1789.1	902.0	336.3	169.6	1678.9	846.4
.8	1790.2	902.5	337.4	170.1	1677.8	845.9
.9	1791.2	903.1	338.4	170.6	1676.8	845.4
1481.0	1792.2	903.6	339.4	171.1	1675.8	844.9
.1	1793.2	904.1	340.4	171.6	1674.8	844.4
.2	1794.2	904.6	341.4	172.1	1673.8	843.9
.3	1795.3	905.1	342.5	172.7	1672.7	843.3
.4	1796.3	905.6	343.5	173.2	1671.7	842.8
.5	1797.3	906.1	344.5	173.7	1670.7	842.3
.6	1798.3	906.7	345.5	174.2	1669.7	841.8
.7	1799.3	907.2	346.5	174.7	1668.7	841.3
.8	1800.4	907.7	347.6	175.2	1667.6	840.8
.9	1801.4	908.2	348.6	175.7	1666.6	840.3
1482.0	1802.4	908.7	349.6	176.3	1665.6	839.7
.1	1803.4	909.2	350.6	176.8	1664.6	839.2
.2	1804.4	909.7	351.6	177.3	1663.6	838.7
.3	1805.5	910.3	352.7	177.8	1662.5	838.2
.4	1806.5	910.8	353.7	178.3	1661.5	837.7
.5	1807.5	911.3	354.7	178.8	1660.5	837.2
.6	1808.5	911.8	355.7	179.3	1659.5	836.7
.7	1809.5	912.3	356.7	179.9	1658.5	836.1
.8	1810.6	912.8	357.8	180.4	1657.4	835.6
.9	1811.6	913.3	358.8	180.9	1656.4	835.1
1483.0	1812.6	913.9	359.8	181.4	1655.4	834.6
.1	1813.6	914.4	360.8	181.9	1654.4	834.1
.2	1814.6	914.9	361.8	182.4	1653.4	833.6
.3	1815.7	915.4	362.9	182.9	1652.3	833.1
.4	1816.7	915.9	363.9	183.5	1651.3	832.5
.5	1817.7	916.4	364.9	184.0	1650.3	832.0
.6	1818.7	916.9	365.9	184.5	1649.3	831.5
.7	1819.7	917.5	366.9	185.0	1648.3	831.0
.8	1820.8	918.0	368.0	185.5	1647.2	830.5
.9	1821.8	918.5	369.0	186.0	1646.2	830.0
1484.0	1822.8	919.0	370.0	186.5	1645.2	829.5
.1	1823.8	919.5	371.0	187.1	1644.2	828.9
.2	1824.8	920.0	372.0	187.6	1643.2	828.4
.3	1825.9	920.5	373.1	188.1	1642.1	827.9
.4	1826.9	921.1	374.1	188.6	1641.1	827.4
.5	1827.9	921.6	375.1	189.1	1640.1	826.9
.6	1828.9	922.1	376.1	189.6	1639.1	826.4
.7	1829.9	922.6	377.1	190.1	1638.1	825.9
.8	1831.0	923.1	378.2	190.7	1637.0	825.3
.9	1832.0	923.6	379.2	191.2	1636.0	824.8

Dworshak

149

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1485.0	1833.0	924.1	380.2	191.7	1635.0	824.3
.1	1834.0	924.7	381.2	192.2	1634.0	823.8
.2	1835.0	925.2	382.2	192.7	1633.0	823.3
.3	1836.1	925.7	383.3	193.2	1631.9	822.8
.4	1837.1	926.2	384.3	193.7	1630.9	822.3
.5	1838.1	926.7	385.3	194.3	1629.9	821.7
.6	1839.1	927.2	386.3	194.8	1628.9	821.2
.7	1840.1	927.7	387.3	195.3	1627.9	820.7
.8	1841.2	928.3	388.4	195.8	1626.8	820.2
.9	1842.2	928.8	389.4	196.3	1625.8	819.7
1486.0	1843.2	929.3	390.4	196.8	1624.8	819.2
.1	1844.2	929.8	391.4	197.3	1623.8	818.7
.2	1845.2	930.3	392.4	197.9	1622.8	818.1
.3	1846.3	930.8	393.5	198.4	1621.7	817.6
.4	1847.3	931.3	394.5	198.9	1620.7	817.1
.5	1848.3	931.9	395.5	199.4	1619.7	816.6
.6	1849.3	932.4	396.5	199.9	1618.7	816.1
.7	1850.3	932.9	397.5	200.4	1617.7	815.6
.8	1851.4	933.4	398.6	200.9	1616.6	815.1
.9	1852.4	933.9	399.6	201.5	1615.6	814.5
1487.0	1853.4	934.4	400.6	202.0	1614.6	814.0
.1	1854.4	934.9	401.6	202.5	1613.6	813.5
.2	1855.4	935.5	402.6	203.0	1612.6	813.0
.3	1856.5	936.0	403.7	203.5	1611.5	812.5
.4	1857.5	936.5	404.7	204.0	1610.5	812.0
.5	1858.5	937.0	405.7	204.5	1609.5	811.5
.6	1859.5	937.5	406.7	205.1	1608.5	810.9
.7	1860.5	938.0	407.7	205.6	1607.5	810.4
.8	1861.6	938.5	408.8	206.1	1606.4	809.9
.9	1862.6	939.1	409.8	206.6	1605.4	809.4
1488.0	1863.6	939.6	410.8	207.1	1604.4	808.9
.1	1864.6	940.1	411.8	207.6	1603.4	808.4
.2	1865.6	940.6	412.8	208.1	1602.4	807.9
.3	1866.7	941.1	413.9	208.7	1601.3	807.3
.4	1867.7	941.6	414.9	209.2	1600.3	806.8
.5	1868.7	942.1	415.9	209.7	1599.3	806.3
.6	1869.7	942.7	416.9	210.2	1598.3	805.8
.7	1870.7	943.2	417.9	210.7	1597.3	805.3
.8	1871.8	943.7	419.0	211.2	1596.2	804.8
.9	1872.8	944.2	420.0	211.7	1595.2	804.3
1489.0	1873.8	944.7	421.0	212.3	1594.2	803.7
.1	1874.8	945.2	422.0	212.8	1593.2	803.2
.2	1875.8	945.7	423.0	213.3	1592.2	802.7
.3	1876.9	946.3	424.1	213.8	1591.1	802.2
.4	1877.9	946.8	425.1	214.3	1590.1	801.7
.5	1878.9	947.3	426.1	214.8	1589.1	801.2
.6	1879.9	947.8	427.1	215.3	1588.1	800.7
.7	1880.9	948.3	428.1	215.9	1587.1	800.1
.8	1882.0	948.8	429.2	216.4	1586.0	799.6
.9	1883.0	949.3	430.2	216.9	1585.0	799.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1490.0	1884.0	949.9	431.2	217.4	1584.0	798.6
.1	1885.1	950.4	432.3	218.0	1582.9	798.0
.2	1886.2	951.0	433.4	218.5	1581.8	797.5
.3	1887.3	951.5	434.5	219.1	1580.7	796.9
.4	1888.4	952.1	435.6	219.6	1579.6	796.4
.5	1889.5	952.6	436.7	220.2	1578.5	795.8
.6	1890.6	953.2	437.8	220.7	1577.4	795.3
.7	1891.7	953.7	438.9	221.3	1576.3	794.7
.8	1892.8	954.3	440.0	221.8	1575.2	794.2
.9	1893.9	954.8	441.1	222.4	1574.1	793.6
1491.0	1895.0	955.4	442.2	222.9	1573.0	793.1
.1	1896.1	955.9	443.3	223.5	1571.9	792.5
.2	1897.2	956.5	444.4	224.0	1570.8	792.0
.3	1898.3	957.0	445.5	224.6	1569.7	791.4
.4	1899.4	957.6	446.6	225.1	1568.6	790.8
.5	1900.5	958.2	447.7	225.7	1567.5	790.3
.6	1901.6	958.7	448.8	226.3	1566.4	789.7
.7	1902.7	959.3	449.9	226.8	1565.3	789.2
.8	1903.8	959.8	451.0	227.4	1564.2	788.6
.9	1904.9	960.4	452.1	227.9	1563.1	788.1
1492.0	1906.0	960.9	453.2	228.5	1562.0	787.5
.1	1907.1	961.5	454.3	229.0	1560.9	787.0
.2	1908.2	962.0	455.4	229.6	1559.8	786.4
.3	1909.3	962.6	456.5	230.1	1558.7	785.9
.4	1910.4	963.1	457.6	230.7	1557.6	785.3
.5	1911.4	963.7	458.6	231.2	1556.6	784.8
.6	1912.5	964.2	459.7	231.8	1555.5	784.2
.7	1913.6	964.8	460.8	232.3	1554.4	783.7
.8	1914.7	965.4	461.9	232.9	1553.3	783.1
.9	1915.8	965.9	463.0	233.5	1552.2	782.5
1493.0	1916.9	966.5	464.1	234.0	1551.1	782.0
.1	1918.0	967.0	465.2	234.6	1550.0	781.4
.2	1919.1	967.6	466.3	235.1	1548.9	780.9
.3	1920.2	968.1	467.4	235.7	1547.8	780.3
.4	1921.3	968.7	468.5	236.2	1546.7	779.8
.5	1922.4	969.2	469.6	236.8	1545.6	779.2
.6	1923.5	969.8	470.7	237.3	1544.5	778.7
.7	1924.6	970.3	471.8	237.9	1543.4	778.1
.8	1925.7	970.9	472.9	238.4	1542.3	777.6
.9	1926.8	971.4	474.0	239.0	1541.2	777.0
1494.0	1927.9	972.0	475.1	239.5	1540.1	776.5
.1	1929.0	972.5	476.2	240.1	1539.0	775.9
.2	1930.1	973.1	477.3	240.6	1537.9	775.4
.3	1931.2	973.7	478.4	241.2	1536.8	774.8
.4	1932.3	974.2	479.5	241.8	1535.7	774.2
.5	1933.4	974.8	480.6	242.3	1534.6	773.7
.6	1934.5	975.3	481.7	242.9	1533.5	773.1
.7	1935.6	975.9	482.8	243.4	1532.4	772.6
.8	1936.7	976.4	483.9	244.0	1531.3	772.0
.9	1937.8	977.0	485.0	244.5	1530.2	771.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1495.0	1938.9	977.5	486.1	245.1	1529.1	770.9
.1	1940.0	978.1	487.2	245.6	1528.0	770.4
.2	1941.1	978.6	488.3	246.2	1526.9	769.8
.3	1942.2	979.2	489.4	246.7	1525.8	769.3
.4	1943.3	979.7	490.5	247.3	1524.7	768.7
.5	1944.4	980.3	491.6	247.8	1523.6	768.2
.6	1945.5	980.9	492.7	248.4	1522.5	767.6
.7	1946.6	981.4	493.8	249.0	1521.4	767.0
.8	1947.7	982.0	494.9	249.5	1520.3	766.5
.9	1948.8	982.5	496.0	250.1	1519.2	765.9
1496.0	1949.9	983.1	497.1	250.6	1518.1	765.4
.1	1951.0	983.6	498.2	251.2	1517.0	764.8
.2	1952.1	984.2	499.3	251.7	1515.9	764.3
.3	1953.2	984.7	500.4	252.3	1514.8	763.7
.4	1954.3	985.3	501.5	252.8	1513.7	763.2
.5	1955.4	985.8	502.6	253.4	1512.6	762.6
.6	1956.5	986.4	503.7	253.9	1511.5	762.1
.7	1957.6	986.9	504.8	254.5	1510.4	761.5
.8	1958.7	987.5	505.9	255.0	1509.3	761.0
.9	1959.8	988.0	507.0	255.6	1508.2	760.4
1497.0	1960.9	988.6	508.1	256.1	1507.1	759.8
.1	1962.0	989.2	509.2	256.7	1506.0	759.3
.2	1963.1	989.7	510.3	257.3	1504.9	758.7
.3	1964.2	990.3	511.4	257.8	1503.8	758.2
.4	1965.3	990.8	512.5	258.4	1502.7	757.6
.5	1966.3	991.4	513.5	258.9	1501.7	757.1
.6	1967.4	991.9	514.6	259.5	1500.6	756.5
.7	1968.5	992.5	515.7	260.0	1499.5	756.0
.8	1969.6	993.0	516.8	260.6	1498.4	755.4
.9	1970.7	993.6	517.9	261.1	1497.3	754.9
1498.0	1971.8	994.1	519.0	261.7	1496.2	754.3
.1	1972.9	994.7	520.1	262.2	1495.1	753.8
.2	1974.0	995.2	521.2	262.8	1494.0	753.2
.3	1975.1	995.8	522.3	263.3	1492.9	752.7
.4	1976.2	996.4	523.4	263.9	1491.8	752.1
.5	1977.3	996.9	524.5	264.5	1490.7	751.5
.6	1978.4	997.5	525.6	265.0	1489.6	751.0
.7	1979.5	998.0	526.7	265.6	1488.5	750.4
.8	1980.6	998.6	527.8	266.1	1487.4	749.9
.9	1981.7	999.1	528.9	266.7	1486.3	749.3
1499.0	1982.8	999.7	530.0	267.2	1485.2	748.8
.1	1983.9	1000.2	531.1	267.8	1484.1	748.2
.2	1985.0	1000.8	532.2	268.3	1483.0	747.7
.3	1986.1	1001.3	533.3	268.9	1481.9	747.1
.4	1987.2	1001.9	534.4	269.4	1480.8	746.6
.5	1988.3	1002.4	535.5	270.0	1479.7	746.0
.6	1989.4	1003.0	536.6	270.5	1478.6	745.5
.7	1990.5	1003.5	537.7	271.1	1477.5	744.9
.8	1991.6	1004.1	538.8	271.6	1476.4	744.3
.9	1992.7	1004.7	539.9	272.2	1475.3	743.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1500.0	1993.8	1005.2	541.0	272.8	1474.2	743.2
.1	1995.0	1005.8	542.2	273.3	1473.0	742.6
.2	1996.2	1006.4	543.4	273.9	1471.8	742.1
.3	1997.3	1007.0	544.5	274.5	1470.7	741.5
.4	1998.5	1007.6	545.7	275.1	1469.5	740.9
.5	1999.7	1008.2	546.9	275.7	1468.3	740.3
.6	2000.9	1008.8	548.1	276.3	1467.1	739.7
.7	2002.1	1009.4	549.3	276.9	1465.9	739.1
.8	2003.2	1010.0	550.4	277.5	1464.8	738.5
.9	2004.4	1010.6	551.6	278.1	1463.6	737.9
1501.0	2005.6	1011.2	552.8	278.7	1462.4	737.3
.1	2006.8	1011.7	554.0	279.3	1461.2	736.7
.2	2007.9	1012.3	555.1	279.9	1460.1	736.1
.3	2009.1	1012.9	556.3	280.5	1458.9	735.5
.4	2010.3	1013.5	557.5	281.1	1457.7	734.9
.5	2011.5	1014.1	558.7	281.7	1456.5	734.3
.6	2012.7	1014.7	559.9	282.3	1455.3	733.7
.7	2013.8	1015.3	561.0	282.9	1454.2	733.1
.8	2015.0	1015.9	562.2	283.5	1453.0	732.5
.9	2016.2	1016.5	563.4	284.0	1451.8	731.9
1502.0	2017.4	1017.1	564.6	284.6	1450.6	731.4
.1	2018.6	1017.7	565.8	285.2	1449.4	730.8
.2	2019.7	1018.3	566.9	285.8	1448.3	730.2
.3	2020.9	1018.9	568.1	286.4	1447.1	729.6
.4	2022.1	1019.5	569.3	287.0	1445.9	729.0
.5	2023.3	1020.1	570.5	287.6	1444.7	728.4
.6	2024.5	1020.7	571.7	288.2	1443.5	727.8
.7	2025.6	1021.3	572.8	288.8	1442.4	727.2
.8	2026.8	1021.9	574.0	289.4	1441.2	726.6
.9	2028.0	1022.4	575.2	290.0	1440.0	726.0
1503.0	2029.2	1023.0	576.4	290.6	1438.8	725.4
.1	2030.3	1023.6	577.5	291.2	1437.7	724.8
.2	2031.5	1024.2	578.7	291.8	1436.5	724.2
.3	2032.7	1024.8	579.9	292.4	1435.3	723.6
.4	2033.9	1025.4	581.1	293.0	1434.1	723.0
.5	2035.1	1026.0	582.3	293.6	1432.9	722.4
.6	2036.2	1026.6	583.4	294.2	1431.8	721.8
.7	2037.4	1027.2	584.6	294.7	1430.6	721.2
.8	2038.6	1027.8	585.8	295.3	1429.4	720.7
.9	2039.8	1028.4	587.0	295.9	1428.2	720.1
1504.0	2041.0	1029.0	588.2	296.5	1427.0	719.5
.1	2042.1	1029.6	589.3	297.1	1425.9	718.9
.2	2043.3	1030.2	590.5	297.7	1424.7	718.3
.3	2044.5	1030.8	591.7	298.3	1423.5	717.7
.4	2045.7	1031.4	592.9	298.9	1422.3	717.1
.5	2046.9	1032.0	594.1	299.5	1421.1	716.5
.6	2048.0	1032.6	595.2	300.1	1420.0	715.9
.7	2049.2	1033.1	596.4	300.7	1418.8	715.3
.8	2050.4	1033.7	597.6	301.3	1417.6	714.7
.9	2051.6	1034.3	598.8	301.9	1416.4	714.1

Reservoir Storage Tables

PAGE 13

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1505.0	2052.8	1034.9	600.0	302.5	1415.3	713.5
.1	2053.9	1035.5	601.1	303.1	1414.1	712.9
.2	2055.1	1036.1	602.3	303.7	1412.9	712.3
.3	2056.3	1036.7	603.5	304.3	1411.7	711.7
.4	2057.5	1037.3	604.7	304.9	1410.5	711.1
.5	2058.6	1037.9	605.8	305.4	1409.4	710.5
.6	2059.8	1038.5	607.0	306.0	1408.2	710.0
.7	2061.0	1039.1	608.2	306.6	1407.0	709.4
.8	2062.2	1039.7	609.4	307.2	1405.8	708.8
.9	2063.4	1040.3	610.6	307.8	1404.6	708.2
1506.0	2064.5	1040.9	611.7	308.4	1403.5	707.6
.1	2065.7	1041.5	612.9	309.0	1402.3	707.0
.2	2066.9	1042.1	614.1	309.6	1401.1	706.4
.3	2068.1	1042.7	615.3	310.2	1399.9	705.8
.4	2069.3	1043.3	616.5	310.8	1398.7	705.2
.5	2070.4	1043.8	617.6	311.4	1397.6	704.6
.6	2071.6	1044.4	618.8	312.0	1396.4	704.0
.7	2072.8	1045.0	620.0	312.6	1395.2	703.4
.8	2074.0	1045.6	621.2	313.2	1394.0	702.8
.9	2075.2	1046.2	622.4	313.8	1392.8	702.2
1507.0	2076.3	1046.8	623.5	314.4	1391.7	701.6
.1	2077.5	1047.4	624.7	315.0	1390.5	701.0
.2	2078.7	1048.0	625.9	315.6	1389.3	700.4
.3	2079.9	1048.6	627.1	316.1	1388.1	699.9
.4	2081.0	1049.2	628.2	316.7	1387.0	699.3
.5	2082.2	1049.8	629.4	317.3	1385.8	698.7
.6	2083.4	1050.4	630.6	317.9	1384.6	698.1
.7	2084.6	1051.0	631.8	318.5	1383.4	697.5
.8	2085.8	1051.6	633.0	319.1	1382.2	696.9
.9	2086.9	1052.2	634.1	319.7	1381.1	696.3
1508.0	2088.1	1052.8	635.3	320.3	1379.9	695.7
.1	2089.3	1053.4	636.5	320.9	1378.7	695.1
.2	2090.5	1053.9	637.7	321.5	1377.5	694.5
.3	2091.7	1054.5	638.9	322.1	1376.3	693.9
.4	2092.8	1055.1	640.0	322.7	1375.2	693.3
.5	2094.0	1055.7	641.2	323.3	1374.0	692.7
.6	2095.2	1056.3	642.4	323.9	1372.8	692.1
.7	2096.4	1056.9	643.6	324.5	1371.6	691.5
.8	2097.6	1057.5	644.8	325.1	1370.4	690.9
.9	2098.7	1058.1	645.9	325.7	1369.3	690.3
1509.0	2099.9	1058.7	647.1	326.3	1368.1	689.7
.1	2101.1	1059.3	648.3	326.8	1366.9	689.2
.2	2102.3	1059.9	649.5	327.4	1365.7	688.6
.3	2103.4	1060.5	650.6	328.0	1364.6	688.0
.4	2104.6	1061.1	651.8	328.6	1363.4	687.4
.5	2105.8	1061.7	653.0	329.2	1362.2	686.8
.6	2107.0	1062.3	654.2	329.8	1361.0	686.2
.7	2108.2	1062.9	655.4	330.4	1359.8	685.6
.8	2109.3	1063.5	656.5	331.0	1358.7	685.0
.9	2110.5	1064.1	657.7	331.6	1357.5	684.4

PAGE 14

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1510.0	2111.7	1064.6	658.9	332.2	1356.3	683.8
.1	2113.0	1065.3	660.2	332.8	1355.0	683.2
.2	2114.2	1065.9	661.4	333.5	1353.8	682.5
.3	2115.5	1066.6	662.7	334.1	1352.5	681.9
.4	2116.8	1067.2	664.0	334.7	1351.2	681.3
.5	2118.0	1067.8	665.2	335.4	1350.0	680.6
.6	2119.3	1068.5	666.5	336.0	1348.7	680.0
.7	2120.5	1069.1	667.7	336.7	1347.5	679.3
.8	2121.8	1069.7	669.0	337.3	1346.2	678.7
.9	2123.1	1070.4	670.3	337.9	1344.9	678.1
1511.0	2124.3	1071.0	671.5	338.6	1343.7	677.4
.1	2125.6	1071.7	672.8	339.2	1342.4	676.8
.2	2126.9	1072.3	674.1	339.8	1341.1	676.2
.3	2128.1	1072.9	675.3	340.5	1339.9	675.5
.4	2129.4	1073.6	676.6	341.1	1338.6	674.9
.5	2130.6	1074.2	677.8	341.7	1337.4	674.2
.6	2131.9	1074.8	679.1	342.4	1336.1	673.6
.7	2133.2	1075.5	680.4	343.0	1334.8	673.0
.8	2134.4	1076.1	681.6	343.7	1333.6	672.3
.9	2135.7	1076.7	682.9	344.3	1332.3	671.7
1512.0	2137.0	1077.4	684.2	344.9	1331.0	671.1
.1	2138.2	1078.0	685.4	345.6	1329.8	670.4
.2	2139.5	1078.7	686.7	346.2	1328.5	669.8
.3	2140.7	1079.3	687.9	346.8	1327.3	669.2
.4	2142.0	1079.9	689.2	347.5	1326.0	668.5
.5	2143.3	1080.6	690.5	348.1	1324.7	667.9
.6	2144.5	1081.2	691.7	348.8	1323.5	667.2
.7	2145.8	1081.8	693.0	349.4	1322.2	666.6
.8	2147.1	1082.5	694.3	350.0	1320.9	666.0
.9	2148.3	1083.1	695.5	350.7	1319.7	665.3
1513.0	2149.6	1083.8	696.8	351.3	1318.4	664.7
.1	2150.9	1084.4	698.1	351.9	1317.1	664.1
.2	2152.1	1085.0	699.3	352.6	1315.9	663.4
.3	2153.4	1085.7	700.6	353.2	1314.6	662.8
.4	2154.6	1086.3	701.8	353.8	1313.4	662.2
.5	2155.9	1086.9	703.1	354.5	1312.1	661.5
.6	2157.2	1087.6	704.4	355.1	1310.8	660.9
.7	2158.4	1088.2	705.6	355.8	1309.6	660.2
.8	2159.7	1088.8	706.9	356.4	1308.3	659.6
.9	2161.0	1089.5	708.2	357.0	1307.0	659.0
1514.0	2162.2	1090.1	709.4	357.7	1305.8	658.3
.1	2163.5	1090.8	710.7	358.3	1304.5	657.7
.2	2164.7	1091.4	711.9	358.9	1303.3	657.1
.3	2166.0	1092.0	713.2	359.6	1302.0	656.4
.4	2167.3	1092.7	714.5	360.2	1300.7	655.8
.5	2168.5	1093.3	715.7	360.8	1299.5	655.1
.6	2169.8	1093.9	717.0	361.5	1298.2	654.5
.7	2171.1	1094.6	718.3	362.1	1296.9	653.9
.8	2172.3	1095.2	719.5	362.8	1295.7	653.2
.9	2173.6	1095.9	720.8	363.4	1294.4	652.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1515.0	2174.9	1096.5	722.1	364.0	1293.1	652.0
.1	2176.1	1097.1	723.3	364.7	1291.9	651.3
.2	2177.4	1097.8	724.6	365.3	1290.6	650.7
.3	2178.6	1098.4	725.8	365.9	1289.4	650.1
.4	2179.9	1099.0	727.1	366.6	1288.1	649.4
.5	2181.2	1099.7	728.4	367.2	1286.8	648.8
.6	2182.4	1100.3	729.6	367.9	1285.6	648.1
.7	2183.7	1100.9	730.9	368.5	1284.3	647.5
.8	2185.0	1101.6	732.2	369.1	1283.0	646.9
.9	2186.2	1102.2	733.4	369.8	1281.8	646.2
1516.0	2187.5	1102.9	734.7	370.4	1280.5	645.6
.1	2188.7	1103.5	735.9	371.0	1279.3	645.0
.2	2190.0	1104.1	737.2	371.7	1278.0	644.3
.3	2191.3	1104.8	738.5	372.3	1276.7	643.7
.4	2192.5	1105.4	739.7	372.9	1275.5	643.0
.5	2193.8	1106.0	741.0	373.6	1274.2	642.4
.6	2195.1	1106.7	742.3	374.2	1272.9	641.8
.7	2196.3	1107.3	743.5	374.9	1271.7	641.1
.8	2197.6	1107.9	744.8	375.5	1270.4	640.5
.9	2198.8	1108.6	746.0	376.1	1269.2	639.9
1517.0	2200.1	1109.2	747.3	376.8	1267.9	639.2
.1	2201.4	1109.9	748.6	377.4	1266.6	638.6
.2	2202.6	1110.5	749.8	378.0	1265.4	638.0
.3	2203.9	1111.1	751.1	378.7	1264.1	637.3
.4	2205.2	1111.8	752.4	379.3	1262.8	636.7
.5	2206.4	1112.4	753.6	380.0	1261.6	636.0
.6	2207.7	1113.0	754.9	380.6	1260.3	635.4
.7	2209.0	1113.7	756.2	381.2	1259.0	634.8
.8	2210.2	1114.3	757.4	381.9	1257.8	634.1
.9	2211.5	1115.0	758.7	382.5	1256.5	633.5
1518.0	2212.7	1115.6	759.9	383.1	1255.3	632.9
.1	2214.0	1116.2	761.2	383.8	1254.0	632.2
.2	2215.3	1116.9	762.5	384.4	1252.7	631.6
.3	2216.5	1117.5	763.7	385.0	1251.5	630.9
.4	2217.8	1118.1	765.0	385.7	1250.2	630.3
.5	2219.1	1118.8	766.3	386.3	1248.9	629.7
.6	2220.3	1119.4	767.5	387.0	1247.7	629.0
.7	2221.6	1120.0	768.8	387.6	1246.4	628.4
.8	2222.8	1120.7	770.0	388.2	1245.2	627.8
.9	2224.1	1121.3	771.3	388.9	1243.9	627.1
1519.0	2225.4	1122.0	772.6	389.5	1242.6	626.5
.1	2226.6	1122.6	773.8	390.1	1241.4	625.9
.2	2227.9	1123.2	775.1	390.8	1240.1	625.2
.3	2229.2	1123.9	776.4	391.4	1238.8	624.6
.4	2230.4	1124.5	777.6	392.1	1237.6	623.9
.5	2231.7	1125.1	778.9	392.7	1236.3	623.3
.6	2232.9	1125.8	780.1	393.3	1235.1	622.7
.7	2234.2	1126.4	781.4	394.0	1233.8	622.0
.8	2235.5	1127.1	782.7	394.6	1232.5	621.4
.9	2236.7	1127.7	783.9	395.2	1231.3	620.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1520.0	2238.0	1128.3	785.2	395.9	1230.0	620.1
.1	2239.3	1129.0	786.5	396.5	1228.7	619.5
.2	2240.7	1129.7	787.9	397.2	1227.3	618.8
.3	2242.0	1130.3	789.2	397.9	1226.0	618.1
.4	2243.3	1131.0	790.5	398.5	1224.7	617.4
.5	2244.6	1131.7	791.8	399.2	1223.4	616.8
.6	2246.0	1132.3	793.2	399.9	1222.0	616.1
.7	2247.3	1133.0	794.5	400.6	1220.7	615.4
.8	2248.6	1133.7	795.8	401.2	1219.4	614.8
.9	2249.9	1134.3	797.1	401.9	1218.1	614.1
1521.0	2251.3	1135.0	798.5	402.6	1216.7	613.4
.1	2252.6	1135.7	799.8	403.2	1215.4	612.8
.2	2253.9	1136.4	801.1	403.9	1214.1	612.1
.3	2255.3	1137.0	802.5	404.6	1212.7	611.4
.4	2256.6	1137.7	803.8	405.2	1211.4	610.8
.5	2257.9	1138.4	805.1	405.9	1210.1	610.1
.6	2259.2	1139.0	806.4	406.6	1208.8	609.4
.7	2260.6	1139.7	807.8	407.2	1207.4	608.8
.8	2261.9	1140.4	809.1	407.9	1206.1	608.1
.9	2263.2	1141.0	810.4	408.6	1204.8	607.4
1522.0	2264.5	1141.7	811.7	409.3	1203.5	606.7
.1	2265.9	1142.4	813.1	409.9	1202.1	606.1
.2	2267.2	1143.0	814.4	410.6	1200.8	605.4
.3	2268.5	1143.7	815.7	411.3	1199.5	604.7
.4	2269.8	1144.4	817.0	411.9	1198.2	604.1
.5	2271.2	1145.1	818.4	412.6	1196.8	603.4
.6	2272.5	1145.7	819.7	413.3	1195.5	602.7
.7	2273.8	1146.4	821.0	413.9	1194.2	602.1
.8	2275.2	1147.1	822.4	414.6	1192.8	601.4
.9	2276.5	1147.7	823.7	415.3	1191.5	600.7
1523.0	2277.8	1148.4	825.0	415.9	1190.2	600.1
.1	2279.1	1149.1	826.3	416.6	1188.9	599.4
.2	2280.5	1149.7	827.7	417.3	1187.5	598.7
.3	2281.8	1150.4	829.0	418.0	1186.2	598.0
.4	2283.1	1151.1	830.3	418.6	1184.9	597.4
.5	2284.4	1151.7	831.6	419.3	1183.6	596.7
.6	2285.8	1152.4	833.0	420.0	1182.2	596.0
.7	2287.1	1153.1	834.3	420.6	1180.9	595.4
.8	2288.4	1153.7	835.6	421.3	1179.6	594.7
.9	2289.8	1154.4	837.0	422.0	1178.2	594.0
1524.0	2291.1	1155.1	838.3	422.6	1176.9	593.4
.1	2292.4	1155.8	839.6	423.3	1175.6	592.7
.2	2293.7	1156.4	840.9	424.0	1174.3	592.0
.3	2295.1	1157.1	842.3	424.6	1172.9	591.4
.4	2296.4	1157.8	843.6	425.3	1171.6	590.7
.5	2297.7	1158.4	844.9	426.0	1170.3	590.0
.6	2299.0	1159.1	846.2	426.6	1169.0	589.3
.7	2300.4	1159.8	847.6	427.3	1167.6	588.7
.8	2301.7	1160.4	848.9	428.0	1166.3	588.0
.9	2303.0	1161.1	850.2	428.7	1165.0	587.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1525.0	2304.4	1161.8	851.6	429.3	1163.6	586.7
.1	2305.7	1162.4	852.9	430.0	1162.3	586.0
.2	2307.0	1163.1	854.2	430.7	1161.0	585.3
.3	2308.3	1163.8	855.5	431.3	1159.7	584.7
.4	2309.7	1164.5	856.9	432.0	1158.3	584.0
.5	2311.0	1165.1	858.2	432.7	1157.0	583.3
.6	2312.3	1165.8	859.5	433.3	1155.7	582.7
.7	2313.6	1166.5	860.8	434.0	1154.4	582.0
.8	2315.0	1167.1	862.2	434.7	1153.0	581.3
.9	2316.3	1167.8	863.5	435.3	1151.7	580.7
1526.0	2317.6	1168.5	864.8	436.0	1150.4	580.0
.1	2318.9	1169.1	866.1	436.7	1149.1	579.3
.2	2320.3	1169.8	867.5	437.4	1147.7	578.6
.3	2321.6	1170.5	868.8	438.0	1146.4	578.0
.4	2322.9	1171.1	870.1	438.7	1145.1	577.3
.5	2324.3	1171.8	871.5	439.4	1143.7	576.6
.6	2325.6	1172.5	872.8	440.0	1142.4	576.0
.7	2326.9	1173.1	874.1	440.7	1141.1	575.3
.8	2328.2	1173.8	875.4	441.4	1139.8	574.6
.9	2329.6	1174.5	876.8	442.0	1138.4	574.0
1527.0	2330.9	1175.2	878.1	442.7	1137.1	573.3
.1	2332.2	1175.8	879.4	443.4	1135.8	572.6
.2	2333.5	1176.5	880.7	444.0	1134.5	572.0
.3	2334.9	1177.2	882.1	444.7	1133.1	571.3
.4	2336.2	1177.8	883.4	445.4	1131.8	570.6
.5	2337.5	1178.5	884.7	446.0	1130.5	569.9
.6	2338.9	1179.2	886.1	446.7	1129.1	569.3
.7	2340.2	1179.8	887.4	447.4	1127.8	568.6
.8	2341.5	1180.5	888.7	448.1	1126.5	567.9
.9	2342.8	1181.2	890.0	448.7	1125.2	567.3
1528.0	2344.2	1181.8	891.4	449.4	1123.8	566.6
.1	2345.5	1182.5	892.7	450.1	1122.5	565.9
.2	2346.8	1183.2	894.0	450.7	1121.2	565.3
.3	2348.1	1183.9	895.3	451.4	1119.9	564.6
.4	2349.5	1184.5	896.7	452.1	1118.5	563.9
.5	2350.8	1185.2	898.0	452.7	1117.2	563.3
.6	2352.1	1185.9	899.3	453.4	1115.9	562.6
.7	2353.4	1186.5	900.6	454.1	1114.6	561.9
.8	2354.8	1187.2	902.0	454.7	1113.2	561.3
.9	2356.1	1187.9	903.3	455.4	1111.9	560.6
1529.0	2357.4	1188.5	904.6	456.1	1110.6	559.9
.1	2358.8	1189.2	906.0	456.8	1109.2	559.2
.2	2360.1	1189.9	907.3	457.4	1107.9	558.6
.3	2361.4	1190.5	908.6	458.1	1106.6	557.9
.4	2362.7	1191.2	909.9	458.8	1105.3	557.2
.5	2364.1	1191.9	911.3	459.4	1103.9	556.6
.6	2365.4	1192.6	912.6	460.1	1102.6	555.9
.7	2366.7	1193.2	913.9	460.8	1101.3	555.2
.8	2368.0	1193.9	915.2	461.4	1100.0	554.6
.9	2369.4	1194.6	916.6	462.1	1098.6	553.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1530.0	2370.7	1195.2	917.9	462.8	1097.3	553.2
.1	2372.1	1195.9	919.3	463.5	1095.9	552.5
.2	2373.4	1196.6	920.6	464.2	1094.6	551.8
.3	2374.8	1197.3	922.0	464.8	1093.2	551.2
.4	2376.2	1198.0	923.4	465.5	1091.8	550.5
.5	2377.5	1198.7	924.7	466.2	1090.5	549.8
.6	2378.9	1199.4	926.1	466.9	1089.1	549.1
.7	2380.3	1200.1	927.5	467.6	1087.7	548.4
.8	2381.7	1200.8	928.9	468.3	1086.3	547.7
.9	2383.0	1201.4	930.2	469.0	1085.0	547.0
1531.0	2384.4	1202.1	931.6	469.7	1083.6	546.3
.1	2385.8	1202.8	933.0	470.4	1082.2	545.6
.2	2387.1	1203.5	934.3	471.1	1080.9	544.9
.3	2388.5	1204.2	935.7	471.7	1079.5	544.2
.4	2389.9	1204.9	937.1	472.4	1078.1	543.6
.5	2391.2	1205.6	938.4	473.1	1076.8	542.9
.6	2392.6	1206.3	939.8	473.8	1075.4	542.2
.7	2394.0	1207.0	941.2	474.5	1074.0	541.5
.8	2395.3	1207.7	942.5	475.2	1072.7	540.8
.9	2396.7	1208.3	943.9	475.9	1071.3	540.1
1532.0	2398.1	1209.0	945.3	476.6	1069.9	539.4
.1	2399.4	1209.7	946.6	477.3	1068.6	538.7
.2	2400.8	1210.4	948.0	478.0	1067.2	538.0
.3	2402.2	1211.1	949.4	478.6	1065.8	537.3
.4	2403.6	1211.8	950.8	479.3	1064.4	536.7
.5	2404.9	1212.5	952.1	480.0	1063.1	536.0
.6	2406.3	1213.2	953.5	480.7	1061.7	535.3
.7	2407.7	1213.9	954.9	481.4	1060.3	534.6
.8	2409.0	1214.6	956.2	482.1	1059.0	533.9
.9	2410.4	1215.2	957.6	482.8	1057.6	533.2
1533.0	2411.8	1215.9	959.0	483.5	1056.2	532.5
.1	2413.1	1216.6	960.3	484.2	1054.9	531.8
.2	2414.5	1217.3	961.7	484.9	1053.5	531.1
.3	2415.9	1218.0	963.1	485.6	1052.1	530.4
.4	2417.2	1218.7	964.4	486.2	1050.8	529.8
.5	2418.6	1219.4	965.8	486.9	1049.4	529.1
.6	2420.0	1220.1	967.2	487.6	1048.0	528.4
.7	2421.4	1220.8	968.6	488.3	1046.6	527.7
.8	2422.7	1221.5	969.9	489.0	1045.3	527.0
.9	2424.1	1222.1	971.3	489.7	1043.9	526.3
1534.0	2425.5	1222.8	972.7	490.4	1042.5	525.6
.1	2426.8	1223.5	974.0	491.1	1041.2	524.9
.2	2428.2	1224.2	975.4	491.8	1039.8	524.2
.3	2429.6	1224.9	976.8	492.5	1038.4	523.5
.4	2430.9	1225.6	978.1	493.1	1037.0	522.9
.5	2432.3	1226.3	979.5	493.8	1035.7	522.2
.6	2433.7	1227.0	980.9	494.5	1034.3	521.5
.7	2435.0	1227.7	982.2	495.2	1033.0	520.8
.8	2436.4	1228.4	983.6	495.9	1031.6	520.1
.9	2437.8	1229.0	985.0	496.6	1030.2	519.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1535.0	2439.1	1229.7	986.3	497.3	1028.9	518.7
.1	2440.5	1230.4	987.7	498.0	1027.5	518.0
.2	2441.9	1231.1	989.1	498.7	1026.1	517.3
.3	2443.3	1231.8	990.5	499.4	1024.7	516.6
.4	2444.6	1232.5	991.8	500.0	1023.4	516.0
.5	2446.0	1233.2	993.2	500.7	1022.0	515.3
.6	2447.4	1233.9	994.6	501.4	1020.6	514.6
.7	2448.7	1234.6	995.9	502.1	1019.3	513.9
.8	2450.1	1235.3	997.3	502.8	1017.9	513.2
.9	2451.5	1236.0	998.7	503.5	1016.5	512.5
1536.0	2452.8	1236.6	1000.0	504.2	1015.2	511.8
.1	2454.2	1237.3	1001.4	504.9	1013.8	511.1
.2	2455.6	1238.0	1002.8	505.6	1012.4	510.4
.3	2456.9	1238.7	1004.1	506.3	1011.1	509.7
.4	2458.3	1239.4	1005.5	506.9	1009.7	509.0
.5	2459.7	1240.1	1006.9	507.6	1008.3	508.4
.6	2461.1	1240.8	1008.3	508.3	1006.9	507.7
.7	2462.4	1241.5	1009.6	509.0	1005.6	507.0
.8	2463.8	1242.2	1011.0	509.7	1004.2	506.3
.9	2465.2	1242.9	1012.4	510.4	1002.8	505.6
1537.0	2466.5	1243.5	1013.7	511.1	1001.5	504.9
.1	2467.9	1244.2	1015.1	511.8	1000.1	504.2
.2	2469.3	1244.9	1016.5	512.5	998.7	503.5
.3	2470.6	1245.6	1017.8	513.2	997.4	502.8
.4	2472.0	1246.3	1019.2	513.8	996.0	502.1
.5	2473.4	1247.0	1020.6	514.5	994.6	501.5
.6	2474.7	1247.7	1021.9	515.2	993.3	500.8
.7	2476.1	1248.4	1023.3	515.9	991.9	500.1
.8	2477.5	1249.1	1024.7	516.6	990.5	499.4
.9	2478.9	1249.8	1026.1	517.3	989.1	498.7
1538.0	2480.2	1250.4	1027.4	518.0	987.8	498.0
.1	2481.6	1251.1	1028.8	518.7	986.4	497.3
.2	2483.0	1251.8	1030.2	519.4	985.0	496.6
.3	2484.3	1252.5	1031.5	520.1	983.7	495.9
.4	2485.7	1253.2	1032.9	520.8	982.3	495.2
.5	2487.1	1253.9	1034.3	521.4	980.9	494.6
.6	2488.4	1254.6	1035.6	522.1	979.6	493.9
.7	2489.8	1255.3	1037.0	522.8	978.2	493.2
.8	2491.2	1256.0	1038.4	523.5	976.8	492.5
.9	2492.5	1256.7	1039.7	524.2	975.5	491.8
1539.0	2493.9	1257.3	1041.1	524.9	974.1	491.1
.1	2495.3	1258.0	1042.5	525.6	972.7	490.4
.2	2496.6	1258.7	1043.8	526.3	971.4	489.7
.3	2498.0	1259.4	1045.2	527.0	970.0	489.0
.4	2499.4	1260.1	1046.6	527.7	968.6	488.3
.5	2500.8	1260.8	1048.0	528.3	967.2	487.7
.6	2502.1	1261.5	1049.3	529.0	965.9	487.0
.7	2503.5	1262.2	1050.7	529.7	964.5	486.3
.8	2504.9	1262.9	1052.1	530.4	963.1	485.6
.9	2506.2	1263.6	1053.4	531.1	961.8	484.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1540.0	2507.6	1264.2	1054.8	531.8	960.4	484.2
.1	2509.0	1265.0	1056.2	532.5	959.0	483.5
.2	2510.4	1265.7	1057.6	533.2	957.6	482.8
.3	2511.8	1266.4	1059.0	533.9	956.2	482.1
.4	2513.2	1267.1	1060.4	534.6	954.8	481.4
.5	2514.7	1267.8	1061.9	535.4	953.3	480.6
.6	2516.1	1268.5	1063.3	536.1	951.9	479.9
.7	2517.5	1269.2	1064.7	536.8	950.5	479.2
.8	2518.9	1269.9	1066.1	537.5	949.1	478.5
.9	2520.3	1270.7	1067.5	538.2	947.7	477.8
1541.0	2521.7	1271.4	1068.9	538.9	946.3	477.1
.1	2523.1	1272.1	1070.3	539.6	944.9	476.4
.2	2524.5	1272.8	1071.7	540.3	943.5	475.7
.3	2525.9	1273.5	1073.1	541.0	942.1	475.0
.4	2527.4	1274.2	1074.6	541.8	940.6	474.2
.5	2528.8	1274.9	1076.0	542.5	939.2	473.5
.6	2530.2	1275.6	1077.4	543.2	937.8	472.8
.7	2531.6	1276.3	1078.8	543.9	936.4	472.1
.8	2533.0	1277.1	1080.2	544.6	935.0	471.4
.9	2534.4	1277.8	1081.6	545.3	933.6	470.7
1542.0	2535.8	1278.5	1083.0	546.0	932.2	470.0
.1	2537.2	1279.2	1084.4	546.7	930.8	469.3
.2	2538.6	1279.9	1085.8	547.4	929.4	468.6
.3	2540.1	1280.6	1087.3	548.2	927.9	467.8
.4	2541.5	1281.3	1088.7	548.9	926.5	467.1
.5	2542.9	1282.0	1090.1	549.6	925.1	466.4
.6	2544.3	1282.7	1091.5	550.3	923.7	465.7
.7	2545.7	1283.5	1092.9	551.0	922.3	465.0
.8	2547.1	1284.2	1094.3	551.7	920.9	464.3
.9	2548.5	1284.9	1095.7	552.4	919.5	463.6
1543.0	2549.9	1285.6	1097.1	553.1	918.1	462.9
.1	2551.3	1286.3	1098.5	553.8	916.7	462.1
.2	2552.8	1287.0	1100.0	554.6	915.2	461.4
.3	2554.2	1287.7	1101.4	555.3	913.8	460.7
.4	2555.6	1288.4	1102.8	556.0	912.4	460.0
.5	2557.0	1289.1	1104.2	556.7	911.0	459.3
.6	2558.4	1289.9	1105.6	557.4	909.6	458.6
.7	2559.8	1290.6	1107.0	558.1	908.2	457.9
.8	2561.2	1291.3	1108.4	558.8	906.8	457.2
.9	2562.6	1292.0	1109.8	559.5	905.4	456.5
1544.0	2564.0	1292.7	1111.2	560.3	904.0	455.7
.1	2565.5	1293.4	1112.7	561.0	902.5	455.0
.2	2566.9	1294.1	1114.1	561.7	901.1	454.3
.3	2568.3	1294.8	1115.5	562.4	899.7	453.6
.4	2569.7	1295.5	1116.9	563.1	898.3	452.9
.5	2571.1	1296.3	1118.3	563.8	896.9	452.2
.6	2572.5	1297.0	1119.7	564.5	895.5	451.5
.7	2573.9	1297.7	1121.1	565.2	894.1	450.8
.8	2575.3	1298.4	1122.5	565.9	892.7	450.1
.9	2576.7	1299.1	1123.9	566.7	891.3	449.3

Reservoir Storage Tables

PAGE 21

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1545.0	2578.1	1299.8	1125.3	567.4	889.9	448.6
.1	2579.6	1300.5	1126.8	568.1	888.4	447.9
.2	2581.0	1301.2	1128.2	568.8	887.0	447.2
.3	2582.4	1302.0	1129.6	569.5	885.6	446.5
.4	2583.8	1302.7	1131.0	570.2	884.2	445.8
.5	2585.2	1303.4	1132.4	570.9	882.8	445.1
.6	2586.6	1304.1	1133.8	571.6	881.4	444.4
.7	2588.0	1304.8	1135.2	572.3	880.0	443.7
.8	2589.4	1305.5	1136.6	573.1	878.6	442.9
.9	2590.8	1306.2	1138.0	573.8	877.2	442.2
1546.0	2592.3	1306.9	1139.5	574.5	875.7	441.5
.1	2593.7	1307.6	1140.9	575.2	874.3	440.8
.2	2595.1	1308.4	1142.3	575.9	872.9	440.1
.3	2596.5	1309.1	1143.7	576.6	871.5	439.4
.4	2597.9	1309.8	1145.1	577.3	870.1	438.7
.5	2599.3	1310.5	1146.5	578.0	868.7	438.0
.6	2600.7	1311.2	1147.9	578.7	867.3	437.3
.7	2602.1	1311.9	1149.3	579.5	865.9	436.5
.8	2603.5	1312.6	1150.7	580.2	864.5	435.8
.9	2605.0	1313.3	1152.2	580.9	863.0	435.1
1547.0	2606.4	1314.0	1153.6	581.6	861.6	434.4
.1	2607.8	1314.8	1155.0	582.3	860.2	433.7
.2	2609.2	1315.5	1156.4	583.0	858.8	433.0
.3	2610.6	1316.2	1157.8	583.7	857.4	432.3
.4	2612.0	1316.9	1159.2	584.4	856.0	431.6
.5	2613.4	1317.6	1160.6	585.1	854.6	430.8
.6	2614.8	1318.3	1162.0	585.9	853.2	430.1
.7	2616.2	1319.0	1163.4	586.6	851.8	429.4
.8	2617.7	1319.7	1164.9	587.3	850.3	428.7
.9	2619.1	1320.4	1166.3	588.0	848.9	428.0
1548.0	2620.5	1321.2	1167.7	588.7	847.5	427.3
.1	2621.9	1321.9	1169.1	589.4	846.1	426.6
.2	2623.3	1322.6	1170.5	590.1	844.7	425.9
.3	2624.7	1323.3	1171.9	590.8	843.3	425.2
.4	2626.1	1324.0	1173.3	591.6	841.9	424.4
.5	2627.5	1324.7	1174.7	592.3	840.5	423.7
.6	2628.9	1325.4	1176.1	593.0	839.1	423.0
.7	2630.4	1326.1	1177.6	593.7	837.6	422.3
.8	2631.8	1326.9	1179.0	594.4	836.2	421.6
.9	2633.2	1327.6	1180.4	595.1	834.8	420.9
1549.0	2634.6	1328.3	1181.8	595.8	833.4	420.2
.1	2636.0	1329.0	1183.2	596.5	832.0	419.5
.2	2637.4	1329.7	1184.6	597.2	830.6	418.8
.3	2638.8	1330.4	1186.0	598.0	829.2	418.0
.4	2640.2	1331.1	1187.4	598.7	827.8	417.3
.5	2641.6	1331.8	1188.8	599.4	826.4	416.6
.6	2643.1	1332.5	1190.3	600.1	824.9	415.9
.7	2644.5	1333.3	1191.7	600.8	823.5	415.2
.8	2645.9	1334.0	1193.1	601.5	822.1	414.5
.9	2647.3	1334.7	1194.5	602.2	820.7	413.8

PAGE 22

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1550.0	2648.7	1335.4	1195.9	602.9	819.3	413.1
.1	2650.2	1336.1	1197.4	603.7	817.8	412.3
.2	2651.6	1336.9	1198.8	604.4	816.4	411.6
.3	2653.1	1337.6	1200.3	605.1	814.9	410.9
.4	2654.5	1338.3	1201.7	605.9	813.5	410.1
.5	2656.0	1339.0	1203.2	606.6	812.0	409.4
.6	2657.4	1339.8	1204.6	607.3	810.6	408.7
.7	2658.9	1340.5	1206.1	608.1	809.1	407.9
.8	2660.3	1341.2	1207.5	608.8	807.7	407.2
.9	2661.8	1342.0	1209.0	609.5	806.2	406.5
1551.0	2663.2	1342.7	1210.4	610.3	804.8	405.7
.1	2664.7	1343.4	1211.9	611.0	803.3	405.0
.2	2666.1	1344.2	1213.3	611.7	801.9	404.3
.3	2667.6	1344.9	1214.8	612.5	800.4	403.5
.4	2669.0	1345.6	1216.2	613.2	799.0	402.8
.5	2670.5	1346.4	1217.7	613.9	797.5	402.1
.6	2671.9	1347.1	1219.1	614.7	796.1	401.3
.7	2673.4	1347.8	1220.6	615.4	794.6	400.6
.8	2674.9	1348.6	1222.1	616.1	793.1	399.9
.9	2676.3	1349.3	1223.5	616.9	791.7	399.1
1552.0	2677.8	1350.0	1225.0	617.6	790.2	398.4
.1	2679.2	1350.8	1226.4	618.3	788.8	397.7
.2	2680.7	1351.5	1227.9	619.0	787.3	396.9
.3	2682.1	1352.2	1229.3	619.8	785.9	396.2
.4	2683.6	1353.0	1230.8	620.5	784.4	395.5
.5	2685.0	1353.7	1232.2	621.2	783.0	394.7
.6	2686.5	1354.4	1233.7	622.0	781.5	394.0
.7	2687.9	1355.2	1235.1	622.7	780.1	393.3
.8	2689.4	1355.9	1236.6	623.4	778.6	392.6
.9	2690.8	1356.6	1238.0	624.2	777.2	391.8
1553.0	2692.3	1357.4	1239.5	624.9	775.7	391.1
.1	2693.7	1358.1	1240.9	625.6	774.3	390.4
.2	2695.2	1358.8	1242.4	626.4	772.8	389.6
.3	2696.6	1359.6	1243.8	627.1	771.4	388.9
.4	2698.1	1360.3	1245.3	627.8	769.9	388.2
.5	2699.6	1361.0	1246.8	628.6	768.4	387.4
.6	2701.0	1361.8	1248.2	629.3	767.0	386.7
.7	2702.5	1362.5	1249.7	630.0	765.5	386.0
.8	2703.9	1363.2	1251.1	630.8	764.1	385.2
.9	2705.4	1364.0	1252.6	631.5	762.6	384.5
1554.0	2706.8	1364.7	1254.0	632.2	761.2	383.8
.1	2708.3	1365.4	1255.5	633.0	759.7	383.0
.2	2709.7	1366.2	1256.9	633.7	758.3	382.3
.3	2711.2	1366.9	1258.4	634.4	756.8	381.6
.4	2712.6	1367.6	1259.8	635.2	755.4	380.8
.5	2714.1	1368.4	1261.3	635.9	753.9	380.1
.6	2715.5	1369.1	1262.7	636.6	752.5	379.4
.7	2717.0	1369.8	1264.2	637.4	751.0	378.6
.8	2718.4	1370.5	1265.6	638.1	749.6	377.9
.9	2719.9	1371.3	1267.1	638.8	748.1	377.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1555.0	2721.4	1372.0	1268.6	639.6	746.6	376.4
.1	2722.8	1372.7	1270.0	640.3	745.2	375.7
.2	2724.3	1373.5	1271.5	641.0	743.7	375.0
.3	2725.7	1374.2	1272.9	641.8	742.3	374.2
.4	2727.2	1374.9	1274.4	642.5	740.8	373.5
.5	2728.6	1375.7	1275.8	643.2	739.4	372.8
.6	2730.1	1376.4	1277.2	644.0	737.9	372.0
.7	2731.5	1377.1	1278.7	644.7	736.5	371.3
.8	2733.0	1377.9	1280.2	645.4	735.0	370.6
.9	2734.4	1378.6	1281.6	646.2	733.6	369.8
1556.0	2735.9	1379.3	1283.1	646.9	732.1	369.1
.1	2737.3	1380.1	1284.5	647.6	730.7	368.4
.2	2738.8	1380.8	1286.0	648.4	729.2	367.6
.3	2740.2	1381.5	1287.4	649.1	727.8	366.9
.4	2741.7	1382.3	1288.9	649.8	726.3	366.2
.5	2743.1	1383.0	1290.3	650.5	724.9	365.4
.6	2744.6	1383.7	1291.8	651.3	723.4	364.7
.7	2746.1	1384.5	1293.3	652.0	721.9	364.0
.8	2747.5	1385.2	1294.7	652.7	720.5	363.2
.9	2749.0	1385.9	1296.2	653.5	719.0	362.5
1557.0	2750.4	1386.7	1297.6	654.2	717.6	361.8
.1	2751.9	1387.4	1299.1	654.9	716.1	361.1
.2	2753.3	1388.1	1300.5	655.7	714.7	360.3
.3	2754.8	1388.9	1302.0	656.4	713.2	359.6
.4	2756.2	1389.6	1303.4	657.1	711.8	358.9
.5	2757.7	1390.3	1304.9	657.9	710.3	358.1
.6	2759.1	1391.1	1306.3	658.6	708.9	357.4
.7	2760.6	1391.8	1307.8	659.3	707.4	356.7
.8	2762.0	1392.5	1309.2	660.1	706.0	355.9
.9	2763.5	1393.3	1310.7	660.8	704.5	355.2
1558.0	2764.9	1394.0	1312.1	661.5	703.1	354.5
.1	2766.4	1394.7	1313.6	662.3	701.6	353.7
.2	2767.8	1395.5	1315.0	663.0	700.2	353.0
.3	2769.3	1396.2	1316.5	663.7	698.7	352.3
.4	2770.8	1396.9	1318.0	664.5	697.2	351.5
.5	2772.2	1397.7	1319.4	665.2	695.8	350.8
.6	2773.7	1398.4	1320.9	665.9	694.3	350.1
.7	2775.1	1399.1	1322.3	666.7	692.9	349.3
.8	2776.6	1399.9	1323.8	667.4	691.4	348.6
.9	2778.0	1400.6	1325.2	668.1	690.0	347.9
1559.0	2779.5	1401.3	1326.7	668.9	688.5	347.1
.1	2780.9	1402.0	1328.1	669.6	687.1	346.4
.2	2782.4	1402.8	1329.6	670.3	685.6	345.7
.3	2783.8	1403.5	1331.0	671.1	684.2	344.9
.4	2785.3	1404.2	1332.5	671.8	682.7	344.2
.5	2786.7	1405.0	1333.9	672.5	681.3	343.5
.6	2788.2	1405.7	1335.4	673.3	679.8	342.7
.7	2789.6	1406.4	1336.8	674.0	678.4	342.0
.8	2791.1	1407.2	1338.3	674.7	676.9	341.3
.9	2792.5	1407.9	1339.7	675.5	675.5	340.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1560.0	2794.0	1408.6	1341.2	676.2	674.0	339.8
.1	2795.5	1409.4	1342.7	677.0	672.5	339.0
.2	2797.1	1410.2	1344.3	677.7	670.9	338.3
.3	2798.6	1411.0	1345.8	678.5	669.4	337.5
.4	2800.1	1411.7	1347.3	679.3	667.9	336.7
.5	2801.6	1412.5	1348.8	680.0	666.4	336.0
.6	2803.2	1413.3	1350.4	680.8	664.8	335.2
.7	2804.7	1414.0	1351.9	681.6	663.3	334.4
.8	2806.2	1414.8	1353.4	682.3	661.8	333.7
.9	2807.7	1415.6	1354.9	683.1	660.3	332.9
1561.0	2809.3	1416.3	1356.5	683.9	658.7	332.1
.1	2810.8	1417.1	1358.0	684.7	657.2	331.3
.2	2812.3	1417.9	1359.5	685.4	655.7	330.6
.3	2813.8	1418.6	1361.0	686.2	654.2	329.8
.4	2815.4	1419.4	1362.6	687.0	652.6	329.0
.5	2816.9	1420.2	1364.1	687.7	651.1	328.3
.6	2818.4	1421.0	1365.6	688.5	649.6	327.5
.7	2819.9	1421.7	1367.1	689.3	648.1	326.7
.8	2821.5	1422.5	1368.7	690.0	646.5	326.0
.9	2823.0	1423.3	1370.2	690.8	645.0	325.2
1562.0	2824.5	1424.0	1371.7	691.6	643.5	324.4
.1	2826.0	1424.8	1373.2	692.3	642.0	323.7
.2	2827.6	1425.6	1374.8	693.1	640.4	322.9
.3	2829.1	1426.3	1376.3	693.9	638.9	322.1
.4	2830.6	1427.1	1377.8	694.7	637.4	321.3
.5	2832.1	1427.9	1379.3	695.4	635.9	320.6
.6	2833.7	1428.6	1380.9	696.2	634.3	319.8
.7	2835.2	1429.4	1382.4	697.0	632.8	319.0
.8	2836.7	1430.2	1383.9	697.7	631.3	318.3
.9	2838.3	1431.0	1385.5	698.5	629.7	317.5
1563.0	2839.8	1431.7	1387.0	699.3	628.2	316.7
.1	2841.3	1432.5	1388.5	700.0	626.7	316.0
.2	2842.8	1433.3	1390.0	700.8	625.2	315.2
.3	2844.4	1434.0	1391.6	701.6	623.6	314.4
.4	2845.9	1434.8	1393.1	702.3	622.1	313.7
.5	2847.4	1435.6	1394.6	703.1	620.6	312.9
.6	2848.9	1436.3	1396.1	703.9	619.1	312.1
.7	2850.5	1437.1	1397.7	704.7	617.5	311.3
.8	2852.0	1437.9	1399.2	705.4	616.0	310.6
.9	2853.5	1438.6	1400.7	706.2	614.5	309.8
1564.0	2855.0	1439.4	1402.2	707.0	613.0	309.0
.1	2856.6	1440.2	1403.8	707.7	611.4	308.3
.2	2858.1	1441.0	1405.3	708.5	609.9	307.5
.3	2859.6	1441.7	1406.8	709.3	608.4	306.7
.4	2861.1	1442.5	1408.3	710.0	606.9	306.0
.5	2862.7	1443.3	1409.9	710.8	605.3	305.2
.6	2864.2	1444.0	1411.4	711.6	603.8	304.4
.7	2865.7	1444.8	1412.9	712.3	602.3	303.6
.8	2867.2	1445.6	1414.4	713.1	600.8	302.9
.9	2868.8	1446.3	1416.0	713.9	599.2	302.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1565.0	2870.3	1447.1	1417.5	714.7	597.7	301.3
.1	2871.8	1447.9	1419.0	715.4	596.2	300.6
.2	2873.4	1448.6	1420.6	716.2	594.6	299.8
.3	2874.9	1449.4	1422.1	717.0	593.1	299.0
.4	2876.4	1450.2	1423.6	717.7	591.6	298.3
.5	2877.9	1451.0	1425.1	718.5	590.1	297.5
.6	2879.5	1451.7	1426.7	719.3	588.5	296.7
.7	2881.0	1452.5	1428.2	720.0	587.0	296.0
.8	2882.5	1453.3	1429.7	720.8	585.5	295.2
.9	2884.0	1454.0	1431.2	721.6	584.0	294.4
1566.0	2885.6	1454.8	1432.8	722.3	582.4	293.6
.1	2887.1	1455.6	1434.3	723.1	580.9	292.9
.2	2888.6	1456.3	1435.8	723.9	579.4	292.1
.3	2890.1	1457.1	1437.3	724.7	577.9	291.3
.4	2891.7	1457.9	1438.9	725.4	576.3	290.6
.5	2893.2	1458.7	1440.4	726.2	574.8	289.8
.6	2894.7	1459.4	1441.9	727.0	573.3	289.0
.7	2896.2	1460.2	1443.4	727.7	571.8	288.3
.8	2897.8	1461.0	1445.0	728.5	570.2	287.5
.9	2899.3	1461.7	1446.5	729.3	568.7	286.7
1567.0	2900.8	1462.5	1448.0	730.0	567.2	286.0
.1	2902.3	1463.3	1449.5	730.8	565.7	285.2
.2	2903.9	1464.0	1451.1	731.6	564.1	284.4
.3	2905.4	1464.8	1452.6	732.4	562.6	283.6
.4	2906.9	1465.6	1454.1	733.1	561.1	282.9
.5	2908.4	1466.3	1455.6	733.9	559.6	282.1
.6	2910.0	1467.1	1457.2	734.7	558.0	281.3
.7	2911.5	1467.9	1458.7	735.4	556.5	280.6
.8	2913.0	1468.7	1460.2	736.2	555.0	279.8
.9	2914.6	1469.4	1461.8	737.0	553.4	279.0
1568.0	2916.1	1470.2	1463.3	737.7	551.9	278.3
.1	2917.6	1471.0	1464.8	738.5	550.4	277.5
.2	2919.1	1471.7	1466.3	739.3	548.9	276.7
.3	2920.7	1472.5	1467.9	740.0	547.3	276.0
.4	2922.2	1473.3	1469.4	740.8	545.8	275.2
.5	2923.7	1474.0	1470.9	741.6	544.3	274.4
.6	2925.2	1474.8	1472.4	742.4	542.8	273.6
.7	2926.8	1475.6	1474.0	743.1	541.2	272.9
.8	2928.3	1476.3	1475.5	743.9	539.7	272.1
.9	2929.8	1477.1	1477.0	744.7	538.2	271.3
1569.0	2931.3	1477.9	1478.5	745.4	536.7	270.6
.1	2932.9	1478.7	1480.1	746.2	535.1	269.8
.2	2934.4	1479.4	1481.6	747.0	533.6	269.0
.3	2935.9	1480.2	1483.1	747.7	532.1	268.3
.4	2937.4	1481.0	1484.6	748.5	530.6	267.5
.5	2939.0	1481.7	1486.2	749.3	529.0	266.7
.6	2940.5	1482.5	1487.7	750.0	527.5	266.0
.7	2942.0	1483.3	1489.2	750.8	526.0	265.2
.8	2943.5	1484.0	1490.7	751.6	524.5	264.4
.9	2945.1	1484.8	1492.3	752.4	522.9	263.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1570.0	2946.6	1485.6	1493.8	753.1	521.4	262.9
.1	2948.2	1486.4	1495.4	753.9	519.8	262.1
.2	2949.9	1487.2	1497.1	754.8	518.1	261.2
.3	2951.5	1488.0	1498.7	755.6	516.5	260.4
.4	2953.1	1488.9	1500.3	756.4	514.9	259.6
.5	2954.8	1489.7	1501.9	757.2	513.3	258.8
.6	2956.4	1490.5	1503.6	758.1	511.6	257.9
.7	2958.0	1491.3	1505.2	758.9	510.0	257.1
.8	2959.6	1492.2	1506.8	759.7	508.4	256.3
.9	2961.3	1493.0	1508.5	760.5	506.7	255.5
1571.0	2962.9	1493.8	1510.1	761.3	505.1	254.7
.1	2964.5	1494.6	1511.7	762.2	503.5	253.8
.2	2966.2	1495.4	1513.4	763.0	501.8	253.0
.3	2967.8	1496.3	1515.0	763.8	500.2	252.2
.4	2969.4	1497.1	1516.6	764.6	498.6	251.4
.5	2971.1	1497.9	1518.3	765.5	496.9	250.5
.6	2972.7	1498.7	1519.9	766.3	495.3	249.7
.7	2974.3	1499.5	1521.5	767.1	493.7	248.9
.8	2975.9	1500.4	1523.1	767.9	492.1	248.1
.9	2977.6	1501.2	1524.8	768.7	490.4	247.3
1572.0	2979.2	1502.0	1526.4	769.6	488.8	246.4
.1	2980.8	1502.8	1528.0	770.4	487.2	245.6
.2	2982.5	1503.7	1529.7	771.2	485.5	244.8
.3	2984.1	1504.5	1531.3	772.0	483.9	244.0
.4	2985.7	1505.3	1532.9	772.8	482.3	243.1
.5	2987.4	1506.1	1534.6	773.7	480.6	242.3
.6	2989.0	1506.9	1536.2	774.5	479.0	241.5
.7	2990.6	1507.8	1537.8	775.3	477.4	240.7
.8	2992.2	1508.6	1539.4	776.1	475.8	239.9
.9	2993.9	1509.4	1541.1	777.0	474.1	239.0
1573.0	2995.5	1510.2	1542.7	777.8	472.5	238.2
.1	2997.1	1511.1	1544.3	778.6	470.9	237.4
.2	2998.8	1511.9	1546.0	779.4	469.2	236.6
.3	3000.4	1512.7	1547.6	780.2	467.6	235.8
.4	3002.0	1513.5	1549.2	781.1	466.0	234.9
.5	3003.6	1514.3	1550.8	781.9	464.4	234.1
.6	3005.3	1515.2	1552.5	782.7	462.7	233.3
.7	3006.9	1516.0	1554.1	783.5	461.1	232.5
.8	3008.5	1516.8	1555.7	784.4	459.5	231.6
.9	3010.2	1517.6	1557.4	785.2	457.8	230.8
1574.0	3011.8	1518.4	1559.0	786.0	456.2	230.0
.1	3013.4	1519.3	1560.6	786.8	454.6	229.2
.2	3015.1	1520.1	1562.3	787.6	452.9	228.4
.3	3016.7	1520.9	1563.9	788.5	451.3	227.5
.4	3018.3	1521.7	1565.5	789.3	449.7	226.7
.5	3019.9	1522.6	1567.1	790.1	448.1	225.9
.6	3021.6	1523.4	1568.8	790.9	446.4	225.1
.7	3023.2	1524.2	1570.4	791.7	444.8	224.2
.8	3024.8	1525.0	1572.0	792.6	443.2	223.4
.9	3026.5	1525.8	1573.7	793.4	441.5	222.6

Reservoir Storage Tables

PAGE 27

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1575.0	3028.1	1526.7	1575.3	794.2	439.9	221.8
.1	3029.7	1527.5	1576.9	795.0	438.3	221.0
.2	3031.4	1528.3	1578.6	795.9	436.6	220.1
.3	3033.0	1529.1	1580.2	796.7	435.0	219.3
.4	3034.6	1530.0	1581.8	797.5	433.4	218.5
.5	3036.3	1530.8	1583.4	798.3	431.8	217.7
.6	3037.9	1531.6	1585.1	799.1	430.1	216.9
.7	3039.5	1532.4	1586.7	800.0	428.5	216.0
.8	3041.1	1533.2	1588.3	800.8	426.9	215.2
.9	3042.8	1534.1	1590.0	801.6	425.2	214.4
1576.0	3044.4	1534.9	1591.6	802.4	423.6	213.6
.1	3046.0	1535.7	1593.2	803.3	422.0	212.7
.2	3047.7	1536.5	1594.9	804.1	420.3	211.9
.3	3049.3	1537.4	1596.5	804.9	418.7	211.1
.4	3050.9	1538.2	1598.1	805.7	417.1	210.3
.5	3052.6	1539.0	1599.8	806.5	415.4	209.5
.6	3054.2	1539.8	1601.4	807.4	413.8	208.6
.7	3055.8	1540.6	1603.0	808.2	412.2	207.8
.8	3057.4	1541.5	1604.6	809.0	410.6	207.0
.9	3059.1	1542.3	1606.3	809.8	408.9	206.2
1577.0	3060.7	1543.1	1607.9	810.6	407.3	205.3
.1	3062.3	1543.9	1609.5	811.5	405.7	204.5
.2	3064.0	1544.7	1611.2	812.3	404.0	203.7
.3	3065.6	1545.6	1612.8	813.1	402.4	202.9
.4	3067.2	1546.4	1614.4	813.9	400.8	202.1
.5	3068.9	1547.2	1616.1	814.8	399.1	201.2
.6	3070.5	1548.0	1617.7	815.6	397.5	200.4
.7	3072.1	1548.9	1619.3	816.4	395.9	199.6
.8	3073.7	1549.7	1620.9	817.2	394.3	198.8
.9	3075.4	1550.5	1622.6	818.0	392.6	198.0
1578.0	3077.0	1551.3	1624.2	818.9	391.0	197.1
.1	3078.6	1552.1	1625.8	819.7	389.4	196.3
.2	3080.3	1553.0	1627.5	820.5	387.7	195.5
.3	3081.9	1553.8	1629.1	821.3	386.1	194.7
.4	3083.5	1554.6	1630.7	822.2	384.5	193.8
.5	3085.1	1555.4	1632.3	823.0	382.9	193.0
.6	3086.8	1556.3	1634.0	823.8	381.2	192.2
.7	3088.4	1557.1	1635.6	824.6	379.6	191.4
.8	3090.0	1557.9	1637.2	825.4	378.0	190.6
.9	3091.7	1558.7	1638.9	826.3	376.3	189.7
1579.0	3093.3	1559.5	1640.5	827.1	374.7	188.9
.1	3094.9	1560.4	1642.1	827.9	373.1	188.1
.2	3096.6	1561.2	1643.8	828.7	371.4	187.3
.3	3098.2	1562.0	1645.4	829.6	369.8	186.4
.4	3099.8	1562.8	1647.0	830.4	368.2	185.6
.5	3101.4	1563.6	1648.6	831.2	366.6	184.8
.6	3103.1	1564.5	1650.3	832.0	364.9	184.0
.7	3104.7	1565.3	1651.9	832.8	363.3	183.2
.8	3106.3	1566.1	1653.5	833.7	361.7	182.3
.9	3108.0	1566.9	1655.2	834.5	360.0	181.5

PAGE 28

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1580.0	3109.6	1567.8	1656.8	835.3	358.4	180.7
.1	3111.3	1568.6	1658.5	836.2	356.7	179.8
.2	3113.1	1569.5	1660.3	837.1	354.9	178.9
.3	3114.8	1570.4	1662.0	837.9	353.2	178.1
.4	3116.5	1571.3	1663.7	838.8	351.5	177.2
.5	3118.3	1572.1	1665.5	839.7	349.7	176.3
.6	3120.0	1573.0	1667.2	840.6	348.0	175.4
.7	3121.8	1573.9	1669.0	841.4	346.2	174.6
.8	3123.5	1574.8	1670.7	842.3	344.5	173.7
.9	3125.2	1575.6	1672.4	843.2	342.8	172.8
1581.0	3127.0	1576.5	1674.2	844.1	341.0	171.9
.1	3128.7	1577.4	1675.9	844.9	339.3	171.1
.2	3130.4	1578.3	1677.6	845.8	337.6	170.2
.3	3132.2	1579.1	1679.4	846.7	335.8	169.3
.4	3133.9	1580.0	1681.1	847.6	334.1	168.4
.5	3135.6	1580.9	1682.8	848.4	332.4	167.6
.6	3137.4	1581.8	1684.6	849.3	330.6	166.7
.7	3139.1	1582.6	1686.3	850.2	328.9	165.8
.8	3140.8	1583.5	1688.0	851.1	327.2	164.9
.9	3142.6	1584.4	1689.8	851.9	325.4	164.1
1582.0	3144.3	1585.3	1691.5	852.8	323.7	163.2
.1	3146.1	1586.1	1693.3	853.7	321.9	162.3
.2	3147.8	1587.0	1695.0	854.6	320.2	161.4
.3	3149.5	1587.9	1696.7	855.4	318.5	160.6
.4	3151.3	1588.8	1698.5	856.3	316.7	159.7
.5	3153.0	1589.6	1700.2	857.2	315.0	158.8
.6	3154.7	1590.5	1701.9	858.1	313.3	157.9
.7	3156.5	1591.4	1703.7	858.9	311.5	157.1
.8	3158.2	1592.3	1705.4	859.8	309.8	156.2
.9	3159.9	1593.1	1707.1	860.7	308.1	155.3
1583.0	3161.7	1594.0	1708.9	861.6	306.3	154.4
.1	3163.4	1594.9	1710.6	862.4	304.6	153.6
.2	3165.2	1595.8	1712.4	863.3	302.8	152.7
.3	3166.9	1596.6	1714.1	864.2	301.1	151.8
.4	3168.6	1597.5	1715.8	865.1	299.4	150.9
.5	3170.4	1598.4	1717.6	865.9	297.6	150.1
.6	3172.1	1599.3	1719.3	866.8	295.9	149.2
.7	3173.8	1600.1	1721.0	867.7	294.2	148.3
.8	3175.6	1601.0	1722.8	868.6	292.4	147.4
.9	3177.3	1601.9	1724.5	869.4	290.7	146.6
1584.0	3179.0	1602.8	1726.2	870.3	289.0	145.7
.1	3180.8	1603.6	1728.0	871.2	287.2	144.8
.2	3182.5	1604.5	1729.7	872.1	285.5	143.9
.3	3184.2	1605.4	1731.4	872.9	283.8	143.1
.4	3186.0	1606.3	1733.2	873.8	282.0	142.2
.5	3187.7	1607.1	1734.9	874.7	280.3	141.3
.6	3189.5	1608.0	1736.7	875.6	278.5	140.4
.7	3191.2	1608.9	1738.4	876.4	276.8	139.6
.8	3192.9	1609.8	1740.1	877.3	275.1	138.7
.9	3194.7	1610.6	1741.9	878.2	273.3	137.8

DWORSHAK

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1585.0	3196.4	1611.5	1743.6	879.1	271.6	136.9
.1	3198.1	1612.4	1745.3	879.9	269.9	136.1
.2	3199.9	1613.3	1747.1	880.8	268.1	135.2
.3	3201.6	1614.1	1748.8	881.7	266.4	134.3
.4	3203.3	1615.0	1750.5	882.6	264.7	133.4
.5	3205.1	1615.9	1752.3	883.4	262.9	132.6
.6	3206.8	1616.8	1754.0	884.3	261.2	131.7
.7	3208.6	1617.6	1755.8	885.2	259.4	130.8
.8	3210.3	1618.5	1757.5	886.1	257.7	129.9
.9	3212.0	1619.4	1759.2	886.9	256.0	129.1
1586.0	3213.8	1620.3	1761.0	887.8	254.2	128.2
.1	3215.5	1621.1	1762.7	888.7	252.5	127.3
.2	3217.2	1622.0	1764.4	889.6	250.8	126.4
.3	3219.0	1622.9	1766.2	890.4	249.0	125.6
.4	3220.7	1623.8	1767.9	891.3	247.3	124.7
.5	3222.4	1624.6	1769.6	892.2	245.6	123.8
.6	3224.2	1625.5	1771.4	893.1	243.8	122.9
.7	3225.9	1626.4	1773.1	893.9	242.1	122.1
.8	3227.6	1627.3	1774.8	894.8	240.4	121.2
.9	3229.4	1628.1	1776.6	895.7	238.6	120.3
1587.0	3231.1	1629.0	1778.3	896.6	236.9	119.4
.1	3232.9	1629.9	1780.1	897.4	235.1	118.6
.2	3234.6	1630.8	1781.8	898.3	233.4	117.7
.3	3236.3	1631.6	1783.5	899.2	231.7	116.8
.4	3238.1	1632.5	1785.3	900.1	229.9	115.9
.5	3239.8	1633.4	1787.0	900.9	228.2	115.1
.6	3241.5	1634.3	1788.7	901.8	226.5	114.2
.7	3243.3	1635.1	1790.5	902.7	224.7	113.3
.8	3245.0	1636.0	1792.2	903.6	223.0	112.4
.9	3246.7	1636.9	1793.9	904.4	221.3	111.5
1588.0	3248.5	1637.8	1795.7	905.3	219.5	110.7
.1	3250.2	1638.7	1797.4	906.2	217.8	109.8
.2	3252.0	1639.5	1799.2	907.1	216.0	108.9
.3	3253.7	1640.4	1800.9	907.9	214.3	108.0
.4	3255.4	1641.3	1802.6	908.8	212.6	107.2
.5	3257.2	1642.2	1804.4	909.7	210.8	106.3
.6	3258.9	1643.0	1806.1	910.6	209.1	105.4
.7	3260.6	1643.9	1807.8	911.4	207.4	104.5
.8	3262.4	1644.8	1809.6	912.3	205.6	103.7
.9	3264.1	1645.7	1811.3	913.2	203.9	102.8
1589.0	3265.8	1646.5	1813.0	914.1	202.2	101.9
.1	3267.6	1647.4	1814.8	914.9	200.4	101.0
.2	3269.3	1648.3	1816.5	915.8	198.7	100.2
.3	3271.0	1649.2	1818.2	916.7	197.0	99.3
.4	3272.8	1650.0	1820.0	917.6	195.2	98.4
.5	3274.5	1650.9	1821.7	918.5	193.5	97.5
.6	3276.3	1651.8	1823.5	919.3	191.7	96.7
.7	3278.0	1652.7	1825.2	920.2	190.0	95.8
.8	3279.7	1653.5	1826.9	921.1	188.3	94.9
.9	3281.5	1654.4	1828.7	922.0	186.5	94.0

DWORSHAK

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1590.0	3283.2	1655.3	1830.4	922.8	184.8	93.2
.1	3285.0	1656.2	1832.2	923.8	183.0	92.2
.2	3286.9	1657.1	1834.1	924.7	181.1	91.3
.3	3288.7	1658.1	1835.9	925.6	179.3	90.4
.4	3290.6	1659.0	1837.8	926.6	177.4	89.4
.5	3292.4	1659.9	1839.6	927.5	175.6	88.5
.6	3294.3	1660.9	1841.5	928.4	173.7	87.6
.7	3296.1	1661.8	1843.3	929.3	171.9	86.6
.8	3298.0	1662.7	1845.2	930.3	170.0	85.7
.9	3299.8	1663.7	1847.0	931.2	168.2	84.8
1591.0	3301.7	1664.6	1848.9	932.1	166.3	83.9
.1	3303.5	1665.5	1850.7	933.1	164.5	82.9
.2	3305.4	1666.5	1852.6	934.0	162.6	82.0
.3	3307.2	1667.4	1854.4	934.9	160.8	81.1
.4	3309.1	1668.3	1856.3	935.9	158.9	80.1
.5	3310.9	1669.3	1858.1	936.8	157.1	79.2
.6	3312.8	1670.2	1860.0	937.7	155.2	78.3
.7	3314.6	1671.1	1861.8	938.7	153.4	77.3
.8	3316.5	1672.1	1863.7	939.6	151.5	76.4
.9	3318.3	1673.0	1865.5	940.5	149.7	75.5
1592.0	3320.2	1673.9	1867.4	941.5	147.8	74.5
.1	3322.0	1674.8	1869.2	942.4	146.0	73.6
.2	3323.9	1675.8	1871.1	943.3	144.1	72.7
.3	3325.7	1676.7	1872.9	944.3	142.3	71.7
.4	3327.6	1677.6	1874.8	945.2	140.4	70.8
.5	3329.4	1678.6	1876.6	946.1	138.6	69.9
.6	3331.2	1679.5	1878.4	947.1	136.8	68.9
.7	3333.1	1680.4	1880.3	948.0	134.9	68.0
.8	3334.9	1681.4	1882.1	948.9	133.1	67.1
.9	3336.8	1682.3	1884.0	949.9	131.2	66.2
1593.0	3338.6	1683.2	1885.8	950.8	129.4	65.2
.1	3340.5	1684.2	1887.7	951.7	127.5	64.3
.2	3342.3	1685.1	1889.5	952.6	125.7	63.4
.3	3344.2	1686.0	1891.4	953.6	123.8	62.4
.4	3346.0	1687.0	1893.2	954.5	122.0	61.5
.5	3347.9	1687.9	1895.1	955.4	120.1	60.6
.6	3349.7	1688.8	1896.9	956.4	118.3	59.6
.7	3351.6	1689.8	1898.8	957.3	116.4	58.7
.8	3353.4	1690.7	1900.6	958.2	114.6	57.8
.9	3355.3	1691.6	1902.5	959.2	112.7	56.8
1594.0	3357.1	1692.5	1904.3	960.1	110.9	55.9
.1	3359.0	1693.5	1906.2	961.0	109.0	55.0
.2	3360.8	1694.4	1908.0	962.0	107.2	54.0
.3	3362.7	1695.3	1909.9	962.9	105.3	53.1
.4	3364.5	1696.3	1911.7	963.8	103.5	52.2
.5	3366.4	1697.2	1913.6	964.8	101.6	51.2
.6	3368.2	1698.1	1915.4	965.7	99.8	50.3
.7	3370.1	1699.1	1917.3	966.6	97.9	49.4
.8	3371.9	1700.0	1919.1	967.5	96.1	48.4
.9	3373.8	1700.9	1921.0	968.5	94.2	47.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1595.0	3375.6	1701.9	1922.8	969.4	92.4	46.6
.1	3377.4	1702.8	1924.6	970.3	90.6	45.7
.2	3379.3	1703.7	1926.5	971.3	88.7	44.7
.3	3381.1	1704.7	1928.3	972.2	86.9	43.8
.4	3383.0	1705.6	1930.2	973.1	85.0	42.9
.5	3384.8	1706.5	1932.0	974.1	83.2	41.9
.6	3386.7	1707.5	1933.9	975.0	81.3	41.0
.7	3388.5	1708.4	1935.7	975.9	79.5	40.1
.8	3390.4	1709.3	1937.6	976.9	77.6	39.1
.9	3392.2	1710.3	1939.4	977.8	75.8	38.2
1596.0	3394.1	1711.2	1941.3	978.7	73.9	37.3
.1	3395.9	1712.1	1943.1	979.7	72.1	36.3
.2	3397.8	1713.0	1945.0	980.6	70.2	35.4
.3	3399.6	1714.0	1946.8	981.5	68.4	34.5
.4	3401.5	1714.9	1948.7	982.5	66.5	33.5
.5	3403.3	1715.8	1950.5	983.4	64.7	32.6
.6	3405.2	1716.8	1952.4	984.3	62.8	31.7
.7	3407.0	1717.7	1954.2	985.3	61.0	30.7
.8	3408.9	1718.6	1956.1	986.2	59.1	29.8
.9	3410.7	1719.6	1957.9	987.1	57.3	28.9
1597.0	3412.6	1720.5	1959.8	988.0	55.4	28.0
.1	3414.4	1721.4	1961.6	989.0	53.6	27.0
.2	3416.3	1722.4	1963.5	989.9	51.7	26.1
.3	3418.1	1723.3	1965.3	990.8	49.9	25.2
.4	3420.0	1724.2	1967.2	991.8	48.0	24.2
.5	3421.8	1725.2	1969.0	992.7	46.2	23.3
.6	3423.6	1726.1	1970.8	993.6	44.4	22.4
.7	3425.5	1727.0	1972.7	994.6	42.5	21.4
.8	3427.3	1728.0	1974.5	995.5	40.7	20.5
.9	3429.2	1728.9	1976.4	996.4	38.8	19.6
1598.0	3431.0	1729.8	1978.2	997.4	37.0	18.6
.1	3432.9	1730.7	1980.1	998.3	35.1	17.7
.2	3434.7	1731.7	1981.9	999.2	33.3	16.8
.3	3436.6	1732.6	1983.8	1000.2	31.4	15.8
.4	3438.4	1733.5	1985.6	1001.1	29.6	14.9
.5	3440.3	1734.5	1987.5	1002.0	27.7	14.0
.6	3442.1	1735.4	1989.3	1003.0	25.9	13.0
.7	3444.0	1736.3	1991.2	1003.9	24.0	12.1
.8	3445.8	1737.3	1993.0	1004.8	22.2	11.2
.9	3447.7	1738.2	1994.9	1005.7	20.3	10.2
1599.0	3449.5	1739.1	1996.7	1006.7	18.5	9.3
.1	3451.4	1740.1	1998.6	1007.6	16.6	8.4
.2	3453.2	1741.0	2000.4	1008.5	14.8	7.5
.3	3455.1	1741.9	2002.3	1009.5	12.9	6.5
.4	3456.9	1742.9	2004.1	1010.4	11.1	5.6
.5	3458.8	1743.8	2006.0	1011.3	9.2	4.7
.6	3460.6	1744.7	2007.8	1012.3	7.4	3.7
.7	3462.5	1745.7	2009.7	1013.2	5.5	2.8
.8	3464.3	1746.6	2011.5	1014.1	3.7	1.9
.9	3466.2	1747.5	2013.4	1015.1	1.8	0.9

ELEVATION FEET	GROSS STORAGE KAF		KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1600.0	SUB	3468.0	1748.5	2015.2	1016.0	0.0	0.0
.1		3469.8	1749.4				
.2		3471.7	1750.3				
.3		3473.5	1751.2				
.4		3475.4	1752.2				
.5		3477.2	1753.1				
.6		3479.1	1754.0				
.7		3480.9	1755.0				
.8		3482.8	1755.9				
.9		3484.6	1756.8				
1601.0		3486.5	1757.8				

Reservoir Storage Tables

PROJECT NAME: NOXON

PROJECT NUMBER: 38

STORAGE LOWER BOUND (SLB) =   265.30KAF   STORAGE UPPER BOUND (SUB) = 496.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2295.0	SLB	265.3	133.8	0.0	0.0	230.7	116.3
.1		265.8	134.0	0.5	0.3	230.2	116.1
.2		266.3	134.3	1.0	0.5	229.7	115.8
.3		266.8	134.5	1.5	0.8	229.2	115.5
.4		267.3	134.8	2.0	1.0	228.7	115.3
.5		267.8	135.0	2.5	1.3	228.2	115.0
.6		268.3	135.3	3.0	1.5	227.7	114.8
.7		268.8	135.5	3.5	1.8	227.2	114.5
.8		269.3	135.8	4.0	2.0	226.7	114.3
.9		269.8	136.0	4.5	2.3	226.2	114.0
2296.0		270.3	136.3	5.0	2.5	225.7	113.8
.1		270.8	136.6	5.5	2.8	225.2	113.5
.2		271.3	136.8	6.0	3.0	224.7	113.3
.3		271.9	137.1	6.6	3.3	224.1	113.0
.4		272.4	137.3	7.1	3.6	223.6	112.8
.5		272.9	137.6	7.6	3.8	223.1	112.5
.6		273.4	137.8	8.1	4.1	222.6	112.2
.7		273.9	138.1	8.6	4.3	222.1	112.0
.8		274.4	138.3	9.1	4.6	221.6	111.7
.9		274.9	138.6	9.6	4.8	221.1	111.5
2297.0		275.4	138.8	10.1	5.1	220.6	111.2
.1		275.9	139.1	10.6	5.3	220.1	111.0
.2		276.4	139.3	11.1	5.6	219.6	110.7
.3		276.9	139.6	11.6	5.8	219.1	110.5
.4		277.4	139.9	12.1	6.1	218.6	110.2
.5		277.9	140.1	12.6	6.4	218.1	110.0
.6		278.4	140.4	13.1	6.6	217.6	109.7
.7		278.9	140.6	13.6	6.9	217.1	109.5
.8		279.4	140.9	14.1	7.1	216.6	109.2
.9		279.9	141.1	14.6	7.4	216.1	108.9
2298.0		280.4	141.4	15.1	7.6	215.6	108.7
.1		280.9	141.6	15.6	7.9	215.1	108.4
.2		281.4	141.9	16.1	8.1	214.6	108.2
.3		281.9	142.1	16.6	8.4	214.1	107.9
.4		282.4	142.4	17.1	8.6	213.6	107.7
.5		282.9	142.6	17.6	8.9	213.1	107.4
.6		283.4	142.9	18.1	9.1	212.6	107.2
.7		283.9	143.2	18.6	9.4	212.1	106.9
.8		284.5	143.4	19.2	9.7	211.5	106.7
.9		285.0	143.7	19.7	9.9	211.0	106.4
2299.0		285.5	143.9	20.2	10.2	210.5	106.1
.1		286.0	144.2	20.7	10.4	210.0	105.9
.2		286.5	144.4	21.2	10.7	209.5	105.6
.3		287.0	144.7	21.7	10.9	209.0	105.4
.4		287.5	144.9	22.2	11.2	208.5	105.1
.5		288.0	145.2	22.7	11.4	208.0	104.9
.6		288.5	145.4	23.2	11.7	207.5	104.6
.7		289.0	145.7	23.7	11.9	207.0	104.4
.8		289.5	146.0	24.2	12.2	206.5	104.1
.9		290.0	146.2	24.7	12.5	206.0	103.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2300.0	290.5	146.5	25.2	12.7	205.5	103.6
.1	291.0	146.7	25.7	13.0	205.0	103.3
.2	291.6	147.0	26.3	13.3	204.4	103.1
.3	292.1	147.3	26.8	13.5	203.9	102.8
.4	292.7	147.6	27.4	13.8	203.3	102.5
.5	293.2	147.8	27.9	14.1	202.8	102.2
.6	293.8	148.1	28.5	14.4	202.2	101.9
.7	294.3	148.4	29.0	14.6	201.7	101.7
.8	294.9	148.7	29.6	14.9	201.1	101.4
.9	295.4	148.9	30.1	15.2	200.6	101.1
2301.0	296.0	149.2	30.7	15.5	200.0	100.8
.1	296.5	149.5	31.2	15.7	199.5	100.6
.2	297.1	149.8	31.8	16.0	198.9	100.3
.3	297.6	150.1	32.3	16.3	198.4	100.0
.4	298.2	150.3	32.9	16.6	197.8	99.7
.5	298.7	150.6	33.4	16.8	197.3	99.5
.6	299.3	150.9	34.0	17.1	196.7	99.2
.7	299.8	151.2	34.5	17.4	196.2	98.9
.8	300.4	151.4	35.1	17.7	195.6	98.6
.9	300.9	151.7	35.6	18.0	195.1	98.4
2302.0	301.5	152.0	36.2	18.2	194.5	98.1
.1	302.0	152.3	36.7	18.5	194.0	97.8
.2	302.6	152.5	37.3	18.8	193.4	97.5
.3	303.1	152.8	37.8	19.1	192.9	97.3
.4	303.7	153.1	38.4	19.3	192.3	97.0
.5	304.2	153.4	38.9	19.6	191.8	96.7
.6	304.7	153.6	39.4	19.9	191.3	96.4
.7	305.3	153.9	40.0	20.2	190.7	96.1
.8	305.8	154.2	40.5	20.4	190.2	95.9
.9	306.4	154.5	41.1	20.7	189.6	95.6
2303.0	306.9	154.7	41.6	21.0	189.1	95.3
.1	307.5	155.0	42.2	21.3	188.5	95.0
.2	308.0	155.3	42.7	21.5	188.0	94.8
.3	308.6	155.6	43.3	21.8	187.4	94.5
.4	309.1	155.9	43.8	22.1	186.9	94.2
.5	309.7	156.1	44.4	22.4	186.3	93.9
.6	310.2	156.4	44.9	22.7	185.8	93.7
.7	310.8	156.7	45.5	22.9	185.2	93.4
.8	311.3	157.0	46.0	23.2	184.7	93.1
.9	311.9	157.2	46.6	23.5	184.1	92.8
2304.0	312.4	157.5	47.1	23.8	183.6	92.6
.1	313.0	157.8	47.7	24.0	183.0	92.3
.2	313.5	158.1	48.2	24.3	182.5	92.0
.3	314.1	158.3	48.8	24.6	181.9	91.7
.4	314.6	158.6	49.3	24.9	181.4	91.5
.5	315.2	158.9	49.9	25.1	180.8	91.2
.6	315.7	159.2	50.4	25.4	180.3	90.9
.7	316.3	159.4	51.0	25.7	179.7	90.6
.8	316.8	159.7	51.5	26.0	179.2	90.3
.9	317.4	160.0	52.1	26.2	178.6	90.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2305.0	317.9	160.3	52.6	26.5	178.1	89.8
.1	318.5	160.6	53.2	26.8	177.5	89.5
.2	319.1	160.9	53.8	27.1	176.9	89.2
.3	319.7	161.2	54.4	27.4	176.3	88.9
.4	320.3	161.5	55.0	27.7	175.7	88.6
.5	320.9	161.8	55.6	28.0	175.1	88.3
.6	321.5	162.1	56.2	28.3	174.5	88.0
.7	322.1	162.4	56.8	28.6	173.9	87.7
.8	322.7	162.7	57.4	28.9	173.3	87.4
.9	323.3	163.0	58.0	29.2	172.7	87.1
2306.0	323.9	163.3	58.6	29.5	172.1	86.8
.1	324.5	163.6	59.2	29.8	171.5	86.5
.2	325.1	163.9	59.8	30.1	170.9	86.2
.3	325.7	164.2	60.4	30.4	170.3	85.9
.4	326.3	164.5	61.0	30.7	169.7	85.6
.5	326.9	164.8	61.6	31.0	169.1	85.3
.6	327.5	165.1	62.2	31.3	168.5	85.0
.7	328.1	165.4	62.8	31.6	167.9	84.7
.8	328.7	165.7	63.4	31.9	167.3	84.4
.9	329.3	166.0	64.0	32.2	166.7	84.1
2307.0	329.9	166.3	64.6	32.5	166.1	83.8
.1	330.5	166.6	65.2	32.9	165.5	83.5
.2	331.1	166.9	65.8	33.2	164.9	83.2
.3	331.7	167.2	66.4	33.5	164.3	82.9
.4	332.3	167.5	67.0	33.8	163.7	82.6
.5	332.9	167.8	67.6	34.1	163.1	82.3
.6	333.4	168.1	68.1	34.4	162.6	82.0
.7	334.0	168.4	68.7	34.7	162.0	81.7
.8	334.6	168.7	69.3	35.0	161.4	81.4
.9	335.2	169.0	69.9	35.3	160.8	81.0
2308.0	335.8	169.3	70.5	35.6	160.2	80.7
.1	336.4	169.6	71.1	35.9	159.6	80.4
.2	337.0	169.9	71.7	36.2	159.0	80.1
.3	337.6	170.2	72.3	36.5	158.4	79.8
.4	338.2	170.5	72.9	36.8	157.8	79.5
.5	338.8	170.8	73.5	37.1	157.2	79.2
.6	339.4	171.1	74.1	37.4	156.6	78.9
.7	340.0	171.4	74.7	37.7	156.0	78.6
.8	340.6	171.7	75.3	38.0	155.4	78.3
.9	341.2	172.0	75.9	38.3	154.8	78.0
2309.0	341.8	172.3	76.5	38.6	154.2	77.7
.1	342.4	172.6	77.1	38.9	153.6	77.4
.2	343.0	172.9	77.7	39.2	153.0	77.1
.3	343.6	173.2	78.3	39.5	152.4	76.8
.4	344.2	173.5	78.9	39.8	151.8	76.5
.5	344.8	173.8	79.5	40.1	151.2	76.2
.6	345.4	174.1	80.1	40.4	150.6	75.9
.7	346.0	174.4	80.7	40.7	150.0	75.6
.8	346.6	174.7	81.3	41.0	149.4	75.3
.9	347.2	175.0	81.9	41.3	148.8	75.0
2310.0	347.8	175.3	82.5	41.6	148.2	74.7
.1	348.4	175.7	83.1	41.9	147.6	74.4
.2	349.1	176.0	83.8	42.2	146.9	74.1
.3	349.7	176.3	84.4	42.6	146.3	73.7
.4	350.4	176.7	85.1	42.9	145.6	73.4
.5	351.0	177.0	85.7	43.2	145.0	73.1
.6	351.7	177.3	86.4	43.6	144.3	72.8
.7	352.3	177.6	87.0	43.9	143.7	72.4
.8	353.0	178.0	87.7	44.2	143.0	72.1
.9	353.6	178.3	88.3	44.5	142.4	71.8
2311.0	354.3	178.6	89.0	44.9	141.7	71.5
.1	354.9	178.9	89.6	45.2	141.1	71.1
.2	355.6	179.3	90.3	45.5	140.4	70.8
.3	356.2	179.6	90.9	45.8	139.8	70.5
.4	356.9	179.9	91.6	46.2	139.1	70.1
.5	357.5	180.2	92.2	46.5	138.5	69.8
.6	358.2	180.6	92.9	46.8	137.8	69.5
.7	358.8	180.9	93.5	47.1	137.2	69.2
.8	359.5	181.2	94.2	47.5	136.5	68.8
.9	360.1	181.6	94.8	47.8	135.9	68.5
2312.0	360.8	181.9	95.5	48.1	135.2	68.2
.1	361.4	182.2	96.1	48.5	134.6	67.9
.2	362.1	182.5	96.8	48.8	133.9	67.5
.3	362.7	182.9	97.4	49.1	133.3	67.2
.4	363.4	183.2	98.1	49.4	132.6	66.9
.5	364.0	183.5	98.7	49.8	132.0	66.6
.6	364.6	183.8	99.3	50.1	131.4	66.2
.7	365.3	184.2	100.0	50.4	130.7	65.9
.8	365.9	184.5	100.6	50.7	130.1	65.6
.9	366.6	184.8	101.3	51.1	129.4	65.2
2313.0	367.2	185.2	101.9	51.4	128.8	64.9
.1	367.9	185.5	102.6	51.7	128.1	64.6
.2	368.5	185.8	103.2	52.0	127.5	64.3
.3	369.2	186.1	103.9	52.4	126.8	63.9
.4	369.8	186.5	104.5	52.7	126.2	63.6
.5	370.5	186.8	105.2	53.0	125.5	63.3
.6	371.1	187.1	105.8	53.4	124.9	63.0
.7	371.8	187.4	106.5	53.7	124.2	62.6
.8	372.4	187.8	107.1	54.0	123.6	62.3
.9	373.1	188.1	107.8	54.3	122.9	62.0
2314.0	373.7	188.4	108.4	54.7	122.3	61.6
.1	374.4	188.7	109.1	55.0	121.6	61.3
.2	375.0	189.1	109.7	55.3	121.0	61.0
.3	375.7	189.4	110.4	55.6	120.3	60.7
.4	376.3	189.7	111.0	56.0	119.7	60.3
.5	377.0	190.1	111.7	56.3	119.0	60.0
.6	377.6	190.4	112.3	56.6	118.4	59.7
.7	378.3	190.7	113.0	56.9	117.7	59.4
.8	378.9	191.0	113.6	57.3	117.1	59.0
.9	379.6	191.4	114.3	57.6	116.4	58.7

Reservoir Storage Tables

PAGE 5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2315.0	380.2	191.7	114.9	57.9	115.8	58.4
.1	380.9	192.0	115.6	58.3	115.1	58.0
.2	381.6	192.4	116.3	58.6	114.4	57.7
.3	382.2	192.7	116.9	59.0	113.8	57.4
.4	382.9	193.1	117.6	59.3	113.1	57.0
.5	383.6	193.4	118.3	59.6	112.4	56.7
.6	384.3	193.7	119.0	60.0	111.7	56.3
.7	385.0	194.1	119.7	60.3	111.0	56.0
.8	385.7	194.4	120.4	60.7	110.3	55.6
.9	386.3	194.8	121.0	61.0	109.7	55.3
2316.0	387.0	195.1	121.7	61.4	109.0	54.9
.1	387.7	195.5	122.4	61.7	108.3	54.6
.2	388.4	195.8	123.1	62.1	107.6	54.3
.3	389.1	196.2	123.8	62.4	106.9	53.9
.4	389.7	196.5	124.4	62.7	106.3	53.6
.5	390.4	196.8	125.1	63.1	105.6	53.2
.6	391.1	197.2	125.8	63.4	104.9	52.9
.7	391.8	197.5	126.5	63.8	104.2	52.5
.8	392.5	197.9	127.2	64.1	103.5	52.2
.9	393.2	198.2	127.9	64.5	102.8	51.8
2317.0	393.8	198.6	128.5	64.8	102.2	51.5
.1	394.5	198.9	129.2	65.1	101.5	51.2
.2	395.2	199.2	129.9	65.5	100.8	50.8
.3	395.9	199.6	130.6	65.8	100.1	50.5
.4	396.6	199.9	131.3	66.2	99.4	50.1
.5	397.3	200.3	131.9	66.5	98.8	49.8
.6	397.9	200.6	132.6	66.9	98.1	49.4
.7	398.6	201.0	133.3	67.2	97.4	49.1
.8	399.3	201.3	134.0	67.6	96.7	48.8
.9	400.0	201.7	134.7	67.9	96.0	48.4
2318.0	400.7	202.0	135.4	68.2	95.3	48.1
.1	401.3	202.3	136.0	68.6	94.7	47.7
.2	402.0	202.7	136.7	68.9	94.0	47.4
.3	402.7	203.0	137.4	69.3	93.3	47.0
.4	403.4	203.4	138.1	69.6	92.6	46.7
.5	404.1	203.7	138.8	70.0	91.9	46.3
.6	404.8	204.1	139.5	70.3	91.2	46.0
.7	405.4	204.4	140.1	70.7	90.6	45.7
.8	406.1	204.8	140.8	71.0	89.9	45.3
.9	406.8	205.1	141.5	71.3	89.2	45.0
2319.0	407.5	205.4	142.2	71.7	88.5	44.6
.1	408.2	205.8	142.9	72.0	87.8	44.3
.2	408.8	206.1	143.5	72.4	87.2	43.9
.3	409.5	206.5	144.2	72.7	86.5	43.6
.4	410.2	206.8	144.9	73.1	85.8	43.3
.5	410.9	207.2	145.6	73.4	85.1	42.9
.6	411.6	207.5	146.3	73.7	84.4	42.6
.7	412.3	207.8	147.0	74.1	83.7	42.2
.8	412.9	208.2	147.6	74.4	83.1	41.9
.9	413.6	208.5	148.3	74.8	82.4	41.5

PAGE 6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2320.0	414.3	208.9	149.0	75.1	81.7	41.2
.1	415.0	209.2	149.7	75.5	81.0	40.8
.2	415.7	209.6	150.4	75.8	80.3	40.5
.3	416.5	210.0	151.2	76.2	79.5	40.1
.4	417.2	210.3	151.9	76.6	78.8	39.7
.5	417.9	210.7	152.6	76.9	78.1	39.4
.6	418.6	211.0	153.3	77.3	77.4	39.0
.7	419.3	211.4	154.0	77.7	76.7	38.7
.8	420.0	211.8	154.7	78.0	76.0	38.3
.9	420.8	212.1	155.5	78.4	75.2	37.9
2321.0	421.5	212.5	156.2	78.7	74.5	37.6
.1	422.2	212.9	156.9	79.1	73.8	37.2
.2	422.9	213.2	157.6	79.5	73.1	36.8
.3	423.6	213.6	158.3	79.8	72.4	36.5
.4	424.4	213.9	159.1	80.2	71.6	36.1
.5	425.1	214.3	159.8	80.6	70.9	35.8
.6	425.8	214.7	160.5	80.9	70.2	35.4
.7	426.5	215.0	161.2	81.3	69.5	35.0
.8	427.2	215.4	161.9	81.6	68.8	34.7
.9	427.9	215.8	162.6	82.0	68.1	34.3
2322.0	428.7	216.1	163.4	82.4	67.3	34.0
.1	429.4	216.5	164.1	82.7	66.6	33.6
.2	430.1	216.8	164.8	83.1	65.9	33.2
.3	430.8	217.2	165.5	83.4	65.2	32.9
.4	431.5	217.6	166.2	83.8	64.5	32.5
.5	432.3	217.9	166.9	84.2	63.8	32.1
.6	433.0	218.3	167.7	84.5	63.0	31.8
.7	433.7	218.6	168.4	84.9	62.3	31.4
.8	434.4	219.0	169.1	85.3	61.6	31.1
.9	435.1	219.4	169.8	85.6	60.9	30.7
2323.0	435.8	219.7	170.5	86.0	60.2	30.3
.1	436.6	220.1	171.3	86.3	59.4	30.0
.2	437.3	220.5	172.0	86.7	58.7	29.6
.3	438.0	220.8	172.7	87.1	58.0	29.2
.4	438.7	221.2	173.4	87.4	57.3	28.9
.5	439.4	221.5	174.1	87.8	56.6	28.5
.6	440.1	221.9	174.8	88.2	55.9	28.2
.7	440.9	222.3	175.6	88.5	55.1	27.8
.8	441.6	222.6	176.3	88.9	54.4	27.4
.9	442.3	223.0	177.0	89.2	53.7	27.1
2324.0	443.0	223.4	177.7	89.6	53.0	26.7
.1	443.7	223.7	178.4	90.0	52.3	26.3
.2	444.5	224.1	179.2	90.3	51.5	26.0
.3	445.2	224.4	179.9	90.7	50.8	25.6
.4	445.9	224.8	180.6	91.0	50.1	25.3
.5	446.6	225.2	181.3	91.4	49.4	24.9
.6	447.3	225.5	182.0	91.8	48.7	24.5
.7	448.0	225.9	182.7	92.1	48.0	24.2
.8	448.8	226.3	183.5	92.5	47.2	23.8
.9	449.5	226.6	184.2	92.9	46.5	23.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2325.0	450.2	227.0	184.9	93.2	45.8	23.1
.1	451.0	227.4	185.7	93.6	45.0	22.7
.2	451.7	227.7	186.4	94.0	44.3	22.3
.3	452.5	228.1	187.2	94.4	43.5	21.9
.4	453.2	228.5	187.9	94.7	42.8	21.6
.5	454.0	228.9	188.7	95.1	42.0	21.2
.6	454.7	229.3	189.4	95.5	41.3	20.8
.7	455.5	229.7	190.2	95.9	40.5	20.4
.8	456.3	230.0	191.0	96.3	39.7	20.0
.9	457.0	230.4	191.7	96.7	39.0	19.7
2326.0	457.8	230.8	192.5	97.0	38.2	19.3
.1	458.5	231.2	193.2	97.4	37.5	18.9
.2	459.3	231.6	194.0	97.8	36.7	18.5
.3	460.1	231.9	194.8	98.2	35.9	18.1
.4	460.8	232.3	195.5	98.6	35.2	17.7
.5	461.6	232.7	196.3	99.0	34.4	17.4
.6	462.3	233.1	197.0	99.3	33.7	17.0
.7	463.1	233.5	197.8	99.7	32.9	16.6
.8	463.8	233.9	198.5	100.1	32.2	16.2
.9	464.6	234.2	199.3	100.5	31.4	15.8
2327.0	465.4	234.6	200.1	100.9	30.6	15.4
.1	466.1	235.0	200.8	101.2	29.9	15.1
.2	466.9	235.4	201.6	101.6	29.1	14.7
.3	467.6	235.8	202.3	102.0	28.4	14.3
.4	468.4	236.1	203.1	102.4	27.6	13.9
.5	469.1	236.5	203.8	102.8	26.9	13.5
.6	469.9	236.9	204.6	103.2	26.1	13.2
.7	470.7	237.3	205.4	103.5	25.3	12.8
.8	471.4	237.7	206.1	103.9	24.6	12.4
.9	472.2	238.1	206.9	104.3	23.8	12.0
2328.0	472.9	238.4	207.6	104.7	23.1	11.6
.1	473.7	238.8	208.4	105.1	22.3	11.2
.2	474.5	239.2	209.2	105.4	21.5	10.9
.3	475.2	239.6	209.9	105.8	20.8	10.5
.4	476.0	240.0	210.7	106.2	20.0	10.1
.5	476.7	240.4	211.4	106.6	19.3	9.7
.6	477.5	240.7	212.2	107.0	18.5	9.3
.7	478.2	241.1	212.9	107.4	17.8	9.0
.8	479.0	241.5	213.7	107.7	17.0	8.6
.9	479.8	241.9	214.5	108.1	16.2	8.2
2329.0	480.5	242.3	215.2	108.5	15.5	7.8
.1	481.3	242.6	216.0	108.9	14.7	7.4
.2	482.0	243.0	216.7	109.3	14.0	7.0
.3	482.8	243.4	217.5	109.7	13.2	6.7
.4	483.6	243.8	218.3	110.0	12.4	6.3
.5	484.3	244.2	219.0	110.4	11.7	5.9
.6	485.1	244.6	219.8	110.8	10.9	5.5
.7	485.8	244.9	220.5	111.2	10.2	5.1
.8	486.6	245.3	221.3	111.6	9.4	4.7
.9	487.3	245.7	222.0	111.9	8.7	4.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
2330.0	488.1	246.1	222.8	112.3	7.9	4.0
.1	488.9	246.5	223.6	112.7	7.1	3.6
.2	489.7	246.9	224.4	113.1	6.3	3.2
.3	490.5	247.3	225.2	113.5	5.5	2.8
.4	491.3	247.7	226.0	113.9	4.7	2.4
.5	492.0	248.1	226.7	114.3	4.0	2.0
.6	492.8	248.5	227.5	114.7	3.2	1.6
.7	493.6	248.9	228.3	115.1	2.4	1.2
.8	494.4	249.3	229.1	115.5	1.6	0.8
.9	495.2	249.7	229.9	115.9	0.8	0.4
2331.0 SUB	496.0	250.1	230.7	116.3	0.0	0.0
.1	496.8	250.5				
.2	497.6	250.9				
.3	498.4	251.3				
.4	499.2	251.7				
.5	500.0	252.1				
.6	500.7	252.5				
.7	501.5	252.9				
.8	502.3	253.3				
.9	503.1	253.7				
2332.0	503.9	254.0				

Noxon

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

```
1                        PROJECT NAME:    ROUND BUTTE                              ROUND BUTTE
07/24/96

                         PROJECT NUMBER:    40
PAGE 1
                                                                        PAGE  2
   STORAGE LOWER BOUND (SLB) =    249.70KAF      STORAGE UPPER BOUND (SUB) =  524.00  KAF
```

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1860.0	SLB	249.7	125.9	0.0	0.0	274.3	138.3
.1		250.0	126.0	0.3	0.1	274.0	138.2
.2		250.2	126.2	0.5	0.3	273.8	138.0
.3		250.5	126.3	0.8	0.4	273.5	137.9
.4		250.7	126.4	1.0	0.5	273.3	137.8
.5		251.0	126.5	1.3	0.7	273.0	137.6
.6		251.3	126.7	1.6	0.8	272.7	137.5
.7		251.5	126.8	1.8	0.9	272.5	137.4
.8		251.8	126.9	2.1	1.0	272.2	137.2
.9		252.0	127.1	2.3	1.2	272.0	137.1
1861.0		252.3	127.2	2.6	1.3	271.7	137.0
.1		252.6	127.3	2.9	1.4	271.4	136.9
.2		252.8	127.5	3.1	1.6	271.2	136.7
.3		253.1	127.6	3.4	1.7	270.9	136.6
.4		253.3	127.7	3.6	1.8	270.7	136.5
.5		253.6	127.9	3.9	2.0	270.4	136.3
.6		253.9	128.0	4.2	2.1	270.1	136.2
.7		254.1	128.1	4.4	2.2	269.9	136.1
.8		254.4	128.2	4.7	2.4	269.6	135.9
.9		254.6	128.4	4.9	2.5	269.4	135.8
1862.0		254.9	128.5	5.2	2.6	269.1	135.7
.1		255.2	128.6	5.5	2.7	268.8	135.5
.2		255.4	128.8	5.7	2.9	268.6	135.4
.3		255.7	128.9	6.0	3.0	268.3	135.3
.4		255.9	129.0	6.2	3.1	268.1	135.2
.5		256.2	129.2	6.5	3.3	267.8	135.0
.6		256.5	129.3	6.8	3.4	267.5	134.9
.7		256.7	129.4	7.0	3.5	267.3	134.8
.8		257.0	129.6	7.3	3.7	267.0	134.6
.9		257.2	129.7	7.5	3.8	266.8	134.5
1863.0		257.5	129.8	7.8	3.9	266.5	134.4
.1		257.7	129.9	8.0	4.1	266.3	134.2
.2		258.0	130.1	8.3	4.2	266.0	134.1
.3		258.3	130.2	8.6	4.3	265.7	134.0
.4		258.5	130.3	8.8	4.5	265.5	133.8
.5		258.8	130.5	9.1	4.6	265.2	133.7
.6		259.0	130.6	9.3	4.7	265.0	133.6
.7		259.3	130.7	9.6	4.8	264.7	133.4
.8		259.6	130.9	9.9	5.0	264.4	133.3
.9		259.8	131.0	10.1	5.1	264.2	133.2
1864.0		260.1	131.1	10.4	5.2	263.9	133.1
.1		260.3	131.3	10.6	5.4	263.7	132.9
.2		260.6	131.4	10.9	5.5	263.4	132.8
.3		260.9	131.5	11.2	5.6	263.1	132.7
.4		261.1	131.6	11.4	5.8	262.9	132.5
.5		261.4	131.8	11.7	5.9	262.6	132.4
.6		261.6	131.9	11.9	6.0	262.4	132.3
.7		261.9	132.0	12.2	6.2	262.1	132.1
.8		262.2	132.2	12.5	6.3	261.8	132.0
.9		262.4	132.3	12.7	6.4	261.6	131.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1865.0	262.7	132.4	13.0	6.5	261.3	131.7
.1	262.9	132.6	13.2	6.7	261.1	131.6
.2	263.2	132.7	13.5	6.8	260.8	131.5
.3	263.5	132.8	13.8	6.9	260.5	131.4
.4	263.7	133.0	14.0	7.1	260.3	131.2
.5	264.0	133.1	14.3	7.2	260.0	131.1
.6	264.2	133.2	14.5	7.3	259.8	131.0
.7	264.5	133.4	14.8	7.5	259.5	130.8
.8	264.8	133.5	15.1	7.6	259.2	130.7
.9	265.0	133.6	15.3	7.7	259.0	130.6
1866.0	265.3	133.7	15.6	7.9	258.7	130.4
.1	265.5	133.9	15.8	8.0	258.5	130.3
.2	265.8	134.0	16.1	8.1	258.2	130.2
.3	266.1	134.1	16.4	8.2	257.9	130.0
.4	266.3	134.3	16.6	8.4	257.7	129.9
.5	266.6	134.4	16.9	8.5	257.4	129.8
.6	266.8	134.5	17.1	8.6	257.2	129.7
.7	267.1	134.7	17.4	8.8	256.9	129.5
.8	267.4	134.8	17.7	8.9	256.6	129.4
.9	267.6	134.9	17.9	9.0	256.4	129.3
1867.0	267.9	135.1	18.2	9.2	256.1	129.1
.1	268.1	135.2	18.4	9.3	255.9	129.0
.2	268.4	135.3	18.7	9.4	255.6	128.9
.3	268.7	135.4	19.0	9.6	255.3	128.7
.4	268.9	135.6	19.2	9.7	255.1	128.6
.5	269.2	135.7	19.5	9.8	254.8	128.5
.6	269.4	135.8	19.7	9.9	254.6	128.3
.7	269.7	136.0	20.0	10.1	254.3	128.2
.8	270.0	136.1	20.3	10.2	254.0	128.1
.9	270.2	136.2	20.5	10.3	253.8	128.0
1868.0	270.5	136.4	20.8	10.5	253.5	127.8
.1	270.7	136.5	21.0	10.6	253.3	127.7
.2	271.0	136.6	21.3	10.7	253.0	127.6
.3	271.2	136.8	21.5	10.9	252.8	127.4
.4	271.5	136.9	21.8	11.0	252.5	127.3
.5	271.8	137.0	22.1	11.1	252.2	127.2
.6	272.0	137.1	22.3	11.3	252.0	127.0
.7	272.3	137.3	22.6	11.4	251.7	126.9
.8	272.5	137.4	22.8	11.5	251.5	126.8
.9	272.8	137.5	23.1	11.6	251.2	126.6
1869.0	273.1	137.7	23.4	11.8	250.9	126.5
.1	273.3	137.8	23.6	11.9	250.7	126.4
.2	273.6	137.9	23.9	12.0	250.4	126.3
.3	273.8	138.1	24.1	12.2	250.2	126.1
.4	274.1	138.2	24.4	12.3	249.9	126.0
.5	274.4	138.3	24.7	12.4	249.6	125.9
.6	274.6	138.5	24.9	12.6	249.4	125.7
.7	274.9	138.6	25.2	12.7	249.1	125.6
.8	275.1	138.7	25.4	12.8	248.9	125.5
.9	275.4	138.8	25.7	13.0	248.6	125.3

Round Butte

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1870.0	275.7	139.0	26.0	13.1	248.3	125.2
.1	275.9	139.1	26.2	13.2	248.1	125.1
.2	276.2	139.2	26.5	13.4	247.8	124.9
.3	276.4	139.4	26.7	13.5	247.6	124.8
.4	276.7	139.5	27.0	13.6	247.3	124.7
.5	277.0	139.6	27.3	13.7	247.0	124.5
.6	277.2	139.8	27.5	13.9	246.8	124.4
.7	277.5	139.9	27.8	14.0	246.5	124.3
.8	277.7	140.0	28.0	14.1	246.3	124.2
.9	278.0	140.2	28.3	14.3	246.0	124.0
1871.0	278.3	140.3	28.6	14.4	245.7	123.9
.1	278.6	140.4	28.9	14.5	245.4	123.7
.2	278.8	140.6	29.1	14.7	245.2	123.6
.3	279.1	140.7	29.4	14.8	244.9	123.5
.4	279.4	140.9	29.7	15.0	244.6	123.3
.5	279.7	141.0	30.0	15.1	244.3	123.2
.6	279.9	141.1	30.2	15.2	244.1	123.0
.7	280.2	141.3	30.5	15.4	243.8	122.9
.8	280.5	141.4	30.8	15.5	243.5	122.8
.9	280.8	141.6	31.1	15.7	243.2	122.6
1872.0	281.0	141.7	31.3	15.8	243.0	122.5
.1	281.3	141.8	31.6	15.9	242.7	122.3
.2	281.6	142.0	31.9	16.1	242.4	122.2
.3	281.9	142.1	32.2	16.2	242.1	122.1
.4	282.2	142.3	32.5	16.4	241.8	121.9
.5	282.4	142.4	32.7	16.5	241.6	121.8
.6	282.7	142.5	33.0	16.6	241.3	121.7
.7	283.0	142.7	33.3	16.8	241.0	121.5
.8	283.3	142.8	33.6	16.9	240.7	121.4
.9	283.5	143.0	33.8	17.1	240.5	121.2
1873.0	283.8	143.1	34.1	17.2	240.2	121.1
.1	284.1	143.2	34.4	17.3	239.9	121.0
.2	284.4	143.4	34.7	17.5	239.6	120.8
.3	284.6	143.5	34.9	17.6	239.4	120.7
.4	284.9	143.7	35.2	17.8	239.1	120.5
.5	285.2	143.8	35.5	17.9	238.8	120.4
.6	285.5	143.9	35.8	18.0	238.5	120.3
.7	285.8	144.1	36.1	18.2	238.2	120.1
.8	286.0	144.2	36.3	18.3	238.0	120.0
.9	286.3	144.3	36.6	18.5	237.7	119.8
1874.0	286.6	144.5	36.9	18.6	237.4	119.7
.1	286.9	144.6	37.2	18.7	237.1	119.6
.2	287.1	144.8	37.4	18.9	236.9	119.4
.3	287.4	144.9	37.7	19.0	236.6	119.3
.4	287.7	145.0	38.0	19.2	236.3	119.1
.5	288.0	145.2	38.3	19.3	236.0	119.0
.6	288.3	145.3	38.6	19.4	235.7	118.9
.7	288.5	145.5	38.8	19.6	235.5	118.7
.8	288.8	145.6	39.1	19.7	235.2	118.6
.9	289.1	145.7	39.4	19.9	234.9	118.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1875.0	289.4	145.9	39.7	20.0	234.6	118.3
.1	289.6	146.0	39.9	20.1	234.4	118.2
.2	289.9	146.2	40.2	20.3	234.1	118.0
.3	290.2	146.3	40.5	20.4	233.8	117.9
.4	290.5	146.4	40.8	20.6	233.5	117.7
.5	290.7	146.6	41.0	20.7	233.3	117.6
.6	291.0	146.7	41.3	20.8	233.0	117.5
.7	291.3	146.9	41.6	21.0	232.7	117.3
.8	291.6	147.0	41.9	21.1	232.4	117.2
.9	291.9	147.1	42.2	21.3	232.1	117.0
1876.0	292.1	147.3	42.4	21.4	231.9	116.9
.1	292.4	147.4	42.7	21.5	231.6	116.8
.2	292.7	147.6	43.0	21.7	231.3	116.6
.3	293.0	147.7	43.3	21.8	231.0	116.5
.4	293.2	147.8	43.5	22.0	230.8	116.3
.5	293.5	148.0	43.8	22.1	230.5	116.2
.6	293.8	148.1	44.1	22.2	230.2	116.1
.7	294.1	148.3	44.4	22.4	229.9	115.9
.8	294.3	148.4	44.6	22.5	229.7	115.8
.9	294.6	148.5	44.9	22.6	229.4	115.6
1877.0	294.9	148.7	45.2	22.8	229.1	115.5
.1	295.2	148.8	45.5	22.9	228.8	115.4
.2	295.5	149.0	45.8	23.1	228.5	115.2
.3	295.7	149.1	46.0	23.2	228.3	115.1
.4	296.0	149.2	46.3	23.3	228.0	114.9
.5	296.3	149.4	46.6	23.5	227.7	114.8
.6	296.6	149.5	46.9	23.6	227.4	114.7
.7	296.8	149.7	47.1	23.8	227.2	114.5
.8	297.1	149.8	47.4	23.9	226.9	114.4
.9	297.4	149.9	47.7	24.0	226.6	114.2
1878.0	297.7	150.1	48.0	24.2	226.3	114.1
.1	297.9	150.2	48.2	24.3	226.1	114.0
.2	298.2	150.4	48.5	24.5	225.8	113.8
.3	298.5	150.5	48.8	24.6	225.5	113.7
.4	298.8	150.6	49.1	24.7	225.2	113.5
.5	299.1	150.8	49.4	24.9	224.9	113.4
.6	299.3	150.9	49.6	25.0	224.7	113.3
.7	299.6	151.1	49.9	25.2	224.4	113.1
.8	299.9	151.2	50.2	25.3	224.1	113.0
.9	300.2	151.3	50.5	25.4	223.8	112.9
1879.0	300.4	151.5	50.7	25.6	223.6	112.7
.1	300.7	151.6	51.0	25.7	223.3	112.6
.2	301.0	151.8	51.3	25.9	223.0	112.4
.3	301.3	151.9	51.6	26.0	222.7	112.3
.4	301.6	152.0	51.9	26.1	222.4	112.2
.5	301.8	152.2	52.1	26.3	222.2	112.0
.6	302.1	152.3	52.4	26.4	221.9	111.9
.7	302.4	152.5	52.7	26.6	221.6	111.7
.8	302.7	152.6	53.0	26.7	221.3	111.6
.9	302.9	152.7	53.2	26.8	221.1	111.5

Reservoir Storage Tables

PAGE 5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1880.0	303.2	152.9	53.5	27.0	220.8	111.3
.1	303.5	153.0	53.8	27.1	220.5	111.2
.2	303.8	153.1	54.1	27.3	220.2	111.0
.3	304.0	153.3	54.3	27.4	220.0	110.9
.4	304.3	153.4	54.6	27.5	219.7	110.8
.5	304.6	153.6	54.9	27.7	219.4	110.6
.6	304.9	153.7	55.2	27.8	219.1	110.5
.7	305.2	153.8	55.5	28.0	218.8	110.3
.8	305.4	154.0	55.7	28.1	218.6	110.2
.9	305.7	154.1	56.0	28.2	218.3	110.1
1881.0	306.0	154.3	56.3	28.4	218.0	109.9
.1	306.3	154.4	56.6	28.5	217.7	109.8
.2	306.5	154.5	56.8	28.7	217.5	109.6
.3	306.8	154.7	57.1	28.8	217.2	109.5
.4	307.1	154.8	57.4	28.9	216.9	109.4
.5	307.4	155.0	57.7	29.1	216.6	109.2
.6	307.6	155.1	57.9	29.2	216.4	109.1
.7	307.9	155.2	58.2	29.4	216.1	108.9
.8	308.2	155.4	58.5	29.5	215.8	108.8
.9	308.5	155.5	58.8	29.6	215.5	108.7
1882.0	308.8	155.7	59.1	29.8	215.2	108.5
.1	309.1	155.8	59.4	29.9	214.9	108.4
.2	309.4	156.0	59.7	30.1	214.6	108.2
.3	309.7	156.1	60.0	30.2	214.3	108.1
.4	310.0	156.3	60.3	30.4	214.0	107.9
.5	310.3	156.4	60.6	30.5	213.7	107.8
.6	310.6	156.6	60.9	30.7	213.4	107.6
.7	310.9	156.7	61.2	30.8	213.1	107.5
.8	311.1	156.9	61.4	31.0	212.9	107.3
.9	311.4	157.0	61.7	31.1	212.6	107.2
1883.0	311.7	157.2	62.0	31.3	212.3	107.0
.1	312.0	157.3	62.3	31.4	212.0	106.9
.2	312.3	157.5	62.6	31.6	211.7	106.7
.3	312.6	157.6	62.9	31.7	211.4	106.6
.4	312.9	157.8	63.2	31.9	211.1	106.4
.5	313.2	157.9	63.5	32.0	210.8	106.3
.6	313.5	158.1	63.8	32.2	210.5	106.1
.7	313.8	158.2	64.1	32.3	210.2	106.0
.8	314.1	158.4	64.4	32.5	209.9	105.8
.9	314.4	158.5	64.7	32.6	209.6	105.7
1884.0	314.7	158.7	65.0	32.8	209.3	105.5
.1	315.0	158.8	65.3	32.9	209.0	105.4
.2	315.3	158.9	65.6	33.1	208.7	105.2
.3	315.6	159.1	65.9	33.2	208.4	105.1
.4	315.9	159.2	66.2	33.4	208.1	104.9
.5	316.2	159.4	66.5	33.5	207.8	104.8
.6	316.4	159.5	66.7	33.7	207.6	104.6
.7	316.7	159.7	67.0	33.8	207.3	104.5
.8	317.0	159.8	67.3	33.9	207.0	104.3
.9	317.3	160.0	67.6	34.1	206.7	104.2

PAGE 6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1885.0	317.6	160.1	67.9	34.2	206.4	104.0
.1	317.9	160.3	68.2	34.4	206.1	103.9
.2	318.2	160.4	68.5	34.5	205.8	103.8
.3	318.5	160.6	68.8	34.7	205.5	103.6
.4	318.8	160.7	69.1	34.8	205.2	103.5
.5	319.1	160.9	69.4	35.0	204.9	103.3
.6	319.4	161.0	69.7	35.1	204.6	103.2
.7	319.7	161.2	70.0	35.3	204.3	103.0
.8	320.0	161.3	70.3	35.4	204.0	102.9
.9	320.3	161.5	70.6	35.6	203.7	102.7
1886.0	320.6	161.6	70.9	35.7	203.4	102.6
.1	320.9	161.8	71.2	35.9	203.1	102.4
.2	321.2	161.9	71.5	36.0	202.8	102.3
.3	321.5	162.1	71.8	36.2	202.5	102.1
.4	321.7	162.2	72.0	36.3	202.3	102.0
.5	322.0	162.4	72.3	36.5	202.0	101.8
.6	322.3	162.5	72.6	36.6	201.7	101.7
.7	322.6	162.7	72.9	36.8	201.4	101.5
.8	322.9	162.8	73.2	36.9	201.1	101.4
.9	323.2	163.0	73.5	37.1	200.8	101.2
1887.0	323.5	163.1	73.8	37.2	200.5	101.1
.1	323.8	163.3	74.1	37.4	200.2	100.9
.2	324.1	163.4	74.4	37.5	199.9	100.8
.3	324.4	163.6	74.7	37.7	199.6	100.6
.4	324.7	163.7	75.0	37.8	199.3	100.5
.5	325.0	163.8	75.3	38.0	199.0	100.3
.6	325.3	164.0	75.6	38.1	198.7	100.2
.7	325.6	164.1	75.9	38.3	198.4	100.0
.8	325.9	164.3	76.2	38.4	198.1	99.9
.9	326.2	164.4	76.5	38.6	197.8	99.7
1888.0	326.5	164.6	76.8	38.7	197.5	99.6
.1	326.8	164.7	77.1	38.8	197.2	99.4
.2	327.0	164.9	77.3	39.0	197.0	99.3
.3	327.3	165.0	77.6	39.1	196.7	99.1
.4	327.6	165.2	77.9	39.3	196.4	99.0
.5	327.9	165.3	78.2	39.4	196.1	98.9
.6	328.2	165.5	78.5	39.6	195.8	98.7
.7	328.5	165.6	78.8	39.7	195.5	98.6
.8	328.8	165.8	79.1	39.9	195.2	98.4
.9	329.1	165.9	79.4	40.0	194.9	98.3
1889.0	329.4	166.1	79.7	40.2	194.6	98.1
.1	329.7	166.2	80.0	40.3	194.3	98.0
.2	330.0	166.4	80.3	40.5	194.0	97.8
.3	330.3	166.5	80.6	40.6	193.7	97.7
.4	330.6	166.7	80.9	40.8	193.4	97.5
.5	330.9	166.8	81.2	40.9	193.1	97.4
.6	331.2	167.0	81.5	41.1	192.8	97.2
.7	331.5	167.1	81.8	41.2	192.5	97.1
.8	331.8	167.3	82.1	41.4	192.2	96.9
.9	332.1	167.4	82.4	41.5	191.9	96.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1890.0	332.3	167.6	82.6	41.7	191.7	96.6
.1	332.6	167.7	82.9	41.8	191.4	96.5
.2	332.9	167.9	83.2	42.0	191.1	96.3
.3	333.2	168.0	83.5	42.1	190.8	96.2
.4	333.5	168.2	83.8	42.3	190.5	96.0
.5	333.8	168.3	84.1	42.4	190.2	95.9
.6	334.1	168.4	84.4	42.6	189.9	95.7
.7	334.4	168.6	84.7	42.7	189.6	95.6
.8	334.7	168.7	85.0	42.9	189.3	95.4
.9	335.0	168.9	85.3	43.0	189.0	95.3
1891.0	335.3	169.0	85.6	43.2	188.7	95.1
.1	335.6	169.2	85.9	43.3	188.4	95.0
.2	335.9	169.3	86.2	43.5	188.1	94.8
.3	336.2	169.5	86.5	43.6	187.8	94.7
.4	336.5	169.6	86.8	43.7	187.5	94.5
.5	336.8	169.8	87.1	43.9	187.2	94.4
.6	337.1	169.9	87.4	44.0	186.9	94.2
.7	337.4	170.1	87.7	44.2	186.6	94.1
.8	337.6	170.2	87.9	44.3	186.4	94.0
.9	337.9	170.4	88.2	44.5	186.1	93.8
1892.0	338.2	170.5	88.5	44.6	185.8	93.7
.1	338.5	170.7	88.8	44.8	185.5	93.5
.2	338.8	170.8	89.1	44.9	185.2	93.4
.3	339.1	171.0	89.4	45.1	184.9	93.2
.4	339.4	171.1	89.7	45.2	184.6	93.1
.5	339.7	171.3	90.0	45.4	184.3	92.9
.6	340.0	171.4	90.3	45.5	184.0	92.8
.7	340.3	171.6	90.6	45.7	183.7	92.6
.8	340.6	171.7	90.9	45.8	183.4	92.5
.9	340.9	171.9	91.2	46.0	183.1	92.3
1893.0	341.2	172.0	91.5	46.2	182.8	92.1
.1	341.6	172.2	91.9	46.3	182.4	92.0
.2	341.9	172.4	92.2	46.5	182.1	91.8
.3	342.2	172.5	92.5	46.6	181.8	91.7
.4	342.5	172.7	92.8	46.8	181.5	91.5
.5	342.8	172.8	93.1	46.9	181.2	91.4
.6	343.1	173.0	93.4	47.1	180.9	91.2
.7	343.4	173.1	93.7	47.3	180.6	91.0
.8	343.7	173.3	94.0	47.4	180.3	90.9
.9	344.1	173.5	94.4	47.6	179.9	90.7
1894.0	344.4	173.6	94.7	47.7	179.6	90.6
.1	344.7	173.8	95.0	47.9	179.3	90.4
.2	345.0	173.9	95.3	48.0	179.0	90.2
.3	345.3	174.1	95.6	48.2	178.7	90.1
.4	345.6	174.3	95.9	48.4	178.4	89.9
.5	345.9	174.4	96.2	48.5	178.1	89.8
.6	346.2	174.6	96.5	48.7	177.8	89.6
.7	346.6	174.7	96.9	48.8	177.4	89.5
.8	346.9	174.9	97.2	49.0	177.1	89.3
.9	347.2	175.0	97.5	49.2	176.8	89.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1895.0	347.5	175.2	97.8	49.3	176.5	89.0
.1	347.8	175.4	98.1	49.5	176.2	88.8
.2	348.1	175.5	98.4	49.6	175.9	88.7
.3	348.4	175.7	98.7	49.8	175.6	88.5
.4	348.8	175.8	99.1	49.9	175.2	88.4
.5	349.1	176.0	99.4	50.1	174.9	88.2
.6	349.4	176.1	99.7	50.3	174.6	88.0
.7	349.7	176.3	100.0	50.4	174.3	87.9
.8	350.0	176.5	100.3	50.6	174.0	87.7
.9	350.3	176.6	100.6	50.7	173.7	87.6
1896.0	350.6	176.8	100.9	50.9	173.4	87.4
.1	350.9	176.9	101.2	51.0	173.1	87.2
.2	351.3	177.1	101.6	51.2	172.7	87.1
.3	351.6	177.3	101.9	51.4	172.4	86.9
.4	351.9	177.4	102.2	51.5	172.1	86.8
.5	352.2	177.6	102.5	51.7	171.8	86.6
.6	352.5	177.7	102.8	51.8	171.5	86.5
.7	352.8	177.9	103.1	52.0	171.2	86.3
.8	353.1	178.0	103.4	52.2	170.9	86.1
.9	353.5	178.2	103.8	52.3	170.5	86.0
1897.0	353.8	178.4	104.1	52.5	170.2	85.8
.1	354.1	178.5	104.4	52.6	169.9	85.7
.2	354.4	178.7	104.7	52.8	169.6	85.5
.3	354.7	178.8	105.0	52.9	169.3	85.4
.4	355.0	179.0	105.3	53.1	169.0	85.2
.5	355.3	179.1	105.6	53.3	168.7	85.0
.6	355.6	179.3	105.9	53.4	168.4	84.9
.7	356.0	179.5	106.3	53.6	168.0	84.7
.8	356.3	179.6	106.6	53.7	167.7	84.6
.9	356.6	179.8	106.9	53.9	167.4	84.4
1898.0	356.9	179.9	107.2	54.0	167.1	84.2
.1	357.2	180.1	107.5	54.2	166.8	84.1
.2	357.5	180.3	107.8	54.4	166.5	83.9
.3	357.8	180.4	108.1	54.5	166.2	83.8
.4	358.1	180.6	108.4	54.7	165.9	83.6
.5	358.5	180.7	108.8	54.8	165.5	83.5
.6	358.8	180.9	109.1	55.0	165.2	83.3
.7	359.1	181.0	109.4	55.1	164.9	83.1
.8	359.4	181.2	109.7	55.3	164.6	83.0
.9	359.7	181.4	110.0	55.5	164.3	82.8
1899.0	360.0	181.5	110.3	55.6	164.0	82.7
.1	360.3	181.7	110.6	55.8	163.7	82.5
.2	360.7	181.8	111.0	55.9	163.3	82.4
.3	361.0	182.0	111.3	56.1	163.0	82.2
.4	361.3	182.1	111.6	56.3	162.7	82.0
.5	361.6	182.3	111.9	56.4	162.4	81.9
.6	361.9	182.5	112.2	56.6	162.1	81.7
.7	362.2	182.6	112.5	56.7	161.8	81.6
.8	362.5	182.8	112.8	56.9	161.5	81.4
.9	362.8	182.9	113.1	57.0	161.2	81.2

Round Butte

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1900.0	363.2	183.1	113.5	57.2	160.8	81.1
.1	363.5	183.3	113.8	57.4	160.5	80.9
.2	363.8	183.4	114.1	57.5	160.2	80.8
.3	364.1	183.6	114.4	57.7	159.9	80.6
.4	364.4	183.7	114.7	57.8	159.6	80.5
.5	364.7	183.9	115.0	58.0	159.3	80.3
.6	365.0	184.0	115.3	58.1	159.0	80.1
.7	365.4	184.2	115.7	58.3	158.6	80.0
.8	365.7	184.4	116.0	58.5	158.3	79.8
.9	366.0	184.5	116.3	58.6	158.0	79.7
1901.0	366.3	184.7	116.6	58.8	157.7	79.5
.1	366.6	184.8	116.9	58.9	157.4	79.4
.2	366.9	185.0	117.2	59.1	157.1	79.2
.3	367.2	185.1	117.5	59.3	156.8	79.0
.4	367.5	185.3	117.8	59.4	156.5	78.9
.5	367.9	185.5	118.2	59.6	156.1	78.7
.6	368.2	185.6	118.5	59.7	155.8	78.6
.7	368.5	185.8	118.8	59.9	155.5	78.4
.8	368.8	185.9	119.1	60.0	155.2	78.2
.9	369.1	186.1	119.4	60.2	154.9	78.1
1902.0	369.4	186.2	119.7	60.4	154.6	77.9
.1	369.7	186.4	120.0	60.5	154.3	77.8
.2	370.0	186.6	120.3	60.7	154.0	77.6
.3	370.4	186.7	120.7	60.8	153.6	77.5
.4	370.7	186.9	121.0	61.0	153.3	77.3
.5	371.0	187.0	121.3	61.1	153.0	77.1
.6	371.3	187.2	121.6	61.3	152.7	77.0
.7	371.6	187.4	121.9	61.5	152.4	76.8
.8	372.0	187.5	122.3	61.6	152.0	76.7
.9	372.3	187.7	122.6	61.8	151.7	76.5
1903.0	372.6	187.9	122.9	62.0	151.4	76.3
.1	373.0	188.0	123.3	62.1	151.0	76.2
.2	373.3	188.2	123.6	62.3	150.7	76.0
.3	373.6	188.4	123.9	62.5	150.4	75.8
.4	373.9	188.5	124.2	62.6	150.1	75.7
.5	374.3	188.7	124.6	62.8	149.7	75.5
.6	374.6	188.9	124.9	63.0	149.4	75.3
.7	374.9	189.0	125.2	63.1	149.1	75.2
.8	375.3	189.2	125.6	63.3	148.7	75.0
.9	375.6	189.4	125.9	63.5	148.4	74.8
1904.0	375.9	189.5	126.2	63.6	148.1	74.6
.1	376.3	189.7	126.6	63.8	147.7	74.5
.2	376.6	189.9	126.9	64.0	147.4	74.3
.3	376.9	190.0	127.2	64.1	147.1	74.1
.4	377.3	190.2	127.6	64.3	146.7	74.0
.5	377.6	190.4	127.9	64.5	146.4	73.8
.6	377.9	190.5	128.2	64.6	146.1	73.6
.7	378.3	190.7	128.6	64.8	145.7	73.5
.8	378.6	190.9	128.9	65.0	145.4	73.3
.9	378.9	191.0	129.2	65.1	145.1	73.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1905.0	379.2	191.2	129.5	65.3	144.8	73.0
.1	379.6	191.4	129.9	65.5	144.4	72.8
.2	379.9	191.5	130.2	65.6	144.1	72.6
.3	380.2	191.7	130.5	65.8	143.8	72.5
.4	380.6	191.9	130.9	66.0	143.4	72.3
.5	380.9	192.0	131.2	66.1	143.1	72.1
.6	381.2	192.2	131.5	66.3	142.8	72.0
.7	381.6	192.4	131.9	66.5	142.4	71.8
.8	381.9	192.5	132.2	66.6	142.1	71.6
.9	382.2	192.7	132.5	66.8	141.8	71.5
1906.0	382.6	192.9	132.9	67.0	141.4	71.3
.1	382.9	193.0	133.2	67.1	141.1	71.1
.2	383.2	193.2	133.5	67.3	140.8	71.0
.3	383.5	193.4	133.8	67.5	140.5	70.8
.4	383.9	193.5	134.2	67.6	140.1	70.6
.5	384.2	193.7	134.5	67.8	139.8	70.5
.6	384.5	193.9	134.8	68.0	139.5	70.3
.7	384.9	194.0	135.2	68.2	139.1	70.1
.8	385.2	194.2	135.5	68.3	138.8	70.0
.9	385.5	194.4	135.8	68.5	138.5	69.8
1907.0	385.9	194.5	136.2	68.7	138.1	69.6
.1	386.2	194.7	136.5	68.8	137.8	69.5
.2	386.5	194.9	136.8	69.0	137.5	69.3
.3	386.9	195.0	137.2	69.2	137.1	69.1
.4	387.2	195.2	137.5	69.3	136.8	69.0
.5	387.5	195.4	137.8	69.5	136.5	68.8
.6	387.9	195.5	138.2	69.7	136.1	68.6
.7	388.2	195.7	138.5	69.8	135.8	68.5
.8	388.5	195.9	138.8	70.0	135.5	68.3
.9	388.8	196.0	139.1	70.2	135.2	68.1
1908.0	389.2	196.2	139.5	70.3	134.8	68.0
.1	389.5	196.4	139.8	70.5	134.5	67.8
.2	389.8	196.5	140.1	70.7	134.2	67.6
.3	390.2	196.7	140.5	70.8	133.8	67.5
.4	390.5	196.9	140.8	71.0	133.5	67.3
.5	390.8	197.0	141.1	71.2	133.2	67.1
.6	391.2	197.2	141.5	71.3	132.8	67.0
.7	391.5	197.4	141.8	71.5	132.5	66.8
.8	391.8	197.5	142.1	71.7	132.2	66.6
.9	392.2	197.7	142.5	71.8	131.8	66.5
1909.0	392.5	197.9	142.8	72.0	131.5	66.3
.1	392.8	198.0	143.1	72.2	131.2	66.1
.2	393.2	198.2	143.5	72.3	130.8	66.0
.3	393.5	198.4	143.8	72.5	130.5	65.8
.4	393.8	198.5	144.1	72.7	130.2	65.6
.5	394.1	198.7	144.4	72.8	129.9	65.5
.6	394.4	198.9	144.8	73.0	129.5	65.3
.7	394.8	199.0	145.1	73.2	129.2	65.1
.8	395.1	199.2	145.4	73.3	128.9	65.0
.9	395.5	199.4	145.8	73.5	128.5	64.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1910.0	395.8	199.5	146.1	73.7	128.2	64.6
.1	396.1	199.7	146.4	73.8	127.9	64.5
.2	396.5	199.9	146.8	74.0	127.5	64.3
.3	396.8	200.0	147.1	74.2	127.2	64.1
.4	397.1	200.2	147.4	74.3	126.9	64.0
.5	397.5	200.4	147.8	74.5	126.5	63.8
.6	397.8	200.6	148.1	74.7	126.2	63.6
.7	398.1	200.7	148.4	74.8	125.9	63.5
.8	398.4	200.9	148.7	75.0	125.6	63.3
.9	398.8	201.1	149.1	75.2	125.2	63.1
1911.0	399.1	201.2	149.4	75.3	124.9	63.0
.1	399.4	201.4	149.7	75.5	124.6	62.8
.2	399.8	201.6	150.1	75.7	124.2	62.6
.3	400.1	201.7	150.4	75.8	123.9	62.5
.4	400.4	201.9	150.7	76.0	123.6	62.3
.5	400.8	202.1	151.1	76.2	123.2	62.1
.6	401.1	202.2	151.4	76.3	122.9	62.0
.7	401.4	202.4	151.7	76.5	122.6	61.8
.8	401.8	202.6	152.1	76.7	122.2	61.6
.9	402.1	202.7	152.4	76.8	121.9	61.5
1912.0	402.4	202.9	152.7	77.0	121.6	61.3
.1	402.8	203.1	153.1	77.2	121.2	61.1
.2	403.1	203.2	153.4	77.3	120.9	61.0
.3	403.4	203.4	153.7	77.5	120.6	60.8
.4	403.7	203.6	154.0	77.7	120.3	60.6
.5	404.1	203.7	154.4	77.8	119.9	60.5
.6	404.4	203.9	154.7	78.0	119.6	60.3
.7	404.7	204.1	155.0	78.2	119.3	60.1
.8	405.1	204.2	155.4	78.3	118.9	60.0
.9	405.4	204.4	155.7	78.5	118.6	59.8
1913.0	405.8	204.6	156.1	78.7	118.2	59.6
.1	406.1	204.7	156.4	78.9	117.9	59.4
.2	406.5	204.9	156.8	79.0	117.5	59.3
.3	406.8	205.1	157.1	79.2	117.2	59.1
.4	407.2	205.3	157.5	79.4	116.8	58.9
.5	407.5	205.5	157.8	79.6	116.5	58.7
.6	407.9	205.6	158.2	79.7	116.1	58.6
.7	408.2	205.8	158.5	79.9	115.8	58.4
.8	408.6	206.0	158.9	80.1	115.4	58.2
.9	408.9	206.2	159.2	80.3	115.1	58.0
1914.0	409.3	206.3	159.6	80.4	114.7	57.8
.1	409.6	206.5	159.9	80.6	114.4	57.7
.2	410.0	206.7	160.3	80.8	114.0	57.5
.3	410.3	206.9	160.6	81.0	113.7	57.3
.4	410.7	207.0	161.0	81.2	113.3	57.1
.5	411.0	207.2	161.3	81.3	113.0	57.0
.6	411.4	207.4	161.7	81.5	112.6	56.8
.7	411.7	207.6	162.0	81.7	112.3	56.6
.8	412.1	207.8	162.4	81.9	111.9	56.4
.9	412.4	207.9	162.7	82.0	111.6	56.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1915.0	412.8	208.1	163.1	82.2	111.2	56.1
.1	413.1	208.3	163.4	82.4	110.9	55.9
.2	413.5	208.5	163.8	82.6	110.5	55.7
.3	413.8	208.6	164.1	82.7	110.2	55.5
.4	414.2	208.8	164.5	82.9	109.8	55.4
.5	414.5	209.0	164.8	83.1	109.5	55.2
.6	414.9	209.2	165.2	83.3	109.1	55.0
.7	415.2	209.3	165.5	83.5	108.8	54.8
.8	415.6	209.5	165.9	83.6	108.4	54.7
.9	415.9	209.7	166.2	83.8	108.1	54.5
1916.0	416.3	209.9	166.6	84.0	107.7	54.3
.1	416.6	210.1	166.9	84.2	107.4	54.1
.2	417.0	210.2	167.3	84.3	107.0	54.0
.3	417.3	210.4	167.6	84.5	106.7	53.8
.4	417.7	210.6	168.0	84.7	106.3	53.6
.5	418.0	210.8	168.3	84.9	106.0	53.4
.6	418.4	210.9	168.7	85.0	105.6	53.2
.7	418.7	211.1	169.0	85.2	105.3	53.1
.8	419.1	211.3	169.4	85.4	104.9	52.9
.9	419.4	211.5	169.7	85.6	104.6	52.7
1917.0	419.8	211.6	170.1	85.8	104.2	52.5
.1	420.1	211.8	170.4	85.9	103.9	52.4
.2	420.5	212.0	170.8	86.1	103.5	52.2
.3	420.8	212.2	171.1	86.3	103.2	52.0
.4	421.2	212.4	171.5	86.5	102.8	51.8
.5	421.5	212.5	171.8	86.6	102.5	51.7
.6	421.9	212.7	172.2	86.8	102.1	51.5
.7	422.2	212.9	172.5	87.0	101.8	51.3
.8	422.6	213.1	172.9	87.2	101.4	51.1
.9	422.9	213.2	173.2	87.3	101.1	50.9
1918.0	423.3	213.4	173.6	87.5	100.7	50.8
.1	423.6	213.6	173.9	87.7	100.4	50.6
.2	424.0	213.8	174.3	87.9	100.0	50.4
.3	424.3	213.9	174.6	88.1	99.7	50.2
.4	424.7	214.1	175.0	88.2	99.3	50.1
.5	425.0	214.3	175.3	88.4	99.0	49.9
.6	425.4	214.5	175.7	88.6	98.6	49.7
.7	425.8	214.6	176.1	88.8	98.2	49.5
.8	426.1	214.8	176.4	88.9	97.9	49.4
.9	426.5	215.0	176.8	89.1	97.5	49.2
1919.0	426.8	215.2	177.1	89.3	97.2	49.0
.1	427.2	215.4	177.5	89.5	96.8	48.8
.2	427.5	215.5	177.8	89.6	96.5	48.6
.3	427.9	215.7	178.2	89.8	96.1	48.5
.4	428.2	215.9	178.5	90.0	95.8	48.3
.5	428.6	216.1	178.9	90.2	95.4	48.1
.6	428.9	216.2	179.2	90.4	95.1	47.9
.7	429.3	216.4	179.6	90.5	94.7	47.8
.8	429.6	216.6	179.9	90.7	94.4	47.6
.9	430.0	216.8	180.3	90.9	94.0	47.4

Reservoir Storage Tables

ROUND BUTTE

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1920.0	430.3	216.9	180.6	91.1	93.7	47.2
.1	430.7	217.1	181.0	91.2	93.3	47.1
.2	431.0	217.3	181.3	91.4	93.0	46.9
.3	431.4	217.5	181.7	91.6	92.6	46.7
.4	431.7	217.7	182.0	91.8	92.3	46.5
.5	432.1	217.8	182.4	91.9	91.9	46.3
.6	432.4	218.0	182.7	92.1	91.6	46.2
.7	432.8	218.2	183.1	92.3	91.2	46.0
.8	433.1	218.4	183.4	92.5	90.9	45.8
.9	433.5	218.5	183.8	92.7	90.5	45.6
1921.0	433.8	218.7	184.1	92.8	90.2	45.5
.1	434.2	218.9	184.5	93.0	89.8	45.3
.2	434.5	219.1	184.8	93.2	89.5	45.1
.3	434.9	219.2	185.2	93.4	89.1	44.9
.4	435.2	219.4	185.5	93.5	88.8	44.8
.5	435.6	219.6	185.9	93.7	88.4	44.6
.6	435.9	219.8	186.2	93.9	88.1	44.4
.7	436.3	220.0	186.6	94.1	87.7	44.2
.8	436.6	220.1	186.9	94.2	87.4	44.0
.9	437.0	220.3	187.3	94.4	87.0	43.9
1922.0	437.3	220.5	187.6	94.6	86.7	43.7
.1	437.7	220.7	188.0	94.8	86.3	43.5
.2	438.0	220.8	188.3	95.0	86.0	43.3
.3	438.4	221.0	188.7	95.1	85.6	43.2
.4	438.7	221.2	189.0	95.3	85.3	43.0
.5	439.1	221.4	189.4	95.5	84.9	42.8
.6	439.4	221.5	189.7	95.7	84.6	42.6
.7	439.8	221.7	190.1	95.8	84.2	42.5
.8	440.1	221.9	190.4	96.0	83.9	42.3
.9	440.5	222.1	190.8	96.2	83.5	42.1
1923.0	440.8	222.3	191.1	96.4	83.2	41.9
.1	441.2	222.4	191.5	96.5	82.8	41.7
.2	441.5	222.6	191.8	96.7	82.5	41.6
.3	441.9	222.8	192.2	96.9	82.1	41.4
.4	442.2	223.0	192.5	97.1	81.8	41.2
.5	442.6	223.1	192.9	97.3	81.4	41.0
.6	442.9	223.3	193.2	97.4	81.1	40.9
.7	443.3	223.5	193.6	97.6	80.7	40.7
.8	443.6	223.7	193.9	97.8	80.4	40.5
.9	444.0	223.8	194.3	98.0	80.0	40.3
1924.0	444.3	224.0	194.6	98.1	79.7	40.2
.1	444.7	224.2	195.0	98.3	79.3	40.0
.2	445.1	224.4	195.4	98.5	78.9	39.8
.3	445.4	224.6	195.7	98.7	78.6	39.6
.4	445.8	224.8	196.1	98.9	78.2	39.4
.5	446.2	224.9	196.5	99.1	77.8	39.2
.6	446.5	225.1	196.8	99.2	77.5	39.1
.7	446.9	225.3	197.2	99.4	77.1	38.9
.8	447.3	225.5	197.6	99.6	76.7	38.7
.9	447.6	225.7	197.9	99.8	76.4	38.5

ROUND BUTTE

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1925.0	448.0	225.9	198.3	100.0	76.0	38.3
.1	448.4	226.1	198.7	100.2	75.6	38.1
.2	448.8	226.2	199.1	100.4	75.2	37.9
.3	449.1	226.4	199.4	100.5	74.9	37.8
.4	449.5	226.6	199.8	100.7	74.5	37.6
.5	449.9	226.8	200.2	100.9	74.1	37.4
.6	450.2	227.0	200.5	101.1	73.8	37.2
.7	450.6	227.2	200.9	101.3	73.4	37.0
.8	451.0	227.4	201.3	101.5	73.0	36.8
.9	451.3	227.5	201.6	101.7	72.7	36.6
1926.0	451.7	227.7	202.0	101.8	72.3	36.4
.1	452.1	227.9	202.4	102.0	71.9	36.3
.2	452.4	228.1	202.7	102.2	71.6	36.1
.3	452.8	228.3	203.1	102.4	71.2	35.9
.4	453.2	228.5	203.5	102.6	70.8	35.7
.5	453.5	228.7	203.8	102.8	70.5	35.5
.6	453.9	228.8	204.2	103.0	70.1	35.3
.7	454.3	229.0	204.6	103.1	69.7	35.1
.8	454.7	229.2	205.0	103.3	69.3	35.0
.9	455.0	229.4	205.3	103.5	69.0	34.8
1927.0	455.4	229.6	205.7	103.7	68.6	34.6
.1	455.8	229.8	206.1	103.9	68.2	34.4
.2	456.1	230.0	206.4	104.1	67.9	34.2
.3	456.5	230.2	206.8	104.3	67.5	34.0
.4	456.9	230.3	207.2	104.4	67.1	33.8
.5	457.2	230.5	207.5	104.6	66.8	33.7
.6	457.6	230.7	207.9	104.8	66.4	33.5
.7	458.0	230.9	208.3	105.0	66.0	33.3
.8	458.3	231.1	208.6	105.2	65.7	33.1
.9	458.7	231.3	209.0	105.4	65.3	32.9
1928.0	459.1	231.5	209.4	105.6	64.9	32.7
.1	459.4	231.6	209.7	105.7	64.6	32.5
.2	459.8	231.8	210.1	105.9	64.2	32.4
.3	460.2	232.0	210.5	106.1	63.8	32.2
.4	460.6	232.2	210.9	106.3	63.4	32.0
.5	460.9	232.4	211.2	106.5	63.1	31.8
.6	461.3	232.6	211.6	106.7	62.7	31.6
.7	461.7	232.8	212.0	106.9	62.3	31.4
.8	462.0	232.9	212.3	107.0	62.0	31.2
.9	462.4	233.1	212.7	107.2	61.6	31.1
1929.0	462.8	233.3	213.1	107.4	61.2	30.9
.1	463.1	233.5	213.4	107.6	60.9	30.7
.2	463.5	233.7	213.8	107.8	60.5	30.5
.3	463.9	233.9	214.2	108.0	60.1	30.3
.4	464.2	234.1	214.5	108.2	59.8	30.1
.5	464.6	234.2	214.9	108.3	59.4	29.9
.6	465.0	234.4	215.3	108.5	59.0	29.8
.7	465.3	234.6	215.6	108.7	58.7	29.6
.8	465.7	234.8	216.0	108.9	58.3	29.4
.9	466.1	235.0	216.4	109.1	57.9	29.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1930.0	466.4	235.2	216.7	109.3	57.6	29.0
.1	466.8	235.4	217.1	109.5	57.2	28.8
.2	467.2	235.5	217.5	109.6	56.8	28.6
.3	467.6	235.7	217.9	109.8	56.4	28.5
.4	467.9	235.9	218.2	110.0	56.1	28.3
.5	468.3	236.1	218.6	110.2	55.7	28.1
.6	468.7	236.3	219.0	110.4	55.3	27.9
.7	469.0	236.5	219.3	110.6	55.0	27.7
.8	469.4	236.7	219.7	110.8	54.6	27.5
.9	469.8	236.8	220.1	111.0	54.2	27.3
1931.0	470.1	237.0	220.4	111.1	53.9	27.2
.1	470.5	237.2	220.8	111.3	53.5	27.0
.2	470.9	237.4	221.2	111.5	53.1	26.8
.3	471.2	237.6	221.5	111.7	52.8	26.6
.4	471.6	237.8	221.9	111.9	52.4	26.4
.5	472.0	238.0	222.3	112.1	52.0	26.2
.6	472.3	238.1	222.6	112.3	51.7	26.0
.7	472.7	238.3	223.0	112.4	51.3	25.9
.8	473.1	238.5	223.4	112.6	50.9	25.7
.9	473.5	238.7	223.8	112.8	50.5	25.5
1932.0	473.8	238.9	224.1	113.0	50.2	25.3
.1	474.2	239.1	224.5	113.2	49.8	25.1
.2	474.6	239.3	224.9	113.4	49.4	24.9
.3	474.9	239.4	225.2	113.6	49.1	24.7
.4	475.3	239.6	225.6	113.7	48.7	24.6
.5	475.7	239.8	226.0	113.9	48.3	24.4
.6	476.0	240.0	226.3	114.1	48.0	24.2
.7	476.4	240.2	226.7	114.3	47.6	24.0
.8	476.8	240.4	227.1	114.5	47.2	23.8
.9	477.1	240.6	227.4	114.7	46.9	23.6
1933.0	477.5	240.7	227.8	114.9	46.5	23.4
.1	477.9	240.9	228.2	115.0	46.1	23.3
.2	478.2	241.1	228.5	115.2	45.8	23.1
.3	478.6	241.3	228.9	115.4	45.4	22.9
.4	479.0	241.5	229.3	115.6	45.0	22.7
.5	479.4	241.7	229.7	115.8	44.6	22.5
.6	479.7	241.9	230.0	116.0	44.3	22.3
.7	480.1	242.0	230.4	116.2	43.9	22.1
.8	480.5	242.2	230.8	116.3	43.5	22.0
.9	480.8	242.4	231.1	116.5	43.2	21.8
1934.0	481.2	242.6	231.5	116.7	42.8	21.6
.1	481.6	242.8	231.9	116.9	42.4	21.4
.2	481.9	243.0	232.2	117.1	42.1	21.2
.3	482.3	243.2	232.6	117.3	41.7	21.0
.4	482.7	243.4	233.0	117.5	41.3	20.8
.5	483.1	243.6	233.4	117.7	40.9	20.6
.6	483.5	243.7	233.8	117.9	40.5	20.4
.7	483.9	243.9	234.2	118.1	40.1	20.2
.8	484.2	244.1	234.5	118.3	39.8	20.0
.9	484.6	244.3	234.9	118.4	39.4	19.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1935.0	485.0	244.5	235.3	118.6	39.0	19.6
.1	485.4	244.7	235.7	118.8	38.6	19.5
.2	485.8	244.9	236.1	119.0	38.2	19.3
.3	486.2	245.1	236.5	119.2	37.8	19.1
.4	486.6	245.3	236.9	119.4	37.4	18.9
.5	487.0	245.5	237.3	119.6	37.0	18.7
.6	487.4	245.7	237.7	119.8	36.6	18.5
.7	487.8	245.9	238.1	120.0	36.2	18.3
.8	488.1	246.1	238.4	120.2	35.9	18.1
.9	488.5	246.3	238.8	120.4	35.5	17.9
1936.0	488.9	246.5	239.2	120.6	35.1	17.7
.1	489.3	246.7	239.6	120.8	34.7	17.5
.2	489.7	246.9	240.0	121.0	34.3	17.3
.3	490.1	247.1	240.4	121.2	33.9	17.1
.4	490.5	247.3	240.8	121.4	33.5	16.9
.5	490.9	247.5	241.2	121.6	33.1	16.7
.6	491.3	247.7	241.6	121.8	32.7	16.5
.7	491.7	247.9	242.0	122.0	32.3	16.3
.8	492.0	248.1	242.3	122.2	32.0	16.1
.9	492.4	248.3	242.7	122.4	31.6	15.9
1937.0	492.8	248.5	243.1	122.6	31.2	15.7
.1	493.2	248.7	243.5	122.8	30.8	15.5
.2	493.6	248.9	243.9	123.0	30.4	15.3
.3	494.0	249.1	244.3	123.2	30.0	15.1
.4	494.4	249.3	244.7	123.4	29.6	14.9
.5	494.8	249.4	245.1	123.6	29.2	14.7
.6	495.2	249.6	245.5	123.8	28.8	14.5
.7	495.6	249.8	245.9	123.9	28.4	14.3
.8	495.9	250.0	246.2	124.1	28.1	14.1
.9	496.3	250.2	246.6	124.3	27.7	14.0
1938.0	496.7	250.4	247.0	124.5	27.3	13.8
.1	497.1	250.6	247.4	124.7	26.9	13.6
.2	497.5	250.8	247.8	124.9	26.5	13.4
.3	497.9	251.0	248.2	125.1	26.1	13.2
.4	498.3	251.2	248.6	125.3	25.7	13.0
.5	498.7	251.4	249.0	125.5	25.3	12.8
.6	499.1	251.6	249.4	125.7	24.9	12.6
.7	499.4	251.8	249.7	125.9	24.6	12.4
.8	499.8	252.0	250.1	126.1	24.2	12.2
.9	500.2	252.2	250.5	126.3	23.8	12.0
1939.0	500.6	252.4	250.9	126.5	23.4	11.8
.1	501.0	252.6	251.3	126.7	23.0	11.6
.2	501.4	252.8	251.7	126.9	22.6	11.4
.3	501.8	253.0	252.1	127.1	22.2	11.2
.4	502.2	253.2	252.5	127.3	21.8	11.0
.5	502.6	253.4	252.9	127.5	21.4	10.8
.6	503.0	253.6	253.3	127.7	21.0	10.6
.7	503.3	253.8	253.6	127.9	20.7	10.4
.8	503.7	254.0	254.0	128.1	20.3	10.2
.9	504.1	254.2	254.4	128.3	19.9	10.0

Reservoir Storage Tables

ROUND BUTTE

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1940.0	504.5	254.4	254.8	128.5	19.5	9.8
.1	504.9	254.6	255.2	128.7	19.1	9.6
.2	505.3	254.8	255.6	128.9	18.7	9.4
.3	505.7	254.9	256.0	129.1	18.3	9.2
.4	506.1	255.1	256.4	129.3	17.9	9.0
.5	506.5	255.3	256.8	129.5	17.5	8.8
.6	506.9	255.5	257.2	129.6	17.1	8.6
.7	507.2	255.7	257.5	129.8	16.8	8.4
.8	507.6	255.9	257.9	130.0	16.4	8.3
.9	508.0	256.1	258.3	130.2	16.0	8.1
1941.0	508.4	256.3	258.7	130.4	15.6	7.9
.1	508.8	256.5	259.1	130.6	15.2	7.7
.2	509.2	256.7	259.5	130.8	14.8	7.5
.3	509.6	256.9	259.9	131.0	14.4	7.3
.4	510.0	257.1	260.3	131.2	14.0	7.1
.5	510.4	257.3	260.7	131.4	13.6	6.9
.6	510.7	257.5	261.0	131.6	13.3	6.7
.7	511.1	257.7	261.4	131.8	12.9	6.5
.8	511.5	257.9	261.8	132.0	12.5	6.3
.9	511.9	258.1	262.2	132.2	12.1	6.1
1942.0	512.3	258.3	262.6	132.4	11.7	5.9
.1	512.7	258.5	263.0	132.6	11.3	5.7
.2	513.1	258.7	263.4	132.8	10.9	5.5
.3	513.5	258.9	263.8	133.0	10.5	5.3
.4	513.9	259.1	264.2	133.2	10.1	5.1
.5	514.3	259.3	264.6	133.4	9.7	4.9
.6	514.6	259.5	264.9	133.6	9.4	4.7
.7	515.0	259.7	265.3	133.8	9.0	4.5
.8	515.4	259.9	265.7	134.0	8.6	4.3
.9	515.8	260.1	266.1	134.2	8.2	4.1
1943.0	516.2	260.3	266.5	134.4	7.8	3.9
.1	516.6	260.5	266.9	134.6	7.4	3.7
.2	517.0	260.6	267.3	134.8	7.0	3.5
.3	517.4	260.8	267.7	135.0	6.6	3.3
.4	517.8	261.0	268.1	135.1	6.2	3.1
.5	518.2	261.2	268.5	135.3	5.8	2.9
.6	518.5	261.4	268.8	135.5	5.5	2.8
.7	518.9	261.6	269.2	135.7	5.1	2.6
.8	519.3	261.8	269.6	135.9	4.7	2.4
.9	519.7	262.0	270.0	136.1	4.3	2.2
1944.0	520.1	262.2	270.4	136.3	3.9	2.0
.1	520.5	262.4	270.8	136.5	3.5	1.8
.2	520.9	262.6	271.2	136.7	3.1	1.6
.3	521.3	262.8	271.6	136.9	2.7	1.4
.4	521.7	263.0	272.0	137.1	2.3	1.2
.5	522.1	263.2	272.4	137.3	1.9	1.0
.6	522.4	263.4	272.7	137.5	1.6	0.8
.7	522.8	263.6	273.1	137.7	1.2	0.6
.8	523.2	263.8	273.5	137.9	0.8	0.4
.9	523.6	264.0	273.9	138.1	0.4	0.2

ROUND BUTTE

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1945.0	SUB	524.0	264.2	274.3	138.3	0.0	0.0
.1		524.4	264.4				
.2		524.8	264.6				
.3		525.2	264.8				
.4		525.6	265.0				
.5		525.9	265.2				
.6		526.3	265.4				
.7		526.7	265.6				
.8		527.1	265.8				
.9		527.5	266.0				
1946.0		527.9	266.1				

Round Butte

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

PROJECT NAME: LONG LAKE

PROJECT NUMBER: 64

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) = 104.30 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1512.0 SLB	0.0	0.0	0.0	0.0	104.3	52.6
.1	0.4	0.2	0.4	0.2	103.9	52.4
.2	0.8	0.4	0.8	0.4	103.5	52.2
.3	1.2	0.6	1.2	0.6	103.1	52.0
.4	1.5	0.8	1.5	0.8	102.8	51.8
.5	1.9	1.0	1.9	1.0	102.4	51.6
.6	2.3	1.2	2.3	1.2	102.0	51.4
.7	2.7	1.4	2.7	1.4	101.6	51.2
.8	3.1	1.5	3.1	1.5	101.2	51.0
.9	3.5	1.7	3.5	1.7	100.8	50.8
1513.0	3.8	1.9	3.8	1.9	100.5	50.7
.1	4.2	2.1	4.2	2.1	100.1	50.5
.2	4.6	2.3	4.6	2.3	99.7	50.3
.3	5.0	2.5	5.0	2.5	99.3	50.1
.4	5.4	2.7	5.4	2.7	98.9	49.9
.5	5.8	2.9	5.8	2.9	98.6	49.7
.6	6.1	3.1	6.1	3.1	98.2	49.5
.7	6.5	3.3	6.5	3.3	97.8	49.3
.8	6.9	3.5	6.9	3.5	97.4	49.1
.9	7.3	3.7	7.3	3.7	97.0	48.9
1514.0	7.7	3.9	7.7	3.9	96.6	48.7
.1	8.0	4.1	8.0	4.1	96.3	48.5
.2	8.4	4.3	8.4	4.3	95.9	48.3
.3	8.8	4.4	8.8	4.4	95.5	48.1
.4	9.2	4.6	9.2	4.6	95.1	47.9
.5	9.6	4.8	9.6	4.8	94.7	47.8
.6	10.0	5.0	10.0	5.0	94.3	47.6
.7	10.3	5.2	10.3	5.2	94.0	47.4
.8	10.7	5.4	10.7	5.4	93.6	47.2
.9	11.1	5.6	11.1	5.6	93.2	47.0
1515.0	11.5	5.8	11.5	5.8	92.8	46.8
.1	11.9	6.0	11.9	6.0	92.4	46.6
.2	12.3	6.2	12.3	6.2	92.0	46.4
.3	12.7	6.4	12.7	6.4	91.6	46.2
.4	13.0	6.6	13.0	6.6	91.3	46.0
.5	13.4	6.8	13.4	6.8	90.9	45.8
.6	13.8	7.0	13.8	7.0	90.5	45.6
.7	14.2	7.2	14.2	7.2	90.1	45.4
.8	14.6	7.3	14.6	7.3	89.7	45.2
.9	15.0	7.5	15.0	7.5	89.3	45.0
1516.0	15.3	7.7	15.3	7.7	89.0	44.9
.1	15.7	7.9	15.7	7.9	88.6	44.7
.2	16.1	8.1	16.1	8.1	88.2	44.5
.3	16.5	8.3	16.5	8.3	87.8	44.3
.4	16.9	8.5	16.9	8.5	87.4	44.1
.5	17.3	8.7	17.3	8.7	87.1	43.9
.6	17.6	8.9	17.6	8.9	86.7	43.7
.7	18.0	9.1	18.0	9.1	86.3	43.5
.8	18.4	9.3	18.4	9.3	85.9	43.3
.9	18.8	9.5	18.8	9.5	85.5	43.1

LONG LAKE

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1517.0	19.2	9.7	19.2	9.7	85.1	42.9
.1	19.5	9.9	19.5	9.9	84.8	42.7
.2	19.9	10.0	19.9	10.0	84.4	42.5
.3	20.3	10.2	20.3	10.2	84.0	42.3
.4	20.7	10.4	20.7	10.4	83.6	42.1
.5	21.1	10.6	21.1	10.6	83.2	42.0
.6	21.5	10.8	21.5	10.8	82.8	41.8
.7	21.8	11.0	21.8	11.0	82.5	41.6
.8	22.2	11.2	22.2	11.2	82.1	41.4
.9	22.6	11.4	22.6	11.4	81.7	41.2
1518.0	23.0	11.6	23.0	11.6	81.3	41.0
.1	23.4	11.8	23.4	11.8	80.9	40.8
.2	23.8	12.0	23.8	12.0	80.5	40.6
.3	24.2	12.2	24.2	12.2	80.1	40.4
.4	24.6	12.4	24.6	12.4	79.7	40.2
.5	25.0	12.6	25.0	12.6	79.3	40.0
.6	25.4	12.8	25.4	12.8	78.9	39.8
.7	25.8	13.0	25.8	13.0	78.5	39.6
.8	26.2	13.2	26.2	13.2	78.1	39.4
.9	26.6	13.4	26.6	13.4	77.7	39.2
1519.0	27.1	13.6	27.1	13.6	77.2	38.9
.1	27.5	13.8	27.5	13.8	76.8	38.7
.2	27.9	14.0	27.9	14.0	76.4	38.5
.3	28.3	14.3	28.3	14.3	76.0	38.3
.4	28.7	14.5	28.7	14.5	75.6	38.1
.5	29.1	14.7	29.1	14.7	75.2	37.9
.6	29.5	14.9	29.5	14.9	74.8	37.7
.7	29.9	15.1	29.9	15.1	74.4	37.5
.8	30.3	15.3	30.3	15.3	74.0	37.3
.9	30.7	15.5	30.7	15.5	73.6	37.1
1520.0	31.1	15.7	31.1	15.7	73.2	36.9
.1	31.5	15.9	31.5	15.9	72.8	36.7
.2	31.9	16.1	31.9	16.1	72.4	36.5
.3	32.3	16.3	32.3	16.3	72.0	36.3
.4	32.7	16.5	32.7	16.5	71.6	36.1
.5	33.1	16.7	33.1	16.7	71.2	35.9
.6	33.5	16.9	33.5	16.9	70.8	35.7
.7	33.9	17.1	33.9	17.1	70.4	35.5
.8	34.3	17.3	34.3	17.3	70.0	35.3
.9	34.7	17.5	34.7	17.5	69.6	35.1
1521.0	35.2	17.7	35.2	17.7	69.1	34.9
.1	35.6	17.9	35.6	17.9	68.7	34.7
.2	36.0	18.1	36.0	18.1	68.3	34.5
.3	36.4	18.3	36.4	18.3	67.9	34.2
.4	36.8	18.5	36.8	18.5	67.5	34.0
.5	37.2	18.7	37.2	18.7	67.1	33.8
.6	37.6	18.9	37.6	18.9	66.7	33.6
.7	38.0	19.2	38.0	19.2	66.3	33.4
.8	38.4	19.4	38.4	19.4	65.9	33.2
.9	38.8	19.6	38.8	19.6	65.5	33.0

Reservoir Storage Tables

LONG LAKE — PAGE 3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1522.0	39.2	19.8	39.2	19.8	65.1	32.8
.1	39.7	20.0	39.7	20.0	64.6	32.6
.2	40.1	20.2	40.1	20.2	64.2	32.4
.3	40.5	20.4	40.5	20.4	63.8	32.2
.4	41.0	20.6	41.0	20.6	63.3	31.9
.5	41.4	20.9	41.4	20.9	62.9	31.7
.6	41.8	21.1	41.8	21.1	62.5	31.5
.7	42.3	21.3	42.3	21.3	62.0	31.3
.8	42.7	21.5	42.7	21.5	61.6	31.1
.9	43.1	21.7	43.1	21.7	61.2	30.8
1523.0	43.5	22.0	43.5	22.0	60.8	30.6
.1	44.0	22.2	44.0	22.2	60.3	30.4
.2	44.4	22.4	44.4	22.4	59.9	30.2
.3	44.8	22.6	44.8	22.6	59.5	30.0
.4	45.3	22.8	45.3	22.8	59.0	29.8
.5	45.7	23.0	45.7	23.0	58.6	29.5
.6	46.1	23.3	46.1	23.3	58.2	29.3
.7	46.6	23.5	46.6	23.5	57.7	29.1
.8	47.0	23.7	47.0	23.7	57.3	28.9
.9	47.4	23.9	47.4	23.9	56.9	28.7
1524.0	47.9	24.1	47.9	24.1	56.4	28.5
.1	48.3	24.3	48.3	24.3	56.0	28.2
.2	48.7	24.6	48.7	24.6	55.6	28.0
.3	49.2	24.8	49.2	24.8	55.1	27.8
.4	49.6	25.0	49.6	25.0	54.7	27.6
.5	50.0	25.2	50.0	25.2	54.3	27.4
.6	50.5	25.4	50.5	25.4	53.8	27.1
.7	50.9	25.7	50.9	25.7	53.4	26.9
.8	51.3	25.9	51.3	25.9	53.0	26.7
.9	51.8	26.1	51.8	26.1	52.5	26.5
1525.0	52.2	26.3	52.2	26.3	52.1	26.3
.1	52.6	26.5	52.6	26.5	51.7	26.1
.2	53.0	26.7	53.0	26.7	51.3	25.8
.3	53.5	27.0	53.5	27.0	50.8	25.6
.4	53.9	27.2	53.9	27.2	50.4	25.4
.5	54.3	27.4	54.3	27.4	50.0	25.2
.6	54.8	27.6	54.8	27.6	49.5	25.0
.7	55.2	27.8	55.2	27.8	49.1	24.8
.8	55.6	28.1	55.6	28.1	48.7	24.5
.9	56.1	28.3	56.1	28.3	48.2	24.3
1526.0	56.5	28.5	56.5	28.5	47.8	24.1
.1	57.0	28.7	57.0	28.7	47.3	23.9
.2	57.4	29.0	57.4	29.0	46.9	23.6
.3	57.9	29.2	57.9	29.2	46.4	23.4
.4	58.4	29.4	58.4	29.4	45.9	23.1
.5	58.9	29.7	58.9	29.7	45.4	22.9
.6	59.3	29.9	59.3	29.9	45.0	22.7
.7	59.8	30.2	59.8	30.2	44.5	22.4
.8	60.3	30.4	60.3	30.4	44.0	22.2
.9	60.7	30.6	60.7	30.6	43.6	22.0

LONG LAKE — PAGE 4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1527.0	61.2	30.9	61.2	30.9	43.1	21.7
.1	61.7	31.1	61.7	31.1	42.6	21.5
.2	62.2	31.3	62.2	31.3	42.1	21.2
.3	62.6	31.6	62.6	31.6	41.7	21.0
.4	63.1	31.8	63.1	31.8	41.2	20.8
.5	63.6	32.1	63.6	32.1	40.7	20.5
.6	64.1	32.3	64.1	32.3	40.2	20.3
.7	64.5	32.5	64.5	32.5	39.8	20.1
.8	65.0	32.8	65.0	32.8	39.3	19.8
.9	65.5	33.0	65.5	33.0	38.8	19.6
1528.0	65.9	33.2	65.9	33.2	38.4	19.3
.1	66.4	33.5	66.4	33.5	37.9	19.1
.2	66.9	33.7	66.9	33.7	37.4	18.9
.3	67.4	34.0	67.4	34.0	36.9	18.6
.4	67.8	34.2	67.8	34.2	36.5	18.4
.5	68.3	34.4	68.3	34.4	36.0	18.1
.6	68.8	34.7	68.8	34.7	35.5	17.9
.7	69.2	34.9	69.2	34.9	35.1	17.7
.8	69.7	35.1	69.7	35.1	34.6	17.4
.9	70.2	35.4	70.2	35.4	34.1	17.2
1529.0	70.7	35.6	70.7	35.6	33.6	17.0
.1	71.1	35.9	71.1	35.9	33.2	16.7
.2	71.6	36.1	71.6	36.1	32.7	16.5
.3	72.1	36.3	72.1	36.3	32.2	16.2
.4	72.5	36.6	72.5	36.6	31.8	16.0
.5	73.0	36.8	73.0	36.8	31.3	15.8
.6	73.5	37.1	73.5	37.1	30.8	15.5
.7	74.0	37.3	74.0	37.3	30.3	15.3
.8	74.4	37.5	74.4	37.5	29.9	15.1
.9	74.9	37.8	74.9	37.8	29.4	14.8
1530.0	75.4	38.0	75.4	38.0	28.9	14.6
.1	75.9	38.2	75.9	38.2	28.4	14.3
.2	76.3	38.5	76.3	38.5	28.0	14.1
.3	76.8	38.7	76.8	38.7	27.5	13.9
.4	77.3	39.0	77.3	39.0	27.0	13.6
.5	77.7	39.2	77.7	39.2	26.6	13.4
.6	78.2	39.4	78.2	39.4	26.1	13.2
.7	78.7	39.7	78.7	39.7	25.6	12.9
.8	79.2	39.9	79.2	39.9	25.1	12.7
.9	79.6	40.1	79.6	40.1	24.7	12.4
1531.0	80.1	40.4	80.1	40.4	24.2	12.2
.1	80.6	40.6	80.6	40.6	23.7	12.0
.2	81.1	40.9	81.1	40.9	23.2	11.7
.3	81.6	41.1	81.6	41.1	22.7	11.5
.4	82.0	41.4	82.0	41.4	22.3	11.2
.5	82.5	41.6	82.5	41.6	21.8	11.0
.6	83.0	41.8	83.0	41.8	21.3	10.7
.7	83.5	42.1	83.5	42.1	20.8	10.5
.8	84.0	42.3	84.0	42.3	20.3	10.2
.9	84.5	42.6	84.5	42.6	19.8	10.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1532.0	84.9	42.8	84.9	42.8	19.4	9.8
.1	85.4	43.1	85.4	43.1	18.9	9.5
.2	85.9	43.3	85.9	43.3	18.4	9.3
.3	86.4	43.6	86.4	43.6	17.9	9.0
.4	86.9	43.8	86.9	43.8	17.4	8.8
.5	87.4	44.0	87.4	44.0	16.9	8.5
.6	87.8	44.3	87.8	44.3	16.5	8.3
.7	88.3	44.5	88.3	44.5	16.0	8.1
.8	88.8	44.8	88.8	44.8	15.5	7.8
.9	89.3	45.0	89.3	45.0	15.0	7.6
1533.0	89.8	45.3	89.8	45.3	14.5	7.3
.1	90.3	45.5	90.3	45.5	14.0	7.1
.2	90.7	45.8	90.7	45.8	13.6	6.8
.3	91.2	46.0	91.2	46.0	13.1	6.6
.4	91.7	46.2	91.7	46.2	12.6	6.3
.5	92.2	46.5	92.2	46.5	12.1	6.1
.6	92.7	46.7	92.7	46.7	11.6	5.9
.7	93.2	47.0	93.2	47.0	11.1	5.6
.8	93.7	47.2	93.7	47.2	10.6	5.4
.9	94.1	47.5	94.1	47.5	10.2	5.1
1534.0	94.6	47.7	94.6	47.7	9.7	4.9
.1	95.1	47.9	95.1	47.9	9.2	4.6
.2	95.6	48.2	95.6	48.2	8.7	4.4
.3	96.1	48.4	96.1	48.4	8.2	4.1
.4	96.6	48.7	96.6	48.7	7.7	3.9
.5	97.0	48.9	97.0	48.9	7.3	3.7
.6	97.5	49.2	97.5	49.2	6.8	3.4
.7	98.0	49.4	98.0	49.4	6.3	3.2
.8	98.5	49.7	98.5	49.7	5.8	2.9
.9	99.0	49.9	99.0	49.9	5.3	2.7
1535.0	99.5	50.1	99.5	50.1	4.8	2.4
.1	99.9	50.4	99.9	50.4	4.4	2.2
.2	100.4	50.6	100.4	50.6	3.9	2.0
.3	100.9	50.9	100.9	50.9	3.4	1.7
.4	101.4	51.1	101.4	51.1	2.9	1.5
.5	101.9	51.4	101.9	51.4	2.4	1.2
.6	102.4	51.6	102.4	51.6	1.9	1.0
.7	102.8	51.9	102.8	51.9	1.5	0.7
.8	103.3	52.1	103.3	52.1	1.0	0.5
.9	103.8	52.3	103.8	52.3	0.5	0.2
1536.0 SUB	104.3	52.6	104.3	52.6	0.0	0.0
.1	104.8	52.8				
.2	105.3	53.1				
.3	105.8	53.3				
.4	106.2	53.6				
.5	106.7	53.8				
.6	107.2	54.0				
.7	107.7	54.3				
.8	108.2	54.5				
.9	108.7	54.8				

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1537.0	109.1	55.0				

Reservoir Storage Tables

PROJECT NUMBER: 76   PAGE 1

STORAGE LOWER BOUND (SLB) = 446.20KAF   STORAGE UPPER BOUND (SUB) = 487.64 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
732.0	438.0	220.8				
.1	438.8	221.2				
.2	439.6	221.6				
.3	440.4	222.1				
.4	441.3	222.5				
.5	442.1	222.9				
.6	442.9	223.3				
.7	443.7	223.7				
.8	444.6	224.1				
.9	445.4	224.6				
733.0 SLB	446.2	225.0	0.0	0.0	41.4	20.9
.1	447.1	225.4	0.9	0.4	40.6	20.5
.2	447.9	225.8	1.7	0.9	39.8	20.0
.3	448.7	226.2	2.5	1.3	38.9	19.6
.4	449.5	226.6	3.3	1.7	38.1	19.2
.5	450.4	227.1	4.2	2.1	37.3	18.8
.6	451.2	227.5	5.0	2.5	36.4	18.4
.7	452.0	227.9	5.8	2.9	35.6	18.0
.8	452.9	228.3	6.7	3.4	34.8	17.5
.9	453.7	228.7	7.5	3.8	34.0	17.1
734.0	454.5	229.1	8.3	4.2	33.1	16.7
.1	455.3	229.6	9.1	4.6	32.3	16.3
.2	456.2	230.0	10.0	5.0	31.5	15.9
.3	457.0	230.4	10.8	5.4	30.6	15.5
.4	457.8	230.8	11.6	5.9	29.8	15.0
.5	458.7	231.2	12.5	6.3	29.0	14.6
.6	459.5	231.7	13.3	6.7	28.2	14.2
.7	460.3	232.1	14.1	7.1	27.3	13.8
.8	461.1	232.5	14.9	7.5	26.5	13.4
.9	462.0	232.9	15.8	7.9	25.7	12.9
735.0	462.8	233.3	16.6	8.4	24.8	12.5
.1	463.6	233.7	17.4	8.8	24.0	12.1
.2	464.4	234.2	18.2	9.2	23.2	11.7
.3	465.3	234.6	19.1	9.6	22.4	11.3
.4	466.1	235.0	19.9	10.0	21.5	10.9
.5	466.9	235.4	20.7	10.5	20.7	10.4
.6	467.8	235.8	21.6	10.9	19.9	10.0
.7	468.6	236.2	22.4	11.3	19.1	9.6
.8	469.4	236.7	23.2	11.7	18.2	9.2
.9	470.2	237.1	24.0	12.1	17.4	8.8
736.0	471.1	237.5	24.9	12.5	16.6	8.4
.1	471.9	237.9	25.7	13.0	15.7	7.9
.2	472.7	238.3	26.5	13.4	14.9	7.5
.3	473.6	238.7	27.4	13.8	14.1	7.1
.4	474.4	239.2	28.2	14.2	13.3	6.7
.5	475.2	239.6	29.0	14.6	12.4	6.3
.6	476.0	240.0	29.8	15.0	11.6	5.8
.7	476.9	240.4	30.7	15.5	10.8	5.4
.8	477.7	240.8	31.5	15.9	9.9	5.0
.9	478.5	241.3	32.3	16.3	9.1	4.6

PAGE 2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
737.0	479.3	241.7	33.1	16.7	8.3	4.2
.1	480.2	242.1	34.0	17.1	7.5	3.8
.2	481.0	242.5	34.8	17.5	6.6	3.3
.3	481.8	242.9	35.6	18.0	5.8	2.9
.4	482.7	243.3	36.5	18.4	5.0	2.5
.5	483.5	243.8	37.3	18.8	4.2	2.1
.6	484.3	244.2	38.1	19.2	3.3	1.7
.7	485.1	244.6	38.9	19.6	2.5	1.3
.8	486.0	245.0	39.8	20.1	1.7	0.8
.9	486.8	245.4	40.6	20.5	0.8	0.4
738.0 SUB	487.6	245.8	41.4	20.9	0.0	0.0
.1	488.5	246.3				
.2	489.3	246.7				
.3	490.1	247.1				
.4	490.9	247.5				
.5	491.8	247.9				
.6	492.6	248.4				
.7	493.4	248.8				
.8	494.3	249.2				
.9	495.1	249.6				
739.0	495.9	250.0				

Reservoir Storage Tables

STORAGE LOWER BOUND (SLB) =   516.80KAF   STORAGE UPPER BOUND (SUB) = 565.50 KAF   PAGE 2

ELEVATION		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
FEET		KAF	KSFD	KAF	KSFD	KAF	KSFD
633.0	SLB	516.8	260.5	0.0	0.0	48.8	24.6
.1		517.7	261.0	0.9	0.5	47.8	24.1
.2		518.7	261.5	1.9	1.0	46.8	23.6
.3		519.7	262.0	2.9	1.4	45.8	23.1
.4		520.7	262.5	3.9	1.9	44.8	22.6
.5		521.6	263.0	4.8	2.4	43.9	22.1
.6		522.6	263.5	5.8	2.9	42.9	21.6
.7		523.6	264.0	6.8	3.4	41.9	21.1
.8		524.5	264.5	7.7	3.9	41.0	20.6
.9		525.5	265.0	8.7	4.4	40.0	20.2
634.0		526.5	265.4	9.7	4.9	39.0	19.7
.1		527.5	265.9	10.7	5.4	38.0	19.2
.2		528.5	266.4	11.7	5.9	37.0	18.7
.3		529.4	266.9	12.6	6.4	36.1	18.2
.4		530.4	267.4	13.6	6.9	35.1	17.7
.5		531.4	267.9	14.6	7.3	34.1	17.2
.6		532.3	268.4	15.5	7.8	33.2	16.7
.7		533.3	268.9	16.5	8.3	32.2	16.2
.8		534.3	269.4	17.5	8.8	31.2	15.7
.9		535.3	269.9	18.5	9.3	30.2	15.2
635.0		536.3	270.4	19.5	9.8	29.3	14.7
.1		537.2	270.9	20.4	10.3	28.3	14.3
.2		538.2	271.3	21.4	10.8	27.3	13.8
.3		539.2	271.8	22.4	11.3	26.3	13.3
.4		540.2	272.3	23.4	11.8	25.3	12.8
.5		541.1	272.8	24.3	12.3	24.4	12.3
.6		542.1	273.3	25.3	12.8	23.4	11.8
.7		543.1	273.8	26.3	13.2	22.4	11.3
.8		544.0	274.3	27.2	13.7	21.5	10.8
.9		545.0	274.8	28.2	14.2	20.5	10.3
636.0		546.0	275.3	29.2	14.7	19.5	9.8
.1		547.0	275.8	30.2	15.2	18.5	9.3
.2		548.0	276.3	31.2	15.7	17.5	8.8
.3		548.9	276.7	32.1	16.2	16.6	8.4
.4		549.9	277.2	33.1	16.7	15.6	7.9
.5		550.9	277.7	34.1	17.2	14.6	7.4
.6		551.8	278.2	35.0	17.7	13.7	6.9
.7		552.8	278.7	36.0	18.2	12.7	6.4
.8		553.8	279.2	37.0	18.7	11.7	5.9
.9		554.8	279.7	38.0	19.1	10.7	5.4
637.0		555.8	280.2	39.0	19.6	9.8	4.9
.1		556.7	280.7	39.9	20.1	8.8	4.4
.2		557.7	281.2	40.9	20.6	7.8	3.9
.3		558.7	281.7	41.9	21.1	6.8	3.4
.4		559.7	282.2	42.9	21.6	5.8	2.9
.5		560.6	282.6	43.8	22.1	4.9	2.5
.6		561.6	283.1	44.8	22.6	3.9	2.0
.7		562.6	283.6	45.8	23.1	2.9	1.5
.8		563.5	284.1	46.7	23.6	2.0	1.0
.9		564.5	284.6	47.7	24.1	1.0	0.5

ELEVATION		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
FEET		KAF	KSFD	KAF	KSFD	KAF	KSFD
638.0	SUB	565.5	285.1	48.7	24.6	0.0	0.0
.1		566.5	285.6				
.2		567.5	286.1				
.3		568.4	286.6				
.4		569.4	287.1				
.5		570.4	287.6				
.6		571.3	288.1				
.7		572.3	288.5				
.8		573.3	289.0				
.9		574.3	289.5				
639.0		575.3	290.0				

Reservoir Storage Tables

STORAGE LOWER BOUND (SLB) =   358.00KAF   STORAGE UPPER BOUND (SUB) =   377.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
537.0	SLB	358.0	180.5	0.0	0.0	19.0	9.6
.1		358.6	180.8	0.6	0.3	18.4	9.3
.2		359.2	181.1	1.2	0.6	17.8	9.0
.3		359.9	181.4	1.9	0.9	17.1	8.6
.4		360.5	181.7	2.5	1.3	16.5	8.3
.5		361.1	182.1	3.1	1.6	15.9	8.0
.6		361.8	182.4	3.8	1.9	15.2	7.7
.7		362.4	182.7	4.4	2.2	14.6	7.4
.8		363.0	183.0	5.0	2.5	14.0	7.0
.9		363.7	183.3	5.7	2.9	13.3	6.7
538.0		364.3	183.7	6.3	3.2	12.7	6.4
.1		364.9	184.0	6.9	3.5	12.1	6.1
.2		365.6	184.3	7.6	3.8	11.4	5.8
.3		366.2	184.6	8.2	4.1	10.8	5.4
.4		366.8	184.9	8.8	4.5	10.2	5.1
.5		367.5	185.3	9.5	4.8	9.5	4.8
.6		368.1	185.6	10.1	5.1	8.9	4.5
.7		368.7	185.9	10.7	5.4	8.3	4.2
.8		369.4	186.2	11.4	5.7	7.6	3.8
.9		370.0	186.5	12.0	6.1	7.0	3.5
539.0		370.6	186.9	12.6	6.4	6.4	3.2
.1		371.3	187.2	13.3	6.7	5.7	2.9
.2		371.9	187.5	13.9	7.0	5.1	2.6
.3		372.6	187.8	14.6	7.3	4.4	2.2
.4		373.2	188.2	15.2	7.7	3.8	1.9
.5		373.8	188.5	15.8	8.0	3.2	1.6
.6		374.5	188.8	16.5	8.3	2.5	1.3
.7		375.1	189.1	17.1	8.6	1.9	1.0
.8		375.7	189.4	17.7	8.9	1.3	0.6
.9		376.4	189.8	18.4	9.3	0.6	0.3
540.0	SUB	377.0	190.1	19.0	9.6	0.0	0.0
.1		377.7	190.4				
.2		378.4	190.8				
.3		379.0	191.1				
.4		379.7	191.4				
.5		380.4	191.8				
.6		381.1	192.1				
.7		381.8	192.5				
.8		382.4	192.8				
.9		383.1	193.2				
541.0		383.8	193.5				

Reservoir Storage Tables

PROJECT NUMBER: 79 PAGE 1

STORAGE LOWER BOUND (SLB) = 383.60KAF STORAGE UPPER BOUND (SUB) = 406.30 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
436.0		376.0	189.6				
.1		376.8	190.0				
.2		377.6	190.3				
.3		378.3	190.7				
.4		379.1	191.1				
.5		379.8	191.5				
.6		380.6	191.9				
.7		381.3	192.3				
.8		382.1	192.6				
.9		382.8	193.0				
437.0	SLB	383.6	193.4	0.0	0.0	22.7	11.4
.1		384.4	193.8	0.8	0.4	21.9	11.1
.2		385.1	194.2	1.5	0.8	21.2	10.7
.3		385.9	194.5	2.3	1.1	20.4	10.3
.4		386.6	194.9	3.0	1.5	19.7	9.9
.5		387.4	195.3	3.8	1.9	18.9	9.5
.6		388.1	195.7	4.5	2.3	18.2	9.2
.7		388.9	196.1	5.3	2.7	17.4	8.8
.8		389.7	196.5	6.1	3.1	16.6	8.4
.9		390.4	196.8	6.8	3.4	15.9	8.0
438.0		391.2	197.2	7.6	3.8	15.1	7.6
.1		391.9	197.6	8.3	4.2	14.4	7.2
.2		392.7	198.0	9.1	4.6	13.6	6.9
.3		393.4	198.4	9.8	5.0	12.9	6.5
.4		394.2	198.7	10.6	5.3	12.1	6.1
.5		395.0	199.1	11.4	5.7	11.3	5.7
.6		395.7	199.5	12.1	6.1	10.6	5.3
.7		396.5	199.9	12.9	6.5	9.8	5.0
.8		397.2	200.3	13.6	6.9	9.1	4.6
.9		398.0	200.6	14.4	7.2	8.3	4.2
439.0		398.7	201.0	15.1	7.6	7.6	3.8
.1		399.5	201.4	15.9	8.0	6.8	3.4
.2		400.2	201.8	16.6	8.4	6.1	3.1
.3		401.0	202.2	17.4	8.8	5.3	2.7
.4		401.8	202.6	18.2	9.2	4.5	2.3
.5		402.5	202.9	18.9	9.5	3.8	1.9
.6		403.3	203.3	19.7	9.9	3.0	1.5
.7		404.0	203.7	20.4	10.3	2.3	1.1
.8		404.8	204.1	21.2	10.7	1.5	0.8
.9		405.5	204.5	21.9	11.1	0.8	0.4
440.0	SUB	406.3	204.8	22.7	11.4	0.0	0.0
.1		407.1	205.3				
.2		408.0	205.7				
.3		408.8	206.1				
.4		409.6	206.5				
.5		410.4	206.9				
.6		411.3	207.4				
.7		412.1	207.8				
.8		412.9	208.2				
.9		413.8	208.6				

PAGE 2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
441.0	414.6	209.0				

Reservoir Storage Tables

PROJECT NAME: MC NARY

PROJECT NUMBER: 80

MC NARY

STORAGE LOWER BOUND (SLB) =   210.00KAF   STORAGE UPPER BOUND (SUB) = 1350.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
291.0	SLB	210.0	105.9	0.0	0.0	1140.0	574.8	296.0	282.2	142.3	72.2	36.4	1067.8	538.3
.1		211.4	106.6	1.4	0.7	1138.6	574.0	.1	283.7	143.0	73.7	37.1	1066.3	537.6
.2		212.9	107.3	2.9	1.5	1137.1	573.3	.2	285.1	143.7	75.1	37.9	1064.9	536.9
.3		214.3	108.1	4.3	2.2	1135.7	572.6	.3	286.6	144.5	76.6	38.6	1063.4	536.2
.4		215.8	108.8	5.8	2.9	1134.2	571.8	.4	288.0	145.2	78.0	39.3	1062.0	535.4
.5		217.2	109.5	7.2	3.6	1132.8	571.1	.5	289.4	145.9	79.4	40.1	1060.6	534.7
.6		218.7	110.2	8.7	4.4	1131.3	570.4	.6	290.9	146.7	80.9	40.8	1059.1	534.0
.7		220.1	111.0	10.1	5.1	1129.9	569.7	.7	292.3	147.4	82.3	41.5	1057.7	533.2
.8		221.6	111.7	11.6	5.8	1128.4	568.9	.8	293.8	148.1	83.8	42.2	1056.2	532.5
.9		223.0	112.4	13.0	6.6	1127.0	568.2	.9	295.2	148.8	85.2	43.0	1054.8	531.8
292.0		224.4	113.2	14.4	7.3	1125.6	567.5	297.0	296.7	149.6	86.7	43.7	1053.3	531.1
.1		225.9	113.9	15.9	8.0	1124.1	566.7	.1	298.1	150.3	88.1	44.4	1051.9	530.3
.2		227.3	114.6	17.3	8.7	1122.7	566.0	.2	299.6	151.0	89.6	45.2	1050.4	529.6
.3		228.8	115.3	18.8	9.5	1121.2	565.3	.3	301.0	151.8	91.0	45.9	1049.0	528.9
.4		230.2	116.1	20.2	10.2	1119.8	564.6	.4	302.4	152.5	92.4	46.6	1047.6	528.1
.5		231.7	116.8	21.7	10.9	1118.3	563.8	.5	303.9	153.2	93.9	47.3	1046.1	527.4
.6		233.1	117.5	23.1	11.7	1116.9	563.1	.6	305.3	153.9	95.3	48.1	1044.7	526.7
.7		234.6	118.3	24.6	12.4	1115.4	562.4	.7	306.8	154.7	96.8	48.8	1043.2	526.0
.8		236.0	119.0	26.0	13.1	1114.0	561.6	.8	308.2	155.4	98.2	49.5	1041.8	525.2
.9		237.4	119.7	27.4	13.8	1112.6	560.9	.9	309.7	156.1	99.7	50.2	1040.3	524.5
293.0		238.9	120.4	28.9	14.6	1111.1	560.2	298.0	311.1	156.9	101.1	51.0	1038.9	523.8
.1		240.3	121.2	30.3	15.3	1109.7	559.5	.1	312.6	157.6	102.6	51.7	1037.4	523.0
.2		241.8	121.9	31.8	16.0	1108.2	558.7	.2	314.0	158.3	104.0	52.4	1036.0	522.3
.3		243.2	122.6	33.2	16.7	1106.8	558.0	.3	315.4	159.0	105.4	53.2	1034.6	521.6
.4		244.7	123.4	34.7	17.5	1105.3	557.3	.4	316.9	159.8	106.9	53.9	1033.1	520.9
.5		246.1	124.1	36.1	18.2	1103.9	556.5	.5	318.3	160.5	108.3	54.6	1031.7	520.1
.6		247.6	124.8	37.6	18.9	1102.4	555.8	.6	319.8	161.2	109.8	55.3	1030.2	519.4
.7		249.0	125.5	39.0	19.7	1101.0	555.1	.7	321.2	161.9	111.2	56.1	1028.8	518.7
.8		250.4	126.3	40.4	20.4	1099.6	554.4	.8	322.7	162.7	112.7	56.8	1027.3	517.9
.9		251.9	127.0	41.9	21.1	1098.1	553.6	.9	324.1	163.4	114.1	57.5	1025.9	517.2
294.0		253.3	127.7	43.3	21.8	1096.7	552.9	299.0	325.6	164.1	115.6	58.3	1024.4	516.5
.1		254.8	128.5	44.8	22.6	1095.2	552.2	.1	327.0	164.9	117.0	59.0	1023.0	515.8
.2		256.2	129.2	46.2	23.3	1093.8	551.4	.2	328.4	165.6	118.4	59.7	1021.6	515.0
.3		257.7	129.9	47.7	24.0	1092.3	550.7	.3	329.9	166.3	119.9	60.4	1020.1	514.3
.4		259.1	130.6	49.1	24.8	1090.9	550.0	.4	331.3	167.0	121.3	61.2	1018.7	513.6
.5		260.6	131.4	50.6	25.5	1089.4	549.3	.5	332.8	167.8	122.8	61.9	1017.2	512.8
.6		262.0	132.1	52.0	26.2	1088.0	548.5	.6	334.2	168.5	124.2	62.6	1015.8	512.1
.7		263.4	132.8	53.4	26.9	1086.6	547.8	.7	335.7	169.2	125.7	63.4	1014.3	511.4
.8		264.9	133.5	54.9	27.7	1085.1	547.1	.8	337.1	170.0	127.1	64.1	1012.9	510.7
.9		266.3	134.3	56.3	28.4	1083.7	546.3	.9	338.6	170.7	128.6	64.8	1011.4	509.9
295.0		267.8	135.0	57.8	29.1	1082.2	545.6	300.0	340.0	171.4	130.0	65.5	1010.0	509.2
.1		269.2	135.7	59.2	29.9	1080.8	544.9	.1	341.8	172.3	131.8	66.4	1008.2	508.3
.2		270.7	136.5	60.7	30.6	1079.3	544.2	.2	343.5	173.2	133.5	67.3	1006.5	507.4
.3		272.1	137.2	62.1	31.3	1077.9	543.4	.3	345.2	174.1	135.2	68.2	1004.8	506.6
.4		273.6	137.9	63.6	32.0	1076.4	542.7	.4	347.0	174.9	137.0	69.1	1003.0	505.7
.5		275.0	138.6	65.0	32.8	1075.0	542.0	.5	348.8	175.8	138.8	70.0	1001.3	504.8
.6		276.4	139.4	66.4	33.5	1073.6	541.3	.6	350.5	176.7	140.5	70.8	999.5	503.9
.7		277.9	140.1	67.9	34.2	1072.1	540.5	.7	352.3	177.6	142.3	71.7	997.7	503.0
.8		279.3	140.8	69.3	35.0	1070.7	539.8	.8	354.0	178.5	144.0	72.6	996.0	502.2
.9		280.8	141.6	70.8	35.7	1069.2	539.1	.9	355.7	179.4	145.7	73.5	994.3	501.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
301.0	357.5	180.2	147.5	74.4	992.5	500.4
.1	359.3	181.1	149.3	75.2	990.7	499.5
.2	361.0	182.0	151.0	76.1	989.0	498.6
.3	362.7	182.9	152.7	77.0	987.3	497.7
.4	364.5	183.8	154.5	77.9	985.5	496.9
.5	366.3	184.7	156.3	78.8	983.8	496.0
.6	368.0	185.5	158.0	79.7	982.0	495.1
.7	369.8	186.4	159.8	80.5	980.2	494.2
.8	371.5	187.3	161.5	81.4	978.5	493.3
.9	373.2	188.2	163.2	82.3	976.8	492.4
302.0	375.0	189.1	165.0	83.2	975.0	491.6
.1	376.8	189.9	166.8	84.1	973.2	490.7
.2	378.5	190.8	168.5	85.0	971.5	489.8
.3	380.2	191.7	170.2	85.8	969.8	488.9
.4	382.0	192.6	172.0	86.7	968.0	488.0
.5	383.8	193.5	173.8	87.6	966.3	487.2
.6	385.5	194.4	175.5	88.5	964.5	486.3
.7	387.3	195.2	177.3	89.4	962.7	485.4
.8	389.0	196.1	179.0	90.2	961.0	484.5
.9	390.7	197.0	180.7	91.1	959.3	483.6
303.0	392.5	197.9	182.5	92.0	957.5	482.7
.1	394.3	198.8	184.3	92.9	955.7	481.9
.2	396.0	199.7	186.0	93.8	954.0	481.0
.3	397.7	200.5	187.7	94.7	952.3	480.1
.4	399.5	201.4	189.5	95.5	950.5	479.2
.5	401.3	202.3	191.3	96.4	948.8	478.3
.6	403.0	203.2	193.0	97.3	947.0	477.4
.7	404.8	204.1	194.8	98.2	945.2	476.6
.8	406.5	204.9	196.5	99.1	943.5	475.7
.9	408.2	205.8	198.2	100.0	941.8	474.8
304.0	410.0	206.7	200.0	100.8	940.0	473.9
.1	411.8	207.6	201.8	101.7	938.2	473.0
.2	413.5	208.5	203.5	102.6	936.5	472.2
.3	415.2	209.4	205.2	103.5	934.8	471.3
.4	417.0	210.2	207.0	104.4	933.0	470.4
.5	418.8	211.1	208.8	105.2	931.3	469.5
.6	420.5	212.0	210.5	106.1	929.5	468.6
.7	422.3	212.9	212.3	107.0	927.7	467.7
.8	424.0	213.8	214.0	107.9	926.0	466.9
.9	425.7	214.6	215.7	108.8	924.3	466.0
305.0	427.5	215.5	217.5	109.7	922.5	465.1
.1	429.3	216.4	219.3	110.5	920.7	464.2
.2	431.0	217.3	221.0	111.4	919.0	463.3
.3	432.7	218.2	222.7	112.3	917.3	462.4
.4	434.5	219.1	224.5	113.2	915.5	461.6
.5	436.3	219.9	226.3	114.1	913.8	460.7
.6	438.0	220.8	228.0	115.0	912.0	459.8
.7	439.8	221.7	229.8	115.8	910.2	458.9
.8	441.5	222.6	231.5	116.7	908.5	458.0
.9	443.2	223.5	233.2	117.6	906.8	457.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
306.0	445.0	224.4	235.0	118.5	905.0	456.3
.1	446.8	225.2	236.8	119.4	903.2	455.4
.2	448.5	226.1	238.5	120.2	901.5	454.5
.3	450.2	227.0	240.2	121.1	899.8	453.6
.4	452.0	227.9	242.0	122.0	898.0	452.7
.5	453.8	228.8	243.8	122.9	896.3	451.9
.6	455.5	229.6	245.5	123.8	894.5	451.0
.7	457.3	230.5	247.3	124.7	892.7	450.1
.8	459.0	231.4	249.0	125.5	891.0	449.2
.9	460.7	232.3	250.7	126.4	889.3	448.3
307.0	462.5	233.2	252.5	127.3	887.5	447.4
.1	464.3	234.1	254.3	128.2	885.7	446.6
.2	466.0	234.9	256.0	129.1	884.0	445.7
.3	467.7	235.8	257.7	129.9	882.3	444.8
.4	469.5	236.7	259.5	130.8	880.5	443.9
.5	471.3	237.6	261.3	131.7	878.8	443.0
.6	473.0	238.5	263.0	132.6	877.0	442.2
.7	474.8	239.4	264.8	133.5	875.2	441.3
.8	476.5	240.2	266.5	134.4	873.5	440.4
.9	478.2	241.1	268.2	135.2	871.8	439.5
308.0	480.0	242.0	270.0	136.1	870.0	438.6
.1	481.8	242.9	271.8	137.0	868.2	437.7
.2	483.5	243.8	273.5	137.9	866.5	436.9
.3	485.2	244.6	275.2	138.8	864.8	436.0
.4	487.0	245.5	277.0	139.7	863.0	435.1
.5	488.8	246.4	278.8	140.5	861.3	434.2
.6	490.5	247.3	280.5	141.4	859.5	433.3
.7	492.3	248.2	282.3	142.3	857.7	432.4
.8	494.0	249.1	284.0	143.2	856.0	431.6
.9	495.7	249.9	285.7	144.1	854.3	430.7
309.0	497.5	250.8	287.5	144.9	852.5	429.8
.1	499.3	251.7	289.3	145.8	850.7	428.9
.2	501.0	252.6	291.0	146.7	849.0	428.0
.3	502.7	253.5	292.7	147.6	847.3	427.2
.4	504.5	254.4	294.5	148.5	845.5	426.3
.5	506.3	255.2	296.3	149.4	843.8	425.4
.6	508.0	256.1	298.0	150.2	842.0	424.5
.7	509.8	257.0	299.8	151.1	840.2	423.6
.8	511.5	257.9	301.5	152.0	838.5	422.7
.9	513.2	258.8	303.2	152.9	836.8	421.9
310.0	515.0	259.6	305.0	153.8	835.0	421.0
.1	517.2	260.8	307.2	154.9	832.8	419.9
.2	519.4	261.9	309.4	156.0	830.6	418.8
.3	521.6	263.0	311.6	157.1	828.4	417.7
.4	523.8	264.1	313.8	158.2	826.2	416.5
.5	526.0	265.2	316.0	159.3	824.0	415.4
.6	528.2	266.3	318.2	160.4	821.8	414.3
.7	530.4	267.4	320.4	161.5	819.6	413.2
.8	532.6	268.5	322.6	162.6	817.4	412.1
.9	534.8	269.6	324.8	163.8	815.2	411.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
311.0	537.0	270.7	327.0	164.9	813.0	409.9
.1	539.2	271.8	329.2	166.0	810.8	408.8
.2	541.4	273.0	331.4	167.1	808.6	407.7
.3	543.6	274.1	333.6	168.2	806.4	406.6
.4	545.8	275.2	335.8	169.3	804.2	405.5
.5	548.0	276.3	338.0	170.4	802.0	404.3
.6	550.2	277.4	340.2	171.5	799.8	403.2
.7	552.4	278.5	342.4	172.6	797.6	402.1
.8	554.6	279.6	344.6	173.7	795.4	401.0
.9	556.8	280.7	346.8	174.8	793.2	399.9
312.0	559.0	281.8	349.0	176.0	791.0	398.8
.1	561.2	282.9	351.2	177.1	788.8	397.7
.2	563.4	284.0	353.4	178.2	786.6	396.6
.3	565.6	285.2	355.6	179.3	784.4	395.5
.4	567.8	286.3	357.8	180.4	782.2	394.4
.5	570.0	287.4	360.0	181.5	780.0	393.3
.6	572.2	288.5	362.2	182.6	777.8	392.1
.7	574.4	289.6	364.4	183.7	775.6	391.0
.8	576.6	290.7	366.6	184.8	773.4	389.9
.9	578.8	291.8	368.8	185.9	771.2	388.8
313.0	581.0	292.9	371.0	187.0	769.0	387.7
.1	583.2	294.0	373.2	188.2	766.8	386.6
.2	585.4	295.1	375.4	189.3	764.6	385.5
.3	587.6	296.2	377.6	190.4	762.4	384.4
.4	589.8	297.4	379.8	191.5	760.2	383.3
.5	592.0	298.5	382.0	192.6	758.0	382.2
.6	594.2	299.6	384.2	193.7	755.8	381.0
.7	596.4	300.7	386.4	194.8	753.6	379.9
.8	598.6	301.8	388.6	195.9	751.4	378.8
.9	600.8	302.9	390.8	197.0	749.2	377.7
314.0	603.0	304.0	393.0	198.1	747.0	376.6
.1	605.2	305.1	395.2	199.2	744.8	375.5
.2	607.4	306.2	397.4	200.4	742.6	374.4
.3	609.6	307.3	399.6	201.5	740.4	373.3
.4	611.8	308.4	401.8	202.6	738.2	372.2
.5	614.0	309.6	404.0	203.7	736.0	371.1
.6	616.2	310.7	406.2	204.8	733.8	370.0
.7	618.4	311.8	408.4	205.9	731.6	368.8
.8	620.6	312.9	410.6	207.0	729.4	367.7
.9	622.8	314.0	412.8	208.1	727.2	366.6
315.0	625.0	315.1	415.0	209.2	725.0	365.5
.1	627.2	316.2	417.2	210.3	722.8	364.4
.2	629.4	317.3	419.4	211.4	720.6	363.3
.3	631.6	318.4	421.6	212.6	718.4	362.2
.4	633.8	319.5	423.8	213.7	716.2	361.1
.5	636.0	320.6	426.0	214.8	714.0	360.0
.6	638.2	321.8	428.2	215.9	711.8	358.9
.7	640.4	322.9	430.4	217.0	709.6	357.8
.8	642.6	324.0	432.6	218.1	707.4	356.6
.9	644.8	325.1	434.8	219.2	705.2	355.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
316.0	647.0	326.2	437.0	220.3	703.0	354.4
.1	649.2	327.3	439.2	221.4	700.8	353.3
.2	651.4	328.4	441.4	222.5	698.6	352.2
.3	653.6	329.5	443.6	223.6	696.4	351.1
.4	655.8	330.6	445.8	224.8	694.2	350.0
.5	658.0	331.7	448.0	225.9	692.0	348.9
.6	660.2	332.9	450.2	227.0	689.8	347.8
.7	662.4	334.0	452.4	228.1	687.6	346.7
.8	664.6	335.1	454.6	229.2	685.4	345.6
.9	666.8	336.2	456.8	230.3	683.2	344.4
317.0	669.0	337.3	459.0	231.4	681.0	343.3
.1	671.2	338.4	461.2	232.5	678.8	342.2
.2	673.4	339.5	463.4	233.6	676.6	341.1
.3	675.6	340.6	465.6	234.7	674.4	340.0
.4	677.8	341.7	467.8	235.8	672.2	338.9
.5	680.0	342.8	470.0	237.0	670.0	337.8
.6	682.2	343.9	472.2	238.1	667.8	336.7
.7	684.4	345.1	474.4	239.2	665.6	335.6
.8	686.6	346.2	476.6	240.3	663.4	334.5
.9	688.8	347.3	478.8	241.4	661.2	333.4
318.0	691.0	348.4	481.0	242.5	659.0	332.2
.1	693.2	349.5	483.2	243.6	656.8	331.1
.2	695.4	350.6	485.4	244.7	654.6	330.0
.3	697.6	351.7	487.6	245.8	652.4	328.9
.4	699.8	352.8	489.8	246.9	650.2	327.8
.5	702.0	353.9	492.0	248.1	648.0	326.7
.6	704.2	355.0	494.2	249.2	645.8	325.6
.7	706.4	356.1	496.4	250.3	643.6	324.5
.8	708.6	357.3	498.6	251.4	641.4	323.4
.9	710.8	358.4	500.8	252.5	639.2	322.3
319.0	713.0	359.5	503.0	253.6	637.0	321.2
.1	715.2	360.6	505.2	254.7	634.8	320.0
.2	717.4	361.7	507.4	255.8	632.6	318.9
.3	719.6	362.8	509.6	256.9	630.4	317.8
.4	721.8	363.9	511.8	258.0	628.2	316.7
.5	724.0	365.0	514.0	259.1	626.0	315.6
.6	726.2	366.1	516.2	260.3	623.8	314.5
.7	728.4	367.2	518.4	261.4	621.6	313.4
.8	730.6	368.3	520.6	262.5	619.4	312.3
.9	732.8	369.5	522.8	263.6	617.2	311.2
320.0	735.0	370.6	525.0	264.7	615.0	310.1
.1	737.7	371.9	527.7	266.0	612.3	308.7
.2	740.3	373.2	530.3	267.4	609.7	307.4
.3	742.9	374.6	532.9	268.7	607.1	306.1
.4	745.6	375.9	535.6	270.0	604.4	304.7
.5	748.3	377.2	538.3	271.4	601.8	303.4
.6	750.9	378.6	540.9	272.7	599.1	302.0
.7	753.6	379.9	543.6	274.0	596.4	300.7
.8	756.2	381.3	546.2	275.4	593.8	299.4
.9	758.8	382.6	548.8	276.7	591.2	298.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
321.0	761.5	383.9	551.5	278.0	588.5	296.7
.1	764.2	385.3	554.2	279.4	585.8	295.4
.2	766.8	386.6	556.8	280.7	583.2	294.0
.3	769.4	387.9	559.4	282.1	580.6	292.7
.4	772.1	389.3	562.1	283.4	577.9	291.4
.5	774.8	390.6	564.8	284.7	575.3	290.0
.6	777.4	391.9	567.4	286.1	572.6	288.7
.7	780.1	393.3	570.1	287.4	569.9	287.3
.8	782.7	394.6	572.7	288.7	567.3	286.0
.9	785.3	395.9	575.3	290.1	564.7	284.7
322.0	788.0	397.3	578.0	291.4	562.0	283.3
.1	790.7	398.6	580.7	292.7	559.3	282.0
.2	793.3	400.0	583.3	294.1	556.7	280.7
.3	795.9	401.3	585.9	295.4	554.1	279.3
.4	798.6	402.6	588.6	296.8	551.4	278.0
.5	801.3	404.0	591.3	298.1	548.8	276.7
.6	803.9	405.3	593.9	299.4	546.1	275.3
.7	806.6	406.6	596.6	300.8	543.4	274.0
.8	809.2	408.0	599.2	302.1	540.8	272.7
.9	811.8	409.3	601.8	303.4	538.2	271.3
323.0	814.5	410.6	604.5	304.8	535.5	270.0
.1	817.2	412.0	607.2	306.1	532.8	268.6
.2	819.8	413.3	609.8	307.4	530.2	267.3
.3	822.4	414.7	612.4	308.8	527.6	266.0
.4	825.1	416.0	615.1	310.1	524.9	264.6
.5	827.8	417.3	617.8	311.4	522.3	263.3
.6	830.4	418.7	620.4	312.8	519.6	262.0
.7	833.1	420.0	623.1	314.1	516.9	260.6
.8	835.7	421.3	625.7	315.5	514.3	259.3
.9	838.3	422.7	628.3	316.8	511.7	258.0
324.0	841.0	424.0	631.0	318.1	509.0	256.6
.1	843.7	425.3	633.7	319.5	506.3	255.3
.2	846.3	426.7	636.3	320.8	503.7	253.9
.3	848.9	428.0	638.9	322.1	501.1	252.6
.4	851.6	429.3	641.6	323.5	498.4	251.3
.5	854.3	430.7	644.3	324.8	495.8	249.9
.6	856.9	432.0	646.9	326.1	493.1	248.6
.7	859.6	433.4	649.6	327.5	490.4	247.3
.8	862.2	434.7	652.2	328.8	487.8	245.9
.9	864.8	436.0	654.8	330.2	485.2	244.6
325.0	867.5	437.4	657.5	331.5	482.5	243.3
.1	870.2	438.7	660.2	332.8	479.8	241.9
.2	872.8	440.0	662.8	334.2	477.2	240.6
.3	875.4	441.4	665.4	335.5	474.6	239.3
.4	878.1	442.7	668.1	336.8	471.9	237.9
.5	880.8	444.0	670.8	338.2	469.3	236.6
.6	883.4	445.4	673.4	339.5	466.6	235.2
.7	886.1	446.7	676.1	340.8	463.9	233.9
.8	888.7	448.1	678.7	342.2	461.3	232.6
.9	891.3	449.4	681.3	343.5	458.7	231.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
326.0	894.0	450.7	684.0	344.9	456.0	229.9
.1	896.7	452.1	686.7	346.2	453.3	228.6
.2	899.3	453.4	689.3	347.5	450.7	227.2
.3	901.9	454.7	691.9	348.9	448.1	225.9
.4	904.6	456.1	694.6	350.2	445.4	224.6
.5	907.3	457.4	697.3	351.5	442.8	223.2
.6	909.9	458.7	699.9	352.9	440.1	221.9
.7	912.6	460.1	702.6	354.2	437.4	220.5
.8	915.2	461.4	705.2	355.5	434.8	219.2
.9	917.8	462.7	707.8	356.9	432.2	217.9
327.0	920.5	464.1	710.5	358.2	429.5	216.5
.1	923.2	465.4	713.2	359.5	426.8	215.2
.2	925.8	466.8	715.8	360.9	424.2	213.9
.3	928.4	468.1	718.4	362.2	421.6	212.5
.4	931.1	469.4	721.1	363.6	418.9	211.2
.5	933.8	470.8	723.8	364.9	416.3	209.9
.6	936.4	472.1	726.4	366.2	413.6	208.5
.7	939.1	473.4	729.1	367.6	410.9	207.2
.8	941.7	474.8	731.7	368.9	408.3	205.9
.9	944.3	476.1	734.3	370.2	405.7	204.5
328.0	947.0	477.4	737.0	371.6	403.0	203.2
.1	949.7	478.8	739.7	372.9	400.3	201.8
.2	952.3	480.1	742.3	374.2	397.7	200.5
.3	954.9	481.5	744.9	375.6	395.1	199.2
.4	957.6	482.8	747.6	376.9	392.4	197.8
.5	960.3	484.1	750.3	378.3	389.8	196.5
.6	962.9	485.5	752.9	379.6	387.1	195.2
.7	965.6	486.8	755.6	380.9	384.4	193.8
.8	968.2	488.1	758.2	382.3	381.8	192.5
.9	970.8	489.5	760.8	383.6	379.2	191.2
329.0	973.5	490.8	763.5	384.9	376.5	189.8
.1	976.2	492.1	766.2	386.3	373.8	188.5
.2	978.8	493.5	768.8	387.6	371.2	187.1
.3	981.4	494.8	771.4	388.9	368.6	185.8
.4	984.1	496.2	774.1	390.3	365.9	184.5
.5	986.8	497.5	776.8	391.6	363.3	183.1
.6	989.4	498.8	779.4	392.9	360.6	181.8
.7	992.1	500.2	782.1	394.3	357.9	180.5
.8	994.7	501.5	784.7	395.6	355.3	179.1
.9	997.3	502.8	787.3	397.0	352.7	177.8
330.0	1000.0	504.2	790.0	398.3	350.0	176.5
.1	1003.3	505.8	793.3	400.0	346.7	174.8
.2	1006.6	507.5	796.6	401.6	343.4	173.1
.3	1009.9	509.2	799.9	403.3	340.1	171.5
.4	1013.2	510.8	803.2	404.9	336.8	169.8
.5	1016.5	512.5	806.5	406.6	333.5	168.1
.6	1019.8	514.1	809.8	408.3	330.2	166.5
.7	1023.1	515.8	813.1	409.9	326.9	164.8
.8	1026.4	517.5	816.4	411.6	323.6	163.1
.9	1029.7	519.1	819.7	413.3	320.3	161.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
331.0	1033.0	520.8	823.0	414.9	317.0	159.8
.1	1036.3	522.5	826.3	416.6	313.7	158.2
.2	1039.6	524.1	829.6	418.3	310.4	156.5
.3	1042.9	525.8	832.9	419.9	307.1	154.8
.4	1046.2	527.5	836.2	421.6	303.8	153.2
.5	1049.5	529.1	839.5	423.2	300.5	151.5
.6	1052.8	530.8	842.8	424.9	297.2	149.8
.7	1056.1	532.5	846.1	426.6	293.9	148.2
.8	1059.4	534.1	849.4	428.2	290.6	146.5
.9	1062.7	535.8	852.7	429.9	287.3	144.8
332.0	1066.0	537.4	856.0	431.6	284.0	143.2
.1	1069.3	539.1	859.3	433.2	280.7	141.5
.2	1072.6	540.8	862.6	434.9	277.4	139.9
.3	1075.9	542.4	865.9	436.6	274.1	138.2
.4	1079.2	544.1	869.2	438.2	270.8	136.5
.5	1082.5	545.8	872.5	439.9	267.5	134.9
.6	1085.8	547.4	875.8	441.5	264.2	133.2
.7	1089.1	549.1	879.1	443.2	260.9	131.5
.8	1092.4	550.8	882.4	444.9	257.6	129.9
.9	1095.7	552.4	885.7	446.5	254.3	128.2
333.0	1099.0	554.1	889.0	448.2	251.0	126.5
.1	1102.3	555.7	892.3	449.9	247.7	124.9
.2	1105.6	557.4	895.6	451.5	244.4	123.2
.3	1108.9	559.1	898.9	453.2	241.1	121.6
.4	1112.2	560.7	902.2	454.9	237.8	119.9
.5	1115.5	562.4	905.5	456.5	234.5	118.2
.6	1118.8	564.1	908.8	458.2	231.2	116.6
.7	1122.1	565.7	912.1	459.9	227.9	114.9
.8	1125.4	567.4	915.4	461.5	224.6	113.2
.9	1128.7	569.1	918.7	463.2	221.3	111.6
334.0	1132.0	570.7	922.0	464.8	218.0	109.9
.1	1135.3	572.4	925.3	466.5	214.7	108.2
.2	1138.6	574.0	928.6	468.2	211.4	106.6
.3	1141.9	575.7	931.9	469.8	208.1	104.9
.4	1145.2	577.4	935.2	471.5	204.8	103.3
.5	1148.5	579.0	938.5	473.2	201.5	101.6
.6	1151.8	580.7	941.8	474.8	198.2	99.9
.7	1155.1	582.4	945.1	476.5	194.9	98.3
.8	1158.4	584.0	948.4	478.2	191.6	96.6
.9	1161.7	585.7	951.7	479.8	188.3	94.9
335.0	1165.0	587.4	955.0	481.5	185.0	93.3
.1	1168.7	589.2	958.7	483.3	181.3	91.4
.2	1172.4	591.1	962.4	485.2	177.6	89.5
.3	1176.1	593.0	966.1	487.1	173.9	87.7
.4	1179.8	594.8	969.8	488.9	170.2	85.8
.5	1183.5	596.7	973.5	490.8	166.5	83.9
.6	1187.2	598.5	977.2	492.7	162.8	82.1
.7	1190.9	600.4	980.9	494.5	159.1	80.2
.8	1194.6	602.3	984.6	496.4	155.4	78.3
.9	1198.3	604.1	988.3	498.3	151.7	76.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
336.0	1202.0	606.0	992.0	500.1	148.0	74.6
.1	1205.7	607.9	995.7	502.0	144.3	72.8
.2	1209.4	609.7	999.4	503.9	140.6	70.9
.3	1213.1	611.6	1003.1	505.7	136.9	69.0
.4	1216.8	613.5	1006.8	507.6	133.2	67.2
.5	1220.5	615.3	1010.5	509.5	129.5	65.3
.6	1224.2	617.2	1014.2	511.3	125.8	63.4
.7	1227.9	619.1	1017.9	513.2	122.1	61.6
.8	1231.6	620.9	1021.6	515.1	118.4	59.7
.9	1235.3	622.8	1025.3	516.9	114.7	57.8
337.0	1239.0	624.7	1029.0	518.8	111.0	56.0
.1	1242.7	626.5	1032.7	520.7	107.3	54.1
.2	1246.4	628.4	1036.4	522.5	103.6	52.2
.3	1250.1	630.3	1040.1	524.4	99.9	50.4
.4	1253.8	632.1	1043.8	526.2	96.2	48.5
.5	1257.5	634.0	1047.5	528.1	92.5	46.6
.6	1261.2	635.9	1051.2	530.0	88.8	44.8
.7	1264.9	637.7	1054.9	531.8	85.1	42.9
.8	1268.6	639.6	1058.6	533.7	81.4	41.0
.9	1272.3	641.5	1062.3	535.6	77.7	39.2
338.0	1276.0	643.3	1066.0	537.4	74.0	37.3
.1	1279.7	645.2	1069.7	539.3	70.3	35.4
.2	1283.4	647.0	1073.4	541.2	66.6	33.6
.3	1287.1	648.9	1077.1	543.0	62.9	31.7
.4	1290.8	650.8	1080.8	544.9	59.2	29.8
.5	1294.5	652.6	1084.5	546.8	55.5	28.0
.6	1298.2	654.5	1088.2	548.6	51.8	26.1
.7	1301.9	656.4	1091.9	550.5	48.1	24.3
.8	1305.6	658.2	1095.6	552.4	44.4	22.4
.9	1309.3	660.1	1099.3	554.2	40.7	20.5
339.0	1313.0	662.0	1103.0	556.1	37.0	18.7
.1	1316.7	663.8	1106.7	558.0	33.3	16.8
.2	1320.4	665.7	1110.4	559.8	29.6	14.9
.3	1324.1	667.6	1114.1	561.7	25.9	13.1
.4	1327.8	669.4	1117.8	563.6	22.2	11.2
.5	1331.5	671.3	1121.5	565.4	18.5	9.3
.6	1335.2	673.2	1125.2	567.3	14.8	7.5
.7	1338.9	675.0	1128.9	569.2	11.1	5.6
.8	1342.6	676.9	1132.6	571.0	7.4	3.7
.9	1346.3	678.8	1136.3	572.9	3.7	1.9
340.0 SUB	1350.0	680.6	1140.0	574.8	0.0	0.0
.1	1353.6	682.5				
.2	1357.3	684.3				
.3	1360.9	686.1				
.4	1364.6	688.0				
.5	1368.2	689.8				
.6	1371.9	691.7				
.7	1375.5	693.5				
.8	1379.2	695.3				
.9	1382.8	697.2				

Reservoir Storage Tables

MC NARY

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
341.0	1386.5	699.0				

****

Reservoir Storage Tables

PROJECT NAME: JOHN DAY

PROJECT NUMBER: 8   PAGE 1

STORAGE LOWER BOUND (SLB) =   1989.90KAF   STORAGE UPPER BOUND (SUB) = 2523.90 KAF

JOHN DAY

PAGE 2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
257.0 SLB	1989.9	1003.2	0.0	0.0	534.0	269.2
.1	1994.1	1005.4	4.2	2.1	529.8	267.1
.2	1998.3	1007.5	8.4	4.2	525.6	265.0
.3	2002.5	1009.6	12.6	6.3	521.4	262.9
.4	2006.7	1011.7	16.8	8.4	517.2	260.8
.5	2010.8	1013.8	20.9	10.6	513.1	258.7
.6	2015.0	1015.9	25.1	12.7	508.9	256.6
.7	2019.2	1018.0	29.3	14.8	504.7	254.4
.8	2023.4	1020.1	33.5	16.9	500.5	252.3
.9	2027.6	1022.3	37.7	19.0	496.3	250.2
258.0	2031.8	1024.4	41.9	21.1	492.1	248.1
.1	2036.4	1026.7	46.5	23.4	487.5	245.8
.2	2041.0	1029.0	51.1	25.7	482.9	243.5
.3	2045.6	1031.3	55.7	28.1	478.3	241.2
.4	2050.1	1033.6	60.2	30.4	473.8	238.9
.5	2054.7	1035.9	64.8	32.7	469.2	236.5
.6	2059.3	1038.2	69.4	35.0	464.6	234.2
.7	2063.9	1040.6	74.0	37.3	460.0	231.9
.8	2068.5	1042.9	78.6	39.6	455.4	229.6
.9	2073.1	1045.2	83.2	41.9	450.8	227.3
259.0	2077.7	1047.5	87.8	44.2	446.2	225.0
.1	2082.3	1049.8	92.4	46.6	441.6	222.7
.2	2086.8	1052.1	96.9	48.9	437.1	220.4
.3	2091.4	1054.4	101.5	51.2	432.5	218.0
.4	2096.0	1056.7	106.1	53.5	427.9	215.7
.5	2100.6	1059.1	110.7	55.8	423.3	213.4
.6	2105.2	1061.4	115.3	58.1	418.7	211.1
.7	2109.8	1063.7	119.9	60.4	414.1	208.8
.8	2114.4	1066.0	124.5	62.7	409.5	206.5
.9	2118.9	1068.3	129.0	65.1	405.0	204.2
260.0	2123.5	1070.6	133.6	67.4	400.4	201.9
.1	2128.1	1072.9	138.2	69.7	395.8	199.5
.2	2132.7	1075.2	142.8	72.0	391.2	197.2
.3	2137.3	1077.6	147.4	74.3	386.6	194.9
.4	2141.9	1079.9	152.0	76.6	382.0	192.6
.5	2146.5	1082.2	156.6	78.9	377.4	190.3
.6	2151.1	1084.5	161.2	81.2	372.8	188.0
.7	2155.6	1086.8	165.7	83.6	368.3	185.7
.8	2160.2	1089.1	170.3	85.9	363.7	183.4
.9	2164.8	1091.4	174.9	88.2	359.1	181.0
261.0	2169.4	1093.7	179.5	90.5	354.5	178.7
.1	2174.3	1096.2	184.4	93.0	349.6	176.2
.2	2179.2	1098.7	189.3	95.5	344.7	173.8
.3	2184.1	1101.2	194.2	97.9	339.8	171.3
.4	2189.1	1103.7	199.2	100.4	334.8	168.8
.5	2194.0	1106.1	204.1	102.9	329.9	166.3
.6	2198.9	1108.6	209.0	105.4	325.0	163.9
.7	2203.8	1111.1	213.9	107.8	320.1	161.4
.8	2208.7	1113.6	218.8	110.3	315.2	158.9
.9	2213.6	1116.0	223.7	112.8	310.3	156.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
262.0	2218.6	1118.5	228.7	115.3	305.3	153.9
.1	2223.5	1121.0	233.6	117.8	300.4	151.5
.2	2228.4	1123.5	238.5	120.2	295.5	149.0
.3	2233.3	1126.0	243.4	122.7	290.6	146.5
.4	2238.2	1128.4	248.3	125.2	285.7	144.0
.5	2243.1	1130.9	253.2	127.7	280.8	141.5
.6	2248.1	1133.4	258.2	130.2	275.8	139.1
.7	2253.0	1135.9	263.1	132.6	270.9	136.6
.8	2257.9	1138.4	268.0	135.1	266.0	134.1
.9	2262.8	1140.8	272.9	137.6	261.1	131.6
263.0	2267.7	1143.3	277.8	140.1	256.2	129.2
.1	2272.7	1145.8	282.8	142.6	251.2	126.7
.2	2277.6	1148.3	287.7	145.0	246.3	124.2
.3	2282.5	1150.8	292.6	147.5	241.4	121.7
.4	2287.4	1153.2	297.5	150.0	236.5	119.2
.5	2292.3	1155.7	302.4	152.5	231.6	116.8
.6	2297.2	1158.2	307.3	154.9	226.7	114.3
.7	2302.2	1160.7	312.3	157.4	221.7	111.8
.8	2307.1	1163.1	317.2	159.9	216.8	109.3
.9	2312.0	1165.6	322.1	162.4	211.9	106.8
264.0	2316.9	1168.1	327.0	164.9	207.0	104.4
.1	2322.1	1170.7	332.2	167.5	201.8	101.8
.2	2327.3	1173.3	337.4	170.1	196.6	99.1
.3	2332.4	1175.9	342.5	172.7	191.5	96.5
.4	2337.6	1178.5	347.7	175.3	186.3	93.9
.5	2342.8	1181.1	352.9	177.9	181.1	91.3
.6	2348.0	1183.8	358.1	180.5	175.9	88.7
.7	2353.1	1186.4	363.2	183.1	170.8	86.1
.8	2358.3	1189.0	368.4	185.7	165.6	83.5
.9	2363.5	1191.6	373.6	188.3	160.4	80.9
265.0	2368.6	1194.2	378.7	191.0	155.3	78.3
.1	2373.8	1196.8	383.9	193.6	150.1	75.7
.2	2379.0	1199.4	389.1	196.2	144.9	73.1
.3	2384.2	1202.0	394.3	198.8	139.7	70.4
.4	2389.3	1204.6	399.4	201.4	134.6	67.8
.5	2394.5	1207.2	404.6	204.0	129.4	65.2
.6	2399.7	1209.8	409.8	206.6	124.2	62.6
.7	2404.9	1212.5	415.0	209.2	119.0	60.0
.8	2410.0	1215.1	420.1	211.8	113.9	57.4
.9	2415.2	1217.7	425.3	214.4	108.7	54.8
266.0	2420.4	1220.3	430.5	217.0	103.5	52.2
.1	2425.6	1222.9	435.7	219.7	98.3	49.6
.2	2430.8	1225.5	440.9	222.3	93.1	47.0
.3	2435.9	1228.1	446.0	224.9	88.0	44.4
.4	2441.1	1230.7	451.2	227.5	82.8	41.7
.5	2446.3	1233.3	456.4	230.1	77.6	39.1
.6	2451.5	1235.9	461.6	232.7	72.4	36.5
.7	2456.6	1238.5	466.7	235.3	67.3	33.9
.8	2461.8	1241.2	471.9	237.8	62.1	31.3
.9	2467.0	1243.8	477.1	240.5	56.9	28.7

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
267.0		2472.1	1246.4	482.2	243.1	51.8	26.1
.1		2477.3	1249.0	487.4	245.7	46.6	23.5
.2		2482.5	1251.6	492.6	248.4	41.4	20.9
.3		2487.7	1254.2	497.8	251.0	36.2	18.3
.4		2492.8	1256.8	502.9	253.6	31.1	15.7
.5		2498.0	1259.4	508.1	256.2	25.9	13.0
.6		2503.2	1262.0	513.3	258.8	20.7	10.4
.7		2508.4	1264.6	518.5	261.4	15.5	7.8
.8		2513.5	1267.2	523.6	264.0	10.4	5.2
.9		2518.7	1269.9	528.8	266.6	5.2	2.6
268.0	SUB	2523.9	1272.5	534.0	269.2	0.0	0.0
.1		2529.1	1275.1				
.2		2534.3	1277.7				
.3		2539.4	1280.3				
.4		2544.6	1282.9				
.5		2549.8	1285.5				
.6		2555.0	1288.1				
.7		2560.1	1290.7				
.8		2565.3	1293.3				
.9		2570.5	1295.9				
269.0		2575.6	1298.6				

John Day

Reservoir Storage Tables

PROJECT NAME: THE DALLES

PROJECT NUMBER: 82

STORAGE LOWER BOUND (SLB) =   20.00KAF   STORAGE UPPER BOUND (SUB) = 330.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
121.0	SLB	20.0	10.1	0.0	0.0	310.0	156.3
.1		20.5	10.3	0.5	0.3	309.5	156.0
.2		21.0	10.6	1.0	0.5	309.0	155.8
.3		21.6	10.9	1.6	0.8	308.4	155.5
.4		22.1	11.1	2.1	1.1	307.9	155.2
.5		22.6	11.4	2.6	1.3	307.4	155.0
.6		23.1	11.7	3.1	1.6	306.9	154.7
.7		23.7	11.9	3.7	1.8	306.3	154.4
.8		24.2	12.2	4.2	2.1	305.8	154.2
.9		24.7	12.5	4.7	2.4	305.3	153.9
122.0		25.2	12.7	5.2	2.6	304.8	153.7
.1		25.7	13.0	5.7	2.9	304.3	153.4
.2		26.3	13.2	6.3	3.2	303.7	153.1
.3		26.8	13.5	6.8	3.4	303.2	152.9
.4		27.3	13.8	7.3	3.7	302.7	152.6
.5		27.8	14.0	7.8	3.9	302.2	152.3
.6		28.4	14.3	8.4	4.2	301.6	152.1
.7		28.9	14.6	8.9	4.5	301.1	151.8
.8		29.4	14.8	9.4	4.7	300.6	151.6
.9		29.9	15.1	9.9	5.0	300.1	151.3
123.0		30.4	15.3	10.4	5.3	299.6	151.0
.1		31.0	15.6	11.0	5.5	299.0	150.8
.2		31.5	15.9	11.5	5.8	298.5	150.5
.3		32.0	16.1	12.0	6.1	298.0	150.2
.4		32.5	16.4	12.5	6.3	297.5	150.0
.5		33.1	16.7	13.1	6.6	296.9	149.7
.6		33.6	16.9	13.6	6.8	296.4	149.4
.7		34.1	17.2	14.1	7.1	295.9	149.2
.8		34.6	17.5	14.6	7.4	295.4	148.9
.9		35.1	17.7	15.1	7.6	294.9	148.7
124.0		35.7	18.0	15.7	7.9	294.3	148.4
.1		36.2	18.2	16.2	8.2	293.8	148.1
.2		36.7	18.5	16.7	8.4	293.3	147.9
.3		37.2	18.8	17.2	8.7	292.8	147.6
.4		37.8	19.0	17.8	9.0	292.2	147.3
.5		38.3	19.3	18.3	9.2	291.7	147.1
.6		38.8	19.6	18.8	9.5	291.2	146.8
.7		39.3	19.8	19.3	9.7	290.7	146.6
.8		39.8	20.1	19.8	10.0	290.2	146.3
.9		40.4	20.4	20.4	10.3	289.6	146.0
125.0		40.9	20.6	20.9	10.5	289.1	145.8
.1		41.4	20.9	21.4	10.8	288.6	145.5
.2		41.9	21.1	21.9	11.1	288.1	145.2
.3		42.5	21.4	22.5	11.3	287.5	145.0
.4		43.0	21.7	23.0	11.6	287.0	144.7
.5		43.5	21.9	23.5	11.8	286.5	144.4
.6		44.0	22.2	24.0	12.1	286.0	144.2
.7		44.5	22.5	24.5	12.4	285.5	143.9
.8		45.1	22.7	25.1	12.6	284.9	143.7
.9		45.6	23.0	25.6	12.9	284.4	143.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
126.0	46.1	23.2	26.1	13.2	283.9	143.1
.1	46.6	23.5	26.6	13.4	283.4	142.9
.2	47.2	23.8	27.2	13.7	282.8	142.6
.3	47.7	24.0	27.7	14.0	282.3	142.3
.4	48.2	24.3	28.2	14.2	281.8	142.1
.5	48.7	24.6	28.7	14.5	281.3	141.8
.6	49.2	24.8	29.2	14.7	280.8	141.5
.7	49.8	25.1	29.8	15.0	280.2	141.3
.8	50.3	25.4	30.3	15.3	279.7	141.0
.9	50.8	25.6	30.8	15.5	279.2	140.8
127.0	51.3	25.9	31.3	15.8	278.7	140.5
.1	51.9	26.1	31.9	16.1	278.1	140.2
.2	52.4	26.4	32.4	16.3	277.6	140.0
.3	52.9	26.7	32.9	16.6	277.1	139.7
.4	53.4	26.9	33.4	16.9	276.6	139.4
.5	53.9	27.2	33.9	17.1	276.1	139.2
.6	54.5	27.5	34.5	17.4	275.5	138.9
.7	55.0	27.7	35.0	17.6	275.0	138.7
.8	55.5	28.0	35.5	17.9	274.5	138.4
.9	56.0	28.3	36.0	18.2	274.0	138.1
128.0	56.6	28.5	36.6	18.4	273.4	137.9
.1	57.1	28.8	37.1	18.7	272.9	137.6
.2	57.6	29.0	37.6	19.0	272.4	137.3
.3	58.1	29.3	38.1	19.2	271.9	137.1
.4	58.6	29.6	38.6	19.5	271.4	136.8
.5	59.2	29.8	39.2	19.7	270.8	136.5
.6	59.7	30.1	39.7	20.0	270.3	136.3
.7	60.2	30.4	40.2	20.3	269.8	136.0
.8	60.7	30.6	40.7	20.5	269.3	135.8
.9	61.3	30.9	41.3	20.8	268.7	135.5
129.0	61.8	31.1	41.8	21.1	268.2	135.2
.1	62.3	31.4	42.3	21.3	267.7	135.0
.2	62.8	31.7	42.8	21.6	267.2	134.7
.3	63.3	31.9	43.3	21.9	266.7	134.4
.4	63.9	32.2	43.9	22.1	266.1	134.2
.5	64.4	32.5	44.4	22.4	265.6	133.9
.6	64.9	32.7	44.9	22.6	265.1	133.6
.7	65.4	33.0	45.4	22.9	264.6	133.4
.8	66.0	33.3	46.0	23.2	264.0	133.1
.9	66.5	33.5	46.5	23.4	263.5	132.9
130.0	67.0	33.8	47.0	23.7	263.0	132.6
.1	67.7	34.1	47.7	24.1	262.3	132.2
.2	68.5	34.5	48.5	24.4	261.5	131.9
.3	69.2	34.9	49.2	24.8	260.8	131.5
.4	69.9	35.3	49.9	25.2	260.1	131.1
.5	70.7	35.6	50.7	25.5	259.4	130.8
.6	71.4	36.0	51.4	25.9	258.6	130.4
.7	72.1	36.4	52.1	26.3	257.9	130.0
.8	72.8	36.7	52.8	26.6	257.2	129.7
.9	73.6	37.1	53.6	27.0	256.4	129.3

Reservoir Storage Tables

PAGE 3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
131.0	74.3	37.5	54.3	27.4	255.7	128.9
.1	75.0	37.8	55.0	27.7	255.0	128.5
.2	75.8	38.2	55.8	28.1	254.2	128.2
.3	76.5	38.6	56.5	28.5	253.5	127.8
.4	77.2	38.9	57.2	28.8	252.8	127.4
.5	77.9	39.3	57.9	29.2	252.1	127.1
.6	78.7	39.7	58.7	29.6	251.3	126.7
.7	79.4	40.0	59.4	30.0	250.6	126.3
.8	80.1	40.4	60.1	30.3	249.9	126.0
.9	80.9	40.8	60.9	30.7	249.1	125.6
132.0	81.6	41.1	61.6	31.1	248.4	125.2
.1	82.3	41.5	62.3	31.4	247.7	124.9
.2	83.1	41.9	63.1	31.8	246.9	124.5
.3	83.8	42.2	63.8	32.2	246.2	124.1
.4	84.5	42.6	64.5	32.5	245.5	123.8
.5	85.3	43.0	65.3	32.9	244.8	123.4
.6	86.0	43.3	66.0	33.3	244.0	123.0
.7	86.7	43.7	66.7	33.6	243.3	122.7
.8	87.4	44.1	67.4	34.0	242.6	122.3
.9	88.2	44.5	68.2	34.4	241.8	121.9
133.0	88.9	44.8	68.9	34.7	241.1	121.6
.1	89.6	45.2	69.6	35.1	240.4	121.2
.2	90.4	45.6	70.4	35.5	239.6	120.8
.3	91.1	45.9	71.1	35.8	238.9	120.5
.4	91.8	46.3	71.8	36.2	238.2	120.1
.5	92.6	46.7	72.6	36.6	237.4	119.7
.6	93.3	47.0	73.3	36.9	236.7	119.3
.7	94.0	47.4	74.0	37.3	236.0	119.0
.8	94.7	47.8	74.7	37.7	235.3	118.6
.9	95.5	48.1	75.5	38.0	234.5	118.2
134.0	96.2	48.5	76.2	38.4	233.8	117.9
.1	96.9	48.9	76.9	38.8	233.1	117.5
.2	97.7	49.2	77.7	39.2	232.3	117.1
.3	98.4	49.6	78.4	39.5	231.6	116.8
.4	99.1	50.0	79.1	39.9	230.9	116.4
.5	99.8	50.3	79.8	40.3	230.1	116.0
.6	100.6	50.7	80.6	40.6	229.4	115.7
.7	101.3	51.1	81.3	41.0	228.7	115.3
.8	102.0	51.4	82.0	41.4	228.0	114.9
.9	102.8	51.8	82.8	41.7	227.2	114.6
135.0	103.5	52.2	83.5	42.1	226.5	114.2
.1	104.2	52.5	84.2	42.5	225.8	113.8
.2	105.0	52.9	85.0	42.8	225.0	113.5
.3	105.7	53.3	85.7	43.2	224.3	113.1
.4	106.4	53.7	86.4	43.6	223.6	112.7
.5	107.2	54.0	87.2	43.9	222.9	112.4
.6	107.9	54.4	87.9	44.3	222.1	112.0
.7	108.6	54.8	88.6	44.7	221.4	111.6
.8	109.3	55.1	89.3	45.0	220.7	111.2
.9	110.1	55.5	90.1	45.4	219.9	110.9

PAGE 4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
136.0	110.8	55.9	90.8	45.8	219.2	110.5
.1	111.5	56.2	91.5	46.1	218.5	110.1
.2	112.3	56.6	92.3	46.5	217.7	109.8
.3	113.0	57.0	93.0	46.9	217.0	109.4
.4	113.7	57.3	93.7	47.3	216.3	109.0
.5	114.4	57.7	94.4	47.6	215.6	108.7
.6	115.2	58.1	95.2	48.0	214.8	108.3
.7	115.9	58.4	95.9	48.4	214.1	107.9
.8	116.6	58.8	96.6	48.7	213.4	107.6
.9	117.4	59.2	97.4	49.1	212.6	107.2
137.0	118.1	59.5	98.1	49.5	211.9	106.8
.1	118.8	59.9	98.8	49.8	211.2	106.5
.2	119.6	60.3	99.6	50.2	210.4	106.1
.3	120.3	60.6	100.3	50.6	209.7	105.7
.4	121.0	61.0	101.0	50.9	209.0	105.4
.5	121.8	61.4	101.8	51.3	208.3	105.0
.6	122.5	61.8	102.5	51.7	207.5	104.6
.7	123.2	62.1	103.2	52.0	206.8	104.3
.8	123.9	62.5	103.9	52.4	206.1	103.9
.9	124.7	62.9	104.7	52.8	205.3	103.5
138.0	125.4	63.2	105.4	53.1	204.6	103.2
.1	126.1	63.6	106.1	53.5	203.9	102.8
.2	126.9	64.0	106.9	53.9	203.1	102.4
.3	127.6	64.3	107.6	54.2	202.4	102.0
.4	128.3	64.7	108.3	54.6	201.7	101.7
.5	129.1	65.1	109.1	55.0	200.9	101.3
.6	129.8	65.4	109.8	55.3	200.2	100.9
.7	130.5	65.8	110.5	55.7	199.5	100.6
.8	131.2	66.2	111.2	56.1	198.8	100.2
.9	132.0	66.5	112.0	56.5	198.0	99.8
139.0	132.7	66.9	112.7	56.8	197.3	99.5
.1	133.4	67.3	113.4	57.2	196.6	99.1
.2	134.2	67.6	114.2	57.6	195.8	98.7
.3	134.9	68.0	114.9	57.9	195.1	98.4
.4	135.6	68.4	115.6	58.3	194.4	98.0
.5	136.4	68.7	116.4	58.7	193.6	97.6
.6	137.1	69.1	117.1	59.0	192.9	97.3
.7	137.8	69.5	117.8	59.4	192.2	96.9
.8	138.5	69.8	118.5	59.8	191.5	96.5
.9	139.3	70.2	119.3	60.1	190.7	96.2
140.0	140.0	70.6	120.0	60.5	190.0	95.8
.1	140.9	71.0	120.9	61.0	189.1	95.3
.2	141.8	71.5	121.8	61.4	188.2	94.9
.3	142.7	71.9	122.7	61.9	187.3	94.4
.4	143.6	72.4	123.6	62.3	186.4	94.0
.5	144.5	72.9	124.5	62.8	185.5	93.5
.6	145.4	73.3	125.4	63.2	184.6	93.1
.7	146.3	73.8	126.3	63.7	183.7	92.6
.8	147.2	74.2	127.2	64.1	182.8	92.2
.9	148.1	74.7	128.1	64.6	181.9	91.7

Reservoir Storage Tables

PAGE 5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
141.0	149.0	75.1	129.0	65.0	181.0	91.3
.1	149.9	75.6	129.9	65.5	180.1	90.8
.2	150.8	76.0	130.8	65.9	179.2	90.3
.3	151.7	76.5	131.7	66.4	178.3	89.9
.4	152.6	76.9	132.6	66.9	177.4	89.4
.5	153.5	77.4	133.5	67.3	176.5	89.0
.6	154.4	77.8	134.4	67.8	175.6	88.5
.7	155.3	78.3	135.3	68.2	174.7	88.1
.8	156.2	78.8	136.2	68.7	173.8	87.6
.9	157.1	79.2	137.1	69.1	172.9	87.2
142.0	158.0	79.7	138.0	69.6	172.0	86.7
.1	158.9	80.1	138.9	70.0	171.1	86.3
.2	159.8	80.6	139.8	70.5	170.2	85.8
.3	160.7	81.0	140.7	70.9	169.3	85.4
.4	161.6	81.5	141.6	71.4	168.4	84.9
.5	162.5	81.9	142.5	71.8	167.5	84.4
.6	163.4	82.4	143.4	72.3	166.6	84.0
.7	164.3	82.8	144.3	72.8	165.7	83.5
.8	165.2	83.3	145.2	73.2	164.8	83.1
.9	166.1	83.7	146.1	73.7	163.9	82.6
143.0	167.0	84.2	147.0	74.1	163.0	82.2
.1	167.9	84.6	147.9	74.6	162.1	81.7
.2	168.8	85.1	148.8	75.0	161.2	81.3
.3	169.7	85.6	149.7	75.5	160.3	80.8
.4	170.6	86.0	150.6	75.9	159.4	80.4
.5	171.5	86.5	151.5	76.4	158.5	79.9
.6	172.4	86.9	152.4	76.8	157.6	79.5
.7	173.3	87.4	153.3	77.3	156.7	79.0
.8	174.2	87.8	154.2	77.7	155.8	78.5
.9	175.1	88.3	155.1	78.2	154.9	78.1
144.0	176.0	88.7	156.0	78.7	154.0	77.6
.1	176.9	89.2	156.9	79.1	153.1	77.2
.2	177.8	89.6	157.8	79.6	152.2	76.7
.3	178.7	90.1	158.7	80.0	151.3	76.3
.4	179.6	90.5	159.6	80.5	150.4	75.8
.5	180.5	91.0	160.5	80.9	149.5	75.4
.6	181.4	91.5	161.4	81.4	148.6	74.9
.7	182.3	91.9	162.3	81.8	147.7	74.5
.8	183.2	92.4	163.2	82.3	146.8	74.0
.9	184.1	92.8	164.1	82.7	145.9	73.6
145.0	185.0	93.3	165.0	83.2	145.0	73.1
.1	185.9	93.7	165.9	83.7	144.1	72.6
.2	186.8	94.2	166.8	84.1	143.2	72.2
.3	187.8	94.7	167.8	84.6	142.2	71.7
.4	188.7	95.1	168.7	85.0	141.3	71.2
.5	189.6	95.6	169.6	85.5	140.4	70.8
.6	190.5	96.1	170.5	86.0	139.5	70.3
.7	191.4	96.5	171.4	86.4	138.6	69.9
.8	192.4	97.0	172.4	86.9	137.6	69.4
.9	193.3	97.4	173.3	87.4	136.7	68.9

PAGE 6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
146.0	194.2	97.9	174.2	87.8	135.8	68.5
.1	195.1	98.4	175.1	88.3	134.9	68.0
.2	196.0	98.8	176.0	88.8	134.0	67.5
.3	197.0	99.3	177.0	89.2	133.0	67.1
.4	197.9	99.8	177.9	89.7	132.1	66.6
.5	198.8	100.2	178.8	90.1	131.2	66.1
.6	199.7	100.7	179.7	90.6	130.3	65.7
.7	200.6	101.2	180.6	91.1	129.4	65.2
.8	201.6	101.6	181.6	91.5	128.4	64.8
.9	202.5	102.1	182.5	92.0	127.5	64.3
147.0	203.4	102.5	183.4	92.5	126.6	63.8
.1	204.3	103.0	184.3	92.9	125.7	63.4
.2	205.2	103.5	185.2	93.4	124.8	62.9
.3	206.2	103.9	186.2	93.9	123.8	62.4
.4	207.1	104.4	187.1	94.3	122.9	62.0
.5	208.0	104.9	188.0	94.8	122.0	61.5
.6	208.9	105.3	188.9	95.2	121.1	61.0
.7	209.8	105.8	189.8	95.7	120.2	60.6
.8	210.8	106.3	190.8	96.2	119.2	60.1
.9	211.7	106.7	191.7	96.6	118.3	59.7
148.0	212.6	107.2	192.6	97.1	117.4	59.2
.1	213.5	107.6	193.5	97.6	116.5	58.7
.2	214.4	108.1	194.4	98.0	115.6	58.3
.3	215.4	108.6	195.4	98.5	114.6	57.8
.4	216.3	109.0	196.3	99.0	113.7	57.3
.5	217.2	109.5	197.2	99.4	112.8	56.9
.6	218.1	110.0	198.1	99.9	111.9	56.4
.7	219.0	110.4	199.0	100.3	111.0	55.9
.8	220.0	110.9	200.0	100.8	110.0	55.5
.9	220.9	111.4	200.9	101.3	109.1	55.0
149.0	221.8	111.8	201.8	101.7	108.2	54.6
.1	222.7	112.3	202.7	102.2	107.3	54.1
.2	223.6	112.8	203.6	102.7	106.4	53.6
.3	224.6	113.2	204.6	103.1	105.4	53.2
.4	225.5	113.7	205.5	103.6	104.5	52.7
.5	226.4	114.1	206.4	104.1	103.6	52.2
.6	227.3	114.6	207.3	104.5	102.7	51.8
.7	228.2	115.1	208.2	105.0	101.8	51.3
.8	229.2	115.5	209.2	105.5	100.8	50.8
.9	230.1	116.0	210.1	105.9	99.9	50.4
150.0	231.0	116.5	211.0	106.4	99.0	49.9
.1	231.9	116.9	211.9	106.8	98.1	49.4
.2	232.8	117.4	212.8	107.3	97.2	49.0
.3	233.8	117.9	213.8	107.8	96.2	48.5
.4	234.7	118.3	214.7	108.2	95.3	48.1
.5	235.6	118.8	215.6	108.7	94.4	47.6
.6	236.5	119.2	216.5	109.2	93.5	47.1
.7	237.4	119.7	217.4	109.6	92.6	46.7
.8	238.4	120.2	218.4	110.1	91.6	46.2
.9	239.3	120.6	219.3	110.6	90.7	45.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
151.0	240.2	121.1	220.2	111.0	89.8	45.3
.1	241.1	121.6	221.1	111.5	88.9	44.8
.2	242.0	122.0	222.0	111.9	88.0	44.3
.3	243.0	122.5	223.0	112.4	87.0	43.9
.4	243.9	123.0	223.9	112.9	86.1	43.4
.5	244.8	123.4	224.8	113.3	85.2	43.0
.6	245.7	123.9	225.7	113.8	84.3	42.5
.7	246.6	124.3	226.6	114.3	83.4	42.0
.8	247.6	124.8	227.6	114.7	82.4	41.6
.9	248.5	125.3	228.5	115.2	81.5	41.1
152.0	249.4	125.7	229.4	115.7	80.6	40.6
.1	250.3	126.2	230.3	116.1	79.7	40.2
.2	251.2	126.7	231.2	116.6	78.8	39.7
.3	252.2	127.1	232.2	117.0	77.8	39.2
.4	253.1	127.6	233.1	117.5	76.9	38.8
.5	254.0	128.1	234.0	118.0	76.0	38.3
.6	254.9	128.5	234.9	118.4	75.1	37.9
.7	255.8	129.0	235.8	118.9	74.2	37.4
.8	256.8	129.4	236.8	119.4	73.2	36.9
.9	257.7	129.9	237.7	119.8	72.3	36.5
153.0	258.6	130.4	238.6	120.3	71.4	36.0
.1	259.5	130.8	239.5	120.8	70.5	35.5
.2	260.4	131.3	240.4	121.2	69.6	35.1
.3	261.4	131.8	241.4	121.7	68.6	34.6
.4	262.3	132.2	242.3	122.1	67.7	34.1
.5	263.2	132.7	243.2	122.6	66.8	33.7
.6	264.1	133.2	244.1	123.1	65.9	33.2
.7	265.0	133.6	245.0	123.5	65.0	32.8
.8	266.0	134.1	246.0	124.0	64.0	32.3
.9	266.9	134.6	246.9	124.5	63.1	31.8
154.0	267.8	135.0	247.8	124.9	62.2	31.4
.1	268.7	135.5	248.7	125.4	61.3	30.9
.2	269.6	135.9	249.6	125.9	60.4	30.4
.3	270.6	136.4	250.6	126.3	59.4	30.0
.4	271.5	136.9	251.5	126.8	58.5	29.5
.5	272.4	137.3	252.4	127.3	57.6	29.0
.6	273.3	137.8	253.3	127.7	56.7	28.6
.7	274.2	138.3	254.2	128.2	55.8	28.1
.8	275.2	138.7	255.2	128.6	54.8	27.6
.9	276.1	139.2	256.1	129.1	53.9	27.2
155.0	277.0	139.7	257.0	129.6	53.0	26.7
.1	278.1	140.2	258.1	130.1	51.9	26.2
.2	279.1	140.7	259.1	130.6	50.9	25.7
.3	280.2	141.3	260.2	131.2	49.8	25.1
.4	281.2	141.8	261.2	131.7	48.8	24.6
.5	282.3	142.3	262.3	132.2	47.7	24.0
.6	283.4	142.9	263.4	132.8	46.6	23.5
.7	284.4	143.4	264.4	133.3	45.6	23.0
.8	285.5	143.9	265.5	133.8	44.5	22.4
.9	286.5	144.5	266.5	134.4	43.5	21.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
156.0	287.6	145.0	267.6	134.9	42.4	21.4
.1	288.7	145.5	268.7	135.4	41.3	20.8
.2	289.7	146.1	269.7	136.0	40.3	20.3
.3	290.8	146.6	270.8	136.5	39.2	19.8
.4	291.8	147.1	271.8	137.1	38.2	19.2
.5	292.9	147.7	272.9	137.6	37.1	18.7
.6	294.0	148.2	274.0	138.1	36.0	18.2
.7	295.0	148.7	275.0	138.7	35.0	17.6
.8	296.1	149.3	276.1	139.2	33.9	17.1
.9	297.1	149.8	277.1	139.7	32.9	16.6
157.0	298.2	150.3	278.2	140.3	31.8	16.0
.1	299.3	150.9	279.3	140.8	30.7	15.5
.2	300.3	151.4	280.3	141.3	29.7	15.0
.3	301.4	151.9	281.4	141.9	28.6	14.4
.4	302.4	152.5	282.4	142.4	27.6	13.9
.5	303.5	153.0	283.5	142.9	26.5	13.4
.6	304.6	153.5	284.6	143.5	25.4	12.8
.7	305.6	154.1	285.6	144.0	24.4	12.3
.8	306.7	154.6	286.7	144.5	23.3	11.8
.9	307.7	155.2	287.7	145.1	22.3	11.2
158.0	308.8	155.7	288.8	145.6	21.2	10.7
.1	309.9	156.2	289.9	146.1	20.1	10.2
.2	310.9	156.8	290.9	146.7	19.1	9.6
.3	312.0	157.3	292.0	147.2	18.0	9.1
.4	313.0	157.8	293.0	147.7	17.0	8.6
.5	314.1	158.4	294.1	148.3	15.9	8.0
.6	315.2	158.9	295.2	148.8	14.8	7.5
.7	316.2	159.4	296.2	149.3	13.8	6.9
.8	317.3	160.0	297.3	149.9	12.7	6.4
.9	318.3	160.5	298.3	150.4	11.7	5.9
159.0	319.4	161.0	299.4	150.9	10.6	5.3
.1	320.5	161.6	300.5	151.5	9.5	4.8
.2	321.5	162.1	301.5	152.0	8.5	4.3
.3	322.6	162.6	302.6	152.6	7.4	3.7
.4	323.6	163.2	303.6	153.1	6.4	3.2
.5	324.7	163.7	304.7	153.6	5.3	2.7
.6	325.8	164.2	305.8	154.2	4.2	2.1
.7	326.8	164.8	306.8	154.7	3.2	1.6
.8	327.9	165.3	307.9	155.2	2.1	1.1
.9	328.9	165.8	308.9	155.8	1.1	0.5
160.0 SUB	330.0	166.4	310.0	156.3	0.0	0.0
.1	331.1	166.9				
.2	332.1	167.4				
.3	333.2	168.0				
.4	334.2	168.5				
.5	335.3	169.0				
.6	336.4	169.6				
.7	337.4	170.1				
.8	338.5	170.7				
.9	339.5	171.2				

Reservoir Storage Tables

| ELEVATION | GROSS STORAGE | | USABLE STORAGE | | CUMULATIVE DRAFT | |
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
**							
161.0	340.6	171.7				

Reservoir Storage Tables

PROJECT NAME: BONNEVILLE

PROJECT NUMBER: 83

STORAGE LOWER BOUND (SLB) =   90.00KAF   STORAGE UPPER BOUND (SUB) = 715.00 KAF

BONNEVILLE

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
24.0 SLB	90.0	45.4	0.0	0.0	625.0	315.1
.1	90.3	45.5	0.3	0.2	624.7	314.9
.2	90.7	45.7	0.7	0.3	624.3	314.8
.3	91.0	45.9	1.0	0.5	624.0	314.6
.4	91.3	46.0	1.3	0.7	623.7	314.4
.5	91.7	46.2	1.7	0.8	623.3	314.3
.6	92.0	46.4	2.0	1.0	623.0	314.1
.7	92.3	46.6	2.3	1.2	622.7	313.9
.8	92.7	46.7	2.7	1.3	622.3	313.8
.9	93.0	46.9	3.0	1.5	622.0	313.6
25.0	93.3	47.1	3.3	1.7	621.7	313.4
.1	93.7	47.2	3.7	1.8	621.3	313.3
.2	94.0	47.4	4.0	2.0	621.0	313.1
.3	94.3	47.6	4.3	2.2	620.7	312.9
.4	94.7	47.7	4.7	2.4	620.3	312.8
.5	95.0	47.9	5.0	2.5	620.0	312.6
.6	95.3	48.1	5.3	2.7	619.7	312.4
.7	95.7	48.2	5.7	2.9	619.3	312.2
.8	96.0	48.4	6.0	3.0	619.0	312.1
.9	96.3	48.6	6.3	3.2	618.7	311.9
26.0	96.7	48.7	6.7	3.4	618.3	311.7
.1	97.0	48.9	7.0	3.5	618.0	311.6
.2	97.3	49.1	7.3	3.7	617.7	311.4
.3	97.7	49.2	7.7	3.9	617.3	311.2
.4	98.0	49.4	8.0	4.0	617.0	311.1
.5	98.3	49.6	8.3	4.2	616.7	310.9
.6	98.7	49.7	8.7	4.4	616.3	310.7
.7	99.0	49.9	9.0	4.5	616.0	310.6
.8	99.3	50.1	9.3	4.7	615.7	310.4
.9	99.7	50.2	9.7	4.9	615.3	310.2
27.0	100.0	50.4	10.0	5.0	615.0	310.1
.1	100.3	50.6	10.3	5.2	614.7	309.9
.2	100.7	50.8	10.7	5.4	614.3	309.7
.3	101.0	50.9	11.0	5.5	614.0	309.6
.4	101.3	51.1	11.3	5.7	613.7	309.4
.5	101.7	51.3	11.7	5.9	613.3	309.2
.6	102.0	51.4	12.0	6.1	613.0	309.1
.7	102.3	51.6	12.3	6.2	612.7	308.9
.8	102.7	51.8	12.7	6.4	612.3	308.7
.9	103.0	51.9	13.0	6.6	612.0	308.6
28.0	103.3	52.1	13.3	6.7	611.7	308.4
.1	103.7	52.3	13.7	6.9	611.3	308.2
.2	104.0	52.4	14.0	7.1	611.0	308.0
.3	104.3	52.6	14.3	7.2	610.7	307.9
.4	104.7	52.8	14.7	7.4	610.3	307.7
.5	105.0	52.9	15.0	7.6	610.0	307.5
.6	105.3	53.1	15.3	7.7	609.7	307.4
.7	105.7	53.3	15.7	7.9	609.3	307.2
.8	106.0	53.4	16.0	8.1	609.0	307.0
.9	106.3	53.6	16.3	8.2	608.7	306.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
29.0	106.7	53.8	16.7	8.4	608.3	306.7
.1	107.0	53.9	17.0	8.6	608.0	306.5
.2	107.3	54.1	17.3	8.7	607.7	306.4
.3	107.7	54.3	17.7	8.9	607.3	306.2
.4	108.0	54.5	18.0	9.1	607.0	306.0
.5	108.3	54.6	18.3	9.2	606.7	305.9
.6	108.7	54.8	18.7	9.4	606.3	305.7
.7	109.0	55.0	19.0	9.6	606.0	305.5
.8	109.3	55.1	19.3	9.7	605.7	305.4
.9	109.7	55.3	19.7	9.9	605.3	305.2
30.0	110.0	55.5	20.0	10.1	605.0	305.0
.1	110.7	55.8	20.7	10.4	604.3	304.7
.2	111.4	56.2	21.4	10.8	603.6	304.3
.3	112.1	56.5	22.1	11.1	602.9	304.0
.4	112.8	56.9	22.8	11.5	602.2	303.6
.5	113.5	57.2	23.5	11.8	601.5	303.3
.6	114.2	57.6	24.2	12.2	600.8	302.9
.7	114.9	57.9	24.9	12.6	600.1	302.6
.8	115.6	58.3	25.6	12.9	599.4	302.2
.9	116.3	58.6	26.3	13.3	598.7	301.8
31.0	117.0	59.0	27.0	13.6	598.0	301.5
.1	117.7	59.3	27.7	14.0	597.3	301.1
.2	118.4	59.7	28.4	14.3	596.6	300.8
.3	119.1	60.0	29.1	14.7	595.9	300.4
.4	119.8	60.4	29.8	15.0	595.2	300.1
.5	120.5	60.8	30.5	15.4	594.5	299.7
.6	121.2	61.1	31.2	15.7	593.8	299.4
.7	121.9	61.5	31.9	16.1	593.1	299.0
.8	122.6	61.8	32.6	16.4	592.4	298.7
.9	123.3	62.2	33.3	16.8	591.7	298.3
32.0	124.0	62.5	34.0	17.1	591.0	298.0
.1	124.7	62.9	34.7	17.5	590.3	297.6
.2	125.4	63.2	35.4	17.8	589.6	297.3
.3	126.1	63.6	36.1	18.2	588.9	296.9
.4	126.8	63.9	36.8	18.6	588.2	296.6
.5	127.5	64.3	37.5	18.9	587.5	296.2
.6	128.2	64.6	38.2	19.3	586.8	295.8
.7	128.9	65.0	38.9	19.6	586.1	295.5
.8	129.6	65.3	39.6	20.0	585.4	295.1
.9	130.3	65.7	40.3	20.3	584.7	294.8
33.0	131.0	66.0	41.0	20.7	584.0	294.4
.1	131.7	66.4	41.7	21.0	583.3	294.1
.2	132.4	66.8	42.4	21.4	582.6	293.7
.3	133.1	67.1	43.1	21.7	581.9	293.4
.4	133.8	67.5	43.8	22.1	581.2	293.0
.5	134.5	67.8	44.5	22.4	580.5	292.7
.6	135.2	68.2	45.2	22.8	579.8	292.3
.7	135.9	68.5	45.9	23.1	579.1	292.0
.8	136.6	68.9	46.6	23.5	578.4	291.6
.9	137.3	69.2	47.3	23.8	577.7	291.3

Bonneville

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

BONNEVILLE

PAGE 4

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
34.0	138.0	69.6	48.0	24.2	577.0	290.9
.1	138.7	69.9	48.7	24.6	576.3	290.6
.2	139.4	70.3	49.4	24.9	575.6	290.2
.3	140.1	70.6	50.1	25.3	574.9	289.8
.4	140.8	71.0	50.8	25.6	574.2	289.5
.5	141.5	71.3	51.5	26.0	573.5	289.1
.6	142.2	71.7	52.2	26.3	572.8	288.8
.7	142.9	72.0	52.9	26.7	572.1	288.4
.8	143.6	72.4	53.6	27.0	571.4	288.1
.9	144.3	72.8	54.3	27.4	570.7	287.7
35.0	145.0	73.1	55.0	27.7	570.0	287.4
.1	145.7	73.5	55.7	28.1	569.3	287.0
.2	146.4	73.8	56.4	28.4	568.6	286.7
.3	147.1	74.2	57.1	28.8	567.9	286.3
.4	147.8	74.5	57.8	29.1	567.2	286.0
.5	148.5	74.9	58.5	29.5	566.5	285.6
.6	149.2	75.2	59.2	29.8	565.8	285.3
.7	149.9	75.6	59.9	30.2	565.1	284.9
.8	150.6	75.9	60.6	30.6	564.4	284.6
.9	151.3	76.3	61.3	30.9	563.7	284.2
36.0	152.0	76.6	62.0	31.3	563.0	283.8
.1	152.7	77.0	62.7	31.6	562.3	283.5
.2	153.4	77.3	63.4	32.0	561.6	283.1
.3	154.1	77.7	64.1	32.3	560.9	282.8
.4	154.8	78.0	64.8	32.7	560.2	282.4
.5	155.5	78.4	65.5	33.0	559.5	282.1
.6	156.2	78.8	66.2	33.4	558.8	281.7
.7	156.9	79.1	66.9	33.7	558.1	281.4
.8	157.6	79.5	67.6	34.1	557.4	281.0
.9	158.3	79.8	68.3	34.4	556.7	280.7
37.0	159.0	80.2	69.0	34.8	556.0	280.3
.1	159.7	80.5	69.7	35.1	555.3	280.0
.2	160.4	80.9	70.4	35.5	554.6	279.6
.3	161.1	81.2	71.1	35.8	553.9	279.3
.4	161.8	81.6	71.8	36.2	553.2	278.9
.5	162.5	81.9	72.5	36.6	552.5	278.6
.6	163.2	82.3	73.2	36.9	551.8	278.2
.7	163.9	82.6	73.9	37.3	551.1	277.8
.8	164.6	83.0	74.6	37.6	550.4	277.5
.9	165.3	83.3	75.3	38.0	549.7	277.1
38.0	166.0	83.7	76.0	38.3	549.0	276.8
.1	166.7	84.0	76.7	38.7	548.3	276.4
.2	167.4	84.4	77.4	39.0	547.6	276.1
.3	168.1	84.8	78.1	39.4	546.9	275.7
.4	168.8	85.1	78.8	39.7	546.2	275.4
.5	169.5	85.5	79.5	40.1	545.5	275.0
.6	170.2	85.8	80.2	40.4	544.8	274.7
.7	170.9	86.2	80.9	40.8	544.1	274.3
.8	171.6	86.5	81.6	41.1	543.4	274.0
.9	172.3	86.9	82.3	41.5	542.7	273.6

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
39.0	173.0	87.2	83.0	41.8	542.0	273.3
.1	173.7	87.6	83.7	42.2	541.3	272.9
.2	174.4	87.9	84.4	42.6	540.6	272.6
.3	175.1	88.3	85.1	42.9	539.9	272.2
.4	175.8	88.6	85.8	43.3	539.2	271.8
.5	176.5	89.0	86.5	43.6	538.5	271.5
.6	177.2	89.3	87.2	44.0	537.8	271.1
.7	177.9	89.7	87.9	44.3	537.1	270.8
.8	178.6	90.0	88.6	44.7	536.4	270.4
.9	179.3	90.4	89.3	45.0	535.7	270.1
40.0	180.0	90.8	90.0	45.4	535.0	269.7
.1	181.2	91.4	91.2	46.0	533.8	269.1
.2	182.5	92.0	92.5	46.6	532.5	268.5
.3	183.7	92.6	93.7	47.3	531.3	267.8
.4	185.0	93.3	95.0	47.9	530.0	267.2
.5	186.3	93.9	96.3	48.5	528.8	266.6
.6	187.5	94.5	97.5	49.2	527.5	265.9
.7	188.8	95.2	98.8	49.8	526.3	265.3
.8	190.0	95.8	100.0	50.4	525.0	264.7
.9	191.3	96.4	101.3	51.0	523.8	264.1
41.0	192.5	97.1	102.5	51.7	522.5	263.4
.1	193.7	97.7	103.7	52.3	521.3	262.8
.2	195.0	98.3	105.0	52.9	520.0	262.2
.3	196.2	98.9	106.2	53.6	518.8	261.5
.4	197.5	99.6	107.5	54.2	517.5	260.9
.5	198.8	100.2	108.8	54.8	516.3	260.3
.6	200.0	100.8	110.0	55.5	515.0	259.6
.7	201.3	101.5	111.3	56.1	513.8	259.0
.8	202.5	102.1	112.5	56.7	512.5	258.4
.9	203.8	102.7	113.8	57.3	511.3	257.8
42.0	205.0	103.4	115.0	58.0	510.0	257.1
.1	206.2	104.0	116.2	58.6	508.8	256.5
.2	207.5	104.6	117.5	59.2	507.5	255.9
.3	208.7	105.2	118.7	59.9	506.3	255.2
.4	210.0	105.9	120.0	60.5	505.0	254.6
.5	211.3	106.5	121.3	61.1	503.8	254.0
.6	212.5	107.1	122.5	61.8	502.5	253.3
.7	213.8	107.8	123.8	62.4	501.3	252.7
.8	215.0	108.4	125.0	63.0	500.0	252.1
.9	216.3	109.0	126.3	63.7	498.8	251.5
43.0	217.5	109.7	127.5	64.3	497.5	250.8
.1	218.7	110.3	128.7	64.9	496.3	250.2
.2	220.0	110.9	130.0	65.5	495.0	249.6
.3	221.2	111.5	131.2	66.2	493.8	248.9
.4	222.5	112.2	132.5	66.8	492.5	248.3
.5	223.8	112.8	133.8	67.4	491.3	247.7
.6	225.0	113.4	135.0	68.1	490.0	247.0
.7	226.3	114.1	136.3	68.7	488.8	246.4
.8	227.5	114.7	137.5	69.3	487.5	245.8
.9	228.8	115.3	138.8	70.0	486.3	245.2

Bonneville

196

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
44.0	230.0	116.0	140.0	70.6	485.0	244.5
.1	231.2	116.6	141.2	71.2	483.8	243.9
.2	232.5	117.2	142.5	71.8	482.5	243.3
.3	233.7	117.8	143.7	72.5	481.3	242.6
.4	235.0	118.5	145.0	73.1	480.0	242.0
.5	236.3	119.1	146.3	73.7	478.8	241.4
.6	237.5	119.7	147.5	74.4	477.5	240.7
.7	238.8	120.4	148.8	75.0	476.3	240.1
.8	240.0	121.0	150.0	75.6	475.0	239.5
.9	241.3	121.6	151.3	76.3	473.8	238.8
45.0	242.5	122.3	152.5	76.9	472.5	238.2
.1	243.7	122.9	153.7	77.5	471.3	237.6
.2	245.0	123.5	155.0	78.1	470.0	237.0
.3	246.2	124.2	156.2	78.8	468.8	236.3
.4	247.5	124.8	157.5	79.4	467.5	235.7
.5	248.8	125.4	158.8	80.0	466.3	235.1
.6	250.0	126.0	160.0	80.7	465.0	234.4
.7	251.3	126.7	161.3	81.3	463.8	233.8
.8	252.5	127.3	162.5	81.9	462.5	233.2
.9	253.8	127.9	163.8	82.6	461.3	232.5
46.0	255.0	128.6	165.0	83.2	460.0	231.9
.1	256.2	129.2	166.2	83.8	458.8	231.3
.2	257.5	129.8	167.5	84.4	457.5	230.7
.3	258.7	130.5	168.7	85.1	456.3	230.0
.4	260.0	131.1	170.0	85.7	455.0	229.4
.5	261.3	131.7	171.3	86.3	453.8	228.8
.6	262.5	132.3	172.5	87.0	452.5	228.1
.7	263.8	133.0	173.8	87.6	451.3	227.5
.8	265.0	133.6	175.0	88.2	450.0	226.9
.9	266.3	134.2	176.3	88.9	448.7	226.2
47.0	267.5	134.9	177.5	89.5	447.5	225.6
.1	268.7	135.5	178.7	90.1	446.3	225.0
.2	270.0	136.1	180.0	90.8	445.0	224.4
.3	271.3	136.8	181.3	91.4	443.8	223.7
.4	272.5	137.4	182.5	92.0	442.5	223.1
.5	273.8	138.0	183.8	92.6	441.3	222.5
.6	275.0	138.6	185.0	93.3	440.0	221.8
.7	276.3	139.3	186.3	93.9	438.8	221.2
.8	277.5	139.9	187.5	94.5	437.5	220.6
.9	278.8	140.5	188.8	95.2	436.2	219.9
48.0	280.0	141.2	190.0	95.8	435.0	219.3
.1	281.2	141.8	191.2	96.4	433.8	218.7
.2	282.5	142.4	192.5	97.1	432.5	218.1
.3	283.8	143.1	193.8	97.7	431.3	217.4
.4	285.0	143.7	195.0	98.3	430.0	216.8
.5	286.3	144.3	196.3	98.9	428.8	216.2
.6	287.5	144.9	197.5	99.6	427.5	215.5
.7	288.8	145.6	198.8	100.2	426.3	214.9
.8	290.0	146.2	200.0	100.8	425.0	214.3
.9	291.3	146.8	201.3	101.5	423.7	213.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
49.0	292.5	147.5	202.5	102.1	422.5	213.0
.1	293.7	148.1	203.7	102.7	421.3	212.4
.2	295.0	148.7	205.0	103.4	420.0	211.8
.3	296.3	149.4	206.3	104.0	418.8	211.1
.4	297.5	150.0	207.5	104.6	417.5	210.5
.5	298.8	150.6	208.8	105.2	416.3	209.9
.6	300.0	151.2	210.0	105.9	415.0	209.2
.7	301.3	151.9	211.3	106.5	413.8	208.6
.8	302.5	152.5	212.5	107.1	412.5	208.0
.9	303.8	153.1	213.8	107.8	411.2	207.3
50.0	305.0	153.8	215.0	108.4	410.0	206.7
.1	306.8	154.7	216.8	109.3	408.2	205.8
.2	308.6	155.6	218.6	110.2	406.4	204.9
.3	310.4	156.5	220.4	111.1	404.6	204.0
.4	312.2	157.4	222.2	112.0	402.8	203.1
.5	314.0	158.3	224.0	112.9	401.0	202.2
.6	315.8	159.2	225.8	113.8	399.2	201.3
.7	317.6	160.1	227.6	114.7	397.4	200.4
.8	319.4	161.0	229.4	115.7	395.6	199.4
.9	321.2	161.9	231.2	116.6	393.8	198.5
51.0	323.0	162.8	233.0	117.5	392.0	197.6
.1	324.8	163.8	234.8	118.4	390.2	196.7
.2	326.6	164.7	236.6	119.3	388.4	195.8
.3	328.4	165.6	238.4	120.2	386.6	194.9
.4	330.2	166.5	240.2	121.1	384.8	194.0
.5	332.0	167.4	242.0	122.0	383.0	193.1
.6	333.8	168.3	243.8	122.9	381.2	192.2
.7	335.6	169.2	245.6	123.8	379.4	191.3
.8	337.4	170.1	247.4	124.7	377.6	190.4
.9	339.2	171.0	249.2	125.6	375.8	189.5
52.0	341.0	171.9	251.0	126.5	374.0	188.6
.1	342.8	172.8	252.8	127.5	372.2	187.7
.2	344.6	173.7	254.6	128.4	370.4	186.7
.3	346.4	174.6	256.4	129.3	368.6	185.8
.4	348.2	175.6	258.2	130.2	366.8	184.9
.5	350.0	176.5	260.0	131.1	365.0	184.0
.6	351.8	177.4	261.8	132.0	363.2	183.1
.7	353.6	178.3	263.6	132.9	361.4	182.2
.8	355.4	179.2	265.4	133.8	359.6	181.3
.9	357.2	180.1	267.2	134.7	357.8	180.4
53.0	359.0	181.0	269.0	135.6	356.0	179.5
.1	360.8	181.9	270.8	136.5	354.2	178.6
.2	362.6	182.8	272.6	137.4	352.4	177.7
.3	364.4	183.7	274.4	138.3	350.6	176.8
.4	366.2	184.6	276.2	139.3	348.8	175.9
.5	368.0	185.5	278.0	140.2	347.0	174.9
.6	369.8	186.4	279.8	141.1	345.2	174.0
.7	371.6	187.3	281.6	142.0	343.4	173.1
.8	373.4	188.3	283.4	142.9	341.6	172.2
.9	375.2	189.2	285.2	143.8	339.8	171.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
54.0	377.0	190.1	287.0	144.7	338.0	170.4
.1	378.8	191.0	288.8	145.6	336.2	169.5
.2	380.6	191.9	290.6	146.5	334.4	168.6
.3	382.4	192.8	292.4	147.4	332.6	167.7
.4	384.2	193.7	294.2	148.3	330.8	166.8
.5	386.0	194.6	296.0	149.2	329.0	165.9
.6	387.8	195.5	297.8	150.1	327.2	165.0
.7	389.6	196.4	299.6	151.0	325.4	164.1
.8	391.4	197.3	301.4	152.0	323.6	163.1
.9	393.2	198.2	303.2	152.9	321.8	162.2
55.0	395.0	199.1	305.0	153.8	320.0	161.3
.1	396.8	200.1	306.8	154.7	318.2	160.4
.2	398.6	201.0	308.6	155.6	316.4	159.5
.3	400.4	201.9	310.4	156.5	314.6	158.6
.4	402.2	202.8	312.2	157.4	312.8	157.7
.5	404.0	203.7	314.0	158.3	311.0	156.8
.6	405.8	204.6	315.8	159.2	309.2	155.9
.7	407.6	205.5	317.6	160.1	307.4	155.0
.8	409.4	206.4	319.4	161.0	305.6	154.1
.9	411.2	207.3	321.2	161.9	303.8	153.2
56.0	413.0	208.2	323.0	162.8	302.0	152.3
.1	414.8	209.1	324.8	163.8	300.2	151.4
.2	416.6	210.0	326.6	164.7	298.4	150.4
.3	418.4	210.9	328.4	165.6	296.6	149.5
.4	420.2	211.9	330.2	166.5	294.8	148.6
.5	422.0	212.8	332.0	167.4	293.0	147.7
.6	423.8	213.7	333.8	168.3	291.2	146.8
.7	425.6	214.6	335.6	169.2	289.4	145.9
.8	427.4	215.5	337.4	170.1	287.6	145.0
.9	429.2	216.4	339.2	171.0	285.8	144.1
57.0	431.0	217.3	341.0	171.9	284.0	143.2
.1	432.8	218.2	342.8	172.8	282.2	142.3
.2	434.6	219.1	344.6	173.7	280.4	141.4
.3	436.4	220.0	346.4	174.6	278.6	140.5
.4	438.2	220.9	348.2	175.6	276.8	139.6
.5	440.0	221.8	350.0	176.5	275.0	138.6
.6	441.8	222.7	351.8	177.4	273.2	137.7
.7	443.6	223.6	353.6	178.3	271.4	136.8
.8	445.4	224.6	355.4	179.2	269.6	135.9
.9	447.2	225.5	357.2	180.1	267.8	135.0
58.0	449.0	226.4	359.0	181.0	266.0	134.1
.1	450.8	227.3	360.8	181.9	264.2	133.2
.2	452.6	228.2	362.6	182.8	262.4	132.3
.3	454.4	229.1	364.4	183.7	260.6	131.4
.4	456.2	230.0	366.2	184.6	258.8	130.5
.5	458.0	230.9	368.0	185.5	257.0	129.6
.6	459.8	231.8	369.8	186.4	255.2	128.7
.7	461.6	232.7	371.6	187.3	253.4	127.8
.8	463.4	233.6	373.4	188.3	251.6	126.8
.9	465.2	234.5	375.2	189.2	249.8	125.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
59.0	467.0	235.4	377.0	190.1	248.0	125.0
.1	468.8	236.4	378.8	191.0	246.2	124.1
.2	470.6	237.3	380.6	191.9	244.4	123.2
.3	472.4	238.2	382.4	192.8	242.6	122.3
.4	474.2	239.1	384.2	193.7	240.8	121.4
.5	476.0	240.0	386.0	194.6	239.0	120.5
.6	477.8	240.9	387.8	195.5	237.2	119.6
.7	479.6	241.8	389.6	196.4	235.4	118.7
.8	481.4	242.7	391.4	197.3	233.6	117.8
.9	483.2	243.6	393.2	198.2	231.8	116.9
60.0	485.0	244.5	395.0	199.1	230.0	116.0
.1	487.0	245.6	397.0	200.2	228.0	114.9
.2	489.1	246.6	399.1	201.2	225.9	113.9
.3	491.1	247.6	401.1	202.2	223.9	112.9
.4	493.2	248.7	403.2	203.3	221.8	111.8
.5	495.3	249.7	405.3	204.3	219.8	110.8
.6	497.3	250.7	407.3	205.3	217.7	109.8
.7	499.4	251.8	409.4	206.4	215.6	108.7
.8	501.4	252.8	411.4	207.4	213.6	107.7
.9	503.5	253.8	413.5	208.4	211.5	106.7
61.0	505.5	254.9	415.5	209.5	209.5	105.6
.1	507.5	255.9	417.5	210.5	207.5	104.6
.2	509.6	256.9	419.6	211.5	205.4	103.6
.3	511.6	258.0	421.6	212.6	203.4	102.5
.4	513.7	259.0	423.7	213.6	201.3	101.5
.5	515.8	260.0	425.8	214.6	199.3	100.5
.6	517.8	261.1	427.8	215.7	197.2	99.4
.7	519.9	262.1	429.9	216.7	195.1	98.4
.8	521.9	263.1	431.9	217.7	193.1	97.4
.9	524.0	264.2	434.0	218.8	191.0	96.3
62.0	526.0	265.2	436.0	219.8	189.0	95.3
.1	528.0	266.2	438.0	220.9	187.0	94.3
.2	530.1	267.3	440.1	221.9	184.9	93.2
.3	532.2	268.3	442.2	222.9	182.8	92.2
.4	534.2	269.3	444.2	224.0	180.8	91.2
.5	536.3	270.4	446.3	225.0	178.8	90.1
.6	538.3	271.4	448.3	226.0	176.7	89.1
.7	540.3	272.4	450.3	227.1	174.7	88.1
.8	542.4	273.5	452.4	228.1	172.6	87.0
.9	544.5	274.5	454.5	229.1	170.5	86.0
63.0	546.5	275.5	456.5	230.2	168.5	85.0
.1	548.5	276.6	458.5	231.2	166.5	83.9
.2	550.6	277.6	460.6	232.2	164.4	82.9
.3	552.7	278.6	462.7	233.3	162.3	81.9
.4	554.7	279.7	464.7	234.3	160.3	80.8
.5	556.8	280.7	466.8	235.3	158.3	79.8
.6	558.8	281.7	468.8	236.4	156.2	78.8
.7	560.8	282.8	470.8	237.4	154.2	77.7
.8	562.9	283.8	472.9	238.4	152.1	76.7
.9	565.0	284.8	475.0	239.5	150.0	75.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
64.0	567.0	285.9	477.0	240.5	148.0	74.6
.1	569.0	286.9	479.0	241.5	146.0	73.6
.2	571.1	287.9	481.1	242.6	143.9	72.5
.3	573.2	289.0	483.2	243.6	141.8	71.5
.4	575.2	290.0	485.2	244.6	139.8	70.5
.5	577.3	291.0	487.3	245.7	137.8	69.4
.6	579.3	292.1	489.3	246.7	135.7	68.4
.7	581.3	293.1	491.3	247.7	133.7	67.4
.8	583.4	294.1	493.4	248.8	131.6	66.3
.9	585.5	295.2	495.5	249.8	129.5	65.3
65.0	587.5	296.2	497.5	250.8	127.5	64.3
.1	589.5	297.2	499.5	251.9	125.5	63.2
.2	591.6	298.3	501.6	252.9	123.4	62.2
.3	593.7	299.3	503.7	253.9	121.3	61.2
.4	595.7	300.3	505.7	255.0	119.3	60.1
.5	597.8	301.4	507.8	256.0	117.3	59.1
.6	599.8	302.4	509.8	257.0	115.2	58.1
.7	601.8	303.4	511.8	258.1	113.2	57.0
.8	603.9	304.5	513.9	259.1	111.1	56.0
.9	606.0	305.5	516.0	260.1	109.0	55.0
66.0	608.0	306.5	518.0	261.2	107.0	53.9
.1	610.0	307.6	520.0	262.2	105.0	52.9
.2	612.1	308.6	522.1	263.2	102.9	51.9
.3	614.2	309.6	524.2	264.3	100.8	50.8
.4	616.2	310.7	526.2	265.3	98.8	49.8
.5	618.3	311.7	528.3	266.3	96.8	48.8
.6	620.3	312.7	530.3	267.4	94.7	47.7
.7	622.3	313.8	532.3	268.4	92.7	46.7
.8	624.4	314.8	534.4	269.4	90.6	45.7
.9	626.5	315.8	536.5	270.5	88.5	44.6
67.0	628.5	316.9	538.5	271.5	86.5	43.6
.1	630.5	317.9	540.5	272.5	84.5	42.6
.2	632.6	318.9	542.6	273.6	82.4	41.5
.3	634.7	320.0	544.7	274.6	80.3	40.5
.4	636.7	321.0	546.7	275.6	78.3	39.5
.5	638.8	322.0	548.8	276.7	76.3	38.4
.6	640.8	323.1	550.8	277.7	74.2	37.4
.7	642.8	324.1	552.8	278.7	72.2	36.4
.8	644.9	325.1	554.9	279.8	70.1	35.3
.9	647.0	326.2	557.0	280.8	68.0	34.3
68.0	649.0	327.2	559.0	281.8	66.0	33.3
.1	651.0	328.2	561.0	282.9	64.0	32.2
.2	653.1	329.3	563.1	283.9	61.9	31.2
.3	655.2	330.3	565.2	284.9	59.8	30.2
.4	657.2	331.3	567.2	286.0	57.8	29.1
.5	659.3	332.4	569.3	287.0	55.8	28.1
.6	661.3	333.4	571.3	288.0	53.7	27.1
.7	663.3	334.4	573.3	289.1	51.7	26.0
.8	665.4	335.5	575.4	290.1	49.6	25.0
.9	667.5	336.5	577.5	291.1	47.5	24.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
69.0	669.5	337.5	579.5	292.2	45.5	22.9
.1	671.5	338.6	581.5	293.2	43.5	21.9
.2	673.6	339.6	583.6	294.2	41.4	20.9
.3	675.7	340.6	585.7	295.3	39.3	19.8
.4	677.7	341.7	587.7	296.3	37.3	18.8
.5	679.8	342.7	589.8	297.3	35.3	17.8
.6	681.8	343.7	591.8	298.4	33.2	16.7
.7	683.8	344.8	593.8	299.4	31.2	15.7
.8	685.9	345.8	595.9	300.4	29.1	14.7
.9	688.0	346.8	598.0	301.5	27.0	13.6
70.0	690.0	347.9	600.0	302.5	25.0	12.6
.1	690.4	348.1	600.4	302.7	24.6	12.4
.2	690.8	348.3	600.8	302.9	24.2	12.2
.3	691.2	348.5	601.2	303.1	23.8	12.0
.4	691.5	348.7	601.5	303.3	23.5	11.8
.5	691.9	348.8	601.9	303.5	23.1	11.6
.6	692.3	349.0	602.3	303.7	22.7	11.4
.7	692.7	349.2	602.7	303.9	22.3	11.2
.8	693.1	349.4	603.1	304.1	21.9	11.1
.9	693.5	349.6	603.5	304.2	21.5	10.9
71.0	693.8	349.8	603.8	304.4	21.2	10.7
.1	694.2	350.0	604.2	304.6	20.8	10.5
.2	694.6	350.2	604.6	304.8	20.4	10.3
.3	695.0	350.4	605.0	305.0	20.0	10.1
.4	695.4	350.6	605.4	305.2	19.6	9.9
.5	695.8	350.8	605.8	305.4	19.2	9.7
.6	696.2	351.0	606.2	305.6	18.8	9.5
.7	696.5	351.2	606.5	305.8	18.5	9.3
.8	696.9	351.4	606.9	306.0	18.1	9.1
.9	697.3	351.6	607.3	306.2	17.7	8.9
72.0	697.7	351.8	607.7	306.4	17.3	8.7
.1	698.1	351.9	608.1	306.6	16.9	8.5
.2	698.5	352.1	608.5	306.8	16.5	8.3
.3	698.8	352.3	608.8	307.0	16.2	8.1
.4	699.2	352.5	609.2	307.2	15.8	8.0
.5	699.6	352.7	609.6	307.3	15.4	7.8
.6	700.0	352.9	610.0	307.5	15.0	7.6
.7	700.4	353.1	610.4	307.7	14.6	7.4
.8	700.8	353.3	610.8	307.9	14.2	7.2
.9	701.2	353.5	611.2	308.1	13.8	7.0
73.0	701.5	353.7	611.5	308.3	13.5	6.8
.1	701.9	353.9	611.9	308.5	13.1	6.6
.2	702.3	354.1	612.3	308.7	12.7	6.4
.3	702.7	354.3	612.7	308.9	12.3	6.2
.4	703.1	354.5	613.1	309.1	11.9	6.0
.5	703.5	354.7	613.5	309.3	11.5	5.8
.6	703.8	354.9	613.8	309.5	11.2	5.6
.7	704.2	355.0	614.2	309.7	10.8	5.4
.8	704.6	355.2	614.6	309.9	10.4	5.2
.9	705.0	355.4	615.0	310.1	10.0	5.0

Reservoir Storage Tables

BONNEVILLE

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
74.0		705.4	355.6	615.4	310.3	9.6	4.8
.1		705.8	355.8	615.8	310.5	9.2	4.7
.2		706.2	356.0	616.2	310.6	8.8	4.5
.3		706.5	356.2	616.5	310.8	8.5	4.3
.4		706.9	356.4	616.9	311.0	8.1	4.1
.5		707.3	356.6	617.3	311.2	7.7	3.9
.6		707.7	356.8	617.7	311.4	7.3	3.7
.7		708.1	357.0	618.1	311.6	6.9	3.5
.8		708.5	357.2	618.5	311.8	6.5	3.3
.9		708.8	357.4	618.8	312.0	6.2	3.1
75.0		709.2	357.6	619.2	312.2	5.8	2.9
.1		709.6	357.8	619.6	312.4	5.4	2.7
.2		710.0	358.0	620.0	312.6	5.0	2.5
.3		710.4	358.2	620.4	312.8	4.6	2.3
.4		710.8	358.3	620.8	313.0	4.2	2.1
.5		711.2	358.5	621.2	313.2	3.8	1.9
.6		711.5	358.7	621.5	313.4	3.5	1.7
.7		711.9	358.9	621.9	313.6	3.1	1.6
.8		712.3	359.1	622.3	313.7	2.7	1.4
.9		712.7	359.3	622.7	313.9	2.3	1.2
76.0		713.1	359.5	623.1	314.1	1.9	1.0
.1		713.5	359.7	623.5	314.3	1.5	0.8
.2		713.8	359.9	623.8	314.5	1.2	0.6
.3		714.2	360.1	624.2	314.7	0.8	0.4
.4		714.6	360.3	624.6	314.9	0.4	0.2
.5	SUB	715.0	360.5	625.0	315.1	0.0	0.0
.6		716.7	361.3				
.7		718.3	362.2				
.8		720.0	363.0				
.9		721.7	363.8				
77.0		723.3	364.7				

Reservoir Storage Tables

PROJECT NAME: ROSS

PROJECT NUMBER: 150

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) = 1052.20 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1475.0	SLB	0.0	0.0	0.0	0.0	1052.2	530.5
.1		0.5	0.3	0.5	0.3	1051.7	530.2
.2		1.0	0.5	1.0	0.5	1051.2	530.0
.3		1.5	0.8	1.5	0.8	1050.7	529.7
.4		2.0	1.0	2.0	1.0	1050.2	529.5
.5		2.5	1.3	2.5	1.3	1049.7	529.2
.6		3.0	1.5	3.0	1.5	1049.2	529.0
.7		3.5	1.8	3.5	1.8	1048.7	528.7
.8		4.1	2.0	4.1	2.0	1048.1	528.4
.9		4.6	2.3	4.6	2.3	1047.6	528.2
1476.0		5.1	2.6	5.1	2.6	1047.1	527.9
.1		5.6	2.8	5.6	2.8	1046.6	527.7
.2		6.1	3.1	6.1	3.1	1046.1	527.4
.3		6.6	3.3	6.6	3.3	1045.6	527.2
.4		7.1	3.6	7.1	3.6	1045.1	526.9
.5		7.6	3.8	7.6	3.8	1044.6	526.7
.6		8.1	4.1	8.1	4.1	1044.1	526.4
.7		8.6	4.3	8.6	4.3	1043.6	526.1
.8		9.1	4.6	9.1	4.6	1043.1	525.9
.9		9.6	4.9	9.6	4.9	1042.6	525.6
1477.0		10.1	5.1	10.1	5.1	1042.1	525.4
.1		10.6	5.4	10.6	5.4	1041.6	525.1
.2		11.1	5.6	11.1	5.6	1041.1	524.9
.3		11.7	5.9	11.7	5.9	1040.5	524.6
.4		12.2	6.1	12.2	6.1	1040.0	524.4
.5		12.7	6.4	12.7	6.4	1039.5	524.1
.6		13.2	6.6	13.2	6.6	1039.0	523.8
.7		13.7	6.9	13.7	6.9	1038.5	523.6
.8		14.2	7.2	14.2	7.2	1038.0	523.3
.9		14.7	7.4	14.7	7.4	1037.5	523.1
1478.0		15.2	7.7	15.2	7.7	1037.0	522.8
.1		15.7	7.9	15.7	7.9	1036.5	522.6
.2		16.2	8.2	16.2	8.2	1036.0	522.3
.3		16.7	8.4	16.7	8.4	1035.5	522.1
.4		17.2	8.7	17.2	8.7	1035.0	521.8
.5		17.7	8.9	17.7	8.9	1034.5	521.5
.6		18.2	9.2	18.2	9.2	1034.0	521.3
.7		18.8	9.5	18.8	9.5	1033.4	521.0
.8		19.3	9.7	19.3	9.7	1032.9	520.8
.9		19.8	10.0	19.8	10.0	1032.4	520.5
1479.0		20.3	10.2	20.3	10.2	1031.9	520.3
.1		20.8	10.5	20.8	10.5	1031.4	520.0
.2		21.3	10.7	21.3	10.7	1030.9	519.8
.3		21.8	11.0	21.8	11.0	1030.4	519.5
.4		22.3	11.2	22.3	11.2	1029.9	519.2
.5		22.8	11.5	22.8	11.5	1029.4	519.0
.6		23.3	11.8	23.3	11.8	1028.9	518.7
.7		23.8	12.0	23.8	12.0	1028.4	518.5
.8		24.3	12.3	24.3	12.3	1027.9	518.2
.9		24.8	12.5	24.8	12.5	1027.4	518.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1480.0	25.3	12.8	25.3	12.8	1026.9	517.7
.1	25.8	13.0	25.8	13.0	1026.4	517.5
.2	26.4	13.3	26.4	13.3	1025.8	517.2
.3	26.9	13.5	26.9	13.5	1025.3	516.9
.4	27.4	13.8	27.4	13.8	1024.8	516.7
.5	27.9	14.1	27.9	14.1	1024.3	516.4
.6	28.4	14.3	28.4	14.3	1023.8	516.2
.7	28.9	14.6	28.9	14.6	1023.3	515.9
.8	29.4	14.8	29.4	14.8	1022.8	515.7
.9	29.9	15.1	29.9	15.1	1022.3	515.4
1481.0	30.4	15.3	30.4	15.3	1021.8	515.2
.1	30.9	15.6	30.9	15.6	1021.3	514.9
.2	31.4	15.8	31.4	15.8	1020.8	514.6
.3	31.9	16.1	31.9	16.1	1020.3	514.4
.4	32.4	16.4	32.4	16.4	1019.8	514.1
.5	32.9	16.6	32.9	16.6	1019.3	513.9
.6	33.4	16.9	33.4	16.9	1018.8	513.6
.7	34.0	17.1	34.0	17.1	1018.2	513.4
.8	34.5	17.4	34.5	17.4	1017.7	513.1
.9	35.0	17.6	35.0	17.6	1017.2	512.9
1482.0	35.5	17.9	35.5	17.9	1016.7	512.6
.1	36.0	18.1	36.0	18.1	1016.2	512.3
.2	36.5	18.4	36.5	18.4	1015.7	512.1
.3	37.0	18.7	37.0	18.7	1015.2	511.8
.4	37.5	18.9	37.5	18.9	1014.7	511.6
.5	38.0	19.2	38.0	19.2	1014.2	511.3
.6	38.5	19.4	38.5	19.4	1013.7	511.1
.7	39.0	19.7	39.0	19.7	1013.2	510.8
.8	39.5	19.9	39.5	19.9	1012.7	510.6
.9	40.0	20.2	40.0	20.2	1012.2	510.3
1483.0	40.5	20.4	40.5	20.4	1011.7	510.0
.1	41.1	20.7	41.1	20.7	1011.1	509.8
.2	41.6	21.0	41.6	21.0	1010.6	509.5
.3	42.1	21.2	42.1	21.2	1010.1	509.3
.4	42.6	21.5	42.6	21.5	1009.6	509.0
.5	43.1	21.7	43.1	21.7	1009.1	508.8
.6	43.6	22.0	43.6	22.0	1008.6	508.5
.7	44.1	22.2	44.1	22.2	1008.1	508.3
.8	44.6	22.5	44.6	22.5	1007.6	508.0
.9	45.1	22.7	45.1	22.7	1007.1	507.7
1484.0	45.6	23.0	45.6	23.0	1006.6	507.5
.1	46.1	23.3	46.1	23.3	1006.1	507.2
.2	46.6	23.5	46.6	23.5	1005.6	507.0
.3	47.1	23.8	47.1	23.8	1005.1	506.7
.4	47.6	24.0	47.6	24.0	1004.6	506.5
.5	48.1	24.3	48.1	24.3	1004.1	506.2
.6	48.7	24.5	48.7	24.5	1003.5	506.0
.7	49.2	24.8	49.2	24.8	1003.0	505.7
.8	49.7	25.0	49.7	25.0	1002.5	505.4
.9	50.2	25.3	50.2	25.3	1002.0	505.2

Reservoir Storage Tables

PAGE 3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1485.0	50.7	25.6	50.7	25.6	1001.5	504.9
.1	51.2	25.8	51.2	25.8	1001.0	504.7
.2	51.7	26.1	51.7	26.1	1000.5	504.4
.3	52.2	26.3	52.2	26.3	1000.0	504.2
.4	52.7	26.6	52.7	26.6	999.5	503.9
.5	53.2	26.8	53.2	26.8	999.0	503.7
.6	53.7	27.1	53.7	27.1	998.5	503.4
.7	54.2	27.3	54.2	27.3	998.0	503.1
.8	54.7	27.6	54.7	27.6	997.5	502.9
.9	55.2	27.9	55.2	27.9	997.0	502.6
1486.0	55.7	28.1	55.7	28.1	996.5	502.4
.1	56.3	28.4	56.3	28.4	995.9	502.1
.2	56.8	28.6	56.8	28.6	995.4	501.9
.3	57.3	28.9	57.3	28.9	994.9	501.6
.4	57.8	29.1	57.8	29.1	994.4	501.4
.5	58.3	29.4	58.3	29.4	993.9	501.1
.6	58.8	29.6	58.8	29.6	993.4	500.8
.7	59.3	29.9	59.3	29.9	992.9	500.6
.8	59.8	30.2	59.8	30.2	992.4	500.3
.9	60.3	30.4	60.3	30.4	991.9	500.1
1487.0	60.8	30.7	60.8	30.7	991.4	499.8
.1	61.3	30.9	61.3	30.9	990.9	499.6
.2	61.8	31.2	61.8	31.2	990.4	499.3
.3	62.3	31.4	62.3	31.4	989.9	499.1
.4	62.8	31.7	62.8	31.7	989.4	498.8
.5	63.3	31.9	63.3	31.9	988.8	498.5
.6	63.9	32.2	63.9	32.2	988.3	498.3
.7	64.4	32.4	64.4	32.4	987.8	498.0
.8	64.9	32.7	64.9	32.7	987.3	497.8
.9	65.4	33.0	65.4	33.0	986.8	497.5
1488.0	65.9	33.2	65.9	33.2	986.3	497.3
.1	66.4	33.5	66.4	33.5	985.8	497.0
.2	66.9	33.7	66.9	33.7	985.3	496.8
.3	67.4	34.0	67.4	34.0	984.8	496.5
.4	67.9	34.2	67.9	34.2	984.3	496.2
.5	68.4	34.5	68.4	34.5	983.8	496.0
.6	68.9	34.7	68.9	34.7	983.3	495.7
.7	69.4	35.0	69.4	35.0	982.8	495.5
.8	69.9	35.3	69.9	35.3	982.3	495.2
.9	70.4	35.5	70.4	35.5	981.8	495.0
1489.0	71.0	35.8	71.0	35.8	981.2	494.7
.1	71.5	36.0	71.5	36.0	980.7	494.5
.2	72.0	36.3	72.0	36.3	980.2	494.2
.3	72.5	36.5	72.5	36.5	979.7	493.9
.4	73.0	36.8	73.0	36.8	979.2	493.7
.5	73.5	37.0	73.5	37.0	978.7	493.4
.6	74.0	37.3	74.0	37.3	978.2	493.2
.7	74.5	37.6	74.5	37.6	977.7	492.9
.8	75.0	37.8	75.0	37.8	977.2	492.7
.9	75.5	38.1	75.5	38.1	976.7	492.4

PAGE 4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1490.0	76.0	38.3	76.0	38.3	976.2	492.2
.1	76.5	38.6	76.5	38.6	975.7	491.9
.2	77.0	38.8	77.0	38.8	975.2	491.6
.3	77.5	39.1	77.5	39.1	974.7	491.4
.4	78.0	39.3	78.0	39.3	974.2	491.1
.5	78.6	39.6	78.6	39.6	973.6	490.9
.6	79.1	39.9	79.1	39.9	973.1	490.6
.7	79.6	40.1	79.6	40.1	972.6	490.4
.8	80.1	40.4	80.1	40.4	972.1	490.1
.9	80.6	40.6	80.6	40.6	971.6	489.9
1491.0	81.1	40.9	81.1	40.9	971.1	489.6
.1	81.6	41.1	81.6	41.1	970.6	489.3
.2	82.1	41.4	82.1	41.4	970.1	489.1
.3	82.6	41.6	82.6	41.6	969.6	488.8
.4	83.1	41.9	83.1	41.9	969.1	488.6
.5	83.6	42.2	83.6	42.2	968.6	488.3
.6	84.1	42.4	84.1	42.4	968.1	488.1
.7	84.6	42.7	84.6	42.7	967.6	487.8
.8	85.1	42.9	85.1	42.9	967.1	487.6
.9	85.6	43.2	85.6	43.2	966.6	487.3
1492.0	86.2	43.4	86.2	43.4	966.0	487.0
.1	86.7	43.7	86.7	43.7	965.5	486.8
.2	87.2	43.9	87.2	43.9	965.0	486.5
.3	87.7	44.2	87.7	44.2	964.5	486.3
.4	88.2	44.5	88.2	44.5	964.0	486.0
.5	88.7	44.7	88.7	44.7	963.5	485.8
.6	89.2	45.0	89.2	45.0	963.0	485.5
.7	89.7	45.2	89.7	45.2	962.5	485.3
.8	90.2	45.5	90.2	45.5	962.0	485.0
.9	90.7	45.7	90.7	45.7	961.5	484.7
1493.0	91.2	46.0	91.2	46.0	961.0	484.5
.1	91.7	46.2	91.7	46.2	960.5	484.2
.2	92.2	46.5	92.2	46.5	960.0	484.0
.3	92.7	46.8	92.7	46.8	959.5	483.7
.4	93.3	47.0	93.3	47.0	958.9	483.5
.5	93.8	47.3	93.8	47.3	958.4	483.2
.6	94.3	47.5	94.3	47.5	957.9	483.0
.7	94.8	47.8	94.8	47.8	957.4	482.7
.8	95.3	48.0	95.3	48.0	956.9	482.4
.9	95.8	48.3	95.8	48.3	956.4	482.2
1494.0	96.3	48.5	96.3	48.5	955.9	481.9
.1	96.8	48.8	96.8	48.8	955.4	481.7
.2	97.3	49.1	97.3	49.1	954.9	481.4
.3	97.8	49.3	97.8	49.3	954.4	481.2
.4	98.3	49.6	98.3	49.6	953.9	480.9
.5	98.8	49.8	98.8	49.8	953.4	480.7
.6	99.3	50.1	99.3	50.1	952.9	480.4
.7	99.8	50.3	99.8	50.3	952.4	480.1
.8	100.3	50.6	100.3	50.6	951.9	479.9
.9	100.9	50.8	100.9	50.8	951.3	479.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1495.0	101.4	51.1	101.4	51.1	950.8	479.4
.1	101.9	51.4	101.9	51.4	950.3	479.1
.2	102.4	51.6	102.4	51.6	949.8	478.9
.3	102.9	51.9	102.9	51.9	949.3	478.6
.4	103.4	52.1	103.4	52.1	948.8	478.4
.5	103.9	52.4	103.9	52.4	948.3	478.1
.6	104.4	52.6	104.4	52.6	947.8	477.8
.7	104.9	52.9	104.9	52.9	947.3	477.6
.8	105.4	53.1	105.4	53.1	946.8	477.3
.9	105.9	53.4	105.9	53.4	946.3	477.1
1496.0	106.4	53.7	106.4	53.7	945.8	476.8
.1	106.9	53.9	106.9	53.9	945.3	476.6
.2	107.4	54.2	107.4	54.2	944.8	476.3
.3	107.9	54.4	107.9	54.4	944.3	476.1
.4	108.5	54.7	108.5	54.7	943.7	475.8
.5	109.0	54.9	109.0	54.9	943.2	475.5
.6	109.5	55.2	109.5	55.2	942.7	475.3
.7	110.0	55.4	110.0	55.4	942.2	475.0
.8	110.5	55.7	110.5	55.7	941.7	474.8
.9	111.0	56.0	111.0	56.0	941.2	474.5
1497.0	111.5	56.2	111.5	56.2	940.7	474.3
.1	112.0	56.5	112.0	56.5	940.2	474.0
.2	112.5	56.7	112.5	56.7	939.7	473.8
.3	113.0	57.0	113.0	57.0	939.2	473.5
.4	113.5	57.2	113.5	57.2	938.7	473.2
.5	114.0	57.5	114.0	57.5	938.2	473.0
.6	114.5	57.7	114.5	57.7	937.7	472.7
.7	115.0	58.0	115.0	58.0	937.2	472.5
.8	115.6	58.3	115.6	58.3	936.6	472.2
.9	116.1	58.5	116.1	58.5	936.1	472.0
1498.0	116.6	58.8	116.6	58.8	935.6	471.7
.1	117.1	59.0	117.1	59.0	935.1	471.5
.2	117.6	59.3	117.6	59.3	934.6	471.2
.3	118.1	59.5	118.1	59.5	934.1	470.9
.4	118.6	59.8	118.6	59.8	933.6	470.7
.5	119.1	60.0	119.1	60.0	933.1	470.4
.6	119.6	60.3	119.6	60.3	932.6	470.2
.7	120.1	60.6	120.1	60.6	932.1	469.9
.8	120.6	60.8	120.6	60.8	931.6	469.7
.9	121.1	61.1	121.1	61.1	931.1	469.4
1499.0	121.6	61.3	121.6	61.3	930.6	469.2
.1	122.1	61.6	122.1	61.6	930.1	468.9
.2	122.6	61.8	122.6	61.8	929.6	468.7
.3	123.2	62.1	123.2	62.1	929.0	468.4
.4	123.7	62.3	123.7	62.3	928.5	468.1
.5	124.2	62.6	124.2	62.6	928.0	467.9
.6	124.7	62.9	124.7	62.9	927.5	467.6
.7	125.2	63.1	125.2	63.1	927.0	467.4
.8	125.7	63.4	125.7	63.4	926.5	467.1
.9	126.2	63.6	126.2	63.6	926.0	466.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1500.0	126.7	63.9	126.7	63.9	925.5	466.6
.1	127.3	64.2	127.3	64.2	924.9	466.3
.2	127.9	64.5	127.9	64.5	924.3	466.0
.3	128.6	64.8	128.6	64.8	923.6	465.7
.4	129.2	65.1	129.2	65.1	923.0	465.4
.5	129.8	65.4	129.8	65.4	922.4	465.1
.6	130.4	65.7	130.4	65.7	921.8	464.7
.7	131.0	66.1	131.0	66.1	921.2	464.4
.8	131.6	66.4	131.6	66.4	920.6	464.1
.9	132.3	66.7	132.3	66.7	919.9	463.8
1501.0	132.9	67.0	132.9	67.0	919.3	463.5
.1	133.5	67.3	133.5	67.3	918.7	463.2
.2	134.1	67.6	134.1	67.6	918.1	462.9
.3	134.7	67.9	134.7	67.9	917.5	462.6
.4	135.3	68.2	135.3	68.2	916.9	462.3
.5	135.9	68.5	135.9	68.5	916.3	461.9
.6	136.6	68.9	136.6	68.9	915.6	461.6
.7	137.2	69.2	137.2	69.2	915.0	461.3
.8	137.8	69.5	137.8	69.5	914.4	461.0
.9	138.4	69.8	138.4	69.8	913.8	460.7
1502.0	139.0	70.1	139.0	70.1	913.2	460.4
.1	139.6	70.4	139.6	70.4	912.6	460.1
.2	140.3	70.7	140.3	70.7	911.9	459.8
.3	140.9	71.0	140.9	71.0	911.3	459.5
.4	141.5	71.3	141.5	71.3	910.7	459.1
.5	142.1	71.7	142.1	71.7	910.1	458.8
.6	142.7	72.0	142.7	72.0	909.5	458.5
.7	143.3	72.3	143.3	72.3	908.9	458.2
.8	144.0	72.6	144.0	72.6	908.2	457.9
.9	144.6	72.9	144.6	72.9	907.6	457.6
1503.0	145.2	73.2	145.2	73.2	907.0	457.3
.1	145.8	73.5	145.8	73.5	906.4	457.0
.2	146.4	73.8	146.4	73.8	905.8	456.7
.3	147.1	74.1	147.1	74.1	905.1	456.3
.4	147.7	74.4	147.7	74.4	904.5	456.0
.5	148.3	74.8	148.3	74.8	903.9	455.7
.6	148.9	75.1	148.9	75.1	903.3	455.4
.7	149.5	75.4	149.5	75.4	902.7	455.1
.8	150.1	75.7	150.1	75.7	902.1	454.8
.9	150.8	76.0	150.8	76.0	901.4	454.5
1504.0	151.4	76.3	151.4	76.3	900.8	454.2
.1	152.0	76.6	152.0	76.6	900.2	453.9
.2	152.6	76.9	152.6	76.9	899.6	453.5
.3	153.2	77.2	153.2	77.2	899.0	453.2
.4	153.8	77.6	153.8	77.6	898.4	452.9
.5	154.4	77.9	154.4	77.9	897.8	452.6
.6	155.1	78.2	155.1	78.2	897.1	452.3
.7	155.7	78.5	155.7	78.5	896.5	452.0
.8	156.3	78.8	156.3	78.8	895.9	451.7
.9	156.9	79.1	156.9	79.1	895.3	451.4

Reservoir Storage Tables

PAGE 7

ROSS

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1505.0	157.5	79.4	157.5	79.4	894.7	451.1
.1	158.1	79.7	158.1	79.7	894.1	450.8
.2	158.8	80.0	158.8	80.0	893.4	450.4
.3	159.4	80.4	159.4	80.4	892.8	450.1
.4	160.0	80.7	160.0	80.7	892.2	449.8
.5	160.6	81.0	160.6	81.0	891.6	449.5
.6	161.2	81.3	161.2	81.3	891.0	449.2
.7	161.8	81.6	161.8	81.6	890.4	448.9
.8	162.5	81.9	162.5	81.9	889.7	448.6
.9	163.1	82.2	163.1	82.2	889.1	448.3
1506.0	163.7	82.5	163.7	82.5	888.5	448.0
.1	164.3	82.8	164.3	82.8	887.9	447.6
.2	164.9	83.2	164.9	83.2	887.3	447.3
.3	165.6	83.5	165.6	83.5	886.6	447.0
.4	166.2	83.8	166.2	83.8	886.0	446.7
.5	166.8	84.1	166.8	84.1	885.4	446.4
.6	167.4	84.4	167.4	84.4	884.8	446.1
.7	168.0	84.7	168.0	84.7	884.2	445.8
.8	168.6	85.0	168.6	85.0	883.6	445.5
.9	169.3	85.3	169.3	85.3	882.9	445.2
1507.0	169.9	85.6	169.9	85.6	882.3	444.8
.1	170.5	86.0	170.5	86.0	881.7	444.5
.2	171.1	86.3	171.1	86.3	881.1	444.2
.3	171.7	86.6	171.7	86.6	880.5	443.9
.4	172.3	86.9	172.3	86.9	879.9	443.6
.5	172.9	87.2	172.9	87.2	879.3	443.3
.6	173.6	87.5	173.6	87.5	878.6	443.0
.7	174.2	87.8	174.2	87.8	878.0	442.7
.8	174.8	88.1	174.8	88.1	877.4	442.4
.9	175.4	88.4	175.4	88.4	876.8	442.0
1508.0	176.0	88.8	176.0	88.8	876.2	441.7
.1	176.6	89.1	176.6	89.1	875.6	441.4
.2	177.3	89.4	177.3	89.4	874.9	441.1
.3	177.9	89.7	177.9	89.7	874.3	440.8
.4	178.5	90.0	178.5	90.0	873.7	440.5
.5	179.2	90.4	179.2	90.4	873.0	440.1
.6	180.0	90.7	180.0	90.7	872.2	439.8
.7	180.7	91.1	180.7	91.1	871.5	439.4
.8	181.4	91.5	181.4	91.5	870.8	439.0
.9	182.1	91.8	182.1	91.8	870.1	438.7
1509.0	182.9	92.2	182.9	92.2	869.3	438.3
.1	183.6	92.6	183.6	92.6	868.6	437.9
.2	184.3	92.9	184.3	92.9	867.9	437.6
.3	185.0	93.3	185.0	93.3	867.2	437.2
.4	185.8	93.7	185.8	93.7	866.4	436.8
.5	186.5	94.0	186.5	94.0	865.7	436.5
.6	187.2	94.4	187.2	94.4	865.0	436.1
.7	188.0	94.8	188.0	94.8	864.2	435.7
.8	188.7	95.1	188.7	95.1	863.5	435.4
.9	189.4	95.5	189.4	95.5	862.8	435.0

PAGE 8

ROSS

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1510.0	190.1	95.9	190.1	95.9	862.1	434.6
.1	190.9	96.2	190.9	96.2	861.3	434.3
.2	191.6	96.6	191.6	96.6	860.6	433.9
.3	192.3	97.0	192.3	97.0	859.9	433.5
.4	193.0	97.3	193.0	97.3	859.2	433.2
.5	193.8	97.7	193.8	97.7	858.4	432.8
.6	194.5	98.1	194.5	98.1	857.7	432.4
.7	195.2	98.4	195.2	98.4	857.0	432.1
.8	196.0	98.8	196.0	98.8	856.2	431.7
.9	196.7	99.2	196.7	99.2	855.5	431.3
1511.0	197.4	99.5	197.4	99.5	854.8	431.0
.1	198.1	99.9	198.1	99.9	854.1	430.6
.2	198.9	100.3	198.9	100.3	853.3	430.2
.3	199.6	100.6	199.6	100.6	852.6	429.9
.4	200.3	101.0	200.3	101.0	851.9	429.5
.5	201.0	101.4	201.0	101.4	851.2	429.1
.6	201.8	101.7	201.8	101.7	850.4	428.8
.7	202.5	102.1	202.5	102.1	849.7	428.4
.8	203.2	102.5	203.2	102.5	849.0	428.0
.9	204.0	102.8	204.0	102.8	848.2	427.7
1512.0	204.7	103.2	204.7	103.2	847.5	427.3
.1	205.4	103.6	205.4	103.6	846.8	426.9
.2	206.1	103.9	206.1	103.9	846.1	426.6
.3	206.9	104.3	206.9	104.3	845.3	426.2
.4	207.6	104.7	207.6	104.7	844.6	425.8
.5	208.3	105.0	208.3	105.0	843.9	425.5
.6	209.0	105.4	209.0	105.4	843.2	425.1
.7	209.8	105.8	209.8	105.8	842.4	424.7
.8	210.5	106.1	210.5	106.1	841.7	424.4
.9	211.2	106.5	211.2	106.5	841.0	424.0
1513.0	212.0	106.9	212.0	106.9	840.2	423.6
.1	212.7	107.2	212.7	107.2	839.5	423.3
.2	213.4	107.6	213.4	107.6	838.8	422.9
.3	214.1	108.0	214.1	108.0	838.1	422.5
.4	214.9	108.3	214.9	108.3	837.3	422.2
.5	215.6	108.7	215.6	108.7	836.6	421.8
.6	216.3	109.1	216.3	109.1	835.9	421.4
.7	217.0	109.4	217.0	109.4	835.2	421.1
.8	217.8	109.8	217.8	109.8	834.4	420.7
.9	218.5	110.2	218.5	110.2	833.7	420.3
1514.0	219.2	110.5	219.2	110.5	833.0	420.0
.1	220.0	110.9	220.0	110.9	832.2	419.6
.2	220.7	111.3	220.7	111.3	831.5	419.2
.3	221.4	111.6	221.4	111.6	830.8	418.9
.4	222.1	112.0	222.1	112.0	830.0	418.5
.5	222.9	112.4	222.9	112.4	829.3	418.1
.6	223.6	112.7	223.6	112.7	828.6	417.8
.7	224.3	113.1	224.3	113.1	827.9	417.4
.8	225.0	113.5	225.0	113.5	827.2	417.0
.9	225.8	113.8	225.8	113.8	826.4	416.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1515.0	226.5	114.2	226.5	114.2	825.7	416.3
.1	227.2	114.6	227.2	114.6	825.0	415.9
.2	228.0	114.9	228.0	114.9	824.2	415.6
.3	228.7	115.3	228.7	115.3	823.5	415.2
.4	229.4	115.7	229.4	115.7	822.8	414.8
.5	230.1	116.0	230.1	116.0	822.1	414.5
.6	230.9	116.4	230.9	116.4	821.3	414.1
.7	231.6	116.8	231.6	116.8	820.6	413.7
.8	232.3	117.1	232.3	117.1	819.9	413.4
.9	233.0	117.5	233.0	117.5	819.2	413.0
1516.0	233.8	117.9	233.8	117.9	818.4	412.6
.1	234.5	118.2	234.5	118.2	817.7	412.3
.2	235.2	118.6	235.2	118.6	817.0	411.9
.3	236.0	119.0	236.0	119.0	816.2	411.5
.4	236.7	119.3	236.7	119.3	815.5	411.2
.5	237.4	119.7	237.4	119.7	814.8	410.8
.6	238.1	120.1	238.1	120.1	814.1	410.4
.7	238.9	120.4	238.9	120.4	813.3	410.1
.8	239.6	120.8	239.6	120.8	812.6	409.7
.9	240.3	121.2	240.3	121.2	811.9	409.3
1517.0	241.0	121.5	241.0	121.5	811.2	409.0
.1	241.8	121.9	241.8	121.9	810.4	408.6
.2	242.5	122.3	242.5	122.3	809.7	408.2
.3	243.2	122.6	243.2	122.6	809.0	407.9
.4	244.0	123.0	244.0	123.0	808.2	407.5
.5	244.7	123.4	244.7	123.4	807.5	407.1
.6	245.4	123.7	245.4	123.7	806.8	406.8
.7	246.1	124.1	246.1	124.1	806.1	406.4
.8	246.9	124.5	246.9	124.5	805.3	406.0
.9	247.6	124.8	247.6	124.8	804.6	405.7
1518.0	248.3	125.2	248.3	125.2	803.9	405.3
.1	249.0	125.6	249.0	125.6	803.2	404.9
.2	249.8	125.9	249.8	125.9	802.4	404.6
.3	250.5	126.3	250.5	126.3	801.7	404.2
.4	251.2	126.7	251.2	126.7	801.0	403.8
.5	252.0	127.0	252.0	127.0	800.2	403.5
.6	252.7	127.4	252.7	127.4	799.5	403.1
.7	253.4	127.8	253.4	127.8	798.8	402.7
.8	254.1	128.1	254.1	128.1	798.1	402.4
.9	254.9	128.5	254.9	128.5	797.3	402.0
1519.0	255.6	128.9	255.6	128.9	796.6	401.6
.1	256.3	129.2	256.3	129.2	795.9	401.3
.2	257.0	129.6	257.0	129.6	795.2	400.9
.3	257.8	130.0	257.8	130.0	794.4	400.5
.4	258.5	130.3	258.5	130.3	793.7	400.2
.5	259.2	130.7	259.2	130.7	793.0	399.8
.6	260.0	131.1	260.0	131.1	792.2	399.4
.7	260.7	131.4	260.7	131.4	791.5	399.1
.8	261.4	131.8	261.4	131.8	790.8	398.7
.9	262.1	132.2	262.1	132.2	790.1	398.3

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1520.0	262.9	132.5	262.9	132.5	789.3	398.0
.1	263.6	132.9	263.6	132.9	788.6	397.6
.2	264.3	133.3	264.3	133.3	787.9	397.2
.3	265.1	133.6	265.1	133.6	787.1	396.9
.4	265.8	134.0	265.8	134.0	786.4	396.5
.5	266.5	134.4	266.5	134.4	785.7	396.1
.6	267.2	134.7	267.2	134.7	785.0	395.8
.7	268.0	135.1	268.0	135.1	784.2	395.4
.8	268.7	135.5	268.7	135.5	783.5	395.0
.9	269.4	135.8	269.4	135.8	782.8	394.7
1521.0	270.1	136.2	270.1	136.2	782.1	394.3
.1	270.9	136.6	270.9	136.6	781.3	393.9
.2	271.6	136.9	271.6	136.9	780.6	393.6
.3	272.3	137.3	272.3	137.3	779.9	393.2
.4	273.1	137.7	273.1	137.7	779.1	392.8
.5	273.8	138.0	273.8	138.0	778.4	392.5
.6	274.5	138.4	274.5	138.4	777.7	392.1
.7	275.2	138.8	275.2	138.8	777.0	391.7
.8	276.0	139.1	276.0	139.1	776.2	391.4
.9	276.7	139.5	276.7	139.5	775.5	391.0
1522.0	277.4	139.9	277.4	139.9	774.8	390.6
.1	278.1	140.2	278.1	140.2	774.1	390.3
.2	278.9	140.6	278.9	140.6	773.3	389.9
.3	279.6	141.0	279.6	141.0	772.6	389.5
.4	280.3	141.3	280.3	141.3	771.9	389.2
.5	281.1	141.7	281.1	141.7	771.1	388.8
.6	281.8	142.1	281.8	142.1	770.4	388.4
.7	282.5	142.4	282.5	142.4	769.7	388.1
.8	283.2	142.8	283.2	142.8	769.0	387.7
.9	284.0	143.2	284.0	143.2	768.2	387.3
1523.0	284.7	143.5	284.7	143.5	767.5	387.0
.1	285.4	143.9	285.4	143.9	766.8	386.6
.2	286.1	144.3	286.1	144.3	766.1	386.2
.3	286.9	144.6	286.9	144.6	765.3	385.9
.4	287.6	145.0	287.6	145.0	764.6	385.5
.5	288.3	145.4	288.3	145.4	763.9	385.1
.6	289.1	145.7	289.1	145.7	763.1	384.8
.7	289.8	146.1	289.8	146.1	762.4	384.4
.8	290.5	146.5	290.5	146.5	761.7	384.0
.9	291.2	146.8	291.2	146.8	761.0	383.7
1524.0	292.0	147.2	292.0	147.2	760.2	383.3
.1	292.7	147.6	292.7	147.6	759.5	382.9
.2	293.4	147.9	293.4	147.9	758.8	382.6
.3	294.1	148.3	294.1	148.3	758.1	382.2
.4	294.9	148.7	294.9	148.7	757.3	381.8
.5	295.6	149.0	295.6	149.0	756.6	381.5
.6	296.3	149.4	296.3	149.4	755.9	381.1
.7	297.1	149.8	297.1	149.8	755.1	380.7
.8	297.8	150.1	297.8	150.1	754.4	380.4
.9	298.5	150.5	298.5	150.5	753.7	380.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1525.0	299.2	150.9	299.2	150.9	753.0	379.6
.1	300.0	151.2	300.0	151.2	752.2	379.3
.2	300.7	151.6	300.7	151.6	751.5	378.9
.3	301.4	152.0	301.4	152.0	750.8	378.5
.4	302.1	152.3	302.1	152.3	750.1	378.2
.5	302.9	152.7	302.9	152.7	749.3	377.8
.6	303.6	153.1	303.6	153.1	748.6	377.4
.7	304.3	153.4	304.3	153.4	747.9	377.1
.8	305.1	153.8	305.1	153.8	747.1	376.7
.9	305.8	154.2	305.8	154.2	746.4	376.3
1526.0	306.5	154.5	306.5	154.5	745.7	376.0
.1	307.2	154.9	307.2	154.9	745.0	375.6
.2	308.0	155.3	308.0	155.3	744.2	375.2
.3	308.7	155.6	308.7	155.6	743.5	374.9
.4	309.4	156.0	309.4	156.0	742.8	374.5
.5	310.1	156.4	310.1	156.4	742.1	374.1
.6	310.9	156.7	310.9	156.7	741.3	373.8
.7	311.6	157.1	311.6	157.1	740.6	373.4
.8	312.3	157.5	312.3	157.5	739.9	373.0
.9	313.1	157.8	313.1	157.8	739.1	372.7
1527.0	313.8	158.2	313.8	158.2	738.4	372.3
.1	314.5	158.6	314.5	158.6	737.7	371.9
.2	315.2	158.9	315.2	158.9	737.0	371.6
.3	316.0	159.3	316.0	159.3	736.2	371.2
.4	316.7	159.7	316.7	159.7	735.5	370.8
.5	317.4	160.0	317.4	160.0	734.8	370.5
.6	318.1	160.4	318.1	160.4	734.1	370.1
.7	318.9	160.8	318.9	160.8	733.3	369.7
.8	319.6	161.1	319.6	161.1	732.6	369.4
.9	320.3	161.5	320.3	161.5	731.9	369.0
1528.0	321.1	161.9	321.1	161.9	731.1	368.6
.1	321.8	162.2	321.8	162.2	730.4	368.3
.2	322.5	162.6	322.5	162.6	729.7	367.9
.3	323.2	163.0	323.2	163.0	729.0	367.5
.4	324.0	163.3	324.0	163.3	728.2	367.2
.5	324.7	163.7	324.7	163.7	727.5	366.8
.6	325.4	164.1	325.4	164.1	726.8	366.4
.7	326.1	164.4	326.1	164.4	726.1	366.1
.8	326.9	164.8	326.9	164.8	725.3	365.7
.9	327.6	165.2	327.6	165.2	724.6	365.3
1529.0	328.3	165.5	328.3	165.5	723.9	365.0
.1	329.1	165.9	329.1	165.9	723.1	364.6
.2	329.8	166.3	329.8	166.3	722.4	364.2
.3	330.5	166.6	330.5	166.6	721.7	363.9
.4	331.2	167.0	331.2	167.0	721.0	363.5
.5	332.0	167.4	332.0	167.4	720.2	363.1
.6	332.7	167.7	332.7	167.7	719.5	362.8
.7	333.4	168.1	333.4	168.1	718.8	362.4
.8	334.1	168.5	334.1	168.5	718.1	362.0
.9	334.9	168.8	334.9	168.8	717.3	361.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1530.0	335.6	169.2	335.6	169.2	716.6	361.3
.1	336.4	169.6	336.4	169.6	715.8	360.9
.2	337.3	170.0	337.3	170.0	714.9	360.5
.3	338.1	170.4	338.1	170.4	714.1	360.0
.4	338.9	170.9	338.9	170.9	713.3	359.6
.5	339.7	171.3	339.7	171.3	712.5	359.2
.6	340.6	171.7	340.6	171.7	711.6	358.8
.7	341.4	172.1	341.4	172.1	710.8	358.4
.8	342.2	172.5	342.2	172.5	710.0	358.0
.9	343.0	172.9	343.0	172.9	709.2	357.5
1531.0	343.9	173.4	343.9	173.4	708.3	357.1
.1	344.7	173.8	344.7	173.8	707.5	356.7
.2	345.5	174.2	345.5	174.2	706.7	356.3
.3	346.3	174.6	346.3	174.6	705.9	355.9
.4	347.2	175.0	347.2	175.0	705.0	355.5
.5	348.0	175.4	348.0	175.4	704.2	355.0
.6	348.8	175.9	348.8	175.9	703.4	354.6
.7	349.6	176.3	349.6	176.3	702.6	354.2
.8	350.5	176.7	350.5	176.7	701.7	353.8
.9	351.3	177.1	351.3	177.1	700.9	353.4
1532.0	352.1	177.5	352.1	177.5	700.1	353.0
.1	353.0	177.9	353.0	177.9	699.2	352.5
.2	353.8	178.4	353.8	178.4	698.4	352.1
.3	354.6	178.8	354.6	178.8	697.6	351.7
.4	355.4	179.2	355.4	179.2	696.8	351.3
.5	356.3	179.6	356.3	179.6	695.9	350.9
.6	357.1	180.0	357.1	180.0	695.1	350.5
.7	357.9	180.4	357.9	180.4	694.3	350.0
.8	358.7	180.9	358.7	180.9	693.5	349.6
.9	359.6	181.3	359.6	181.3	692.6	349.2
1533.0	360.4	181.7	360.4	181.7	691.8	348.8
.1	361.2	182.1	361.2	182.1	691.0	348.4
.2	362.0	182.5	362.0	182.5	690.2	348.0
.3	362.9	182.9	362.9	182.9	689.3	347.5
.4	363.7	183.4	363.7	183.4	688.5	347.1
.5	364.5	183.8	364.5	183.8	687.7	346.7
.6	365.4	184.2	365.4	184.2	686.8	346.3
.7	366.2	184.6	366.2	184.6	686.0	345.9
.8	367.0	185.0	367.0	185.0	685.2	345.5
.9	367.8	185.4	367.8	185.4	684.4	345.0
1534.0	368.7	185.9	368.7	185.9	683.5	344.6
.1	369.5	186.3	369.5	186.3	682.7	344.2
.2	370.3	186.7	370.3	186.7	681.9	343.8
.3	371.1	187.1	371.1	187.1	681.1	343.4
.4	372.0	187.5	372.0	187.5	680.2	343.0
.5	372.8	187.9	372.8	187.9	679.4	342.5
.6	373.6	188.4	373.6	188.4	678.6	342.1
.7	374.4	188.8	374.4	188.8	677.8	341.7
.8	375.3	189.2	375.3	189.2	676.9	341.3
.9	376.1	189.6	376.1	189.6	676.1	340.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1535.0	376.9	190.0	376.9	190.0	675.3	340.5	1540.0	418.2	210.9	418.2	210.9	634.0	319.6
.1	377.8	190.4	377.8	190.4	674.5	340.0	.1	419.1	211.3	419.1	211.3	633.1	319.2
.2	378.6	190.9	378.6	190.9	673.6	339.6	.2	419.9	211.7	419.9	211.7	632.3	318.8
.3	379.4	191.3	379.4	191.3	672.8	339.2	.3	420.8	212.2	420.8	212.2	631.4	318.3
.4	380.2	191.7	380.2	191.7	672.0	338.8	.4	421.7	212.6	421.7	212.6	630.5	317.9
.5	381.1	192.1	381.1	192.1	671.1	338.4	.5	422.6	213.1	422.6	213.1	629.6	317.4
.6	381.9	192.5	381.9	192.5	670.3	338.0	.6	423.5	213.5	423.5	213.5	628.7	317.0
.7	382.7	192.9	382.7	192.9	669.5	337.5	.7	424.4	214.0	424.4	214.0	627.8	316.5
.8	383.5	193.4	383.5	193.4	668.7	337.1	.8	425.3	214.4	425.3	214.4	626.9	316.1
.9	384.4	193.8	384.4	193.8	667.8	336.7	.9	426.2	214.9	426.2	214.9	626.0	315.6
1536.0	385.2	194.2	385.2	194.2	667.0	336.3	1541.0	427.1	215.3	427.1	215.3	625.1	315.1
.1	386.0	194.6	386.0	194.6	666.2	335.9	.1	428.0	215.8	428.0	215.8	624.2	314.7
.2	386.8	195.0	386.8	195.0	665.4	335.5	.2	428.9	216.2	428.9	216.2	623.3	314.2
.3	387.7	195.4	387.7	195.4	664.5	335.0	.3	429.8	216.7	429.8	216.7	622.4	313.8
.4	388.5	195.9	388.5	195.9	663.7	334.6	.4	430.7	217.2	430.7	217.2	621.5	313.3
.5	389.3	196.3	389.3	196.3	662.9	334.2	.5	431.6	217.6	431.6	217.6	620.6	312.9
.6	390.1	196.7	390.1	196.7	662.1	333.8	.6	432.5	218.1	432.5	218.1	619.7	312.4
.7	391.0	197.1	391.0	197.1	661.2	333.4	.7	433.4	218.5	433.4	218.5	618.8	312.0
.8	391.8	197.5	391.8	197.5	660.4	333.0	.8	434.3	219.0	434.3	219.0	617.9	311.5
.9	392.6	197.9	392.6	197.9	659.6	332.5	.9	435.2	219.4	435.2	219.4	617.0	311.0
1537.0	393.5	198.4	393.5	198.4	658.7	332.1	1542.0	436.1	219.9	436.1	219.9	616.1	310.6
.1	394.3	198.8	394.3	198.8	657.9	331.7	.1	437.0	220.3	437.0	220.3	615.2	310.1
.2	395.1	199.2	395.1	199.2	657.1	331.3	.2	438.0	220.8	438.0	220.8	614.2	309.7
.3	395.9	199.6	395.9	199.6	656.3	330.9	.3	438.9	221.3	438.9	221.3	613.3	309.2
.4	396.8	200.0	396.8	200.0	655.4	330.5	.4	439.8	221.7	439.8	221.7	612.4	308.8
.5	397.6	200.4	397.6	200.4	654.6	330.0	.5	440.7	222.2	440.7	222.2	611.5	308.3
.6	398.4	200.9	398.4	200.9	653.8	329.6	.6	441.6	222.6	441.6	222.6	610.6	307.9
.7	399.2	201.3	399.2	201.3	653.0	329.2	.7	442.5	223.1	442.5	223.1	609.7	307.4
.8	400.1	201.7	400.1	201.7	652.1	328.8	.8	443.4	223.5	443.4	223.5	608.8	307.0
.9	400.9	202.1	400.9	202.1	651.3	328.4	.9	444.3	224.0	444.3	224.0	607.9	306.5
1538.0	401.7	202.5	401.7	202.5	650.5	328.0	1543.0	445.2	224.4	445.2	224.4	607.0	306.0
.1	402.5	202.9	402.5	202.9	649.7	327.5	.1	446.1	224.9	446.1	224.9	606.1	305.6
.2	403.4	203.4	403.4	203.4	648.8	327.1	.2	447.0	225.4	447.0	225.4	605.2	305.1
.3	404.2	203.8	404.2	203.8	648.0	326.7	.3	447.9	225.8	447.9	225.8	604.3	304.7
.4	405.0	204.2	405.0	204.2	647.2	326.3	.4	448.8	226.3	448.8	226.3	603.4	304.2
.5	405.9	204.6	405.9	204.6	646.3	325.9	.5	449.7	226.7	449.7	226.7	602.5	303.8
.6	406.7	205.0	406.7	205.0	645.5	325.5	.6	450.6	227.2	450.6	227.2	601.6	303.3
.7	407.5	205.4	407.5	205.4	644.7	325.0	.7	451.5	227.6	451.5	227.6	600.7	302.9
.8	408.3	205.9	408.3	205.9	643.9	324.6	.8	452.4	228.1	452.4	228.1	599.8	302.4
.9	409.2	206.3	409.2	206.3	643.0	324.2	.9	453.3	228.5	453.3	228.5	598.9	301.9
1539.0	410.0	206.7	410.0	206.7	642.2	323.8	1544.0	454.2	229.0	454.2	229.0	598.0	301.5
.1	410.8	207.1	410.8	207.1	641.4	323.4	.1	455.1	229.4	455.1	229.4	597.1	301.0
.2	411.6	207.5	411.6	207.5	640.6	323.0	.2	456.0	229.9	456.0	229.9	596.2	300.6
.3	412.5	207.9	412.5	207.9	639.7	322.5	.3	456.9	230.4	456.9	230.4	595.3	300.1
.4	413.3	208.4	413.3	208.4	638.9	322.1	.4	457.8	230.8	457.8	230.8	594.4	299.7
.5	414.1	208.8	414.1	208.8	638.1	321.7	.5	458.7	231.3	458.7	231.3	593.5	299.2
.6	414.9	209.2	414.9	209.2	637.3	321.3	.6	459.6	231.7	459.6	231.7	592.6	298.8
.7	415.8	209.6	415.8	209.6	636.4	320.9	.7	460.5	232.2	460.5	232.2	591.7	298.3
.8	416.6	210.0	416.6	210.0	635.6	320.5	.8	461.4	232.6	461.4	232.6	590.8	297.9
.9	417.4	210.4	417.4	210.4	634.8	320.0	.9	462.3	233.1	462.3	233.1	589.9	297.4

Ross

207

Reservoir Storage Tables

PAGE 15

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1545.0	463.2	233.5	463.2	233.5	589.0	296.9
.1	464.1	234.0	464.1	234.0	588.1	296.5
.2	465.0	234.5	465.0	234.5	587.2	296.0
.3	465.9	234.9	465.9	234.9	586.3	295.6
.4	466.8	235.4	466.8	235.4	585.4	295.1
.5	467.7	235.8	467.7	235.8	584.5	294.7
.6	468.6	236.3	468.6	236.3	583.6	294.2
.7	469.5	236.7	469.5	236.7	582.7	293.8
.8	470.4	237.2	470.4	237.2	581.8	293.3
.9	471.3	237.6	471.3	237.6	580.9	292.8
1546.0	472.2	238.1	472.2	238.1	580.0	292.4
.1	473.1	238.5	473.1	238.5	579.1	291.9
.2	474.1	239.0	474.1	239.0	578.1	291.5
.3	475.0	239.5	475.0	239.5	577.2	291.0
.4	475.9	239.9	475.9	239.9	576.3	290.6
.5	476.8	240.4	476.8	240.4	575.4	290.1
.6	477.7	240.8	477.7	240.8	574.5	289.7
.7	478.6	241.3	478.6	241.3	573.6	289.2
.8	479.5	241.7	479.5	241.7	572.7	288.8
.9	480.4	242.2	480.4	242.2	571.8	288.3
1547.0	481.3	242.6	481.3	242.6	570.9	287.8
.1	482.2	243.1	482.2	243.1	570.0	287.4
.2	483.1	243.6	483.1	243.6	569.1	286.9
.3	484.0	244.0	484.0	244.0	568.2	286.5
.4	484.9	244.5	484.9	244.5	567.3	286.0
.5	485.8	244.9	485.8	244.9	566.4	285.6
.6	486.7	245.4	486.7	245.4	565.5	285.1
.7	487.6	245.8	487.6	245.8	564.6	284.7
.8	488.5	246.3	488.5	246.3	563.7	284.2
.9	489.4	246.7	489.4	246.7	562.8	283.7
1548.0	490.3	247.2	490.3	247.2	561.9	283.3
.1	491.2	247.6	491.2	247.6	561.0	282.8
.2	492.1	248.1	492.1	248.1	560.1	282.4
.3	493.0	248.6	493.0	248.6	559.2	281.9
.4	493.9	249.0	493.9	249.0	558.3	281.5
.5	494.8	249.5	494.8	249.5	557.4	281.0
.6	495.7	249.9	495.7	249.9	556.5	280.6
.7	496.6	250.4	496.6	250.4	555.6	280.1
.8	497.5	250.8	497.5	250.8	554.7	279.7
.9	498.4	251.3	498.4	251.3	553.8	279.2
1549.0	499.3	251.7	499.3	251.7	552.9	278.7
.1	500.2	252.2	500.2	252.2	552.0	278.3
.2	501.1	252.7	501.1	252.7	551.1	277.8
.3	502.0	253.1	502.0	253.1	550.2	277.4
.4	502.9	253.6	502.9	253.6	549.3	276.9
.5	503.8	254.0	503.8	254.0	548.4	276.5
.6	504.7	254.5	504.7	254.5	547.5	276.0
.7	505.6	254.9	505.6	254.9	546.6	275.6
.8	506.5	255.4	506.5	255.4	545.7	275.1
.9	507.4	255.8	507.4	255.8	544.8	274.6

PAGE 16

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1550.0	508.3	256.3	508.3	256.3	543.9	274.2
.1	509.3	256.7	509.3	256.7	543.0	273.7
.2	510.2	257.2	510.2	257.2	542.0	273.3
.3	511.1	257.7	511.1	257.7	541.1	272.8
.4	512.0	258.1	512.0	258.1	540.2	272.4
.5	512.9	258.6	512.9	258.6	539.3	271.9
.6	513.8	259.0	513.8	259.0	538.4	271.5
.7	514.7	259.5	514.7	259.5	537.5	271.0
.8	515.6	259.9	515.6	259.9	536.6	270.6
.9	516.5	260.4	516.5	260.4	535.7	270.1
1551.0	517.4	260.8	517.4	260.8	534.8	269.6
.1	518.3	261.3	518.3	261.3	533.9	269.2
.2	519.2	261.8	519.2	261.8	533.0	268.7
.3	520.1	262.2	520.1	262.2	532.1	268.3
.4	521.0	262.7	521.0	262.7	531.2	267.8
.5	521.9	263.1	521.9	263.1	530.3	267.4
.6	522.8	263.6	522.8	263.6	529.4	266.9
.7	523.7	264.0	523.7	264.0	528.5	266.5
.8	524.6	264.5	524.6	264.5	527.6	266.0
.9	525.5	264.9	525.5	264.9	526.7	265.5
1552.0	526.4	265.4	526.4	265.4	525.8	265.1
.1	527.3	265.8	527.3	265.8	524.9	264.6
.2	528.2	266.3	528.2	266.3	524.0	264.2
.3	529.1	266.8	529.1	266.8	523.1	263.7
.4	530.0	267.2	530.0	267.2	522.2	263.3
.5	530.9	267.7	530.9	267.7	521.3	262.8
.6	531.8	268.1	531.8	268.1	520.4	262.4
.7	532.7	268.6	532.7	268.6	519.5	261.9
.8	533.6	269.0	533.6	269.0	518.6	261.5
.9	534.5	269.5	534.5	269.5	517.7	261.0
1553.0	535.4	269.9	535.4	269.9	516.8	260.5
.1	536.3	270.4	536.3	270.4	515.9	260.1
.2	537.2	270.9	537.2	270.9	515.0	259.6
.3	538.1	271.3	538.1	271.3	514.1	259.2
.4	539.0	271.8	539.0	271.8	513.2	258.7
.5	539.9	272.2	539.9	272.2	512.3	258.3
.6	540.8	272.7	540.8	272.7	511.4	257.8
.7	541.7	273.1	541.7	273.1	510.5	257.4
.8	542.6	273.6	542.6	273.6	509.6	256.9
.9	543.5	274.0	543.5	274.0	508.7	256.4
1554.0	544.4	274.5	544.4	274.5	507.8	256.0
.1	545.4	274.9	545.4	274.9	506.8	255.5
.2	546.3	275.4	546.3	275.4	505.9	255.1
.3	547.2	275.9	547.2	275.9	505.0	254.6
.4	548.1	276.3	548.1	276.3	504.1	254.2
.5	549.0	276.8	549.0	276.8	503.2	253.7
.6	549.9	277.2	549.9	277.2	502.3	253.3
.7	550.8	277.7	550.8	277.7	501.4	252.8
.8	551.7	278.1	551.7	278.1	500.5	252.4
.9	552.6	278.6	552.6	278.6	499.6	251.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1555.0	553.5	279.0	553.5	279.0	498.7	251.4
.1	554.4	279.5	554.4	279.5	497.8	251.0
.2	555.3	280.0	555.3	280.0	496.9	250.5
.3	556.2	280.4	556.2	280.4	496.0	250.1
.4	557.1	280.9	557.1	280.9	495.1	249.6
.5	558.0	281.3	558.0	281.3	494.2	249.2
.6	558.9	281.8	558.9	281.8	493.3	248.7
.7	559.8	282.2	559.8	282.2	492.4	248.3
.8	560.7	282.7	560.7	282.7	491.5	247.8
.9	561.6	283.1	561.6	283.1	490.6	247.3
1556.0	562.5	283.6	562.5	283.6	489.7	246.9
.1	563.4	284.0	563.4	284.0	488.8	246.4
.2	564.3	284.5	564.3	284.5	487.9	246.0
.3	565.2	285.0	565.2	285.0	487.0	245.5
.4	566.1	285.4	566.1	285.4	486.1	245.1
.5	567.0	285.9	567.0	285.9	485.2	244.6
.6	567.9	286.3	567.9	286.3	484.3	244.2
.7	568.8	286.8	568.8	286.8	483.4	243.7
.8	569.7	287.2	569.7	287.2	482.5	243.3
.9	570.6	287.7	570.6	287.7	481.6	242.8
1557.0	571.5	288.1	571.5	288.1	480.7	242.3
.1	572.4	288.6	572.4	288.6	479.8	241.9
.2	573.3	289.1	573.3	289.1	478.9	241.4
.3	574.2	289.5	574.2	289.5	478.0	241.0
.4	575.1	290.0	575.1	290.0	477.1	240.5
.5	576.0	290.4	576.0	290.4	476.2	240.1
.6	576.9	290.9	576.9	290.9	475.3	239.6
.7	577.8	291.3	577.8	291.3	474.4	239.2
.8	578.7	291.8	578.7	291.8	473.5	238.7
.9	579.6	292.2	579.6	292.2	472.6	238.2
1558.0	580.5	292.7	580.5	292.7	471.7	237.8
.1	581.5	293.1	581.5	293.1	470.7	237.3
.2	582.4	293.6	582.4	293.6	469.8	236.9
.3	583.3	294.1	583.3	294.1	468.9	236.4
.4	584.2	294.5	584.2	294.5	468.0	236.0
.5	585.1	295.0	585.1	295.0	467.1	235.5
.6	586.0	295.4	586.0	295.4	466.2	235.1
.7	586.9	295.9	586.9	295.9	465.3	234.6
.8	587.8	296.3	587.8	296.3	464.4	234.2
.9	588.7	296.8	588.7	296.8	463.5	233.7
1559.0	589.6	297.2	589.6	297.2	462.6	233.2
.1	590.5	297.7	590.5	297.7	461.7	232.8
.2	591.4	298.2	591.4	298.2	460.8	232.3
.3	592.3	298.6	592.3	298.6	459.9	231.9
.4	593.2	299.1	593.2	299.1	459.0	231.4
.5	594.1	299.5	594.1	299.5	458.1	231.0
.6	595.0	300.0	595.0	300.0	457.2	230.5
.7	595.9	300.4	595.9	300.4	456.3	230.1
.8	596.8	300.9	596.8	300.9	455.4	229.6
.9	597.7	301.3	597.7	301.3	454.5	229.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1560.0	598.6	301.8	598.6	301.8	453.6	228.7
.1	599.6	302.3	599.6	302.3	452.6	228.2
.2	600.6	302.8	600.6	302.8	451.6	227.7
.3	601.6	303.3	601.6	303.3	450.6	227.2
.4	602.6	303.8	602.6	303.8	449.6	226.7
.5	603.6	304.3	603.6	304.3	448.6	226.2
.6	604.6	304.8	604.6	304.8	447.6	225.7
.7	605.6	305.3	605.6	305.3	446.6	225.2
.8	606.6	305.8	606.6	305.8	445.6	224.6
.9	607.6	306.3	607.6	306.3	444.6	224.1
1561.0	608.6	306.8	608.6	306.8	443.6	223.6
.1	609.6	307.3	609.6	307.3	442.6	223.1
.2	610.6	307.9	610.6	307.9	441.6	222.6
.3	611.6	308.4	611.6	308.4	440.6	222.1
.4	612.6	308.9	612.6	308.9	439.6	221.6
.5	613.6	309.4	613.6	309.4	438.6	221.1
.6	614.6	309.9	614.6	309.9	437.6	220.6
.7	615.6	310.4	615.6	310.4	436.6	220.1
.8	616.6	310.9	616.6	310.9	435.6	219.6
.9	617.6	311.4	617.6	311.4	434.6	219.1
1562.0	618.6	311.9	618.6	311.9	433.6	218.6
.1	619.6	312.4	619.6	312.4	432.6	218.1
.2	620.6	312.9	620.6	312.9	431.6	217.6
.3	621.6	313.4	621.6	313.4	430.6	217.1
.4	622.6	313.9	622.6	313.9	429.6	216.6
.5	623.6	314.4	623.6	314.4	428.6	216.1
.6	624.6	314.9	624.6	314.9	427.6	215.6
.7	625.6	315.4	625.6	315.4	426.6	215.1
.8	626.6	315.9	626.6	315.9	425.6	214.5
.9	627.6	316.4	627.6	316.4	424.6	214.0
1563.0	628.6	316.9	628.6	316.9	423.6	213.5
.1	629.7	317.4	629.7	317.4	422.5	213.0
.2	630.7	318.0	630.7	318.0	421.5	212.5
.3	631.7	318.5	631.7	318.5	420.5	212.0
.4	632.7	319.0	632.7	319.0	419.5	211.5
.5	633.7	319.5	633.7	319.5	418.5	211.0
.6	634.7	320.0	634.7	320.0	417.5	210.5
.7	635.7	320.5	635.7	320.5	416.5	210.0
.8	636.7	321.0	636.7	321.0	415.5	209.5
.9	637.7	321.5	637.7	321.5	414.5	209.0
1564.0	638.7	322.0	638.7	322.0	413.5	208.5
.1	639.7	322.5	639.7	322.5	412.5	208.0
.2	640.7	323.0	640.7	323.0	411.5	207.5
.3	641.7	323.5	641.7	323.5	410.5	207.0
.4	642.7	324.0	642.7	324.0	409.5	206.5
.5	643.7	324.5	643.7	324.5	408.5	206.0
.6	644.7	325.0	644.7	325.0	407.5	205.5
.7	645.7	325.5	645.7	325.5	406.5	205.0
.8	646.7	326.0	646.7	326.0	405.5	204.4
.9	647.7	326.5	647.7	326.5	404.5	203.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1565.0	648.7	327.0	648.7	327.0	403.5	203.4
.1	649.7	327.5	649.7	327.5	402.5	202.9
.2	650.7	328.1	650.7	328.1	401.5	202.4
.3	651.7	328.6	651.7	328.6	400.5	201.9
.4	652.7	329.1	652.7	329.1	399.5	201.4
.5	653.7	329.6	653.7	329.6	398.5	200.9
.6	654.7	330.1	654.7	330.1	397.5	200.4
.7	655.7	330.6	655.7	330.6	396.5	199.9
.8	656.7	331.1	656.7	331.1	395.5	199.4
.9	657.7	331.6	657.7	331.6	394.5	198.9
1566.0	658.7	332.1	658.7	332.1	393.5	198.4
.1	659.7	332.6	659.7	332.6	392.5	197.9
.2	660.7	333.1	660.7	333.1	391.5	197.4
.3	661.7	333.6	661.7	333.6	390.5	196.9
.4	662.7	334.1	662.7	334.1	389.5	196.4
.5	663.7	334.6	663.7	334.6	388.5	195.9
.6	664.7	335.1	664.7	335.1	387.5	195.4
.7	665.7	335.6	665.7	335.6	386.5	194.9
.8	666.7	336.1	666.7	336.1	385.5	194.3
.9	667.7	336.6	667.7	336.6	384.5	193.8
1567.0	668.7	337.1	668.7	337.1	383.5	193.3
.1	669.7	337.6	669.7	337.6	382.5	192.8
.2	670.7	338.2	670.7	338.2	381.5	192.3
.3	671.7	338.7	671.7	338.7	380.5	191.8
.4	672.7	339.2	672.7	339.2	379.5	191.3
.5	673.7	339.7	673.7	339.7	378.5	190.8
.6	674.7	340.2	674.7	340.2	377.5	190.3
.7	675.7	340.7	675.7	340.7	376.5	189.8
.8	676.7	341.2	676.7	341.2	375.5	189.3
.9	677.7	341.7	677.7	341.7	374.5	188.8
1568.0	678.7	342.2	678.7	342.2	373.5	188.3
.1	679.7	342.7	679.7	342.7	372.5	187.8
.2	680.7	343.2	680.7	343.2	371.5	187.3
.3	681.7	343.7	681.7	343.7	370.5	186.8
.4	682.7	344.2	682.7	344.2	369.5	186.3
.5	683.7	344.7	683.7	344.7	368.5	185.8
.6	684.7	345.2	684.7	345.2	367.5	185.3
.7	685.7	345.7	685.7	345.7	366.5	184.8
.8	686.7	346.2	686.7	346.2	365.5	184.2
.9	687.7	346.7	687.7	346.7	364.5	183.7
1569.0	688.7	347.2	688.7	347.2	363.5	183.2
.1	689.8	347.7	689.8	347.7	362.5	182.7
.2	690.8	348.3	690.8	348.3	361.4	182.2
.3	691.8	348.8	691.8	348.8	360.4	181.7
.4	692.8	349.3	692.8	349.3	359.4	181.2
.5	693.8	349.8	693.8	349.8	358.4	180.7
.6	694.8	350.3	694.8	350.3	357.4	180.2
.7	695.8	350.8	695.8	350.8	356.4	179.7
.8	696.8	351.3	696.8	351.3	355.4	179.2
.9	697.8	351.8	697.8	351.8	354.4	178.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1570.0	698.8	352.3	698.8	352.3	353.4	178.2
.1	699.8	352.8	699.8	352.8	352.4	177.7
.2	700.8	353.3	700.8	353.3	351.4	177.2
.3	701.8	353.8	701.8	353.8	350.4	176.7
.4	702.8	354.3	702.8	354.3	349.4	176.2
.5	703.8	354.8	703.8	354.8	348.4	175.7
.6	704.8	355.3	704.8	355.3	347.4	175.2
.7	705.8	355.8	705.8	355.8	346.4	174.7
.8	706.8	356.3	706.8	356.3	345.4	174.1
.9	707.8	356.8	707.8	356.8	344.4	173.6
1571.0	708.8	357.3	708.8	357.3	343.4	173.1
.1	709.8	357.8	709.8	357.8	342.4	172.6
.2	710.8	358.4	710.8	358.4	341.4	172.1
.3	711.8	358.9	711.8	358.9	340.4	171.6
.4	712.8	359.4	712.8	359.4	339.4	171.1
.5	713.8	359.9	713.8	359.9	338.4	170.6
.6	714.8	360.4	714.8	360.4	337.4	170.1
.7	715.8	360.9	715.8	360.9	336.4	169.6
.8	716.8	361.4	716.8	361.4	335.4	169.1
.9	717.8	361.9	717.8	361.9	334.4	168.6
1572.0	718.8	362.4	718.8	362.4	333.4	168.1
.1	719.8	362.9	719.8	362.9	332.4	167.6
.2	720.8	363.4	720.8	363.4	331.4	167.1
.3	721.8	363.9	721.8	363.9	330.4	166.6
.4	722.8	364.4	722.8	364.4	329.4	166.1
.5	723.8	364.9	723.8	364.9	328.4	165.6
.6	724.8	365.4	724.8	365.4	327.4	165.1
.7	725.8	365.9	725.8	365.9	326.4	164.6
.8	726.8	366.4	726.8	366.4	325.4	164.0
.9	727.8	366.9	727.8	366.9	324.4	163.5
1573.0	728.8	367.4	728.8	367.4	323.4	163.0
.1	729.8	367.9	729.8	367.9	322.4	162.5
.2	730.8	368.5	730.8	368.5	321.4	162.0
.3	731.8	369.0	731.8	369.0	320.4	161.5
.4	732.8	369.5	732.8	369.5	319.4	161.0
.5	733.8	370.0	733.8	370.0	318.4	160.5
.6	734.8	370.5	734.8	370.5	317.4	160.0
.7	735.8	371.0	735.8	371.0	316.4	159.5
.8	736.8	371.5	736.8	371.5	315.4	159.0
.9	737.8	372.0	737.8	372.0	314.4	158.5
1574.0	738.8	372.5	738.8	372.5	313.4	158.0
.1	739.8	373.0	739.8	373.0	312.4	157.5
.2	740.8	373.5	740.8	373.5	311.4	157.0
.3	741.8	374.0	741.8	374.0	310.4	156.5
.4	742.8	374.5	742.8	374.5	309.4	156.0
.5	743.8	375.0	743.8	375.0	308.4	155.5
.6	744.8	375.5	744.8	375.5	307.4	155.0
.7	745.8	376.0	745.8	376.0	306.4	154.5
.8	746.8	376.5	746.8	376.5	305.4	153.9
.9	747.8	377.0	747.8	377.0	304.4	153.4

Reservoir Storage Tables

PAGE 21

PAGE 22

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1575.0	748.8	377.5	748.8	377.5	303.4	152.9
.1	749.8	378.0	749.8	378.0	302.4	152.4
.2	750.9	378.6	750.9	378.6	301.3	151.9
.3	751.9	379.1	751.9	379.1	300.3	151.4
.4	752.9	379.6	752.9	379.6	299.3	150.9
.5	753.9	380.1	753.9	380.1	298.3	150.4
.6	754.9	380.6	754.9	380.6	297.3	149.9
.7	755.9	381.1	755.9	381.1	296.3	149.4
.8	756.9	381.6	756.9	381.6	295.3	148.9
.9	757.9	382.1	757.9	382.1	294.3	148.4
1576.0	758.9	382.6	758.9	382.6	293.3	147.9
.1	759.9	383.1	759.9	383.1	292.3	147.4
.2	760.9	383.6	760.9	383.6	291.3	146.9
.3	761.9	384.1	761.9	384.1	290.3	146.4
.4	762.9	384.6	762.9	384.6	289.3	145.9
.5	763.9	385.1	763.9	385.1	288.3	145.4
.6	764.9	385.6	764.9	385.6	287.3	144.9
.7	765.9	386.1	765.9	386.1	286.3	144.4
.8	766.9	386.6	766.9	386.6	285.3	143.8
.9	767.9	387.1	767.9	387.1	284.3	143.3
1577.0	768.9	387.6	768.9	387.6	283.3	142.8
.1	769.9	388.1	769.9	388.1	282.3	142.3
.2	770.9	388.7	770.9	388.7	281.3	141.8
.3	771.9	389.2	771.9	389.2	280.3	141.3
.4	772.9	389.7	772.9	389.7	279.3	140.8
.5	773.9	390.2	773.9	390.2	278.3	140.3
.6	774.9	390.7	774.9	390.7	277.3	139.8
.7	775.9	391.2	775.9	391.2	276.3	139.3
.8	776.9	391.7	776.9	391.7	275.3	138.8
.9	777.9	392.2	777.9	392.2	274.3	138.3
1578.0	778.9	392.7	778.9	392.7	273.3	137.8
.1	779.9	393.2	779.9	393.2	272.3	137.3
.2	780.9	393.7	780.9	393.7	271.3	136.8
.3	782.0	394.3	782.0	394.3	270.2	136.2
.4	783.1	394.8	783.1	394.8	269.1	135.7
.5	784.2	395.4	784.2	395.4	268.0	135.1
.6	785.3	395.9	785.3	395.9	266.9	134.5
.7	786.4	396.5	786.4	396.5	265.8	134.0
.8	787.6	397.1	787.6	397.1	264.6	133.4
.9	788.7	397.6	788.7	397.6	263.5	132.9
1579.0	789.8	398.2	789.8	398.2	262.4	132.3
.1	790.9	398.7	790.9	398.7	261.3	131.7
.2	792.0	399.3	792.0	399.3	260.2	131.2
.3	793.1	399.9	793.1	399.9	259.1	130.6
.4	794.2	400.4	794.2	400.4	258.0	130.1
.5	795.3	401.0	795.3	401.0	256.9	129.5
.6	796.4	401.5	796.4	401.5	255.8	128.9
.7	797.5	402.1	797.5	402.1	254.7	128.4
.8	798.7	402.7	798.7	402.7	253.5	127.8
.9	799.8	403.2	799.8	403.2	252.4	127.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1580.0	800.9	403.8	800.9	403.8	251.3	126.7
.1	802.0	404.3	802.0	404.3	250.2	126.2
.2	803.1	404.9	803.1	404.9	249.1	125.6
.3	804.2	405.5	804.2	405.5	248.0	125.0
.4	805.3	406.0	805.3	406.0	246.9	124.5
.5	806.4	406.6	806.4	406.6	245.8	123.9
.6	807.5	407.1	807.5	407.1	244.7	123.4
.7	808.6	407.7	808.6	407.7	243.6	122.8
.8	809.8	408.2	809.8	408.2	242.4	122.2
.9	810.9	408.8	810.9	408.8	241.3	121.7
1581.0	812.0	409.4	812.0	409.4	240.2	121.1
.1	813.1	409.9	813.1	409.9	239.1	120.6
.2	814.2	410.5	814.2	410.5	238.0	120.0
.3	815.3	411.0	815.3	411.0	236.9	119.4
.4	816.4	411.6	816.4	411.6	235.8	118.9
.5	817.5	412.2	817.5	412.2	234.7	118.3
.6	818.6	412.7	818.6	412.7	233.6	117.8
.7	819.7	413.3	819.7	413.3	232.5	117.2
.8	820.8	413.8	820.8	413.8	231.4	116.6
.9	822.0	414.4	822.0	414.4	230.2	116.1
1582.0	823.1	415.0	823.1	415.0	229.1	115.5
.1	824.2	415.5	824.2	415.5	228.0	115.0
.2	825.3	416.1	825.3	416.1	226.9	114.4
.3	826.4	416.6	826.4	416.6	225.8	113.8
.4	827.5	417.2	827.5	417.2	224.7	113.3
.5	828.6	417.8	828.6	417.8	223.6	112.7
.6	829.7	418.3	829.7	418.3	222.5	112.2
.7	830.8	418.9	830.8	418.9	221.4	111.6
.8	831.9	419.4	831.9	419.4	220.3	111.0
.9	833.1	420.0	833.1	420.0	219.1	110.5
1583.0	834.2	420.6	834.2	420.6	218.0	109.9
.1	835.3	421.1	835.3	421.1	216.9	109.4
.2	836.4	421.7	836.4	421.7	215.8	108.8
.3	837.5	422.2	837.5	422.2	214.7	108.2
.4	838.6	422.8	838.6	422.8	213.6	107.7
.5	839.7	423.4	839.7	423.4	212.5	107.1
.6	840.8	423.9	840.8	423.9	211.4	106.6
.7	841.9	424.5	841.9	424.5	210.3	106.0
.8	843.0	425.0	843.0	425.0	209.2	105.5
.9	844.1	425.6	844.1	425.6	208.1	104.9
1584.0	845.3	426.2	845.3	426.2	206.9	104.3
.1	846.4	426.7	846.4	426.7	205.8	103.8
.2	847.5	427.3	847.5	427.3	204.7	103.2
.3	848.6	427.8	848.6	427.8	203.6	102.7
.4	849.7	428.4	849.7	428.4	202.5	102.1
.5	850.8	428.9	850.8	428.9	201.4	101.5
.6	851.9	429.5	851.9	429.5	200.3	101.0
.7	853.0	430.1	853.0	430.1	199.2	100.4
.8	854.1	430.6	854.1	430.6	198.1	99.9
.9	855.2	431.2	855.2	431.2	197.0	99.3

Ross

211

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1585.0	856.4	431.7	856.4	431.7	195.8	98.7	1590.0	911.8	459.7	911.8	459.7	140.4	70.8
.1	857.5	432.3	857.5	432.3	194.7	98.2	.1	912.9	460.3	912.9	460.3	139.3	70.2
.2	858.6	432.9	858.6	432.9	193.6	97.6	.2	914.1	460.8	914.1	460.8	138.1	69.6
.3	859.7	433.4	859.7	433.4	192.5	97.1	.3	915.2	461.4	915.2	461.4	137.0	69.1
.4	860.8	434.0	860.8	434.0	191.4	96.5	.4	916.3	462.0	916.3	462.0	135.9	68.5
.5	861.9	434.5	861.9	434.5	190.3	95.9	.5	917.4	462.5	917.4	462.5	134.8	68.0
.6	863.0	435.1	863.0	435.1	189.2	95.4	.6	918.5	463.1	918.5	463.1	133.7	67.4
.7	864.1	435.7	864.1	435.7	188.1	94.8	.7	919.6	463.6	919.6	463.6	132.6	66.9
.8	865.2	436.2	865.2	436.2	187.0	94.3	.8	920.7	464.2	920.7	464.2	131.5	66.3
.9	866.3	436.8	866.3	436.8	185.9	93.7	.9	921.8	464.8	921.8	464.8	130.4	65.7
1586.0	867.5	437.3	867.5	437.3	184.7	93.1	1591.0	922.9	465.3	922.9	465.3	129.3	65.2
.1	868.6	437.9	868.6	437.9	183.6	92.6	.1	924.0	465.9	924.0	465.9	128.2	64.6
.2	869.7	438.5	869.7	438.5	182.5	92.0	.2	925.2	466.4	925.2	466.4	127.0	64.1
.3	870.8	439.0	870.8	439.0	181.4	91.5	.3	926.3	467.0	926.3	467.0	125.9	63.5
.4	871.9	439.6	871.9	439.6	180.3	90.9	.4	927.4	467.6	927.4	467.6	124.8	62.9
.5	873.0	440.1	873.0	440.1	179.2	90.3	.5	928.5	468.1	928.5	468.1	123.7	62.4
.6	874.1	440.7	874.1	440.7	178.1	89.8	.6	929.6	468.7	929.6	468.7	122.6	61.8
.7	875.2	441.3	875.2	441.3	177.0	89.2	.7	930.7	469.2	930.7	469.2	121.5	61.3
.8	876.3	441.8	876.3	441.8	175.9	88.7	.8	931.8	469.8	931.8	469.8	120.4	60.7
.9	877.4	442.4	877.4	442.4	174.8	88.1	.9	932.9	470.3	932.9	470.3	119.3	60.1
1587.0	878.5	442.9	878.5	442.9	173.7	87.5	1592.0	934.0	470.9	934.0	470.9	118.2	59.6
.1	879.7	443.5	879.7	443.5	172.5	87.0	.1	935.1	471.5	935.1	471.5	117.1	59.0
.2	880.8	444.1	880.8	444.1	171.4	86.4	.2	936.2	472.0	936.2	472.0	116.0	58.5
.3	881.9	444.6	881.9	444.6	170.3	85.9	.3	937.4	472.6	937.4	472.6	114.8	57.9
.4	883.0	445.2	883.0	445.2	169.2	85.3	.4	938.5	473.1	938.5	473.1	113.7	57.3
.5	884.1	445.7	884.1	445.7	168.1	84.8	.5	939.6	473.7	939.6	473.7	112.6	56.8
.6	885.2	446.3	885.2	446.3	167.0	84.2	.6	940.7	474.3	940.7	474.3	111.5	56.2
.7	886.3	446.9	886.3	446.9	165.9	83.6	.7	941.8	474.8	941.8	474.8	110.4	55.7
.8	887.4	447.4	887.4	447.4	164.8	83.1	.8	942.9	475.4	942.9	475.4	109.3	55.1
.9	888.5	448.0	888.5	448.0	163.7	82.5	.9	944.0	475.9	944.0	475.9	108.2	54.5
1588.0	889.6	448.5	889.6	448.5	162.6	82.0	1593.0	945.1	476.5	945.1	476.5	107.1	54.0
.1	890.8	449.1	890.8	449.1	161.4	81.4	.1	946.2	477.1	946.2	477.1	106.0	53.4
.2	891.9	449.6	891.9	449.6	160.3	80.8	.2	947.3	477.6	947.3	477.6	104.9	52.9
.3	893.0	450.2	893.0	450.2	159.2	80.3	.3	948.5	478.2	948.5	478.2	103.7	52.3
.4	894.1	450.8	894.1	450.8	158.1	79.7	.4	949.6	478.7	949.6	478.7	102.6	51.7
.5	895.2	451.3	895.2	451.3	157.0	79.2	.5	950.7	479.3	950.7	479.3	101.5	51.2
.6	896.3	451.9	896.3	451.9	155.9	78.6	.6	951.8	479.9	951.8	479.9	100.4	50.6
.7	897.4	452.4	897.4	452.4	154.8	78.0	.7	952.9	480.4	952.9	480.4	99.3	50.1
.8	898.5	453.0	898.5	453.0	153.7	77.5	.8	954.0	481.0	954.0	481.0	98.2	49.5
.9	899.6	453.6	899.6	453.6	152.6	76.9	.9	955.1	481.5	955.1	481.5	97.1	48.9
1589.0	900.7	454.1	900.7	454.1	151.5	76.4	1594.0	956.2	482.1	956.2	482.1	96.0	48.4
.1	901.8	454.7	901.8	454.7	150.4	75.8	.1	957.3	482.7	957.3	482.7	94.9	47.8
.2	903.0	455.2	903.0	455.2	149.2	75.2	.2	958.4	483.2	958.4	483.2	93.8	47.3
.3	904.1	455.8	904.1	455.8	148.1	74.7	.3	959.6	483.8	959.6	483.8	92.6	46.7
.4	905.2	456.4	905.2	456.4	147.0	74.1	.4	960.7	484.3	960.7	484.3	91.5	46.2
.5	906.3	456.9	906.3	456.9	145.9	73.6	.5	961.8	484.9	961.8	484.9	90.4	45.6
.6	907.4	457.5	907.4	457.5	144.8	73.0	.6	962.9	485.5	962.9	485.5	89.3	45.0
.7	908.5	458.0	908.5	458.0	143.7	72.4	.7	964.0	486.0	964.0	486.0	88.2	44.5
.8	909.6	458.6	909.6	458.6	142.6	71.9	.8	965.1	486.6	965.1	486.6	87.1	43.9
.9	910.7	459.2	910.7	459.2	141.5	71.3	.9	966.2	487.1	966.2	487.1	86.0	43.4

Reservoir Storage Tables

PAGE 25

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1595.0	967.3	487.7	967.3	487.7	84.9	42.8
.1	968.4	488.2	968.4	488.2	83.8	42.2
.2	969.5	488.8	969.5	488.8	82.7	41.7
.3	970.6	489.4	970.6	489.4	81.6	41.1
.4	971.8	489.9	971.8	489.9	80.4	40.6
.5	972.9	490.5	972.9	490.5	79.3	40.0
.6	974.0	491.0	974.0	491.0	78.2	39.4
.7	975.1	491.6	975.1	491.6	77.1	38.9
.8	976.2	492.2	976.2	492.2	76.0	38.3
.9	977.3	492.7	977.3	492.7	74.9	37.8
1596.0	978.4	493.3	978.4	493.3	73.8	37.2
.1	979.5	493.8	979.5	493.8	72.7	36.6
.2	980.6	494.4	980.6	494.4	71.6	36.1
.3	981.7	495.0	981.7	495.0	70.5	35.5
.4	982.9	495.5	982.9	495.5	69.3	35.0
.5	984.0	496.1	984.0	496.1	68.2	34.4
.6	985.1	496.6	985.1	496.6	67.1	33.8
.7	986.2	497.2	986.2	497.2	66.0	33.3
.8	987.3	497.8	987.3	497.8	64.9	32.7
.9	988.4	498.3	988.4	498.3	63.8	32.2
1597.0	989.5	498.9	989.5	498.9	62.7	31.6
.1	990.6	499.4	990.6	499.4	61.6	31.0
.2	991.7	500.0	991.7	500.0	60.5	30.5
.3	992.8	500.6	992.8	500.6	59.4	29.9
.4	993.9	501.1	993.9	501.1	58.3	29.4
.5	995.1	501.7	995.1	501.7	57.1	28.8
.6	996.2	502.2	996.2	502.2	56.0	28.2
.7	997.3	502.8	997.3	502.8	54.9	27.7
.8	998.4	503.4	998.4	503.4	53.8	27.1
.9	999.5	503.9	999.5	503.9	52.7	26.6
1598.0	1000.6	504.5	1000.6	504.5	51.6	26.0
.1	1001.7	505.0	1001.7	505.0	50.5	25.5
.2	1002.8	505.6	1002.8	505.6	49.4	24.9
.3	1003.9	506.2	1003.9	506.2	48.3	24.3
.4	1005.0	506.7	1005.0	506.7	47.2	23.8
.5	1006.2	507.3	1006.2	507.3	46.0	23.2
.6	1007.3	507.8	1007.3	507.8	44.9	22.7
.7	1008.4	508.4	1008.4	508.4	43.8	22.1
.8	1009.5	508.9	1009.5	508.9	42.7	21.5
.9	1010.6	509.5	1010.6	509.5	41.6	21.0
1599.0	1011.7	510.1	1011.7	510.1	40.5	20.4
.1	1012.8	510.6	1012.8	510.6	39.4	19.9
.2	1013.9	511.2	1013.9	511.2	38.3	19.3
.3	1015.0	511.7	1015.0	511.7	37.2	18.7
.4	1016.1	512.3	1016.1	512.3	36.1	18.2
.5	1017.3	512.9	1017.3	512.9	34.9	17.6
.6	1018.4	513.4	1018.4	513.4	33.8	17.1
.7	1019.5	514.0	1019.5	514.0	32.7	16.5
.8	1020.6	514.5	1020.6	514.5	31.6	15.9
.9	1021.7	515.1	1021.7	515.1	30.5	15.4

PAGE 26

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1600.0	1022.8	515.7	1022.8	515.7	29.4	14.8
.1	1024.0	516.3	1024.0	516.3	28.2	14.2
.2	1025.2	516.8	1025.2	516.8	27.0	13.6
.3	1026.3	517.4	1026.3	517.4	25.9	13.0
.4	1027.5	518.0	1027.5	518.0	24.7	12.5
.5	1028.7	518.6	1028.7	518.6	23.5	11.9
.6	1029.9	519.2	1029.9	519.2	22.3	11.3
.7	1031.0	519.8	1031.0	519.8	21.2	10.7
.8	1032.2	520.4	1032.2	520.4	20.0	10.1
.9	1033.4	521.0	1033.4	521.0	18.8	9.5
1601.0	1034.6	521.6	1034.6	521.6	17.6	8.9
.1	1035.7	522.2	1035.7	522.2	16.5	8.3
.2	1036.9	522.8	1036.9	522.8	15.3	7.7
.3	1038.1	523.4	1038.1	523.4	14.1	7.1
.4	1039.3	524.0	1039.3	524.0	12.9	6.5
.5	1040.4	524.6	1040.4	524.6	11.8	5.9
.6	1041.6	525.1	1041.6	525.1	10.6	5.3
.7	1042.8	525.7	1042.8	525.7	9.4	4.7
.8	1044.0	526.3	1044.0	526.3	8.2	4.2
.9	1045.1	526.9	1045.1	526.9	7.1	3.6
1602.0	1046.3	527.5	1046.3	527.5	5.9	3.0
.1	1047.5	528.1	1047.5	528.1	4.7	2.4
.2	1048.7	528.7	1048.7	528.7	3.5	1.8
.3	1049.8	529.3	1049.8	529.3	2.4	1.2
.4	1051.0	529.9	1051.0	529.9	1.2	0.6
.5 SUB	1052.2	530.5	1052.2	530.5	0.0	0.0
.6	1053.4	531.1				
.7	1054.7	531.7				
.8	1056.0	532.4				
.9	1057.2	533.0				
1603.0	1058.5	533.6				

Reservoir Storage Tables

PROJECT NAME: UPPER BAKER

PROJECT NUMBER: 153

STORAGE LOWER BOUND (SLB) =   35.90KAF   STORAGE UPPER BOUND (SUB) = 220.60 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
674.0		35.5	17.9				
.1		35.8	18.0				
.2	SLB	36.0	18.2	0.1	0.1	184.6	93.1
.3		36.3	18.3	0.4	0.2	184.3	92.9
.4		36.5	18.4	0.6	0.3	184.1	92.8
.5		36.8	18.5	0.9	0.4	183.8	92.7
.6		37.0	18.7	1.1	0.6	183.6	92.5
.7		37.3	18.8	1.4	0.7	183.3	92.4
.8		37.6	18.9	1.7	0.8	183.0	92.3
.9		37.8	19.1	1.9	1.0	182.8	92.1
675.0		38.1	19.2	2.2	1.1	182.5	92.0
.1		38.3	19.3	2.4	1.2	182.3	91.9
.2		38.6	19.5	2.7	1.4	182.0	91.8
.3		38.9	19.6	3.0	1.5	181.7	91.6
.4		39.1	19.7	3.2	1.6	181.5	91.5
.5		39.4	19.9	3.5	1.8	181.2	91.4
.6		39.6	20.0	3.7	1.9	181.0	91.2
.7		39.9	20.1	4.0	2.0	180.7	91.1
.8		40.1	20.2	4.2	2.1	180.5	91.0
.9		40.4	20.4	4.5	2.3	180.2	90.8
676.0		40.7	20.5	4.8	2.4	179.9	90.7
.1		40.9	20.6	5.0	2.5	179.7	90.6
.2		41.2	20.8	5.3	2.7	179.4	90.5
.3		41.4	20.9	5.5	2.8	179.2	90.3
.4		41.7	21.0	5.8	2.9	178.9	90.2
.5		42.0	21.2	6.1	3.1	178.6	90.1
.6		42.2	21.3	6.3	3.2	178.4	89.9
.7		42.5	21.4	6.6	3.3	178.1	89.8
.8		42.7	21.5	6.8	3.4	177.9	89.7
.9		43.0	21.7	7.1	3.6	177.6	89.5
677.0		43.3	21.8	7.3	3.7	177.4	89.4
.1		43.5	21.9	7.6	3.8	177.1	89.3
.2		43.8	22.1	7.9	4.0	176.8	89.2
.3		44.0	22.2	8.1	4.1	176.6	89.0
.4		44.3	22.3	8.4	4.2	176.3	88.9
.5		44.5	22.5	8.6	4.4	176.1	88.8
.6		44.8	22.6	8.9	4.5	175.8	88.6
.7		45.1	22.7	9.2	4.6	175.5	88.5
.8		45.3	22.8	9.4	4.7	175.3	88.4
.9		45.6	23.0	9.7	4.9	175.0	88.2
678.0		45.8	23.1	9.9	5.0	174.8	88.1
.1		46.1	23.2	10.2	5.1	174.5	88.0
.2		46.4	23.4	10.5	5.3	174.2	87.9
.3		46.6	23.5	10.7	5.4	174.0	87.7
.4		46.9	23.6	11.0	5.5	173.7	87.6
.5		47.1	23.8	11.2	5.7	173.5	87.5
.6		47.4	23.9	11.5	5.8	173.2	87.3
.7		47.6	24.0	11.7	5.9	173.0	87.2
.8		47.9	24.1	12.0	6.0	172.7	87.1
.9		48.2	24.3	12.3	6.2	172.4	86.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
679.0	48.4	24.4	12.5	6.3	172.2	86.8
.1	48.7	24.5	12.8	6.4	171.9	86.7
.2	48.9	24.7	13.0	6.6	171.7	86.5
.3	49.2	24.8	13.3	6.7	171.4	86.4
.4	49.5	24.9	13.6	6.8	171.1	86.3
.5	49.7	25.1	13.8	7.0	170.9	86.2
.6	50.0	25.2	14.1	7.1	170.6	86.0
.7	50.2	25.3	14.3	7.2	170.4	85.9
.8	50.5	25.5	14.6	7.4	170.1	85.8
.9	50.7	25.6	14.8	7.5	169.9	85.6
680.0	51.0	25.7	15.1	7.6	169.6	85.5
.1	51.3	25.9	15.4	7.8	169.3	85.4
.2	51.6	26.0	15.7	7.9	169.0	85.2
.3	51.9	26.2	16.0	8.1	168.7	85.1
.4	52.2	26.3	16.3	8.2	168.4	84.9
.5	52.5	26.5	16.6	8.4	168.1	84.8
.6	52.8	26.6	16.9	8.5	167.8	84.6
.7	53.1	26.8	17.2	8.7	167.5	84.5
.8	53.4	26.9	17.5	8.8	167.2	84.3
.9	53.7	27.1	17.8	9.0	166.9	84.2
681.0	54.0	27.2	18.1	9.1	166.6	84.0
.1	54.3	27.4	18.4	9.3	166.3	83.9
.2	54.6	27.5	18.7	9.4	166.0	83.7
.3	54.8	27.7	18.9	9.6	165.8	83.6
.4	55.1	27.8	19.2	9.7	165.5	83.4
.5	55.4	28.0	19.5	9.9	165.2	83.3
.6	55.7	28.1	19.8	10.0	164.9	83.1
.7	56.0	28.2	20.1	10.1	164.6	83.0
.8	56.3	28.4	20.4	10.3	164.3	82.8
.9	56.6	28.5	20.7	10.4	164.0	82.7
682.0	56.9	28.7	21.0	10.6	163.7	82.5
.1	57.2	28.8	21.3	10.7	163.4	82.4
.2	57.5	29.0	21.6	10.9	163.1	82.2
.3	57.8	29.1	21.9	11.0	162.8	82.1
.4	58.1	29.3	22.2	11.2	162.5	81.9
.5	58.4	29.4	22.5	11.3	162.2	81.8
.6	58.7	29.6	22.8	11.5	161.9	81.6
.7	59.0	29.7	23.1	11.6	161.6	81.5
.8	59.3	29.9	23.4	11.8	161.3	81.3
.9	59.6	30.0	23.7	11.9	161.0	81.2
683.0	59.9	30.2	24.0	12.1	160.7	81.0
.1	60.2	30.3	24.3	12.2	160.4	80.9
.2	60.5	30.5	24.6	12.4	160.1	80.7
.3	60.8	30.6	24.9	12.5	159.8	80.6
.4	61.1	30.8	25.2	12.7	159.5	80.4
.5	61.4	30.9	25.5	12.8	159.2	80.3
.6	61.7	31.1	25.8	13.0	158.9	80.1
.7	62.0	31.2	26.1	13.1	158.6	80.0
.8	62.2	31.4	26.3	13.3	158.4	79.8
.9	62.5	31.5	26.6	13.4	158.1	79.7

Reservoir Storage Tables

PAGE 3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
684.0	62.8	31.7	26.9	13.6	157.8	79.5
.1	63.1	31.8	27.2	13.7	157.5	79.4
.2	63.4	32.0	27.5	13.9	157.2	79.2
.3	63.7	32.1	27.8	14.0	156.9	79.1
.4	64.0	32.3	28.1	14.2	156.6	78.9
.5	64.3	32.4	28.4	14.3	156.3	78.8
.6	64.6	32.6	28.7	14.5	156.0	78.6
.7	64.9	32.7	29.0	14.6	155.7	78.5
.8	65.2	32.9	29.3	14.8	155.4	78.3
.9	65.5	33.0	29.6	14.9	155.1	78.2
685.0	65.8	33.2	29.9	15.1	154.8	78.0
.1	66.1	33.3	30.2	15.2	154.5	77.9
.2	66.4	33.5	30.5	15.4	154.2	77.7
.3	66.7	33.6	30.8	15.5	153.9	77.6
.4	67.0	33.8	31.1	15.7	153.6	77.4
.5	67.3	33.9	31.4	15.8	153.3	77.3
.6	67.6	34.1	31.7	16.0	153.0	77.1
.7	67.9	34.2	32.0	16.1	152.7	77.0
.8	68.2	34.4	32.3	16.3	152.4	76.9
.9	68.5	34.5	32.6	16.4	152.1	76.7
686.0	68.8	34.7	32.9	16.6	151.8	76.6
.1	69.1	34.8	33.2	16.7	151.5	76.4
.2	69.4	35.0	33.5	16.9	151.2	76.3
.3	69.6	35.1	33.7	17.0	151.0	76.1
.4	69.9	35.3	34.0	17.2	150.7	76.0
.5	70.2	35.4	34.3	17.3	150.4	75.8
.6	70.5	35.6	34.6	17.5	150.1	75.7
.7	70.8	35.7	34.9	17.6	149.8	75.5
.8	71.1	35.9	35.2	17.8	149.5	75.4
.9	71.4	36.0	35.5	17.9	149.2	75.2
687.0	71.7	36.2	35.8	18.1	148.9	75.1
.1	72.0	36.3	36.1	18.2	148.6	74.9
.2	72.3	36.5	36.4	18.4	148.3	74.8
.3	72.6	36.6	36.7	18.5	148.0	74.6
.4	72.9	36.8	37.0	18.7	147.7	74.5
.5	73.2	36.9	37.3	18.8	147.4	74.3
.6	73.5	37.1	37.6	19.0	147.1	74.2
.7	73.8	37.2	37.9	19.1	146.8	74.0
.8	74.1	37.4	38.2	19.3	146.5	73.9
.9	74.4	37.5	38.5	19.4	146.2	73.7
688.0	74.7	37.7	38.8	19.6	145.9	73.6
.1	75.0	37.8	39.1	19.7	145.6	73.4
.2	75.3	37.9	39.4	19.9	145.3	73.3
.3	75.6	38.1	39.7	20.0	145.0	73.1
.4	75.9	38.2	40.0	20.1	144.7	73.0
.5	76.2	38.4	40.3	20.3	144.4	72.8
.6	76.5	38.5	40.6	20.4	144.1	72.7
.7	76.8	38.7	40.9	20.6	143.8	72.5
.8	77.0	38.8	41.1	20.7	143.6	72.4
.9	77.3	39.0	41.4	20.9	143.3	72.2

PAGE 4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
689.0	77.6	39.1	41.7	21.0	143.0	72.1
.1	77.9	39.3	42.0	21.2	142.7	71.9
.2	78.2	39.4	42.3	21.3	142.4	71.8
.3	78.5	39.6	42.6	21.5	142.1	71.6
.4	78.8	39.7	42.9	21.6	141.8	71.5
.5	79.1	39.9	43.2	21.8	141.5	71.3
.6	79.4	40.0	43.5	21.9	141.2	71.2
.7	79.7	40.2	43.8	22.1	140.9	71.0
.8	80.0	40.3	44.1	22.2	140.6	70.9
.9	80.3	40.5	44.4	22.4	140.3	70.7
690.0	80.6	40.6	44.7	22.5	140.0	70.6
.1	80.9	40.8	45.0	22.7	139.7	70.4
.2	81.3	41.0	45.4	22.9	139.3	70.2
.3	81.6	41.2	45.7	23.1	139.0	70.1
.4	82.0	41.3	46.1	23.2	138.6	69.9
.5	82.3	41.5	46.4	23.4	138.3	69.7
.6	82.7	41.7	46.8	23.6	137.9	69.5
.7	83.0	41.9	47.1	23.8	137.6	69.4
.8	83.4	42.0	47.5	23.9	137.2	69.2
.9	83.7	42.2	47.8	24.1	136.9	69.0
691.0	84.1	42.4	48.2	24.3	136.5	68.8
.1	84.4	42.6	48.5	24.5	136.2	68.7
.2	84.8	42.7	48.9	24.6	135.8	68.5
.3	85.1	42.9	49.2	24.8	135.5	68.3
.4	85.5	43.1	49.6	25.0	135.1	68.1
.5	85.8	43.3	49.9	25.2	134.8	68.0
.6	86.2	43.4	50.3	25.3	134.4	67.8
.7	86.5	43.6	50.6	25.5	134.1	67.6
.8	86.8	43.8	50.9	25.7	133.8	67.4
.9	87.2	44.0	51.3	25.9	133.4	67.3
692.0	87.5	44.1	51.6	26.0	133.1	67.1
.1	87.9	44.3	52.0	26.2	132.7	66.9
.2	88.2	44.5	52.3	26.4	132.4	66.7
.3	88.6	44.7	52.7	26.6	132.0	66.6
.4	88.9	44.8	53.0	26.7	131.7	66.4
.5	89.3	45.0	53.4	26.9	131.3	66.2
.6	89.6	45.2	53.7	27.1	131.0	66.0
.7	90.0	45.4	54.1	27.3	130.6	65.9
.8	90.3	45.5	54.4	27.4	130.3	65.7
.9	90.7	45.7	54.8	27.6	129.9	65.5
693.0	91.0	45.9	55.1	27.8	129.6	65.3
.1	91.4	46.1	55.5	28.0	129.2	65.2
.2	91.7	46.2	55.8	28.1	128.9	65.0
.3	92.1	46.4	56.2	28.3	128.5	64.8
.4	92.4	46.6	56.5	28.5	128.2	64.6
.5	92.7	46.8	56.8	28.7	127.9	64.5
.6	93.1	46.9	57.2	28.8	127.5	64.3
.7	93.4	47.1	57.5	29.0	127.2	64.1
.8	93.8	47.3	57.9	29.2	126.8	63.9
.9	94.1	47.5	58.2	29.4	126.5	63.8

Reservoir Storage Tables

UPPER BAKER

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
694.0	94.5	47.6	58.6	29.5	126.1	63.6
.1	94.8	47.8	58.9	29.7	125.8	63.4
.2	95.2	48.0	59.3	29.9	125.4	63.2
.3	95.5	48.2	59.6	30.1	125.1	63.1
.4	95.9	48.3	60.0	30.2	124.7	62.9
.5	96.2	48.5	60.3	30.4	124.4	62.7
.6	96.6	48.7	60.7	30.6	124.0	62.5
.7	96.9	48.9	61.0	30.8	123.7	62.4
.8	97.3	49.0	61.4	30.9	123.3	62.2
.9	97.6	49.2	61.7	31.1	123.0	62.0
695.0	97.9	49.4	62.0	31.3	122.7	61.8
.1	98.3	49.6	62.4	31.5	122.3	61.7
.2	98.6	49.7	62.7	31.6	122.0	61.5
.3	99.0	49.9	63.1	31.8	121.6	61.3
.4	99.3	50.1	63.4	32.0	121.3	61.1
.5	99.7	50.3	63.8	32.2	120.9	61.0
.6	100.0	50.4	64.1	32.3	120.6	60.8
.7	100.4	50.6	64.5	32.5	120.2	60.6
.8	100.7	50.8	64.8	32.7	119.9	60.4
.9	101.1	51.0	65.2	32.9	119.5	60.3
696.0	101.4	51.1	65.5	33.0	119.2	60.1
.1	101.8	51.3	65.9	33.2	118.8	59.9
.2	102.1	51.5	66.2	33.4	118.5	59.7
.3	102.5	51.7	66.6	33.6	118.1	59.6
.4	102.8	51.8	66.9	33.7	117.8	59.4
.5	103.2	52.0	67.3	33.9	117.4	59.2
.6	103.5	52.2	67.6	34.1	117.1	59.0
.7	103.8	52.4	67.9	34.3	116.8	58.9
.8	104.2	52.5	68.3	34.4	116.4	58.7
.9	104.5	52.7	68.6	34.6	116.1	58.5
697.0	104.9	52.9	69.0	34.8	115.7	58.3
.1	105.2	53.1	69.3	35.0	115.4	58.2
.2	105.6	53.2	69.7	35.1	115.0	58.0
.3	105.9	53.4	70.0	35.3	114.7	57.8
.4	106.3	53.6	70.4	35.5	114.3	57.6
.5	106.6	53.8	70.7	35.7	114.0	57.5
.6	107.0	53.9	71.1	35.8	113.6	57.3
.7	107.3	54.1	71.4	36.0	113.3	57.1
.8	107.7	54.3	71.8	36.2	112.9	56.9
.9	108.0	54.5	72.1	36.4	112.6	56.8
698.0	108.4	54.6	72.5	36.5	112.2	56.6
.1	108.7	54.8	72.8	36.7	111.9	56.4
.2	109.1	55.0	73.2	36.9	111.5	56.2
.3	109.4	55.2	73.5	37.1	111.2	56.1
.4	109.7	55.3	73.8	37.2	110.9	55.9
.5	110.1	55.5	74.2	37.4	110.5	55.7
.6	110.4	55.7	74.5	37.6	110.2	55.5
.7	110.8	55.9	74.9	37.8	109.8	55.4
.8	111.1	56.0	75.2	37.9	109.5	55.2
.9	111.5	56.2	75.6	38.1	109.1	55.0

UPPER BAKER

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
699.0	111.8	56.4	75.9	38.3	108.8	54.8
.1	112.2	56.6	76.3	38.5	108.4	54.7
.2	112.5	56.7	76.6	38.6	108.1	54.5
.3	112.9	56.9	77.0	38.8	107.7	54.3
.4	113.2	57.1	77.3	39.0	107.4	54.1
.5	113.6	57.3	77.7	39.2	107.0	54.0
.6	113.9	57.4	78.0	39.3	106.7	53.8
.7	114.3	57.6	78.4	39.5	106.3	53.6
.8	114.6	57.8	78.7	39.7	106.0	53.4
.9	115.0	58.0	79.1	39.9	105.6	53.3
700.0	115.3	58.1	79.4	40.0	105.3	53.1
.1	115.7	58.3	79.8	40.2	104.9	52.9
.2	116.1	58.5	80.2	40.4	104.5	52.7
.3	116.5	58.7	80.6	40.6	104.1	52.5
.4	116.9	58.9	81.0	40.8	103.7	52.3
.5	117.3	59.1	81.4	41.0	103.3	52.1
.6	117.7	59.3	81.8	41.2	102.9	51.9
.7	118.1	59.5	82.2	41.4	102.5	51.7
.8	118.5	59.8	82.6	41.7	102.1	51.5
.9	118.9	60.0	83.0	41.9	101.7	51.3
701.0	119.3	60.2	83.4	42.1	101.3	51.1
.1	119.7	60.4	83.8	42.3	100.9	50.9
.2	120.1	60.6	84.2	42.5	100.5	50.7
.3	120.5	60.8	84.6	42.7	100.1	50.5
.4	120.9	61.0	85.0	42.9	99.7	50.3
.5	121.3	61.2	85.4	43.1	99.3	50.0
.6	121.7	61.4	85.8	43.3	98.9	49.8
.7	122.1	61.6	86.2	43.5	98.5	49.6
.8	122.5	61.8	86.6	43.7	98.1	49.4
.9	122.9	62.0	87.0	43.9	97.7	49.2
702.0	123.3	62.2	87.4	44.1	97.3	49.0
.1	123.7	62.4	87.8	44.3	96.9	48.8
.2	124.1	62.6	88.2	44.5	96.5	48.6
.3	124.5	62.8	88.6	44.7	96.1	48.4
.4	124.9	63.0	89.0	44.9	95.7	48.2
.5	125.3	63.2	89.4	45.1	95.3	48.0
.6	125.8	63.4	89.9	45.3	94.8	47.8
.7	126.2	63.6	90.3	45.5	94.4	47.6
.8	126.6	63.8	90.7	45.7	94.0	47.4
.9	127.0	64.0	91.1	45.9	93.6	47.2
703.0	127.4	64.2	91.5	46.1	93.2	47.0
.1	127.8	64.4	91.9	46.3	92.8	46.8
.2	128.2	64.6	92.3	46.5	92.4	46.6
.3	128.6	64.8	92.7	46.7	92.0	46.4
.4	129.0	65.0	93.1	46.9	91.6	46.2
.5	129.4	65.2	93.5	47.1	91.2	46.0
.6	129.8	65.4	93.9	47.3	90.8	45.8
.7	130.2	65.6	94.3	47.5	90.4	45.6
.8	130.6	65.8	94.7	47.7	90.0	45.4
.9	131.0	66.0	95.1	47.9	89.6	45.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
704.0	131.4	66.2	95.5	48.1	89.2	45.0
.1	131.8	66.4	95.9	48.3	88.8	44.8
.2	132.2	66.6	96.3	48.5	88.4	44.6
.3	132.6	66.8	96.7	48.7	88.0	44.4
.4	133.0	67.0	97.1	48.9	87.6	44.2
.5	133.4	67.3	97.5	49.2	87.2	44.0
.6	133.8	67.5	97.9	49.4	86.8	43.8
.7	134.2	67.7	98.3	49.6	86.4	43.6
.8	134.6	67.9	98.7	49.8	86.0	43.4
.9	135.0	68.1	99.1	50.0	85.6	43.2
705.0	135.4	68.3	99.5	50.2	85.2	43.0
.1	135.8	68.5	99.9	50.4	84.8	42.8
.2	136.2	68.7	100.3	50.6	84.4	42.5
.3	136.6	68.9	100.7	50.8	84.0	42.3
.4	137.0	69.1	101.1	51.0	83.6	42.1
.5	137.4	69.3	101.5	51.2	83.2	41.9
.6	137.8	69.5	101.9	51.4	82.8	41.7
.7	138.2	69.7	102.3	51.6	82.4	41.5
.8	138.6	69.9	102.7	51.8	82.0	41.3
.9	139.0	70.1	103.1	52.0	81.6	41.1
706.0	139.4	70.3	103.5	52.2	81.2	40.9
.1	139.8	70.5	103.9	52.4	80.8	40.7
.2	140.2	70.7	104.3	52.6	80.4	40.5
.3	140.6	70.9	104.7	52.8	80.0	40.3
.4	141.0	71.1	105.1	53.0	79.6	40.1
.5	141.4	71.3	105.5	53.2	79.2	39.9
.6	141.8	71.5	105.9	53.4	78.8	39.7
.7	142.2	71.7	106.3	53.6	78.4	39.5
.8	142.6	71.9	106.7	53.8	78.0	39.3
.9	143.0	72.1	107.1	54.0	77.6	39.1
707.0	143.4	72.3	107.5	54.2	77.2	38.9
.1	143.8	72.5	107.9	54.4	76.8	38.7
.2	144.2	72.7	108.3	54.6	76.4	38.5
.3	144.6	72.9	108.7	54.8	76.0	38.3
.4	145.0	73.1	109.1	55.0	75.6	38.1
.5	145.4	73.3	109.5	55.2	75.2	37.9
.6	145.9	73.5	110.0	55.4	74.7	37.7
.7	146.3	73.7	110.4	55.6	74.3	37.5
.8	146.7	73.9	110.8	55.8	73.9	37.3
.9	147.1	74.1	111.2	56.0	73.5	37.1
708.0	147.5	74.3	111.6	56.2	73.1	36.9
.1	147.9	74.5	112.0	56.4	72.7	36.7
.2	148.3	74.7	112.4	56.7	72.3	36.5
.3	148.7	75.0	112.8	56.9	71.9	36.3
.4	149.1	75.2	113.2	57.1	71.5	36.1
.5	149.5	75.4	113.6	57.3	71.1	35.9
.6	149.9	75.6	114.0	57.5	70.7	35.7
.7	150.3	75.8	114.4	57.7	70.3	35.5
.8	150.7	76.0	114.8	57.9	69.9	35.3
.9	151.1	76.2	115.2	58.1	69.5	35.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
709.0	151.5	76.4	115.6	58.3	69.1	34.8
.1	151.9	76.6	116.0	58.5	68.7	34.6
.2	152.3	76.8	116.4	58.7	68.3	34.4
.3	152.7	77.0	116.8	58.9	67.9	34.2
.4	153.1	77.2	117.2	59.1	67.5	34.0
.5	153.5	77.4	117.6	59.3	67.1	33.8
.6	153.9	77.6	118.0	59.5	66.7	33.6
.7	154.3	77.8	118.4	59.7	66.3	33.4
.8	154.7	78.0	118.8	59.9	65.9	33.2
.9	155.1	78.2	119.2	60.1	65.5	33.0
710.0	155.5	78.4	119.6	60.3	65.1	32.8
.1	156.0	78.6	120.1	60.5	64.6	32.6
.2	156.4	78.9	120.5	60.8	64.2	32.4
.3	156.9	79.1	121.0	61.0	63.7	32.1
.4	157.4	79.3	121.5	61.2	63.2	31.9
.5	157.8	79.6	121.9	61.5	62.8	31.6
.6	158.3	79.8	122.4	61.7	62.3	31.4
.7	158.8	80.0	122.9	61.9	61.8	31.2
.8	159.2	80.3	123.3	62.2	61.4	30.9
.9	159.7	80.5	123.8	62.4	60.9	30.7
711.0	160.1	80.7	124.2	62.6	60.5	30.5
.1	160.6	81.0	124.7	62.9	60.0	30.2
.2	161.1	81.2	125.2	63.1	59.5	30.0
.3	161.5	81.4	125.6	63.3	59.1	29.8
.4	162.0	81.7	126.1	63.6	58.6	29.5
.5	162.5	81.9	126.6	63.8	58.1	29.3
.6	162.9	82.1	127.0	64.0	57.7	29.1
.7	163.4	82.4	127.5	64.3	57.2	28.8
.8	163.9	82.6	128.0	64.5	56.7	28.6
.9	164.3	82.9	128.4	64.8	56.3	28.4
712.0	164.8	83.1	128.9	65.0	55.8	28.1
.1	165.3	83.3	129.4	65.2	55.3	27.9
.2	165.7	83.6	129.8	65.5	54.9	27.7
.3	166.2	83.8	130.3	65.7	54.4	27.4
.4	166.7	84.0	130.8	65.9	53.9	27.2
.5	167.1	84.3	131.2	66.2	53.5	27.0
.6	167.6	84.5	131.7	66.4	53.0	26.7
.7	168.1	84.7	132.2	66.6	52.5	26.5
.8	168.5	85.0	132.6	66.9	52.1	26.3
.9	169.0	85.2	133.1	67.1	51.6	26.0
713.0	169.4	85.4	133.6	67.3	51.2	25.8
.1	169.9	85.7	134.0	67.6	50.7	25.6
.2	170.4	85.9	134.5	67.8	50.2	25.3
.3	170.8	86.1	134.9	68.0	49.8	25.1
.4	171.3	86.4	135.4	68.3	49.3	24.9
.5	171.8	86.6	135.9	68.5	48.8	24.6
.6	172.2	86.8	136.3	68.7	48.4	24.4
.7	172.7	87.1	136.8	69.0	47.9	24.1
.8	173.2	87.3	137.3	69.2	47.4	23.9
.9	173.6	87.5	137.7	69.4	47.0	23.7

Reservoir Storage Tables

PAGE 9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
714.0	174.1	87.8	138.2	69.7	46.5	23.4
.1	174.6	88.0	138.7	69.9	46.0	23.2
.2	175.0	88.2	139.1	70.1	45.6	23.0
.3	175.5	88.5	139.6	70.4	45.1	22.7
.4	176.0	88.7	140.1	70.6	44.6	22.5
.5	176.4	88.9	140.5	70.8	44.2	22.3
.6	176.9	89.2	141.0	71.1	43.7	22.0
.7	177.4	89.4	141.5	71.3	43.2	21.8
.8	177.8	89.7	141.9	71.6	42.8	21.6
.9	178.3	89.9	142.4	71.8	42.3	21.3
715.0	178.8	90.1	142.9	72.0	41.8	21.1
.1	179.2	90.4	143.3	72.3	41.4	20.9
.2	179.7	90.6	143.8	72.5	40.9	20.6
.3	180.1	90.8	144.2	72.7	40.5	20.4
.4	180.6	91.1	144.7	73.0	40.0	20.2
.5	181.1	91.3	145.2	73.2	39.5	19.9
.6	181.5	91.5	145.6	73.4	39.1	19.7
.7	182.0	91.8	146.1	73.7	38.6	19.5
.8	182.5	92.0	146.6	73.9	38.1	19.2
.9	182.9	92.2	147.0	74.1	37.7	19.0
716.0	183.4	92.5	147.5	74.4	37.2	18.8
.1	183.9	92.7	148.0	74.6	36.7	18.5
.2	184.3	92.9	148.4	74.8	36.3	18.3
.3	184.8	93.2	148.9	75.1	35.8	18.1
.4	185.3	93.4	149.4	75.3	35.3	17.8
.5	185.7	93.6	149.8	75.5	34.9	17.6
.6	186.2	93.9	150.3	75.8	34.4	17.3
.7	186.7	94.1	150.8	76.0	33.9	17.1
.8	187.1	94.3	151.2	76.2	33.5	16.9
.9	187.6	94.6	151.7	76.5	33.0	16.6
717.0	188.1	94.8	152.2	76.7	32.5	16.4
.1	188.5	95.0	152.6	76.9	32.1	16.2
.2	189.0	95.3	153.1	77.2	31.6	15.9
.3	189.4	95.5	153.5	77.4	31.2	15.7
.4	189.9	95.7	154.0	77.6	30.7	15.5
.5	190.4	96.0	154.5	77.9	30.2	15.2
.6	190.8	96.2	154.9	78.1	29.8	15.0
.7	191.3	96.4	155.4	78.4	29.3	14.8
.8	191.8	96.7	155.9	78.6	28.8	14.5
.9	192.2	96.9	156.3	78.8	28.4	14.3
718.0	192.7	97.2	156.8	79.1	27.9	14.1
.1	193.2	97.4	157.3	79.3	27.4	13.8
.2	193.6	97.6	157.7	79.5	27.0	13.6
.3	194.1	97.9	158.2	79.8	26.5	13.4
.4	194.6	98.1	158.7	80.0	26.0	13.1
.5	195.0	98.3	159.1	80.2	25.6	12.9
.6	195.5	98.6	159.6	80.5	25.1	12.7
.7	196.0	98.8	160.1	80.7	24.6	12.4
.8	196.4	99.0	160.5	80.9	24.2	12.2
.9	196.9	99.3	161.0	81.2	23.7	12.0

PAGE 10

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
719.0	197.4	99.5	161.5	81.4	23.2	11.7
.1	197.8	99.7	161.9	81.6	22.8	11.5
.2	198.3	100.0	162.4	81.9	22.3	11.3
.3	198.7	100.2	162.8	82.1	21.9	11.0
.4	199.2	100.4	163.3	82.3	21.4	10.8
.5	199.7	100.7	163.8	82.6	20.9	10.5
.6	200.1	100.9	164.2	82.8	20.5	10.3
.7	200.6	101.1	164.7	83.0	20.0	10.1
.8	201.1	101.4	165.2	83.3	19.5	9.8
.9	201.5	101.6	165.6	83.5	19.1	9.6
720.0	202.0	101.8	166.1	83.7	18.6	9.4
.1	202.5	102.1	166.6	84.0	18.1	9.1
.2	202.9	102.3	167.0	84.2	17.7	8.9
.3	203.4	102.5	167.5	84.4	17.2	8.7
.4	203.9	102.8	168.0	84.7	16.7	8.4
.5	204.3	103.0	168.4	84.9	16.3	8.2
.6	204.8	103.2	168.9	85.1	15.8	8.0
.7	205.3	103.5	169.4	85.4	15.3	7.7
.8	205.7	103.7	169.8	85.6	14.9	7.5
.9	206.2	104.0	170.3	85.9	14.4	7.3
721.0	206.6	104.2	170.8	86.1	14.0	7.0
.1	207.1	104.4	171.2	86.3	13.5	6.8
.2	207.6	104.7	171.7	86.6	13.0	6.6
.3	208.0	104.9	172.1	86.8	12.6	6.3
.4	208.5	105.1	172.6	87.0	12.1	6.1
.5	209.0	105.4	173.1	87.3	11.6	5.9
.6	209.4	105.6	173.5	87.5	11.2	5.6
.7	209.9	105.8	174.0	87.7	10.7	5.4
.8	210.4	106.1	174.5	88.0	10.2	5.2
.9	210.8	106.3	174.9	88.2	9.8	4.9
722.0	211.3	106.5	175.4	88.4	9.3	4.7
.1	211.8	106.8	175.9	88.7	8.8	4.5
.2	212.2	107.0	176.3	88.9	8.4	4.2
.3	212.7	107.2	176.8	89.1	7.9	4.0
.4	213.2	107.5	177.3	89.4	7.4	3.8
.5	213.6	107.7	177.7	89.6	7.0	3.5
.6	214.1	107.9	178.2	89.8	6.5	3.3
.7	214.6	108.2	178.7	90.1	6.0	3.0
.8	215.0	108.4	179.1	90.3	5.6	2.8
.9	215.5	108.6	179.6	90.5	5.1	2.6
723.0	215.9	108.9	180.1	90.8	4.7	2.3
.1	216.4	109.1	180.5	91.0	4.2	2.1
.2	216.9	109.3	181.0	91.2	3.7	1.9
.3	217.3	109.6	181.4	91.5	3.3	1.6
.4	217.8	109.8	181.9	91.7	2.8	1.4
.5	218.3	110.0	182.4	91.9	2.3	1.2
.6	218.7	110.3	182.8	92.2	1.9	0.9
.7	219.2	110.5	183.3	92.4	1.4	0.7
.8	219.7	110.8	183.8	92.7	0.9	0.5
.9	220.1	111.0	184.2	92.9	0.5	0.2

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
724.0	SUB	220.6	111.2	184.7	93.1	0.0	0.0
.1		221.1	111.5				
.2		221.5	111.7				
.3		222.0	111.9				
.4		222.5	112.2				
.5		222.9	112.4				
.6		223.4	112.6				
.7		223.9	112.9				
.8		224.3	113.1				
.9		224.8	113.3				
725.0		225.3	113.6				

Upper Baker

219

Reservoir Storage Tables

PROJECT NAME: LOWER BAKER

PROJECT NUMBER: 154

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) = 142.40 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
355.0 SLB	0.0	0.0	0.0	0.0	142.4	71.8
.1	0.1	0.1	0.1	0.1	142.3	71.7
.2	0.3	0.1	0.3	0.1	142.1	71.7
.3	0.4	0.2	0.4	0.2	142.0	71.6
.4	0.5	0.3	0.5	0.3	141.9	71.5
.5	0.7	0.3	0.7	0.3	141.7	71.5
.6	0.8	0.4	0.8	0.4	141.6	71.4
.7	0.9	0.5	0.9	0.5	141.5	71.3
.8	1.0	0.5	1.0	0.5	141.4	71.3
.9	1.2	0.6	1.2	0.6	141.2	71.2
356.0	1.3	0.7	1.3	0.7	141.1	71.1
.1	1.4	0.7	1.4	0.7	141.0	71.1
.2	1.6	0.8	1.6	0.8	140.8	71.0
.3	1.7	0.9	1.7	0.9	140.7	70.9
.4	1.8	0.9	1.8	0.9	140.6	70.9
.5	2.0	1.0	2.0	1.0	140.4	70.8
.6	2.1	1.1	2.1	1.1	140.3	70.7
.7	2.2	1.1	2.2	1.1	140.2	70.7
.8	2.4	1.2	2.4	1.2	140.0	70.6
.9	2.5	1.3	2.5	1.3	139.9	70.5
357.0	2.6	1.3	2.6	1.3	139.8	70.5
.1	2.8	1.4	2.8	1.4	139.6	70.4
.2	2.9	1.5	2.9	1.5	139.5	70.3
.3	3.0	1.5	3.0	1.5	139.4	70.3
.4	3.1	1.6	3.1	1.6	139.3	70.2
.5	3.3	1.7	3.3	1.7	139.1	70.1
.6	3.4	1.7	3.4	1.7	139.0	70.1
.7	3.5	1.8	3.5	1.8	138.9	70.0
.8	3.7	1.8	3.7	1.8	138.7	69.9
.9	3.8	1.9	3.8	1.9	138.6	69.9
358.0	3.9	2.0	3.9	2.0	138.5	69.8
.1	4.1	2.0	4.1	2.0	138.3	69.7
.2	4.2	2.1	4.2	2.1	138.2	69.7
.3	4.3	2.2	4.3	2.2	138.1	69.6
.4	4.5	2.2	4.5	2.2	137.9	69.5
.5	4.6	2.3	4.6	2.3	137.8	69.5
.6	4.7	2.4	4.7	2.4	137.7	69.4
.7	4.8	2.4	4.8	2.4	137.6	69.3
.8	5.0	2.5	5.0	2.5	137.4	69.3
.9	5.1	2.6	5.1	2.6	137.3	69.2
359.0	5.2	2.6	5.2	2.6	137.2	69.2
.1	5.4	2.7	5.4	2.7	137.0	69.1
.2	5.5	2.8	5.5	2.8	136.9	69.0
.3	5.6	2.8	5.6	2.8	136.8	69.0
.4	5.8	2.9	5.8	2.9	136.6	68.9
.5	5.9	3.0	5.9	3.0	136.5	68.8
.6	6.0	3.0	6.0	3.0	136.4	68.8
.7	6.2	3.1	6.2	3.1	136.2	68.7
.8	6.3	3.2	6.3	3.2	136.1	68.6
.9	6.4	3.2	6.4	3.2	136.0	68.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
360.0	6.6	3.3	6.6	3.3	135.9	68.5
.1	6.7	3.4	6.7	3.4	135.7	68.4
.2	6.8	3.4	6.8	3.4	135.6	68.4
.3	6.9	3.5	6.9	3.5	135.5	68.3
.4	7.1	3.6	7.1	3.6	135.3	68.2
.5	7.2	3.6	7.2	3.6	135.2	68.2
.6	7.3	3.7	7.3	3.7	135.1	68.1
.7	7.5	3.8	7.5	3.8	134.9	68.0
.8	7.6	3.8	7.6	3.8	134.8	68.0
.9	7.7	3.9	7.7	3.9	134.7	67.9
361.0	7.9	4.0	7.9	4.0	134.5	67.8
.1	8.0	4.0	8.0	4.0	134.4	67.8
.2	8.1	4.1	8.1	4.1	134.3	67.7
.3	8.3	4.2	8.3	4.2	134.1	67.6
.4	8.4	4.2	8.4	4.2	134.0	67.6
.5	8.5	4.3	8.5	4.3	133.9	67.5
.6	8.6	4.4	8.6	4.4	133.8	67.4
.7	8.8	4.4	8.8	4.4	133.6	67.4
.8	8.9	4.5	8.9	4.5	133.5	67.3
.9	9.0	4.6	9.0	4.6	133.4	67.2
362.0	9.2	4.6	9.2	4.6	133.2	67.2
.1	9.3	4.7	9.3	4.7	133.1	67.1
.2	9.4	4.8	9.4	4.8	133.0	67.0
.3	9.6	4.8	9.6	4.8	132.8	67.0
.4	9.7	4.9	9.7	4.9	132.7	66.9
.5	9.8	5.0	9.8	5.0	132.6	66.8
.6	10.0	5.0	10.0	5.0	132.4	66.8
.7	10.1	5.1	10.1	5.1	132.3	66.7
.8	10.2	5.2	10.2	5.2	132.2	66.6
.9	10.3	5.2	10.3	5.2	132.1	66.6
363.0	10.5	5.3	10.5	5.3	131.9	66.5
.1	10.6	5.3	10.6	5.3	131.8	66.4
.2	10.7	5.4	10.7	5.4	131.7	66.4
.3	10.9	5.5	10.9	5.5	131.5	66.3
.4	11.0	5.5	11.0	5.5	131.4	66.2
.5	11.1	5.6	11.1	5.6	131.3	66.2
.6	11.3	5.7	11.3	5.7	131.1	66.1
.7	11.4	5.7	11.4	5.7	131.0	66.0
.8	11.5	5.8	11.5	5.8	130.9	66.0
.9	11.7	5.9	11.7	5.9	130.7	65.9
364.0	11.8	5.9	11.8	5.9	130.6	65.8
.1	11.9	6.0	11.9	6.0	130.5	65.8
.2	12.1	6.1	12.1	6.1	130.3	65.7
.3	12.2	6.1	12.2	6.1	130.2	65.7
.4	12.3	6.2	12.3	6.2	130.1	65.6
.5	12.4	6.3	12.4	6.3	130.0	65.5
.6	12.6	6.3	12.6	6.3	129.8	65.5
.7	12.7	6.4	12.7	6.4	129.7	65.4
.8	12.8	6.5	12.8	6.5	129.6	65.3
.9	13.0	6.5	13.0	6.5	129.4	65.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
365.0	13.1	6.6	13.1	6.6	129.3	65.2
.1	13.2	6.7	13.2	6.7	129.2	65.1
.2	13.4	6.7	13.4	6.7	129.0	65.0
.3	13.5	6.8	13.5	6.8	128.9	65.0
.4	13.7	6.9	13.7	6.9	128.7	64.9
.5	13.8	7.0	13.8	7.0	128.6	64.8
.6	13.9	7.0	13.9	7.0	128.5	64.8
.7	14.1	7.1	14.1	7.1	128.3	64.7
.8	14.2	7.2	14.2	7.2	128.2	64.6
.9	14.4	7.2	14.4	7.2	128.0	64.5
366.0	14.5	7.3	14.5	7.3	127.9	64.5
.1	14.7	7.4	14.7	7.4	127.7	64.4
.2	14.8	7.5	14.8	7.5	127.6	64.3
.3	14.9	7.5	14.9	7.5	127.5	64.3
.4	15.1	7.6	15.1	7.6	127.3	64.2
.5	15.2	7.7	15.2	7.7	127.2	64.1
.6	15.4	7.7	15.4	7.7	127.0	64.1
.7	15.5	7.8	15.5	7.8	126.9	64.0
.8	15.6	7.9	15.6	7.9	126.8	63.9
.9	15.8	8.0	15.8	8.0	126.6	63.8
367.0	15.9	8.0	15.9	8.0	126.5	63.8
.1	16.1	8.1	16.1	8.1	126.3	63.7
.2	16.2	8.2	16.2	8.2	126.2	63.6
.3	16.3	8.2	16.3	8.2	126.1	63.6
.4	16.5	8.3	16.5	8.3	125.9	63.5
.5	16.6	8.4	16.6	8.4	125.8	63.4
.6	16.8	8.5	16.8	8.5	125.6	63.3
.7	16.9	8.5	16.9	8.5	125.5	63.3
.8	17.0	8.6	17.0	8.6	125.4	63.2
.9	17.2	8.7	17.2	8.7	125.2	63.1
368.0	17.3	8.7	17.3	8.7	125.1	63.1
.1	17.5	8.8	17.5	8.8	124.9	63.0
.2	17.6	8.9	17.6	8.9	124.8	62.9
.3	17.8	9.0	17.8	9.0	124.6	62.8
.4	17.9	9.0	17.9	9.0	124.5	62.8
.5	18.0	9.1	18.0	9.1	124.4	62.7
.6	18.2	9.2	18.2	9.2	124.2	62.6
.7	18.3	9.2	18.3	9.2	124.1	62.6
.8	18.5	9.3	18.5	9.3	123.9	62.5
.9	18.6	9.4	18.6	9.4	123.8	62.4
369.0	18.7	9.4	18.7	9.4	123.7	62.3
.1	18.9	9.5	18.9	9.5	123.5	62.3
.2	19.0	9.6	19.0	9.6	123.4	62.2
.3	19.2	9.7	19.2	9.7	123.2	62.1
.4	19.3	9.7	19.3	9.7	123.1	62.1
.5	19.4	9.8	19.4	9.8	123.0	62.0
.6	19.6	9.9	19.6	9.9	122.8	61.9
.7	19.7	9.9	19.7	9.9	122.7	61.8
.8	19.9	10.0	19.9	10.0	122.5	61.8
.9	20.0	10.1	20.0	10.1	122.4	61.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
370.0	20.1	10.2	20.1	10.2	122.3	61.6
.1	20.3	10.2	20.3	10.2	122.1	61.6
.2	20.4	10.3	20.4	10.3	122.0	61.5
.3	20.6	10.4	20.6	10.4	121.8	61.4
.4	20.7	10.4	20.7	10.4	121.7	61.4
.5	20.9	10.5	20.9	10.5	121.5	61.3
.6	21.0	10.6	21.0	10.6	121.4	61.2
.7	21.1	10.7	21.1	10.7	121.3	61.1
.8	21.3	10.7	21.3	10.7	121.1	61.1
.9	21.4	10.8	21.4	10.8	121.0	61.0
371.0	21.6	10.9	21.6	10.9	120.8	60.9
.1	21.7	10.9	21.7	10.9	120.7	60.9
.2	21.8	11.0	21.8	11.0	120.6	60.8
.3	22.0	11.1	22.0	11.1	120.4	60.7
.4	22.1	11.2	22.1	11.2	120.3	60.6
.5	22.3	11.2	22.3	11.2	120.1	60.6
.6	22.4	11.3	22.4	11.3	120.0	60.5
.7	22.5	11.4	22.5	11.4	119.9	60.4
.8	22.7	11.4	22.7	11.4	119.7	60.4
.9	22.8	11.5	22.8	11.5	119.6	60.3
372.0	23.0	11.6	23.0	11.6	119.4	60.2
.1	23.1	11.7	23.1	11.7	119.3	60.1
.2	23.3	11.7	23.3	11.7	119.1	60.1
.3	23.4	11.8	23.4	11.8	119.0	60.0
.4	23.5	11.9	23.5	11.9	118.9	59.9
.5	23.7	11.9	23.7	11.9	118.7	59.9
.6	23.8	12.0	23.8	12.0	118.6	59.8
.7	24.0	12.1	24.0	12.1	118.4	59.7
.8	24.1	12.1	24.1	12.1	118.3	59.6
.9	24.2	12.2	24.2	12.2	118.2	59.6
373.0	24.4	12.3	24.4	12.3	118.0	59.5
.1	24.5	12.4	24.5	12.4	117.9	59.4
.2	24.7	12.4	24.7	12.4	117.7	59.4
.3	24.8	12.5	24.8	12.5	117.6	59.3
.4	24.9	12.6	24.9	12.6	117.5	59.2
.5	25.1	12.6	25.1	12.6	117.3	59.1
.6	25.2	12.7	25.2	12.7	117.2	59.1
.7	25.4	12.8	25.4	12.8	117.0	59.0
.8	25.5	12.9	25.5	12.9	116.9	58.9
.9	25.6	12.9	25.6	12.9	116.8	58.9
374.0	25.8	13.0	25.8	13.0	116.6	58.8
.1	25.9	13.1	25.9	13.1	116.5	58.7
.2	26.1	13.1	26.1	13.1	116.3	58.6
.3	26.2	13.2	26.2	13.2	116.2	58.6
.4	26.4	13.3	26.4	13.3	116.0	58.5
.5	26.5	13.4	26.5	13.4	115.9	58.4
.6	26.6	13.4	26.6	13.4	115.8	58.4
.7	26.8	13.5	26.8	13.5	115.6	58.3
.8	26.9	13.6	26.9	13.6	115.5	58.2
.9	27.1	13.6	27.1	13.6	115.3	58.2

Reservoir Storage Tables

PAGE 5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
375.0	27.2	13.7	27.2	13.7	115.2	58.1
.1	27.4	13.8	27.4	13.8	115.0	58.0
.2	27.5	13.9	27.5	13.9	114.9	57.9
.3	27.7	13.9	27.7	13.9	114.7	57.9
.4	27.8	14.0	27.8	14.0	114.6	57.8
.5	28.0	14.1	28.0	14.1	114.4	57.7
.6	28.1	14.2	28.1	14.2	114.3	57.6
.7	28.3	14.2	28.3	14.2	114.1	57.5
.8	28.4	14.3	28.4	14.3	114.0	57.5
.9	28.6	14.4	28.6	14.4	113.8	57.4
376.0	28.7	14.5	28.7	14.5	113.7	57.3
.1	28.9	14.6	28.9	14.6	113.5	57.2
.2	29.0	14.6	29.0	14.6	113.4	57.2
.3	29.2	14.7	29.2	14.7	113.2	57.1
.4	29.3	14.8	29.3	14.8	113.1	57.0
.5	29.5	14.9	29.5	14.9	112.9	56.9
.6	29.6	14.9	29.6	14.9	112.8	56.9
.7	29.8	15.0	29.8	15.0	112.6	56.8
.8	29.9	15.1	29.9	15.1	112.5	56.7
.9	30.1	15.2	30.1	15.2	112.3	56.6
377.0	30.2	15.2	30.2	15.2	112.2	56.5
.1	30.4	15.3	30.4	15.3	112.0	56.5
.2	30.5	15.4	30.5	15.4	111.9	56.4
.3	30.7	15.5	30.7	15.5	111.7	56.3
.4	30.8	15.6	30.8	15.6	111.6	56.2
.5	31.0	15.6	31.0	15.6	111.4	56.2
.6	31.2	15.7	31.2	15.7	111.2	56.1
.7	31.3	15.8	31.3	15.8	111.1	56.0
.8	31.5	15.9	31.5	15.9	110.9	55.9
.9	31.6	15.9	31.6	15.9	110.8	55.9
378.0	31.8	16.0	31.8	16.0	110.6	55.8
.1	31.9	16.1	31.9	16.1	110.5	55.7
.2	32.1	16.2	32.1	16.2	110.3	55.6
.3	32.2	16.2	32.2	16.2	110.2	55.6
.4	32.4	16.3	32.4	16.3	110.0	55.5
.5	32.5	16.4	32.5	16.4	109.9	55.4
.6	32.7	16.5	32.7	16.5	109.7	55.3
.7	32.8	16.5	32.8	16.5	109.6	55.2
.8	33.0	16.6	33.0	16.6	109.4	55.2
.9	33.1	16.7	33.1	16.7	109.3	55.1
379.0	33.3	16.8	33.3	16.8	109.1	55.0
.1	33.4	16.9	33.4	16.9	109.0	54.9
.2	33.6	16.9	33.6	16.9	108.8	54.9
.3	33.7	17.0	33.7	17.0	108.7	54.8
.4	33.9	17.1	33.9	17.1	108.5	54.7
.5	34.0	17.2	34.0	17.2	108.4	54.6
.6	34.2	17.2	34.2	17.2	108.2	54.6
.7	34.3	17.3	34.3	17.3	108.1	54.5
.8	34.5	17.4	34.5	17.4	107.9	54.4
.9	34.6	17.5	34.6	17.5	107.8	54.3

PAGE 6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
380.0	34.8	17.5	34.8	17.5	107.6	54.2
.1	35.0	17.6	35.0	17.6	107.4	54.2
.2	35.1	17.7	35.1	17.7	107.3	54.1
.3	35.3	17.8	35.3	17.8	107.1	54.0
.4	35.4	17.9	35.4	17.9	107.0	53.9
.5	35.6	17.9	35.6	17.9	106.8	53.9
.6	35.7	18.0	35.7	18.0	106.7	53.8
.7	35.9	18.1	35.9	18.1	106.5	53.7
.8	36.0	18.2	36.0	18.2	106.4	53.6
.9	36.2	18.2	36.2	18.2	106.2	53.6
381.0	36.3	18.3	36.3	18.3	106.1	53.5
.1	36.5	18.4	36.5	18.4	105.9	53.4
.2	36.6	18.5	36.6	18.5	105.8	53.3
.3	36.8	18.5	36.8	18.5	105.6	53.3
.4	36.9	18.6	36.9	18.6	105.5	53.2
.5	37.1	18.7	37.1	18.7	105.3	53.1
.6	37.2	18.8	37.2	18.8	105.2	53.0
.7	37.4	18.8	37.4	18.8	105.0	52.9
.8	37.5	18.9	37.5	18.9	104.9	52.9
.9	37.7	19.0	37.7	19.0	104.7	52.8
382.0	37.8	19.1	37.8	19.1	104.6	52.7
.1	38.0	19.2	38.0	19.2	104.4	52.6
.2	38.1	19.2	38.1	19.2	104.3	52.6
.3	38.3	19.3	38.3	19.3	104.1	52.5
.4	38.4	19.4	38.4	19.4	104.0	52.4
.5	38.6	19.5	38.6	19.5	103.8	52.3
.6	38.8	19.5	38.8	19.5	103.6	52.3
.7	38.9	19.6	38.9	19.6	103.5	52.2
.8	39.1	19.7	39.1	19.7	103.3	52.1
.9	39.2	19.8	39.2	19.8	103.2	52.0
383.0	39.4	19.8	39.4	19.8	103.0	51.9
.1	39.5	19.9	39.5	19.9	102.9	51.9
.2	39.7	20.0	39.7	20.0	102.7	51.8
.3	39.8	20.1	39.8	20.1	102.6	51.7
.4	40.0	20.2	40.0	20.2	102.4	51.6
.5	40.1	20.2	40.1	20.2	102.3	51.6
.6	40.3	20.3	40.3	20.3	102.1	51.5
.7	40.4	20.4	40.4	20.4	102.0	51.4
.8	40.6	20.5	40.6	20.5	101.8	51.3
.9	40.7	20.5	40.7	20.5	101.7	51.3
384.0	40.9	20.6	40.9	20.6	101.5	51.2
.1	41.0	20.7	41.0	20.7	101.4	51.1
.2	41.2	20.8	41.2	20.8	101.2	51.0
.3	41.3	20.8	41.3	20.8	101.1	51.0
.4	41.5	20.9	41.5	20.9	100.8	50.9
.5	41.6	21.0	41.6	21.0	100.8	50.8
.6	41.8	21.1	41.8	21.1	100.6	50.7
.7	41.9	21.1	41.9	21.1	100.5	50.6
.8	42.1	21.2	42.1	21.2	100.3	50.6
.9	42.2	21.3	42.2	21.3	100.2	50.5

CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
385.0	42.4	21.4	42.4	21.4	100.0	50.4
.1	42.6	21.5	42.6	21.5	99.8	50.3
.2	42.7	21.5	42.7	21.5	99.7	50.2
.3	42.9	21.6	42.9	21.6	99.5	50.2
.4	43.1	21.7	43.1	21.7	99.3	50.1
.5	43.2	21.8	43.2	21.8	99.2	50.0
.6	43.4	21.9	43.4	21.9	99.0	49.9
.7	43.6	22.0	43.6	22.0	98.8	49.8
.8	43.7	22.0	43.7	22.0	98.7	49.7
.9	43.9	22.1	43.9	22.1	98.5	49.7
386.0	44.1	22.2	44.1	22.2	98.3	49.6
.1	44.2	22.3	44.2	22.3	98.2	49.5
.2	44.4	22.4	44.4	22.4	98.0	49.4
.3	44.5	22.5	44.5	22.5	97.9	49.3
.4	44.7	22.5	44.7	22.5	97.7	49.2
.5	44.9	22.6	44.9	22.6	97.5	49.2
.6	45.0	22.7	45.0	22.7	97.4	49.1
.7	45.2	22.8	45.2	22.8	97.2	49.0
.8	45.4	22.9	45.4	22.9	97.0	48.9
.9	45.5	23.0	45.5	23.0	96.9	48.8
387.0	45.7	23.0	45.7	23.0	96.7	48.7
.1	45.9	23.1	45.9	23.1	96.5	48.7
.2	46.0	23.2	46.0	23.2	96.4	48.6
.3	46.2	23.3	46.2	23.3	96.2	48.5
.4	46.4	23.4	46.4	23.4	96.0	48.4
.5	46.5	23.5	46.5	23.5	95.9	48.3
.6	46.7	23.5	46.7	23.5	95.7	48.2
.7	46.9	23.6	46.9	23.6	95.5	48.2
.8	47.0	23.7	47.0	23.7	95.4	48.1
.9	47.2	23.8	47.2	23.8	95.2	48.0
388.0	47.4	23.9	47.4	23.9	95.0	47.9
.1	47.5	24.0	47.5	24.0	94.9	47.8
.2	47.7	24.0	47.7	24.0	94.7	47.7
.3	47.9	24.1	47.9	24.1	94.5	47.7
.4	48.0	24.2	48.0	24.2	94.4	47.6
.5	48.2	24.3	48.2	24.3	94.2	47.5
.6	48.4	24.4	48.4	24.4	94.0	47.4
.7	48.5	24.5	48.5	24.5	93.9	47.3
.8	48.7	24.5	48.7	24.5	93.7	47.2
.9	48.8	24.6	48.8	24.6	93.6	47.2
389.0	49.0	24.7	49.0	24.7	93.4	47.1
.1	49.2	24.8	49.2	24.8	93.2	47.0
.2	49.3	24.9	49.3	24.9	93.1	46.9
.3	49.5	25.0	49.5	25.0	92.9	46.8
.4	49.7	25.0	49.7	25.0	92.7	46.7
.5	49.8	25.1	49.8	25.1	92.6	46.7
.6	50.0	25.2	50.0	25.2	92.4	46.6
.7	50.2	25.3	50.2	25.3	92.2	46.5
.8	50.3	25.4	50.3	25.4	92.1	46.4
.9	50.5	25.5	50.5	25.5	91.9	46.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
390.0	50.7	25.5	50.7	25.5	91.7	46.2
.1	50.8	25.6	50.8	25.6	91.6	46.2
.2	51.0	25.7	51.0	25.7	91.4	46.1
.3	51.2	25.8	51.2	25.8	91.2	46.0
.4	51.3	25.9	51.3	25.9	91.1	45.9
.5	51.5	26.0	51.5	26.0	90.9	45.8
.6	51.7	26.0	51.7	26.0	90.7	45.7
.7	51.8	26.1	51.8	26.1	90.6	45.7
.8	52.0	26.2	52.0	26.2	90.4	45.6
.9	52.2	26.3	52.2	26.3	90.2	45.5
391.0	52.3	26.4	52.3	26.4	90.1	45.4
.1	52.5	26.5	52.5	26.5	89.9	45.3
.2	52.7	26.5	52.7	26.5	89.7	45.2
.3	52.8	26.6	52.8	26.6	89.6	45.2
.4	53.0	26.7	53.0	26.7	89.4	45.1
.5	53.1	26.8	53.1	26.8	89.3	45.0
.6	53.3	26.9	53.3	26.9	89.1	44.9
.7	53.5	27.0	53.5	27.0	88.9	44.8
.8	53.6	27.0	53.6	27.0	88.8	44.7
.9	53.8	27.1	53.8	27.1	88.6	44.7
392.0	54.0	27.2	54.0	27.2	88.4	44.6
.1	54.1	27.3	54.1	27.3	88.3	44.5
.2	54.3	27.4	54.3	27.4	88.1	44.4
.3	54.5	27.5	54.5	27.5	87.9	44.3
.4	54.6	27.5	54.6	27.5	87.8	44.2
.5	54.8	27.6	54.8	27.6	87.6	44.2
.6	55.0	27.7	55.0	27.7	87.4	44.1
.7	55.1	27.8	55.1	27.8	87.3	44.0
.8	55.3	27.9	55.3	27.9	87.1	43.9
.9	55.5	28.0	55.5	28.0	86.9	43.8
393.0	55.6	28.0	55.6	28.0	86.8	43.7
.1	55.8	28.1	55.8	28.1	86.6	43.7
.2	56.0	28.2	56.0	28.2	86.4	43.6
.3	56.1	28.3	56.1	28.3	86.3	43.5
.4	56.3	28.4	56.3	28.4	86.1	43.4
.5	56.5	28.5	56.5	28.5	85.9	43.3
.6	56.6	28.5	56.6	28.5	85.8	43.2
.7	56.8	28.6	56.8	28.6	85.6	43.2
.8	56.9	28.7	56.9	28.7	85.5	43.1
.9	57.1	28.8	57.1	28.8	85.3	43.0
394.0	57.3	28.9	57.3	28.9	85.1	42.9
.1	57.4	29.0	57.4	29.0	85.0	42.8
.2	57.6	29.0	57.6	29.0	84.8	42.7
.3	57.8	29.1	57.8	29.1	84.6	42.7
.4	57.9	29.2	57.9	29.2	84.5	42.6
.5	58.1	29.3	58.1	29.3	84.3	42.5
.6	58.3	29.4	58.3	29.4	84.1	42.4
.7	58.4	29.5	58.4	29.5	84.0	42.3
.8	58.6	29.5	58.6	29.5	83.8	42.2
.9	58.8	29.6	58.8	29.6	83.6	42.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
395.0	58.9	29.7	58.9	29.7	83.5	42.1
.1	59.1	29.8	59.1	29.8	83.3	42.0
.2	59.3	29.9	59.3	29.9	83.1	41.9
.3	59.4	30.0	59.4	30.0	83.0	41.8
.4	59.6	30.0	59.6	30.0	82.8	41.7
.5	59.8	30.1	59.8	30.1	82.6	41.7
.6	59.9	30.2	59.9	30.2	82.5	41.6
.7	60.1	30.3	60.1	30.3	82.3	41.5
.8	60.3	30.4	60.3	30.4	82.1	41.4
.9	60.4	30.5	60.4	30.5	82.0	41.3
396.0	60.6	30.5	60.6	30.5	81.8	41.2
.1	60.8	30.6	60.8	30.6	81.6	41.2
.2	60.9	30.7	60.9	30.7	81.5	41.1
.3	61.1	30.8	61.1	30.8	81.3	41.0
.4	61.2	30.9	61.2	30.9	81.2	40.9
.5	61.4	31.0	61.4	31.0	81.0	40.8
.6	61.6	31.0	61.6	31.0	80.8	40.7
.7	61.7	31.1	61.7	31.1	80.7	40.7
.8	61.9	31.2	61.9	31.2	80.5	40.6
.9	62.1	31.3	62.1	31.3	80.3	40.5
397.0	62.2	31.4	62.2	31.4	80.2	40.4
.1	62.4	31.5	62.4	31.5	80.0	40.3
.2	62.6	31.5	62.6	31.5	79.8	40.2
.3	62.7	31.6	62.7	31.6	79.7	40.2
.4	62.9	31.7	62.9	31.7	79.5	40.1
.5	63.1	31.8	63.1	31.8	79.3	40.0
.6	63.2	31.9	63.2	31.9	79.2	39.9
.7	63.4	32.0	63.4	32.0	79.0	39.8
.8	63.6	32.0	63.6	32.0	78.8	39.7
.9	63.7	32.1	63.7	32.1	78.7	39.7
398.0	63.9	32.2	63.9	32.2	78.5	39.6
.1	64.1	32.3	64.1	32.3	78.3	39.5
.2	64.2	32.4	64.2	32.4	78.2	39.4
.3	64.4	32.5	64.4	32.5	78.0	39.3
.4	64.6	32.5	64.6	32.5	77.8	39.2
.5	64.7	32.6	64.7	32.6	77.7	39.2
.6	64.9	32.7	64.9	32.7	77.5	39.1
.7	65.1	32.8	65.1	32.8	77.3	39.0
.8	65.2	32.9	65.2	32.9	77.2	38.9
.9	65.4	33.0	65.4	33.0	77.0	38.8
399.0	65.5	33.0	65.5	33.0	76.9	38.7
.1	65.7	33.1	65.7	33.1	76.7	38.7
.2	65.9	33.2	65.9	33.2	76.5	38.6
.3	66.0	33.3	66.0	33.3	76.4	38.5
.4	66.2	33.4	66.2	33.4	76.2	38.4
.5	66.4	33.5	66.4	33.5	76.0	38.3
.6	66.5	33.5	66.5	33.5	75.9	38.2
.7	66.7	33.6	66.7	33.6	75.7	38.2
.8	66.9	33.7	66.9	33.7	75.5	38.1
.9	67.0	33.8	67.0	33.8	75.4	38.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
400.0	67.2	33.9	67.2	33.9	75.2	37.9
.1	67.4	34.0	67.4	34.0	75.0	37.8
.2	67.6	34.1	67.6	34.1	74.8	37.7
.3	67.7	34.2	67.7	34.2	74.7	37.6
.4	67.9	34.2	67.9	34.2	74.5	37.5
.5	68.1	34.3	68.1	34.3	74.3	37.5
.6	68.3	34.4	68.3	34.4	74.1	37.4
.7	68.5	34.5	68.5	34.5	73.9	37.3
.8	68.7	34.6	68.7	34.6	73.7	37.2
.9	68.8	34.7	68.8	34.7	73.6	37.1
401.0	69.0	34.8	69.0	34.8	73.4	37.0
.1	69.2	34.9	69.2	34.9	73.2	36.9
.2	69.4	35.0	69.4	35.0	73.0	36.8
.3	69.6	35.1	69.6	35.1	72.8	36.7
.4	69.8	35.2	69.8	35.2	72.6	36.6
.5	69.9	35.3	69.9	35.3	72.5	36.5
.6	70.1	35.4	70.1	35.4	72.3	36.4
.7	70.3	35.4	70.3	35.4	72.1	36.3
.8	70.5	35.5	70.5	35.5	71.9	36.3
.9	70.7	35.6	70.7	35.6	71.7	36.2
402.0	70.9	35.7	70.9	35.7	71.5	36.1
.1	71.0	35.8	71.0	35.8	71.4	36.0
.2	71.2	35.9	71.2	35.9	71.2	35.9
.3	71.4	36.0	71.4	36.0	71.0	35.8
.4	71.6	36.1	71.6	36.1	70.8	35.7
.5	71.8	36.2	71.8	36.2	70.6	35.6
.6	72.0	36.3	72.0	36.3	70.4	35.5
.7	72.1	36.4	72.1	36.4	70.3	35.4
.8	72.3	36.5	72.3	36.5	70.1	35.3
.9	72.5	36.6	72.5	36.6	69.9	35.2
403.0	72.7	36.6	72.7	36.6	69.7	35.1
.1	72.9	36.7	72.9	36.7	69.5	35.1
.2	73.1	36.8	73.1	36.8	69.3	35.0
.3	73.2	36.9	73.2	36.9	69.2	34.9
.4	73.4	37.0	73.4	37.0	69.0	34.8
.5	73.6	37.1	73.6	37.1	68.8	34.7
.6	73.8	37.2	73.8	37.2	68.6	34.6
.7	74.0	37.3	74.0	37.3	68.4	34.5
.8	74.2	37.4	74.2	37.4	68.2	34.4
.9	74.3	37.5	74.3	37.5	68.1	34.3
404.0	74.5	37.6	74.5	37.6	67.9	34.2
.1	74.7	37.7	74.7	37.7	67.7	34.1
.2	74.9	37.8	74.9	37.8	67.5	34.0
.3	75.1	37.8	75.1	37.8	67.3	33.9
.4	75.3	37.9	75.3	37.9	67.1	33.9
.5	75.4	38.0	75.4	38.0	67.0	33.8
.6	75.6	38.1	75.6	38.1	66.8	33.7
.7	75.8	38.2	75.8	38.2	66.6	33.6
.8	76.0	38.3	76.0	38.3	66.4	33.5
.9	76.2	38.4	76.2	38.4	66.2	33.4

Reservoir Storage Tables

PAGE 11

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
405.0	76.3	38.5	76.3	38.5	66.1	33.3
.1	76.5	38.6	76.5	38.6	65.9	33.2
.2	76.7	38.7	76.7	38.7	65.7	33.1
.3	76.9	38.8	76.9	38.8	65.5	33.0
.4	77.1	38.9	77.1	38.9	65.3	32.9
.5	77.3	39.0	77.3	39.0	65.1	32.8
.6	77.4	39.0	77.4	39.0	65.0	32.7
.7	77.6	39.1	77.6	39.1	64.8	32.7
.8	77.8	39.2	77.8	39.2	64.6	32.6
.9	78.0	39.3	78.0	39.3	64.4	32.5
406.0	78.2	39.4	78.2	39.4	64.2	32.4
.1	78.4	39.5	78.4	39.5	64.0	32.3
.2	78.5	39.6	78.5	39.6	63.9	32.2
.3	78.7	39.7	78.7	39.7	63.7	32.1
.4	78.9	39.8	78.9	39.8	63.5	32.0
.5	79.1	39.9	79.1	39.9	63.3	31.9
.6	79.3	40.0	79.3	40.0	63.1	31.8
.7	79.5	40.1	79.5	40.1	62.9	31.7
.8	79.6	40.2	79.6	40.2	62.8	31.6
.9	79.8	40.2	79.8	40.2	62.6	31.5
407.0	80.0	40.3	80.0	40.3	62.4	31.5
.1	80.2	40.4	80.2	40.4	62.2	31.4
.2	80.4	40.5	80.4	40.5	62.0	31.3
.3	80.6	40.6	80.6	40.6	61.8	31.2
.4	80.7	40.7	80.7	40.7	61.7	31.1
.5	80.9	40.8	80.9	40.8	61.5	31.0
.6	81.1	40.9	81.1	40.9	61.3	30.9
.7	81.3	41.0	81.3	41.0	61.1	30.8
.8	81.5	41.1	81.5	41.1	60.9	30.7
.9	81.7	41.2	81.7	41.2	60.7	30.6
408.0	81.8	41.3	81.8	41.3	60.6	30.5
.1	82.0	41.4	82.0	41.4	60.4	30.4
.2	82.2	41.4	82.2	41.4	60.2	30.3
.3	82.4	41.5	82.4	41.5	60.0	30.3
.4	82.6	41.6	82.6	41.6	59.8	30.2
.5	82.8	41.7	82.8	41.7	59.6	30.1
.6	82.9	41.8	82.9	41.8	59.5	30.0
.7	83.1	41.9	83.1	41.9	59.3	29.9
.8	83.3	42.0	83.3	42.0	59.1	29.8
.9	83.5	42.1	83.5	42.1	58.9	29.7
409.0	83.7	42.2	83.7	42.2	58.7	29.6
.1	83.9	42.3	83.9	42.3	58.5	29.5
.2	84.0	42.4	84.0	42.4	58.4	29.4
.3	84.2	42.5	84.2	42.5	58.2	29.3
.4	84.4	42.6	84.4	42.6	58.0	29.2
.5	84.6	42.6	84.6	42.6	57.8	29.1
.6	84.8	42.7	84.8	42.7	57.6	29.1
.7	85.0	42.8	85.0	42.8	57.4	29.0
.8	85.1	42.9	85.1	42.9	57.3	28.9
.9	85.3	43.0	85.3	43.0	57.1	28.8

PAGE 12

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
410.0	85.5	43.1	85.5	43.1	56.9	28.7
.1	85.7	43.2	85.7	43.2	56.7	28.6
.2	85.9	43.3	85.9	43.3	56.5	28.5
.3	86.0	43.4	86.0	43.4	56.4	28.4
.4	86.2	43.5	86.2	43.5	56.2	28.3
.5	86.4	43.6	86.4	43.6	56.0	28.2
.6	86.6	43.6	86.6	43.6	55.8	28.1
.7	86.7	43.7	86.7	43.7	55.7	28.1
.8	86.9	43.8	86.9	43.8	55.5	28.0
.9	87.1	43.9	87.1	43.9	55.3	27.9
411.0	87.3	44.0	87.3	44.0	55.1	27.8
.1	87.5	44.1	87.5	44.1	54.9	27.7
.2	87.6	44.2	87.6	44.2	54.8	27.6
.3	87.8	44.3	87.8	44.3	54.6	27.5
.4	88.0	44.4	88.0	44.4	54.4	27.4
.5	88.2	44.5	88.2	44.5	54.2	27.3
.6	88.3	44.5	88.3	44.5	54.1	27.3
.7	88.5	44.6	88.5	44.6	53.9	27.2
.8	88.7	44.7	88.7	44.7	53.7	27.1
.9	88.9	44.8	88.9	44.8	53.5	27.0
412.0	89.1	44.9	89.1	44.9	53.3	26.9
.1	89.2	45.0	89.2	45.0	53.2	26.8
.2	89.4	45.1	89.4	45.1	53.0	26.7
.3	89.6	45.2	89.6	45.2	52.8	26.6
.4	89.8	45.3	89.8	45.3	52.6	26.5
.5	89.9	45.3	89.9	45.3	52.5	26.4
.6	90.1	45.4	90.1	45.4	52.3	26.4
.7	90.3	45.5	90.3	45.5	52.1	26.3
.8	90.5	45.6	90.5	45.6	51.9	26.2
.9	90.7	45.7	90.7	45.7	51.7	26.1
413.0	90.8	45.8	90.8	45.8	51.6	26.0
.1	91.0	45.9	91.0	45.9	51.4	25.9
.2	91.2	46.0	91.2	46.0	51.2	25.8
.3	91.4	46.1	91.4	46.1	51.0	25.7
.4	91.6	46.2	91.6	46.2	50.8	25.6
.5	91.7	46.2	91.7	46.2	50.7	25.5
.6	91.9	46.3	91.9	46.3	50.5	25.5
.7	92.1	46.4	92.1	46.4	50.3	25.4
.8	92.3	46.5	92.3	46.5	50.1	25.3
.9	92.4	46.6	92.4	46.6	50.0	25.2
414.0	92.6	46.7	92.6	46.7	49.8	25.1
.1	92.8	46.8	92.8	46.8	49.6	25.0
.2	93.0	46.9	93.0	46.9	49.4	24.9
.3	93.2	47.0	93.2	47.0	49.2	24.8
.4	93.3	47.1	93.3	47.1	49.1	24.7
.5	93.5	47.1	93.5	47.1	48.9	24.6
.6	93.7	47.2	93.7	47.2	48.7	24.6
.7	93.9	47.3	93.9	47.3	48.5	24.5
.8	94.0	47.4	94.0	47.4	48.4	24.4
.9	94.2	47.5	94.2	47.5	48.2	24.3

Lower Baker

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
415.0	94.4	47.6	94.4	47.6	48.0	24.2
.1	94.6	47.7	94.6	47.7	47.8	24.1
.2	94.8	47.8	94.8	47.8	47.6	24.0
.3	94.9	47.9	94.9	47.9	47.5	23.9
.4	95.1	48.0	95.1	48.0	47.3	23.8
.5	95.3	48.0	95.3	48.0	47.1	23.8
.6	95.5	48.1	95.5	48.1	46.9	23.7
.7	95.6	48.2	95.6	48.2	46.8	23.6
.8	95.8	48.3	95.8	48.3	46.6	23.5
.9	96.0	48.4	96.0	48.4	46.4	23.4
416.0	96.2	48.5	96.2	48.5	46.2	23.3
.1	96.4	48.6	96.4	48.6	46.0	23.2
.2	96.5	48.7	96.5	48.7	45.9	23.1
.3	96.7	48.8	96.7	48.8	45.7	23.0
.4	96.9	48.8	96.9	48.8	45.5	22.9
.5	97.1	48.9	97.1	48.9	45.3	22.9
.6	97.2	49.0	97.2	49.0	45.2	22.8
.7	97.4	49.1	97.4	49.1	45.0	22.7
.8	97.6	49.2	97.6	49.2	44.8	22.6
.9	97.8	49.3	97.8	49.3	44.6	22.5
417.0	98.0	49.4	98.0	49.4	44.4	22.4
.1	98.1	49.5	98.1	49.5	44.3	22.3
.2	98.3	49.6	98.3	49.6	44.1	22.2
.3	98.5	49.7	98.5	49.7	43.9	22.1
.4	98.7	49.7	98.7	49.7	43.7	22.0
.5	98.8	49.8	98.8	49.8	43.6	22.0
.6	99.0	49.9	99.0	49.9	43.4	21.9
.7	99.2	50.0	99.2	50.0	43.2	21.8
.8	99.4	50.1	99.4	50.1	43.0	21.7
.9	99.6	50.2	99.6	50.2	42.8	21.6
418.0	99.7	50.3	99.7	50.3	42.7	21.5
.1	99.9	50.4	99.9	50.4	42.5	21.4
.2	100.1	50.5	100.1	50.5	42.3	21.3
.3	100.3	50.6	100.3	50.6	42.1	21.2
.4	100.5	50.6	100.5	50.6	41.9	21.1
.5	100.6	50.7	100.6	50.7	41.8	21.1
.6	100.8	50.8	100.8	50.8	41.6	21.0
.7	101.0	50.9	101.0	50.9	41.4	20.9
.8	101.2	51.0	101.2	51.0	41.2	20.8
.9	101.3	51.1	101.3	51.1	41.1	20.7
419.0	101.5	51.2	101.5	51.2	40.9	20.6
.1	101.7	51.3	101.7	51.3	40.7	20.5
.2	101.9	51.4	101.9	51.4	40.5	20.4
.3	102.1	51.5	102.1	51.5	40.3	20.3
.4	102.2	51.5	102.2	51.5	40.2	20.3
.5	102.4	51.6	102.4	51.6	40.0	20.2
.6	102.6	51.7	102.6	51.7	39.8	20.1
.7	102.8	51.8	102.8	51.8	39.6	20.0
.8	102.9	51.9	102.9	51.9	39.5	19.9
.9	103.1	52.0	103.1	52.0	39.3	19.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
420.0	103.3	52.1	103.3	52.1	39.1	19.7
.1	103.5	52.2	103.5	52.2	38.9	19.6
.2	103.7	52.3	103.7	52.3	38.7	19.5
.3	103.9	52.4	103.9	52.4	38.5	19.4
.4	104.1	52.5	104.1	52.5	38.3	19.3
.5	104.3	52.6	104.3	52.6	38.1	19.2
.6	104.5	52.7	104.5	52.7	37.9	19.1
.7	104.7	52.8	104.7	52.8	37.7	19.0
.8	104.9	52.9	104.9	52.9	37.5	18.9
.9	105.1	53.0	105.1	53.0	37.3	18.8
421.0	105.3	53.1	105.3	53.1	37.1	18.7
.1	105.5	53.2	105.5	53.2	36.9	18.6
.2	105.7	53.3	105.7	53.3	36.7	18.5
.3	105.9	53.4	105.9	53.4	36.5	18.4
.4	106.1	53.5	106.1	53.5	36.3	18.3
.5	106.3	53.6	106.3	53.6	36.1	18.2
.6	106.5	53.7	106.5	53.7	35.9	18.1
.7	106.7	53.8	106.7	53.8	35.7	18.0
.8	106.9	53.9	106.9	53.9	35.5	17.9
.9	107.1	54.0	107.1	54.0	35.3	17.8
422.0	107.3	54.1	107.3	54.1	35.1	17.7
.1	107.5	54.2	107.5	54.2	34.9	17.6
.2	107.7	54.3	107.7	54.3	34.7	17.5
.3	107.9	54.4	107.9	54.4	34.5	17.4
.4	108.1	54.5	108.1	54.5	34.3	17.3
.5	108.3	54.6	108.3	54.6	34.1	17.2
.6	108.5	54.7	108.5	54.7	33.9	17.1
.7	108.7	54.8	108.7	54.8	33.7	17.0
.8	108.9	54.9	108.9	54.9	33.5	16.9
.9	109.1	55.0	109.1	55.0	33.3	16.8
423.0	109.3	55.1	109.3	55.1	33.1	16.7
.1	109.5	55.2	109.5	55.2	32.9	16.6
.2	109.7	55.3	109.7	55.3	32.7	16.5
.3	109.9	55.4	109.9	55.4	32.5	16.4
.4	110.1	55.5	110.1	55.5	32.3	16.3
.5	110.3	55.6	110.3	55.6	32.1	16.2
.6	110.5	55.7	110.5	55.7	31.9	16.1
.7	110.7	55.8	110.7	55.8	31.7	16.0
.8	110.9	55.9	110.9	55.9	31.5	15.9
.9	111.1	56.0	111.1	56.0	31.3	15.8
424.0	111.3	56.1	111.3	56.1	31.1	15.7
.1	111.5	56.2	111.5	56.2	30.9	15.6
.2	111.7	56.3	111.7	56.3	30.7	15.5
.3	111.9	56.4	111.9	56.4	30.5	15.4
.4	112.1	56.5	112.1	56.5	30.3	15.3
.5	112.3	56.6	112.3	56.6	30.1	15.2
.6	112.5	56.7	112.5	56.7	29.9	15.1
.7	112.7	56.8	112.7	56.8	29.7	15.0
.8	112.9	56.9	112.9	56.9	29.5	14.9
.9	113.1	57.0	113.1	57.0	29.3	14.8

Reservoir Storage Tables

LOWER BAKER

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
425.0	113.3	57.1	113.3	57.1	29.1	14.7
.1	113.4	57.2	113.4	57.2	29.0	14.6
.2	113.6	57.3	113.6	57.3	28.8	14.5
.3	113.8	57.4	113.8	57.4	28.6	14.4
.4	114.0	57.5	114.0	57.5	28.4	14.3
.5	114.2	57.6	114.2	57.6	28.2	14.2
.6	114.4	57.7	114.4	57.7	28.0	14.1
.7	114.6	57.8	114.6	57.8	27.8	14.0
.8	114.8	57.9	114.8	57.9	27.6	13.9
.9	115.0	58.0	115.0	58.0	27.4	13.8
426.0	115.2	58.1	115.2	58.1	27.2	13.7
.1	115.4	58.2	115.4	58.2	27.0	13.6
.2	115.6	58.3	115.6	58.3	26.8	13.5
.3	115.8	58.4	115.8	58.4	26.6	13.4
.4	116.0	58.5	116.0	58.5	26.4	13.3
.5	116.2	58.6	116.2	58.6	26.2	13.2
.6	116.4	58.7	116.4	58.7	26.0	13.1
.7	116.6	58.8	116.6	58.8	25.8	13.0
.8	116.8	58.9	116.8	58.9	25.6	12.9
.9	117.0	59.0	117.0	59.0	25.4	12.8
427.0	117.2	59.1	117.2	59.1	25.2	12.7
.1	117.4	59.2	117.4	59.2	25.0	12.6
.2	117.6	59.3	117.6	59.3	24.8	12.5
.3	117.8	59.4	117.8	59.4	24.6	12.4
.4	118.0	59.5	118.0	59.5	24.4	12.3
.5	118.2	59.6	118.2	59.6	24.2	12.2
.6	118.4	59.7	118.4	59.7	24.0	12.1
.7	118.6	59.8	118.6	59.8	23.8	12.0
.8	118.8	59.9	118.8	59.9	23.6	11.9
.9	119.0	60.0	119.0	60.0	23.4	11.8
428.0	119.2	60.1	119.2	60.1	23.2	11.7
.1	119.4	60.2	119.4	60.2	23.0	11.6
.2	119.6	60.3	119.6	60.3	22.8	11.5
.3	119.8	60.4	119.8	60.4	22.6	11.4
.4	120.0	60.5	120.0	60.5	22.4	11.3
.5	120.2	60.6	120.2	60.6	22.2	11.2
.6	120.4	60.7	120.4	60.7	22.0	11.1
.7	120.6	60.8	120.6	60.8	21.8	11.0
.8	120.8	60.9	120.8	60.9	21.6	10.9
.9	121.0	61.0	121.0	61.0	21.4	10.8
429.0	121.2	61.1	121.2	61.1	21.2	10.7
.1	121.4	61.2	121.4	61.2	21.0	10.6
.2	121.6	61.3	121.6	61.3	20.8	10.5
.3	121.8	61.4	121.8	61.4	20.6	10.4
.4	122.0	61.5	122.0	61.5	20.4	10.3
.5	122.2	61.6	122.2	61.6	20.2	10.2
.6	122.4	61.7	122.4	61.7	20.0	10.1
.7	122.6	61.8	122.6	61.8	19.8	10.0
.8	122.8	61.9	122.8	61.9	19.6	9.9
.9	123.0	62.0	123.0	62.0	19.4	9.8

LOWER BAKER

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
430.0	123.2	62.1	123.2	62.1	19.2	9.7
.1	123.4	62.2	123.4	62.2	19.0	9.6
.2	123.6	62.3	123.6	62.3	18.8	9.5
.3	123.9	62.5	123.9	62.5	18.5	9.3
.4	124.1	62.6	124.1	62.6	18.3	9.2
.5	124.3	62.7	124.3	62.7	18.1	9.1
.6	124.5	62.8	124.5	62.8	17.9	9.0
.7	124.8	62.9	124.8	62.9	17.6	8.9
.8	125.0	63.0	125.0	63.0	17.4	8.8
.9	125.2	63.1	125.2	63.1	17.2	8.7
431.0	125.4	63.2	125.4	63.2	17.0	8.6
.1	125.7	63.4	125.7	63.4	16.7	8.4
.2	125.9	63.5	125.9	63.5	16.5	8.3
.3	126.1	63.6	126.1	63.6	16.3	8.2
.4	126.3	63.7	126.3	63.7	16.1	8.1
.5	126.5	63.8	126.5	63.8	15.9	8.0
.6	126.8	63.9	126.8	63.9	15.6	7.9
.7	127.0	64.0	127.0	64.0	15.4	7.8
.8	127.2	64.1	127.2	64.1	15.2	7.7
.9	127.4	64.3	127.4	64.3	15.0	7.5
432.0	127.7	64.4	127.7	64.4	14.7	7.4
.1	127.9	64.5	127.9	64.5	14.5	7.3
.2	128.1	64.6	128.1	64.6	14.3	7.2
.3	128.3	64.7	128.3	64.7	14.1	7.1
.4	128.6	64.8	128.6	64.8	13.8	7.0
.5	128.8	64.9	128.8	64.9	13.6	6.9
.6	129.0	65.0	129.0	65.0	13.4	6.8
.7	129.2	65.2	129.2	65.2	13.2	6.6
.8	129.5	65.3	129.5	65.3	12.9	6.5
.9	129.7	65.4	129.7	65.4	12.7	6.4
433.0	129.9	65.5	129.9	65.5	12.5	6.3
.1	130.1	65.6	130.1	65.6	12.3	6.2
.2	130.3	65.7	130.3	65.7	12.1	6.1
.3	130.6	65.8	130.6	65.8	11.8	6.0
.4	130.8	65.9	130.8	65.9	11.6	5.9
.5	131.0	66.1	131.0	66.1	11.4	5.7
.6	131.2	66.2	131.2	66.2	11.2	5.6
.7	131.5	66.3	131.5	66.3	10.9	5.5
.8	131.7	66.4	131.7	66.4	10.7	5.4
.9	131.9	66.5	131.9	66.5	10.5	5.3
434.0	132.1	66.6	132.1	66.6	10.3	5.2
.1	132.4	66.7	132.4	66.7	10.0	5.1
.2	132.6	66.8	132.6	66.8	9.8	5.0
.3	132.8	67.0	132.8	67.0	9.6	4.8
.4	133.0	67.1	133.0	67.1	9.4	4.7
.5	133.2	67.2	133.2	67.2	9.2	4.6
.6	133.5	67.3	133.5	67.3	8.9	4.5
.7	133.7	67.4	133.7	67.4	8.7	4.4
.8	133.9	67.5	133.9	67.5	8.5	4.3
.9	134.1	67.6	134.1	67.6	8.3	4.2

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
435.0		134.4	67.7	134.4	67.7	8.0	4.1
.1		134.6	67.9	134.6	67.9	7.8	3.9
.2		134.8	68.0	134.8	68.0	7.6	3.8
.3		135.0	68.1	135.0	68.1	7.4	3.7
.4		135.3	68.2	135.3	68.2	7.1	3.6
.5		135.5	68.3	135.5	68.3	6.9	3.5
.6		135.7	68.4	135.7	68.4	6.7	3.4
.7		135.9	68.5	135.9	68.5	6.5	3.3
.8		136.1	68.6	136.1	68.6	6.3	3.2
.9		136.4	68.8	136.4	68.8	6.0	3.0
436.0		136.6	68.9	136.6	68.9	5.8	2.9
.1		136.8	69.0	136.8	69.0	5.6	2.8
.2		137.0	69.1	137.0	69.1	5.4	2.7
.3		137.3	69.2	137.3	69.2	5.1	2.6
.4		137.5	69.3	137.5	69.3	4.9	2.5
.5		137.7	69.4	137.7	69.4	4.7	2.4
.6		137.9	69.5	137.9	69.5	4.5	2.3
.7		138.2	69.7	138.2	69.7	4.2	2.1
.8		138.4	69.8	138.4	69.8	4.0	2.0
.9		138.6	69.9	138.6	69.9	3.8	1.9
437.0		138.8	70.0	138.8	70.0	3.6	1.8
.1		139.1	70.1	139.1	70.1	3.3	1.7
.2		139.3	70.2	139.3	70.2	3.1	1.6
.3		139.5	70.3	139.5	70.3	2.9	1.5
.4		139.7	70.4	139.7	70.4	2.7	1.4
.5		139.9	70.6	139.9	70.6	2.5	1.2
.6		140.2	70.7	140.2	70.7	2.2	1.1
.7		140.4	70.8	140.4	70.8	2.0	1.0
.8		140.6	70.9	140.6	70.9	1.8	0.9
.9		140.8	71.0	140.8	71.0	1.6	0.8
438.0		141.1	71.1	141.1	71.1	1.3	0.7
.1		141.3	71.2	141.3	71.2	1.1	0.6
.2		141.5	71.3	141.5	71.3	0.9	0.5
.3		141.7	71.5	141.7	71.5	0.7	0.3
.4		142.0	71.6	142.0	71.6	0.4	0.2
.5		142.2	71.7	142.2	71.7	0.2	0.1
.6	SUB	142.4	71.8	142.4	71.8	0.0	0.0
.7		142.6	71.9				
.8		142.8	72.0				
.9		143.1	72.1				
439.0		143.3	72.2				

Lower Baker

228

Reservoir Storage Tables

PROJECT NAME: ALDER

PROJECT NUMBER: 155

STORAGE LOWER BOUND (SLB) =   18.20KAF   STORAGE UPPER BOUND (SUB) = 179.70 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1114.0	SLB	18.2	9.2	0.0	0.0	161.5	81.4
.1		18.2	9.2	0.0	0.0	161.5	81.4
.2		18.3	9.2	0.1	0.0	161.4	81.4
.3		18.3	9.2	0.1	0.1	161.4	81.4
.4		18.4	9.3	0.2	0.1	161.3	81.3
.5		18.4	9.3	0.2	0.1	161.3	81.3
.6		18.5	9.3	0.3	0.1	161.2	81.3
.7		18.5	9.3	0.3	0.2	161.2	81.3
.8		18.6	9.4	0.4	0.2	161.1	81.2
.9		18.6	9.4	0.4	0.2	161.1	81.2
1115.0		18.7	9.4	0.5	0.2	161.0	81.2
.1		18.7	9.4	0.5	0.3	161.0	81.2
.2		18.8	9.5	0.6	0.3	160.9	81.1
.3		18.8	9.5	0.6	0.3	160.9	81.1
.4		18.9	9.5	0.7	0.3	160.8	81.1
.5		18.9	9.5	0.7	0.4	160.8	81.1
.6		18.9	9.6	0.7	0.4	160.8	81.0
.7		19.0	9.6	0.8	0.4	160.7	81.0
.8		19.0	9.6	0.8	0.4	160.7	81.0
.9		19.1	9.6	0.9	0.4	160.6	81.0
1116.0		19.1	9.6	0.9	0.5	160.6	81.0
.1		19.2	9.7	1.0	0.5	160.5	80.9
.2		19.2	9.7	1.0	0.5	160.5	80.9
.3		19.3	9.7	1.1	0.5	160.4	80.9
.4		19.3	9.7	1.1	0.6	160.4	80.9
.5		19.4	9.8	1.2	0.6	160.3	80.8
.6		19.4	9.8	1.2	0.6	160.3	80.8
.7		19.5	9.8	1.3	0.6	160.2	80.8
.8		19.5	9.8	1.3	0.7	160.2	80.8
.9		19.6	9.9	1.4	0.7	160.1	80.7
1117.0		19.6	9.9	1.4	0.7	160.1	80.7
.1		19.7	9.9	1.5	0.8	160.0	80.7
.2		19.8	10.0	1.6	0.8	159.9	80.6
.3		19.9	10.0	1.7	0.9	159.8	80.6
.4		20.0	10.1	1.8	0.9	159.7	80.5
.5		20.1	10.1	1.9	1.0	159.6	80.5
.6		20.2	10.2	2.0	1.0	159.5	80.4
.7		20.3	10.2	2.1	1.1	159.4	80.4
.8		20.4	10.3	2.2	1.1	159.3	80.3
.9		20.5	10.3	2.3	1.2	159.2	80.3
1118.0		20.6	10.4	2.4	1.2	159.1	80.2
.1		20.7	10.4	2.5	1.2	159.0	80.2
.2		20.8	10.5	2.6	1.3	158.9	80.1
.3		20.9	10.5	2.7	1.3	158.8	80.1
.4		21.0	10.6	2.8	1.4	158.7	80.0
.5		21.1	10.6	2.9	1.4	158.6	80.0
.6		21.2	10.7	3.0	1.5	158.5	79.9
.7		21.3	10.7	3.1	1.5	158.4	79.9
.8		21.4	10.8	3.2	1.6	158.3	79.8
.9		21.5	10.8	3.3	1.6	158.2	79.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1119.0	21.6	10.9	3.4	1.7	158.1	79.7
.1	21.7	10.9	3.5	1.7	158.0	79.7
.2	21.8	11.0	3.6	1.8	157.9	79.6
.3	21.9	11.0	3.7	1.8	157.8	79.6
.4	22.0	11.1	3.8	1.9	157.7	79.5
.5	22.0	11.1	3.8	1.9	157.6	79.5
.6	22.1	11.2	3.9	2.0	157.6	79.4
.7	22.2	11.2	4.0	2.0	157.5	79.4
.8	22.3	11.3	4.1	2.1	157.4	79.3
.9	22.4	11.3	4.2	2.1	157.3	79.3
1120.0	22.5	11.4	4.3	2.2	157.2	79.2
.1	22.6	11.4	4.4	2.2	157.1	79.2
.2	22.7	11.5	4.5	2.3	157.0	79.1
.3	22.8	11.5	4.6	2.3	156.9	79.1
.4	22.9	11.6	4.7	2.4	156.8	79.0
.5	23.0	11.6	4.8	2.4	156.7	79.0
.6	23.1	11.7	4.9	2.5	156.6	78.9
.7	23.2	11.7	5.0	2.5	156.5	78.9
.8	23.3	11.8	5.1	2.6	156.4	78.8
.9	23.4	11.8	5.2	2.6	156.3	78.8
1121.0	23.5	11.9	5.3	2.7	156.2	78.7
.1	23.6	11.9	5.4	2.7	156.1	78.7
.2	23.7	12.0	5.5	2.8	156.0	78.6
.3	23.8	12.0	5.6	2.8	155.9	78.6
.4	23.9	12.1	5.7	2.9	155.8	78.5
.5	24.0	12.1	5.8	2.9	155.7	78.5
.6	24.1	12.2	5.9	3.0	155.6	78.4
.7	24.2	12.2	6.0	3.0	155.5	78.4
.8	24.3	12.3	6.1	3.1	155.4	78.3
.9	24.4	12.3	6.2	3.1	155.3	78.3
1122.0	24.5	12.4	6.3	3.2	155.2	78.2
.1	24.6	12.4	6.4	3.2	155.1	78.2
.2	24.7	12.5	6.5	3.3	155.0	78.1
.3	24.8	12.5	6.6	3.3	154.9	78.1
.4	24.9	12.5	6.7	3.4	154.8	78.0
.5	25.0	12.6	6.8	3.4	154.7	78.0
.6	25.1	12.6	6.9	3.5	154.6	78.0
.7	25.2	12.7	7.0	3.5	154.5	77.9
.8	25.3	12.7	7.1	3.6	154.4	77.9
.9	25.4	12.8	7.2	3.6	154.3	77.8
1123.0	25.5	12.8	7.3	3.7	154.2	77.8
.1	25.6	12.9	7.4	3.7	154.1	77.7
.2	25.7	12.9	7.5	3.8	154.0	77.7
.3	25.8	13.0	7.6	3.8	153.9	77.6
.4	25.9	13.0	7.7	3.9	153.8	77.6
.5	26.0	13.1	7.8	3.9	153.7	77.5
.6	26.1	13.1	7.9	4.0	153.6	77.5
.7	26.2	13.2	8.0	4.0	153.5	77.4
.8	26.3	13.2	8.1	4.1	153.4	77.4
.9	26.4	13.3	8.2	4.1	153.3	77.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1124.0	26.5	13.3	8.3	4.2	153.2	77.3
.1	26.6	13.4	8.4	4.2	153.1	77.2
.2	26.7	13.4	8.5	4.3	153.0	77.2
.3	26.8	13.5	8.6	4.3	152.9	77.1
.4	26.9	13.5	8.7	4.4	152.8	77.1
.5	27.0	13.6	8.8	4.4	152.8	77.0
.6	27.0	13.6	8.8	4.5	152.7	77.0
.7	27.1	13.7	8.9	4.5	152.6	76.9
.8	27.2	13.7	9.0	4.6	152.5	76.9
.9	27.3	13.8	9.1	4.6	152.4	76.8
1125.0	27.4	13.8	9.2	4.7	152.3	76.8
.1	27.5	13.9	9.3	4.7	152.2	76.7
.2	27.6	13.9	9.4	4.8	152.1	76.7
.3	27.7	14.0	9.5	4.8	152.0	76.6
.4	27.8	14.0	9.6	4.9	151.9	76.6
.5	27.9	14.1	9.7	4.9	151.8	76.5
.6	28.0	14.1	9.8	5.0	151.7	76.5
.7	28.1	14.2	9.9	5.0	151.6	76.4
.8	28.2	14.2	10.0	5.1	151.5	76.4
.9	28.3	14.3	10.1	5.1	151.4	76.3
1126.0	28.4	14.3	10.2	5.2	151.3	76.3
.1	28.5	14.4	10.3	5.2	151.2	76.2
.2	28.6	14.4	10.4	5.3	151.1	76.2
.3	28.7	14.5	10.5	5.3	151.0	76.1
.4	28.8	14.5	10.6	5.4	150.9	76.1
.5	28.9	14.6	10.7	5.4	150.8	76.0
.6	29.0	14.6	10.8	5.4	150.7	76.0
.7	29.1	14.7	10.9	5.5	150.6	75.9
.8	29.2	14.7	11.0	5.5	150.5	75.9
.9	29.3	14.8	11.1	5.6	150.4	75.8
1127.0	29.4	14.8	11.2	5.6	150.3	75.8
.1	29.5	14.9	11.3	5.7	150.2	75.7
.2	29.6	14.9	11.4	5.8	150.1	75.7
.3	29.7	15.0	11.5	5.8	150.0	75.6
.4	29.8	15.0	11.6	5.9	149.9	75.6
.5	29.9	15.1	11.7	5.9	149.8	75.5
.6	30.0	15.1	11.8	6.0	149.7	75.5
.7	30.1	15.2	11.9	6.0	149.6	75.4
.8	30.2	15.2	12.0	6.1	149.5	75.4
.9	30.3	15.3	12.1	6.1	149.4	75.3
1128.0	30.5	15.4	12.3	6.2	149.3	75.2
.1	30.6	15.4	12.4	6.2	149.1	75.2
.2	30.7	15.5	12.5	6.3	149.0	75.1
.3	30.8	15.5	12.6	6.3	148.9	75.1
.4	30.9	15.6	12.7	6.4	148.8	75.0
.5	31.0	15.6	12.8	6.4	148.7	75.0
.6	31.1	15.7	12.9	6.5	148.6	74.9
.7	31.2	15.7	13.0	6.5	148.5	74.9
.8	31.3	15.8	13.1	6.6	148.4	74.8
.9	31.4	15.8	13.2	6.7	148.3	74.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1129.0	31.5	15.9	13.3	6.7	148.2	74.7
.1	31.6	15.9	13.4	6.8	148.1	74.7
.2	31.7	16.0	13.5	6.8	148.0	74.6
.3	31.8	16.0	13.6	6.9	147.9	74.6
.4	31.9	16.1	13.7	6.9	147.8	74.5
.5	32.0	16.1	13.8	7.0	147.7	74.5
.6	32.1	16.2	13.9	7.0	147.6	74.4
.7	32.2	16.3	14.0	7.1	147.5	74.3
.8	32.3	16.3	14.1	7.1	147.4	74.3
.9	32.4	16.4	14.2	7.2	147.3	74.2
1130.0	32.5	16.4	14.3	7.2	147.1	74.2
.1	32.7	16.5	14.5	7.3	147.0	74.1
.2	32.8	16.5	14.6	7.3	146.9	74.1
.3	32.9	16.6	14.7	7.4	146.8	74.0
.4	33.0	16.6	14.8	7.4	146.7	74.0
.5	33.1	16.7	14.9	7.5	146.6	73.9
.6	33.2	16.7	15.0	7.6	146.5	73.9
.7	33.3	16.8	15.1	7.6	146.4	73.8
.8	33.4	16.8	15.2	7.7	146.3	73.8
.9	33.5	16.9	15.3	7.7	146.2	73.7
1131.0	33.6	16.9	15.4	7.8	146.1	73.7
.1	33.7	17.0	15.5	7.8	146.0	73.6
.2	33.8	17.0	15.6	7.9	145.9	73.6
.3	33.9	17.1	15.7	7.9	145.8	73.5
.4	34.0	17.2	15.8	8.0	145.7	73.4
.5	34.1	17.2	15.9	8.0	145.6	73.4
.6	34.2	17.3	16.0	8.1	145.5	73.3
.7	34.3	17.3	16.1	8.1	145.4	73.3
.8	34.4	17.4	16.2	8.2	145.3	73.2
.9	34.5	17.4	16.3	8.2	145.2	73.2
1132.0	34.7	17.5	16.5	8.3	145.1	73.1
.1	34.8	17.5	16.6	8.3	144.9	73.1
.2	34.9	17.6	16.7	8.4	144.8	73.0
.3	35.0	17.6	16.8	8.5	144.7	73.0
.4	35.1	17.7	16.9	8.5	144.6	72.9
.5	35.2	17.7	17.0	8.6	144.5	72.9
.6	35.3	17.8	17.1	8.6	144.4	72.8
.7	35.4	17.8	17.2	8.7	144.3	72.8
.8	35.5	17.9	17.3	8.7	144.2	72.7
.9	35.6	17.9	17.4	8.8	144.1	72.7
1133.0	35.7	18.0	17.5	8.8	144.0	72.6
.1	35.8	18.1	17.6	8.9	143.9	72.5
.2	35.9	18.1	17.7	8.9	143.8	72.5
.3	36.0	18.2	17.8	9.0	143.7	72.4
.4	36.1	18.2	17.9	9.0	143.6	72.4
.5	36.2	18.3	18.0	9.1	143.5	72.3
.6	36.3	18.3	18.1	9.1	143.4	72.3
.7	36.4	18.4	18.2	9.2	143.3	72.2
.8	36.5	18.4	18.3	9.2	143.2	72.2
.9	36.6	18.5	18.4	9.3	143.1	72.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1134.0	36.8	18.5	18.5	9.4	142.9	72.1
.1	36.9	18.6	18.7	9.4	142.8	72.0
.2	37.0	18.6	18.8	9.5	142.7	72.0
.3	37.1	18.7	18.9	9.5	142.6	71.9
.4	37.2	18.7	19.0	9.6	142.5	71.9
.5	37.3	18.8	19.1	9.6	142.4	71.8
.6	37.4	18.8	19.2	9.7	142.3	71.8
.7	37.5	18.9	19.3	9.7	142.2	71.7
.8	37.6	19.0	19.4	9.8	142.1	71.6
.9	37.7	19.0	19.5	9.8	142.0	71.6
1135.0	37.8	19.1	19.6	9.9	141.9	71.5
.1	37.9	19.1	19.7	9.9	141.8	71.5
.2	38.0	19.2	19.8	10.0	141.7	71.4
.3	38.1	19.2	19.9	10.0	141.6	71.4
.4	38.2	19.3	20.0	10.1	141.5	71.3
.5	38.3	19.3	20.1	10.1	141.4	71.3
.6	38.4	19.4	20.2	10.2	141.3	71.2
.7	38.5	19.4	20.3	10.3	141.2	71.2
.8	38.6	19.5	20.4	10.3	141.1	71.1
.9	38.7	19.5	20.5	10.4	141.0	71.1
1136.0	38.8	19.6	20.6	10.4	140.9	71.0
.1	39.0	19.6	20.8	10.5	140.7	71.0
.2	39.1	19.7	20.9	10.5	140.6	70.9
.3	39.2	19.7	21.0	10.6	140.5	70.9
.4	39.3	19.8	21.1	10.6	140.4	70.8
.5	39.4	19.9	21.2	10.7	140.3	70.7
.6	39.5	19.9	21.3	10.7	140.2	70.7
.7	39.6	20.0	21.4	10.8	140.1	70.6
.8	39.7	20.0	21.5	10.8	140.0	70.6
.9	39.8	20.1	21.6	10.9	139.9	70.5
1137.0	39.9	20.1	21.7	10.9	139.8	70.5
.1	40.0	20.2	21.8	11.0	139.7	70.4
.2	40.1	20.2	21.9	11.1	139.6	70.4
.3	40.3	20.3	22.1	11.1	139.4	70.3
.4	40.4	20.4	22.2	11.2	139.3	70.2
.5	40.5	20.4	22.3	11.2	139.2	70.2
.6	40.6	20.5	22.4	11.3	139.1	70.1
.7	40.7	20.5	22.5	11.4	139.0	70.1
.8	40.8	20.6	22.6	11.4	138.9	70.0
.9	41.0	20.6	22.8	11.5	138.7	70.0
1138.0	41.1	20.7	22.9	11.5	138.6	69.9
.1	41.2	20.8	23.0	11.6	138.5	69.8
.2	41.3	20.8	23.1	11.6	138.4	69.8
.3	41.4	20.9	23.2	11.7	138.3	69.7
.4	41.5	20.9	23.3	11.8	138.2	69.7
.5	41.7	21.0	23.5	11.8	138.0	69.6
.6	41.8	21.1	23.6	11.9	137.9	69.5
.7	41.9	21.1	23.7	11.9	137.8	69.5
.8	42.0	21.2	23.8	12.0	137.7	69.4
.9	42.1	21.2	23.9	12.1	137.6	69.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1139.0	42.2	21.3	24.0	12.1	137.5	69.3
.1	42.4	21.4	24.2	12.2	137.3	69.2
.2	42.5	21.4	24.3	12.2	137.2	69.2
.3	42.6	21.5	24.4	12.3	137.1	69.1
.4	42.7	21.5	24.5	12.4	137.0	69.1
.5	42.8	21.6	24.6	12.4	136.9	69.0
.6	42.9	21.6	24.7	12.5	136.8	68.9
.7	43.1	21.7	24.9	12.5	136.6	68.9
.8	43.2	21.8	25.0	12.6	136.5	68.8
.9	43.3	21.8	25.1	12.7	136.4	68.8
1140.0	43.4	21.9	25.2	12.7	136.3	68.7
.1	43.5	21.9	25.3	12.8	136.2	68.7
.2	43.6	22.0	25.4	12.8	136.1	68.6
.3	43.8	22.1	25.6	12.9	135.9	68.5
.4	43.9	22.1	25.7	12.9	135.8	68.5
.5	44.0	22.2	25.8	13.0	135.7	68.4
.6	44.1	22.2	25.9	13.1	135.6	68.4
.7	44.2	22.3	26.0	13.1	135.5	68.3
.8	44.3	22.4	26.1	13.2	135.4	68.2
.9	44.5	22.4	26.3	13.2	135.2	68.2
1141.0	44.6	22.5	26.4	13.3	135.1	68.1
.1	44.7	22.5	26.5	13.4	135.0	68.1
.2	44.8	22.6	26.6	13.4	134.9	68.0
.3	44.9	22.7	26.7	13.5	134.8	67.9
.4	45.0	22.7	26.8	13.5	134.7	67.9
.5	45.2	22.8	27.0	13.6	134.5	67.8
.6	45.3	22.8	27.1	13.7	134.4	67.8
.7	45.4	22.9	27.2	13.7	134.3	67.7
.8	45.5	22.9	27.3	13.8	134.2	67.7
.9	45.6	23.0	27.4	13.8	134.1	67.6
1142.0	45.8	23.1	27.5	13.9	133.9	67.5
.1	45.9	23.1	27.7	13.9	133.8	67.5
.2	46.0	23.2	27.8	14.0	133.7	67.4
.3	46.1	23.2	27.9	14.1	133.6	67.4
.4	46.2	23.3	28.0	14.1	133.5	67.3
.5	46.3	23.4	28.1	14.2	133.4	67.2
.6	46.5	23.4	28.3	14.2	133.2	67.2
.7	46.6	23.5	28.4	14.3	133.1	67.1
.8	46.7	23.5	28.5	14.4	133.0	67.1
.9	46.8	23.6	28.6	14.4	132.9	67.0
1143.0	46.9	23.7	28.7	14.5	132.8	66.9
.1	47.0	23.7	28.8	14.5	132.7	66.9
.2	47.2	23.8	29.0	14.6	132.5	66.8
.3	47.3	23.8	29.1	14.7	132.4	66.8
.4	47.4	23.9	29.2	14.7	132.3	66.7
.5	47.5	24.0	29.3	14.8	132.2	66.6
.6	47.6	24.0	29.4	14.8	132.1	66.6
.7	47.7	24.1	29.5	14.9	132.0	66.5
.8	47.9	24.1	29.7	15.0	131.8	66.5
.9	48.0	24.2	29.8	15.0	131.7	66.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1144.0	48.1	24.2	29.9	15.1	131.6	66.4
.1	48.2	24.3	30.0	15.1	131.5	66.3
.2	48.3	24.4	30.1	15.2	131.4	66.2
.3	48.4	24.4	30.2	15.2	131.3	66.2
.4	48.6	24.5	30.4	15.3	131.1	66.1
.5	48.7	24.5	30.5	15.4	131.0	66.1
.6	48.8	24.6	30.6	15.4	130.9	66.0
.7	48.9	24.7	30.7	15.5	130.8	65.9
.8	49.0	24.7	30.8	15.5	130.7	65.9
.9	49.1	24.8	30.9	15.6	130.6	65.8
1145.0	49.3	24.8	31.1	15.7	130.4	65.8
.1	49.4	24.9	31.2	15.7	130.3	65.7
.2	49.5	25.0	31.3	15.8	130.2	65.6
.3	49.6	25.0	31.4	15.8	130.1	65.6
.4	49.7	25.1	31.5	15.9	130.0	65.5
.5	49.8	25.1	31.6	16.0	129.9	65.5
.6	50.0	25.2	31.8	16.0	129.7	65.4
.7	50.1	25.2	31.9	16.1	129.6	65.4
.8	50.2	25.3	32.0	16.1	129.5	65.3
.9	50.3	25.4	32.1	16.2	129.4	65.2
1146.0	50.4	25.4	32.2	16.2	129.3	65.2
.1	50.5	25.5	32.3	16.3	129.2	65.1
.2	50.7	25.5	32.5	16.4	129.0	65.1
.3	50.8	25.6	32.6	16.4	128.9	65.0
.4	50.9	25.7	32.7	16.5	128.8	64.9
.5	51.0	25.7	32.8	16.5	128.7	64.9
.6	51.1	25.8	32.9	16.6	128.6	64.8
.7	51.2	25.8	33.0	16.7	128.5	64.8
.8	51.4	25.9	33.2	16.7	128.3	64.7
.9	51.5	26.0	33.3	16.8	128.2	64.6
1147.0	51.6	26.0	33.4	16.8	128.1	64.6
.1	51.7	26.1	33.5	16.9	128.0	64.5
.2	51.9	26.1	33.7	17.0	127.8	64.5
.3	52.0	26.2	33.8	17.0	127.7	64.4
.4	52.1	26.3	33.9	17.1	127.6	64.3
.5	52.2	26.3	34.0	17.2	127.5	64.3
.6	52.4	26.4	34.2	17.2	127.3	64.2
.7	52.5	26.5	34.3	17.3	127.2	64.1
.8	52.6	26.5	34.4	17.4	127.1	64.1
.9	52.8	26.6	34.6	17.4	126.9	64.0
1148.0	52.9	26.7	34.7	17.5	126.8	63.9
.1	53.0	26.7	34.8	17.6	126.7	63.9
.2	53.1	26.8	34.9	17.6	126.6	63.8
.3	53.3	26.9	35.1	17.7	126.4	63.7
.4	53.4	26.9	35.2	17.7	126.3	63.7
.5	53.5	27.0	35.3	17.8	126.2	63.6
.6	53.7	27.1	35.5	17.9	126.0	63.5
.7	53.8	27.1	35.6	17.9	125.9	63.5
.8	53.9	27.2	35.7	18.0	125.8	63.4
.9	54.1	27.3	35.9	18.1	125.6	63.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1149.0	54.2	27.3	36.0	18.1	125.5	63.3
.1	54.3	27.4	36.1	18.2	125.4	63.2
.2	54.4	27.4	36.2	18.3	125.3	63.2
.3	54.6	27.5	36.4	18.3	125.1	63.1
.4	54.7	27.6	36.5	18.4	125.0	63.0
.5	54.8	27.6	36.6	18.5	124.9	63.0
.6	55.0	27.7	36.8	18.5	124.7	62.9
.7	55.1	27.8	36.9	18.6	124.6	62.8
.8	55.2	27.8	37.0	18.7	124.5	62.8
.9	55.3	27.9	37.1	18.7	124.4	62.7
1150.0	55.5	28.0	37.3	18.8	124.2	62.6
.1	55.6	28.0	37.4	18.9	124.1	62.6
.2	55.7	28.1	37.5	18.9	124.0	62.5
.3	55.9	28.2	37.7	19.0	123.8	62.4
.4	56.0	28.2	37.8	19.1	123.7	62.4
.5	56.1	28.3	37.9	19.1	123.6	62.3
.6	56.2	28.4	38.0	19.2	123.5	62.2
.7	56.4	28.4	38.2	19.2	123.3	62.2
.8	56.5	28.5	38.3	19.3	123.2	62.1
.9	56.6	28.6	38.4	19.4	123.1	62.0
1151.0	56.8	28.6	38.6	19.4	122.9	62.0
.1	56.9	28.7	38.7	19.5	122.8	61.9
.2	57.0	28.7	38.8	19.6	122.7	61.9
.3	57.1	28.8	38.9	19.6	122.6	61.8
.4	57.3	28.9	39.1	19.7	122.4	61.7
.5	57.4	28.9	39.2	19.8	122.3	61.7
.6	57.5	29.0	39.3	19.8	122.2	61.6
.7	57.7	29.1	39.5	19.9	122.0	61.5
.8	57.8	29.1	39.6	20.0	121.9	61.5
.9	57.9	29.2	39.7	20.0	121.8	61.4
1152.0	58.0	29.3	39.8	20.1	121.7	61.3
.1	58.2	29.3	40.0	20.2	121.5	61.3
.2	58.3	29.4	40.1	20.2	121.4	61.2
.3	58.4	29.5	40.2	20.3	121.3	61.1
.4	58.6	29.5	40.4	20.4	121.1	61.1
.5	58.7	29.6	40.5	20.4	121.0	61.0
.6	58.8	29.7	40.6	20.5	120.9	60.9
.7	59.0	29.7	40.8	20.5	120.7	60.9
.8	59.1	29.8	40.9	20.6	120.6	60.8
.9	59.2	29.9	41.0	20.7	120.5	60.7
1153.0	59.3	29.9	41.1	20.7	120.4	60.7
.1	59.5	30.0	41.3	20.8	120.2	60.6
.2	59.6	30.0	41.4	20.9	120.1	60.6
.3	59.7	30.1	41.5	20.9	120.0	60.5
.4	59.9	30.2	41.7	21.0	119.8	60.4
.5	60.0	30.2	41.8	21.1	119.7	60.4
.6	60.1	30.3	41.9	21.1	119.6	60.3
.7	60.2	30.4	42.0	21.2	119.5	60.2
.8	60.4	30.4	42.2	21.3	119.3	60.2
.9	60.5	30.5	42.3	21.3	119.2	60.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1154.0	60.6	30.6	42.4	21.4	119.1	60.0		1159.0	67.8	34.2	49.6	25.0	111.9	56.4
.1	60.8	30.6	42.6	21.5	118.9	60.0		.1	68.0	34.3	49.8	25.1	111.7	56.3
.2	60.9	30.7	42.7	21.5	118.8	59.9		.2	68.2	34.4	50.0	25.2	111.5	56.2
.3	61.0	30.8	42.8	21.6	118.7	59.8		.3	68.3	34.4	50.1	25.3	111.4	56.2
.4	61.1	30.8	42.9	21.7	118.6	59.8		.4	68.5	34.5	50.3	25.4	111.2	56.1
.5	61.3	30.9	43.1	21.7	118.4	59.7		.5	68.7	34.6	50.5	25.4	111.0	56.0
.6	61.4	31.0	43.2	21.8	118.3	59.6		.6	68.8	34.7	50.6	25.5	110.9	55.9
.7	61.5	31.0	43.3	21.8	118.2	59.6		.7	69.0	34.8	50.8	25.6	110.7	55.8
.8	61.7	31.1	43.5	21.9	118.0	59.5		.8	69.1	34.9	50.9	25.7	110.6	55.7
.9	61.8	31.2	43.6	22.0	117.9	59.4		.9	69.3	34.9	51.1	25.8	110.4	55.7
1155.0	61.9	31.2	43.7	22.0	117.8	59.4		1160.0	69.5	35.0	51.3	25.9	110.2	55.6
.1	62.0	31.3	43.8	22.1	117.7	59.3		.1	69.6	35.1	51.4	25.9	110.1	55.5
.2	62.2	31.3	44.0	22.2	117.5	59.3		.2	69.8	35.2	51.6	26.0	109.9	55.4
.3	62.3	31.4	44.1	22.2	117.4	59.2		.3	70.0	35.3	51.8	26.1	109.7	55.3
.4	62.4	31.5	44.2	22.3	117.3	59.1		.4	70.1	35.4	51.9	26.2	109.6	55.2
.5	62.6	31.5	44.4	22.4	117.1	59.1		.5	70.3	35.4	52.1	26.3	109.4	55.2
.6	62.7	31.6	44.5	22.4	117.0	59.0		.6	70.5	35.5	52.3	26.4	109.2	55.1
.7	62.8	31.7	44.6	22.5	116.9	58.9		.7	70.6	35.6	52.4	26.4	109.1	55.0
.8	63.0	31.7	44.8	22.6	116.7	58.9		.8	70.8	35.7	52.6	26.5	108.9	54.9
.9	63.1	31.8	44.9	22.6	116.6	58.8		.9	71.0	35.8	52.8	26.6	108.7	54.8
1156.0	63.2	31.9	45.0	22.7	116.5	58.7		1161.0	71.1	35.9	52.9	26.7	108.6	54.7
.1	63.3	31.9	45.1	22.8	116.4	58.7		.1	71.3	36.0	53.1	26.8	108.4	54.6
.2	63.5	32.0	45.3	22.8	116.2	58.6		.2	71.5	36.0	53.3	26.9	108.2	54.6
.3	63.6	32.1	45.4	22.9	116.1	58.5		.3	71.6	36.1	53.4	26.9	108.1	54.5
.4	63.7	32.1	45.5	23.0	116.0	58.5		.4	71.8	36.2	53.6	27.0	107.9	54.4
.5	63.9	32.2	45.7	23.0	115.8	58.4		.5	72.0	36.3	53.8	27.1	107.7	54.3
.6	64.0	32.3	45.8	23.1	115.7	58.3		.6	72.1	36.4	53.9	27.2	107.6	54.2
.7	64.1	32.3	45.9	23.1	115.6	58.3		.7	72.3	36.5	54.1	27.3	107.4	54.1
.8	64.2	32.4	46.0	23.2	115.5	58.2		.8	72.5	36.5	54.3	27.4	107.2	54.1
.9	64.4	32.5	46.2	23.3	115.3	58.1		.9	72.6	36.6	54.4	27.4	107.1	54.0
1157.0	64.5	32.5	46.3	23.3	115.2	58.1		1162.0	72.8	36.7	54.6	27.5	106.9	53.9
.1	64.7	32.6	46.5	23.4	115.0	58.0		.1	73.0	36.8	54.8	27.6	106.7	53.8
.2	64.8	32.7	46.6	23.5	114.9	57.9		.2	73.1	36.9	54.9	27.7	106.6	53.7
.3	65.0	32.8	46.8	23.6	114.7	57.8		.3	73.3	37.0	55.1	27.8	106.4	53.6
.4	65.2	32.9	47.0	23.7	114.5	57.7		.4	73.5	37.0	55.3	27.9	106.2	53.6
.5	65.3	32.9	47.1	23.8	114.4	57.7		.5	73.6	37.1	55.4	27.9	106.1	53.5
.6	65.5	33.0	47.3	23.8	114.2	57.6		.6	73.8	37.2	55.6	28.0	105.9	53.4
.7	65.7	33.1	47.5	23.9	114.0	57.5		.7	74.0	37.3	55.8	28.1	105.7	53.3
.8	65.8	33.2	47.6	24.0	113.9	57.4		.8	74.1	37.4	55.9	28.2	105.6	53.2
.9	66.0	33.3	47.8	24.1	113.7	57.3		.9	74.3	37.5	56.1	28.3	105.4	53.1
1158.0	66.2	33.4	48.0	24.2	113.5	57.2		1163.0	74.5	37.5	56.3	28.4	105.2	53.1
.1	66.3	33.4	48.1	24.3	113.4	57.2		.1	74.6	37.6	56.4	28.4	105.1	53.0
.2	66.5	33.5	48.3	24.3	113.2	57.1		.2	74.8	37.7	56.6	28.5	104.9	52.9
.3	66.7	33.6	48.5	24.4	113.0	57.0		.3	75.0	37.8	56.8	28.6	104.7	52.8
.4	66.8	33.7	48.6	24.5	112.9	56.9		.4	75.1	37.9	56.9	28.7	104.6	52.7
.5	67.0	33.8	48.8	24.6	112.7	56.8		.5	75.3	38.0	57.1	28.8	104.4	52.6
.6	67.2	33.9	49.0	24.7	112.5	56.7		.6	75.5	38.0	57.3	28.9	104.2	52.6
.7	67.3	33.9	49.1	24.8	112.4	56.7		.7	75.6	38.1	57.4	29.0	104.1	52.5
.8	67.5	34.0	49.3	24.8	112.2	56.6		.8	75.8	38.2	57.6	29.0	103.9	52.4
.9	67.7	34.1	49.5	24.9	112.0	56.5		.9	76.0	38.3	57.8	29.1	103.7	52.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1164.0	76.1	38.4	57.9	29.2	103.6	52.2
.1	76.3	38.5	58.1	29.3	103.4	52.1
.2	76.5	38.5	58.3	29.4	103.2	52.1
.3	76.6	38.6	58.4	29.5	103.1	52.0
.4	76.8	38.7	58.6	29.5	102.9	51.9
.5	76.9	38.8	58.7	29.6	102.8	51.8
.6	77.1	38.9	58.9	29.7	102.6	51.7
.7	77.3	39.0	59.1	29.8	102.4	51.6
.8	77.4	39.0	59.2	29.9	102.3	51.6
.9	77.6	39.1	59.4	30.0	102.1	51.5
1165.0	77.8	39.2	59.6	30.0	101.9	51.4
.1	77.9	39.3	59.7	30.1	101.8	51.3
.2	78.1	39.4	59.9	30.2	101.6	51.2
.3	78.3	39.5	60.1	30.3	101.4	51.1
.4	78.4	39.5	60.2	30.4	101.3	51.0
.5	78.6	39.6	60.4	30.5	101.1	51.0
.6	78.8	39.7	60.6	30.5	100.9	50.9
.7	78.9	39.8	60.7	30.6	100.8	50.8
.8	79.1	39.9	60.9	30.7	100.6	50.7
.9	79.3	40.0	61.1	30.8	100.4	50.6
1166.0	79.4	40.1	61.2	30.9	100.3	50.5
.1	79.6	40.1	61.4	31.0	100.1	50.5
.2	79.8	40.2	61.6	31.0	99.9	50.4
.3	79.9	40.3	61.7	31.1	99.8	50.3
.4	80.1	40.4	61.9	31.2	99.6	50.2
.5	80.3	40.5	62.1	31.3	99.4	50.1
.6	80.4	40.6	62.2	31.4	99.3	50.0
.7	80.6	40.6	62.4	31.5	99.1	50.0
.8	80.8	40.7	62.6	31.5	98.9	49.9
.9	80.9	40.8	62.7	31.6	98.8	49.8
1167.0	81.1	40.9	62.9	31.7	98.6	49.7
.1	81.3	41.0	63.1	31.8	98.4	49.6
.2	81.5	41.1	63.3	31.9	98.2	49.5
.3	81.7	41.2	63.5	32.0	98.0	49.4
.4	81.9	41.3	63.7	32.1	97.8	49.3
.5	82.1	41.4	63.9	32.2	97.6	49.2
.6	82.3	41.5	64.1	32.3	97.4	49.1
.7	82.5	41.6	64.3	32.4	97.2	49.0
.8	82.7	41.7	64.5	32.5	97.0	48.9
.9	82.9	41.8	64.7	32.6	96.8	48.8
1168.0	83.1	41.9	64.9	32.7	96.6	48.7
.1	83.3	42.0	65.1	32.8	96.4	48.6
.2	83.5	42.1	65.3	32.9	96.2	48.5
.3	83.7	42.2	65.5	33.0	96.0	48.4
.4	83.9	42.3	65.7	33.1	95.8	48.3
.5	84.1	42.4	65.9	33.2	95.6	48.2
.6	84.3	42.5	66.1	33.3	95.4	48.1
.7	84.5	42.6	66.3	33.4	95.2	48.0
.8	84.7	42.7	66.5	33.5	95.0	47.9
.9	84.9	42.8	66.7	33.6	94.8	47.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1169.0	85.1	42.9	66.9	33.7	94.6	47.7
.1	85.3	43.0	67.1	33.8	94.4	47.6
.2	85.5	43.1	67.3	33.9	94.2	47.5
.3	85.7	43.2	67.5	34.0	94.0	47.4
.4	85.9	43.3	67.7	34.1	93.8	47.3
.5	86.1	43.4	67.9	34.2	93.6	47.2
.6	86.3	43.5	68.1	34.3	93.4	47.1
.7	86.5	43.6	68.3	34.4	93.2	47.0
.8	86.7	43.7	68.5	34.5	93.0	46.9
.9	86.9	43.8	68.7	34.6	92.8	46.8
1170.0	87.1	43.9	68.9	34.7	92.6	46.7
.1	87.3	44.0	69.1	34.8	92.4	46.6
.2	87.5	44.1	69.3	34.9	92.2	46.5
.3	87.7	44.2	69.5	35.0	92.0	46.4
.4	87.9	44.3	69.7	35.1	91.8	46.3
.5	88.1	44.4	69.9	35.2	91.6	46.2
.6	88.3	44.5	70.1	35.3	91.4	46.1
.7	88.5	44.6	70.3	35.4	91.2	46.0
.8	88.7	44.7	70.5	35.5	91.0	45.9
.9	88.9	44.8	70.7	35.6	90.8	45.8
1171.0	89.1	44.9	70.9	35.7	90.6	45.7
.1	89.3	45.0	71.1	35.8	90.4	45.6
.2	89.5	45.1	71.3	35.9	90.2	45.5
.3	89.7	45.2	71.5	36.0	90.0	45.4
.4	89.9	45.3	71.7	36.1	89.8	45.3
.5	90.1	45.4	71.9	36.2	89.6	45.2
.6	90.3	45.5	72.1	36.3	89.4	45.1
.7	90.5	45.6	72.3	36.4	89.2	45.0
.8	90.7	45.7	72.5	36.5	89.0	44.9
.9	90.9	45.8	72.7	36.6	88.8	44.8
1172.0	91.1	45.9	72.9	36.7	88.6	44.7
.1	91.2	46.0	73.0	36.8	88.5	44.6
.2	91.4	46.1	73.2	36.9	88.3	44.5
.3	91.6	46.2	73.4	37.0	88.1	44.4
.4	91.8	46.3	73.6	37.1	87.9	44.3
.5	92.0	46.4	73.8	37.2	87.7	44.2
.6	92.2	46.5	74.0	37.3	87.5	44.1
.7	92.4	46.6	74.2	37.4	87.3	44.0
.8	92.6	46.7	74.4	37.5	87.1	43.9
.9	92.8	46.8	74.6	37.6	86.9	43.8
1173.0	93.0	46.9	74.8	37.7	86.7	43.7
.1	93.2	47.0	75.0	37.8	86.5	43.6
.2	93.4	47.1	75.2	37.9	86.3	43.5
.3	93.6	47.2	75.4	38.0	86.1	43.4
.4	93.8	47.3	75.6	38.1	85.9	43.3
.5	94.0	47.4	75.8	38.2	85.7	43.2
.6	94.2	47.5	76.0	38.3	85.5	43.1
.7	94.4	47.6	76.2	38.4	85.3	43.0
.8	94.6	47.7	76.4	38.5	85.1	42.9
.9	94.8	47.8	76.6	38.6	84.9	42.8

Reservoir Storage Tables

ALDER

PAGE 13

PAGE 14

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1174.0	95.0	47.9	76.8	38.7	84.7	42.7
.1	95.2	48.0	77.0	38.8	84.5	42.6
.2	95.4	48.1	77.2	38.9	84.3	42.5
.3	95.6	48.2	77.4	39.0	84.1	42.4
.4	95.8	48.3	77.6	39.1	83.9	42.3
.5	96.0	48.4	77.8	39.2	83.7	42.2
.6	96.2	48.5	78.0	39.3	83.5	42.1
.7	96.4	48.6	78.2	39.4	83.3	42.0
.8	96.6	48.7	78.4	39.5	83.1	41.9
.9	96.8	48.8	78.6	39.6	82.9	41.8
1175.0	97.0	48.9	78.8	39.7	82.7	41.7
.1	97.2	49.0	79.0	39.8	82.5	41.6
.2	97.4	49.1	79.2	39.9	82.3	41.5
.3	97.6	49.2	79.4	40.0	82.1	41.4
.4	97.8	49.3	79.6	40.1	81.9	41.3
.5	98.0	49.4	79.8	40.2	81.7	41.2
.6	98.2	49.5	80.0	40.3	81.5	41.1
.7	98.4	49.6	80.2	40.4	81.3	41.0
.8	98.6	49.7	80.4	40.5	81.1	40.9
.9	98.8	49.8	80.6	40.6	80.9	40.8
1176.0	99.0	49.9	80.8	40.7	80.7	40.7
.1	99.2	50.0	81.0	40.8	80.5	40.6
.2	99.4	50.1	81.2	40.9	80.3	40.5
.3	99.6	50.2	81.4	41.0	80.1	40.4
.4	99.8	50.3	81.6	41.1	79.9	40.3
.5	100.0	50.4	81.8	41.2	79.7	40.2
.6	100.2	50.5	82.0	41.3	79.5	40.1
.7	100.4	50.6	82.2	41.4	79.3	40.0
.8	100.6	50.7	82.4	41.5	79.1	39.9
.9	100.8	50.8	82.6	41.6	78.9	39.8
1177.0	101.0	50.9	82.8	41.7	78.7	39.7
.1	101.2	51.0	83.0	41.9	78.5	39.6
.2	101.5	51.2	83.3	42.0	78.2	39.4
.3	101.7	51.3	83.5	42.1	78.0	39.3
.4	101.9	51.4	83.7	42.2	77.8	39.2
.5	102.2	51.5	84.0	42.3	77.5	39.1
.6	102.4	51.6	84.2	42.4	77.3	39.0
.7	102.6	51.7	84.4	42.6	77.1	38.9
.8	102.8	51.8	84.6	42.7	76.9	38.8
.9	103.1	52.0	84.9	42.8	76.6	38.6
1178.0	103.3	52.1	85.1	42.9	76.4	38.5
.1	103.5	52.2	85.3	43.0	76.2	38.4
.2	103.8	52.3	85.6	43.1	75.9	38.3
.3	104.0	52.4	85.8	43.3	75.7	38.2
.4	104.2	52.5	86.0	43.4	75.5	38.1
.5	104.4	52.7	86.3	43.5	75.3	37.9
.6	104.7	52.8	86.5	43.6	75.0	37.8
.7	104.9	52.9	86.7	43.7	74.8	37.7
.8	105.1	53.0	86.9	43.8	74.6	37.6
.9	105.4	53.1	87.2	43.9	74.3	37.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1179.0	105.6	53.2	87.4	44.1	74.1	37.4
.1	105.8	53.4	87.6	44.2	73.9	37.2
.2	106.1	53.5	87.9	44.3	73.6	37.1
.3	106.3	53.6	88.1	44.4	73.4	37.0
.4	106.5	53.7	88.3	44.5	73.2	36.9
.5	106.8	53.8	88.6	44.6	72.9	36.8
.6	107.0	53.9	88.8	44.8	72.7	36.7
.7	107.2	54.1	89.0	44.9	72.5	36.5
.8	107.4	54.2	89.2	45.0	72.3	36.4
.9	107.7	54.3	89.5	45.1	72.0	36.3
1180.0	107.9	54.4	89.7	45.2	71.8	36.2
.1	108.1	54.5	89.9	45.3	71.6	36.1
.2	108.4	54.6	90.2	45.5	71.3	36.0
.3	108.6	54.7	90.4	45.6	71.1	35.9
.4	108.8	54.9	90.6	45.7	70.9	35.7
.5	109.1	55.0	90.9	45.8	70.6	35.6
.6	109.3	55.1	91.1	45.9	70.4	35.5
.7	109.5	55.2	91.3	46.0	70.2	35.4
.8	109.7	55.3	91.5	46.2	70.0	35.3
.9	110.0	55.4	91.8	46.3	69.7	35.2
1181.0	110.2	55.6	92.0	46.4	69.5	35.0
.1	110.4	55.7	92.2	46.5	69.3	34.9
.2	110.7	55.8	92.5	46.6	69.0	34.8
.3	110.9	55.9	92.7	46.7	68.8	34.7
.4	111.1	56.0	92.9	46.8	68.6	34.6
.5	111.3	56.1	93.2	47.0	68.3	34.5
.6	111.6	56.3	93.4	47.1	68.1	34.3
.7	111.8	56.4	93.6	47.2	67.9	34.2
.8	112.0	56.5	93.8	47.3	67.7	34.1
.9	112.3	56.6	94.1	47.4	67.4	34.0
1182.0	112.5	56.7	94.3	47.5	67.2	33.9
.1	112.7	56.8	94.5	47.7	67.0	33.8
.2	113.0	57.0	94.8	47.8	66.7	33.6
.3	113.2	57.1	95.0	47.9	66.5	33.5
.4	113.4	57.2	95.2	48.0	66.3	33.4
.5	113.7	57.3	95.5	48.1	66.0	33.3
.6	113.9	57.4	95.7	48.2	65.8	33.2
.7	114.1	57.5	95.9	48.4	65.6	33.1
.8	114.3	57.6	96.1	48.5	65.4	33.0
.9	114.6	57.8	96.4	48.6	65.1	32.8
1183.0	114.8	57.9	96.6	48.7	64.9	32.7
.1	115.0	58.0	96.8	48.8	64.7	32.6
.2	115.3	58.1	97.1	48.9	64.4	32.5
.3	115.5	58.2	97.3	49.1	64.2	32.4
.4	115.7	58.3	97.5	49.2	64.0	32.3
.5	115.9	58.5	97.8	49.3	63.8	32.1
.6	116.2	58.6	98.0	49.4	63.5	32.0
.7	116.4	58.7	98.2	49.5	63.3	31.9
.8	116.6	58.8	98.4	49.6	63.1	31.8
.9	116.9	58.9	98.7	49.7	62.8	31.7

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1184.0	117.1	59.0	98.9	49.9	62.6	31.6
.1	117.3	59.2	99.1	50.0	62.4	31.4
.2	117.6	59.3	99.4	50.1	62.1	31.3
.3	117.8	59.4	99.6	50.2	61.9	31.2
.4	118.0	59.5	99.8	50.3	61.7	31.1
.5	118.3	59.6	100.1	50.4	61.5	31.0
.6	118.5	59.7	100.3	50.6	61.2	30.9
.7	118.7	59.8	100.5	50.7	61.0	30.7
.8	118.9	60.0	100.7	50.8	60.8	30.6
.9	119.2	60.1	101.0	50.9	60.5	30.5
1185.0	119.4	60.2	101.2	51.0	60.3	30.4
.1	119.6	60.3	101.4	51.1	60.1	30.3
.2	119.9	60.4	101.7	51.3	59.8	30.2
.3	120.1	60.5	101.9	51.4	59.6	30.1
.4	120.3	60.7	102.1	51.5	59.4	29.9
.5	120.6	60.8	102.4	51.6	59.1	29.8
.6	120.8	60.9	102.6	51.7	58.9	29.7
.7	121.0	61.0	102.8	51.8	58.7	29.6
.8	121.2	61.1	103.0	51.9	58.5	29.5
.9	121.5	61.2	103.3	52.1	58.2	29.4
1186.0	121.7	61.4	103.5	52.2	58.0	29.2
.1	121.9	61.5	103.7	52.3	57.8	29.1
.2	122.2	61.6	104.0	52.4	57.5	29.0
.3	122.4	61.7	104.2	52.5	57.3	28.9
.4	122.6	61.8	104.4	52.6	57.1	28.8
.5	122.8	61.9	104.7	52.8	56.9	28.7
.6	123.1	62.1	104.9	52.9	56.6	28.5
.7	123.3	62.2	105.1	53.0	56.4	28.4
.8	123.5	62.3	105.3	53.1	56.2	28.3
.9	123.8	62.4	105.6	53.2	55.9	28.2
1187.0	124.0	62.5	105.8	53.3	55.7	28.1
.1	124.3	62.6	106.1	53.5	55.4	28.0
.2	124.5	62.8	106.3	53.6	55.2	27.8
.3	124.8	62.9	106.6	53.7	54.9	27.7
.4	125.0	63.0	106.8	53.9	54.7	27.6
.5	125.3	63.2	107.1	54.0	54.4	27.4
.6	125.6	63.3	107.4	54.1	54.1	27.3
.7	125.8	63.4	107.6	54.3	53.9	27.2
.8	126.1	63.6	107.9	54.4	53.6	27.0
.9	126.3	63.7	108.1	54.5	53.4	26.9
1188.0	126.6	63.8	108.4	54.7	53.1	26.8
.1	126.9	64.0	108.7	54.8	52.8	26.6
.2	127.1	64.1	108.9	54.9	52.6	26.5
.3	127.4	64.2	109.2	55.1	52.3	26.4
.4	127.7	64.4	109.5	55.2	52.0	26.2
.5	127.9	64.5	109.7	55.3	51.8	26.1
.6	128.2	64.6	110.0	55.4	51.5	26.0
.7	128.4	64.8	110.2	55.6	51.3	25.8
.8	128.7	64.9	110.5	55.7	51.0	25.7
.9	129.0	65.0	110.8	55.8	50.7	25.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1189.0	129.2	65.1	111.0	56.0	50.5	25.5
.1	129.5	65.3	111.3	56.1	50.2	25.3
.2	129.7	65.4	111.5	56.2	50.0	25.2
.3	130.0	65.5	111.8	56.4	49.7	25.1
.4	130.3	65.7	112.1	56.5	49.4	24.9
.5	130.5	65.8	112.3	56.6	49.2	24.8
.6	130.8	65.9	112.6	56.8	48.9	24.7
.7	131.0	66.1	112.8	56.9	48.7	24.5
.8	131.3	66.2	113.1	57.0	48.4	24.4
.9	131.6	66.3	113.4	57.2	48.1	24.3
1190.0	131.8	66.5	113.6	57.3	47.9	24.1
.1	132.1	66.6	113.9	57.4	47.6	24.0
.2	132.4	66.7	114.2	57.6	47.3	23.9
.3	132.6	66.9	114.4	57.7	47.1	23.7
.4	132.9	67.0	114.7	57.8	46.8	23.6
.5	133.1	67.1	114.9	57.9	46.6	23.5
.6	133.4	67.3	115.2	58.1	46.3	23.3
.7	133.7	67.4	115.5	58.2	46.0	23.2
.8	133.9	67.5	115.7	58.3	45.8	23.1
.9	134.2	67.6	116.0	58.5	45.5	23.0
1191.0	134.4	67.8	116.2	58.6	45.3	22.8
.1	134.7	67.9	116.5	58.7	45.0	22.7
.2	135.0	68.0	116.8	58.9	44.7	22.6
.3	135.2	68.2	117.0	59.0	44.5	22.4
.4	135.5	68.3	117.3	59.1	44.2	22.3
.5	135.7	68.4	117.5	59.3	44.0	22.2
.6	136.0	68.6	117.8	59.4	43.7	22.0
.7	136.3	68.7	118.1	59.5	43.4	21.9
.8	136.5	68.8	118.3	59.7	43.2	21.8
.9	136.8	69.0	118.6	59.8	42.9	21.6
1192.0	137.1	69.1	118.9	59.9	42.6	21.5
.1	137.3	69.2	119.1	60.1	42.4	21.4
.2	137.6	69.4	119.4	60.2	42.1	21.2
.3	137.8	69.5	119.6	60.3	41.9	21.1
.4	138.1	69.6	119.9	60.4	41.6	21.0
.5	138.4	69.8	120.2	60.6	41.3	20.8
.6	138.6	69.9	120.4	60.7	41.1	20.7
.7	138.9	70.0	120.7	60.8	40.8	20.6
.8	139.1	70.1	120.9	61.0	40.6	20.4
.9	139.4	70.3	121.2	61.1	40.3	20.3
1193.0	139.7	70.4	121.5	61.2	40.0	20.2
.1	139.9	70.5	121.7	61.4	39.8	20.1
.2	140.2	70.7	122.0	61.5	39.5	19.9
.3	140.4	70.8	122.2	61.6	39.3	19.8
.4	140.7	70.9	122.5	61.8	39.0	19.7
.5	141.0	71.1	122.8	61.9	38.7	19.5
.6	141.2	71.2	123.0	62.0	38.5	19.4
.7	141.5	71.3	123.3	62.2	38.2	19.3
.8	141.7	71.5	123.5	62.3	38.0	19.1
.9	142.0	71.6	123.8	62.4	37.7	19.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1194.0	142.3	71.7	124.1	62.6	37.4	18.9
.1	142.5	71.9	124.3	62.7	37.2	18.7
.2	142.8	72.0	124.6	62.8	36.9	18.6
.3	143.1	72.1	124.9	62.9	36.6	18.5
.4	143.3	72.3	125.1	63.1	36.4	18.3
.5	143.6	72.4	125.4	63.2	36.1	18.2
.6	143.8	72.5	125.6	63.3	35.9	18.1
.7	144.1	72.6	125.9	63.5	35.6	17.9
.8	144.4	72.8	126.2	63.6	35.3	17.8
.9	144.6	72.9	126.4	63.7	35.1	17.7
1195.0	144.9	73.0	126.7	63.9	34.8	17.6
.1	145.1	73.2	126.9	64.0	34.6	17.4
.2	145.4	73.3	127.2	64.1	34.3	17.3
.3	145.7	73.4	127.5	64.3	34.0	17.2
.4	145.9	73.6	127.7	64.4	33.8	17.0
.5	146.2	73.7	128.0	64.5	33.5	16.9
.6	146.4	73.8	128.2	64.7	33.3	16.8
.7	146.7	74.0	128.5	64.8	33.0	16.6
.8	147.0	74.1	128.8	64.9	32.7	16.5
.9	147.2	74.2	129.0	65.1	32.5	16.4
1196.0	147.5	74.4	129.3	65.2	32.2	16.2
.1	147.8	74.5	129.6	65.3	31.9	16.1
.2	148.0	74.6	129.8	65.4	31.7	16.0
.3	148.3	74.8	130.1	65.6	31.4	15.8
.4	148.5	74.9	130.3	65.7	31.2	15.7
.5	148.8	75.0	130.6	65.8	30.9	15.6
.6	149.1	75.1	130.9	66.0	30.6	15.4
.7	149.3	75.3	131.1	66.1	30.4	15.3
.8	149.6	75.4	131.4	66.2	30.1	15.2
.9	149.8	75.5	131.6	66.4	29.9	15.1
1197.0	150.1	75.7	131.9	66.5	29.6	14.9
.1	150.4	75.8	132.2	66.6	29.3	14.8
.2	150.7	76.0	132.5	66.8	29.0	14.6
.3	151.0	76.1	132.8	66.9	28.7	14.5
.4	151.3	76.3	133.1	67.1	28.4	14.3
.5	151.6	76.4	133.4	67.2	28.1	14.2
.6	151.9	76.6	133.7	67.4	27.8	14.0
.7	152.2	76.7	134.0	67.5	27.5	13.9
.8	152.5	76.9	134.3	67.7	27.2	13.7
.9	152.8	77.0	134.6	67.8	26.9	13.6
1198.0	153.1	77.2	134.9	68.0	26.6	13.4
.1	153.4	77.3	135.2	68.1	26.3	13.3
.2	153.7	77.5	135.5	68.3	26.0	13.1
.3	153.9	77.6	135.7	68.4	25.8	13.0
.4	154.2	77.8	136.0	68.6	25.5	12.8
.5	154.5	77.9	136.3	68.7	25.2	12.7
.6	154.8	78.1	136.6	68.9	24.9	12.5
.7	155.1	78.2	136.9	69.0	24.6	12.4
.8	155.4	78.4	137.2	69.2	24.3	12.2
.9	155.7	78.5	137.5	69.3	24.0	12.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1199.0	156.0	78.7	137.8	69.5	23.7	11.9
.1	156.3	78.8	138.1	69.6	23.4	11.8
.2	156.6	79.0	138.4	69.8	23.1	11.6
.3	156.9	79.1	138.7	69.9	22.8	11.5
.4	157.2	79.3	139.0	70.1	22.5	11.3
.5	157.5	79.4	139.3	70.2	22.2	11.2
.6	157.8	79.6	139.6	70.4	21.9	11.0
.7	158.1	79.7	139.9	70.5	21.6	10.9
.8	158.4	79.9	140.2	70.7	21.3	10.7
.9	158.7	80.0	140.5	70.8	21.0	10.6
1200.0	159.0	80.2	140.8	71.0	20.7	10.4
.1	159.3	80.3	141.1	71.1	20.4	10.3
.2	159.6	80.5	141.4	71.3	20.1	10.1
.3	159.9	80.6	141.7	71.4	19.8	10.0
.4	160.2	80.7	142.0	71.6	19.5	9.8
.5	160.5	80.9	142.3	71.7	19.2	9.7
.6	160.8	81.0	142.6	71.9	18.9	9.6
.7	161.1	81.2	142.9	72.0	18.6	9.4
.8	161.3	81.3	143.1	72.2	18.4	9.3
.9	161.6	81.5	143.4	72.3	18.1	9.1
1201.0	161.9	81.6	143.7	72.5	17.8	9.0
.1	162.2	81.8	144.0	72.6	17.5	8.8
.2	162.5	81.9	144.3	72.8	17.2	8.7
.3	162.8	82.1	144.6	72.9	16.9	8.5
.4	163.1	82.2	144.9	73.1	16.6	8.4
.5	163.4	82.4	145.2	73.2	16.3	8.2
.6	163.7	82.5	145.5	73.4	16.0	8.1
.7	164.0	82.7	145.8	73.5	15.7	7.9
.8	164.3	82.8	146.1	73.7	15.4	7.8
.9	164.6	83.0	146.4	73.8	15.1	7.6
1202.0	164.9	83.1	146.7	74.0	14.8	7.5
.1	165.2	83.3	147.0	74.1	14.5	7.3
.2	165.5	83.4	147.3	74.3	14.2	7.2
.3	165.8	83.6	147.6	74.4	13.9	7.0
.4	166.1	83.7	147.9	74.6	13.6	6.9
.5	166.4	83.9	148.2	74.7	13.3	6.7
.6	166.7	84.0	148.5	74.9	13.0	6.6
.7	167.0	84.2	148.8	75.0	12.7	6.4
.8	167.3	84.3	149.1	75.2	12.4	6.3
.9	167.6	84.5	149.4	75.3	12.1	6.1
1203.0	167.9	84.6	149.7	75.5	11.8	6.0
.1	168.2	84.8	150.0	75.6	11.5	5.8
.2	168.5	84.9	150.3	75.8	11.2	5.7
.3	168.7	85.1	150.5	75.9	11.0	5.5
.4	169.0	85.2	150.8	76.1	10.7	5.4
.5	169.3	85.4	151.1	76.2	10.4	5.2
.6	169.6	85.5	151.4	76.3	10.1	5.1
.7	169.9	85.7	151.7	76.5	9.8	4.9
.8	170.2	85.8	152.0	76.6	9.5	4.8
.9	170.5	86.0	152.3	76.8	9.2	4.6

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1204.0		170.8	86.1	152.6	76.9	8.9	4.5
.1		171.1	86.3	152.9	77.1	8.6	4.3
.2		171.4	86.4	153.2	77.2	8.3	4.2
.3		171.7	86.6	153.5	77.4	8.0	4.0
.4		172.0	86.7	153.8	77.5	7.7	3.9
.5		172.3	86.9	154.1	77.7	7.4	3.7
.6		172.6	87.0	154.4	77.8	7.1	3.6
.7		172.9	87.2	154.7	78.0	6.8	3.4
.8		173.2	87.3	155.0	78.1	6.5	3.3
.9		173.5	87.5	155.3	78.3	6.2	3.1
1205.0		173.8	87.6	155.6	78.4	5.9	3.0
.1		174.1	87.8	155.9	78.6	5.6	2.8
.2		174.4	87.9	156.2	78.7	5.3	2.7
.3		174.7	88.1	156.5	78.9	5.0	2.5
.4		175.0	88.2	156.8	79.0	4.7	2.4
.5		175.3	88.4	157.1	79.2	4.4	2.2
.6		175.6	88.5	157.4	79.3	4.1	2.1
.7		175.9	88.7	157.7	79.5	3.8	1.9
.8		176.1	88.8	157.9	79.6	3.6	1.8
.9		176.4	89.0	158.2	79.8	3.3	1.6
1206.0		176.7	89.1	158.5	79.9	3.0	1.5
.1		177.0	89.3	158.8	80.1	2.7	1.3
.2		177.3	89.4	159.1	80.2	2.4	1.2
.3		177.6	89.6	159.4	80.4	2.1	1.0
.4		177.9	89.7	159.7	80.5	1.8	0.9
.5		178.2	89.9	160.0	80.7	1.5	0.7
.6		178.5	90.0	160.3	80.8	1.2	0.6
.7		178.8	90.2	160.6	81.0	0.9	0.4
.8		179.1	90.3	160.9	81.1	0.6	0.3
.9		179.4	90.4	161.2	81.3	0.3	0.1
1207.0	SUB	179.7	90.6	161.5	81.4	0.0	0.0
.1		180.0	90.7				
.2		180.3	90.9				
.3		180.6	91.0				
.4		180.9	91.2				
.5		181.2	91.3				
.6		181.5	91.5				
.7		181.8	91.6				
.8		182.1	91.8				
.9		182.4	91.9				
1208.0		182.7	92.1				

Reservoir Storage Tables

1   PROJECT NAME: CUSHMAN NO 1   7/24/96   CUSHMAN NO 1

PROJECT NUMBER: 157

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) = 372.10   KAF   PAGE 2

ELEVATION FEET		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
		KAF	KSFD	KAF	KSFD	KAF	KSFD
615.0	SLB	0.0	0.0	0.0	0.0	372.1	187.6
.1		0.2	0.1	0.2	0.1	371.9	187.5
.2		0.4	0.2	0.4	0.2	371.7	187.4
.3		0.6	0.3	0.6	0.3	371.5	187.3
.4		0.8	0.4	0.8	0.4	371.3	187.2
.5		1.0	0.5	1.0	0.5	371.1	187.1
.6		1.2	0.6	1.2	0.6	370.9	187.0
.7		1.4	0.7	1.4	0.7	370.7	186.9
.8		1.6	0.8	1.6	0.8	370.5	186.8
.9		1.8	0.9	1.8	0.9	370.3	186.7
616.0		2.0	1.0	2.0	1.0	370.1	186.6
.1		2.3	1.1	2.3	1.1	369.8	186.5
.2		2.5	1.2	2.5	1.2	369.6	186.4
.3		2.7	1.3	2.7	1.3	369.4	186.3
.4		2.9	1.4	2.9	1.4	369.2	186.2
.5		3.1	1.5	3.1	1.5	369.0	186.1
.6		3.3	1.7	3.3	1.7	368.8	185.9
.7		3.5	1.8	3.5	1.8	368.6	185.8
.8		3.7	1.9	3.7	1.9	368.4	185.7
.9		3.9	2.0	3.9	2.0	368.2	185.6
617.0		4.1	2.1	4.1	2.1	368.0	185.5
.1		4.3	2.2	4.3	2.2	367.8	185.4
.2		4.5	2.3	4.5	2.3	367.6	185.3
.3		4.7	2.4	4.7	2.4	367.4	185.2
.4		4.9	2.5	4.9	2.5	367.2	185.1
.5		5.1	2.6	5.1	2.6	367.0	185.0
.6		5.3	2.7	5.3	2.7	366.8	184.9
.7		5.5	2.8	5.5	2.8	366.6	184.8
.8		5.7	2.9	5.7	2.9	366.4	184.7
.9		5.9	3.0	5.9	3.0	366.2	184.6
618.0		6.1	3.1	6.1	3.1	366.0	184.5
.1		6.3	3.2	6.3	3.2	365.8	184.4
.2		6.5	3.3	6.5	3.3	365.6	184.3
.3		6.8	3.4	6.8	3.4	365.3	184.2
.4		7.0	3.5	7.0	3.5	365.1	184.1
.5		7.2	3.6	7.2	3.6	364.9	184.0
.6		7.4	3.7	7.4	3.7	364.7	183.9
.7		7.6	3.8	7.6	3.8	364.5	183.8
.8		7.8	3.9	7.8	3.9	364.3	183.7
.9		8.0	4.0	8.0	4.0	364.1	183.6
619.0		8.2	4.1	8.2	4.1	363.9	183.5
.1		8.4	4.2	8.4	4.2	363.7	183.4
.2		8.6	4.3	8.6	4.3	363.5	183.3
.3		8.8	4.4	8.8	4.4	363.3	183.2
.4		9.0	4.5	9.0	4.5	363.1	183.1
.5		9.2	4.6	9.2	4.6	362.9	183.0
.6		9.4	4.7	9.4	4.7	362.7	182.9
.7		9.6	4.8	9.6	4.8	362.5	182.8
.8		9.8	5.0	9.8	5.0	362.3	182.6
.9		10.0	5.1	10.0	5.1	362.1	182.5

ELEVATION FEET	GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
	KAF	KSFD	KAF	KSFD	KAF	KSFD
620.0	10.2	5.2	10.2	5.2	361.9	182.4
.1	10.4	5.3	10.4	5.3	361.7	182.3
.2	10.6	5.4	10.6	5.4	361.5	182.2
.3	10.8	5.5	10.8	5.5	361.3	182.1
.4	11.0	5.6	11.0	5.6	361.1	182.0
.5	11.3	5.7	11.3	5.7	360.8	181.9
.6	11.5	5.8	11.5	5.8	360.6	181.8
.7	11.7	5.9	11.7	5.9	360.4	181.7
.8	11.9	6.0	11.9	6.0	360.2	181.6
.9	12.1	6.1	12.1	6.1	360.0	181.5
621.0	12.3	6.2	12.3	6.2	359.8	181.4
.1	12.5	6.3	12.5	6.3	359.6	181.3
.2	12.7	6.4	12.7	6.4	359.4	181.2
.3	12.9	6.5	12.9	6.5	359.2	181.1
.4	13.1	6.6	13.1	6.6	359.0	181.0
.5	13.3	6.7	13.3	6.7	358.8	180.9
.6	13.5	6.8	13.5	6.8	358.6	180.8
.7	13.7	6.9	13.7	6.9	358.4	180.7
.8	13.9	7.0	13.9	7.0	358.2	180.6
.9	14.1	7.1	14.1	7.1	358.0	180.5
622.0	14.3	7.2	14.3	7.2	357.8	180.4
.1	14.5	7.3	14.5	7.3	357.6	180.3
.2	14.7	7.4	14.7	7.4	357.4	180.2
.3	14.9	7.5	14.9	7.5	357.2	180.1
.4	15.1	7.6	15.1	7.6	357.0	180.0
.5	15.3	7.7	15.3	7.7	356.8	179.9
.6	15.6	7.8	15.6	7.8	356.5	179.8
.7	15.8	7.9	15.8	7.9	356.3	179.7
.8	16.0	8.0	16.0	8.0	356.1	179.6
.9	16.2	8.1	16.2	8.1	355.9	179.5
623.0	16.4	8.3	16.4	8.3	355.7	179.3
.1	16.6	8.4	16.6	8.4	355.5	179.2
.2	16.8	8.5	16.8	8.5	355.3	179.1
.3	17.0	8.6	17.0	8.6	355.1	179.0
.4	17.2	8.7	17.2	8.7	354.9	178.9
.5	17.4	8.8	17.4	8.8	354.7	178.8
.6	17.6	8.9	17.6	8.9	354.5	178.7
.7	17.8	9.0	17.8	9.0	354.3	178.6
.8	18.0	9.1	18.0	9.1	354.1	178.5
.9	18.2	9.2	18.2	9.2	353.9	178.4
624.0	18.4	9.3	18.4	9.3	353.7	178.3
.1	18.6	9.4	18.6	9.4	353.5	178.2
.2	18.8	9.5	18.8	9.5	353.3	178.1
.3	19.0	9.6	19.0	9.6	353.1	178.0
.4	19.2	9.7	19.2	9.7	352.9	177.9
.5	19.4	9.8	19.4	9.8	352.7	177.8
.6	19.6	9.9	19.6	9.9	352.5	177.7
.7	19.8	10.0	19.8	10.0	352.3	177.6
.8	20.1	10.1	20.1	10.1	352.0	177.5
.9	20.3	10.2	20.3	10.2	351.8	177.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
625.0	20.5	10.3	20.5	10.3	351.6	177.3
.1	20.7	10.4	20.7	10.4	351.4	177.2
.2	20.9	10.5	20.9	10.5	351.2	177.1
.3	21.1	10.6	21.1	10.6	351.0	177.0
.4	21.3	10.7	21.3	10.7	350.8	176.9
.5	21.5	10.8	21.5	10.8	350.6	176.8
.6	21.7	10.9	21.7	10.9	350.4	176.7
.7	21.9	11.0	21.9	11.0	350.2	176.6
.8	22.1	11.1	22.1	11.1	350.0	176.5
.9	22.3	11.2	22.3	11.2	349.8	176.4
626.0	22.5	11.3	22.5	11.3	349.6	176.3
.1	22.7	11.5	22.7	11.5	349.4	176.1
.2	22.9	11.6	22.9	11.6	349.2	176.0
.3	23.1	11.7	23.1	11.7	349.0	175.9
.4	23.3	11.8	23.3	11.8	348.8	175.8
.5	23.5	11.9	23.5	11.9	348.6	175.7
.6	23.7	12.0	23.7	12.0	348.4	175.6
.7	23.9	12.1	23.9	12.1	348.2	175.5
.8	24.1	12.2	24.1	12.2	348.0	175.4
.9	24.3	12.3	24.3	12.3	347.8	175.3
627.0	24.6	12.4	24.6	12.4	347.5	175.2
.1	24.8	12.5	24.8	12.5	347.3	175.1
.2	25.0	12.6	25.0	12.6	347.1	175.0
.3	25.2	12.7	25.2	12.7	346.9	174.9
.4	25.4	12.8	25.4	12.8	346.7	174.8
.5	25.6	12.9	25.6	12.9	346.5	174.7
.6	25.8	13.0	25.8	13.0	346.3	174.6
.7	26.0	13.1	26.0	13.1	346.1	174.5
.8	26.2	13.2	26.2	13.2	345.9	174.4
.9	26.4	13.3	26.4	13.3	345.7	174.3
628.0	26.6	13.4	26.6	13.4	345.5	174.2
.1	26.8	13.5	26.8	13.5	345.3	174.1
.2	27.1	13.6	27.1	13.6	345.0	174.0
.3	27.3	13.8	27.3	13.8	344.8	173.8
.4	27.5	13.9	27.5	13.9	344.6	173.7
.5	27.8	14.0	27.8	14.0	344.3	173.6
.6	28.0	14.1	28.0	14.1	344.1	173.5
.7	28.3	14.2	28.3	14.2	343.8	173.4
.8	28.5	14.4	28.5	14.4	343.6	173.2
.9	28.7	14.5	28.7	14.5	343.4	173.1
629.0	29.0	14.6	29.0	14.6	343.1	173.0
.1	29.2	14.7	29.2	14.7	342.9	172.9
.2	29.4	14.8	29.4	14.8	342.7	172.8
.3	29.7	15.0	29.7	15.0	342.4	172.6
.4	29.9	15.1	29.9	15.1	342.2	172.5
.5	30.1	15.2	30.1	15.2	342.0	172.4
.6	30.4	15.3	30.4	15.3	341.7	172.3
.7	30.6	15.4	30.6	15.4	341.5	172.2
.8	30.8	15.6	30.8	15.6	341.3	172.0
.9	31.1	15.7	31.1	15.7	341.0	171.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
630.0	31.3	15.8	31.3	15.8	340.8	171.8
.1	31.6	15.9	31.6	15.9	340.5	171.7
.2	31.8	16.0	31.8	16.0	340.3	171.6
.3	32.0	16.1	32.0	16.1	340.1	171.5
.4	32.3	16.3	32.3	16.3	339.8	171.3
.5	32.5	16.4	32.5	16.4	339.6	171.2
.6	32.7	16.5	32.7	16.5	339.4	171.1
.7	33.0	16.6	33.0	16.6	339.1	171.0
.8	33.2	16.7	33.2	16.7	338.9	170.9
.9	33.4	16.9	33.4	16.9	338.7	170.7
631.0	33.7	17.0	33.7	17.0	338.4	170.6
.1	33.9	17.1	33.9	17.1	338.2	170.5
.2	34.2	17.2	34.2	17.2	337.9	170.4
.3	34.4	17.3	34.4	17.3	337.7	170.3
.4	34.6	17.5	34.6	17.5	337.5	170.1
.5	34.9	17.6	34.9	17.6	337.2	170.0
.6	35.1	17.7	35.1	17.7	337.0	169.9
.7	35.3	17.8	35.3	17.8	336.8	169.8
.8	35.6	17.9	35.6	17.9	336.5	169.7
.9	35.8	18.1	35.8	18.1	336.3	169.5
632.0	36.0	18.2	36.0	18.2	336.1	169.4
.1	36.3	18.3	36.3	18.3	335.8	169.3
.2	36.5	18.4	36.5	18.4	335.6	169.2
.3	36.7	18.5	36.7	18.5	335.4	169.1
.4	37.0	18.6	37.0	18.6	335.1	169.0
.5	37.2	18.8	37.2	18.8	334.9	168.8
.6	37.5	18.9	37.5	18.9	334.6	168.7
.7	37.7	19.0	37.7	19.0	334.4	168.6
.8	37.9	19.1	37.9	19.1	334.2	168.5
.9	38.2	19.2	38.2	19.2	333.9	168.4
633.0	38.4	19.4	38.4	19.4	333.7	168.2
.1	38.6	19.5	38.6	19.5	333.5	168.1
.2	38.9	19.6	38.9	19.6	333.2	168.0
.3	39.1	19.7	39.1	19.7	333.0	167.9
.4	39.3	19.8	39.3	19.8	332.8	167.8
.5	39.6	20.0	39.6	20.0	332.5	167.6
.6	39.8	20.1	39.8	20.1	332.3	167.5
.7	40.1	20.2	40.1	20.2	332.0	167.4
.8	40.3	20.3	40.3	20.3	331.8	167.3
.9	40.5	20.4	40.5	20.4	331.6	167.2
634.0	40.8	20.5	40.8	20.5	331.3	167.1
.1	41.0	20.7	41.0	20.7	331.1	166.9
.2	41.2	20.8	41.2	20.8	330.9	166.8
.3	41.5	20.9	41.5	20.9	330.6	166.7
.4	41.7	21.0	41.7	21.0	330.4	166.6
.5	41.9	21.1	41.9	21.1	330.2	166.5
.6	42.2	21.3	42.2	21.3	329.9	166.3
.7	42.4	21.4	42.4	21.4	329.7	166.2
.8	42.6	21.5	42.6	21.5	329.5	166.1
.9	42.9	21.6	42.9	21.6	329.2	166.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
635.0	43.1	21.7	43.1	21.7	329.0	165.9
.1	43.4	21.9	43.4	21.9	328.7	165.7
.2	43.6	22.0	43.6	22.0	328.5	165.6
.3	43.8	22.1	43.8	22.1	328.3	165.5
.4	44.1	22.2	44.1	22.2	328.0	165.4
.5	44.3	22.3	44.3	22.3	327.8	165.3
.6	44.5	22.5	44.5	22.5	327.6	165.1
.7	44.8	22.6	44.8	22.6	327.3	165.0
.8	45.0	22.7	45.0	22.7	327.1	164.9
.9	45.2	22.8	45.2	22.8	326.9	164.8
636.0	45.5	22.9	45.5	22.9	326.6	164.7
.1	45.7	23.0	45.7	23.0	326.4	164.6
.2	46.0	23.2	46.0	23.2	326.1	164.4
.3	46.2	23.3	46.2	23.3	325.9	164.3
.4	46.4	23.4	46.4	23.4	325.7	164.2
.5	46.7	23.5	46.7	23.5	325.4	164.1
.6	46.9	23.6	46.9	23.6	325.2	164.0
.7	47.1	23.8	47.1	23.8	325.0	163.8
.8	47.4	23.9	47.4	23.9	324.7	163.7
.9	47.6	24.0	47.6	24.0	324.5	163.6
637.0	47.8	24.1	47.8	24.1	324.3	163.5
.1	48.1	24.2	48.1	24.2	324.0	163.4
.2	48.3	24.4	48.3	24.4	323.8	163.2
.3	48.5	24.5	48.5	24.5	323.6	163.1
.4	48.8	24.6	48.8	24.6	323.3	163.0
.5	49.0	24.7	49.0	24.7	323.1	162.9
.6	49.3	24.8	49.3	24.8	322.8	162.8
.7	49.5	25.0	49.5	25.0	322.6	162.6
.8	49.7	25.1	49.7	25.1	322.4	162.5
.9	50.0	25.2	50.0	25.2	322.1	162.4
638.0	50.2	25.3	50.2	25.3	321.9	162.3
.1	50.5	25.4	50.5	25.4	321.6	162.2
.2	50.7	25.6	50.7	25.6	321.4	162.0
.3	51.0	25.7	51.0	25.7	321.1	161.9
.4	51.2	25.8	51.2	25.8	320.9	161.8
.5	51.5	26.0	51.5	26.0	320.6	161.6
.6	51.7	26.1	51.7	26.1	320.4	161.5
.7	52.0	26.2	52.0	26.2	320.1	161.4
.8	52.2	26.3	52.2	26.3	319.9	161.3
.9	52.5	26.5	52.5	26.5	319.6	161.1
639.0	52.8	26.6	52.8	26.6	319.3	161.0
.1	53.0	26.7	53.0	26.7	319.1	160.9
.2	53.3	26.9	53.3	26.9	318.8	160.7
.3	53.5	27.0	53.5	27.0	318.6	160.6
.4	53.8	27.1	53.8	27.1	318.3	160.5
.5	54.0	27.2	54.0	27.2	318.1	160.4
.6	54.3	27.4	54.3	27.4	317.8	160.2
.7	54.6	27.5	54.6	27.5	317.5	160.1
.8	54.8	27.6	54.8	27.6	317.3	160.0
.9	55.1	27.8	55.1	27.8	317.0	159.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
640.0	55.3	27.9	55.3	27.9	316.8	159.7
.1	55.6	28.0	55.6	28.0	316.5	159.6
.2	55.8	28.1	55.8	28.1	316.3	159.5
.3	56.1	28.3	56.1	28.3	316.0	159.3
.4	56.3	28.4	56.3	28.4	315.8	159.2
.5	56.6	28.5	56.6	28.5	315.5	159.1
.6	56.9	28.7	56.9	28.7	315.2	158.9
.7	57.1	28.8	57.1	28.8	315.0	158.8
.8	57.4	28.9	57.4	28.9	314.7	158.7
.9	57.6	29.1	57.6	29.1	314.5	158.5
641.0	57.9	29.2	57.9	29.2	314.2	158.4
.1	58.1	29.3	58.1	29.3	314.0	158.3
.2	58.4	29.4	58.4	29.4	313.7	158.2
.3	58.6	29.6	58.6	29.6	313.5	158.0
.4	58.9	29.7	58.9	29.7	313.2	157.9
.5	59.2	29.8	59.2	29.8	312.9	157.8
.6	59.4	30.0	59.4	30.0	312.7	157.6
.7	59.7	30.1	59.7	30.1	312.4	157.5
.8	59.9	30.2	59.9	30.2	312.2	157.4
.9	60.2	30.3	60.2	30.3	311.9	157.3
642.0	60.4	30.5	60.4	30.5	311.7	157.1
.1	60.7	30.6	60.7	30.6	311.4	157.0
.2	61.0	30.7	61.0	30.7	311.1	156.9
.3	61.2	30.9	61.2	30.9	310.9	156.7
.4	61.5	31.0	61.5	31.0	310.6	156.6
.5	61.7	31.1	61.7	31.1	310.4	156.5
.6	62.0	31.2	62.0	31.2	310.1	156.4
.7	62.2	31.4	62.2	31.4	309.9	156.2
.8	62.5	31.5	62.5	31.5	309.6	156.1
.9	62.7	31.6	62.7	31.6	309.4	156.0
643.0	63.0	31.8	63.0	31.8	309.1	155.8
.1	63.3	31.9	63.3	31.9	308.8	155.7
.2	63.5	32.0	63.5	32.0	308.6	155.6
.3	63.8	32.1	63.8	32.1	308.3	155.5
.4	64.0	32.3	64.0	32.3	308.1	155.3
.5	64.3	32.4	64.3	32.4	307.8	155.2
.6	64.5	32.5	64.5	32.5	307.6	155.1
.7	64.8	32.7	64.8	32.7	307.3	154.9
.8	65.0	32.8	65.0	32.8	307.1	154.8
.9	65.3	32.9	65.3	32.9	306.8	154.7
644.0	65.6	33.1	65.6	33.1	306.5	154.5
.1	65.8	33.2	65.8	33.2	306.3	154.4
.2	66.1	33.3	66.1	33.3	306.0	154.3
.3	66.3	33.4	66.3	33.4	305.8	154.2
.4	66.6	33.6	66.6	33.6	305.5	154.0
.5	66.8	33.7	66.8	33.7	305.3	153.9
.6	67.1	33.8	67.1	33.8	305.0	153.8
.7	67.4	34.0	67.4	34.0	304.7	153.6
.8	67.6	34.1	67.6	34.1	304.5	153.5
.9	67.9	34.2	67.9	34.2	304.2	153.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
645.0	68.1	34.3	68.1	34.3	304.0	153.3
.1	68.4	34.5	68.4	34.5	303.7	153.1
.2	68.6	34.6	68.6	34.6	303.5	153.0
.3	68.9	34.7	68.9	34.7	303.2	152.9
.4	69.1	34.9	69.1	34.9	303.0	152.7
.5	69.4	35.0	69.4	35.0	302.7	152.6
.6	69.7	35.1	69.7	35.1	302.4	152.5
.7	69.9	35.2	69.9	35.2	302.2	152.4
.8	70.2	35.4	70.2	35.4	301.9	152.2
.9	70.4	35.5	70.4	35.5	301.7	152.1
646.0	70.7	35.6	70.7	35.6	301.4	152.0
.1	70.9	35.8	70.9	35.8	301.2	151.8
.2	71.2	35.9	71.2	35.9	300.9	151.7
.3	71.4	36.0	71.4	36.0	300.7	151.6
.4	71.7	36.2	71.7	36.2	300.4	151.4
.5	72.0	36.3	72.0	36.3	300.1	151.3
.6	72.2	36.4	72.2	36.4	299.9	151.2
.7	72.5	36.5	72.5	36.5	299.6	151.1
.8	72.7	36.7	72.7	36.7	299.4	150.9
.9	73.0	36.8	73.0	36.8	299.1	150.8
647.0	73.2	36.9	73.2	36.9	298.9	150.7
.1	73.5	37.1	73.5	37.1	298.6	150.5
.2	73.8	37.2	73.8	37.2	298.3	150.4
.3	74.0	37.3	74.0	37.3	298.1	150.3
.4	74.3	37.4	74.3	37.4	297.8	150.2
.5	74.5	37.6	74.5	37.6	297.6	150.0
.6	74.8	37.7	74.8	37.7	297.3	149.9
.7	75.0	37.8	75.0	37.8	297.1	149.8
.8	75.3	38.0	75.3	38.0	296.8	149.6
.9	75.5	38.1	75.5	38.1	296.6	149.5
648.0	75.8	38.2	75.8	38.2	296.3	149.4
.1	76.1	38.4	76.1	38.4	296.0	149.3
.2	76.3	38.5	76.3	38.5	295.8	149.1
.3	76.6	38.6	76.6	38.6	295.5	149.0
.4	76.9	38.8	76.9	38.8	295.2	148.8
.5	77.1	38.9	77.1	38.9	295.0	148.7
.6	77.4	39.0	77.4	39.0	294.7	148.6
.7	77.7	39.2	77.7	39.2	294.4	148.4
.8	77.9	39.3	77.9	39.3	294.2	148.3
.9	78.2	39.4	78.2	39.4	293.9	148.2
649.0	78.5	39.6	78.5	39.6	293.6	148.0
.1	78.7	39.7	78.7	39.7	293.4	147.9
.2	79.0	39.8	79.0	39.8	293.1	147.8
.3	79.3	40.0	79.3	40.0	292.8	147.6
.4	79.5	40.1	79.5	40.1	292.6	147.5
.5	79.8	40.2	79.8	40.2	292.3	147.4
.6	80.1	40.4	80.1	40.4	292.0	147.2
.7	80.3	40.5	80.3	40.5	291.8	147.1
.8	80.6	40.6	80.6	40.6	291.5	147.0
.9	80.9	40.8	80.9	40.8	291.2	146.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
650.0	81.1	40.9	81.1	40.9	291.0	146.7
.1	81.4	41.0	81.4	41.0	290.7	146.6
.2	81.7	41.2	81.7	41.2	290.4	146.4
.3	81.9	41.3	81.9	41.3	290.2	146.3
.4	82.2	41.4	82.2	41.4	289.9	146.2
.5	82.5	41.6	82.5	41.6	289.6	146.0
.6	82.7	41.7	82.7	41.7	289.4	145.9
.7	83.0	41.9	83.0	41.9	289.1	145.8
.8	83.3	42.0	83.3	42.0	288.8	145.6
.9	83.5	42.1	83.5	42.1	288.6	145.5
651.0	83.8	42.3	83.8	42.3	288.3	145.3
.1	84.1	42.4	84.1	42.4	288.0	145.2
.2	84.3	42.5	84.3	42.5	287.8	145.1
.3	84.6	42.7	84.6	42.7	287.5	144.9
.4	84.9	42.8	84.9	42.8	287.2	144.8
.5	85.1	42.9	85.1	42.9	287.0	144.7
.6	85.4	43.1	85.4	43.1	286.7	144.5
.7	85.7	43.2	85.7	43.2	286.4	144.4
.8	85.9	43.3	85.9	43.3	286.2	144.3
.9	86.2	43.5	86.2	43.5	285.9	144.1
652.0	86.5	43.6	86.5	43.6	285.6	144.0
.1	86.7	43.7	86.7	43.7	285.4	143.9
.2	87.0	43.9	87.0	43.9	285.1	143.7
.3	87.3	44.0	87.3	44.0	284.8	143.6
.4	87.5	44.1	87.5	44.1	284.6	143.5
.5	87.8	44.3	87.8	44.3	284.3	143.3
.6	88.1	44.4	88.1	44.4	284.0	143.2
.7	88.3	44.5	88.3	44.5	283.8	143.1
.8	88.6	44.7	88.6	44.7	283.5	142.9
.9	88.9	44.8	88.9	44.8	283.2	142.8
653.0	89.2	44.9	89.2	44.9	283.0	142.7
.1	89.4	45.1	89.4	45.1	282.7	142.5
.2	89.7	45.2	89.7	45.2	282.4	142.4
.3	90.0	45.4	90.0	45.4	282.1	142.3
.4	90.2	45.5	90.2	45.5	281.9	142.1
.5	90.5	45.6	90.5	45.6	281.6	142.0
.6	90.8	45.8	90.8	45.8	281.3	141.8
.7	91.0	45.9	91.0	45.9	281.1	141.7
.8	91.3	46.0	91.3	46.0	280.8	141.6
.9	91.6	46.2	91.6	46.2	280.5	141.4
654.0	91.8	46.3	91.8	46.3	280.3	141.3
.1	92.1	46.4	92.1	46.4	280.0	141.2
.2	92.4	46.6	92.4	46.6	279.7	141.0
.3	92.6	46.7	92.6	46.7	279.5	140.9
.4	92.9	46.8	92.9	46.8	279.2	140.8
.5	93.2	47.0	93.2	47.0	278.9	140.6
.6	93.4	47.1	93.4	47.1	278.7	140.5
.7	93.7	47.2	93.7	47.2	278.4	140.4
.8	94.0	47.4	94.0	47.4	278.1	140.2
.9	94.2	47.5	94.2	47.5	277.9	140.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
655.0	94.5	47.6	94.5	47.6	277.6	140.0
.1	94.8	47.8	94.8	47.8	277.3	139.8
.2	95.0	47.9	95.0	47.9	277.1	139.7
.3	95.3	48.0	95.3	48.0	276.8	139.6
.4	95.6	48.2	95.6	48.2	276.5	139.4
.5	95.8	48.3	95.8	48.3	276.3	139.3
.6	96.1	48.4	96.1	48.4	276.0	139.2
.7	96.4	48.6	96.4	48.6	275.7	139.0
.8	96.6	48.7	96.6	48.7	275.5	138.9
.9	96.9	48.9	96.9	48.9	275.2	138.8
656.0	97.2	49.0	97.2	49.0	274.9	138.6
.1	97.4	49.1	97.4	49.1	274.7	138.5
.2	97.7	49.3	97.7	49.3	274.4	138.3
.3	98.0	49.4	98.0	49.4	274.1	138.2
.4	98.2	49.5	98.2	49.5	273.9	138.1
.5	98.5	49.7	98.5	49.7	273.6	137.9
.6	98.8	49.8	98.8	49.8	273.3	137.8
.7	99.0	49.9	99.0	49.9	273.1	137.7
.8	99.3	50.1	99.3	50.1	272.8	137.5
.9	99.6	50.2	99.6	50.2	272.5	137.4
657.0	99.8	50.3	99.8	50.3	272.3	137.3
.1	100.1	50.5	100.1	50.5	272.0	137.1
.2	100.4	50.6	100.4	50.6	271.7	137.0
.3	100.6	50.7	100.6	50.7	271.5	136.9
.4	100.9	50.9	100.9	50.9	271.2	136.7
.5	101.2	51.0	101.2	51.0	270.9	136.6
.6	101.4	51.1	101.4	51.1	270.7	136.5
.7	101.7	51.3	101.7	51.3	270.4	136.3
.8	102.0	51.4	102.0	51.4	270.1	136.2
.9	102.2	51.5	102.2	51.5	269.9	136.1
658.0	102.5	51.7	102.5	51.7	269.6	135.9
.1	102.8	51.8	102.8	51.8	269.3	135.8
.2	103.1	52.0	103.1	52.0	269.0	135.6
.3	103.4	52.1	103.4	52.1	268.7	135.5
.4	103.6	52.3	103.6	52.3	268.5	135.3
.5	103.9	52.4	103.9	52.4	268.2	135.2
.6	104.2	52.5	104.2	52.5	267.9	135.1
.7	104.5	52.7	104.5	52.7	267.6	134.9
.8	104.8	52.8	104.8	52.8	267.3	134.8
.9	105.1	53.0	105.1	53.0	267.0	134.6
659.0	105.4	53.1	105.4	53.1	266.7	134.5
.1	105.6	53.3	105.6	53.3	266.5	134.3
.2	105.9	53.4	105.9	53.4	266.2	134.2
.3	106.2	53.6	106.2	53.6	265.9	134.0
.4	106.5	53.7	106.5	53.7	265.6	133.9
.5	106.8	53.8	106.8	53.8	265.3	133.8
.6	107.1	54.0	107.1	54.0	265.0	133.6
.7	107.4	54.1	107.4	54.1	264.7	133.5
.8	107.6	54.3	107.6	54.3	264.5	133.3
.9	107.9	54.4	107.9	54.4	264.2	133.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
660.0	108.2	54.6	108.2	54.6	263.9	133.0
.1	108.5	54.7	108.5	54.7	263.6	132.9
.2	108.8	54.8	108.8	54.8	263.3	132.8
.3	109.1	55.0	109.1	55.0	263.0	132.6
.4	109.4	55.1	109.4	55.1	262.7	132.5
.5	109.7	55.3	109.7	55.3	262.5	132.3
.6	109.9	55.4	109.9	55.4	262.2	132.2
.7	110.2	55.6	110.2	55.6	261.9	132.0
.8	110.5	55.7	110.5	55.7	261.6	131.9
.9	110.8	55.9	110.8	55.9	261.3	131.7
661.0	111.1	56.0	111.1	56.0	261.0	131.6
.1	111.4	56.1	111.4	56.1	260.7	131.5
.2	111.7	56.3	111.7	56.3	260.4	131.3
.3	111.9	56.4	111.9	56.4	260.2	131.2
.4	112.2	56.6	112.2	56.6	259.9	131.0
.5	112.5	56.7	112.5	56.7	259.6	130.9
.6	112.8	56.9	112.8	56.9	259.3	130.7
.7	113.1	57.0	113.1	57.0	259.0	130.6
.8	113.4	57.2	113.4	57.2	258.7	130.4
.9	113.7	57.3	113.7	57.3	258.4	130.3
662.0	113.9	57.4	113.9	57.4	258.2	130.2
.1	114.2	57.6	114.2	57.6	257.9	130.0
.2	114.5	57.7	114.5	57.7	257.6	129.9
.3	114.8	57.9	114.8	57.9	257.3	129.7
.4	115.1	58.0	115.1	58.0	257.0	129.6
.5	115.4	58.2	115.4	58.2	256.7	129.4
.6	115.7	58.3	115.7	58.3	256.4	129.3
.7	115.9	58.5	115.9	58.5	256.2	129.1
.8	116.2	58.6	116.2	58.6	255.9	129.0
.9	116.5	58.7	116.5	58.7	255.6	128.9
663.0	116.8	58.9	116.8	58.9	255.3	128.7
.1	117.1	59.0	117.1	59.0	255.0	128.6
.2	117.4	59.2	117.4	59.2	254.7	128.4
.3	117.7	59.3	117.7	59.3	254.4	128.3
.4	117.9	59.5	117.9	59.5	254.2	128.1
.5	118.2	59.6	118.2	59.6	253.9	128.0
.6	118.5	59.8	118.5	59.8	253.6	127.8
.7	118.8	59.9	118.8	59.9	253.3	127.7
.8	119.1	60.0	119.1	60.0	253.0	127.6
.9	119.4	60.2	119.4	60.2	252.7	127.4
664.0	119.7	60.3	119.7	60.3	252.4	127.3
.1	119.9	60.5	119.9	60.5	252.2	127.1
.2	120.2	60.6	120.2	60.6	251.9	127.0
.3	120.5	60.8	120.5	60.8	251.6	126.8
.4	120.8	60.9	120.8	60.9	251.3	126.7
.5	121.1	61.0	121.1	61.0	251.0	126.6
.6	121.4	61.2	121.4	61.2	250.7	126.4
.7	121.7	61.3	121.7	61.3	250.4	126.3
.8	121.9	61.5	121.9	61.5	250.2	126.1
.9	122.2	61.6	122.2	61.6	249.9	126.0

Reservoir Storage Tables

PAGE 11

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
665.0	122.5	61.8	122.5	61.8	249.6	125.8
.1	122.8	61.9	122.8	61.9	249.3	125.7
.2	123.1	62.1	123.1	62.1	249.0	125.5
.3	123.4	62.2	123.4	62.2	248.7	125.4
.4	123.7	62.3	123.7	62.3	248.4	125.3
.5	123.9	62.5	123.9	62.5	248.2	125.1
.6	124.2	62.6	124.2	62.6	247.9	125.0
.7	124.5	62.8	124.5	62.8	247.6	124.8
.8	124.8	62.9	124.8	62.9	247.3	124.7
.9	125.1	63.1	125.1	63.1	247.0	124.5
666.0	125.4	63.2	125.4	63.2	246.7	124.4
.1	125.7	63.4	125.7	63.4	246.4	124.2
.2	126.0	63.5	126.0	63.5	246.1	124.1
.3	126.2	63.6	126.2	63.6	245.9	124.0
.4	126.5	63.8	126.5	63.8	245.6	123.8
.5	126.8	63.9	126.8	63.9	245.3	123.7
.6	127.1	64.1	127.1	64.1	245.0	123.5
.7	127.4	64.2	127.4	64.2	244.7	123.4
.8	127.7	64.4	127.7	64.4	244.4	123.2
.9	128.0	64.5	128.0	64.5	244.1	123.1
667.0	128.2	64.7	128.2	64.7	243.9	122.9
.1	128.5	64.8	128.5	64.8	243.6	122.8
.2	128.8	64.9	128.8	64.9	243.3	122.7
.3	129.1	65.1	129.1	65.1	243.0	122.5
.4	129.4	65.2	129.4	65.2	242.7	122.4
.5	129.7	65.4	129.7	65.4	242.4	122.2
.6	130.0	65.5	130.0	65.5	242.1	122.1
.7	130.2	65.7	130.2	65.7	241.9	121.9
.8	130.5	65.8	130.5	65.8	241.6	121.8
.9	130.8	66.0	130.8	66.0	241.3	121.6
668.0	131.1	66.1	131.1	66.1	241.0	121.5
.1	131.4	66.2	131.4	66.2	240.7	121.4
.2	131.7	66.4	131.7	66.4	240.4	121.2
.3	132.0	66.6	132.0	66.6	240.1	121.0
.4	132.3	66.7	132.3	66.7	239.8	120.9
.5	132.6	66.9	132.6	66.9	239.5	120.7
.6	132.9	67.0	132.9	67.0	239.2	120.6
.7	133.2	67.2	133.2	67.2	238.9	120.4
.8	133.5	67.3	133.5	67.3	238.6	120.3
.9	133.8	67.5	133.8	67.5	238.3	120.1
669.0	134.1	67.6	134.1	67.6	238.0	120.0
.1	134.4	67.8	134.4	67.8	237.7	119.8
.2	134.7	67.9	134.7	67.9	237.4	119.7
.3	135.0	68.1	135.0	68.1	237.1	119.5
.4	135.3	68.2	135.3	68.2	236.8	119.4
.5	135.6	68.4	135.6	68.4	236.5	119.2
.6	135.9	68.5	135.9	68.5	236.2	119.1
.7	136.2	68.7	136.2	68.7	235.9	118.9
.8	136.5	68.8	136.5	68.8	235.6	118.8
.9	136.8	69.0	136.8	69.0	235.3	118.6

PAGE 12

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
670.0	137.1	69.1	137.1	69.1	235.0	118.5
.1	137.4	69.3	137.4	69.3	234.7	118.3
.2	137.7	69.4	137.7	69.4	234.4	118.2
.3	138.0	69.6	138.0	69.6	234.1	118.0
.4	138.3	69.8	138.3	69.8	233.8	117.8
.5	138.6	69.9	138.6	69.9	233.5	117.7
.6	139.0	70.1	139.0	70.1	233.1	117.5
.7	139.3	70.2	139.3	70.2	232.8	117.4
.8	139.6	70.4	139.6	70.4	232.5	117.2
.9	139.9	70.5	139.9	70.5	232.2	117.1
671.0	140.2	70.7	140.2	70.7	231.9	116.9
.1	140.5	70.8	140.5	70.8	231.6	116.8
.2	140.8	71.0	140.8	71.0	231.3	116.6
.3	141.1	71.1	141.1	71.1	231.0	116.5
.4	141.4	71.3	141.4	71.3	230.7	116.3
.5	141.7	71.4	141.7	71.4	230.4	116.2
.6	142.0	71.6	142.0	71.6	230.1	116.0
.7	142.3	71.7	142.3	71.7	229.8	115.9
.8	142.6	71.9	142.6	71.9	229.5	115.7
.9	142.9	72.0	142.9	72.0	229.2	115.6
672.0	143.2	72.2	143.2	72.2	228.9	115.4
.1	143.5	72.3	143.5	72.3	228.6	115.3
.2	143.8	72.5	143.8	72.5	228.3	115.1
.3	144.1	72.6	144.1	72.6	228.0	115.0
.4	144.4	72.8	144.4	72.8	227.7	114.8
.5	144.7	72.9	144.7	72.9	227.4	114.7
.6	145.0	73.1	145.0	73.1	227.1	114.5
.7	145.3	73.3	145.3	73.3	226.8	114.3
.8	145.6	73.4	145.6	73.4	226.5	114.2
.9	145.9	73.6	145.9	73.6	226.2	114.0
673.0	146.2	73.7	146.2	73.7	225.9	113.9
.1	146.5	73.9	146.5	73.9	225.6	113.7
.2	146.8	74.0	146.8	74.0	225.3	113.6
.3	147.1	74.2	147.1	74.2	225.0	113.4
.4	147.4	74.3	147.4	74.3	224.7	113.3
.5	147.7	74.5	147.7	74.5	224.4	113.1
.6	148.0	74.6	148.0	74.6	224.1	113.0
.7	148.3	74.8	148.3	74.8	223.8	112.8
.8	148.6	74.9	148.6	74.9	223.5	112.7
.9	148.9	75.1	148.9	75.1	223.2	112.5
674.0	149.2	75.2	149.2	75.2	222.9	112.4
.1	149.5	75.4	149.5	75.4	222.6	112.2
.2	149.8	75.5	149.8	75.5	222.3	112.1
.3	150.1	75.7	150.1	75.7	222.0	111.9
.4	150.4	75.8	150.4	75.8	221.7	111.8
.5	150.7	76.0	150.7	76.0	221.4	111.6
.6	151.0	76.1	151.0	76.1	221.1	111.5
.7	151.3	76.3	151.3	76.3	220.8	111.3
.8	151.6	76.4	151.6	76.4	220.5	111.2
.9	151.9	76.6	151.9	76.6	220.2	111.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
675.0	152.2	76.8	152.2	76.8	219.9	110.8
.1	152.5	76.9	152.5	76.9	219.6	110.7
.2	152.8	77.1	152.8	77.1	219.3	110.5
.3	153.1	77.2	153.1	77.2	219.0	110.4
.4	153.4	77.4	153.4	77.4	218.7	110.2
.5	153.8	77.5	153.8	77.5	218.4	110.1
.6	154.1	77.7	154.1	77.7	218.0	109.9
.7	154.4	77.8	154.4	77.8	217.7	109.8
.8	154.7	78.0	154.7	78.0	217.4	109.6
.9	155.0	78.1	155.0	78.1	217.1	109.5
676.0	155.3	78.3	155.3	78.3	216.8	109.3
.1	155.6	78.4	155.6	78.4	216.5	109.2
.2	155.9	78.6	155.9	78.6	216.2	109.0
.3	156.2	78.7	156.2	78.7	215.9	108.9
.4	156.5	78.9	156.5	78.9	215.6	108.7
.5	156.8	79.0	156.8	79.0	215.3	108.6
.6	157.1	79.2	157.1	79.2	215.0	108.4
.7	157.4	79.3	157.4	79.3	214.7	108.3
.8	157.7	79.5	157.7	79.5	214.4	108.1
.9	158.0	79.6	158.0	79.6	214.1	108.0
677.0	158.3	79.8	158.3	79.8	213.8	107.8
.1	158.6	80.0	158.6	80.0	213.5	107.6
.2	158.9	80.1	158.9	80.1	213.2	107.5
.3	159.2	80.3	159.2	80.3	212.9	107.3
.4	159.5	80.4	159.5	80.4	212.6	107.2
.5	159.8	80.6	159.8	80.6	212.3	107.0
.6	160.1	80.7	160.1	80.7	212.0	106.9
.7	160.4	80.9	160.4	80.9	211.7	106.7
.8	160.7	81.0	160.7	81.0	211.4	106.6
.9	161.0	81.2	161.0	81.2	211.1	106.4
678.0	161.3	81.3	161.3	81.3	210.8	106.3
.1	161.6	81.5	161.6	81.5	210.5	106.1
.2	161.9	81.6	161.9	81.6	210.2	106.0
.3	162.2	81.8	162.2	81.8	209.9	105.8
.4	162.5	81.9	162.5	81.9	209.6	105.7
.5	162.9	82.1	162.9	82.1	209.2	105.5
.6	163.2	82.3	163.2	82.3	208.9	105.3
.7	163.5	82.4	163.5	82.4	208.6	105.2
.8	163.8	82.6	163.8	82.6	208.3	105.0
.9	164.1	82.7	164.1	82.7	208.0	104.9
679.0	164.4	82.9	164.4	82.9	207.7	104.7
.1	164.7	83.0	164.7	83.0	207.4	104.6
.2	165.0	83.2	165.0	83.2	207.1	104.4
.3	165.3	83.4	165.3	83.4	206.8	104.2
.4	165.7	83.5	165.7	83.5	206.4	104.1
.5	166.0	83.7	166.0	83.7	206.1	103.9
.6	166.3	83.8	166.3	83.8	205.8	103.8
.7	166.6	84.0	166.6	84.0	205.5	103.6
.8	166.9	84.1	166.9	84.1	205.2	103.5
.9	167.2	84.3	167.2	84.3	204.9	103.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
680.0	167.5	84.5	167.5	84.5	204.6	103.1
.1	167.8	84.6	167.8	84.6	204.3	103.0
.2	168.1	84.8	168.1	84.8	204.0	102.8
.3	168.5	84.9	168.5	84.9	203.6	102.7
.4	168.8	85.1	168.8	85.1	203.3	102.5
.5	169.1	85.2	169.1	85.2	203.0	102.4
.6	169.4	85.4	169.4	85.4	202.7	102.2
.7	169.7	85.6	169.7	85.6	202.4	102.0
.8	170.0	85.7	170.0	85.7	202.1	101.9
.9	170.3	85.9	170.3	85.9	201.8	101.7
681.0	170.6	86.0	170.6	86.0	201.5	101.6
.1	170.9	86.2	170.9	86.2	201.2	101.4
.2	171.3	86.3	171.3	86.3	200.8	101.3
.3	171.6	86.5	171.6	86.5	200.5	101.1
.4	171.9	86.7	171.9	86.7	200.2	100.9
.5	172.2	86.8	172.2	86.8	199.9	100.8
.6	172.5	87.0	172.5	87.0	199.6	100.6
.7	172.8	87.1	172.8	87.1	199.3	100.5
.8	173.1	87.3	173.1	87.3	199.0	100.3
.9	173.4	87.4	173.4	87.4	198.7	100.2
682.0	173.7	87.6	173.7	87.6	198.4	100.0
.1	174.1	87.8	174.1	87.8	198.0	99.8
.2	174.4	87.9	174.4	87.9	197.7	99.7
.3	174.7	88.1	174.7	88.1	197.4	99.5
.4	175.0	88.2	175.0	88.2	197.1	99.4
.5	175.3	88.4	175.3	88.4	196.8	99.2
.6	175.6	88.5	175.6	88.5	196.5	99.1
.7	175.9	88.7	175.9	88.7	196.2	98.9
.8	176.2	88.8	176.2	88.8	195.9	98.8
.9	176.5	89.0	176.5	89.0	195.6	98.6
683.0	176.9	89.2	176.9	89.2	195.3	98.4
.1	177.2	89.3	177.2	89.3	194.9	98.3
.2	177.5	89.5	177.5	89.5	194.6	98.1
.3	177.8	89.6	177.8	89.6	194.3	98.0
.4	178.1	89.8	178.1	89.8	194.0	97.8
.5	178.4	89.9	178.4	89.9	193.7	97.7
.6	178.7	90.1	178.7	90.1	193.4	97.5
.7	179.0	90.3	179.0	90.3	193.1	97.3
.8	179.3	90.4	179.3	90.4	192.8	97.2
.9	179.6	90.6	179.6	90.6	192.5	97.0
684.0	180.0	90.7	180.0	90.7	192.1	96.9
.1	180.3	90.9	180.3	90.9	191.8	96.7
.2	180.6	91.0	180.6	91.0	191.5	96.6
.3	180.9	91.2	180.9	91.2	191.2	96.4
.4	181.2	91.4	181.2	91.4	190.9	96.2
.5	181.5	91.5	181.5	91.5	190.6	96.1
.6	181.8	91.7	181.8	91.7	190.3	95.9
.7	182.1	91.8	182.1	91.8	190.0	95.8
.8	182.4	92.0	182.4	92.0	189.7	95.6
.9	182.8	92.1	182.8	92.1	189.3	95.5

Cushman No 1

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
685.0	183.1	92.3	183.1	92.3	189.0	95.3
.1	183.4	92.5	183.4	92.5	188.7	95.1
.2	183.7	92.6	183.7	92.6	188.4	95.0
.3	184.0	92.8	184.0	92.8	188.1	94.8
.4	184.3	92.9	184.3	92.9	187.8	94.7
.5	184.6	93.1	184.6	93.1	187.5	94.5
.6	184.9	93.2	184.9	93.2	187.2	94.4
.7	185.2	93.4	185.2	93.4	186.9	94.2
.8	185.6	93.6	185.6	93.6	186.5	94.0
.9	185.9	93.7	185.9	93.7	186.2	93.9
686.0	186.2	93.9	186.2	93.9	185.9	93.7
.1	186.5	94.0	186.5	94.0	185.6	93.6
.2	186.8	94.2	186.8	94.2	185.3	93.4
.3	187.1	94.3	187.1	94.3	185.0	93.3
.4	187.4	94.5	187.4	94.5	184.7	93.1
.5	187.7	94.6	187.7	94.6	184.4	93.0
.6	188.0	94.8	188.0	94.8	184.1	92.8
.7	188.4	95.0	188.4	95.0	183.7	92.6
.8	188.7	95.1	188.7	95.1	183.4	92.5
.9	189.0	95.3	189.0	95.3	183.1	92.3
687.0	189.3	95.4	189.3	95.4	182.8	92.2
.1	189.6	95.6	189.6	95.6	182.5	92.0
.2	189.9	95.7	189.9	95.7	182.2	91.9
.3	190.2	95.9	190.2	95.9	181.9	91.7
.4	190.5	96.1	190.5	96.1	181.6	91.5
.5	190.8	96.2	190.8	96.2	181.3	91.4
.6	191.2	96.4	191.2	96.4	180.9	91.2
.7	191.5	96.5	191.5	96.5	180.6	91.1
.8	191.8	96.7	191.8	96.7	180.3	90.9
.9	192.1	96.8	192.1	96.8	180.0	90.8
688.0	192.4	97.0	192.4	97.0	179.7	90.6
.1	192.7	97.2	192.7	97.2	179.4	90.4
.2	193.0	97.3	193.0	97.3	179.1	90.3
.3	193.4	97.5	193.4	97.5	178.7	90.1
.4	193.7	97.6	193.7	97.6	178.4	90.0
.5	194.0	97.8	194.0	97.8	178.1	89.8
.6	194.3	98.0	194.3	98.0	177.8	89.6
.7	194.6	98.1	194.6	98.1	177.5	89.5
.8	194.9	98.3	194.9	98.3	177.2	89.3
.9	195.3	98.4	195.3	98.4	176.8	89.2
689.0	195.6	98.6	195.6	98.6	176.5	89.0
.1	195.9	98.8	195.9	98.8	176.2	88.8
.2	196.2	98.9	196.2	98.9	175.9	88.7
.3	196.5	99.1	196.5	99.1	175.6	88.5
.4	196.8	99.2	196.8	99.2	175.3	88.4
.5	197.2	99.4	197.2	99.4	174.9	88.2
.6	197.5	99.6	197.5	99.6	174.6	88.0
.7	197.8	99.7	197.8	99.7	174.3	87.9
.8	198.1	99.9	198.1	99.9	174.0	87.7
.9	198.4	100.0	198.4	100.0	173.7	87.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
690.0	198.7	100.2	198.7	100.2	173.4	87.4
.1	199.1	100.4	199.1	100.4	173.0	87.2
.2	199.4	100.5	199.4	100.5	172.7	87.1
.3	199.7	100.7	199.7	100.7	172.4	86.9
.4	200.0	100.8	200.0	100.8	172.1	86.8
.5	200.3	101.0	200.3	101.0	171.8	86.6
.6	200.6	101.2	200.6	101.2	171.5	86.4
.7	201.0	101.3	201.0	101.3	171.1	86.3
.8	201.3	101.5	201.3	101.5	170.8	86.1
.9	201.6	101.6	201.6	101.6	170.5	86.0
691.0	201.9	101.8	201.9	101.8	170.2	85.8
.1	202.2	102.0	202.2	102.0	169.9	85.6
.2	202.5	102.1	202.5	102.1	169.6	85.5
.3	202.9	102.3	202.9	102.3	169.2	85.3
.4	203.2	102.4	203.2	102.4	168.9	85.2
.5	203.5	102.6	203.5	102.6	168.6	85.0
.6	203.8	102.8	203.8	102.8	168.3	84.8
.7	204.1	102.9	204.1	102.9	168.0	84.7
.8	204.4	103.1	204.4	103.1	167.7	84.5
.9	204.8	103.2	204.8	103.2	167.3	84.4
692.0	205.1	103.4	205.1	103.4	167.0	84.2
.1	205.4	103.6	205.4	103.6	166.7	84.0
.2	205.7	103.7	205.7	103.7	166.4	83.9
.3	206.0	103.9	206.0	103.9	166.1	83.7
.4	206.3	104.0	206.3	104.0	165.8	83.6
.5	206.7	104.2	206.7	104.2	165.4	83.4
.6	207.0	104.4	207.0	104.4	165.1	83.2
.7	207.3	104.5	207.3	104.5	164.8	83.1
.8	207.6	104.7	207.6	104.7	164.5	82.9
.9	207.9	104.8	207.9	104.8	164.2	82.8
693.0	208.3	105.0	208.3	105.0	163.9	82.6
.1	208.6	105.2	208.6	105.2	163.5	82.4
.2	208.9	105.3	208.9	105.3	163.2	82.3
.3	209.2	105.5	209.2	105.5	162.9	82.1
.4	209.5	105.6	209.5	105.6	162.6	82.0
.5	209.8	105.8	209.8	105.8	162.3	81.8
.6	210.2	106.0	210.2	106.0	161.9	81.6
.7	210.5	106.1	210.5	106.1	161.6	81.5
.8	210.8	106.3	210.8	106.3	161.3	81.3
.9	211.1	106.4	211.1	106.4	161.0	81.2
694.0	211.4	106.6	211.4	106.6	160.7	81.0
.1	211.7	106.8	211.7	106.8	160.4	80.8
.2	212.1	106.9	212.1	106.9	160.0	80.7
.3	212.4	107.1	212.4	107.1	159.7	80.5
.4	212.7	107.2	212.7	107.2	159.4	80.4
.5	213.0	107.4	213.0	107.4	159.1	80.2
.6	213.3	107.5	213.3	107.5	158.8	80.1
.7	213.6	107.7	213.6	107.7	158.5	79.9
.8	214.0	107.9	214.0	107.9	158.1	79.7
.9	214.3	108.0	214.3	108.0	157.8	79.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
695.0	214.6	108.2	214.6	108.2	157.5	79.4
.1	214.9	108.3	214.9	108.3	157.2	79.3
.2	215.2	108.5	215.2	108.5	156.9	79.1
.3	215.5	108.7	215.5	108.7	156.6	78.9
.4	215.9	108.8	215.9	108.8	156.2	78.8
.5	216.2	109.0	216.2	109.0	155.9	78.6
.6	216.5	109.1	216.5	109.1	155.6	78.5
.7	216.8	109.3	216.8	109.3	155.3	78.3
.8	217.1	109.5	217.1	109.5	155.0	78.1
.9	217.4	109.6	217.4	109.6	154.7	78.0
696.0	217.8	109.8	217.8	109.8	154.3	77.8
.1	218.1	109.9	218.1	109.9	154.0	77.7
.2	218.4	110.1	218.4	110.1	153.7	77.5
.3	218.7	110.3	218.7	110.3	153.4	77.3
.4	219.0	110.4	219.0	110.4	153.1	77.2
.5	219.3	110.6	219.3	110.6	152.8	77.0
.6	219.7	110.7	219.7	110.7	152.4	76.9
.7	220.0	110.9	220.0	110.9	152.1	76.7
.8	220.3	111.1	220.3	111.1	151.8	76.5
.9	220.6	111.2	220.6	111.2	151.5	76.4
697.0	220.9	111.4	220.9	111.4	151.2	76.2
.1	221.2	111.5	221.2	111.5	150.9	76.1
.2	221.6	111.7	221.6	111.7	150.5	75.9
.3	221.9	111.9	221.9	111.9	150.2	75.7
.4	222.2	112.0	222.2	112.0	149.9	75.6
.5	222.5	112.2	222.5	112.2	149.6	75.4
.6	222.8	112.3	222.8	112.3	149.3	75.3
.7	223.1	112.5	223.1	112.5	149.0	75.1
.8	223.5	112.7	223.5	112.7	148.6	74.9
.9	223.8	112.8	223.8	112.8	148.3	74.8
698.0	224.1	113.0	224.1	113.0	148.0	74.6
.1	224.4	113.2	224.4	113.2	147.7	74.4
.2	224.8	113.3	224.8	113.3	147.3	74.3
.3	225.1	113.5	225.1	113.5	147.0	74.1
.4	225.5	113.7	225.5	113.7	146.6	73.9
.5	225.8	113.8	225.8	113.8	146.3	73.8
.6	226.1	114.0	226.1	114.0	146.0	73.6
.7	226.5	114.2	226.5	114.2	145.6	73.4
.8	226.8	114.4	226.8	114.4	145.3	73.2
.9	227.2	114.5	227.2	114.5	144.9	73.1
699.0	227.5	114.7	227.5	114.7	144.6	72.9
.1	227.9	114.9	227.9	114.9	144.2	72.7
.2	228.2	115.0	228.2	115.0	143.9	72.6
.3	228.5	115.2	228.5	115.2	143.6	72.4
.4	228.9	115.4	228.9	115.4	143.2	72.2
.5	229.2	115.6	229.2	115.6	142.9	72.0
.6	229.6	115.7	229.6	115.7	142.5	71.9
.7	229.9	115.9	229.9	115.9	142.2	71.7
.8	230.2	116.1	230.2	116.1	141.9	71.5
.9	230.6	116.3	230.6	116.3	141.5	71.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
700.0	230.9	116.4	230.9	116.4	141.2	71.2
.1	231.3	116.6	231.3	116.6	140.8	71.0
.2	231.6	116.8	231.6	116.8	140.5	70.8
.3	231.9	116.9	231.9	116.9	140.2	70.7
.4	232.3	117.1	232.3	117.1	139.8	70.5
.5	232.6	117.3	232.6	117.3	139.5	70.3
.6	233.0	117.5	233.0	117.5	139.1	70.1
.7	233.3	117.6	233.3	117.6	138.8	70.0
.8	233.6	117.8	233.6	117.8	138.5	69.8
.9	234.0	118.0	234.0	118.0	138.1	69.6
701.0	234.3	118.1	234.3	118.1	137.8	69.5
.1	234.7	118.3	234.7	118.3	137.4	69.3
.2	235.0	118.5	235.0	118.5	137.1	69.1
.3	235.4	118.7	235.4	118.7	136.7	68.9
.4	235.7	118.8	235.7	118.8	136.4	68.8
.5	236.0	119.0	236.0	119.0	136.1	68.6
.6	236.4	119.2	236.4	119.2	135.7	68.4
.7	236.7	119.3	236.7	119.3	135.4	68.3
.8	237.1	119.5	237.1	119.5	135.0	68.1
.9	237.4	119.7	237.4	119.7	134.7	67.9
702.0	237.7	119.9	237.7	119.9	134.4	67.7
.1	238.1	120.0	238.1	120.0	134.0	67.6
.2	238.4	120.2	238.4	120.2	133.7	67.4
.3	238.8	120.4	238.8	120.4	133.3	67.2
.4	239.1	120.5	239.1	120.5	133.0	67.1
.5	239.4	120.7	239.4	120.7	132.7	66.9
.6	239.8	120.9	239.8	120.9	132.3	66.7
.7	240.1	121.1	240.1	121.1	132.0	66.5
.8	240.5	121.2	240.5	121.2	131.6	66.4
.9	240.8	121.4	240.8	121.4	131.3	66.2
703.0	241.1	121.6	241.1	121.6	131.0	66.0
.1	241.5	121.8	241.5	121.8	130.6	65.8
.2	241.8	121.9	241.8	121.9	130.3	65.7
.3	242.2	122.1	242.2	122.1	129.9	65.5
.4	242.5	122.3	242.5	122.3	129.6	65.3
.5	242.9	122.4	242.9	122.4	129.2	65.2
.6	243.2	122.6	243.2	122.6	128.9	65.0
.7	243.5	122.8	243.5	122.8	128.6	64.8
.8	243.9	123.0	243.9	123.0	128.2	64.6
.9	244.2	123.1	244.2	123.1	127.9	64.5
704.0	244.6	123.3	244.6	123.3	127.5	64.3
.1	244.9	123.5	244.9	123.5	127.2	64.1
.2	245.2	123.6	245.2	123.6	126.9	64.0
.3	245.6	123.8	245.6	123.8	126.5	63.8
.4	245.9	124.0	245.9	124.0	126.2	63.6
.5	246.3	124.2	246.3	124.2	125.8	63.4
.6	246.6	124.3	246.6	124.3	125.5	63.3
.7	246.9	124.5	246.9	124.5	125.2	63.1
.8	247.3	124.7	247.3	124.7	124.8	62.9
.9	247.6	124.8	247.6	124.8	124.5	62.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
705.0	248.0	125.0	248.0	125.0	124.1	62.6
.1	248.3	125.2	248.3	125.2	123.8	62.4
.2	248.7	125.4	248.7	125.4	123.4	62.2
.3	249.0	125.5	249.0	125.5	123.1	62.1
.4	249.3	125.7	249.3	125.7	122.8	61.9
.5	249.7	125.9	249.7	125.9	122.4	61.7
.6	250.0	126.0	250.0	126.0	122.1	61.6
.7	250.4	126.2	250.4	126.2	121.7	61.4
.8	250.7	126.4	250.7	126.4	121.4	61.2
.9	251.0	126.6	251.0	126.6	121.1	61.0
706.0	251.4	126.7	251.4	126.7	120.7	60.9
.1	251.7	126.9	251.7	126.9	120.4	60.7
.2	252.1	127.1	252.1	127.1	120.0	60.5
.3	252.4	127.3	252.4	127.3	119.7	60.3
.4	252.7	127.4	252.7	127.4	119.4	60.2
.5	253.1	127.6	253.1	127.6	119.0	60.0
.6	253.4	127.8	253.4	127.8	118.7	59.8
.7	253.8	127.9	253.8	127.9	118.3	59.7
.8	254.1	128.1	254.1	128.1	118.0	59.5
.9	254.4	128.3	254.4	128.3	117.7	59.3
707.0	254.8	128.5	254.8	128.5	117.3	59.1
.1	255.1	128.6	255.1	128.6	117.0	59.0
.2	255.5	128.8	255.5	128.8	116.6	58.8
.3	255.8	129.0	255.8	129.0	116.3	58.6
.4	256.2	129.1	256.2	129.1	115.9	58.5
.5	256.5	129.3	256.5	129.3	115.6	58.3
.6	256.8	129.5	256.8	129.5	115.3	58.1
.7	257.2	129.7	257.2	129.7	114.9	57.9
.8	257.5	129.8	257.5	129.8	114.6	57.8
.9	257.9	130.0	257.9	130.0	114.2	57.6
708.0	258.2	130.2	258.2	130.2	113.9	57.4
.1	258.6	130.4	258.6	130.4	113.5	57.2
.2	258.9	130.5	258.9	130.5	113.2	57.1
.3	259.3	130.7	259.3	130.7	112.8	56.9
.4	259.6	130.9	259.6	130.9	112.5	56.7
.5	260.0	131.1	260.0	131.1	112.1	56.5
.6	260.3	131.3	260.3	131.3	111.8	56.3
.7	260.7	131.4	260.7	131.4	111.4	56.2
.8	261.1	131.6	261.1	131.6	111.0	56.0
.9	261.4	131.8	261.4	131.8	110.7	55.8
709.0	261.8	132.0	261.8	132.0	110.3	55.6
.1	262.1	132.2	262.1	132.2	110.0	55.4
.2	262.5	132.3	262.5	132.3	109.6	55.3
.3	262.9	132.5	262.9	132.5	109.2	55.1
.4	263.2	132.7	263.2	132.7	108.9	54.9
.5	263.6	132.9	263.6	132.9	108.5	54.7
.6	263.9	133.1	263.9	133.1	108.2	54.5
.7	264.3	133.2	264.3	133.2	107.8	54.4
.8	264.6	133.4	264.6	133.4	107.5	54.2
.9	265.0	133.6	265.0	133.6	107.1	54.0

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
710.0	265.4	133.8	265.4	133.8	106.7	53.8
.1	265.7	134.0	265.7	134.0	106.4	53.6
.2	266.1	134.1	266.1	134.1	106.0	53.5
.3	266.4	134.3	266.4	134.3	105.7	53.3
.4	266.8	134.5	266.8	134.5	105.3	53.1
.5	267.1	134.7	267.1	134.7	105.0	52.9
.6	267.5	134.9	267.5	134.9	104.6	52.7
.7	267.9	135.0	267.9	135.0	104.2	52.6
.8	268.2	135.2	268.2	135.2	103.9	52.4
.9	268.6	135.4	268.6	135.4	103.5	52.2
711.0	268.9	135.6	268.9	135.6	103.2	52.0
.1	269.3	135.8	269.3	135.8	102.8	51.8
.2	269.7	136.0	269.7	136.0	102.4	51.6
.3	270.0	136.1	270.0	136.1	102.1	51.5
.4	270.4	136.3	270.4	136.3	101.7	51.3
.5	270.7	136.5	270.7	136.5	101.4	51.1
.6	271.1	136.7	271.1	136.7	101.0	50.9
.7	271.4	136.9	271.4	136.9	100.7	50.7
.8	271.8	137.0	271.8	137.0	100.3	50.6
.9	272.2	137.2	272.2	137.2	99.9	50.4
712.0	272.5	137.4	272.5	137.4	99.6	50.2
.1	272.9	137.6	272.9	137.6	99.2	50.0
.2	273.2	137.8	273.2	137.8	98.9	49.8
.3	273.6	137.9	273.6	137.9	98.5	49.7
.4	274.0	138.1	274.0	138.1	98.1	49.5
.5	274.3	138.3	274.3	138.3	97.8	49.3
.6	274.7	138.5	274.7	138.5	97.4	49.1
.7	275.0	138.7	275.0	138.7	97.1	48.9
.8	275.4	138.8	275.4	138.8	96.7	48.8
.9	275.7	139.0	275.7	139.0	96.4	48.6
713.0	276.1	139.2	276.1	139.2	96.0	48.4
.1	276.5	139.4	276.5	139.4	95.6	48.2
.2	276.8	139.6	276.8	139.6	95.3	48.0
.3	277.2	139.7	277.2	139.7	94.9	47.9
.4	277.5	139.9	277.5	139.9	94.6	47.7
.5	277.9	140.1	277.9	140.1	94.2	47.5
.6	278.2	140.3	278.2	140.3	93.9	47.3
.7	278.6	140.5	278.6	140.5	93.5	47.1
.8	279.0	140.6	279.0	140.6	93.1	47.0
.9	279.3	140.8	279.3	140.8	92.8	46.8
714.0	279.7	141.0	279.7	141.0	92.4	46.6
.1	280.0	141.2	280.0	141.2	92.1	46.4
.2	280.4	141.4	280.4	141.4	91.7	46.2
.3	280.8	141.5	280.8	141.5	91.3	46.1
.4	281.1	141.7	281.1	141.7	91.0	45.9
.5	281.5	141.9	281.5	141.9	90.6	45.7
.6	281.8	142.1	281.8	142.1	90.3	45.5
.7	282.2	142.3	282.2	142.3	89.9	45.3
.8	282.5	142.4	282.5	142.4	89.6	45.2
.9	282.9	142.6	282.9	142.6	89.2	45.0

Reservoir Storage Tables

PAGE 21

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
715.0	283.3	142.8	283.3	142.8	88.8	44.8
.1	283.6	143.0	283.6	143.0	88.5	44.6
.2	284.0	143.2	284.0	143.2	88.1	44.4
.3	284.3	143.4	284.3	143.4	87.8	44.2
.4	284.7	143.5	284.7	143.5	87.4	44.1
.5	285.0	143.7	285.0	143.7	87.1	43.9
.6	285.4	143.9	285.4	143.9	86.7	43.7
.7	285.8	144.1	285.8	144.1	86.3	43.5
.8	286.1	144.3	286.1	144.3	86.0	43.3
.9	286.5	144.4	286.5	144.4	85.6	43.2
716.0	286.8	144.6	286.8	144.6	85.3	43.0
.1	287.2	144.8	287.2	144.8	84.9	42.8
.2	287.6	145.0	287.6	145.0	84.5	42.6
.3	287.9	145.2	287.9	145.2	84.2	42.4
.4	288.3	145.3	288.3	145.3	83.8	42.3
.5	288.6	145.5	288.6	145.5	83.5	42.1
.6	289.0	145.7	289.0	145.7	83.1	41.9
.7	289.3	145.9	289.3	145.9	82.8	41.7
.8	289.7	146.1	289.7	146.1	82.4	41.5
.9	290.1	146.2	290.1	146.2	82.0	41.4
717.0	290.4	146.4	290.4	146.4	81.7	41.2
.1	290.8	146.6	290.8	146.6	81.3	41.0
.2	291.1	146.8	291.1	146.8	81.0	40.8
.3	291.5	147.0	291.5	147.0	80.6	40.6
.4	291.9	147.1	291.9	147.1	80.2	40.5
.5	292.2	147.3	292.2	147.3	79.9	40.3
.6	292.6	147.5	292.6	147.5	79.5	40.1
.7	292.9	147.7	292.9	147.7	79.2	39.9
.8	293.3	147.9	293.3	147.9	78.8	39.7
.9	293.6	148.0	293.6	148.0	78.5	39.6
718.0	294.0	148.2	294.0	148.2	78.1	39.4
.1	294.4	148.4	294.4	148.4	77.7	39.2
.2	294.8	148.6	294.8	148.6	77.3	39.0
.3	295.1	148.8	295.1	148.8	77.0	38.8
.4	295.5	149.0	295.5	149.0	76.6	38.6
.5	295.9	149.2	295.9	149.2	76.2	38.4
.6	296.3	149.4	296.3	149.4	75.8	38.2
.7	296.6	149.6	296.6	149.6	75.5	38.0
.8	297.0	149.7	297.0	149.7	75.1	37.9
.9	297.4	149.9	297.4	149.9	74.7	37.7
719.0	297.8	150.1	297.8	150.1	74.3	37.5
.1	298.1	150.3	298.1	150.3	74.0	37.3
.2	298.5	150.5	298.5	150.5	73.6	37.1
.3	298.9	150.7	298.9	150.7	73.2	36.9
.4	299.3	150.9	299.3	150.9	72.8	36.7
.5	299.6	151.1	299.6	151.1	72.5	36.5
.6	300.0	151.3	300.0	151.3	72.1	36.3
.7	300.4	151.4	300.4	151.4	71.7	36.2
.8	300.8	151.6	300.8	151.6	71.3	36.0
.9	301.1	151.8	301.1	151.8	71.0	35.8

PAGE 22

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
720.0	301.5	152.0	301.5	152.0	70.6	35.6
.1	301.9	152.2	301.9	152.2	70.2	35.4
.2	302.3	152.4	302.3	152.4	69.8	35.2
.3	302.6	152.6	302.6	152.6	69.5	35.0
.4	303.0	152.8	303.0	152.8	69.1	34.8
.5	303.4	153.0	303.4	153.0	68.7	34.6
.6	303.8	153.2	303.8	153.2	68.3	34.4
.7	304.2	153.3	304.2	153.3	67.9	34.3
.8	304.5	153.5	304.5	153.5	67.6	34.1
.9	304.9	153.7	304.9	153.7	67.2	33.9
721.0	305.3	153.9	305.3	153.9	66.8	33.7
.1	305.7	154.1	305.7	154.1	66.4	33.5
.2	306.0	154.3	306.0	154.3	66.1	33.3
.3	306.4	154.5	306.4	154.5	65.7	33.1
.4	306.8	154.7	306.8	154.7	65.3	32.9
.5	307.2	154.9	307.2	154.9	64.9	32.7
.6	307.5	155.0	307.5	155.0	64.6	32.6
.7	307.9	155.2	307.9	155.2	64.2	32.4
.8	308.3	155.4	308.3	155.4	63.8	32.2
.9	308.7	155.6	308.7	155.6	63.4	32.0
722.0	309.0	155.8	309.0	155.8	63.1	31.8
.1	309.4	156.0	309.4	156.0	62.7	31.6
.2	309.8	156.2	309.8	156.2	62.3	31.4
.3	310.2	156.4	310.2	156.4	61.9	31.2
.4	310.5	156.6	310.5	156.6	61.6	31.0
.5	310.9	156.8	310.9	156.8	61.2	30.8
.6	311.3	156.9	311.3	156.9	60.8	30.7
.7	311.7	157.1	311.7	157.1	60.4	30.5
.8	312.0	157.3	312.0	157.3	60.1	30.3
.9	312.4	157.5	312.4	157.5	59.7	30.1
723.0	312.8	157.7	312.8	157.7	59.3	29.9
.1	313.2	157.9	313.2	157.9	58.9	29.7
.2	313.6	158.1	313.6	158.1	58.5	29.5
.3	313.9	158.3	313.9	158.3	58.2	29.3
.4	314.3	158.5	314.3	158.5	57.8	29.1
.5	314.7	158.7	314.7	158.7	57.4	28.9
.6	315.1	158.8	315.1	158.8	57.0	28.8
.7	315.4	159.0	315.4	159.0	56.7	28.6
.8	315.8	159.2	315.8	159.2	56.3	28.4
.9	316.2	159.4	316.2	159.4	55.9	28.2
724.0	316.6	159.6	316.6	159.6	55.5	28.0
.1	316.9	159.8	316.9	159.8	55.2	27.8
.2	317.3	160.0	317.3	160.0	54.8	27.6
.3	317.7	160.2	317.7	160.2	54.4	27.4
.4	318.1	160.4	318.1	160.4	54.0	27.2
.5	318.4	160.5	318.4	160.5	53.7	27.1
.6	318.8	160.7	318.8	160.7	53.3	26.9
.7	319.2	160.9	319.2	160.9	52.9	26.7
.8	319.6	161.1	319.6	161.1	52.5	26.5
.9	319.9	161.3	319.9	161.3	52.2	26.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
725.0	320.3	161.5	320.3	161.5	51.8	26.1
.1	320.7	161.7	320.7	161.7	51.4	25.9
.2	321.1	161.9	321.1	161.9	51.0	25.7
.3	321.4	162.1	321.4	162.1	50.7	25.5
.4	321.8	162.3	321.8	162.3	50.3	25.3
.5	322.2	162.4	322.2	162.4	49.9	25.2
.6	322.6	162.6	322.6	162.6	49.5	25.0
.7	323.0	162.8	323.0	162.8	49.1	24.8
.8	323.3	163.0	323.3	163.0	48.8	24.6
.9	323.7	163.2	323.7	163.2	48.4	24.4
726.0	324.1	163.4	324.1	163.4	48.0	24.2
.1	324.5	163.6	324.5	163.6	47.6	24.0
.2	324.8	163.8	324.8	163.8	47.3	23.8
.3	325.2	164.0	325.2	164.0	46.9	23.6
.4	325.6	164.1	325.6	164.1	46.5	23.5
.5	326.0	164.3	326.0	164.3	46.1	23.3
.6	326.3	164.5	326.3	164.5	45.8	23.1
.7	326.7	164.7	326.7	164.7	45.4	22.9
.8	327.1	164.9	327.1	164.9	45.0	22.7
.9	327.5	165.1	327.5	165.1	44.6	22.5
727.0	327.8	165.3	327.8	165.3	44.3	22.3
.1	328.2	165.5	328.2	165.5	43.9	22.1
.2	328.6	165.7	328.6	165.7	43.5	21.9
.3	329.0	165.9	329.0	165.9	43.1	21.7
.4	329.3	166.0	329.3	166.0	42.8	21.6
.5	329.7	166.2	329.7	166.2	42.4	21.4
.6	330.1	166.4	330.1	166.4	42.0	21.2
.7	330.5	166.6	330.5	166.6	41.6	21.0
.8	330.8	166.8	330.8	166.8	41.3	20.8
.9	331.2	167.0	331.2	167.0	40.9	20.6
728.0	331.6	167.2	331.6	167.2	40.5	20.4
.1	332.0	167.4	332.0	167.4	40.1	20.2
.2	332.4	167.6	332.4	167.6	39.7	20.0
.3	332.8	167.8	332.8	167.8	39.3	19.8
.4	333.2	168.0	333.2	168.0	38.9	19.6
.5	333.6	168.2	333.6	168.2	38.5	19.4
.6	334.0	168.4	334.0	168.4	38.1	19.2
.7	334.4	168.6	334.4	168.6	37.7	19.0
.8	334.8	168.8	334.8	168.8	37.3	18.8
.9	335.2	169.0	335.2	169.0	36.9	18.6
729.0	335.6	169.2	335.6	169.2	36.5	18.4
.1	336.1	169.4	336.1	169.4	36.0	18.2
.2	336.5	169.6	336.5	169.6	35.6	18.0
.3	336.9	169.8	336.9	169.8	35.2	17.8
.4	337.3	170.0	337.3	170.0	34.8	17.6
.5	337.7	170.2	337.7	170.2	34.4	17.4
.6	338.1	170.4	338.1	170.4	34.0	17.2
.7	338.5	170.7	338.5	170.7	33.6	16.9
.8	338.9	170.9	338.9	170.9	33.2	16.7
.9	339.3	171.1	339.3	171.1	32.8	16.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
730.0	339.7	171.3	339.7	171.3	32.4	16.3
.1	340.1	171.5	340.1	171.5	32.0	16.1
.2	340.5	171.7	340.5	171.7	31.6	15.9
.3	340.9	171.9	340.9	171.9	31.2	15.7
.4	341.3	172.1	341.3	172.1	30.8	15.5
.5	341.7	172.3	341.7	172.3	30.4	15.3
.6	342.1	172.5	342.1	172.5	30.0	15.1
.7	342.5	172.7	342.5	172.7	29.6	14.9
.8	342.9	172.9	342.9	172.9	29.2	14.7
.9	343.3	173.1	343.3	173.1	28.8	14.5
731.0	343.8	173.3	343.8	173.3	28.4	14.3
.1	344.2	173.5	344.2	173.5	27.9	14.1
.2	344.6	173.7	344.6	173.7	27.5	13.9
.3	345.0	173.9	345.0	173.9	27.1	13.7
.4	345.4	174.1	345.4	174.1	26.7	13.5
.5	345.8	174.3	345.8	174.3	26.3	13.3
.6	346.2	174.5	346.2	174.5	25.9	13.1
.7	346.6	174.7	346.6	174.7	25.5	12.9
.8	347.0	174.9	347.0	174.9	25.1	12.7
.9	347.4	175.1	347.4	175.1	24.7	12.5
732.0	347.8	175.3	347.8	175.3	24.3	12.3
.1	348.2	175.6	348.2	175.6	23.9	12.0
.2	348.6	175.8	348.6	175.8	23.5	11.8
.3	349.0	176.0	349.0	176.0	23.1	11.6
.4	349.4	176.2	349.4	176.2	22.7	11.4
.5	349.8	176.4	349.8	176.4	22.3	11.2
.6	350.2	176.6	350.2	176.6	21.9	11.0
.7	350.6	176.8	350.6	176.8	21.5	10.8
.8	351.0	177.0	351.0	177.0	21.1	10.6
.9	351.4	177.2	351.4	177.2	20.7	10.4
733.0	351.9	177.4	351.9	177.4	20.2	10.2
.1	352.3	177.6	352.3	177.6	19.8	10.0
.2	352.7	177.8	352.7	177.8	19.4	9.8
.3	353.1	178.0	353.1	178.0	19.0	9.6
.4	353.5	178.2	353.5	178.2	18.6	9.4
.5	353.9	178.4	353.9	178.4	18.2	9.2
.6	354.3	178.6	354.3	178.6	17.8	9.0
.7	354.7	178.8	354.7	178.8	17.4	8.8
.8	355.1	179.0	355.1	179.0	17.0	8.6
.9	355.5	179.2	355.5	179.2	16.6	8.4
734.0	355.9	179.4	355.9	179.4	16.2	8.2
.1	356.3	179.6	356.3	179.6	15.8	8.0
.2	356.7	179.8	356.7	179.8	15.4	7.8
.3	357.1	180.0	357.1	180.0	15.0	7.6
.4	357.5	180.2	357.5	180.2	14.6	7.4
.5	357.9	180.5	357.9	180.5	14.2	7.1
.6	358.3	180.7	358.3	180.7	13.8	6.9
.7	358.7	180.9	358.7	180.9	13.4	6.7
.8	359.1	181.1	359.1	181.1	13.0	6.5
.9	359.5	181.3	359.5	181.3	12.6	6.3

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
****
735.0		360.0	181.5	360.0	181.5	12.1	6.1
.1		360.4	181.7	360.4	181.7	11.7	5.9
.2		360.8	181.9	360.8	181.9	11.3	5.7
.3		361.2	182.1	361.2	182.1	10.9	5.5
.4		361.6	182.3	361.6	182.3	10.5	5.3
.5		362.0	182.5	362.0	182.5	10.1	5.1
.6		362.4	182.7	362.4	182.7	9.7	4.9
.7		362.8	182.9	362.8	182.9	9.3	4.7
.8		363.2	183.1	363.2	183.1	8.9	4.5
.9		363.6	183.3	363.6	183.3	8.5	4.3
736.0		364.0	183.5	364.0	183.5	8.1	4.1
.1		364.4	183.7	364.4	183.7	7.7	3.9
.2		364.8	183.9	364.8	183.9	7.3	3.7
.3		365.2	184.1	365.2	184.1	6.9	3.5
.4		365.6	184.3	365.6	184.3	6.5	3.3
.5		366.0	184.5	366.0	184.5	6.1	3.1
.6		366.4	184.7	366.4	184.7	5.7	2.9
.7		366.8	184.9	366.8	184.9	5.3	2.7
.8		367.2	185.2	367.2	185.2	4.9	2.5
.9		367.6	185.4	367.6	185.4	4.5	2.2
737.0		368.0	185.6	368.0	185.6	4.1	2.0
.1		368.5	185.8	368.5	185.8	3.6	1.8
.2		368.9	186.0	368.9	186.0	3.2	1.6
.3		369.3	186.2	369.3	186.2	2.8	1.4
.4		369.7	186.4	369.7	186.4	2.4	1.2
.5		370.1	186.6	370.1	186.6	2.0	1.0
.6		370.5	186.8	370.5	186.8	1.6	0.8
.7		370.9	187.0	370.9	187.0	1.2	0.6
.8		371.3	187.2	371.3	187.2	0.8	0.4
.9		371.7	187.4	371.7	187.4	0.4	0.2
738.0	SUB	372.1	187.6	372.1	187.6	0.0	0.0
.1		372.5	187.8				
.2		372.9	188.0				
.3		373.3	188.2				
.4		373.7	188.4				
.5		374.1	188.6				
.6		374.5	188.8				
.7		374.9	189.0				
.8		375.3	189.2				
.9		375.7	189.4				
739.0		376.1	189.6				

Reservoir Storage Tables

PAGE 1

STORAGE LOWER BOUND (SLB) = 0.00KAF   STORAGE UPPER BOUND (SUB) = 447.10 KAF

PAGE 2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
878.0 SLB	0.0	0.0	0.0	0.0	447.1	225.4
.1	0.3	0.1	0.3	0.1	446.8	225.3
.2	0.6	0.3	0.6	0.3	446.5	225.1
.3	0.9	0.4	0.9	0.4	446.2	225.0
.4	1.2	0.6	1.2	0.6	445.9	224.8
.5	1.5	0.7	1.5	0.7	445.6	224.7
.6	1.8	0.9	1.8	0.9	445.3	224.5
.7	2.1	1.0	2.1	1.0	445.0	224.4
.8	2.4	1.2	2.4	1.2	444.7	224.2
.9	2.6	1.3	2.6	1.3	444.5	224.1
879.0	2.9	1.5	2.9	1.5	444.2	223.9
.1	3.2	1.6	3.2	1.6	443.9	223.8
.2	3.5	1.8	3.5	1.8	443.6	223.6
.3	3.8	1.9	3.8	1.9	443.3	223.5
.4	4.1	2.1	4.1	2.1	443.0	223.3
.5	4.4	2.2	4.4	2.2	442.7	223.2
.6	4.7	2.4	4.7	2.4	442.4	223.0
.7	5.0	2.5	5.0	2.5	442.1	222.9
.8	5.3	2.7	5.3	2.7	441.8	222.7
.9	5.6	2.8	5.6	2.8	441.5	222.6
880.0	5.9	3.0	5.9	3.0	441.2	222.4
.1	6.2	3.1	6.2	3.1	440.9	222.3
.2	6.5	3.3	6.5	3.3	440.6	222.1
.3	6.8	3.4	6.8	3.4	440.3	222.0
.4	7.1	3.6	7.1	3.6	440.0	221.9
.5	7.4	3.7	7.4	3.7	439.7	221.7
.6	7.6	3.9	7.6	3.9	439.5	221.6
.7	7.9	4.0	7.9	4.0	439.2	221.4
.8	8.2	4.2	8.2	4.2	438.9	221.3
.9	8.5	4.3	8.5	4.3	438.6	221.1
881.0	8.8	4.4	8.8	4.4	438.3	221.0
.1	9.1	4.6	9.1	4.6	438.0	220.8
.2	9.4	4.7	9.4	4.7	437.7	220.7
.3	9.7	4.9	9.7	4.9	437.4	220.5
.4	10.0	5.0	10.0	5.0	437.1	220.4
.5	10.3	5.2	10.3	5.2	436.8	220.2
.6	10.6	5.3	10.6	5.3	436.5	220.1
.7	10.9	5.5	10.9	5.5	436.2	219.9
.8	11.2	5.6	11.2	5.6	435.9	219.8
.9	11.5	5.8	11.5	5.8	435.6	219.6
882.0	11.8	5.9	11.8	5.9	435.3	219.5
.1	12.1	6.1	12.1	6.1	435.0	219.3
.2	12.4	6.2	12.4	6.2	434.7	219.2
.3	12.6	6.4	12.6	6.4	434.5	219.0
.4	12.9	6.5	12.9	6.5	434.2	218.9
.5	13.2	6.7	13.2	6.7	433.9	218.7
.6	13.5	6.8	13.5	6.8	433.6	218.6
.7	13.8	7.0	13.8	7.0	433.3	218.4
.8	14.1	7.1	14.1	7.1	433.0	218.3
.9	14.4	7.3	14.4	7.3	432.7	218.1
883.0	14.7	7.4	14.7	7.4	432.4	218.0
.1	15.0	7.6	15.0	7.6	432.1	217.8
.2	15.3	7.7	15.3	7.7	431.8	217.7
.3	15.6	7.9	15.6	7.9	431.5	217.6
.4	15.9	8.0	15.9	8.0	431.2	217.4
.5	16.2	8.2	16.2	8.2	430.9	217.3
.6	16.5	8.3	16.5	8.3	430.6	217.1
.7	16.8	8.5	16.8	8.5	430.3	217.0
.8	17.1	8.6	17.1	8.6	430.0	216.8
.9	17.4	8.8	17.4	8.8	429.7	216.7
884.0	17.7	8.9	17.7	8.9	429.4	216.5
.1	17.9	9.0	17.9	9.0	429.2	216.4
.2	18.2	9.2	18.2	9.2	428.9	216.2
.3	18.5	9.3	18.5	9.3	428.6	216.1
.4	18.8	9.5	18.8	9.5	428.3	215.9
.5	19.1	9.6	19.1	9.6	428.0	215.8
.6	19.4	9.8	19.4	9.8	427.7	215.6
.7	19.7	9.9	19.7	9.9	427.4	215.5
.8	20.0	10.1	20.0	10.1	427.1	215.3
.9	20.3	10.2	20.3	10.2	426.8	215.2
885.0	20.6	10.4	20.6	10.4	426.5	215.0
.1	20.9	10.5	20.9	10.5	426.2	214.9
.2	21.2	10.7	21.2	10.7	425.9	214.7
.3	21.5	10.8	21.5	10.8	425.6	214.6
.4	21.8	11.0	21.8	11.0	425.3	214.4
.5	22.1	11.1	22.1	11.1	425.0	214.3
.6	22.4	11.3	22.4	11.3	424.7	214.1
.7	22.7	11.4	22.7	11.4	424.4	214.0
.8	22.9	11.6	22.9	11.6	424.2	213.8
.9	23.2	11.7	23.2	11.7	423.9	213.7
886.0	23.5	11.9	23.5	11.9	423.6	213.5
.1	23.8	12.0	23.8	12.0	423.3	213.4
.2	24.1	12.2	24.1	12.2	423.0	213.3
.3	24.4	12.3	24.4	12.3	422.7	213.1
.4	24.7	12.5	24.7	12.5	422.4	213.0
.5	25.0	12.6	25.0	12.6	422.1	212.8
.6	25.3	12.8	25.3	12.8	421.8	212.7
.7	25.6	12.9	25.6	12.9	421.5	212.5
.8	25.9	13.1	25.9	13.1	421.2	212.4
.9	26.2	13.2	26.2	13.2	420.9	212.2
887.0	26.5	13.3	26.5	13.3	420.6	212.1
.1	26.8	13.5	26.8	13.5	420.3	211.9
.2	27.1	13.6	27.1	13.6	420.0	211.8
.3	27.4	13.8	27.4	13.8	419.7	211.6
.4	27.7	13.9	27.7	13.9	419.4	211.5
.5	27.9	14.1	27.9	14.1	419.2	211.3
.6	28.2	14.2	28.2	14.2	418.9	211.2
.7	28.5	14.4	28.5	14.4	418.6	211.0
.8	28.8	14.5	28.8	14.5	418.3	210.9
.9	29.1	14.7	29.1	14.7	418.0	210.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
888.0	29.4	14.8	29.4	14.8	417.7	210.6
.1	29.7	15.0	29.7	15.0	417.4	210.4
.2	30.0	15.1	30.0	15.1	417.1	210.3
.3	30.3	15.3	30.3	15.3	416.8	210.1
.4	30.6	15.4	30.6	15.4	416.5	210.0
.5	30.9	15.6	30.9	15.6	416.2	209.8
.6	31.2	15.7	31.2	15.7	415.9	209.7
.7	31.5	15.9	31.5	15.9	415.6	209.5
.8	31.8	16.0	31.8	16.0	415.3	209.4
.9	32.1	16.2	32.1	16.2	415.0	209.2
889.0	32.4	16.3	32.4	16.3	414.7	209.1
.1	32.7	16.5	32.7	16.5	414.4	208.9
.2	32.9	16.6	32.9	16.6	414.2	208.8
.3	33.2	16.8	33.2	16.8	413.9	208.7
.4	33.5	16.9	33.5	16.9	413.6	208.5
.5	33.8	17.1	33.8	17.1	413.3	208.4
.6	34.1	17.2	34.1	17.2	413.0	208.2
.7	34.4	17.4	34.4	17.4	412.7	208.1
.8	34.7	17.5	34.7	17.5	412.4	207.9
.9	35.0	17.6	35.0	17.6	412.1	207.8
890.0	35.3	17.8	35.3	17.8	411.8	207.6
.1	35.6	17.9	35.6	17.9	411.5	207.5
.2	35.9	18.1	35.9	18.1	411.2	207.3
.3	36.2	18.2	36.2	18.2	410.9	207.2
.4	36.5	18.4	36.5	18.4	410.6	207.0
.5	36.8	18.5	36.8	18.5	410.3	206.9
.6	37.1	18.7	37.1	18.7	410.0	206.7
.7	37.4	18.8	37.4	18.8	409.7	206.6
.8	37.7	19.0	37.7	19.0	409.4	206.4
.9	37.9	19.1	37.9	19.1	409.2	206.3
891.0	38.2	19.3	38.2	19.3	408.9	206.1
.1	38.5	19.4	38.5	19.4	408.6	206.0
.2	38.8	19.6	38.8	19.6	408.3	205.8
.3	39.1	19.7	39.1	19.7	408.0	205.7
.4	39.4	19.9	39.4	19.9	407.7	205.5
.5	39.7	20.0	39.7	20.0	407.4	205.4
.6	40.0	20.2	40.0	20.2	407.1	205.2
.7	40.3	20.3	40.3	20.3	406.8	205.1
.8	40.6	20.5	40.6	20.5	406.5	204.9
.9	40.9	20.6	40.9	20.6	406.2	204.8
892.0	41.2	20.8	41.2	20.8	405.9	204.6
.1	41.5	20.9	41.5	20.9	405.6	204.5
.2	41.8	21.1	41.8	21.1	405.3	204.4
.3	42.1	21.2	42.1	21.2	405.0	204.2
.4	42.4	21.4	42.4	21.4	404.7	204.1
.5	42.7	21.5	42.7	21.5	404.4	203.9
.6	43.0	21.7	43.0	21.7	404.1	203.8
.7	43.2	21.8	43.2	21.8	403.9	203.6
.8	43.5	22.0	43.5	22.0	403.6	203.5
.9	43.8	22.1	43.8	22.1	403.3	203.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
893.0	44.1	22.2	44.1	22.2	403.0	203.2
.1	44.4	22.4	44.4	22.4	402.7	203.0
.2	44.7	22.5	44.7	22.5	402.4	202.9
.3	45.0	22.7	45.0	22.7	402.1	202.7
.4	45.3	22.8	45.3	22.8	401.8	202.6
.5	45.6	23.0	45.6	23.0	401.5	202.4
.6	45.9	23.1	45.9	23.1	401.2	202.3
.7	46.2	23.3	46.2	23.3	400.9	202.1
.8	46.5	23.4	46.5	23.4	400.6	202.0
.9	46.8	23.6	46.8	23.6	400.3	201.8
894.0	47.1	23.7	47.1	23.7	400.0	201.7
.1	47.4	23.9	47.4	23.9	399.7	201.5
.2	47.7	24.0	47.7	24.0	399.4	201.4
.3	48.0	24.2	48.0	24.2	399.1	201.2
.4	48.2	24.3	48.2	24.3	398.9	201.1
.5	48.5	24.5	48.5	24.5	398.6	200.9
.6	48.8	24.6	48.8	24.6	398.3	200.8
.7	49.1	24.8	49.1	24.8	398.0	200.6
.8	49.4	24.9	49.4	24.9	397.7	200.5
.9	49.7	25.1	49.7	25.1	397.4	200.3
895.0	50.0	25.2	50.0	25.2	397.1	200.2
.1	50.3	25.4	50.3	25.4	396.8	200.1
.2	50.6	25.5	50.6	25.5	396.5	199.9
.3	50.9	25.7	50.9	25.7	396.2	199.8
.4	51.2	25.8	51.2	25.8	395.9	199.6
.5	51.5	26.0	51.5	26.0	395.6	199.5
.6	51.8	26.1	51.8	26.1	395.3	199.3
.7	52.1	26.3	52.1	26.3	395.0	199.2
.8	52.4	26.4	52.4	26.4	394.7	199.0
.9	52.7	26.5	52.7	26.5	394.4	198.9
896.0	53.0	26.7	53.0	26.7	394.1	198.7
.1	53.2	26.8	53.2	26.8	393.9	198.6
.2	53.5	27.0	53.5	27.0	393.6	198.4
.3	53.8	27.1	53.8	27.1	393.3	198.3
.4	54.1	27.3	54.1	27.3	393.0	198.1
.5	54.4	27.4	54.4	27.4	392.7	198.0
.6	54.7	27.6	54.7	27.6	392.4	197.8
.7	55.0	27.7	55.0	27.7	392.1	197.7
.8	55.3	27.9	55.3	27.9	391.8	197.5
.9	55.6	28.0	55.6	28.0	391.5	197.4
897.0	55.9	28.2	55.9	28.2	391.2	197.2
.1	56.2	28.4	56.2	28.4	390.9	197.1
.2	56.6	28.5	56.6	28.5	390.5	196.9
.3	56.9	28.7	56.9	28.7	390.2	196.7
.4	57.2	28.8	57.2	28.8	389.9	196.6
.5	57.5	29.0	57.5	29.0	389.6	196.4
.6	57.8	29.2	57.8	29.2	389.3	196.3
.7	58.2	29.3	58.2	29.3	388.9	196.1
.8	58.5	29.5	58.5	29.5	388.6	195.9
.9	58.8	29.6	58.8	29.6	388.3	195.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
898.0	59.1	29.8	59.1	29.8	388.0	195.6
.1	59.4	30.0	59.4	30.0	387.7	195.4
.2	59.8	30.1	59.8	30.1	387.3	195.3
.3	60.1	30.3	60.1	30.3	387.0	195.1
.4	60.4	30.5	60.4	30.5	386.7	195.0
.5	60.7	30.6	60.7	30.6	386.4	194.8
.6	61.0	30.8	61.0	30.8	386.1	194.6
.7	61.4	30.9	61.4	30.9	385.7	194.5
.8	61.7	31.1	61.7	31.1	385.4	194.3
.9	62.0	31.3	62.0	31.3	385.1	194.2
899.0	62.3	31.4	62.3	31.4	384.8	194.0
.1	62.6	31.6	62.6	31.6	384.5	193.8
.2	63.0	31.7	63.0	31.7	384.1	193.7
.3	63.3	31.9	63.3	31.9	383.8	193.5
.4	63.6	32.1	63.6	32.1	383.5	193.3
.5	63.9	32.2	63.9	32.2	383.2	193.2
.6	64.2	32.4	64.2	32.4	382.9	193.0
.7	64.6	32.5	64.6	32.5	382.5	192.9
.8	64.9	32.7	64.9	32.7	382.2	192.7
.9	65.2	32.9	65.2	32.9	381.9	192.5
900.0	65.5	33.0	65.5	33.0	381.6	192.4
.1	65.8	33.2	65.8	33.2	381.3	192.2
.2	66.2	33.4	66.2	33.4	380.9	192.1
.3	66.5	33.5	66.5	33.5	380.6	191.9
.4	66.8	33.7	66.8	33.7	380.3	191.7
.5	67.1	33.8	67.1	33.8	380.0	191.6
.6	67.4	34.0	67.4	34.0	379.7	191.4
.7	67.8	34.2	67.8	34.2	379.3	191.3
.8	68.1	34.3	68.1	34.3	379.0	191.1
.9	68.4	34.5	68.4	34.5	378.7	190.9
901.0	68.7	34.6	68.7	34.6	378.4	190.8
.1	69.0	34.8	69.0	34.8	378.1	190.6
.2	69.4	35.0	69.4	35.0	377.7	190.4
.3	69.7	35.1	69.7	35.1	377.4	190.3
.4	70.0	35.3	70.0	35.3	377.1	190.1
.5	70.3	35.5	70.3	35.5	376.8	190.0
.6	70.6	35.6	70.6	35.6	376.5	189.8
.7	71.0	35.8	71.0	35.8	376.1	189.6
.8	71.3	35.9	71.3	35.9	375.8	189.5
.9	71.6	36.1	71.6	36.1	375.5	189.3
902.0	71.9	36.3	71.9	36.3	375.2	189.2
.1	72.2	36.4	72.2	36.4	374.9	189.0
.2	72.6	36.6	72.6	36.6	374.5	188.8
.3	72.9	36.7	72.9	36.7	374.2	188.7
.4	73.2	36.9	73.2	36.9	373.9	188.5
.5	73.5	37.1	73.5	37.1	373.6	188.3
.6	73.8	37.2	73.8	37.2	373.3	188.2
.7	74.2	37.4	74.2	37.4	372.9	188.0
.8	74.5	37.5	74.5	37.5	372.6	187.9
.9	74.8	37.7	74.8	37.7	372.3	187.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
903.0	75.1	37.9	75.1	37.9	372.0	187.5
.1	75.4	38.0	75.4	38.0	371.7	187.4
.2	75.8	38.2	75.8	38.2	371.3	187.2
.3	76.1	38.4	76.1	38.4	371.0	187.1
.4	76.4	38.5	76.4	38.5	370.7	186.9
.5	76.7	38.7	76.7	38.7	370.4	186.7
.6	77.0	38.8	77.0	38.8	370.1	186.6
.7	77.4	39.0	77.4	39.0	369.7	186.4
.8	77.7	39.2	77.7	39.2	369.4	186.3
.9	78.0	39.3	78.0	39.3	369.1	186.1
904.0	78.3	39.5	78.3	39.5	368.8	185.9
.1	78.6	39.6	78.6	39.6	368.5	185.8
.2	79.0	39.8	79.0	39.8	368.1	185.6
.3	79.3	40.0	79.3	40.0	367.8	185.4
.4	79.6	40.1	79.6	40.1	367.5	185.3
.5	79.9	40.3	79.9	40.3	367.2	185.1
.6	80.2	40.5	80.2	40.5	366.9	185.0
.7	80.6	40.6	80.6	40.6	366.5	184.8
.8	80.9	40.8	80.9	40.8	366.2	184.6
.9	81.2	40.9	81.2	40.9	365.9	184.5
905.0	81.5	41.1	81.5	41.1	365.6	184.3
.1	81.8	41.3	81.8	41.3	365.3	184.2
.2	82.2	41.4	82.2	41.4	364.9	184.0
.3	82.5	41.6	82.5	41.6	364.6	183.8
.4	82.8	41.7	82.8	41.7	364.3	183.7
.5	83.1	41.9	83.1	41.9	364.0	183.5
.6	83.4	42.1	83.4	42.1	363.7	183.4
.7	83.8	42.2	83.8	42.2	363.3	183.2
.8	84.1	42.4	84.1	42.4	363.0	183.0
.9	84.4	42.5	84.4	42.5	362.7	182.9
906.0	84.7	42.7	84.7	42.7	362.4	182.7
.1	85.0	42.9	85.0	42.9	362.1	182.5
.2	85.3	43.0	85.3	43.0	361.8	182.4
.3	85.7	43.2	85.7	43.2	361.4	182.2
.4	86.0	43.4	86.0	43.4	361.1	182.1
.5	86.3	43.5	86.3	43.5	360.8	181.9
.6	86.6	43.7	86.6	43.7	360.5	181.7
.7	86.9	43.8	86.9	43.8	360.2	181.6
.8	87.3	44.0	87.3	44.0	359.8	181.4
.9	87.6	44.2	87.6	44.2	359.5	181.3
907.0	87.9	44.3	87.9	44.3	359.2	181.1
.1	88.2	44.5	88.2	44.5	358.9	180.9
.2	88.5	44.6	88.5	44.6	358.6	180.8
.3	88.9	44.8	88.9	44.8	358.2	180.6
.4	89.2	45.0	89.2	45.0	357.9	180.4
.5	89.5	45.1	89.5	45.1	357.6	180.3
.6	89.8	45.3	89.8	45.3	357.3	180.1
.7	90.1	45.4	90.1	45.4	357.0	180.0
.8	90.5	45.6	90.5	45.6	356.6	179.8
.9	90.8	45.8	90.8	45.8	356.3	179.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
908.0	91.1	45.9	91.1	45.9	356.0	179.5
.1	91.4	46.1	91.4	46.1	355.7	179.3
.2	91.7	46.3	91.7	46.3	355.4	179.2
.3	92.1	46.4	92.1	46.4	355.0	179.0
.4	92.4	46.6	92.4	46.6	354.7	178.8
.5	92.7	46.7	92.7	46.7	354.4	178.7
.6	93.0	46.9	93.0	46.9	354.1	178.5
.7	93.3	47.1	93.3	47.1	353.8	178.4
.8	93.7	47.2	93.7	47.2	353.4	178.2
.9	94.0	47.4	94.0	47.4	353.1	178.0
909.0	94.3	47.5	94.3	47.5	352.8	177.9
.1	94.6	47.7	94.6	47.7	352.5	177.7
.2	94.9	47.9	94.9	47.9	352.2	177.5
.3	95.3	48.0	95.3	48.0	351.8	177.4
.4	95.6	48.2	95.6	48.2	351.5	177.2
.5	95.9	48.4	95.9	48.4	351.2	177.1
.6	96.2	48.5	96.2	48.5	350.9	176.9
.7	96.5	48.7	96.5	48.7	350.6	176.7
.8	96.9	48.8	96.9	48.8	350.2	176.6
.9	97.2	49.0	97.2	49.0	349.9	176.4
910.0	97.5	49.2	97.5	49.2	349.6	176.3
.1	97.8	49.3	97.8	49.3	349.3	176.1
.2	98.1	49.5	98.1	49.5	349.0	175.9
.3	98.5	49.6	98.5	49.6	348.6	175.8
.4	98.8	49.8	98.8	49.8	348.3	175.6
.5	99.1	50.0	99.1	50.0	348.0	175.4
.6	99.4	50.1	99.4	50.1	347.7	175.3
.7	99.7	50.3	99.7	50.3	347.4	175.1
.8	100.1	50.4	100.1	50.4	347.0	175.0
.9	100.4	50.6	100.4	50.6	346.7	174.8
911.0	100.7	50.8	100.7	50.8	346.4	174.6
.1	101.0	50.9	101.0	50.9	346.1	174.5
.2	101.3	51.1	101.3	51.1	345.8	174.3
.3	101.7	51.3	101.7	51.3	345.4	174.2
.4	102.0	51.4	102.0	51.4	345.1	174.0
.5	102.3	51.6	102.3	51.6	344.8	173.8
.6	102.6	51.7	102.6	51.7	344.5	173.7
.7	102.9	51.9	102.9	51.9	344.2	173.5
.8	103.3	52.1	103.3	52.1	343.8	173.4
.9	103.6	52.2	103.6	52.2	343.5	173.2
912.0	103.9	52.4	103.9	52.4	343.2	173.0
.1	104.2	52.5	104.2	52.5	342.9	172.9
.2	104.5	52.7	104.5	52.7	342.6	172.7
.3	104.9	52.9	104.9	52.9	342.2	172.5
.4	105.2	53.0	105.2	53.0	341.9	172.4
.5	105.5	53.2	105.5	53.2	341.6	172.2
.6	105.8	53.4	105.8	53.4	341.3	172.1
.7	106.1	53.5	106.1	53.5	341.0	171.9
.8	106.5	53.7	106.5	53.7	340.6	171.7
.9	106.8	53.8	106.8	53.8	340.3	171.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
913.0	107.1	54.0	107.1	54.0	340.0	171.4
.1	107.4	54.2	107.4	54.2	339.7	171.3
.2	107.7	54.3	107.7	54.3	339.4	171.1
.3	108.1	54.5	108.1	54.5	339.0	170.9
.4	108.4	54.6	108.4	54.6	338.7	170.8
.5	108.7	54.8	108.7	54.8	338.4	170.6
.6	109.0	55.0	109.0	55.0	338.1	170.4
.7	109.3	55.1	109.3	55.1	337.8	170.3
.8	109.7	55.3	109.7	55.3	337.4	170.1
.9	110.0	55.4	110.0	55.4	337.1	170.0
914.0	110.3	55.6	110.3	55.6	336.8	169.8
.1	110.6	55.8	110.6	55.8	336.5	169.6
.2	110.9	55.9	110.9	55.9	336.2	169.5
.3	111.3	56.1	111.3	56.1	335.8	169.3
.4	111.6	56.3	111.6	56.3	335.5	169.2
.5	111.9	56.4	111.9	56.4	335.2	169.0
.6	112.2	56.6	112.2	56.6	334.9	168.8
.7	112.5	56.7	112.5	56.7	334.6	168.7
.8	112.9	56.9	112.9	56.9	334.2	168.5
.9	113.2	57.1	113.2	57.1	333.9	168.4
915.0	113.5	57.2	113.5	57.2	333.6	168.2
.1	113.8	57.4	113.8	57.4	333.3	168.0
.2	114.1	57.5	114.1	57.5	333.0	167.9
.3	114.5	57.7	114.5	57.7	332.6	167.7
.4	114.8	57.9	114.8	57.9	332.3	167.5
.5	115.1	58.0	115.1	58.0	332.0	167.4
.6	115.5	58.2	115.5	58.2	331.6	167.2
.7	115.8	58.4	115.8	58.4	331.3	167.0
.8	116.2	58.6	116.2	58.6	330.9	166.9
.9	116.5	58.7	116.5	58.7	330.6	166.7
916.0	116.9	58.9	116.9	58.9	330.2	166.5
.1	117.2	59.1	117.2	59.1	329.9	166.3
.2	117.6	59.3	117.6	59.3	329.5	166.1
.3	117.9	59.4	117.9	59.4	329.2	166.0
.4	118.3	59.6	118.3	59.6	328.8	165.8
.5	118.6	59.8	118.6	59.8	328.5	165.6
.6	119.0	60.0	119.0	60.0	328.1	165.4
.7	119.3	60.2	119.3	60.2	327.8	165.3
.8	119.7	60.3	119.7	60.3	327.4	165.1
.9	120.0	60.5	120.0	60.5	327.1	164.9
917.0	120.4	60.7	120.4	60.7	326.7	164.7
.1	120.7	60.9	120.7	60.9	326.4	164.6
.2	121.1	61.0	121.1	61.0	326.0	164.4
.3	121.4	61.2	121.4	61.2	325.7	164.2
.4	121.8	61.4	121.8	61.4	325.3	164.0
.5	122.1	61.6	122.1	61.6	325.0	163.8
.6	122.5	61.7	122.5	61.7	324.6	163.7
.7	122.8	61.9	122.8	61.9	324.3	163.5
.8	123.2	62.1	123.2	62.1	323.9	163.3
.9	123.5	62.3	123.5	62.3	323.6	163.1

Reservoir Storage Tables

PAGE 9

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
918.0	123.9	62.5	123.9	62.5	323.2	163.0
.1	124.2	62.6	124.2	62.6	322.9	162.8
.2	124.6	62.8	124.6	62.8	322.5	162.6
.3	124.9	63.0	124.9	63.0	322.2	162.4
.4	125.3	63.2	125.3	63.2	321.8	162.2
.5	125.6	63.3	125.6	63.3	321.5	162.1
.6	126.0	63.5	126.0	63.5	321.1	161.9
.7	126.3	63.7	126.3	63.7	320.8	161.7
.8	126.7	63.9	126.7	63.9	320.4	161.5
.9	127.0	64.0	127.0	64.0	320.1	161.4
919.0	127.4	64.2	127.4	64.2	319.7	161.2
.1	127.7	64.4	127.7	64.4	319.4	161.0
.2	128.1	64.6	128.1	64.6	319.0	160.8
.3	128.4	64.8	128.4	64.8	318.7	160.7
.4	128.8	64.9	128.8	64.9	318.3	160.5
.5	129.1	65.1	129.1	65.1	318.0	160.3
.6	129.5	65.3	129.5	65.3	317.6	160.1
.7	129.8	65.5	129.8	65.5	317.3	159.9
.8	130.2	65.6	130.2	65.6	316.9	159.8
.9	130.6	65.8	130.6	65.8	316.5	159.6
920.0	130.9	66.0	130.9	66.0	316.2	159.4
.1	131.3	66.2	131.3	66.2	315.8	159.2
.2	131.6	66.4	131.6	66.4	315.5	159.1
.3	132.0	66.5	132.0	66.5	315.1	158.9
.4	132.3	66.7	132.3	66.7	314.8	158.7
.5	132.7	66.9	132.7	66.9	314.4	158.5
.6	133.0	67.1	133.0	67.1	314.1	158.4
.7	133.4	67.2	133.4	67.2	313.7	158.2
.8	133.7	67.4	133.7	67.4	313.4	158.0
.9	134.1	67.6	134.1	67.6	313.0	157.8
921.0	134.4	67.8	134.4	67.8	312.7	157.6
.1	134.8	67.9	134.8	67.9	312.3	157.5
.2	135.1	68.1	135.1	68.1	312.0	157.3
.3	135.5	68.3	135.5	68.3	311.6	157.1
.4	135.8	68.5	135.8	68.5	311.3	156.9
.5	136.2	68.7	136.2	68.7	310.9	156.8
.6	136.5	68.8	136.5	68.8	310.6	156.6
.7	136.9	69.0	136.9	69.0	310.2	156.4
.8	137.2	69.2	137.2	69.2	309.9	156.2
.9	137.6	69.4	137.6	69.4	309.5	156.1
922.0	137.9	69.5	137.9	69.5	309.2	155.9
.1	138.3	69.7	138.3	69.7	308.8	155.7
.2	138.6	69.9	138.6	69.9	308.5	155.5
.3	139.0	70.1	139.0	70.1	308.1	155.3
.4	139.3	70.2	139.3	70.2	307.8	155.2
.5	139.7	70.4	139.7	70.4	307.4	155.0
.6	140.0	70.6	140.0	70.6	307.1	154.8
.7	140.4	70.8	140.4	70.8	306.7	154.6
.8	140.7	71.0	140.7	71.0	306.4	154.5
.9	141.1	71.1	141.1	71.1	306.0	154.3

PAGE 10

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
923.0	141.4	71.3	141.4	71.3	305.7	154.1
.1	141.8	71.5	141.8	71.5	305.3	153.9
.2	142.1	71.7	142.1	71.7	305.0	153.8
.3	142.5	71.8	142.5	71.8	304.6	153.6
.4	142.8	72.0	142.8	72.0	304.3	153.4
.5	143.2	72.2	143.2	72.2	303.9	153.2
.6	143.5	72.4	143.5	72.4	303.6	153.0
.7	143.9	72.5	143.9	72.5	303.2	152.9
.8	144.2	72.7	144.2	72.7	302.9	152.7
.9	144.6	72.9	144.6	72.9	302.5	152.5
924.0	144.9	73.1	144.9	73.1	302.2	152.3
.1	145.3	73.3	145.3	73.3	301.8	152.2
.2	145.6	73.4	145.6	73.4	301.5	152.0
.3	146.0	73.6	146.0	73.6	301.1	151.8
.4	146.4	73.8	146.4	73.8	300.7	151.6
.5	146.7	74.0	146.7	74.0	300.4	151.5
.6	147.1	74.1	147.1	74.1	300.0	151.3
.7	147.4	74.3	147.4	74.3	299.7	151.1
.8	147.8	74.5	147.8	74.5	299.3	150.9
.9	148.1	74.7	148.1	74.7	299.0	150.7
925.0	148.5	74.8	148.5	74.8	298.6	150.6
.1	148.8	75.0	148.8	75.0	298.3	150.4
.2	149.2	75.2	149.2	75.2	297.9	150.2
.3	149.5	75.4	149.5	75.4	297.6	150.0
.4	149.9	75.6	149.9	75.6	297.2	149.9
.5	150.2	75.7	150.2	75.7	296.9	149.7
.6	150.6	75.9	150.6	75.9	296.5	149.5
.7	150.9	76.1	150.9	76.1	296.2	149.3
.8	151.3	76.3	151.3	76.3	295.8	149.1
.9	151.6	76.4	151.6	76.4	295.5	149.0
926.0	152.0	76.6	152.0	76.6	295.1	148.8
.1	152.3	76.8	152.3	76.8	294.8	148.6
.2	152.7	77.0	152.7	77.0	294.4	148.4
.3	153.0	77.1	153.0	77.1	294.1	148.3
.4	153.4	77.3	153.4	77.3	293.7	148.1
.5	153.7	77.5	153.7	77.5	293.4	147.9
.6	154.1	77.7	154.1	77.7	293.0	147.7
.7	154.4	77.9	154.4	77.9	292.7	147.6
.8	154.8	78.0	154.8	78.0	292.3	147.4
.9	155.1	78.2	155.1	78.2	292.0	147.2
927.0	155.5	78.4	155.5	78.4	291.6	147.0
.1	155.8	78.6	155.8	78.6	291.3	146.8
.2	156.2	78.7	156.2	78.7	290.9	146.7
.3	156.5	78.9	156.5	78.9	290.6	146.5
.4	156.9	79.1	156.9	79.1	290.2	146.3
.5	157.2	79.3	157.2	79.3	289.9	146.1
.6	157.6	79.5	157.6	79.5	289.5	146.0
.7	157.9	79.6	157.9	79.6	289.2	145.8
.8	158.3	79.8	158.3	79.8	288.8	145.6
.9	158.6	80.0	158.6	80.0	288.5	145.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
928.0	159.0	80.2	159.0	80.2	288.1	145.3
.1	159.3	80.3	159.3	80.3	287.8	145.1
.2	159.7	80.5	159.7	80.5	287.4	144.9
.3	160.0	80.7	160.0	80.7	287.1	144.7
.4	160.4	80.9	160.4	80.9	286.7	144.5
.5	160.7	81.0	160.7	81.0	286.4	144.4
.6	161.1	81.2	161.1	81.2	286.0	144.2
.7	161.5	81.4	161.5	81.4	285.6	144.0
.8	161.8	81.6	161.8	81.6	285.3	143.8
.9	162.2	81.8	162.2	81.8	284.9	143.7
929.0	162.5	81.9	162.5	81.9	284.6	143.5
.1	162.9	82.1	162.9	82.1	284.2	143.3
.2	163.2	82.3	163.2	82.3	283.9	143.1
.3	163.6	82.5	163.6	82.5	283.5	143.0
.4	163.9	82.6	163.9	82.6	283.2	142.8
.5	164.3	82.8	164.3	82.8	282.8	142.6
.6	164.6	83.0	164.6	83.0	282.5	142.4
.7	165.0	83.2	165.0	83.2	282.1	142.2
.8	165.3	83.3	165.3	83.3	281.8	142.1
.9	165.7	83.5	165.7	83.5	281.4	141.9
930.0	166.0	83.7	166.0	83.7	281.1	141.7
.1	166.4	83.9	166.4	83.9	280.7	141.5
.2	166.7	84.1	166.7	84.1	280.4	141.4
.3	167.1	84.2	167.1	84.2	280.0	141.2
.4	167.4	84.4	167.4	84.4	279.7	141.0
.5	167.8	84.6	167.8	84.6	279.3	140.8
.6	168.1	84.8	168.1	84.8	279.0	140.7
.7	168.5	84.9	168.5	84.9	278.6	140.5
.8	168.8	85.1	168.8	85.1	278.3	140.3
.9	169.2	85.3	169.2	85.3	277.9	140.1
931.0	169.5	85.5	169.5	85.5	277.6	139.9
.1	169.9	85.6	169.9	85.6	277.2	139.8
.2	170.2	85.8	170.2	85.8	276.9	139.6
.3	170.6	86.0	170.6	86.0	276.5	139.4
.4	170.9	86.2	170.9	86.2	276.2	139.2
.5	171.3	86.4	171.3	86.4	275.8	139.1
.6	171.6	86.5	171.6	86.5	275.5	138.9
.7	172.0	86.7	172.0	86.7	275.1	138.7
.8	172.3	86.9	172.3	86.9	274.8	138.5
.9	172.7	87.1	172.7	87.1	274.4	138.3
932.0	173.0	87.2	173.0	87.2	274.1	138.2
.1	173.4	87.4	173.4	87.4	273.7	138.0
.2	173.7	87.6	173.7	87.6	273.4	137.8
.3	174.1	87.8	174.1	87.8	273.0	137.6
.4	174.4	87.9	174.4	87.9	272.7	137.5
.5	174.8	88.1	174.8	88.1	272.3	137.3
.6	175.1	88.3	175.1	88.3	272.0	137.1
.7	175.5	88.5	175.5	88.5	271.6	136.9
.8	175.8	88.7	175.8	88.7	271.3	136.8
.9	176.2	88.8	176.2	88.8	270.9	136.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
933.0	176.6	89.0	176.6	89.0	270.5	136.4
.1	176.9	89.2	176.9	89.2	270.2	136.2
.2	177.3	89.4	177.3	89.4	269.8	136.0
.3	177.6	89.5	177.6	89.5	269.5	135.9
.4	178.0	89.7	178.0	89.7	269.1	135.7
.5	178.3	89.9	178.3	89.9	268.8	135.5
.6	178.7	90.1	178.7	90.1	268.4	135.3
.7	179.0	90.3	179.0	90.3	268.1	135.2
.8	179.4	90.4	179.4	90.4	267.7	135.0
.9	179.7	90.6	179.7	90.6	267.4	134.8
934.0	180.1	90.8	180.1	90.8	267.0	134.6
.1	180.4	91.0	180.4	91.0	266.7	134.5
.2	180.8	91.1	180.8	91.1	266.3	134.3
.3	181.1	91.3	181.1	91.3	266.0	134.1
.4	181.5	91.5	181.5	91.5	265.6	133.9
.5	181.8	91.7	181.8	91.7	265.3	133.7
.6	182.2	91.8	182.2	91.8	264.9	133.6
.7	182.5	92.0	182.5	92.0	264.6	133.4
.8	182.9	92.2	182.9	92.2	264.2	133.2
.9	183.2	92.4	183.2	92.4	263.9	133.0
935.0	183.6	92.6	183.6	92.6	263.5	132.9
.1	183.9	92.7	183.9	92.7	263.2	132.7
.2	184.3	92.9	184.3	92.9	262.8	132.5
.3	184.6	93.1	184.6	93.1	262.5	132.3
.4	185.0	93.3	185.0	93.3	262.1	132.2
.5	185.3	93.4	185.3	93.4	261.8	132.0
.6	185.7	93.6	185.7	93.6	261.4	131.8
.7	186.0	93.8	186.0	93.8	261.1	131.6
.8	186.4	94.0	186.4	94.0	260.7	131.4
.9	186.7	94.1	186.7	94.1	260.4	131.3
936.0	187.1	94.3	187.1	94.3	260.0	131.1
.1	187.4	94.5	187.4	94.5	259.7	130.9
.2	187.8	94.7	187.8	94.7	259.3	130.7
.3	188.1	94.9	188.1	94.9	259.0	130.6
.4	188.5	95.0	188.5	95.0	258.6	130.4
.5	188.8	95.2	188.8	95.2	258.3	130.2
.6	189.2	95.4	189.2	95.4	257.9	130.0
.7	189.5	95.6	189.5	95.6	257.6	129.9
.8	189.9	95.7	189.9	95.7	257.2	129.7
.9	190.2	95.9	190.2	95.9	256.9	129.5
937.0	190.6	96.1	190.6	96.1	256.5	129.3
.1	190.9	96.3	190.9	96.3	256.2	129.1
.2	191.3	96.4	191.3	96.4	255.8	129.0
.3	191.6	96.6	191.6	96.6	255.5	128.8
.4	192.0	96.8	192.0	96.8	255.1	128.6
.5	192.4	97.0	192.4	97.0	254.7	128.4
.6	192.7	97.2	192.7	97.2	254.4	128.3
.7	193.1	97.3	193.1	97.3	254.0	128.1
.8	193.4	97.5	193.4	97.5	253.7	127.9
.9	193.8	97.7	193.8	97.7	253.3	127.7

Reservoir Storage Tables

PAGE 13

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
938.0	194.1	97.9	194.1	97.9	253.0	127.6
.1	194.5	98.0	194.5	98.0	252.6	127.4
.2	194.8	98.2	194.8	98.2	252.3	127.2
.3	195.2	98.4	195.2	98.4	251.9	127.0
.4	195.5	98.6	195.5	98.6	251.6	126.8
.5	195.9	98.7	195.9	98.7	251.2	126.7
.6	196.2	98.9	196.2	98.9	250.9	126.5
.7	196.6	99.1	196.6	99.1	250.5	126.3
.8	196.9	99.3	196.9	99.3	250.2	126.1
.9	197.3	99.5	197.3	99.5	249.8	126.0
939.0	197.6	99.6	197.6	99.6	249.5	125.8
.1	198.0	99.8	198.0	99.8	249.1	125.6
.2	198.3	100.0	198.3	100.0	248.8	125.4
.3	198.7	100.2	198.7	100.2	248.4	125.2
.4	199.0	100.3	199.0	100.3	248.1	125.1
.5	199.4	100.5	199.4	100.5	247.7	124.9
.6	199.7	100.7	199.7	100.7	247.4	124.7
.7	200.1	100.9	200.1	100.9	247.0	124.5
.8	200.4	101.0	200.4	101.0	246.7	124.4
.9	200.8	101.2	200.8	101.2	246.3	124.2
940.0	201.1	101.4	201.1	101.4	246.0	124.0
.1	201.5	101.6	201.5	101.6	245.6	123.8
.2	201.8	101.8	201.8	101.8	245.3	123.7
.3	202.2	101.9	202.2	101.9	244.9	123.5
.4	202.5	102.1	202.5	102.1	244.6	123.3
.5	202.9	102.3	202.9	102.3	244.2	123.1
.6	203.2	102.5	203.2	102.5	243.9	122.9
.7	203.6	102.6	203.6	102.6	243.5	122.8
.8	203.9	102.8	203.9	102.8	243.2	122.6
.9	204.3	103.0	204.3	103.0	242.8	122.4
941.0	204.6	103.2	204.6	103.2	242.5	122.2
.1	205.0	103.4	205.0	103.4	242.1	122.1
.2	205.3	103.5	205.3	103.5	241.8	121.9
.3	205.7	103.7	205.7	103.7	241.4	121.7
.4	206.0	103.9	206.0	103.9	241.1	121.5
.5	206.4	104.1	206.4	104.1	240.7	121.4
.6	206.7	104.2	206.7	104.2	240.4	121.2
.7	207.1	104.4	207.1	104.4	240.0	121.0
.8	207.5	104.6	207.5	104.6	239.6	120.8
.9	207.9	104.8	207.9	104.8	239.2	120.6
942.0	208.3	105.0	208.3	105.0	238.8	120.4
.1	208.6	105.2	208.6	105.2	238.5	120.2
.2	209.0	105.4	209.0	105.4	238.1	120.0
.3	209.4	105.6	209.4	105.6	237.7	119.8
.4	209.8	105.8	209.8	105.8	237.3	119.6
.5	210.2	106.0	210.2	106.0	236.9	119.4
.6	210.6	106.2	210.6	106.2	236.5	119.2
.7	211.0	106.4	211.0	106.4	236.1	119.1
.8	211.3	106.6	211.3	106.6	235.8	118.9
.9	211.7	106.7	211.7	106.7	235.4	118.7

PAGE 14

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
943.0	212.1	106.9	212.1	106.9	235.0	118.5
.1	212.5	107.1	212.5	107.1	234.6	118.3
.2	212.9	107.3	212.9	107.3	234.2	118.1
.3	213.3	107.5	213.3	107.5	233.8	117.9
.4	213.7	107.7	213.7	107.7	233.4	117.7
.5	214.1	107.9	214.1	107.9	233.0	117.5
.6	214.4	108.1	214.4	108.1	232.7	117.3
.7	214.8	108.3	214.8	108.3	232.3	117.1
.8	215.2	108.5	215.2	108.5	231.9	116.9
.9	215.6	108.7	215.6	108.7	231.5	116.7
944.0	216.0	108.9	216.0	108.9	231.1	116.5
.1	216.4	109.1	216.4	109.1	230.7	116.3
.2	216.8	109.3	216.8	109.3	230.3	116.1
.3	217.1	109.5	217.1	109.5	230.0	115.9
.4	217.5	109.7	217.5	109.7	229.6	115.7
.5	217.9	109.9	217.9	109.9	229.2	115.5
.6	218.3	110.1	218.3	110.1	228.8	115.4
.7	218.7	110.3	218.7	110.3	228.4	115.2
.8	219.1	110.4	219.1	110.4	228.0	115.0
.9	219.5	110.6	219.5	110.6	227.6	114.8
945.0	219.8	110.8	219.8	110.8	227.3	114.6
.1	220.2	111.0	220.2	111.0	226.9	114.4
.2	220.6	111.2	220.6	111.2	226.5	114.2
.3	221.0	111.4	221.0	111.4	226.1	114.0
.4	221.4	111.6	221.4	111.6	225.7	113.8
.5	221.8	111.8	221.8	111.8	225.3	113.6
.6	222.2	112.0	222.2	112.0	224.9	113.4
.7	222.6	112.2	222.6	112.2	224.5	113.2
.8	222.9	112.4	222.9	112.4	224.2	113.0
.9	223.3	112.6	223.3	112.6	223.8	112.8
946.0	223.7	112.8	223.7	112.8	223.4	112.6
.1	224.1	113.0	224.1	113.0	223.0	112.4
.2	224.5	113.2	224.5	113.2	222.6	112.2
.3	224.9	113.4	224.9	113.4	222.2	112.0
.4	225.3	113.6	225.3	113.6	221.8	111.8
.5	225.6	113.8	225.6	113.8	221.5	111.7
.6	226.0	114.0	226.0	114.0	221.1	111.5
.7	226.4	114.2	226.4	114.2	220.7	111.3
.8	226.8	114.3	226.8	114.3	220.3	111.1
.9	227.2	114.5	227.2	114.5	219.9	110.9
947.0	227.6	114.7	227.6	114.7	219.5	110.7
.1	228.0	114.9	228.0	114.9	219.1	110.5
.2	228.3	115.1	228.3	115.1	218.8	110.3
.3	228.7	115.3	228.7	115.3	218.4	110.1
.4	229.1	115.5	229.1	115.5	218.0	109.9
.5	229.5	115.7	229.5	115.7	217.6	109.7
.6	229.9	115.9	229.9	115.9	217.2	109.5
.7	230.3	116.1	230.3	116.1	216.8	109.3
.8	230.7	116.3	230.7	116.3	216.4	109.1
.9	231.0	116.5	231.0	116.5	216.1	108.9

Reservoir Storage Tables

PAGE 15

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
948.0	231.4	116.7	231.4	116.7	215.7	108.7
.1	231.8	116.9	231.8	116.9	215.3	108.5
.2	232.2	117.1	232.2	117.1	214.9	108.3
.3	232.6	117.3	232.6	117.3	214.5	108.1
.4	233.0	117.5	233.0	117.5	214.1	108.0
.5	233.4	117.7	233.4	117.7	213.7	107.8
.6	233.8	117.9	233.8	117.9	213.3	107.6
.7	234.1	118.0	234.1	118.0	213.0	107.4
.8	234.5	118.2	234.5	118.2	212.6	107.2
.9	234.9	118.4	234.9	118.4	212.2	107.0
949.0	235.3	118.6	235.3	118.6	211.8	106.8
.1	235.7	118.8	235.7	118.8	211.4	106.6
.2	236.1	119.0	236.1	119.0	211.0	106.4
.3	236.5	119.2	236.5	119.2	210.6	106.2
.4	236.8	119.4	236.8	119.4	210.3	106.0
.5	237.2	119.6	237.2	119.6	209.9	105.8
.6	237.6	119.8	237.6	119.8	209.5	105.6
.7	238.0	120.0	238.0	120.0	209.1	105.4
.8	238.4	120.2	238.4	120.2	208.7	105.2
.9	238.8	120.4	238.8	120.4	208.3	105.0
950.0	239.2	120.6	239.2	120.6	207.9	104.8
.1	239.5	120.8	239.5	120.8	207.6	104.6
.2	239.9	121.0	239.9	121.0	207.2	104.4
.3	240.3	121.2	240.3	121.2	206.8	104.3
.4	240.7	121.4	240.7	121.4	206.4	104.1
.5	241.1	121.6	241.1	121.6	206.0	103.9
.6	241.5	121.7	241.5	121.7	205.6	103.7
.7	241.9	121.9	241.9	121.9	205.2	103.5
.8	242.3	122.1	242.3	122.1	204.8	103.3
.9	242.6	122.3	242.6	122.3	204.5	103.1
951.0	243.0	122.5	243.0	122.5	204.1	102.9
.1	243.4	122.7	243.4	122.7	203.7	102.7
.2	243.8	122.9	243.8	122.9	203.3	102.5
.3	244.2	123.1	244.2	123.1	202.9	102.3
.4	244.6	123.3	244.6	123.3	202.5	102.1
.5	245.0	123.5	245.0	123.5	202.1	101.9
.6	245.3	123.7	245.3	123.7	201.8	101.7
.7	245.7	123.9	245.7	123.9	201.4	101.5
.8	246.1	124.1	246.1	124.1	201.0	101.3
.9	246.5	124.3	246.5	124.3	200.6	101.1
952.0	246.9	124.5	246.9	124.5	200.2	100.9
.1	247.3	124.7	247.3	124.7	199.8	100.7
.2	247.7	124.9	247.7	124.9	199.4	100.6
.3	248.0	125.1	248.0	125.1	199.1	100.4
.4	248.4	125.3	248.4	125.3	198.7	100.2
.5	248.8	125.4	248.8	125.4	198.3	100.0
.6	249.2	125.6	249.2	125.6	197.9	99.8
.7	249.6	125.8	249.6	125.8	197.5	99.6
.8	250.0	126.0	250.0	126.0	197.1	99.4
.9	250.4	126.2	250.4	126.2	196.7	99.2

PAGE 16

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
953.0	250.7	126.4	250.7	126.4	196.4	99.0
.1	251.1	126.6	251.1	126.6	196.0	98.8
.2	251.5	126.8	251.5	126.8	195.6	98.6
.3	251.9	127.0	251.9	127.0	195.2	98.4
.4	252.3	127.2	252.3	127.2	194.8	98.2
.5	252.7	127.4	252.7	127.4	194.4	98.0
.6	253.1	127.6	253.1	127.6	194.0	97.8
.7	253.5	127.8	253.5	127.8	193.6	97.6
.8	253.8	128.0	253.8	128.0	193.3	97.4
.9	254.2	128.2	254.2	128.2	192.9	97.2
954.0	254.6	128.4	254.6	128.4	192.5	97.0
.1	255.0	128.6	255.0	128.6	192.1	96.9
.2	255.4	128.8	255.4	128.8	191.7	96.7
.3	255.8	129.0	255.8	129.0	191.3	96.5
.4	256.2	129.1	256.2	129.1	190.9	96.3
.5	256.5	129.3	256.5	129.3	190.6	96.1
.6	256.9	129.5	256.9	129.5	190.2	95.9
.7	257.3	129.7	257.3	129.7	189.8	95.7
.8	257.7	129.9	257.7	129.9	189.4	95.5
.9	258.1	130.1	258.1	130.1	189.0	95.3
955.0	258.5	130.3	258.5	130.3	188.6	95.1
.1	258.9	130.5	258.9	130.5	188.2	94.9
.2	259.2	130.7	259.2	130.7	187.9	94.7
.3	259.6	130.9	259.6	130.9	187.5	94.5
.4	260.0	131.1	260.0	131.1	187.1	94.3
.5	260.4	131.3	260.4	131.3	186.7	94.1
.6	260.8	131.5	260.8	131.5	186.3	93.9
.7	261.2	131.7	261.2	131.7	185.9	93.7
.8	261.6	131.9	261.6	131.9	185.5	93.5
.9	261.9	132.1	261.9	132.1	185.2	93.3
956.0	262.3	132.3	262.3	132.3	184.8	93.2
.1	262.7	132.5	262.7	132.5	184.4	93.0
.2	263.1	132.7	263.1	132.7	184.0	92.8
.3	263.5	132.8	263.5	132.8	183.6	92.6
.4	263.9	133.0	263.9	133.0	183.2	92.4
.5	264.3	133.2	264.3	133.2	182.8	92.2
.6	264.7	133.4	264.7	133.4	182.4	92.0
.7	265.0	133.6	265.0	133.6	182.1	91.8
.8	265.4	133.8	265.4	133.8	181.7	91.6
.9	265.8	134.0	265.8	134.0	181.3	91.4
957.0	266.2	134.2	266.2	134.2	180.9	91.2
.1	266.6	134.4	266.6	134.4	180.5	91.0
.2	267.0	134.6	267.0	134.6	180.1	90.8
.3	267.4	134.8	267.4	134.8	179.7	90.6
.4	267.7	135.0	267.7	135.0	179.4	90.4
.5	268.1	135.2	268.1	135.2	179.0	90.2
.6	268.5	135.4	268.5	135.4	178.6	90.0
.7	268.9	135.6	268.9	135.6	178.2	89.8
.8	269.3	135.8	269.3	135.8	177.8	89.6
.9	269.7	136.0	269.7	136.0	177.4	89.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
958.0	270.1	136.2	270.1	136.2	177.0	89.3
.1	270.4	136.4	270.4	136.4	176.7	89.1
.2	270.8	136.5	270.8	136.5	176.3	88.9
.3	271.2	136.7	271.2	136.7	175.9	88.7
.4	271.6	136.9	271.6	136.9	175.5	88.5
.5	272.0	137.1	272.0	137.1	175.1	88.3
.6	272.4	137.3	272.4	137.3	174.7	88.1
.7	272.8	137.5	272.8	137.5	174.3	87.9
.8	273.2	137.7	273.2	137.7	173.9	87.7
.9	273.5	137.9	273.5	137.9	173.6	87.5
959.0	273.9	138.1	273.9	138.1	173.2	87.3
.1	274.3	138.3	274.3	138.3	172.8	87.1
.2	274.7	138.5	274.7	138.5	172.4	86.9
.3	275.1	138.7	275.1	138.7	172.0	86.7
.4	275.5	138.9	275.5	138.9	171.6	86.5
.5	275.9	139.1	275.9	139.1	171.2	86.3
.6	276.2	139.3	276.2	139.3	170.9	86.1
.7	276.6	139.5	276.6	139.5	170.5	85.9
.8	277.0	139.7	277.0	139.7	170.1	85.8
.9	277.4	139.9	277.4	139.9	169.7	85.6
960.0	277.8	140.1	277.8	140.1	169.3	85.4
.1	278.2	140.2	278.2	140.2	168.9	85.2
.2	278.6	140.4	278.6	140.4	168.5	85.0
.3	278.9	140.6	278.9	140.6	168.2	84.8
.4	279.3	140.8	279.3	140.8	167.8	84.6
.5	279.7	141.0	279.7	141.0	167.4	84.4
.6	280.1	141.2	280.1	141.2	167.0	84.2
.7	280.5	141.4	280.5	141.4	166.6	84.0
.8	280.9	141.6	280.9	141.6	166.2	83.8
.9	281.3	141.8	281.3	141.8	165.8	83.6
961.0	281.6	142.0	281.6	142.0	165.5	83.4
.1	282.0	142.2	282.0	142.2	165.1	83.2
.2	282.4	142.4	282.4	142.4	164.7	83.0
.3	282.8	142.6	282.8	142.6	164.3	82.8
.4	283.2	142.8	283.2	142.8	163.9	82.6
.5	283.6	143.0	283.6	143.0	163.5	82.4
.6	284.0	143.2	284.0	143.2	163.1	82.2
.7	284.4	143.4	284.4	143.4	162.7	82.1
.8	284.7	143.6	284.7	143.6	162.4	81.9
.9	285.1	143.8	285.1	143.8	162.0	81.7
962.0	285.5	143.9	285.5	143.9	161.6	81.5
.1	285.9	144.1	285.9	144.1	161.2	81.3
.2	286.3	144.3	286.3	144.3	160.8	81.1
.3	286.7	144.5	286.7	144.5	160.4	80.9
.4	287.1	144.7	287.1	144.7	160.0	80.7
.5	287.4	144.9	287.4	144.9	159.7	80.5
.6	287.8	145.1	287.8	145.1	159.3	80.3
.7	288.2	145.3	288.2	145.3	158.9	80.1
.8	288.6	145.5	288.6	145.5	158.5	79.9
.9	289.0	145.7	289.0	145.7	158.1	79.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
963.0	289.4	145.9	289.4	145.9	157.7	79.5
.1	289.8	146.1	289.8	146.1	157.3	79.3
.2	290.1	146.3	290.1	146.3	157.0	79.1
.3	290.5	146.5	290.5	146.5	156.6	78.9
.4	290.9	146.7	290.9	146.7	156.2	78.7
.5	291.3	146.9	291.3	146.9	155.8	78.5
.6	291.7	147.1	291.7	147.1	155.4	78.4
.7	292.1	147.3	292.1	147.3	155.0	78.2
.8	292.5	147.5	292.5	147.5	154.6	78.0
.9	292.9	147.6	292.9	147.6	154.2	77.8
964.0	293.2	147.8	293.2	147.8	153.9	77.6
.1	293.6	148.0	293.6	148.0	153.5	77.4
.2	294.0	148.2	294.0	148.2	153.1	77.2
.3	294.4	148.4	294.4	148.4	152.7	77.0
.4	294.8	148.6	294.8	148.6	152.3	76.8
.5	295.2	148.8	295.2	148.8	151.9	76.6
.6	295.6	149.0	295.6	149.0	151.5	76.4
.7	295.9	149.2	295.9	149.2	151.2	76.2
.8	296.3	149.4	296.3	149.4	150.8	76.0
.9	296.7	149.6	296.7	149.6	150.4	75.8
965.0	297.1	149.8	297.1	149.8	150.0	75.6
.1	297.5	150.0	297.5	150.0	149.6	75.4
.2	298.0	150.2	298.0	150.2	149.1	75.2
.3	298.4	150.4	298.4	150.4	148.7	75.0
.4	298.8	150.7	298.8	150.7	148.3	74.8
.5	299.2	150.9	299.2	150.9	147.9	74.5
.6	299.7	151.1	299.7	151.1	147.4	74.3
.7	300.1	151.3	300.1	151.3	147.0	74.1
.8	300.5	151.5	300.5	151.5	146.6	73.9
.9	301.0	151.7	301.0	151.7	146.1	73.7
966.0	301.4	151.9	301.4	151.9	145.7	73.5
.1	301.8	152.2	301.8	152.2	145.3	73.2
.2	302.2	152.4	302.2	152.4	144.9	73.0
.3	302.7	152.6	302.7	152.6	144.4	72.8
.4	303.1	152.8	303.1	152.8	144.0	72.6
.5	303.5	153.0	303.5	153.0	143.6	72.4
.6	304.0	153.2	304.0	153.2	143.1	72.2
.7	304.4	153.5	304.4	153.5	142.7	72.0
.8	304.8	153.7	304.8	153.7	142.3	71.7
.9	305.2	153.9	305.2	153.9	141.9	71.5
967.0	305.7	154.1	305.7	154.1	141.4	71.3
.1	306.1	154.3	306.1	154.3	141.0	71.1
.2	306.5	154.5	306.5	154.5	140.6	70.9
.3	307.0	154.8	307.0	154.8	140.1	70.7
.4	307.4	155.0	307.4	155.0	139.7	70.4
.5	307.8	155.2	307.8	155.2	139.3	70.2
.6	308.2	155.4	308.2	155.4	138.9	70.0
.7	308.7	155.6	308.7	155.6	138.4	69.8
.8	309.1	155.8	309.1	155.8	138.0	69.6
.9	309.5	156.1	309.5	156.1	137.6	69.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
968.0	310.0	156.3	310.0	156.3	137.1	69.1
.1	310.4	156.5	310.4	156.5	136.7	68.9
.2	310.8	156.7	310.8	156.7	136.3	68.7
.3	311.2	156.9	311.2	156.9	135.9	68.5
.4	311.7	157.1	311.7	157.1	135.4	68.3
.5	312.1	157.4	312.1	157.4	135.0	68.1
.6	312.5	157.6	312.5	157.6	134.6	67.8
.7	313.0	157.8	313.0	157.8	134.1	67.6
.8	313.4	158.0	313.4	158.0	133.7	67.4
.9	313.8	158.2	313.8	158.2	133.3	67.2
969.0	314.2	158.4	314.2	158.4	132.9	67.0
.1	314.7	158.6	314.7	158.6	132.4	66.8
.2	315.1	158.9	315.1	158.9	132.0	66.5
.3	315.5	159.1	315.5	159.1	131.6	66.3
.4	316.0	159.3	316.0	159.3	131.1	66.1
.5	316.4	159.5	316.4	159.5	130.7	65.9
.6	316.8	159.7	316.8	159.7	130.3	65.7
.7	317.2	159.9	317.2	159.9	129.9	65.5
.8	317.7	160.2	317.7	160.2	129.4	65.3
.9	318.1	160.4	318.1	160.4	129.0	65.0
970.0	318.5	160.6	318.5	160.6	128.6	64.8
.1	319.0	160.8	319.0	160.8	128.1	64.6
.2	319.4	161.0	319.4	161.0	127.7	64.4
.3	319.8	161.2	319.8	161.2	127.3	64.2
.4	320.2	161.5	320.2	161.5	126.9	64.0
.5	320.7	161.7	320.7	161.7	126.4	63.7
.6	321.1	161.9	321.1	161.9	126.0	63.5
.7	321.5	162.1	321.5	162.1	125.6	63.3
.8	322.0	162.3	322.0	162.3	125.1	63.1
.9	322.4	162.5	322.4	162.5	124.7	62.9
971.0	322.8	162.8	322.8	162.8	124.3	62.7
.1	323.2	163.0	323.2	163.0	123.9	62.4
.2	323.7	163.2	323.7	163.2	123.4	62.2
.3	324.1	163.4	324.1	163.4	123.0	62.0
.4	324.5	163.6	324.5	163.6	122.6	61.8
.5	325.0	163.8	325.0	163.8	122.1	61.6
.6	325.4	164.0	325.4	164.0	121.7	61.4
.7	325.8	164.3	325.8	164.3	121.3	61.1
.8	326.2	164.5	326.2	164.5	120.9	60.9
.9	326.7	164.7	326.7	164.7	120.4	60.7
972.0	327.1	164.9	327.1	164.9	120.0	60.5
.1	327.5	165.1	327.5	165.1	119.6	60.3
.2	328.0	165.3	328.0	165.3	119.1	60.1
.3	328.4	165.6	328.4	165.6	118.7	59.9
.4	328.8	165.8	328.8	165.8	118.3	59.6
.5	329.2	166.0	329.2	166.0	117.9	59.4
.6	329.7	166.2	329.7	166.2	117.4	59.2
.7	330.1	166.4	330.1	166.4	117.0	59.0
.8	330.5	166.6	330.5	166.6	116.6	58.8
.9	331.0	166.9	331.0	166.9	116.1	58.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
973.0	331.4	167.1	331.4	167.1	115.7	58.3
.1	331.8	167.3	331.8	167.3	115.3	58.1
.2	332.2	167.5	332.2	167.5	114.9	57.9
.3	332.7	167.7	332.7	167.7	114.4	57.7
.4	333.1	167.9	333.1	167.9	114.0	57.5
.5	333.5	168.2	333.5	168.2	113.6	57.3
.6	334.0	168.4	334.0	168.4	113.1	57.0
.7	334.4	168.6	334.4	168.6	112.7	56.8
.8	334.8	168.8	334.8	168.8	112.3	56.6
.9	335.2	169.0	335.2	169.0	111.9	56.4
974.0	335.7	169.2	335.7	169.2	111.4	56.2
.1	336.1	169.5	336.1	169.5	111.0	56.0
.2	336.5	169.7	336.5	169.7	110.6	55.7
.3	337.0	169.9	337.0	169.9	110.1	55.5
.4	337.4	170.1	337.4	170.1	109.7	55.3
.5	337.8	170.3	337.8	170.3	109.3	55.1
.6	338.2	170.5	338.2	170.5	108.9	54.9
.7	338.7	170.7	338.7	170.7	108.4	54.7
.8	339.1	171.0	339.1	171.0	108.0	54.5
.9	339.5	171.2	339.5	171.2	107.6	54.2
975.0	340.0	171.4	340.0	171.4	107.1	54.0
.1	340.4	171.6	340.4	171.6	106.7	53.8
.2	340.8	171.8	340.8	171.8	106.3	53.6
.3	341.2	172.0	341.2	172.0	105.9	53.4
.4	341.7	172.3	341.7	172.3	105.4	53.2
.5	342.1	172.5	342.1	172.5	105.0	52.9
.6	342.5	172.7	342.5	172.7	104.6	52.7
.7	343.0	172.9	343.0	172.9	104.1	52.5
.8	343.4	173.1	343.4	173.1	103.7	52.3
.9	343.8	173.3	343.8	173.3	103.3	52.1
976.0	344.2	173.6	344.2	173.6	102.9	51.9
.1	344.7	173.8	344.7	173.8	102.4	51.6
.2	345.1	174.0	345.1	174.0	102.0	51.4
.3	345.5	174.2	345.5	174.2	101.6	51.2
.4	346.0	174.4	346.0	174.4	101.1	51.0
.5	346.4	174.6	346.4	174.6	100.7	50.8
.6	346.8	174.9	346.8	174.9	100.3	50.6
.7	347.2	175.1	347.2	175.1	99.9	50.3
.8	347.7	175.3	347.7	175.3	99.4	50.1
.9	348.1	175.5	348.1	175.5	99.0	49.9
977.0	348.5	175.7	348.5	175.7	98.6	49.7
.1	349.0	175.9	349.0	175.9	98.1	49.5
.2	349.4	176.1	349.4	176.1	97.7	49.3
.3	349.8	176.4	349.8	176.4	97.3	49.0
.4	350.2	176.6	350.2	176.6	96.9	48.8
.5	350.7	176.8	350.7	176.8	96.4	48.6
.6	351.1	177.0	351.1	177.0	96.0	48.4
.7	351.5	177.2	351.5	177.2	95.6	48.2
.8	352.0	177.4	352.0	177.4	95.1	48.0
.9	352.4	177.7	352.4	177.7	94.7	47.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
978.0	352.8	177.9	352.8	177.9	94.3	47.5
.1	353.2	178.1	353.2	178.1	93.9	47.3
.2	353.7	178.3	353.7	178.3	93.4	47.1
.3	354.1	178.5	354.1	178.5	93.0	46.9
.4	354.5	178.7	354.5	178.7	92.6	46.7
.5	355.0	179.0	355.0	179.0	92.1	46.5
.6	355.4	179.2	355.4	179.2	91.7	46.2
.7	355.8	179.4	355.8	179.4	91.3	46.0
.8	356.2	179.6	356.2	179.6	90.9	45.8
.9	356.7	179.8	356.7	179.8	90.4	45.6
979.0	357.1	180.0	357.1	180.0	90.0	45.4
.1	357.5	180.3	357.5	180.3	89.6	45.2
.2	358.0	180.5	358.0	180.5	89.1	44.9
.3	358.4	180.7	358.4	180.7	88.7	44.7
.4	358.8	180.9	358.8	180.9	88.3	44.5
.5	359.2	181.1	359.2	181.1	87.9	44.3
.6	359.7	181.3	359.7	181.3	87.4	44.1
.7	360.1	181.6	360.1	181.6	87.0	43.9
.8	360.5	181.8	360.5	181.8	86.6	43.6
.9	361.0	182.0	361.0	182.0	86.1	43.4
980.0	361.4	182.2	361.4	182.2	85.7	43.2
.1	361.8	182.4	361.8	182.4	85.3	43.0
.2	362.2	182.6	362.2	182.6	84.9	42.8
.3	362.7	182.8	362.7	182.8	84.4	42.6
.4	363.1	183.1	363.1	183.1	84.0	42.3
.5	363.5	183.3	363.5	183.3	83.6	42.1
.6	364.0	183.5	364.0	183.5	83.1	41.9
.7	364.4	183.7	364.4	183.7	82.7	41.7
.8	364.8	183.9	364.8	183.9	82.3	41.5
.9	365.2	184.1	365.2	184.1	81.9	41.3
981.0	365.7	184.4	365.7	184.4	81.4	41.1
.1	366.1	184.6	366.1	184.6	81.0	40.8
.2	366.5	184.8	366.5	184.8	80.6	40.6
.3	367.0	185.0	367.0	185.0	80.1	40.4
.4	367.4	185.2	367.4	185.2	79.7	40.2
.5	367.8	185.4	367.8	185.4	79.3	40.0
.6	368.2	185.7	368.2	185.7	78.9	39.8
.7	368.7	185.9	368.7	185.9	78.4	39.5
.8	369.1	186.1	369.1	186.1	78.0	39.3
.9	369.5	186.3	369.5	186.3	77.6	39.1
982.0	370.0	186.5	370.0	186.5	77.1	38.9
.1	370.4	186.7	370.4	186.7	76.7	38.7
.2	370.8	187.0	370.8	187.0	76.3	38.5
.3	371.2	187.2	371.2	187.2	75.9	38.2
.4	371.7	187.4	371.7	187.4	75.4	38.0
.5	372.1	187.6	372.1	187.6	75.0	37.8
.6	372.5	187.8	372.5	187.8	74.6	37.6
.7	373.0	188.0	373.0	188.0	74.1	37.4
.8	373.4	188.2	373.4	188.2	73.7	37.2
.9	373.8	188.5	373.8	188.5	73.3	36.9

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
983.0	374.2	188.7	374.2	188.7	72.9	36.7
.1	374.7	188.9	374.7	188.9	72.4	36.5
.2	375.1	189.1	375.1	189.1	72.0	36.3
.3	375.5	189.3	375.5	189.3	71.6	36.1
.4	376.0	189.5	376.0	189.5	71.1	35.9
.5	376.4	189.8	376.4	189.8	70.7	35.7
.6	376.8	190.0	376.8	190.0	70.3	35.4
.7	377.2	190.2	377.2	190.2	69.9	35.2
.8	377.7	190.4	377.7	190.4	69.4	35.0
.9	378.1	190.6	378.1	190.6	69.0	34.8
984.0	378.5	190.8	378.5	190.8	68.6	34.6
.1	379.0	191.1	379.0	191.1	68.1	34.4
.2	379.4	191.3	379.4	191.3	67.7	34.1
.3	379.8	191.5	379.8	191.5	67.3	33.9
.4	380.2	191.7	380.2	191.7	66.9	33.7
.5	380.7	191.9	380.7	191.9	66.4	33.5
.6	381.1	192.1	381.1	192.1	66.0	33.3
.7	381.5	192.4	381.5	192.4	65.6	33.1
.8	382.0	192.6	382.0	192.6	65.1	32.8
.9	382.4	192.8	382.4	192.8	64.7	32.6
985.0	382.8	193.0	382.8	193.0	64.3	32.4
.1	383.2	193.2	383.2	193.2	63.9	32.2
.2	383.7	193.4	383.7	193.4	63.4	32.0
.3	384.1	193.7	384.1	193.7	63.0	31.8
.4	384.5	193.9	384.5	193.9	62.6	31.5
.5	385.0	194.1	385.0	194.1	62.1	31.3
.6	385.4	194.3	385.4	194.3	61.7	31.1
.7	385.8	194.5	385.8	194.5	61.3	30.9
.8	386.2	194.7	386.2	194.7	60.9	30.7
.9	386.7	194.9	386.7	194.9	60.4	30.5
986.0	387.1	195.2	387.1	195.2	60.0	30.2
.1	387.5	195.4	387.5	195.4	59.6	30.0
.2	388.0	195.6	388.0	195.6	59.1	29.8
.3	388.4	195.8	388.4	195.8	58.7	29.6
.4	388.8	196.0	388.8	196.0	58.3	29.4
.5	389.2	196.2	389.2	196.2	57.9	29.2
.6	389.7	196.5	389.7	196.5	57.4	29.0
.7	390.1	196.7	390.1	196.7	57.0	28.7
.8	390.5	196.9	390.5	196.9	56.6	28.5
.9	391.0	197.1	391.0	197.1	56.1	28.3
987.0	391.4	197.3	391.4	197.3	55.7	28.1
.1	391.8	197.5	391.8	197.5	55.3	27.9
.2	392.2	197.8	392.2	197.8	54.9	27.7
.3	392.7	198.0	392.7	198.0	54.4	27.4
.4	393.1	198.2	393.1	198.2	54.0	27.2
.5	393.5	198.4	393.5	198.4	53.6	27.0
.6	394.0	198.6	394.0	198.6	53.1	26.8
.7	394.4	198.8	394.4	198.8	52.7	26.6
.8	394.8	199.1	394.8	199.1	52.3	26.4
.9	395.2	199.3	395.2	199.3	51.9	26.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
988.0	395.7	199.5	395.7	199.5	51.4	25.9		993.0	417.1	210.3	417.1	210.3	30.0	15.1
.1	396.1	199.7	396.1	199.7	51.0	25.7		.1	417.5	210.5	417.5	210.5	29.6	14.9
.2	396.5	199.9	396.5	199.9	50.6	25.5		.2	418.0	210.7	418.0	210.7	29.1	14.7
.3	397.0	200.1	397.0	200.1	50.1	25.3		.3	418.4	210.9	418.4	210.9	28.7	14.5
.4	397.4	200.3	397.4	200.3	49.7	25.1		.4	418.8	211.2	418.8	211.2	28.3	14.3
.5	397.8	200.6	397.8	200.6	49.3	24.8		.5	419.2	211.4	419.2	211.4	27.9	14.0
.6	398.2	200.8	398.2	200.8	48.9	24.6		.6	419.7	211.6	419.7	211.6	27.4	13.8
.7	398.7	201.0	398.7	201.0	48.4	24.4		.7	420.1	211.8	420.1	211.8	27.0	13.6
.8	399.1	201.2	399.1	201.2	48.0	24.2		.8	420.5	212.0	420.5	212.0	26.6	13.4
.9	399.5	201.4	399.5	201.4	47.6	24.0		.9	421.0	212.2	421.0	212.2	26.1	13.2
989.0	400.0	201.6	400.0	201.6	47.1	23.8		994.0	421.4	212.4	421.4	212.4	25.7	13.0
.1	400.4	201.9	400.4	201.9	46.7	23.6		.1	421.8	212.7	421.8	212.7	25.3	12.7
.2	400.8	202.1	400.8	202.1	46.3	23.3		.2	422.2	212.9	422.2	212.9	24.9	12.5
.3	401.2	202.3	401.2	202.3	45.9	23.1		.3	422.7	213.1	422.7	213.1	24.4	12.3
.4	401.7	202.5	401.7	202.5	45.4	22.9		.4	423.1	213.3	423.1	213.3	24.0	12.1
.5	402.1	202.7	402.1	202.7	45.0	22.7		.5	423.5	213.5	423.5	213.5	23.6	11.9
.6	402.5	202.9	402.5	202.9	44.6	22.5		.6	424.0	213.7	424.0	213.7	23.1	11.7
.7	403.0	203.2	403.0	203.2	44.1	22.3		.7	424.4	214.0	424.4	214.0	22.7	11.5
.8	403.4	203.4	403.4	203.4	43.7	22.0		.8	424.8	214.2	424.8	214.2	22.3	11.2
.9	403.8	203.6	403.8	203.6	43.3	21.8		.9	425.2	214.4	425.2	214.4	21.9	11.0
990.0	404.2	203.8	404.2	203.8	42.9	21.6		995.0	425.7	214.6	425.7	214.6	21.4	10.8
.1	404.7	204.0	404.7	204.0	42.4	21.4		.1	426.1	214.8	426.1	214.8	21.0	10.6
.2	405.1	204.2	405.1	204.2	42.0	21.2		.2	426.5	215.0	426.5	215.0	20.6	10.4
.3	405.5	204.5	405.5	204.5	41.6	21.0		.3	427.0	215.3	427.0	215.3	20.1	10.2
.4	406.0	204.7	406.0	204.7	41.1	20.7		.4	427.4	215.5	427.4	215.5	19.7	9.9
.5	406.4	204.9	406.4	204.9	40.7	20.5		.5	427.8	215.7	427.8	215.7	19.3	9.7
.6	406.8	205.1	406.8	205.1	40.3	20.3		.6	428.2	215.9	428.2	215.9	18.9	9.5
.7	407.2	205.3	407.2	205.3	39.9	20.1		.7	428.7	216.1	428.7	216.1	18.4	9.3
.8	407.7	205.5	407.7	205.5	39.4	19.9		.8	429.1	216.3	429.1	216.3	18.0	9.1
.9	408.1	205.8	408.1	205.8	39.0	19.7		.9	429.5	216.6	429.5	216.6	17.6	8.9
991.0	408.5	206.0	408.5	206.0	38.6	19.4		996.0	430.0	216.8	430.0	216.8	17.1	8.6
.1	409.0	206.2	409.0	206.2	38.1	19.2		.1	430.4	217.0	430.4	217.0	16.7	8.4
.2	409.4	206.4	409.4	206.4	37.7	19.0		.2	430.8	217.2	430.8	217.2	16.3	8.2
.3	409.8	206.6	409.8	206.6	37.3	18.8		.3	431.2	217.4	431.2	217.4	15.9	8.0
.4	410.2	206.8	410.2	206.8	36.9	18.6		.4	431.7	217.6	431.7	217.6	15.4	7.8
.5	410.7	207.0	410.7	207.0	36.4	18.4		.5	432.1	217.9	432.1	217.9	15.0	7.6
.6	411.1	207.3	411.1	207.3	36.0	18.2		.6	432.5	218.1	432.5	218.1	14.6	7.3
.7	411.5	207.5	411.5	207.5	35.6	17.9		.7	433.0	218.3	433.0	218.3	14.1	7.1
.8	412.0	207.7	412.0	207.7	35.1	17.7		.8	433.4	218.5	433.4	218.5	13.7	6.9
.9	412.4	207.9	412.4	207.9	34.7	17.5		.9	433.8	218.7	433.8	218.7	13.3	6.7
992.0	412.8	208.1	412.8	208.1	34.3	17.3		997.0	434.2	218.9	434.2	218.9	12.9	6.5
.1	413.2	208.3	413.2	208.3	33.9	17.1		.1	434.7	219.1	434.7	219.1	12.4	6.3
.2	413.7	208.6	413.7	208.6	33.4	16.9		.2	435.1	219.4	435.1	219.4	12.0	6.0
.3	414.1	208.8	414.1	208.8	33.0	16.6		.3	435.5	219.6	435.5	219.6	11.6	5.8
.4	414.5	209.0	414.5	209.0	32.6	16.4		.4	436.0	219.8	436.0	219.8	11.1	5.6
.5	415.0	209.2	415.0	209.2	32.1	16.2		.5	436.4	220.0	436.4	220.0	10.7	5.4
.6	415.4	209.4	415.4	209.4	31.7	16.0		.6	436.8	220.2	436.8	220.2	10.3	5.2
.7	415.8	209.6	415.8	209.6	31.3	15.8		.7	437.2	220.4	437.2	220.4	9.9	5.0
.8	416.2	209.9	416.2	209.9	30.9	15.6		.8	437.7	220.7	437.7	220.7	9.4	4.8
.9	416.7	210.1	416.7	210.1	30.4	15.3		.9	438.1	220.9	438.1	220.9	9.0	4.5

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
998.0		438.5	221.1	438.5	221.1	8.6	4.3
.1		439.0	221.3	439.0	221.3	8.1	4.1
.2		439.4	221.5	439.4	221.5	7.7	3.9
.3		439.8	221.7	439.8	221.7	7.3	3.7
.4		440.2	222.0	440.2	222.0	6.9	3.5
.5		440.7	222.2	440.7	222.2	6.4	3.2
.6		441.1	222.4	441.1	222.4	6.0	3.0
.7		441.5	222.6	441.5	222.6	5.6	2.8
.8		442.0	222.8	442.0	222.8	5.1	2.6
.9		442.4	223.0	442.4	223.0	4.7	2.4
999.0		442.8	223.3	442.8	223.3	4.3	2.2
.1		443.2	223.5	443.2	223.5	3.9	1.9
.2		443.7	223.7	443.7	223.7	3.4	1.7
.3		444.1	223.9	444.1	223.9	3.0	1.5
.4		444.5	224.1	444.5	224.1	2.6	1.3
.5		445.0	224.3	445.0	224.3	2.1	1.1
.6		445.4	224.5	445.4	224.5	1.7	0.9
.7		445.8	224.8	445.8	224.8	1.3	0.6
.8		446.2	225.0	446.2	225.0	0.9	0.4
.9		446.7	225.2	446.7	225.2	0.4	0.2
1000.0	SUB	447.1	225.4	447.1	225.4	0.0	0.0
.1		447.5	225.6				
.2		448.0	225.8				
.3		448.4	226.1				
.4		448.8	226.3				
.5		449.2	226.5				
.6		449.7	226.7				
.7		450.1	226.9				
.8		450.5	227.1				
.9		451.0	227.4				
1001.0		451.4	227.6				

Reservoir Storage Tables

PROJECT NAME: YALE

PROJECT NUMBER: 16

YALE

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) = 189.60 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
430.0	SLB	0.0	0.0	0.0	0.0	189.6	95.6	435.0	13.9	7.0	13.9	7.0	175.7	88.6
.1		0.3	0.1	0.3	0.1	189.3	95.5	.1	14.1	7.1	14.1	7.1	175.5	88.5
.2		0.6	0.3	0.6	0.3	189.0	95.3	.2	14.4	7.3	14.4	7.3	175.2	88.3
.3		0.8	0.4	0.8	0.4	188.8	95.2	.3	14.7	7.4	14.7	7.4	174.9	88.2
.4		1.1	0.6	1.1	0.6	188.5	95.0	.4	15.0	7.6	15.0	7.6	174.6	88.0
.5		1.4	0.7	1.4	0.7	188.2	94.9	.5	15.3	7.7	15.3	7.7	174.3	87.9
.6		1.7	0.8	1.7	0.8	187.9	94.8	.6	15.5	7.8	15.5	7.8	174.1	87.8
.7		1.9	1.0	1.9	1.0	187.7	94.6	.7	15.8	8.0	15.8	8.0	173.8	87.6
.8		2.2	1.1	2.2	1.1	187.4	94.5	.8	16.1	8.1	16.1	8.1	173.5	87.5
.9		2.5	1.3	2.5	1.3	187.1	94.3	.9	16.4	8.3	16.4	8.3	173.2	87.3
431.0		2.8	1.4	2.8	1.4	186.8	94.2	436.0	16.6	8.4	16.6	8.4	173.0	87.2
.1		3.1	1.5	3.1	1.5	186.5	94.1	.1	16.9	8.5	16.9	8.5	172.7	87.1
.2		3.3	1.7	3.3	1.7	186.3	93.9	.2	17.2	8.7	17.2	8.7	172.4	86.9
.3		3.6	1.8	3.6	1.8	186.0	93.8	.3	17.5	8.8	17.5	8.8	172.1	86.8
.4		3.9	2.0	3.9	2.0	185.7	93.6	.4	17.8	9.0	17.8	9.0	171.8	86.6
.5		4.2	2.1	4.2	2.1	185.4	93.5	.5	18.0	9.1	18.0	9.1	171.6	86.5
.6		4.4	2.2	4.4	2.2	185.2	93.4	.6	18.3	9.2	18.3	9.2	171.3	86.4
.7		4.7	2.4	4.7	2.4	184.9	93.2	.7	18.6	9.4	18.6	9.4	171.0	86.2
.8		5.0	2.5	5.0	2.5	184.6	93.1	.8	18.9	9.5	18.9	9.5	170.7	86.1
.9		5.3	2.7	5.3	2.7	184.3	92.9	.9	19.1	9.6	19.1	9.6	170.5	85.9
432.0		5.5	2.8	5.5	2.8	184.1	92.8	437.0	19.4	9.8	19.4	9.8	170.2	85.8
.1		5.8	2.9	5.8	2.9	183.8	92.7	.1	19.7	9.9	19.7	9.9	169.9	85.7
.2		6.1	3.1	6.1	3.1	183.5	92.5	.2	20.0	10.1	20.0	10.1	169.6	85.5
.3		6.4	3.2	6.4	3.2	183.2	92.4	.3	20.2	10.2	20.2	10.2	169.4	85.4
.4		6.7	3.4	6.7	3.4	182.9	92.2	.4	20.5	10.3	20.5	10.3	169.1	85.2
.5		6.9	3.5	6.9	3.5	182.7	92.1	.5	20.8	10.5	20.8	10.5	168.8	85.1
.6		7.2	3.6	7.2	3.6	182.4	92.0	.6	21.1	10.6	21.1	10.6	168.5	85.0
.7		7.5	3.8	7.5	3.8	182.1	91.8	.7	21.4	10.8	21.4	10.8	168.2	84.8
.8		7.8	3.9	7.8	3.9	181.8	91.7	.8	21.6	10.9	21.6	10.9	168.0	84.7
.9		8.0	4.1	8.0	4.1	181.6	91.5	.9	21.9	11.0	21.9	11.0	167.7	84.5
433.0		8.3	4.2	8.3	4.2	181.3	91.4	438.0	22.2	11.2	22.2	11.2	167.4	84.4
.1		8.6	4.3	8.6	4.3	181.0	91.3	.1	22.5	11.3	22.5	11.3	167.1	84.3
.2		8.9	4.5	8.9	4.5	180.7	91.1	.2	22.7	11.5	22.7	11.5	166.9	84.1
.3		9.2	4.6	9.2	4.6	180.4	91.0	.3	23.0	11.6	23.0	11.6	166.6	84.0
.4		9.4	4.8	9.4	4.8	180.2	90.8	.4	23.3	11.7	23.3	11.7	166.3	83.8
.5		9.7	4.9	9.7	4.9	179.9	90.7	.5	23.6	11.9	23.6	11.9	166.0	83.7
.6		10.0	5.0	10.0	5.0	179.6	90.6	.6	23.9	12.0	23.9	12.0	165.7	83.6
.7		10.3	5.2	10.3	5.2	179.3	90.4	.7	24.1	12.2	24.1	12.2	165.5	83.4
.8		10.5	5.3	10.5	5.3	179.1	90.3	.8	24.4	12.3	24.4	12.3	165.2	83.3
.9		10.8	5.5	10.8	5.5	178.8	90.1	.9	24.7	12.4	24.7	12.4	164.9	83.1
434.0		11.1	5.6	11.1	5.6	178.5	90.0	439.0	25.0	12.6	25.0	12.6	164.6	83.0
.1		11.4	5.7	11.4	5.7	178.2	89.9	.1	25.2	12.7	25.2	12.7	164.4	82.9
.2		11.7	5.9	11.7	5.9	177.9	89.7	.2	25.5	12.9	25.5	12.9	164.1	82.7
.3		11.9	6.0	11.9	6.0	177.7	89.6	.3	25.8	13.0	25.8	13.0	163.8	82.6
.4		12.2	6.2	12.2	6.2	177.4	89.4	.4	26.1	13.1	26.1	13.1	163.5	82.4
.5		12.5	6.3	12.5	6.3	177.1	89.3	.5	26.4	13.3	26.4	13.3	163.2	82.3
.6		12.8	6.4	12.8	6.4	176.8	89.2	.6	26.6	13.4	26.6	13.4	163.0	82.2
.7		13.0	6.6	13.0	6.6	176.6	89.0	.7	26.9	13.6	26.9	13.6	162.7	82.0
.8		13.3	6.7	13.3	6.7	176.3	88.9	.8	27.2	13.7	27.2	13.7	162.4	81.9
.9		13.6	6.9	13.6	6.9	176.0	88.7	.9	27.5	13.8	27.5	13.8	162.1	81.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
440.0	27.7	14.0	27.7	14.0	161.9	81.6
.1	28.0	14.1	28.0	14.1	161.6	81.5
.2	28.3	14.3	28.3	14.3	161.3	81.3
.3	28.6	14.4	28.6	14.4	161.0	81.2
.4	28.8	14.5	28.8	14.5	160.8	81.0
.5	29.1	14.7	29.1	14.7	160.5	80.9
.6	29.4	14.8	29.4	14.8	160.2	80.8
.7	29.7	15.0	29.7	15.0	159.9	80.6
.8	30.0	15.1	30.0	15.1	159.6	80.5
.9	30.2	15.2	30.2	15.2	159.4	80.3
441.0	30.5	15.4	30.5	15.4	159.1	80.2
.1	30.8	15.5	30.8	15.5	158.8	80.1
.2	31.1	15.7	31.1	15.7	158.5	79.9
.3	31.3	15.8	31.3	15.8	158.3	79.8
.4	31.6	15.9	31.6	15.9	158.0	79.6
.5	31.9	16.1	31.9	16.1	157.7	79.5
.6	32.2	16.2	32.2	16.2	157.4	79.4
.7	32.5	16.4	32.5	16.4	157.1	79.2
.8	32.8	16.5	32.8	16.5	156.8	79.1
.9	33.1	16.7	33.1	16.7	156.5	78.9
442.0	33.4	16.8	33.4	16.8	156.2	78.8
.1	33.7	17.0	33.7	17.0	155.9	78.6
.2	34.0	17.1	34.0	17.1	155.6	78.5
.3	34.3	17.3	34.3	17.3	155.3	78.3
.4	34.5	17.4	34.5	17.4	155.1	78.2
.5	34.8	17.6	34.8	17.6	154.8	78.0
.6	35.1	17.7	35.1	17.7	154.5	77.9
.7	35.4	17.9	35.4	17.9	154.2	77.7
.8	35.7	18.0	35.7	18.0	153.9	77.6
.9	36.0	18.2	36.0	18.2	153.6	77.4
443.0	36.3	18.3	36.3	18.3	153.3	77.3
.1	36.6	18.5	36.6	18.5	153.0	77.1
.2	36.9	18.6	36.9	18.6	152.7	77.0
.3	37.2	18.8	37.2	18.8	152.4	76.8
.4	37.5	18.9	37.5	18.9	152.1	76.7
.5	37.8	19.1	37.8	19.1	151.8	76.5
.6	38.1	19.2	38.1	19.2	151.5	76.4
.7	38.4	19.3	38.4	19.3	151.2	76.2
.8	38.7	19.5	38.7	19.5	150.9	76.1
.9	39.0	19.6	39.0	19.6	150.6	75.9
444.0	39.3	19.8	39.3	19.8	150.3	75.8
.1	39.6	19.9	39.6	19.9	150.0	75.6
.2	39.9	20.1	39.9	20.1	149.7	75.5
.3	40.1	20.2	40.1	20.2	149.5	75.4
.4	40.4	20.4	40.4	20.4	149.2	75.2
.5	40.7	20.5	40.7	20.5	148.9	75.1
.6	41.0	20.7	41.0	20.7	148.6	74.9
.7	41.3	20.8	41.3	20.8	148.3	74.8
.8	41.6	21.0	41.6	21.0	148.0	74.6
.9	41.9	21.1	41.9	21.1	147.7	74.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
445.0	42.2	21.3	42.2	21.3	147.4	74.3
.1	42.5	21.4	42.5	21.4	147.1	74.2
.2	42.8	21.6	42.8	21.6	146.8	74.0
.3	43.1	21.7	43.1	21.7	146.5	73.9
.4	43.4	21.9	43.4	21.9	146.2	73.7
.5	43.7	22.0	43.7	22.0	145.9	73.6
.6	44.0	22.2	44.0	22.2	145.6	73.4
.7	44.3	22.3	44.3	22.3	145.3	73.3
.8	44.6	22.5	44.6	22.5	145.0	73.1
.9	44.9	22.6	44.9	22.6	144.7	73.0
446.0	45.2	22.8	45.2	22.8	144.4	72.8
.1	45.4	22.9	45.4	22.9	144.2	72.7
.2	45.7	23.1	45.7	23.1	143.9	72.5
.3	46.0	23.2	46.0	23.2	143.6	72.4
.4	46.3	23.4	46.3	23.4	143.3	72.2
.5	46.6	23.5	46.6	23.5	143.0	72.1
.6	46.9	23.7	46.9	23.7	142.7	71.9
.7	47.2	23.8	47.2	23.8	142.4	71.8
.8	47.5	24.0	47.5	24.0	142.1	71.6
.9	47.8	24.1	47.8	24.1	141.8	71.5
447.0	48.1	24.2	48.1	24.2	141.5	71.3
.1	48.4	24.4	48.4	24.4	141.2	71.2
.2	48.7	24.5	48.7	24.5	140.9	71.1
.3	49.0	24.7	49.0	24.7	140.6	70.9
.4	49.3	24.8	49.3	24.8	140.3	70.8
.5	49.5	25.0	49.5	25.0	140.1	70.6
.6	49.8	25.1	49.8	25.1	139.8	70.5
.7	50.1	25.3	50.1	25.3	139.5	70.3
.8	50.4	25.4	50.4	25.4	139.2	70.2
.9	50.7	25.6	50.7	25.6	138.9	70.0
448.0	51.0	25.7	51.0	25.7	138.6	69.9
.1	51.3	25.9	51.3	25.9	138.3	69.7
.2	51.6	26.0	51.6	26.0	138.0	69.6
.3	51.9	26.1	51.9	26.1	137.7	69.4
.4	52.2	26.3	52.2	26.3	137.4	69.3
.5	52.4	26.4	52.4	26.4	137.2	69.2
.6	52.7	26.6	52.7	26.6	136.9	69.0
.7	53.0	26.7	53.0	26.7	136.6	68.9
.8	53.3	26.9	53.3	26.9	136.3	68.7
.9	53.6	27.0	53.6	27.0	136.0	68.6
449.0	53.9	27.2	53.9	27.2	135.7	68.4
.1	54.2	27.3	54.2	27.3	135.4	68.3
.2	54.5	27.5	54.5	27.5	135.1	68.1
.3	54.8	27.6	54.8	27.6	134.8	68.0
.4	55.1	27.8	55.1	27.8	134.5	67.8
.5	55.3	27.9	55.3	27.9	134.3	67.7
.6	55.6	28.0	55.6	28.0	134.0	67.5
.7	55.9	28.2	55.9	28.2	133.7	67.4
.8	56.2	28.3	56.2	28.3	133.4	67.2
.9	56.5	28.5	56.5	28.5	133.1	67.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
450.0	56.8	28.6	56.8	28.6	132.8	67.0
.1	57.1	28.8	57.1	28.8	132.5	66.8
.2	57.4	28.9	57.4	28.9	132.2	66.7
.3	57.7	29.1	57.7	29.1	131.9	66.5
.4	58.0	29.2	58.0	29.2	131.6	66.4
.5	58.2	29.4	58.2	29.4	131.4	66.2
.6	58.5	29.5	58.5	29.5	131.1	66.1
.7	58.8	29.7	58.8	29.7	130.8	65.9
.8	59.1	29.8	59.1	29.8	130.5	65.8
.9	59.4	30.0	59.4	30.0	130.2	65.6
451.0	59.7	30.1	59.7	30.1	129.9	65.5
.1	60.0	30.2	60.0	30.2	129.6	65.3
.2	60.3	30.4	60.3	30.4	129.3	65.2
.3	60.6	30.5	60.6	30.5	129.0	65.1
.4	60.9	30.7	60.9	30.7	128.7	64.9
.5	61.1	30.8	61.1	30.8	128.5	64.8
.6	61.4	31.0	61.4	31.0	128.2	64.6
.7	61.7	31.1	61.7	31.1	127.9	64.5
.8	62.0	31.3	62.0	31.3	127.6	64.3
.9	62.3	31.4	62.3	31.4	127.3	64.2
452.0	62.6	31.6	62.6	31.6	127.0	64.0
.1	62.9	31.7	62.9	31.7	126.7	63.9
.2	63.2	31.9	63.2	31.9	126.4	63.7
.3	63.5	32.0	63.5	32.0	126.1	63.6
.4	63.8	32.1	63.8	32.1	125.8	63.4
.5	64.0	32.3	64.0	32.3	125.6	63.3
.6	64.3	32.4	64.3	32.4	125.3	63.2
.7	64.6	32.6	64.6	32.6	125.0	63.0
.8	64.9	32.7	64.9	32.7	124.7	62.9
.9	65.2	32.9	65.2	32.9	124.4	62.7
453.0	65.5	33.0	65.5	33.0	124.1	62.6
.1	65.8	33.2	65.8	33.2	123.8	62.4
.2	66.1	33.3	66.1	33.3	123.5	62.3
.3	66.4	33.5	66.4	33.5	123.2	62.1
.4	66.7	33.6	66.7	33.6	122.9	62.0
.5	66.9	33.8	66.9	33.8	122.7	61.8
.6	67.2	33.9	67.2	33.9	122.4	61.7
.7	67.5	34.0	67.5	34.0	122.1	61.5
.8	67.8	34.2	67.8	34.2	121.8	61.4
.9	68.1	34.3	68.1	34.3	121.5	61.3
454.0	68.4	34.5	68.4	34.5	121.2	61.1
.1	68.7	34.6	68.7	34.6	120.9	60.9
.2	69.0	34.8	69.0	34.8	120.6	60.8
.3	69.3	35.0	69.3	35.0	120.3	60.6
.4	69.6	35.1	69.6	35.1	120.0	60.5
.5	69.9	35.3	69.9	35.3	119.7	60.3
.6	70.2	35.4	70.2	35.4	119.4	60.2
.7	70.6	35.6	70.6	35.6	119.0	60.0
.8	70.9	35.7	70.9	35.7	118.7	59.9
.9	71.2	35.9	71.2	35.9	118.4	59.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
455.0	71.5	36.0	71.5	36.0	118.1	59.6
.1	71.8	36.2	71.8	36.2	117.8	59.4
.2	72.1	36.3	72.1	36.3	117.5	59.2
.3	72.4	36.5	72.4	36.5	117.2	59.1
.4	72.7	36.7	72.7	36.7	116.9	58.9
.5	73.0	36.8	73.0	36.8	116.6	58.8
.6	73.3	37.0	73.3	37.0	116.3	58.6
.7	73.6	37.1	73.6	37.1	116.0	58.5
.8	73.9	37.3	73.9	37.3	115.7	58.3
.9	74.3	37.4	74.3	37.4	115.3	58.2
456.0	74.6	37.6	74.6	37.6	115.0	58.0
.1	74.9	37.7	74.9	37.7	114.7	57.8
.2	75.2	37.9	75.2	37.9	114.4	57.7
.3	75.5	38.1	75.5	38.1	114.1	57.5
.4	75.8	38.2	75.8	38.2	113.8	57.4
.5	76.1	38.4	76.1	38.4	113.5	57.2
.6	76.4	38.5	76.4	38.5	113.2	57.1
.7	76.7	38.7	76.7	38.7	112.9	56.9
.8	77.0	38.8	77.0	38.8	112.6	56.8
.9	77.3	39.0	77.3	39.0	112.3	56.6
457.0	77.6	39.1	77.6	39.1	112.0	56.4
.1	77.9	39.3	77.9	39.3	111.7	56.3
.2	78.3	39.5	78.3	39.5	111.3	56.1
.3	78.6	39.6	78.6	39.6	111.0	56.0
.4	78.9	39.8	78.9	39.8	110.7	55.8
.5	79.2	39.9	79.2	39.9	110.4	55.7
.6	79.5	40.1	79.5	40.1	110.1	55.5
.7	79.8	40.2	79.8	40.2	109.8	55.4
.8	80.1	40.4	80.1	40.4	109.5	55.2
.9	80.4	40.5	80.4	40.5	109.2	55.0
458.0	80.7	40.7	80.7	40.7	108.9	54.9
.1	81.0	40.9	81.0	40.9	108.6	54.7
.2	81.3	41.0	81.3	41.0	108.3	54.6
.3	81.6	41.2	81.6	41.2	108.0	54.4
.4	82.0	41.3	82.0	41.3	107.6	54.3
.5	82.3	41.5	82.3	41.5	107.3	54.1
.6	82.6	41.6	82.6	41.6	107.0	54.0
.7	82.9	41.8	82.9	41.8	106.7	53.8
.8	83.2	41.9	83.2	41.9	106.4	53.7
.9	83.5	42.1	83.5	42.1	106.1	53.5
459.0	83.8	42.2	83.8	42.2	105.8	53.3
.1	84.1	42.4	84.1	42.4	105.5	53.2
.2	84.4	42.6	84.4	42.6	105.2	53.0
.3	84.7	42.7	84.7	42.7	104.9	52.9
.4	85.0	42.9	85.0	42.9	104.6	52.7
.5	85.3	43.0	85.3	43.0	104.3	52.6
.6	85.6	43.2	85.6	43.2	104.0	52.4
.7	86.0	43.3	86.0	43.3	103.6	52.3
.8	86.3	43.5	86.3	43.5	103.3	52.1
.9	86.6	43.6	86.6	43.6	103.0	51.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
460.0	86.9	43.8	86.9	43.8	102.7	51.8
.1	87.2	44.0	87.2	44.0	102.4	51.6
.2	87.5	44.1	87.5	44.1	102.1	51.5
.3	87.8	44.3	87.8	44.3	101.8	51.3
.4	88.1	44.4	88.1	44.4	101.5	51.2
.5	88.4	44.6	88.4	44.6	101.2	51.0
.6	88.7	44.7	88.7	44.7	100.9	50.9
.7	89.0	44.9	89.0	44.9	100.6	50.7
.8	89.3	45.0	89.3	45.0	100.3	50.5
.9	89.7	45.2	89.7	45.2	99.9	50.4
461.0	90.0	45.4	90.0	45.4	99.6	50.2
.1	90.3	45.5	90.3	45.5	99.3	50.1
.2	90.6	45.7	90.6	45.7	99.0	49.9
.3	90.9	45.8	90.9	45.8	98.7	49.8
.4	91.2	46.0	91.2	46.0	98.4	49.6
.5	91.5	46.1	91.5	46.1	98.1	49.5
.6	91.8	46.3	91.8	46.3	97.8	49.3
.7	92.1	46.4	92.1	46.4	97.5	49.1
.8	92.4	46.6	92.4	46.6	97.2	49.0
.9	92.7	46.8	92.7	46.8	96.9	48.8
462.0	93.0	46.9	93.0	46.9	96.6	48.7
.1	93.3	47.1	93.3	47.1	96.3	48.5
.2	93.7	47.2	93.7	47.2	95.9	48.4
.3	94.0	47.4	94.0	47.4	95.6	48.2
.4	94.3	47.5	94.3	47.5	95.3	48.1
.5	94.6	47.7	94.6	47.7	95.0	47.9
.6	94.9	47.8	94.9	47.8	94.7	47.8
.7	95.2	48.0	95.2	48.0	94.4	47.6
.8	95.5	48.1	95.5	48.1	94.1	47.4
.9	95.8	48.3	95.8	48.3	93.8	47.3
463.0	96.1	48.5	96.1	48.5	93.5	47.1
.1	96.4	48.6	96.4	48.6	93.2	47.0
.2	96.7	48.8	96.7	48.8	92.9	46.8
.3	97.0	48.9	97.0	48.9	92.6	46.7
.4	97.4	49.1	97.4	49.1	92.2	46.5
.5	97.7	49.2	97.7	49.2	91.9	46.4
.6	98.0	49.4	98.0	49.4	91.6	46.2
.7	98.3	49.5	98.3	49.5	91.3	46.0
.8	98.6	49.7	98.6	49.7	91.0	45.9
.9	98.9	49.9	98.9	49.9	90.7	45.7
464.0	99.2	50.0	99.2	50.0	90.4	45.6
.1	99.5	50.2	99.5	50.2	90.1	45.4
.2	99.9	50.3	99.9	50.3	89.7	45.2
.3	100.2	50.5	100.2	50.5	89.4	45.1
.4	100.5	50.7	100.5	50.7	89.1	44.9
.5	100.8	50.8	100.8	50.8	88.8	44.8
.6	101.2	51.0	101.2	51.0	88.4	44.6
.7	101.5	51.2	101.5	51.2	88.1	44.4
.8	101.8	51.3	101.8	51.3	87.8	44.3
.9	102.1	51.5	102.1	51.5	87.5	44.1

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
465.0	102.4	51.7	102.4	51.7	87.2	43.9
.1	102.8	51.8	102.8	51.8	86.8	43.8
.2	103.1	52.0	103.1	52.0	86.5	43.6
.3	103.4	52.1	103.4	52.1	86.2	43.4
.4	103.7	52.3	103.7	52.3	85.9	43.3
.5	104.1	52.5	104.1	52.5	85.5	43.1
.6	104.4	52.6	104.4	52.6	85.2	43.0
.7	104.7	52.8	104.7	52.8	84.9	42.8
.8	105.0	53.0	105.0	53.0	84.6	42.6
.9	105.4	53.1	105.4	53.1	84.2	42.5
466.0	105.7	53.3	105.7	53.3	83.9	42.3
.1	106.0	53.5	106.0	53.5	83.6	42.1
.2	106.4	53.6	106.4	53.6	83.2	42.0
.3	106.7	53.8	106.7	53.8	82.9	41.8
.4	107.0	53.9	107.0	53.9	82.6	41.6
.5	107.3	54.1	107.3	54.1	82.3	41.5
.6	107.7	54.3	107.7	54.3	81.9	41.3
.7	108.0	54.4	108.0	54.4	81.6	41.2
.8	108.3	54.6	108.3	54.6	81.3	41.0
.9	108.6	54.8	108.6	54.8	81.0	40.8
467.0	109.0	54.9	109.0	54.9	80.6	40.7
.1	109.3	55.1	109.3	55.1	80.3	40.5
.2	109.6	55.3	109.6	55.3	80.0	40.3
.3	109.9	55.4	109.9	55.4	79.7	40.2
.4	110.2	55.6	110.2	55.6	79.4	40.0
.5	110.6	55.7	110.6	55.7	79.0	39.8
.6	110.9	55.9	110.9	55.9	78.7	39.7
.7	111.2	56.1	111.2	56.1	78.4	39.5
.8	111.5	56.2	111.5	56.2	78.1	39.4
.9	111.9	56.4	111.9	56.4	77.7	39.2
468.0	112.2	56.6	112.2	56.6	77.4	39.0
.1	112.5	56.7	112.5	56.7	77.1	38.9
.2	112.9	56.9	112.9	56.9	76.7	38.7
.3	113.2	57.1	113.2	57.1	76.4	38.5
.4	113.5	57.2	113.5	57.2	76.1	38.4
.5	113.8	57.4	113.8	57.4	75.8	38.2
.6	114.2	57.6	114.2	57.6	75.4	38.0
.7	114.5	57.7	114.5	57.7	75.1	37.9
.8	114.8	57.9	114.8	57.9	74.8	37.7
.9	115.1	58.0	115.1	58.0	74.5	37.5
469.0	115.5	58.2	115.5	58.2	74.1	37.4
.1	115.8	58.4	115.8	58.4	73.8	37.2
.2	116.1	58.5	116.1	58.5	73.5	37.1
.3	116.4	58.7	116.4	58.7	73.2	36.9
.4	116.8	58.9	116.8	58.9	72.8	36.7
.5	117.1	59.0	117.1	59.0	72.5	36.6
.6	117.4	59.2	117.4	59.2	72.2	36.4
.7	117.7	59.4	117.7	59.4	71.9	36.2
.8	118.0	59.5	118.0	59.5	71.6	36.1
.9	118.4	59.7	118.4	59.7	71.2	35.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
470.0	118.7	59.8	118.7	59.8	70.9	35.7
.1	119.0	60.0	119.0	60.0	70.6	35.6
.2	119.4	60.2	119.4	60.2	70.2	35.4
.3	119.7	60.3	119.7	60.3	69.9	35.3
.4	120.0	60.5	120.0	60.5	69.6	35.1
.5	120.3	60.7	120.3	60.7	69.3	34.9
.6	120.7	60.8	120.7	60.8	68.9	34.7
.7	121.0	61.0	121.0	61.0	68.6	34.6
.8	121.4	61.2	121.4	61.2	68.2	34.4
.9	121.7	61.4	121.7	61.4	67.9	34.2
471.0	122.0	61.5	122.0	61.5	67.6	34.1
.1	122.4	61.7	122.4	61.7	67.2	33.9
.2	122.7	61.9	122.7	61.9	66.9	33.7
.3	123.0	62.0	123.0	62.0	66.6	33.6
.4	123.4	62.2	123.4	62.2	66.2	33.4
.5	123.7	62.4	123.7	62.4	65.9	33.2
.6	124.1	62.6	124.1	62.6	65.5	33.0
.7	124.4	62.7	124.4	62.7	65.2	32.9
.8	124.7	62.9	124.7	62.9	64.9	32.7
.9	125.1	63.1	125.1	63.1	64.5	32.5
472.0	125.4	63.2	125.4	63.2	64.2	32.4
.1	125.8	63.4	125.8	63.4	63.8	32.2
.2	126.1	63.6	126.1	63.6	63.5	32.0
.3	126.4	63.7	126.4	63.7	63.2	31.8
.4	126.8	63.9	126.8	63.9	62.8	31.7
.5	127.1	64.1	127.1	64.1	62.5	31.5
.6	127.5	64.3	127.5	64.3	62.1	31.3
.7	127.8	64.4	127.8	64.4	61.8	31.2
.8	128.1	64.6	128.1	64.6	61.5	31.0
.9	128.5	64.8	128.5	64.8	61.1	30.8
473.0	128.8	64.9	128.8	64.9	60.8	30.6
.1	129.2	65.1	129.2	65.1	60.4	30.5
.2	129.5	65.3	129.5	65.3	60.1	30.3
.3	129.8	65.5	129.8	65.5	59.8	30.1
.4	130.2	65.6	130.2	65.6	59.4	30.0
.5	130.5	65.8	130.5	65.8	59.1	29.8
.6	130.8	66.0	130.8	66.0	58.8	29.6
.7	131.2	66.1	131.2	66.1	58.4	29.5
.8	131.5	66.3	131.5	66.3	58.1	29.3
.9	131.9	66.5	131.9	66.5	57.7	29.1
474.0	132.2	66.7	132.2	66.7	57.4	28.9
.1	132.5	66.8	132.5	66.8	57.1	28.8
.2	132.9	67.0	132.9	67.0	56.7	28.6
.3	133.2	67.2	133.2	67.2	56.4	28.4
.4	133.6	67.3	133.6	67.3	56.0	28.3
.5	133.9	67.5	133.9	67.5	55.7	28.1
.6	134.2	67.7	134.2	67.7	55.4	27.9
.7	134.6	67.8	134.6	67.8	55.0	27.7
.8	134.9	68.0	134.9	68.0	54.7	27.6
.9	135.2	68.2	135.2	68.2	54.4	27.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
475.0	135.6	68.4	135.6	68.4	54.0	27.2
.1	135.9	68.5	135.9	68.5	53.7	27.1
.2	136.3	68.7	136.3	68.7	53.3	26.9
.3	136.6	68.9	136.6	68.9	53.0	26.7
.4	136.9	69.0	136.9	69.0	52.7	26.5
.5	137.3	69.2	137.3	69.2	52.3	26.4
.6	137.6	69.4	137.6	69.4	52.0	26.2
.7	138.0	69.6	138.0	69.6	51.6	26.0
.8	138.3	69.7	138.3	69.7	51.3	25.9
.9	138.6	69.9	138.6	69.9	51.0	25.7
476.0	139.0	70.1	139.0	70.1	50.6	25.5
.1	139.3	70.2	139.3	70.2	50.3	25.4
.2	139.7	70.4	139.7	70.4	49.9	25.2
.3	140.0	70.6	140.0	70.6	49.6	25.0
.4	140.3	70.8	140.3	70.8	49.3	24.8
.5	140.7	70.9	140.7	70.9	48.9	24.7
.6	141.0	71.1	141.0	71.1	48.6	24.5
.7	141.4	71.3	141.4	71.3	48.2	24.3
.8	141.7	71.4	141.7	71.4	47.9	24.2
.9	142.0	71.6	142.0	71.6	47.6	24.0
477.0	142.4	71.8	142.4	71.8	47.2	23.8
.1	142.7	71.9	142.7	71.9	46.9	23.6
.2	143.0	72.1	143.0	72.1	46.6	23.5
.3	143.4	72.3	143.4	72.3	46.2	23.3
.4	143.7	72.5	143.7	72.5	45.9	23.1
.5	144.1	72.6	144.1	72.6	45.5	23.0
.6	144.4	72.8	144.4	72.8	45.2	22.8
.7	144.8	73.0	144.8	73.0	44.8	22.6
.8	145.1	73.2	145.1	73.2	44.5	22.4
.9	145.5	73.3	145.5	73.3	44.1	22.2
478.0	145.8	73.5	145.8	73.5	43.8	22.1
.1	146.2	73.7	146.2	73.7	43.4	21.9
.2	146.5	73.9	146.5	73.9	43.1	21.7
.3	146.9	74.1	146.9	74.1	42.7	21.5
.4	147.3	74.2	147.3	74.2	42.3	21.3
.5	147.6	74.4	147.6	74.4	42.0	21.2
.6	148.0	74.6	148.0	74.6	41.6	21.0
.7	148.3	74.8	148.3	74.8	41.3	20.8
.8	148.7	75.0	148.7	75.0	40.9	20.6
.9	149.0	75.1	149.0	75.1	40.6	20.4
479.0	149.4	75.3	149.4	75.3	40.2	20.3
.1	149.8	75.5	149.8	75.5	39.8	20.1
.2	150.1	75.7	150.1	75.7	39.5	19.9
.3	150.5	75.9	150.5	75.9	39.1	19.7
.4	150.8	76.0	150.8	76.0	38.8	19.5
.5	151.2	76.2	151.2	76.2	38.4	19.4
.6	151.5	76.4	151.5	76.4	38.1	19.2
.7	151.9	76.6	151.9	76.6	37.7	19.0
.8	152.3	76.8	152.3	76.8	37.3	18.8
.9	152.6	76.9	152.6	76.9	37.0	18.6

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
480.0	153.0	77.1	153.0	77.1	36.6	18.5
.1	153.3	77.3	153.3	77.3	36.3	18.3
.2	153.7	77.5	153.7	77.5	35.9	18.1
.3	154.0	77.7	154.0	77.7	35.6	17.9
.4	154.4	77.8	154.4	77.8	35.2	17.7
.5	154.8	78.0	154.8	78.0	34.8	17.6
.6	155.1	78.2	155.1	78.2	34.5	17.4
.7	155.5	78.4	155.5	78.4	34.1	17.2
.8	155.8	78.6	155.8	78.6	33.8	17.0
.9	156.2	78.7	156.2	78.7	33.4	16.8
481.0	156.6	78.9	156.6	78.9	33.0	16.7
.1	156.9	79.1	156.9	79.1	32.7	16.5
.2	157.3	79.3	157.3	79.3	32.3	16.3
.3	157.6	79.5	157.6	79.5	32.0	16.1
.4	158.0	79.6	158.0	79.6	31.6	15.9
.5	158.3	79.8	158.3	79.8	31.3	15.8
.6	158.7	80.0	158.7	80.0	30.9	15.6
.7	159.1	80.2	159.1	80.2	30.5	15.4
.8	159.4	80.4	159.4	80.4	30.2	15.2
.9	159.8	80.5	159.8	80.5	29.8	15.0
482.0	160.1	80.7	160.1	80.7	29.5	14.9
.1	160.5	80.9	160.5	80.9	29.1	14.7
.2	160.8	81.1	160.8	81.1	28.8	14.5
.3	161.2	81.3	161.2	81.3	28.4	14.3
.4	161.6	81.5	161.6	81.5	28.0	14.1
.5	161.9	81.6	161.9	81.6	27.7	14.0
.6	162.3	81.8	162.3	81.8	27.3	13.8
.7	162.6	82.0	162.6	82.0	27.0	13.6
.8	163.0	82.2	163.0	82.2	26.6	13.4
.9	163.3	82.4	163.3	82.4	26.3	13.2
483.0	163.7	82.5	163.7	82.5	25.9	13.1
.1	164.1	82.7	164.1	82.7	25.5	12.9
.2	164.4	82.9	164.4	82.9	25.2	12.7
.3	164.8	83.1	164.8	83.1	24.8	12.5
.4	165.1	83.3	165.1	83.3	24.5	12.3
.5	165.5	83.4	165.5	83.4	24.1	12.2
.6	165.8	83.6	165.8	83.6	23.8	12.0
.7	166.2	83.8	166.2	83.8	23.4	11.8
.8	166.6	84.0	166.6	84.0	23.0	11.6
.9	166.9	84.2	166.9	84.2	22.7	11.4
484.0	167.3	84.4	167.3	84.4	22.3	11.2
.1	167.7	84.5	167.7	84.5	21.9	11.0
.2	168.1	84.7	168.1	84.7	21.5	10.9
.3	168.4	84.9	168.4	84.9	21.2	10.7
.4	168.8	85.1	168.8	85.1	20.8	10.5
.5	169.2	85.3	169.2	85.3	20.4	10.3
.6	169.5	85.5	169.5	85.5	20.1	10.1
.7	169.9	85.7	169.9	85.7	19.7	9.9
.8	170.3	85.9	170.3	85.9	19.3	9.7
.9	170.7	86.0	170.7	86.0	18.9	9.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
485.0	171.0	86.2	171.0	86.2	18.6	9.4
.1	171.4	86.4	171.4	86.4	18.2	9.2
.2	171.8	86.6	171.8	86.6	17.8	9.0
.3	172.1	86.8	172.1	86.8	17.5	8.8
.4	172.5	87.0	172.5	87.0	17.1	8.6
.5	172.9	87.2	172.9	87.2	16.7	8.4
.6	173.3	87.4	173.3	87.4	16.3	8.2
.7	173.6	87.5	173.6	87.5	16.0	8.1
.8	174.0	87.7	174.0	87.7	15.6	7.9
.9	174.4	87.9	174.4	87.9	15.2	7.7
486.0	174.7	88.1	174.7	88.1	14.9	7.5
.1	175.1	88.3	175.1	88.3	14.5	7.3
.2	175.5	88.5	175.5	88.5	14.1	7.1
.3	175.9	88.7	175.9	88.7	13.7	6.9
.4	176.2	88.8	176.2	88.8	13.4	6.7
.5	176.6	89.0	176.6	89.0	13.0	6.6
.6	177.0	89.2	177.0	89.2	12.6	6.4
.7	177.3	89.4	177.3	89.4	12.3	6.2
.8	177.7	89.6	177.7	89.6	11.9	6.0
.9	178.1	89.8	178.1	89.8	11.5	5.8
487.0	178.5	90.0	178.5	90.0	11.1	5.6
.1	178.8	90.2	178.8	90.2	10.8	5.4
.2	179.2	90.3	179.2	90.3	10.4	5.2
.3	179.6	90.5	179.6	90.5	10.0	5.1
.4	179.9	90.7	179.9	90.7	9.7	4.9
.5	180.3	90.9	180.3	90.9	9.3	4.7
.6	180.7	91.1	180.7	91.1	8.9	4.5
.7	181.1	91.3	181.1	91.3	8.5	4.3
.8	181.4	91.5	181.4	91.5	8.2	4.1
.9	181.8	91.7	181.8	91.7	7.8	3.9
488.0	182.2	91.8	182.2	91.8	7.4	3.7
.1	182.5	92.0	182.5	92.0	7.1	3.6
.2	182.9	92.2	182.9	92.2	6.7	3.4
.3	183.3	92.4	183.3	92.4	6.3	3.2
.4	183.7	92.6	183.7	92.6	5.9	3.0
.5	184.0	92.8	184.0	92.8	5.6	2.8
.6	184.4	93.0	184.4	93.0	5.2	2.6
.7	184.8	93.2	184.8	93.2	4.8	2.4
.8	185.1	93.3	185.1	93.3	4.5	2.2
.9	185.5	93.5	185.5	93.5	4.1	2.1
489.0	185.9	93.7	185.9	93.7	3.7	1.9
.1	186.3	93.9	186.3	93.9	3.3	1.7
.2	186.6	94.1	186.6	94.1	3.0	1.5
.3	187.0	94.3	187.0	94.3	2.6	1.3
.4	187.4	94.5	187.4	94.5	2.2	1.1
.5	187.7	94.7	187.7	94.7	1.9	0.9
.6	188.1	94.8	188.1	94.8	1.5	0.7
.7	188.5	95.0	188.5	95.0	1.1	0.6
.8	188.9	95.2	188.9	95.2	0.7	0.4
.9	189.2	95.4	189.2	95.4	0.4	0.2

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
490.0	SUB	189.6	95.6	189.6	95.6	0.0	0.0
.1		190.0	95.8				
.2		190.3	96.0				
.3		190.7	96.2				
.4		191.1	96.3				
.5		191.5	96.5				
.6		191.8	96.7				
.7		192.2	96.9				
.8		192.6	97.1				
.9		192.9	97.3				
491.0		193.3	97.5				

Reservoir Storage Tables

PROJECT NAME: MERWIN

PROJECT NUMBER: 162

STORAGE LOWER BOUND (SLB) =   0.18KAF   STORAGE UPPER BOUND (SUB) = 183.70 KAF

MERWIN

PAGE 2

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
189.0	SLB	0.0	0.0	0.0	0.0	183.7	92.6
.1		0.0	0.0	0.0	0.0	183.7	92.6
.2		0.0	0.0	0.0	0.0	183.7	92.6
.3		0.0	0.0	0.0	0.0	183.7	92.6
.4		0.0	0.0	0.0	0.0	183.7	92.6
.5		0.0	0.0	0.0	0.0	183.7	92.6
.6		0.0	0.0	0.0	0.0	183.7	92.6
.7		0.0	0.0	0.0	0.0	183.7	92.6
.8		0.3	0.2	0.2	0.1	183.4	92.4
.9		0.7	0.3	0.5	0.3	183.0	92.3
190.0		1.0	0.5	0.9	0.4	182.7	92.1
.1		1.4	0.7	1.2	0.6	182.3	91.9
.2		1.7	0.9	1.5	0.8	182.0	91.7
.3		2.1	1.0	1.9	1.0	181.6	91.6
.4		2.4	1.2	2.2	1.1	181.3	91.4
.5		2.8	1.4	2.6	1.3	180.9	91.2
.6		3.1	1.6	2.9	1.5	180.6	91.0
.7		3.5	1.7	3.3	1.7	180.2	90.9
.8		3.8	1.9	3.6	1.8	179.9	90.7
.9		4.1	2.1	4.0	2.0	179.6	90.5
191.0		4.5	2.3	4.3	2.2	179.2	90.4
.1		4.8	2.4	4.7	2.3	178.9	90.2
.2		5.2	2.6	5.0	2.5	178.5	90.0
.3		5.5	2.8	5.3	2.7	178.2	89.8
.4		5.9	3.0	5.7	2.9	177.8	89.7
.5		6.2	3.1	6.0	3.0	177.5	89.5
.6		6.6	3.3	6.4	3.2	177.1	89.3
.7		6.9	3.5	6.7	3.4	176.8	89.1
.8		7.3	3.7	7.1	3.6	176.4	89.0
.9		7.6	3.8	7.4	3.7	176.1	88.8
192.0		7.9	4.0	7.8	3.9	175.8	88.6
.1		8.3	4.2	8.1	4.1	175.4	88.4
.2		8.6	4.4	8.5	4.3	175.1	88.3
.3		9.0	4.5	8.8	4.4	174.7	88.1
.4		9.3	4.7	9.1	4.6	174.4	87.9
.5		9.7	4.9	9.5	4.8	174.0	87.7
.6		10.0	5.0	9.8	5.0	173.7	87.6
.7		10.4	5.2	10.2	5.1	173.3	87.4
.8		10.7	5.4	10.5	5.3	173.0	87.2
.9		11.0	5.6	10.9	5.5	172.7	87.0
193.0		11.4	5.7	11.2	5.7	172.3	86.9
.1		11.7	5.9	11.6	5.8	172.0	86.7
.2		12.1	6.1	11.9	6.0	171.6	86.5
.3		12.4	6.3	12.3	6.2	171.3	86.3
.4		12.8	6.4	12.6	6.4	170.9	86.2
.5		13.1	6.6	12.9	6.5	170.6	86.0
.6		13.5	6.8	13.3	6.7	170.2	85.8
.7		13.8	7.0	13.6	6.9	169.9	85.7
.8		14.2	7.1	14.0	7.0	169.5	85.5
.9		14.5	7.3	14.3	7.2	169.2	85.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
194.0	14.8	7.5	14.7	7.4	168.9	85.1
.1	15.2	7.7	15.0	7.6	168.5	85.0
.2	15.5	7.8	15.4	7.7	168.2	84.8
.3	15.9	8.0	15.7	7.9	167.8	84.6
.4	16.2	8.2	16.0	8.1	167.5	84.4
.5	16.6	8.4	16.4	8.3	167.1	84.3
.6	16.9	8.5	16.7	8.4	166.8	84.1
.7	17.3	8.7	17.1	8.6	166.4	83.9
.8	17.6	8.9	17.4	8.8	166.1	83.7
.9	18.0	9.1	17.8	9.0	165.7	83.6
195.0	18.3	9.2	18.1	9.1	165.4	83.4
.1	18.7	9.4	18.5	9.3	165.0	83.2
.2	19.0	9.6	18.8	9.5	164.7	83.0
.3	19.4	9.8	19.2	9.7	164.3	82.9
.4	19.7	9.9	19.5	9.8	164.0	82.7
.5	20.1	10.1	19.9	10.0	163.6	82.5
.6	20.4	10.3	20.2	10.2	163.3	82.3
.7	20.8	10.5	20.6	10.4	162.9	82.1
.8	21.1	10.6	20.9	10.6	162.6	82.0
.9	21.5	10.8	21.3	10.7	162.2	81.8
196.0	21.8	11.0	21.6	10.9	161.9	81.6
.1	22.2	11.2	22.0	11.1	161.5	81.4
.2	22.5	11.4	22.3	11.3	161.2	81.3
.3	22.9	11.5	22.7	11.4	160.8	81.1
.4	23.2	11.7	23.0	11.6	160.5	80.9
.5	23.6	11.9	23.4	11.8	160.1	80.7
.6	23.9	12.1	23.7	12.0	159.8	80.6
.7	24.3	12.2	24.1	12.1	159.4	80.4
.8	24.6	12.4	24.5	12.3	159.1	80.2
.9	25.0	12.6	24.8	12.5	158.7	80.0
197.0	25.3	12.8	25.2	12.7	158.4	79.8
.1	25.7	12.9	25.5	12.9	158.0	79.7
.2	26.0	13.1	25.9	13.0	157.7	79.5
.3	26.4	13.3	26.2	13.2	157.3	79.3
.4	26.7	13.5	26.6	13.4	157.0	79.1
.5	27.1	13.7	26.9	13.6	156.6	79.0
.6	27.4	13.8	27.3	13.7	156.3	78.8
.7	27.8	14.0	27.6	13.9	155.9	78.6
.8	28.1	14.2	28.0	14.1	155.6	78.4
.9	28.5	14.4	28.3	14.3	155.2	78.2
198.0	28.9	14.5	28.7	14.5	154.8	78.1
.1	29.2	14.7	29.0	14.6	154.5	77.9
.2	29.6	14.9	29.4	14.8	154.1	77.7
.3	29.9	15.1	29.7	15.0	153.8	77.5
.4	30.3	15.3	30.1	15.2	153.4	77.4
.5	30.6	15.4	30.4	15.3	153.1	77.2
.6	31.0	15.6	30.8	15.5	152.7	77.0
.7	31.3	15.8	31.1	15.7	152.4	76.8
.8	31.7	16.0	31.5	15.9	152.0	76.7
.9	32.0	16.1	31.8	16.1	151.7	76.5

Merwin

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

PAGE 3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
199.0	32.4	16.3	32.2	16.2	151.3	76.3
.1	32.7	16.5	32.5	16.4	151.0	76.1
.2	33.1	16.7	32.9	16.6	150.6	75.9
.3	33.4	16.9	33.2	16.8	150.3	75.8
.4	33.8	17.0	33.6	16.9	149.9	75.6
.5	34.1	17.2	33.9	17.1	149.6	75.4
.6	34.5	17.4	34.3	17.3	149.2	75.2
.7	34.8	17.6	34.6	17.5	148.9	75.1
.8	35.2	17.7	35.0	17.6	148.5	74.9
.9	35.5	17.9	35.4	17.8	148.2	74.7
200.0	35.9	18.1	35.7	18.0	147.8	74.5
.1	36.2	18.3	36.1	18.2	147.5	74.3
.2	36.6	18.4	36.4	18.4	147.1	74.2
.3	36.9	18.6	36.8	18.5	146.8	74.0
.4	37.3	18.8	37.1	18.7	146.4	73.8
.5	37.6	19.0	37.5	18.9	146.1	73.6
.6	38.0	19.2	37.8	19.1	145.7	73.5
.7	38.3	19.3	38.2	19.2	145.4	73.3
.8	38.7	19.5	38.5	19.4	145.0	73.1
.9	39.0	19.7	38.9	19.6	144.7	72.9
201.0	39.4	19.9	39.2	19.8	144.3	72.8
.1	39.8	20.0	39.6	20.0	143.9	72.6
.2	40.1	20.2	39.9	20.1	143.6	72.4
.3	40.5	20.4	40.3	20.3	143.2	72.2
.4	40.8	20.6	40.6	20.5	142.9	72.0
.5	41.2	20.8	41.0	20.7	142.5	71.9
.6	41.5	20.9	41.3	20.8	142.2	71.7
.7	41.9	21.1	41.7	21.0	141.8	71.5
.8	42.2	21.3	42.0	21.2	141.5	71.3
.9	42.6	21.5	42.4	21.4	141.1	71.2
202.0	42.9	21.6	42.7	21.5	140.8	71.0
.1	43.3	21.8	43.1	21.7	140.4	70.8
.2	43.6	22.0	43.4	21.9	140.1	70.6
.3	44.0	22.2	43.8	22.1	139.7	70.4
.4	44.3	22.3	44.1	22.3	139.4	70.3
.5	44.7	22.5	44.5	22.4	139.0	70.1
.6	45.0	22.7	44.8	22.6	138.7	69.9
.7	45.4	22.9	45.2	22.8	138.3	69.7
.8	45.7	23.1	45.6	23.0	138.0	69.6
.9	46.1	23.2	45.9	23.1	137.6	69.4
203.0	46.4	23.4	46.3	23.3	137.3	69.2
.1	46.8	23.6	46.6	23.5	136.9	69.0
.2	47.1	23.8	47.0	23.7	136.6	68.8
.3	47.5	23.9	47.3	23.9	136.2	68.7
.4	47.8	24.1	47.7	24.0	135.9	68.5
.5	48.2	24.3	48.0	24.2	135.5	68.3
.6	48.5	24.5	48.4	24.4	135.2	68.1
.7	48.9	24.7	48.7	24.6	134.8	68.0
.8	49.2	24.8	49.1	24.7	134.5	67.8
.9	49.6	25.0	49.4	24.9	134.1	67.6

PAGE 4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
204.0	50.0	25.2	49.8	25.1	133.7	67.4
.1	50.3	25.4	50.1	25.3	133.4	67.2
.2	50.7	25.6	50.5	25.5	133.0	67.1
.3	51.0	25.7	50.9	25.6	132.7	66.9
.4	51.4	25.9	51.2	25.8	132.3	66.7
.5	51.8	26.1	51.6	26.0	131.9	66.5
.6	52.1	26.3	52.0	26.2	131.6	66.3
.7	52.5	26.5	52.3	26.4	131.2	66.1
.8	52.9	26.7	52.7	26.6	130.8	66.0
.9	53.2	26.8	53.0	26.7	130.5	65.8
205.0	53.6	27.0	53.4	26.9	130.1	65.6
.1	53.9	27.2	53.8	27.1	129.8	65.4
.2	54.3	27.4	54.1	27.3	129.4	65.2
.3	54.7	27.6	54.5	27.5	129.0	65.1
.4	55.0	27.7	54.9	27.7	128.7	64.9
.5	55.4	27.9	55.2	27.8	128.3	64.7
.6	55.8	28.1	55.6	28.0	127.9	64.5
.7	56.1	28.3	55.9	28.2	127.6	64.3
.8	56.5	28.5	56.3	28.4	127.2	64.1
.9	56.8	28.7	56.7	28.6	126.9	64.0
206.0	57.2	28.8	57.0	28.8	126.5	63.8
.1	57.6	29.0	57.4	28.9	126.1	63.6
.2	57.9	29.2	57.8	29.1	125.8	63.4
.3	58.3	29.4	58.1	29.3	125.4	63.2
.4	58.7	29.6	58.5	29.5	125.0	63.0
.5	59.0	29.8	58.8	29.7	124.7	62.9
.6	59.4	29.9	59.2	29.8	124.3	62.7
.7	59.7	30.1	59.6	30.0	124.0	62.5
.8	60.1	30.3	59.9	30.2	123.6	62.3
.9	60.5	30.5	60.3	30.4	123.2	62.1
207.0	60.8	30.7	60.6	30.6	122.9	61.9
.1	61.2	30.9	61.0	30.8	122.5	61.8
.2	61.6	31.0	61.4	30.9	122.1	61.6
.3	61.9	31.2	61.7	31.1	121.8	61.4
.4	62.3	31.4	62.1	31.3	121.4	61.2
.5	62.6	31.6	62.5	31.5	121.1	61.0
.6	63.0	31.8	62.8	31.7	120.7	60.9
.7	63.4	31.9	63.2	31.9	120.3	60.7
.8	63.7	32.1	63.5	32.0	120.0	60.5
.9	64.1	32.3	63.9	32.2	119.6	60.3
208.0	64.5	32.5	64.3	32.4	119.2	60.1
.1	64.8	32.7	64.6	32.6	118.9	59.9
.2	65.2	32.9	65.0	32.8	118.5	59.8
.3	65.5	33.0	65.4	33.0	118.2	59.6
.4	65.9	33.2	65.7	33.1	117.8	59.4
.5	66.3	33.4	66.1	33.3	117.4	59.2
.6	66.6	33.6	66.4	33.5	117.1	59.0
.7	67.0	33.8	66.8	33.7	116.7	58.8
.8	67.4	34.0	67.2	33.9	116.3	58.7
.9	67.7	34.1	67.5	34.0	116.0	58.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
209.0	68.1	34.3	67.9	34.2	115.6	58.3
.1	68.4	34.5	68.3	34.4	115.3	58.1
.2	68.8	34.7	68.6	34.6	114.9	57.9
.3	69.2	34.9	69.0	34.8	114.5	57.7
.4	69.5	35.1	69.3	35.0	114.2	57.6
.5	69.9	35.2	69.7	35.1	113.8	57.4
.6	70.2	35.4	70.1	35.3	113.5	57.2
.7	70.6	35.6	70.4	35.5	113.1	57.0
.8	71.0	35.8	70.8	35.7	112.7	56.8
.9	71.3	36.0	71.2	35.9	112.4	56.7
210.0	71.7	36.1	71.5	36.1	112.0	56.5
.1	72.1	36.3	71.9	36.2	111.6	56.3
.2	72.4	36.5	72.2	36.4	111.3	56.1
.3	72.8	36.7	72.6	36.6	110.9	55.9
.4	73.1	36.9	73.0	36.8	110.6	55.7
.5	73.5	37.1	73.3	37.0	110.2	55.6
.6	73.9	37.2	73.7	37.2	109.8	55.4
.7	74.2	37.4	74.1	37.3	109.5	55.2
.8	74.6	37.6	74.4	37.5	109.1	55.0
.9	75.0	37.8	74.8	37.7	108.7	54.8
211.0	75.3	38.0	75.1	37.9	108.4	54.6
.1	75.7	38.2	75.5	38.1	108.0	54.5
.2	76.0	38.3	75.9	38.2	107.7	54.3
.3	76.4	38.5	76.2	38.4	107.3	54.1
.4	76.8	38.7	76.6	38.6	106.9	53.9
.5	77.1	38.9	77.0	38.8	106.6	53.7
.6	77.5	39.1	77.3	39.0	106.2	53.5
.7	77.9	39.3	77.7	39.2	105.8	53.4
.8	78.2	39.4	78.0	39.3	105.5	53.2
.9	78.6	39.6	78.4	39.5	105.1	53.0
212.0	78.9	39.8	78.8	39.7	104.8	52.8
.1	79.3	40.0	79.1	39.9	104.4	52.6
.2	79.7	40.2	79.5	40.1	104.0	52.5
.3	80.0	40.3	79.8	40.3	103.7	52.3
.4	80.4	40.5	80.2	40.4	103.3	52.1
.5	80.8	40.7	80.6	40.6	102.9	51.9
.6	81.1	40.9	80.9	40.8	102.6	51.7
.7	81.5	41.1	81.3	41.0	102.2	51.5
.8	81.8	41.3	81.7	41.2	101.9	51.4
.9	82.2	41.4	82.0	41.4	101.5	51.2
213.0	82.6	41.6	82.4	41.5	101.1	51.0
.1	82.9	41.8	82.7	41.7	100.8	50.8
.2	83.3	42.0	83.1	41.9	100.4	50.6
.3	83.7	42.2	83.5	42.1	100.0	50.4
.4	84.0	42.4	83.8	42.3	99.7	50.3
.5	84.4	42.5	84.2	42.4	99.3	50.1
.6	84.7	42.7	84.6	42.6	99.0	49.9
.7	85.1	42.9	84.9	42.8	98.6	49.7
.8	85.5	43.1	85.3	43.0	98.2	49.5
.9	85.8	43.3	85.7	43.2	97.9	49.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
214.0	86.2	43.5	86.0	43.4	97.5	49.2
.1	86.6	43.7	86.4	43.6	97.1	49.0
.2	87.0	43.8	86.8	43.7	96.7	48.8
.3	87.3	44.0	87.1	43.9	96.4	48.6
.4	87.7	44.2	87.5	44.1	96.0	48.4
.5	88.1	44.4	87.9	44.3	95.6	48.2
.6	88.4	44.6	88.3	44.5	95.3	48.0
.7	88.8	44.8	88.6	44.7	94.9	47.8
.8	89.2	45.0	89.0	44.9	94.5	47.7
.9	89.5	45.1	89.4	45.1	94.2	47.5
215.0	89.9	45.3	89.7	45.2	93.8	47.3
.1	90.3	45.5	90.1	45.4	93.4	47.1
.2	90.7	45.7	90.5	45.6	93.0	46.9
.3	91.0	45.9	90.8	45.8	92.7	46.7
.4	91.4	46.1	91.2	46.0	92.3	46.5
.5	91.8	46.3	91.6	46.2	91.9	46.3
.6	92.1	46.5	92.0	46.4	91.6	46.2
.7	92.5	46.6	92.3	46.5	91.2	46.0
.8	92.9	46.8	92.7	46.7	90.8	45.8
.9	93.3	47.0	93.1	46.9	90.4	45.6
216.0	93.6	47.2	93.4	47.1	90.1	45.4
.1	94.0	47.4	93.8	47.3	89.7	45.2
.2	94.4	47.6	94.2	47.5	89.3	45.0
.3	94.7	47.8	94.6	47.7	89.0	44.9
.4	95.1	47.9	94.9	47.9	88.6	44.7
.5	95.5	48.1	95.3	48.0	88.2	44.5
.6	95.8	48.3	95.7	48.2	87.9	44.3
.7	96.2	48.5	96.0	48.4	87.5	44.1
.8	96.6	48.7	96.4	48.6	87.1	43.9
.9	97.0	48.9	96.8	48.8	86.7	43.7
217.0	97.3	49.1	97.1	49.0	86.4	43.5
.1	97.7	49.3	97.5	49.2	86.0	43.4
.2	98.1	49.4	97.9	49.4	85.6	43.2
.3	98.4	49.6	98.3	49.5	85.3	43.0
.4	98.8	49.8	98.6	49.7	84.9	42.8
.5	99.2	50.0	99.0	49.9	84.5	42.6
.6	99.5	50.2	99.4	50.1	84.2	42.4
.7	99.9	50.4	99.7	50.3	83.8	42.2
.8	100.3	50.6	100.1	50.5	83.4	42.1
.9	100.7	50.7	100.5	50.7	83.0	41.9
218.0	101.0	50.9	100.9	50.8	82.7	41.7
.1	101.4	51.1	101.2	51.0	82.3	41.5
.2	101.8	51.3	101.6	51.2	81.9	41.3
.3	102.1	51.5	102.0	51.4	81.6	41.1
.4	102.5	51.7	102.3	51.6	81.2	40.9
.5	102.9	51.9	102.7	51.8	80.8	40.7
.6	103.3	52.1	103.1	52.0	80.4	40.6
.7	103.6	52.2	103.4	52.2	80.1	40.4
.8	104.0	52.4	103.8	52.3	79.7	40.2
.9	104.4	52.6	104.2	52.5	79.3	40.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
219.0	104.7	52.8	104.6	52.7	79.0	39.8
.1	105.1	53.0	104.9	52.9	78.6	39.6
.2	105.5	53.2	105.3	53.1	78.2	39.4
.3	105.8	53.4	105.7	53.3	77.9	39.3
.4	106.2	53.6	106.0	53.5	77.5	39.1
.5	106.6	53.7	106.4	53.6	77.1	38.9
.6	107.0	53.9	106.8	53.8	76.7	38.7
.7	107.3	54.1	107.1	54.0	76.4	38.5
.8	107.7	54.3	107.5	54.2	76.0	38.3
.9	108.1	54.5	107.9	54.4	75.6	38.1
220.0	108.4	54.7	108.3	54.6	75.3	37.9
.1	108.8	54.9	108.6	54.8	74.9	37.8
.2	109.2	55.0	109.0	55.0	74.5	37.6
.3	109.6	55.2	109.4	55.1	74.1	37.4
.4	109.9	55.4	109.7	55.3	73.8	37.2
.5	110.3	55.6	110.1	55.5	73.4	37.0
.6	110.7	55.8	110.5	55.7	73.0	36.8
.7	111.0	56.0	110.9	55.9	72.7	36.6
.8	111.4	56.2	111.2	56.1	72.3	36.4
.9	111.8	56.4	111.6	56.3	71.9	36.3
221.0	112.1	56.5	112.0	56.4	71.6	36.1
.1	112.5	56.7	112.3	56.6	71.2	35.9
.2	112.9	56.9	112.7	56.8	70.8	35.7
.3	113.3	57.1	113.1	57.0	70.4	35.5
.4	113.6	57.3	113.4	57.2	70.1	35.3
.5	114.0	57.5	113.8	57.4	69.7	35.1
.6	114.4	57.7	114.2	57.6	69.3	35.0
.7	114.7	57.8	114.6	57.8	69.0	34.8
.8	115.1	58.0	114.9	57.9	68.6	34.6
.9	115.5	58.2	115.3	58.1	68.2	34.4
222.0	115.8	58.4	115.7	58.3	67.9	34.2
.1	116.2	58.6	116.0	58.5	67.5	34.0
.2	116.6	58.8	116.4	58.7	67.1	33.8
.3	117.0	59.0	116.8	58.9	66.7	33.6
.4	117.3	59.2	117.2	59.1	66.4	33.5
.5	117.7	59.3	117.5	59.3	66.0	33.3
.6	118.1	59.5	117.9	59.4	65.6	33.1
.7	118.4	59.7	118.3	59.6	65.3	32.9
.8	118.8	59.9	118.6	59.8	64.9	32.7
.9	119.2	60.1	119.0	60.0	64.5	32.5
223.0	119.6	60.3	119.4	60.2	64.1	32.3
.1	119.9	60.5	119.7	60.4	63.8	32.2
.2	120.3	60.6	120.1	60.6	63.4	32.0
.3	120.7	60.8	120.5	60.7	63.0	31.8
.4	121.0	61.0	120.9	60.9	62.7	31.6
.5	121.4	61.2	121.2	61.1	62.3	31.4
.6	121.8	61.4	121.6	61.3	61.9	31.2
.7	122.1	61.6	122.0	61.5	61.6	31.0
.8	122.5	61.8	122.3	61.7	61.2	30.8
.9	122.9	62.0	122.7	61.9	60.8	30.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
224.0	123.3	62.1	123.1	62.1	60.4	30.5
.1	123.6	62.3	123.4	62.2	60.1	30.3
.2	124.0	62.5	123.8	62.4	59.7	30.1
.3	124.4	62.7	124.2	62.6	59.3	29.9
.4	124.8	62.9	124.6	62.8	58.9	29.7
.5	125.2	63.1	125.0	63.0	58.5	29.5
.6	125.6	63.3	125.4	63.2	58.1	29.3
.7	125.9	63.5	125.8	63.4	57.8	29.1
.8	126.3	63.7	126.1	63.6	57.4	28.9
.9	126.7	63.9	126.5	63.8	57.0	28.7
225.0	127.1	64.1	126.9	64.0	56.6	28.5
.1	127.5	64.3	127.3	64.2	56.2	28.3
.2	127.9	64.5	127.7	64.4	55.8	28.1
.3	128.3	64.7	128.1	64.6	55.4	27.9
.4	128.7	64.9	128.5	64.8	55.0	27.8
.5	129.0	65.1	128.9	65.0	54.7	27.6
.6	129.4	65.3	129.2	65.2	54.3	27.4
.7	129.8	65.4	129.6	65.4	53.9	27.2
.8	130.2	65.6	130.0	65.6	53.5	27.0
.9	130.6	65.8	130.4	65.7	53.1	26.8
226.0	131.0	66.0	130.8	65.9	52.7	26.6
.1	131.4	66.2	131.2	66.1	52.3	26.4
.2	131.8	66.4	131.6	66.3	51.9	26.2
.3	132.1	66.6	132.0	66.5	51.6	26.0
.4	132.5	66.8	132.3	66.7	51.2	25.8
.5	132.9	67.0	132.7	66.9	50.8	25.6
.6	133.3	67.2	133.1	67.1	50.4	25.4
.7	133.7	67.4	133.5	67.3	50.0	25.2
.8	134.1	67.6	133.9	67.5	49.6	25.0
.9	134.5	67.8	134.3	67.7	49.2	24.8
227.0	134.9	68.0	134.7	67.9	48.8	24.6
.1	135.2	68.2	135.1	68.1	48.5	24.4
.2	135.6	68.4	135.4	68.3	48.1	24.2
.3	136.0	68.6	135.8	68.5	47.7	24.0
.4	136.4	68.8	136.2	68.7	47.3	23.8
.5	136.8	69.0	136.6	68.9	46.9	23.6
.6	137.2	69.2	137.0	69.1	46.5	23.5
.7	137.6	69.4	137.4	69.3	46.1	23.3
.8	138.0	69.6	137.8	69.5	45.7	23.1
.9	138.3	69.7	138.2	69.7	45.4	22.9
228.0	138.7	69.9	138.6	69.9	45.0	22.7
.1	139.1	70.1	138.9	70.0	44.6	22.5
.2	139.5	70.3	139.3	70.2	44.2	22.3
.3	139.9	70.5	139.7	70.4	43.8	22.1
.4	140.3	70.7	140.1	70.6	43.4	21.9
.5	140.7	70.9	140.5	70.8	43.0	21.7
.6	141.1	71.1	140.9	71.0	42.6	21.5
.7	141.4	71.3	141.3	71.2	42.3	21.3
.8	141.8	71.5	141.7	71.4	41.9	21.1
.9	142.2	71.7	142.0	71.6	41.5	20.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
229.0	142.6	71.9	142.4	71.8	41.1	20.7
.1	143.0	72.1	142.8	72.0	40.7	20.5
.2	143.4	72.3	143.2	72.2	40.3	20.3
.3	143.8	72.5	143.6	72.4	39.9	20.1
.4	144.2	72.7	144.0	72.6	39.5	19.9
.5	144.5	72.9	144.4	72.8	39.2	19.7
.6	144.9	73.1	144.8	73.0	38.8	19.5
.7	145.3	73.3	145.1	73.2	38.4	19.3
.8	145.7	73.5	145.5	73.4	38.0	19.2
.9	146.1	73.7	145.9	73.6	37.6	19.0
230.0	146.5	73.9	146.3	73.8	37.2	18.8
.1	146.9	74.0	146.7	74.0	36.8	18.6
.2	147.3	74.2	147.1	74.2	36.4	18.4
.3	147.6	74.4	147.5	74.3	36.1	18.2
.4	148.0	74.6	147.9	74.5	35.7	18.0
.5	148.4	74.8	148.2	74.7	35.3	17.8
.6	148.8	75.0	148.6	74.9	34.9	17.6
.7	149.2	75.2	149.0	75.1	34.5	17.4
.8	149.6	75.4	149.4	75.3	34.1	17.2
.9	150.0	75.6	149.8	75.5	33.7	17.0
231.0	150.4	75.8	150.2	75.7	33.3	16.8
.1	150.7	76.0	150.6	75.9	33.0	16.6
.2	151.1	76.2	151.0	76.1	32.6	16.4
.3	151.5	76.4	151.3	76.3	32.2	16.2
.4	151.9	76.6	151.7	76.5	31.8	16.0
.5	152.3	76.8	152.1	76.7	31.4	15.8
.6	152.7	77.0	152.5	76.9	31.0	15.6
.7	153.1	77.2	152.9	77.1	30.6	15.4
.8	153.5	77.4	153.3	77.3	30.2	15.2
.9	153.8	77.6	153.7	77.5	29.9	15.0
232.0	154.2	77.8	154.1	77.7	29.5	14.9
.1	154.6	78.0	154.4	77.9	29.1	14.7
.2	155.0	78.2	154.8	78.1	28.7	14.5
.3	155.4	78.3	155.2	78.3	28.3	14.3
.4	155.8	78.5	155.6	78.5	27.9	14.1
.5	156.2	78.7	156.0	78.6	27.5	13.9
.6	156.6	78.9	156.4	78.8	27.1	13.7
.7	157.0	79.1	156.8	79.0	26.7	13.5
.8	157.3	79.3	157.2	79.2	26.4	13.3
.9	157.7	79.5	157.5	79.4	26.0	13.1
233.0	158.1	79.7	157.9	79.6	25.6	12.9
.1	158.5	79.9	158.3	79.8	25.2	12.7
.2	158.9	80.1	158.7	80.0	24.8	12.5
.3	159.3	80.3	159.1	80.2	24.4	12.3
.4	159.7	80.5	159.5	80.4	24.0	12.1
.5	160.1	80.7	159.9	80.6	23.6	11.9
.6	160.4	80.9	160.3	80.8	23.3	11.7
.7	160.8	81.1	160.6	81.0	22.9	11.5
.8	161.2	81.3	161.0	81.2	22.5	11.3
.9	161.6	81.5	161.4	81.4	22.1	11.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
234.0	162.0	81.7	161.8	81.6	21.7	10.9
.1	162.4	81.9	162.2	81.8	21.3	10.7
.2	162.8	82.1	162.6	82.0	20.9	10.6
.3	163.2	82.3	163.0	82.2	20.5	10.4
.4	163.5	82.5	163.4	82.4	20.2	10.2
.5	163.9	82.6	163.7	82.6	19.8	10.0
.6	164.3	82.8	164.1	82.8	19.4	9.8
.7	164.7	83.0	164.5	82.9	19.0	9.6
.8	165.1	83.2	164.9	83.1	18.6	9.4
.9	165.5	83.4	165.3	83.3	18.2	9.2
235.0	165.9	83.6	165.7	83.5	17.8	9.0
.1	166.3	83.8	166.1	83.7	17.4	8.8
.2	166.6	84.0	166.5	83.9	17.1	8.6
.3	167.0	84.2	166.9	84.1	16.7	8.4
.4	167.4	84.4	167.2	84.3	16.3	8.2
.5	167.8	84.6	167.6	84.5	15.9	8.0
.6	168.2	84.8	168.0	84.7	15.5	7.8
.7	168.6	85.0	168.4	84.9	15.1	7.6
.8	169.0	85.2	168.8	85.1	14.7	7.4
.9	169.4	85.4	169.2	85.3	14.3	7.2
236.0	169.7	85.6	169.6	85.5	14.0	7.0
.1	170.1	85.8	170.0	85.7	13.6	6.8
.2	170.5	86.0	170.3	85.9	13.2	6.6
.3	170.9	86.2	170.7	86.1	12.8	6.4
.4	171.3	86.4	171.1	86.3	12.4	6.3
.5	171.7	86.6	171.5	86.5	12.0	6.1
.6	172.1	86.8	171.9	86.7	11.6	5.9
.7	172.5	86.9	172.3	86.9	11.2	5.7
.8	172.8	87.1	172.7	87.1	10.9	5.5
.9	173.2	87.3	173.1	87.2	10.5	5.3
237.0	173.6	87.5	173.4	87.4	10.1	5.1
.1	174.0	87.7	173.8	87.6	9.7	4.9
.2	174.4	87.9	174.2	87.8	9.3	4.7
.3	174.8	88.1	174.6	88.0	8.9	4.5
.4	175.2	88.3	175.0	88.2	8.5	4.3
.5	175.6	88.5	175.4	88.4	8.1	4.1
.6	175.9	88.7	175.8	88.6	7.8	3.9
.7	176.3	88.9	176.2	88.8	7.4	3.7
.8	176.7	89.1	176.5	89.0	7.0	3.5
.9	177.1	89.3	176.9	89.2	6.6	3.3
238.0	177.5	89.5	177.3	89.4	6.2	3.1
.1	177.9	89.7	177.7	89.6	5.8	2.9
.2	178.3	89.9	178.1	89.8	5.4	2.7
.3	178.7	90.1	178.5	90.0	5.0	2.5
.4	179.0	90.3	178.9	90.2	4.7	2.3
.5	179.4	90.5	179.3	90.4	4.3	2.1
.6	179.8	90.7	179.6	90.6	3.9	2.0
.7	180.2	90.9	180.0	90.8	3.5	1.8
.8	180.6	91.1	180.4	91.0	3.1	1.6
.9	181.0	91.2	180.8	91.2	2.7	1.4

Merwin

Reservoir Storage Tables

ELEVATION		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
FEET		KAF	KSFD	KAF	KSFD	KAF	KSFD

****

ELEVATION		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
239.0		181.4	91.4	181.2	91.4	2.3	1.2
.1		181.8	91.6	181.6	91.5	1.9	1.0
.2		182.1	91.8	182.0	91.7	1.6	0.8
.3		182.5	92.0	182.4	91.9	1.2	0.6
.4		182.9	92.2	182.7	92.1	0.8	0.4
.5		183.3	92.4	183.1	92.3	0.4	0.2
.6	SUB	183.7	92.6	183.5	92.5	0.0	0.0
.7		184.1	92.8				
.8		184.5	93.0				
.9		184.9	93.2				
240.0		185.3	93.4				

Reservoir Storage Tables

PROJECT NAME: MOSSYROCK

PROJECT NUMBER: 163

MOSSYROCK

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) = 1297.80 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
621.0	SLB	0.0	0.0	0.0	0.0	1297.8	654.3	626.0	24.6	12.4	24.6	12.4	1273.2	641.9
.1		0.0	0.0	0.0	0.0	1297.8	654.3	.1	25.1	12.7	25.1	12.7	1272.7	641.6
.2		0.0	0.0	0.0	0.0	1297.8	654.3	.2	25.7	13.0	25.7	13.0	1272.1	641.4
.3		0.0	0.0	0.0	0.0	1297.8	654.3	.3	26.2	13.2	26.2	13.2	1271.6	641.1
.4		0.0	0.0	0.0	0.0	1297.8	654.3	.4	26.8	13.5	26.8	13.5	1271.0	640.8
.5		0.0	0.0	0.0	0.0	1297.8	654.3	.5	27.3	13.8	27.3	13.8	1270.5	640.5
.6		0.5	0.3	0.5	0.3	1297.3	654.0	.6	27.9	14.1	27.9	14.1	1269.9	640.3
.7		1.1	0.6	1.1	0.6	1296.7	653.8	.7	28.4	14.3	28.4	14.3	1269.4	640.0
.8		1.6	0.8	1.6	0.8	1296.2	653.5	.8	29.0	14.6	29.0	14.6	1268.8	639.7
.9		2.2	1.1	2.2	1.1	1295.6	653.2	.9	29.5	14.9	29.5	14.9	1268.3	639.4
622.0		2.7	1.4	2.7	1.4	1295.1	652.9	627.0	30.1	15.2	30.1	15.2	1267.7	639.1
.1		3.3	1.7	3.3	1.7	1294.5	652.7	.1	30.6	15.4	30.6	15.4	1267.2	638.9
.2		3.8	1.9	3.8	1.9	1294.0	652.4	.2	31.2	15.7	31.2	15.7	1266.6	638.6
.3		4.4	2.2	4.4	2.2	1293.4	652.1	.3	31.7	16.0	31.7	16.0	1266.1	638.3
.4		4.9	2.5	4.9	2.5	1292.9	651.8	.4	32.3	16.3	32.3	16.3	1265.5	638.0
.5		5.5	2.8	5.5	2.8	1292.3	651.6	.5	32.8	16.5	32.8	16.5	1265.0	637.8
.6		6.0	3.0	6.0	3.0	1291.8	651.3	.6	33.3	16.8	33.3	16.8	1264.5	637.5
.7		6.6	3.3	6.6	3.3	1291.2	651.0	.7	33.9	17.1	33.9	17.1	1263.9	637.2
.8		7.1	3.6	7.1	3.6	1290.7	650.7	.8	34.4	17.4	34.4	17.4	1263.4	636.9
.9		7.7	3.9	7.7	3.9	1290.1	650.4	.9	35.0	17.6	35.0	17.6	1262.8	636.7
623.0		8.2	4.1	8.2	4.1	1289.6	650.2	628.0	35.5	17.9	35.5	17.9	1262.3	636.4
.1		8.7	4.4	8.7	4.4	1289.1	649.9	.1	36.1	18.2	36.1	18.2	1261.7	636.1
.2		9.3	4.7	9.3	4.7	1288.5	649.6	.2	36.6	18.5	36.6	18.5	1261.2	635.8
.3		9.8	5.0	9.8	5.0	1288.0	649.3	.3	37.2	18.7	37.2	18.7	1260.6	635.6
.4		10.4	5.2	10.4	5.2	1287.4	649.1	.4	37.7	19.0	37.7	19.0	1260.1	635.3
.5		10.9	5.5	10.9	5.5	1286.9	648.8	.5	38.3	19.3	38.3	19.3	1259.5	635.0
.6		11.5	5.8	11.5	5.8	1286.3	648.5	.6	38.8	19.6	38.8	19.6	1259.0	634.7
.7		12.0	6.1	12.0	6.1	1285.8	648.2	.7	39.4	19.8	39.4	19.8	1258.4	634.5
.8		12.6	6.3	12.6	6.3	1285.2	648.0	.8	39.9	20.1	39.9	20.1	1257.9	634.2
.9		13.1	6.6	13.1	6.6	1284.7	647.7	.9	40.5	20.4	40.5	20.4	1257.3	633.9
624.0		13.7	6.9	13.7	6.9	1284.1	647.4	629.0	41.0	20.7	41.0	20.7	1256.8	633.6
.1		14.2	7.2	14.2	7.2	1283.6	647.1	.1	41.5	20.9	41.5	20.9	1256.3	633.4
.2		14.8	7.4	14.8	7.4	1283.0	646.9	.2	42.1	21.2	42.1	21.2	1255.7	633.1
.3		15.3	7.7	15.3	7.7	1282.5	646.6	.3	42.6	21.5	42.6	21.5	1255.2	632.8
.4		15.9	8.0	15.9	8.0	1281.9	646.3	.4	43.2	21.8	43.2	21.8	1254.6	632.5
.5		16.4	8.3	16.4	8.3	1281.4	646.0	.5	43.7	22.1	43.7	22.1	1254.1	632.3
.6		16.9	8.5	16.9	8.5	1280.9	645.8	.6	44.3	22.3	44.3	22.3	1253.5	632.0
.7		17.5	8.8	17.5	8.8	1280.3	645.5	.7	44.8	22.6	44.8	22.6	1253.0	631.7
.8		18.0	9.1	18.0	9.1	1279.8	645.2	.8	45.4	22.9	45.4	22.9	1252.4	631.4
.9		18.6	9.4	18.6	9.4	1279.2	644.9	.9	45.9	23.2	45.9	23.2	1251.9	631.2
625.0		19.1	9.6	19.1	9.6	1278.7	644.7	630.0	46.5	23.4	46.5	23.4	1251.3	630.9
.1		19.7	9.9	19.7	9.9	1278.1	644.4	.1	47.0	23.7	47.0	23.7	1250.8	630.6
.2		20.2	10.2	20.2	10.2	1277.6	644.1	.2	47.6	24.0	47.6	24.0	1250.2	630.3
.3		20.8	10.5	20.8	10.5	1277.0	643.8	.3	48.1	24.3	48.1	24.3	1249.7	630.1
.4		21.3	10.7	21.3	10.7	1276.5	643.6	.4	48.7	24.5	48.7	24.5	1249.1	629.8
.5		21.9	11.0	21.9	11.0	1275.9	643.3	.5	49.2	24.8	49.2	24.8	1248.6	629.5
.6		22.4	11.3	22.4	11.3	1275.4	643.0	.6	49.7	25.1	49.7	25.1	1248.1	629.2
.7		23.0	11.6	23.0	11.6	1274.8	642.7	.7	50.3	25.4	50.3	25.4	1247.5	628.9
.8		23.5	11.9	23.5	11.9	1274.3	642.5	.8	50.8	25.6	50.8	25.6	1247.0	628.7
.9		24.1	12.1	24.1	12.1	1273.7	642.2	.9	51.4	25.9	51.4	25.9	1246.4	628.4

Mossyrock

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
631.0	51.9	26.2	51.9	26.2	1245.9	628.1
.1	52.5	26.5	52.5	26.5	1245.3	627.8
.2	53.0	26.7	53.0	26.7	1244.8	627.6
.3	53.6	27.0	53.6	27.0	1244.2	627.3
.4	54.1	27.3	54.1	27.3	1243.7	627.0
.5	54.7	27.6	54.7	27.6	1243.1	626.7
.6	55.2	27.8	55.2	27.8	1242.6	626.5
.7	55.8	28.1	55.8	28.1	1242.0	626.2
.8	56.3	28.4	56.3	28.4	1241.5	625.9
.9	56.9	28.7	56.9	28.7	1240.9	625.6
632.0	57.4	28.9	57.4	28.9	1240.4	625.4
.1	58.0	29.2	58.0	29.2	1239.8	625.1
.2	58.5	29.5	58.5	29.5	1239.3	624.8
.3	59.0	29.8	59.0	29.8	1238.8	624.5
.4	59.6	30.0	59.6	30.0	1238.2	624.3
.5	60.1	30.3	60.1	30.3	1237.7	624.0
.6	60.7	30.6	60.7	30.6	1237.1	623.7
.7	61.2	30.9	61.2	30.9	1236.6	623.4
.8	61.8	31.1	61.8	31.1	1236.0	623.2
.9	62.3	31.4	62.3	31.4	1235.5	622.9
633.0	62.9	31.7	62.9	31.7	1234.9	622.6
.1	63.4	32.0	63.4	32.0	1234.4	622.3
.2	64.0	32.2	64.0	32.2	1233.8	622.1
.3	64.5	32.5	64.5	32.5	1233.3	621.8
.4	65.1	32.8	65.1	32.8	1232.7	621.5
.5	65.6	33.1	65.6	33.1	1232.2	621.2
.6	66.2	33.4	66.2	33.4	1231.6	621.0
.7	66.7	33.6	66.7	33.6	1231.1	620.7
.8	67.2	33.9	67.2	33.9	1230.6	620.4
.9	67.8	34.2	67.8	34.2	1230.0	620.1
634.0	68.3	34.5	68.3	34.5	1229.5	619.9
.1	68.9	34.7	68.9	34.7	1228.9	619.6
.2	69.4	35.0	69.4	35.0	1228.4	619.3
.3	70.0	35.3	70.0	35.3	1227.8	619.0
.4	70.5	35.6	70.5	35.6	1227.3	618.8
.5	71.1	35.8	71.1	35.8	1226.7	618.5
.6	71.6	36.1	71.6	36.1	1226.2	618.2
.7	72.2	36.4	72.2	36.4	1225.6	617.9
.8	72.7	36.7	72.7	36.7	1225.1	617.6
.9	73.3	36.9	73.3	36.9	1224.5	617.4
635.0	73.8	37.2	73.8	37.2	1224.0	617.1
.1	74.4	37.5	74.4	37.5	1223.4	616.8
.2	74.9	37.8	74.9	37.8	1222.9	616.5
.3	75.4	38.0	75.4	38.0	1222.4	616.3
.4	76.0	38.3	76.0	38.3	1221.8	616.0
.5	76.5	38.6	76.5	38.6	1221.3	615.7
.6	77.1	38.9	77.1	38.9	1220.7	615.4
.7	77.6	39.1	77.6	39.1	1220.2	615.2
.8	78.2	39.4	78.2	39.4	1219.6	614.9
.9	78.7	39.7	78.7	39.7	1219.1	614.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
636.0	79.3	40.0	79.3	40.0	1218.5	614.3
.1	79.8	40.2	79.8	40.2	1218.0	614.1
.2	80.4	40.5	80.4	40.5	1217.4	613.8
.3	80.9	40.8	80.9	40.8	1216.9	613.5
.4	81.5	41.1	81.5	41.1	1216.3	613.2
.5	82.0	41.3	82.0	41.3	1215.8	613.0
.6	82.6	41.6	82.6	41.6	1215.2	612.7
.7	83.1	41.9	83.1	41.9	1214.7	612.4
.8	83.6	42.2	83.6	42.2	1214.2	612.1
.9	84.2	42.4	84.2	42.4	1213.6	611.9
637.0	84.7	42.7	84.7	42.7	1213.1	611.6
.1	85.3	43.0	85.3	43.0	1212.5	611.3
.2	85.8	43.3	85.8	43.3	1212.0	611.0
.3	86.4	43.5	86.4	43.5	1211.4	610.8
.4	86.9	43.8	86.9	43.8	1210.9	610.5
.5	87.5	44.1	87.5	44.1	1210.3	610.2
.6	88.0	44.4	88.0	44.4	1209.8	609.9
.7	88.6	44.7	88.6	44.7	1209.2	609.7
.8	89.1	44.9	89.1	44.9	1208.7	609.4
.9	89.7	45.2	89.7	45.2	1208.1	609.1
638.0	90.2	45.5	90.2	45.5	1207.6	608.8
.1	90.8	45.8	90.8	45.8	1207.0	608.6
.2	91.3	46.0	91.3	46.0	1206.5	608.3
.3	91.8	46.3	91.8	46.3	1206.0	608.0
.4	92.4	46.6	92.4	46.6	1205.4	607.7
.5	92.9	46.9	92.9	46.9	1204.9	607.5
.6	93.5	47.1	93.5	47.1	1204.3	607.2
.7	94.0	47.4	94.0	47.4	1203.8	606.9
.8	94.6	47.7	94.6	47.7	1203.2	606.6
.9	95.1	48.0	95.1	48.0	1202.7	606.3
639.0	95.7	48.2	95.7	48.2	1202.1	606.1
.1	96.2	48.5	96.2	48.5	1201.6	605.8
.2	96.8	48.8	96.8	48.8	1201.0	605.5
.3	97.3	49.1	97.3	49.1	1200.5	605.2
.4	97.9	49.3	97.9	49.3	1199.9	605.0
.5	98.4	49.6	98.4	49.6	1199.4	604.7
.6	99.0	49.9	99.0	49.9	1198.8	604.4
.7	99.5	50.2	99.5	50.2	1198.3	604.1
.8	100.0	50.4	100.0	50.4	1197.8	603.9
.9	100.6	50.7	100.6	50.7	1197.2	603.6
640.0	101.1	51.0	101.1	51.0	1196.7	603.3
.1	101.7	51.3	101.7	51.3	1196.1	603.0
.2	102.2	51.5	102.2	51.5	1195.6	602.8
.3	102.8	51.8	102.8	51.8	1195.0	602.5
.4	103.3	52.1	103.3	52.1	1194.5	602.2
.5	103.9	52.4	103.9	52.4	1193.9	601.9
.6	104.4	52.6	104.4	52.6	1193.4	601.7
.7	105.0	52.9	105.0	52.9	1192.8	601.4
.8	105.5	53.2	105.5	53.2	1192.3	601.1
.9	106.1	53.5	106.1	53.5	1191.7	600.8

Mossyrock

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
641.0	106.6	53.7	106.6	53.7	1191.2	600.6
.1	107.2	54.0	107.2	54.0	1190.6	600.3
.2	107.7	54.3	107.7	54.3	1190.1	600.0
.3	108.3	54.6	108.3	54.6	1189.5	599.7
.4	108.9	54.9	108.9	54.9	1188.9	599.4
.5	109.6	55.2	109.6	55.2	1188.2	599.1
.6	110.2	55.5	110.2	55.5	1187.6	598.8
.7	110.8	55.9	110.8	55.9	1187.0	598.4
.8	111.4	56.2	111.4	56.2	1186.4	598.1
.9	112.0	56.5	112.0	56.5	1185.8	597.8
642.0	112.7	56.8	112.7	56.8	1185.1	597.5
.1	113.3	57.1	113.3	57.1	1184.5	597.2
.2	113.9	57.4	113.9	57.4	1183.9	596.9
.3	114.5	57.7	114.5	57.7	1183.3	596.6
.4	115.1	58.0	115.1	58.0	1182.7	596.3
.5	115.8	58.4	115.8	58.4	1182.0	595.9
.6	116.4	58.7	116.4	58.7	1181.4	595.6
.7	117.0	59.0	117.0	59.0	1180.8	595.3
.8	117.6	59.3	117.6	59.3	1180.2	595.0
.9	118.2	59.6	118.2	59.6	1179.6	594.7
643.0	118.9	59.9	118.9	59.9	1178.9	594.4
.1	119.5	60.2	119.5	60.2	1178.3	594.1
.2	120.1	60.6	120.1	60.6	1177.7	593.8
.3	120.7	60.9	120.7	60.9	1177.1	593.4
.4	121.3	61.2	121.3	61.2	1176.5	593.1
.5	122.0	61.5	122.0	61.5	1175.8	592.8
.6	122.6	61.8	122.6	61.8	1175.2	592.5
.7	123.2	62.1	123.2	62.1	1174.6	592.2
.8	123.8	62.4	123.8	62.4	1174.0	591.9
.9	124.4	62.7	124.4	62.7	1173.4	591.6
644.0	125.1	63.1	125.1	63.1	1172.7	591.3
.1	125.7	63.4	125.7	63.4	1172.1	590.9
.2	126.3	63.7	126.3	63.7	1171.5	590.6
.3	126.9	64.0	126.9	64.0	1170.9	590.3
.4	127.5	64.3	127.5	64.3	1170.3	590.0
.5	128.2	64.6	128.2	64.6	1169.6	589.7
.6	128.8	64.9	128.8	64.9	1169.0	589.4
.7	129.4	65.2	129.4	65.2	1168.4	589.1
.8	130.0	65.6	130.0	65.6	1167.8	588.8
.9	130.6	65.9	130.6	65.9	1167.2	588.4
645.0	131.3	66.2	131.3	66.2	1166.5	588.1
.1	131.9	66.5	131.9	66.5	1165.9	587.8
.2	132.5	66.8	132.5	66.8	1165.3	587.5
.3	133.1	67.1	133.1	67.1	1164.7	587.2
.4	133.7	67.4	133.7	67.4	1164.1	586.9
.5	134.4	67.7	134.4	67.7	1163.4	586.6
.6	135.0	68.1	135.0	68.1	1162.8	586.3
.7	135.6	68.4	135.6	68.4	1162.2	585.9
.8	136.2	68.7	136.2	68.7	1161.6	585.6
.9	136.8	69.0	136.8	69.0	1161.0	585.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
646.0	137.5	69.3	137.5	69.3	1160.3	585.0
.1	138.1	69.6	138.1	69.6	1159.7	584.7
.2	138.7	69.9	138.7	69.9	1159.1	584.4
.3	139.3	70.2	139.3	70.2	1158.5	584.1
.4	139.9	70.6	139.9	70.6	1157.9	583.8
.5	140.6	70.9	140.6	70.9	1157.2	583.4
.6	141.2	71.2	141.2	71.2	1156.6	583.1
.7	141.8	71.5	141.8	71.5	1156.0	582.8
.8	142.4	71.8	142.4	71.8	1155.4	582.5
.9	143.0	72.1	143.0	72.1	1154.8	582.2
647.0	143.7	72.4	143.7	72.4	1154.1	581.9
.1	144.3	72.7	144.3	72.7	1153.5	581.6
.2	144.9	73.1	144.9	73.1	1152.9	581.3
.3	145.5	73.4	145.5	73.4	1152.3	580.9
.4	146.1	73.7	146.1	73.7	1151.7	580.6
.5	146.8	74.0	146.8	74.0	1151.0	580.3
.6	147.4	74.3	147.4	74.3	1150.4	580.0
.7	148.0	74.6	148.0	74.6	1149.8	579.7
.8	148.6	74.9	148.6	74.9	1149.2	579.4
.9	149.2	75.2	149.2	75.2	1148.6	579.1
648.0	149.9	75.6	149.9	75.6	1147.9	578.8
.1	150.5	75.9	150.5	75.9	1147.3	578.4
.2	151.1	76.2	151.1	76.2	1146.7	578.1
.3	151.7	76.5	151.7	76.5	1146.1	577.8
.4	152.3	76.8	152.3	76.8	1145.5	577.5
.5	153.0	77.1	153.0	77.1	1144.8	577.2
.6	153.6	77.4	153.6	77.4	1144.2	576.9
.7	154.2	77.7	154.2	77.7	1143.6	576.6
.8	154.8	78.1	154.8	78.1	1143.0	576.3
.9	155.4	78.4	155.4	78.4	1142.4	575.9
649.0	156.1	78.7	156.1	78.7	1141.7	575.6
.1	156.7	79.0	156.7	79.0	1141.1	575.3
.2	157.3	79.3	157.3	79.3	1140.5	575.0
.3	157.9	79.6	157.9	79.6	1139.9	574.7
.4	158.5	79.9	158.5	79.9	1139.3	574.4
.5	159.2	80.2	159.2	80.2	1138.6	574.1
.6	159.8	80.6	159.8	80.6	1138.0	573.8
.7	160.4	80.9	160.4	80.9	1137.4	573.4
.8	161.0	81.2	161.0	81.2	1136.8	573.1
.9	161.6	81.5	161.6	81.5	1136.2	572.8
650.0	162.3	81.8	162.3	81.8	1135.5	572.5
.1	162.9	82.1	162.9	82.1	1134.9	572.2
.2	163.5	82.4	163.5	82.4	1134.3	571.9
.3	164.1	82.7	164.1	82.7	1133.7	571.6
.4	164.7	83.1	164.7	83.1	1133.1	571.3
.5	165.4	83.4	165.4	83.4	1132.4	570.9
.6	166.0	83.7	166.0	83.7	1131.8	570.6
.7	166.6	84.0	166.6	84.0	1131.2	570.3
.8	167.2	84.3	167.2	84.3	1130.6	570.0
.9	167.8	84.6	167.8	84.6	1130.0	569.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
651.0	168.5	84.9	168.5	84.9	1129.3	569.4
.1	169.1	85.2	169.1	85.2	1128.7	569.1
.2	169.7	85.6	169.7	85.6	1128.1	568.8
.3	170.3	85.9	170.3	85.9	1127.5	568.4
.4	170.9	86.2	170.9	86.2	1126.9	568.1
.5	171.6	86.5	171.6	86.5	1126.2	567.8
.6	172.2	86.8	172.2	86.8	1125.6	567.5
.7	172.8	87.1	172.8	87.1	1125.0	567.2
.8	173.4	87.4	173.4	87.4	1124.4	566.9
.9	174.0	87.7	174.0	87.7	1123.8	566.6
652.0	174.7	88.1	174.7	88.1	1123.1	566.2
.1	175.3	88.4	175.3	88.4	1122.5	565.9
.2	175.9	88.7	175.9	88.7	1121.9	565.6
.3	176.5	89.0	176.5	89.0	1121.3	565.3
.4	177.1	89.3	177.1	89.3	1120.7	565.0
.5	177.8	89.6	177.8	89.6	1120.0	564.7
.6	178.4	89.9	178.4	89.9	1119.4	564.4
.7	179.0	90.2	179.0	90.2	1118.8	564.1
.8	179.6	90.6	179.6	90.6	1118.2	563.7
.9	180.2	90.9	180.2	90.9	1117.6	563.4
653.0	180.9	91.2	180.9	91.2	1116.9	563.1
.1	181.5	91.5	181.5	91.5	1116.3	562.8
.2	182.1	91.8	182.1	91.8	1115.7	562.5
.3	182.7	92.1	182.7	92.1	1115.1	562.2
.4	183.3	92.4	183.3	92.4	1114.5	561.9
.5	184.0	92.7	184.0	92.7	1113.8	561.6
.6	184.6	93.1	184.6	93.1	1113.2	561.2
.7	185.2	93.4	185.2	93.4	1112.6	560.9
.8	185.8	93.7	185.8	93.7	1112.0	560.6
.9	186.4	94.0	186.4	94.0	1111.4	560.3
654.0	187.1	94.3	187.1	94.3	1110.7	560.0
.1	187.7	94.6	187.7	94.6	1110.1	559.7
.2	188.3	94.9	188.3	94.9	1109.5	559.4
.3	188.9	95.2	188.9	95.2	1108.9	559.1
.4	189.5	95.6	189.5	95.6	1108.3	558.7
.5	190.2	95.9	190.2	95.9	1107.6	558.4
.6	190.8	96.2	190.8	96.2	1107.0	558.1
.7	191.4	96.5	191.4	96.5	1106.4	557.8
.8	192.0	96.8	192.0	96.8	1105.8	557.5
.9	192.6	97.1	192.6	97.1	1105.2	557.2
655.0	193.3	97.4	193.3	97.4	1104.5	556.9
.1	193.9	97.7	193.9	97.7	1103.9	556.6
.2	194.5	98.1	194.5	98.1	1103.3	556.2
.3	195.1	98.4	195.1	98.4	1102.7	555.9
.4	195.7	98.7	195.7	98.7	1102.1	555.6
.5	196.4	99.0	196.4	99.0	1101.4	555.3
.6	197.0	99.3	197.0	99.3	1100.8	555.0
.7	197.6	99.6	197.6	99.6	1100.2	554.7
.8	198.2	99.9	198.2	99.9	1099.6	554.4
.9	198.8	100.2	198.8	100.2	1099.0	554.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
656.0	199.5	100.6	199.5	100.6	1098.3	553.7
.1	200.1	100.9	200.1	100.9	1097.7	553.4
.2	200.7	101.2	200.7	101.2	1097.1	553.1
.3	201.3	101.5	201.3	101.5	1096.5	552.8
.4	201.9	101.8	201.9	101.8	1095.9	552.5
.5	202.6	102.1	202.6	102.1	1095.2	552.2
.6	203.2	102.4	203.2	102.4	1094.6	551.9
.7	203.8	102.7	203.8	102.7	1094.0	551.6
.8	204.4	103.1	204.4	103.1	1093.4	551.2
.9	205.0	103.4	205.0	103.4	1092.8	550.9
657.0	205.7	103.7	205.7	103.7	1092.1	550.6
.1	206.3	104.0	206.3	104.0	1091.5	550.3
.2	206.9	104.3	206.9	104.3	1090.9	550.0
.3	207.6	104.7	207.6	104.7	1090.2	549.7
.4	208.3	105.0	208.3	105.0	1089.5	549.3
.5	208.9	105.3	208.9	105.3	1088.9	549.0
.6	209.6	105.7	209.6	105.7	1088.2	548.6
.7	210.3	106.0	210.3	106.0	1087.5	548.3
.8	211.0	106.4	211.0	106.4	1086.8	547.9
.9	211.7	106.7	211.7	106.7	1086.1	547.6
658.0	212.3	107.1	212.3	107.1	1085.5	547.3
.1	213.0	107.4	213.0	107.4	1084.8	546.9
.2	213.7	107.7	213.7	107.7	1084.1	546.6
.3	214.4	108.1	214.4	108.1	1083.4	546.2
.4	215.1	108.4	215.1	108.4	1082.7	545.9
.5	215.7	108.8	215.7	108.8	1082.1	545.5
.6	216.4	109.1	216.4	109.1	1081.4	545.2
.7	217.1	109.5	217.1	109.5	1080.7	544.9
.8	217.8	109.8	217.8	109.8	1080.0	544.5
.9	218.5	110.1	218.5	110.1	1079.3	544.2
659.0	219.1	110.5	219.1	110.5	1078.7	543.8
.1	219.8	110.8	219.8	110.8	1078.0	543.5
.2	220.5	111.2	220.5	111.2	1077.3	543.1
.3	221.2	111.5	221.2	111.5	1076.6	542.8
.4	221.8	111.8	221.8	111.8	1076.0	542.5
.5	222.5	112.2	222.5	112.2	1075.3	542.1
.6	223.2	112.5	223.2	112.5	1074.6	541.8
.7	223.9	112.9	223.9	112.9	1073.9	541.4
.8	224.6	113.2	224.6	113.2	1073.2	541.1
.9	225.2	113.6	225.2	113.6	1072.6	540.7
660.0	225.9	113.9	225.9	113.9	1071.9	540.4
.1	226.6	114.2	226.6	114.2	1071.2	540.1
.2	227.3	114.6	227.3	114.6	1070.5	539.7
.3	228.0	114.9	228.0	114.9	1069.8	539.4
.4	228.6	115.3	228.6	115.3	1069.2	539.0
.5	229.3	115.6	229.3	115.6	1068.5	538.7
.6	230.0	116.0	230.0	116.0	1067.8	538.3
.7	230.7	116.3	230.7	116.3	1067.1	538.0
.8	231.4	116.6	231.4	116.6	1066.4	537.7
.9	232.0	117.0	232.0	117.0	1065.8	537.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
661.0	232.7	117.3	232.7	117.3	1065.1	537.0
.1	233.4	117.7	233.4	117.7	1064.4	536.6
.2	234.1	118.0	234.1	118.0	1063.7	536.3
.3	234.8	118.4	234.8	118.4	1063.0	536.0
.4	235.4	118.7	235.4	118.7	1062.4	535.6
.5	236.1	119.0	236.1	119.0	1061.7	535.3
.6	236.8	119.4	236.8	119.4	1061.0	534.9
.7	237.5	119.7	237.5	119.7	1060.3	534.6
.8	238.2	120.1	238.2	120.1	1059.6	534.2
.9	238.8	120.4	238.8	120.4	1059.0	533.9
662.0	239.5	120.8	239.5	120.8	1058.3	533.6
.1	240.2	121.1	240.2	121.1	1057.6	533.2
.2	240.9	121.4	240.9	121.4	1056.9	532.9
.3	241.6	121.8	241.6	121.8	1056.2	532.5
.4	242.2	122.1	242.2	122.1	1055.6	532.2
.5	242.9	122.5	242.9	122.5	1054.9	531.8
.6	243.6	122.8	243.6	122.8	1054.2	531.5
.7	244.3	123.2	244.3	123.2	1053.5	531.2
.8	244.9	123.5	244.9	123.5	1052.9	530.8
.9	245.6	123.8	245.6	123.8	1052.2	530.5
663.0	246.3	124.2	246.3	124.2	1051.5	530.1
.1	247.0	124.5	247.0	124.5	1050.8	529.8
.2	247.7	124.9	247.7	124.9	1050.1	529.4
.3	248.3	125.2	248.3	125.2	1049.5	529.1
.4	249.0	125.6	249.0	125.6	1048.8	528.8
.5	249.7	125.9	249.7	125.9	1048.1	528.4
.6	250.4	126.2	250.4	126.2	1047.4	528.1
.7	251.1	126.6	251.1	126.6	1046.7	527.7
.8	251.7	126.9	251.7	126.9	1046.1	527.4
.9	252.4	127.3	252.4	127.3	1045.4	527.0
664.0	253.1	127.6	253.1	127.6	1044.7	526.7
.1	253.8	127.9	253.8	127.9	1044.0	526.4
.2	254.5	128.3	254.5	128.3	1043.3	526.0
.3	255.1	128.6	255.1	128.6	1042.7	525.7
.4	255.8	129.0	255.8	129.0	1042.0	525.3
.5	256.5	129.3	256.5	129.3	1041.3	525.0
.6	257.2	129.7	257.2	129.7	1040.6	524.6
.7	257.9	130.0	257.9	130.0	1039.9	524.3
.8	258.5	130.3	258.5	130.3	1039.3	524.0
.9	259.2	130.7	259.2	130.7	1038.6	523.6
665.0	259.9	131.0	259.9	131.0	1037.9	523.3
.1	260.6	131.4	260.6	131.4	1037.2	522.9
.2	261.3	131.7	261.3	131.7	1036.5	522.6
.3	261.9	132.1	261.9	132.1	1035.9	522.2
.4	262.6	132.4	262.6	132.4	1035.2	521.9
.5	263.3	132.7	263.3	132.7	1034.5	521.6
.6	264.0	133.1	264.0	133.1	1033.8	521.2
.7	264.7	133.4	264.7	133.4	1033.1	520.9
.8	265.3	133.8	265.3	133.8	1032.5	520.5
.9	266.0	134.1	266.0	134.1	1031.8	520.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
666.0	266.7	134.5	266.7	134.5	1031.1	519.9
.1	267.4	134.8	267.4	134.8	1030.4	519.5
.2	268.1	135.1	268.1	135.1	1029.7	519.2
.3	268.7	135.5	268.7	135.5	1029.1	518.8
.4	269.4	135.8	269.4	135.8	1028.4	518.5
.5	270.1	136.2	270.1	136.2	1027.7	518.1
.6	270.8	136.5	270.8	136.5	1027.0	517.8
.7	271.4	136.9	271.4	136.9	1026.4	517.5
.8	272.1	137.2	272.1	137.2	1025.7	517.1
.9	272.8	137.5	272.8	137.5	1025.0	516.8
667.0	273.5	137.9	273.5	137.9	1024.3	516.4
.1	274.2	138.2	274.2	138.2	1023.6	516.1
.2	274.8	138.6	274.8	138.6	1023.0	515.7
.3	275.5	138.9	275.5	138.9	1022.3	515.4
.4	276.2	139.3	276.2	139.3	1021.6	515.1
.5	276.9	139.6	276.9	139.6	1020.9	514.7
.6	277.6	139.9	277.6	139.9	1020.2	514.4
.7	278.2	140.3	278.2	140.3	1019.6	514.0
.8	278.9	140.6	278.9	140.6	1018.9	513.7
.9	279.6	141.0	279.6	141.0	1018.2	513.3
668.0	280.3	141.3	280.3	141.3	1017.5	513.0
.1	281.0	141.7	281.0	141.7	1016.8	512.7
.2	281.6	142.0	281.6	142.0	1016.2	512.3
.3	282.3	142.3	282.3	142.3	1015.5	512.0
.4	283.0	142.7	283.0	142.7	1014.8	511.6
.5	283.7	143.0	283.7	143.0	1014.1	511.3
.6	284.4	143.4	284.4	143.4	1013.4	510.9
.7	285.0	143.7	285.0	143.7	1012.8	510.6
.8	285.7	144.0	285.7	144.0	1012.1	510.3
.9	286.4	144.4	286.4	144.4	1011.4	509.9
669.0	287.1	144.7	287.1	144.7	1010.7	509.6
.1	287.8	145.1	287.8	145.1	1010.0	509.2
.2	288.4	145.4	288.4	145.4	1009.4	508.9
.3	289.1	145.8	289.1	145.8	1008.7	508.5
.4	289.8	146.1	289.8	146.1	1008.0	508.2
.5	290.5	146.4	290.5	146.4	1007.3	507.9
.6	291.2	146.8	291.2	146.8	1006.6	507.5
.7	291.8	147.1	291.8	147.1	1006.0	507.2
.8	292.5	147.5	292.5	147.5	1005.3	506.8
.9	293.2	147.8	293.2	147.8	1004.6	506.5
670.0	293.9	148.2	293.9	148.2	1003.9	506.1
.1	294.5	148.5	294.5	148.5	1003.3	505.8
.2	295.2	148.8	295.2	148.8	1002.6	505.5
.3	295.9	149.2	295.9	149.2	1001.9	505.1
.4	296.6	149.5	296.6	149.5	1001.2	504.8
.5	297.3	149.9	297.3	149.9	1000.5	504.4
.6	297.9	150.2	297.9	150.2	999.9	504.1
.7	298.6	150.6	298.6	150.6	999.2	503.8
.8	299.3	150.9	299.3	150.9	998.5	503.4
.9	300.0	151.2	300.0	151.2	997.8	503.1

Reservoir Storage Tables

PAGE 11

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
671.0	300.7	151.6	300.7	151.6	997.1	502.7
.1	301.3	151.9	301.3	151.9	996.5	502.4
.2	302.0	152.3	302.0	152.3	995.8	502.0
.3	302.7	152.6	302.7	152.6	995.1	501.7
.4	303.4	153.0	303.4	153.0	994.4	501.4
.5	304.1	153.3	304.1	153.3	993.7	501.0
.6	304.7	153.6	304.7	153.6	993.1	500.7
.7	305.4	154.0	305.4	154.0	992.4	500.3
.8	306.1	154.3	306.1	154.3	991.7	500.0
.9	306.9	154.7	306.9	154.7	990.9	499.6
672.0	307.6	155.1	307.6	155.1	990.2	499.2
.1	308.4	155.5	308.4	155.5	989.4	498.8
.2	309.2	155.9	309.2	155.9	988.6	498.4
.3	309.9	156.3	309.9	156.3	987.9	498.0
.4	310.7	156.7	310.7	156.7	987.1	497.7
.5	311.5	157.0	311.5	157.0	986.3	497.3
.6	312.2	157.4	312.2	157.4	985.6	496.9
.7	313.0	157.8	313.0	157.8	984.8	496.5
.8	313.8	158.2	313.8	158.2	984.0	496.1
.9	314.6	158.6	314.6	158.6	983.2	495.7
673.0	315.3	159.0	315.3	159.0	982.5	495.3
.1	316.1	159.4	316.1	159.4	981.7	494.9
.2	316.9	159.8	316.9	159.8	980.9	494.6
.3	317.6	160.1	317.6	160.1	980.2	494.2
.4	318.4	160.5	318.4	160.5	979.4	493.8
.5	319.2	160.9	319.2	160.9	978.6	493.4
.6	319.9	161.3	319.9	161.3	977.9	493.0
.7	320.7	161.7	320.7	161.7	977.1	492.6
.8	321.5	162.1	321.5	162.1	976.3	492.2
.9	322.2	162.5	322.2	162.5	975.6	491.8
674.0	323.0	162.9	323.0	162.9	974.8	491.5
.1	323.8	163.2	323.8	163.2	974.0	491.1
.2	324.5	163.6	324.5	163.6	973.3	490.7
.3	325.3	164.0	325.3	164.0	972.5	490.3
.4	326.1	164.4	326.1	164.4	971.7	489.9
.5	326.9	164.8	326.9	164.8	970.9	489.5
.6	327.6	165.2	327.6	165.2	970.2	489.1
.7	328.4	165.6	328.4	165.6	969.4	488.7
.8	329.2	166.0	329.2	166.0	968.6	488.4
.9	329.9	166.3	329.9	166.3	967.9	488.0
675.0	330.7	166.7	330.7	166.7	967.1	487.6
.1	331.5	167.1	331.5	167.1	966.3	487.2
.2	332.2	167.5	332.2	167.5	965.6	486.8
.3	333.0	167.9	333.0	167.9	964.8	486.4
.4	333.8	168.3	333.8	168.3	964.0	486.0
.5	334.5	168.7	334.5	168.7	963.3	485.6
.6	335.3	169.1	335.3	169.1	962.5	485.3
.7	336.1	169.4	336.1	169.4	961.7	484.9
.8	336.8	169.8	336.8	169.8	961.0	484.5
.9	337.6	170.2	337.6	170.2	960.2	484.1

PAGE 12

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
676.0	338.4	170.6	338.4	170.6	959.4	483.7
.1	339.1	171.0	339.1	171.0	958.7	483.3
.2	339.9	171.4	339.9	171.4	957.9	482.9
.3	340.7	171.8	340.7	171.8	957.1	482.5
.4	341.5	172.2	341.5	172.2	956.3	482.2
.5	342.2	172.5	342.2	172.5	955.6	481.8
.6	343.0	172.9	343.0	172.9	954.8	481.4
.7	343.8	173.3	343.8	173.3	954.0	481.0
.8	344.5	173.7	344.5	173.7	953.3	480.6
.9	345.3	174.1	345.3	174.1	952.5	480.2
677.0	346.1	174.5	346.1	174.5	951.7	479.8
.1	346.8	174.9	346.8	174.9	951.0	479.4
.2	347.6	175.3	347.6	175.3	950.2	479.1
.3	348.4	175.6	348.4	175.6	949.4	478.7
.4	349.1	176.0	349.1	176.0	948.7	478.3
.5	349.9	176.4	349.9	176.4	947.9	477.9
.6	350.7	176.8	350.7	176.8	947.1	477.5
.7	351.4	177.2	351.4	177.2	946.4	477.1
.8	352.2	177.6	352.2	177.6	945.6	476.7
.9	353.0	178.0	353.0	178.0	944.8	476.3
678.0	353.8	178.4	353.8	178.4	944.0	476.0
.1	354.5	178.7	354.5	178.7	943.3	475.6
.2	355.3	179.1	355.3	179.1	942.5	475.2
.3	356.1	179.5	356.1	179.5	941.7	474.8
.4	356.8	179.9	356.8	179.9	941.0	474.4
.5	357.6	180.3	357.6	180.3	940.2	474.0
.6	358.4	180.7	358.4	180.7	939.4	473.6
.7	359.1	181.1	359.1	181.1	938.7	473.2
.8	359.9	181.5	359.9	181.5	937.9	472.9
.9	360.7	181.8	360.7	181.8	937.1	472.5
679.0	361.4	182.2	361.4	182.2	936.4	472.1
.1	362.2	182.6	362.2	182.6	935.6	471.7
.2	363.0	183.0	363.0	183.0	934.8	471.3
.3	363.7	183.4	363.7	183.4	934.1	470.9
.4	364.5	183.8	364.5	183.8	933.3	470.5
.5	365.3	184.2	365.3	184.2	932.5	470.1
.6	366.1	184.6	366.1	184.6	931.7	469.8
.7	366.8	184.9	366.8	184.9	931.0	469.4
.8	367.6	185.3	367.6	185.3	930.2	469.0
.9	368.4	185.7	368.4	185.7	929.4	468.6
680.0	369.1	186.1	369.1	186.1	928.7	468.2
.1	369.9	186.5	369.9	186.5	927.9	467.8
.2	370.7	186.9	370.7	186.9	927.1	467.4
.3	371.4	187.3	371.4	187.3	926.4	467.0
.4	372.2	187.7	372.2	187.7	925.8	466.7
.5	373.0	188.0	373.0	188.0	924.8	466.3
.6	373.7	188.4	373.7	188.4	924.1	465.9
.7	374.5	188.8	374.5	188.8	923.3	465.5
.8	375.3	189.2	375.3	189.2	922.5	465.1
.9	376.0	189.6	376.0	189.6	921.8	464.7

Mossyrock

283

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
681.0	376.8	190.0	376.8	190.0	921.0	464.3
.1	377.6	190.4	377.6	190.4	920.2	463.9
.2	378.3	190.8	378.3	190.8	919.5	463.6
.3	379.1	191.1	379.1	191.1	918.7	463.2
.4	379.9	191.5	379.9	191.5	917.9	462.8
.5	380.7	191.9	380.7	191.9	917.1	462.4
.6	381.4	192.3	381.4	192.3	916.4	462.0
.7	382.2	192.7	382.2	192.7	915.6	461.6
.8	383.0	193.1	383.0	193.1	914.8	461.2
.9	383.7	193.5	383.7	193.5	914.1	460.8
682.0	384.5	193.9	384.5	193.9	913.3	460.5
.1	385.3	194.2	385.3	194.2	912.5	460.1
.2	386.0	194.6	386.0	194.6	911.8	459.7
.3	386.8	195.0	386.8	195.0	911.0	459.3
.4	387.6	195.4	387.6	195.4	910.2	458.9
.5	388.3	195.8	388.3	195.8	909.5	458.5
.6	389.1	196.2	389.1	196.2	908.7	458.1
.7	389.9	196.6	389.9	196.6	907.9	457.7
.8	390.6	197.0	390.6	197.0	907.2	457.4
.9	391.4	197.3	391.4	197.3	906.4	457.0
683.0	392.2	197.7	392.2	197.7	905.6	456.6
.1	393.0	198.1	393.0	198.1	904.8	456.2
.2	393.7	198.5	393.7	198.5	904.1	455.8
.3	394.5	198.9	394.5	198.9	903.3	455.4
.4	395.3	199.3	395.3	199.3	902.5	455.0
.5	396.0	199.7	396.0	199.7	901.8	454.6
.6	396.8	200.1	396.8	200.1	901.0	454.3
.7	397.6	200.4	397.6	200.4	900.2	453.9
.8	398.3	200.8	398.3	200.8	899.5	453.5
.9	399.1	201.2	399.1	201.2	898.7	453.1
684.0	399.9	201.6	399.9	201.6	897.9	452.7
.1	400.6	202.0	400.6	202.0	897.2	452.3
.2	401.4	202.4	401.4	202.4	896.4	451.9
.3	402.2	202.8	402.2	202.8	895.6	451.5
.4	402.9	203.2	402.9	203.2	894.9	451.2
.5	403.7	203.5	403.7	203.5	894.1	450.8
.6	404.5	203.9	404.5	203.9	893.3	450.4
.7	405.3	204.3	405.3	204.3	892.5	450.0
.8	406.0	204.7	406.0	204.7	891.8	449.6
.9	406.8	205.1	406.8	205.1	891.0	449.2
685.0	407.6	205.5	407.6	205.5	890.2	448.8
.1	408.3	205.9	408.3	205.9	889.5	448.4
.2	409.1	206.3	409.1	206.3	888.7	448.1
.3	409.9	206.6	409.9	206.6	887.9	447.7
.4	410.6	207.0	410.6	207.0	887.2	447.3
.5	411.4	207.4	411.4	207.4	886.4	446.9
.6	412.2	207.8	412.2	207.8	885.6	446.5
.7	412.9	208.2	412.9	208.2	884.9	446.1
.8	413.7	208.6	413.7	208.6	884.1	445.7
.9	414.5	209.0	414.5	209.0	883.3	445.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
686.0	415.2	209.4	415.2	209.4	882.6	445.0
.1	416.0	209.7	416.0	209.7	881.8	444.6
.2	416.8	210.1	416.8	210.1	881.0	444.2
.3	417.5	210.5	417.5	210.5	880.3	443.8
.4	418.3	210.9	418.3	210.9	879.5	443.4
.5	419.1	211.3	419.1	211.3	878.7	443.0
.6	419.9	211.7	419.9	211.7	877.9	442.6
.7	420.6	212.1	420.6	212.1	877.2	442.2
.8	421.4	212.5	421.4	212.5	876.4	441.9
.9	422.2	212.8	422.2	212.8	875.6	441.5
687.0	422.9	213.2	422.9	213.2	874.9	441.1
.1	423.7	213.6	423.7	213.6	874.1	440.7
.2	424.5	214.0	424.5	214.0	873.3	440.3
.3	425.2	214.4	425.2	214.4	872.6	439.9
.4	426.0	214.8	426.0	214.8	871.8	439.5
.5	426.8	215.2	426.8	215.2	871.0	439.1
.6	427.5	215.6	427.5	215.6	870.3	438.8
.7	428.3	215.9	428.3	215.9	869.5	438.4
.8	429.1	216.3	429.1	216.3	868.7	438.0
.9	429.8	216.7	429.8	216.7	868.0	437.6
688.0	430.6	217.1	430.6	217.1	867.2	437.2
.1	431.4	217.5	431.4	217.5	866.4	436.8
.2	432.2	217.9	432.2	217.9	865.6	436.4
.3	432.9	218.3	432.9	218.3	864.9	436.0
.4	433.7	218.7	433.7	218.7	864.1	435.7
.5	434.5	219.0	434.5	219.0	863.3	435.3
.6	435.2	219.4	435.2	219.4	862.6	434.9
.7	436.0	219.8	436.0	219.8	861.8	434.5
.8	436.8	220.2	436.8	220.2	861.0	434.1
.9	437.5	220.6	437.5	220.6	860.3	433.7
689.0	438.3	221.0	438.3	221.0	859.5	433.3
.1	439.1	221.4	439.1	221.4	858.7	432.9
.2	439.8	221.8	439.8	221.8	858.0	432.6
.3	440.6	222.1	440.6	222.1	857.2	432.2
.4	441.4	222.5	441.4	222.5	856.4	431.8
.5	442.1	222.9	442.1	222.9	855.7	431.4
.6	442.9	223.3	442.9	223.3	854.9	431.0
.7	443.7	223.7	443.7	223.7	854.1	430.6
.8	444.4	224.1	444.4	224.1	853.4	430.2
.9	445.2	224.5	445.2	224.5	852.6	429.8
690.0	446.0	224.9	446.0	224.9	851.8	429.5
.1	446.8	225.2	446.8	225.2	851.0	429.1
.2	447.5	225.6	447.5	225.6	850.3	428.7
.3	448.3	226.0	448.3	226.0	849.5	428.3
.4	449.1	226.4	449.1	226.4	848.7	427.9
.5	449.8	226.8	449.8	226.8	848.0	427.5
.6	450.6	227.2	450.6	227.2	847.2	427.1
.7	451.4	227.6	451.4	227.6	846.4	426.7
.8	452.1	228.0	452.1	228.0	845.7	426.4
.9	452.9	228.3	452.9	228.3	844.9	426.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
691.0	453.7	228.7	453.7	228.7	844.1	425.6
.1	454.4	229.1	454.4	229.1	843.4	425.2
.2	455.2	229.5	455.2	229.5	842.6	424.8
.3	456.0	229.9	456.0	229.9	841.8	424.4
.4	456.7	230.3	456.7	230.3	841.1	424.0
.5	457.5	230.7	457.5	230.7	840.3	423.6
.6	458.3	231.1	458.3	231.1	839.5	423.3
.7	459.1	231.4	459.1	231.4	838.7	422.9
.8	459.8	231.8	459.8	231.8	838.0	422.5
.9	460.6	232.2	460.6	232.2	837.2	422.1
692.0	461.4	232.6	461.4	232.6	836.4	421.7
.1	462.1	233.0	462.1	233.0	835.7	421.3
.2	462.9	233.4	462.9	233.4	834.9	420.9
.3	463.7	233.8	463.7	233.8	834.1	420.5
.4	464.4	234.2	464.4	234.2	833.4	420.2
.5	465.2	234.5	465.2	234.5	832.6	419.8
.6	466.0	234.9	466.0	234.9	831.8	419.4
.7	466.7	235.3	466.7	235.3	831.1	419.0
.8	467.5	235.7	467.5	235.7	830.3	418.6
.9	468.3	236.1	468.3	236.1	829.5	418.2
693.0	469.0	236.5	469.0	236.5	828.8	417.8
.1	469.8	236.9	469.8	236.9	828.0	417.4
.2	470.6	237.3	470.6	237.3	827.2	417.1
.3	471.4	237.6	471.4	237.6	826.4	416.7
.4	472.1	238.0	472.1	238.0	825.7	416.3
.5	472.9	238.4	472.9	238.4	824.9	415.9
.6	473.7	238.8	473.7	238.8	824.1	415.5
.7	474.4	239.2	474.4	239.2	823.4	415.1
.8	475.2	239.6	475.2	239.6	822.6	414.7
.9	476.0	240.0	476.0	240.0	821.8	414.3
694.0	476.7	240.4	476.7	240.4	821.1	414.0
.1	477.5	240.7	477.5	240.7	820.3	413.6
.2	478.3	241.1	478.3	241.1	819.5	413.2
.3	479.0	241.5	479.0	241.5	818.8	412.8
.4	479.8	241.9	479.8	241.9	818.0	412.4
.5	480.6	242.3	480.6	242.3	817.2	412.0
.6	481.3	242.7	481.3	242.7	816.5	411.6
.7	482.1	243.1	482.1	243.1	815.7	411.2
.8	482.9	243.5	482.9	243.5	814.9	410.9
.9	483.6	243.8	483.6	243.8	814.2	410.5
695.0	484.4	244.2	484.4	244.2	813.4	410.1
.1	485.2	244.6	485.2	244.6	812.6	409.7
.2	486.0	245.0	486.0	245.0	811.8	409.3
.3	486.7	245.4	486.7	245.4	811.1	408.9
.4	487.5	245.8	487.5	245.8	810.3	408.5
.5	488.3	246.2	488.3	246.2	809.5	408.1
.6	489.0	246.6	489.0	246.6	808.8	407.8
.7	489.8	246.9	489.8	246.9	808.0	407.4
.8	490.6	247.3	490.6	247.3	807.2	407.0
.9	491.3	247.7	491.3	247.7	806.5	406.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
696.0	492.1	248.1	492.1	248.1	805.7	406.2
.1	492.9	248.5	492.9	248.5	804.9	405.8
.2	493.6	248.9	493.6	248.9	804.2	405.4
.3	494.4	249.3	494.4	249.3	803.4	405.0
.4	495.2	249.7	495.2	249.7	802.6	404.7
.5	495.9	250.0	495.9	250.0	801.9	404.3
.6	496.7	250.4	496.7	250.4	801.1	403.9
.7	497.5	250.8	497.5	250.8	800.3	403.5
.8	498.3	251.2	498.3	251.2	799.5	403.1
.9	499.0	251.6	499.0	251.6	798.8	402.7
697.0	499.8	252.0	499.8	252.0	798.0	402.3
.1	500.6	252.4	500.6	252.4	797.2	401.9
.2	501.3	252.8	501.3	252.8	796.5	401.6
.3	502.1	253.1	502.1	253.1	795.7	401.2
.4	502.9	253.5	502.9	253.5	794.9	400.8
.5	503.6	253.9	503.6	253.9	794.2	400.4
.6	504.4	254.3	504.4	254.3	793.4	400.0
.7	505.3	254.7	505.3	254.7	792.5	399.6
.8	506.1	255.2	506.1	255.2	791.7	399.1
.9	507.0	255.6	507.0	255.6	790.8	398.7
698.0	507.9	256.0	507.9	256.0	789.9	398.3
.1	508.7	256.5	508.7	256.5	789.1	397.8
.2	509.6	256.9	509.6	256.9	788.2	397.4
.3	510.4	257.3	510.4	257.3	787.4	397.0
.4	511.3	257.8	511.3	257.8	786.5	396.5
.5	512.2	258.2	512.2	258.2	785.6	396.1
.6	513.0	258.7	513.0	258.7	784.8	395.7
.7	513.9	259.1	513.9	259.1	783.9	395.2
.8	514.8	259.5	514.8	259.5	783.0	394.8
.9	515.6	260.0	515.6	260.0	782.2	394.4
699.0	516.5	260.4	516.5	260.4	781.3	393.9
.1	517.3	260.8	517.3	260.8	780.5	393.5
.2	518.2	261.3	518.2	261.3	779.6	393.0
.3	519.1	261.7	519.1	261.7	778.7	392.6
.4	519.9	262.1	519.9	262.1	777.9	392.2
.5	520.8	262.6	520.8	262.6	777.0	391.7
.6	521.7	263.0	521.7	263.0	776.1	391.3
.7	522.5	263.4	522.5	263.4	775.3	390.9
.8	523.4	263.9	523.4	263.9	774.4	390.4
.9	524.2	264.3	524.2	264.3	773.6	390.0
700.0	525.1	264.7	525.1	264.7	772.7	389.6
.1	526.0	265.2	526.0	265.2	771.8	389.1
.2	526.8	265.6	526.8	265.6	771.0	388.7
.3	527.7	266.0	527.7	266.0	770.1	388.3
.4	528.6	266.5	528.6	266.5	769.2	387.8
.5	529.4	266.9	529.4	266.9	768.4	387.4
.6	530.3	267.3	530.3	267.3	767.5	387.0
.7	531.1	267.8	531.1	267.8	766.7	386.5
.8	532.0	268.2	532.0	268.2	765.8	386.1
.9	532.9	268.7	532.9	268.7	764.9	385.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
701.0	533.7	269.1	533.7	269.1	764.1	385.2
.1	534.6	269.5	534.6	269.5	763.2	384.8
.2	535.5	270.0	535.5	270.0	762.3	384.3
.3	536.3	270.4	536.3	270.4	761.5	383.9
.4	537.2	270.8	537.2	270.8	760.6	383.5
.5	538.0	271.3	538.0	271.3	759.8	383.0
.6	538.9	271.7	538.9	271.7	758.9	382.6
.7	539.8	272.1	539.8	272.1	758.0	382.2
.8	540.6	272.6	540.6	272.6	757.2	381.7
.9	541.5	273.0	541.5	273.0	756.3	381.3
702.0	542.4	273.4	542.4	273.4	755.4	380.9
.1	543.2	273.9	543.2	273.9	754.6	380.4
.2	544.1	274.3	544.1	274.3	753.7	380.0
.3	544.9	274.7	544.9	274.7	752.9	379.6
.4	545.8	275.2	545.8	275.2	752.0	379.1
.5	546.7	275.6	546.7	275.6	751.1	378.7
.6	547.5	276.0	547.5	276.0	750.3	378.3
.7	548.4	276.5	548.4	276.5	749.4	377.8
.8	549.3	276.9	549.3	276.9	748.5	377.4
.9	550.1	277.4	550.1	277.4	747.7	377.0
703.0	551.0	277.8	551.0	277.8	746.8	376.5
.1	551.8	278.2	551.8	278.2	746.0	376.1
.2	552.7	278.7	552.7	278.7	745.1	375.7
.3	553.6	279.1	553.6	279.1	744.2	375.2
.4	554.4	279.5	554.4	279.5	743.4	374.8
.5	555.3	280.0	555.3	280.0	742.5	374.3
.6	556.2	280.4	556.2	280.4	741.6	373.9
.7	557.0	280.8	557.0	280.8	740.8	373.5
.8	557.9	281.3	557.9	281.3	739.9	373.0
.9	558.7	281.7	558.7	281.7	739.1	372.6
704.0	559.6	282.1	559.6	282.1	738.2	372.2
.1	560.5	282.6	560.5	282.6	737.3	371.7
.2	561.3	283.0	561.3	283.0	736.5	371.3
.3	562.2	283.4	562.2	283.4	735.6	370.9
.4	563.1	283.9	563.1	283.9	734.7	370.4
.5	563.9	284.3	563.9	284.3	733.9	370.0
.6	564.8	284.7	564.8	284.7	733.0	369.6
.7	565.6	285.2	565.6	285.2	732.2	369.1
.8	566.5	285.6	566.5	285.6	731.3	368.7
.9	567.4	286.0	567.4	286.0	730.4	368.3
705.0	568.2	286.5	568.2	286.5	729.6	367.8
.1	569.1	286.9	569.1	286.9	728.7	367.4
.2	570.0	287.4	570.0	287.4	727.8	367.0
.3	570.8	287.8	570.8	287.8	727.0	366.5
.4	571.7	288.2	571.7	288.2	726.1	366.1
.5	572.5	288.7	572.5	288.7	725.3	365.6
.6	573.4	289.1	573.4	289.1	724.4	365.2
.7	574.3	289.5	574.3	289.5	723.5	364.8
.8	575.1	290.0	575.1	290.0	722.7	364.3
.9	576.0	290.4	576.0	290.4	721.8	363.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
706.0	576.9	290.8	576.9	290.8	720.9	363.5
.1	577.7	291.3	577.7	291.3	720.1	363.0
.2	578.6	291.7	578.6	291.7	719.2	362.6
.3	579.4	292.1	579.4	292.1	718.4	362.2
.4	580.3	292.6	580.3	292.6	717.5	361.7
.5	581.2	293.0	581.2	293.0	716.6	361.3
.6	582.0	293.4	582.0	293.4	715.8	360.9
.7	582.9	293.9	582.9	293.9	714.9	360.4
.8	583.8	294.3	583.8	294.3	714.0	360.0
.9	584.6	294.7	584.6	294.7	713.2	359.6
707.0	585.5	295.2	585.5	295.2	712.3	359.1
.1	586.3	295.6	586.3	295.6	711.5	358.7
.2	587.2	296.1	587.2	296.1	710.6	358.3
.3	588.1	296.5	588.1	296.5	709.7	357.8
.4	588.9	296.9	588.9	296.9	708.9	357.4
.5	589.8	297.4	589.8	297.4	708.0	357.0
.6	590.7	297.8	590.7	297.8	707.1	356.5
.7	591.5	298.2	591.5	298.2	706.3	356.1
.8	592.4	298.7	592.4	298.7	705.4	355.6
.9	593.2	299.1	593.2	299.1	704.6	355.2
708.0	594.1	299.5	594.1	299.5	703.7	354.8
.1	595.0	300.0	595.0	300.0	702.8	354.3
.2	595.8	300.4	595.8	300.4	702.0	353.9
.3	596.7	300.8	596.7	300.8	701.1	353.5
.4	597.6	301.3	597.6	301.3	700.2	353.0
.5	598.4	301.7	598.4	301.7	699.4	352.6
.6	599.3	302.1	599.3	302.1	698.5	352.2
.7	600.1	302.6	600.1	302.6	697.7	351.7
.8	601.0	303.0	601.0	303.0	696.8	351.3
.9	601.9	303.4	601.9	303.4	695.9	350.9
709.0	602.7	303.9	602.7	303.9	695.1	350.4
.1	603.6	304.3	603.6	304.3	694.2	350.0
.2	604.5	304.8	604.5	304.8	693.3	349.6
.3	605.3	305.2	605.3	305.2	692.5	349.1
.4	606.2	305.6	606.2	305.6	691.6	348.7
.5	607.1	306.1	607.1	306.1	690.7	348.3
.6	607.9	306.5	607.9	306.5	689.9	347.8
.7	608.8	306.9	608.8	306.9	689.0	347.4
.8	609.6	307.4	609.6	307.4	688.2	346.9
.9	610.5	307.8	610.5	307.8	687.3	346.5
710.0	611.4	308.2	611.4	308.2	686.4	346.1
.1	612.2	308.7	612.2	308.7	685.6	345.6
.2	613.1	309.1	613.1	309.1	684.7	345.2
.3	614.0	309.5	614.0	309.5	683.8	344.8
.4	614.8	310.0	614.8	310.0	683.0	344.3
.5	615.7	310.4	615.7	310.4	682.1	343.9
.6	616.5	310.8	616.5	310.8	681.3	343.5
.7	617.4	311.3	617.4	311.3	680.4	343.0
.8	618.3	311.7	618.3	311.7	679.5	342.6
.9	619.1	312.1	619.1	312.1	678.7	342.2

Mossyrock

Reservoir Storage Tables

MOSSYROCK — PAGE 19

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
711.0	620.0	312.6	620.0	312.6	677.8	341.7
.1	620.9	313.0	620.9	313.0	676.9	341.3
.2	621.7	313.4	621.7	313.4	676.1	340.9
.3	622.6	313.9	622.6	313.9	675.2	340.4
.4	623.4	314.3	623.4	314.3	674.4	340.0
.5	624.3	314.8	624.3	314.8	673.5	339.6
.6	625.2	315.2	625.2	315.2	672.6	339.1
.7	626.0	315.6	626.0	315.6	671.8	338.7
.8	626.9	316.1	626.9	316.1	670.9	338.3
.9	627.8	316.5	627.8	316.5	670.0	337.8
712.0	628.6	316.9	628.6	316.9	669.2	337.4
.1	629.5	317.4	629.5	317.4	668.3	336.9
.2	630.3	317.8	630.3	317.8	667.5	336.5
.3	631.2	318.2	631.2	318.2	666.6	336.1
.4	632.1	318.7	632.1	318.7	665.7	335.6
.5	632.9	319.1	632.9	319.1	664.9	335.2
.6	633.8	319.5	633.8	319.5	664.0	334.8
.7	634.7	320.0	634.7	320.0	663.1	334.3
.8	635.5	320.4	635.5	320.4	662.3	333.9
.9	636.4	320.8	636.4	320.8	661.4	333.5
713.0	637.2	321.3	637.2	321.3	660.6	333.0
.1	638.1	321.7	638.1	321.7	659.7	332.6
.2	639.0	322.1	639.0	322.1	658.8	332.2
.3	639.8	322.6	639.8	322.6	658.0	331.7
.4	640.7	323.0	640.7	323.0	657.1	331.3
.5	641.6	323.5	641.6	323.5	656.2	330.9
.6	642.4	323.9	642.4	323.9	655.4	330.4
.7	643.3	324.3	643.3	324.3	654.5	330.0
.8	644.1	324.8	644.1	324.8	653.7	329.6
.9	645.0	325.2	645.0	325.2	652.8	329.1
714.0	645.9	325.6	645.9	325.6	651.9	328.7
.1	646.7	326.1	646.7	326.1	651.1	328.2
.2	647.6	326.5	647.6	326.5	650.2	327.8
.3	648.5	326.9	648.5	326.9	649.3	327.4
.4	649.3	327.4	649.3	327.4	648.5	326.9
.5	650.2	327.8	650.2	327.8	647.6	326.5
.6	651.0	328.2	651.0	328.2	646.8	326.1
.7	651.9	328.7	651.9	328.7	645.9	325.6
.8	652.8	329.1	652.8	329.1	645.0	325.2
.9	653.6	329.5	653.6	329.5	644.2	324.8
715.0	654.5	330.0	654.5	330.0	643.3	324.3
.1	655.4	330.4	655.4	330.4	642.4	323.9
.2	656.2	330.8	656.2	330.8	641.6	323.5
.3	657.1	331.3	657.1	331.3	640.7	323.0
.4	657.9	331.7	657.9	331.7	639.9	322.6
.5	658.8	332.1	658.8	332.1	639.0	322.2
.6	659.7	332.6	659.7	332.6	638.1	321.7
.7	660.5	333.0	660.5	333.0	637.3	321.3
.8	661.4	333.5	661.4	333.5	636.4	320.9
.9	662.3	333.9	662.3	333.9	635.5	320.4

MOSSYROCK — PAGE 20

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
716.0	663.1	334.3	663.1	334.3	634.7	320.0
.1	664.0	334.8	664.0	334.8	633.8	319.5
.2	664.8	335.2	664.8	335.2	633.0	319.1
.3	665.7	335.6	665.7	335.6	632.1	318.7
.4	666.6	336.1	666.6	336.1	631.2	318.2
.5	667.4	336.5	667.4	336.5	630.4	317.8
.6	668.3	336.9	668.3	336.9	629.5	317.4
.7	669.2	337.4	669.2	337.4	628.6	316.9
.8	670.0	337.8	670.0	337.8	627.8	316.5
.9	670.9	338.2	670.9	338.2	626.9	316.1
717.0	671.7	338.7	671.7	338.7	626.1	315.6
.1	672.6	339.1	672.6	339.1	625.2	315.2
.2	673.5	339.5	673.5	339.5	624.3	314.8
.3	674.3	340.0	674.3	340.0	623.5	314.3
.4	675.2	340.4	675.2	340.4	622.6	313.9
.5	676.1	340.8	676.1	340.8	621.7	313.5
.6	676.9	341.3	676.9	341.3	620.9	313.0
.7	677.8	341.7	677.8	341.7	620.0	312.6
.8	678.6	342.2	678.6	342.2	619.2	312.2
.9	679.5	342.6	679.5	342.6	618.3	311.7
718.0	680.4	343.0	680.4	343.0	617.4	311.3
.1	681.2	343.5	681.2	343.5	616.6	310.9
.2	682.1	343.9	682.1	343.9	615.7	310.4
.3	683.0	344.3	683.0	344.3	614.8	310.0
.4	683.8	344.8	683.8	344.8	614.0	309.5
.5	684.7	345.2	684.7	345.2	613.1	309.1
.6	685.5	345.6	685.5	345.6	612.3	308.7
.7	686.4	346.1	686.4	346.1	611.4	308.2
.8	687.3	346.5	687.3	346.5	610.5	307.8
.9	688.1	346.9	688.1	346.9	609.7	307.4
719.0	689.0	347.4	689.0	347.4	608.8	306.9
.1	689.9	347.8	689.9	347.8	607.9	306.5
.2	690.7	348.2	690.7	348.2	607.1	306.1
.3	691.6	348.7	691.6	348.7	606.2	305.6
.4	692.4	349.1	692.4	349.1	605.4	305.2
.5	693.3	349.5	693.3	349.5	604.5	304.8
.6	694.2	350.0	694.2	350.0	603.6	304.3
.7	695.0	350.4	695.0	350.4	602.8	303.9
.8	695.9	350.8	695.9	350.8	601.9	303.5
.9	696.8	351.3	696.8	351.3	601.0	303.0
720.0	697.6	351.7	697.6	351.7	600.2	302.6
.1	698.5	352.2	698.5	352.2	599.3	302.2
.2	699.3	352.6	699.3	352.6	598.5	301.7
.3	700.2	353.0	700.2	353.0	597.6	301.3
.4	701.1	353.5	701.1	353.5	596.7	300.8
.5	701.9	353.9	701.9	353.9	595.9	300.4
.6	702.8	354.3	702.8	354.3	595.0	300.0
.7	703.7	354.8	703.7	354.8	594.1	299.5
.8	704.7	355.3	704.7	355.3	593.1	299.0
.9	705.6	355.8	705.6	355.8	592.2	298.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
721.0	706.6	356.2	706.6	356.2	591.2	298.1		726.0	753.8	380.0	753.8	380.0	544.0	274.3
.1	707.5	356.7	707.5	356.7	590.3	297.6		.1	754.7	380.5	754.7	380.5	543.1	273.8
.2	708.5	357.2	708.5	357.2	589.3	297.1		.2	755.7	381.0	755.7	381.0	542.1	273.3
.3	709.4	357.7	709.4	357.7	588.4	296.6		.3	756.6	381.5	756.6	381.5	541.2	272.8
.4	710.4	358.1	710.4	358.1	587.4	296.2		.4	757.6	381.9	757.6	381.9	540.2	272.4
.5	711.3	358.6	711.3	358.6	586.5	295.7		.5	758.5	382.4	758.5	382.4	539.3	271.9
.6	712.2	359.1	712.2	359.1	585.6	295.2		.6	759.5	382.9	759.5	382.9	538.3	271.4
.7	713.2	359.6	713.2	359.6	584.6	294.7		.7	760.4	383.4	760.4	383.4	537.4	270.9
.8	714.1	360.0	714.1	360.0	583.7	294.3		.8	761.3	383.8	761.3	383.8	536.5	270.5
.9	715.1	360.5	715.1	360.5	582.7	293.8		.9	762.3	384.3	762.3	384.3	535.5	270.0
722.0	716.0	361.0	716.0	361.0	581.8	293.3		727.0	763.2	384.8	763.2	384.8	534.6	269.5
.1	717.0	361.5	717.0	361.5	580.8	292.8		.1	764.2	385.3	764.2	385.3	533.6	269.0
.2	717.9	361.9	717.9	361.9	579.9	292.4		.2	765.1	385.7	765.1	385.7	532.7	268.6
.3	718.9	362.4	718.9	362.4	578.9	291.9		.3	766.1	386.2	766.1	386.2	531.7	268.1
.4	719.8	362.9	719.8	362.9	578.0	291.4		.4	767.0	386.7	767.0	386.7	530.8	267.6
.5	720.7	363.4	720.7	363.4	577.1	290.9		.5	768.0	387.2	768.0	387.2	529.8	267.1
.6	721.7	363.8	721.7	363.8	576.1	290.5		.6	768.9	387.7	768.9	387.7	528.9	266.7
.7	722.6	364.3	722.6	364.3	575.2	290.0		.7	769.8	388.1	769.8	388.1	528.0	266.2
.8	723.6	364.8	723.6	364.8	574.2	289.5		.8	770.8	388.6	770.8	388.6	527.0	265.7
.9	724.5	365.3	724.5	365.3	573.3	289.0		.9	771.7	389.1	771.7	389.1	526.1	265.2
723.0	725.5	365.8	725.5	365.8	572.3	288.6		728.0	772.7	389.6	772.7	389.6	525.1	264.7
.1	726.4	366.2	726.4	366.2	571.4	288.1		.1	773.6	390.0	773.6	390.0	524.2	264.3
.2	727.4	366.7	727.4	366.7	570.4	287.6		.2	774.6	390.5	774.6	390.5	523.2	263.8
.3	728.3	367.2	728.3	367.2	569.5	287.1		.3	775.5	391.0	775.5	391.0	522.3	263.3
.4	729.2	367.7	729.2	367.7	568.6	286.6		.4	776.5	391.5	776.5	391.5	521.3	262.8
.5	730.2	368.1	730.2	368.1	567.6	286.2		.5	777.4	391.9	777.4	391.9	520.4	262.4
.6	731.1	368.6	731.1	368.6	566.7	285.7		.6	778.3	392.4	778.3	392.4	519.5	261.9
.7	732.1	369.1	732.1	369.1	565.7	285.2		.7	779.3	392.9	779.3	392.9	518.5	261.4
.8	733.0	369.6	733.0	369.6	564.8	284.7		.8	780.2	393.4	780.2	393.4	517.6	260.9
.9	734.0	370.0	734.0	370.0	563.8	284.3		.9	781.2	393.8	781.2	393.8	516.6	260.5
724.0	734.9	370.5	734.9	370.5	562.9	283.8		729.0	782.1	394.3	782.1	394.3	515.7	260.0
.1	735.8	371.0	735.8	371.0	562.0	283.3		.1	783.1	394.8	783.1	394.8	514.7	259.5
.2	736.8	371.5	736.8	371.5	561.0	282.8		.2	784.0	395.3	784.0	395.3	513.8	259.0
.3	737.7	371.9	737.7	371.9	560.1	282.4		.3	785.0	395.7	785.0	395.7	512.8	258.6
.4	738.7	372.4	738.7	372.4	559.1	281.9		.4	785.9	396.2	785.9	396.2	511.9	258.1
.5	739.6	372.9	739.6	372.9	558.2	281.4		.5	786.8	396.7	786.8	396.7	511.0	257.6
.6	740.6	373.4	740.6	373.4	557.2	280.9		.6	787.8	397.2	787.8	397.2	510.0	257.1
.7	741.5	373.8	741.5	373.8	556.3	280.5		.7	788.7	397.7	788.7	397.7	509.1	256.7
.8	742.5	374.3	742.5	374.3	555.3	280.0		.8	789.7	398.1	789.7	398.1	508.1	256.2
.9	743.4	374.8	743.4	374.8	554.4	279.5		.9	790.6	398.6	790.6	398.6	507.2	255.7
725.0	744.3	375.3	744.3	375.3	553.5	279.0		730.0	791.6	399.1	791.6	399.1	506.2	255.2
.1	745.3	375.8	745.3	375.8	552.5	278.6		.1	792.5	399.6	792.5	399.6	505.3	254.8
.2	746.2	376.2	746.2	376.2	551.6	278.1		.2	793.5	400.0	793.5	400.0	504.3	254.3
.3	747.2	376.7	747.2	376.7	550.6	277.6		.3	794.4	400.5	794.4	400.5	503.4	253.8
.4	748.1	377.2	748.1	377.2	549.7	277.1		.4	795.3	401.0	795.3	401.0	502.5	253.3
.5	749.1	377.7	749.1	377.7	548.7	276.7		.5	796.3	401.5	796.3	401.5	501.5	252.8
.6	750.0	378.1	750.0	378.1	547.8	276.2		.6	797.2	401.9	797.2	401.9	500.6	252.4
.7	751.0	378.6	751.0	378.6	546.8	275.7		.7	798.2	402.4	798.2	402.4	499.6	251.9
.8	751.9	379.1	751.9	379.1	545.9	275.2		.8	799.1	402.9	799.1	402.9	498.7	251.4
.9	752.8	379.6	752.8	379.6	545.0	274.7		.9	800.1	403.4	800.1	403.4	497.7	250.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
731.0	801.0	403.8	801.0	403.8	496.8	250.5
.1	802.0	404.3	802.0	404.3	495.8	250.0
.2	802.9	404.8	802.9	404.8	494.9	249.5
.3	803.8	405.3	803.8	405.3	494.0	249.0
.4	804.8	405.7	804.8	405.7	493.0	248.6
.5	805.7	406.2	805.7	406.2	492.1	248.1
.6	806.7	406.7	806.7	406.7	491.1	247.6
.7	807.6	407.2	807.6	407.2	490.2	247.1
.8	808.6	407.6	808.6	407.6	489.2	246.7
.9	809.5	408.1	809.5	408.1	488.3	246.2
732.0	810.4	408.6	810.4	408.6	487.4	245.7
.1	811.4	409.1	811.4	409.1	486.4	245.2
.2	812.3	409.6	812.3	409.6	485.5	244.8
.3	813.3	410.0	813.3	410.0	484.5	244.3
.4	814.2	410.5	814.2	410.5	483.6	243.8
.5	815.2	411.0	815.2	411.0	482.6	243.3
.6	816.1	411.5	816.1	411.5	481.7	242.8
.7	817.1	411.9	817.1	411.9	480.7	242.4
.8	818.0	412.4	818.0	412.4	479.8	241.9
.9	818.9	412.9	818.9	412.9	478.9	241.4
733.0	819.9	413.4	819.9	413.4	477.9	240.9
.1	820.8	413.8	820.8	413.8	477.0	240.5
.2	821.8	414.3	821.8	414.3	476.0	240.0
.3	822.7	414.8	822.7	414.8	475.1	239.5
.4	823.7	415.3	823.7	415.3	474.1	239.0
.5	824.6	415.7	824.6	415.7	473.2	238.6
.6	825.6	416.2	825.6	416.2	472.2	238.1
.7	826.5	416.7	826.5	416.7	471.3	237.6
.8	827.4	417.2	827.4	417.2	470.4	237.1
.9	828.4	417.6	828.4	417.6	469.4	236.7
734.0	829.3	418.1	829.3	418.1	468.5	236.2
.1	830.3	418.6	830.3	418.6	467.5	235.7
.2	831.2	419.1	831.2	419.1	466.6	235.2
.3	832.2	419.6	832.2	419.6	465.6	234.8
.4	833.1	420.0	833.1	420.0	464.7	234.3
.5	834.1	420.5	834.1	420.5	463.7	233.8
.6	835.0	421.0	835.0	421.0	462.8	233.3
.7	835.9	421.5	835.9	421.5	461.9	232.9
.8	836.9	421.9	836.9	421.9	460.9	232.4
.9	837.8	422.4	837.8	422.4	460.0	231.9
735.0	838.8	422.9	838.8	422.9	459.0	231.4
.1	839.7	423.4	839.7	423.4	458.1	230.9
.2	840.7	423.8	840.7	423.8	457.1	230.5
.3	841.6	424.3	841.6	424.3	456.2	230.0
.4	842.6	424.8	842.6	424.8	455.2	229.5
.5	843.5	425.3	843.5	425.3	454.3	229.0
.6	844.4	425.7	844.4	425.7	453.4	228.6
.7	845.4	426.2	845.4	426.2	452.4	228.1
.8	846.3	426.7	846.3	426.7	451.5	227.6
.9	847.3	427.2	847.3	427.2	450.5	227.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
736.0	848.2	427.6	848.2	427.6	449.6	226.7
.1	849.2	428.1	849.2	428.1	448.6	226.2
.2	850.1	428.6	850.1	428.6	447.7	225.7
.3	851.1	429.1	851.1	429.1	446.7	225.2
.4	852.0	429.5	852.0	429.5	445.8	224.8
.5	852.9	430.0	852.9	430.0	444.9	224.3
.6	853.9	430.5	853.9	430.5	443.9	223.8
.7	854.8	431.0	854.8	431.0	443.0	223.3
.8	855.8	431.5	855.8	431.5	442.0	222.9
.9	856.7	431.9	856.7	431.9	441.1	222.4
737.0	857.7	432.4	857.7	432.4	440.1	221.9
.1	858.6	432.9	858.6	432.9	439.2	221.4
.2	859.6	433.4	859.6	433.4	438.2	221.0
.3	860.5	433.8	860.5	433.8	437.3	220.5
.4	861.4	434.3	861.4	434.3	436.4	220.0
.5	862.4	434.8	862.4	434.8	435.4	219.5
.6	863.3	435.3	863.3	435.3	434.5	219.0
.7	864.3	435.7	864.3	435.7	433.5	218.6
.8	865.2	436.2	865.2	436.2	432.6	218.1
.9	866.2	436.7	866.2	436.7	431.6	217.6
738.0	867.1	437.2	867.1	437.2	430.7	217.1
.1	868.0	437.6	868.0	437.6	429.8	216.7
.2	869.0	438.1	869.0	438.1	428.8	216.2
.3	869.9	438.6	869.9	438.6	427.9	215.7
.4	870.9	439.1	870.9	439.1	426.9	215.2
.5	871.8	439.5	871.8	439.5	426.0	214.8
.6	872.8	440.0	872.8	440.0	425.0	214.3
.7	873.7	440.5	873.7	440.5	424.1	213.8
.8	874.7	441.0	874.7	441.0	423.1	213.3
.9	875.6	441.5	875.6	441.5	422.2	212.9
739.0	876.5	441.9	876.5	441.9	421.3	212.4
.1	877.5	442.4	877.5	442.4	420.3	211.9
.2	878.4	442.9	878.4	442.9	419.4	211.4
.3	879.4	443.4	879.4	443.4	418.4	211.0
.4	880.3	443.8	880.3	443.8	417.5	210.5
.5	881.3	444.3	881.3	444.3	416.5	210.0
.6	882.2	444.8	882.2	444.8	415.6	209.5
.7	883.2	445.3	883.2	445.3	414.6	209.0
.8	884.1	445.7	884.1	445.7	413.7	208.6
.9	885.0	446.2	885.0	446.2	412.8	208.1
740.0	886.0	446.7	886.0	446.7	411.8	207.6
.1	886.9	447.2	886.9	447.2	410.9	207.1
.2	887.9	447.6	887.9	447.6	409.9	206.7
.3	888.8	448.1	888.8	448.1	409.0	206.2
.4	889.8	448.6	889.8	448.6	408.0	205.7
.5	890.7	449.1	890.7	449.1	407.1	205.2
.6	891.7	449.5	891.7	449.5	406.1	204.8
.7	892.6	450.0	892.6	450.0	405.2	204.3
.8	893.5	450.5	893.5	450.5	404.3	203.8
.9	894.5	451.0	894.5	451.0	403.3	203.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
741.0	895.4	451.4	895.4	451.4	402.4	202.9
.1	896.4	451.9	896.4	451.9	401.4	202.4
.2	897.3	452.4	897.3	452.4	400.5	201.9
.3	898.3	452.9	898.3	452.9	399.5	201.4
.4	899.2	453.4	899.2	453.4	398.6	201.0
.5	900.2	453.8	900.2	453.8	397.6	200.5
.6	901.1	454.3	901.1	454.3	396.7	200.0
.7	902.1	454.8	902.1	454.8	395.7	199.5
.8	903.2	455.3	903.2	455.3	394.6	199.0
.9	904.2	455.9	904.2	455.9	393.6	198.4
742.0	905.2	456.4	905.2	456.4	392.6	197.9
.1	906.2	456.9	906.2	456.9	391.6	197.4
.2	907.3	457.4	907.3	457.4	390.5	196.9
.3	908.3	457.9	908.3	457.9	389.5	196.4
.4	909.3	458.5	909.3	458.5	388.5	195.9
.5	910.4	459.0	910.4	459.0	387.4	195.3
.6	911.4	459.5	911.4	459.5	386.4	194.8
.7	912.4	460.0	912.4	460.0	385.4	194.3
.8	913.4	460.5	913.4	460.5	384.4	193.8
.9	914.5	461.0	914.5	461.0	383.3	193.3
743.0	915.5	461.6	915.5	461.6	382.3	192.7
.1	916.5	462.1	916.5	462.1	381.3	192.2
.2	917.5	462.6	917.5	462.6	380.3	191.7
.3	918.6	463.1	918.6	463.1	379.2	191.2
.4	919.6	463.6	919.6	463.6	378.2	190.7
.5	920.6	464.2	920.6	464.2	377.2	190.2
.6	921.7	464.7	921.7	464.7	376.1	189.6
.7	922.7	465.2	922.7	465.2	375.1	189.1
.8	923.7	465.7	923.7	465.7	374.1	188.6
.9	924.7	466.2	924.7	466.2	373.1	188.1
744.0	925.8	466.7	925.8	466.7	372.0	187.6
.1	926.8	467.3	926.8	467.3	371.0	187.0
.2	927.8	467.8	927.8	467.8	370.0	186.5
.3	928.9	468.3	928.9	468.3	368.9	186.0
.4	929.9	468.8	929.9	468.8	367.9	185.5
.5	930.9	469.3	930.9	469.3	366.9	185.0
.6	931.9	469.9	931.9	469.9	365.9	184.5
.7	933.0	470.4	933.0	470.4	364.8	183.9
.8	934.0	470.9	934.0	470.9	363.8	183.4
.9	935.0	471.4	935.0	471.4	362.8	182.9
745.0	936.1	471.9	936.1	471.9	361.7	182.4
.1	937.1	472.4	937.1	472.4	360.7	181.9
.2	938.1	473.0	938.1	473.0	359.7	181.3
.3	939.1	473.5	939.1	473.5	358.7	180.8
.4	940.2	474.0	940.2	474.0	357.6	180.3
.5	941.2	474.5	941.2	474.5	356.6	179.8
.6	942.2	475.0	942.2	475.0	355.6	179.3
.7	943.2	475.6	943.2	475.6	354.6	178.8
.8	944.3	476.1	944.3	476.1	353.5	178.2
.9	945.3	476.6	945.3	476.6	352.5	177.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
746.0	946.3	477.1	946.3	477.1	351.5	177.2
.1	947.4	477.6	947.4	477.6	350.4	176.7
.2	948.4	478.1	948.4	478.1	349.4	176.2
.3	949.4	478.7	949.4	478.7	348.4	175.6
.4	950.4	479.2	950.4	479.2	347.4	175.1
.5	951.5	479.7	951.5	479.7	346.3	174.6
.6	952.5	480.2	952.5	480.2	345.3	174.1
.7	953.5	480.7	953.5	480.7	344.3	173.6
.8	954.6	481.3	954.6	481.3	343.2	173.1
.9	955.6	481.8	955.6	481.8	342.2	172.5
747.0	956.6	482.3	956.6	482.3	341.2	172.0
.1	957.6	482.8	957.6	482.8	340.2	171.5
.2	958.7	483.3	958.7	483.3	339.1	171.0
.3	959.7	483.8	959.7	483.8	338.1	170.5
.4	960.7	484.4	960.7	484.4	337.1	169.9
.5	961.8	484.9	961.8	484.9	336.0	169.4
.6	962.8	485.4	962.8	485.4	335.0	168.9
.7	963.8	485.9	963.8	485.9	334.0	168.4
.8	964.8	486.4	964.8	486.4	333.0	167.9
.9	965.9	487.0	965.9	487.0	331.9	167.4
748.0	966.9	487.5	966.9	487.5	330.9	166.8
.1	967.9	488.0	967.9	488.0	329.9	166.3
.2	968.9	488.5	968.9	488.5	328.9	165.8
.3	970.0	489.0	970.0	489.0	327.8	165.3
.4	971.0	489.5	971.0	489.5	326.8	164.8
.5	972.0	490.1	972.0	490.1	325.8	164.2
.6	973.1	490.6	973.1	490.6	324.7	163.7
.7	974.1	491.1	974.1	491.1	323.7	163.2
.8	975.1	491.6	975.1	491.6	322.7	162.7
.9	976.1	492.1	976.1	492.1	321.7	162.2
749.0	977.2	492.7	977.2	492.7	320.6	161.7
.1	978.2	493.2	978.2	493.2	319.6	161.1
.2	979.2	493.7	979.2	493.7	318.6	160.6
.3	980.3	494.2	980.3	494.2	317.5	160.1
.4	981.3	494.7	981.3	494.7	316.5	159.6
.5	982.3	495.2	982.3	495.2	315.5	159.1
.6	983.3	495.8	983.3	495.8	314.5	158.5
.7	984.4	496.3	984.4	496.3	313.4	158.0
.8	985.4	496.8	985.4	496.8	312.4	157.5
.9	986.4	497.3	986.4	497.3	311.4	157.0
750.0	987.5	497.8	987.5	497.8	310.3	156.5
.1	988.5	498.4	988.5	498.4	309.3	155.9
.2	989.5	498.9	989.5	498.9	308.3	155.4
.3	990.5	499.4	990.5	499.4	307.3	154.9
.4	991.6	499.9	991.6	499.9	306.2	154.4
.5	992.6	500.4	992.6	500.4	305.2	153.9
.6	993.6	500.9	993.6	500.9	304.2	153.4
.7	994.6	501.5	994.6	501.5	303.2	152.8
.8	995.7	502.0	995.7	502.0	302.1	152.3
.9	996.7	502.5	996.7	502.5	301.1	151.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
751.0	997.7	503.0	997.7	503.0	300.1	151.3
.1	998.8	503.5	998.8	503.5	299.0	150.8
.2	999.8	504.1	999.8	504.1	298.0	150.2
.3	1000.8	504.6	1000.8	504.6	297.0	149.7
.4	1001.8	505.1	1001.8	505.1	296.0	149.2
.5	1002.9	505.6	1002.9	505.6	294.9	148.7
.6	1003.9	506.1	1003.9	506.1	293.9	148.2
.7	1004.9	506.7	1004.9	506.7	292.9	147.7
.8	1006.0	507.2	1006.0	507.2	291.8	147.1
.9	1007.0	507.7	1007.0	507.7	290.8	146.6
752.0	1008.0	508.2	1008.0	508.2	289.8	146.1
.1	1009.0	508.7	1009.0	508.7	288.8	145.6
.2	1010.1	509.2	1010.1	509.2	287.7	145.1
.3	1011.1	509.8	1011.1	509.8	286.7	144.5
.4	1012.1	510.3	1012.1	510.3	285.7	144.0
.5	1013.1	510.8	1013.1	510.8	284.7	143.5
.6	1014.2	511.3	1014.2	511.3	283.6	143.0
.7	1015.2	511.8	1015.2	511.8	282.6	142.5
.8	1016.2	512.4	1016.2	512.4	281.6	142.0
.9	1017.3	512.9	1017.3	512.9	280.5	141.4
753.0	1018.3	513.4	1018.3	513.4	279.5	140.9
.1	1019.3	513.9	1019.3	513.9	278.5	140.4
.2	1020.3	514.4	1020.3	514.4	277.5	139.9
.3	1021.4	514.9	1021.4	514.9	276.4	139.4
.4	1022.4	515.5	1022.4	515.5	275.4	138.8
.5	1023.4	516.0	1023.4	516.0	274.4	138.3
.6	1024.5	516.5	1024.5	516.5	273.3	137.8
.7	1025.5	517.0	1025.5	517.0	272.3	137.3
.8	1026.5	517.5	1026.5	517.5	271.3	136.8
.9	1027.5	518.1	1027.5	518.1	270.3	136.3
754.0	1028.6	518.6	1028.6	518.6	269.2	135.7
.1	1029.6	519.1	1029.6	519.1	268.2	135.2
.2	1030.6	519.6	1030.6	519.6	267.2	134.7
.3	1031.7	520.1	1031.7	520.1	266.1	134.2
.4	1032.7	520.6	1032.7	520.6	265.1	133.7
.5	1033.7	521.2	1033.7	521.2	264.1	133.1
.6	1034.7	521.7	1034.7	521.7	263.1	132.6
.7	1035.8	522.2	1035.8	522.2	262.0	132.1
.8	1036.8	522.7	1036.8	522.7	261.0	131.6
.9	1037.8	523.2	1037.8	523.2	260.0	131.1
755.0	1038.8	523.8	1038.8	523.8	259.0	130.6
.1	1039.9	524.3	1039.9	524.3	257.9	130.0
.2	1040.9	524.8	1040.9	524.8	256.9	129.5
.3	1041.9	525.3	1041.9	525.3	255.9	129.0
.4	1043.0	525.8	1043.0	525.8	254.8	128.5
.5	1044.0	526.3	1044.0	526.3	253.8	128.0
.6	1045.0	526.9	1045.0	526.9	252.8	127.4
.7	1046.0	527.4	1046.0	527.4	251.8	126.9
.8	1047.1	527.9	1047.1	527.9	250.7	126.4
.9	1048.1	528.4	1048.1	528.4	249.7	125.9

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
756.0	1049.1	528.9	1049.1	528.9	248.7	125.4
.1	1050.2	529.5	1050.2	529.5	247.6	124.9
.2	1051.2	530.0	1051.2	530.0	246.6	124.3
.3	1052.2	530.5	1052.2	530.5	245.6	123.8
.4	1053.2	531.0	1053.2	531.0	244.6	123.3
.5	1054.3	531.5	1054.3	531.5	243.5	122.8
.6	1055.3	532.0	1055.3	532.0	242.5	122.3
.7	1056.3	532.6	1056.3	532.6	241.5	121.7
.8	1057.4	533.1	1057.4	533.1	240.4	121.2
.9	1058.4	533.6	1058.4	533.6	239.4	120.7
757.0	1059.4	534.1	1059.4	534.1	238.4	120.2
.1	1060.4	534.6	1060.4	534.6	237.4	119.7
.2	1061.5	535.2	1061.5	535.2	236.3	119.2
.3	1062.5	535.7	1062.5	535.7	235.3	118.6
.4	1063.5	536.2	1063.5	536.2	234.3	118.1
.5	1064.5	536.7	1064.5	536.7	233.3	117.6
.6	1065.6	537.2	1065.6	537.2	232.2	117.1
.7	1066.6	537.7	1066.6	537.7	231.2	116.6
.8	1067.6	538.3	1067.6	538.3	230.2	116.0
.9	1068.7	538.8	1068.7	538.8	229.1	115.5
758.0	1069.7	539.3	1069.7	539.3	228.1	115.0
.1	1070.7	539.8	1070.7	539.8	227.1	114.5
.2	1071.7	540.3	1071.7	540.3	226.1	114.0
.3	1072.8	540.9	1072.8	540.9	225.0	113.5
.4	1073.8	541.4	1073.8	541.4	224.0	112.9
.5	1074.8	541.9	1074.8	541.9	223.0	112.4
.6	1075.9	542.4	1075.9	542.4	221.9	111.9
.7	1076.9	542.9	1076.9	542.9	220.9	111.4
.8	1077.9	543.4	1077.9	543.4	219.9	110.9
.9	1078.9	544.0	1078.9	544.0	218.9	110.3
759.0	1080.0	544.5	1080.0	544.5	217.8	109.8
.1	1081.0	545.0	1081.0	545.0	216.8	109.3
.2	1082.0	545.5	1082.0	545.5	215.8	108.8
.3	1083.1	546.0	1083.1	546.0	214.7	108.3
.4	1084.1	546.6	1084.1	546.6	213.7	107.8
.5	1085.1	547.1	1085.1	547.1	212.7	107.2
.6	1086.1	547.6	1086.1	547.6	211.7	106.7
.7	1087.2	548.1	1087.2	548.1	210.6	106.2
.8	1088.2	548.6	1088.2	548.6	209.6	105.7
.9	1089.2	549.1	1089.2	549.1	208.6	105.2
760.0	1090.2	549.7	1090.2	549.7	207.6	104.6
.1	1091.3	550.2	1091.3	550.2	206.5	104.1
.2	1092.3	550.7	1092.3	550.7	205.5	103.6
.3	1093.3	551.2	1093.3	551.2	204.5	103.1
.4	1094.4	551.7	1094.4	551.7	203.4	102.6
.5	1095.4	552.3	1095.4	552.3	202.4	102.0
.6	1096.4	552.8	1096.4	552.8	201.4	101.5
.7	1097.4	553.3	1097.4	553.3	200.4	101.0
.8	1098.5	553.8	1098.5	553.8	199.3	100.5
.9	1099.5	554.3	1099.5	554.3	198.3	100.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
761.0	1100.6	554.9	1100.6	554.9	197.2	99.4
.1	1101.8	555.5	1101.8	555.5	196.0	98.8
.2	1102.9	556.0	1102.9	556.0	194.9	98.3
.3	1104.0	556.6	1104.0	556.6	193.8	97.7
.4	1105.1	557.2	1105.1	557.2	192.7	97.1
.5	1106.3	557.7	1106.3	557.7	191.5	96.6
.6	1107.4	558.3	1107.4	558.3	190.4	96.0
.7	1108.5	558.9	1108.5	558.9	189.3	95.4
.8	1109.6	559.4	1109.6	559.4	188.2	94.9
.9	1110.8	560.0	1110.8	560.0	187.0	94.3
762.0	1111.9	560.6	1111.9	560.6	185.9	93.7
.1	1113.0	561.1	1113.0	561.1	184.8	93.2
.2	1114.1	561.7	1114.1	561.7	183.7	92.6
.3	1115.3	562.3	1115.3	562.3	182.5	92.0
.4	1116.4	562.9	1116.4	562.9	181.4	91.5
.5	1117.5	563.4	1117.5	563.4	180.3	90.9
.6	1118.7	564.0	1118.7	564.0	179.1	90.3
.7	1119.8	564.6	1119.8	564.6	178.0	89.8
.8	1120.9	565.1	1120.9	565.1	176.9	89.2
.9	1122.0	565.7	1122.0	565.7	175.8	88.6
763.0	1123.2	566.3	1123.2	566.3	174.6	88.0
.1	1124.3	566.8	1124.3	566.8	173.5	87.5
.2	1125.4	567.4	1125.4	567.4	172.4	86.9
.3	1126.5	568.0	1126.5	568.0	171.3	86.3
.4	1127.7	568.5	1127.7	568.5	170.1	85.8
.5	1128.8	569.1	1128.8	569.1	169.0	85.2
.6	1129.9	569.7	1129.9	569.7	167.9	84.6
.7	1131.0	570.2	1131.0	570.2	166.8	84.1
.8	1132.2	570.8	1132.2	570.8	165.6	83.5
.9	1133.3	571.4	1133.3	571.4	164.5	82.9
764.0	1134.4	571.9	1134.4	571.9	163.4	82.4
.1	1135.6	572.5	1135.6	572.5	162.2	81.8
.2	1136.7	573.1	1136.7	573.1	161.1	81.2
.3	1137.8	573.6	1137.8	573.6	160.0	80.7
.4	1138.9	574.2	1138.9	574.2	158.9	80.1
.5	1140.1	574.8	1140.1	574.8	157.7	79.5
.6	1141.2	575.3	1141.2	575.3	156.6	79.0
.7	1142.3	575.9	1142.3	575.9	155.5	78.4
.8	1143.4	576.5	1143.4	576.5	154.4	77.8
.9	1144.6	577.1	1144.6	577.1	153.2	77.3
765.0	1145.7	577.6	1145.7	577.6	152.1	76.7
.1	1146.8	578.2	1146.8	578.2	151.0	76.1
.2	1147.9	578.8	1147.9	578.8	149.9	75.6
.3	1149.1	579.3	1149.1	579.3	148.7	75.0
.4	1150.2	579.9	1150.2	579.9	147.6	74.4
.5	1151.3	580.5	1151.3	580.5	146.5	73.8
.6	1152.5	581.0	1152.5	581.0	145.3	73.3
.7	1153.6	581.6	1153.6	581.6	144.2	72.7
.8	1154.7	582.2	1154.7	582.2	143.1	72.1
.9	1155.8	582.7	1155.8	582.7	142.0	71.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
766.0	1157.0	583.3	1157.0	583.3	140.8	71.0
.1	1158.1	583.9	1158.1	583.9	139.7	70.4
.2	1159.2	584.4	1159.2	584.4	138.6	69.9
.3	1160.3	585.0	1160.3	585.0	137.5	69.3
.4	1161.5	585.6	1161.5	585.6	136.3	68.7
.5	1162.6	586.1	1162.6	586.1	135.2	68.2
.6	1163.7	586.7	1163.7	586.7	134.1	67.6
.7	1164.8	587.3	1164.8	587.3	133.0	67.0
.8	1166.0	587.8	1166.0	587.8	131.8	66.5
.9	1167.1	588.4	1167.1	588.4	130.7	65.9
767.0	1168.2	589.0	1168.2	589.0	129.6	65.3
.1	1169.4	589.5	1169.4	589.5	128.4	64.8
.2	1170.5	590.1	1170.5	590.1	127.3	64.2
.3	1171.6	590.7	1171.6	590.7	126.2	63.6
.4	1172.7	591.3	1172.7	591.3	125.1	63.1
.5	1173.9	591.8	1173.9	591.8	123.9	62.5
.6	1175.0	592.4	1175.0	592.4	122.8	61.9
.7	1176.1	593.0	1176.1	593.0	121.7	61.3
.8	1177.2	593.5	1177.2	593.5	120.6	60.8
.9	1178.4	594.1	1178.4	594.1	119.4	60.2
768.0	1179.5	594.7	1179.5	594.7	118.3	59.6
.1	1180.6	595.2	1180.6	595.2	117.2	59.1
.2	1181.7	595.8	1181.7	595.8	116.1	58.5
.3	1182.9	596.4	1182.9	596.4	114.9	57.9
.4	1184.0	596.9	1184.0	596.9	113.8	57.4
.5	1185.1	597.5	1185.1	597.5	112.7	56.8
.6	1186.3	598.1	1186.3	598.1	111.5	56.2
.7	1187.4	598.6	1187.4	598.6	110.4	55.7
.8	1188.5	599.2	1188.5	599.2	109.3	55.1
.9	1189.6	599.8	1189.6	599.8	108.2	54.5
769.0	1190.8	600.3	1190.8	600.3	107.0	54.0
.1	1191.9	600.9	1191.9	600.9	105.9	53.4
.2	1193.0	601.5	1193.0	601.5	104.8	52.8
.3	1194.1	602.0	1194.1	602.0	103.7	52.3
.4	1195.3	602.6	1195.3	602.6	102.5	51.7
.5	1196.4	603.2	1196.4	603.2	101.4	51.1
.6	1197.5	603.8	1197.5	603.8	100.3	50.6
.7	1198.7	604.3	1198.7	604.3	99.1	50.0
.8	1199.8	604.9	1199.8	604.9	98.0	49.4
.9	1200.9	605.5	1200.9	605.5	96.9	48.9
770.0	1202.0	606.0	1202.0	606.0	95.8	48.3
.1	1203.2	606.6	1203.2	606.6	94.6	47.7
.2	1204.3	607.2	1204.3	607.2	93.5	47.1
.3	1205.4	607.7	1205.4	607.7	92.4	46.6
.4	1206.5	608.3	1206.5	608.3	91.3	46.0
.5	1207.7	608.9	1207.7	608.9	90.1	45.4
.6	1208.8	609.4	1208.8	609.4	89.0	44.9
.7	1209.9	610.0	1209.9	610.0	87.9	44.3
.8	1211.0	610.6	1211.0	610.6	86.8	43.7
.9	1212.2	611.1	1212.2	611.1	85.6	43.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
771.0	1213.3	611.7	1213.3	611.7	84.5	42.6
.1	1214.4	612.3	1214.4	612.3	83.4	42.0
.2	1215.6	612.8	1215.6	612.8	82.2	41.5
.3	1216.7	613.4	1216.7	613.4	81.1	40.9
.4	1217.8	614.0	1217.8	614.0	80.0	40.3
.5	1218.9	614.5	1218.9	614.5	78.9	39.8
.6	1220.1	615.1	1220.1	615.1	77.7	39.2
.7	1221.2	615.7	1221.2	615.7	76.6	38.6
.8	1222.3	616.2	1222.3	616.2	75.5	38.1
.9	1223.4	616.8	1223.4	616.8	74.4	37.5
772.0	1224.6	617.4	1224.6	617.4	73.2	36.9
.1	1225.7	618.0	1225.7	618.0	72.1	36.4
.2	1226.8	618.5	1226.8	618.5	71.0	35.8
.3	1227.9	619.1	1227.9	619.1	69.9	35.2
.4	1229.1	619.7	1229.1	619.7	68.7	34.7
.5	1230.2	620.2	1230.2	620.2	67.6	34.1
.6	1231.3	620.8	1231.3	620.8	66.5	33.5
.7	1232.5	621.4	1232.5	621.4	65.3	32.9
.8	1233.6	621.9	1233.6	621.9	64.2	32.4
.9	1234.7	622.5	1234.7	622.5	63.1	31.8
773.0	1235.8	623.1	1235.8	623.1	62.0	31.2
.1	1237.0	623.6	1237.0	623.6	60.8	30.7
.2	1238.1	624.2	1238.1	624.2	59.7	30.1
.3	1239.2	624.8	1239.2	624.8	58.6	29.5
.4	1240.3	625.3	1240.3	625.3	57.5	29.0
.5	1241.5	625.9	1241.5	625.9	56.3	28.4
.6	1242.6	626.5	1242.6	626.5	55.2	27.8
.7	1243.7	627.0	1243.7	627.0	54.1	27.3
.8	1244.8	627.6	1244.8	627.6	53.0	26.7
.9	1246.0	628.2	1246.0	628.2	51.8	26.1
774.0	1247.1	628.7	1247.1	628.7	50.7	25.6
.1	1248.2	629.3	1248.2	629.3	49.6	25.0
.2	1249.4	629.9	1249.4	629.9	48.4	24.4
.3	1250.5	630.4	1250.5	630.4	47.3	23.9
.4	1251.6	631.0	1251.6	631.0	46.2	23.3
.5	1252.7	631.6	1252.7	631.6	45.1	22.7
.6	1253.9	632.2	1253.9	632.2	43.9	22.2
.7	1255.0	632.7	1255.0	632.7	42.8	21.6
.8	1256.1	633.3	1256.1	633.3	41.7	21.0
.9	1257.2	633.9	1257.2	633.9	40.6	20.4
775.0	1258.4	634.4	1258.4	634.4	39.4	19.9
.1	1259.5	635.0	1259.5	635.0	38.3	19.3
.2	1260.6	635.6	1260.6	635.6	37.2	18.7
.3	1261.7	636.1	1261.7	636.1	36.1	18.2
.4	1262.9	636.7	1262.9	636.7	34.9	17.6
.5	1264.0	637.3	1264.0	637.3	33.8	17.0
.6	1265.1	637.8	1265.1	637.8	32.7	16.5
.7	1266.3	638.4	1266.3	638.4	31.5	15.9
.8	1267.4	639.0	1267.4	639.0	30.4	15.3
.9	1268.5	639.5	1268.5	639.5	29.3	14.8

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
776.0	1269.6	640.1	1269.6	640.1	28.2	14.2
.1	1270.8	640.7	1270.8	640.7	27.0	13.6
.2	1271.9	641.2	1271.9	641.2	25.9	13.1
.3	1273.0	641.8	1273.0	641.8	24.8	12.5
.4	1274.1	642.4	1274.1	642.4	23.7	11.9
.5	1275.3	642.9	1275.3	642.9	22.5	11.4
.6	1276.4	643.5	1276.4	643.5	21.4	10.8
.7	1277.5	644.1	1277.5	644.1	20.3	10.2
.8	1278.6	644.7	1278.6	644.7	19.2	9.7
.9	1279.8	645.2	1279.8	645.2	18.0	9.1
777.0	1280.9	645.8	1280.9	645.8	16.9	8.5
.1	1282.0	646.4	1282.0	646.4	15.8	8.0
.2	1283.2	646.9	1283.2	646.9	14.6	7.4
.3	1284.3	647.5	1284.3	647.5	13.5	6.8
.4	1285.4	648.1	1285.4	648.1	12.4	6.2
.5	1286.5	648.6	1286.5	648.6	11.3	5.7
.6	1287.7	649.2	1287.7	649.2	10.1	5.1
.7	1288.8	649.8	1288.8	649.8	9.0	4.5
.8	1289.9	650.3	1289.9	650.3	7.9	4.0
.9	1291.0	650.9	1291.0	650.9	6.8	3.4
778.0	1292.2	651.5	1292.2	651.5	5.6	2.8
.1	1293.3	652.0	1293.3	652.0	4.5	2.3
.2	1294.4	652.6	1294.4	652.6	3.4	1.7
.3	1295.5	653.2	1295.5	653.2	2.3	1.1
.4	1296.7	653.7	1296.7	653.7	1.1	0.6
.5 SUB	1297.8	654.3	1297.8	654.3	0.0	0.0
.6	1298.9	654.9				
.7	1300.1	655.4				
.8	1301.2	656.0				
.9	1302.3	656.6				
779.0	1303.4	657.1				

Mossyrock

293

Reservoir Storage Tables

PROJECT NAME: TIMOTHY

PROJECT NUMBER: 166

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) =   61.70 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3125.0	SLB	0.0	0.0	0.0	0.0	61.7	31.1
.1		0.1	0.0	0.1	0.0	61.6	31.1
.2		0.1	0.1	0.1	0.1	61.6	31.1
.3		0.2	0.1	0.2	0.1	61.5	31.0
.4		0.2	0.1	0.2	0.1	61.5	31.0
.5		0.3	0.1	0.3	0.1	61.4	31.0
.6		0.3	0.2	0.3	0.2	61.4	31.0
.7		0.4	0.2	0.4	0.2	61.3	30.9
.8		0.4	0.2	0.4	0.2	61.3	30.9
.9		0.5	0.2	0.5	0.2	61.2	30.9
3126.0		0.5	0.3	0.5	0.3	61.2	30.9
.1		0.6	0.3	0.6	0.3	61.1	30.8
.2		0.6	0.3	0.6	0.3	61.1	30.8
.3		0.7	0.3	0.7	0.3	61.0	30.8
.4		0.7	0.4	0.7	0.4	61.0	30.7
.5		0.8	0.4	0.8	0.4	60.9	30.7
.6		0.8	0.4	0.8	0.4	60.9	30.7
.7		0.9	0.4	0.9	0.4	60.8	30.7
.8		0.9	0.5	0.9	0.5	60.8	30.6
.9		1.0	0.5	1.0	0.5	60.7	30.6
3127.0		1.0	0.5	1.0	0.5	60.7	30.6
.1		1.1	0.5	1.1	0.5	60.6	30.6
.2		1.1	0.6	1.1	0.6	60.6	30.5
.3		1.2	0.6	1.2	0.6	60.5	30.5
.4		1.2	0.6	1.2	0.6	60.5	30.5
.5		1.3	0.6	1.3	0.6	60.4	30.5
.6		1.3	0.7	1.3	0.7	60.4	30.4
.7		1.4	0.7	1.4	0.7	60.3	30.4
.8		1.4	0.7	1.4	0.7	60.3	30.4
.9		1.5	0.7	1.5	0.7	60.2	30.4
3128.0		1.5	0.8	1.5	0.8	60.2	30.3
.1		1.6	0.8	1.6	0.8	60.1	30.3
.2		1.6	0.8	1.6	0.8	60.1	30.3
.3		1.7	0.8	1.7	0.8	60.0	30.3
.4		1.7	0.9	1.7	0.9	60.0	30.2
.5		1.8	0.9	1.8	0.9	59.9	30.2
.6		1.8	0.9	1.8	0.9	59.9	30.2
.7		1.9	0.9	1.9	0.9	59.8	30.2
.8		1.9	1.0	1.9	1.0	59.8	30.1
.9		2.0	1.0	2.0	1.0	59.7	30.1
3129.0		2.0	1.0	2.0	1.0	59.7	30.1
.1		2.1	1.0	2.1	1.0	59.6	30.1
.2		2.1	1.1	2.1	1.1	59.6	30.0
.3		2.2	1.1	2.2	1.1	59.5	30.0
.4		2.2	1.1	2.2	1.1	59.5	30.0
.5		2.3	1.1	2.3	1.1	59.4	30.0
.6		2.3	1.2	2.3	1.2	59.4	29.9
.7		2.4	1.2	2.4	1.2	59.3	29.9
.8		2.4	1.2	2.4	1.2	59.3	29.9
.9		2.5	1.3	2.5	1.3	59.2	29.9

TIMOTHY

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3130.0	2.5	1.3	2.5	1.3	59.2	29.8
.1	2.6	1.3	2.6	1.3	59.1	29.8
.2	2.6	1.3	2.6	1.3	59.1	29.8
.3	2.7	1.4	2.7	1.4	59.0	29.8
.4	2.7	1.4	2.7	1.4	59.0	29.7
.5	2.8	1.4	2.8	1.4	58.9	29.7
.6	2.8	1.4	2.8	1.4	58.9	29.7
.7	2.9	1.5	2.9	1.5	58.8	29.7
.8	2.9	1.5	2.9	1.5	58.8	29.6
.9	3.0	1.5	3.0	1.5	58.7	29.6
3131.0	3.0	1.5	3.0	1.5	58.7	29.6
.1	3.1	1.6	3.1	1.6	58.6	29.6
.2	3.1	1.6	3.1	1.6	58.6	29.5
.3	3.2	1.6	3.2	1.6	58.5	29.5
.4	3.2	1.6	3.2	1.6	58.5	29.5
.5	3.3	1.7	3.3	1.7	58.4	29.4
.6	3.3	1.7	3.3	1.7	58.4	29.4
.7	3.4	1.7	3.4	1.7	58.3	29.4
.8	3.4	1.7	3.4	1.7	58.3	29.4
.9	3.5	1.8	3.5	1.8	58.2	29.3
3132.0	3.5	1.8	3.5	1.8	58.2	29.3
.1	3.6	1.8	3.6	1.8	58.1	29.3
.2	3.6	1.8	3.6	1.8	58.1	29.3
.3	3.7	1.9	3.7	1.9	58.0	29.2
.4	3.7	1.9	3.7	1.9	58.0	29.2
.5	3.8	1.9	3.8	1.9	57.9	29.2
.6	3.8	1.9	3.8	1.9	57.9	29.2
.7	3.9	2.0	3.9	2.0	57.8	29.1
.8	3.9	2.0	3.9	2.0	57.8	29.1
.9	4.0	2.0	4.0	2.0	57.7	29.1
3133.0	4.0	2.0	4.0	2.0	57.7	29.1
.1	4.1	2.1	4.1	2.1	57.6	29.0
.2	4.1	2.1	4.1	2.1	57.6	29.0
.3	4.2	2.1	4.2	2.1	57.5	29.0
.4	4.3	2.2	4.3	2.2	57.4	29.0
.5	4.3	2.2	4.3	2.2	57.4	28.9
.6	4.4	2.2	4.4	2.2	57.3	28.9
.7	4.5	2.2	4.5	2.2	57.2	28.9
.8	4.5	2.3	4.5	2.3	57.2	28.8
.9	4.6	2.3	4.6	2.3	57.1	28.8
3134.0	4.7	2.3	4.7	2.3	57.0	28.8
.1	4.7	2.4	4.7	2.4	57.0	28.7
.2	4.8	2.4	4.8	2.4	56.9	28.7
.3	4.9	2.4	4.9	2.4	56.8	28.7
.4	4.9	2.5	4.9	2.5	56.8	28.6
.5	5.0	2.5	5.0	2.5	56.7	28.6
.6	5.1	2.5	5.1	2.5	56.6	28.6
.7	5.1	2.6	5.1	2.6	56.6	28.5
.8	5.2	2.6	5.2	2.6	56.5	28.5
.9	5.2	2.6	5.2	2.6	56.5	28.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3135.0	5.3	2.7	5.3	2.7	56.4	28.4
.1	5.4	2.7	5.4	2.7	56.3	28.4
.2	5.4	2.7	5.4	2.7	56.3	28.4
.3	5.5	2.8	5.5	2.8	56.2	28.3
.4	5.6	2.8	5.6	2.8	56.1	28.3
.5	5.6	2.8	5.6	2.8	56.1	28.3
.6	5.7	2.9	5.7	2.9	56.0	28.2
.7	5.8	2.9	5.8	2.9	55.9	28.2
.8	5.8	2.9	5.8	2.9	55.9	28.2
.9	5.9	3.0	5.9	3.0	55.8	28.1
3136.0	6.0	3.0	6.0	3.0	55.7	28.1
.1	6.0	3.0	6.0	3.0	55.7	28.1
.2	6.1	3.1	6.1	3.1	55.6	28.0
.3	6.2	3.1	6.2	3.1	55.5	28.0
.4	6.2	3.1	6.2	3.1	55.5	28.0
.5	6.3	3.2	6.3	3.2	55.4	27.9
.6	6.4	3.2	6.4	3.2	55.3	27.9
.7	6.4	3.2	6.4	3.2	55.3	27.9
.8	6.5	3.3	6.5	3.3	55.2	27.8
.9	6.6	3.3	6.6	3.3	55.1	27.8
3137.0	6.6	3.3	6.6	3.3	55.1	27.8
.1	6.7	3.4	6.7	3.4	55.0	27.7
.2	6.8	3.4	6.8	3.4	54.9	27.7
.3	6.8	3.4	6.8	3.4	54.9	27.7
.4	6.9	3.5	6.9	3.5	54.8	27.6
.5	6.9	3.5	6.9	3.5	54.8	27.6
.6	7.0	3.5	7.0	3.5	54.7	27.6
.7	7.1	3.6	7.1	3.6	54.6	27.5
.8	7.1	3.6	7.1	3.6	54.6	27.5
.9	7.2	3.6	7.2	3.6	54.5	27.5
3138.0	7.3	3.7	7.3	3.7	54.4	27.4
.1	7.3	3.7	7.3	3.7	54.4	27.4
.2	7.4	3.7	7.4	3.7	54.3	27.4
.3	7.5	3.8	7.5	3.8	54.2	27.3
.4	7.5	3.8	7.5	3.8	54.2	27.3
.5	7.6	3.8	7.6	3.8	54.1	27.3
.6	7.7	3.9	7.7	3.9	54.0	27.2
.7	7.7	3.9	7.7	3.9	54.0	27.2
.8	7.8	3.9	7.8	3.9	53.9	27.2
.9	7.9	4.0	7.9	4.0	53.8	27.1
3139.0	7.9	4.0	7.9	4.0	53.8	27.1
.1	8.0	4.0	8.0	4.0	53.7	27.1
.2	8.1	4.1	8.1	4.1	53.6	27.0
.3	8.1	4.1	8.1	4.1	53.6	27.0
.4	8.2	4.1	8.2	4.1	53.5	27.0
.5	8.3	4.2	8.3	4.2	53.4	26.9
.6	8.3	4.2	8.3	4.2	53.4	26.9
.7	8.4	4.2	8.4	4.2	53.3	26.9
.8	8.5	4.3	8.5	4.3	53.2	26.8
.9	8.5	4.3	8.5	4.3	53.2	26.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3140.0	8.6	4.3	8.6	4.3	53.1	26.8
.1	8.7	4.4	8.7	4.4	53.0	26.7
.2	8.7	4.4	8.7	4.4	53.0	26.7
.3	8.8	4.4	8.8	4.4	52.9	26.7
.4	8.8	4.5	8.8	4.5	52.9	26.6
.5	8.9	4.5	8.9	4.5	52.8	26.6
.6	9.0	4.5	9.0	4.5	52.7	26.6
.7	9.0	4.6	9.0	4.6	52.7	26.5
.8	9.1	4.6	9.1	4.6	52.6	26.5
.9	9.2	4.6	9.2	4.6	52.5	26.5
3141.0	9.2	4.7	9.2	4.7	52.5	26.4
.1	9.3	4.7	9.3	4.7	52.4	26.4
.2	9.4	4.7	9.4	4.7	52.3	26.4
.3	9.4	4.8	9.4	4.8	52.3	26.3
.4	9.5	4.8	9.5	4.8	52.2	26.3
.5	9.6	4.8	9.6	4.8	52.1	26.3
.6	9.6	4.9	9.6	4.9	52.1	26.2
.7	9.7	4.9	9.7	4.9	52.0	26.2
.8	9.8	4.9	9.8	4.9	51.9	26.2
.9	9.9	5.0	9.9	5.0	51.8	26.1
3142.0	9.9	5.0	9.9	5.0	51.8	26.1
.1	10.0	5.1	10.0	5.1	51.7	26.1
.2	10.1	5.1	10.1	5.1	51.6	26.0
.3	10.2	5.1	10.2	5.1	51.5	26.0
.4	10.3	5.2	10.3	5.2	51.4	25.9
.5	10.3	5.2	10.3	5.2	51.4	25.9
.6	10.4	5.3	10.4	5.3	51.3	25.8
.7	10.5	5.3	10.5	5.3	51.2	25.8
.8	10.6	5.3	10.6	5.3	51.1	25.8
.9	10.7	5.4	10.7	5.4	51.0	25.7
3143.0	10.8	5.4	10.8	5.4	50.9	25.7
.1	10.8	5.5	10.8	5.5	50.9	25.6
.2	10.9	5.5	10.9	5.5	50.8	25.6
.3	11.0	5.5	11.0	5.5	50.7	25.6
.4	11.1	5.6	11.1	5.6	50.6	25.5
.5	11.2	5.6	11.2	5.6	50.5	25.5
.6	11.2	5.7	11.2	5.7	50.5	25.4
.7	11.3	5.7	11.3	5.7	50.4	25.4
.8	11.4	5.7	11.4	5.7	50.3	25.4
.9	11.5	5.8	11.5	5.8	50.2	25.3
3144.0	11.6	5.8	11.6	5.8	50.1	25.3
.1	11.6	5.9	11.6	5.9	50.1	25.2
.2	11.7	5.9	11.7	5.9	50.0	25.2
.3	11.8	6.0	11.8	6.0	49.9	25.2
.4	11.9	6.0	11.9	6.0	49.8	25.1
.5	12.0	6.0	12.0	6.0	49.7	25.1
.6	12.0	6.1	12.0	6.1	49.7	25.0
.7	12.1	6.1	12.1	6.1	49.6	25.0
.8	12.2	6.2	12.2	6.2	49.5	25.0
.9	12.3	6.2	12.3	6.2	49.4	24.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3145.0	12.4	6.2	12.4	6.2	49.3	24.9
.1	12.5	6.3	12.5	6.3	49.2	24.8
.2	12.5	6.3	12.5	6.3	49.2	24.8
.3	12.6	6.4	12.6	6.4	49.1	24.7
.4	12.7	6.4	12.7	6.4	49.0	24.7
.5	12.8	6.4	12.8	6.4	48.9	24.7
.6	12.9	6.5	12.9	6.5	48.8	24.6
.7	12.9	6.5	12.9	6.5	48.8	24.6
.8	13.0	6.6	13.0	6.6	48.7	24.5
.9	13.1	6.6	13.1	6.6	48.6	24.5
3146.0	13.2	6.6	13.2	6.6	48.5	24.5
.1	13.3	6.7	13.3	6.7	48.4	24.4
.2	13.3	6.7	13.3	6.7	48.4	24.4
.3	13.4	6.8	13.4	6.8	48.3	24.3
.4	13.5	6.8	13.5	6.8	48.2	24.3
.5	13.6	6.8	13.6	6.8	48.1	24.3
.6	13.7	6.9	13.7	6.9	48.0	24.2
.7	13.7	6.9	13.7	6.9	48.0	24.2
.8	13.8	7.0	13.8	7.0	47.9	24.1
.9	13.9	7.0	13.9	7.0	47.8	24.1
3147.0	14.0	7.1	14.0	7.1	47.7	24.1
.1	14.1	7.1	14.1	7.1	47.6	24.0
.2	14.2	7.1	14.2	7.1	47.5	24.0
.3	14.2	7.2	14.2	7.2	47.5	23.9
.4	14.3	7.2	14.3	7.2	47.4	23.9
.5	14.4	7.3	14.4	7.3	47.3	23.8
.6	14.5	7.3	14.5	7.3	47.2	23.8
.7	14.6	7.3	14.6	7.3	47.1	23.8
.8	14.6	7.4	14.6	7.4	47.1	23.7
.9	14.7	7.4	14.7	7.4	47.0	23.7
3148.0	14.8	7.5	14.8	7.5	46.9	23.6
.1	14.9	7.5	14.9	7.5	46.8	23.6
.2	15.0	7.5	15.0	7.5	46.7	23.6
.3	15.0	7.6	15.0	7.6	46.7	23.5
.4	15.1	7.6	15.1	7.6	46.6	23.5
.5	15.2	7.7	15.2	7.7	46.5	23.4
.6	15.3	7.7	15.3	7.7	46.4	23.4
.7	15.4	7.7	15.4	7.7	46.3	23.4
.8	15.4	7.8	15.4	7.8	46.3	23.3
.9	15.5	7.8	15.5	7.8	46.2	23.3
3149.0	15.6	7.9	15.6	7.9	46.1	23.2
.1	15.7	7.9	15.7	7.9	46.0	23.2
.2	15.8	8.0	15.8	8.0	45.9	23.2
.3	15.9	8.0	15.9	8.0	45.8	23.1
.4	15.9	8.0	15.9	8.0	45.8	23.1
.5	16.0	8.1	16.0	8.1	45.7	23.0
.6	16.1	8.1	16.1	8.1	45.6	23.0
.7	16.2	8.2	16.2	8.2	45.5	23.0
.8	16.3	8.2	16.3	8.2	45.4	22.9
.9	16.3	8.2	16.3	8.2	45.4	22.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3150.0	16.4	8.3	16.4	8.3	45.3	22.8
.1	16.5	8.3	16.5	8.3	45.2	22.8
.2	16.6	8.4	16.6	8.4	45.1	22.7
.3	16.7	8.4	16.7	8.4	45.0	22.7
.4	16.8	8.5	16.8	8.5	44.9	22.7
.5	16.9	8.5	16.9	8.5	44.8	22.6
.6	17.0	8.5	17.0	8.5	44.7	22.6
.7	17.0	8.6	17.0	8.6	44.7	22.5
.8	17.1	8.6	17.1	8.6	44.6	22.5
.9	17.2	8.7	17.2	8.7	44.5	22.4
3151.0	17.3	8.7	17.3	8.7	44.4	22.4
.1	17.4	8.8	17.4	8.8	44.3	22.3
.2	17.5	8.8	17.5	8.8	44.2	22.3
.3	17.6	8.9	17.6	8.9	44.1	22.2
.4	17.7	8.9	17.7	8.9	44.0	22.2
.5	17.8	9.0	17.8	9.0	43.9	22.1
.6	17.9	9.0	17.9	9.0	43.8	22.1
.7	18.0	9.1	18.0	9.1	43.7	22.1
.8	18.1	9.1	18.1	9.1	43.6	22.0
.9	18.1	9.1	18.1	9.1	43.6	22.0
3152.0	18.2	9.2	18.2	9.2	43.5	21.9
.1	18.3	9.2	18.3	9.2	43.4	21.9
.2	18.4	9.3	18.4	9.3	43.3	21.8
.3	18.5	9.3	18.5	9.3	43.2	21.8
.4	18.6	9.4	18.6	9.4	43.1	21.7
.5	18.7	9.4	18.7	9.4	43.0	21.7
.6	18.8	9.5	18.8	9.5	42.9	21.6
.7	18.9	9.5	18.9	9.5	42.8	21.6
.8	19.0	9.6	19.0	9.6	42.7	21.5
.9	19.1	9.6	19.1	9.6	42.6	21.5
3153.0	19.1	9.7	19.1	9.7	42.6	21.5
.1	19.2	9.7	19.2	9.7	42.5	21.4
.2	19.3	9.7	19.3	9.7	42.4	21.4
.3	19.4	9.8	19.4	9.8	42.3	21.3
.4	19.5	9.8	19.5	9.8	42.2	21.3
.5	19.6	9.9	19.6	9.9	42.1	21.2
.6	19.7	9.9	19.7	9.9	42.0	21.2
.7	19.8	10.0	19.8	10.0	41.9	21.1
.8	19.9	10.0	19.9	10.0	41.8	21.1
.9	20.0	10.1	20.0	10.1	41.7	21.0
3154.0	20.1	10.1	20.1	10.1	41.6	21.0
.1	20.2	10.2	20.2	10.2	41.5	20.9
.2	20.2	10.2	20.2	10.2	41.5	20.9
.3	20.3	10.3	20.3	10.3	41.4	20.9
.4	20.4	10.3	20.4	10.3	41.3	20.8
.5	20.5	10.3	20.5	10.3	41.2	20.8
.6	20.6	10.4	20.6	10.4	41.1	20.7
.7	20.7	10.4	20.7	10.4	41.0	20.7
.8	20.8	10.5	20.8	10.5	40.9	20.6
.9	20.9	10.5	20.9	10.5	40.8	20.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3155.0	21.0	10.6	21.0	10.6	40.7	20.5
.1	21.1	10.6	21.1	10.6	40.6	20.5
.2	21.2	10.7	21.2	10.7	40.5	20.4
.3	21.2	10.7	21.2	10.7	40.5	20.4
.4	21.3	10.8	21.3	10.8	40.4	20.3
.5	21.4	10.8	21.4	10.8	40.3	20.3
.6	21.5	10.9	21.5	10.9	40.2	20.3
.7	21.6	10.9	21.6	10.9	40.1	20.2
.8	21.7	10.9	21.7	10.9	40.0	20.2
.9	21.8	11.0	21.8	11.0	39.9	20.1
3156.0	21.9	11.0	21.9	11.0	39.8	20.1
.1	22.0	11.1	22.0	11.1	39.7	20.0
.2	22.1	11.1	22.1	11.1	39.6	20.0
.3	22.2	11.2	22.2	11.2	39.5	19.9
.4	22.3	11.2	22.3	11.2	39.4	19.9
.5	22.3	11.3	22.3	11.3	39.4	19.8
.6	22.4	11.3	22.4	11.3	39.3	19.8
.7	22.5	11.4	22.5	11.4	39.2	19.8
.8	22.6	11.4	22.6	11.4	39.1	19.7
.9	22.7	11.4	22.7	11.4	39.0	19.7
3157.0	22.8	11.5	22.8	11.5	38.9	19.6
.1	22.9	11.5	22.9	11.5	38.8	19.6
.2	23.0	11.6	23.0	11.6	38.7	19.5
.3	23.1	11.6	23.1	11.6	38.6	19.5
.4	23.2	11.7	23.2	11.7	38.5	19.4
.5	23.3	11.8	23.3	11.8	38.4	19.4
.6	23.4	11.8	23.4	11.8	38.3	19.3
.7	23.5	11.9	23.5	11.9	38.2	19.3
.8	23.6	11.9	23.6	11.9	38.1	19.2
.9	23.7	12.0	23.7	12.0	38.0	19.1
3158.0	23.8	12.0	23.8	12.0	37.9	19.1
.1	23.9	12.1	23.9	12.1	37.8	19.0
.2	24.0	12.1	24.0	12.1	37.7	19.0
.3	24.1	12.2	24.1	12.2	37.6	18.9
.4	24.2	12.2	24.2	12.2	37.5	18.9
.5	24.3	12.3	24.3	12.3	37.4	18.8
.6	24.4	12.3	24.4	12.3	37.3	18.8
.7	24.5	12.4	24.5	12.4	37.2	18.7
.8	24.6	12.4	24.6	12.4	37.1	18.7
.9	24.7	12.5	24.7	12.5	37.0	18.6
3159.0	24.8	12.5	24.8	12.5	36.9	18.6
.1	24.9	12.6	24.9	12.6	36.8	18.5
.2	25.0	12.6	25.0	12.6	36.7	18.5
.3	25.2	12.7	25.2	12.7	36.5	18.4
.4	25.3	12.7	25.3	12.7	36.4	18.4
.5	25.4	12.8	25.4	12.8	36.3	18.3
.6	25.5	12.8	25.5	12.8	36.2	18.3
.7	25.6	12.9	25.6	12.9	36.1	18.2
.8	25.7	12.9	25.7	12.9	36.0	18.2
.9	25.8	13.0	25.8	13.0	35.9	18.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3160.0	25.9	13.0	25.9	13.0	35.8	18.1
.1	26.0	13.1	26.0	13.1	35.7	18.0
.2	26.1	13.1	26.1	13.1	35.6	18.0
.3	26.2	13.2	26.2	13.2	35.5	17.9
.4	26.3	13.2	26.3	13.2	35.4	17.9
.5	26.4	13.3	26.4	13.3	35.3	17.8
.6	26.5	13.3	26.5	13.3	35.2	17.8
.7	26.6	13.4	26.6	13.4	35.1	17.7
.8	26.7	13.5	26.7	13.5	35.0	17.7
.9	26.8	13.5	26.8	13.5	34.9	17.6
3161.0	26.9	13.6	26.9	13.6	34.8	17.6
.1	27.0	13.6	27.0	13.6	34.7	17.5
.2	27.1	13.7	27.1	13.7	34.6	17.4
.3	27.2	13.7	27.2	13.7	34.5	17.4
.4	27.3	13.8	27.3	13.8	34.4	17.3
.5	27.4	13.8	27.4	13.8	34.3	17.3
.6	27.5	13.9	27.5	13.9	34.2	17.2
.7	27.6	13.9	27.6	13.9	34.1	17.2
.8	27.7	14.0	27.7	14.0	34.0	17.1
.9	27.8	14.0	27.8	14.0	33.9	17.1
3162.0	27.9	14.1	27.9	14.1	33.8	17.0
.1	28.0	14.1	28.0	14.1	33.7	17.0
.2	28.1	14.2	28.1	14.2	33.6	16.9
.3	28.2	14.2	28.2	14.2	33.5	16.9
.4	28.3	14.3	28.3	14.3	33.4	16.8
.5	28.4	14.3	28.4	14.3	33.3	16.8
.6	28.5	14.4	28.5	14.4	33.2	16.7
.7	28.6	14.4	28.6	14.4	33.1	16.7
.8	28.7	14.5	28.7	14.5	33.0	16.6
.9	28.8	14.5	28.8	14.5	32.9	16.6
3163.0	28.9	14.6	28.9	14.6	32.8	16.5
.1	29.0	14.6	29.0	14.6	32.7	16.5
.2	29.1	14.7	29.1	14.7	32.6	16.4
.3	29.2	14.7	29.2	14.7	32.5	16.4
.4	29.3	14.8	29.3	14.8	32.4	16.3
.5	29.4	14.8	29.4	14.8	32.3	16.3
.6	29.5	14.9	29.5	14.9	32.2	16.2
.7	29.6	14.9	29.6	14.9	32.1	16.2
.8	29.7	15.0	29.7	15.0	32.0	16.1
.9	29.9	15.1	29.9	15.1	31.8	16.1
3164.0	30.0	15.1	30.0	15.1	31.7	16.0
.1	30.1	15.2	30.1	15.2	31.6	16.0
.2	30.2	15.2	30.2	15.2	31.5	15.9
.3	30.3	15.3	30.3	15.3	31.4	15.9
.4	30.4	15.3	30.4	15.3	31.3	15.8
.5	30.5	15.4	30.5	15.4	31.2	15.7
.6	30.6	15.4	30.6	15.4	31.1	15.7
.7	30.7	15.5	30.7	15.5	31.0	15.6
.8	30.8	15.5	30.8	15.5	30.9	15.6
.9	30.9	15.6	30.9	15.6	30.8	15.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3165.0	31.0	15.6	31.0	15.6	30.7	15.5
.1	31.1	15.7	31.1	15.7	30.6	15.4
.2	31.2	15.7	31.2	15.7	30.5	15.4
.3	31.3	15.8	31.3	15.8	30.4	15.3
.4	31.4	15.8	31.4	15.8	30.3	15.3
.5	31.5	15.9	31.5	15.9	30.2	15.2
.6	31.6	15.9	31.6	15.9	30.1	15.2
.7	31.7	16.0	31.7	16.0	30.0	15.1
.8	31.8	16.0	31.8	16.0	29.9	15.1
.9	31.9	16.1	31.9	16.1	29.8	15.0
3166.0	32.0	16.1	32.0	16.1	29.7	15.0
.1	32.1	16.2	32.1	16.2	29.6	14.9
.2	32.2	16.2	32.2	16.2	29.5	14.9
.3	32.3	16.3	32.3	16.3	29.4	14.8
.4	32.5	16.4	32.5	16.4	29.2	14.7
.5	32.6	16.4	32.6	16.4	29.1	14.7
.6	32.7	16.5	32.7	16.5	29.0	14.6
.7	32.8	16.5	32.8	16.5	28.9	14.6
.8	32.9	16.6	32.9	16.6	28.8	14.5
.9	33.0	16.7	33.0	16.7	28.7	14.5
3167.0	33.2	16.7	33.2	16.7	28.5	14.4
.1	33.3	16.8	33.3	16.8	28.4	14.3
.2	33.4	16.8	33.4	16.8	28.3	14.3
.3	33.5	16.9	33.5	16.9	28.2	14.2
.4	33.6	17.0	33.6	17.0	28.1	14.2
.5	33.7	17.0	33.7	17.0	28.0	14.1
.6	33.9	17.1	33.9	17.1	27.8	14.0
.7	34.0	17.1	34.0	17.1	27.7	14.0
.8	34.1	17.2	34.1	17.2	27.6	13.9
.9	34.2	17.2	34.2	17.2	27.5	13.9
3168.0	34.3	17.3	34.3	17.3	27.4	13.8
.1	34.4	17.4	34.4	17.4	27.3	13.7
.2	34.6	17.4	34.6	17.4	27.1	13.7
.3	34.7	17.5	34.7	17.5	27.0	13.6
.4	34.8	17.5	34.8	17.5	26.9	13.6
.5	34.9	17.6	34.9	17.6	26.8	13.5
.6	35.0	17.7	35.0	17.7	26.7	13.4
.7	35.2	17.7	35.2	17.7	26.5	13.4
.8	35.3	17.8	35.3	17.8	26.4	13.3
.9	35.4	17.8	35.4	17.8	26.3	13.3
3169.0	35.5	17.9	35.5	17.9	26.2	13.2
.1	35.6	18.0	35.6	18.0	26.1	13.1
.2	35.7	18.0	35.7	18.0	26.0	13.1
.3	35.9	18.1	35.9	18.1	25.8	13.0
.4	36.0	18.1	36.0	18.1	25.7	13.0
.5	36.1	18.2	36.1	18.2	25.6	12.9
.6	36.2	18.3	36.2	18.3	25.5	12.9
.7	36.3	18.3	36.3	18.3	25.4	12.8
.8	36.4	18.4	36.4	18.4	25.3	12.7
.9	36.6	18.4	36.6	18.4	25.1	12.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3170.0	36.7	18.5	36.7	18.5	25.0	12.6
.1	36.8	18.5	36.8	18.5	24.9	12.6
.2	36.9	18.6	36.9	18.6	24.8	12.5
.3	37.0	18.7	37.0	18.7	24.7	12.4
.4	37.1	18.7	37.1	18.7	24.6	12.4
.5	37.3	18.8	37.3	18.8	24.4	12.3
.6	37.4	18.8	37.4	18.8	24.3	12.3
.7	37.5	18.9	37.5	18.9	24.2	12.2
.8	37.6	19.0	37.6	19.0	24.1	12.1
.9	37.7	19.0	37.7	19.0	24.0	12.1
3171.0	37.8	19.1	37.8	19.1	23.9	12.0
.1	38.0	19.1	38.0	19.1	23.7	12.0
.2	38.1	19.2	38.1	19.2	23.6	11.9
.3	38.2	19.3	38.2	19.3	23.5	11.8
.4	38.3	19.3	38.3	19.3	23.4	11.8
.5	38.4	19.4	38.4	19.4	23.3	11.7
.6	38.6	19.4	38.6	19.4	23.1	11.7
.7	38.7	19.5	38.7	19.5	23.0	11.6
.8	38.8	19.6	38.8	19.6	22.9	11.6
.9	38.9	19.6	38.9	19.6	22.8	11.5
3172.0	39.0	19.7	39.0	19.7	22.7	11.4
.1	39.1	19.7	39.1	19.7	22.6	11.4
.2	39.3	19.8	39.3	19.8	22.4	11.3
.3	39.4	19.9	39.4	19.9	22.3	11.3
.4	39.5	19.9	39.5	19.9	22.2	11.2
.5	39.6	20.0	39.6	20.0	22.1	11.1
.6	39.7	20.0	39.7	20.0	22.0	11.1
.7	39.8	20.1	39.8	20.1	21.9	11.0
.8	40.0	20.1	40.0	20.1	21.7	11.0
.9	40.1	20.2	40.1	20.2	21.6	10.9
3173.0	40.2	20.3	40.2	20.3	21.5	10.8
.1	40.3	20.3	40.3	20.3	21.4	10.8
.2	40.4	20.4	40.4	20.4	21.3	10.7
.3	40.5	20.4	40.5	20.4	21.2	10.7
.4	40.7	20.5	40.7	20.5	21.0	10.6
.5	40.8	20.6	40.8	20.6	20.9	10.5
.6	40.9	20.6	40.9	20.6	20.8	10.5
.7	41.0	20.7	41.0	20.7	20.7	10.4
.8	41.1	20.7	41.1	20.7	20.6	10.4
.9	41.3	20.8	41.3	20.8	20.4	10.3
3174.0	41.4	20.9	41.4	20.9	20.3	10.2
.1	41.5	20.9	41.5	20.9	20.2	10.2
.2	41.6	21.0	41.6	21.0	20.1	10.1
.3	41.7	21.0	41.7	21.0	20.0	10.1
.4	41.9	21.1	41.9	21.1	19.8	10.0
.5	42.0	21.2	42.0	21.2	19.7	9.9
.6	42.1	21.2	42.1	21.2	19.6	9.9
.7	42.2	21.3	42.2	21.3	19.5	9.8
.8	42.3	21.3	42.3	21.3	19.4	9.8
.9	42.5	21.4	42.5	21.4	19.2	9.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3175.0	42.6	21.5	42.6	21.5	19.1	9.6		3180.0	48.6	24.5	48.6	24.5	13.1	6.6
.1	42.7	21.5	42.7	21.5	19.0	9.6		.1	48.7	24.6	48.7	24.6	13.0	6.5
.2	42.8	21.6	42.8	21.6	18.9	9.5		.2	48.8	24.6	48.8	24.6	12.9	6.5
.3	42.9	21.7	42.9	21.7	18.8	9.5		.3	49.0	24.7	49.0	24.7	12.7	6.4
.4	43.1	21.7	43.1	21.7	18.6	9.4		.4	49.1	24.7	49.1	24.7	12.6	6.4
.5	43.2	21.8	43.2	21.8	18.5	9.3		.5	49.2	24.8	49.2	24.8	12.5	6.3
.6	43.3	21.8	43.3	21.8	18.4	9.3		.6	49.3	24.9	49.3	24.9	12.4	6.2
.7	43.4	21.9	43.4	21.9	18.3	9.2		.7	49.4	24.9	49.4	24.9	12.3	6.2
.8	43.5	22.0	43.5	22.0	18.2	9.2		.8	49.6	25.0	49.6	25.0	12.1	6.1
.9	43.7	22.0	43.7	22.0	18.0	9.1		.9	49.7	25.0	49.7	25.0	12.0	6.1
3176.0	43.8	22.1	43.8	22.1	17.9	9.0		3181.0	49.8	25.1	49.8	25.1	11.9	6.0
.1	43.9	22.1	43.9	22.1	17.8	9.0		.1	49.9	25.2	49.9	25.2	11.8	5.9
.2	44.0	22.2	44.0	22.2	17.7	8.9		.2	50.0	25.2	50.0	25.2	11.7	5.9
.3	44.1	22.3	44.1	22.3	17.6	8.8		.3	50.2	25.3	50.2	25.3	11.5	5.8
.4	44.3	22.3	44.3	22.3	17.4	8.8		.4	50.3	25.3	50.3	25.3	11.4	5.8
.5	44.4	22.4	44.4	22.4	17.3	8.7		.5	50.4	25.4	50.4	25.4	11.3	5.7
.6	44.5	22.4	44.5	22.4	17.2	8.7		.6	50.5	25.5	50.5	25.5	11.2	5.6
.7	44.6	22.5	44.6	22.5	17.1	8.6		.7	50.6	25.5	50.6	25.5	11.1	5.6
.8	44.7	22.6	44.7	22.6	17.0	8.5		.8	50.8	25.6	50.8	25.6	10.9	5.5
.9	44.9	22.6	44.9	22.6	16.8	8.5		.9	50.9	25.7	50.9	25.7	10.8	5.5
3177.0	45.0	22.7	45.0	22.7	16.7	8.4		3182.0	51.0	25.7	51.0	25.7	10.7	5.4
.1	45.1	22.7	45.1	22.7	16.6	8.4		.1	51.1	25.8	51.1	25.8	10.6	5.3
.2	45.2	22.8	45.2	22.8	16.5	8.3		.2	51.3	25.8	51.3	25.8	10.4	5.3
.3	45.3	22.9	45.3	22.9	16.4	8.2		.3	51.4	25.9	51.4	25.9	10.3	5.2
.4	45.5	22.9	45.5	22.9	16.2	8.2		.4	51.5	26.0	51.5	26.0	10.2	5.1
.5	45.6	23.0	45.6	23.0	16.1	8.1		.5	51.7	26.0	51.7	26.0	10.0	5.1
.6	45.7	23.0	45.7	23.0	16.0	8.1		.6	51.8	26.1	51.8	26.1	9.9	5.0
.7	45.8	23.1	45.8	23.1	15.9	8.0		.7	51.9	26.2	51.9	26.2	9.8	4.9
.8	46.0	23.2	46.0	23.2	15.7	7.9		.8	52.1	26.3	52.1	26.3	9.6	4.9
.9	46.1	23.2	46.1	23.2	15.6	7.9		.9	52.2	26.3	52.2	26.3	9.5	4.8
3178.0	46.2	23.3	46.2	23.3	15.5	7.8		3183.0	52.3	26.4	52.3	26.4	9.4	4.7
.1	46.3	23.3	46.3	23.3	15.4	7.8		.1	52.5	26.5	52.5	26.5	9.2	4.7
.2	46.4	23.4	46.4	23.4	15.3	7.7		.2	52.6	26.5	52.6	26.5	9.1	4.6
.3	46.6	23.5	46.6	23.5	15.1	7.6		.3	52.7	26.6	52.7	26.6	9.0	4.5
.4	46.7	23.5	46.7	23.5	15.0	7.6		.4	52.9	26.7	52.9	26.7	8.8	4.5
.5	46.8	23.6	46.8	23.6	14.9	7.5		.5	53.0	26.7	53.0	26.7	8.7	4.4
.6	46.9	23.7	46.9	23.7	14.8	7.5		.6	53.1	26.8	53.1	26.8	8.6	4.3
.7	47.0	23.7	47.0	23.7	14.7	7.4		.7	53.3	26.9	53.3	26.9	8.4	4.2
.8	47.2	23.8	47.2	23.8	14.5	7.3		.8	53.4	26.9	53.4	26.9	8.3	4.2
.9	47.3	23.8	47.3	23.8	14.4	7.3		.9	53.5	27.0	53.5	27.0	8.2	4.1
3179.0	47.4	23.9	47.4	23.9	14.3	7.2		3184.0	53.7	27.1	53.7	27.1	8.0	4.0
.1	47.5	24.0	47.5	24.0	14.2	7.2		.1	53.8	27.1	53.8	27.1	7.9	4.0
.2	47.6	24.0	47.6	24.0	14.1	7.1		.2	53.9	27.2	53.9	27.2	7.8	3.9
.3	47.8	24.1	47.8	24.1	13.9	7.0		.3	54.1	27.3	54.1	27.3	7.6	3.8
.4	47.9	24.1	47.9	24.1	13.8	7.0		.4	54.2	27.3	54.2	27.3	7.5	3.8
.5	48.0	24.2	48.0	24.2	13.7	6.9		.5	54.3	27.4	54.3	27.4	7.4	3.7
.6	48.1	24.3	48.1	24.3	13.6	6.8		.6	54.5	27.5	54.5	27.5	7.2	3.6
.7	48.2	24.3	48.2	24.3	13.5	6.8		.7	54.6	27.5	54.6	27.5	7.1	3.6
.8	48.4	24.4	48.4	24.4	13.3	6.7		.8	54.7	27.6	54.7	27.6	7.0	3.5
.9	48.5	24.4	48.5	24.4	13.2	6.7		.9	54.9	27.7	54.9	27.7	6.8	3.4

Timothy

299

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3185.0	55.0	27.7	55.0	27.7	6.7	3.4
.1	55.1	27.8	55.1	27.8	6.6	3.3
.2	55.3	27.9	55.3	27.9	6.4	3.2
.3	55.4	27.9	55.4	27.9	6.3	3.2
.4	55.5	28.0	55.5	28.0	6.2	3.1
.5	55.7	28.1	55.7	28.1	6.0	3.0
.6	55.8	28.1	55.8	28.1	5.9	3.0
.7	55.9	28.2	55.9	28.2	5.8	2.9
.8	56.1	28.3	56.1	28.3	5.6	2.8
.9	56.2	28.3	56.2	28.3	5.5	2.8
3186.0	56.3	28.4	56.3	28.4	5.4	2.7
.1	56.5	28.5	56.5	28.5	5.2	2.6
.2	56.6	28.5	56.6	28.5	5.1	2.6
.3	56.8	28.6	56.8	28.6	4.9	2.5
.4	56.9	28.7	56.9	28.7	4.8	2.4
.5	57.0	28.7	57.0	28.7	4.7	2.4
.6	57.2	28.8	57.2	28.8	4.5	2.3
.7	57.3	28.9	57.3	28.9	4.4	2.2
.8	57.4	28.9	57.4	28.9	4.3	2.2
.9	57.6	29.0	57.6	29.0	4.1	2.1
3187.0	57.7	29.1	57.7	29.1	4.0	2.0
.1	57.8	29.2	57.8	29.2	3.9	2.0
.2	58.0	29.2	58.0	29.2	3.7	1.9
.3	58.1	29.3	58.1	29.3	3.6	1.8
.4	58.2	29.4	58.2	29.4	3.5	1.8
.5	58.4	29.4	58.4	29.4	3.3	1.7
.6	58.5	29.5	58.5	29.5	3.2	1.6
.7	58.6	29.6	58.6	29.6	3.1	1.6
.8	58.8	29.6	58.8	29.6	2.9	1.5
.9	58.9	29.7	58.9	29.7	2.8	1.4
3188.0	59.0	29.8	59.0	29.8	2.7	1.3
.1	59.2	29.8	59.2	29.8	2.5	1.3
.2	59.3	29.9	59.3	29.9	2.4	1.2
.3	59.4	30.0	59.4	30.0	2.3	1.1
.4	59.6	30.0	59.6	30.0	2.1	1.1
.5	59.7	30.1	59.7	30.1	2.0	1.0
.6	59.8	30.2	59.8	30.2	1.9	0.9
.7	60.0	30.2	60.0	30.2	1.7	0.9
.8	60.1	30.3	60.1	30.3	1.6	0.8
.9	60.2	30.4	60.2	30.4	1.5	0.7
3189.0	60.4	30.4	60.4	30.4	1.3	0.7
.1	60.5	30.5	60.5	30.5	1.2	0.6
.2	60.6	30.6	60.6	30.6	1.1	0.5
.3	60.8	30.6	60.8	30.6	0.9	0.5
.4	60.9	30.7	60.9	30.7	0.8	0.4
.5	61.0	30.8	61.0	30.8	0.7	0.3
.6	61.2	30.8	61.2	30.8	0.5	0.3
.7	61.3	30.9	61.3	30.9	0.4	0.2
.8	61.4	31.0	61.4	31.0	0.3	0.1
.9	61.6	31.0	61.6	31.0	0.1	0.1

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
3190.0	SUB	61.7	31.1	61.7	31.1	0.0	0.0
.1		61.8	31.2				
.2		62.0	31.2				
.3		62.1	31.3				
.4		62.2	31.4				
.5		62.4	31.4				
.6		62.5	31.5				
.7		62.6	31.6				
.8		62.8	31.6				
.9		62.9	31.7				
3191.0		63.0	31.8				

Timothy

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

PROJECT NAME: WHITE RIVER

WHITE RIVER

PROJECT NUMBER: 167

PAGE 2

STORAGE LOWER BOUND (SLB) =   0.00KAF   STORAGE UPPER BOUND (SUB) =   46.60 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
515.0	SLB	0.0	0.0	0.0	0.0	46.6	23.5	520.0	4.9	2.5	4.9	2.5	41.7	21.0
.1		0.1	0.0	0.1	0.0	46.5	23.4	.1	5.0	2.5	5.0	2.5	41.6	21.0
.2		0.2	0.1	0.2	0.1	46.4	23.4	.2	5.1	2.6	5.1	2.6	41.5	20.9
.3		0.3	0.1	0.3	0.1	46.3	23.4	.3	5.3	2.6	5.3	2.6	41.3	20.8
.4		0.4	0.2	0.4	0.2	46.2	23.3	.4	5.4	2.7	5.4	2.7	41.2	20.8
.5		0.4	0.2	0.4	0.2	46.2	23.3	.5	5.5	2.8	5.5	2.8	41.1	20.7
.6		0.5	0.3	0.5	0.3	46.1	23.2	.6	5.6	2.8	5.6	2.8	41.0	20.7
.7		0.6	0.3	0.6	0.3	46.0	23.2	.7	5.7	2.9	5.7	2.9	40.9	20.6
.8		0.7	0.4	0.7	0.4	45.9	23.1	.8	5.8	2.9	5.8	2.9	40.8	20.5
.9		0.8	0.4	0.8	0.4	45.8	23.1	.9	6.0	3.0	6.0	3.0	40.6	20.5
516.0		0.9	0.5	0.9	0.5	45.7	23.0	521.0	6.1	3.1	6.1	3.1	40.5	20.4
.1		1.0	0.5	1.0	0.5	45.6	23.0	.1	6.2	3.1	6.2	3.1	40.4	20.4
.2		1.1	0.5	1.1	0.5	45.5	23.0	.2	6.3	3.2	6.3	3.2	40.3	20.3
.3		1.2	0.6	1.2	0.6	45.4	22.9	.3	6.4	3.2	6.4	3.2	40.2	20.3
.4		1.3	0.6	1.3	0.6	45.3	22.9	.4	6.5	3.3	6.5	3.3	40.1	20.2
.5		1.3	0.7	1.3	0.7	45.3	22.8	.5	6.7	3.4	6.7	3.4	39.9	20.1
.6		1.4	0.7	1.4	0.7	45.2	22.8	.6	6.8	3.4	6.8	3.4	39.8	20.1
.7		1.5	0.8	1.5	0.8	45.1	22.7	.7	6.9	3.5	6.9	3.5	39.7	20.0
.8		1.6	0.8	1.6	0.8	45.0	22.7	.8	7.0	3.5	7.0	3.5	39.6	20.0
.9		1.7	0.9	1.7	0.9	44.9	22.6	.9	7.1	3.6	7.1	3.6	39.5	19.9
517.0		1.8	0.9	1.8	0.9	44.8	22.6	522.0	7.2	3.7	7.2	3.7	39.4	19.8
.1		1.9	0.9	1.9	0.9	44.7	22.5	.1	7.4	3.7	7.4	3.7	39.2	19.8
.2		2.0	1.0	2.0	1.0	44.6	22.5	.2	7.5	3.8	7.5	3.8	39.1	19.7
.3		2.1	1.0	2.1	1.0	44.5	22.5	.3	7.6	3.8	7.6	3.8	39.0	19.7
.4		2.1	1.1	2.1	1.1	44.5	22.4	.4	7.7	3.9	7.7	3.9	38.9	19.6
.5		2.2	1.1	2.2	1.1	44.4	22.4	.5	7.8	3.9	7.8	3.9	38.8	19.5
.6		2.3	1.2	2.3	1.2	44.3	22.3	.6	7.9	4.0	7.9	4.0	38.7	19.5
.7		2.4	1.2	2.4	1.2	44.2	22.3	.7	8.1	4.1	8.1	4.1	38.5	19.4
.8		2.5	1.3	2.5	1.3	44.1	22.2	.8	8.2	4.1	8.2	4.1	38.4	19.4
.9		2.6	1.3	2.6	1.3	44.0	22.2	.9	8.3	4.2	8.3	4.2	38.3	19.3
518.0		2.7	1.4	2.7	1.4	43.9	22.1	523.0	8.4	4.2	8.4	4.2	38.2	19.3
.1		2.8	1.4	2.8	1.4	43.8	22.1	.1	8.5	4.3	8.5	4.3	38.1	19.2
.2		2.9	1.4	2.9	1.4	43.7	22.1	.2	8.6	4.4	8.6	4.4	38.0	19.1
.3		3.0	1.5	3.0	1.5	43.6	22.0	.3	8.8	4.4	8.8	4.4	37.8	19.1
.4		3.0	1.5	3.0	1.5	43.6	22.0	.4	8.9	4.5	8.9	4.5	37.7	19.0
.5		3.1	1.6	3.1	1.6	43.5	21.9	.5	9.0	4.5	9.0	4.5	37.6	19.0
.6		3.2	1.6	3.2	1.6	43.4	21.9	.6	9.1	4.6	9.1	4.6	37.5	18.9
.7		3.3	1.7	3.3	1.7	43.3	21.8	.7	9.2	4.6	9.2	4.6	37.4	18.8
.8		3.4	1.7	3.4	1.7	43.2	21.8	.8	9.3	4.7	9.3	4.7	37.3	18.8
.9		3.5	1.8	3.5	1.8	43.1	21.7	.9	9.5	4.8	9.5	4.8	37.1	18.7
519.0		3.6	1.8	3.6	1.8	43.0	21.7	524.0	9.6	4.8	9.6	4.8	37.0	18.7
.1		3.8	1.9	3.8	1.9	42.8	21.6	.1	9.7	4.9	9.7	4.9	36.9	18.6
.2		3.9	2.0	3.9	2.0	42.7	21.5	.2	9.8	4.9	9.8	4.9	36.8	18.6
.3		4.0	2.0	4.0	2.0	42.6	21.5	.3	9.9	5.0	9.9	5.0	36.7	18.5
.4		4.1	2.1	4.1	2.1	42.5	21.4	.4	10.0	5.1	10.0	5.1	36.6	18.4
.5		4.3	2.2	4.3	2.2	42.3	21.3	.5	10.2	5.1	10.2	5.1	36.4	18.4
.6		4.4	2.2	4.4	2.2	42.2	21.3	.6	10.3	5.2	10.3	5.2	36.3	18.3
.7		4.5	2.3	4.5	2.3	42.1	21.2	.7	10.4	5.2	10.4	5.2	36.2	18.3
.8		4.6	2.3	4.6	2.3	42.0	21.2	.8	10.5	5.3	10.5	5.3	36.1	18.2
.9		4.8	2.4	4.8	2.4	41.8	21.1	.9	10.7	5.4	10.7	5.4	35.9	18.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
525.0	10.8	5.4	10.8	5.4	35.8	18.0
.1	10.9	5.5	10.9	5.5	35.7	18.0
.2	11.1	5.6	11.1	5.6	35.5	17.9
.3	11.2	5.7	11.2	5.7	35.4	17.8
.4	11.4	5.7	11.4	5.7	35.2	17.7
.5	11.6	5.8	11.6	5.8	35.0	17.7
.6	11.7	5.9	11.7	5.9	34.9	17.6
.7	11.9	6.0	11.9	6.0	34.7	17.5
.8	12.0	6.0	12.0	6.0	34.6	17.4
.9	12.2	6.1	12.2	6.1	34.4	17.4
526.0	12.3	6.2	12.3	6.2	34.3	17.3
.1	12.4	6.3	12.4	6.3	34.2	17.2
.2	12.6	6.4	12.6	6.4	34.0	17.1
.3	12.7	6.4	12.7	6.4	33.9	17.1
.4	12.9	6.5	12.9	6.5	33.7	17.0
.5	13.1	6.6	13.1	6.6	33.5	16.9
.6	13.2	6.7	13.2	6.7	33.4	16.8
.7	13.4	6.7	13.4	6.7	33.2	16.8
.8	13.5	6.8	13.5	6.8	33.1	16.7
.9	13.7	6.9	13.7	6.9	32.9	16.6
527.0	13.8	7.0	13.8	7.0	32.8	16.5
.1	13.9	7.0	13.9	7.0	32.7	16.5
.2	14.1	7.1	14.1	7.1	32.5	16.4
.3	14.2	7.2	14.2	7.2	32.4	16.3
.4	14.4	7.3	14.4	7.3	32.2	16.2
.5	14.6	7.3	14.6	7.3	32.0	16.2
.6	14.7	7.4	14.7	7.4	31.9	16.1
.7	14.9	7.5	14.9	7.5	31.7	16.0
.8	15.0	7.6	15.0	7.6	31.6	15.9
.9	15.2	7.6	15.2	7.6	31.4	15.9
528.0	15.3	7.7	15.3	7.7	31.3	15.8
.1	15.5	7.8	15.5	7.8	31.1	15.7
.2	15.7	7.9	15.7	7.9	30.9	15.6
.3	15.8	8.0	15.8	8.0	30.8	15.5
.4	16.0	8.1	16.0	8.1	30.6	15.4
.5	16.2	8.2	16.2	8.2	30.4	15.3
.6	16.3	8.2	16.3	8.2	30.3	15.3
.7	16.5	8.3	16.5	8.3	30.1	15.2
.8	16.7	8.4	16.7	8.4	29.9	15.1
.9	16.9	8.5	16.9	8.5	29.7	15.0
529.0	17.1	8.6	17.1	8.6	29.5	14.9
.1	17.2	8.7	17.2	8.7	29.4	14.8
.2	17.4	8.8	17.4	8.8	29.2	14.7
.3	17.6	8.9	17.6	8.9	29.0	14.6
.4	17.8	8.9	17.8	8.9	28.8	14.5
.5	17.9	9.0	17.9	9.0	28.7	14.5
.6	18.1	9.1	18.1	9.1	28.5	14.4
.7	18.3	9.2	18.3	9.2	28.3	14.3
.8	18.5	9.3	18.5	9.3	28.1	14.2
.9	18.6	9.4	18.6	9.4	28.0	14.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
530.0	18.8	9.5	18.8	9.5	27.8	14.0
.1	19.0	9.6	19.0	9.6	27.6	13.9
.2	19.2	9.7	19.2	9.7	27.4	13.8
.3	19.3	9.7	19.3	9.7	27.3	13.8
.4	19.5	9.8	19.5	9.8	27.1	13.7
.5	19.7	9.9	19.7	9.9	26.9	13.6
.6	19.8	10.0	19.8	10.0	26.8	13.5
.7	20.0	10.1	20.0	10.1	26.6	13.4
.8	20.2	10.2	20.2	10.2	26.4	13.3
.9	20.4	10.3	20.4	10.3	26.2	13.2
531.0	20.6	10.4	20.6	10.4	26.0	13.1
.1	20.7	10.4	20.7	10.4	25.9	13.0
.2	20.9	10.5	20.9	10.5	25.7	13.0
.3	21.1	10.6	21.1	10.6	25.5	12.9
.4	21.3	10.7	21.3	10.7	25.3	12.8
.5	21.4	10.8	21.4	10.8	25.2	12.7
.6	21.6	10.9	21.6	10.9	25.0	12.6
.7	21.8	11.0	21.8	11.0	24.8	12.5
.8	22.0	11.1	22.0	11.1	24.6	12.4
.9	22.2	11.2	22.2	11.2	24.4	12.3
532.0	22.4	11.3	22.4	11.3	24.2	12.2
.1	22.6	11.4	22.6	11.4	24.0	12.1
.2	22.8	11.5	22.8	11.5	23.8	12.0
.3	23.0	11.6	23.0	11.6	23.6	11.9
.4	23.2	11.7	23.2	11.7	23.4	11.8
.5	23.4	11.8	23.4	11.8	23.2	11.7
.6	23.6	11.9	23.6	11.9	23.0	11.6
.7	23.8	12.0	23.8	12.0	22.8	11.5
.8	24.0	12.1	24.0	12.1	22.6	11.4
.9	24.2	12.2	24.2	12.2	22.4	11.3
533.0	24.4	12.3	24.4	12.3	22.2	11.2
.1	24.6	12.4	24.6	12.4	22.0	11.1
.2	24.8	12.5	24.8	12.5	21.8	11.0
.3	25.0	12.6	25.0	12.6	21.6	10.9
.4	25.2	12.7	25.2	12.7	21.4	10.8
.5	25.3	12.8	25.3	12.8	21.3	10.7
.6	25.5	12.9	25.5	12.9	21.1	10.6
.7	25.7	13.0	25.7	13.0	20.9	10.5
.8	25.9	13.1	25.9	13.1	20.7	10.4
.9	26.1	13.2	26.1	13.2	20.5	10.3
534.0	26.3	13.3	26.3	13.3	20.3	10.2
.1	26.5	13.4	26.5	13.4	20.1	10.1
.2	26.7	13.5	26.7	13.5	19.9	10.0
.3	26.9	13.6	26.9	13.6	19.7	9.9
.4	27.1	13.7	27.1	13.7	19.5	9.8
.5	27.3	13.8	27.3	13.8	19.3	9.7
.6	27.5	13.9	27.5	13.9	19.1	9.6
.7	27.7	14.0	27.7	14.0	18.9	9.5
.8	27.9	14.1	27.9	14.1	18.7	9.4
.9	28.1	14.2	28.1	14.2	18.5	9.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
535.0	28.3	14.3	28.3	14.3	18.3	9.2
.1	28.5	14.4	28.5	14.4	18.1	9.1
.2	28.7	14.5	28.7	14.5	17.9	9.0
.3	28.9	14.6	28.9	14.6	17.7	8.9
.4	29.1	14.7	29.1	14.7	17.5	8.8
.5	29.3	14.8	29.3	14.8	17.3	8.7
.6	29.5	14.9	29.5	14.9	17.1	8.6
.7	29.8	15.0	29.8	15.0	16.8	8.5
.8	30.0	15.1	30.0	15.1	16.6	8.4
.9	30.2	15.2	30.2	15.2	16.4	8.3
536.0	30.4	15.3	30.4	15.3	16.2	8.2
.1	30.6	15.4	30.6	15.4	16.0	8.1
.2	30.8	15.5	30.8	15.5	15.8	7.9
.3	31.1	15.7	31.1	15.7	15.5	7.8
.4	31.3	15.8	31.3	15.8	15.3	7.7
.5	31.5	15.9	31.5	15.9	15.1	7.6
.6	31.7	16.0	31.7	16.0	14.9	7.5
.7	31.9	16.1	31.9	16.1	14.7	7.4
.8	32.1	16.2	32.1	16.2	14.5	7.3
.9	32.4	16.3	32.4	16.3	14.2	7.2
537.0	32.6	16.4	32.6	16.4	14.0	7.1
.1	32.8	16.5	32.8	16.5	13.8	7.0
.2	33.0	16.6	33.0	16.6	13.6	6.9
.3	33.2	16.7	33.2	16.7	13.4	6.7
.4	33.4	16.9	33.4	16.9	13.2	6.6
.5	33.6	17.0	33.6	17.0	13.0	6.5
.6	33.9	17.1	33.9	17.1	12.7	6.4
.7	34.1	17.2	34.1	17.2	12.5	6.3
.8	34.3	17.3	34.3	17.3	12.3	6.2
.9	34.5	17.4	34.5	17.4	12.1	6.1
538.0	34.7	17.5	34.7	17.5	11.9	6.0
.1	34.9	17.6	34.9	17.6	11.7	5.9
.2	35.2	17.7	35.2	17.7	11.4	5.8
.3	35.4	17.8	35.4	17.8	11.2	5.7
.4	35.6	17.9	35.6	17.9	11.0	5.6
.5	35.8	18.1	35.8	18.1	10.8	5.4
.6	36.0	18.2	36.0	18.2	10.6	5.3
.7	36.2	18.3	36.2	18.3	10.4	5.2
.8	36.5	18.4	36.5	18.4	10.1	5.1
.9	36.7	18.5	36.7	18.5	9.9	5.0
539.0	36.9	18.6	36.9	18.6	9.7	4.9
.1	37.1	18.7	37.1	18.7	9.5	4.8
.2	37.3	18.8	37.3	18.8	9.3	4.7
.3	37.6	19.0	37.6	19.0	9.0	4.5
.4	37.8	19.1	37.8	19.1	8.8	4.4
.5	38.1	19.2	38.1	19.2	8.5	4.3
.6	38.3	19.3	38.3	19.3	8.3	4.2
.7	38.6	19.4	38.6	19.4	8.0	4.1
.8	38.8	19.6	38.8	19.6	7.8	3.9
.9	39.0	19.7	39.0	19.7	7.6	3.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
540.0	39.3	19.8	39.3	19.8	7.3	3.7
.1	39.5	19.9	39.5	19.9	7.1	3.6
.2	39.8	20.1	39.8	20.1	6.8	3.4
.3	40.0	20.2	40.0	20.2	6.6	3.3
.4	40.3	20.3	40.3	20.3	6.3	3.2
.5	40.5	20.4	40.5	20.4	6.1	3.1
.6	40.8	20.5	40.8	20.5	5.8	2.9
.7	41.0	20.7	41.0	20.7	5.6	2.8
.8	41.2	20.8	41.2	20.8	5.4	2.7
.9	41.5	20.9	41.5	20.9	5.1	2.6
541.0	41.7	21.0	41.7	21.0	4.9	2.5
.1	42.0	21.2	42.0	21.2	4.6	2.3
.2	42.2	21.3	42.2	21.3	4.4	2.2
.3	42.5	21.4	42.5	21.4	4.1	2.1
.4	42.7	21.5	42.7	21.5	3.9	2.0
.5	42.9	21.7	42.9	21.7	3.7	1.8
.6	43.2	21.8	43.2	21.8	3.4	1.7
.7	43.4	21.9	43.4	21.9	3.2	1.6
.8	43.7	22.0	43.7	22.0	2.9	1.5
.9	43.9	22.1	43.9	22.1	2.7	1.4
542.0	44.2	22.3	44.2	22.3	2.4	1.2
.1	44.4	22.4	44.4	22.4	2.2	1.1
.2	44.7	22.5	44.7	22.5	1.9	1.0
.3	44.9	22.6	44.9	22.6	1.7	0.9
.4	45.1	22.8	45.1	22.8	1.5	0.7
.5	45.4	22.9	45.4	22.9	1.2	0.6
.6	45.6	23.0	45.6	23.0	1.0	0.5
.7	45.9	23.1	45.9	23.1	0.7	0.4
.8	46.1	23.2	46.1	23.2	0.5	0.2
.9	46.4	23.4	46.4	23.4	0.2	0.1
543.0 SUB	46.6	23.5	46.6	23.5	0.0	0.0
.1	46.8	23.6				
.2	47.1	23.7				
.3	47.3	23.9				
.4	47.6	24.0				
.5	47.8	24.1				
.6	48.1	24.2				
.7	48.3	24.4				
.8	48.5	24.5				
.9	48.8	24.6				
544.0	49.0	24.7				

Reservoir Storage Tables

PROJECT NAME: HILLS CREEK

PROJECT NUMBER: 110

STORAGE LOWER BOUND (SLB) =   106.70KAF   STORAGE UPPER BOUND (SUB) = 350.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1414.0		106.6	53.7				
.1	SLB	106.7	53.8	0.0	0.0	243.3	122.6
.2		106.9	53.9	0.2	0.1	243.1	122.6
.3		107.0	54.0	0.3	0.2	243.0	122.5
.4		107.1	54.0	0.4	0.2	242.9	122.4
.5		107.3	54.1	0.6	0.3	242.7	122.4
.6		107.4	54.2	0.7	0.4	242.6	122.3
.7		107.6	54.2	0.9	0.4	242.4	122.2
.8		107.7	54.3	1.0	0.5	242.3	122.2
.9		107.8	54.4	1.1	0.6	242.2	122.1
1415.0		108.0	54.4	1.3	0.6	242.0	122.0
.1		108.1	54.5	1.4	0.7	241.9	122.0
.2		108.2	54.6	1.5	0.8	241.8	121.9
.3		108.4	54.6	1.7	0.8	241.6	121.8
.4		108.5	54.7	1.8	0.9	241.5	121.8
.5		108.6	54.8	1.9	1.0	241.4	121.7
.6		108.8	54.8	2.1	1.0	241.2	121.6
.7		108.9	54.9	2.2	1.1	241.1	121.5
.8		109.1	55.0	2.4	1.2	240.9	121.5
.9		109.2	55.0	2.5	1.3	240.8	121.4
1416.0		109.3	55.1	2.6	1.3	240.7	121.3
.1		109.5	55.2	2.8	1.4	240.5	121.3
.2		109.6	55.3	2.9	1.5	240.4	121.2
.3		109.7	55.3	3.0	1.5	240.3	121.1
.4		109.9	55.4	3.2	1.6	240.1	121.1
.5		110.0	55.5	3.3	1.7	240.0	121.0
.6		110.1	55.5	3.4	1.7	239.9	120.9
.7		110.3	55.6	3.6	1.8	239.7	120.9
.8		110.4	55.7	3.7	1.9	239.6	120.8
.9		110.6	55.7	3.9	1.9	239.4	120.7
1417.0		110.7	55.8	4.0	2.0	239.3	120.7
.1		110.8	55.9	4.1	2.1	239.2	120.6
.2		111.0	55.9	4.3	2.1	239.0	120.5
.3		111.1	56.0	4.4	2.2	238.9	120.4
.4		111.2	56.1	4.5	2.3	238.8	120.4
.5		111.4	56.1	4.7	2.4	238.6	120.3
.6		111.5	56.2	4.8	2.4	238.5	120.2
.7		111.6	56.3	4.9	2.5	238.4	120.2
.8		111.8	56.4	5.1	2.6	238.2	120.1
.9		111.9	56.4	5.2	2.6	238.1	120.0
1418.0		112.0	56.5	5.3	2.7	238.0	120.0
.1		112.2	56.6	5.5	2.8	237.8	119.9
.2		112.3	56.6	5.6	2.8	237.7	119.8
.3		112.5	56.7	5.8	2.9	237.5	119.8
.4		112.6	56.8	5.9	3.0	237.4	119.7
.5		112.7	56.8	6.0	3.0	237.3	119.6
.6		112.9	56.9	6.2	3.1	237.1	119.6
.7		113.0	57.0	6.3	3.2	237.0	119.5
.8		113.1	57.0	6.4	3.2	236.9	119.4
.9		113.3	57.1	6.6	3.3	236.7	119.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1419.0	113.4	57.2	6.7	3.4	236.6	119.3
.1	113.5	57.2	6.8	3.5	236.5	119.2
.2	113.7	57.3	7.0	3.5	236.3	119.1
.3	113.8	57.4	7.1	3.6	236.2	119.1
.4	114.0	57.5	7.3	3.7	236.0	119.0
.5	114.1	57.5	7.4	3.7	235.9	118.9
.6	114.2	57.6	7.5	3.8	235.8	118.9
.7	114.4	57.7	7.7	3.9	235.6	118.8
.8	114.5	57.7	7.8	3.9	235.5	118.7
.9	114.6	57.8	7.9	4.0	235.4	118.7
1420.0	114.8	57.9	8.1	4.1	235.2	118.6
.1	114.9	57.9	8.2	4.1	235.1	118.5
.2	115.0	58.0	8.3	4.2	235.0	118.5
.3	115.2	58.1	8.5	4.3	234.8	118.4
.4	115.3	58.1	8.6	4.3	234.7	118.3
.5	115.5	58.2	8.8	4.4	234.5	118.2
.6	115.6	58.3	8.9	4.5	234.4	118.2
.7	115.7	58.3	9.0	4.6	234.3	118.1
.8	115.9	58.4	9.2	4.6	234.1	118.0
.9	116.0	58.5	9.3	4.7	234.0	118.0
1421.0	116.1	58.6	9.4	4.8	233.9	117.9
.1	116.3	58.6	9.6	4.8	233.7	117.8
.2	116.4	58.7	9.7	4.9	233.6	117.8
.3	116.5	58.8	9.8	5.0	233.5	117.7
.4	116.7	58.8	10.0	5.0	233.3	117.6
.5	116.8	58.9	10.1	5.1	233.2	117.6
.6	117.0	59.0	10.3	5.2	233.0	117.5
.7	117.1	59.0	10.4	5.2	232.9	117.4
.8	117.2	59.1	10.5	5.3	232.8	117.4
.9	117.4	59.2	10.7	5.4	232.6	117.3
1422.0	117.5	59.2	10.8	5.4	232.5	117.2
.1	117.6	59.3	10.9	5.5	232.4	117.2
.2	117.8	59.4	11.1	5.6	232.2	117.1
.3	117.9	59.4	11.2	5.7	232.1	117.0
.4	118.0	59.5	11.3	5.7	232.0	116.9
.5	118.2	59.6	11.5	5.8	231.8	116.9
.6	118.3	59.7	11.6	5.9	231.7	116.8
.7	118.5	59.7	11.8	5.9	231.5	116.7
.8	118.6	59.8	11.9	6.0	231.4	116.7
.9	118.7	59.9	12.0	6.1	231.3	116.6
1423.0	118.9	59.9	12.2	6.1	231.1	116.5
.1	119.0	60.0	12.3	6.2	231.0	116.5
.2	119.1	60.1	12.4	6.3	230.9	116.4
.3	119.3	60.1	12.6	6.3	230.7	116.3
.4	119.4	60.2	12.7	6.4	230.6	116.3
.5	119.5	60.3	12.8	6.5	230.5	116.2
.6	119.7	60.3	13.0	6.5	230.3	116.1
.7	119.8	60.4	13.1	6.6	230.2	116.1
.8	120.0	60.5	13.3	6.7	230.0	116.0
.9	120.1	60.5	13.4	6.7	229.9	115.9

Hills Creek

304

Reservoir Storage Tables

ELEVATION	GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
1424.0	120.2	60.6	13.5	6.8	229.8	115.8
.1	120.4	60.7	13.7	6.9	229.6	115.8
.2	120.5	60.8	13.8	7.0	229.5	115.7
.3	120.6	60.8	13.9	7.0	229.4	115.6
.4	120.8	60.9	14.1	7.1	229.2	115.6
.5	120.9	61.0	14.2	7.2	229.1	115.5
.6	121.0	61.0	14.3	7.2	229.0	115.4
.7	121.2	61.1	14.5	7.3	228.8	115.4
.8	121.3	61.2	14.6	7.4	228.7	115.3
.9	121.5	61.2	14.8	7.4	228.5	115.2
1425.0	121.6	61.3	14.9	7.5	228.4	115.2
.1	121.7	61.4	15.0	7.6	228.3	115.1
.2	121.9	61.4	15.2	7.6	228.1	115.0
.3	122.0	61.5	15.3	7.7	228.0	115.0
.4	122.1	61.6	15.4	7.8	227.9	114.9
.5	122.3	61.6	15.6	7.8	227.7	114.8
.6	122.4	61.7	15.7	7.9	227.6	114.7
.7	122.5	61.8	15.8	8.0	227.5	114.7
.8	122.7	61.8	16.0	8.1	227.3	114.6
.9	122.8	61.9	16.1	8.1	227.2	114.5
1426.0	122.9	62.0	16.2	8.2	227.1	114.5
.1	123.1	62.1	16.4	8.3	226.9	114.4
.2	123.2	62.1	16.5	8.3	226.8	114.3
.3	123.4	62.2	16.7	8.4	226.6	114.3
.4	123.5	62.3	16.8	8.5	226.5	114.2
.5	123.6	62.3	16.9	8.5	226.4	114.1
.6	123.8	62.4	17.1	8.6	226.2	114.1
.7	123.9	62.5	17.2	8.7	226.1	114.0
.8	124.0	62.5	17.3	8.7	226.0	113.9
.9	124.2	62.6	17.5	8.8	225.8	113.9
1427.0	124.3	62.7	17.6	8.9	225.7	113.8
.1	124.4	62.7	17.7	8.9	225.6	113.7
.2	124.6	62.8	17.9	9.0	225.4	113.6
.3	124.7	62.9	18.0	9.1	225.3	113.6
.4	124.9	62.9	18.2	9.2	225.1	113.5
.5	125.0	63.0	18.3	9.2	225.0	113.4
.6	125.1	63.1	18.4	9.3	224.9	113.4
.7	125.3	63.2	18.6	9.4	224.7	113.3
.8	125.4	63.2	18.7	9.4	224.6	113.2
.9	125.5	63.3	18.8	9.5	224.5	113.2
1428.0	125.7	63.4	19.0	9.6	224.3	113.1
.1	125.8	63.4	19.1	9.6	224.2	113.0
.2	125.9	63.5	19.2	9.7	224.1	113.0
.3	126.1	63.6	19.4	9.8	223.9	112.9
.4	126.2	63.6	19.5	9.8	223.8	112.8
.5	126.4	63.7	19.7	9.9	223.6	112.8
.6	126.5	63.8	19.8	10.0	223.5	112.7
.7	126.6	63.8	19.9	10.0	223.4	112.6
.8	126.8	63.9	20.1	10.1	223.2	112.5
.9	126.9	64.0	20.2	10.2	223.1	112.5

ELEVATION	GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
1429.0	127.0	64.1	20.3	10.3	223.0	112.4
.1	127.2	64.1	20.5	10.3	222.8	112.3
.2	127.3	64.2	20.6	10.4	222.7	112.3
.3	127.5	64.3	20.8	10.5	222.5	112.2
.4	127.6	64.4	20.9	10.6	222.4	112.1
.5	127.8	64.4	21.1	10.6	222.2	112.0
.6	127.9	64.5	21.2	10.7	222.1	112.0
.7	128.1	64.6	21.4	10.8	221.9	111.9
.8	128.2	64.7	21.5	10.9	221.8	111.8
.9	128.4	64.7	21.7	10.9	221.6	111.7
1430.0	128.5	64.8	21.8	11.0	221.5	111.7
.1	128.7	64.9	22.0	11.1	221.3	111.6
.2	128.8	65.0	22.1	11.2	221.2	111.5
.3	129.0	65.0	22.3	11.2	221.0	111.4
.4	129.1	65.1	22.4	11.3	220.9	111.4
.5	129.3	65.2	22.6	11.4	220.7	111.3
.6	129.4	65.3	22.7	11.5	220.6	111.2
.7	129.6	65.3	22.9	11.5	220.4	111.1
.8	129.7	65.4	23.0	11.6	220.3	111.1
.9	129.9	65.5	23.2	11.7	220.1	111.0
1431.0	130.0	65.6	23.3	11.8	220.0	110.9
.1	130.2	65.6	23.5	11.8	219.8	110.8
.2	130.3	65.7	23.6	11.9	219.7	110.7
.3	130.5	65.8	23.8	12.0	219.5	110.7
.4	130.6	65.9	23.9	12.1	219.4	110.6
.5	130.8	65.9	24.1	12.1	219.2	110.5
.6	130.9	66.0	24.2	12.2	219.1	110.4
.7	131.1	66.1	24.4	12.3	218.9	110.4
.8	131.2	66.2	24.5	12.4	218.8	110.3
.9	131.4	66.2	24.7	12.4	218.6	110.2
1432.0	131.5	66.3	24.8	12.5	218.5	110.1
.1	131.7	66.4	25.0	12.6	218.3	110.1
.2	131.8	66.5	25.1	12.7	218.2	110.0
.3	132.0	66.5	25.3	12.7	218.0	109.9
.4	132.1	66.6	25.4	12.8	217.9	109.8
.5	132.3	66.7	25.6	12.9	217.7	109.8
.6	132.4	66.8	25.7	13.0	217.6	109.7
.7	132.6	66.8	25.9	13.0	217.4	109.6
.8	132.7	66.9	26.0	13.1	217.3	109.5
.9	132.9	67.0	26.2	13.2	217.1	109.5
1433.0	133.0	67.1	26.3	13.3	217.0	109.4
.1	133.2	67.1	26.5	13.3	216.8	109.3
.2	133.3	67.2	26.6	13.4	216.7	109.2
.3	133.5	67.3	26.8	13.5	216.5	109.2
.4	133.6	67.4	26.9	13.6	216.4	109.1
.5	133.8	67.4	27.1	13.6	216.2	109.0
.6	133.9	67.5	27.2	13.7	216.1	108.9
.7	134.1	67.6	27.4	13.8	215.9	108.9
.8	134.2	67.7	27.5	13.9	215.8	108.8
.9	134.4	67.7	27.7	13.9	215.6	108.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1434.0	134.5	67.8	27.8	14.0	215.5	108.6
.1	134.7	67.9	28.0	14.1	215.3	108.6
.2	134.8	68.0	28.1	14.2	215.2	108.5
.3	135.0	68.0	28.3	14.2	215.0	108.4
.4	135.1	68.1	28.4	14.3	214.9	108.3
.5	135.3	68.2	28.6	14.4	214.7	108.3
.6	135.4	68.3	28.7	14.5	214.6	108.2
.7	135.6	68.3	28.9	14.5	214.4	108.1
.8	135.7	68.4	29.0	14.6	214.3	108.0
.9	135.9	68.5	29.2	14.7	214.1	108.0
1435.0	136.0	68.6	29.3	14.8	214.0	107.9
.1	136.2	68.6	29.5	14.8	213.8	107.8
.2	136.3	68.7	29.6	14.9	213.7	107.7
.3	136.4	68.8	29.7	15.0	213.6	107.7
.4	136.6	68.9	29.9	15.1	213.4	107.6
.5	136.7	68.9	30.0	15.1	213.3	107.5
.6	136.9	69.0	30.2	15.2	213.1	107.4
.7	137.0	69.1	30.3	15.3	213.0	107.4
.8	137.2	69.2	30.5	15.4	212.8	107.3
.9	137.3	69.2	30.6	15.5	212.7	107.2
1436.0	137.5	69.3	30.8	15.5	212.5	107.1
.1	137.6	69.4	30.9	15.6	212.4	107.1
.2	137.8	69.5	31.1	15.7	212.2	107.0
.3	137.9	69.5	31.2	15.8	212.1	106.9
.4	138.1	69.6	31.4	15.8	211.9	106.8
.5	138.2	69.7	31.5	15.9	211.8	106.8
.6	138.4	69.8	31.7	16.0	211.6	106.7
.7	138.5	69.8	31.8	16.1	211.5	106.6
.8	138.7	69.9	32.0	16.1	211.3	106.5
.9	138.8	70.0	32.1	16.2	211.2	106.5
1437.0	139.0	70.1	32.3	16.3	211.0	106.4
.1	139.1	70.1	32.4	16.4	210.9	106.3
.2	139.3	70.2	32.6	16.4	210.7	106.2
.3	139.4	70.3	32.7	16.5	210.6	106.2
.4	139.6	70.4	32.9	16.6	210.4	106.1
.5	139.7	70.4	33.0	16.7	210.3	106.0
.6	139.9	70.5	33.2	16.7	210.1	105.9
.7	140.0	70.6	33.3	16.8	210.0	105.9
.8	140.2	70.7	33.5	16.9	209.8	105.8
.9	140.3	70.7	33.6	17.0	209.7	105.7
1438.0	140.5	70.8	33.8	17.0	209.5	105.6
.1	140.6	70.9	33.9	17.1	209.4	105.6
.2	140.8	71.0	34.1	17.2	209.2	105.5
.3	140.9	71.1	34.2	17.3	209.1	105.4
.4	141.1	71.1	34.4	17.3	208.9	105.3
.5	141.2	71.2	34.5	17.4	208.8	105.3
.6	141.4	71.3	34.7	17.5	208.6	105.2
.7	141.5	71.4	34.8	17.6	208.5	105.1
.8	141.7	71.4	35.0	17.6	208.3	105.0
.9	141.8	71.5	35.1	17.7	208.2	105.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1439.0	142.0	71.6	35.3	17.8	208.0	104.9
.1	142.1	71.7	35.4	17.9	207.9	104.8
.2	142.3	71.7	35.6	17.9	207.7	104.7
.3	142.4	71.8	35.7	18.0	207.6	104.7
.4	142.6	71.9	35.9	18.1	207.4	104.6
.5	142.7	72.0	36.0	18.2	207.3	104.5
.6	142.9	72.0	36.2	18.2	207.1	104.4
.7	143.0	72.1	36.3	18.3	207.0	104.4
.8	143.2	72.2	36.5	18.4	206.8	104.3
.9	143.3	72.3	36.6	18.5	206.7	104.2
1440.0	143.5	72.3	36.8	18.5	206.5	104.1
.1	143.6	72.4	36.9	18.6	206.4	104.1
.2	143.8	72.5	37.1	18.7	206.2	104.0
.3	143.9	72.6	37.2	18.8	206.1	103.9
.4	144.1	72.6	37.4	18.8	205.9	103.8
.5	144.2	72.7	37.5	18.9	205.8	103.8
.6	144.4	72.8	37.7	19.0	205.6	103.7
.7	144.5	72.9	37.8	19.1	205.5	103.6
.8	144.7	72.9	38.0	19.1	205.3	103.5
.9	144.8	73.0	38.1	19.2	205.2	103.5
1441.0	145.0	73.1	38.3	19.3	205.0	103.4
.1	145.1	73.2	38.4	19.4	204.9	103.3
.2	145.3	73.2	38.6	19.4	204.7	103.2
.3	145.4	73.3	38.7	19.5	204.6	103.2
.4	145.6	73.4	38.9	19.6	204.4	103.1
.5	145.7	73.5	39.0	19.7	204.3	103.0
.6	145.9	73.5	39.2	19.7	204.1	102.9
.7	146.0	73.6	39.3	19.8	204.0	102.9
.8	146.1	73.7	39.4	19.9	203.9	102.8
.9	146.3	73.8	39.6	20.0	203.7	102.7
1442.0	146.4	73.8	39.7	20.0	203.6	102.6
.1	146.6	73.9	39.9	20.1	203.4	102.5
.2	146.7	74.0	40.0	20.2	203.3	102.5
.3	146.9	74.1	40.2	20.3	203.1	102.4
.4	147.0	74.1	40.3	20.3	203.0	102.3
.5	147.2	74.2	40.5	20.4	202.8	102.2
.6	147.3	74.3	40.6	20.5	202.7	102.2
.7	147.5	74.4	40.8	20.6	202.5	102.1
.8	147.6	74.4	40.9	20.6	202.4	102.0
.9	147.8	74.5	41.1	20.7	202.2	101.9
1443.0	147.9	74.6	41.2	20.8	202.1	101.9
.1	148.1	74.7	41.4	20.9	201.9	101.8
.2	148.2	74.7	41.5	20.9	201.8	101.7
.3	148.4	74.8	41.7	21.0	201.6	101.6
.4	148.5	74.9	41.8	21.1	201.5	101.6
.5	148.7	75.0	42.0	21.2	201.3	101.5
.6	148.8	75.0	42.1	21.2	201.2	101.4
.7	149.0	75.1	42.3	21.3	201.0	101.3
.8	149.1	75.2	42.4	21.4	200.9	101.3
.9	149.3	75.3	42.6	21.5	200.7	101.2

Hills Creek

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1444.0	149.4	75.3	42.7	21.5	200.6	101.1
.1	149.6	75.4	42.9	21.6	200.4	101.0
.2	149.7	75.5	43.0	21.7	200.3	101.0
.3	149.9	75.6	43.2	21.8	200.1	100.9
.4	150.0	75.6	43.3	21.8	200.0	100.8
.5	150.2	75.7	43.5	21.9	199.8	100.7
.6	150.3	75.8	43.6	22.0	199.7	100.7
.7	150.5	75.9	43.8	22.1	199.5	100.6
.8	150.6	75.9	43.9	22.1	199.4	100.5
.9	150.8	76.0	44.1	22.2	199.2	100.4
1445.0	150.9	76.1	44.2	22.3	199.1	100.4
.1	151.1	76.2	44.4	22.4	198.9	100.3
.2	151.2	76.2	44.5	22.4	198.8	100.2
.3	151.4	76.3	44.7	22.5	198.6	100.1
.4	151.5	76.4	44.8	22.6	198.5	100.1
.5	151.7	76.5	45.0	22.7	198.3	100.0
.6	151.8	76.5	45.1	22.7	198.2	99.9
.7	152.0	76.6	45.3	22.8	198.0	99.8
.8	152.1	76.7	45.4	22.9	197.9	99.8
.9	152.3	76.8	45.6	23.0	197.7	99.7
1446.0	152.4	76.8	45.7	23.0	197.6	99.6
.1	152.6	76.9	45.9	23.1	197.4	99.5
.2	152.7	77.0	46.0	23.2	197.3	99.5
.3	152.9	77.1	46.2	23.3	197.1	99.4
.4	153.0	77.1	46.3	23.3	197.0	99.3
.5	153.2	77.2	46.5	23.4	196.8	99.2
.6	153.3	77.3	46.6	23.5	196.7	99.2
.7	153.5	77.4	46.8	23.6	196.5	99.1
.8	153.6	77.4	46.9	23.7	196.4	99.0
.9	153.8	77.5	47.1	23.7	196.2	98.9
1447.0	153.9	77.6	47.2	23.8	196.1	98.9
.1	154.1	77.7	47.4	23.9	195.9	98.8
.2	154.2	77.7	47.5	24.0	195.8	98.7
.3	154.4	77.8	47.7	24.0	195.6	98.6
.4	154.5	77.9	47.8	24.1	195.5	98.6
.5	154.7	78.0	48.0	24.2	195.3	98.5
.6	154.8	78.0	48.1	24.3	195.2	98.4
.7	155.0	78.1	48.3	24.3	195.0	98.3
.8	155.1	78.2	48.4	24.4	194.9	98.3
.9	155.3	78.3	48.6	24.5	194.7	98.2
1448.0	155.4	78.3	48.7	24.6	194.6	98.1
.1	155.6	78.4	48.9	24.6	194.4	98.0
.2	155.7	78.5	49.0	24.7	194.3	97.9
.3	155.9	78.6	49.2	24.8	194.1	97.8
.4	156.1	78.7	49.4	24.9	193.9	97.8
.5	156.3	78.8	49.6	25.0	193.7	97.7
.6	156.4	78.9	49.7	25.1	193.6	97.6
.7	156.6	79.0	49.9	25.2	193.4	97.5
.8	156.8	79.0	50.1	25.3	193.2	97.4
.9	157.0	79.1	50.3	25.3	193.0	97.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1449.0	157.1	79.2	50.4	25.4	192.9	97.2
.1	157.3	79.3	50.6	25.5	192.7	97.1
.2	157.5	79.4	50.8	25.6	192.5	97.1
.3	157.7	79.5	51.0	25.7	192.3	97.0
.4	157.8	79.6	51.1	25.8	192.2	96.9
.5	158.0	79.7	51.3	25.9	192.0	96.8
.6	158.2	79.7	51.5	26.0	191.8	96.7
.7	158.4	79.8	51.7	26.0	191.6	96.6
.8	158.5	79.9	51.8	26.1	191.5	96.5
.9	158.7	80.0	52.0	26.2	191.3	96.4
1450.0	158.9	80.1	52.2	26.3	191.1	96.4
.1	159.0	80.2	52.3	26.4	191.0	96.3
.2	159.2	80.3	52.5	26.5	190.8	96.2
.3	159.4	80.4	52.7	26.6	190.6	96.1
.4	159.6	80.4	52.9	26.7	190.4	96.0
.5	159.7	80.5	53.0	26.7	190.3	95.9
.6	159.9	80.6	53.2	26.8	190.1	95.8
.7	160.1	80.7	53.4	26.9	189.9	95.7
.8	160.3	80.8	53.6	27.0	189.7	95.7
.9	160.4	80.9	53.7	27.1	189.6	95.6
1451.0	160.6	81.0	53.9	27.2	189.4	95.5
.1	160.8	81.1	54.1	27.3	189.2	95.4
.2	161.0	81.2	54.3	27.4	189.0	95.3
.3	161.1	81.2	54.4	27.4	188.9	95.2
.4	161.3	81.3	54.6	27.5	188.7	95.1
.5	161.5	81.4	54.8	27.6	188.5	95.0
.6	161.7	81.5	55.0	27.7	188.3	95.0
.7	161.8	81.6	55.1	27.8	188.2	94.9
.8	162.0	81.7	55.3	27.9	188.0	94.8
.9	162.2	81.8	55.5	28.0	187.8	94.7
1452.0	162.4	81.9	55.7	28.1	187.6	94.6
.1	162.5	81.9	55.8	28.1	187.5	94.5
.2	162.7	82.0	56.0	28.2	187.3	94.4
.3	162.9	82.1	56.2	28.3	187.1	94.3
.4	163.0	82.2	56.3	28.4	187.0	94.3
.5	163.2	82.3	56.5	28.5	186.8	94.2
.6	163.4	82.4	56.7	28.6	186.6	94.1
.7	163.6	82.5	56.9	28.7	186.4	94.0
.8	163.7	82.6	57.0	28.8	186.3	93.9
.9	163.9	82.6	57.2	28.8	186.1	93.8
1453.0	164.1	82.7	57.4	28.9	185.9	93.7
.1	164.3	82.8	57.6	29.0	185.7	93.6
.2	164.4	82.9	57.7	29.1	185.6	93.6
.3	164.6	83.0	57.9	29.2	185.4	93.5
.4	164.8	83.1	58.1	29.3	185.2	93.4
.5	165.0	83.2	58.3	29.4	185.0	93.3
.6	165.1	83.3	58.4	29.5	184.9	93.2
.7	165.3	83.3	58.6	29.5	184.7	93.1
.8	165.5	83.4	58.8	29.6	184.5	93.0
.9	165.7	83.5	59.0	29.7	184.3	92.9

Hills Creek

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1454.0	165.8	83.6	59.1	29.8	184.2	92.9
.1	166.0	83.7	59.3	29.9	184.0	92.8
.2	166.2	83.8	59.5	30.0	183.8	92.7
.3	166.3	83.9	59.6	30.1	183.7	92.6
.4	166.5	84.0	59.8	30.2	183.5	92.5
.5	166.7	84.0	60.0	30.2	183.3	92.4
.6	166.9	84.1	60.2	30.3	183.1	92.3
.7	167.0	84.2	60.3	30.4	183.0	92.2
.8	167.2	84.3	60.5	30.5	182.8	92.2
.9	167.4	84.4	60.7	30.6	182.6	92.1
1455.0	167.6	84.5	60.9	30.7	182.4	92.0
.1	167.7	84.6	61.0	30.8	182.3	91.9
.2	167.9	84.7	61.2	30.9	182.1	91.8
.3	168.1	84.7	61.4	30.9	181.9	91.7
.4	168.3	84.8	61.6	31.0	181.7	91.6
.5	168.4	84.9	61.7	31.1	181.6	91.5
.6	168.6	85.0	61.9	31.2	181.4	91.5
.7	168.8	85.1	62.1	31.3	181.2	91.4
.8	169.0	85.2	62.3	31.4	181.0	91.3
.9	169.1	85.3	62.4	31.5	180.9	91.2
1456.0	169.3	85.4	62.6	31.6	180.7	91.1
.1	169.5	85.4	62.8	31.6	180.5	91.0
.2	169.6	85.5	62.9	31.7	180.4	90.9
.3	169.8	85.6	63.1	31.8	180.2	90.8
.4	170.0	85.7	63.3	31.9	180.0	90.8
.5	170.2	85.8	63.5	32.0	179.8	90.7
.6	170.3	85.9	63.6	32.1	179.7	90.6
.7	170.5	86.0	63.8	32.2	179.5	90.5
.8	170.7	86.1	64.0	32.3	179.3	90.4
.9	170.9	86.1	64.2	32.3	179.1	90.3
1457.0	171.0	86.2	64.3	32.4	179.0	90.2
.1	171.2	86.3	64.5	32.5	178.8	90.1
.2	171.4	86.4	64.7	32.6	178.6	90.1
.3	171.6	86.5	64.9	32.7	178.4	90.0
.4	171.7	86.6	65.0	32.8	178.3	89.9
.5	171.9	86.7	65.2	32.9	178.1	89.8
.6	172.1	86.8	65.4	33.0	177.9	89.7
.7	172.3	86.8	65.6	33.0	177.7	89.6
.8	172.4	86.9	65.7	33.1	177.6	89.5
.9	172.6	87.0	65.9	33.2	177.4	89.4
1458.0	172.8	87.1	66.1	33.3	177.2	89.4
.1	172.9	87.2	66.2	33.4	177.1	89.3
.2	173.1	87.3	66.4	33.5	176.9	89.2
.3	173.3	87.4	66.6	33.6	176.7	89.1
.4	173.5	87.5	66.8	33.7	176.5	89.0
.5	173.6	87.5	66.9	33.8	176.4	88.9
.6	173.8	87.6	67.1	33.8	176.2	88.8
.7	174.0	87.7	67.3	33.9	176.0	88.7
.8	174.2	87.8	67.5	34.0	175.8	88.7
.9	174.3	87.9	67.6	34.1	175.7	88.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1459.0	174.5	88.0	67.8	34.2	175.5	88.5
.1	174.7	88.1	68.0	34.3	175.3	88.4
.2	174.9	88.2	68.2	34.4	175.1	88.3
.3	175.0	88.2	68.3	34.5	175.0	88.2
.4	175.2	88.3	68.5	34.5	174.8	88.1
.5	175.4	88.4	68.7	34.6	174.6	88.0
.6	175.6	88.5	68.9	34.7	174.4	87.9
.7	175.7	88.6	69.0	34.8	174.3	87.9
.8	175.9	88.7	69.2	34.9	174.1	87.8
.9	176.1	88.8	69.4	35.0	173.9	87.7
1460.0	176.3	88.9	69.6	35.1	173.8	87.6
.1	176.4	88.9	69.7	35.2	173.6	87.5
.2	176.6	89.0	69.9	35.2	173.4	87.4
.3	176.8	89.1	70.1	35.3	173.2	87.3
.4	176.9	89.2	70.2	35.4	173.1	87.2
.5	177.1	89.3	70.4	35.5	172.9	87.2
.6	177.3	89.4	70.6	35.6	172.7	87.1
.7	177.5	89.5	70.8	35.7	172.5	87.0
.8	177.6	89.6	70.9	35.8	172.4	86.9
.9	177.8	89.6	71.1	35.9	172.2	86.8
1461.0	178.0	89.7	71.3	35.9	172.0	86.7
.1	178.2	89.8	71.5	36.0	171.8	86.6
.2	178.3	89.9	71.6	36.1	171.7	86.5
.3	178.5	90.0	71.8	36.2	171.5	86.5
.4	178.7	90.1	72.0	36.3	171.3	86.4
.5	178.9	90.2	72.2	36.4	171.1	86.3
.6	179.0	90.3	72.3	36.5	171.0	86.2
.7	179.2	90.3	72.5	36.6	170.8	86.1
.8	179.4	90.4	72.7	36.6	170.6	86.0
.9	179.6	90.5	72.9	36.7	170.4	85.9
1462.0	179.7	90.6	73.0	36.8	170.3	85.8
.1	179.9	90.7	73.2	36.9	170.1	85.8
.2	180.1	90.8	73.4	37.0	169.9	85.7
.3	180.2	90.9	73.5	37.1	169.8	85.6
.4	180.4	91.0	73.7	37.2	169.6	85.5
.5	180.6	91.0	73.9	37.3	169.4	85.4
.6	180.8	91.1	74.1	37.3	169.2	85.3
.7	180.9	91.2	74.2	37.4	169.1	85.2
.8	181.1	91.3	74.4	37.5	168.9	85.1
.9	181.3	91.4	74.6	37.6	168.7	85.1
1463.0	181.5	91.5	74.8	37.7	168.5	85.0
.1	181.6	91.6	74.9	37.8	168.4	84.9
.2	181.8	91.7	75.1	37.9	168.2	84.8
.3	182.0	91.8	75.3	38.0	168.0	84.7
.4	182.2	91.8	75.5	38.0	167.8	84.6
.5	182.3	91.9	75.6	38.1	167.7	84.5
.6	182.5	92.0	75.8	38.2	167.5	84.4
.7	182.7	92.1	76.0	38.3	167.3	84.4
.8	182.9	92.2	76.2	38.4	167.1	84.3
.9	183.0	92.3	76.3	38.5	167.0	84.2

Hills Creek

308

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1464.0	183.2	92.4	76.5	38.6	166.8	84.1
.1	183.4	92.5	76.7	38.7	166.6	84.0
.2	183.5	92.5	76.8	38.7	166.5	83.9
.3	183.7	92.6	77.0	38.8	166.3	83.8
.4	183.9	92.7	77.2	38.9	166.1	83.7
.5	184.1	92.8	77.4	39.0	165.9	83.7
.6	184.2	92.9	77.5	39.1	165.8	83.6
.7	184.4	93.0	77.7	39.2	165.6	83.5
.8	184.6	93.1	77.9	39.3	165.4	83.4
.9	184.8	93.2	78.1	39.4	165.2	83.3
1465.0	184.9	93.2	78.2	39.4	165.1	83.2
.1	185.1	93.3	78.4	39.5	164.9	83.1
.2	185.3	93.4	78.6	39.6	164.7	83.0
.3	185.5	93.5	78.8	39.7	164.5	83.0
.4	185.6	93.6	78.9	39.8	164.4	82.9
.5	185.8	93.7	79.1	39.9	164.2	82.8
.6	186.0	93.8	79.3	40.0	164.0	82.7
.7	186.2	93.9	79.5	40.1	163.8	82.6
.8	186.3	93.9	79.6	40.1	163.7	82.5
.9	186.5	94.0	79.8	40.2	163.5	82.4
1466.0	186.7	94.1	80.0	40.3	163.3	82.3
.1	186.8	94.2	80.1	40.4	163.2	82.3
.2	187.0	94.3	80.3	40.5	163.0	82.2
.3	187.2	94.4	80.5	40.6	162.8	82.1
.4	187.4	94.5	80.7	40.7	162.6	82.0
.5	187.5	94.6	80.8	40.8	162.5	81.9
.6	187.7	94.6	81.0	40.8	162.3	81.8
.7	187.9	94.7	81.2	40.9	162.1	81.7
.8	188.1	94.8	81.4	41.0	161.9	81.6
.9	188.2	94.9	81.5	41.1	161.8	81.6
1467.0	188.4	95.0	81.7	41.2	161.6	81.5
.1	188.6	95.1	81.9	41.3	161.4	81.4
.2	188.8	95.2	82.1	41.4	161.2	81.3
.3	188.9	95.3	82.2	41.5	161.1	81.2
.4	189.1	95.3	82.4	41.5	160.9	81.1
.5	189.3	95.4	82.6	41.6	160.7	81.0
.6	189.5	95.5	82.8	41.7	160.5	80.9
.7	189.6	95.6	82.9	41.8	160.4	80.9
.8	189.8	95.7	83.1	41.9	160.2	80.8
.9	190.0	95.8	83.3	42.0	160.0	80.7
1468.0	190.1	95.9	83.4	42.1	159.9	80.6
.1	190.3	96.0	83.6	42.2	159.7	80.5
.2	190.5	96.0	83.8	42.2	159.5	80.4
.3	190.7	96.1	84.0	42.3	159.3	80.3
.4	190.8	96.2	84.1	42.4	159.2	80.2
.5	191.0	96.3	84.3	42.5	159.0	80.2
.6	191.2	96.4	84.5	42.6	158.8	80.1
.7	191.4	96.5	84.7	42.7	158.6	80.0
.8	191.5	96.6	84.8	42.8	158.5	79.9
.9	191.7	96.7	85.0	42.9	158.3	79.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1469.0	191.9	96.7	85.2	42.9	158.1	79.7
.1	192.1	96.8	85.4	43.0	157.9	79.6
.2	192.2	96.9	85.5	43.1	157.8	79.5
.3	192.4	97.0	85.7	43.2	157.6	79.5
.4	192.6	97.1	85.9	43.3	157.4	79.4
.5	192.8	97.2	86.1	43.4	157.2	79.3
.6	192.9	97.3	86.2	43.5	157.1	79.2
.7	193.1	97.4	86.4	43.6	156.9	79.1
.8	193.3	97.4	86.6	43.6	156.7	79.0
.9	193.5	97.5	86.8	43.7	156.5	78.9
1470.0	193.6	97.6	86.9	43.8	156.4	78.8
.1	193.8	97.7	87.1	43.9	156.2	78.8
.2	194.0	97.8	87.3	44.0	156.0	78.7
.3	194.1	97.9	87.4	44.1	155.9	78.6
.4	194.3	98.0	87.6	44.2	155.7	78.5
.5	194.5	98.1	87.8	44.3	155.5	78.4
.6	194.7	98.1	88.0	44.4	155.3	78.3
.7	194.8	98.2	88.1	44.4	155.2	78.2
.8	195.0	98.3	88.3	44.5	155.0	78.1
.9	195.2	98.4	88.5	44.6	154.8	78.1
1471.0	195.4	98.5	88.7	44.7	154.6	78.0
.1	195.5	98.6	88.8	44.8	154.5	77.9
.2	195.7	98.7	89.0	44.9	154.3	77.8
.3	195.9	98.8	89.2	45.0	154.1	77.7
.4	196.1	98.8	89.4	45.1	153.9	77.6
.5	196.2	98.9	89.5	45.1	153.8	77.5
.6	196.4	99.0	89.7	45.2	153.6	77.4
.7	196.6	99.1	89.9	45.3	153.4	77.3
.8	196.8	99.2	90.1	45.4	153.2	77.3
.9	196.9	99.3	90.2	45.5	153.1	77.2
1472.0	197.1	99.4	90.4	45.6	152.9	77.1
.1	197.3	99.5	90.6	45.7	152.7	77.0
.2	197.4	99.5	90.7	45.8	152.6	76.9
.3	197.6	99.6	90.9	45.8	152.4	76.8
.4	197.8	99.7	91.1	45.9	152.2	76.7
.5	198.0	99.8	91.3	46.0	152.0	76.6
.6	198.1	99.9	91.4	46.1	151.9	76.6
.7	198.3	100.0	91.6	46.2	151.7	76.5
.8	198.5	100.1	91.8	46.3	151.5	76.4
.9	198.7	100.2	92.0	46.4	151.3	76.3
1473.0	198.8	100.2	92.1	46.5	151.2	76.2
.1	199.0	100.3	92.3	46.5	151.0	76.1
.2	199.2	100.4	92.5	46.6	150.8	76.0
.3	199.4	100.5	92.7	46.7	150.6	75.9
.4	199.5	100.6	92.8	46.8	150.5	75.9
.5	199.7	100.7	93.0	46.9	150.3	75.8
.6	199.9	100.8	93.2	47.0	150.1	75.7
.7	200.1	100.9	93.4	47.1	149.9	75.6
.8	200.2	100.9	93.5	47.2	149.8	75.5
.9	200.4	101.0	93.7	47.2	149.6	75.4

Hills Creek

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1474.0	200.6	101.1	93.9	47.3	149.4	75.3
.1	200.7	101.2	94.0	47.4	149.3	75.2
.2	200.9	101.3	94.2	47.5	149.1	75.2
.3	201.1	101.4	94.4	47.6	148.9	75.1
.4	201.3	101.5	94.6	47.7	148.7	75.0
.5	201.4	101.6	94.7	47.8	148.6	74.9
.6	201.6	101.6	94.9	47.9	148.4	74.8
.7	201.8	101.7	95.1	47.9	148.2	74.7
.8	202.0	101.8	95.3	48.0	148.0	74.6
.9	202.1	101.9	95.4	48.1	147.9	74.5
1475.0	202.3	102.0	95.6	48.2	147.7	74.5
.1	202.5	102.1	95.8	48.3	147.5	74.4
.2	202.7	102.2	96.0	48.4	147.3	74.3
.3	202.8	102.3	96.1	48.5	147.2	74.2
.4	203.0	102.3	96.3	48.6	147.0	74.1
.5	203.2	102.4	96.5	48.6	146.8	74.0
.6	203.4	102.5	96.7	48.7	146.6	73.9
.7	203.5	102.6	96.8	48.8	146.5	73.8
.8	203.7	102.7	97.0	48.9	146.3	73.8
.9	203.9	102.8	97.2	49.0	146.1	73.7
1476.0	204.1	102.9	97.4	49.1	145.9	73.6
.1	204.2	103.0	97.5	49.2	145.8	73.5
.2	204.4	103.1	97.7	49.3	145.6	73.4
.3	204.6	103.1	97.9	49.3	145.4	73.3
.4	204.7	103.2	98.0	49.4	145.3	73.2
.5	204.9	103.3	98.2	49.5	145.1	73.1
.6	205.1	103.4	98.4	49.6	144.9	73.1
.7	205.3	103.5	98.6	49.7	144.7	73.0
.8	205.4	103.6	98.7	49.8	144.6	72.9
.9	205.6	103.7	98.9	49.9	144.4	72.8
1477.0	205.8	103.8	99.1	50.0	144.2	72.7
.1	206.0	103.8	99.3	50.0	144.0	72.6
.2	206.1	103.9	99.4	50.1	143.9	72.5
.3	206.3	104.0	99.6	50.2	143.7	72.4
.4	206.5	104.1	99.8	50.3	143.5	72.4
.5	206.7	104.2	100.0	50.4	143.3	72.3
.6	206.8	104.3	100.1	50.5	143.2	72.2
.7	207.0	104.4	100.3	50.6	143.0	72.1
.8	207.2	104.5	100.5	50.7	142.8	72.0
.9	207.4	104.5	100.7	50.7	142.6	71.9
1478.0	207.5	104.6	100.8	50.8	142.5	71.8
.1	207.7	104.7	101.0	50.9	142.3	71.7
.2	207.9	104.8	101.2	51.0	142.1	71.7
.3	208.0	104.9	101.3	51.1	142.0	71.6
.4	208.2	105.0	101.5	51.2	141.8	71.5
.5	208.4	105.1	101.7	51.3	141.6	71.4
.6	208.6	105.2	101.9	51.4	141.4	71.3
.7	208.7	105.2	102.0	51.4	141.3	71.2
.8	208.9	105.3	102.2	51.5	141.1	71.1
.9	209.1	105.4	102.4	51.6	140.9	71.0
1479.0	209.3	105.5	102.6	51.7	140.7	71.0
.1	209.4	105.6	102.7	51.8	140.6	70.9
.2	209.6	105.7	102.9	51.9	140.4	70.8
.3	209.8	105.8	103.1	52.0	140.2	70.7
.4	210.0	105.9	103.3	52.1	140.0	70.6
.5	210.1	105.9	103.4	52.1	139.9	70.5
.6	210.3	106.0	103.6	52.2	139.7	70.4
.7	210.5	106.1	103.8	52.3	139.5	70.3
.8	210.7	106.2	104.0	52.4	139.3	70.3
.9	210.8	106.3	104.1	52.5	139.2	70.2
1480.0	211.0	106.4	104.3	52.6	139.0	70.1
.1	211.2	106.5	104.5	52.7	138.8	70.0
.2	211.4	106.6	104.7	52.8	138.6	69.9
.3	211.6	106.7	104.9	52.9	138.4	69.8
.4	211.8	106.8	105.1	53.0	138.2	69.7
.5	212.0	106.9	105.3	53.1	138.0	69.6
.6	212.2	107.0	105.5	53.2	137.8	69.5
.7	212.4	107.1	105.7	53.3	137.6	69.4
.8	212.6	107.2	105.9	53.4	137.4	69.3
.9	212.8	107.3	106.1	53.5	137.2	69.2
1481.0	213.0	107.4	106.3	53.6	137.0	69.1
.1	213.2	107.5	106.5	53.7	136.8	68.9
.2	213.4	107.6	106.7	53.8	136.6	68.8
.3	213.7	107.7	107.0	53.9	136.3	68.7
.4	213.9	107.8	107.2	54.0	136.1	68.6
.5	214.1	107.9	107.4	54.1	135.9	68.5
.6	214.3	108.0	107.6	54.2	135.7	68.4
.7	214.5	108.1	107.8	54.3	135.5	68.3
.8	214.7	108.2	108.0	54.4	135.3	68.2
.9	214.9	108.3	108.2	54.5	135.1	68.1
1482.0	215.1	108.4	108.4	54.6	134.9	68.0
.1	215.3	108.5	108.6	54.7	134.7	67.9
.2	215.5	108.6	108.8	54.8	134.5	67.8
.3	215.7	108.7	109.0	54.9	134.3	67.7
.4	215.9	108.8	109.2	55.1	134.1	67.6
.5	216.1	108.9	109.4	55.2	133.9	67.5
.6	216.3	109.1	109.6	55.3	133.7	67.4
.7	216.5	109.2	109.8	55.4	133.5	67.3
.8	216.7	109.3	110.0	55.5	133.3	67.2
.9	216.9	109.4	110.2	55.6	133.1	67.1
1483.0	217.1	109.5	110.4	55.7	132.9	67.0
.1	217.3	109.6	110.6	55.8	132.7	66.9
.2	217.5	109.7	110.8	55.9	132.5	66.8
.3	217.7	109.8	111.0	56.0	132.3	66.7
.4	217.9	109.9	111.2	56.1	132.1	66.6
.5	218.1	110.0	111.4	56.2	131.9	66.5
.6	218.3	110.1	111.6	56.3	131.7	66.4
.7	218.5	110.2	111.8	56.4	131.5	66.3
.8	218.7	110.3	112.0	56.5	131.3	66.2
.9	219.0	110.4	112.3	56.6	131.0	66.1

Hills Creek

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1484.0	219.2	110.5	112.5	56.7	130.8	66.0
.1	219.4	110.6	112.7	56.8	130.6	65.9
.2	219.6	110.7	112.9	56.9	130.4	65.8
.3	219.8	110.8	113.1	57.0	130.2	65.7
.4	220.0	110.9	113.3	57.1	130.0	65.6
.5	220.2	111.0	113.5	57.2	129.8	65.5
.6	220.4	111.1	113.7	57.3	129.6	65.3
.7	220.6	111.2	113.9	57.4	129.4	65.2
.8	220.8	111.3	114.1	57.5	129.2	65.1
.9	221.0	111.4	114.3	57.6	129.0	65.0
1485.0	221.2	111.5	114.5	57.7	128.8	64.9
.1	221.4	111.6	114.7	57.8	128.6	64.8
.2	221.6	111.7	114.9	57.9	128.4	64.7
.3	221.8	111.8	115.1	58.0	128.2	64.6
.4	222.0	111.9	115.3	58.1	128.0	64.5
.5	222.2	112.0	115.5	58.2	127.8	64.4
.6	222.4	112.1	115.7	58.3	127.6	64.3
.7	222.6	112.2	115.9	58.4	127.4	64.2
.8	222.8	112.3	116.1	58.5	127.2	64.1
.9	223.0	112.4	116.3	58.7	127.0	64.0
1486.0	223.2	112.5	116.5	58.8	126.8	63.9
.1	223.4	112.7	116.7	58.9	126.6	63.8
.2	223.6	112.8	116.9	59.0	126.4	63.7
.3	223.8	112.9	117.1	59.1	126.2	63.6
.4	224.1	113.0	117.4	59.2	125.9	63.5
.5	224.3	113.1	117.6	59.3	125.7	63.4
.6	224.5	113.2	117.8	59.4	125.5	63.3
.7	224.7	113.3	118.0	59.5	125.3	63.2
.8	224.9	113.4	118.2	59.6	125.1	63.1
.9	225.1	113.5	118.4	59.7	124.9	63.0
1487.0	225.3	113.6	118.6	59.8	124.7	62.9
.1	225.5	113.7	118.8	59.9	124.5	62.8
.2	225.7	113.8	119.0	60.0	124.3	62.7
.3	225.9	113.9	119.2	60.1	124.1	62.6
.4	226.1	114.0	119.4	60.2	123.9	62.5
.5	226.3	114.1	119.6	60.3	123.7	62.4
.6	226.5	114.2	119.8	60.4	123.5	62.3
.7	226.7	114.3	120.0	60.5	123.3	62.2
.8	226.9	114.4	120.2	60.6	123.1	62.1
.9	227.1	114.5	120.4	60.7	122.9	62.0
1488.0	227.3	114.6	120.6	60.8	122.7	61.9
.1	227.5	114.7	120.8	60.9	122.5	61.8
.2	227.7	114.8	121.0	61.0	122.3	61.6
.3	227.9	114.9	121.2	61.1	122.1	61.5
.4	228.1	115.0	121.4	61.2	121.9	61.4
.5	228.3	115.1	121.6	61.3	121.7	61.3
.6	228.5	115.2	121.8	61.4	121.5	61.2
.7	228.7	115.3	122.0	61.5	121.3	61.1
.8	228.9	115.4	122.2	61.6	121.1	61.0
.9	229.2	115.5	122.5	61.7	120.8	60.9

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1489.0	229.4	115.6	122.7	61.8	120.6	60.8
.1	229.6	115.7	122.9	61.9	120.4	60.7
.2	229.8	115.8	123.1	62.0	120.2	60.6
.3	230.0	115.9	123.3	62.1	120.0	60.5
.4	230.2	116.0	123.5	62.2	119.8	60.4
.5	230.4	116.1	123.7	62.4	119.6	60.3
.6	230.6	116.2	123.9	62.5	119.4	60.2
.7	230.8	116.4	124.1	62.6	119.2	60.1
.8	231.0	116.5	124.3	62.7	119.0	60.0
.9	231.2	116.6	124.5	62.8	118.8	59.9
1490.0	231.4	116.7	124.7	62.9	118.6	59.8
.1	231.6	116.8	124.9	63.0	118.4	59.7
.2	231.8	116.9	125.1	63.1	118.2	59.6
.3	232.0	117.0	125.3	63.2	118.0	59.5
.4	232.2	117.1	125.5	63.3	117.8	59.4
.5	232.4	117.2	125.7	63.4	117.6	59.3
.6	232.6	117.3	125.9	63.5	117.4	59.2
.7	232.8	117.4	126.1	63.6	117.2	59.1
.8	233.0	117.5	126.3	63.7	117.0	59.0
.9	233.2	117.6	126.5	63.8	116.8	58.9
1491.0	233.4	117.7	126.7	63.9	116.6	58.8
.1	233.6	117.8	126.9	64.0	116.4	58.7
.2	233.8	117.9	127.1	64.1	116.2	58.6
.3	234.0	118.0	127.3	64.2	116.0	58.5
.4	234.2	118.1	127.5	64.3	115.8	58.4
.5	234.5	118.2	127.8	64.4	115.5	58.3
.6	234.7	118.3	128.0	64.5	115.3	58.2
.7	234.9	118.4	128.2	64.6	115.1	58.0
.8	235.1	118.5	128.4	64.7	114.9	57.9
.9	235.3	118.6	128.6	64.8	114.7	57.8
1492.0	235.5	118.7	128.8	64.9	114.5	57.7
.1	235.7	118.8	129.0	65.0	114.3	57.6
.2	235.9	118.9	129.2	65.1	114.1	57.5
.3	236.1	119.0	129.4	65.2	113.9	57.4
.4	236.3	119.1	129.6	65.3	113.7	57.3
.5	236.5	119.2	129.8	65.4	113.5	57.2
.6	236.7	119.3	130.0	65.5	113.3	57.1
.7	236.9	119.4	130.2	65.6	113.1	57.0
.8	237.1	119.5	130.4	65.7	112.9	56.9
.9	237.3	119.6	130.6	65.8	112.7	56.8
1493.0	237.5	119.7	130.8	66.0	112.5	56.7
.1	237.7	119.8	131.0	66.1	112.3	56.6
.2	237.9	120.0	131.2	66.2	112.1	56.5
.3	238.1	120.1	131.4	66.3	111.9	56.4
.4	238.3	120.2	131.6	66.4	111.7	56.3
.5	238.5	120.3	131.8	66.5	111.5	56.2
.6	238.7	120.4	132.0	66.6	111.3	56.1
.7	238.9	120.5	132.2	66.7	111.1	56.0
.8	239.1	120.6	132.4	66.8	110.9	55.9
.9	239.3	120.7	132.6	66.9	110.7	55.8

Hills Creek

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1494.0	239.6	120.8	132.9	67.0	110.4	55.7
.1	239.8	120.9	133.1	67.1	110.2	55.6
.2	240.0	121.0	133.3	67.2	110.0	55.5
.3	240.2	121.1	133.5	67.3	109.8	55.4
.4	240.4	121.2	133.7	67.4	109.6	55.3
.5	240.6	121.3	133.9	67.5	109.4	55.2
.6	240.8	121.4	134.1	67.6	109.2	55.1
.7	241.0	121.5	134.3	67.7	109.0	55.0
.8	241.2	121.6	134.5	67.8	108.8	54.9
.9	241.4	121.7	134.7	67.9	108.6	54.8
1495.0	241.6	121.8	134.9	68.0	108.4	54.7
.1	241.8	121.9	135.1	68.1	108.2	54.6
.2	242.0	122.0	135.3	68.2	108.0	54.5
.3	242.2	122.1	135.5	68.3	107.8	54.3
.4	242.4	122.2	135.7	68.4	107.6	54.2
.5	242.6	122.3	135.9	68.5	107.4	54.1
.6	242.8	122.4	136.1	68.6	107.2	54.0
.7	243.0	122.5	136.3	68.7	107.0	53.9
.8	243.2	122.6	136.5	68.8	106.8	53.8
.9	243.4	122.7	136.7	68.9	106.6	53.7
1496.0	243.6	122.8	136.9	69.0	106.4	53.6
.1	243.8	122.9	137.1	69.1	106.2	53.5
.2	244.0	123.0	137.3	69.2	106.0	53.4
.3	244.2	123.1	137.5	69.3	105.8	53.3
.4	244.4	123.2	137.7	69.4	105.6	53.2
.5	244.7	123.3	138.0	69.5	105.3	53.1
.6	244.9	123.4	138.2	69.7	105.1	53.0
.7	245.1	123.6	138.4	69.8	104.9	52.9
.8	245.3	123.7	138.6	69.9	104.7	52.8
.9	245.5	123.8	138.8	70.0	104.5	52.7
1497.0	245.7	123.9	139.0	70.1	104.3	52.6
.1	245.9	124.0	139.2	70.2	104.1	52.5
.2	246.1	124.1	139.4	70.3	103.9	52.4
.3	246.3	124.2	139.6	70.4	103.7	52.3
.4	246.5	124.3	139.8	70.5	103.5	52.2
.5	246.7	124.4	140.0	70.6	103.3	52.1
.6	246.9	124.5	140.2	70.7	103.1	52.0
.7	247.1	124.6	140.4	70.8	102.9	51.9
.8	247.3	124.7	140.6	70.9	102.7	51.8
.9	247.5	124.8	140.8	71.0	102.5	51.7
1498.0	247.7	124.9	141.0	71.1	102.3	51.6
.1	247.9	125.0	141.2	71.2	102.1	51.5
.2	248.1	125.1	141.4	71.3	101.9	51.4
.3	248.3	125.2	141.6	71.4	101.7	51.3
.4	248.5	125.3	141.8	71.5	101.5	51.2
.5	248.7	125.4	142.0	71.6	101.3	51.1
.6	248.9	125.5	142.2	71.7	101.1	51.0
.7	249.1	125.6	142.4	71.8	100.9	50.9
.8	249.3	125.7	142.6	71.9	100.7	50.7
.9	249.5	125.8	142.8	72.0	100.5	50.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1499.0	249.7	125.9	143.0	72.1	100.3	50.5
.1	250.0	126.0	143.3	72.2	100.0	50.4
.2	250.2	126.1	143.5	72.3	99.8	50.3
.3	250.4	126.2	143.7	72.4	99.6	50.2
.4	250.6	126.3	143.9	72.5	99.4	50.1
.5	250.8	126.4	144.1	72.6	99.2	50.0
.6	251.0	126.5	144.3	72.7	99.0	49.9
.7	251.2	126.6	144.5	72.8	98.8	49.8
.8	251.4	126.7	144.7	72.9	98.6	49.7
.9	251.6	126.8	144.9	73.0	98.4	49.6
1500.0	251.8	126.9	145.1	73.1	98.2	49.5
.1	252.0	127.0	145.3	73.3	98.0	49.4
.2	252.2	127.1	145.5	73.4	97.8	49.3
.3	252.4	127.3	145.7	73.5	97.6	49.2
.4	252.6	127.4	145.9	73.6	97.4	49.1
.5	252.9	127.5	146.2	73.7	97.1	49.0
.6	253.1	127.6	146.4	73.8	96.9	48.9
.7	253.3	127.7	146.6	73.9	96.7	48.7
.8	253.5	127.8	146.8	74.0	96.5	48.6
.9	253.8	127.9	147.1	74.1	96.2	48.5
1501.0	254.0	128.1	147.3	74.3	96.0	48.4
.1	254.2	128.2	147.5	74.4	95.8	48.3
.2	254.4	128.3	147.7	74.5	95.6	48.2
.3	254.7	128.4	148.0	74.6	95.3	48.1
.4	254.9	128.5	148.2	74.7	95.1	47.9
.5	255.1	128.6	148.4	74.8	94.9	47.8
.6	255.4	128.7	148.7	74.9	94.6	47.7
.7	255.6	128.9	148.9	75.1	94.4	47.6
.8	255.8	129.0	149.1	75.2	94.2	47.5
.9	256.0	129.1	149.3	75.3	94.0	47.4
1502.0	256.3	129.2	149.6	75.4	93.7	47.3
.1	256.5	129.3	149.8	75.5	93.5	47.1
.2	256.7	129.4	150.0	75.6	93.3	47.0
.3	256.9	129.5	150.2	75.7	93.1	46.9
.4	257.2	129.7	150.5	75.9	92.8	46.8
.5	257.4	129.8	150.7	76.0	92.6	46.7
.6	257.6	129.9	150.9	76.1	92.4	46.6
.7	257.8	130.0	151.1	76.2	92.2	46.5
.8	258.1	130.1	151.4	76.3	91.9	46.3
.9	258.3	130.2	151.6	76.4	91.7	46.2
1503.0	258.5	130.3	151.8	76.5	91.5	46.1
.1	258.8	130.5	152.1	76.7	91.2	46.0
.2	259.0	130.6	152.3	76.8	91.0	45.9
.3	259.2	130.7	152.5	76.9	90.8	45.8
.4	259.4	130.8	152.7	77.0	90.6	45.7
.5	259.7	130.9	153.0	77.1	90.3	45.5
.6	259.9	131.0	153.2	77.2	90.1	45.4
.7	260.1	131.1	153.4	77.3	89.9	45.3
.8	260.3	131.3	153.6	77.5	89.7	45.2
.9	260.6	131.4	153.9	77.6	89.4	45.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1504.0	260.8	131.5	154.1	77.7	89.2	45.0
.1	261.0	131.6	154.3	77.8	89.0	44.9
.2	261.3	131.7	154.6	77.9	88.7	44.7
.3	261.5	131.8	154.8	78.0	88.5	44.6
.4	261.7	131.9	155.0	78.2	88.3	44.5
.5	261.9	132.1	155.2	78.3	88.1	44.4
.6	262.2	132.2	155.5	78.4	87.8	44.3
.7	262.4	132.3	155.7	78.5	87.6	44.2
.8	262.6	132.4	155.9	78.6	87.4	44.1
.9	262.8	132.5	156.1	78.7	87.2	43.9
1505.0	263.1	132.6	156.4	78.8	86.9	43.8
.1	263.3	132.7	156.6	79.0	86.7	43.7
.2	263.5	132.9	156.8	79.1	86.5	43.6
.3	263.8	133.0	157.1	79.2	86.2	43.5
.4	264.0	133.1	157.3	79.3	86.0	43.4
.5	264.2	133.2	157.5	79.4	85.8	43.3
.6	264.4	133.3	157.7	79.5	85.6	43.1
.7	264.7	133.4	158.0	79.6	85.3	43.0
.8	264.9	133.5	158.2	79.8	85.1	42.9
.9	265.1	133.7	158.4	79.9	84.9	42.8
1506.0	265.3	133.8	158.6	80.0	84.7	42.7
.1	265.6	133.9	158.9	80.1	84.4	42.6
.2	265.8	134.0	159.1	80.2	84.2	42.5
.3	266.0	134.1	159.3	80.3	84.0	42.3
.4	266.3	134.2	159.6	80.4	83.7	42.2
.5	266.5	134.3	159.8	80.6	83.5	42.1
.6	266.7	134.5	160.0	80.7	83.3	42.0
.7	266.9	134.6	160.2	80.8	83.1	41.9
.8	267.2	134.7	160.5	80.9	82.8	41.8
.9	267.4	134.8	160.7	81.0	82.6	41.7
1507.0	267.6	134.9	160.9	81.1	82.4	41.5
.1	267.8	135.0	161.1	81.2	82.2	41.4
.2	268.1	135.2	161.4	81.4	81.9	41.3
.3	268.3	135.3	161.6	81.5	81.7	41.2
.4	268.5	135.4	161.8	81.6	81.5	41.1
.5	268.7	135.5	162.0	81.7	81.3	41.0
.6	269.0	135.6	162.3	81.8	81.0	40.8
.7	269.2	135.7	162.5	81.9	80.8	40.7
.8	269.4	135.8	162.7	82.0	80.6	40.6
.9	269.7	136.0	163.0	82.2	80.3	40.5
1508.0	269.9	136.1	163.2	82.3	80.1	40.4
.1	270.1	136.2	163.4	82.4	79.9	40.3
.2	270.3	136.3	163.6	82.5	79.7	40.2
.3	270.6	136.4	163.9	82.6	79.4	40.0
.4	270.8	136.5	164.1	82.7	79.2	39.9
.5	271.0	136.6	164.3	82.8	79.0	39.8
.6	271.2	136.8	164.5	83.0	78.8	39.7
.7	271.5	136.9	164.8	83.1	78.5	39.6
.8	271.7	137.0	165.0	83.2	78.3	39.5
.9	271.9	137.1	165.2	83.3	78.1	39.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1509.0	272.2	137.2	165.5	83.4	77.8	39.2
.1	272.4	137.3	165.7	83.5	77.6	39.1
.2	272.6	137.4	165.9	83.6	77.4	39.0
.3	272.8	137.6	166.1	83.8	77.2	38.9
.4	273.1	137.7	166.4	83.9	76.9	38.8
.5	273.3	137.8	166.6	84.0	76.7	38.7
.6	273.5	137.9	166.8	84.1	76.5	38.6
.7	273.7	138.0	167.0	84.2	76.3	38.4
.8	274.0	138.1	167.3	84.3	76.0	38.3
.9	274.2	138.2	167.5	84.4	75.8	38.2
1510.0	274.4	138.4	167.7	84.6	75.6	38.1
.1	274.7	138.5	168.0	84.7	75.3	38.0
.2	274.9	138.6	168.2	84.8	75.1	37.9
.3	275.1	138.7	168.4	84.9	74.9	37.8
.4	275.3	138.8	168.6	85.0	74.7	37.6
.5	275.6	138.9	168.9	85.1	74.4	37.5
.6	275.8	139.0	169.1	85.2	74.2	37.4
.7	276.0	139.2	169.3	85.4	74.0	37.3
.8	276.2	139.3	169.5	85.5	73.8	37.2
.9	276.5	139.4	169.8	85.6	73.5	37.1
1511.0	276.7	139.5	170.0	85.7	73.3	37.0
.1	276.9	139.6	170.2	85.8	73.1	36.8
.2	277.2	139.7	170.5	85.9	72.8	36.7
.3	277.4	139.8	170.7	86.1	72.6	36.6
.4	277.6	140.0	170.9	86.2	72.4	36.5
.5	277.8	140.1	171.1	86.3	72.2	36.4
.6	278.1	140.2	171.4	86.4	71.9	36.3
.7	278.3	140.3	171.6	86.5	71.7	36.2
.8	278.5	140.4	171.8	86.6	71.5	36.0
.9	278.7	140.5	172.0	86.7	71.3	35.9
1512.0	279.0	140.6	172.3	86.9	71.0	35.8
.1	279.2	140.8	172.5	87.0	70.8	35.7
.2	279.4	140.9	172.7	87.1	70.6	35.6
.3	279.7	141.0	173.0	87.2	70.3	35.5
.4	279.9	141.1	173.2	87.3	70.1	35.4
.5	280.1	141.2	173.4	87.4	69.9	35.2
.6	280.3	141.3	173.6	87.5	69.7	35.1
.7	280.6	141.4	173.9	87.7	69.4	35.0
.8	280.8	141.6	174.1	87.8	69.2	34.9
.9	281.0	141.7	174.3	87.9	69.0	34.8
1513.0	281.2	141.8	174.5	88.0	68.8	34.7
.1	281.5	141.9	174.8	88.1	68.5	34.6
.2	281.7	142.0	175.0	88.2	68.3	34.4
.3	281.9	142.1	175.2	88.3	68.1	34.3
.4	282.1	142.2	175.4	88.5	67.9	34.2
.5	282.4	142.4	175.7	88.6	67.6	34.1
.6	282.6	142.5	175.9	88.7	67.4	34.0
.7	282.8	142.6	176.1	88.8	67.2	33.9
.8	283.1	142.7	176.4	88.9	66.9	33.8
.9	283.3	142.8	176.6	89.0	66.7	33.6

Hills Creek

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1514.0	283.5	142.9	176.8	89.1	66.5	33.5
.1	283.7	143.1	177.0	89.3	66.3	33.4
.2	284.0	143.2	177.3	89.4	66.0	33.3
.3	284.2	143.3	177.5	89.5	65.8	33.2
.4	284.4	143.4	177.7	89.6	65.6	33.1
.5	284.6	143.5	177.9	89.7	65.4	32.9
.6	284.9	143.6	178.2	89.8	65.1	32.8
.7	285.1	143.7	178.4	89.9	64.9	32.7
.8	285.3	143.9	178.6	90.1	64.7	32.6
.9	285.6	144.0	178.9	90.2	64.4	32.5
1515.0	285.8	144.1	179.1	90.3	64.2	32.4
.1	286.0	144.2	179.3	90.4	64.0	32.3
.2	286.2	144.3	179.5	90.5	63.8	32.1
.3	286.5	144.4	179.8	90.6	63.5	32.0
.4	286.7	144.5	180.0	90.7	63.3	31.9
.5	286.9	144.7	180.2	90.9	63.1	31.8
.6	287.1	144.8	180.4	91.0	62.9	31.7
.7	287.4	144.9	180.7	91.1	62.6	31.6
.8	287.6	145.0	180.9	91.2	62.4	31.5
.9	287.8	145.1	181.1	91.3	62.2	31.3
1516.0	288.1	145.2	181.4	91.4	61.9	31.2
.1	288.3	145.3	181.6	91.5	61.7	31.1
.2	288.5	145.5	181.8	91.7	61.5	31.0
.3	288.7	145.6	182.0	91.8	61.3	30.9
.4	289.0	145.7	182.3	91.9	61.0	30.8
.5	289.2	145.8	182.5	92.0	60.8	30.7
.6	289.4	145.9	182.7	92.1	60.6	30.5
.7	289.6	146.0	182.9	92.2	60.4	30.4
.8	289.9	146.1	183.2	92.3	60.1	30.3
.9	290.1	146.3	183.4	92.5	59.9	30.2
1517.0	290.3	146.4	183.6	92.6	59.7	30.1
.1	290.5	146.5	183.8	92.7	59.5	30.0
.2	290.8	146.6	184.1	92.8	59.2	29.9
.3	291.0	146.7	184.3	92.9	59.0	29.7
.4	291.2	146.8	184.5	93.0	58.8	29.6
.5	291.5	146.9	184.8	93.1	58.5	29.5
.6	291.7	147.1	185.0	93.3	58.3	29.4
.7	291.9	147.2	185.2	93.4	58.1	29.3
.8	292.1	147.3	185.4	93.5	57.9	29.2
.9	292.4	147.4	185.7	93.6	57.6	29.1
1518.0	292.6	147.5	185.9	93.7	57.4	28.9
.1	292.8	147.6	186.1	93.8	57.2	28.8
.2	293.0	147.7	186.3	94.0	57.0	28.7
.3	293.3	147.9	186.6	94.1	56.7	28.6
.4	293.5	148.0	186.8	94.2	56.5	28.5
.5	293.7	148.1	187.0	94.3	56.3	28.4
.6	294.0	148.2	187.3	94.4	56.0	28.3
.7	294.2	148.3	187.5	94.5	55.8	28.1
.8	294.4	148.4	187.7	94.6	55.6	28.0
.9	294.6	148.5	187.9	94.8	55.4	27.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1519.0	294.9	148.7	188.2	94.9	55.1	27.8
.1	295.1	148.8	188.4	95.0	54.9	27.7
.2	295.3	148.9	188.6	95.1	54.7	27.6
.3	295.5	149.0	188.8	95.2	54.5	27.5
.4	295.8	149.1	189.1	95.3	54.2	27.3
.5	296.0	149.2	189.3	95.4	54.0	27.2
.6	296.3	149.4	189.6	95.6	53.7	27.1
.7	296.5	149.5	189.8	95.7	53.5	27.0
.8	296.8	149.6	190.1	95.8	53.2	26.8
.9	297.0	149.7	190.3	95.9	53.0	26.7
1520.0	297.3	149.9	190.6	96.1	52.7	26.6
.1	297.5	150.0	190.8	96.2	52.5	26.5
.2	297.8	150.1	191.1	96.3	52.2	26.3
.3	298.0	150.2	191.3	96.5	52.0	26.2
.4	298.3	150.4	191.6	96.6	51.7	26.1
.5	298.5	150.5	191.8	96.7	51.5	26.0
.6	298.8	150.6	192.1	96.8	51.2	25.8
.7	299.0	150.8	192.3	97.0	51.0	25.7
.8	299.3	150.9	192.6	97.1	50.7	25.6
.9	299.5	151.0	192.8	97.2	50.5	25.5
1521.0	299.8	151.1	193.1	97.3	50.2	25.3
.1	300.0	151.3	193.3	97.5	50.0	25.2
.2	300.3	151.4	193.6	97.6	49.7	25.1
.3	300.5	151.5	193.8	97.7	49.5	24.9
.4	300.8	151.6	194.1	97.8	49.2	24.8
.5	301.0	151.8	194.3	98.0	49.0	24.7
.6	301.3	151.9	194.6	98.1	48.7	24.6
.7	301.5	152.0	194.8	98.2	48.5	24.4
.8	301.8	152.1	195.1	98.4	48.2	24.3
.9	302.0	152.3	195.3	98.5	48.0	24.2
1522.0	302.3	152.4	195.6	98.6	47.7	24.1
.1	302.5	152.5	195.8	98.7	47.5	23.9
.2	302.8	152.7	196.1	98.9	47.2	23.8
.3	303.0	152.8	196.3	99.0	47.0	23.7
.4	303.3	152.9	196.6	99.1	46.7	23.6
.5	303.5	153.0	196.8	99.2	46.5	23.4
.6	303.8	153.2	197.1	99.4	46.2	23.3
.7	304.0	153.3	197.3	99.5	46.0	23.2
.8	304.3	153.4	197.6	99.6	45.7	23.0
.9	304.5	153.5	197.8	99.7	45.5	22.9
1523.0	304.8	153.7	198.1	99.9	45.2	22.8
.1	305.0	153.8	198.3	100.0	45.0	22.7
.2	305.3	153.9	198.6	100.1	44.7	22.5
.3	305.5	154.0	198.8	100.3	44.5	22.4
.4	305.8	154.2	199.1	100.4	44.2	22.3
.5	306.0	154.3	199.3	100.5	44.0	22.2
.6	306.3	154.4	199.6	100.6	43.7	22.0
.7	306.5	154.6	199.8	100.8	43.5	21.9
.8	306.8	154.7	200.1	100.9	43.2	21.8
.9	307.1	154.8	200.4	101.0	42.9	21.7

Hills Creek

314

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1524.0	307.3	154.9	200.6	101.1	42.7	21.5
.1	307.6	155.1	200.9	101.3	42.4	21.4
.2	307.8	155.2	201.1	101.4	42.2	21.3
.3	308.1	155.3	201.4	101.5	41.9	21.1
.4	308.3	155.4	201.6	101.6	41.7	21.0
.5	308.6	155.6	201.9	101.8	41.4	20.9
.6	308.8	155.7	202.1	101.9	41.2	20.8
.7	309.1	155.8	202.4	102.0	40.9	20.6
.8	309.3	155.9	202.6	102.2	40.7	20.5
.9	309.6	156.1	202.9	102.3	40.4	20.4
1525.0	309.8	156.2	203.1	102.4	40.2	20.3
.1	310.1	156.3	203.4	102.5	39.9	20.1
.2	310.3	156.5	203.6	102.7	39.7	20.0
.3	310.6	156.6	203.9	102.8	39.4	19.9
.4	310.8	156.7	204.1	102.9	39.2	19.8
.5	311.1	156.8	204.4	103.0	38.9	19.6
.6	311.3	157.0	204.6	103.2	38.7	19.5
.7	311.6	157.1	204.9	103.3	38.4	19.4
.8	311.8	157.2	205.1	103.4	38.2	19.2
.9	312.1	157.3	205.4	103.5	37.9	19.1
1526.0	312.3	157.5	205.6	103.7	37.7	19.0
.1	312.6	157.6	205.9	103.8	37.4	18.9
.2	312.8	157.7	206.1	103.9	37.2	18.7
.3	313.1	157.8	206.4	104.0	36.9	18.6
.4	313.3	158.0	206.6	104.2	36.7	18.5
.5	313.6	158.1	206.9	104.3	36.4	18.4
.6	313.8	158.2	207.1	104.4	36.2	18.2
.7	314.1	158.4	207.4	104.6	35.9	18.1
.8	314.3	158.5	207.6	104.7	35.7	18.0
.9	314.6	158.6	207.9	104.8	35.4	17.9
1527.0	314.8	158.7	208.1	104.9	35.2	17.7
.1	315.1	158.9	208.4	105.1	34.9	17.6
.2	315.3	159.0	208.6	105.2	34.7	17.5
.3	315.6	159.1	208.9	105.3	34.4	17.3
.4	315.8	159.2	209.1	105.4	34.2	17.2
.5	316.1	159.4	209.4	105.6	33.9	17.1
.6	316.3	159.5	209.6	105.7	33.7	17.0
.7	316.6	159.6	209.9	105.8	33.4	16.8
.8	316.8	159.7	210.1	105.9	33.2	16.7
.9	317.1	159.9	210.4	106.1	32.9	16.6
1528.0	317.3	160.0	210.6	106.2	32.7	16.5
.1	317.6	160.1	210.9	106.3	32.4	16.3
.2	317.9	160.2	211.2	106.5	32.1	16.2
.3	318.1	160.4	211.4	106.6	31.9	16.1
.4	318.4	160.5	211.7	106.7	31.6	16.0
.5	318.6	160.6	211.9	106.8	31.4	15.8
.6	318.9	160.8	212.2	107.0	31.1	15.7
.7	319.1	160.9	212.4	107.1	30.9	15.6
.8	319.4	161.0	212.7	107.2	30.6	15.4
.9	319.6	161.1	212.9	107.3	30.4	15.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1529.0	319.9	161.3	213.2	107.5	30.1	15.2
.1	320.1	161.4	213.4	107.6	29.9	15.1
.2	320.4	161.5	213.7	107.7	29.6	14.9
.3	320.6	161.6	213.9	107.8	29.4	14.8
.4	320.9	161.8	214.2	108.0	29.1	14.7
.5	321.1	161.9	214.4	108.1	28.9	14.6
.6	321.4	162.0	214.7	108.2	28.6	14.4
.7	321.6	162.1	214.9	108.4	28.4	14.3
.8	321.9	162.3	215.2	108.5	28.1	14.2
.9	322.1	162.4	215.4	108.6	27.9	14.1
1530.0	322.4	162.5	215.7	108.7	27.6	13.9
.1	322.6	162.7	215.9	108.9	27.4	13.8
.2	322.9	162.8	216.2	109.0	27.1	13.7
.3	323.1	162.9	216.4	109.1	26.9	13.5
.4	323.4	163.0	216.7	109.2	26.6	13.4
.5	323.6	163.2	216.9	109.4	26.4	13.3
.6	323.9	163.3	217.2	109.5	26.1	13.2
.7	324.1	163.4	217.4	109.6	25.9	13.0
.8	324.4	163.5	217.7	109.7	25.6	12.9
.9	324.6	163.7	217.9	109.9	25.4	12.8
1531.0	324.9	163.8	218.2	110.0	25.1	12.7
.1	325.1	163.9	218.4	110.1	24.9	12.5
.2	325.4	164.0	218.7	110.3	24.6	12.4
.3	325.6	164.2	218.9	110.4	24.4	12.3
.4	325.9	164.3	219.2	110.5	24.1	12.2
.5	326.1	164.4	219.4	110.6	23.9	12.0
.6	326.4	164.6	219.7	110.8	23.6	11.9
.7	326.6	164.7	219.9	110.9	23.4	11.8
.8	326.9	164.8	220.2	111.0	23.1	11.6
.9	327.1	164.9	220.4	111.1	22.9	11.5
1532.0	327.4	165.1	220.7	111.3	22.6	11.4
.1	327.6	165.2	220.9	111.4	22.4	11.3
.2	327.9	165.3	221.2	111.5	22.1	11.1
.3	328.1	165.4	221.4	111.6	21.9	11.0
.4	328.4	165.6	221.7	111.8	21.6	10.9
.5	328.7	165.7	222.0	111.9	21.3	10.8
.6	328.9	165.8	222.2	112.0	21.1	10.6
.7	329.2	165.9	222.5	112.2	20.8	10.5
.8	329.4	166.1	222.7	112.3	20.6	10.4
.9	329.7	166.2	223.0	112.4	20.3	10.3
1533.0	329.9	166.3	223.2	112.5	20.1	10.1
.1	330.2	166.5	223.5	112.7	19.8	10.0
.2	330.4	166.6	223.7	112.8	19.6	9.9
.3	330.7	166.7	224.0	112.9	19.3	9.8
.4	330.9	166.8	224.2	113.0	19.1	9.6
.5	331.2	167.0	224.5	113.2	18.8	9.5
.6	331.4	167.1	224.7	113.3	18.6	9.4
.7	331.7	167.2	225.0	113.4	18.3	9.2
.8	331.9	167.3	225.2	113.5	18.1	9.1
.9	332.2	167.5	225.5	113.7	17.8	9.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1534.0	332.4	167.6	225.7	113.8	17.6	8.9
.1	332.7	167.7	226.0	113.9	17.3	8.7
.2	332.9	167.8	226.2	114.1	17.1	8.6
.3	333.2	168.0	226.5	114.2	16.8	8.5
.4	333.4	168.1	226.7	114.3	16.6	8.4
.5	333.7	168.2	227.0	114.4	16.3	8.2
.6	333.9	168.4	227.2	114.6	16.1	8.1
.7	334.2	168.5	227.5	114.7	15.8	8.0
.8	334.4	168.6	227.7	114.8	15.6	7.9
.9	334.7	168.7	228.0	114.9	15.3	7.7
1535.0	334.9	168.9	228.2	115.1	15.1	7.6
.1	335.2	169.0	228.5	115.2	14.8	7.5
.2	335.4	169.1	228.7	115.3	14.6	7.3
.3	335.7	169.2	229.0	115.4	14.3	7.2
.4	335.9	169.4	229.2	115.6	14.1	7.1
.5	336.2	169.5	229.5	115.7	13.8	7.0
.6	336.4	169.6	229.7	115.8	13.6	6.8
.7	336.7	169.7	230.0	116.0	13.3	6.7
.8	336.9	169.9	230.2	116.1	13.1	6.6
.9	337.2	170.0	230.5	116.2	12.8	6.5
1536.0	337.4	170.1	230.7	116.3	12.6	6.3
.1	337.7	170.3	231.0	116.5	12.3	6.2
.2	337.9	170.4	231.2	116.6	12.1	6.1
.3	338.2	170.5	231.5	116.7	11.8	6.0
.4	338.4	170.6	231.7	116.8	11.6	5.8
.5	338.7	170.8	232.0	117.0	11.3	5.7
.6	338.9	170.9	232.2	117.1	11.1	5.6
.7	339.2	171.0	232.5	117.2	10.8	5.4
.8	339.5	171.1	232.8	117.3	10.5	5.3
.9	339.7	171.3	233.0	117.5	10.3	5.2
1537.0	340.0	171.4	233.3	117.6	10.0	5.1
.1	340.2	171.5	233.5	117.7	9.8	4.9
.2	340.5	171.6	233.8	117.9	9.5	4.8
.3	340.7	171.8	234.0	118.0	9.3	4.7
.4	341.0	171.9	234.3	118.1	9.0	4.6
.5	341.2	172.0	234.5	118.2	8.8	4.4
.6	341.5	172.2	234.8	118.4	8.5	4.3
.7	341.7	172.3	235.0	118.5	8.3	4.2
.8	342.0	172.4	235.3	118.6	8.0	4.1
.9	342.2	172.5	235.5	118.7	7.8	3.9
1538.0	342.5	172.7	235.8	118.9	7.5	3.8
.1	342.7	172.8	236.0	119.0	7.3	3.7
.2	343.0	172.9	236.3	119.1	7.0	3.5
.3	343.2	173.0	236.5	119.2	6.8	3.4
.4	343.5	173.2	236.8	119.4	6.5	3.3
.5	343.7	173.3	237.0	119.5	6.3	3.2
.6	344.0	173.4	237.3	119.6	6.0	3.0
.7	344.2	173.5	237.5	119.8	5.8	2.9
.8	344.5	173.7	237.8	119.9	5.5	2.8
.9	344.7	173.8	238.0	120.0	5.3	2.7

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1539.0	345.0	173.9	238.3	120.1	5.0	2.5
.1	345.2	174.1	238.5	120.3	4.8	2.4
.2	345.5	174.2	238.8	120.4	4.5	2.3
.3	345.7	174.3	239.0	120.5	4.3	2.2
.4	346.0	174.4	239.3	120.6	4.0	2.0
.5	346.2	174.6	239.5	120.8	3.8	1.9
.6	346.5	174.7	239.8	120.9	3.5	1.8
.7	346.7	174.8	240.0	121.0	3.3	1.6
.8	347.0	174.9	240.3	121.1	3.0	1.5
.9	347.2	175.1	240.5	121.3	2.8	1.4
1540.0	347.5	175.2	240.8	121.4	2.5	1.3
.1	347.7	175.3	241.0	121.5	2.3	1.1
.2	348.0	175.4	241.3	121.7	2.0	1.0
.3	348.2	175.6	241.5	121.8	1.8	0.9
.4	348.5	175.7	241.8	121.9	1.5	0.8
.5	348.7	175.8	242.0	122.0	1.3	0.6
.6	349.0	176.0	242.3	122.2	1.0	0.5
.7	349.2	176.1	242.5	122.3	0.8	0.4
.8	349.5	176.2	242.8	122.4	0.5	0.3
.9	349.7	176.3	243.0	122.5	0.3	0.1
1541.0 SUB	350.0	176.5	243.3	122.7	0.0	0.0
.1	350.3	176.6				
.2	350.5	176.7				
.3	350.8	176.8				
.4	351.0	177.0				
.5	351.3	177.1				
.6	351.5	177.2				
.7	351.8	177.3				
.8	352.0	177.5				
.9	352.3	177.6				
1542.0	352.5	177.7				

Hills Creek

Reservoir Storage Tables

PROJECT NAME: LOOKOUT POINT

PROJECT NUMBER: 111

STORAGE LOWER BOUND (SLB) =   106.60KAF   STORAGE UPPER BOUND (SUB) = 443.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
819.0	SLB	106.6	53.7	0.0	0.0	336.4	169.6
.1		106.8	53.8	0.2	0.1	336.2	169.5
.2		107.0	53.9	0.4	0.2	336.0	169.4
.3		107.2	54.0	0.6	0.3	335.8	169.3
.4		107.4	54.2	0.8	0.4	335.6	169.2
.5		107.6	54.3	1.0	0.5	335.4	169.1
.6		107.8	54.4	1.2	0.6	335.2	169.0
.7		108.0	54.5	1.4	0.7	335.0	168.9
.8		108.2	54.6	1.6	0.8	334.8	168.8
.9		108.4	54.7	1.8	0.9	334.6	168.7
820.0		108.6	54.8	2.0	1.0	334.4	168.6
.1		108.8	54.9	2.2	1.1	334.2	168.5
.2		109.0	55.0	2.4	1.2	334.0	168.4
.3		109.2	55.1	2.6	1.3	333.8	168.3
.4		109.4	55.2	2.8	1.4	333.6	168.2
.5		109.6	55.3	3.0	1.5	333.4	168.1
.6		109.8	55.4	3.2	1.6	333.2	168.0
.7		110.0	55.5	3.4	1.7	333.0	167.9
.8		110.2	55.6	3.6	1.8	332.8	167.8
.9		110.4	55.7	3.8	1.9	332.6	167.7
821.0		110.6	55.8	4.0	2.0	332.4	167.6
.1		110.8	55.9	4.2	2.1	332.2	167.5
.2		111.0	56.0	4.4	2.2	332.0	167.4
.3		111.2	56.1	4.6	2.3	331.8	167.3
.4		111.4	56.2	4.8	2.4	331.6	167.2
.5		111.6	56.3	5.0	2.5	331.4	167.1
.6		111.8	56.4	5.2	2.6	331.2	167.0
.7		112.0	56.5	5.4	2.7	331.0	166.9
.8		112.2	56.6	5.6	2.8	330.8	166.8
.9		112.4	56.7	5.8	2.9	330.6	166.7
822.0		112.7	56.8	6.1	3.1	330.4	166.6
.1		112.9	56.9	6.3	3.2	330.1	166.4
.2		113.1	57.0	6.5	3.3	329.9	166.3
.3		113.3	57.1	6.7	3.4	329.7	166.2
.4		113.5	57.2	6.9	3.5	329.5	166.1
.5		113.7	57.3	7.1	3.6	329.3	166.0
.6		113.9	57.4	7.3	3.7	329.1	165.9
.7		114.1	57.5	7.5	3.8	328.9	165.8
.8		114.3	57.6	7.7	3.9	328.7	165.7
.9		114.5	57.7	7.9	4.0	328.5	165.6
823.0		114.7	57.8	8.1	4.1	328.3	165.5
.1		114.9	57.9	8.3	4.2	328.1	165.4
.2		115.1	58.0	8.5	4.3	327.9	165.3
.3		115.3	58.1	8.7	4.4	327.7	165.2
.4		115.5	58.2	8.9	4.5	327.5	165.1
.5		115.7	58.3	9.1	4.6	327.3	165.0
.6		115.9	58.4	9.3	4.7	327.1	164.9
.7		116.1	58.5	9.5	4.8	326.9	164.8
.8		116.3	58.6	9.7	4.9	326.7	164.7
.9		116.5	58.7	9.9	5.0	326.5	164.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
824.0	116.7	58.8	10.1	5.1	326.3	164.5
.1	116.9	58.9	10.3	5.2	326.1	164.4
.2	117.1	59.0	10.5	5.3	325.9	164.3
.3	117.3	59.1	10.7	5.4	325.7	164.2
.4	117.5	59.2	10.9	5.5	325.5	164.1
.5	117.7	59.3	11.1	5.6	325.3	164.0
.6	117.9	59.4	11.3	5.7	325.1	163.9
.7	118.1	59.5	11.5	5.8	324.9	163.8
.8	118.3	59.6	11.7	5.9	324.7	163.7
.9	118.5	59.7	11.9	6.0	324.5	163.6
825.0	118.7	59.8	12.1	6.1	324.3	163.5
.1	118.9	60.0	12.3	6.2	324.1	163.4
.2	119.1	60.1	12.5	6.3	323.9	163.3
.3	119.4	60.2	12.8	6.4	323.6	163.2
.4	119.6	60.3	13.0	6.5	323.4	163.1
.5	119.8	60.4	13.2	6.7	323.2	162.9
.6	120.0	60.5	13.4	6.8	323.0	162.8
.7	120.3	60.6	13.7	6.9	322.7	162.7
.8	120.5	60.7	13.9	7.0	322.5	162.6
.9	120.7	60.9	14.1	7.1	322.3	162.5
826.0	120.9	61.0	14.3	7.2	322.1	162.4
.1	121.1	61.1	14.5	7.3	321.9	162.3
.2	121.4	61.2	14.8	7.4	321.6	162.2
.3	121.6	61.3	15.0	7.6	321.4	162.0
.4	121.8	61.4	15.2	7.7	321.2	161.9
.5	122.0	61.5	15.4	7.8	321.0	161.8
.6	122.3	61.6	15.7	7.9	320.7	161.7
.7	122.5	61.7	15.9	8.0	320.5	161.6
.8	122.7	61.9	16.1	8.1	320.3	161.5
.9	122.9	62.0	16.3	8.2	320.1	161.4
827.0	123.1	62.1	16.5	8.3	319.9	161.3
.1	123.4	62.2	16.8	8.5	319.6	161.2
.2	123.6	62.3	17.0	8.6	319.4	161.0
.3	123.8	62.4	17.2	8.7	319.2	160.9
.4	124.0	62.5	17.4	8.8	319.0	160.8
.5	124.3	62.6	17.7	8.9	318.7	160.7
.6	124.5	62.8	17.9	9.0	318.5	160.6
.7	124.7	62.9	18.1	9.1	318.3	160.5
.8	124.9	63.0	18.3	9.2	318.1	160.4
.9	125.1	63.1	18.5	9.3	317.9	160.3
828.0	125.4	63.2	18.8	9.5	317.6	160.1
.1	125.6	63.3	19.0	9.6	317.4	160.0
.2	125.8	63.4	19.2	9.7	317.2	159.9
.3	126.0	63.5	19.4	9.8	317.0	159.8
.4	126.2	63.7	19.6	9.9	316.8	159.7
.5	126.5	63.8	19.9	10.0	316.5	159.6
.6	126.7	63.9	20.1	10.1	316.3	159.5
.7	126.9	64.0	20.3	10.2	316.1	159.4
.8	127.1	64.1	20.5	10.4	315.9	159.2
.9	127.4	64.2	20.8	10.5	315.6	159.1

Lookout Point

317

Reservoir Storage Tables

PAGE 3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
829.0	127.6	64.3	21.0	10.6	315.4	159.0
.1	127.8	64.4	21.2	10.7	315.2	158.9
.2	128.0	64.5	21.4	10.8	315.0	158.8
.3	128.2	64.7	21.6	10.9	314.8	158.7
.4	128.5	64.8	21.9	11.0	314.5	158.6
.5	128.7	64.9	22.1	11.1	314.3	158.5
.6	128.9	65.0	22.3	11.2	314.1	158.4
.7	129.1	65.1	22.5	11.4	313.9	158.2
.8	129.4	65.2	22.8	11.5	313.6	158.1
.9	129.6	65.3	23.0	11.6	313.4	158.0
830.0	129.8	65.4	23.2	11.7	313.2	157.9
.1	130.0	65.6	23.4	11.8	313.0	157.8
.2	130.2	65.7	23.6	11.9	312.8	157.7
.3	130.5	65.8	23.9	12.0	312.5	157.6
.4	130.7	65.9	24.1	12.1	312.3	157.5
.5	130.9	66.0	24.3	12.3	312.1	157.3
.6	131.1	66.1	24.5	12.4	311.9	157.2
.7	131.4	66.2	24.8	12.5	311.6	157.1
.8	131.6	66.3	25.0	12.6	311.4	157.0
.9	131.8	66.4	25.2	12.7	311.2	156.9
831.0	132.0	66.6	25.4	12.8	311.0	156.8
.1	132.2	66.7	25.6	12.9	310.8	156.7
.2	132.5	66.8	25.9	13.0	310.5	156.6
.3	132.7	66.9	26.1	13.2	310.3	156.4
.4	132.9	67.0	26.3	13.3	310.1	156.3
.5	133.1	67.1	26.5	13.4	309.9	156.2
.6	133.4	67.2	26.8	13.5	309.6	156.1
.7	133.6	67.3	27.0	13.6	309.4	156.0
.8	133.8	67.5	27.2	13.7	309.2	155.9
.9	134.0	67.6	27.4	13.8	309.0	155.8
832.0	134.2	67.7	27.6	13.9	308.8	155.7
.1	134.5	67.8	27.9	14.0	308.5	155.6
.2	134.7	67.9	28.1	14.2	308.3	155.4
.3	134.9	68.0	28.3	14.3	308.1	155.3
.4	135.1	68.1	28.5	14.4	307.9	155.2
.5	135.4	68.2	28.8	14.5	307.6	155.1
.6	135.6	68.4	29.0	14.6	307.4	155.0
.7	135.8	68.5	29.2	14.7	307.2	154.9
.8	136.0	68.6	29.4	14.8	307.0	154.8
.9	136.2	68.7	29.6	14.9	306.8	154.7
833.0	136.5	68.8	29.9	15.1	306.5	154.5
.1	136.7	68.9	30.1	15.2	306.3	154.4
.2	136.9	69.0	30.3	15.3	306.1	154.3
.3	137.1	69.1	30.5	15.4	305.9	154.2
.4	137.4	69.2	30.8	15.5	305.6	154.1
.5	137.6	69.4	31.0	15.6	305.4	154.0
.6	137.8	69.5	31.2	15.7	305.2	153.9
.7	138.0	69.6	31.4	15.8	305.0	153.8
.8	138.2	69.7	31.6	16.0	304.8	153.7
.9	138.5	69.8	31.9	16.1	304.5	153.5

PAGE 4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
834.0	138.7	69.9	32.1	16.2	304.3	153.4
.1	138.9	70.0	32.3	16.3	304.1	153.3
.2	139.1	70.1	32.5	16.4	303.9	153.2
.3	139.3	70.3	32.7	16.5	303.7	153.1
.4	139.6	70.4	33.0	16.6	303.4	153.0
.5	139.8	70.5	33.2	16.7	303.2	152.9
.6	140.0	70.6	33.4	16.8	303.0	152.8
.7	140.2	70.7	33.6	17.0	302.8	152.6
.8	140.5	70.8	33.9	17.1	302.5	152.5
.9	140.7	70.9	34.1	17.2	302.3	152.4
835.0	140.9	71.0	34.3	17.3	302.1	152.3
.1	141.1	71.2	34.5	17.4	301.9	152.2
.2	141.3	71.3	34.7	17.5	301.7	152.1
.3	141.6	71.4	35.0	17.6	301.4	152.0
.4	141.8	71.5	35.2	17.7	301.2	151.9
.5	142.0	71.6	35.4	17.9	301.0	151.7
.6	142.2	71.7	35.6	18.0	300.8	151.6
.7	142.5	71.8	35.9	18.1	300.5	151.5
.8	142.7	71.9	36.1	18.2	300.3	151.4
.9	142.9	72.0	36.3	18.3	300.1	151.3
836.0	143.1	72.2	36.5	18.4	299.9	151.2
.1	143.3	72.3	36.7	18.5	299.7	151.1
.2	143.6	72.4	37.0	18.6	299.4	151.0
.3	143.8	72.5	37.2	18.7	299.2	150.9
.4	144.0	72.6	37.4	18.9	299.0	150.7
.5	144.2	72.7	37.6	19.0	298.8	150.6
.6	144.5	72.8	37.9	19.1	298.5	150.5
.7	144.7	72.9	38.1	19.2	298.3	150.4
.8	144.9	73.1	38.3	19.3	298.1	150.3
.9	145.1	73.2	38.5	19.4	297.9	150.2
837.0	145.4	73.3	38.8	19.6	297.6	150.0
.1	145.6	73.4	39.0	19.7	297.4	149.9
.2	145.9	73.6	39.3	19.8	297.1	149.8
.3	146.1	73.7	39.5	19.9	296.9	149.7
.4	146.4	73.8	39.8	20.1	296.6	149.5
.5	146.6	73.9	40.0	20.2	296.4	149.4
.6	146.9	74.1	40.3	20.3	296.1	149.3
.7	147.1	74.2	40.5	20.4	295.9	149.2
.8	147.4	74.3	40.8	20.6	295.6	149.0
.9	147.6	74.4	41.0	20.7	295.4	148.9
838.0	147.9	74.6	41.3	20.8	295.1	148.8
.1	148.1	74.7	41.5	20.9	294.9	148.7
.2	148.4	74.8	41.8	21.1	294.6	148.5
.3	148.6	74.9	42.0	21.2	294.4	148.4
.4	148.9	75.1	42.3	21.3	294.1	148.3
.5	149.1	75.2	42.5	21.4	293.9	148.2
.6	149.4	75.3	42.8	21.6	293.6	148.0
.7	149.6	75.4	43.0	21.7	293.4	147.9
.8	149.9	75.6	43.3	21.8	293.1	147.8
.9	150.1	75.7	43.5	21.9	292.9	147.7

Lookout Point

318

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
839.0	150.4	75.8	43.8	22.1	292.6	147.5
.1	150.6	75.9	44.0	22.2	292.4	147.4
.2	150.9	76.1	44.3	22.3	292.1	147.3
.3	151.1	76.2	44.5	22.4	291.9	147.2
.4	151.3	76.3	44.7	22.6	291.7	147.0
.5	151.6	76.4	45.0	22.7	291.4	146.9
.6	151.8	76.6	45.2	22.8	291.2	146.8
.7	152.1	76.7	45.5	22.9	290.9	146.7
.8	152.3	76.8	45.7	23.1	290.7	146.5
.9	152.6	76.9	46.0	23.2	290.4	146.4
840.0	152.8	77.1	46.2	23.3	290.2	146.3
.1	153.1	77.2	46.5	23.4	289.9	146.2
.2	153.3	77.3	46.7	23.6	289.7	146.0
.3	153.6	77.4	47.0	23.7	289.4	145.9
.4	153.8	77.6	47.2	23.8	289.2	145.8
.5	154.1	77.7	47.5	23.9	288.9	145.7
.6	154.3	77.8	47.7	24.1	288.7	145.5
.7	154.6	77.9	48.0	24.2	288.4	145.4
.8	154.8	78.1	48.2	24.3	288.2	145.3
.9	155.1	78.2	48.5	24.4	287.9	145.2
841.0	155.3	78.3	48.7	24.6	287.7	145.0
.1	155.6	78.4	49.0	24.7	287.4	144.9
.2	155.8	78.6	49.2	24.8	287.2	144.8
.3	156.1	78.7	49.5	24.9	286.9	144.7
.4	156.3	78.8	49.7	25.1	286.7	144.5
.5	156.6	78.9	50.0	25.2	286.4	144.4
.6	156.8	79.1	50.2	25.3	286.2	144.3
.7	157.1	79.2	50.5	25.4	285.9	144.2
.8	157.3	79.3	50.7	25.6	285.7	144.0
.9	157.5	79.4	50.9	25.7	285.5	143.9
842.0	157.8	79.6	51.2	25.8	285.2	143.8
.1	158.0	79.7	51.4	25.9	285.0	143.7
.2	158.3	79.8	51.7	26.1	284.7	143.5
.3	158.5	79.9	51.9	26.2	284.5	143.4
.4	158.8	80.1	52.2	26.3	284.2	143.3
.5	159.0	80.2	52.4	26.4	284.0	143.2
.6	159.3	80.3	52.7	26.6	283.7	143.0
.7	159.5	80.4	52.9	26.7	283.5	142.9
.8	159.8	80.6	53.2	26.8	283.2	142.8
.9	160.0	80.7	53.4	26.9	283.0	142.7
843.0	160.3	80.8	53.7	27.1	282.7	142.5
.1	160.5	80.9	53.9	27.2	282.5	142.4
.2	160.8	81.1	54.2	27.3	282.2	142.3
.3	161.0	81.2	54.4	27.4	282.0	142.2
.4	161.3	81.3	54.7	27.6	281.7	142.0
.5	161.5	81.4	54.9	27.7	281.5	141.9
.6	161.8	81.6	55.2	27.8	281.2	141.8
.7	162.0	81.7	55.4	27.9	281.0	141.7
.8	162.3	81.8	55.7	28.1	280.7	141.5
.9	162.5	81.9	55.9	28.2	280.5	141.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
844.0	162.8	82.1	56.2	28.3	280.2	141.3
.1	163.0	82.2	56.4	28.4	280.0	141.2
.2	163.2	82.3	56.6	28.6	279.8	141.0
.3	163.5	82.4	56.9	28.7	279.5	140.9
.4	163.7	82.6	57.1	28.8	279.3	140.8
.5	164.0	82.7	57.4	28.9	279.0	140.7
.6	164.2	82.8	57.6	29.1	278.8	140.5
.7	164.5	82.9	57.9	29.2	278.5	140.4
.8	164.7	83.1	58.1	29.3	278.3	140.3
.9	165.0	83.2	58.4	29.4	278.0	140.2
845.0	165.2	83.3	58.6	29.6	277.8	140.0
.1	165.5	83.4	58.9	29.7	277.5	139.9
.2	165.7	83.6	59.1	29.8	277.3	139.8
.3	166.0	83.7	59.4	29.9	277.0	139.7
.4	166.2	83.8	59.6	30.1	276.8	139.5
.5	166.5	83.9	59.9	30.2	276.5	139.4
.6	166.7	84.1	60.1	30.3	276.3	139.3
.7	167.0	84.2	60.4	30.4	276.0	139.2
.8	167.2	84.3	60.6	30.6	275.8	139.0
.9	167.5	84.4	60.9	30.7	275.5	138.9
846.0	167.7	84.6	61.1	30.8	275.3	138.8
.1	168.0	84.7	61.4	30.9	275.0	138.7
.2	168.2	84.8	61.6	31.1	274.8	138.5
.3	168.5	84.9	61.9	31.2	274.5	138.4
.4	168.7	85.1	62.1	31.3	274.3	138.3
.5	169.0	85.2	62.4	31.4	274.0	138.2
.6	169.2	85.3	62.6	31.6	273.8	138.0
.7	169.4	85.4	62.8	31.7	273.6	137.9
.8	169.7	85.6	63.1	31.8	273.3	137.8
.9	169.9	85.7	63.3	31.9	273.1	137.7
847.0	170.2	85.8	63.6	32.1	272.8	137.5
.1	170.4	85.9	63.8	32.2	272.6	137.4
.2	170.7	86.1	64.1	32.3	272.3	137.3
.3	170.9	86.2	64.3	32.4	272.1	137.2
.4	171.2	86.3	64.6	32.6	271.8	137.0
.5	171.4	86.4	64.8	32.7	271.6	136.9
.6	171.7	86.6	65.1	32.8	271.3	136.8
.7	171.9	86.7	65.3	32.9	271.1	136.7
.8	172.2	86.8	65.6	33.1	270.8	136.5
.9	172.4	86.9	65.8	33.2	270.6	136.4
848.0	172.7	87.1	66.1	33.3	270.3	136.3
.1	172.9	87.2	66.3	33.4	270.1	136.2
.2	173.2	87.3	66.6	33.6	269.8	136.0
.3	173.4	87.4	66.8	33.7	269.6	135.9
.4	173.7	87.6	67.1	33.8	269.3	135.8
.5	173.9	87.7	67.3	33.9	269.1	135.7
.6	174.2	87.8	67.6	34.1	268.8	135.5
.7	174.4	87.9	67.8	34.2	268.6	135.4
.8	174.7	88.1	68.1	34.3	268.3	135.3
.9	174.9	88.2	68.3	34.4	268.1	135.2

Lookout Point

319

Reservoir Storage Tables

PAGE 7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
849.0	175.2	88.3	68.6	34.6	267.8	135.0
.1	175.4	88.4	68.8	34.7	267.6	134.9
.2	175.7	88.6	69.1	34.8	267.3	134.8
.3	176.0	88.7	69.4	35.0	267.0	134.6
.4	176.2	88.8	69.6	35.1	266.8	134.5
.5	176.5	89.0	69.9	35.2	266.5	134.4
.6	176.8	89.1	70.2	35.4	266.2	134.2
.7	177.1	89.3	70.5	35.5	265.9	134.1
.8	177.3	89.4	70.7	35.7	265.7	133.9
.9	177.6	89.5	71.0	35.8	265.4	133.8
850.0	177.9	89.7	71.3	35.9	265.1	133.7
.1	178.2	89.8	71.6	36.1	264.8	133.5
.2	178.4	90.0	71.8	36.2	264.6	133.4
.3	178.7	90.1	72.1	36.4	264.3	133.2
.4	179.0	90.2	72.4	36.5	264.0	133.1
.5	179.3	90.4	72.7	36.6	263.7	133.0
.6	179.6	90.5	73.0	36.8	263.4	132.8
.7	179.8	90.7	73.2	36.9	263.2	132.7
.8	180.1	90.8	73.5	37.1	262.9	132.5
.9	180.4	90.9	73.8	37.2	262.6	132.4
851.0	180.7	91.1	74.1	37.3	262.3	132.3
.1	180.9	91.2	74.3	37.5	262.1	132.1
.2	181.2	91.4	74.6	37.6	261.8	132.0
.3	181.5	91.5	74.9	37.8	261.5	131.8
.4	181.8	91.6	75.2	37.9	261.2	131.7
.5	182.0	91.8	75.4	38.0	261.0	131.6
.6	182.3	91.9	75.7	38.2	260.7	131.4
.7	182.6	92.1	76.0	38.3	260.4	131.3
.8	182.9	92.2	76.3	38.5	260.1	131.1
.9	183.2	92.3	76.6	38.6	259.8	131.0
852.0	183.4	92.5	76.8	38.7	259.6	130.9
.1	183.7	92.6	77.1	38.9	259.3	130.7
.2	184.0	92.8	77.4	39.0	259.0	130.6
.3	184.3	92.9	77.7	39.2	258.7	130.4
.4	184.5	93.0	77.9	39.3	258.5	130.3
.5	184.8	93.2	78.2	39.4	258.2	130.2
.6	185.1	93.3	78.5	39.6	257.9	130.0
.7	185.4	93.5	78.8	39.7	257.6	129.9
.8	185.7	93.6	79.1	39.9	257.3	129.7
.9	185.9	93.7	79.3	40.0	257.1	129.6
853.0	186.2	93.9	79.6	40.1	256.8	129.5
.1	186.5	94.0	79.9	40.3	256.5	129.3
.2	186.8	94.2	80.2	40.4	256.2	129.2
.3	187.0	94.3	80.4	40.6	256.0	129.0
.4	187.3	94.4	80.7	40.7	255.7	128.9
.5	187.6	94.6	81.0	40.8	255.4	128.8
.6	187.9	94.7	81.3	41.0	255.1	128.6
.7	188.1	94.9	81.5	41.1	254.9	128.5
.8	188.4	95.0	81.8	41.3	254.6	128.3
.9	188.7	95.1	82.1	41.4	254.3	128.2

PAGE 8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
854.0	189.0	95.3	82.4	41.5	254.0	128.1
.1	189.3	95.4	82.7	41.7	253.7	127.9
.2	189.5	95.6	82.9	41.8	253.5	127.8
.3	189.8	95.7	83.2	42.0	253.2	127.7
.4	190.1	95.8	83.5	42.1	252.9	127.5
.5	190.4	96.0	83.8	42.2	252.6	127.4
.6	190.6	96.1	84.0	42.4	252.4	127.2
.7	190.9	96.3	84.3	42.5	252.1	127.1
.8	191.2	96.4	84.6	42.6	251.8	127.0
.9	191.5	96.5	84.9	42.8	251.5	126.8
855.0	191.7	96.7	85.1	42.9	251.3	126.7
.1	192.0	96.8	85.4	43.1	251.0	126.5
.2	192.3	97.0	85.7	43.2	250.7	126.4
.3	192.6	97.1	86.0	43.3	250.4	126.3
.4	192.9	97.2	86.3	43.5	250.1	126.1
.5	193.1	97.4	86.5	43.6	249.9	126.0
.6	193.4	97.5	86.8	43.8	249.6	125.8
.7	193.7	97.7	87.1	43.9	249.3	125.7
.8	194.0	97.8	87.4	44.0	249.0	125.6
.9	194.2	97.9	87.6	44.2	248.8	125.4
856.0	194.5	98.1	87.9	44.3	248.5	125.3
.1	194.8	98.2	88.2	44.5	248.2	125.1
.2	195.1	98.3	88.5	44.6	247.9	125.0
.3	195.3	98.5	88.7	44.7	247.7	124.9
.4	195.6	98.6	89.0	44.9	247.4	124.7
.5	195.9	98.8	89.3	45.0	247.1	124.6
.6	196.2	98.9	89.6	45.2	246.8	124.4
.7	196.5	99.0	89.9	45.3	246.5	124.3
.8	196.7	99.2	90.1	45.4	246.3	124.2
.9	197.0	99.3	90.4	45.6	246.0	124.0
857.0	197.3	99.5	90.7	45.7	245.7	123.9
.1	197.6	99.6	91.0	45.9	245.4	123.7
.2	197.8	99.7	91.2	46.0	245.2	123.6
.3	198.1	99.9	91.5	46.1	244.9	123.5
.4	198.4	100.0	91.8	46.3	244.6	123.3
.5	198.7	100.2	92.1	46.4	244.3	123.2
.6	199.0	100.3	92.4	46.6	244.0	123.0
.7	199.2	100.4	92.6	46.7	243.8	122.9
.8	199.5	100.6	92.9	46.8	243.5	122.8
.9	199.8	100.7	93.2	47.0	243.2	122.6
858.0	200.1	100.9	93.5	47.1	242.9	122.5
.1	200.3	101.0	93.7	47.3	242.7	122.3
.2	200.6	101.1	94.0	47.4	242.4	122.2
.3	200.9	101.3	94.3	47.5	242.1	122.1
.4	201.2	101.4	94.6	47.7	241.8	121.9
.5	201.4	101.6	94.8	47.8	241.6	121.8
.6	201.7	101.7	95.1	48.0	241.3	121.6
.7	202.0	101.8	95.4	48.1	241.0	121.5
.8	202.3	102.0	95.7	48.2	240.7	121.4
.9	202.6	102.1	96.0	48.4	240.4	121.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
859.0	202.8	102.3	96.2	48.5	240.2	121.1
.1	203.1	102.4	96.5	48.7	239.9	120.9
.2	203.4	102.5	96.8	48.8	239.6	120.8
.3	203.7	102.7	97.1	48.9	239.3	120.7
.4	203.9	102.8	97.3	49.1	239.1	120.5
.5	204.2	103.0	97.6	49.2	238.8	120.4
.6	204.5	103.1	97.9	49.4	238.5	120.2
.7	204.8	103.2	98.2	49.5	238.2	120.1
.8	205.0	103.4	98.4	49.6	238.0	120.0
.9	205.3	103.5	98.7	49.8	237.7	119.8
860.0	205.6	103.7	99.0	49.9	237.4	119.7
.1	205.9	103.8	99.3	50.1	237.1	119.5
.2	206.2	104.0	99.6	50.2	236.8	119.4
.3	206.5	104.1	99.9	50.4	236.5	119.2
.4	206.8	104.3	100.2	50.5	236.2	119.1
.5	207.1	104.4	100.5	50.7	235.9	118.9
.6	207.4	104.6	100.8	50.8	235.6	118.8
.7	207.7	104.7	101.1	51.0	235.3	118.6
.8	208.0	104.9	101.4	51.1	235.0	118.5
.9	208.3	105.0	101.7	51.3	234.7	118.3
861.0	208.6	105.2	102.0	51.4	234.4	118.2
.1	208.9	105.3	102.3	51.6	234.1	118.0
.2	209.2	105.5	102.6	51.7	233.8	117.9
.3	209.5	105.6	102.9	51.9	233.5	117.7
.4	209.8	105.8	103.2	52.0	233.2	117.6
.5	210.1	105.9	103.5	52.2	232.9	117.4
.6	210.4	106.1	103.8	52.3	232.6	117.3
.7	210.7	106.2	104.1	52.5	232.3	117.1
.8	211.0	106.4	104.4	52.6	232.0	117.0
.9	211.3	106.5	104.7	52.8	231.7	116.8
862.0	211.6	106.7	105.0	52.9	231.4	116.7
.1	211.9	106.8	105.3	53.1	231.1	116.5
.2	212.2	107.0	105.6	53.2	230.8	116.4
.3	212.5	107.1	105.9	53.4	230.5	116.2
.4	212.8	107.3	106.2	53.5	230.2	116.1
.5	213.1	107.4	106.5	53.7	229.9	115.9
.6	213.4	107.6	106.8	53.8	229.6	115.8
.7	213.7	107.7	107.1	54.0	229.3	115.6
.8	214.0	107.9	107.4	54.1	229.0	115.5
.9	214.3	108.0	107.7	54.3	228.7	115.3
863.0	214.6	108.2	108.0	54.4	228.4	115.2
.1	214.9	108.3	108.3	54.6	228.1	115.0
.2	215.2	108.5	108.6	54.8	227.8	114.8
.3	215.5	108.6	108.9	54.9	227.5	114.7
.4	215.8	108.8	109.2	55.1	227.2	114.5
.5	216.1	109.0	109.5	55.2	226.9	114.4
.6	216.4	109.1	109.8	55.4	226.6	114.2
.7	216.7	109.3	110.1	55.5	226.3	114.1
.8	217.0	109.4	110.4	55.7	226.0	113.9
.9	217.3	109.6	110.7	55.8	225.7	113.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
864.0	217.6	109.7	111.0	56.0	225.4	113.6
.1	217.9	109.9	111.3	56.1	225.1	113.5
.2	218.2	110.0	111.6	56.3	224.8	113.3
.3	218.5	110.2	111.9	56.4	224.5	113.2
.4	218.8	110.3	112.2	56.6	224.2	113.0
.5	219.1	110.5	112.5	56.7	223.9	112.9
.6	219.4	110.6	112.8	56.9	223.6	112.7
.7	219.7	110.8	113.1	57.0	223.3	112.6
.8	220.0	110.9	113.4	57.2	223.0	112.4
.9	220.3	111.1	113.7	57.3	222.7	112.3
865.0	220.6	111.2	114.0	57.5	222.4	112.1
.1	220.9	111.4	114.3	57.6	222.1	112.0
.2	221.2	111.5	114.6	57.8	221.8	111.8
.3	221.5	111.7	114.9	57.9	221.5	111.7
.4	221.8	111.8	115.2	58.1	221.2	111.5
.5	222.1	112.0	115.5	58.2	220.9	111.4
.6	222.4	112.1	115.8	58.4	220.6	111.2
.7	222.7	112.3	116.1	58.5	220.3	111.1
.8	223.0	112.4	116.4	58.7	220.0	110.9
.9	223.3	112.6	116.7	58.8	219.7	110.8
866.0	223.6	112.7	117.0	59.0	219.4	110.6
.1	223.9	112.9	117.3	59.1	219.1	110.5
.2	224.2	113.0	117.6	59.3	218.8	110.3
.3	224.5	113.2	117.9	59.4	218.5	110.2
.4	224.8	113.3	118.2	59.6	218.2	110.0
.5	225.1	113.5	118.5	59.7	217.9	109.9
.6	225.4	113.6	118.8	59.9	217.6	109.7
.7	225.7	113.8	119.1	60.0	217.3	109.6
.8	226.0	113.9	119.4	60.2	217.0	109.4
.9	226.3	114.1	119.7	60.3	216.7	109.3
867.0	226.6	114.2	120.0	60.5	216.4	109.1
.1	226.9	114.4	120.3	60.7	216.1	109.0
.2	227.2	114.5	120.6	60.8	215.8	108.8
.3	227.5	114.7	120.9	61.0	215.5	108.6
.4	227.8	114.8	121.2	61.1	215.2	108.5
.5	228.1	115.0	121.5	61.3	214.9	108.3
.6	228.4	115.2	121.8	61.4	214.6	108.2
.7	228.7	115.3	122.1	61.6	214.3	108.0
.8	229.0	115.5	122.4	61.7	214.0	107.9
.9	229.3	115.6	122.7	61.9	213.7	107.7
868.0	229.6	115.8	123.0	62.0	213.4	107.6
.1	229.9	115.9	123.3	62.2	213.1	107.4
.2	230.2	116.1	123.6	62.3	212.8	107.3
.3	230.5	116.2	123.9	62.5	212.5	107.1
.4	230.8	116.4	124.2	62.6	212.2	107.0
.5	231.1	116.5	124.5	62.8	211.9	106.8
.6	231.4	116.7	124.8	62.9	211.6	106.7
.7	231.7	116.8	125.1	63.1	211.3	106.5
.8	232.0	117.0	125.4	63.2	211.0	106.4
.9	232.3	117.1	125.7	63.4	210.7	106.2

Lookout Point

321

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
869.0	232.6	117.3	126.0	63.5	210.4	106.1
.1	232.9	117.4	126.3	63.7	210.1	105.9
.2	233.2	117.6	126.6	63.8	209.8	105.8
.3	233.5	117.7	126.9	64.0	209.5	105.6
.4	233.8	117.9	127.2	64.1	209.2	105.5
.5	234.1	118.0	127.5	64.3	208.9	105.3
.6	234.4	118.2	127.8	64.4	208.6	105.2
.7	234.7	118.3	128.1	64.6	208.3	105.0
.8	235.0	118.5	128.4	64.7	208.0	104.9
.9	235.3	118.6	128.7	64.9	207.7	104.7
870.0	235.6	118.8	129.0	65.1	207.4	104.5
.1	236.0	119.0	129.4	65.2	207.0	104.4
.2	236.3	119.1	129.7	65.4	206.7	104.2
.3	236.6	119.3	130.0	65.5	206.4	104.1
.4	236.9	119.5	130.3	65.7	206.1	103.9
.5	237.3	119.6	130.7	65.9	205.7	103.7
.6	237.6	119.8	131.0	66.0	205.4	103.6
.7	237.9	120.0	131.3	66.2	205.1	103.4
.8	238.3	120.1	131.7	66.4	204.7	103.2
.9	238.6	120.3	132.0	66.5	204.4	103.1
871.0	238.9	120.5	132.3	66.7	204.1	102.9
.1	239.2	120.6	132.6	66.9	203.8	102.7
.2	239.6	120.8	133.0	67.0	203.4	102.6
.3	239.9	120.9	133.3	67.2	203.1	102.4
.4	240.2	121.1	133.6	67.4	202.8	102.2
.5	240.6	121.3	134.0	67.5	202.4	102.1
.6	240.9	121.4	134.3	67.7	202.1	101.9
.7	241.2	121.6	134.6	67.9	201.8	101.7
.8	241.5	121.8	134.9	68.0	201.5	101.6
.9	241.9	121.9	135.3	68.2	201.1	101.4
872.0	242.2	122.1	135.6	68.4	200.8	101.2
.1	242.5	122.3	135.9	68.5	200.5	101.1
.2	242.9	122.4	136.3	68.7	200.1	100.9
.3	243.2	122.6	136.6	68.9	199.8	100.7
.4	243.5	122.8	136.9	69.0	199.5	100.6
.5	243.8	122.9	137.2	69.2	199.2	100.4
.6	244.2	123.1	137.6	69.4	198.8	100.2
.7	244.5	123.3	137.9	69.5	198.5	100.1
.8	244.8	123.4	138.2	69.7	198.2	99.9
.9	245.2	123.6	138.6	69.9	197.8	99.7
873.0	245.5	123.8	138.9	70.0	197.5	99.6
.1	245.8	123.9	139.2	70.2	197.2	99.4
.2	246.1	124.1	139.5	70.4	196.9	99.3
.3	246.5	124.3	139.9	70.5	196.5	99.1
.4	246.8	124.4	140.2	70.7	196.2	98.9
.5	247.1	124.6	140.5	70.8	195.9	98.8
.6	247.5	124.8	140.9	71.0	195.5	98.6
.7	247.8	124.9	141.2	71.2	195.2	98.4
.8	248.1	125.1	141.5	71.3	194.9	98.3
.9	248.4	125.3	141.8	71.5	194.6	98.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
874.0	248.8	125.4	142.2	71.7	194.2	97.9
.1	249.1	125.6	142.5	71.8	193.9	97.8
.2	249.4	125.8	142.8	72.0	193.6	97.6
.3	249.8	125.9	143.2	72.2	193.2	97.4
.4	250.1	126.1	143.5	72.3	192.9	97.3
.5	250.4	126.2	143.8	72.5	192.6	97.1
.6	250.7	126.4	144.1	72.7	192.3	96.9
.7	251.1	126.6	144.5	72.8	191.9	96.8
.8	251.4	126.7	144.8	73.0	191.6	96.6
.9	251.7	126.9	145.1	73.2	191.3	96.4
875.0	252.1	127.1	145.5	73.3	190.9	96.3
.1	252.4	127.2	145.8	73.5	190.6	96.1
.2	252.7	127.4	146.1	73.7	190.3	95.9
.3	253.0	127.6	146.4	73.8	190.0	95.8
.4	253.4	127.7	146.8	74.0	189.6	95.6
.5	253.7	127.9	147.1	74.2	189.3	95.4
.6	254.0	128.1	147.4	74.3	189.0	95.3
.7	254.4	128.2	147.8	74.5	188.6	95.1
.8	254.7	128.4	148.1	74.7	188.3	94.9
.9	255.0	128.6	148.4	74.8	188.0	94.8
876.0	255.3	128.7	148.7	75.0	187.7	94.6
.1	255.7	128.9	149.1	75.2	187.3	94.4
.2	256.0	129.1	149.4	75.3	187.0	94.3
.3	256.3	129.2	149.7	75.5	186.7	94.1
.4	256.7	129.4	150.1	75.7	186.3	94.0
.5	257.0	129.6	150.4	75.8	186.0	93.8
.6	257.3	129.7	150.7	76.0	185.7	93.6
.7	257.6	129.9	151.0	76.1	185.4	93.5
.8	258.0	130.1	151.4	76.3	185.0	93.3
.9	258.3	130.2	151.7	76.5	184.7	93.1
877.0	258.6	130.4	152.0	76.6	184.4	93.0
.1	259.0	130.6	152.4	76.8	184.0	92.8
.2	259.3	130.7	152.7	77.0	183.7	92.6
.3	259.6	130.9	153.0	77.1	183.4	92.5
.4	259.9	131.1	153.3	77.3	183.1	92.3
.5	260.3	131.2	153.7	77.5	182.7	92.1
.6	260.6	131.4	154.0	77.6	182.4	92.0
.7	260.9	131.5	154.3	77.8	182.1	91.8
.8	261.2	131.7	154.6	78.0	181.8	91.6
.9	261.6	131.9	155.0	78.1	181.4	91.5
878.0	261.9	132.0	155.3	78.3	181.1	91.3
.1	262.2	132.2	155.6	78.5	180.8	91.1
.2	262.6	132.4	156.0	78.6	180.4	91.0
.3	262.9	132.5	156.3	78.8	180.1	90.8
.4	263.2	132.7	156.6	79.0	179.8	90.6
.5	263.5	132.9	156.9	79.1	179.5	90.5
.6	263.9	133.0	157.3	79.3	179.1	90.3
.7	264.2	133.2	157.6	79.5	178.8	90.1
.8	264.5	133.4	157.9	79.6	178.5	90.0
.9	264.9	133.5	158.3	79.8	178.1	89.8

Lookout Point

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
879.0	265.2	133.7	158.6	80.0	177.8	89.6
.1	265.5	133.9	158.9	80.1	177.5	89.5
.2	265.8	134.0	159.2	80.3	177.2	89.3
.3	266.2	134.2	159.6	80.5	176.8	89.1
.4	266.5	134.4	159.9	80.6	176.5	89.0
.5	266.8	134.5	160.2	80.8	176.2	88.8
.6	267.2	134.7	160.6	81.0	175.8	88.7
.7	267.5	134.9	160.9	81.1	175.5	88.5
.8	267.8	135.0	161.2	81.3	175.2	88.3
.9	268.1	135.2	161.5	81.4	174.9	88.2
880.0	268.5	135.4	161.9	81.6	174.5	88.0
.1	268.8	135.5	162.2	81.8	174.2	87.8
.2	269.1	135.7	162.5	81.9	173.9	87.7
.3	269.5	135.9	162.9	82.1	173.5	87.5
.4	269.8	136.0	163.2	82.3	173.2	87.3
.5	270.1	136.2	163.5	82.4	172.9	87.2
.6	270.4	136.4	163.8	82.6	172.6	87.0
.7	270.8	136.5	164.2	82.8	172.2	86.8
.8	271.1	136.7	164.5	82.9	171.9	86.7
.9	271.4	136.8	164.8	83.1	171.6	86.5
881.0	271.8	137.0	165.2	83.3	171.2	86.3
.1	272.1	137.2	165.5	83.4	170.9	86.2
.2	272.4	137.3	165.8	83.6	170.6	86.0
.3	272.7	137.5	166.1	83.8	170.3	85.8
.4	273.1	137.7	166.5	83.9	169.9	85.7
.5	273.4	137.8	166.8	84.1	169.6	85.5
.6	273.7	138.0	167.1	84.3	169.3	85.3
.7	274.1	138.2	167.5	84.4	168.9	85.2
.8	274.4	138.3	167.8	84.6	168.6	85.0
.9	274.7	138.5	168.1	84.8	168.3	84.8
882.0	275.0	138.7	168.4	84.9	168.0	84.7
.1	275.4	138.8	168.8	85.1	167.6	84.5
.2	275.7	139.0	169.1	85.3	167.3	84.3
.3	276.0	139.2	169.4	85.4	167.0	84.2
.4	276.4	139.3	169.8	85.6	166.6	84.0
.5	276.7	139.5	170.1	85.8	166.3	83.8
.6	277.0	139.7	170.4	85.9	166.0	83.7
.7	277.3	139.8	170.7	86.1	165.7	83.5
.8	277.7	140.0	171.1	86.2	165.3	83.4
.9	278.0	140.2	171.4	86.4	165.0	83.2
883.0	278.3	140.3	171.7	86.6	164.7	83.0
.1	278.7	140.5	172.1	86.7	164.3	82.9
.2	279.0	140.7	172.4	86.9	164.0	82.7
.3	279.3	140.8	172.7	87.1	163.7	82.5
.4	279.6	141.0	173.0	87.2	163.4	82.4
.5	280.0	141.2	173.4	87.4	163.0	82.2
.6	280.3	141.3	173.7	87.6	162.7	82.0
.7	280.6	141.5	174.0	87.7	162.4	81.9
.8	281.0	141.6	174.4	87.9	162.0	81.7
.9	281.3	141.8	174.7	88.1	161.7	81.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
884.0	281.6	142.0	175.0	88.2	161.4	81.4
.1	281.9	142.1	175.3	88.4	161.1	81.2
.2	282.3	142.3	175.7	88.6	160.7	81.0
.3	282.6	142.5	176.0	88.7	160.4	80.9
.4	282.9	142.6	176.3	88.9	160.1	80.7
.5	283.3	142.8	176.7	89.1	159.7	80.5
.6	283.6	143.0	177.0	89.2	159.4	80.4
.7	283.9	143.1	177.3	89.4	159.1	80.2
.8	284.2	143.3	177.6	89.6	158.8	80.0
.9	284.6	143.5	178.0	89.7	158.4	79.9
885.0	284.9	143.6	178.3	89.9	158.1	79.7
.1	285.3	143.8	178.7	90.1	157.7	79.5
.2	285.6	144.0	179.0	90.3	157.4	79.4
.3	286.0	144.2	179.4	90.4	157.0	79.2
.4	286.3	144.4	179.7	90.6	156.7	79.0
.5	286.7	144.5	180.1	90.8	156.3	78.8
.6	287.0	144.7	180.4	91.0	156.0	78.6
.7	287.4	144.9	180.8	91.1	155.6	78.5
.8	287.7	145.1	181.1	91.3	155.3	78.3
.9	288.1	145.3	181.5	91.5	154.9	78.1
886.0	288.5	145.4	181.9	91.7	154.5	77.9
.1	288.8	145.6	182.2	91.9	154.2	77.7
.2	289.2	145.8	182.6	92.0	153.8	77.6
.3	289.5	146.0	182.9	92.2	153.5	77.4
.4	289.9	146.1	183.3	92.4	153.1	77.2
.5	290.2	146.3	183.6	92.6	152.8	77.0
.6	290.6	146.5	184.0	92.8	152.4	76.8
.7	290.9	146.7	184.3	92.9	152.1	76.7
.8	291.3	146.9	184.7	93.1	151.7	76.5
.9	291.7	147.0	185.1	93.3	151.3	76.3
887.0	292.0	147.2	185.4	93.5	151.0	76.1
.1	292.4	147.4	185.8	93.7	150.6	75.9
.2	292.7	147.6	186.1	93.8	150.3	75.8
.3	293.1	147.8	186.5	94.0	149.9	75.6
.4	293.4	147.9	186.8	94.2	149.6	75.4
.5	293.8	148.1	187.2	94.4	149.2	75.2
.6	294.1	148.3	187.5	94.6	148.9	75.0
.7	294.5	148.5	187.9	94.7	148.5	74.9
.8	294.9	148.7	188.3	94.9	148.1	74.7
.9	295.2	148.8	188.6	95.1	147.8	74.5
888.0	295.6	149.0	189.0	95.3	147.4	74.3
.1	295.9	149.2	189.3	95.4	147.1	74.2
.2	296.3	149.4	189.7	95.6	146.7	74.0
.3	296.6	149.6	190.0	95.8	146.4	73.8
.4	297.0	149.7	190.4	96.0	146.0	73.6
.5	297.3	149.9	190.7	96.2	145.7	73.4
.6	297.7	150.1	191.1	96.3	145.3	73.3
.7	298.1	150.3	191.5	96.5	144.9	73.1
.8	298.4	150.4	191.8	96.7	144.6	72.9
.9	298.8	150.6	192.2	96.9	144.2	72.7

Lookout Point

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
889.0	299.1	150.8	192.5	97.1	143.9	72.5
.1	299.5	151.0	192.9	97.2	143.5	72.4
.2	299.8	151.2	193.2	97.4	143.2	72.2
.3	300.2	151.3	193.6	97.6	142.8	72.0
.4	300.5	151.5	193.9	97.8	142.5	71.8
.5	300.9	151.7	194.3	98.0	142.1	71.6
.6	301.3	151.9	194.7	98.1	141.7	71.5
.7	301.6	152.1	195.0	98.3	141.4	71.3
.8	302.0	152.2	195.4	98.5	141.0	71.1
.9	302.3	152.4	195.7	98.7	140.7	70.9
890.0	302.7	152.6	196.1	98.9	140.3	70.7
.1	303.0	152.8	196.4	99.0	140.0	70.6
.2	303.4	153.0	196.8	99.2	139.6	70.4
.3	303.7	153.1	197.1	99.4	139.3	70.2
.4	304.1	153.3	197.5	99.6	138.9	70.0
.5	304.5	153.5	197.9	99.7	138.5	69.9
.6	304.8	153.7	198.2	99.9	138.2	69.7
.7	305.2	153.9	198.6	100.1	137.8	69.5
.8	305.5	154.0	198.9	100.3	137.5	69.3
.9	305.9	154.2	199.3	100.5	137.1	69.1
891.0	306.2	154.4	199.6	100.6	136.8	69.0
.1	306.6	154.6	200.0	100.8	136.4	68.8
.2	306.9	154.7	200.3	101.0	136.1	68.6
.3	307.3	154.9	200.7	101.2	135.7	68.4
.4	307.6	155.1	201.0	101.4	135.4	68.2
.5	308.0	155.3	201.4	101.5	135.0	68.1
.6	308.4	155.5	201.8	101.7	134.6	67.9
.7	308.7	155.6	202.1	101.9	134.3	67.7
.8	309.1	155.8	202.5	102.1	133.9	67.5
.9	309.4	156.0	202.8	102.3	133.6	67.3
892.0	309.8	156.2	203.2	102.4	133.2	67.2
.1	310.1	156.4	203.5	102.6	132.9	67.0
.2	310.5	156.5	203.9	102.8	132.5	66.8
.3	310.8	156.7	204.2	103.0	132.2	66.6
.4	311.2	156.9	204.6	103.2	131.8	66.4
.5	311.6	157.1	205.0	103.3	131.4	66.3
.6	311.9	157.3	205.3	103.5	131.1	66.1
.7	312.3	157.4	205.7	103.7	130.7	65.9
.8	312.6	157.6	206.0	103.9	130.4	65.7
.9	313.0	157.8	206.4	104.1	130.0	65.6
893.0	313.3	158.0	206.7	104.2	129.7	65.4
.1	313.7	158.2	207.1	104.4	129.3	65.2
.2	314.0	158.3	207.4	104.6	129.0	65.0
.3	314.4	158.5	207.8	104.8	128.6	64.8
.4	314.8	158.7	208.2	104.9	128.2	64.7
.5	315.1	158.9	208.5	105.1	127.9	64.5
.6	315.5	159.0	208.9	105.3	127.5	64.3
.7	315.8	159.2	209.2	105.5	127.2	64.1
.8	316.2	159.4	209.6	105.7	126.8	63.9
.9	316.5	159.6	209.9	105.8	126.5	63.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
894.0	316.9	159.8	210.3	106.0	126.1	63.6
.1	317.2	159.9	210.6	106.2	125.8	63.4
.2	317.6	160.1	211.0	106.4	125.4	63.2
.3	318.0	160.3	211.4	106.6	125.0	63.0
.4	318.3	160.5	211.7	106.7	124.7	62.9
.5	318.7	160.7	212.1	106.9	124.3	62.7
.6	319.0	160.8	212.4	107.1	124.0	62.5
.7	319.4	161.0	212.8	107.3	123.6	62.3
.8	319.7	161.2	213.1	107.5	123.3	62.1
.9	320.1	161.4	213.5	107.6	122.9	62.0
895.0	320.4	161.6	213.8	107.8	122.6	61.8
.1	320.8	161.7	214.2	108.0	122.2	61.6
.2	321.2	161.9	214.6	108.2	121.8	61.4
.3	321.5	162.1	214.9	108.4	121.5	61.3
.4	321.9	162.3	215.3	108.5	121.1	61.1
.5	322.2	162.5	215.6	108.7	120.8	60.9
.6	322.6	162.6	216.0	108.9	120.4	60.7
.7	322.9	162.8	216.3	109.1	120.1	60.5
.8	323.3	163.0	216.7	109.2	119.7	60.4
.9	323.6	163.2	217.0	109.4	119.4	60.2
896.0	324.0	163.4	217.4	109.6	119.0	60.0
.1	324.4	163.5	217.8	109.8	118.6	59.8
.2	324.8	163.7	218.2	110.0	118.2	59.6
.3	325.1	163.9	218.5	110.2	117.9	59.4
.4	325.5	164.1	218.9	110.4	117.5	59.2
.5	325.9	164.3	219.3	110.6	117.1	59.0
.6	326.3	164.5	219.7	110.8	116.7	58.8
.7	326.7	164.7	220.1	110.9	116.3	58.7
.8	327.0	164.9	220.4	111.1	116.0	58.5
.9	327.4	165.1	220.8	111.3	115.6	58.3
897.0	327.8	165.3	221.2	111.5	115.2	58.1
.1	328.2	165.5	221.6	111.7	114.8	57.9
.2	328.6	165.7	222.0	111.9	114.4	57.7
.3	329.0	165.8	222.4	112.1	114.0	57.5
.4	329.3	166.0	222.7	112.3	113.7	57.3
.5	329.7	166.2	223.1	112.5	113.3	57.1
.6	330.1	166.4	223.5	112.7	112.9	56.9
.7	330.5	166.6	223.9	112.9	112.5	56.7
.8	330.9	166.8	224.3	113.1	112.1	56.5
.9	331.2	167.0	224.6	113.3	111.8	56.3
898.0	331.6	167.2	225.0	113.4	111.4	56.2
.1	332.0	167.4	225.4	113.6	111.0	56.0
.2	332.4	167.6	225.8	113.8	110.6	55.8
.3	332.8	167.8	226.2	114.0	110.2	55.6
.4	333.1	168.0	226.5	114.2	109.9	55.4
.5	333.5	168.1	226.9	114.4	109.5	55.2
.6	333.9	168.3	227.3	114.6	109.1	55.0
.7	334.3	168.5	227.7	114.8	108.7	54.8
.8	334.7	168.7	228.1	115.0	108.3	54.6
.9	335.0	168.9	228.4	115.2	108.0	54.4

Lookout Point

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
899.0	335.4	169.1	228.8	115.4	107.6	54.2		904.0	354.5	178.7	247.9	125.0	88.5	44.6
.1	335.8	169.3	229.2	115.6	107.2	54.0		.1	354.8	178.9	248.2	125.2	88.2	44.4
.2	336.2	169.5	229.6	115.7	106.8	53.9		.2	355.2	179.1	248.6	125.3	87.8	44.3
.3	336.6	169.7	230.0	115.9	106.4	53.7		.3	355.6	179.3	249.0	125.5	87.4	44.1
.4	336.9	169.9	230.3	116.1	106.1	53.5		.4	356.0	179.5	249.4	125.7	87.0	43.9
.5	337.3	170.1	230.7	116.3	105.7	53.3		.5	356.4	179.7	249.8	125.9	86.6	43.7
.6	337.7	170.3	231.1	116.5	105.3	53.1		.6	356.7	179.9	250.1	126.1	86.3	43.5
.7	338.1	170.5	231.5	116.7	104.9	52.9		.7	357.1	180.1	250.5	126.3	85.9	43.3
.8	338.5	170.6	231.9	116.9	104.5	52.7		.8	357.5	180.2	250.9	126.5	85.5	43.1
.9	338.9	170.8	232.3	117.1	104.1	52.5		.9	357.9	180.4	251.3	126.7	85.1	42.9
900.0	339.2	171.0	232.6	117.3	103.8	52.3		905.0	358.3	180.6	251.7	126.9	84.7	42.7
.1	339.6	171.2	233.0	117.5	103.4	52.1		.1	358.7	180.8	252.1	127.1	84.3	42.5
.2	340.0	171.4	233.4	117.7	103.0	51.9		.2	359.0	181.0	252.4	127.3	84.0	42.3
.3	340.4	171.6	233.8	117.9	102.6	51.7		.3	359.4	181.2	252.8	127.5	83.6	42.1
.4	340.8	171.8	234.2	118.1	102.2	51.5		.4	359.8	181.4	253.2	127.7	83.2	41.9
.5	341.1	172.0	234.5	118.2	101.9	51.4		.5	360.2	181.6	253.6	127.8	82.8	41.8
.6	341.5	172.2	234.9	118.4	101.5	51.2		.6	360.6	181.8	254.0	128.0	82.4	41.6
.7	341.9	172.4	235.3	118.6	101.1	51.0		.7	360.9	182.0	254.3	128.2	82.1	41.4
.8	342.3	172.6	235.7	118.8	100.7	50.8		.8	361.3	182.2	254.7	128.4	81.7	41.2
.9	342.7	172.8	236.1	119.0	100.3	50.6		.9	361.7	182.4	255.1	128.6	81.3	41.0
901.0	343.0	172.9	236.4	119.2	100.0	50.4		906.0	362.1	182.5	255.5	128.8	80.9	40.8
.1	343.4	173.1	236.8	119.4	99.6	50.2		.1	362.5	182.7	255.9	129.0	80.5	40.6
.2	343.8	173.3	237.2	119.6	99.2	50.0		.2	362.8	182.9	256.2	129.2	80.2	40.4
.3	344.2	173.5	237.6	119.8	98.8	49.8		.3	363.2	183.1	256.6	129.4	79.8	40.2
.4	344.6	173.7	238.0	120.0	98.4	49.6		.4	363.6	183.3	257.0	129.6	79.4	40.0
.5	344.9	173.9	238.3	120.2	98.1	49.4		.5	364.0	183.5	257.4	129.8	79.0	39.8
.6	345.3	174.1	238.7	120.4	97.7	49.2		.6	364.4	183.7	257.8	130.0	78.6	39.6
.7	345.7	174.3	239.1	120.5	97.3	49.1		.7	364.7	183.9	258.1	130.1	78.3	39.5
.8	346.1	174.5	239.5	120.7	96.9	48.9		.8	365.1	184.1	258.5	130.3	77.9	39.3
.9	346.5	174.7	239.9	120.9	96.5	48.7		.9	365.5	184.3	258.9	130.5	77.5	39.1
902.0	346.8	174.9	240.2	121.1	96.2	48.5		907.0	365.9	184.5	259.3	130.7	77.1	38.9
.1	347.2	175.1	240.6	121.3	95.8	48.3		.1	366.3	184.7	259.7	130.9	76.7	38.7
.2	347.6	175.3	241.0	121.5	95.4	48.1		.2	366.6	184.9	260.0	131.1	76.4	38.5
.3	348.0	175.4	241.4	121.7	95.0	47.9		.3	367.0	185.0	260.4	131.3	76.0	38.3
.4	348.4	175.6	241.8	121.9	94.6	47.7		.4	367.4	185.2	260.8	131.5	75.6	38.1
.5	348.8	175.8	242.2	122.1	94.2	47.5		.5	367.8	185.4	261.2	131.7	75.2	37.9
.6	349.1	176.0	242.5	122.3	93.9	47.3		.6	368.2	185.6	261.6	131.9	74.8	37.7
.7	349.5	176.2	242.9	122.5	93.5	47.1		.7	368.6	185.8	262.0	132.1	74.4	37.5
.8	349.9	176.4	243.3	122.7	93.1	46.9		.8	368.9	186.0	262.3	132.3	74.1	37.3
.9	350.3	176.6	243.7	122.9	92.7	46.7		.9	369.3	186.2	262.7	132.5	73.7	37.1
903.0	350.7	176.8	244.1	123.0	92.3	46.6		908.0	369.7	186.4	263.1	132.6	73.3	37.0
.1	351.0	177.0	244.4	123.2	92.0	46.4		.1	370.1	186.6	263.5	132.8	72.9	36.8
.2	351.4	177.2	244.8	123.4	91.6	46.2		.2	370.5	186.8	263.9	133.0	72.5	36.6
.3	351.8	177.4	245.2	123.6	91.2	46.0		.3	370.8	187.0	264.2	133.2	72.2	36.4
.4	352.2	177.6	245.6	123.8	90.8	45.8		.4	371.2	187.2	264.6	133.4	71.8	36.2
.5	352.6	177.7	246.0	124.0	90.4	45.6		.5	371.6	187.3	265.0	133.6	71.4	36.0
.6	352.9	177.9	246.3	124.2	90.1	45.4		.6	372.0	187.5	265.4	133.8	71.0	35.8
.7	353.3	178.1	246.7	124.4	89.7	45.2		.7	372.4	187.8	265.8	134.0	70.6	35.6
.8	353.7	178.3	247.1	124.6	89.3	45.0		.8	372.8	188.0	266.2	134.2	70.2	35.4
.9	354.1	178.5	247.5	124.8	88.9	44.8		.9	373.2	188.2	266.6	134.4	69.8	35.2

Lookout Point

325

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
909.0	373.6	188.4	267.0	134.6	69.4	35.0
.1	374.0	188.6	267.4	134.8	69.0	34.8
.2	374.5	188.8	267.9	135.0	68.5	34.6
.3	374.9	189.0	268.3	135.2	68.1	34.4
.4	375.3	189.2	268.7	135.5	67.7	34.1
.5	375.7	189.4	269.1	135.7	67.3	33.9
.6	376.1	189.6	269.5	135.9	66.9	33.7
.7	376.5	189.8	269.9	136.1	66.5	33.5
.8	376.9	190.0	270.3	136.3	66.1	33.3
.9	377.3	190.2	270.7	136.5	65.7	33.1
910.0	377.7	190.4	271.1	136.7	65.3	32.9
.1	378.1	190.6	271.5	136.9	64.9	32.7
.2	378.5	190.8	271.9	137.1	64.5	32.5
.3	378.9	191.1	272.3	137.3	64.1	32.3
.4	379.4	191.3	272.8	137.5	63.6	32.1
.5	379.8	191.5	273.2	137.7	63.2	31.9
.6	380.2	191.7	273.6	137.9	62.8	31.7
.7	380.6	191.9	274.0	138.1	62.4	31.5
.8	381.0	192.1	274.4	138.3	62.0	31.3
.9	381.4	192.3	274.8	138.5	61.6	31.1
911.0	381.8	192.5	275.2	138.7	61.2	30.9
.1	382.2	192.7	275.6	139.0	60.8	30.6
.2	382.6	192.9	276.0	139.2	60.4	30.4
.3	383.0	193.1	276.4	139.4	60.0	30.2
.4	383.4	193.3	276.8	139.6	59.6	30.0
.5	383.8	193.5	277.2	139.8	59.2	29.8
.6	384.2	193.7	277.6	140.0	58.8	29.6
.7	384.7	193.9	278.1	140.2	58.3	29.4
.8	385.1	194.1	278.5	140.4	57.9	29.2
.9	385.5	194.3	278.9	140.6	57.5	29.0
912.0	385.9	194.5	279.3	140.8	57.1	28.8
.1	386.3	194.8	279.7	141.0	56.7	28.6
.2	386.7	195.0	280.1	141.2	56.3	28.4
.3	387.1	195.2	280.5	141.4	55.9	28.2
.4	387.5	195.4	280.9	141.6	55.5	28.0
.5	387.9	195.6	281.3	141.8	55.1	27.8
.6	388.3	195.8	281.7	142.0	54.7	27.6
.7	388.7	196.0	282.1	142.2	54.3	27.4
.8	389.1	196.2	282.5	142.4	53.9	27.2
.9	389.6	196.4	283.0	142.7	53.4	26.9
913.0	390.0	196.6	283.4	142.9	53.0	26.7
.1	390.4	196.8	283.8	143.1	52.6	26.5
.2	390.8	197.0	284.2	143.3	52.2	26.3
.3	391.2	197.2	284.6	143.5	51.8	26.1
.4	391.6	197.4	285.0	143.7	51.4	25.9
.5	392.0	197.6	285.4	143.9	51.0	25.7
.6	392.4	197.8	285.8	144.1	50.6	25.5
.7	392.8	198.0	286.2	144.3	50.2	25.3
.8	393.2	198.3	286.6	144.5	49.8	25.1
.9	393.6	198.5	287.0	144.7	49.4	24.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
914.0	394.0	198.7	287.4	144.9	49.0	24.7
.1	394.4	198.9	287.8	145.1	48.6	24.5
.2	394.9	199.1	288.3	145.3	48.1	24.3
.3	395.3	199.3	288.7	145.5	47.7	24.1
.4	395.7	199.5	289.1	145.7	47.3	23.9
.5	396.1	199.7	289.5	145.9	46.9	23.7
.6	396.5	199.9	289.9	146.2	46.5	23.4
.7	396.9	200.1	290.3	146.4	46.1	23.2
.8	397.3	200.3	290.7	146.6	45.7	23.0
.9	397.7	200.5	291.1	146.8	45.3	22.8
915.0	398.1	200.7	291.5	147.0	44.9	22.6
.1	398.5	200.9	291.9	147.2	44.5	22.4
.2	398.9	201.1	292.3	147.4	44.1	22.2
.3	399.3	201.3	292.7	147.6	43.7	22.0
.4	399.8	201.5	293.2	147.8	43.2	21.8
.5	400.2	201.7	293.6	148.0	42.8	21.6
.6	400.6	202.0	294.0	148.2	42.4	21.4
.7	401.0	202.2	294.4	148.4	42.0	21.2
.8	401.4	202.4	294.8	148.6	41.6	21.0
.9	401.8	202.6	295.2	148.8	41.2	20.8
916.0	402.2	202.8	295.6	149.0	40.8	20.6
.1	402.6	203.0	296.0	149.2	40.4	20.4
.2	403.0	203.2	296.4	149.4	40.0	20.2
.3	403.4	203.4	296.8	149.6	39.6	20.0
.4	403.8	203.6	297.2	149.9	39.2	19.7
.5	404.2	203.8	297.6	150.1	38.8	19.5
.6	404.6	204.0	298.0	150.3	38.4	19.3
.7	405.1	204.2	298.5	150.5	37.9	19.1
.8	405.5	204.4	298.9	150.7	37.5	18.9
.9	405.9	204.6	299.3	150.9	37.1	18.7
917.0	406.3	204.8	299.7	151.1	36.7	18.5
.1	406.7	205.0	300.1	151.3	36.3	18.3
.2	407.1	205.2	300.5	151.5	35.9	18.1
.3	407.5	205.4	300.9	151.7	35.5	17.9
.4	407.9	205.7	301.3	151.9	35.1	17.7
.5	408.3	205.9	301.7	152.1	34.7	17.5
.6	408.7	206.1	302.1	152.3	34.3	17.3
.7	409.1	206.3	302.5	152.5	33.9	17.1
.8	409.5	206.5	302.9	152.7	33.5	16.9
.9	410.0	206.7	303.4	152.9	33.0	16.7
918.0	410.4	206.9	303.8	153.1	32.6	16.5
.1	410.8	207.1	304.2	153.4	32.2	16.3
.2	411.2	207.3	304.6	153.6	31.8	16.0
.3	411.6	207.5	305.0	153.8	31.4	15.8
.4	412.0	207.7	305.4	154.0	31.0	15.6
.5	412.4	207.9	305.8	154.2	30.6	15.4
.6	412.8	208.1	306.2	154.4	30.2	15.2
.7	413.2	208.3	306.6	154.6	29.8	15.0
.8	413.6	208.5	307.0	154.8	29.4	14.8
.9	414.0	208.7	307.4	155.0	29.0	14.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
919.0	414.4	208.9	307.8	155.2	28.6	14.4
.1	414.8	209.2	308.2	155.4	28.2	14.2
.2	415.3	209.4	308.7	155.6	27.7	14.0
.3	415.7	209.6	309.1	155.8	27.3	13.8
.4	416.1	209.8	309.5	156.0	26.9	13.6
.5	416.5	210.0	309.9	156.2	26.5	13.4
.6	416.9	210.2	310.3	156.4	26.1	13.2
.7	417.3	210.4	310.7	156.6	25.7	13.0
.8	417.7	210.6	311.1	156.8	25.3	12.8
.9	418.1	210.8	311.5	157.1	24.9	12.5
920.0	418.5	211.0	311.9	157.3	24.5	12.3
.1	418.9	211.2	312.3	157.5	24.1	12.1
.2	419.3	211.4	312.7	157.7	23.7	11.9
.3	419.7	211.6	313.1	157.9	23.3	11.7
.4	420.2	211.8	313.6	158.1	22.8	11.5
.5	420.6	212.0	314.0	158.3	22.4	11.3
.6	421.0	212.2	314.4	158.5	22.0	11.1
.7	421.4	212.4	314.8	158.7	21.6	10.9
.8	421.8	212.6	315.2	158.9	21.2	10.7
.9	422.2	212.9	315.6	159.1	20.8	10.5
921.0	422.6	213.1	316.0	159.3	20.4	10.3
.1	423.0	213.3	316.4	159.5	20.0	10.1
.2	423.4	213.5	316.8	159.7	19.6	9.9
.3	423.8	213.7	317.2	159.9	19.2	9.7
.4	424.2	213.9	317.6	160.1	18.8	9.5
.5	424.6	214.1	318.0	160.3	18.4	9.3
.6	425.0	214.3	318.4	160.6	18.0	9.1
.7	425.5	214.5	318.9	160.8	17.5	8.8
.8	425.9	214.7	319.3	161.0	17.1	8.6
.9	426.3	214.9	319.7	161.2	16.7	8.4
922.0	426.7	215.1	320.1	161.4	16.3	8.2
.1	427.1	215.3	320.5	161.6	15.9	8.0
.2	427.5	215.5	320.9	161.8	15.5	7.8
.3	427.9	215.7	321.3	162.0	15.1	7.6
.4	428.3	215.9	321.7	162.2	14.7	7.4
.5	428.7	216.1	322.1	162.4	14.3	7.2
.6	429.1	216.4	322.5	162.6	13.9	7.0
.7	429.5	216.6	322.9	162.8	13.5	6.8
.8	429.9	216.8	323.3	163.0	13.1	6.6
.9	430.4	217.0	323.8	163.2	12.6	6.4
923.0	430.8	217.2	324.2	163.4	12.2	6.2
.1	431.2	217.4	324.6	163.6	11.8	6.0
.2	431.6	217.6	325.0	163.8	11.4	5.8
.3	432.0	217.8	325.4	164.0	11.0	5.6
.4	432.4	218.0	325.8	164.3	10.6	5.3
.5	432.8	218.2	326.2	164.5	10.2	5.1
.6	433.2	218.4	326.6	164.7	9.8	4.9
.7	433.6	218.6	327.0	164.9	9.4	4.7
.8	434.0	218.8	327.4	165.1	9.0	4.5
.9	434.4	219.0	327.8	165.3	8.6	4.3

ELEVATION FEET		GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
924.0		434.8	219.2	328.2	165.5	8.2	4.1
.1		435.2	219.4	328.6	165.7	7.8	3.9
.2		435.7	219.6	329.1	165.9	7.3	3.7
.3		436.1	219.8	329.5	166.1	6.9	3.5
.4		436.5	220.1	329.9	166.3	6.5	3.3
.5		436.9	220.3	330.3	166.5	6.1	3.1
.6		437.3	220.5	330.7	166.7	5.7	2.9
.7		437.7	220.7	331.1	166.9	5.3	2.7
.8		438.1	220.9	331.5	167.1	4.9	2.5
.9		438.5	221.1	331.9	167.3	4.5	2.3
925.0		438.9	221.3	332.3	167.5	4.1	2.1
.1		439.3	221.5	332.7	167.8	3.7	1.9
.2		439.7	221.7	333.1	168.0	3.3	1.6
.3		440.1	221.9	333.5	168.2	2.9	1.4
.4		440.6	222.1	334.0	168.4	2.4	1.2
.5		441.0	222.3	334.4	168.6	2.0	1.0
.6		441.4	222.5	334.8	168.8	1.6	0.8
.7		441.8	222.7	335.2	169.0	1.2	0.6
.8		442.2	222.9	335.6	169.2	0.8	0.4
.9		442.6	223.1	336.0	169.4	0.4	0.2
926.0	SUB	443.0	223.3	336.4	169.6	0.0	0.0
.1		443.4	223.6				
.2		443.8	223.8				
.3		444.2	224.0				
.4		444.6	224.2				
.5		445.0	224.4				
.6		445.4	224.6				
.7		445.9	224.8				
.8		446.3	225.0				
.9		446.7	225.2				
927.0		447.1	225.4				

Lookout Point

327

Reservoir Storage Tables

PROJECT NAME: FALL CREEK

PROJECT NUMBER: 112

STORAGE LOWER BOUND (SLB) =   1.30KAF   STORAGE UPPER BOUND (SUB) = 125.10 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
694.0 SLB	1.3	0.7	0.0	0.0	123.8	62.4
.1	1.3	0.7	0.0	0.0	123.8	62.4
.2	1.3	0.7	0.0	0.0	123.8	62.4
.3	1.4	0.7	0.1	0.0	123.7	62.4
.4	1.4	0.7	0.1	0.0	123.7	62.4
.5	1.4	0.7	0.1	0.1	123.7	62.4
.6	1.4	0.7	0.1	0.1	123.7	62.3
.7	1.5	0.7	0.2	0.1	123.6	62.3
.8	1.5	0.8	0.2	0.1	123.6	62.3
.9	1.5	0.8	0.2	0.1	123.6	62.3
695.0	1.5	0.8	0.2	0.1	123.6	62.3
.1	1.6	0.8	0.3	0.1	123.5	62.3
.2	1.6	0.8	0.3	0.1	123.5	62.3
.3	1.6	0.8	0.3	0.2	123.5	62.3
.4	1.6	0.8	0.3	0.2	123.5	62.2
.5	1.7	0.8	0.4	0.2	123.4	62.2
.6	1.7	0.9	0.4	0.2	123.4	62.2
.7	1.7	0.9	0.4	0.2	123.4	62.2
.8	1.7	0.9	0.4	0.2	123.4	62.2
.9	1.8	0.9	0.5	0.2	123.3	62.2
696.0	1.8	0.9	0.5	0.2	123.3	62.2
.1	1.8	0.9	0.5	0.3	123.3	62.2
.2	1.8	0.9	0.5	0.3	123.3	62.1
.3	1.9	0.9	0.6	0.3	123.2	62.1
.4	1.9	1.0	0.6	0.3	123.2	62.1
.5	1.9	1.0	0.6	0.3	123.2	62.1
.6	1.9	1.0	0.6	0.3	123.2	62.1
.7	2.0	1.0	0.7	0.3	123.1	62.1
.8	2.0	1.0	0.7	0.3	123.1	62.1
.9	2.0	1.0	0.7	0.4	123.1	62.1
697.0	2.0	1.0	0.7	0.4	123.1	62.0
.1	2.1	1.0	0.8	0.4	123.0	62.0
.2	2.1	1.0	0.8	0.4	123.0	62.0
.3	2.1	1.1	0.8	0.4	123.0	62.0
.4	2.1	1.1	0.8	0.4	123.0	62.0
.5	2.2	1.1	0.9	0.4	122.9	62.0
.6	2.2	1.1	0.9	0.4	122.9	62.0
.7	2.2	1.1	0.9	0.5	122.9	62.0
.8	2.2	1.1	0.9	0.5	122.9	61.9
.9	2.3	1.1	1.0	0.5	122.8	61.9
698.0	2.3	1.1	1.0	0.5	122.8	61.9
.1	2.3	1.2	1.0	0.5	122.8	61.9
.2	2.3	1.2	1.0	0.5	122.8	61.9
.3	2.3	1.2	1.0	0.5	122.8	61.9
.4	2.4	1.2	1.1	0.5	122.7	61.9
.5	2.4	1.2	1.1	0.6	122.7	61.9
.6	2.4	1.2	1.1	0.6	122.7	61.8
.7	2.4	1.2	1.1	0.6	122.7	61.8
.8	2.5	1.2	1.2	0.6	122.6	61.8
.9	2.5	1.3	1.2	0.6	122.6	61.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
699.0	2.5	1.3	1.2	0.6	122.6	61.8
.1	2.5	1.3	1.2	0.6	122.6	61.8
.2	2.6	1.3	1.3	0.6	122.5	61.8
.3	2.6	1.3	1.3	0.7	122.5	61.8
.4	2.6	1.3	1.3	0.7	122.5	61.8
.5	2.6	1.3	1.3	0.7	122.5	61.7
.6	2.7	1.3	1.4	0.7	122.4	61.7
.7	2.7	1.4	1.4	0.7	122.4	61.7
.8	2.7	1.4	1.4	0.7	122.4	61.7
.9	2.7	1.4	1.4	0.7	122.4	61.7
700.0	2.8	1.4	1.5	0.7	122.3	61.7
.1	2.8	1.4	1.5	0.8	122.3	61.7
.2	2.8	1.4	1.5	0.8	122.3	61.7
.3	2.8	1.4	1.5	0.8	122.3	61.6
.4	2.9	1.4	1.6	0.8	122.2	61.6
.5	2.9	1.5	1.6	0.8	122.2	61.6
.6	2.9	1.5	1.6	0.8	122.2	61.6
.7	2.9	1.5	1.6	0.8	122.2	61.6
.8	3.0	1.5	1.7	0.8	122.1	61.6
.9	3.0	1.5	1.7	0.8	122.1	61.6
701.0	3.0	1.5	1.7	0.9	122.1	61.6
.1	3.0	1.5	1.7	0.9	122.1	61.5
.2	3.1	1.5	1.8	0.9	122.0	61.5
.3	3.1	1.6	1.8	0.9	122.0	61.5
.4	3.1	1.6	1.8	0.9	122.0	61.5
.5	3.1	1.6	1.8	0.9	122.0	61.5
.6	3.2	1.6	1.9	0.9	121.9	61.5
.7	3.2	1.6	1.9	0.9	121.9	61.5
.8	3.2	1.6	1.9	1.0	121.9	61.5
.9	3.2	1.6	1.9	1.0	121.9	61.4
702.0	3.3	1.6	2.0	1.0	121.8	61.4
.1	3.3	1.7	2.0	1.0	121.8	61.4
.2	3.3	1.7	2.0	1.0	121.8	61.4
.3	3.3	1.7	2.0	1.0	121.8	61.4
.4	3.4	1.7	2.1	1.0	121.7	61.4
.5	3.4	1.7	2.1	1.0	121.7	61.4
.6	3.4	1.7	2.1	1.1	121.7	61.4
.7	3.4	1.7	2.1	1.1	121.7	61.3
.8	3.4	1.7	2.1	1.1	121.7	61.3
.9	3.5	1.8	2.2	1.1	121.6	61.3
703.0	3.5	1.8	2.2	1.1	121.6	61.3
.1	3.5	1.8	2.2	1.1	121.6	61.3
.2	3.5	1.8	2.2	1.1	121.6	61.3
.3	3.6	1.8	2.3	1.1	121.5	61.3
.4	3.6	1.8	2.3	1.2	121.5	61.3
.5	3.6	1.8	2.3	1.2	121.5	61.2
.6	3.6	1.8	2.3	1.2	121.5	61.2
.7	3.7	1.8	2.4	1.2	121.4	61.2
.8	3.7	1.9	2.4	1.2	121.4	61.2
.9	3.7	1.9	2.4	1.2	121.4	61.2

Fall Creek

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
704.0	3.7	1.9	2.4	1.2	121.4	61.2
.1	3.8	1.9	2.5	1.2	121.3	61.2
.2	3.8	1.9	2.5	1.3	121.3	61.2
.3	3.8	1.9	2.5	1.3	121.3	61.1
.4	3.8	1.9	2.5	1.3	121.3	61.1
.5	3.9	1.9	2.6	1.3	121.2	61.1
.6	3.9	2.0	2.6	1.3	121.2	61.1
.7	3.9	2.0	2.6	1.3	121.2	61.1
.8	3.9	2.0	2.6	1.3	121.2	61.1
.9	4.0	2.0	2.7	1.3	121.1	61.1
705.0	4.0	2.0	2.7	1.4	121.1	61.1
.1	4.0	2.0	2.7	1.4	121.1	61.0
.2	4.0	2.0	2.7	1.4	121.1	61.0
.3	4.1	2.0	2.8	1.4	121.0	61.0
.4	4.1	2.1	2.8	1.4	121.0	61.0
.5	4.1	2.1	2.8	1.4	121.0	61.0
.6	4.1	2.1	2.8	1.4	121.0	61.0
.7	4.2	2.1	2.9	1.4	120.9	61.0
.8	4.2	2.1	2.9	1.5	120.9	61.0
.9	4.2	2.1	2.9	1.5	120.9	61.0
706.0	4.2	2.1	2.9	1.5	120.9	60.9
.1	4.3	2.1	3.0	1.5	120.8	60.9
.2	4.3	2.2	3.0	1.5	120.8	60.9
.3	4.3	2.2	3.0	1.5	120.8	60.9
.4	4.3	2.2	3.0	1.5	120.8	60.9
.5	4.4	2.2	3.1	1.5	120.7	60.9
.6	4.4	2.2	3.1	1.6	120.7	60.9
.7	4.4	2.2	3.1	1.6	120.7	60.9
.8	4.4	2.2	3.1	1.6	120.7	60.8
.9	4.4	2.2	3.1	1.6	120.7	60.8
707.0	4.5	2.3	3.2	1.6	120.6	60.8
.1	4.5	2.3	3.2	1.6	120.6	60.8
.2	4.5	2.3	3.2	1.6	120.6	60.8
.3	4.5	2.3	3.2	1.6	120.6	60.8
.4	4.6	2.3	3.3	1.6	120.5	60.8
.5	4.6	2.3	3.3	1.7	120.5	60.8
.6	4.6	2.3	3.3	1.7	120.5	60.7
.7	4.6	2.3	3.3	1.7	120.5	60.7
.8	4.7	2.4	3.4	1.7	120.4	60.7
.9	4.7	2.4	3.4	1.7	120.4	60.7
708.0	4.7	2.4	3.4	1.7	120.4	60.7
.1	4.7	2.4	3.4	1.7	120.4	60.7
.2	4.8	2.4	3.5	1.7	120.3	60.7
.3	4.8	2.4	3.5	1.8	120.3	60.7
.4	4.8	2.4	3.5	1.8	120.3	60.6
.5	4.8	2.4	3.5	1.8	120.3	60.6
.6	4.9	2.5	3.6	1.8	120.2	60.6
.7	4.9	2.5	3.6	1.8	120.2	60.6
.8	4.9	2.5	3.6	1.8	120.2	60.6
.9	4.9	2.5	3.6	1.8	120.2	60.6
709.0	5.0	2.5	3.7	1.8	120.1	60.6
.1	5.0	2.5	3.7	1.9	120.1	60.6
.2	5.0	2.5	3.7	1.9	120.1	60.5
.3	5.0	2.5	3.7	1.9	120.1	60.5
.4	5.1	2.6	3.8	1.9	120.0	60.5
.5	5.1	2.6	3.8	1.9	120.0	60.5
.6	5.1	2.6	3.8	1.9	120.0	60.5
.7	5.1	2.6	3.8	1.9	120.0	60.5
.8	5.2	2.6	3.9	1.9	119.9	60.5
.9	5.2	2.6	3.9	2.0	119.9	60.5
710.0	5.2	2.6	3.9	2.0	119.9	60.4
.1	5.2	2.6	3.9	2.0	119.9	60.4
.2	5.3	2.6	4.0	2.0	119.8	60.4
.3	5.3	2.7	4.0	2.0	119.8	60.4
.4	5.3	2.7	4.0	2.0	119.8	60.4
.5	5.3	2.7	4.0	2.0	119.8	60.4
.6	5.4	2.7	4.1	2.0	119.7	60.4
.7	5.4	2.7	4.1	2.1	119.7	60.4
.8	5.4	2.7	4.1	2.1	119.7	60.3
.9	5.4	2.7	4.1	2.1	119.7	60.3
711.0	5.4	2.7	4.1	2.1	119.7	60.3
.1	5.5	2.8	4.2	2.1	119.6	60.3
.2	5.5	2.8	4.2	2.1	119.6	60.3
.3	5.5	2.8	4.2	2.1	119.6	60.3
.4	5.5	2.8	4.2	2.1	119.6	60.3
.5	5.6	2.8	4.3	2.2	119.5	60.3
.6	5.6	2.8	4.3	2.2	119.5	60.2
.7	5.6	2.8	4.3	2.2	119.5	60.2
.8	5.6	2.8	4.3	2.2	119.5	60.2
.9	5.7	2.9	4.4	2.2	119.4	60.2
712.0	5.7	2.9	4.4	2.2	119.4	60.2
.1	5.7	2.9	4.4	2.2	119.4	60.2
.2	5.7	2.9	4.4	2.2	119.4	60.2
.3	5.8	2.9	4.5	2.3	119.3	60.2
.4	5.8	2.9	4.5	2.3	119.3	60.2
.5	5.8	2.9	4.5	2.3	119.3	60.1
.6	5.8	2.9	4.5	2.3	119.3	60.1
.7	5.9	3.0	4.6	2.3	119.2	60.1
.8	5.9	3.0	4.6	2.3	119.2	60.1
.9	5.9	3.0	4.6	2.3	119.2	60.1
713.0	5.9	3.0	4.6	2.3	119.2	60.1
.1	6.0	3.0	4.7	2.4	119.1	60.1
.2	6.0	3.0	4.7	2.4	119.1	60.1
.3	6.0	3.0	4.7	2.4	119.1	60.0
.4	6.0	3.0	4.7	2.4	119.1	60.0
.5	6.1	3.1	4.8	2.4	119.0	60.0
.6	6.1	3.1	4.8	2.4	119.0	60.0
.7	6.1	3.1	4.8	2.4	119.0	60.0
.8	6.1	3.1	4.8	2.4	119.0	60.0
.9	6.2	3.1	4.9	2.4	118.9	60.0

Fall Creek

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
714.0	6.2	3.1	4.9	2.5	118.9	60.0		719.0	7.4	3.7	6.1	3.1	117.7	59.3
.1	6.2	3.1	4.9	2.5	118.9	59.9		.1	7.4	3.7	6.1	3.1	117.7	59.3
.2	6.2	3.1	4.9	2.5	118.9	59.9		.2	7.5	3.8	6.2	3.1	117.6	59.3
.3	6.3	3.2	5.0	2.5	118.8	59.9		.3	7.5	3.8	6.2	3.1	117.6	59.3
.4	6.3	3.2	5.0	2.5	118.8	59.9		.4	7.5	3.8	6.2	3.1	117.6	59.3
.5	6.3	3.2	5.0	2.5	118.8	59.9		.5	7.5	3.8	6.2	3.1	117.6	59.3
.6	6.3	3.2	5.0	2.5	118.8	59.9		.6	7.5	3.8	6.2	3.2	117.6	59.3
.7	6.4	3.2	5.1	2.5	118.7	59.9		.7	7.6	3.8	6.3	3.2	117.5	59.3
.8	6.4	3.2	5.1	2.6	118.7	59.9		.8	7.6	3.8	6.3	3.2	117.5	59.2
.9	6.4	3.2	5.1	2.6	118.7	59.8		.9	7.6	3.8	6.3	3.2	117.5	59.2
715.0	6.4	3.2	5.1	2.6	118.7	59.8		720.0	7.6	3.9	6.3	3.2	117.5	59.2
.1	6.5	3.3	5.2	2.6	118.6	59.8		.1	7.7	3.9	6.4	3.2	117.4	59.2
.2	6.5	3.3	5.2	2.6	118.6	59.8		.2	7.7	3.9	6.4	3.2	117.4	59.2
.3	6.5	3.3	5.2	2.6	118.6	59.8		.3	7.7	3.9	6.4	3.2	117.4	59.2
.4	6.5	3.3	5.2	2.6	118.6	59.8		.4	7.7	3.9	6.4	3.2	117.4	59.2
.5	6.5	3.3	5.2	2.6	118.6	59.8		.5	7.8	3.9	6.5	3.3	117.3	59.2
.6	6.6	3.3	5.3	2.7	118.5	59.8		.6	7.8	3.9	6.5	3.3	117.3	59.1
.7	6.6	3.3	5.3	2.7	118.5	59.7		.7	7.8	3.9	6.5	3.3	117.3	59.1
.8	6.6	3.3	5.3	2.7	118.5	59.7		.8	7.8	4.0	6.5	3.3	117.3	59.1
.9	6.6	3.4	5.3	2.7	118.5	59.7		.9	7.9	4.0	6.6	3.3	117.2	59.1
716.0	6.7	3.4	5.4	2.7	118.4	59.7		721.0	7.9	4.0	6.6	3.3	117.2	59.1
.1	6.7	3.4	5.4	2.7	118.4	59.7		.1	7.9	4.0	6.6	3.3	117.2	59.1
.2	6.7	3.4	5.4	2.7	118.4	59.7		.2	7.9	4.0	6.6	3.3	117.2	59.1
.3	6.7	3.4	5.4	2.7	118.4	59.7		.3	8.0	4.0	6.7	3.4	117.1	59.1
.4	6.8	3.4	5.5	2.8	118.3	59.7		.4	8.0	4.0	6.7	3.4	117.1	59.0
.5	6.8	3.4	5.5	2.8	118.3	59.6		.5	8.0	4.0	6.7	3.4	117.1	59.0
.6	6.8	3.4	5.5	2.8	118.3	59.6		.6	8.0	4.1	6.7	3.4	117.1	59.0
.7	6.8	3.4	5.5	2.8	118.3	59.6		.7	8.1	4.1	6.8	3.4	117.0	59.0
.8	6.9	3.5	5.6	2.8	118.2	59.6		.8	8.1	4.1	6.8	3.4	117.0	59.0
.9	6.9	3.5	5.6	2.8	118.2	59.6		.9	8.1	4.1	6.8	3.4	117.0	59.0
717.0	6.9	3.5	5.6	2.8	118.2	59.6		722.0	8.1	4.1	6.8	3.4	117.0	59.0
.1	6.9	3.5	5.6	2.8	118.2	59.6		.1	8.2	4.1	6.9	3.5	116.9	59.0
.2	7.0	3.5	5.7	2.9	118.1	59.6		.2	8.2	4.1	6.9	3.5	116.9	58.9
.3	7.0	3.5	5.7	2.9	118.1	59.5		.3	8.2	4.1	6.9	3.5	116.9	58.9
.4	7.0	3.5	5.7	2.9	118.1	59.5		.4	8.2	4.2	6.9	3.5	116.9	58.9
.5	7.0	3.5	5.7	2.9	118.1	59.5		.5	8.3	4.2	7.0	3.5	116.8	58.9
.6	7.1	3.6	5.8	2.9	118.0	59.5		.6	8.3	4.2	7.0	3.5	116.8	58.9
.7	7.1	3.6	5.8	2.9	118.0	59.5		.7	8.3	4.2	7.0	3.5	116.8	58.9
.8	7.1	3.6	5.8	2.9	118.0	59.5		.8	8.3	4.2	7.0	3.5	116.8	58.9
.9	7.1	3.6	5.8	2.9	118.0	59.5		.9	8.4	4.2	7.1	3.6	116.7	58.9
718.0	7.2	3.6	5.9	3.0	117.9	59.5		723.0	8.4	4.2	7.1	3.6	116.7	58.8
.1	7.2	3.6	5.9	3.0	117.9	59.4		.1	8.4	4.2	7.1	3.6	116.7	58.8
.2	7.2	3.6	5.9	3.0	117.9	59.4		.2	8.4	4.2	7.1	3.6	116.7	58.8
.3	7.2	3.6	5.9	3.0	117.9	59.4		.3	8.5	4.3	7.2	3.6	116.6	58.8
.4	7.3	3.7	6.0	3.0	117.8	59.4		.4	8.5	4.3	7.2	3.6	116.6	58.8
.5	7.3	3.7	6.0	3.0	117.8	59.4		.5	8.5	4.3	7.2	3.6	116.6	58.8
.6	7.3	3.7	6.0	3.0	117.8	59.4		.6	8.5	4.3	7.2	3.6	116.6	58.8
.7	7.3	3.7	6.0	3.0	117.8	59.4		.7	8.6	4.3	7.3	3.7	116.5	58.8
.8	7.4	3.7	6.1	3.1	117.7	59.4		.8	8.6	4.3	7.3	3.7	116.5	58.7
.9	7.4	3.7	6.1	3.1	117.7	59.4		.9	8.6	4.3	7.3	3.7	116.5	58.7

Fall Creek   **330**

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
724.0	8.6	4.3	7.3	3.7	116.5	58.7
.1	8.6	4.4	7.3	3.7	116.5	58.7
.2	8.7	4.4	7.4	3.7	116.4	58.7
.3	8.7	4.4	7.4	3.7	116.4	58.7
.4	8.7	4.4	7.4	3.7	116.4	58.7
.5	8.7	4.4	7.4	3.8	116.4	58.7
.6	8.8	4.4	7.5	3.8	116.3	58.6
.7	8.8	4.4	7.5	3.8	116.3	58.6
.8	8.8	4.4	7.5	3.8	116.3	58.6
.9	8.8	4.5	7.5	3.8	116.3	58.6
725.0	8.9	4.5	7.6	3.8	116.2	58.6
.1	8.9	4.5	7.6	3.8	116.2	58.6
.2	8.9	4.5	7.6	3.8	116.2	58.6
.3	8.9	4.5	7.6	3.9	116.2	58.6
.4	9.0	4.5	7.7	3.9	116.1	58.6
.5	9.0	4.5	7.7	3.9	116.1	58.5
.6	9.0	4.5	7.7	3.9	116.1	58.5
.7	9.0	4.6	7.7	3.9	116.1	58.5
.8	9.1	4.6	7.8	3.9	116.0	58.5
.9	9.1	4.6	7.8	3.9	116.0	58.5
726.0	9.1	4.6	7.8	3.9	116.0	58.5
.1	9.1	4.6	7.8	4.0	116.0	58.5
.2	9.2	4.6	7.9	4.0	115.9	58.5
.3	9.2	4.6	7.9	4.0	115.9	58.4
.4	9.2	4.6	7.9	4.0	115.9	58.4
.5	9.2	4.7	7.9	4.0	115.9	58.4
.6	9.3	4.7	8.0	4.0	115.8	58.4
.7	9.3	4.7	8.0	4.0	115.8	58.4
.8	9.3	4.7	8.0	4.0	115.8	58.4
.9	9.3	4.7	8.0	4.0	115.8	58.4
727.0	9.4	4.7	8.1	4.1	115.7	58.4
.1	9.4	4.7	8.1	4.1	115.7	58.3
.2	9.4	4.7	8.1	4.1	115.7	58.3
.3	9.4	4.8	8.1	4.1	115.7	58.3
.4	9.5	4.8	8.2	4.1	115.6	58.3
.5	9.5	4.8	8.2	4.1	115.6	58.3
.6	9.5	4.8	8.2	4.1	115.6	58.3
.7	9.5	4.8	8.2	4.1	115.6	58.3
.8	9.6	4.8	8.3	4.2	115.5	58.3
.9	9.6	4.8	8.3	4.2	115.5	58.2
728.0	9.6	4.8	8.3	4.2	115.5	58.2
.1	9.7	4.9	8.4	4.2	115.4	58.2
.2	9.7	4.9	8.4	4.2	115.4	58.2
.3	9.8	4.9	8.5	4.3	115.3	58.1
.4	9.8	5.0	8.5	4.3	115.3	58.1
.5	9.9	5.0	8.6	4.3	115.2	58.1
.6	10.0	5.0	8.7	4.4	115.1	58.1
.7	10.0	5.0	8.7	4.4	115.1	58.0
.8	10.1	5.1	8.8	4.4	115.0	58.0
.9	10.1	5.1	8.8	4.5	115.0	58.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
729.0	10.2	5.1	8.9	4.5	114.9	57.9
.1	10.3	5.2	9.0	4.5	114.8	57.9
.2	10.3	5.2	9.0	4.5	114.8	57.9
.3	10.4	5.2	9.1	4.6	114.7	57.8
.4	10.4	5.3	9.1	4.6	114.7	57.8
.5	10.5	5.3	9.2	4.6	114.6	57.8
.6	10.6	5.3	9.3	4.7	114.5	57.8
.7	10.6	5.3	9.3	4.7	114.5	57.7
.8	10.7	5.4	9.4	4.7	114.4	57.7
.9	10.7	5.4	9.4	4.8	114.4	57.7
730.0	10.8	5.4	9.5	4.8	114.3	57.6
.1	10.8	5.5	9.5	4.8	114.3	57.6
.2	10.9	5.5	9.6	4.8	114.2	57.6
.3	11.0	5.5	9.7	4.9	114.1	57.5
.4	11.0	5.6	9.7	4.9	114.1	57.5
.5	11.1	5.6	9.8	4.9	114.0	57.5
.6	11.1	5.6	9.8	5.0	114.0	57.5
.7	11.2	5.6	9.9	5.0	113.9	57.4
.8	11.3	5.7	10.0	5.0	113.8	57.4
.9	11.3	5.7	10.0	5.1	113.8	57.4
731.0	11.4	5.7	10.1	5.1	113.7	57.3
.1	11.4	5.8	10.1	5.1	113.7	57.3
.2	11.5	5.8	10.2	5.1	113.6	57.3
.3	11.6	5.8	10.3	5.2	113.5	57.2
.4	11.6	5.9	10.3	5.2	113.5	57.2
.5	11.7	5.9	10.4	5.2	113.4	57.2
.6	11.7	5.9	10.4	5.3	113.4	57.2
.7	11.8	5.9	10.5	5.3	113.3	57.1
.8	11.9	6.0	10.6	5.3	113.2	57.1
.9	11.9	6.0	10.6	5.4	113.2	57.1
732.0	12.0	6.0	10.7	5.4	113.1	57.0
.1	12.0	6.1	10.7	5.4	113.1	57.0
.2	12.1	6.1	10.8	5.4	113.0	57.0
.3	12.2	6.1	10.9	5.5	112.9	56.9
.4	12.2	6.2	10.9	5.5	112.9	56.9
.5	12.3	6.2	11.0	5.5	112.8	56.9
.6	12.3	6.2	11.0	5.6	112.8	56.9
.7	12.4	6.2	11.1	5.6	112.7	56.8
.8	12.5	6.3	11.2	5.6	112.6	56.8
.9	12.5	6.3	11.2	5.7	112.6	56.8
733.0	12.6	6.3	11.3	5.7	112.5	56.7
.1	12.6	6.4	11.3	5.7	112.5	56.7
.2	12.7	6.4	11.4	5.7	112.4	56.7
.3	12.7	6.4	11.4	5.8	112.4	56.6
.4	12.8	6.5	11.5	5.8	112.3	56.6
.5	12.9	6.5	11.6	5.8	112.2	56.6
.6	12.9	6.5	11.6	5.9	112.2	56.6
.7	13.0	6.5	11.7	5.9	112.1	56.5
.8	13.0	6.6	11.7	5.9	112.1	56.5
.9	13.1	6.6	11.8	6.0	112.0	56.5

Fall Creek

331

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
734.0	13.2	6.6	11.9	6.0	111.9	56.4
.1	13.2	6.7	11.9	6.0	111.9	56.4
.2	13.3	6.7	12.0	6.0	111.8	56.4
.3	13.3	6.7	12.0	6.1	111.8	56.3
.4	13.4	6.8	12.1	6.1	111.7	56.3
.5	13.5	6.8	12.2	6.1	111.6	56.3
.6	13.5	6.8	12.2	6.2	111.6	56.3
.7	13.6	6.8	12.3	6.2	111.5	56.2
.8	13.6	6.9	12.3	6.2	111.5	56.2
.9	13.7	6.9	12.4	6.3	111.4	56.2
735.0	13.8	6.9	12.5	6.3	111.3	56.1
.1	13.8	7.0	12.5	6.3	111.3	56.1
.2	13.9	7.0	12.6	6.3	111.2	56.1
.3	13.9	7.0	12.6	6.4	111.2	56.0
.4	14.0	7.1	12.7	6.4	111.1	56.0
.5	14.1	7.1	12.8	6.4	111.0	56.0
.6	14.1	7.1	12.8	6.5	111.0	56.0
.7	14.2	7.1	12.9	6.5	110.9	55.9
.8	14.2	7.2	12.9	6.5	110.9	55.9
.9	14.3	7.2	13.0	6.6	110.8	55.9
736.0	14.4	7.2	13.1	6.6	110.7	55.8
.1	14.4	7.3	13.1	6.6	110.7	55.8
.2	14.5	7.3	13.2	6.6	110.6	55.8
.3	14.5	7.3	13.2	6.7	110.6	55.7
.4	14.6	7.4	13.3	6.7	110.5	55.7
.5	14.6	7.4	13.3	6.7	110.5	55.7
.6	14.7	7.4	13.4	6.8	110.4	55.7
.7	14.8	7.4	13.5	6.8	110.3	55.6
.8	14.8	7.5	13.5	6.8	110.3	55.6
.9	14.9	7.5	13.6	6.9	110.2	55.6
737.0	14.9	7.5	13.6	6.9	110.2	55.5
.1	15.0	7.6	13.7	6.9	110.1	55.5
.2	15.1	7.6	13.8	6.9	110.0	55.5
.3	15.1	7.6	13.8	7.0	110.0	55.4
.4	15.2	7.7	13.9	7.0	109.9	55.4
.5	15.2	7.7	13.9	7.0	109.9	55.4
.6	15.3	7.7	14.0	7.1	109.8	55.4
.7	15.4	7.7	14.1	7.1	109.7	55.3
.8	15.4	7.8	14.1	7.1	109.7	55.3
.9	15.5	7.8	14.2	7.1	109.6	55.3
738.0	15.5	7.8	14.2	7.2	109.6	55.2
.1	15.6	7.9	14.3	7.2	109.5	55.2
.2	15.7	7.9	14.4	7.2	109.4	55.2
.3	15.7	7.9	14.4	7.3	109.4	55.1
.4	15.8	8.0	14.5	7.3	109.3	55.1
.5	15.8	8.0	14.5	7.3	109.3	55.1
.6	15.9	8.0	14.6	7.4	109.2	55.1
.7	16.0	8.0	14.7	7.4	109.1	55.0
.8	16.0	8.1	14.7	7.4	109.1	55.0
.9	16.1	8.1	14.8	7.4	109.0	55.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
739.0	16.1	8.1	14.8	7.5	109.0	54.9
.1	16.2	8.2	14.9	7.5	108.9	54.9
.2	16.3	8.2	15.0	7.5	108.8	54.9
.3	16.3	8.2	15.0	7.6	108.8	54.8
.4	16.4	8.3	15.1	7.6	108.7	54.8
.5	16.4	8.3	15.1	7.6	108.7	54.8
.6	16.5	8.3	15.2	7.7	108.6	54.8
.7	16.6	8.3	15.3	7.7	108.5	54.7
.8	16.6	8.4	15.3	7.7	108.5	54.7
.9	16.7	8.4	15.4	7.7	108.4	54.7
740.0	16.7	8.4	15.4	7.8	108.4	54.6
.1	16.8	8.5	15.5	7.8	108.3	54.6
.2	16.8	8.5	15.5	7.8	108.3	54.6
.3	16.9	8.5	15.6	7.9	108.2	54.5
.4	17.0	8.6	15.7	7.9	108.1	54.5
.5	17.0	8.6	15.7	7.9	108.1	54.5
.6	17.1	8.6	15.8	8.0	108.0	54.5
.7	17.1	8.6	15.8	8.0	108.0	54.4
.8	17.2	8.7	15.9	8.0	107.9	54.4
.9	17.3	8.7	16.0	8.0	107.8	54.4
741.0	17.3	8.7	16.0	8.1	107.8	54.3
.1	17.4	8.8	16.1	8.1	107.7	54.3
.2	17.4	8.8	16.1	8.1	107.7	54.3
.3	17.5	8.8	16.2	8.2	107.6	54.2
.4	17.6	8.9	16.3	8.2	107.5	54.2
.5	17.6	8.9	16.3	8.2	107.5	54.2
.6	17.7	8.9	16.4	8.3	107.4	54.2
.7	17.7	8.9	16.4	8.3	107.4	54.1
.8	17.8	9.0	16.5	8.3	107.3	54.1
.9	17.9	9.0	16.6	8.3	107.2	54.1
742.0	17.9	9.0	16.6	8.4	107.2	54.0
.1	18.0	9.1	16.7	8.4	107.1	54.0
.2	18.0	9.1	16.7	8.4	107.1	54.0
.3	18.1	9.1	16.8	8.5	107.0	53.9
.4	18.2	9.2	16.9	8.5	106.9	53.9
.5	18.2	9.2	16.9	8.5	106.9	53.9
.6	18.3	9.2	17.0	8.6	106.8	53.9
.7	18.3	9.2	17.0	8.6	106.8	53.8
.8	18.4	9.3	17.1	8.6	106.7	53.8
.9	18.5	9.3	17.2	8.6	106.6	53.8
743.0	18.5	9.3	17.2	8.7	106.6	53.7
.1	18.6	9.4	17.3	8.7	106.5	53.7
.2	18.6	9.4	17.3	8.7	106.5	53.7
.3	18.7	9.4	17.4	8.8	106.4	53.6
.4	18.7	9.5	17.4	8.8	106.4	53.6
.5	18.8	9.5	17.5	8.8	106.3	53.6
.6	18.9	9.5	17.6	8.9	106.2	53.6
.7	18.9	9.5	17.6	8.9	106.2	53.5
.8	19.0	9.6	17.7	8.9	106.1	53.5
.9	19.0	9.6	17.7	8.9	106.1	53.5

Fall Creek

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
744.0	19.1	9.6	17.8	9.0	106.0	53.4
.1	19.2	9.7	17.9	9.0	105.9	53.4
.2	19.2	9.7	17.9	9.0	105.9	53.4
.3	19.3	9.7	18.0	9.1	105.8	53.3
.4	19.3	9.8	18.0	9.1	105.8	53.3
.5	19.4	9.8	18.1	9.1	105.7	53.3
.6	19.5	9.8	18.2	9.2	105.6	53.3
.7	19.5	9.8	18.2	9.2	105.6	53.2
.8	19.6	9.9	18.3	9.2	105.5	53.2
.9	19.6	9.9	18.3	9.2	105.5	53.2
745.0	19.7	9.9	18.4	9.3	105.4	53.1
.1	19.8	10.0	18.5	9.3	105.3	53.1
.2	19.8	10.0	18.5	9.3	105.3	53.1
.3	19.9	10.0	18.6	9.4	105.2	53.0
.4	19.9	10.1	18.6	9.4	105.2	53.0
.5	20.0	10.1	18.7	9.4	105.1	53.0
.6	20.1	10.1	18.8	9.5	105.0	53.0
.7	20.1	10.1	18.8	9.5	105.0	52.9
.8	20.2	10.2	18.9	9.5	104.9	52.9
.9	20.2	10.2	18.9	9.5	104.9	52.9
746.0	20.3	10.2	19.0	9.6	104.8	52.8
.1	20.4	10.3	19.1	9.6	104.7	52.8
.2	20.4	10.3	19.1	9.6	104.7	52.8
.3	20.5	10.3	19.2	9.7	104.6	52.8
.4	20.5	10.4	19.2	9.7	104.6	52.7
.5	20.6	10.4	19.3	9.7	104.5	52.7
.6	20.7	10.4	19.4	9.8	104.4	52.7
.7	20.7	10.4	19.4	9.8	104.4	52.6
.8	20.8	10.5	19.5	9.8	104.3	52.6
.9	20.8	10.5	19.5	9.8	104.3	52.6
747.0	20.9	10.5	19.6	9.9	104.2	52.5
.1	20.9	10.6	19.6	9.9	104.2	52.5
.2	21.0	10.6	19.7	9.9	104.1	52.5
.3	21.1	10.6	19.8	10.0	104.0	52.5
.4	21.1	10.7	19.8	10.0	104.0	52.4
.5	21.2	10.7	19.9	10.0	103.9	52.4
.6	21.2	10.7	19.9	10.1	103.9	52.4
.7	21.3	10.7	20.0	10.1	103.8	52.3
.8	21.4	10.8	20.1	10.1	103.7	52.3
.9	21.4	10.8	20.1	10.1	103.7	52.3
748.0	21.5	10.8	20.2	10.2	103.6	52.2
.1	21.5	10.9	20.2	10.2	103.6	52.2
.2	21.6	10.9	20.3	10.2	103.5	52.2
.3	21.7	10.9	20.4	10.3	103.4	52.2
.4	21.7	11.0	20.4	10.3	103.4	52.1
.5	21.8	11.0	20.5	10.3	103.3	52.1
.6	21.8	11.0	20.5	10.4	103.3	52.1
.7	21.9	11.0	20.6	10.4	103.2	52.0
.8	22.0	11.1	20.7	10.4	103.1	52.0
.9	22.0	11.1	20.7	10.4	103.1	52.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
749.0	22.1	11.1	20.8	10.5	103.0	51.9
.1	22.1	11.2	20.8	10.5	103.0	51.9
.2	22.2	11.2	20.9	10.5	102.9	51.9
.3	22.3	11.2	21.0	10.6	102.8	51.9
.4	22.3	11.2	21.0	10.6	102.8	51.8
.5	22.4	11.3	21.1	10.6	102.7	51.8
.6	22.4	11.3	21.1	10.7	102.7	51.8
.7	22.5	11.3	21.2	10.7	102.6	51.7
.8	22.6	11.4	21.3	10.7	102.5	51.7
.9	22.6	11.4	21.3	10.7	102.5	51.7
750.0	22.7	11.4	21.4	10.8	102.4	51.6
.1	22.8	11.5	21.5	10.8	102.3	51.6
.2	22.9	11.5	21.6	10.9	102.2	51.5
.3	22.9	11.6	21.6	10.9	102.2	51.5
.4	23.0	11.6	21.7	11.0	102.1	51.5
.5	23.1	11.7	21.8	11.0	102.0	51.4
.6	23.2	11.7	21.9	11.1	101.9	51.4
.7	23.3	11.8	22.0	11.1	101.8	51.3
.8	23.4	11.8	22.1	11.1	101.7	51.3
.9	23.5	11.8	22.2	11.2	101.6	51.2
751.0	23.6	11.9	22.3	11.2	101.5	51.2
.1	23.7	11.9	22.4	11.3	101.4	51.1
.2	23.8	12.0	22.5	11.3	101.3	51.1
.3	23.9	12.0	22.6	11.4	101.2	51.0
.4	24.0	12.1	22.7	11.4	101.1	51.0
.5	24.1	12.1	22.8	11.5	101.0	50.9
.6	24.2	12.2	22.9	11.5	100.9	50.9
.7	24.2	12.2	22.9	11.6	100.9	50.8
.8	24.3	12.3	23.0	11.6	100.8	50.8
.9	24.4	12.3	23.1	11.7	100.7	50.8
752.0	24.5	12.4	23.2	11.7	100.6	50.7
.1	24.6	12.4	23.3	11.8	100.5	50.7
.2	24.7	12.5	23.4	11.8	100.4	50.6
.3	24.8	12.5	23.5	11.8	100.3	50.6
.4	24.9	12.5	23.6	11.9	100.2	50.5
.5	25.0	12.6	23.7	11.9	100.1	50.5
.6	25.1	12.6	23.8	12.0	100.0	50.4
.7	25.2	12.7	23.9	12.0	99.9	50.4
.8	25.3	12.7	24.0	12.1	99.8	50.3
.9	25.4	12.8	24.1	12.1	99.7	50.3
753.0	25.4	12.8	24.1	12.2	99.7	50.2
.1	25.5	12.9	24.2	12.2	99.6	50.2
.2	25.6	12.9	24.3	12.3	99.5	50.1
.3	25.7	13.0	24.4	12.3	99.4	50.1
.4	25.8	13.0	24.5	12.4	99.3	50.1
.5	25.9	13.1	24.6	12.4	99.2	50.0
.6	26.0	13.1	24.7	12.5	99.1	50.0
.7	26.1	13.2	24.8	12.5	99.0	49.9
.8	26.2	13.2	24.9	12.5	98.9	49.9
.9	26.3	13.2	25.0	12.6	98.8	49.8

Fall Creek

333

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
754.0	26.4	13.3	25.1	12.6	98.7	49.8
.1	26.5	13.3	25.2	12.7	98.6	49.7
.2	26.6	13.4	25.3	12.7	98.5	49.7
.3	26.7	13.4	25.4	12.8	98.4	49.6
.4	26.7	13.5	25.4	12.8	98.4	49.6
.5	26.8	13.5	25.5	12.9	98.3	49.5
.6	26.9	13.6	25.6	12.9	98.2	49.5
.7	27.0	13.6	25.7	13.0	98.1	49.4
.8	27.1	13.7	25.8	13.0	98.0	49.4
.9	27.2	13.7	25.9	13.1	97.9	49.4
755.0	27.3	13.8	26.0	13.1	97.8	49.3
.1	27.4	13.8	26.1	13.2	97.7	49.3
.2	27.5	13.9	26.2	13.2	97.6	49.2
.3	27.6	13.9	26.3	13.2	97.5	49.2
.4	27.7	13.9	26.4	13.3	97.4	49.1
.5	27.8	14.0	26.5	13.3	97.3	49.1
.6	27.9	14.0	26.6	13.4	97.2	49.0
.7	27.9	14.1	26.6	13.4	97.2	49.0
.8	28.0	14.1	26.7	13.5	97.1	48.9
.9	28.1	14.2	26.8	13.5	97.0	48.9
756.0	28.2	14.2	26.9	13.6	96.9	48.8
.1	28.3	14.3	27.0	13.6	96.8	48.8
.2	28.4	14.3	27.1	13.7	96.7	48.7
.3	28.5	14.4	27.2	13.7	96.6	48.7
.4	28.6	14.4	27.3	13.8	96.5	48.7
.5	28.7	14.5	27.4	13.8	96.4	48.6
.6	28.8	14.5	27.5	13.9	96.3	48.6
.7	28.9	14.6	27.6	13.9	96.2	48.5
.8	29.0	14.6	27.7	13.9	96.1	48.5
.9	29.1	14.6	27.8	14.0	96.0	48.4
757.0	29.1	14.7	27.8	14.0	96.0	48.4
.1	29.2	14.7	27.9	14.1	95.9	48.3
.2	29.3	14.8	28.0	14.1	95.8	48.3
.3	29.4	14.8	28.1	14.2	95.7	48.2
.4	29.5	14.9	28.2	14.2	95.6	48.2
.5	29.6	14.9	28.3	14.3	95.5	48.1
.6	29.7	15.0	28.4	14.3	95.4	48.1
.7	29.8	15.0	28.5	14.4	95.3	48.0
.8	29.9	15.1	28.6	14.4	95.2	48.0
.9	30.0	15.1	28.7	14.5	95.1	48.0
758.0	30.1	15.2	28.8	14.5	95.0	47.9
.1	30.2	15.2	28.9	14.6	94.9	47.9
.2	30.3	15.3	29.0	14.6	94.8	47.8
.3	30.4	15.3	29.1	14.6	94.7	47.8
.4	30.4	15.3	29.1	14.7	94.7	47.7
.5	30.5	15.4	29.2	14.7	94.6	47.7
.6	30.6	15.4	29.3	14.8	94.5	47.6
.7	30.7	15.5	29.4	14.8	94.4	47.6
.8	30.8	15.5	29.5	14.9	94.3	47.5
.9	30.9	15.6	29.6	14.9	94.2	47.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
759.0	31.0	15.6	29.7	15.0	94.1	47.4
.1	31.1	15.7	29.8	15.0	94.0	47.4
.2	31.2	15.7	29.9	15.1	93.9	47.3
.3	31.3	15.8	30.0	15.1	93.8	47.3
.4	31.4	15.8	30.1	15.2	93.7	47.3
.5	31.5	15.9	30.2	15.2	93.6	47.2
.6	31.6	15.9	30.3	15.3	93.5	47.2
.7	31.6	16.0	30.3	15.3	93.5	47.1
.8	31.7	16.0	30.4	15.3	93.4	47.1
.9	31.8	16.0	30.5	15.4	93.3	47.0
760.0	31.9	16.1	30.6	15.4	93.2	47.0
.1	32.0	16.1	30.7	15.5	93.1	46.9
.2	32.1	16.2	30.8	15.5	93.0	46.9
.3	32.2	16.2	30.9	15.6	92.9	46.8
.4	32.3	16.3	31.0	15.6	92.8	46.8
.5	32.4	16.3	31.1	15.7	92.7	46.7
.6	32.5	16.4	31.2	15.7	92.6	46.7
.7	32.6	16.4	31.3	15.8	92.5	46.6
.8	32.7	16.5	31.4	15.8	92.4	46.6
.9	32.8	16.5	31.5	15.9	92.3	46.6
761.0	32.9	16.6	31.6	15.9	92.2	46.5
.1	32.9	16.6	31.6	16.0	92.2	46.5
.2	33.0	16.7	31.7	16.0	92.1	46.4
.3	33.1	16.7	31.8	16.0	92.0	46.4
.4	33.2	16.7	31.9	16.1	91.9	46.3
.5	33.3	16.8	32.0	16.1	91.8	46.3
.6	33.4	16.8	32.1	16.2	91.7	46.2
.7	33.5	16.9	32.2	16.2	91.6	46.2
.8	33.6	16.9	32.3	16.3	91.5	46.1
.9	33.7	17.0	32.4	16.3	91.4	46.1
762.0	33.8	17.0	32.5	16.4	91.3	46.0
.1	33.9	17.1	32.6	16.4	91.2	46.0
.2	34.0	17.1	32.7	16.5	91.1	45.9
.3	34.1	17.2	32.8	16.5	91.0	45.9
.4	34.1	17.2	32.8	16.6	91.0	45.9
.5	34.2	17.3	32.9	16.6	90.9	45.8
.6	34.3	17.3	33.0	16.7	90.8	45.8
.7	34.4	17.4	33.1	16.7	90.7	45.7
.8	34.5	17.4	33.2	16.7	90.6	45.7
.9	34.6	17.4	33.3	16.8	90.5	45.6
763.0	34.7	17.5	33.4	16.8	90.4	45.6
.1	34.8	17.5	33.5	16.9	90.3	45.5
.2	34.9	17.6	33.6	16.9	90.2	45.5
.3	35.0	17.6	33.7	17.0	90.1	45.4
.4	35.1	17.7	33.8	17.0	90.0	45.4
.5	35.2	17.7	33.9	17.1	89.9	45.3
.6	35.3	17.8	34.0	17.1	89.8	45.3
.7	35.4	17.8	34.1	17.2	89.7	45.2
.8	35.4	17.9	34.1	17.2	89.7	45.2
.9	35.5	17.9	34.2	17.3	89.6	45.2

Fall Creek

334

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
764.0	35.6	18.0	34.3	17.3	89.5	45.1
.1	35.7	18.0	34.4	17.4	89.4	45.1
.2	35.8	18.1	34.5	17.4	89.3	45.0
.3	35.9	18.1	34.6	17.4	89.2	45.0
.4	36.0	18.1	34.7	17.5	89.1	44.9
.5	36.1	18.2	34.8	17.5	89.0	44.9
.6	36.2	18.2	34.9	17.6	88.9	44.8
.7	36.3	18.3	35.0	17.6	88.8	44.8
.8	36.4	18.3	35.1	17.7	88.7	44.7
.9	36.5	18.4	35.2	17.7	88.6	44.7
765.0	36.6	18.4	35.3	17.8	88.5	44.6
.1	36.6	18.5	35.3	17.8	88.5	44.6
.2	36.7	18.5	35.4	17.9	88.4	44.5
.3	36.8	18.6	35.5	17.9	88.3	44.5
.4	36.9	18.6	35.6	18.0	88.2	44.5
.5	37.0	18.7	35.7	18.0	88.1	44.4
.6	37.1	18.7	35.8	18.1	88.0	44.4
.7	37.2	18.8	35.9	18.1	87.9	44.3
.8	37.3	18.8	36.0	18.1	87.8	44.3
.9	37.4	18.8	36.1	18.2	87.7	44.2
766.0	37.5	18.9	36.2	18.2	87.6	44.2
.1	37.6	18.9	36.3	18.3	87.5	44.1
.2	37.7	19.0	36.4	18.3	87.4	44.1
.3	37.8	19.0	36.5	18.4	87.3	44.0
.4	37.9	19.1	36.6	18.4	87.2	44.0
.5	37.9	19.1	36.6	18.5	87.2	43.9
.6	38.0	19.2	36.7	18.5	87.1	43.9
.7	38.1	19.2	36.8	18.6	87.0	43.8
.8	38.2	19.3	36.9	18.6	86.9	43.8
.9	38.3	19.3	37.0	18.7	86.8	43.8
767.0	38.4	19.4	37.1	18.7	86.7	43.7
.1	38.5	19.4	37.2	18.8	86.6	43.7
.2	38.6	19.5	37.3	18.8	86.5	43.6
.3	38.7	19.5	37.4	18.8	86.4	43.6
.4	38.8	19.6	37.5	18.9	86.3	43.5
.5	38.9	19.6	37.6	18.9	86.2	43.5
.6	39.0	19.6	37.7	19.0	86.1	43.4
.7	39.1	19.7	37.8	19.0	86.0	43.4
.8	39.1	19.7	37.8	19.1	86.0	43.3
.9	39.2	19.8	37.9	19.1	85.9	43.3
768.0	39.3	19.8	38.0	19.2	85.8	43.2
.1	39.4	19.9	38.1	19.2	85.7	43.2
.2	39.5	19.9	38.2	19.3	85.6	43.1
.3	39.6	20.0	38.3	19.3	85.5	43.1
.4	39.7	20.0	38.4	19.4	85.4	43.1
.5	39.8	20.1	38.5	19.4	85.3	43.0
.6	39.9	20.1	38.6	19.5	85.2	43.0
.7	40.0	20.2	38.7	19.5	85.1	42.9
.8	40.1	20.2	38.8	19.5	85.0	42.9
.9	40.2	20.3	38.9	19.6	84.9	42.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
769.0	40.3	20.3	39.0	19.6	84.8	42.8
.1	40.4	20.3	39.1	19.7	84.7	42.7
.2	40.4	20.4	39.1	19.7	84.7	42.7
.3	40.5	20.4	39.2	19.8	84.6	42.6
.4	40.6	20.5	39.3	19.8	84.5	42.6
.5	40.7	20.5	39.4	19.9	84.4	42.5
.6	40.8	20.6	39.5	19.9	84.3	42.5
.7	40.9	20.6	39.6	20.0	84.2	42.4
.8	41.0	20.7	39.7	20.0	84.1	42.4
.9	41.1	20.7	39.8	20.1	84.0	42.4
770.0	41.2	20.8	39.9	20.1	83.9	42.3
.1	41.3	20.8	40.0	20.2	83.8	42.3
.2	41.4	20.9	40.1	20.2	83.7	42.2
.3	41.5	20.9	40.2	20.2	83.6	42.2
.4	41.6	21.0	40.3	20.3	83.5	42.1
.5	41.6	21.0	40.3	20.3	83.5	42.1
.6	41.7	21.0	40.4	20.4	83.4	42.0
.7	41.8	21.1	40.5	20.4	83.3	42.0
.8	41.9	21.1	40.6	20.5	83.2	41.9
.9	42.0	21.2	40.7	20.5	83.1	41.9
771.0	42.1	21.2	40.8	20.6	83.0	41.8
.1	42.2	21.3	40.9	20.6	82.9	41.8
.2	42.3	21.3	41.0	20.7	82.8	41.7
.3	42.4	21.4	41.1	20.7	82.7	41.7
.4	42.5	21.4	41.2	20.8	82.6	41.7
.5	42.6	21.5	41.3	20.8	82.5	41.6
.6	42.7	21.5	41.4	20.9	82.4	41.6
.7	42.8	21.6	41.5	20.9	82.3	41.5
.8	42.8	21.6	41.5	20.9	82.3	41.5
.9	42.9	21.7	41.6	21.0	82.2	41.4
772.0	43.0	21.7	41.7	21.0	82.1	41.4
.1	43.1	21.7	41.8	21.1	82.0	41.3
.2	43.2	21.8	41.9	21.1	81.9	41.3
.3	43.3	21.8	42.0	21.2	81.8	41.2
.4	43.4	21.9	42.1	21.2	81.7	41.2
.5	43.5	21.9	42.2	21.3	81.6	41.1
.6	43.6	22.0	42.3	21.3	81.5	41.1
.7	43.7	22.0	42.4	21.4	81.4	41.0
.8	43.8	22.1	42.5	21.4	81.3	41.0
.9	43.9	22.1	42.6	21.5	81.2	41.0
773.0	44.0	22.2	42.7	21.5	81.1	40.9
.1	44.1	22.2	42.8	21.6	81.0	40.9
.2	44.1	22.3	42.8	21.6	81.0	40.8
.3	44.2	22.3	42.9	21.6	80.9	40.8
.4	44.3	22.4	43.0	21.7	80.8	40.7
.5	44.4	22.4	43.1	21.7	80.7	40.7
.6	44.5	22.4	43.2	21.8	80.6	40.6
.7	44.6	22.5	43.3	21.8	80.5	40.6
.8	44.7	22.5	43.4	21.9	80.4	40.5
.9	44.8	22.6	43.5	21.9	80.3	40.5

Fall Creek

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
774.0	44.9	22.6	43.6	22.0	80.2	40.4
.1	45.0	22.7	43.7	22.0	80.1	40.4
.2	45.1	22.7	43.8	22.1	80.0	40.3
.3	45.2	22.8	43.9	22.1	79.9	40.3
.4	45.3	22.8	44.0	22.2	79.8	40.3
.5	45.3	22.9	44.0	22.2	79.8	40.2
.6	45.4	22.9	44.1	22.3	79.7	40.2
.7	45.5	23.0	44.2	22.3	79.6	40.1
.8	45.6	23.0	44.3	22.3	79.5	40.1
.9	45.7	23.1	44.4	22.4	79.4	40.0
775.0	45.8	23.1	44.5	22.4	79.3	40.0
.1	45.9	23.1	44.6	22.5	79.2	39.9
.2	46.0	23.2	44.7	22.5	79.1	39.9
.3	46.1	23.2	44.8	22.6	79.0	39.8
.4	46.2	23.3	44.9	22.6	78.9	39.8
.5	46.3	23.3	45.0	22.7	78.8	39.7
.6	46.4	23.4	45.1	22.7	78.7	39.7
.7	46.5	23.4	45.2	22.8	78.6	39.6
.8	46.6	23.5	45.3	22.8	78.5	39.6
.9	46.6	23.5	45.3	22.9	78.5	39.6
776.0	46.7	23.6	45.4	22.9	78.4	39.5
.1	46.8	23.6	45.5	23.0	78.3	39.5
.2	46.9	23.7	45.6	23.0	78.2	39.4
.3	47.0	23.7	45.7	23.0	78.1	39.4
.4	47.1	23.8	45.8	23.1	78.0	39.3
.5	47.2	23.8	45.9	23.1	77.9	39.3
.6	47.3	23.8	46.0	23.2	77.8	39.2
.7	47.4	23.9	46.1	23.2	77.7	39.2
.8	47.5	23.9	46.2	23.3	77.6	39.1
.9	47.6	24.0	46.3	23.3	77.5	39.1
777.0	47.7	24.0	46.4	23.4	77.4	39.0
.1	47.8	24.1	46.5	23.4	77.3	39.0
.2	47.8	24.1	46.5	23.5	77.3	38.9
.3	47.9	24.2	46.6	23.5	77.2	38.9
.4	48.0	24.2	46.7	23.6	77.1	38.9
.5	48.1	24.3	46.8	23.6	77.0	38.8
.6	48.2	24.3	46.9	23.7	76.9	38.8
.7	48.3	24.4	47.0	23.7	76.8	38.7
.8	48.4	24.4	47.1	23.7	76.7	38.7
.9	48.5	24.5	47.2	23.8	76.6	38.6
778.0	48.6	24.5	47.3	23.8	76.5	38.6
.1	48.7	24.5	47.4	23.9	76.4	38.5
.2	48.8	24.6	47.5	23.9	76.3	38.5
.3	48.9	24.6	47.6	24.0	76.2	38.4
.4	49.0	24.7	47.7	24.0	76.1	38.4
.5	49.1	24.7	47.8	24.1	76.0	38.3
.6	49.1	24.8	47.8	24.1	76.0	38.3
.7	49.2	24.8	47.9	24.2	75.9	38.2
.8	49.3	24.9	48.0	24.2	75.8	38.2
.9	49.4	24.9	48.1	24.3	75.7	38.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
779.0	49.5	25.0	48.2	24.3	75.6	38.1
.1	49.6	25.0	48.3	24.4	75.5	38.1
.2	49.7	25.1	48.4	24.4	75.4	38.0
.3	49.8	25.1	48.5	24.4	75.3	38.0
.4	49.9	25.2	48.6	24.5	75.2	37.9
.5	50.0	25.2	48.7	24.5	75.1	37.9
.6	50.1	25.2	48.8	24.6	75.0	37.8
.7	50.2	25.3	48.9	24.6	74.9	37.8
.8	50.3	25.3	49.0	24.7	74.8	37.7
.9	50.3	25.4	49.0	24.7	74.8	37.7
780.0	50.4	25.4	49.1	24.8	74.7	37.6
.1	50.5	25.5	49.2	24.8	74.6	37.6
.2	50.6	25.5	49.3	24.9	74.5	37.5
.3	50.7	25.6	49.4	24.9	74.4	37.5
.4	50.8	25.6	49.5	25.0	74.3	37.5
.5	50.9	25.7	49.6	25.0	74.2	37.4
.6	51.0	25.7	49.7	25.1	74.1	37.4
.7	51.1	25.8	49.8	25.1	74.0	37.3
.8	51.2	25.8	49.9	25.1	73.9	37.3
.9	51.3	25.9	50.0	25.2	73.8	37.2
781.0	51.4	25.9	50.1	25.2	73.7	37.2
.1	51.5	25.9	50.2	25.3	73.6	37.1
.2	51.6	26.0	50.3	25.3	73.5	37.1
.3	51.6	26.0	50.3	25.4	73.5	37.0
.4	51.7	26.1	50.4	25.4	73.4	37.0
.5	51.8	26.1	50.5	25.5	73.3	36.9
.6	51.9	26.2	50.6	25.5	73.2	36.9
.7	52.0	26.2	50.7	25.6	73.1	36.8
.8	52.1	26.3	50.8	25.6	73.0	36.8
.9	52.2	26.3	50.9	25.7	72.9	36.8
782.0	52.3	26.4	51.0	25.7	72.8	36.7
.1	52.4	26.4	51.1	25.8	72.7	36.7
.2	52.5	26.5	51.2	25.8	72.6	36.6
.3	52.6	26.5	51.3	25.8	72.5	36.6
.4	52.7	26.6	51.4	25.9	72.4	36.5
.5	52.8	26.6	51.5	25.9	72.3	36.5
.6	52.8	26.6	51.5	26.0	72.3	36.4
.7	52.9	26.7	51.6	26.0	72.2	36.4
.8	53.0	26.7	51.7	26.1	72.1	36.3
.9	53.1	26.8	51.8	26.1	72.0	36.3
783.0	53.2	26.8	51.9	26.2	71.9	36.2
.1	53.3	26.9	52.0	26.2	71.8	36.2
.2	53.4	26.9	52.1	26.3	71.7	36.1
.3	53.5	27.0	52.2	26.3	71.6	36.1
.4	53.6	27.0	52.3	26.4	71.5	36.1
.5	53.7	27.1	52.4	26.4	71.4	36.0
.6	53.8	27.1	52.5	26.5	71.3	36.0
.7	53.9	27.2	52.6	26.5	71.2	35.9
.8	54.0	27.2	52.7	26.5	71.1	35.9
.9	54.1	27.3	52.8	26.6	71.0	35.8

Fall Creek   **336**

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
784.0	54.1	27.3	52.8	26.6	71.0	35.8
.1	54.2	27.3	52.9	26.7	70.9	35.7
.2	54.3	27.4	53.0	26.7	70.8	35.7
.3	54.4	27.4	53.1	26.8	70.7	35.6
.4	54.5	27.5	53.2	26.8	70.6	35.6
.5	54.6	27.5	53.3	26.9	70.5	35.5
.6	54.7	27.6	53.4	26.9	70.4	35.5
.7	54.8	27.6	53.5	27.0	70.3	35.4
.8	54.9	27.7	53.6	27.0	70.2	35.4
.9	55.0	27.7	53.7	27.1	70.1	35.4
785.0	55.1	27.8	53.8	27.1	70.0	35.3
.1	55.2	27.8	53.9	27.2	69.9	35.3
.2	55.3	27.9	54.0	27.2	69.8	35.2
.3	55.3	27.9	54.0	27.2	69.8	35.2
.4	55.4	28.0	54.1	27.3	69.7	35.1
.5	55.5	28.0	54.2	27.3	69.6	35.1
.6	55.6	28.0	54.3	27.4	69.5	35.0
.7	55.7	28.1	54.4	27.4	69.4	35.0
.8	55.8	28.1	54.5	27.5	69.3	34.9
.9	55.9	28.2	54.6	27.5	69.2	34.9
786.0	56.0	28.2	54.7	27.6	69.1	34.8
.1	56.1	28.3	54.8	27.6	69.0	34.8
.2	56.2	28.3	54.9	27.7	68.9	34.7
.3	56.3	28.4	55.0	27.7	68.8	34.7
.4	56.4	28.4	55.1	27.8	68.7	34.7
.5	56.5	28.5	55.2	27.8	68.6	34.6
.6	56.5	28.5	55.2	27.9	68.6	34.6
.7	56.6	28.6	55.3	27.9	68.5	34.5
.8	56.7	28.6	55.4	27.9	68.4	34.5
.9	56.8	28.7	55.5	28.0	68.3	34.4
787.0	56.9	28.7	55.6	28.0	68.2	34.4
.1	57.0	28.7	55.7	28.1	68.1	34.3
.2	57.1	28.8	55.8	28.1	68.0	34.3
.3	57.2	28.8	55.9	28.2	67.9	34.2
.4	57.3	28.9	56.0	28.2	67.8	34.2
.5	57.4	28.9	56.1	28.3	67.7	34.1
.6	57.5	29.0	56.2	28.3	67.6	34.1
.7	57.6	29.0	56.3	28.4	67.5	34.0
.8	57.7	29.1	56.4	28.4	67.4	34.0
.9	57.8	29.1	56.5	28.5	67.3	34.0
788.0	57.8	29.2	56.5	28.5	67.3	33.9
.1	57.9	29.2	56.6	28.6	67.2	33.9
.2	58.0	29.3	56.7	28.6	67.1	33.8
.3	58.1	29.3	56.8	28.6	67.0	33.8
.4	58.2	29.4	56.9	28.7	66.9	33.7
.5	58.3	29.4	57.0	28.7	66.8	33.7
.6	58.4	29.4	57.1	28.8	66.7	33.6
.7	58.5	29.5	57.2	28.8	66.6	33.6
.8	58.6	29.5	57.3	28.9	66.5	33.5
.9	58.7	29.6	57.4	28.9	66.4	33.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
789.0	58.8	29.6	57.5	29.0	66.3	33.4
.1	58.9	29.7	57.6	29.0	66.2	33.4
.2	59.0	29.7	57.7	29.1	66.1	33.3
.3	59.0	29.8	57.7	29.1	66.1	33.3
.4	59.1	29.8	57.8	29.2	66.0	33.3
.5	59.2	29.9	57.9	29.2	65.9	33.2
.6	59.3	29.9	58.0	29.3	65.8	33.2
.7	59.4	30.0	58.1	29.3	65.7	33.1
.8	59.5	30.0	58.2	29.3	65.6	33.1
.9	59.6	30.1	58.3	29.4	65.5	33.0
790.0	59.7	30.1	58.4	29.4	65.4	33.0
.1	59.8	30.1	58.5	29.5	65.3	32.9
.2	59.9	30.2	58.6	29.5	65.2	32.9
.3	60.0	30.2	58.7	29.6	65.1	32.8
.4	60.1	30.3	58.8	29.6	65.0	32.8
.5	60.2	30.3	58.9	29.7	64.9	32.7
.6	60.3	30.4	59.0	29.7	64.8	32.7
.7	60.3	30.4	59.0	29.8	64.8	32.6
.8	60.4	30.5	59.1	29.8	64.7	32.6
.9	60.5	30.5	59.2	29.9	64.6	32.6
791.0	60.6	30.6	59.3	29.9	64.5	32.5
.1	60.7	30.6	59.4	30.0	64.4	32.5
.2	60.8	30.7	59.5	30.0	64.3	32.4
.3	60.9	30.7	59.6	30.0	64.2	32.4
.4	61.0	30.8	59.7	30.1	64.1	32.3
.5	61.1	30.8	59.8	30.1	64.0	32.3
.6	61.2	30.8	59.9	30.2	63.9	32.2
.7	61.3	30.9	60.0	30.2	63.8	32.2
.8	61.4	30.9	60.1	30.3	63.7	32.1
.9	61.5	31.0	60.2	30.3	63.6	32.1
792.0	61.5	31.0	60.2	30.4	63.6	32.0
.1	61.6	31.1	60.3	30.4	63.5	32.0
.2	61.7	31.1	60.4	30.5	63.4	31.9
.3	61.8	31.2	60.5	30.5	63.3	31.9
.4	61.9	31.2	60.6	30.6	63.2	31.9
.5	62.0	31.3	60.7	30.6	63.1	31.8
.6	62.1	31.3	60.8	30.7	63.0	31.8
.7	62.2	31.4	60.9	30.7	62.9	31.7
.8	62.3	31.4	61.0	30.7	62.8	31.7
.9	62.4	31.5	61.1	30.8	62.7	31.6
793.0	62.5	31.5	61.2	30.8	62.6	31.6
.1	62.6	31.5	61.3	30.9	62.5	31.5
.2	62.7	31.6	61.4	30.9	62.4	31.5
.3	62.8	31.6	61.5	31.0	62.3	31.4
.4	62.8	31.7	61.5	31.0	62.3	31.4
.5	62.9	31.7	61.6	31.1	62.2	31.3
.6	63.0	31.8	61.7	31.1	62.1	31.3
.7	63.1	31.8	61.8	31.2	62.0	31.2
.8	63.2	31.9	61.9	31.2	61.9	31.2
.9	63.3	31.9	62.0	31.3	61.8	31.2

Fall Creek

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
794.0	63.4	32.0	62.1	31.3	61.7	31.1
.1	63.6	32.0	62.3	31.4	61.5	31.0
.2	63.7	32.1	62.4	31.5	61.4	31.0
.3	63.9	32.2	62.6	31.5	61.2	30.9
.4	64.0	32.3	62.7	31.6	61.1	30.8
.5	64.2	32.3	62.9	31.7	60.9	30.7
.6	64.3	32.4	63.0	31.8	60.8	30.6
.7	64.5	32.5	63.2	31.8	60.6	30.6
.8	64.6	32.6	63.3	31.9	60.5	30.5
.9	64.8	32.7	63.5	32.0	60.3	30.4
795.0	64.9	32.7	63.6	32.1	60.2	30.3
.1	65.1	32.8	63.8	32.1	60.0	30.3
.2	65.2	32.9	63.9	32.2	59.9	30.2
.3	65.4	33.0	64.1	32.3	59.7	30.1
.4	65.5	33.0	64.2	32.4	59.6	30.0
.5	65.7	33.1	64.4	32.5	59.4	30.0
.6	65.8	33.2	64.5	32.5	59.3	29.9
.7	66.0	33.3	64.7	32.6	59.1	29.8
.8	66.1	33.3	64.8	32.7	59.0	29.7
.9	66.3	33.4	65.0	32.8	58.8	29.7
796.0	66.4	33.5	65.1	32.8	58.7	29.6
.1	66.6	33.6	65.3	32.9	58.5	29.5
.2	66.7	33.6	65.4	33.0	58.4	29.4
.3	66.9	33.7	65.6	33.1	58.2	29.4
.4	67.0	33.8	65.7	33.1	58.1	29.3
.5	67.2	33.9	65.9	33.2	57.9	29.2
.6	67.3	33.9	66.0	33.3	57.8	29.1
.7	67.5	34.0	66.2	33.4	57.6	29.0
.8	67.6	34.1	66.3	33.4	57.5	29.0
.9	67.8	34.2	66.5	33.5	57.3	28.9
797.0	67.9	34.3	66.6	33.6	57.2	28.8
.1	68.1	34.3	66.8	33.7	57.0	28.7
.2	68.2	34.4	66.9	33.7	56.9	28.7
.3	68.4	34.5	67.1	33.8	56.7	28.6
.4	68.5	34.6	67.2	33.9	56.6	28.5
.5	68.7	34.6	67.4	34.0	56.4	28.4
.6	68.8	34.7	67.5	34.1	56.3	28.4
.7	69.0	34.8	67.7	34.1	56.1	28.3
.8	69.1	34.9	67.8	34.2	56.0	28.2
.9	69.3	34.9	68.0	34.3	55.8	28.1
798.0	69.4	35.0	68.1	34.4	55.7	28.1
.1	69.6	35.1	68.3	34.4	55.5	28.0
.2	69.7	35.2	68.4	34.5	55.4	27.9
.3	69.9	35.2	68.6	34.6	55.2	27.8
.4	70.1	35.3	68.8	34.7	55.0	27.8
.5	70.2	35.4	68.9	34.7	54.9	27.7
.6	70.4	35.5	69.1	34.8	54.7	27.6
.7	70.5	35.5	69.2	34.9	54.6	27.5
.8	70.7	35.6	69.4	35.0	54.4	27.4
.9	70.8	35.7	69.5	35.0	54.3	27.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
799.0	71.0	35.8	69.7	35.1	54.1	27.3
.1	71.1	35.9	69.8	35.2	54.0	27.2
.2	71.3	35.9	70.0	35.3	53.8	27.1
.3	71.4	36.0	70.1	35.3	53.7	27.1
.4	71.6	36.1	70.3	35.4	53.5	27.0
.5	71.7	36.2	70.4	35.5	53.4	26.9
.6	71.9	36.2	70.6	35.6	53.2	26.8
.7	72.0	36.3	70.7	35.7	53.1	26.8
.8	72.2	36.4	70.9	35.7	52.9	26.7
.9	72.3	36.5	71.0	35.8	52.8	26.6
800.0	72.5	36.5	71.2	35.9	52.6	26.5
.1	72.6	36.6	71.3	36.0	52.5	26.5
.2	72.8	36.7	71.5	36.0	52.3	26.4
.3	72.9	36.8	71.6	36.1	52.2	26.3
.4	73.1	36.8	71.8	36.2	52.0	26.2
.5	73.2	36.9	71.9	36.3	51.9	26.2
.6	73.4	37.0	72.1	36.3	51.7	26.1
.7	73.5	37.1	72.2	36.4	51.6	26.0
.8	73.7	37.1	72.4	36.5	51.4	25.9
.9	73.8	37.2	72.5	36.6	51.3	25.8
801.0	74.0	37.3	72.7	36.6	51.1	25.8
.1	74.1	37.4	72.8	36.7	51.0	25.7
.2	74.3	37.5	73.0	36.8	50.8	25.6
.3	74.4	37.5	73.1	36.9	50.7	25.5
.4	74.6	37.6	73.3	36.9	50.5	25.5
.5	74.7	37.7	73.4	37.0	50.4	25.4
.6	74.9	37.8	73.6	37.1	50.2	25.3
.7	75.0	37.8	73.7	37.2	50.1	25.2
.8	75.2	37.9	73.9	37.3	49.9	25.2
.9	75.3	38.0	74.0	37.3	49.8	25.1
802.0	75.5	38.1	74.2	37.4	49.6	25.0
.1	75.6	38.1	74.3	37.5	49.5	24.9
.2	75.8	38.2	74.5	37.6	49.3	24.9
.3	75.9	38.3	74.6	37.6	49.2	24.8
.4	76.1	38.4	74.8	37.7	49.0	24.7
.5	76.3	38.4	75.0	37.8	48.8	24.6
.6	76.4	38.5	75.1	37.9	48.7	24.6
.7	76.6	38.6	75.3	37.9	48.5	24.5
.8	76.7	38.7	75.4	38.0	48.4	24.4
.9	76.9	38.7	75.6	38.1	48.2	24.3
803.0	77.0	38.8	75.7	38.2	48.1	24.2
.1	77.2	38.9	75.9	38.2	47.9	24.2
.2	77.3	39.0	76.0	38.3	47.8	24.1
.3	77.5	39.1	76.2	38.4	47.6	24.0
.4	77.6	39.1	76.3	38.5	47.5	23.9
.5	77.8	39.2	76.5	38.5	47.3	23.9
.6	77.9	39.3	76.6	38.6	47.2	23.8
.7	78.1	39.4	76.8	38.7	47.0	23.7
.8	78.2	39.4	76.9	38.8	46.9	23.6
.9	78.4	39.5	77.1	38.9	46.7	23.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
804.0	78.5	39.6	77.2	38.9	46.6	23.5
.1	78.7	39.7	77.4	39.0	46.4	23.4
.2	78.8	39.7	77.5	39.1	46.3	23.3
.3	79.0	39.8	77.7	39.2	46.1	23.3
.4	79.1	39.9	77.8	39.2	46.0	23.2
.5	79.3	40.0	78.0	39.3	45.8	23.1
.6	79.4	40.0	78.1	39.4	45.7	23.0
.7	79.6	40.1	78.3	39.5	45.5	23.0
.8	79.7	40.2	78.4	39.5	45.4	22.9
.9	79.9	40.3	78.6	39.6	45.2	22.8
805.0	80.0	40.3	78.7	39.7	45.1	22.7
.1	80.2	40.4	78.9	39.8	44.9	22.6
.2	80.3	40.5	79.0	39.8	44.8	22.6
.3	80.5	40.6	79.2	39.9	44.6	22.5
.4	80.6	40.7	79.3	40.0	44.5	22.4
.5	80.8	40.7	79.5	40.1	44.3	22.3
.6	80.9	40.8	79.6	40.2	44.2	22.3
.7	81.1	40.9	79.8	40.2	44.0	22.2
.8	81.2	41.0	79.9	40.3	43.9	22.1
.9	81.4	41.0	80.1	40.4	43.7	22.0
806.0	81.5	41.1	80.2	40.5	43.6	22.0
.1	81.7	41.2	80.4	40.5	43.4	21.9
.2	81.8	41.3	80.5	40.6	43.3	21.8
.3	82.0	41.3	80.7	40.7	43.1	21.7
.4	82.1	41.4	80.8	40.8	43.0	21.7
.5	82.3	41.5	81.0	40.8	42.8	21.6
.6	82.4	41.6	81.1	40.9	42.7	21.5
.7	82.6	41.6	81.3	41.0	42.5	21.4
.8	82.8	41.7	81.5	41.1	42.3	21.4
.9	82.9	41.8	81.6	41.1	42.2	21.3
807.0	83.1	41.9	81.8	41.2	42.0	21.2
.1	83.2	41.9	81.9	41.3	41.9	21.1
.2	83.4	42.0	82.1	41.4	41.7	21.0
.3	83.5	42.1	82.2	41.4	41.6	21.0
.4	83.7	42.2	82.4	41.5	41.4	20.9
.5	83.8	42.3	82.5	41.6	41.3	20.8
.6	84.0	42.3	82.7	41.7	41.1	20.7
.7	84.1	42.4	82.8	41.8	41.0	20.7
.8	84.3	42.5	83.0	41.8	40.8	20.6
.9	84.4	42.6	83.1	41.9	40.7	20.5
808.0	84.6	42.6	83.3	42.0	40.5	20.4
.1	84.7	42.7	83.4	42.1	40.4	20.4
.2	84.9	42.8	83.6	42.1	40.2	20.3
.3	85.0	42.9	83.7	42.2	40.1	20.2
.4	85.2	42.9	83.9	42.3	39.9	20.1
.5	85.3	43.0	84.0	42.4	39.8	20.1
.6	85.5	43.1	84.2	42.4	39.6	20.0
.7	85.6	43.2	84.3	42.5	39.5	19.9
.8	85.8	43.2	84.5	42.6	39.3	19.8
.9	85.9	43.3	84.6	42.7	39.2	19.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
809.0	86.1	43.4	84.8	42.7	39.0	19.7
.1	86.2	43.5	84.9	42.8	38.9	19.6
.2	86.4	43.5	85.1	42.9	38.7	19.5
.3	86.5	43.6	85.2	43.0	38.6	19.4
.4	86.7	43.7	85.4	43.0	38.4	19.4
.5	86.8	43.8	85.5	43.1	38.3	19.3
.6	87.0	43.9	85.7	43.2	38.1	19.2
.7	87.1	43.9	85.8	43.3	38.0	19.1
.8	87.3	44.0	86.0	43.4	37.8	19.1
.9	87.4	44.1	86.1	43.4	37.7	19.0
810.0	87.6	44.2	86.3	43.5	37.5	18.9
.1	87.7	44.2	86.4	43.6	37.4	18.8
.2	87.9	44.3	86.6	43.7	37.2	18.8
.3	88.0	44.4	86.7	43.7	37.1	18.7
.4	88.2	44.5	86.9	43.8	36.9	18.6
.5	88.3	44.5	87.0	43.9	36.8	18.5
.6	88.5	44.6	87.2	44.0	36.6	18.5
.7	88.6	44.7	87.3	44.0	36.5	18.4
.8	88.8	44.8	87.5	44.1	36.3	18.3
.9	89.0	44.8	87.7	44.2	36.1	18.2
811.0	89.1	44.9	87.8	44.3	36.0	18.1
.1	89.3	45.0	88.0	44.3	35.8	18.1
.2	89.4	45.1	88.1	44.4	35.7	18.0
.3	89.6	45.2	88.3	44.5	35.5	17.9
.4	89.7	45.2	88.4	44.6	35.4	17.8
.5	89.9	45.3	88.6	44.6	35.2	17.8
.6	90.0	45.4	88.7	44.7	35.1	17.7
.7	90.2	45.5	88.9	44.8	34.9	17.6
.8	90.3	45.5	89.0	44.9	34.8	17.5
.9	90.5	45.6	89.2	45.0	34.6	17.5
812.0	90.6	45.7	89.3	45.0	34.5	17.4
.1	90.8	45.8	89.5	45.1	34.3	17.3
.2	90.9	45.8	89.6	45.2	34.2	17.2
.3	91.1	45.9	89.8	45.3	34.0	17.2
.4	91.2	46.0	89.9	45.3	33.9	17.1
.5	91.4	46.1	90.1	45.4	33.7	17.0
.6	91.5	46.1	90.2	45.5	33.6	16.9
.7	91.7	46.2	90.4	45.6	33.4	16.9
.8	91.8	46.3	90.5	45.6	33.3	16.8
.9	92.0	46.4	90.7	45.7	33.1	16.7
813.0	92.1	46.4	90.8	45.8	33.0	16.6
.1	92.3	46.5	91.0	45.9	32.8	16.5
.2	92.4	46.6	91.1	45.9	32.7	16.5
.3	92.6	46.7	91.3	46.0	32.5	16.4
.4	92.7	46.8	91.4	46.1	32.4	16.3
.5	92.9	46.8	91.6	46.2	32.2	16.2
.6	93.0	46.9	91.7	46.2	32.1	16.2
.7	93.2	47.0	91.9	46.3	31.9	16.1
.8	93.3	47.1	92.0	46.4	31.8	16.0
.9	93.5	47.1	92.2	46.5	31.6	15.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
814.0	93.6	47.2	92.3	46.6	31.5	15.9
.1	93.8	47.3	92.5	46.6	31.3	15.8
.2	93.9	47.4	92.6	46.7	31.2	15.7
.3	94.1	47.4	92.8	46.8	31.0	15.6
.4	94.2	47.5	92.9	46.9	30.9	15.6
.5	94.4	47.6	93.1	46.9	30.7	15.5
.6	94.5	47.7	93.2	47.0	30.6	15.4
.7	94.7	47.7	93.4	47.1	30.4	15.3
.8	94.8	47.8	93.5	47.2	30.3	15.3
.9	95.0	47.9	93.7	47.2	30.1	15.2
815.0	95.1	48.0	93.8	47.3	30.0	15.1
.1	95.3	48.0	94.0	47.4	29.8	15.0
.2	95.5	48.1	94.2	47.5	29.6	14.9
.3	95.6	48.2	94.3	47.5	29.5	14.9
.4	95.8	48.3	94.5	47.6	29.3	14.8
.5	95.9	48.4	94.6	47.7	29.2	14.7
.6	96.1	48.4	94.8	47.8	29.0	14.6
.7	96.2	48.5	94.9	47.8	28.9	14.6
.8	96.4	48.6	95.1	47.9	28.7	14.5
.9	96.5	48.7	95.2	48.0	28.6	14.4
816.0	96.7	48.7	95.4	48.1	28.4	14.3
.1	96.8	48.8	95.5	48.2	28.3	14.3
.2	97.0	48.9	95.7	48.2	28.1	14.2
.3	97.1	49.0	95.8	48.3	28.0	14.1
.4	97.3	49.0	96.0	48.4	27.8	14.0
.5	97.4	49.1	96.1	48.5	27.7	14.0
.6	97.6	49.2	96.3	48.5	27.5	13.9
.7	97.7	49.3	96.4	48.6	27.4	13.8
.8	97.9	49.3	96.6	48.7	27.2	13.7
.9	98.0	49.4	96.7	48.8	27.1	13.7
817.0	98.2	49.5	96.9	48.8	26.9	13.6
.1	98.3	49.6	97.0	48.9	26.8	13.5
.2	98.5	49.6	97.2	49.0	26.6	13.4
.3	98.6	49.7	97.3	49.1	26.5	13.3
.4	98.8	49.8	97.5	49.1	26.3	13.3
.5	98.9	49.9	97.6	49.2	26.2	13.2
.6	99.1	50.0	97.8	49.3	26.0	13.1
.7	99.2	50.0	97.9	49.4	25.9	13.0
.8	99.4	50.1	98.1	49.4	25.7	13.0
.9	99.5	50.2	98.2	49.5	25.6	12.9
818.0	99.7	50.3	98.4	49.6	25.4	12.8
.1	99.8	50.3	98.5	49.7	25.3	12.7
.2	100.0	50.4	98.7	49.8	25.1	12.7
.3	100.1	50.5	98.8	49.8	25.0	12.6
.4	100.3	50.6	99.0	49.9	24.8	12.5
.5	100.4	50.6	99.1	50.0	24.7	12.4
.6	100.6	50.7	99.3	50.1	24.5	12.4
.7	100.7	50.8	99.4	50.1	24.4	12.3
.8	100.9	50.9	99.6	50.2	24.2	12.2
.9	101.0	50.9	99.7	50.3	24.1	12.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
819.0	101.2	51.0	99.9	50.4	23.9	12.1
.1	101.3	51.1	100.0	50.4	23.8	12.0
.2	101.5	51.2	100.2	50.5	23.6	11.9
.3	101.6	51.2	100.3	50.6	23.5	11.8
.4	101.8	51.3	100.5	50.7	23.3	11.7
.5	102.0	51.4	100.7	50.7	23.1	11.7
.6	102.1	51.5	100.8	50.8	23.0	11.6
.7	102.3	51.6	101.0	50.9	22.8	11.5
.8	102.4	51.6	101.1	51.0	22.7	11.4
.9	102.6	51.7	101.3	51.1	22.5	11.4
820.0	102.7	51.8	101.4	51.1	22.4	11.3
.1	102.9	51.9	101.6	51.2	22.2	11.2
.2	103.0	51.9	101.7	51.3	22.1	11.1
.3	103.2	52.0	101.9	51.4	21.9	11.1
.4	103.3	52.1	102.0	51.4	21.8	11.0
.5	103.5	52.2	102.2	51.5	21.6	10.9
.6	103.6	52.2	102.3	51.6	21.5	10.8
.7	103.8	52.3	102.5	51.7	21.3	10.8
.8	103.9	52.4	102.6	51.7	21.2	10.7
.9	104.1	52.5	102.8	51.8	21.0	10.6
821.0	104.2	52.5	102.9	51.9	20.9	10.5
.1	104.4	52.6	103.1	52.0	20.7	10.5
.2	104.5	52.7	103.2	52.0	20.6	10.4
.3	104.7	52.8	103.4	52.1	20.4	10.3
.4	104.8	52.8	103.5	52.2	20.3	10.2
.5	105.0	52.9	103.7	52.3	20.1	10.1
.6	105.1	53.0	103.8	52.3	20.0	10.1
.7	105.3	53.1	104.0	52.4	19.8	10.0
.8	105.4	53.2	104.1	52.5	19.7	9.9
.9	105.6	53.2	104.3	52.6	19.5	9.8
822.0	105.7	53.3	104.4	52.7	19.4	9.8
.1	105.9	53.4	104.6	52.7	19.2	9.7
.2	106.0	53.5	104.7	52.8	19.1	9.6
.3	106.2	53.5	104.9	52.9	18.9	9.5
.4	106.3	53.6	105.0	53.0	18.8	9.5
.5	106.5	53.7	105.2	53.0	18.6	9.4
.6	106.6	53.8	105.3	53.1	18.5	9.3
.7	106.8	53.8	105.5	53.2	18.3	9.2
.8	106.9	53.9	105.6	53.3	18.2	9.2
.9	107.1	54.0	105.8	53.3	18.0	9.1
823.0	107.2	54.1	105.9	53.4	17.9	9.0
.1	107.4	54.1	106.1	53.5	17.7	8.9
.2	107.5	54.2	106.2	53.6	17.6	8.9
.3	107.7	54.3	106.4	53.6	17.4	8.8
.4	107.8	54.4	106.5	53.7	17.3	8.7
.5	108.0	54.4	106.7	53.8	17.1	8.6
.6	108.2	54.5	106.9	53.9	16.9	8.5
.7	108.3	54.6	107.0	53.9	16.8	8.5
.8	108.5	54.7	107.2	54.0	16.6	8.4
.9	108.6	54.8	107.3	54.1	16.5	8.3

Fall Creek

340

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
824.0	108.8	54.8	107.5	54.2	16.3	8.2
.1	108.9	54.9	107.6	54.3	16.2	8.2
.2	109.1	55.0	107.8	54.3	16.0	8.1
.3	109.2	55.1	107.9	54.4	15.9	8.0
.4	109.4	55.1	108.1	54.5	15.7	7.9
.5	109.5	55.2	108.2	54.6	15.6	7.9
.6	109.7	55.3	108.4	54.6	15.4	7.8
.7	109.8	55.4	108.5	54.7	15.3	7.7
.8	110.0	55.4	108.7	54.8	15.1	7.6
.9	110.1	55.5	108.8	54.9	15.0	7.6
825.0	110.3	55.6	109.0	54.9	14.8	7.5
.1	110.4	55.7	109.1	55.0	14.7	7.4
.2	110.6	55.7	109.3	55.1	14.5	7.3
.3	110.7	55.8	109.4	55.2	14.4	7.2
.4	110.9	55.9	109.6	55.2	14.2	7.2
.5	111.0	56.0	109.7	55.3	14.1	7.1
.6	111.2	56.1	109.9	55.4	13.9	7.0
.7	111.3	56.1	110.0	55.5	13.8	6.9
.8	111.5	56.2	110.2	55.5	13.6	6.9
.9	111.6	56.3	110.3	55.6	13.5	6.8
826.0	111.8	56.4	110.5	55.7	13.3	6.7
.1	111.9	56.4	110.6	55.8	13.2	6.6
.2	112.1	56.5	110.8	55.9	13.0	6.6
.3	112.2	56.6	110.9	55.9	12.9	6.5
.4	112.4	56.7	111.1	56.0	12.7	6.4
.5	112.5	56.7	111.2	56.1	12.6	6.3
.6	112.7	56.8	111.4	56.2	12.4	6.3
.7	112.8	56.9	111.5	56.2	12.3	6.2
.8	113.0	57.0	111.7	56.3	12.1	6.1
.9	113.1	57.0	111.8	56.4	12.0	6.0
827.0	113.3	57.1	112.0	56.5	11.8	6.0
.1	113.4	57.2	112.1	56.5	11.7	5.9
.2	113.6	57.3	112.3	56.6	11.5	5.8
.3	113.7	57.3	112.4	56.7	11.4	5.7
.4	113.9	57.4	112.6	56.8	11.2	5.6
.5	114.0	57.5	112.7	56.8	11.1	5.6
.6	114.2	57.6	112.9	56.9	10.9	5.5
.7	114.3	57.7	113.0	57.0	10.8	5.4
.8	114.5	57.7	113.2	57.1	10.6	5.3
.9	114.7	57.8	113.4	57.1	10.4	5.3
828.0	114.8	57.9	113.5	57.2	10.3	5.2
.1	115.0	58.0	113.7	57.3	10.1	5.1
.2	115.1	58.0	113.8	57.4	10.0	5.0
.3	115.3	58.1	114.0	57.5	9.8	5.0
.4	115.4	58.2	114.1	57.5	9.7	4.9
.5	115.6	58.3	114.3	57.6	9.5	4.8
.6	115.7	58.3	114.4	57.7	9.4	4.7
.7	115.9	58.4	114.6	57.8	9.2	4.7
.8	116.0	58.5	114.7	57.8	9.1	4.6
.9	116.2	58.6	114.9	57.9	8.9	4.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
829.0	116.3	58.6	115.0	58.0	8.8	4.4
.1	116.5	58.7	115.2	58.1	8.6	4.4
.2	116.6	58.8	115.3	58.1	8.5	4.3
.3	116.8	58.9	115.5	58.2	8.3	4.2
.4	116.9	58.9	115.6	58.3	8.2	4.1
.5	117.1	59.0	115.8	58.4	8.0	4.0
.6	117.2	59.1	115.9	58.4	7.9	4.0
.7	117.4	59.2	116.1	58.5	7.7	3.9
.8	117.5	59.3	116.2	58.6	7.6	3.8
.9	117.7	59.3	116.4	58.7	7.4	3.7
830.0	117.8	59.4	116.5	58.7	7.3	3.7
.1	118.0	59.5	116.7	58.8	7.1	3.6
.2	118.2	59.6	116.9	58.9	6.9	3.5
.3	118.4	59.7	117.1	59.0	6.7	3.4
.4	118.6	59.8	117.3	59.1	6.5	3.3
.5	118.7	59.9	117.4	59.2	6.4	3.2
.6	118.9	60.0	117.6	59.3	6.2	3.1
.7	119.1	60.0	117.8	59.4	6.0	3.0
.8	119.3	60.1	118.0	59.5	5.8	2.9
.9	119.5	60.2	118.2	59.6	5.6	2.8
831.0	119.6	60.3	118.3	59.7	5.5	2.8
.1	119.8	60.4	118.5	59.8	5.3	2.7
.2	120.0	60.5	118.7	59.8	5.1	2.6
.3	120.2	60.6	118.9	59.9	4.9	2.5
.4	120.4	60.7	119.1	60.0	4.7	2.4
.5	120.6	60.8	119.3	60.1	4.5	2.3
.6	120.7	60.9	119.4	60.2	4.4	2.2
.7	120.9	61.0	119.6	60.3	4.2	2.1
.8	121.1	61.1	119.8	60.4	4.0	2.0
.9	121.3	61.1	120.0	60.5	3.8	1.9
832.0	121.5	61.2	120.2	60.6	3.6	1.8
.1	121.6	61.3	120.3	60.7	3.5	1.7
.2	121.8	61.4	120.5	60.8	3.3	1.7
.3	122.0	61.5	120.7	60.9	3.1	1.6
.4	122.2	61.6	120.9	60.9	2.9	1.5
.5	122.4	61.7	121.1	61.0	2.7	1.4
.6	122.6	61.8	121.3	61.1	2.5	1.3
.7	122.7	61.9	121.4	61.2	2.4	1.2
.8	122.9	62.0	121.6	61.3	2.2	1.1
.9	123.1	62.1	121.8	61.4	2.0	1.0
833.0	123.3	62.2	122.0	61.5	1.8	0.9
.1	123.5	62.2	122.2	61.6	1.6	0.8
.2	123.6	62.3	122.3	61.7	1.5	0.7
.3	123.8	62.4	122.5	61.8	1.3	0.6
.4	124.0	62.5	122.7	61.9	1.1	0.6
.5	124.2	62.6	122.9	62.0	0.9	0.5
.6	124.4	62.7	123.1	62.0	0.7	0.4
.7	124.6	62.8	123.3	62.1	0.5	0.3
.8	124.7	62.9	123.4	62.2	0.4	0.2
.9	124.9	63.0	123.6	62.3	0.2	0.1

Fall Creek

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
834.0	SUB	125.1	63.1	123.8	62.4	0.0	0.0
.1		125.3	63.2				
.2		125.5	63.3				
.3		125.6	63.3				
.4		125.8	63.4				
.5		126.0	63.5				
.6		126.2	63.6				
.7		126.4	63.7				
.8		126.6	63.8				
.9		126.7	63.9				
835.0		126.9	64.0				

Fall Creek   **342**

Reservoir Storage Tables

PROJECT NAME: COTTAGE GROVE

PROJECT NUMBER: 113

STORAGE LOWER BOUND (SLB) =   3.14KAF   STORAGE UPPER BOUND (SUB) =   31.80 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
750.0	SLB	3.1	1.6	0.0	0.0	28.7	14.4
.1		3.2	1.6	0.1	0.0	28.6	14.4
.2		3.2	1.6	0.1	0.1	28.6	14.4
.3		3.3	1.7	0.2	0.1	28.5	14.4
.4		3.4	1.7	0.2	0.1	28.4	14.3
.5		3.4	1.7	0.3	0.1	28.4	14.3
.6		3.5	1.7	0.3	0.2	28.3	14.3
.7		3.5	1.8	0.4	0.2	28.3	14.3
.8		3.6	1.8	0.4	0.2	28.2	14.2
.9		3.6	1.8	0.5	0.2	28.2	14.2
751.0		3.7	1.9	0.5	0.3	28.1	14.2
.1		3.7	1.9	0.6	0.3	28.1	14.1
.2		3.8	1.9	0.7	0.3	28.0	14.1
.3		3.8	1.9	0.7	0.4	28.0	14.1
.4		3.9	2.0	0.8	0.4	27.9	14.1
.5		4.0	2.0	0.8	0.4	27.8	14.0
.6		4.0	2.0	0.9	0.4	27.8	14.0
.7		4.1	2.0	0.9	0.5	27.7	14.0
.8		4.1	2.1	1.0	0.5	27.7	14.0
.9		4.2	2.1	1.0	0.5	27.6	13.9
752.0		4.2	2.1	1.1	0.5	27.6	13.9
.1		4.3	2.2	1.1	0.6	27.5	13.9
.2		4.3	2.2	1.2	0.6	27.5	13.8
.3		4.4	2.2	1.2	0.6	27.4	13.8
.4		4.4	2.2	1.3	0.7	27.4	13.8
.5		4.5	2.3	1.4	0.7	27.3	13.8
.6		4.5	2.3	1.4	0.7	27.3	13.7
.7		4.6	2.3	1.5	0.7	27.2	13.7
.8		4.7	2.3	1.5	0.8	27.1	13.7
.9		4.7	2.4	1.6	0.8	27.1	13.7
753.0		4.8	2.4	1.6	0.8	27.0	13.6
.1		4.8	2.4	1.7	0.8	27.0	13.6
.2		4.9	2.5	1.7	0.9	26.9	13.6
.3		4.9	2.5	1.8	0.9	26.9	13.5
.4		5.0	2.5	1.8	0.9	26.8	13.5
.5		5.0	2.5	1.9	1.0	26.8	13.5
.6		5.1	2.6	2.0	1.0	26.7	13.5
.7		5.1	2.6	2.0	1.0	26.7	13.4
.8		5.2	2.6	2.1	1.0	26.6	13.4
.9		5.3	2.6	2.1	1.1	26.5	13.4
754.0		5.3	2.7	2.2	1.1	26.5	13.4
.1		5.4	2.7	2.2	1.1	26.4	13.3
.2		5.4	2.7	2.3	1.1	26.4	13.3
.3		5.5	2.8	2.3	1.2	26.3	13.3
.4		5.5	2.8	2.4	1.2	26.3	13.2
.5		5.6	2.8	2.4	1.2	26.2	13.2
.6		5.6	2.8	2.5	1.3	26.2	13.2
.7		5.7	2.9	2.5	1.3	26.1	13.2
.8		5.7	2.9	2.6	1.3	26.1	13.1
.9		5.8	2.9	2.7	1.3	26.0	13.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
755.0	5.9	2.9	2.7	1.4	25.9	13.1
.1	5.9	3.0	2.8	1.4	25.9	13.1
.2	6.0	3.0	2.8	1.4	25.8	13.0
.3	6.0	3.0	2.9	1.4	25.8	13.0
.4	6.1	3.1	2.9	1.5	25.7	13.0
.5	6.1	3.1	3.0	1.5	25.7	12.9
.6	6.2	3.1	3.0	1.5	25.6	12.9
.7	6.2	3.1	3.1	1.6	25.6	12.9
.8	6.3	3.2	3.1	1.6	25.5	12.9
.9	6.3	3.2	3.2	1.6	25.5	12.8
756.0	6.4	3.2	3.3	1.6	25.4	12.8
.1	6.4	3.3	3.3	1.7	25.4	12.8
.2	6.5	3.3	3.4	1.7	25.3	12.8
.3	6.6	3.3	3.4	1.7	25.2	12.7
.4	6.6	3.3	3.5	1.7	25.2	12.7
.5	6.7	3.4	3.5	1.8	25.1	12.7
.6	6.7	3.4	3.6	1.8	25.1	12.6
.7	6.8	3.4	3.6	1.8	25.0	12.6
.8	6.8	3.4	3.7	1.9	25.0	12.6
.9	6.9	3.5	3.7	1.9	24.9	12.6
757.0	6.9	3.5	3.8	1.9	24.9	12.5
.1	7.0	3.5	3.8	1.9	24.8	12.5
.2	7.0	3.6	3.9	2.0	24.8	12.5
.3	7.1	3.6	4.0	2.0	24.7	12.5
.4	7.2	3.6	4.0	2.0	24.6	12.4
.5	7.2	3.6	4.1	2.1	24.6	12.4
.6	7.3	3.7	4.1	2.1	24.5	12.4
.7	7.3	3.7	4.2	2.1	24.5	12.3
.8	7.4	3.7	4.2	2.1	24.4	12.3
.9	7.4	3.7	4.3	2.2	24.4	12.3
758.0	7.5	3.8	4.3	2.2	24.3	12.3
.1	7.5	3.8	4.4	2.2	24.3	12.2
.2	7.6	3.8	4.4	2.2	24.2	12.2
.3	7.6	3.9	4.5	2.3	24.2	12.2
.4	7.7	3.9	4.6	2.3	24.1	12.2
.5	7.7	3.9	4.6	2.3	24.1	12.1
.6	7.8	3.9	4.7	2.4	24.0	12.1
.7	7.9	4.0	4.7	2.4	23.9	12.1
.8	7.9	4.0	4.8	2.4	23.9	12.0
.9	8.0	4.0	4.8	2.4	23.8	12.0
759.0	8.0	4.0	4.9	2.5	23.8	12.0
.1	8.1	4.1	4.9	2.5	23.7	12.0
.2	8.1	4.1	5.0	2.5	23.7	11.9
.3	8.2	4.1	5.0	2.5	23.6	11.9
.4	8.2	4.2	5.1	2.6	23.6	11.9
.5	8.3	4.2	5.2	2.6	23.5	11.9
.6	8.3	4.2	5.2	2.6	23.5	11.8
.7	8.4	4.2	5.3	2.7	23.4	11.8
.8	8.5	4.3	5.3	2.7	23.3	11.8
.9	8.5	4.3	5.4	2.7	23.3	11.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
760.0	8.6	4.3	5.4	2.7	23.2	11.7
.1	8.6	4.3	5.5	2.8	23.2	11.7
.2	8.7	4.4	5.5	2.8	23.1	11.7
.3	8.7	4.4	5.6	2.8	23.1	11.6
.4	8.8	4.4	5.6	2.8	23.0	11.6
.5	8.8	4.5	5.7	2.9	23.0	11.6
.6	8.9	4.5	5.7	2.9	22.9	11.6
.7	8.9	4.5	5.8	2.9	22.9	11.5
.8	9.0	4.5	5.9	3.0	22.8	11.5
.9	9.0	4.6	5.9	3.0	22.8	11.5
761.0	9.1	4.6	6.0	3.0	22.7	11.4
.1	9.2	4.6	6.0	3.0	22.6	11.4
.2	9.2	4.6	6.1	3.1	22.6	11.4
.3	9.3	4.7	6.1	3.1	22.5	11.4
.4	9.3	4.7	6.2	3.1	22.5	11.3
.5	9.4	4.7	6.2	3.1	22.4	11.3
.6	9.4	4.8	6.3	3.2	22.4	11.3
.7	9.5	4.8	6.3	3.2	22.3	11.3
.8	9.5	4.8	6.4	3.2	22.3	11.2
.9	9.6	4.8	6.5	3.3	22.2	11.2
762.0	9.6	4.9	6.5	3.3	22.2	11.2
.1	9.7	4.9	6.6	3.3	22.1	11.1
.2	9.8	4.9	6.6	3.3	22.0	11.1
.3	9.8	4.9	6.7	3.4	22.0	11.1
.4	9.9	5.0	6.7	3.4	21.9	11.1
.5	9.9	5.0	6.8	3.4	21.9	11.0
.6	10.0	5.0	6.8	3.4	21.8	11.0
.7	10.0	5.1	6.9	3.5	21.8	11.0
.8	10.1	5.1	6.9	3.5	21.7	11.0
.9	10.1	5.1	7.0	3.5	21.7	10.9
763.0	10.2	5.1	7.0	3.6	21.6	10.9
.1	10.2	5.2	7.1	3.6	21.6	10.9
.2	10.3	5.2	7.2	3.6	21.5	10.8
.3	10.4	5.2	7.2	3.6	21.4	10.8
.4	10.4	5.2	7.3	3.7	21.4	10.8
.5	10.5	5.3	7.3	3.7	21.3	10.8
.6	10.5	5.3	7.4	3.7	21.3	10.7
.7	10.6	5.3	7.4	3.7	21.2	10.7
.8	10.6	5.4	7.5	3.8	21.2	10.7
.9	10.7	5.4	7.5	3.8	21.1	10.7
764.0	10.7	5.4	7.6	3.8	21.1	10.6
.1	10.8	5.4	7.6	3.9	21.0	10.6
.2	10.8	5.5	7.7	3.9	21.0	10.6
.3	10.9	5.5	7.8	3.9	20.9	10.5
.4	10.9	5.5	7.8	3.9	20.9	10.5
.5	11.0	5.5	7.9	4.0	20.8	10.5
.6	11.1	5.6	7.9	4.0	20.7	10.5
.7	11.1	5.6	8.0	4.0	20.7	10.4
.8	11.2	5.6	8.0	4.0	20.6	10.4
.9	11.2	5.7	8.1	4.1	20.6	10.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
765.0	11.3	5.7	8.1	4.1	20.5	10.3
.1	11.3	5.7	8.2	4.1	20.5	10.3
.2	11.4	5.7	8.2	4.2	20.4	10.3
.3	11.4	5.8	8.3	4.2	20.4	10.3
.4	11.5	5.8	8.4	4.2	20.3	10.2
.5	11.5	5.8	8.4	4.2	20.3	10.2
.6	11.6	5.8	8.5	4.3	20.2	10.2
.7	11.7	5.9	8.5	4.3	20.1	10.2
.8	11.7	5.9	8.6	4.3	20.1	10.1
.9	11.8	5.9	8.6	4.3	20.0	10.1
766.0	11.8	6.0	8.7	4.4	20.0	10.1
.1	11.9	6.0	8.7	4.4	19.9	10.0
.2	11.9	6.0	8.8	4.4	19.9	10.0
.3	12.0	6.0	8.8	4.5	19.8	10.0
.4	12.0	6.1	8.9	4.5	19.8	10.0
.5	12.1	6.1	8.9	4.5	19.7	9.9
.6	12.1	6.1	9.0	4.5	19.7	9.9
.7	12.2	6.1	9.1	4.6	19.6	9.9
.8	12.2	6.2	9.1	4.6	19.6	9.9
.9	12.3	6.2	9.2	4.6	19.5	9.8
767.0	12.4	6.2	9.2	4.6	19.4	9.8
.1	12.4	6.3	9.3	4.7	19.4	9.8
.2	12.5	6.3	9.3	4.7	19.3	9.7
.3	12.5	6.3	9.4	4.7	19.3	9.7
.4	12.6	6.3	9.4	4.8	19.2	9.7
.5	12.6	6.4	9.5	4.8	19.2	9.7
.6	12.7	6.4	9.5	4.8	19.1	9.6
.7	12.7	6.4	9.6	4.8	19.1	9.6
.8	12.8	6.4	9.7	4.9	19.0	9.6
.9	12.8	6.5	9.7	4.9	19.0	9.6
768.0	12.9	6.5	9.8	4.9	18.9	9.5
.1	13.0	6.5	9.8	4.9	18.8	9.5
.2	13.0	6.6	9.9	5.0	18.8	9.5
.3	13.1	6.6	9.9	5.0	18.7	9.4
.4	13.1	6.6	10.0	5.0	18.7	9.4
.5	13.2	6.6	10.0	5.1	18.6	9.4
.6	13.2	6.7	10.1	5.1	18.6	9.4
.7	13.3	6.7	10.1	5.1	18.5	9.3
.8	13.3	6.7	10.2	5.1	18.5	9.3
.9	13.4	6.7	10.2	5.2	18.4	9.3
769.0	13.4	6.8	10.3	5.2	18.4	9.3
.1	13.5	6.8	10.4	5.2	18.3	9.2
.2	13.5	6.8	10.4	5.2	18.3	9.2
.3	13.6	6.9	10.5	5.3	18.2	9.2
.4	13.7	6.9	10.5	5.3	18.1	9.1
.5	13.7	6.9	10.6	5.3	18.1	9.1
.6	13.8	6.9	10.6	5.4	18.0	9.1
.7	13.8	7.0	10.7	5.4	18.0	9.1
.8	13.9	7.0	10.7	5.4	17.9	9.0
.9	13.9	7.0	10.8	5.4	17.9	9.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
770.0	14.0	7.0	10.8	5.5	17.8	9.0
.1	14.0	7.1	10.9	5.5	17.8	9.0
.2	14.1	7.1	11.0	5.5	17.7	8.9
.3	14.1	7.1	11.0	5.5	17.7	8.9
.4	14.2	7.2	11.1	5.6	17.6	8.9
.5	14.3	7.2	11.1	5.6	17.5	8.8
.6	14.3	7.2	11.2	5.6	17.5	8.8
.7	14.4	7.2	11.2	5.7	17.4	8.8
.8	14.4	7.3	11.3	5.7	17.4	8.8
.9	14.5	7.3	11.3	5.7	17.3	8.7
771.0	14.5	7.3	11.4	5.7	17.3	8.7
.1	14.6	7.4	11.4	5.8	17.2	8.7
.2	14.6	7.4	11.5	5.8	17.2	8.7
.3	14.7	7.4	11.5	5.8	17.1	8.6
.4	14.7	7.4	11.6	5.8	17.1	8.6
.5	14.8	7.5	11.7	5.9	17.0	8.6
.6	14.9	7.5	11.7	5.9	16.9	8.5
.7	14.9	7.5	11.8	5.9	16.9	8.5
.8	15.0	7.5	11.8	6.0	16.8	8.5
.9	15.0	7.6	11.9	6.0	16.8	8.5
772.0	15.1	7.6	11.9	6.0	16.7	8.4
.1	15.1	7.6	12.0	6.0	16.7	8.4
.2	15.2	7.7	12.0	6.1	16.6	8.4
.3	15.2	7.7	12.1	6.1	16.6	8.4
.4	15.3	7.7	12.1	6.1	16.5	8.3
.5	15.3	7.7	12.2	6.2	16.5	8.3
.6	15.4	7.8	12.3	6.2	16.4	8.3
.7	15.4	7.8	12.3	6.2	16.4	8.2
.8	15.5	7.8	12.4	6.2	16.3	8.2
.9	15.6	7.8	12.4	6.3	16.2	8.2
773.0	15.6	7.9	12.5	6.3	16.2	8.2
.1	15.7	7.9	12.5	6.3	16.1	8.1
.2	15.7	7.9	12.6	6.3	16.1	8.1
.3	15.8	8.0	12.6	6.4	16.0	8.1
.4	15.8	8.0	12.7	6.4	16.0	8.1
.5	15.9	8.0	12.7	6.4	15.9	8.0
.6	15.9	8.0	12.8	6.5	15.9	8.0
.7	16.0	8.1	12.9	6.5	15.8	8.0
.8	16.0	8.1	12.9	6.5	15.8	7.9
.9	16.1	8.1	13.0	6.5	15.7	7.9
774.0	16.2	8.1	13.0	6.6	15.6	7.9
.1	16.2	8.2	13.1	6.6	15.6	7.8
.2	16.3	8.2	13.2	6.7	15.5	7.8
.3	16.4	8.3	13.3	6.7	15.4	7.7
.4	16.5	8.3	13.4	6.8	15.3	7.7
.5	16.6	8.4	13.5	6.8	15.2	7.6
.6	16.7	8.4	13.6	6.9	15.1	7.6
.7	16.8	8.5	13.7	6.9	15.0	7.5
.8	16.9	8.5	13.8	7.0	14.9	7.5
.9	17.0	8.6	13.9	7.0	14.8	7.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
775.0	17.1	8.6	14.0	7.1	14.7	7.4
.1	17.2	8.7	14.1	7.1	14.6	7.3
.2	17.3	8.7	14.2	7.2	14.5	7.3
.3	17.4	8.8	14.3	7.2	14.4	7.2
.4	17.5	8.8	14.4	7.3	14.3	7.2
.5	17.6	8.9	14.5	7.3	14.2	7.2
.6	17.7	8.9	14.6	7.3	14.1	7.1
.7	17.8	9.0	14.7	7.4	14.0	7.1
.8	17.9	9.0	14.8	7.4	13.9	7.0
.9	18.0	9.1	14.9	7.5	13.8	7.0
776.0	18.1	9.1	15.0	7.5	13.7	6.9
.1	18.2	9.2	15.1	7.6	13.6	6.9
.2	18.3	9.2	15.2	7.6	13.5	6.8
.3	18.4	9.3	15.3	7.7	13.4	6.8
.4	18.5	9.3	15.4	7.7	13.3	6.7
.5	18.6	9.4	15.5	7.8	13.2	6.7
.6	18.7	9.4	15.6	7.8	13.1	6.6
.7	18.8	9.5	15.7	7.9	13.0	6.6
.8	18.9	9.5	15.7	7.9	12.9	6.5
.9	19.0	9.6	15.8	8.0	12.8	6.5
777.0	19.1	9.6	15.9	8.0	12.7	6.4
.1	19.2	9.7	16.0	8.1	12.6	6.4
.2	19.3	9.7	16.1	8.1	12.5	6.3
.3	19.4	9.8	16.2	8.2	12.4	6.3
.4	19.5	9.8	16.3	8.2	12.3	6.2
.5	19.6	9.9	16.4	8.3	12.2	6.2
.6	19.7	9.9	16.5	8.3	12.1	6.1
.7	19.8	10.0	16.6	8.4	12.0	6.1
.8	19.9	10.0	16.7	8.4	11.9	6.0
.9	20.0	10.1	16.8	8.5	11.8	6.0
778.0	20.1	10.1	16.9	8.5	11.7	5.9
.1	20.2	10.2	17.0	8.6	11.6	5.9
.2	20.3	10.2	17.1	8.6	11.5	5.8
.3	20.4	10.3	17.2	8.7	11.4	5.8
.4	20.5	10.3	17.3	8.7	11.3	5.7
.5	20.5	10.4	17.4	8.8	11.3	5.7
.6	20.6	10.4	17.5	8.8	11.2	5.6
.7	20.7	10.5	17.6	8.9	11.1	5.6
.8	20.8	10.5	17.7	8.9	11.0	5.5
.9	20.9	10.6	17.8	9.0	10.9	5.5
779.0	21.0	10.6	17.9	9.0	10.8	5.4
.1	21.1	10.7	18.0	9.1	10.7	5.4
.2	21.2	10.7	18.1	9.1	10.6	5.3
.3	21.3	10.8	18.2	9.2	10.5	5.3
.4	21.4	10.8	18.3	9.2	10.4	5.2
.5	21.5	10.9	18.4	9.3	10.3	5.2
.6	21.6	10.9	18.5	9.3	10.2	5.1
.7	21.7	11.0	18.6	9.4	10.1	5.1
.8	21.8	11.0	18.7	9.4	10.0	5.0
.9	21.9	11.1	18.8	9.5	9.9	5.0

Reservoir Storage Tables

PAGE 7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
780.0	22.0	11.1	18.9	9.5	9.8	4.9
.1	22.1	11.1	19.0	9.6	9.7	4.9
.2	22.2	11.2	19.1	9.6	9.6	4.8
.3	22.3	11.2	19.2	9.7	9.5	4.8
.4	22.4	11.3	19.3	9.7	9.4	4.7
.5	22.5	11.3	19.4	9.8	9.3	4.7
.6	22.6	11.4	19.5	9.8	9.2	4.6
.7	22.7	11.4	19.6	9.9	9.1	4.6
.8	22.8	11.5	19.7	9.9	9.0	4.5
.9	22.9	11.5	19.8	10.0	8.9	4.5
781.0	23.0	11.6	19.9	10.0	8.8	4.4
.1	23.1	11.6	20.0	10.1	8.7	4.4
.2	23.2	11.7	20.0	10.1	8.6	4.3
.3	23.3	11.7	20.1	10.2	8.5	4.3
.4	23.4	11.8	20.2	10.2	8.4	4.2
.5	23.5	11.8	20.3	10.3	8.3	4.2
.6	23.6	11.9	20.4	10.3	8.2	4.1
.7	23.7	11.9	20.5	10.4	8.1	4.1
.8	23.8	12.0	20.6	10.4	8.0	4.0
.9	23.9	12.0	20.7	10.5	7.9	4.0
782.0	24.0	12.1	20.8	10.5	7.8	3.9
.1	24.1	12.1	20.9	10.6	7.7	3.9
.2	24.2	12.2	21.0	10.6	7.6	3.8
.3	24.3	12.2	21.1	10.7	7.5	3.8
.4	24.4	12.3	21.2	10.7	7.4	3.8
.5	24.5	12.3	21.3	10.7	7.3	3.7
.6	24.6	12.4	21.4	10.8	7.2	3.7
.7	24.7	12.4	21.5	10.8	7.1	3.6
.8	24.8	12.5	21.6	10.9	7.0	3.6
.9	24.8	12.5	21.7	10.9	7.0	3.5
783.0	24.9	12.6	21.8	11.0	6.9	3.5
.1	25.0	12.6	21.9	11.0	6.8	3.4
.2	25.1	12.7	22.0	11.1	6.7	3.4
.3	25.2	12.7	22.1	11.1	6.6	3.3
.4	25.3	12.8	22.2	11.2	6.5	3.3
.5	25.4	12.8	22.3	11.2	6.4	3.2
.6	25.5	12.9	22.4	11.3	6.3	3.2
.7	25.6	12.9	22.5	11.3	6.2	3.1
.8	25.7	13.0	22.6	11.4	6.1	3.1
.9	25.8	13.0	22.7	11.4	6.0	3.0
784.0	25.9	13.1	22.8	11.5	5.9	3.0
.1	26.0	13.1	22.9	11.5	5.8	2.9
.2	26.1	13.2	23.0	11.6	5.7	2.9
.3	26.2	13.2	23.1	11.6	5.6	2.8
.4	26.3	13.3	23.2	11.7	5.5	2.8
.5	26.4	13.3	23.3	11.7	5.4	2.7
.6	26.5	13.4	23.4	11.8	5.3	2.7
.7	26.6	13.4	23.5	11.8	5.2	2.6
.8	26.7	13.5	23.6	11.9	5.1	2.6
.9	26.8	13.5	23.7	11.9	5.0	2.5

PAGE 8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
785.0	26.9	13.6	23.8	12.0	4.9	2.5
.1	27.0	13.6	23.9	12.0	4.8	2.4
.2	27.1	13.7	24.0	12.1	4.7	2.4
.3	27.2	13.7	24.1	12.1	4.6	2.3
.4	27.3	13.8	24.2	12.2	4.5	2.3
.5	27.4	13.8	24.3	12.2	4.4	2.2
.6	27.5	13.9	24.3	12.3	4.3	2.2
.7	27.6	13.9	24.4	12.3	4.2	2.1
.8	27.7	14.0	24.5	12.4	4.1	2.1
.9	27.8	14.0	24.6	12.4	4.0	2.0
786.0	27.9	14.1	24.7	12.5	3.9	2.0
.1	28.0	14.1	24.8	12.5	3.8	1.9
.2	28.1	14.2	24.9	12.6	3.7	1.9
.3	28.2	14.2	25.0	12.6	3.6	1.8
.4	28.3	14.3	25.1	12.7	3.5	1.8
.5	28.4	14.3	25.2	12.7	3.4	1.7
.6	28.5	14.4	25.3	12.8	3.3	1.7
.7	28.6	14.4	25.4	12.8	3.2	1.6
.8	28.7	14.4	25.5	12.9	3.1	1.6
.9	28.8	14.5	25.6	12.9	3.0	1.5
787.0	28.9	14.5	25.7	13.0	2.9	1.5
.1	29.0	14.6	25.8	13.0	2.8	1.4
.2	29.1	14.6	25.9	13.1	2.7	1.4
.3	29.1	14.7	26.0	13.1	2.7	1.3
.4	29.2	14.7	26.1	13.2	2.6	1.3
.5	29.3	14.8	26.2	13.2	2.5	1.2
.6	29.4	14.8	26.3	13.3	2.4	1.2
.7	29.5	14.9	26.4	13.3	2.3	1.1
.8	29.6	14.9	26.5	13.4	2.2	1.1
.9	29.7	15.0	26.6	13.4	2.1	1.0
788.0	29.8	15.0	26.7	13.5	2.0	1.0
.1	29.9	15.1	26.8	13.5	1.9	0.9
.2	30.0	15.1	26.9	13.6	1.8	0.9
.3	30.1	15.2	27.0	13.6	1.7	0.8
.4	30.2	15.2	27.1	13.7	1.6	0.8
.5	30.3	15.3	27.2	13.7	1.5	0.7
.6	30.4	15.3	27.3	13.8	1.4	0.7
.7	30.5	15.4	27.4	13.8	1.3	0.6
.8	30.6	15.4	27.5	13.9	1.2	0.6
.9	30.7	15.5	27.6	13.9	1.1	0.5
789.0	30.8	15.5	27.7	14.0	1.0	0.5
.1	30.9	15.6	27.8	14.0	0.9	0.4
.2	31.0	15.6	27.9	14.0	0.8	0.4
.3	31.1	15.7	28.0	14.1	0.7	0.4
.4	31.2	15.7	28.1	14.1	0.6	0.3
.5	31.3	15.8	28.2	14.2	0.5	0.3
.6	31.4	15.8	28.3	14.2	0.4	0.2
.7	31.5	15.9	28.4	14.3	0.3	0.2
.8	31.6	15.9	28.5	14.3	0.2	0.1
.9	31.7	16.0	28.6	14.4	0.1	0.1

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
790.0	SUB	31.8	16.0	28.6	14.4	0.0	0.0
.1		31.9	16.1				
.2		32.0	16.1				
.3		32.1	16.2				
.4		32.2	16.3				
.5		32.4	16.3				
.6		32.5	16.4				
.7		32.6	16.4				
.8		32.7	16.5				
.9		32.8	16.5				
791.0		32.9	16.6				

Cottage Grove

347

Reservoir Storage Tables

PROJECT NAME: DORENA

PROJECT NUMBER: 114

STORAGE LOWER BOUND (SLB) =   7.09KAF   STORAGE UPPER BOUND (SUB) =   72.10 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
770.0		7.0	3.5				
.1		7.0	3.5				
.2		7.0	3.5				
.3		7.1	3.6				
.4		7.1	3.6				
.5	SLB	7.1	3.6	0.0	0.0	65.0	32.8
.6		7.2	3.6	0.1	0.0	64.9	32.7
.7		7.3	3.7	0.2	0.1	64.8	32.7
.8		7.3	3.7	0.3	0.1	64.8	32.6
.9		7.4	3.7	0.3	0.2	64.7	32.6
771.0		7.5	3.8	0.4	0.2	64.6	32.6
.1		7.6	3.8	0.5	0.3	64.5	32.5
.2		7.7	3.9	0.6	0.3	64.4	32.5
.3		7.8	3.9	0.7	0.3	64.3	32.4
.4		7.8	4.0	0.8	0.4	64.3	32.4
.5		7.9	4.0	0.8	0.4	64.2	32.4
.6		8.0	4.0	0.9	0.5	64.1	32.3
.7		8.1	4.1	1.0	0.5	64.0	32.3
.8		8.2	4.1	1.1	0.5	63.9	32.2
.9		8.3	4.2	1.2	0.6	63.8	32.2
772.0		8.3	4.2	1.2	0.6	63.8	32.1
.1		8.4	4.2	1.3	0.7	63.7	32.1
.2		8.5	4.3	1.4	0.7	63.6	32.1
.3		8.6	4.3	1.5	0.8	63.5	32.0
.4		8.7	4.4	1.6	0.8	63.4	32.0
.5		8.8	4.4	1.7	0.8	63.3	31.9
.6		8.8	4.5	1.7	0.9	63.3	31.9
.7		8.9	4.5	1.8	0.9	63.2	31.9
.8		9.0	4.5	1.9	1.0	63.1	31.8
.9		9.1	4.6	2.0	1.0	63.0	31.8
773.0		9.2	4.6	2.1	1.0	62.9	31.7
.1		9.3	4.7	2.2	1.1	62.8	31.7
.2		9.3	4.7	2.2	1.1	62.8	31.6
.3		9.4	4.7	2.3	1.2	62.7	31.6
.4		9.5	4.8	2.4	1.2	62.6	31.6
.5		9.6	4.8	2.5	1.3	62.5	31.5
.6		9.7	4.9	2.6	1.3	62.4	31.5
.7		9.7	4.9	2.7	1.3	62.4	31.4
.8		9.8	5.0	2.7	1.4	62.3	31.4
.9		9.9	5.0	2.8	1.4	62.2	31.4
774.0		10.0	5.0	2.9	1.5	62.1	31.3
.1		10.1	5.1	3.0	1.5	62.0	31.3
.2		10.2	5.1	3.1	1.5	61.9	31.2
.3		10.2	5.2	3.1	1.6	61.9	31.2
.4		10.3	5.2	3.2	1.6	61.8	31.1
.5		10.4	5.2	3.3	1.7	61.7	31.1
.6		10.5	5.3	3.4	1.7	61.6	31.1
.7		10.6	5.3	3.5	1.8	61.5	31.0
.8		10.7	5.4	3.6	1.8	61.4	31.0
.9		10.7	5.4	3.6	1.8	61.4	30.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
775.0	10.8	5.5	3.7	1.9	61.3	30.9
.1	10.9	5.5	3.8	1.9	61.2	30.9
.2	11.0	5.5	3.9	2.0	61.1	30.8
.3	11.1	5.6	4.0	2.0	61.0	30.8
.4	11.2	5.6	4.1	2.0	60.9	30.7
.5	11.2	5.7	4.1	2.1	60.9	30.7
.6	11.3	5.7	4.2	2.1	60.8	30.6
.7	11.4	5.7	4.3	2.2	60.7	30.6
.8	11.5	5.8	4.4	2.2	60.6	30.6
.9	11.6	5.8	4.5	2.3	60.5	30.5
776.0	11.6	5.9	4.6	2.3	60.5	30.5
.1	11.7	5.9	4.6	2.3	60.4	30.4
.2	11.8	6.0	4.7	2.4	60.3	30.4
.3	11.9	6.0	4.8	2.4	60.2	30.4
.4	12.0	6.0	4.9	2.5	60.1	30.3
.5	12.1	6.1	5.0	2.5	60.0	30.3
.6	12.1	6.1	5.1	2.5	60.0	30.2
.7	12.2	6.2	5.1	2.6	59.9	30.2
.8	12.3	6.2	5.2	2.6	59.8	30.1
.9	12.4	6.2	5.3	2.7	59.7	30.1
777.0	12.5	6.3	5.4	2.7	59.6	30.1
.1	12.6	6.3	5.5	2.8	59.5	30.0
.2	12.6	6.4	5.5	2.8	59.5	30.0
.3	12.7	6.4	5.6	2.8	59.4	29.9
.4	12.8	6.5	5.7	2.9	59.3	29.9
.5	12.9	6.5	5.8	2.9	59.2	29.9
.6	13.0	6.5	5.9	3.0	59.1	29.8
.7	13.1	6.6	6.0	3.0	59.0	29.8
.8	13.1	6.6	6.0	3.0	59.0	29.7
.9	13.2	6.7	6.1	3.1	58.9	29.7
778.0	13.3	6.7	6.2	3.1	58.8	29.6
.1	13.4	6.7	6.3	3.2	58.7	29.6
.2	13.5	6.8	6.4	3.2	58.6	29.6
.3	13.6	6.8	6.5	3.3	58.5	29.5
.4	13.6	6.9	6.5	3.3	58.5	29.5
.5	13.7	6.9	6.6	3.3	58.4	29.4
.6	13.8	7.0	6.7	3.4	58.3	29.4
.7	13.9	7.0	6.8	3.4	58.2	29.4
.8	14.0	7.0	6.9	3.5	58.1	29.3
.9	14.0	7.1	7.0	3.5	58.1	29.3
779.0	14.1	7.1	7.0	3.5	58.0	29.2
.1	14.2	7.2	7.1	3.6	57.9	29.2
.2	14.3	7.2	7.2	3.6	57.8	29.1
.3	14.4	7.2	7.3	3.7	57.7	29.1
.4	14.5	7.3	7.4	3.7	57.6	29.1
.5	14.5	7.3	7.5	3.8	57.6	29.0
.6	14.6	7.4	7.5	3.8	57.5	29.0
.7	14.7	7.4	7.6	3.8	57.4	28.9
.8	14.8	7.5	7.7	3.9	57.3	28.9
.9	14.9	7.5	7.8	3.9	57.2	28.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
780.0	15.0	7.5	7.9	4.0	57.1	28.8
.1	15.0	7.6	7.9	4.0	57.1	28.8
.2	15.1	7.6	8.0	4.0	57.0	28.7
.3	15.2	7.7	8.1	4.1	56.9	28.7
.4	15.3	7.7	8.2	4.1	56.8	28.6
.5	15.4	7.7	8.3	4.2	56.7	28.6
.6	15.5	7.8	8.4	4.2	56.6	28.6
.7	15.5	7.8	8.4	4.3	56.6	28.5
.8	15.6	7.9	8.5	4.3	56.5	28.5
.9	15.7	7.9	8.6	4.3	56.4	28.4
781.0	15.8	8.0	8.7	4.4	56.3	28.4
.1	15.9	8.0	8.8	4.4	56.2	28.4
.2	16.0	8.0	8.9	4.5	56.1	28.3
.3	16.0	8.1	8.9	4.5	56.1	28.3
.4	16.1	8.1	9.0	4.5	56.0	28.2
.5	16.2	8.2	9.1	4.6	55.9	28.2
.6	16.3	8.2	9.2	4.6	55.8	28.1
.7	16.4	8.3	9.3	4.7	55.7	28.1
.8	16.4	8.3	9.4	4.7	55.7	28.1
.9	16.5	8.3	9.4	4.8	55.6	28.0
782.0	16.6	8.4	9.5	4.8	55.5	28.0
.1	16.7	8.4	9.6	4.8	55.4	27.9
.2	16.8	8.5	9.7	4.9	55.3	27.9
.3	16.9	8.5	9.8	4.9	55.2	27.8
.4	16.9	8.5	9.8	5.0	55.2	27.8
.5	17.0	8.6	9.9	5.0	55.1	27.8
.6	17.1	8.6	10.0	5.0	55.0	27.7
.7	17.2	8.7	10.1	5.1	54.9	27.7
.8	17.3	8.7	10.2	5.1	54.8	27.6
.9	17.4	8.8	10.3	5.2	54.7	27.6
783.0	17.4	8.8	10.3	5.2	54.7	27.6
.1	17.5	8.8	10.4	5.3	54.6	27.5
.2	17.6	8.9	10.5	5.3	54.5	27.5
.3	17.7	8.9	10.6	5.3	54.4	27.4
.4	17.8	9.0	10.7	5.4	54.3	27.4
.5	17.9	9.0	10.8	5.4	54.2	27.3
.6	17.9	9.0	10.8	5.5	54.2	27.3
.7	18.0	9.1	10.9	5.5	54.1	27.3
.8	18.1	9.1	11.0	5.5	54.0	27.2
.9	18.2	9.2	11.1	5.6	53.9	27.2
784.0	18.3	9.2	11.2	5.6	53.8	27.1
.1	18.3	9.3	11.3	5.7	53.8	27.1
.2	18.4	9.3	11.3	5.7	53.7	27.1
.3	18.5	9.3	11.4	5.8	53.6	27.0
.4	18.6	9.4	11.5	5.8	53.5	27.0
.5	18.7	9.4	11.6	5.8	53.4	26.9
.6	18.8	9.5	11.7	5.9	53.3	26.9
.7	18.8	9.5	11.8	5.9	53.3	26.8
.8	18.9	9.5	11.8	6.0	53.2	26.8
.9	19.0	9.6	11.9	6.0	53.1	26.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
785.0	19.1	9.6	12.0	6.0	53.0	26.7
.1	19.2	9.7	12.1	6.1	52.9	26.7
.2	19.3	9.7	12.2	6.1	52.8	26.6
.3	19.3	9.8	12.2	6.2	52.8	26.6
.4	19.4	9.8	12.3	6.2	52.7	26.6
.5	19.5	9.8	12.4	6.3	52.6	26.5
.6	19.6	9.9	12.5	6.3	52.5	26.5
.7	19.7	9.9	12.6	6.3	52.4	26.4
.8	19.8	10.0	12.7	6.4	52.3	26.4
.9	19.8	10.0	12.7	6.4	52.3	26.3
786.0	19.9	10.0	12.8	6.5	52.2	26.3
.1	20.0	10.1	12.9	6.5	52.1	26.3
.2	20.1	10.1	13.0	6.6	52.0	26.2
.3	20.2	10.2	13.1	6.6	51.9	26.2
.4	20.3	10.2	13.2	6.6	51.8	26.1
.5	20.3	10.3	13.2	6.7	51.8	26.1
.6	20.4	10.3	13.3	6.7	51.7	26.1
.7	20.5	10.3	13.4	6.8	51.6	26.0
.8	20.6	10.4	13.5	6.8	51.5	26.0
.9	20.7	10.4	13.6	6.8	51.4	25.9
787.0	20.7	10.5	13.7	6.9	51.4	25.9
.1	20.8	10.5	13.7	6.9	51.3	25.8
.2	20.9	10.5	13.8	7.0	51.2	25.8
.3	21.0	10.6	13.9	7.0	51.1	25.8
.4	21.1	10.6	14.0	7.1	51.0	25.7
.5	21.2	10.7	14.1	7.1	50.9	25.7
.6	21.2	10.7	14.2	7.1	50.9	25.6
.7	21.3	10.8	14.2	7.2	50.8	25.6
.8	21.4	10.8	14.3	7.2	50.7	25.6
.9	21.5	10.8	14.4	7.3	50.6	25.5
788.0	21.6	10.9	14.5	7.3	50.5	25.5
.1	21.7	10.9	14.6	7.3	50.4	25.4
.2	21.7	11.0	14.6	7.4	50.4	25.4
.3	21.8	11.0	14.7	7.4	50.3	25.3
.4	21.9	11.0	14.8	7.5	50.2	25.3
.5	22.0	11.1	14.9	7.5	50.1	25.3
.6	22.1	11.1	15.0	7.6	50.0	25.2
.7	22.2	11.2	15.1	7.6	49.9	25.2
.8	22.2	11.2	15.1	7.6	49.9	25.1
.9	22.3	11.3	15.2	7.7	49.8	25.1
789.0	22.4	11.3	15.3	7.7	49.7	25.1
.1	22.5	11.3	15.4	7.8	49.6	25.0
.2	22.6	11.4	15.5	7.8	49.5	25.0
.3	22.7	11.4	15.6	7.8	49.4	24.9
.4	22.7	11.5	15.6	7.9	49.4	24.9
.5	22.8	11.5	15.7	7.9	49.3	24.8
.6	22.9	11.5	15.8	8.0	49.2	24.8
.7	23.0	11.6	15.9	8.0	49.1	24.8
.8	23.1	11.6	16.0	8.1	49.0	24.7
.9	23.1	11.7	16.1	8.1	49.0	24.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
790.0	23.2	11.7	16.1	8.1	48.9	24.6
.1	23.3	11.8	16.2	8.2	48.8	24.6
.2	23.4	11.8	16.3	8.2	48.7	24.6
.3	23.5	11.8	16.4	8.3	48.6	24.5
.4	23.6	11.9	16.5	8.3	48.5	24.5
.5	23.6	11.9	16.5	8.3	48.5	24.4
.6	23.7	12.0	16.6	8.4	48.4	24.4
.7	23.8	12.0	16.7	8.4	48.3	24.3
.8	23.9	12.0	16.8	8.5	48.2	24.3
.9	24.0	12.1	16.9	8.5	48.1	24.3
791.0	24.1	12.1	17.0	8.6	48.0	24.2
.1	24.1	12.2	17.0	8.6	48.0	24.2
.2	24.2	12.2	17.1	8.6	47.9	24.1
.3	24.3	12.3	17.2	8.7	47.8	24.1
.4	24.4	12.3	17.3	8.7	47.7	24.1
.5	24.5	12.3	17.4	8.8	47.6	24.0
.6	24.6	12.4	17.5	8.8	47.5	24.0
.7	24.6	12.4	17.5	8.8	47.5	23.9
.8	24.7	12.5	17.6	8.9	47.4	23.9
.9	24.8	12.5	17.7	8.9	47.3	23.8
792.0	24.9	12.5	17.8	9.0	47.2	23.8
.1	25.0	12.6	17.9	9.0	47.1	23.8
.2	25.0	12.6	18.0	9.1	47.1	23.7
.3	25.1	12.7	18.0	9.1	47.0	23.7
.4	25.2	12.7	18.1	9.1	46.9	23.6
.5	25.3	12.8	18.2	9.2	46.8	23.6
.6	25.4	12.8	18.3	9.2	46.7	23.6
.7	25.5	12.8	18.4	9.3	46.6	23.5
.8	25.5	12.9	18.5	9.3	46.6	23.5
.9	25.6	12.9	18.5	9.3	46.5	23.4
793.0	25.7	13.0	18.6	9.4	46.4	23.4
.1	25.8	13.0	18.7	9.4	46.3	23.3
.2	25.9	13.0	18.8	9.5	46.2	23.3
.3	26.0	13.1	18.9	9.5	46.1	23.3
.4	26.0	13.1	18.9	9.6	46.1	23.2
.5	26.1	13.2	19.0	9.6	46.0	23.2
.6	26.2	13.2	19.1	9.6	45.9	23.1
.7	26.3	13.3	19.2	9.7	45.8	23.1
.8	26.4	13.3	19.3	9.7	45.7	23.1
.9	26.5	13.3	19.4	9.8	45.6	23.0
794.0	26.5	13.4	19.4	9.8	45.6	23.0
.1	26.6	13.4	19.5	9.8	45.5	22.9
.2	26.7	13.5	19.6	9.9	45.4	22.9
.3	26.8	13.5	19.7	9.9	45.3	22.8
.4	26.9	13.5	19.8	10.0	45.2	22.8
.5	27.0	13.6	19.9	10.0	45.1	22.8
.6	27.0	13.6	19.9	10.1	45.1	22.7
.7	27.1	13.7	20.0	10.1	45.0	22.7
.8	27.2	13.7	20.1	10.1	44.9	22.6
.9	27.3	13.8	20.2	10.2	44.8	22.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
795.0	27.4	13.8	20.3	10.2	44.7	22.6
.1	27.4	13.8	20.4	10.3	44.7	22.5
.2	27.5	13.9	20.4	10.3	44.6	22.5
.3	27.6	13.9	20.5	10.3	44.5	22.4
.4	27.7	14.0	20.6	10.4	44.4	22.4
.5	27.8	14.0	20.7	10.4	44.3	22.3
.6	27.9	14.0	20.8	10.5	44.2	22.3
.7	27.9	14.1	20.9	10.5	44.2	22.3
.8	28.0	14.1	20.9	10.6	44.1	22.2
.9	28.1	14.2	21.0	10.6	44.0	22.2
796.0	28.2	14.2	21.1	10.6	43.9	22.1
.1	28.3	14.3	21.2	10.7	43.8	22.1
.2	28.4	14.3	21.3	10.7	43.7	22.1
.3	28.4	14.3	21.3	10.8	43.7	22.0
.4	28.5	14.4	21.4	10.8	43.6	22.0
.5	28.6	14.4	21.5	10.8	43.5	21.9
.6	28.7	14.5	21.6	10.9	43.4	21.9
.7	28.8	14.5	21.7	10.9	43.3	21.8
.8	28.9	14.5	21.8	11.0	43.2	21.8
.9	28.9	14.6	21.8	11.0	43.2	21.8
797.0	29.0	14.6	21.9	11.1	43.1	21.7
.1	29.1	14.7	22.0	11.1	43.0	21.7
.2	29.2	14.7	22.1	11.1	42.9	21.6
.3	29.3	14.8	22.2	11.2	42.8	21.6
.4	29.4	14.8	22.3	11.2	42.7	21.6
.5	29.4	14.8	22.3	11.3	42.7	21.5
.6	29.5	14.9	22.4	11.3	42.6	21.5
.7	29.6	14.9	22.5	11.3	42.5	21.4
.8	29.7	15.0	22.6	11.4	42.4	21.4
.9	29.8	15.0	22.7	11.4	42.3	21.3
798.0	29.8	15.0	22.8	11.5	42.3	21.3
.1	29.9	15.1	22.8	11.5	42.2	21.3
.2	30.0	15.1	22.9	11.6	42.1	21.2
.3	30.1	15.2	23.0	11.6	42.0	21.2
.4	30.2	15.2	23.1	11.6	41.9	21.1
.5	30.3	15.3	23.2	11.7	41.8	21.1
.6	30.3	15.3	23.2	11.7	41.8	21.1
.7	30.4	15.3	23.3	11.8	41.7	21.0
.8	30.5	15.4	23.4	11.8	41.6	21.0
.9	30.6	15.4	23.5	11.8	41.5	20.9
799.0	30.7	15.5	23.6	11.9	41.4	20.9
.1	30.8	15.5	23.7	11.9	41.3	20.8
.2	30.8	15.5	23.7	12.0	41.3	20.8
.3	30.9	15.6	23.8	12.0	41.2	20.8
.4	31.0	15.6	23.9	12.1	41.1	20.7
.5	31.1	15.7	24.0	12.1	41.0	20.7
.6	31.2	15.7	24.1	12.1	40.9	20.6
.7	31.3	15.8	24.2	12.2	40.8	20.6
.8	31.3	15.8	24.2	12.2	40.8	20.6
.9	31.4	15.8	24.3	12.3	40.7	20.5

Reservoir Storage Tables

ELEVATION	GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
800.0	31.5	15.9	24.4	12.3	40.6	20.5
.1	31.6	15.9	24.5	12.3	40.5	20.4
.2	31.7	16.0	24.6	12.4	40.4	20.4
.3	31.7	16.0	24.7	12.4	40.4	20.3
.4	31.8	16.0	24.7	12.5	40.3	20.3
.5	31.9	16.1	24.8	12.5	40.2	20.3
.6	32.0	16.1	24.9	12.6	40.1	20.2
.7	32.1	16.2	25.0	12.6	40.0	20.2
.8	32.2	16.2	25.1	12.6	39.9	20.1
.9	32.2	16.3	25.2	12.7	39.9	20.1
801.0	32.3	16.3	25.2	12.7	39.8	20.1
.1	32.4	16.3	25.3	12.8	39.7	20.0
.2	32.5	16.4	25.4	12.8	39.6	20.0
.3	32.6	16.4	25.5	12.8	39.5	19.9
.4	32.7	16.5	25.6	12.9	39.4	19.9
.5	32.7	16.5	25.6	12.9	39.4	19.8
.6	32.8	16.5	25.7	13.0	39.3	19.8
.7	32.9	16.6	25.8	13.0	39.2	19.8
.8	33.0	16.6	25.9	13.1	39.1	19.7
.9	33.1	16.7	26.0	13.1	39.0	19.7
802.0	33.2	16.7	26.1	13.1	38.9	19.6
.1	33.2	16.8	26.1	13.2	38.9	19.6
.2	33.3	16.8	26.2	13.2	38.8	19.6
.3	33.4	16.8	26.3	13.3	38.7	19.5
.4	33.5	16.9	26.4	13.3	38.6	19.5
.5	33.6	16.9	26.5	13.3	38.5	19.4
.6	33.7	17.0	26.6	13.4	38.4	19.4
.7	33.7	17.0	26.6	13.4	38.4	19.3
.8	33.8	17.0	26.7	13.5	38.3	19.3
.9	33.9	17.1	26.8	13.5	38.2	19.3
803.0	34.0	17.1	26.9	13.6	38.1	19.2
.1	34.1	17.2	27.0	13.6	38.0	19.2
.2	34.1	17.2	27.1	13.6	38.0	19.1
.3	34.2	17.3	27.1	13.7	37.9	19.1
.4	34.3	17.3	27.2	13.7	37.8	19.1
.5	34.4	17.3	27.3	13.8	37.7	19.0
.6	34.5	17.4	27.4	13.8	37.6	19.0
.7	34.6	17.4	27.5	13.8	37.5	18.9
.8	34.6	17.5	27.6	13.9	37.5	18.9
.9	34.7	17.5	27.6	13.9	37.4	18.8
804.0	34.8	17.5	27.7	14.0	37.3	18.8
.1	34.9	17.6	27.8	14.0	37.2	18.8
.2	35.0	17.6	27.9	14.1	37.1	18.7
.3	35.1	17.7	28.0	14.1	37.0	18.7
.4	35.1	17.7	28.0	14.1	37.0	18.6
.5	35.2	17.8	28.1	14.2	36.9	18.6
.6	35.3	17.8	28.2	14.2	36.8	18.6
.7	35.4	17.8	28.3	14.3	36.7	18.5
.8	35.5	17.9	28.4	14.3	36.6	18.5
.9	35.6	17.9	28.5	14.3	36.5	18.4

ELEVATION	GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
805.0	35.6	18.0	28.5	14.4	36.5	18.4
.1	35.7	18.0	28.6	14.4	36.4	18.3
.2	35.8	18.1	28.7	14.5	36.3	18.3
.3	35.9	18.1	28.8	14.5	36.2	18.3
.4	36.0	18.1	28.9	14.6	36.1	18.2
.5	36.1	18.2	29.0	14.6	36.0	18.2
.6	36.1	18.2	29.0	14.6	36.0	18.1
.7	36.2	18.3	29.1	14.7	35.9	18.1
.8	36.3	18.3	29.2	14.7	35.8	18.0
.9	36.4	18.3	29.3	14.8	35.7	18.0
806.0	36.5	18.4	29.4	14.8	35.6	18.0
.1	36.5	18.4	29.5	14.8	35.6	17.9
.2	36.6	18.5	29.5	14.9	35.5	17.9
.3	36.7	18.5	29.6	14.9	35.4	17.8
.4	36.8	18.6	29.7	15.0	35.3	17.8
.5	36.9	18.6	29.8	15.0	35.2	17.8
.6	37.0	18.6	29.9	15.1	35.1	17.7
.7	37.0	18.7	29.9	15.1	35.1	17.7
.8	37.1	18.7	30.0	15.1	35.0	17.6
.9	37.2	18.8	30.1	15.2	34.9	17.6
807.0	37.3	18.8	30.2	15.2	34.8	17.5
.1	37.4	18.8	30.3	15.3	34.7	17.5
.2	37.5	18.9	30.4	15.3	34.6	17.5
.3	37.5	18.9	30.4	15.3	34.6	17.4
.4	37.6	19.0	30.5	15.4	34.5	17.4
.5	37.7	19.0	30.6	15.4	34.4	17.3
.6	37.8	19.1	30.7	15.5	34.3	17.3
.7	37.9	19.1	30.8	15.5	34.2	17.3
.8	38.0	19.1	30.9	15.6	34.1	17.2
.9	38.0	19.2	30.9	15.6	34.1	17.2
808.0	38.1	19.2	31.0	15.6	34.0	17.1
.1	38.2	19.3	31.1	15.7	33.9	17.1
.2	38.3	19.3	31.2	15.7	33.8	17.0
.3	38.4	19.3	31.3	15.8	33.7	17.0
.4	38.4	19.4	31.4	15.8	33.7	17.0
.5	38.5	19.4	31.4	15.9	33.6	16.9
.6	38.6	19.5	31.5	15.9	33.5	16.9
.7	38.7	19.5	31.6	15.9	33.4	16.8
.8	38.8	19.6	31.7	16.0	33.3	16.8
.9	38.9	19.6	31.8	16.0	33.2	16.8
809.0	38.9	19.6	31.9	16.1	33.2	16.7
.1	39.0	19.7	31.9	16.1	33.1	16.7
.2	39.1	19.7	32.0	16.1	33.0	16.6
.3	39.2	19.8	32.1	16.2	32.9	16.6
.4	39.3	19.8	32.2	16.2	32.8	16.5
.5	39.4	19.8	32.3	16.3	32.7	16.5
.6	39.4	19.9	32.3	16.3	32.7	16.5
.7	39.5	19.9	32.4	16.4	32.6	16.4
.8	39.6	20.0	32.5	16.4	32.5	16.4
.9	39.7	20.0	32.6	16.4	32.4	16.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
810.0	39.8	20.1	32.7	16.5	32.3	16.3
.1	39.9	20.1	32.8	16.5	32.2	16.3
.2	39.9	20.1	32.8	16.6	32.2	16.2
.3	40.0	20.2	32.9	16.6	32.1	16.2
.4	40.1	20.2	33.0	16.6	32.0	16.1
.5	40.2	20.3	33.1	16.7	31.9	16.1
.6	40.3	20.3	33.2	16.7	31.8	16.0
.7	40.4	20.3	33.3	16.8	31.7	16.0
.8	40.4	20.4	33.3	16.8	31.7	16.0
.9	40.5	20.4	33.4	16.9	31.6	15.9
811.0	40.6	20.5	33.5	16.9	31.5	15.9
.1	40.7	20.5	33.6	17.0	31.4	15.8
.2	40.9	20.6	33.8	17.0	31.2	15.7
.3	41.0	20.7	33.9	17.1	31.1	15.7
.4	41.2	20.8	34.1	17.2	30.9	15.6
.5	41.3	20.8	34.2	17.2	30.8	15.5
.6	41.4	20.9	34.3	17.3	30.7	15.5
.7	41.6	21.0	34.5	17.4	30.5	15.4
.8	41.7	21.0	34.6	17.5	30.4	15.3
.9	41.9	21.1	34.8	17.5	30.2	15.2
812.0	42.0	21.2	34.9	17.6	30.1	15.2
.1	42.1	21.2	35.0	17.7	30.0	15.1
.2	42.3	21.3	35.2	17.7	29.8	15.0
.3	42.4	21.4	35.3	17.8	29.7	15.0
.4	42.6	21.5	35.5	17.9	29.5	14.9
.5	42.7	21.5	35.6	17.9	29.4	14.8
.6	42.8	21.6	35.7	18.0	29.3	14.8
.7	43.0	21.7	35.9	18.1	29.1	14.7
.8	43.1	21.7	36.0	18.2	29.0	14.6
.9	43.2	21.8	36.2	18.2	28.9	14.5
813.0	43.4	21.9	36.3	18.3	28.7	14.5
.1	43.5	21.9	36.4	18.4	28.6	14.4
.2	43.7	22.0	36.6	18.4	28.4	14.3
.3	43.8	22.1	36.7	18.5	28.3	14.3
.4	43.9	22.2	36.8	18.6	28.2	14.2
.5	44.1	22.2	37.0	18.6	28.0	14.1
.6	44.2	22.3	37.1	18.7	27.9	14.1
.7	44.4	22.4	37.3	18.8	27.7	14.0
.8	44.5	22.4	37.4	18.9	27.6	13.9
.9	44.6	22.5	37.5	18.9	27.5	13.8
814.0	44.8	22.6	37.7	19.0	27.3	13.8
.1	44.9	22.6	37.8	19.1	27.2	13.7
.2	45.1	22.7	38.0	19.1	27.0	13.6
.3	45.2	22.8	38.1	19.2	26.9	13.6
.4	45.3	22.9	38.2	19.3	26.8	13.5
.5	45.5	22.9	38.4	19.4	26.6	13.4
.6	45.6	23.0	38.5	19.4	26.5	13.4
.7	45.8	23.1	38.7	19.5	26.3	13.3
.8	45.9	23.1	38.8	19.6	26.2	13.2
.9	46.0	23.2	38.9	19.6	26.1	13.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
815.0	46.2	23.3	39.1	19.7	25.9	13.1
.1	46.3	23.3	39.2	19.8	25.8	13.0
.2	46.5	23.4	39.4	19.8	25.6	12.9
.3	46.6	23.5	39.5	19.9	25.5	12.9
.4	46.7	23.6	39.6	20.0	25.4	12.8
.5	46.9	23.6	39.8	20.1	25.2	12.7
.6	47.0	23.7	39.9	20.1	25.1	12.7
.7	47.1	23.8	40.1	20.2	25.0	12.6
.8	47.3	23.8	40.2	20.3	24.8	12.5
.9	47.4	23.9	40.3	20.3	24.7	12.4
816.0	47.6	24.0	40.5	20.4	24.5	12.4
.1	47.7	24.1	40.6	20.5	24.4	12.3
.2	47.8	24.1	40.7	20.5	24.3	12.2
.3	48.0	24.2	40.9	20.6	24.1	12.2
.4	48.1	24.3	41.0	20.7	24.0	12.1
.5	48.3	24.3	41.2	20.8	23.8	12.0
.6	48.4	24.4	41.3	20.8	23.7	11.9
.7	48.5	24.5	41.4	20.9	23.6	11.9
.8	48.7	24.5	41.6	21.0	23.4	11.8
.9	48.8	24.6	41.7	21.0	23.3	11.7
817.0	49.0	24.7	41.9	21.1	23.1	11.7
.1	49.1	24.8	42.0	21.2	23.0	11.6
.2	49.2	24.8	42.1	21.2	22.9	11.5
.3	49.4	24.9	42.3	21.3	22.7	11.5
.4	49.5	25.0	42.4	21.4	22.6	11.4
.5	49.7	25.0	42.6	21.5	22.4	11.3
.6	49.8	25.1	42.7	21.5	22.3	11.2
.7	49.9	25.2	42.8	21.6	22.2	11.2
.8	50.1	25.2	43.0	21.7	22.0	11.1
.9	50.2	25.3	43.1	21.7	21.9	11.0
818.0	50.3	25.4	43.3	21.8	21.8	11.0
.1	50.5	25.5	43.4	21.9	21.6	10.9
.2	50.6	25.5	43.5	21.9	21.5	10.8
.3	50.8	25.6	43.7	22.0	21.3	10.8
.4	50.9	25.7	43.8	22.1	21.2	10.7
.5	51.0	25.7	44.0	22.2	21.1	10.6
.6	51.2	25.8	44.1	22.2	20.9	10.5
.7	51.3	25.9	44.2	22.3	20.8	10.5
.8	51.5	25.9	44.4	22.4	20.6	10.4
.9	51.6	26.0	44.5	22.4	20.5	10.3
819.0	51.7	26.1	44.6	22.5	20.4	10.3
.1	51.9	26.2	44.8	22.6	20.2	10.2
.2	52.0	26.2	44.9	22.7	20.1	10.1
.3	52.2	26.3	45.1	22.7	19.9	10.1
.4	52.3	26.4	45.2	22.8	19.8	10.0
.5	52.4	26.4	45.3	22.9	19.7	9.9
.6	52.6	26.5	45.5	22.9	19.5	9.8
.7	52.7	26.6	45.6	23.0	19.4	9.8
.8	52.9	26.6	45.8	23.1	19.2	9.7
.9	53.0	26.7	45.9	23.1	19.1	9.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
820.0	53.1	26.8	46.0	23.2	19.0	9.6
.1	53.3	26.9	46.2	23.3	18.8	9.5
.2	53.4	26.9	46.3	23.4	18.7	9.4
.3	53.6	27.0	46.5	23.4	18.5	9.4
.4	53.7	27.1	46.6	23.5	18.4	9.3
.5	53.8	27.1	46.7	23.6	18.3	9.2
.6	54.0	27.2	46.9	23.6	18.1	9.1
.7	54.1	27.3	47.0	23.7	18.0	9.1
.8	54.2	27.4	47.2	23.8	17.9	9.0
.9	54.4	27.4	47.3	23.8	17.7	8.9
821.0	54.5	27.5	47.4	23.9	17.6	8.9
.1	54.7	27.6	47.6	24.0	17.4	8.8
.2	54.8	27.6	47.7	24.1	17.3	8.7
.3	54.9	27.7	47.9	24.1	17.2	8.6
.4	55.1	27.8	48.0	24.2	17.0	8.6
.5	55.2	27.8	48.1	24.3	16.9	8.5
.6	55.4	27.9	48.3	24.3	16.7	8.4
.7	55.5	28.0	48.4	24.4	16.6	8.4
.8	55.6	28.1	48.5	24.5	16.5	8.3
.9	55.8	28.1	48.7	24.5	16.3	8.2
822.0	55.9	28.2	48.8	24.6	16.2	8.2
.1	56.1	28.3	49.0	24.7	16.0	8.1
.2	56.2	28.3	49.1	24.8	15.9	8.0
.3	56.3	28.4	49.2	24.8	15.8	7.9
.4	56.5	28.5	49.4	24.9	15.6	7.9
.5	56.6	28.5	49.5	25.0	15.5	7.8
.6	56.8	28.6	49.7	25.0	15.3	7.7
.7	56.9	28.7	49.8	25.1	15.2	7.7
.8	57.0	28.8	49.9	25.2	15.1	7.6
.9	57.2	28.8	50.1	25.2	14.9	7.5
823.0	57.3	28.9	50.2	25.3	14.8	7.5
.1	57.5	29.0	50.4	25.4	14.6	7.4
.2	57.6	29.0	50.5	25.5	14.5	7.3
.3	57.7	29.1	50.6	25.5	14.4	7.2
.4	57.9	29.2	50.8	25.6	14.2	7.2
.5	58.0	29.2	50.9	25.7	14.1	7.1
.6	58.1	29.3	51.1	25.7	14.0	7.0
.7	58.3	29.4	51.2	25.8	13.8	7.0
.8	58.4	29.5	51.3	25.9	13.7	6.9
.9	58.6	29.5	51.5	26.0	13.5	6.8
824.0	58.7	29.6	51.6	26.0	13.4	6.8
.1	58.8	29.7	51.8	26.1	13.3	6.7
.2	59.0	29.7	51.9	26.2	13.1	6.6
.3	59.1	29.8	52.0	26.2	13.0	6.5
.4	59.3	29.9	52.2	26.3	12.8	6.5
.5	59.4	29.9	52.3	26.4	12.7	6.4
.6	59.5	30.0	52.4	26.4	12.6	6.3
.7	59.7	30.1	52.6	26.5	12.4	6.3
.8	59.8	30.2	52.7	26.6	12.3	6.2
.9	60.0	30.2	52.9	26.7	12.1	6.1

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
825.0	60.1	30.3	53.0	26.7	12.0	6.1
.1	60.3	30.4	53.2	26.8	11.8	6.0
.2	60.4	30.5	53.3	26.9	11.7	5.9
.3	60.6	30.6	53.5	27.0	11.5	5.8
.4	60.8	30.6	53.7	27.1	11.3	5.7
.5	61.0	30.7	53.9	27.2	11.1	5.6
.6	61.1	30.8	54.0	27.2	11.0	5.5
.7	61.3	30.9	54.2	27.3	10.8	5.4
.8	61.5	31.0	54.4	27.4	10.6	5.4
.9	61.6	31.1	54.5	27.5	10.5	5.3
826.0	61.8	31.2	54.7	27.6	10.3	5.2
.1	62.0	31.3	54.9	27.7	10.1	5.1
.2	62.2	31.3	55.1	27.8	9.9	5.0
.3	62.3	31.4	55.2	27.8	9.8	4.9
.4	62.5	31.5	55.4	27.9	9.6	4.8
.5	62.7	31.6	55.6	28.0	9.4	4.8
.6	62.8	31.7	55.7	28.1	9.3	4.7
.7	63.0	31.8	55.9	28.2	9.1	4.6
.8	63.2	31.9	56.1	28.3	8.9	4.5
.9	63.4	31.9	56.3	28.4	8.7	4.4
827.0	63.5	32.0	56.4	28.5	8.6	4.3
.1	63.7	32.1	56.6	28.5	8.4	4.2
.2	63.9	32.2	56.8	28.6	8.2	4.1
.3	64.0	32.3	56.9	28.7	8.1	4.1
.4	64.2	32.4	57.1	28.8	7.9	4.0
.5	64.4	32.5	57.3	28.9	7.7	3.9
.6	64.6	32.5	57.5	29.0	7.5	3.8
.7	64.7	32.6	57.6	29.1	7.4	3.7
.8	64.9	32.7	57.8	29.1	7.2	3.6
.9	65.1	32.8	58.0	29.2	7.0	3.5
828.0	65.2	32.9	58.1	29.3	6.9	3.5
.1	65.4	33.0	58.3	29.4	6.7	3.4
.2	65.6	33.1	58.5	29.5	6.5	3.3
.3	65.8	33.2	58.7	29.6	6.3	3.2
.4	65.9	33.2	58.8	29.7	6.2	3.1
.5	66.1	33.3	59.0	29.7	6.0	3.0
.6	66.3	33.4	59.2	29.8	5.8	2.9
.7	66.4	33.5	59.3	29.9	5.7	2.9
.8	66.6	33.6	59.5	30.0	5.5	2.8
.9	66.8	33.7	59.7	30.1	5.3	2.7
829.0	67.0	33.8	59.9	30.2	5.1	2.6
.1	67.1	33.8	60.0	30.3	5.0	2.5
.2	67.3	33.9	60.2	30.4	4.8	2.4
.3	67.5	34.0	60.4	30.4	4.6	2.3
.4	67.6	34.1	60.5	30.5	4.5	2.2
.5	67.8	34.2	60.7	30.6	4.3	2.2
.6	68.0	34.3	60.9	30.7	4.1	2.1
.7	68.2	34.4	61.1	30.8	3.9	2.0
.8	68.3	34.4	61.2	30.9	3.8	1.9
.9	68.5	34.5	61.4	31.0	3.6	1.8

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
830.0		68.7	34.6	61.6	31.0	3.4	1.7
.1		68.8	34.7	61.7	31.1	3.3	1.6
.2		69.0	34.8	61.9	31.2	3.1	1.6
.3		69.2	34.9	62.1	31.3	2.9	1.5
.4		69.4	35.0	62.3	31.4	2.7	1.4
.5		69.5	35.1	62.4	31.5	2.6	1.3
.6		69.7	35.1	62.6	31.6	2.4	1.2
.7		69.9	35.2	62.8	31.7	2.2	1.1
.8		70.0	35.3	62.9	31.7	2.1	1.0
.9		70.2	35.4	63.1	31.8	1.9	1.0
831.0		70.4	35.5	63.3	31.9	1.7	0.9
.1		70.6	35.6	63.5	32.0	1.5	0.8
.2		70.7	35.7	63.6	32.1	1.4	0.7
.3		70.9	35.7	63.8	32.2	1.2	0.6
.4		71.1	35.8	64.0	32.3	1.0	0.5
.5		71.2	35.9	64.1	32.3	0.9	0.4
.6		71.4	36.0	64.3	32.4	0.7	0.3
.7		71.6	36.1	64.5	32.5	0.5	0.3
.8		71.8	36.2	64.7	32.6	0.3	0.2
.9		71.9	36.3	64.8	32.7	0.2	0.1
832.0	SUB	72.1	36.4	65.0	32.8	0.0	0.0
.1		72.3	36.4				
.2		72.5	36.5				
.3		72.6	36.6				
.4		72.8	36.7				
.5		73.0	36.8				
.6		73.2	36.9				
.7		73.4	37.0				
.8		73.6	37.1				
.9		73.8	37.2				
833.0		73.9	37.3				

Reservoir Storage Tables

PROJECT NAME: COUGAR

PROJECT NUMBER: 115

STORAGE LOWER BOUND (SLB) =   54.30KAF   STORAGE UPPER BOUND (SUB) = 207.80 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1516.0	SLB	54.3	27.4	0.0	0.0	153.5	77.4
.1		54.4	27.4	0.1	0.0	153.4	77.4
.2		54.4	27.4	0.1	0.1	153.4	77.3
.3		54.5	27.5	0.2	0.1	153.3	77.3
.4		54.5	27.5	0.2	0.1	153.3	77.3
.5		54.6	27.5	0.3	0.1	153.2	77.2
.6		54.7	27.6	0.4	0.2	153.1	77.2
.7		54.7	27.6	0.4	0.2	153.1	77.2
.8		54.8	27.6	0.5	0.2	153.0	77.2
.9		54.8	27.6	0.5	0.3	153.0	77.1
1517.0		54.9	27.7	0.6	0.3	152.9	77.1
.1		55.0	27.7	0.7	0.3	152.8	77.1
.2		55.0	27.7	0.7	0.4	152.8	77.0
.3		55.1	27.8	0.8	0.4	152.7	77.0
.4		55.1	27.8	0.8	0.4	152.7	77.0
.5		55.2	27.8	0.9	0.4	152.6	76.9
.6		55.2	27.9	0.9	0.5	152.6	76.9
.7		55.3	27.9	1.0	0.5	152.5	76.9
.8		55.4	27.9	1.1	0.5	152.4	76.9
.9		55.4	27.9	1.1	0.6	152.4	76.8
1518.0		55.5	28.0	1.2	0.6	152.3	76.8
.1		55.5	28.0	1.2	0.6	152.3	76.8
.2		55.6	28.0	1.3	0.7	152.2	76.7
.3		55.7	28.1	1.4	0.7	152.1	76.7
.4		55.7	28.1	1.4	0.7	152.1	76.7
.5		55.8	28.1	1.5	0.7	152.0	76.6
.6		55.8	28.2	1.5	0.8	152.0	76.6
.7		55.9	28.2	1.6	0.8	151.9	76.6
.8		56.0	28.2	1.7	0.8	151.8	76.6
.9		56.0	28.2	1.7	0.9	151.8	76.5
1519.0		56.1	28.3	1.8	0.9	151.7	76.5
.1		56.1	28.3	1.8	0.9	151.7	76.5
.2		56.2	28.3	1.9	1.0	151.6	76.4
.3		56.3	28.4	2.0	1.0	151.5	76.4
.4		56.3	28.4	2.0	1.0	151.5	76.4
.5		56.4	28.4	2.1	1.0	151.4	76.3
.6		56.4	28.5	2.1	1.1	151.4	76.3
.7		56.5	28.5	2.2	1.1	151.3	76.3
.8		56.6	28.5	2.3	1.1	151.2	76.3
.9		56.6	28.5	2.3	1.2	151.2	76.2
1520.0		56.7	28.6	2.4	1.2	151.1	76.2
.1		56.7	28.6	2.4	1.2	151.1	76.2
.2		56.8	28.6	2.5	1.3	151.0	76.1
.3		56.9	28.7	2.6	1.3	150.9	76.1
.4		56.9	28.7	2.6	1.3	150.9	76.1
.5		57.0	28.7	2.7	1.3	150.8	76.0
.6		57.0	28.8	2.7	1.4	150.8	76.0
.7		57.1	28.8	2.8	1.4	150.7	76.0
.8		57.2	28.8	2.9	1.4	150.6	76.0
.9		57.2	28.8	2.9	1.5	150.6	75.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1521.0	57.3	28.9	3.0	1.5	150.5	75.9
.1	57.3	28.9	3.0	1.5	150.5	75.9
.2	57.4	28.9	3.1	1.6	150.4	75.8
.3	57.4	29.0	3.1	1.6	150.4	75.8
.4	57.5	29.0	3.2	1.6	150.3	75.8
.5	57.6	29.0	3.3	1.6	150.2	75.7
.6	57.6	29.1	3.3	1.7	150.2	75.7
.7	57.7	29.1	3.4	1.7	150.1	75.7
.8	57.7	29.1	3.4	1.7	150.1	75.7
.9	57.8	29.1	3.5	1.8	150.0	75.6
1522.0	57.9	29.2	3.6	1.8	149.9	75.6
.1	57.9	29.2	3.6	1.8	149.9	75.6
.2	58.0	29.2	3.7	1.9	149.8	75.5
.3	58.0	29.3	3.7	1.9	149.8	75.5
.4	58.1	29.3	3.8	1.9	149.7	75.5
.5	58.2	29.3	3.9	1.9	149.6	75.4
.6	58.2	29.4	3.9	2.0	149.6	75.4
.7	58.3	29.4	4.0	2.0	149.5	75.4
.8	58.3	29.4	4.0	2.0	149.5	75.4
.9	58.4	29.4	4.1	2.1	149.4	75.3
1523.0	58.5	29.5	4.2	2.1	149.3	75.3
.1	58.5	29.5	4.2	2.1	149.3	75.3
.2	58.6	29.5	4.3	2.2	149.2	75.2
.3	58.6	29.6	4.3	2.2	149.2	75.2
.4	58.7	29.6	4.4	2.2	149.1	75.2
.5	58.8	29.6	4.5	2.2	149.0	75.1
.6	58.8	29.7	4.5	2.3	149.0	75.1
.7	58.9	29.7	4.6	2.3	148.9	75.1
.8	58.9	29.7	4.6	2.3	148.9	75.1
.9	59.0	29.7	4.7	2.4	148.8	75.0
1524.0	59.0	29.8	4.7	2.4	148.8	75.0
.1	59.1	29.8	4.8	2.4	148.7	75.0
.2	59.2	29.8	4.9	2.5	148.6	74.9
.3	59.2	29.9	4.9	2.5	148.6	74.9
.4	59.3	29.9	5.0	2.5	148.5	74.9
.5	59.3	29.9	5.0	2.5	148.5	74.8
.6	59.4	30.0	5.1	2.6	148.4	74.8
.7	59.5	30.0	5.2	2.6	148.3	74.8
.8	59.5	30.0	5.2	2.6	148.3	74.8
.9	59.6	30.0	5.3	2.7	148.2	74.7
1525.0	59.6	30.1	5.3	2.7	148.2	74.7
.1	59.7	30.1	5.4	2.7	148.1	74.7
.2	59.8	30.1	5.5	2.8	148.0	74.6
.3	59.8	30.2	5.5	2.8	148.0	74.6
.4	59.9	30.2	5.6	2.8	147.9	74.6
.5	59.9	30.2	5.6	2.8	147.9	74.5
.6	60.0	30.2	5.7	2.9	147.8	74.5
.7	60.1	30.3	5.8	2.9	147.7	74.5
.8	60.1	30.3	5.8	2.9	147.7	74.5
.9	60.2	30.3	5.9	3.0	147.6	74.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1526.0	60.2	30.4	5.9	3.0	147.6	74.4
.1	60.3	30.4	6.0	3.0	147.5	74.4
.2	60.4	30.4	6.1	3.1	147.4	74.3
.3	60.4	30.5	6.1	3.1	147.4	74.3
.4	60.5	30.5	6.2	3.1	147.3	74.3
.5	60.5	30.5	6.2	3.1	147.3	74.2
.6	60.6	30.5	6.3	3.2	147.2	74.2
.7	60.7	30.6	6.4	3.2	147.1	74.2
.8	60.7	30.6	6.4	3.2	147.1	74.2
.9	60.8	30.6	6.5	3.3	147.0	74.1
1527.0	60.8	30.7	6.5	3.3	147.0	74.1
.1	60.9	30.7	6.6	3.3	146.9	74.1
.2	60.9	30.7	6.6	3.4	146.9	74.0
.3	61.0	30.8	6.7	3.4	146.8	74.0
.4	61.1	30.8	6.8	3.4	146.7	74.0
.5	61.1	30.8	6.8	3.4	146.7	73.9
.6	61.2	30.8	6.9	3.5	146.6	73.9
.7	61.2	30.9	6.9	3.5	146.6	73.9
.8	61.3	30.9	7.0	3.5	146.5	73.9
.9	61.4	30.9	7.1	3.6	146.4	73.8
1528.0	61.4	31.0	7.1	3.6	146.4	73.8
.1	61.5	31.0	7.2	3.6	146.3	73.8
.2	61.5	31.0	7.2	3.7	146.3	73.7
.3	61.6	31.1	7.3	3.7	146.2	73.7
.4	61.7	31.1	7.4	3.7	146.1	73.7
.5	61.7	31.1	7.4	3.7	146.1	73.6
.6	61.8	31.1	7.5	3.8	146.0	73.6
.7	61.8	31.2	7.5	3.8	146.0	73.6
.8	61.9	31.2	7.6	3.8	145.9	73.6
.9	62.0	31.2	7.7	3.9	145.8	73.5
1529.0	62.0	31.3	7.7	3.9	145.8	73.5
.1	62.1	31.3	7.8	3.9	145.7	73.5
.2	62.1	31.3	7.8	4.0	145.7	73.4
.3	62.2	31.4	7.9	4.0	145.6	73.4
.4	62.3	31.4	8.0	4.0	145.5	73.4
.5	62.3	31.4	8.0	4.0	145.5	73.3
.6	62.4	31.4	8.1	4.1	145.4	73.3
.7	62.4	31.5	8.1	4.1	145.4	73.3
.8	62.5	31.5	8.2	4.1	145.3	73.3
.9	62.6	31.5	8.3	4.2	145.2	73.2
1530.0	62.6	31.6	8.3	4.2	145.2	73.2
.1	62.7	31.6	8.4	4.2	145.1	73.2
.2	62.7	31.6	8.4	4.3	145.1	73.1
.3	62.8	31.7	8.5	4.3	145.0	73.1
.4	62.9	31.7	8.6	4.3	144.9	73.1
.5	62.9	31.7	8.6	4.3	144.9	73.0
.6	63.0	31.7	8.7	4.4	144.8	73.0
.7	63.0	31.8	8.7	4.4	144.8	73.0
.8	63.1	31.8	8.8	4.4	144.7	73.0
.9	63.1	31.8	8.8	4.5	144.7	72.9

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1531.0	63.2	31.9	8.9	4.5	144.6	72.9
.1	63.3	31.9	9.0	4.5	144.5	72.9
.2	63.3	31.9	9.0	4.6	144.5	72.8
.3	63.4	32.0	9.1	4.6	144.4	72.8
.4	63.4	32.0	9.1	4.6	144.4	72.8
.5	63.5	32.0	9.2	4.6	144.3	72.7
.6	63.6	32.0	9.3	4.7	144.2	72.7
.7	63.6	32.1	9.3	4.7	144.2	72.7
.8	63.7	32.1	9.4	4.7	144.1	72.7
.9	63.7	32.1	9.4	4.8	144.1	72.6
1532.0	63.8	32.2	9.5	4.8	144.0	72.6
.1	63.9	32.2	9.6	4.8	143.9	72.6
.2	63.9	32.2	9.6	4.9	143.9	72.5
.3	64.0	32.3	9.7	4.9	143.8	72.5
.4	64.1	32.3	9.8	4.9	143.7	72.5
.5	64.1	32.3	9.8	5.0	143.7	72.4
.6	64.2	32.4	9.9	5.0	143.6	72.4
.7	64.3	32.4	10.0	5.0	143.5	72.4
.8	64.3	32.4	10.0	5.1	143.5	72.3
.9	64.4	32.5	10.1	5.1	143.4	72.3
1533.0	64.5	32.5	10.2	5.1	143.3	72.3
.1	64.5	32.5	10.2	5.2	143.3	72.2
.2	64.6	32.6	10.3	5.2	143.2	72.2
.3	64.7	32.6	10.4	5.2	143.1	72.2
.4	64.7	32.6	10.4	5.3	143.1	72.1
.5	64.8	32.7	10.5	5.3	143.0	72.1
.6	64.9	32.7	10.6	5.3	142.9	72.1
.7	64.9	32.7	10.6	5.4	142.9	72.0
.8	65.0	32.8	10.7	5.4	142.8	72.0
.9	65.1	32.8	10.8	5.4	142.7	72.0
1534.0	65.2	32.8	10.9	5.5	142.6	71.9
.1	65.2	32.9	10.9	5.5	142.6	71.9
.2	65.3	32.9	11.0	5.5	142.5	71.9
.3	65.4	32.9	11.1	5.6	142.4	71.8
.4	65.4	33.0	11.1	5.6	142.4	71.8
.5	65.5	33.0	11.2	5.6	142.3	71.7
.6	65.6	33.1	11.3	5.7	142.2	71.7
.7	65.6	33.1	11.3	5.7	142.2	71.7
.8	65.7	33.1	11.4	5.7	142.1	71.6
.9	65.8	33.2	11.5	5.8	142.0	71.6
1535.0	65.8	33.2	11.5	5.8	142.0	71.6
.1	65.9	33.2	11.6	5.8	141.9	71.5
.2	66.0	33.3	11.7	5.9	141.8	71.5
.3	66.0	33.3	11.7	5.9	141.8	71.5
.4	66.1	33.3	11.8	5.9	141.7	71.4
.5	66.2	33.4	11.9	6.0	141.6	71.4
.6	66.2	33.4	11.9	6.0	141.6	71.4
.7	66.3	33.4	12.0	6.0	141.5	71.3
.8	66.4	33.5	12.1	6.1	141.4	71.3
.9	66.4	33.5	12.1	6.1	141.4	71.3

Cougar

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1536.0	66.5	33.5	12.2	6.2	141.3	71.2
.1	66.6	33.6	12.3	6.2	141.2	71.2
.2	66.6	33.6	12.3	6.2	141.2	71.2
.3	66.7	33.6	12.4	6.3	141.1	71.1
.4	66.8	33.7	12.5	6.3	141.0	71.1
.5	66.8	33.7	12.5	6.3	141.0	71.1
.6	66.9	33.7	12.6	6.4	140.9	71.0
.7	67.0	33.8	12.7	6.4	140.8	71.0
.8	67.0	33.8	12.7	6.4	140.8	71.0
.9	67.1	33.8	12.8	6.5	140.7	70.9
1537.0	67.2	33.9	12.9	6.5	140.6	70.9
.1	67.2	33.9	12.9	6.5	140.6	70.9
.2	67.3	33.9	13.0	6.6	140.5	70.8
.3	67.4	34.0	13.1	6.6	140.4	70.8
.4	67.4	34.0	13.1	6.6	140.4	70.8
.5	67.5	34.0	13.2	6.7	140.3	70.7
.6	67.6	34.1	13.3	6.7	140.2	70.7
.7	67.6	34.1	13.3	6.7	140.2	70.7
.8	67.7	34.1	13.4	6.8	140.1	70.6
.9	67.8	34.2	13.5	6.8	140.0	70.6
1538.0	67.8	34.2	13.5	6.8	139.9	70.6
.1	67.9	34.2	13.6	6.9	139.9	70.5
.2	68.0	34.3	13.7	6.9	139.8	70.5
.3	68.1	34.3	13.8	6.9	139.7	70.5
.4	68.1	34.3	13.8	7.0	139.7	70.4
.5	68.2	34.4	13.9	7.0	139.6	70.4
.6	68.3	34.4	14.0	7.0	139.5	70.4
.7	68.3	34.4	14.0	7.1	139.5	70.3
.8	68.4	34.5	14.1	7.1	139.4	70.3
.9	68.5	34.5	14.2	7.1	139.3	70.3
1539.0	68.5	34.5	14.2	7.2	139.3	70.2
.1	68.6	34.6	14.3	7.2	139.2	70.2
.2	68.7	34.6	14.4	7.2	139.1	70.1
.3	68.7	34.7	14.4	7.3	139.1	70.1
.4	68.8	34.7	14.5	7.3	139.0	70.1
.5	68.9	34.7	14.6	7.3	138.9	70.0
.6	68.9	34.8	14.6	7.4	138.9	70.0
.7	69.0	34.8	14.7	7.4	138.8	70.0
.8	69.1	34.8	14.8	7.4	138.7	69.9
.9	69.1	34.9	14.8	7.5	138.7	69.9
1540.0	69.2	34.9	14.9	7.5	138.6	69.9
.1	69.3	34.9	15.0	7.5	138.5	69.8
.2	69.3	35.0	15.0	7.6	138.5	69.8
.3	69.4	35.0	15.1	7.6	138.4	69.8
.4	69.5	35.0	15.2	7.7	138.3	69.7
.5	69.5	35.1	15.2	7.7	138.3	69.7
.6	69.6	35.1	15.3	7.7	138.2	69.7
.7	69.7	35.1	15.4	7.8	138.1	69.6
.8	69.8	35.2	15.5	7.8	138.0	69.6
.9	69.8	35.2	15.5	7.8	138.0	69.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1541.0	69.9	35.2	15.6	7.9	137.9	69.5
.1	70.0	35.3	15.7	7.9	137.8	69.5
.2	70.0	35.3	15.7	7.9	137.8	69.5
.3	70.1	35.3	15.8	8.0	137.7	69.4
.4	70.2	35.4	15.9	8.0	137.6	69.4
.5	70.2	35.4	15.9	8.0	137.6	69.4
.6	70.3	35.4	16.0	8.1	137.5	69.3
.7	70.4	35.5	16.1	8.1	137.4	69.3
.8	70.4	35.5	16.1	8.1	137.4	69.3
.9	70.5	35.5	16.2	8.2	137.3	69.2
1542.0	70.6	35.6	16.3	8.2	137.2	69.2
.1	70.6	35.6	16.3	8.2	137.2	69.1
.2	70.7	35.7	16.4	8.3	137.1	69.1
.3	70.8	35.7	16.5	8.3	137.0	69.1
.4	70.9	35.7	16.6	8.3	136.9	69.0
.5	70.9	35.8	16.6	8.4	136.9	69.0
.6	71.0	35.8	16.7	8.4	136.8	69.0
.7	71.1	35.8	16.8	8.5	136.7	68.9
.8	71.1	35.9	16.8	8.5	136.7	68.9
.9	71.2	35.9	16.9	8.5	136.6	68.9
1543.0	71.3	35.9	17.0	8.6	136.5	68.8
.1	71.3	36.0	17.0	8.6	136.5	68.8
.2	71.4	36.0	17.1	8.6	136.4	68.8
.3	71.5	36.0	17.2	8.7	136.3	68.7
.4	71.5	36.1	17.2	8.7	136.3	68.7
.5	71.6	36.1	17.3	8.7	136.2	68.7
.6	71.7	36.1	17.4	8.8	136.1	68.6
.7	71.8	36.2	17.5	8.8	136.0	68.6
.8	71.8	36.2	17.5	8.8	136.0	68.6
.9	71.9	36.2	17.6	8.9	135.9	68.5
1544.0	72.0	36.3	17.7	8.9	135.8	68.5
.1	72.0	36.3	17.7	8.9	135.8	68.5
.2	72.1	36.3	17.8	9.0	135.7	68.4
.3	72.2	36.4	17.9	9.0	135.6	68.4
.4	72.2	36.4	17.9	9.0	135.6	68.3
.5	72.3	36.5	18.0	9.1	135.5	68.3
.6	72.4	36.5	18.1	9.1	135.4	68.3
.7	72.4	36.5	18.1	9.1	135.4	68.2
.8	72.5	36.6	18.2	9.2	135.3	68.2
.9	72.6	36.6	18.3	9.2	135.2	68.2
1545.0	72.6	36.6	18.3	9.3	135.2	68.1
.1	72.7	36.7	18.4	9.3	135.1	68.1
.2	72.8	36.7	18.5	9.3	135.0	68.1
.3	72.9	36.7	18.6	9.4	134.9	68.0
.4	72.9	36.8	18.6	9.4	134.8	68.0
.5	73.0	36.8	18.7	9.4	134.8	68.0
.6	73.1	36.8	18.8	9.5	134.7	67.9
.7	73.1	36.9	18.8	9.5	134.7	67.9
.8	73.2	36.9	18.9	9.5	134.6	67.9
.9	73.3	36.9	19.0	9.6	134.5	67.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1546.0	73.3	37.0	19.0	9.6	134.5	67.8
.1	73.4	37.0	19.1	9.6	134.4	67.8
.2	73.5	37.0	19.2	9.7	134.3	67.7
.3	73.5	37.1	19.2	9.7	134.3	67.7
.4	73.6	37.1	19.3	9.7	134.2	67.7
.5	73.7	37.1	19.4	9.8	134.1	67.6
.6	73.8	37.2	19.5	9.8	134.0	67.6
.7	73.8	37.2	19.5	9.8	134.0	67.5
.8	73.9	37.3	19.6	9.9	133.9	67.5
.9	74.0	37.3	19.7	9.9	133.8	67.5
1547.0	74.0	37.3	19.7	9.9	133.8	67.4
.1	74.1	37.4	19.8	10.0	133.7	67.4
.2	74.2	37.4	19.9	10.0	133.6	67.4
.3	74.2	37.4	19.9	10.1	133.6	67.3
.4	74.3	37.5	20.0	10.1	133.5	67.3
.5	74.4	37.5	20.1	10.1	133.4	67.3
.6	74.4	37.5	20.1	10.2	133.4	67.2
.7	74.5	37.6	20.2	10.2	133.3	67.2
.8	74.6	37.6	20.3	10.2	133.2	67.2
.9	74.7	37.6	20.4	10.3	133.1	67.1
1548.0	74.7	37.7	20.4	10.3	133.1	67.1
.1	74.8	37.7	20.5	10.3	133.0	67.1
.2	74.9	37.7	20.6	10.4	132.9	67.0
.3	74.9	37.8	20.6	10.4	132.9	67.0
.4	75.0	37.8	20.7	10.4	132.8	67.0
.5	75.1	37.8	20.8	10.5	132.7	66.9
.6	75.1	37.9	20.8	10.5	132.7	66.9
.7	75.2	37.9	20.9	10.5	132.6	66.9
.8	75.3	37.9	21.0	10.6	132.5	66.8
.9	75.3	38.0	21.0	10.6	132.5	66.8
1549.0	75.4	38.0	21.1	10.6	132.4	66.7
.1	75.5	38.1	21.2	10.7	132.3	66.7
.2	75.5	38.1	21.2	10.7	132.3	66.7
.3	75.6	38.1	21.3	10.7	132.2	66.6
.4	75.7	38.2	21.4	10.8	132.1	66.6
.5	75.8	38.2	21.5	10.8	132.0	66.6
.6	75.8	38.2	21.5	10.9	132.0	66.5
.7	75.9	38.3	21.6	10.9	131.9	66.5
.8	76.0	38.3	21.7	10.9	131.8	66.5
.9	76.0	38.3	21.7	11.0	131.8	66.4
1550.0	76.1	38.4	21.8	11.0	131.7	66.4
.1	76.2	38.4	21.9	11.0	131.6	66.4
.2	76.2	38.4	21.9	11.1	131.6	66.3
.3	76.3	38.5	22.0	11.1	131.5	66.3
.4	76.4	38.5	22.1	11.1	131.4	66.3
.5	76.4	38.5	22.1	11.2	131.4	66.2
.6	76.5	38.6	22.2	11.2	131.3	66.2
.7	76.6	38.6	22.3	11.2	131.2	66.2
.8	76.7	38.6	22.4	11.3	131.1	66.1
.9	76.7	38.7	22.4	11.3	131.1	66.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1551.0	76.8	38.7	22.5	11.3	131.0	66.1
.1	76.9	38.7	22.6	11.4	130.9	66.0
.2	76.9	38.8	22.6	11.4	130.9	66.0
.3	77.0	38.8	22.7	11.4	130.8	65.9
.4	77.1	38.9	22.8	11.5	130.7	65.9
.5	77.1	38.9	22.8	11.5	130.7	65.9
.6	77.2	38.9	22.9	11.5	130.6	65.8
.7	77.3	39.0	23.0	11.6	130.5	65.8
.8	77.3	39.0	23.0	11.6	130.5	65.8
.9	77.4	39.0	23.1	11.7	130.4	65.7
1552.0	77.5	39.1	23.2	11.7	130.3	65.7
.1	77.5	39.1	23.2	11.7	130.3	65.7
.2	77.6	39.1	23.3	11.8	130.2	65.6
.3	77.7	39.2	23.4	11.8	130.1	65.6
.4	77.8	39.2	23.5	11.8	130.0	65.6
.5	77.8	39.2	23.5	11.9	130.0	65.5
.6	77.9	39.3	23.6	11.9	129.9	65.5
.7	78.0	39.3	23.7	11.9	129.8	65.5
.8	78.0	39.3	23.7	12.0	129.8	65.4
.9	78.1	39.4	23.8	12.0	129.7	65.4
1553.0	78.2	39.4	23.9	12.0	129.6	65.4
.1	78.2	39.4	23.9	12.1	129.6	65.3
.2	78.3	39.5	24.0	12.1	129.5	65.3
.3	78.4	39.5	24.1	12.1	129.4	65.3
.4	78.4	39.5	24.1	12.2	129.4	65.2
.5	78.5	39.6	24.2	12.2	129.3	65.2
.6	78.6	39.6	24.3	12.2	129.2	65.1
.7	78.7	39.7	24.4	12.3	129.1	65.1
.8	78.7	39.7	24.4	12.3	129.1	65.1
.9	78.8	39.7	24.5	12.3	129.0	65.0
1554.0	78.9	39.8	24.6	12.4	128.9	65.0
.1	78.9	39.8	24.6	12.4	128.9	65.0
.2	79.0	39.8	24.7	12.5	128.8	64.9
.3	79.1	39.9	24.8	12.5	128.7	64.9
.4	79.1	39.9	24.8	12.5	128.7	64.9
.5	79.2	39.9	24.9	12.6	128.6	64.8
.6	79.3	40.0	25.0	12.6	128.5	64.8
.7	79.3	40.0	25.0	12.6	128.5	64.8
.8	79.4	40.0	25.1	12.7	128.4	64.7
.9	79.5	40.1	25.2	12.7	128.3	64.7
1555.0	79.5	40.1	25.2	12.7	128.3	64.7
.1	79.6	40.1	25.3	12.8	128.2	64.6
.2	79.7	40.2	25.4	12.8	128.1	64.6
.3	79.8	40.2	25.5	12.8	128.0	64.6
.4	79.8	40.2	25.5	12.9	128.0	64.5
.5	79.9	40.3	25.6	12.9	127.9	64.5
.6	80.0	40.3	25.7	12.9	127.8	64.5
.7	80.0	40.3	25.7	13.0	127.8	64.4
.8	80.1	40.4	25.8	13.0	127.7	64.4
.9	80.2	40.4	25.9	13.0	127.6	64.3

Cougar

358

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1556.0	80.3	40.5	26.0	13.1	127.5	64.3	1561.0	84.0	42.4	29.7	15.0	123.8	62.4
.1	80.3	40.5	26.0	13.1	127.5	64.3	.1	84.1	42.4	29.8	15.0	123.7	62.4
.2	80.4	40.5	26.1	13.2	127.4	64.2	.2	84.2	42.4	29.9	15.1	123.6	62.3
.3	80.5	40.6	26.2	13.2	127.3	64.2	.3	84.3	42.5	30.0	15.1	123.5	62.3
.4	80.6	40.6	26.3	13.2	127.2	64.2	.4	84.3	42.5	30.0	15.1	123.5	62.3
.5	80.6	40.7	26.3	13.3	127.2	64.1	.5	84.4	42.6	30.1	15.2	123.4	62.2
.6	80.7	40.7	26.4	13.3	127.1	64.1	.6	84.5	42.6	30.2	15.2	123.3	62.2
.7	80.8	40.7	26.5	13.3	127.0	64.0	.7	84.6	42.6	30.3	15.3	123.2	62.1
.8	80.9	40.8	26.6	13.4	126.9	64.0	.8	84.6	42.7	30.3	15.3	123.2	62.1
.9	80.9	40.8	26.6	13.4	126.9	64.0	.9	84.7	42.7	30.4	15.3	123.1	62.1
1557.0	81.0	40.8	26.7	13.5	126.8	63.9	1562.0	84.8	42.7	30.5	15.4	123.0	62.0
.1	81.1	40.9	26.8	13.5	126.7	63.9	.1	84.9	42.8	30.6	15.4	122.9	62.0
.2	81.2	40.9	26.9	13.5	126.6	63.8	.2	84.9	42.8	30.6	15.4	122.9	61.9
.3	81.2	41.0	26.9	13.6	126.6	63.8	.3	85.0	42.9	30.7	15.5	122.8	61.9
.4	81.3	41.0	27.0	13.6	126.5	63.8	.4	85.1	42.9	30.8	15.5	122.7	61.9
.5	81.4	41.0	27.1	13.7	126.4	63.7	.5	85.2	42.9	30.9	15.6	122.6	61.8
.6	81.5	41.1	27.2	13.7	126.3	63.7	.6	85.2	43.0	30.9	15.6	122.6	61.8
.7	81.5	41.1	27.2	13.7	126.3	63.7	.7	85.3	43.0	31.0	15.6	122.5	61.8
.8	81.6	41.1	27.3	13.8	126.2	63.6	.8	85.4	43.0	31.1	15.7	122.4	61.7
.9	81.7	41.2	27.4	13.8	126.1	63.6	.9	85.5	43.1	31.2	15.7	122.3	61.7
1558.0	81.8	41.2	27.5	13.8	126.0	63.5	1563.0	85.5	43.1	31.2	15.7	122.3	61.6
.1	81.8	41.3	27.5	13.9	126.0	63.5	.1	85.6	43.2	31.3	15.8	122.2	61.6
.2	81.9	41.3	27.6	13.9	125.9	63.5	.2	85.7	43.2	31.4	15.8	122.1	61.6
.3	82.0	41.3	27.7	14.0	125.8	63.4	.3	85.8	43.2	31.5	15.9	122.0	61.5
.4	82.1	41.4	27.8	14.0	125.7	63.4	.4	85.8	43.3	31.5	15.9	122.0	61.5
.5	82.1	41.4	27.8	14.0	125.7	63.4	.5	85.9	43.3	31.6	15.9	121.9	61.5
.6	82.2	41.4	27.9	14.1	125.6	63.3	.6	86.0	43.4	31.7	16.0	121.8	61.4
.7	82.3	41.5	28.0	14.1	125.5	63.3	.7	86.1	43.4	31.8	16.0	121.7	61.4
.8	82.4	41.5	28.1	14.1	125.4	63.2	.8	86.1	43.4	31.8	16.1	121.7	61.3
.9	82.4	41.6	28.1	14.2	125.4	63.2	.9	86.2	43.5	31.9	16.1	121.6	61.3
1559.0	82.5	41.6	28.2	14.2	125.3	63.2	1564.0	86.3	43.5	32.0	16.1	121.5	61.3
.1	82.6	41.6	28.3	14.3	125.2	63.1	.1	86.4	43.5	32.1	16.2	121.4	61.2
.2	82.7	41.7	28.4	14.3	125.1	63.1	.2	86.4	43.6	32.1	16.2	121.4	61.2
.3	82.7	41.7	28.4	14.3	125.1	63.1	.3	86.5	43.6	32.2	16.2	121.3	61.1
.4	82.8	41.8	28.5	14.4	125.0	63.0	.4	86.6	43.7	32.3	16.3	121.2	61.1
.5	82.9	41.8	28.6	14.4	124.9	63.0	.5	86.7	43.7	32.4	16.3	121.1	61.1
.6	83.0	41.8	28.7	14.5	124.8	62.9	.6	86.7	43.7	32.4	16.4	121.1	61.0
.7	83.0	41.9	28.7	14.5	124.8	62.9	.7	86.8	43.8	32.5	16.4	121.0	61.0
.8	83.1	41.9	28.8	14.5	124.7	62.9	.8	86.9	43.8	32.6	16.4	120.9	61.0
.9	83.2	41.9	28.9	14.6	124.6	62.8	.9	87.0	43.8	32.7	16.5	120.8	60.9
1560.0	83.3	42.0	29.0	14.6	124.5	62.8	1565.0	87.0	43.9	32.7	16.5	120.8	60.9
.1	83.3	42.0	29.0	14.6	124.5	62.7	.1	87.1	43.9	32.8	16.5	120.7	60.8
.2	83.4	42.1	29.1	14.7	124.4	62.7	.2	87.2	44.0	32.9	16.6	120.6	60.8
.3	83.5	42.1	29.2	14.7	124.3	62.7	.3	87.3	44.0	33.0	16.6	120.5	60.8
.4	83.6	42.1	29.3	14.8	124.2	62.6	.4	87.3	44.0	33.0	16.7	120.5	60.7
.5	83.6	42.2	29.3	14.8	124.2	62.6	.5	87.4	44.1	33.1	16.7	120.4	60.7
.6	83.7	42.2	29.4	14.8	124.1	62.6	.6	87.5	44.1	33.2	16.7	120.3	60.7
.7	83.8	42.2	29.5	14.9	124.0	62.5	.7	87.6	44.2	33.3	16.8	120.2	60.6
.8	83.9	42.3	29.6	14.9	123.9	62.5	.8	87.6	44.2	33.3	16.8	120.2	60.6
.9	83.9	42.3	29.6	14.9	123.9	62.4	.9	87.7	44.2	33.4	16.9	120.1	60.5

Cougar

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

PAGE 11

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1566.0	87.8	44.3	33.5	16.9	120.0	60.5
.1	87.9	44.3	33.6	16.9	119.9	60.5
.2	88.0	44.3	33.7	17.0	119.8	60.4
.3	88.0	44.4	33.7	17.0	119.8	60.4
.4	88.1	44.4	33.8	17.0	119.7	60.3
.5	88.2	44.5	33.9	17.1	119.6	60.3
.6	88.3	44.5	34.0	17.1	119.5	60.3
.7	88.3	44.5	34.0	17.2	119.5	60.2
.8	88.4	44.6	34.1	17.2	119.4	60.2
.9	88.5	44.6	34.2	17.2	119.3	60.2
1567.0	88.6	44.6	34.3	17.3	119.2	60.1
.1	88.6	44.7	34.3	17.3	119.2	60.1
.2	88.7	44.7	34.4	17.3	119.1	60.0
.3	88.8	44.8	34.5	17.4	119.0	60.0
.4	88.9	44.8	34.6	17.4	118.9	60.0
.5	88.9	44.8	34.6	17.5	118.9	59.9
.6	89.0	44.9	34.7	17.5	118.8	59.9
.7	89.1	44.9	34.8	17.5	118.7	59.9
.8	89.2	45.0	34.9	17.6	118.6	59.8
.9	89.2	45.0	34.9	17.6	118.6	59.8
1568.0	89.3	45.0	35.0	17.7	118.5	59.7
.1	89.4	45.1	35.1	17.7	118.4	59.7
.2	89.5	45.1	35.2	17.7	118.3	59.7
.3	89.5	45.1	35.2	17.8	118.3	59.6
.4	89.6	45.2	35.3	17.8	118.2	59.6
.5	89.7	45.2	35.4	17.8	118.1	59.5
.6	89.8	45.3	35.5	17.9	118.0	59.5
.7	89.8	45.3	35.5	17.9	118.0	59.5
.8	89.9	45.3	35.6	18.0	117.9	59.4
.9	90.0	45.4	35.7	18.0	117.8	59.4
1569.0	90.1	45.4	35.8	18.0	117.7	59.4
.1	90.1	45.4	35.8	18.1	117.7	59.3
.2	90.2	45.5	35.9	18.1	117.6	59.3
.3	90.3	45.5	36.0	18.1	117.5	59.2
.4	90.4	45.6	36.1	18.2	117.4	59.2
.5	90.4	45.6	36.1	18.2	117.4	59.2
.6	90.5	45.6	36.2	18.3	117.3	59.1
.7	90.6	45.7	36.3	18.3	117.2	59.1
.8	90.7	45.7	36.4	18.3	117.1	59.1
.9	90.7	45.7	36.4	18.4	117.1	59.0
1570.0	90.8	45.8	36.5	18.4	117.0	59.0
.1	90.9	45.8	36.6	18.4	116.9	58.9
.2	91.0	45.9	36.7	18.5	116.8	58.9
.3	91.0	45.9	36.7	18.5	116.8	58.9
.4	91.1	45.9	36.8	18.6	116.7	58.8
.5	91.2	46.0	36.9	18.6	116.6	58.8
.6	91.3	46.0	37.0	18.6	116.5	58.7
.7	91.3	46.1	37.0	18.7	116.5	58.7
.8	91.4	46.1	37.1	18.7	116.4	58.7
.9	91.5	46.1	37.2	18.8	116.3	58.6

PAGE 12

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1571.0	91.6	46.2	37.3	18.8	116.2	58.6
.1	91.6	46.2	37.3	18.8	116.2	58.6
.2	91.7	46.2	37.4	18.9	116.1	58.5
.3	91.8	46.3	37.5	18.9	116.0	58.5
.4	91.9	46.3	37.6	18.9	115.9	58.4
.5	92.0	46.4	37.7	19.0	115.8	58.4
.6	92.0	46.4	37.7	19.0	115.8	58.4
.7	92.1	46.4	37.8	19.1	115.7	58.3
.8	92.2	46.5	37.9	19.1	115.6	58.3
.9	92.3	46.5	38.0	19.1	115.5	58.3
1572.0	92.3	46.5	38.0	19.2	115.5	58.2
.1	92.4	46.6	38.1	19.2	115.4	58.2
.2	92.5	46.6	38.2	19.2	115.3	58.1
.3	92.6	46.7	38.3	19.3	115.2	58.1
.4	92.6	46.7	38.3	19.3	115.2	58.1
.5	92.7	46.7	38.4	19.4	115.1	58.0
.6	92.8	46.8	38.5	19.4	115.0	58.0
.7	92.9	46.8	38.6	19.4	114.9	58.0
.8	92.9	46.9	38.6	19.5	114.9	57.9
.9	93.0	46.9	38.7	19.5	114.8	57.9
1573.0	93.1	46.9	38.8	19.6	114.7	57.8
.1	93.2	47.0	38.9	19.6	114.6	57.8
.2	93.2	47.0	38.9	19.6	114.6	57.8
.3	93.3	47.0	39.0	19.7	114.5	57.7
.4	93.4	47.1	39.1	19.7	114.4	57.7
.5	93.5	47.1	39.2	19.7	114.3	57.6
.6	93.5	47.2	39.2	19.8	114.3	57.6
.7	93.6	47.2	39.3	19.8	114.2	57.6
.8	93.7	47.2	39.4	19.9	114.1	57.5
.9	93.8	47.3	39.5	19.9	114.0	57.5
1574.0	93.8	47.3	39.5	19.9	114.0	57.5
.1	93.9	47.3	39.6	20.0	113.9	57.4
.2	94.0	47.4	39.7	20.0	113.8	57.4
.3	94.1	47.4	39.8	20.0	113.7	57.3
.4	94.1	47.5	39.8	20.1	113.7	57.3
.5	94.2	47.5	39.9	20.1	113.6	57.3
.6	94.3	47.5	40.0	20.2	113.5	57.2
.7	94.4	47.6	40.1	20.2	113.4	57.2
.8	94.4	47.6	40.1	20.2	113.4	57.2
.9	94.5	47.7	40.2	20.3	113.3	57.1
1575.0	94.6	47.7	40.3	20.3	113.2	57.1
.1	94.7	47.7	40.4	20.4	113.1	57.0
.2	94.7	47.8	40.4	20.4	113.1	57.0
.3	94.8	47.8	40.5	20.4	113.0	57.0
.4	94.9	47.8	40.6	20.5	112.9	56.9
.5	95.0	47.9	40.7	20.5	112.8	56.9
.6	95.0	47.9	40.7	20.5	112.8	56.8
.7	95.1	48.0	40.8	20.6	112.7	56.8
.8	95.2	48.0	40.9	20.6	112.6	56.8
.9	95.3	48.0	41.0	20.7	112.5	56.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1576.0	95.3	48.1	41.0	20.7	112.5	56.7
.1	95.4	48.1	41.1	20.7	112.4	56.7
.2	95.5	48.1	41.2	20.8	112.3	56.6
.3	95.6	48.2	41.3	20.8	112.2	56.6
.4	95.7	48.2	41.4	20.8	112.1	56.5
.5	95.7	48.3	41.4	20.9	112.1	56.5
.6	95.8	48.3	41.5	20.9	112.0	56.5
.7	95.9	48.3	41.6	21.0	111.9	56.4
.8	96.0	48.4	41.7	21.0	111.8	56.4
.9	96.0	48.4	41.7	21.0	111.8	56.4
1577.0	96.1	48.5	41.8	21.1	111.7	56.3
.1	96.2	48.5	41.9	21.1	111.6	56.3
.2	96.3	48.5	42.0	21.2	111.5	56.2
.3	96.3	48.6	42.0	21.2	111.5	56.2
.4	96.4	48.6	42.1	21.2	111.4	56.2
.5	96.5	48.6	42.2	21.3	111.3	56.1
.6	96.6	48.7	42.3	21.3	111.2	56.1
.7	96.6	48.7	42.3	21.3	111.2	56.0
.8	96.7	48.8	42.4	21.4	111.1	56.0
.9	96.8	48.8	42.5	21.4	111.0	56.0
1578.0	96.9	48.8	42.6	21.5	110.9	55.9
.1	96.9	48.9	42.6	21.5	110.9	55.9
.2	97.0	48.9	42.7	21.5	110.8	55.9
.3	97.1	48.9	42.8	21.6	110.7	55.8
.4	97.2	49.0	42.9	21.6	110.6	55.8
.5	97.2	49.0	42.9	21.6	110.6	55.7
.6	97.3	49.1	43.0	21.7	110.5	55.7
.7	97.4	49.1	43.1	21.7	110.4	55.7
.8	97.5	49.1	43.2	21.8	110.3	55.6
.9	97.5	49.2	43.2	21.8	110.3	55.6
1579.0	97.6	49.2	43.3	21.8	110.2	55.6
.1	97.7	49.3	43.4	21.9	110.1	55.5
.2	97.8	49.3	43.5	21.9	110.0	55.5
.3	97.8	49.3	43.5	22.0	110.0	55.4
.4	97.9	49.4	43.6	22.0	109.9	55.4
.5	98.0	49.4	43.7	22.0	109.8	55.4
.6	98.1	49.4	43.8	22.1	109.7	55.3
.7	98.1	49.5	43.8	22.1	109.7	55.3
.8	98.2	49.5	43.9	22.1	109.6	55.2
.9	98.3	49.6	44.0	22.2	109.5	55.2
1580.0	98.4	49.6	44.1	22.2	109.4	55.2
.1	98.4	49.6	44.1	22.3	109.4	55.1
.2	98.5	49.7	44.2	22.3	109.3	55.1
.3	98.6	49.7	44.3	22.3	109.2	55.1
.4	98.7	49.7	44.4	22.4	109.1	55.0
.5	98.7	49.8	44.4	22.4	109.1	55.0
.6	98.8	49.8	44.5	22.4	109.0	54.9
.7	98.9	49.9	44.6	22.5	108.9	54.9
.8	99.0	49.9	44.7	22.5	108.8	54.9
.9	99.0	49.9	44.7	22.6	108.8	54.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1581.0	99.1	50.0	44.8	22.6	108.7	54.8
.1	99.2	50.0	44.9	22.6	108.6	54.8
.2	99.3	50.1	45.0	22.7	108.5	54.7
.3	99.3	50.1	45.0	22.7	108.5	54.7
.4	99.4	50.1	45.1	22.8	108.4	54.6
.5	99.5	50.2	45.2	22.8	108.3	54.6
.6	99.6	50.2	45.3	22.8	108.2	54.6
.7	99.7	50.2	45.4	22.9	108.1	54.5
.8	99.7	50.3	45.4	22.9	108.1	54.5
.9	99.8	50.3	45.5	23.0	108.0	54.4
1582.0	99.9	50.4	45.6	23.0	107.9	54.4
.1	100.0	50.4	45.7	23.0	107.8	54.3
.2	100.1	50.5	45.8	23.1	107.7	54.3
.3	100.2	50.5	45.9	23.1	107.6	54.3
.4	100.2	50.5	45.9	23.2	107.6	54.2
.5	100.3	50.6	46.0	23.2	107.5	54.2
.6	100.4	50.6	46.1	23.2	107.4	54.1
.7	100.5	50.7	46.2	23.3	107.3	54.1
.8	100.6	50.7	46.3	23.3	107.2	54.1
.9	100.7	50.8	46.4	23.4	107.1	54.0
1583.0	100.7	50.8	46.4	23.4	107.1	54.0
.1	100.8	50.8	46.5	23.5	107.0	53.9
.2	100.9	50.9	46.6	23.5	106.9	53.9
.3	101.0	50.9	46.7	23.5	106.8	53.8
.4	101.1	51.0	46.8	23.6	106.7	53.8
.5	101.2	51.0	46.9	23.6	106.6	53.8
.6	101.2	51.0	46.9	23.7	106.6	53.7
.7	101.3	51.1	47.0	23.7	106.5	53.7
.8	101.4	51.1	47.1	23.8	106.4	53.6
.9	101.5	51.2	47.2	23.8	106.3	53.6
1584.0	101.6	51.2	47.3	23.8	106.2	53.6
.1	101.7	51.3	47.4	23.9	106.1	53.5
.2	101.7	51.3	47.4	23.9	106.1	53.5
.3	101.8	51.3	47.5	24.0	106.0	53.4
.4	101.9	51.4	47.6	24.0	105.9	53.4
.5	102.0	51.4	47.7	24.0	105.8	53.3
.6	102.1	51.5	47.8	24.1	105.7	53.3
.7	102.2	51.5	47.9	24.1	105.6	53.3
.8	102.2	51.5	47.9	24.2	105.6	53.2
.9	102.3	51.6	48.0	24.2	105.5	53.2
1585.0	102.4	51.6	48.1	24.3	105.4	53.1
.1	102.5	51.7	48.2	24.3	105.3	53.1
.2	102.6	51.7	48.3	24.3	105.2	53.0
.3	102.7	51.8	48.4	24.4	105.1	53.0
.4	102.7	51.8	48.4	24.4	105.1	53.0
.5	102.8	51.8	48.5	24.5	105.0	52.9
.6	102.9	51.9	48.6	24.5	104.9	52.9
.7	103.0	51.9	48.7	24.5	104.8	52.8
.8	103.1	52.0	48.8	24.6	104.7	52.8
.9	103.2	52.0	48.9	24.6	104.6	52.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1586.0	103.2	52.1	48.9	24.7	104.6	52.7
.1	103.3	52.1	49.0	24.7	104.5	52.7
.2	103.4	52.1	49.1	24.8	104.4	52.6
.3	103.5	52.2	49.2	24.8	104.3	52.6
.4	103.6	52.2	49.3	24.8	104.2	52.5
.5	103.7	52.3	49.4	24.9	104.1	52.5
.6	103.7	52.3	49.4	24.9	104.1	52.5
.7	103.8	52.3	49.5	25.0	104.0	52.4
.8	103.9	52.4	49.6	25.0	103.9	52.4
.9	104.0	52.4	49.7	25.1	103.8	52.3
1587.0	104.1	52.5	49.8	25.1	103.7	52.3
.1	104.2	52.5	49.9	25.1	103.6	52.3
.2	104.3	52.6	49.9	25.2	103.6	52.2
.3	104.3	52.6	50.0	25.2	103.5	52.2
.4	104.4	52.6	50.1	25.3	103.4	52.1
.5	104.5	52.7	50.2	25.3	103.3	52.1
.6	104.6	52.7	50.3	25.3	103.2	52.0
.7	104.7	52.8	50.4	25.4	103.1	52.0
.8	104.7	52.8	50.4	25.4	103.1	52.0
.9	104.8	52.8	50.5	25.5	103.0	51.9
1588.0	104.9	52.9	50.6	25.5	102.9	51.9
.1	105.0	52.9	50.7	25.6	102.8	51.8
.2	105.1	53.0	50.8	25.6	102.7	51.8
.3	105.2	53.0	50.9	25.6	102.6	51.8
.4	105.2	53.1	50.9	25.7	102.6	51.7
.5	105.3	53.1	51.0	25.7	102.5	51.7
.6	105.4	53.1	51.1	25.8	102.4	51.6
.7	105.5	53.2	51.2	25.8	102.3	51.6
.8	105.6	53.2	51.3	25.8	102.2	51.5
.9	105.7	53.3	51.4	25.9	102.1	51.5
1589.0	105.7	53.3	51.4	25.9	102.1	51.5
.1	105.8	53.4	51.5	26.0	102.0	51.4
.2	105.9	53.4	51.6	26.0	101.9	51.4
.3	106.0	53.4	51.7	26.1	101.8	51.3
.4	106.1	53.5	51.8	26.1	101.7	51.3
.5	106.2	53.5	51.9	26.1	101.6	51.2
.6	106.2	53.6	51.9	26.2	101.6	51.2
.7	106.3	53.6	52.0	26.2	101.5	51.2
.8	106.4	53.6	52.1	26.3	101.4	51.1
.9	106.5	53.7	52.2	26.3	101.3	51.1
1590.0	106.6	53.7	52.3	26.4	101.2	51.0
.1	106.7	53.8	52.4	26.4	101.1	51.0
.2	106.7	53.8	52.4	26.4	101.1	51.0
.3	106.8	53.9	52.5	26.5	101.0	50.9
.4	106.9	53.9	52.6	26.5	100.9	50.9
.5	107.0	53.9	52.7	26.6	100.8	50.8
.6	107.1	54.0	52.8	26.6	100.7	50.8
.7	107.2	54.0	52.9	26.6	100.6	50.7
.8	107.2	54.1	52.9	26.7	100.6	50.7
.9	107.3	54.1	53.0	26.7	100.5	50.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1591.0	107.4	54.1	53.1	26.8	100.4	50.6
.1	107.5	54.2	53.2	26.8	100.3	50.6
.2	107.6	54.2	53.3	26.9	100.2	50.5
.3	107.7	54.3	53.4	26.9	100.1	50.5
.4	107.7	54.3	53.4	26.9	100.1	50.5
.5	107.8	54.4	53.5	27.0	100.0	50.4
.6	107.9	54.4	53.6	27.0	99.9	50.4
.7	108.0	54.4	53.7	27.1	99.8	50.3
.8	108.1	54.5	53.8	27.1	99.7	50.3
.9	108.1	54.5	53.8	27.1	99.7	50.2
1592.0	108.2	54.6	53.9	27.2	99.6	50.2
.1	108.3	54.6	54.0	27.2	99.5	50.2
.2	108.4	54.7	54.1	27.3	99.4	50.1
.3	108.5	54.7	54.2	27.3	99.3	50.1
.4	108.6	54.7	54.3	27.4	99.2	50.0
.5	108.6	54.8	54.3	27.4	99.2	50.0
.6	108.7	54.8	54.4	27.4	99.1	49.9
.7	108.8	54.9	54.5	27.5	99.0	49.9
.8	108.9	54.9	54.6	27.5	98.9	49.9
.9	109.0	54.9	54.7	27.6	98.8	49.8
1593.0	109.1	55.0	54.8	27.6	98.7	49.8
.1	109.1	55.0	54.8	27.7	98.7	49.7
.2	109.2	55.1	54.9	27.7	98.6	49.7
.3	109.3	55.1	55.0	27.7	98.5	49.7
.4	109.4	55.2	55.1	27.8	98.4	49.6
.5	109.5	55.2	55.2	27.8	98.3	49.6
.6	109.6	55.2	55.3	27.9	98.2	49.5
.7	109.6	55.3	55.3	27.9	98.2	49.5
.8	109.7	55.3	55.4	27.9	98.1	49.4
.9	109.8	55.4	55.5	28.0	98.0	49.4
1594.0	109.9	55.4	55.6	28.0	97.9	49.4
.1	110.0	55.4	55.7	28.1	97.8	49.3
.2	110.1	55.5	55.8	28.1	97.7	49.3
.3	110.1	55.5	55.8	28.2	97.7	49.2
.4	110.2	55.6	55.9	28.2	97.6	49.2
.5	110.3	55.6	56.0	28.2	97.5	49.2
.6	110.4	55.7	56.1	28.3	97.4	49.1
.7	110.5	55.7	56.2	28.3	97.3	49.1
.8	110.6	55.7	56.3	28.4	97.2	49.0
.9	110.6	55.8	56.3	28.4	97.2	49.0
1595.0	110.7	55.8	56.4	28.4	97.1	48.9
.1	110.8	55.9	56.5	28.5	97.0	48.9
.2	110.9	55.9	56.6	28.5	96.9	48.9
.3	111.0	56.0	56.7	28.6	96.8	48.8
.4	111.1	56.0	56.8	28.6	96.7	48.8
.5	111.1	56.0	56.8	28.7	96.7	48.7
.6	111.2	56.1	56.9	28.7	96.6	48.7
.7	111.3	56.1	57.0	28.7	96.5	48.6
.8	111.4	56.2	57.1	28.8	96.4	48.6
.9	111.5	56.2	57.2	28.8	96.3	48.6

Cougar

362

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1596.0	111.6	56.2	57.3	28.9	96.2	48.5
.1	111.6	56.3	57.3	28.9	96.2	48.5
.2	111.7	56.3	57.4	29.0	96.1	48.4
.3	111.8	56.4	57.5	29.0	96.0	48.4
.4	111.9	56.4	57.6	29.0	95.9	48.4
.5	112.0	56.5	57.7	29.1	95.8	48.3
.6	112.1	56.5	57.8	29.1	95.7	48.3
.7	112.1	56.5	57.8	29.2	95.7	48.2
.8	112.2	56.6	57.9	29.2	95.6	48.2
.9	112.3	56.6	58.0	29.2	95.5	48.1
1597.0	112.4	56.7	58.1	29.3	95.4	48.1
.1	112.5	56.7	58.2	29.3	95.3	48.1
.2	112.6	56.7	58.3	29.4	95.2	48.0
.3	112.6	56.8	58.3	29.4	95.2	48.0
.4	112.7	56.8	58.4	29.5	95.1	47.9
.5	112.8	56.9	58.5	29.5	95.0	47.9
.6	112.9	56.9	58.6	29.5	94.9	47.9
.7	113.0	57.0	58.7	29.6	94.8	47.8
.8	113.1	57.0	58.8	29.6	94.7	47.8
.9	113.1	57.0	58.8	29.7	94.7	47.7
1598.0	113.2	57.1	58.9	29.7	94.6	47.7
.1	113.3	57.1	59.0	29.7	94.5	47.6
.2	113.4	57.2	59.1	29.8	94.4	47.6
.3	113.5	57.2	59.2	29.8	94.3	47.6
.4	113.6	57.3	59.3	29.9	94.2	47.5
.5	113.6	57.3	59.3	29.9	94.2	47.5
.6	113.7	57.3	59.4	30.0	94.1	47.4
.7	113.8	57.4	59.5	30.0	94.0	47.4
.8	113.9	57.4	59.6	30.0	93.9	47.3
.9	114.0	57.5	59.7	30.1	93.8	47.3
1599.0	114.1	57.5	59.8	30.1	93.7	47.3
.1	114.1	57.5	59.8	30.2	93.7	47.2
.2	114.2	57.6	59.9	30.2	93.6	47.2
.3	114.3	57.6	60.0	30.3	93.5	47.1
.4	114.4	57.7	60.1	30.3	93.4	47.1
.5	114.5	57.7	60.2	30.3	93.3	47.1
.6	114.6	57.8	60.3	30.4	93.2	47.0
.7	114.6	57.8	60.3	30.4	93.2	47.0
.8	114.7	57.8	60.4	30.5	93.1	46.9
.9	114.8	57.9	60.5	30.5	93.0	46.9
1600.0	114.9	57.9	60.6	30.5	92.9	46.8
.1	115.0	58.0	60.7	30.6	92.8	46.8
.2	115.1	58.0	60.8	30.6	92.7	46.8
.3	115.1	58.0	60.8	30.7	92.7	46.7
.4	115.2	58.1	60.9	30.7	92.6	46.7
.5	115.3	58.1	61.0	30.8	92.5	46.6
.6	115.4	58.2	61.1	30.8	92.4	46.6
.7	115.5	58.2	61.2	30.8	92.3	46.6
.8	115.6	58.3	61.3	30.9	92.2	46.5
.9	115.6	58.3	61.3	30.9	92.2	46.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1601.0	115.7	58.3	61.4	31.0	92.1	46.4
.1	115.8	58.4	61.5	31.0	92.0	46.4
.2	115.9	58.4	61.6	31.1	91.9	46.3
.3	116.0	58.5	61.7	31.1	91.8	46.3
.4	116.1	58.5	61.8	31.1	91.7	46.2
.5	116.2	58.6	61.9	31.2	91.6	46.2
.6	116.2	58.6	61.9	31.2	91.6	46.2
.7	116.3	58.7	62.0	31.3	91.5	46.1
.8	116.4	58.7	62.1	31.3	91.4	46.1
.9	116.5	58.7	62.2	31.4	91.3	46.0
1602.0	116.6	58.8	62.3	31.4	91.2	46.0
.1	116.7	58.8	62.4	31.5	91.1	45.9
.2	116.8	58.9	62.5	31.5	91.0	45.9
.3	116.9	58.9	62.6	31.5	90.9	45.8
.4	117.0	59.0	62.7	31.6	90.8	45.8
.5	117.1	59.0	62.8	31.6	90.7	45.8
.6	117.1	59.1	62.8	31.7	90.7	45.7
.7	117.2	59.1	62.9	31.7	90.6	45.7
.8	117.3	59.1	63.0	31.8	90.5	45.6
.9	117.4	59.2	63.1	31.8	90.4	45.6
1603.0	117.5	59.2	63.2	31.9	90.3	45.5
.1	117.6	59.3	63.3	31.9	90.2	45.5
.2	117.7	59.3	63.4	32.0	90.1	45.4
.3	117.8	59.4	63.5	32.0	90.0	45.4
.4	117.9	59.4	63.6	32.0	89.9	45.3
.5	117.9	59.5	63.6	32.1	89.9	45.3
.6	118.0	59.5	63.7	32.1	89.8	45.3
.7	118.1	59.6	63.8	32.2	89.7	45.2
.8	118.2	59.6	63.9	32.2	89.6	45.2
.9	118.3	59.6	64.0	32.3	89.5	45.1
1604.0	118.4	59.7	64.1	32.3	89.4	45.1
.1	118.5	59.7	64.2	32.4	89.3	45.0
.2	118.6	59.8	64.3	32.4	89.2	45.0
.3	118.7	59.8	64.4	32.4	89.1	44.9
.4	118.7	59.9	64.4	32.5	89.1	44.9
.5	118.8	59.9	64.5	32.5	89.0	44.9
.6	118.9	60.0	64.6	32.6	88.9	44.8
.7	119.0	60.0	64.7	32.6	88.8	44.8
.8	119.1	60.0	64.8	32.7	88.7	44.7
.9	119.2	60.1	64.9	32.7	88.6	44.7
1605.0	119.3	60.1	65.0	32.8	88.5	44.6
.1	119.4	60.2	65.1	32.8	88.4	44.6
.2	119.5	60.2	65.2	32.9	88.3	44.5
.3	119.6	60.3	65.3	32.9	88.2	44.5
.4	119.6	60.3	65.3	32.9	88.2	44.4
.5	119.7	60.4	65.4	33.0	88.1	44.4
.6	119.8	60.4	65.5	33.0	88.0	44.4
.7	119.9	60.5	65.6	33.1	87.9	44.3
.8	120.0	60.5	65.7	33.1	87.8	44.3
.9	120.1	60.5	65.8	33.2	87.7	44.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1606.0	120.2	60.6	65.9	33.2	87.6	44.2
.1	120.3	60.6	66.0	33.3	87.5	44.1
.2	120.4	60.7	66.1	33.3	87.4	44.1
.3	120.4	60.7	66.1	33.3	87.4	44.0
.4	120.5	60.8	66.2	33.4	87.3	44.0
.5	120.6	60.8	66.3	33.4	87.2	44.0
.6	120.7	60.9	66.4	33.5	87.1	43.9
.7	120.8	60.9	66.5	33.5	87.0	43.9
.8	120.9	60.9	66.6	33.6	86.9	43.8
.9	121.0	61.0	66.7	33.6	86.8	43.8
1607.0	121.1	61.0	66.8	33.7	86.7	43.7
.1	121.2	61.1	66.9	33.7	86.6	43.7
.2	121.2	61.1	66.9	33.8	86.6	43.6
.3	121.3	61.2	67.0	33.8	86.5	43.6
.4	121.4	61.2	67.1	33.8	86.4	43.5
.5	121.5	61.3	67.2	33.9	86.3	43.5
.6	121.6	61.3	67.3	33.9	86.2	43.5
.7	121.7	61.4	67.4	34.0	86.1	43.4
.8	121.8	61.4	67.5	34.0	86.0	43.4
.9	121.9	61.4	67.6	34.1	85.9	43.3
1608.0	122.0	61.5	67.7	34.1	85.8	43.3
.1	122.1	61.5	67.8	34.2	85.7	43.2
.2	122.1	61.6	67.8	34.2	85.7	43.2
.3	122.2	61.6	67.9	34.2	85.6	43.1
.4	122.3	61.7	68.0	34.3	85.5	43.1
.5	122.4	61.7	68.1	34.3	85.4	43.1
.6	122.5	61.8	68.2	34.4	85.3	43.0
.7	122.6	61.8	68.3	34.4	85.2	43.0
.8	122.7	61.9	68.4	34.5	85.1	42.9
.9	122.8	61.9	68.5	34.5	85.0	42.9
1609.0	122.9	61.9	68.6	34.6	84.9	42.8
.1	122.9	62.0	68.6	34.6	84.9	42.8
.2	123.0	62.0	68.7	34.7	84.8	42.7
.3	123.1	62.1	68.8	34.7	84.7	42.7
.4	123.2	62.1	68.9	34.7	84.6	42.6
.5	123.3	62.2	69.0	34.8	84.5	42.6
.6	123.4	62.2	69.1	34.8	84.4	42.6
.7	123.5	62.3	69.2	34.9	84.3	42.5
.8	123.6	62.3	69.3	34.9	84.2	42.5
.9	123.7	62.3	69.4	35.0	84.1	42.4
1610.0	123.8	62.4	69.5	35.0	84.0	42.4
.1	123.8	62.4	69.5	35.1	84.0	42.3
.2	123.9	62.5	69.6	35.1	83.9	42.3
.3	124.0	62.5	69.7	35.2	83.8	42.2
.4	124.1	62.6	69.8	35.2	83.7	42.2
.5	124.2	62.6	69.9	35.2	83.6	42.1
.6	124.3	62.7	70.0	35.3	83.5	42.1
.7	124.4	62.7	70.1	35.3	83.4	42.1
.8	124.5	62.8	70.2	35.4	83.3	42.0
.9	124.6	62.8	70.3	35.4	83.2	42.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1611.0	124.6	62.8	70.3	35.5	83.2	41.9
.1	124.7	62.9	70.4	35.5	83.1	41.9
.2	124.8	62.9	70.5	35.6	83.0	41.8
.3	124.9	63.0	70.6	35.6	82.9	41.8
.4	125.0	63.0	70.7	35.6	82.8	41.7
.5	125.1	63.1	70.8	35.7	82.7	41.7
.6	125.2	63.1	70.9	35.7	82.6	41.7
.7	125.3	63.2	71.0	35.8	82.5	41.6
.8	125.4	63.2	71.1	35.8	82.4	41.6
.9	125.4	63.2	71.1	35.9	82.4	41.5
1612.0	125.5	63.3	71.2	35.9	82.3	41.5
.1	125.6	63.3	71.3	36.0	82.2	41.4
.2	125.7	63.4	71.4	36.0	82.1	41.4
.3	125.8	63.4	71.5	36.1	82.0	41.3
.4	125.9	63.5	71.6	36.1	81.9	41.3
.5	126.0	63.5	71.7	36.1	81.8	41.2
.6	126.1	63.6	71.8	36.2	81.7	41.2
.7	126.2	63.6	71.9	36.2	81.6	41.2
.8	126.3	63.7	72.0	36.3	81.5	41.1
.9	126.3	63.7	72.0	36.3	81.5	41.1
1613.0	126.4	63.7	72.1	36.4	81.4	41.0
.1	126.5	63.8	72.2	36.4	81.3	41.0
.2	126.6	63.8	72.3	36.5	81.2	40.9
.3	126.7	63.9	72.4	36.5	81.1	40.9
.4	126.8	63.9	72.5	36.5	81.0	40.8
.5	126.9	64.0	72.6	36.6	80.9	40.8
.6	127.0	64.0	72.7	36.6	80.8	40.8
.7	127.1	64.1	72.8	36.7	80.7	40.7
.8	127.1	64.1	72.8	36.7	80.7	40.7
.9	127.2	64.1	72.9	36.8	80.6	40.6
1614.0	127.3	64.2	73.0	36.8	80.5	40.6
.1	127.4	64.2	73.1	36.9	80.4	40.5
.2	127.5	64.3	73.2	36.9	80.3	40.5
.3	127.6	64.3	73.3	37.0	80.2	40.4
.4	127.7	64.4	73.4	37.0	80.1	40.4
.5	127.8	64.4	73.5	37.0	80.0	40.3
.6	127.9	64.5	73.6	37.1	79.9	40.3
.7	128.0	64.5	73.7	37.1	79.8	40.3
.8	128.0	64.6	73.7	37.2	79.8	40.2
.9	128.1	64.6	73.8	37.2	79.7	40.2
1615.0	128.2	64.6	73.9	37.3	79.6	40.1
.1	128.3	64.7	74.0	37.3	79.5	40.1
.2	128.4	64.7	74.1	37.4	79.4	40.0
.3	128.5	64.8	74.2	37.4	79.3	40.0
.4	128.6	64.8	74.3	37.4	79.2	39.9
.5	128.7	64.9	74.4	37.5	79.1	39.9
.6	128.8	64.9	74.5	37.5	79.0	39.9
.7	128.8	65.0	74.5	37.6	79.0	39.8
.8	128.9	65.0	74.6	37.6	78.9	39.8
.9	129.0	65.0	74.7	37.7	78.8	39.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1616.0	129.1	65.1	74.8	37.7	78.7	39.7
.1	129.2	65.1	74.9	37.8	78.6	39.6
.2	129.3	65.2	75.0	37.8	78.5	39.6
.3	129.4	65.2	75.1	37.9	78.4	39.5
.4	129.5	65.3	75.2	37.9	78.3	39.5
.5	129.6	65.3	75.3	37.9	78.2	39.4
.6	129.6	65.4	75.3	38.0	78.2	39.4
.7	129.7	65.4	75.4	38.0	78.1	39.4
.8	129.8	65.5	75.5	38.1	78.0	39.3
.9	129.9	65.5	75.6	38.1	77.9	39.3
1617.0	130.0	65.5	75.7	38.2	77.8	39.2
.1	130.1	65.6	75.8	38.2	77.7	39.2
.2	130.2	65.6	75.9	38.3	77.6	39.1
.3	130.3	65.7	76.0	38.3	77.5	39.1
.4	130.4	65.7	76.1	38.3	77.4	39.0
.5	130.5	65.8	76.2	38.4	77.3	39.0
.6	130.5	65.8	76.2	38.4	77.3	39.0
.7	130.6	65.9	76.3	38.5	77.2	38.9
.8	130.7	65.9	76.4	38.5	77.1	38.9
.9	130.8	65.9	76.5	38.6	77.0	38.8
1618.0	130.9	66.0	76.6	38.6	76.9	38.8
.1	131.0	66.0	76.7	38.7	76.8	38.7
.2	131.1	66.1	76.8	38.7	76.7	38.7
.3	131.2	66.1	76.9	38.8	76.6	38.6
.4	131.3	66.2	77.0	38.8	76.5	38.6
.5	131.3	66.2	77.0	38.8	76.5	38.5
.6	131.4	66.3	77.1	38.9	76.4	38.5
.7	131.5	66.3	77.2	38.9	76.3	38.5
.8	131.6	66.4	77.3	39.0	76.2	38.4
.9	131.7	66.4	77.4	39.0	76.1	38.4
1619.0	131.8	66.4	77.5	39.1	76.0	38.3
.1	131.9	66.5	77.6	39.1	75.9	38.3
.2	132.0	66.5	77.7	39.2	75.8	38.2
.3	132.1	66.6	77.8	39.2	75.7	38.2
.4	132.1	66.6	77.8	39.2	75.7	38.1
.5	132.2	66.7	77.9	39.3	75.6	38.1
.6	132.3	66.7	78.0	39.3	75.5	38.1
.7	132.4	66.8	78.1	39.4	75.4	38.0
.8	132.5	66.8	78.2	39.4	75.3	38.0
.9	132.6	66.9	78.3	39.5	75.2	37.9
1620.0	132.7	66.9	78.4	39.5	75.1	37.9
.1	132.8	66.9	78.5	39.6	75.0	37.8
.2	132.9	67.0	78.6	39.6	74.9	37.8
.3	133.0	67.0	78.7	39.7	74.8	37.7
.4	133.0	67.1	78.7	39.7	74.8	37.7
.5	133.1	67.1	78.8	39.7	74.7	37.6
.6	133.2	67.2	78.9	39.8	74.6	37.6
.7	133.3	67.2	79.0	39.8	74.5	37.6
.8	133.4	67.3	79.1	39.9	74.4	37.5
.9	133.5	67.3	79.2	39.9	74.3	37.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1621.0	133.6	67.4	79.3	40.0	74.2	37.4
.1	133.7	67.4	79.4	40.0	74.1	37.4
.2	133.8	67.5	79.5	40.1	74.0	37.3
.3	133.9	67.5	79.6	40.1	73.9	37.3
.4	134.0	67.6	79.7	40.2	73.8	37.2
.5	134.1	67.6	79.8	40.2	73.7	37.2
.6	134.2	67.6	79.9	40.3	73.6	37.1
.7	134.3	67.7	80.0	40.3	73.5	37.1
.8	134.4	67.7	80.1	40.4	73.4	37.0
.9	134.5	67.8	80.2	40.4	73.3	37.0
1622.0	134.6	67.8	80.3	40.5	73.2	36.9
.1	134.7	67.9	80.4	40.5	73.1	36.9
.2	134.8	67.9	80.5	40.6	73.0	36.8
.3	134.9	68.0	80.6	40.6	72.9	36.8
.4	135.0	68.0	80.7	40.7	72.8	36.7
.5	135.1	68.1	80.8	40.7	72.7	36.7
.6	135.2	68.1	80.9	40.8	72.6	36.6
.7	135.3	68.2	81.0	40.8	72.5	36.6
.8	135.4	68.2	81.1	40.9	72.4	36.5
.9	135.4	68.3	81.1	40.9	72.4	36.5
1623.0	135.5	68.3	81.2	41.0	72.3	36.4
.1	135.6	68.4	81.3	41.0	72.2	36.4
.2	135.7	68.4	81.4	41.1	72.1	36.3
.3	135.8	68.5	81.5	41.1	72.0	36.3
.4	135.9	68.5	81.6	41.2	71.9	36.2
.5	136.0	68.6	81.7	41.2	71.8	36.2
.6	136.1	68.6	81.8	41.3	71.7	36.1
.7	136.2	68.7	81.9	41.3	71.6	36.1
.8	136.3	68.7	82.0	41.4	71.5	36.0
.9	136.4	68.8	82.1	41.4	71.4	36.0
1624.0	136.5	68.8	82.2	41.5	71.3	35.9
.1	136.6	68.9	82.3	41.5	71.2	35.9
.2	136.7	68.9	82.4	41.6	71.1	35.8
.3	136.8	69.0	82.5	41.6	71.0	35.8
.4	136.9	69.0	82.6	41.6	70.9	35.7
.5	137.0	69.1	82.7	41.7	70.8	35.7
.6	137.1	69.1	82.8	41.7	70.7	35.6
.7	137.2	69.2	82.9	41.8	70.6	35.6
.8	137.3	69.2	83.0	41.8	70.5	35.5
.9	137.4	69.3	83.1	41.9	70.4	35.5
1625.0	137.5	69.3	83.2	41.9	70.3	35.4
.1	137.6	69.4	83.3	42.0	70.2	35.4
.2	137.7	69.4	83.4	42.0	70.1	35.3
.3	137.8	69.5	83.5	42.1	70.0	35.3
.4	137.9	69.5	83.6	42.1	69.9	35.2
.5	138.0	69.6	83.7	42.2	69.8	35.2
.6	138.1	69.6	83.8	42.2	69.7	35.2
.7	138.2	69.7	83.9	42.3	69.6	35.1
.8	138.3	69.7	84.0	42.3	69.5	35.1
.9	138.4	69.8	84.1	42.4	69.4	35.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1626.0	138.5	69.8	84.2	42.4	69.3	35.0
.1	138.6	69.9	84.3	42.5	69.2	34.9
.2	138.7	69.9	84.4	42.5	69.1	34.9
.3	138.8	70.0	84.5	42.6	69.0	34.8
.4	138.9	70.0	84.6	42.6	68.9	34.8
.5	139.0	70.1	84.7	42.7	68.8	34.7
.6	139.1	70.1	84.8	42.7	68.7	34.7
.7	139.2	70.2	84.9	42.8	68.6	34.6
.8	139.3	70.2	84.9	42.8	68.6	34.6
.9	139.3	70.3	85.0	42.9	68.5	34.5
1627.0	139.4	70.3	85.1	42.9	68.4	34.5
.1	139.5	70.4	85.2	43.0	68.3	34.4
.2	139.6	70.4	85.3	43.0	68.2	34.4
.3	139.7	70.5	85.4	43.1	68.1	34.3
.4	139.8	70.5	85.5	43.1	68.0	34.3
.5	139.9	70.5	85.6	43.2	67.9	34.2
.6	140.0	70.6	85.7	43.2	67.8	34.2
.7	140.1	70.6	85.8	43.3	67.7	34.1
.8	140.2	70.7	85.9	43.3	67.6	34.1
.9	140.3	70.7	86.0	43.4	67.5	34.0
1628.0	140.4	70.8	86.1	43.4	67.4	34.0
.1	140.5	70.8	86.2	43.5	67.3	33.9
.2	140.6	70.9	86.3	43.5	67.2	33.9
.3	140.7	70.9	86.4	43.6	67.1	33.8
.4	140.8	71.0	86.5	43.6	67.0	33.8
.5	140.9	71.0	86.6	43.7	66.9	33.7
.6	141.0	71.1	86.7	43.7	66.8	33.7
.7	141.1	71.1	86.8	43.8	66.7	33.6
.8	141.2	71.2	86.9	43.8	66.6	33.6
.9	141.3	71.2	87.0	43.9	66.5	33.5
1629.0	141.4	71.3	87.1	43.9	66.4	33.5
.1	141.5	71.3	87.2	44.0	66.3	33.4
.2	141.6	71.4	87.3	44.0	66.2	33.4
.3	141.7	71.4	87.4	44.1	66.1	33.3
.4	141.8	71.5	87.5	44.1	66.0	33.3
.5	141.9	71.5	87.6	44.2	65.9	33.2
.6	142.0	71.6	87.7	44.2	65.8	33.2
.7	142.1	71.6	87.8	44.3	65.7	33.1
.8	142.2	71.7	87.9	44.3	65.6	33.1
.9	142.3	71.7	88.0	44.4	65.5	33.0
1630.0	142.4	71.8	88.1	44.4	65.4	33.0
.1	142.5	71.8	88.2	44.5	65.3	32.9
.2	142.6	71.9	88.3	44.5	65.2	32.9
.3	142.7	71.9	88.4	44.5	65.1	32.8
.4	142.8	72.0	88.5	44.6	65.0	32.8
.5	142.9	72.0	88.6	44.6	64.9	32.7
.6	143.0	72.1	88.7	44.7	64.8	32.7
.7	143.1	72.1	88.8	44.7	64.7	32.6
.8	143.1	72.2	88.8	44.8	64.7	32.6
.9	143.2	72.2	88.9	44.8	64.6	32.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1631.0	143.3	72.3	89.0	44.9	64.5	32.5
.1	143.4	72.3	89.1	44.9	64.4	32.4
.2	143.5	72.4	89.2	45.0	64.3	32.4
.3	143.6	72.4	89.3	45.0	64.2	32.3
.4	143.7	72.5	89.4	45.1	64.1	32.3
.5	143.8	72.5	89.5	45.1	64.0	32.3
.6	143.9	72.6	89.6	45.2	63.9	32.2
.7	144.0	72.6	89.7	45.2	63.8	32.2
.8	144.1	72.7	89.8	45.3	63.7	32.1
.9	144.2	72.7	89.9	45.3	63.6	32.1
1632.0	144.3	72.8	90.0	45.4	63.5	32.0
.1	144.4	72.8	90.1	45.4	63.4	32.0
.2	144.5	72.9	90.2	45.5	63.3	31.9
.3	144.6	72.9	90.3	45.5	63.2	31.9
.4	144.7	73.0	90.4	45.6	63.1	31.8
.5	144.8	73.0	90.5	45.6	63.0	31.8
.6	144.9	73.1	90.6	45.7	62.9	31.7
.7	145.0	73.1	90.7	45.7	62.8	31.7
.8	145.1	73.2	90.8	45.8	62.7	31.6
.9	145.2	73.2	90.9	45.8	62.6	31.6
1633.0	145.3	73.3	91.0	45.9	62.5	31.5
.1	145.4	73.3	91.1	45.9	62.4	31.5
.2	145.5	73.4	91.2	46.0	62.3	31.4
.3	145.6	73.4	91.3	46.0	62.2	31.4
.4	145.7	73.4	91.4	46.1	62.1	31.3
.5	145.8	73.5	91.5	46.1	62.0	31.3
.6	145.9	73.5	91.6	46.2	61.9	31.2
.7	146.0	73.6	91.7	46.2	61.8	31.2
.8	146.1	73.6	91.8	46.3	61.7	31.1
.9	146.2	73.7	91.9	46.3	61.6	31.1
1634.0	146.3	73.7	92.0	46.4	61.5	31.0
.1	146.4	73.8	92.1	46.4	61.4	31.0
.2	146.5	73.8	92.2	46.5	61.3	30.9
.3	146.6	73.9	92.3	46.5	61.2	30.9
.4	146.7	73.9	92.4	46.6	61.1	30.8
.5	146.8	74.0	92.5	46.6	61.0	30.8
.6	146.9	74.0	92.6	46.7	60.9	30.7
.7	147.0	74.1	92.7	46.7	60.8	30.7
.8	147.1	74.1	92.8	46.8	60.7	30.6
.9	147.1	74.2	92.8	46.8	60.7	30.6
1635.0	147.2	74.2	92.9	46.9	60.6	30.5
.1	147.3	74.3	93.0	46.9	60.5	30.5
.2	147.4	74.3	93.1	47.0	60.4	30.4
.3	147.5	74.4	93.2	47.0	60.3	30.4
.4	147.6	74.4	93.3	47.1	60.2	30.3
.5	147.7	74.5	93.4	47.1	60.1	30.3
.6	147.8	74.5	93.5	47.2	60.0	30.2
.7	147.9	74.6	93.6	47.2	59.9	30.2
.8	148.0	74.6	93.7	47.3	59.8	30.1
.9	148.1	74.7	93.8	47.3	59.7	30.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1636.0	148.2	74.7	93.9	47.4	59.6	30.0
.1	148.3	74.8	94.0	47.4	59.5	30.0
.2	148.4	74.8	94.1	47.4	59.4	29.9
.3	148.5	74.9	94.2	47.5	59.3	29.9
.4	148.6	74.9	94.3	47.5	59.2	29.8
.5	148.7	75.0	94.4	47.6	59.1	29.8
.6	148.8	75.0	94.5	47.6	59.0	29.7
.7	148.9	75.1	94.6	47.7	58.9	29.7
.8	149.0	75.1	94.7	47.7	58.8	29.6
.9	149.1	75.2	94.8	47.8	58.7	29.6
1637.0	149.2	75.2	94.9	47.8	58.6	29.5
.1	149.3	75.3	95.0	47.9	58.5	29.5
.2	149.4	75.3	95.1	47.9	58.4	29.4
.3	149.5	75.4	95.2	48.0	58.3	29.4
.4	149.6	75.4	95.3	48.0	58.2	29.4
.5	149.7	75.5	95.4	48.1	58.1	29.3
.6	149.8	75.5	95.5	48.1	58.0	29.3
.7	149.9	75.6	95.6	48.2	57.9	29.2
.8	150.0	75.6	95.7	48.2	57.8	29.2
.9	150.1	75.7	95.8	48.3	57.7	29.1
1638.0	150.2	75.7	95.9	48.3	57.6	29.1
.1	150.3	75.8	96.0	48.4	57.5	29.0
.2	150.4	75.8	96.1	48.4	57.4	29.0
.3	150.5	75.9	96.2	48.5	57.3	28.9
.4	150.6	75.9	96.3	48.5	57.2	28.9
.5	150.7	76.0	96.4	48.6	57.1	28.8
.6	150.8	76.0	96.5	48.6	57.0	28.8
.7	150.9	76.1	96.6	48.7	56.9	28.7
.8	150.9	76.1	96.6	48.7	56.9	28.7
.9	151.0	76.2	96.7	48.8	56.8	28.6
1639.0	151.1	76.2	96.8	48.8	56.7	28.6
.1	151.2	76.3	96.9	48.9	56.6	28.5
.2	151.3	76.3	97.0	48.9	56.5	28.5
.3	151.4	76.3	97.1	49.0	56.4	28.4
.4	151.5	76.4	97.2	49.0	56.3	28.4
.5	151.6	76.4	97.3	49.1	56.2	28.3
.6	151.7	76.5	97.4	49.1	56.1	28.3
.7	151.8	76.5	97.5	49.2	56.0	28.2
.8	151.9	76.6	97.6	49.2	55.9	28.2
.9	152.0	76.6	97.7	49.3	55.8	28.1
1640.0	152.1	76.7	97.8	49.3	55.7	28.1
.1	152.2	76.7	97.9	49.4	55.6	28.0
.2	152.3	76.8	98.0	49.4	55.5	28.0
.3	152.4	76.8	98.1	49.5	55.4	27.9
.4	152.5	76.9	98.2	49.5	55.3	27.9
.5	152.6	76.9	98.3	49.6	55.2	27.8
.6	152.7	77.0	98.4	49.6	55.1	27.8
.7	152.8	77.0	98.5	49.7	55.0	27.7
.8	152.9	77.1	98.6	49.7	54.9	27.7
.9	153.0	77.1	98.7	49.8	54.8	27.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1641.0	153.1	77.2	98.8	49.8	54.7	27.6
.1	153.2	77.2	98.9	49.9	54.6	27.5
.2	153.3	77.3	99.0	49.9	54.5	27.5
.3	153.4	77.4	99.1	50.0	54.4	27.4
.4	153.5	77.4	99.2	50.0	54.3	27.4
.5	153.6	77.5	99.3	50.1	54.2	27.3
.6	153.7	77.5	99.4	50.1	54.1	27.3
.7	153.8	77.6	99.5	50.2	54.0	27.2
.8	154.0	77.6	99.7	50.2	53.8	27.1
.9	154.1	77.7	99.8	50.3	53.7	27.1
1642.0	154.2	77.7	99.9	50.3	53.6	27.0
.1	154.3	77.8	100.0	50.4	53.5	27.0
.2	154.4	77.8	100.1	50.5	53.4	26.9
.3	154.5	77.9	100.2	50.5	53.3	26.9
.4	154.6	77.9	100.3	50.6	53.2	26.8
.5	154.7	78.0	100.4	50.6	53.1	26.8
.6	154.8	78.0	100.5	50.7	53.0	26.7
.7	154.9	78.1	100.6	50.7	52.9	26.7
.8	155.0	78.1	100.7	50.8	52.8	26.6
.9	155.1	78.2	100.8	50.8	52.7	26.6
1643.0	155.2	78.3	100.9	50.9	52.6	26.5
.1	155.3	78.3	101.0	50.9	52.5	26.5
.2	155.4	78.4	101.1	51.0	52.4	26.4
.3	155.5	78.4	101.2	51.0	52.3	26.4
.4	155.6	78.5	101.3	51.1	52.2	26.3
.5	155.7	78.5	101.4	51.1	52.1	26.2
.6	155.8	78.6	101.5	51.2	52.0	26.2
.7	156.0	78.6	101.7	51.2	51.8	26.1
.8	156.1	78.7	101.8	51.3	51.7	26.1
.9	156.2	78.7	101.9	51.4	51.6	26.0
1644.0	156.3	78.8	102.0	51.4	51.5	26.0
.1	156.4	78.8	102.1	51.5	51.4	25.9
.2	156.5	78.9	102.2	51.5	51.3	25.9
.3	156.6	78.9	102.3	51.6	51.2	25.8
.4	156.7	79.0	102.4	51.6	51.1	25.8
.5	156.8	79.1	102.5	51.7	51.0	25.7
.6	156.9	79.1	102.6	51.7	50.9	25.7
.7	157.0	79.2	102.7	51.8	50.8	25.6
.8	157.1	79.2	102.8	51.8	50.7	25.6
.9	157.2	79.3	102.9	51.9	50.6	25.5
1645.0	157.3	79.3	103.0	51.9	50.5	25.4
.1	157.4	79.4	103.1	52.0	50.4	25.4
.2	157.5	79.4	103.2	52.0	50.3	25.3
.3	157.6	79.5	103.3	52.1	50.2	25.3
.4	157.7	79.5	103.4	52.2	50.1	25.2
.5	157.8	79.6	103.5	52.2	50.0	25.2
.6	158.0	79.6	103.7	52.3	49.8	25.1
.7	158.1	79.7	103.8	52.3	49.7	25.1
.8	158.2	79.7	103.9	52.4	49.6	25.0
.9	158.3	79.8	104.0	52.4	49.5	25.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1646.0	158.4	79.8	104.1	52.5	49.4	24.9
.1	158.5	79.9	104.2	52.5	49.3	24.9
.2	158.6	80.0	104.3	52.6	49.2	24.8
.3	158.7	80.0	104.4	52.6	49.1	24.8
.4	158.8	80.1	104.5	52.7	49.0	24.7
.5	158.9	80.1	104.6	52.7	48.9	24.7
.6	159.0	80.2	104.7	52.8	48.8	24.6
.7	159.1	80.2	104.8	52.8	48.7	24.5
.8	159.2	80.3	104.9	52.9	48.6	24.5
.9	159.3	80.3	105.0	52.9	48.5	24.4
1647.0	159.4	80.4	105.1	53.0	48.4	24.4
.1	159.5	80.4	105.2	53.1	48.3	24.3
.2	159.6	80.5	105.3	53.1	48.2	24.3
.3	159.7	80.5	105.4	53.2	48.1	24.2
.4	159.8	80.6	105.5	53.2	48.0	24.2
.5	160.0	80.6	105.7	53.3	47.8	24.1
.6	160.1	80.7	105.8	53.3	47.7	24.1
.7	160.2	80.7	105.9	53.4	47.6	24.0
.8	160.3	80.8	106.0	53.4	47.5	24.0
.9	160.4	80.9	106.1	53.5	47.4	23.9
1648.0	160.5	80.9	106.2	53.5	47.3	23.9
.1	160.6	81.0	106.3	53.6	47.2	23.8
.2	160.7	81.0	106.4	53.6	47.1	23.8
.3	160.8	81.1	106.5	53.7	47.0	23.7
.4	160.9	81.1	106.6	53.7	46.9	23.6
.5	161.0	81.2	106.7	53.8	46.8	23.6
.6	161.1	81.2	106.8	53.9	46.7	23.5
.7	161.2	81.3	106.9	53.9	46.6	23.5
.8	161.3	81.3	107.0	54.0	46.5	23.4
.9	161.4	81.4	107.1	54.0	46.4	23.4
1649.0	161.5	81.4	107.2	54.1	46.3	23.3
.1	161.6	81.5	107.3	54.1	46.2	23.3
.2	161.7	81.5	107.4	54.2	46.1	23.2
.3	161.8	81.6	107.5	54.2	46.0	23.2
.4	162.0	81.7	107.7	54.3	45.8	23.1
.5	162.1	81.7	107.8	54.3	45.7	23.1
.6	162.2	81.8	107.9	54.4	45.6	23.0
.7	162.3	81.8	108.0	54.4	45.5	23.0
.8	162.4	81.9	108.1	54.5	45.4	22.9
.9	162.5	81.9	108.2	54.5	45.3	22.8
1650.0	162.6	82.0	108.3	54.6	45.2	22.8
.1	162.7	82.0	108.4	54.6	45.1	22.7
.2	162.8	82.1	108.5	54.7	45.0	22.7
.3	162.9	82.1	108.6	54.8	44.9	22.6
.4	163.0	82.2	108.7	54.8	44.8	22.6
.5	163.1	82.2	108.8	54.9	44.7	22.5
.6	163.2	82.3	108.9	54.9	44.6	22.5
.7	163.3	82.3	109.0	55.0	44.5	22.4
.8	163.4	82.4	109.1	55.0	44.4	22.4
.9	163.5	82.4	109.2	55.1	44.3	22.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1651.0	163.6	82.5	109.3	55.1	44.2	22.3
.1	163.7	82.6	109.4	55.2	44.1	22.2
.2	163.8	82.6	109.5	55.2	44.0	22.2
.3	164.0	82.7	109.7	55.3	43.8	22.1
.4	164.1	82.7	109.8	55.3	43.7	22.1
.5	164.2	82.8	109.9	55.4	43.6	22.0
.6	164.3	82.8	110.0	55.4	43.5	21.9
.7	164.4	82.9	110.1	55.5	43.4	21.9
.8	164.5	82.9	110.2	55.5	43.3	21.8
.9	164.6	83.0	110.3	55.6	43.2	21.8
1652.0	164.7	83.0	110.4	55.7	43.1	21.7
.1	164.8	83.1	110.5	55.7	43.0	21.7
.2	164.9	83.1	110.6	55.8	42.9	21.6
.3	165.0	83.2	110.7	55.8	42.8	21.6
.4	165.1	83.2	110.8	55.9	42.7	21.5
.5	165.2	83.3	110.9	55.9	42.6	21.5
.6	165.3	83.3	111.0	56.0	42.5	21.4
.7	165.4	83.4	111.1	56.0	42.4	21.4
.8	165.5	83.5	111.2	56.1	42.3	21.3
.9	165.6	83.5	111.3	56.1	42.2	21.3
1653.0	165.7	83.6	111.4	56.2	42.1	21.2
.1	165.8	83.6	111.5	56.2	42.0	21.2
.2	166.0	83.7	111.7	56.3	41.8	21.1
.3	166.1	83.7	111.8	56.3	41.7	21.0
.4	166.2	83.8	111.9	56.4	41.6	21.0
.5	166.3	83.8	112.0	56.5	41.5	20.9
.6	166.4	83.9	112.1	56.5	41.4	20.9
.7	166.5	83.9	112.2	56.6	41.3	20.8
.8	166.6	84.0	112.3	56.6	41.2	20.8
.9	166.7	84.0	112.4	56.7	41.1	20.7
1654.0	166.8	84.1	112.5	56.7	41.0	20.7
.1	166.9	84.1	112.6	56.8	40.9	20.6
.2	167.0	84.2	112.7	56.8	40.8	20.6
.3	167.1	84.3	112.8	56.9	40.7	20.5
.4	167.2	84.3	112.9	56.9	40.6	20.5
.5	167.3	84.4	113.0	57.0	40.5	20.4
.6	167.4	84.4	113.1	57.0	40.4	20.4
.7	167.5	84.5	113.2	57.1	40.3	20.3
.8	167.6	84.5	113.3	57.1	40.2	20.2
.9	167.7	84.6	113.4	57.2	40.1	20.2
1655.0	167.8	84.6	113.5	57.2	40.0	20.1
.1	168.0	84.7	113.7	57.3	39.8	20.1
.2	168.1	84.7	113.8	57.4	39.7	20.0
.3	168.2	84.8	113.9	57.4	39.6	20.0
.4	168.3	84.8	114.0	57.5	39.5	19.9
.5	168.4	84.9	114.1	57.5	39.4	19.9
.6	168.5	84.9	114.2	57.6	39.3	19.8
.7	168.6	85.0	114.3	57.6	39.2	19.8
.8	168.7	85.0	114.4	57.7	39.1	19.7
.9	168.8	85.1	114.5	57.7	39.0	19.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1656.0	168.9	85.2	114.6	57.8	38.9	19.6
.1	169.0	85.2	114.7	57.8	38.8	19.6
.2	169.1	85.3	114.8	57.9	38.7	19.5
.3	169.2	85.3	114.9	57.9	38.6	19.5
.4	169.3	85.4	115.0	58.0	38.5	19.4
.5	169.4	85.4	115.1	58.0	38.4	19.3
.6	169.5	85.5	115.2	58.1	38.3	19.3
.7	169.6	85.5	115.3	58.1	38.2	19.2
.8	169.7	85.6	115.4	58.2	38.1	19.2
.9	169.8	85.6	115.5	58.3	38.0	19.1
1657.0	170.0	85.7	115.7	58.3	37.8	19.1
.1	170.1	85.7	115.8	58.4	37.7	19.0
.2	170.2	85.8	115.9	58.4	37.6	19.0
.3	170.3	85.8	116.0	58.5	37.5	18.9
.4	170.4	85.9	116.1	58.5	37.4	18.9
.5	170.5	85.9	116.2	58.6	37.3	18.8
.6	170.6	86.0	116.3	58.6	37.2	18.8
.7	170.7	86.1	116.4	58.7	37.1	18.7
.8	170.8	86.1	116.5	58.7	37.0	18.7
.9	170.9	86.2	116.6	58.8	36.9	18.6
1658.0	171.0	86.2	116.7	58.8	36.8	18.6
.1	171.1	86.3	116.8	58.9	36.7	18.5
.2	171.2	86.3	116.9	58.9	36.6	18.4
.3	171.3	86.4	117.0	59.0	36.5	18.4
.4	171.4	86.4	117.1	59.1	36.4	18.3
.5	171.5	86.5	117.2	59.1	36.3	18.3
.6	171.6	86.5	117.3	59.2	36.2	18.2
.7	171.7	86.6	117.4	59.2	36.1	18.2
.8	171.8	86.6	117.5	59.3	36.0	18.1
.9	172.0	86.7	117.7	59.3	35.8	18.1
1659.0	172.1	86.7	117.8	59.4	35.7	18.0
.1	172.2	86.8	117.9	59.4	35.6	18.0
.2	172.3	86.9	118.0	59.5	35.5	17.9
.3	172.4	86.9	118.1	59.5	35.4	17.9
.4	172.5	87.0	118.2	59.6	35.3	17.8
.5	172.6	87.0	118.3	59.6	35.2	17.8
.6	172.7	87.1	118.4	59.7	35.1	17.7
.7	172.8	87.1	118.5	59.7	35.0	17.6
.8	172.9	87.2	118.6	59.8	34.9	17.6
.9	173.0	87.2	118.7	59.8	34.8	17.5
1660.0	173.1	87.3	118.8	59.9	34.7	17.5
.1	173.2	87.3	118.9	60.0	34.6	17.4
.2	173.3	87.4	119.0	60.0	34.5	17.4
.3	173.4	87.4	119.1	60.1	34.4	17.3
.4	173.5	87.5	119.2	60.1	34.3	17.3
.5	173.6	87.5	119.3	60.2	34.2	17.2
.6	173.7	87.6	119.4	60.2	34.1	17.2
.7	173.8	87.6	119.5	60.3	34.0	17.1
.8	174.0	87.7	119.7	60.3	33.8	17.1
.9	174.1	87.8	119.8	60.4	33.7	17.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1661.0	174.2	87.8	119.9	60.4	33.6	17.0
.1	174.3	87.9	120.0	60.5	33.5	16.9
.2	174.4	87.9	120.1	60.5	33.4	16.9
.3	174.5	88.0	120.2	60.6	33.3	16.8
.4	174.6	88.0	120.3	60.6	33.2	16.7
.5	174.7	88.1	120.4	60.7	33.1	16.7
.6	174.8	88.1	120.5	60.7	33.0	16.6
.7	174.9	88.2	120.6	60.8	32.9	16.6
.8	175.0	88.2	120.7	60.9	32.8	16.5
.9	175.1	88.3	120.8	60.9	32.7	16.5
1662.0	175.2	88.4	120.9	61.0	32.6	16.4
.1	175.4	88.4	121.1	61.0	32.4	16.4
.2	175.5	88.5	121.2	61.1	32.3	16.3
.3	175.6	88.5	121.3	61.2	32.2	16.2
.4	175.7	88.6	121.4	61.2	32.1	16.2
.5	175.8	88.6	121.5	61.3	32.0	16.1
.6	175.9	88.7	121.6	61.3	31.9	16.1
.7	176.1	88.8	121.8	61.4	31.7	16.0
.8	176.2	88.8	121.9	61.4	31.6	15.9
.9	176.3	88.9	122.0	61.5	31.5	15.9
1663.0	176.4	88.9	122.1	61.6	31.4	15.8
.1	176.5	89.0	122.2	61.6	31.3	15.8
.2	176.6	89.1	122.3	61.7	31.2	15.7
.3	176.8	89.1	122.5	61.7	31.0	15.6
.4	176.9	89.2	122.6	61.8	30.9	15.6
.5	177.0	89.2	122.7	61.9	30.8	15.5
.6	177.1	89.3	122.8	61.9	30.7	15.5
.7	177.2	89.4	122.9	62.0	30.6	15.4
.8	177.3	89.4	123.0	62.0	30.5	15.4
.9	177.5	89.5	123.2	62.1	30.3	15.3
1664.0	177.6	89.5	123.3	62.2	30.2	15.2
.1	177.7	89.6	123.4	62.2	30.1	15.2
.2	177.8	89.6	123.5	62.3	30.0	15.1
.3	177.9	89.7	123.6	62.3	29.9	15.1
.4	178.0	89.8	123.7	62.4	29.8	15.0
.5	178.2	89.8	123.9	62.4	29.6	14.9
.6	178.3	89.9	124.0	62.5	29.5	14.9
.7	178.4	89.9	124.1	62.6	29.4	14.8
.8	178.5	90.0	124.2	62.6	29.3	14.8
.9	178.6	90.1	124.3	62.7	29.2	14.7
1665.0	178.7	90.1	124.4	62.7	29.1	14.7
.1	178.9	90.2	124.6	62.8	28.9	14.6
.2	179.0	90.2	124.7	62.9	28.8	14.5
.3	179.1	90.3	124.8	62.9	28.7	14.5
.4	179.2	90.3	124.9	63.0	28.6	14.4
.5	179.3	90.4	125.0	63.0	28.5	14.4
.6	179.4	90.5	125.1	63.1	28.4	14.3
.7	179.6	90.5	125.3	63.1	28.2	14.2
.8	179.7	90.6	125.4	63.2	28.1	14.2
.9	179.8	90.6	125.5	63.3	28.0	14.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1666.0	179.9	90.7	125.6	63.3	27.9	14.1
.1	180.0	90.8	125.7	63.4	27.8	14.0
.2	180.1	90.8	125.8	63.4	27.7	13.9
.3	180.2	90.9	125.9	63.5	27.6	13.9
.4	180.4	90.9	126.1	63.6	27.4	13.8
.5	180.5	91.0	126.2	63.6	27.3	13.8
.6	180.6	91.1	126.3	63.7	27.2	13.7
.7	180.7	91.1	126.4	63.7	27.1	13.7
.8	180.8	91.2	126.5	63.8	27.0	13.6
.9	180.9	91.2	126.6	63.9	26.9	13.5
1667.0	181.1	91.3	126.8	63.9	26.7	13.5
.1	181.2	91.3	126.9	64.0	26.6	13.4
.2	181.3	91.4	127.0	64.0	26.5	13.4
.3	181.4	91.5	127.1	64.1	26.4	13.3
.4	181.5	91.5	127.2	64.1	26.3	13.2
.5	181.6	91.6	127.3	64.2	26.2	13.2
.6	181.8	91.6	127.5	64.3	26.0	13.1
.7	181.9	91.7	127.6	64.3	25.9	13.1
.8	182.0	91.8	127.7	64.4	25.8	13.0
.9	182.1	91.8	127.8	64.4	25.7	13.0
1668.0	182.2	91.9	127.9	64.5	25.6	12.9
.1	182.3	91.9	128.0	64.6	25.5	12.8
.2	182.5	92.0	128.2	64.6	25.3	12.8
.3	182.6	92.0	128.3	64.7	25.2	12.7
.4	182.7	92.1	128.4	64.7	25.1	12.7
.5	182.8	92.2	128.5	64.8	25.0	12.6
.6	182.9	92.2	128.6	64.8	24.9	12.5
.7	183.0	92.3	128.7	64.9	24.8	12.5
.8	183.2	92.3	128.9	65.0	24.6	12.4
.9	183.3	92.4	129.0	65.0	24.5	12.4
1669.0	183.4	92.5	129.1	65.1	24.4	12.3
.1	183.5	92.5	129.2	65.1	24.3	12.2
.2	183.6	92.6	129.3	65.2	24.2	12.2
.3	183.7	92.6	129.4	65.3	24.1	12.1
.4	183.9	92.7	129.6	65.3	23.9	12.1
.5	184.0	92.8	129.7	65.4	23.8	12.0
.6	184.1	92.8	129.8	65.4	23.7	12.0
.7	184.2	92.9	129.9	65.5	23.6	11.9
.8	184.3	92.9	130.0	65.6	23.5	11.8
.9	184.4	93.0	130.1	65.6	23.4	11.8
1670.0	184.5	93.0	130.2	65.7	23.3	11.7
.1	184.7	93.1	130.4	65.7	23.1	11.7
.2	184.8	93.2	130.5	65.8	23.0	11.6
.3	184.9	93.2	130.6	65.8	22.9	11.5
.4	185.0	93.3	130.7	65.9	22.8	11.5
.5	185.1	93.3	130.8	66.0	22.7	11.4
.6	185.2	93.4	130.9	66.0	22.6	11.4
.7	185.4	93.5	131.1	66.1	22.4	11.3
.8	185.5	93.5	131.2	66.1	22.3	11.3
.9	185.6	93.6	131.3	66.2	22.2	11.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1671.0	185.7	93.6	131.4	66.3	22.1	11.1
.1	185.8	93.7	131.5	66.3	22.0	11.1
.2	185.9	93.7	131.6	66.4	21.9	11.0
.3	186.1	93.8	131.8	66.4	21.7	11.0
.4	186.2	93.9	131.9	66.5	21.6	10.9
.5	186.3	93.9	132.0	66.5	21.5	10.8
.6	186.4	94.0	132.1	66.6	21.4	10.8
.7	186.5	94.0	132.2	66.7	21.3	10.7
.8	186.6	94.1	132.3	66.7	21.2	10.7
.9	186.8	94.2	132.5	66.8	21.0	10.6
1672.0	186.9	94.2	132.6	66.8	20.9	10.6
.1	187.0	94.3	132.7	66.9	20.8	10.5
.2	187.1	94.3	132.8	67.0	20.7	10.4
.3	187.2	94.4	132.9	67.0	20.6	10.4
.4	187.3	94.5	133.0	67.1	20.5	10.3
.5	187.5	94.5	133.2	67.1	20.3	10.3
.6	187.6	94.6	133.3	67.2	20.2	10.2
.7	187.7	94.6	133.4	67.2	20.1	10.1
.8	187.8	94.7	133.5	67.3	20.0	10.1
.9	187.9	94.7	133.6	67.4	19.9	10.0
1673.0	188.0	94.8	133.7	67.4	19.8	10.0
.1	188.2	94.9	133.9	67.5	19.6	9.9
.2	188.3	94.9	134.0	67.5	19.5	9.8
.3	188.4	95.0	134.1	67.6	19.4	9.8
.4	188.5	95.0	134.2	67.7	19.3	9.7
.5	188.6	95.1	134.3	67.7	19.2	9.7
.6	188.7	95.2	134.4	67.8	19.1	9.6
.7	188.9	95.2	134.6	67.8	18.9	9.6
.8	189.0	95.3	134.7	67.9	18.8	9.5
.9	189.1	95.3	134.8	68.0	18.7	9.4
1674.0	189.2	95.4	134.9	68.0	18.6	9.4
.1	189.3	95.4	135.0	68.1	18.5	9.3
.2	189.4	95.5	135.1	68.1	18.4	9.3
.3	189.5	95.6	135.2	68.2	18.3	9.2
.4	189.7	95.6	135.4	68.2	18.1	9.1
.5	189.8	95.7	135.5	68.3	18.0	9.1
.6	189.9	95.7	135.6	68.4	17.9	9.0
.7	190.0	95.8	135.7	68.4	17.8	9.0
.8	190.1	95.9	135.8	68.5	17.7	8.9
.9	190.2	95.9	135.9	68.5	17.6	8.9
1675.0	190.4	96.0	136.1	68.6	17.4	8.8
.1	190.5	96.0	136.2	68.7	17.3	8.7
.2	190.6	96.1	136.3	68.7	17.2	8.7
.3	190.7	96.1	136.4	68.8	17.1	8.6
.4	190.8	96.2	136.5	68.8	17.0	8.6
.5	190.9	96.3	136.6	68.9	16.9	8.5
.6	191.1	96.3	136.8	68.9	16.7	8.4
.7	191.2	96.4	136.9	69.0	16.6	8.4
.8	191.3	96.4	137.0	69.1	16.5	8.3
.9	191.4	96.5	137.1	69.1	16.4	8.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1676.0	191.5	96.6	137.2	69.2	16.3	8.2	1681.0	197.3	99.5	143.0	72.1	10.5	5.3
.1	191.6	96.6	137.3	69.2	16.2	8.1	.1	197.5	99.5	143.2	72.2	10.3	5.2
.2	191.8	96.7	137.5	69.3	16.0	8.1	.2	197.6	99.6	143.3	72.2	10.2	5.2
.3	191.9	96.7	137.6	69.4	15.9	8.0	.3	197.7	99.7	143.4	72.3	10.1	5.1
.4	192.0	96.8	137.7	69.4	15.8	8.0	.4	197.8	99.7	143.5	72.3	10.0	5.0
.5	192.1	96.9	137.8	69.5	15.7	7.9	.5	197.9	99.8	143.6	72.4	9.9	5.0
.6	192.2	96.9	137.9	69.5	15.6	7.9	.6	198.0	99.8	143.7	72.5	9.8	4.9
.7	192.3	97.0	138.0	69.6	15.5	7.8	.7	198.2	99.9	143.9	72.5	9.6	4.9
.8	192.5	97.0	138.2	69.7	15.3	7.7	.8	198.3	100.0	144.0	72.6	9.5	4.8
.9	192.6	97.1	138.3	69.7	15.2	7.7	.9	198.4	100.0	144.1	72.6	9.4	4.7
1677.0	192.7	97.1	138.4	69.8	15.1	7.6	1682.0	198.5	100.1	144.2	72.7	9.3	4.7
.1	192.8	97.2	138.5	69.8	15.0	7.6	.1	198.6	100.1	144.3	72.8	9.2	4.6
.2	192.9	97.3	138.6	69.9	14.9	7.5	.2	198.7	100.2	144.4	72.8	9.1	4.6
.3	193.0	97.3	138.7	69.9	14.8	7.4	.3	198.8	100.3	144.5	72.9	9.0	4.5
.4	193.2	97.4	138.9	70.0	14.6	7.4	.4	199.0	100.3	144.7	72.9	8.8	4.5
.5	193.3	97.4	139.0	70.1	14.5	7.3	.5	199.1	100.4	144.8	73.0	8.7	4.4
.6	193.4	97.5	139.1	70.1	14.4	7.3	.6	199.2	100.4	144.9	73.1	8.6	4.3
.7	193.5	97.6	139.2	70.2	14.3	7.2	.7	199.3	100.5	145.0	73.1	8.5	4.3
.8	193.6	97.6	139.3	70.2	14.2	7.2	.8	199.4	100.5	145.1	73.2	8.4	4.2
.9	193.7	97.7	139.4	70.3	14.1	7.1	.9	199.5	100.6	145.2	73.2	8.3	4.2
1678.0	193.8	97.7	139.5	70.4	14.0	7.0	1683.0	199.7	100.7	145.4	73.3	8.1	4.1
.1	194.0	97.8	139.7	70.4	13.8	7.0	.1	199.8	100.7	145.5	73.3	8.0	4.0
.2	194.1	97.8	139.8	70.5	13.7	6.9	.2	199.9	100.8	145.6	73.4	7.9	4.0
.3	194.2	97.9	139.9	70.5	13.6	6.9	.3	200.0	100.8	145.7	73.5	7.8	3.9
.4	194.3	98.0	140.0	70.6	13.5	6.8	.4	200.1	100.9	145.8	73.5	7.7	3.9
.5	194.4	98.0	140.1	70.6	13.4	6.7	.5	200.2	101.0	145.9	73.6	7.6	3.8
.6	194.5	98.1	140.2	70.7	13.3	6.7	.6	200.4	101.0	146.1	73.6	7.4	3.8
.7	194.7	98.1	140.4	70.8	13.1	6.6	.7	200.5	101.1	146.2	73.7	7.3	3.7
.8	194.8	98.2	140.5	70.8	13.0	6.6	.8	200.6	101.1	146.3	73.8	7.2	3.6
.9	194.9	98.3	140.6	70.9	12.9	6.5	.9	200.7	101.2	146.4	73.8	7.1	3.6
1679.0	195.0	98.3	140.7	70.9	12.8	6.4	1684.0	200.8	101.2	146.5	73.9	7.0	3.5
.1	195.1	98.4	140.8	71.0	12.7	6.4	.1	200.9	101.3	146.6	73.9	6.9	3.5
.2	195.2	98.4	140.9	71.1	12.6	6.3	.2	201.1	101.4	146.8	74.0	6.7	3.4
.3	195.4	98.5	141.1	71.1	12.4	6.3	.3	201.2	101.4	146.9	74.0	6.6	3.3
.4	195.5	98.6	141.2	71.2	12.3	6.2	.4	201.3	101.5	147.0	74.1	6.5	3.3
.5	195.6	98.6	141.3	71.2	12.2	6.2	.5	201.4	101.5	147.1	74.2	6.4	3.2
.6	195.7	98.7	141.4	71.3	12.1	6.1	.6	201.5	101.6	147.2	74.2	6.3	3.2
.7	195.8	98.7	141.5	71.4	12.0	6.0	.7	201.6	101.7	147.3	74.3	6.2	3.1
.8	195.9	98.8	141.6	71.4	11.9	6.0	.8	201.8	101.7	147.5	74.3	6.0	3.0
.9	196.1	98.8	141.8	71.5	11.7	5.9	.9	201.9	101.8	147.6	74.4	5.9	3.0
1680.0	196.2	98.9	141.9	71.5	11.6	5.9	1685.0	202.0	101.8	147.7	74.5	5.8	2.9
.1	196.3	99.0	142.0	71.6	11.5	5.8	.1	202.1	101.9	147.8	74.5	5.7	2.9
.2	196.4	99.0	142.1	71.6	11.4	5.7	.2	202.2	102.0	147.9	74.6	5.6	2.8
.3	196.5	99.1	142.2	71.7	11.3	5.7	.3	202.3	102.0	148.0	74.6	5.5	2.8
.4	196.6	99.1	142.3	71.8	11.2	5.6	.4	202.5	102.1	148.2	74.7	5.3	2.7
.5	196.8	99.2	142.5	71.8	11.0	5.6	.5	202.6	102.1	148.3	74.8	5.2	2.6
.6	196.9	99.3	142.6	71.9	10.9	5.5	.6	202.7	102.2	148.4	74.8	5.1	2.6
.7	197.0	99.3	142.7	71.9	10.8	5.5	.7	202.8	102.2	148.5	74.9	5.0	2.5
.8	197.1	99.4	142.8	72.0	10.7	5.4	.8	202.9	102.3	148.6	74.9	4.9	2.5
.9	197.2	99.4	142.9	72.1	10.6	5.3	.9	203.0	102.4	148.7	75.0	4.8	2.4

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
		KAF	KSFD	KAF	KSFD	KAF	KSFD
1686.0		203.1	102.4	148.8	75.0	4.7	2.3
.1		203.3	102.5	149.0	75.1	4.5	2.3
.2		203.4	102.5	149.1	75.2	4.4	2.2
.3		203.5	102.6	149.2	75.2	4.3	2.2
.4		203.6	102.7	149.3	75.3	4.2	2.1
.5		203.7	102.7	149.4	75.3	4.1	2.1
.6		203.8	102.8	149.5	75.4	4.0	2.0
.7		204.0	102.8	149.7	75.5	3.8	1.9
.8		204.1	102.9	149.8	75.5	3.7	1.9
.9		204.2	102.9	149.9	75.6	3.6	1.8
1687.0		204.3	103.0	150.0	75.6	3.5	1.8
.1		204.4	103.1	150.1	75.7	3.4	1.7
.2		204.5	103.1	150.2	75.7	3.3	1.6
.3		204.7	103.2	150.4	75.8	3.1	1.6
.4		204.8	103.2	150.5	75.9	3.0	1.5
.5		204.9	103.3	150.6	75.9	2.9	1.5
.6		205.0	103.4	150.7	76.0	2.8	1.4
.7		205.1	103.4	150.8	76.0	2.7	1.3
.8		205.2	103.5	150.9	76.1	2.6	1.3
.9		205.4	103.5	151.1	76.2	2.4	1.2
1688.0		205.5	103.6	151.2	76.2	2.3	1.2
.1		205.6	103.7	151.3	76.3	2.2	1.1
.2		205.7	103.7	151.4	76.3	2.1	1.1
.3		205.8	103.8	151.5	76.4	2.0	1.0
.4		205.9	103.8	151.6	76.5	1.9	0.9
.5		206.1	103.9	151.8	76.5	1.7	0.9
.6		206.2	103.9	151.9	76.6	1.6	0.8
.7		206.3	104.0	152.0	76.6	1.5	0.8
.8		206.4	104.1	152.1	76.7	1.4	0.7
.9		206.5	104.1	152.2	76.7	1.3	0.6
1689.0		206.6	104.2	152.3	76.8	1.2	0.6
.1		206.8	104.2	152.5	76.9	1.0	0.5
.2		206.9	104.3	152.6	76.9	0.9	0.5
.3		207.0	104.4	152.7	77.0	0.8	0.4
.4		207.1	104.4	152.8	77.0	0.7	0.4
.5		207.2	104.5	152.9	77.1	0.6	0.3
.6		207.3	104.5	153.0	77.2	0.5	0.2
.7		207.5	104.6	153.2	77.2	0.3	0.2
.8		207.6	104.6	153.3	77.3	0.2	0.1
.9		207.7	104.7	153.4	77.3	0.1	0.1
1690.0	SUB	207.8	104.8	153.5	77.4	0.0	0.0
.1		207.9	104.8				
.2		208.0	104.9				
.3		208.1	104.9				
.4		208.3	105.0				
.5		208.4	105.1				
.6		208.5	105.1				
.7		208.6	105.2				
.8		208.7	105.2				
.9		208.8	105.3				

ELEVATION FEET	GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
	KAF	KSFD	KAF	KSFD	KAF	KSFD
1691.0	209.0	105.4				

Reservoir Storage Tables

PROJECT NAME: BLUE RIVER

PROJECT NUMBER: 116

STORAGE LOWER BOUND (SLB) = 3.97KAF   STORAGE UPPER BOUND (SUB) = 82.80 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1180.0	SLB	4.0	2.0	0.0	0.0	78.8	39.7
.1		4.0	2.0	0.0	0.0	78.8	39.7
.2		4.0	2.0	0.1	0.0	78.8	39.7
.3		4.0	2.0	0.1	0.0	78.8	39.7
.4		4.1	2.0	0.1	0.0	78.7	39.7
.5		4.1	2.1	0.1	0.1	78.7	39.7
.6		4.1	2.1	0.1	0.1	78.7	39.7
.7		4.1	2.1	0.1	0.1	78.7	39.7
.8		4.1	2.1	0.1	0.1	78.7	39.7
.9		4.1	2.1	0.2	0.1	78.7	39.7
1181.0		4.1	2.1	0.2	0.1	78.7	39.7
.1		4.2	2.1	0.2	0.1	78.6	39.6
.2		4.2	2.1	0.2	0.1	78.6	39.6
.3		4.2	2.1	0.2	0.1	78.6	39.6
.4		4.2	2.1	0.2	0.1	78.6	39.6
.5		4.2	2.1	0.2	0.1	78.6	39.6
.6		4.2	2.1	0.3	0.1	78.6	39.6
.7		4.2	2.1	0.3	0.1	78.6	39.6
.8		4.3	2.1	0.3	0.1	78.5	39.6
.9		4.3	2.2	0.3	0.2	78.5	39.6
1182.0		4.3	2.2	0.3	0.2	78.5	39.6
.1		4.3	2.2	0.3	0.2	78.5	39.6
.2		4.3	2.2	0.3	0.2	78.5	39.6
.3		4.3	2.2	0.4	0.2	78.5	39.6
.4		4.3	2.2	0.4	0.2	78.5	39.6
.5		4.4	2.2	0.4	0.2	78.4	39.5
.6		4.4	2.2	0.4	0.2	78.4	39.5
.7		4.4	2.2	0.4	0.2	78.4	39.5
.8		4.4	2.2	0.4	0.2	78.4	39.5
.9		4.4	2.2	0.4	0.2	78.4	39.5
1183.0		4.4	2.2	0.5	0.2	78.4	39.5
.1		4.4	2.2	0.5	0.2	78.4	39.5
.2		4.5	2.2	0.5	0.2	78.3	39.5
.3		4.5	2.3	0.5	0.3	78.3	39.5
.4		4.5	2.3	0.5	0.3	78.3	39.5
.5		4.5	2.3	0.5	0.3	78.3	39.5
.6		4.5	2.3	0.5	0.3	78.3	39.5
.7		4.5	2.3	0.6	0.3	78.3	39.5
.8		4.5	2.3	0.6	0.3	78.3	39.5
.9		4.6	2.3	0.6	0.3	78.2	39.4
1184.0		4.6	2.3	0.6	0.3	78.2	39.4
.1		4.6	2.3	0.6	0.3	78.2	39.4
.2		4.6	2.3	0.6	0.3	78.2	39.4
.3		4.6	2.3	0.6	0.3	78.2	39.4
.4		4.6	2.3	0.7	0.3	78.2	39.4
.5		4.6	2.3	0.7	0.3	78.2	39.4
.6		4.7	2.3	0.7	0.3	78.1	39.4
.7		4.7	2.4	0.7	0.4	78.1	39.4
.8		4.7	2.4	0.7	0.4	78.1	39.4
.9		4.7	2.4	0.7	0.4	78.1	39.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1185.0	4.7	2.4	0.7	0.4	78.1	39.4
.1	4.7	2.4	0.8	0.4	78.1	39.4
.2	4.7	2.4	0.8	0.4	78.1	39.4
.3	4.8	2.4	0.8	0.4	78.0	39.3
.4	4.8	2.4	0.8	0.4	78.0	39.3
.5	4.8	2.4	0.8	0.4	78.0	39.3
.6	4.8	2.4	0.8	0.4	78.0	39.3
.7	4.8	2.4	0.8	0.4	78.0	39.3
.8	4.8	2.4	0.9	0.4	78.0	39.3
.9	4.8	2.4	0.9	0.4	78.0	39.3
1186.0	4.9	2.4	0.9	0.4	77.9	39.3
.1	4.9	2.5	0.9	0.5	77.9	39.3
.2	4.9	2.5	0.9	0.5	77.9	39.3
.3	4.9	2.5	0.9	0.5	77.9	39.3
.4	4.9	2.5	0.9	0.5	77.9	39.3
.5	4.9	2.5	1.0	0.5	77.9	39.3
.6	4.9	2.5	1.0	0.5	77.9	39.3
.7	5.0	2.5	1.0	0.5	77.8	39.2
.8	5.0	2.5	1.0	0.5	77.8	39.2
.9	5.0	2.5	1.0	0.5	77.8	39.2
1187.0	5.0	2.5	1.0	0.5	77.8	39.2
.1	5.0	2.5	1.0	0.5	77.8	39.2
.2	5.0	2.5	1.1	0.5	77.8	39.2
.3	5.1	2.5	1.1	0.5	77.7	39.2
.4	5.1	2.6	1.1	0.6	77.7	39.2
.5	5.1	2.6	1.1	0.6	77.7	39.2
.6	5.1	2.6	1.1	0.6	77.7	39.2
.7	5.1	2.6	1.1	0.6	77.7	39.2
.8	5.1	2.6	1.2	0.6	77.7	39.2
.9	5.2	2.6	1.2	0.6	77.6	39.1
1188.0	5.2	2.6	1.2	0.6	77.6	39.1
.1	5.2	2.6	1.2	0.6	77.6	39.1
.2	5.2	2.6	1.2	0.6	77.6	39.1
.3	5.2	2.6	1.3	0.6	77.6	39.1
.4	5.2	2.6	1.3	0.6	77.6	39.1
.5	5.3	2.7	1.3	0.6	77.5	39.1
.6	5.3	2.7	1.3	0.7	77.5	39.1
.7	5.3	2.7	1.3	0.7	77.5	39.1
.8	5.3	2.7	1.3	0.7	77.5	39.1
.9	5.3	2.7	1.4	0.7	77.5	39.1
1189.0	5.3	2.7	1.4	0.7	77.5	39.1
.1	5.4	2.7	1.4	0.7	77.4	39.0
.2	5.4	2.7	1.4	0.7	77.4	39.0
.3	5.4	2.7	1.4	0.7	77.4	39.0
.4	5.4	2.7	1.4	0.7	77.4	39.0
.5	5.4	2.7	1.5	0.7	77.4	39.0
.6	5.4	2.7	1.5	0.7	77.4	39.0
.7	5.5	2.8	1.5	0.8	77.3	39.0
.8	5.5	2.8	1.5	0.8	77.3	39.0
.9	5.5	2.8	1.5	0.8	77.3	39.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1190.0	5.5	2.8	1.5	0.8	77.3	39.0
.1	5.5	2.8	1.6	0.8	77.3	39.0
.2	5.6	2.8	1.6	0.8	77.2	38.9
.3	5.6	2.8	1.6	0.8	77.2	38.9
.4	5.6	2.8	1.6	0.8	77.2	38.9
.5	5.6	2.8	1.6	0.8	77.2	38.9
.6	5.6	2.8	1.6	0.8	77.2	38.9
.7	5.6	2.8	1.7	0.8	77.2	38.9
.8	5.7	2.9	1.7	0.8	77.1	38.9
.9	5.7	2.9	1.7	0.9	77.1	38.9
1191.0	5.7	2.9	1.7	0.9	77.1	38.9
.1	5.7	2.9	1.7	0.9	77.1	38.9
.2	5.7	2.9	1.8	0.9	77.1	38.9
.3	5.7	2.9	1.8	0.9	77.1	38.9
.4	5.8	2.9	1.8	0.9	77.0	38.8
.5	5.8	2.9	1.8	0.9	77.0	38.8
.6	5.8	2.9	1.8	0.9	77.0	38.8
.7	5.8	2.9	1.8	0.9	77.0	38.8
.8	5.8	2.9	1.9	0.9	77.0	38.8
.9	5.8	2.9	1.9	0.9	77.0	38.8
1192.0	5.9	3.0	1.9	1.0	76.9	38.8
.1	5.9	3.0	1.9	1.0	76.9	38.8
.2	5.9	3.0	1.9	1.0	76.9	38.8
.3	5.9	3.0	1.9	1.0	76.9	38.8
.4	5.9	3.0	2.0	1.0	76.9	38.8
.5	5.9	3.0	2.0	1.0	76.9	38.7
.6	6.0	3.0	2.0	1.0	76.8	38.7
.7	6.0	3.0	2.0	1.0	76.8	38.7
.8	6.0	3.0	2.0	1.0	76.8	38.7
.9	6.0	3.0	2.0	1.0	76.8	38.7
1193.0	6.0	3.0	2.1	1.0	76.8	38.7
.1	6.1	3.1	2.1	1.0	76.7	38.7
.2	6.1	3.1	2.1	1.1	76.7	38.7
.3	6.1	3.1	2.1	1.1	76.7	38.7
.4	6.1	3.1	2.1	1.1	76.7	38.7
.5	6.1	3.1	2.1	1.1	76.7	38.7
.6	6.1	3.1	2.2	1.1	76.7	38.7
.7	6.2	3.1	2.2	1.1	76.6	38.6
.8	6.2	3.1	2.2	1.1	76.6	38.6
.9	6.2	3.1	2.2	1.1	76.6	38.6
1194.0	6.2	3.1	2.2	1.1	76.6	38.6
.1	6.2	3.1	2.3	1.1	76.6	38.6
.2	6.2	3.1	2.3	1.1	76.6	38.6
.3	6.3	3.2	2.3	1.2	76.5	38.6
.4	6.3	3.2	2.3	1.2	76.5	38.6
.5	6.3	3.2	2.3	1.2	76.5	38.6
.6	6.3	3.2	2.3	1.2	76.5	38.6
.7	6.3	3.2	2.4	1.2	76.5	38.6
.8	6.3	3.2	2.4	1.2	76.5	38.5
.9	6.4	3.2	2.4	1.2	76.4	38.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1195.0	6.4	3.2	2.4	1.2	76.4	38.5
.1	6.4	3.2	2.4	1.2	76.4	38.5
.2	6.4	3.2	2.4	1.2	76.4	38.5
.3	6.4	3.2	2.5	1.2	76.4	38.5
.4	6.4	3.3	2.5	1.2	76.4	38.5
.5	6.5	3.3	2.5	1.3	76.3	38.5
.6	6.5	3.3	2.5	1.3	76.3	38.5
.7	6.5	3.3	2.5	1.3	76.3	38.5
.8	6.5	3.3	2.5	1.3	76.3	38.5
.9	6.5	3.3	2.6	1.3	76.3	38.5
1196.0	6.6	3.3	2.6	1.3	76.2	38.4
.1	6.6	3.3	2.6	1.3	76.2	38.4
.2	6.6	3.3	2.6	1.3	76.2	38.4
.3	6.6	3.3	2.6	1.3	76.2	38.4
.4	6.6	3.3	2.6	1.3	76.2	38.4
.5	6.6	3.3	2.7	1.3	76.2	38.4
.6	6.7	3.4	2.7	1.4	76.1	38.4
.7	6.7	3.4	2.7	1.4	76.1	38.4
.8	6.7	3.4	2.7	1.4	76.1	38.4
.9	6.7	3.4	2.7	1.4	76.1	38.4
1197.0	6.7	3.4	2.8	1.4	76.1	38.4
.1	6.7	3.4	2.8	1.4	76.1	38.3
.2	6.8	3.4	2.8	1.4	76.0	38.3
.3	6.8	3.4	2.8	1.4	76.0	38.3
.4	6.8	3.4	2.8	1.4	76.0	38.3
.5	6.8	3.4	2.8	1.4	76.0	38.3
.6	6.8	3.4	2.9	1.4	76.0	38.3
.7	6.8	3.5	2.9	1.4	76.0	38.3
.8	6.9	3.5	2.9	1.5	75.9	38.3
.9	6.9	3.5	2.9	1.5	75.9	38.3
1198.0	6.9	3.5	2.9	1.5	75.9	38.3
.1	6.9	3.5	2.9	1.5	75.9	38.3
.2	6.9	3.5	3.0	1.5	75.9	38.3
.3	6.9	3.5	3.0	1.5	75.9	38.2
.4	7.0	3.5	3.0	1.5	75.8	38.2
.5	7.0	3.5	3.0	1.5	75.8	38.2
.6	7.0	3.5	3.0	1.5	75.8	38.2
.7	7.0	3.5	3.0	1.5	75.8	38.2
.8	7.0	3.5	3.1	1.5	75.8	38.2
.9	7.1	3.6	3.1	1.6	75.7	38.2
1199.0	7.1	3.6	3.1	1.6	75.7	38.2
.1	7.1	3.6	3.1	1.6	75.7	38.2
.2	7.1	3.6	3.1	1.6	75.7	38.2
.3	7.1	3.6	3.1	1.6	75.7	38.2
.4	7.1	3.6	3.2	1.6	75.7	38.1
.5	7.2	3.6	3.2	1.6	75.6	38.1
.6	7.2	3.6	3.2	1.6	75.6	38.1
.7	7.2	3.6	3.2	1.6	75.6	38.1
.8	7.2	3.6	3.2	1.6	75.6	38.1
.9	7.2	3.6	3.3	1.6	75.6	38.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1200.0	7.2	3.7	3.3	1.6	75.6	38.1
.1	7.3	3.7	3.3	1.7	75.5	38.1
.2	7.3	3.7	3.3	1.7	75.5	38.1
.3	7.3	3.7	3.3	1.7	75.5	38.1
.4	7.3	3.7	3.3	1.7	75.5	38.1
.5	7.3	3.7	3.4	1.7	75.5	38.1
.6	7.3	3.7	3.4	1.7	75.5	38.0
.7	7.4	3.7	3.4	1.7	75.4	38.0
.8	7.4	3.7	3.4	1.7	75.4	38.0
.9	7.4	3.7	3.4	1.7	75.4	38.0
1201.0	7.4	3.7	3.4	1.7	75.4	38.0
.1	7.4	3.7	3.5	1.7	75.4	38.0
.2	7.4	3.8	3.5	1.8	75.4	38.0
.3	7.5	3.8	3.5	1.8	75.3	38.0
.4	7.5	3.8	3.5	1.8	75.3	38.0
.5	7.5	3.8	3.5	1.8	75.3	38.0
.6	7.5	3.8	3.5	1.8	75.3	38.0
.7	7.5	3.8	3.6	1.8	75.3	37.9
.8	7.6	3.8	3.6	1.8	75.2	37.9
.9	7.6	3.8	3.6	1.8	75.2	37.9
1202.0	7.6	3.8	3.6	1.8	75.2	37.9
.1	7.6	3.8	3.6	1.8	75.2	37.9
.2	7.6	3.8	3.6	1.8	75.2	37.9
.3	7.6	3.9	3.7	1.9	75.2	37.9
.4	7.7	3.9	3.7	1.9	75.1	37.9
.5	7.7	3.9	3.7	1.9	75.1	37.9
.6	7.7	3.9	3.7	1.9	75.1	37.9
.7	7.7	3.9	3.7	1.9	75.1	37.9
.8	7.7	3.9	3.8	1.9	75.1	37.9
.9	7.7	3.9	3.8	1.9	75.1	37.8
1203.0	7.8	3.9	3.8	1.9	75.0	37.8
.1	7.8	3.9	3.8	1.9	75.0	37.8
.2	7.8	3.9	3.8	1.9	75.0	37.8
.3	7.8	3.9	3.8	1.9	75.0	37.8
.4	7.8	3.9	3.9	1.9	75.0	37.8
.5	7.8	4.0	3.9	2.0	75.0	37.8
.6	7.9	4.0	3.9	2.0	74.9	37.8
.7	7.9	4.0	3.9	2.0	74.9	37.8
.8	7.9	4.0	3.9	2.0	74.9	37.8
.9	7.9	4.0	3.9	2.0	74.9	37.8
1204.0	7.9	4.0	4.0	2.0	74.9	37.7
.1	7.9	4.0	4.0	2.0	74.9	37.7
.2	8.0	4.0	4.0	2.0	74.8	37.7
.3	8.0	4.0	4.0	2.0	74.8	37.7
.4	8.0	4.0	4.0	2.0	74.8	37.7
.5	8.0	4.0	4.0	2.0	74.8	37.7
.6	8.0	4.1	4.1	2.0	74.8	37.7
.7	8.1	4.1	4.1	2.1	74.7	37.7
.8	8.1	4.1	4.1	2.1	74.7	37.7
.9	8.1	4.1	4.1	2.1	74.7	37.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1205.0	8.1	4.1	4.1	2.1	74.7	37.7
.1	8.1	4.1	4.1	2.1	74.7	37.7
.2	8.1	4.1	4.2	2.1	74.7	37.6
.3	8.2	4.1	4.2	2.1	74.6	37.6
.4	8.2	4.1	4.2	2.1	74.6	37.6
.5	8.2	4.1	4.2	2.1	74.6	37.6
.6	8.2	4.1	4.2	2.1	74.6	37.6
.7	8.2	4.1	4.3	2.1	74.6	37.6
.8	8.2	4.2	4.3	2.2	74.6	37.6
.9	8.3	4.2	4.3	2.2	74.5	37.6
1206.0	8.3	4.2	4.3	2.2	74.5	37.6
.1	8.3	4.2	4.3	2.2	74.5	37.6
.2	8.3	4.2	4.3	2.2	74.5	37.6
.3	8.3	4.2	4.4	2.2	74.5	37.5
.4	8.3	4.2	4.4	2.2	74.5	37.5
.5	8.4	4.2	4.4	2.2	74.4	37.5
.6	8.4	4.2	4.4	2.2	74.4	37.5
.7	8.4	4.2	4.4	2.2	74.4	37.5
.8	8.4	4.2	4.4	2.2	74.4	37.5
.9	8.4	4.3	4.5	2.2	74.4	37.5
1207.0	8.4	4.3	4.5	2.3	74.4	37.5
.1	8.5	4.3	4.5	2.3	74.3	37.5
.2	8.5	4.3	4.5	2.3	74.3	37.5
.3	8.5	4.3	4.5	2.3	74.3	37.5
.4	8.5	4.3	4.5	2.3	74.3	37.5
.5	8.5	4.3	4.6	2.3	74.3	37.4
.6	8.6	4.3	4.6	2.3	74.2	37.4
.7	8.6	4.3	4.6	2.3	74.2	37.4
.8	8.6	4.3	4.6	2.3	74.2	37.4
.9	8.6	4.3	4.6	2.3	74.2	37.4
1208.0	8.6	4.3	4.6	2.3	74.2	37.4
.1	8.6	4.4	4.7	2.4	74.2	37.4
.2	8.7	4.4	4.7	2.4	74.1	37.4
.3	8.7	4.4	4.7	2.4	74.1	37.4
.4	8.7	4.4	4.7	2.4	74.1	37.4
.5	8.7	4.4	4.7	2.4	74.1	37.4
.6	8.7	4.4	4.8	2.4	74.1	37.3
.7	8.7	4.4	4.8	2.4	74.1	37.3
.8	8.8	4.4	4.8	2.4	74.0	37.3
.9	8.8	4.4	4.8	2.4	74.0	37.3
1209.0	8.8	4.4	4.8	2.4	74.0	37.3
.1	8.8	4.4	4.8	2.4	74.0	37.3
.2	8.8	4.5	4.9	2.4	74.0	37.3
.3	8.8	4.5	4.9	2.5	74.0	37.3
.4	8.9	4.5	4.9	2.5	73.9	37.3
.5	8.9	4.5	4.9	2.5	73.9	37.3
.6	8.9	4.5	4.9	2.5	73.9	37.3
.7	8.9	4.5	4.9	2.5	73.9	37.3
.8	8.9	4.5	5.0	2.5	73.9	37.2
.9	8.9	4.5	5.0	2.5	73.9	37.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1210.0	9.0	4.5	5.0	2.5	73.8	37.2
.1	9.0	4.5	5.0	2.5	73.8	37.2
.2	9.0	4.5	5.0	2.5	73.8	37.2
.3	9.0	4.5	5.0	2.5	73.8	37.2
.4	9.0	4.6	5.1	2.6	73.8	37.2
.5	9.1	4.6	5.1	2.6	73.7	37.2
.6	9.1	4.6	5.1	2.6	73.7	37.2
.7	9.1	4.6	5.1	2.6	73.7	37.2
.8	9.1	4.6	5.1	2.6	73.7	37.2
.9	9.1	4.6	5.1	2.6	73.7	37.1
1211.0	9.1	4.6	5.2	2.6	73.7	37.1
.1	9.2	4.6	5.2	2.6	73.6	37.1
.2	9.2	4.6	5.2	2.6	73.6	37.1
.3	9.2	4.6	5.2	2.6	73.6	37.1
.4	9.2	4.6	5.2	2.6	73.6	37.1
.5	9.2	4.7	5.3	2.6	73.6	37.1
.6	9.2	4.7	5.3	2.7	73.6	37.1
.7	9.3	4.7	5.3	2.7	73.5	37.1
.8	9.3	4.7	5.3	2.7	73.5	37.1
.9	9.3	4.7	5.3	2.7	73.5	37.1
1212.0	9.3	4.7	5.3	2.7	73.5	37.1
.1	9.3	4.7	5.4	2.7	73.5	37.0
.2	9.3	4.7	5.4	2.7	73.5	37.0
.3	9.4	4.7	5.4	2.7	73.4	37.0
.4	9.4	4.7	5.4	2.7	73.4	37.0
.5	9.4	4.7	5.4	2.7	73.4	37.0
.6	9.4	4.7	5.4	2.7	73.4	37.0
.7	9.4	4.8	5.5	2.8	73.4	37.0
.8	9.4	4.8	5.5	2.8	73.4	37.0
.9	9.5	4.8	5.5	2.8	73.3	37.0
1213.0	9.5	4.8	5.5	2.8	73.3	37.0
.1	9.5	4.8	5.5	2.8	73.3	37.0
.2	9.5	4.8	5.5	2.8	73.3	36.9
.3	9.5	4.8	5.6	2.8	73.3	36.9
.4	9.6	4.8	5.6	2.8	73.2	36.9
.5	9.6	4.8	5.6	2.8	73.2	36.9
.6	9.6	4.8	5.6	2.8	73.2	36.9
.7	9.6	4.8	5.6	2.8	73.2	36.9
.8	9.6	4.9	5.6	2.8	73.2	36.9
.9	9.6	4.9	5.7	2.9	73.2	36.9
1214.0	9.7	4.9	5.7	2.9	73.1	36.9
.1	9.7	4.9	5.7	2.9	73.1	36.9
.2	9.7	4.9	5.7	2.9	73.1	36.9
.3	9.7	4.9	5.7	2.9	73.1	36.9
.4	9.7	4.9	5.8	2.9	73.1	36.8
.5	9.7	4.9	5.8	2.9	73.1	36.8
.6	9.8	4.9	5.8	2.9	73.0	36.8
.7	9.8	4.9	5.8	2.9	73.0	36.8
.8	9.8	4.9	5.8	2.9	73.0	36.8
.9	9.8	4.9	5.8	2.9	73.0	36.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1215.0	9.8	5.0	5.9	3.0	73.0	36.8
.1	9.8	5.0	5.9	3.0	73.0	36.8
.2	9.9	5.0	5.9	3.0	72.9	36.8
.3	9.9	5.0	5.9	3.0	72.9	36.8
.4	9.9	5.0	5.9	3.0	72.9	36.8
.5	9.9	5.0	5.9	3.0	72.9	36.7
.6	9.9	5.0	6.0	3.0	72.9	36.7
.7	9.9	5.0	6.0	3.0	72.9	36.7
.8	10.0	5.0	6.0	3.0	72.8	36.7
.9	10.0	5.0	6.0	3.0	72.8	36.7
1216.0	10.0	5.0	6.0	3.0	72.8	36.7
.1	10.0	5.1	6.1	3.1	72.8	36.7
.2	10.1	5.1	6.1	3.1	72.7	36.7
.3	10.1	5.1	6.1	3.1	72.7	36.7
.4	10.1	5.1	6.1	3.1	72.7	36.6
.5	10.1	5.1	6.2	3.1	72.7	36.6
.6	10.2	5.1	6.2	3.1	72.6	36.6
.7	10.2	5.1	6.2	3.1	72.6	36.6
.8	10.2	5.2	6.3	3.2	72.6	36.6
.9	10.3	5.2	6.3	3.2	72.5	36.6
1217.0	10.3	5.2	6.3	3.2	72.5	36.6
.1	10.3	5.2	6.3	3.2	72.5	36.5
.2	10.3	5.2	6.4	3.2	72.5	36.5
.3	10.4	5.2	6.4	3.2	72.4	36.5
.4	10.4	5.2	6.4	3.2	72.4	36.5
.5	10.4	5.3	6.4	3.2	72.4	36.5
.6	10.4	5.3	6.5	3.3	72.4	36.5
.7	10.5	5.3	6.5	3.3	72.3	36.5
.8	10.5	5.3	6.5	3.3	72.3	36.5
.9	10.5	5.3	6.6	3.3	72.3	36.4
1218.0	10.6	5.3	6.6	3.3	72.2	36.4
.1	10.6	5.3	6.6	3.3	72.2	36.4
.2	10.6	5.3	6.6	3.3	72.2	36.4
.3	10.6	5.4	6.7	3.4	72.2	36.4
.4	10.7	5.4	6.7	3.4	72.1	36.4
.5	10.7	5.4	6.7	3.4	72.1	36.4
.6	10.7	5.4	6.8	3.4	72.1	36.3
.7	10.7	5.4	6.8	3.4	72.1	36.3
.8	10.8	5.4	6.8	3.4	72.0	36.3
.9	10.8	5.4	6.8	3.4	72.0	36.3
1219.0	10.8	5.5	6.9	3.5	72.0	36.3
.1	10.9	5.5	6.9	3.5	71.9	36.3
.2	10.9	5.5	6.9	3.5	71.9	36.3
.3	10.9	5.5	6.9	3.5	71.9	36.2
.4	10.9	5.5	7.0	3.5	71.9	36.2
.5	11.0	5.5	7.0	3.5	71.8	36.2
.6	11.0	5.5	7.0	3.5	71.8	36.2
.7	11.0	5.6	7.1	3.6	71.8	36.2
.8	11.1	5.6	7.1	3.6	71.7	36.2
.9	11.1	5.6	7.1	3.6	71.7	36.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1220.0	11.1	5.6	7.1	3.6	71.7	36.1
.1	11.1	5.6	7.2	3.6	71.7	36.1
.2	11.2	5.6	7.2	3.6	71.6	36.1
.3	11.2	5.6	7.2	3.6	71.6	36.1
.4	11.2	5.7	7.3	3.7	71.6	36.1
.5	11.3	5.7	7.3	3.7	71.6	36.1
.6	11.3	5.7	7.3	3.7	71.5	36.1
.7	11.3	5.7	7.3	3.7	71.5	36.0
.8	11.3	5.7	7.4	3.7	71.5	36.0
.9	11.4	5.7	7.4	3.7	71.4	36.0
1221.0	11.4	5.7	7.4	3.7	71.4	36.0
.1	11.4	5.8	7.4	3.8	71.4	36.0
.2	11.4	5.8	7.5	3.8	71.4	36.0
.3	11.5	5.8	7.5	3.8	71.3	36.0
.4	11.5	5.8	7.5	3.8	71.3	35.9
.5	11.5	5.8	7.6	3.8	71.3	35.9
.6	11.6	5.8	7.6	3.8	71.2	35.9
.7	11.6	5.8	7.6	3.8	71.2	35.9
.8	11.6	5.9	7.6	3.9	71.2	35.9
.9	11.6	5.9	7.7	3.9	71.2	35.9
1222.0	11.7	5.9	7.7	3.9	71.1	35.9
.1	11.7	5.9	7.7	3.9	71.1	35.8
.2	11.7	5.9	7.8	3.9	71.1	35.8
.3	11.8	5.9	7.8	3.9	71.0	35.8
.4	11.8	5.9	7.8	3.9	71.0	35.8
.5	11.8	6.0	7.8	3.9	71.0	35.8
.6	11.8	6.0	7.9	4.0	71.0	35.8
.7	11.9	6.0	7.9	4.0	70.9	35.8
.8	11.9	6.0	7.9	4.0	70.9	35.8
.9	11.9	6.0	7.9	4.0	70.9	35.7
1223.0	11.9	6.0	8.0	4.0	70.9	35.7
.1	12.0	6.0	8.0	4.0	70.8	35.7
.2	12.0	6.0	8.0	4.0	70.8	35.7
.3	12.0	6.1	8.1	4.1	70.8	35.7
.4	12.1	6.1	8.1	4.1	70.7	35.7
.5	12.1	6.1	8.1	4.1	70.7	35.7
.6	12.1	6.1	8.1	4.1	70.7	35.6
.7	12.1	6.1	8.2	4.1	70.7	35.6
.8	12.2	6.1	8.2	4.1	70.6	35.6
.9	12.2	6.1	8.2	4.1	70.6	35.6
1224.0	12.2	6.2	8.3	4.2	70.6	35.6
.1	12.2	6.2	8.3	4.2	70.6	35.6
.2	12.3	6.2	8.3	4.2	70.5	35.6
.3	12.3	6.2	8.3	4.2	70.5	35.5
.4	12.3	6.2	8.4	4.2	70.5	35.5
.5	12.4	6.2	8.4	4.2	70.4	35.5
.6	12.4	6.2	8.4	4.2	70.4	35.5
.7	12.4	6.3	8.4	4.3	70.4	35.5
.8	12.4	6.3	8.5	4.3	70.4	35.5
.9	12.5	6.3	8.5	4.3	70.3	35.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1225.0	12.5	6.3	8.5	4.3	70.3	35.4
.1	12.5	6.3	8.6	4.3	70.3	35.4
.2	12.6	6.3	8.6	4.3	70.2	35.4
.3	12.6	6.3	8.6	4.3	70.2	35.4
.4	12.6	6.4	8.6	4.4	70.2	35.4
.5	12.6	6.4	8.7	4.4	70.2	35.4
.6	12.7	6.4	8.7	4.4	70.1	35.4
.7	12.7	6.4	8.7	4.4	70.1	35.3
.8	12.7	6.4	8.8	4.4	70.1	35.3
.9	12.8	6.4	8.8	4.4	70.0	35.3
1226.0	12.8	6.4	8.8	4.4	70.0	35.3
.1	12.8	6.5	8.8	4.5	70.0	35.3
.2	12.8	6.5	8.9	4.5	70.0	35.3
.3	12.9	6.5	8.9	4.5	69.9	35.3
.4	12.9	6.5	8.9	4.5	69.9	35.2
.5	12.9	6.5	8.9	4.5	69.9	35.2
.6	12.9	6.5	9.0	4.5	69.9	35.2
.7	13.0	6.5	9.0	4.5	69.8	35.2
.8	13.0	6.6	9.0	4.6	69.8	35.2
.9	13.0	6.6	9.1	4.6	69.8	35.2
1227.0	13.1	6.6	9.1	4.6	69.7	35.2
.1	13.1	6.6	9.1	4.6	69.7	35.1
.2	13.1	6.6	9.1	4.6	69.7	35.1
.3	13.1	6.6	9.2	4.6	69.7	35.1
.4	13.2	6.6	9.2	4.6	69.6	35.1
.5	13.2	6.7	9.2	4.7	69.6	35.1
.6	13.2	6.7	9.3	4.7	69.6	35.1
.7	13.2	6.7	9.3	4.7	69.6	35.1
.8	13.3	6.7	9.3	4.7	69.5	35.1
.9	13.3	6.7	9.3	4.7	69.5	35.0
1228.0	13.3	6.7	9.4	4.7	69.5	35.0
.1	13.4	6.7	9.4	4.7	69.4	35.0
.2	13.4	6.8	9.4	4.7	69.4	35.0
.3	13.4	6.8	9.4	4.8	69.4	35.0
.4	13.4	6.8	9.5	4.8	69.4	35.0
.5	13.5	6.8	9.5	4.8	69.3	35.0
.6	13.5	6.8	9.5	4.8	69.3	34.9
.7	13.5	6.8	9.6	4.8	69.3	34.9
.8	13.6	6.8	9.6	4.8	69.2	34.9
.9	13.6	6.8	9.6	4.8	69.2	34.9
1229.0	13.6	6.9	9.6	4.9	69.2	34.9
.1	13.6	6.9	9.7	4.9	69.2	34.9
.2	13.7	6.9	9.7	4.9	69.1	34.9
.3	13.7	6.9	9.7	4.9	69.1	34.8
.4	13.7	6.9	9.8	4.9	69.1	34.8
.5	13.8	6.9	9.8	4.9	69.1	34.8
.6	13.8	6.9	9.8	4.9	69.0	34.8
.7	13.8	7.0	9.8	5.0	69.0	34.8
.8	13.8	7.0	9.9	5.0	69.0	34.8
.9	13.9	7.0	9.9	5.0	68.9	34.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1230.0	13.9	7.0	9.9	5.0	68.9	34.7
.1	13.9	7.0	9.9	5.0	68.9	34.7
.2	13.9	7.0	10.0	5.0	68.9	34.7
.3	14.0	7.0	10.0	5.0	68.8	34.7
.4	14.0	7.1	10.0	5.1	68.8	34.7
.5	14.0	7.1	10.1	5.1	68.8	34.7
.6	14.1	7.1	10.1	5.1	68.7	34.7
.7	14.1	7.1	10.1	5.1	68.7	34.6
.8	14.1	7.1	10.1	5.1	68.7	34.6
.9	14.1	7.1	10.2	5.1	68.7	34.6
1231.0	14.2	7.1	10.2	5.1	68.6	34.6
.1	14.2	7.2	10.2	5.2	68.6	34.6
.2	14.2	7.2	10.3	5.2	68.6	34.6
.3	14.3	7.2	10.3	5.2	68.5	34.6
.4	14.3	7.2	10.3	5.2	68.5	34.5
.5	14.3	7.2	10.3	5.2	68.5	34.5
.6	14.3	7.2	10.4	5.2	68.5	34.5
.7	14.4	7.2	10.4	5.2	68.4	34.5
.8	14.4	7.3	10.4	5.3	68.4	34.5
.9	14.4	7.3	10.4	5.3	68.4	34.5
1232.0	14.4	7.3	10.5	5.3	68.4	34.5
.1	14.5	7.3	10.5	5.3	68.3	34.4
.2	14.5	7.3	10.5	5.3	68.3	34.4
.3	14.5	7.3	10.6	5.3	68.3	34.4
.4	14.6	7.3	10.6	5.3	68.2	34.4
.5	14.6	7.4	10.6	5.4	68.2	34.4
.6	14.6	7.4	10.6	5.4	68.2	34.4
.7	14.6	7.4	10.7	5.4	68.2	34.4
.8	14.7	7.4	10.7	5.4	68.1	34.4
.9	14.7	7.4	10.7	5.4	68.1	34.3
1233.0	14.7	7.4	10.8	5.4	68.1	34.3
.1	14.7	7.4	10.8	5.4	68.1	34.3
.2	14.8	7.5	10.8	5.4	68.0	34.3
.3	14.8	7.5	10.8	5.5	68.0	34.3
.4	14.8	7.5	10.9	5.5	68.0	34.3
.5	14.9	7.5	10.9	5.5	67.9	34.3
.6	14.9	7.5	10.9	5.5	67.9	34.2
.7	14.9	7.5	10.9	5.5	67.9	34.2
.8	14.9	7.5	11.0	5.5	67.9	34.2
.9	15.0	7.5	11.0	5.5	67.8	34.2
1234.0	15.0	7.6	11.0	5.6	67.8	34.2
.1	15.0	7.6	11.1	5.6	67.8	34.2
.2	15.1	7.6	11.1	5.6	67.7	34.2
.3	15.1	7.6	11.1	5.6	67.7	34.1
.4	15.1	7.6	11.1	5.6	67.7	34.1
.5	15.1	7.6	11.2	5.6	67.7	34.1
.6	15.2	7.6	11.2	5.6	67.6	34.1
.7	15.2	7.7	11.2	5.7	67.6	34.1
.8	15.2	7.7	11.3	5.7	67.6	34.1
.9	15.3	7.7	11.3	5.7	67.5	34.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1235.0	15.3	7.7	11.3	5.7	67.5	34.0
.1	15.3	7.7	11.3	5.7	67.5	34.0
.2	15.3	7.7	11.4	5.7	67.5	34.0
.3	15.4	7.7	11.4	5.7	67.4	34.0
.4	15.4	7.8	11.4	5.8	67.4	34.0
.5	15.4	7.8	11.4	5.8	67.4	34.0
.6	15.4	7.8	11.5	5.8	67.4	34.0
.7	15.5	7.8	11.5	5.8	67.3	33.9
.8	15.5	7.8	11.5	5.8	67.3	33.9
.9	15.5	7.8	11.6	5.8	67.3	33.9
1236.0	15.6	7.8	11.6	5.8	67.2	33.9
.1	15.6	7.9	11.6	5.9	67.2	33.9
.2	15.6	7.9	11.6	5.9	67.2	33.9
.3	15.6	7.9	11.7	5.9	67.2	33.9
.4	15.7	7.9	11.7	5.9	67.1	33.8
.5	15.7	7.9	11.7	5.9	67.1	33.8
.6	15.7	7.9	11.8	5.9	67.1	33.8
.7	15.7	7.9	11.8	5.9	67.1	33.8
.8	15.8	8.0	11.8	6.0	67.0	33.8
.9	15.8	8.0	11.8	6.0	67.0	33.8
1237.0	15.8	8.0	11.9	6.0	67.0	33.8
.1	15.9	8.0	11.9	6.0	66.9	33.7
.2	15.9	8.0	11.9	6.0	66.9	33.7
.3	15.9	8.0	11.9	6.0	66.9	33.7
.4	15.9	8.0	12.0	6.0	66.9	33.7
.5	16.0	8.1	12.0	6.1	66.8	33.7
.6	16.0	8.1	12.0	6.1	66.8	33.7
.7	16.0	8.1	12.1	6.1	66.8	33.7
.8	16.1	8.1	12.1	6.1	66.7	33.7
.9	16.1	8.1	12.1	6.1	66.7	33.6
1238.0	16.1	8.1	12.1	6.1	66.7	33.6
.1	16.1	8.1	12.2	6.1	66.7	33.6
.2	16.2	8.2	12.2	6.1	66.6	33.6
.3	16.2	8.2	12.2	6.2	66.6	33.6
.4	16.2	8.2	12.3	6.2	66.6	33.6
.5	16.3	8.2	12.3	6.2	66.6	33.6
.6	16.3	8.2	12.3	6.2	66.5	33.5
.7	16.3	8.2	12.3	6.2	66.5	33.5
.8	16.3	8.2	12.4	6.2	66.5	33.5
.9	16.4	8.2	12.4	6.2	66.4	33.5
1239.0	16.4	8.3	12.4	6.3	66.4	33.5
.1	16.4	8.3	12.4	6.3	66.4	33.5
.2	16.4	8.3	12.5	6.3	66.4	33.5
.3	16.5	8.3	12.5	6.3	66.3	33.4
.4	16.5	8.3	12.5	6.3	66.3	33.4
.5	16.5	8.3	12.6	6.3	66.3	33.4
.6	16.6	8.3	12.6	6.3	66.2	33.4
.7	16.6	8.4	12.6	6.4	66.2	33.4
.8	16.6	8.4	12.6	6.4	66.2	33.4
.9	16.6	8.4	12.7	6.4	66.2	33.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1240.0	16.7	8.4	12.7	6.4	66.1	33.3
.1	16.7	8.4	12.7	6.4	66.1	33.3
.2	16.7	8.4	12.8	6.4	66.1	33.3
.3	16.8	8.4	12.8	6.4	66.0	33.3
.4	16.8	8.5	12.8	6.5	66.0	33.3
.5	16.8	8.5	12.8	6.5	66.0	33.3
.6	16.8	8.5	12.9	6.5	66.0	33.3
.7	16.9	8.5	12.9	6.5	65.9	33.2
.8	16.9	8.5	12.9	6.5	65.9	33.2
.9	16.9	8.5	12.9	6.5	65.9	33.2
1241.0	16.9	8.5	13.0	6.5	65.9	33.2
.1	17.0	8.6	13.0	6.6	65.8	33.2
.2	17.0	8.6	13.0	6.6	65.8	33.2
.3	17.0	8.6	13.1	6.6	65.8	33.2
.4	17.1	8.6	13.1	6.6	65.7	33.1
.5	17.1	8.6	13.1	6.6	65.7	33.1
.6	17.1	8.6	13.1	6.6	65.7	33.1
.7	17.1	8.6	13.2	6.6	65.7	33.1
.8	17.2	8.7	13.2	6.7	65.6	33.1
.9	17.2	8.7	13.2	6.7	65.6	33.1
1242.0	17.2	8.7	13.3	6.7	65.6	33.1
.1	17.2	8.7	13.3	6.7	65.6	33.0
.2	17.3	8.7	13.3	6.7	65.5	33.0
.3	17.3	8.7	13.3	6.7	65.5	33.0
.4	17.3	8.7	13.4	6.7	65.5	33.0
.5	17.4	8.8	13.4	6.8	65.4	33.0
.6	17.4	8.8	13.4	6.8	65.4	33.0
.7	17.4	8.8	13.4	6.8	65.4	33.0
.8	17.4	8.8	13.5	6.8	65.4	33.0
.9	17.5	8.8	13.5	6.8	65.3	32.9
1243.0	17.5	8.8	13.5	6.8	65.3	32.9
.1	17.5	8.8	13.6	6.8	65.3	32.9
.2	17.6	8.9	13.6	6.8	65.2	32.9
.3	17.6	8.9	13.6	6.9	65.2	32.9
.4	17.6	8.9	13.6	6.9	65.2	32.9
.5	17.6	8.9	13.7	6.9	65.2	32.9
.6	17.7	8.9	13.7	6.9	65.1	32.8
.7	17.7	8.9	13.7	6.9	65.1	32.8
.8	17.7	8.9	13.8	6.9	65.1	32.8
.9	17.8	8.9	13.8	6.9	65.0	32.8
1244.0	17.8	9.0	13.8	7.0	65.0	32.8
.1	17.8	9.0	13.8	7.0	65.0	32.8
.2	17.8	9.0	13.9	7.0	65.0	32.8
.3	17.9	9.0	13.9	7.0	64.9	32.7
.4	17.9	9.0	13.9	7.0	64.9	32.7
.5	17.9	9.0	13.9	7.0	64.9	32.7
.6	17.9	9.0	14.0	7.0	64.9	32.7
.7	18.0	9.1	14.0	7.1	64.8	32.7
.8	18.0	9.1	14.0	7.1	64.8	32.7
.9	18.0	9.1	14.1	7.1	64.8	32.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1245.0	18.1	9.1	14.1	7.1	64.7	32.6
.1	18.1	9.1	14.1	7.1	64.7	32.6
.2	18.1	9.1	14.1	7.1	64.7	32.6
.3	18.1	9.1	14.2	7.1	64.7	32.6
.4	18.2	9.2	14.2	7.2	64.6	32.6
.5	18.2	9.2	14.2	7.2	64.6	32.6
.6	18.2	9.2	14.3	7.2	64.6	32.6
.7	18.2	9.2	14.3	7.2	64.6	32.5
.8	18.3	9.2	14.3	7.2	64.5	32.5
.9	18.3	9.2	14.3	7.2	64.5	32.5
1246.0	18.3	9.2	14.4	7.2	64.5	32.5
.1	18.4	9.3	14.4	7.3	64.4	32.5
.2	18.4	9.3	14.4	7.3	64.4	32.5
.3	18.4	9.3	14.4	7.3	64.4	32.5
.4	18.4	9.3	14.5	7.3	64.4	32.4
.5	18.5	9.3	14.5	7.3	64.3	32.4
.6	18.5	9.3	14.5	7.3	64.3	32.4
.7	18.5	9.3	14.6	7.3	64.3	32.4
.8	18.6	9.4	14.6	7.4	64.2	32.4
.9	18.6	9.4	14.6	7.4	64.2	32.4
1247.0	18.6	9.4	14.6	7.4	64.2	32.4
.1	18.6	9.4	14.7	7.4	64.2	32.3
.2	18.7	9.4	14.7	7.4	64.1	32.3
.3	18.7	9.4	14.7	7.4	64.1	32.3
.4	18.7	9.4	14.8	7.4	64.1	32.3
.5	18.8	9.5	14.8	7.5	64.1	32.3
.6	18.8	9.5	14.8	7.5	64.0	32.3
.7	18.8	9.5	14.8	7.5	64.0	32.3
.8	18.8	9.5	14.9	7.5	64.0	32.2
.9	18.9	9.5	14.9	7.5	63.9	32.2
1248.0	18.9	9.5	14.9	7.5	63.9	32.2
.1	18.9	9.5	14.9	7.5	63.9	32.2
.2	18.9	9.6	15.0	7.5	63.9	32.2
.3	19.0	9.6	15.0	7.6	63.8	32.2
.4	19.0	9.6	15.0	7.6	63.8	32.2
.5	19.0	9.6	15.1	7.6	63.8	32.2
.6	19.1	9.6	15.1	7.6	63.7	32.1
.7	19.1	9.6	15.1	7.6	63.7	32.1
.8	19.1	9.6	15.1	7.6	63.7	32.1
.9	19.1	9.6	15.2	7.6	63.7	32.1
1249.0	19.2	9.7	15.2	7.7	63.6	32.1
.1	19.2	9.7	15.2	7.7	63.6	32.1
.2	19.2	9.7	15.3	7.7	63.6	32.1
.3	19.3	9.7	15.3	7.7	63.5	32.0
.4	19.3	9.7	15.3	7.7	63.5	32.0
.5	19.3	9.7	15.3	7.7	63.5	32.0
.6	19.3	9.7	15.4	7.7	63.5	32.0
.7	19.4	9.8	15.4	7.8	63.4	32.0
.8	19.4	9.8	15.4	7.8	63.4	32.0
.9	19.4	9.8	15.4	7.8	63.4	32.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1250.0	19.4	9.8	15.5	7.8	63.4	31.9
.1	19.5	9.8	15.5	7.8	63.3	31.9
.2	19.5	9.8	15.5	7.8	63.3	31.9
.3	19.5	9.8	15.6	7.8	63.3	31.9
.4	19.6	9.9	15.6	7.9	63.2	31.9
.5	19.6	9.9	15.6	7.9	63.2	31.9
.6	19.6	9.9	15.6	7.9	63.2	31.9
.7	19.6	9.9	15.7	7.9	63.2	31.8
.8	19.7	9.9	15.7	7.9	63.1	31.8
.9	19.7	9.9	15.7	7.9	63.1	31.8
1251.0	19.7	9.9	15.8	7.9	63.1	31.8
.1	19.7	10.0	15.8	8.0	63.1	31.8
.2	19.8	10.0	15.8	8.0	63.0	31.8
.3	19.8	10.0	15.8	8.0	63.0	31.8
.4	19.8	10.0	15.9	8.0	63.0	31.7
.5	19.9	10.0	15.9	8.0	62.9	31.7
.6	19.9	10.0	15.9	8.0	62.9	31.7
.7	19.9	10.0	15.9	8.0	62.9	31.7
.8	19.9	10.1	16.0	8.1	62.9	31.7
.9	20.0	10.1	16.0	8.1	62.8	31.7
1252.0	20.0	10.1	16.0	8.1	62.8	31.7
.1	20.0	10.1	16.1	8.1	62.8	31.6
.2	20.1	10.1	16.1	8.1	62.7	31.6
.3	20.1	10.2	16.2	8.2	62.7	31.6
.4	20.2	10.2	16.2	8.2	62.6	31.6
.5	20.2	10.2	16.3	8.2	62.6	31.5
.6	20.3	10.2	16.3	8.2	62.5	31.5
.7	20.3	10.2	16.4	8.2	62.5	31.5
.8	20.4	10.3	16.4	8.3	62.4	31.5
.9	20.4	10.3	16.4	8.3	62.4	31.5
1253.0	20.5	10.3	16.5	8.3	62.3	31.4
.1	20.5	10.3	16.5	8.3	62.3	31.4
.2	20.6	10.4	16.6	8.4	62.2	31.4
.3	20.6	10.4	16.6	8.4	62.2	31.4
.4	20.7	10.4	16.7	8.4	62.1	31.3
.5	20.7	10.4	16.7	8.4	62.1	31.3
.6	20.7	10.5	16.8	8.5	62.1	31.3
.7	20.8	10.5	16.8	8.5	62.0	31.3
.8	20.8	10.5	16.9	8.5	62.0	31.2
.9	20.9	10.5	16.9	8.5	61.9	31.2
1254.0	20.9	10.6	17.0	8.6	61.9	31.2
.1	21.0	10.6	17.0	8.6	61.8	31.2
.2	21.0	10.6	17.1	8.6	61.8	31.1
.3	21.1	10.6	17.1	8.6	61.7	31.1
.4	21.1	10.6	17.1	8.6	61.7	31.1
.5	21.2	10.7	17.2	8.7	61.6	31.1
.6	21.2	10.7	17.2	8.7	61.6	31.1
.7	21.3	10.7	17.3	8.7	61.5	31.0
.8	21.3	10.7	17.3	8.7	61.5	31.0
.9	21.3	10.8	17.4	8.8	61.5	31.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1255.0	21.4	10.8	17.4	8.8	61.4	31.0
.1	21.4	10.8	17.5	8.8	61.4	30.9
.2	21.5	10.8	17.5	8.8	61.3	30.9
.3	21.5	10.9	17.6	8.9	61.3	30.9
.4	21.6	10.9	17.6	8.9	61.2	30.9
.5	21.6	10.9	17.7	8.9	61.2	30.8
.6	21.7	10.9	17.7	8.9	61.1	30.8
.7	21.7	11.0	17.7	8.9	61.1	30.8
.8	21.8	11.0	17.8	9.0	61.0	30.8
.9	21.8	11.0	17.8	9.0	61.0	30.7
1256.0	21.9	11.0	17.9	9.0	60.9	30.7
.1	21.9	11.0	17.9	9.0	60.9	30.7
.2	22.0	11.1	18.0	9.1	60.8	30.7
.3	22.0	11.1	18.0	9.1	60.8	30.7
.4	22.0	11.1	18.1	9.1	60.8	30.6
.5	22.1	11.1	18.1	9.1	60.7	30.6
.6	22.1	11.2	18.2	9.2	60.7	30.6
.7	22.2	11.2	18.2	9.2	60.6	30.6
.8	22.2	11.2	18.3	9.2	60.6	30.5
.9	22.3	11.2	18.3	9.2	60.5	30.5
1257.0	22.3	11.3	18.4	9.3	60.5	30.5
.1	22.4	11.3	18.4	9.3	60.4	30.5
.2	22.4	11.3	18.4	9.3	60.4	30.4
.3	22.5	11.3	18.5	9.3	60.3	30.4
.4	22.5	11.3	18.5	9.3	60.3	30.4
.5	22.6	11.4	18.6	9.4	60.2	30.4
.6	22.6	11.4	18.6	9.4	60.2	30.3
.7	22.7	11.4	18.7	9.4	60.1	30.3
.8	22.7	11.4	18.7	9.4	60.1	30.3
.9	22.7	11.5	18.8	9.5	60.1	30.3
1258.0	22.8	11.5	18.8	9.5	60.0	30.3
.1	22.8	11.5	18.9	9.5	60.0	30.2
.2	22.9	11.5	18.9	9.5	59.9	30.2
.3	22.9	11.6	19.0	9.6	59.9	30.2
.4	23.0	11.6	19.0	9.6	59.8	30.2
.5	23.0	11.6	19.1	9.6	59.8	30.1
.6	23.1	11.6	19.1	9.6	59.7	30.1
.7	23.1	11.7	19.1	9.7	59.7	30.1
.8	23.2	11.7	19.2	9.7	59.6	30.1
.9	23.2	11.7	19.2	9.7	59.6	30.0
1259.0	23.3	11.7	19.3	9.7	59.5	30.0
.1	23.3	11.7	19.3	9.7	59.5	30.0
.2	23.3	11.8	19.4	9.8	59.5	30.0
.3	23.4	11.8	19.4	9.8	59.4	29.9
.4	23.4	11.8	19.5	9.8	59.4	29.9
.5	23.5	11.8	19.5	9.8	59.3	29.9
.6	23.5	11.9	19.6	9.9	59.3	29.9
.7	23.6	11.9	19.6	9.9	59.2	29.9
.8	23.6	11.9	19.7	9.9	59.2	29.8
.9	23.7	11.9	19.7	9.9	59.1	29.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1260.0	23.7	12.0	19.7	10.0	59.1	29.8
.1	23.8	12.0	19.8	10.0	59.0	29.8
.2	23.8	12.0	19.8	10.0	59.0	29.7
.3	23.9	12.0	19.9	10.0	58.9	29.7
.4	23.9	12.1	19.9	10.1	58.9	29.7
.5	24.0	12.1	20.0	10.1	58.8	29.7
.6	24.0	12.1	20.0	10.1	58.8	29.6
.7	24.0	12.1	20.1	10.1	58.8	29.6
.8	24.1	12.1	20.1	10.1	58.7	29.6
.9	24.1	12.2	20.2	10.2	58.7	29.6
1261.0	24.2	12.2	20.2	10.2	58.6	29.6
.1	24.2	12.2	20.3	10.2	58.6	29.5
.2	24.3	12.2	20.3	10.2	58.5	29.5
.3	24.3	12.3	20.4	10.3	58.5	29.5
.4	24.4	12.3	20.4	10.3	58.4	29.5
.5	24.4	12.3	20.4	10.3	58.4	29.4
.6	24.5	12.3	20.5	10.3	58.3	29.4
.7	24.5	12.4	20.5	10.4	58.3	29.4
.8	24.6	12.4	20.6	10.4	58.2	29.4
.9	24.6	12.4	20.6	10.4	58.2	29.3
1262.0	24.7	12.4	20.7	10.4	58.1	29.3
.1	24.7	12.5	20.7	10.4	58.1	29.3
.2	24.7	12.5	20.8	10.5	58.1	29.3
.3	24.8	12.5	20.8	10.5	58.0	29.2
.4	24.8	12.5	20.9	10.5	58.0	29.2
.5	24.9	12.5	20.9	10.5	57.9	29.2
.6	24.9	12.6	21.0	10.6	57.9	29.2
.7	25.0	12.6	21.0	10.6	57.8	29.2
.8	25.0	12.6	21.1	10.6	57.8	29.1
.9	25.1	12.6	21.1	10.6	57.7	29.1
1263.0	25.1	12.7	21.1	10.7	57.7	29.1
.1	25.2	12.7	21.2	10.7	57.6	29.1
.2	25.2	12.7	21.2	10.7	57.6	29.0
.3	25.3	12.7	21.3	10.7	57.5	29.0
.4	25.3	12.8	21.3	10.8	57.5	29.0
.5	25.3	12.8	21.4	10.8	57.5	29.0
.6	25.4	12.8	21.4	10.8	57.4	28.9
.7	25.4	12.8	21.5	10.8	57.4	28.9
.8	25.5	12.9	21.5	10.8	57.3	28.9
.9	25.5	12.9	21.6	10.9	57.3	28.9
1264.0	25.6	12.9	21.6	10.9	57.2	28.8
.1	25.6	12.9	21.7	10.9	57.2	28.8
.2	25.7	12.9	21.7	10.9	57.1	28.8
.3	25.7	13.0	21.7	11.0	57.1	28.8
.4	25.8	13.0	21.8	11.0	57.0	28.8
.5	25.8	13.0	21.8	11.0	57.0	28.7
.6	25.9	13.0	21.9	11.0	56.9	28.7
.7	25.9	13.1	21.9	11.1	56.9	28.7
.8	26.0	13.1	22.0	11.1	56.8	28.7
.9	26.0	13.1	22.0	11.1	56.8	28.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1265.0	26.0	13.1	22.1	11.1	56.8	28.6
.1	26.1	13.2	22.1	11.2	56.7	28.6
.2	26.1	13.2	22.2	11.2	56.7	28.6
.3	26.2	13.2	22.2	11.2	56.6	28.5
.4	26.2	13.2	22.3	11.2	56.6	28.5
.5	26.3	13.2	22.3	11.2	56.5	28.5
.6	26.3	13.3	22.4	11.3	56.5	28.5
.7	26.4	13.3	22.4	11.3	56.4	28.4
.8	26.4	13.3	22.4	11.3	56.4	28.4
.9	26.5	13.3	22.5	11.3	56.3	28.4
1266.0	26.5	13.4	22.5	11.4	56.3	28.4
.1	26.6	13.4	22.6	11.4	56.2	28.4
.2	26.6	13.4	22.6	11.4	56.2	28.3
.3	26.7	13.4	22.7	11.4	56.1	28.3
.4	26.7	13.5	22.7	11.5	56.1	28.3
.5	26.7	13.5	22.8	11.5	56.1	28.3
.6	26.8	13.5	22.8	11.5	56.0	28.2
.7	26.8	13.5	22.9	11.5	56.0	28.2
.8	26.9	13.6	22.9	11.6	55.9	28.2
.9	26.9	13.6	23.0	11.6	55.9	28.2
1267.0	27.0	13.6	23.0	11.6	55.8	28.1
.1	27.0	13.6	23.1	11.6	55.8	28.1
.2	27.1	13.6	23.1	11.6	55.7	28.1
.3	27.1	13.7	23.1	11.7	55.7	28.1
.4	27.2	13.7	23.2	11.7	55.6	28.1
.5	27.2	13.7	23.2	11.7	55.6	28.0
.6	27.3	13.7	23.3	11.7	55.5	28.0
.7	27.3	13.8	23.3	11.8	55.5	28.0
.8	27.3	13.8	23.4	11.8	55.5	28.0
.9	27.4	13.8	23.4	11.8	55.4	27.9
1268.0	27.4	13.8	23.5	11.8	55.4	27.9
.1	27.5	13.9	23.5	11.9	55.3	27.9
.2	27.5	13.9	23.6	11.9	55.3	27.9
.3	27.6	13.9	23.6	11.9	55.2	27.8
.4	27.6	13.9	23.7	11.9	55.2	27.8
.5	27.7	14.0	23.7	12.0	55.1	27.8
.6	27.7	14.0	23.7	12.0	55.1	27.8
.7	27.8	14.0	23.8	12.0	55.0	27.7
.8	27.8	14.0	23.8	12.0	55.0	27.7
.9	27.9	14.0	23.9	12.0	54.9	27.7
1269.0	27.9	14.1	23.9	12.1	54.9	27.7
.1	28.0	14.1	24.0	12.1	54.8	27.7
.2	28.0	14.1	24.0	12.1	54.8	27.6
.3	28.0	14.1	24.1	12.1	54.8	27.6
.4	28.1	14.2	24.1	12.2	54.7	27.6
.5	28.1	14.2	24.2	12.2	54.7	27.6
.6	28.2	14.2	24.2	12.2	54.6	27.5
.7	28.2	14.2	24.3	12.2	54.6	27.5
.8	28.3	14.3	24.3	12.3	54.5	27.5
.9	28.3	14.3	24.4	12.3	54.5	27.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1270.0	28.4	14.3	24.4	12.3	54.4	27.4
.1	28.4	14.3	24.4	12.3	54.4	27.4
.2	28.5	14.4	24.5	12.3	54.3	27.4
.3	28.5	14.4	24.5	12.4	54.3	27.4
.4	28.6	14.4	24.6	12.4	54.2	27.3
.5	28.6	14.4	24.6	12.4	54.2	27.3
.6	28.7	14.4	24.7	12.4	54.1	27.3
.7	28.7	14.5	24.7	12.5	54.1	27.3
.8	28.7	14.5	24.8	12.5	54.1	27.3
.9	28.8	14.5	24.8	12.5	54.0	27.2
1271.0	28.8	14.5	24.9	12.5	54.0	27.2
.1	28.9	14.6	24.9	12.6	53.9	27.2
.2	28.9	14.6	25.0	12.6	53.9	27.2
.3	29.0	14.6	25.0	12.6	53.8	27.1
.4	29.0	14.6	25.1	12.6	53.8	27.1
.5	29.1	14.7	25.1	12.7	53.7	27.1
.6	29.1	14.7	25.1	12.7	53.7	27.1
.7	29.2	14.7	25.2	12.7	53.6	27.0
.8	29.2	14.7	25.2	12.7	53.6	27.0
.9	29.3	14.7	25.3	12.7	53.5	27.0
1272.0	29.3	14.8	25.3	12.8	53.5	27.0
.1	29.3	14.8	25.4	12.8	53.5	26.9
.2	29.4	14.8	25.4	12.8	53.4	26.9
.3	29.4	14.8	25.5	12.8	53.4	26.9
.4	29.5	14.9	25.5	12.9	53.3	26.9
.5	29.5	14.9	25.6	12.9	53.3	26.9
.6	29.6	14.9	25.6	12.9	53.2	26.8
.7	29.6	14.9	25.7	12.9	53.2	26.8
.8	29.7	15.0	25.7	13.0	53.1	26.8
.9	29.7	15.0	25.7	13.0	53.1	26.8
1273.0	29.8	15.0	25.8	13.0	53.0	26.7
.1	29.8	15.0	25.8	13.0	53.0	26.7
.2	29.9	15.1	25.9	13.1	52.9	26.7
.3	29.9	15.1	25.9	13.1	52.9	26.7
.4	30.0	15.1	26.0	13.1	52.8	26.6
.5	30.0	15.1	26.0	13.1	52.8	26.6
.6	30.0	15.1	26.1	13.1	52.8	26.6
.7	30.1	15.2	26.1	13.2	52.7	26.6
.8	30.1	15.2	26.2	13.2	52.7	26.5
.9	30.2	15.2	26.2	13.2	52.6	26.5
1274.0	30.2	15.2	26.3	13.2	52.6	26.5
.1	30.3	15.3	26.3	13.3	52.5	26.5
.2	30.3	15.3	26.4	13.3	52.5	26.5
.3	30.4	15.3	26.4	13.3	52.4	26.4
.4	30.4	15.3	26.4	13.3	52.4	26.4
.5	30.5	15.4	26.5	13.4	52.3	26.4
.6	30.5	15.4	26.5	13.4	52.3	26.4
.7	30.6	15.4	26.6	13.4	52.2	26.3
.8	30.6	15.4	26.6	13.4	52.2	26.3
.9	30.7	15.5	26.7	13.5	52.1	26.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1275.0	30.7	15.5	26.7	13.5	52.1	26.3
.1	30.7	15.5	26.8	13.5	52.1	26.2
.2	30.8	15.5	26.8	13.5	52.0	26.2
.3	30.8	15.5	26.9	13.5	52.0	26.2
.4	30.9	15.6	26.9	13.6	51.9	26.2
.5	30.9	15.6	27.0	13.6	51.9	26.2
.6	31.0	15.6	27.0	13.6	51.8	26.1
.7	31.0	15.6	27.1	13.6	51.8	26.1
.8	31.1	15.7	27.1	13.7	51.7	26.1
.9	31.1	15.7	27.1	13.7	51.7	26.1
1276.0	31.2	15.7	27.2	13.7	51.6	26.0
.1	31.2	15.7	27.2	13.7	51.6	26.0
.2	31.3	15.8	27.3	13.8	51.5	26.0
.3	31.3	15.8	27.3	13.8	51.5	26.0
.4	31.3	15.8	27.4	13.8	51.5	25.9
.5	31.4	15.8	27.4	13.8	51.4	25.9
.6	31.4	15.9	27.5	13.8	51.4	25.9
.7	31.5	15.9	27.5	13.9	51.3	25.9
.8	31.5	15.9	27.6	13.9	51.3	25.8
.9	31.6	15.9	27.6	13.9	51.2	25.8
1277.0	31.6	15.9	27.7	13.9	51.2	25.8
.1	31.7	16.0	27.7	14.0	51.1	25.8
.2	31.7	16.0	27.7	14.0	51.1	25.8
.3	31.8	16.0	27.8	14.0	51.0	25.7
.4	31.8	16.0	27.8	14.0	51.0	25.7
.5	31.9	16.1	27.9	14.1	50.9	25.7
.6	31.9	16.1	27.9	14.1	50.9	25.7
.7	32.0	16.1	28.0	14.1	50.8	25.6
.8	32.0	16.1	28.0	14.1	50.8	25.6
.9	32.0	16.2	28.1	14.2	50.8	25.6
1278.0	32.1	16.2	28.1	14.2	50.7	25.6
.1	32.1	16.2	28.2	14.2	50.7	25.5
.2	32.2	16.2	28.2	14.2	50.6	25.5
.3	32.2	16.3	28.3	14.2	50.6	25.5
.4	32.3	16.3	28.3	14.3	50.5	25.5
.5	32.3	16.3	28.4	14.3	50.5	25.4
.6	32.4	16.3	28.4	14.3	50.4	25.4
.7	32.4	16.3	28.4	14.3	50.4	25.4
.8	32.5	16.4	28.5	14.4	50.3	25.4
.9	32.5	16.4	28.5	14.4	50.3	25.4
1279.0	32.6	16.4	28.6	14.4	50.2	25.3
.1	32.6	16.4	28.6	14.4	50.2	25.3
.2	32.7	16.5	28.7	14.5	50.1	25.3
.3	32.7	16.5	28.7	14.5	50.1	25.3
.4	32.7	16.5	28.8	14.5	50.1	25.2
.5	32.8	16.5	28.8	14.5	50.0	25.2
.6	32.8	16.6	28.9	14.6	50.0	25.2
.7	32.9	16.6	28.9	14.6	49.9	25.2
.8	32.9	16.6	29.0	14.6	49.9	25.1
.9	33.0	16.6	29.0	14.6	49.8	25.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1280.0	33.0	16.6	29.1	14.6	49.8	25.1
.1	33.1	16.7	29.1	14.7	49.7	25.1
.2	33.1	16.7	29.1	14.7	49.7	25.0
.3	33.2	16.7	29.2	14.7	49.6	25.0
.4	33.2	16.7	29.2	14.7	49.6	25.0
.5	33.3	16.8	29.3	14.8	49.5	25.0
.6	33.3	16.8	29.3	14.8	49.5	25.0
.7	33.3	16.8	29.4	14.8	49.5	24.9
.8	33.4	16.8	29.4	14.8	49.4	24.9
.9	33.4	16.9	29.5	14.9	49.4	24.9
1281.0	33.5	16.9	29.5	14.9	49.3	24.9
.1	33.5	16.9	29.6	14.9	49.3	24.8
.2	33.6	16.9	29.6	14.9	49.2	24.8
.3	33.6	17.0	29.7	15.0	49.2	24.8
.4	33.7	17.0	29.7	15.0	49.1	24.8
.5	33.7	17.0	29.7	15.0	49.1	24.7
.6	33.8	17.0	29.8	15.0	49.0	24.7
.7	33.8	17.0	29.8	15.0	49.0	24.7
.8	33.9	17.1	29.9	15.1	48.9	24.7
.9	33.9	17.1	29.9	15.1	48.9	24.7
1282.0	34.0	17.1	30.0	15.1	48.8	24.6
.1	34.0	17.1	30.0	15.1	48.8	24.6
.2	34.0	17.2	30.1	15.2	48.8	24.6
.3	34.1	17.2	30.1	15.2	48.7	24.6
.4	34.1	17.2	30.2	15.2	48.7	24.5
.5	34.2	17.2	30.2	15.2	48.6	24.5
.6	34.2	17.3	30.3	15.3	48.6	24.5
.7	34.3	17.3	30.3	15.3	48.5	24.5
.8	34.3	17.3	30.4	15.3	48.5	24.4
.9	34.4	17.3	30.4	15.3	48.4	24.4
1283.0	34.4	17.4	30.4	15.4	48.4	24.4
.1	34.5	17.4	30.5	15.4	48.3	24.4
.2	34.5	17.4	30.5	15.4	48.3	24.3
.3	34.6	17.4	30.6	15.4	48.2	24.3
.4	34.6	17.4	30.6	15.4	48.2	24.3
.5	34.7	17.5	30.7	15.5	48.1	24.3
.6	34.7	17.5	30.7	15.5	48.1	24.3
.7	34.7	17.5	30.8	15.5	48.1	24.2
.8	34.8	17.5	30.8	15.5	48.0	24.2
.9	34.8	17.6	30.9	15.6	48.0	24.2
1284.0	34.9	17.6	30.9	15.6	47.9	24.2
.1	34.9	17.6	31.0	15.6	47.9	24.1
.2	35.0	17.6	31.0	15.6	47.8	24.1
.3	35.0	17.7	31.1	15.7	47.8	24.1
.4	35.1	17.7	31.1	15.7	47.7	24.1
.5	35.1	17.7	31.1	15.7	47.7	24.0
.6	35.2	17.7	31.2	15.7	47.6	24.0
.7	35.2	17.8	31.2	15.7	47.6	24.0
.8	35.3	17.8	31.3	15.8	47.5	24.0
.9	35.3	17.8	31.3	15.8	47.5	23.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1285.0	35.3	17.8	31.4	15.8	47.5	23.9
.1	35.4	17.8	31.4	15.8	47.4	23.9
.2	35.4	17.9	31.5	15.9	47.4	23.9
.3	35.5	17.9	31.5	15.9	47.3	23.9
.4	35.5	17.9	31.6	15.9	47.3	23.8
.5	35.6	17.9	31.6	15.9	47.2	23.8
.6	35.6	18.0	31.7	16.0	47.2	23.8
.7	35.7	18.0	31.7	16.0	47.1	23.8
.8	35.7	18.0	31.7	16.0	47.1	23.7
.9	35.8	18.0	31.8	16.0	47.0	23.7
1286.0	35.8	18.1	31.8	16.1	47.0	23.7
.1	35.9	18.1	31.9	16.1	46.9	23.7
.2	35.9	18.1	31.9	16.1	46.9	23.6
.3	36.0	18.1	32.0	16.1	46.8	23.6
.4	36.0	18.2	32.0	16.1	46.8	23.6
.5	36.0	18.2	32.1	16.2	46.8	23.6
.6	36.1	18.2	32.1	16.2	46.7	23.5
.7	36.1	18.2	32.2	16.2	46.7	23.5
.8	36.2	18.2	32.2	16.2	46.6	23.5
.9	36.2	18.3	32.3	16.3	46.6	23.5
1287.0	36.3	18.3	32.3	16.3	46.5	23.5
.1	36.3	18.3	32.4	16.3	46.5	23.4
.2	36.4	18.3	32.4	16.3	46.4	23.4
.3	36.4	18.4	32.4	16.4	46.4	23.4
.4	36.5	18.4	32.5	16.4	46.3	23.4
.5	36.5	18.4	32.5	16.4	46.3	23.3
.6	36.6	18.4	32.6	16.4	46.2	23.3
.7	36.6	18.5	32.6	16.5	46.2	23.3
.8	36.7	18.5	32.7	16.5	46.1	23.3
.9	36.7	18.5	32.7	16.5	46.1	23.2
1288.0	36.7	18.5	32.8	16.5	46.1	23.2
.1	36.8	18.5	32.8	16.5	46.0	23.2
.2	36.8	18.6	32.9	16.6	46.0	23.2
.3	36.9	18.6	32.9	16.6	45.9	23.1
.4	36.9	18.6	33.0	16.6	45.9	23.1
.5	37.0	18.6	33.0	16.6	45.8	23.1
.6	37.0	18.7	33.1	16.7	45.8	23.1
.7	37.1	18.7	33.1	16.7	45.7	23.1
.8	37.1	18.7	33.1	16.7	45.7	23.0
.9	37.2	18.7	33.2	16.7	45.6	23.0
1289.0	37.2	18.8	33.2	16.8	45.6	23.0
.1	37.3	18.8	33.3	16.8	45.5	23.0
.2	37.3	18.8	33.3	16.8	45.5	22.9
.3	37.3	18.8	33.4	16.8	45.5	22.9
.4	37.4	18.9	33.4	16.9	45.4	22.9
.5	37.4	18.9	33.5	16.9	45.4	22.9
.6	37.5	18.9	33.5	16.9	45.3	22.8
.7	37.5	18.9	33.6	16.9	45.3	22.8
.8	37.6	18.9	33.6	16.9	45.2	22.8
.9	37.6	19.0	33.7	17.0	45.2	22.8

Reservoir Storage Tables

PAGE 23

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1290.0	37.7	19.0	33.7	17.0	45.1	22.8
.1	37.7	19.0	33.7	17.0	45.1	22.7
.2	37.8	19.0	33.8	17.0	45.0	22.7
.3	37.8	19.1	33.8	17.1	45.0	22.7
.4	37.9	19.1	33.9	17.1	44.9	22.7
.5	37.9	19.1	33.9	17.1	44.9	22.6
.6	38.0	19.1	34.0	17.1	44.8	22.6
.7	38.0	19.2	34.0	17.2	44.8	22.6
.8	38.0	19.2	34.1	17.2	44.8	22.6
.9	38.1	19.2	34.1	17.2	44.7	22.5
1291.0	38.1	19.2	34.2	17.2	44.7	22.5
.1	38.2	19.3	34.2	17.3	44.6	22.5
.2	38.2	19.3	34.3	17.3	44.6	22.5
.3	38.3	19.3	34.3	17.3	44.5	22.4
.4	38.3	19.3	34.4	17.3	44.5	22.4
.5	38.4	19.3	34.4	17.3	44.4	22.4
.6	38.4	19.4	34.4	17.4	44.4	22.4
.7	38.5	19.4	34.5	17.4	44.3	22.4
.8	38.5	19.4	34.5	17.4	44.3	22.3
.9	38.6	19.4	34.6	17.4	44.2	22.3
1292.0	38.6	19.5	34.6	17.5	44.2	22.3
.1	38.7	19.5	34.7	17.5	44.1	22.3
.2	38.7	19.5	34.7	17.5	44.1	22.2
.3	38.7	19.5	34.8	17.5	44.1	22.2
.4	38.8	19.6	34.8	17.6	44.0	22.2
.5	38.8	19.6	34.9	17.6	44.0	22.2
.6	38.9	19.6	34.9	17.6	43.9	22.1
.7	38.9	19.6	35.0	17.6	43.9	22.1
.8	39.0	19.7	35.0	17.6	43.8	22.1
.9	39.0	19.7	35.1	17.7	43.8	22.1
1293.0	39.1	19.7	35.1	17.7	43.7	22.0
.1	39.1	19.7	35.1	17.7	43.7	22.0
.2	39.2	19.7	35.2	17.7	43.6	22.0
.3	39.2	19.8	35.2	17.8	43.6	22.0
.4	39.3	19.8	35.3	17.8	43.5	22.0
.5	39.3	19.8	35.3	17.8	43.5	21.9
.6	39.3	19.8	35.4	17.8	43.5	21.9
.7	39.4	19.9	35.4	17.9	43.4	21.9
.8	39.4	19.9	35.5	17.9	43.4	21.9
.9	39.5	19.9	35.5	17.9	43.3	21.8
1294.0	39.5	19.9	35.6	17.9	43.3	21.8
.1	39.6	20.0	35.6	18.0	43.2	21.8
.2	39.6	20.0	35.7	18.0	43.2	21.8
.3	39.7	20.0	35.7	18.0	43.1	21.7
.4	39.7	20.0	35.7	18.0	43.1	21.7
.5	39.8	20.0	35.8	18.0	43.0	21.7
.6	39.8	20.1	35.8	18.1	43.0	21.7
.7	39.9	20.1	35.9	18.1	42.9	21.6
.8	39.9	20.1	35.9	18.1	42.9	21.6
.9	40.0	20.1	36.0	18.1	42.8	21.6

PAGE 24

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1295.0	40.0	20.2	36.0	18.2	42.8	21.6
.1	40.1	20.2	36.1	18.2	42.7	21.5
.2	40.1	20.2	36.2	18.2	42.7	21.5
.3	40.2	20.3	36.2	18.3	42.6	21.5
.4	40.3	20.3	36.3	18.3	42.5	21.4
.5	40.3	20.3	36.4	18.3	42.5	21.4
.6	40.4	20.4	36.4	18.4	42.4	21.4
.7	40.5	20.4	36.5	18.4	42.3	21.3
.8	40.6	20.4	36.6	18.4	42.2	21.3
.9	40.6	20.5	36.6	18.5	42.2	21.3
1296.0	40.7	20.5	36.7	18.5	42.1	21.2
.1	40.8	20.5	36.8	18.5	42.0	21.2
.2	40.8	20.6	36.9	18.6	42.0	21.2
.3	40.9	20.6	36.9	18.6	41.9	21.1
.4	41.0	20.7	37.0	18.7	41.8	21.1
.5	41.0	20.7	37.1	18.7	41.8	21.1
.6	41.1	20.7	37.1	18.7	41.7	21.0
.7	41.2	20.8	37.2	18.8	41.6	21.0
.8	41.2	20.8	37.3	18.8	41.6	21.0
.9	41.3	20.8	37.3	18.8	41.5	20.9
1297.0	41.4	20.9	37.4	18.9	41.4	20.9
.1	41.4	20.9	37.5	18.9	41.4	20.8
.2	41.5	20.9	37.5	18.9	41.3	20.8
.3	41.6	21.0	37.6	19.0	41.2	20.8
.4	41.7	21.0	37.7	19.0	41.1	20.7
.5	41.7	21.0	37.8	19.0	41.1	20.7
.6	41.8	21.1	37.8	19.1	41.0	20.7
.7	41.9	21.1	37.9	19.1	40.9	20.6
.8	41.9	21.1	38.0	19.1	40.9	20.6
.9	42.0	21.2	38.0	19.2	40.8	20.6
1298.0	42.1	21.2	38.1	19.2	40.7	20.5
.1	42.1	21.2	38.2	19.2	40.7	20.5
.2	42.2	21.3	38.2	19.3	40.6	20.5
.3	42.3	21.3	38.3	19.3	40.5	20.4
.4	42.3	21.3	38.4	19.3	40.5	20.4
.5	42.4	21.4	38.4	19.4	40.4	20.4
.6	42.5	21.4	38.5	19.4	40.3	20.3
.7	42.6	21.5	38.6	19.5	40.2	20.3
.8	42.6	21.5	38.6	19.5	40.2	20.3
.9	42.7	21.5	38.7	19.5	40.1	20.2
1299.0	42.8	21.6	38.8	19.6	40.0	20.2
.1	42.8	21.6	38.9	19.6	40.0	20.2
.2	42.9	21.6	38.9	19.6	39.9	20.1
.3	43.0	21.7	39.0	19.7	39.8	20.1
.4	43.0	21.7	39.1	19.7	39.8	20.0
.5	43.1	21.7	39.1	19.7	39.7	20.0
.6	43.2	21.8	39.2	19.8	39.6	20.0
.7	43.2	21.8	39.3	19.8	39.6	19.9
.8	43.3	21.8	39.3	19.8	39.5	19.9
.9	43.4	21.9	39.4	19.9	39.4	19.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1300.0	43.4	21.9	39.5	19.9	39.4	19.8		1305.0	46.9	23.6	42.9	21.6	35.9	18.1
.1	43.5	21.9	39.5	19.9	39.3	19.8		.1	47.0	23.7	43.0	21.7	35.8	18.1
.2	43.6	22.0	39.6	20.0	39.2	19.8		.2	47.0	23.7	43.1	21.7	35.8	18.0
.3	43.7	22.0	39.7	20.0	39.1	19.7		.3	47.1	23.7	43.1	21.7	35.7	18.0
.4	43.7	22.0	39.8	20.0	39.1	19.7		.4	47.2	23.8	43.2	21.8	35.6	18.0
.5	43.8	22.1	39.8	20.1	39.0	19.7		.5	47.2	23.8	43.3	21.8	35.6	17.9
.6	43.9	22.1	39.9	20.1	38.9	19.6		.6	47.3	23.9	43.3	21.9	35.5	17.9
.7	43.9	22.1	40.0	20.1	38.9	19.6		.7	47.4	23.9	43.4	21.9	35.4	17.9
.8	44.0	22.2	40.0	20.2	38.8	19.6		.8	47.4	23.9	43.5	21.9	35.4	17.8
.9	44.1	22.2	40.1	20.2	38.7	19.5		.9	47.5	24.0	43.5	22.0	35.3	17.8
1301.0	44.1	22.3	40.2	20.3	38.7	19.5		1306.0	47.6	24.0	43.6	22.0	35.2	17.8
.1	44.2	22.3	40.2	20.3	38.6	19.5		.1	47.7	24.0	43.7	22.0	35.1	17.7
.2	44.3	22.3	40.3	20.3	38.5	19.4		.2	47.7	24.1	43.8	22.1	35.1	17.7
.3	44.3	22.4	40.4	20.4	38.5	19.4		.3	47.8	24.1	43.8	22.1	35.0	17.6
.4	44.4	22.4	40.4	20.4	38.4	19.4		.4	47.9	24.1	43.9	22.1	34.9	17.6
.5	44.5	22.4	40.5	20.4	38.3	19.3		.5	47.9	24.2	44.0	22.2	34.9	17.6
.6	44.6	22.5	40.6	20.5	38.2	19.3		.6	48.0	24.2	44.0	22.2	34.8	17.5
.7	44.6	22.5	40.6	20.5	38.2	19.2		.7	48.1	24.2	44.1	22.2	34.7	17.5
.8	44.7	22.5	40.7	20.5	38.1	19.2		.8	48.1	24.3	44.2	22.3	34.7	17.5
.9	44.8	22.6	40.8	20.6	38.0	19.2		.9	48.2	24.3	44.2	22.3	34.6	17.4
1302.0	44.8	22.6	40.9	20.6	38.0	19.1		1307.0	48.3	24.3	44.3	22.3	34.5	17.4
.1	44.9	22.6	40.9	20.6	37.9	19.1		.1	48.3	24.4	44.4	22.4	34.5	17.4
.2	45.0	22.7	41.0	20.7	37.8	19.1		.2	48.4	24.4	44.4	22.4	34.4	17.3
.3	45.0	22.7	41.1	20.7	37.8	19.0		.3	48.5	24.4	44.5	22.4	34.3	17.3
.4	45.1	22.7	41.1	20.7	37.7	19.0		.4	48.6	24.5	44.6	22.5	34.2	17.3
.5	45.2	22.8	41.2	20.8	37.6	19.0		.5	48.6	24.5	44.6	22.5	34.2	17.2
.6	45.2	22.8	41.3	20.8	37.6	18.9		.6	48.7	24.5	44.7	22.5	34.1	17.2
.7	45.3	22.8	41.3	20.8	37.5	18.9		.7	48.8	24.6	44.8	22.6	34.0	17.2
.8	45.4	22.9	41.4	20.9	37.4	18.9		.8	48.8	24.6	44.9	22.6	34.0	17.1
.9	45.4	22.9	41.5	20.9	37.4	18.8		.9	48.9	24.7	44.9	22.6	33.9	17.1
1303.0	45.5	22.9	41.5	20.9	37.3	18.8		1308.0	49.0	24.7	45.0	22.7	33.8	17.1
.1	45.6	23.0	41.6	21.0	37.2	18.8		.1	49.0	24.7	45.1	22.7	33.8	17.0
.2	45.7	23.0	41.7	21.0	37.1	18.7		.2	49.1	24.8	45.1	22.8	33.7	17.0
.3	45.7	23.1	41.8	21.1	37.1	18.7		.3	49.2	24.8	45.2	22.8	33.6	17.0
.4	45.8	23.1	41.8	21.1	37.0	18.7		.4	49.2	24.8	45.3	22.8	33.6	16.9
.5	45.9	23.1	41.9	21.1	36.9	18.6		.5	49.3	24.9	45.3	22.9	33.5	16.9
.6	45.9	23.2	42.0	21.2	36.9	18.6		.6	49.4	24.9	45.4	22.9	33.4	16.8
.7	46.0	23.2	42.0	21.2	36.8	18.6		.7	49.4	24.9	45.5	22.9	33.4	16.8
.8	46.1	23.2	42.1	21.2	36.7	18.5		.8	49.5	25.0	45.5	23.0	33.3	16.8
.9	46.1	23.3	42.2	21.3	36.7	18.5		.9	49.6	25.0	45.6	23.0	33.2	16.7
1304.0	46.2	23.3	42.2	21.3	36.6	18.4		1309.0	49.7	25.0	45.7	23.0	33.1	16.7
.1	46.3	23.3	42.3	21.3	36.5	18.4		.1	49.7	25.1	45.8	23.1	33.1	16.7
.2	46.3	23.4	42.4	21.4	36.5	18.4		.2	49.8	25.1	45.8	23.1	33.0	16.6
.3	46.4	23.4	42.4	21.4	36.4	18.3		.3	49.9	25.1	45.9	23.1	32.9	16.6
.4	46.5	23.4	42.5	21.4	36.3	18.3		.4	49.9	25.2	46.0	23.2	32.9	16.6
.5	46.6	23.5	42.6	21.5	36.2	18.3		.5	50.0	25.2	46.0	23.2	32.8	16.5
.6	46.6	23.5	42.6	21.5	36.2	18.2		.6	50.1	25.2	46.1	23.2	32.7	16.5
.7	46.7	23.5	42.7	21.5	36.1	18.2		.7	50.1	25.3	46.2	23.3	32.7	16.5
.8	46.8	23.6	42.8	21.6	36.0	18.2		.8	50.2	25.3	46.2	23.3	32.6	16.4
.9	46.8	23.6	42.9	21.6	36.0	18.1		.9	50.3	25.3	46.3	23.3	32.5	16.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1310.0	50.3	25.4	46.4	23.4	32.5	16.4
.1	50.4	25.4	46.4	23.4	32.4	16.3
.2	50.5	25.5	46.5	23.4	32.3	16.3
.3	50.6	25.5	46.6	23.5	32.2	16.3
.4	50.6	25.5	46.6	23.5	32.2	16.2
.5	50.7	25.6	46.7	23.6	32.1	16.2
.6	50.8	25.6	46.8	23.6	32.0	16.2
.7	50.8	25.6	46.9	23.6	32.0	16.1
.8	50.9	25.7	46.9	23.7	31.9	16.1
.9	51.0	25.7	47.0	23.7	31.8	16.0
1311.0	51.0	25.7	47.1	23.7	31.8	16.0
.1	51.1	25.8	47.1	23.8	31.7	16.0
.2	51.2	25.8	47.2	23.8	31.6	15.9
.3	51.2	25.8	47.3	23.8	31.6	15.9
.4	51.3	25.9	47.3	23.9	31.5	15.9
.5	51.4	25.9	47.4	23.9	31.4	15.8
.6	51.4	25.9	47.5	23.9	31.4	15.8
.7	51.5	26.0	47.5	24.0	31.3	15.8
.8	51.6	26.0	47.6	24.0	31.2	15.7
.9	51.7	26.0	47.7	24.0	31.1	15.7
1312.0	51.7	26.1	47.8	24.1	31.1	15.7
.1	51.8	26.1	47.8	24.1	31.0	15.6
.2	51.9	26.1	47.9	24.1	30.9	15.6
.3	51.9	26.2	48.0	24.2	30.9	15.6
.4	52.0	26.2	48.0	24.2	30.8	15.5
.5	52.1	26.3	48.1	24.2	30.7	15.5
.6	52.1	26.3	48.2	24.3	30.7	15.5
.7	52.2	26.3	48.2	24.3	30.6	15.4
.8	52.3	26.4	48.3	24.4	30.5	15.4
.9	52.3	26.4	48.4	24.4	30.5	15.4
1313.0	52.4	26.4	48.4	24.4	30.4	15.3
.1	52.5	26.5	48.5	24.5	30.3	15.3
.2	52.6	26.5	48.6	24.5	30.2	15.3
.3	52.6	26.5	48.6	24.5	30.2	15.2
.4	52.7	26.6	48.7	24.6	30.1	15.2
.5	52.8	26.6	48.8	24.6	30.0	15.1
.6	52.8	26.6	48.9	24.6	30.0	15.1
.7	52.9	26.7	48.9	24.7	29.9	15.1
.8	53.0	26.7	49.0	24.7	29.8	15.0
.9	53.0	26.7	49.1	24.7	29.8	15.0
1314.0	53.1	26.8	49.1	24.8	29.7	15.0
.1	53.2	26.8	49.2	24.8	29.6	14.9
.2	53.2	26.8	49.3	24.8	29.6	14.9
.3	53.3	26.9	49.3	24.9	29.5	14.9
.4	53.4	26.9	49.4	24.9	29.4	14.8
.5	53.4	26.9	49.5	24.9	29.4	14.8
.6	53.5	27.0	49.5	25.0	29.3	14.8
.7	53.6	27.0	49.6	25.0	29.2	14.7
.8	53.7	27.1	49.7	25.0	29.1	14.7
.9	53.7	27.1	49.8	25.1	29.1	14.7

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1315.0	53.8	27.1	49.8	25.1	29.0	14.6
.1	53.9	27.2	49.9	25.2	28.9	14.6
.2	53.9	27.2	50.0	25.2	28.9	14.6
.3	54.0	27.2	50.0	25.2	28.8	14.5
.4	54.1	27.3	50.1	25.3	28.7	14.5
.5	54.1	27.3	50.2	25.3	28.7	14.5
.6	54.2	27.3	50.2	25.3	28.6	14.4
.7	54.3	27.4	50.3	25.4	28.5	14.4
.8	54.3	27.4	50.4	25.4	28.5	14.3
.9	54.4	27.4	50.4	25.4	28.4	14.3
1316.0	54.5	27.5	50.5	25.5	28.3	14.3
.1	54.6	27.5	50.6	25.5	28.2	14.2
.2	54.6	27.5	50.6	25.5	28.2	14.2
.3	54.7	27.6	50.7	25.6	28.1	14.2
.4	54.8	27.6	50.8	25.6	28.0	14.1
.5	54.8	27.6	50.9	25.6	28.0	14.1
.6	54.9	27.7	50.9	25.7	27.9	14.1
.7	55.0	27.7	51.0	25.7	27.8	14.0
.8	55.0	27.7	51.1	25.7	27.8	14.0
.9	55.1	27.8	51.1	25.8	27.7	14.0
1317.0	55.2	27.8	51.2	25.8	27.6	13.9
.1	55.2	27.9	51.3	25.8	27.6	13.9
.2	55.3	27.9	51.3	25.9	27.5	13.9
.3	55.4	27.9	51.4	25.9	27.4	13.8
.4	55.4	28.0	51.5	26.0	27.4	13.8
.5	55.5	28.0	51.5	26.0	27.3	13.8
.6	55.6	28.0	51.6	26.0	27.2	13.7
.7	55.7	28.1	51.7	26.1	27.1	13.7
.8	55.7	28.1	51.8	26.1	27.1	13.7
.9	55.8	28.1	51.8	26.1	27.0	13.6
1318.0	55.9	28.2	51.9	26.2	26.9	13.6
.1	55.9	28.2	52.0	26.2	26.9	13.5
.2	56.0	28.2	52.0	26.2	26.8	13.5
.3	56.1	28.3	52.1	26.3	26.7	13.5
.4	56.1	28.3	52.2	26.3	26.7	13.4
.5	56.2	28.3	52.2	26.3	26.6	13.4
.6	56.3	28.4	52.3	26.4	26.5	13.4
.7	56.3	28.4	52.4	26.4	26.5	13.3
.8	56.4	28.4	52.4	26.4	26.4	13.3
.9	56.5	28.5	52.5	26.5	26.3	13.3
1319.0	56.6	28.5	52.6	26.5	26.2	13.2
.1	56.6	28.5	52.6	26.5	26.2	13.2
.2	56.7	28.6	52.7	26.6	26.1	13.2
.3	56.8	28.6	52.8	26.6	26.0	13.1
.4	56.8	28.7	52.9	26.6	26.0	13.1
.5	56.9	28.7	52.9	26.7	25.9	13.1
.6	57.0	28.7	53.0	26.7	25.8	13.0
.7	57.0	28.8	53.1	26.8	25.8	13.0
.8	57.1	28.8	53.1	26.8	25.7	13.0
.9	57.2	28.8	53.2	26.8	25.6	12.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1320.0	57.2	28.9	53.3	26.9	25.6	12.9
.1	57.3	28.9	53.3	26.9	25.5	12.9
.2	57.4	28.9	53.4	26.9	25.4	12.8
.3	57.4	29.0	53.5	27.0	25.4	12.8
.4	57.5	29.0	53.5	27.0	25.3	12.7
.5	57.6	29.0	53.6	27.0	25.2	12.7
.6	57.7	29.1	53.7	27.1	25.1	12.7
.7	57.7	29.1	53.8	27.1	25.1	12.6
.8	57.8	29.1	53.8	27.1	25.0	12.6
.9	57.9	29.2	53.9	27.2	24.9	12.6
1321.0	57.9	29.2	54.0	27.2	24.9	12.5
.1	58.0	29.2	54.0	27.2	24.8	12.5
.2	58.1	29.3	54.1	27.3	24.7	12.5
.3	58.1	29.3	54.2	27.3	24.7	12.4
.4	58.2	29.3	54.2	27.3	24.6	12.4
.5	58.3	29.4	54.3	27.4	24.5	12.4
.6	58.3	29.4	54.4	27.4	24.5	12.3
.7	58.4	29.5	54.4	27.4	24.4	12.3
.8	58.5	29.5	54.5	27.5	24.3	12.3
.9	58.6	29.5	54.6	27.5	24.2	12.2
1322.0	58.6	29.6	54.6	27.6	24.2	12.2
.1	58.7	29.6	54.7	27.6	24.1	12.2
.2	58.8	29.6	54.8	27.6	24.0	12.1
.3	58.8	29.7	54.9	27.7	24.0	12.1
.4	58.9	29.7	54.9	27.7	23.9	12.1
.5	59.0	29.7	55.0	27.7	23.8	12.0
.6	59.0	29.8	55.1	27.8	23.8	12.0
.7	59.1	29.8	55.1	27.8	23.7	11.9
.8	59.2	29.8	55.2	27.8	23.6	11.9
.9	59.2	29.9	55.3	27.9	23.6	11.9
1323.0	59.3	29.9	55.3	27.9	23.5	11.8
.1	59.4	29.9	55.4	27.9	23.4	11.8
.2	59.4	30.0	55.5	28.0	23.4	11.8
.3	59.5	30.0	55.5	28.0	23.3	11.7
.4	59.6	30.0	55.6	28.0	23.2	11.7
.5	59.7	30.1	55.7	28.1	23.1	11.7
.6	59.7	30.1	55.8	28.1	23.1	11.6
.7	59.8	30.1	55.8	28.1	23.0	11.6
.8	59.9	30.2	55.9	28.2	22.9	11.6
.9	59.9	30.2	56.0	28.2	22.9	11.5
1324.0	60.0	30.3	56.0	28.2	22.8	11.5
.1	60.1	30.3	56.1	28.3	22.7	11.5
.2	60.2	30.3	56.2	28.3	22.6	11.4
.3	60.3	30.4	56.3	28.4	22.5	11.4
.4	60.4	30.4	56.4	28.4	22.4	11.3
.5	60.4	30.5	56.5	28.5	22.4	11.3
.6	60.5	30.5	56.6	28.5	22.3	11.2
.7	60.6	30.6	56.6	28.6	22.2	11.2
.8	60.7	30.6	56.7	28.6	22.1	11.1
.9	60.8	30.6	56.8	28.6	22.0	11.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1325.0	60.9	30.7	56.9	28.7	21.9	11.1
.1	61.0	30.7	57.0	28.7	21.8	11.0
.2	61.1	30.8	57.1	28.8	21.7	11.0
.3	61.1	30.8	57.2	28.8	21.7	10.9
.4	61.2	30.9	57.3	28.9	21.6	10.9
.5	61.3	30.9	57.3	28.9	21.5	10.8
.6	61.4	31.0	57.4	29.0	21.4	10.8
.7	61.5	31.0	57.5	29.0	21.3	10.7
.8	61.6	31.0	57.6	29.0	21.2	10.7
.9	61.7	31.1	57.7	29.1	21.1	10.7
1326.0	61.8	31.1	57.8	29.1	21.0	10.6
.1	61.8	31.2	57.9	29.2	21.0	10.6
.2	61.9	31.2	58.0	29.2	20.9	10.5
.3	62.0	31.3	58.0	29.3	20.8	10.5
.4	62.1	31.3	58.1	29.3	20.7	10.4
.5	62.2	31.4	58.2	29.4	20.6	10.4
.6	62.3	31.4	58.3	29.4	20.5	10.3
.7	62.4	31.4	58.4	29.4	20.4	10.3
.8	62.5	31.5	58.5	29.5	20.3	10.3
.9	62.5	31.5	58.6	29.5	20.3	10.2
1327.0	62.6	31.6	58.7	29.6	20.2	10.2
.1	62.7	31.6	58.7	29.6	20.1	10.1
.2	62.8	31.7	58.8	29.7	20.0	10.1
.3	62.9	31.7	58.9	29.7	19.9	10.0
.4	63.0	31.8	59.0	29.8	19.8	10.0
.5	63.1	31.8	59.1	29.8	19.7	9.9
.6	63.2	31.8	59.2	29.8	19.6	9.9
.7	63.2	31.9	59.3	29.9	19.6	9.9
.8	63.3	31.9	59.4	29.9	19.5	9.8
.9	63.4	32.0	59.4	30.0	19.4	9.8
1328.0	63.5	32.0	59.5	30.0	19.3	9.7
.1	63.6	32.1	59.6	30.1	19.2	9.7
.2	63.7	32.1	59.7	30.1	19.1	9.6
.3	63.8	32.2	59.8	30.1	19.0	9.6
.4	63.9	32.2	59.9	30.2	18.9	9.5
.5	63.9	32.2	60.0	30.2	18.9	9.5
.6	64.0	32.3	60.1	30.3	18.8	9.5
.7	64.1	32.3	60.2	30.3	18.7	9.4
.8	64.2	32.4	60.2	30.4	18.6	9.4
.9	64.3	32.4	60.3	30.4	18.5	9.3
1329.0	64.4	32.5	60.4	30.5	18.4	9.3
.1	64.5	32.5	60.5	30.5	18.3	9.2
.2	64.6	32.5	60.6	30.5	18.2	9.2
.3	64.6	32.6	60.7	30.6	18.2	9.2
.4	64.7	32.6	60.8	30.6	18.1	9.1
.5	64.8	32.7	60.9	30.7	18.0	9.1
.6	64.9	32.7	60.9	30.7	17.9	9.0
.7	65.0	32.8	61.0	30.8	17.8	9.0
.8	65.1	32.8	61.1	30.8	17.7	8.9
.9	65.2	32.9	61.2	30.9	17.6	8.9

Blue River

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1330.0	65.3	32.9	61.3	30.9	17.5	8.8	1335.0	69.6	35.1	65.7	33.1	13.2	6.6
.1	65.3	32.9	61.4	30.9	17.5	8.8	.1	69.7	35.2	65.8	33.2	13.1	6.6
.2	65.4	33.0	61.5	31.0	17.4	8.8	.2	69.8	35.2	65.9	33.2	13.0	6.5
.3	65.5	33.0	61.6	31.0	17.3	8.7	.3	69.9	35.2	65.9	33.2	12.9	6.5
.4	65.6	33.1	61.6	31.1	17.2	8.7	.4	70.0	35.3	66.0	33.3	12.8	6.5
.5	65.7	33.1	61.7	31.1	17.1	8.6	.5	70.1	35.3	66.1	33.3	12.7	6.4
.6	65.8	33.2	61.8	31.2	17.0	8.6	.6	70.2	35.4	66.2	33.4	12.6	6.4
.7	65.9	33.2	61.9	31.2	16.9	8.5	.7	70.3	35.4	66.3	33.4	12.5	6.3
.8	66.0	33.3	62.0	31.3	16.8	8.5	.8	70.3	35.5	66.4	33.5	12.5	6.3
.9	66.1	33.3	62.1	31.3	16.7	8.4	.9	70.4	35.5	66.5	33.5	12.4	6.2
1331.0	66.1	33.3	62.2	31.3	16.7	8.4	1336.0	70.5	35.6	66.6	33.6	12.3	6.2
.1	66.2	33.4	62.3	31.4	16.6	8.4	.1	70.6	35.6	66.6	33.6	12.2	6.1
.2	66.3	33.4	62.3	31.4	16.5	8.3	.2	70.7	35.6	66.7	33.6	12.1	6.1
.3	66.4	33.5	62.4	31.5	16.4	8.3	.3	70.8	35.7	66.8	33.7	12.0	6.1
.4	66.5	33.5	62.5	31.5	16.3	8.2	.4	70.9	35.7	66.9	33.7	11.9	6.0
.5	66.6	33.6	62.6	31.6	16.2	8.2	.5	71.0	35.8	67.0	33.8	11.8	6.0
.6	66.7	33.6	62.7	31.6	16.1	8.1	.6	71.0	35.8	67.1	33.8	11.8	5.9
.7	66.8	33.7	62.8	31.7	16.0	8.1	.7	71.1	35.9	67.2	33.9	11.7	5.9
.8	66.8	33.7	62.9	31.7	16.0	8.0	.8	71.2	35.9	67.3	33.9	11.6	5.8
.9	66.9	33.7	63.0	31.7	15.9	8.0	.9	71.3	36.0	67.3	34.0	11.5	5.8
1332.0	67.0	33.8	63.0	31.8	15.8	8.0	1337.0	71.4	36.0	67.4	34.0	11.4	5.7
.1	67.1	33.8	63.1	31.8	15.7	7.9	.1	71.5	36.0	67.5	34.0	11.3	5.7
.2	67.2	33.9	63.2	31.9	15.6	7.9	.2	71.6	36.1	67.6	34.1	11.2	5.7
.3	67.3	33.9	63.3	31.9	15.5	7.8	.3	71.7	36.1	67.7	34.1	11.1	5.6
.4	67.4	34.0	63.4	32.0	15.4	7.8	.4	71.8	36.2	67.8	34.2	11.0	5.6
.5	67.5	34.0	63.5	32.0	15.3	7.7	.5	71.8	36.2	67.9	34.2	11.0	5.5
.6	67.5	34.1	63.6	32.1	15.3	7.7	.6	71.9	36.3	68.0	34.3	10.9	5.5
.7	67.6	34.1	63.7	32.1	15.2	7.6	.7	72.0	36.3	68.0	34.3	10.8	5.4
.8	67.7	34.1	63.7	32.1	15.1	7.6	.8	72.1	36.4	68.1	34.3	10.7	5.4
.9	67.8	34.2	63.8	32.2	15.0	7.6	.9	72.2	36.4	68.2	34.4	10.6	5.3
1333.0	67.9	34.2	63.9	32.2	14.9	7.5	1338.0	72.3	36.4	68.3	34.4	10.5	5.3
.1	68.0	34.3	64.0	32.3	14.8	7.5	.1	72.4	36.5	68.4	34.5	10.4	5.3
.2	68.1	34.3	64.1	32.3	14.7	7.4	.2	72.5	36.5	68.5	34.5	10.3	5.2
.3	68.2	34.4	64.2	32.4	14.6	7.4	.3	72.5	36.6	68.6	34.6	10.3	5.2
.4	68.2	34.4	64.3	32.4	14.6	7.3	.4	72.6	36.6	68.7	34.6	10.2	5.1
.5	68.3	34.5	64.4	32.4	14.5	7.3	.5	72.7	36.7	68.7	34.7	10.1	5.1
.6	68.4	34.5	64.4	32.5	14.4	7.3	.6	72.8	36.7	68.8	34.7	10.0	5.0
.7	68.5	34.5	64.5	32.5	14.3	7.2	.7	72.9	36.7	68.9	34.7	9.9	5.0
.8	68.6	34.6	64.6	32.6	14.2	7.2	.8	73.0	36.8	69.0	34.8	9.8	5.0
.9	68.7	34.6	64.7	32.6	14.1	7.1	.9	73.1	36.8	69.1	34.8	9.7	4.9
1334.0	68.8	34.7	64.8	32.7	14.0	7.1	1339.0	73.2	36.9	69.2	34.9	9.6	4.9
.1	68.9	34.7	64.9	32.7	13.9	7.0	.1	73.2	36.9	69.3	34.9	9.6	4.8
.2	68.9	34.8	65.0	32.8	13.9	7.0	.2	73.3	37.0	69.4	35.0	9.5	4.8
.3	69.0	34.8	65.1	32.8	13.8	6.9	.3	73.4	37.0	69.4	35.0	9.4	4.7
.4	69.1	34.8	65.1	32.8	13.7	6.9	.4	73.5	37.1	69.5	35.1	9.3	4.7
.5	69.2	34.9	65.2	32.9	13.6	6.9	.5	73.6	37.1	69.6	35.1	9.2	4.6
.6	69.3	34.9	65.3	32.9	13.5	6.8	.6	73.7	37.1	69.7	35.1	9.1	4.6
.7	69.4	35.0	65.4	33.0	13.4	6.8	.7	73.8	37.2	69.8	35.2	9.0	4.6
.8	69.5	35.0	65.5	33.0	13.3	6.7	.8	73.9	37.2	69.9	35.2	8.9	4.5
.9	69.6	35.1	65.6	33.1	13.2	6.7	.9	73.9	37.3	70.0	35.3	8.9	4.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1340.0	74.0	37.3	70.1	35.3	8.8	4.4
.1	74.1	37.4	70.1	35.4	8.7	4.4
.2	74.2	37.4	70.2	35.4	8.6	4.3
.3	74.3	37.5	70.3	35.5	8.5	4.3
.4	74.4	37.5	70.4	35.5	8.4	4.2
.5	74.5	37.5	70.5	35.5	8.3	4.2
.6	74.6	37.6	70.6	35.6	8.2	4.2
.7	74.6	37.6	70.7	35.6	8.2	4.1
.8	74.7	37.7	70.8	35.7	8.1	4.1
.9	74.8	37.7	70.8	35.7	8.0	4.0
1341.0	74.9	37.8	70.9	35.8	7.9	4.0
.1	75.0	37.8	71.0	35.8	7.8	3.9
.2	75.1	37.9	71.1	35.9	7.7	3.9
.3	75.2	37.9	71.2	35.9	7.6	3.8
.4	75.3	37.9	71.3	35.9	7.5	3.8
.5	75.3	38.0	71.4	36.0	7.5	3.8
.6	75.4	38.0	71.5	36.0	7.4	3.7
.7	75.5	38.1	71.6	36.1	7.3	3.7
.8	75.6	38.1	71.6	36.1	7.2	3.6
.9	75.7	38.2	71.7	36.2	7.1	3.6
1342.0	75.8	38.2	71.8	36.2	7.0	3.5
.1	75.9	38.3	71.9	36.3	6.9	3.5
.2	76.0	38.3	72.0	36.3	6.8	3.4
.3	76.0	38.3	72.1	36.3	6.8	3.4
.4	76.1	38.4	72.2	36.4	6.7	3.4
.5	76.2	38.4	72.3	36.4	6.6	3.3
.6	76.3	38.5	72.3	36.5	6.5	3.3
.7	76.4	38.5	72.4	36.5	6.4	3.2
.8	76.5	38.6	72.5	36.6	6.3	3.2
.9	76.6	38.6	72.6	36.6	6.2	3.1
1343.0	76.7	38.7	72.7	36.6	6.1	3.1
.1	76.7	38.7	72.8	36.7	6.1	3.1
.2	76.8	38.7	72.9	36.7	6.0	3.0
.3	76.9	38.8	73.0	36.8	5.9	3.0
.4	77.0	38.8	73.0	36.8	5.8	2.9
.5	77.1	38.9	73.1	36.9	5.7	2.9
.6	77.2	38.9	73.2	36.9	5.6	2.8
.7	77.3	39.0	73.3	37.0	5.5	2.8
.8	77.4	39.0	73.4	37.0	5.4	2.7
.9	77.5	39.0	73.5	37.0	5.3	2.7
1344.0	77.5	39.1	73.6	37.1	5.3	2.7
.1	77.6	39.1	73.7	37.1	5.2	2.6
.2	77.7	39.2	73.7	37.2	5.1	2.6
.3	77.8	39.2	73.8	37.2	5.0	2.5
.4	77.9	39.3	73.9	37.3	4.9	2.5
.5	78.0	39.3	74.0	37.3	4.8	2.4
.6	78.1	39.4	74.1	37.4	4.7	2.4
.7	78.2	39.4	74.2	37.4	4.6	2.3
.8	78.2	39.4	74.3	37.4	4.6	2.3
.9	78.3	39.5	74.4	37.5	4.5	2.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1345.0	78.4	39.5	74.4	37.5	4.4	2.2
.1	78.5	39.6	74.5	37.6	4.3	2.2
.2	78.6	39.6	74.6	37.6	4.2	2.1
.3	78.7	39.7	74.7	37.7	4.1	2.1
.4	78.8	39.7	74.8	37.7	4.0	2.0
.5	78.9	39.8	74.9	37.8	3.9	2.0
.6	78.9	39.8	75.0	37.8	3.9	1.9
.7	79.0	39.8	75.1	37.8	3.8	1.9
.8	79.1	39.9	75.1	37.9	3.7	1.9
.9	79.2	39.9	75.2	37.9	3.6	1.8
1346.0	79.3	40.0	75.3	38.0	3.5	1.8
.1	79.4	40.0	75.4	38.0	3.4	1.7
.2	79.5	40.1	75.5	38.1	3.3	1.7
.3	79.6	40.1	75.6	38.1	3.2	1.6
.4	79.6	40.2	75.7	38.2	3.2	1.6
.5	79.7	40.2	75.8	38.2	3.1	1.5
.6	79.8	40.2	75.8	38.2	3.0	1.5
.7	79.9	40.3	75.9	38.3	2.9	1.5
.8	80.0	40.3	76.0	38.3	2.8	1.4
.9	80.1	40.4	76.1	38.4	2.7	1.4
1347.0	80.2	40.4	76.2	38.4	2.6	1.3
.1	80.3	40.5	76.3	38.5	2.5	1.3
.2	80.3	40.5	76.4	38.5	2.5	1.2
.3	80.4	40.6	76.5	38.5	2.4	1.2
.4	80.5	40.6	76.5	38.6	2.3	1.1
.5	80.6	40.6	76.6	38.6	2.2	1.1
.6	80.7	40.7	76.7	38.7	2.1	1.1
.7	80.8	40.7	76.8	38.7	2.0	1.0
.8	80.9	40.8	76.9	38.8	1.9	1.0
.9	81.0	40.8	77.0	38.8	1.8	0.9
1348.0	81.0	40.9	77.1	38.9	1.8	0.9
.1	81.1	40.9	77.2	38.9	1.7	0.8
.2	81.2	40.9	77.3	38.9	1.6	0.8
.3	81.3	41.0	77.3	39.0	1.5	0.8
.4	81.4	41.0	77.4	39.0	1.4	0.7
.5	81.5	41.1	77.5	39.1	1.3	0.7
.6	81.6	41.1	77.6	39.1	1.2	0.6
.7	81.7	41.2	77.7	39.2	1.1	0.6
.8	81.7	41.2	77.8	39.2	1.1	0.5
.9	81.8	41.3	77.9	39.3	1.0	0.5
1349.0	81.9	41.3	78.0	39.3	0.9	0.4
.1	82.0	41.3	78.0	39.3	0.8	0.4
.2	82.1	41.4	78.1	39.4	0.7	0.4
.3	82.2	41.4	78.2	39.4	0.6	0.3
.4	82.3	41.5	78.3	39.5	0.5	0.3
.5	82.4	41.5	78.4	39.5	0.4	0.2
.6	82.4	41.6	78.5	39.6	0.4	0.2
.7	82.5	41.6	78.6	39.6	0.3	0.1
.8	82.6	41.7	78.7	39.7	0.2	0.1
.9	82.7	41.7	78.7	39.7	0.1	0.0

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1350.0	SUB	82.8	41.7	78.8	39.7	0.0	0.0
.1		82.9	41.8				
.2		83.0	41.8				
.3		83.1	41.9				
.4		83.2	41.9				
.5		83.3	42.0				
.6		83.3	42.0				
.7		83.4	42.1				
.8		83.5	42.1				
.9		83.6	42.2				
1351.0		83.7	42.2				

Reservoir Storage Tables

PROJECT NUMBER: 118

STORAGE LOWER BOUND (SLB) =   2.80KAF   STORAGE UPPER BOUND (SUB) = 111.43 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
353.0 SLB	2.8	1.4	0.0	0.0	108.6	54.8	358.0	17.0	8.6	14.2	7.2	94.4	47.6
.1	3.1	1.6	0.3	0.1	108.3	54.6	.1	17.3	8.7	14.5	7.3	94.1	47.5
.2	3.4	1.7	0.6	0.3	108.1	54.5	.2	17.6	8.9	14.8	7.4	93.9	47.3
.3	3.7	1.8	0.9	0.4	107.8	54.3	.3	17.9	9.0	15.1	7.6	93.6	47.2
.4	3.9	2.0	1.1	0.6	107.5	54.2	.4	18.1	9.1	15.3	7.7	93.3	47.0
.5	4.2	2.1	1.4	0.7	107.2	54.1	.5	18.4	9.3	15.6	7.9	93.0	46.9
.6	4.5	2.3	1.7	0.9	106.9	53.9	.6	18.7	9.4	15.9	8.0	92.7	46.8
.7	4.8	2.4	2.0	1.0	106.6	53.8	.7	19.0	9.6	16.2	8.2	92.4	46.6
.8	5.1	2.6	2.3	1.1	106.4	53.6	.8	19.3	9.7	16.5	8.3	92.2	46.5
.9	5.4	2.7	2.6	1.3	106.1	53.5	.9	19.6	9.9	16.8	8.4	91.9	46.3
354.0	5.6	2.8	2.8	1.4	105.8	53.3	359.0	19.8	10.0	17.0	8.6	91.6	46.2
.1	5.9	3.0	3.1	1.6	105.5	53.2	.1	20.1	10.1	17.3	8.7	91.3	46.0
.2	6.2	3.1	3.4	1.7	105.2	53.1	.2	20.4	10.3	17.6	8.9	91.0	45.9
.3	6.5	3.3	3.7	1.9	104.9	52.9	.3	20.7	10.4	17.9	9.0	90.7	45.7
.4	6.8	3.4	4.0	2.0	104.7	52.8	.4	21.0	10.6	18.2	9.2	90.5	45.6
.5	7.1	3.6	4.3	2.1	104.4	52.6	.5	21.3	10.7	18.5	9.3	90.2	45.5
.6	7.3	3.7	4.5	2.3	104.1	52.5	.6	21.5	10.9	18.7	9.5	89.9	45.3
.7	7.6	3.8	4.8	2.4	103.8	52.3	.7	21.8	11.0	19.0	9.6	89.6	45.2
.8	7.9	4.0	5.1	2.6	103.5	52.2	.8	22.1	11.1	19.3	9.7	89.3	45.0
.9	8.2	4.1	5.4	2.7	103.2	52.0	.9	22.4	11.3	19.6	9.9	89.0	44.9
355.0	8.5	4.3	5.7	2.9	103.0	51.9	360.0	22.7	11.4	19.9	10.0	88.8	44.7
.1	8.8	4.4	6.0	3.0	102.7	51.8	.1	23.0	11.6	20.2	10.2	88.5	44.6
.2	9.0	4.6	6.2	3.2	102.4	51.6	.2	23.3	11.7	20.4	10.3	88.2	44.5
.3	9.3	4.7	6.5	3.3	102.1	51.5	.3	23.5	11.9	20.7	10.5	87.9	44.3
.4	9.6	4.8	6.8	3.4	101.8	51.3	.4	23.8	12.0	21.0	10.6	87.6	44.2
.5	9.9	5.0	7.1	3.6	101.5	51.2	.5	24.1	12.2	21.3	10.7	87.3	44.0
.6	10.2	5.1	7.4	3.7	101.2	51.0	.6	24.4	12.3	21.6	10.9	87.0	43.9
.7	10.5	5.3	7.7	3.9	101.0	50.9	.7	24.7	12.4	21.9	11.0	86.8	43.7
.8	10.8	5.4	8.0	4.0	100.7	50.8	.8	25.0	12.6	22.2	11.2	86.5	43.6
.9	11.0	5.6	8.2	4.2	100.4	50.6	.9	25.2	12.7	22.4	11.3	86.2	43.5
356.0	11.3	5.7	8.5	4.3	100.1	50.5	361.0	25.5	12.9	22.7	11.5	85.9	43.3
.1	11.6	5.9	8.8	4.4	99.8	50.3	.1	25.8	13.0	23.0	11.6	85.6	43.2
.2	11.9	6.0	9.1	4.6	99.5	50.2	.2	26.1	13.2	23.3	11.7	85.3	43.0
.3	12.2	6.1	9.4	4.7	99.3	50.0	.3	26.4	13.3	23.6	11.9	85.1	42.9
.4	12.5	6.3	9.7	4.9	99.0	49.9	.4	26.7	13.4	23.9	12.0	84.8	42.7
.5	12.7	6.4	9.9	5.0	98.7	49.8	.5	26.9	13.6	24.1	12.2	84.5	42.6
.6	13.0	6.6	10.2	5.2	98.4	49.6	.6	27.2	13.7	24.4	12.3	84.2	42.5
.7	13.3	6.7	10.5	5.3	98.1	49.5	.7	27.5	13.9	24.7	12.5	83.9	42.3
.8	13.6	6.9	10.8	5.4	97.8	49.3	.8	27.8	14.0	25.0	12.6	83.6	42.2
.9	13.9	7.0	11.1	5.6	97.6	49.2	.9	28.1	14.2	25.3	12.7	83.4	42.0
357.0	14.2	7.1	11.4	5.7	97.3	49.0	362.0	28.4	14.3	25.6	12.9	83.1	41.9
.1	14.4	7.3	11.6	5.9	97.0	48.9	.1	28.6	14.4	25.8	13.0	82.8	41.7
.2	14.7	7.4	11.9	6.0	96.7	48.8	.2	28.9	14.6	26.1	13.2	82.5	41.6
.3	15.0	7.6	12.2	6.2	96.4	48.6	.3	29.2	14.7	26.4	13.3	82.2	41.5
.4	15.3	7.7	12.5	6.3	96.1	48.5	.4	29.5	14.9	26.7	13.5	81.9	41.3
.5	15.6	7.9	12.8	6.4	95.9	48.3	.5	29.8	15.0	27.0	13.6	81.7	41.2
.6	15.9	8.0	13.1	6.6	95.6	48.2	.6	30.1	15.2	27.3	13.7	81.4	41.0
.7	16.1	8.1	13.3	6.7	95.3	48.0	.7	30.4	15.3	27.5	13.9	81.1	40.9
.8	16.4	8.3	13.6	6.9	95.0	47.9	.8	30.6	15.4	27.8	14.0	80.8	40.7
.9	16.7	8.4	13.9	7.0	94.7	47.8	.9	30.9	15.6	28.1	14.2	80.5	40.6

Fern Ridge

391

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
363.0	31.2	15.7	28.4	14.3	80.2	40.4
.1	31.5	15.9	28.7	14.5	79.9	40.3
.2	31.8	16.0	29.0	14.6	79.7	40.2
.3	32.1	16.2	29.3	14.7	79.4	40.0
.4	32.3	16.3	29.5	14.9	79.1	39.9
.5	32.6	16.4	29.8	15.0	78.8	39.7
.6	32.9	16.6	30.1	15.2	78.5	39.6
.7	33.2	16.7	30.4	15.3	78.2	39.4
.8	33.5	16.9	30.7	15.5	78.0	39.3
.9	33.8	17.0	31.0	15.6	77.7	39.2
364.0	34.0	17.2	31.2	15.8	77.4	39.0
.1	34.3	17.3	31.5	15.9	77.1	38.9
.2	34.6	17.4	31.8	16.0	76.8	38.7
.3	34.9	17.6	32.1	16.2	76.5	38.6
.4	35.2	17.7	32.4	16.3	76.3	38.4
.5	35.5	17.9	32.7	16.5	76.0	38.3
.6	35.7	18.0	32.9	16.6	75.7	38.2
.7	36.0	18.2	33.2	16.8	75.4	38.0
.8	36.3	18.3	33.5	16.9	75.1	37.9
.9	36.6	18.5	33.8	17.0	74.8	37.7
365.0	36.9	18.6	34.1	17.2	74.6	37.6
.1	37.6	18.9	34.8	17.5	73.9	37.2
.2	38.2	19.3	35.4	17.9	73.2	36.9
.3	38.9	19.6	36.1	18.2	72.5	36.6
.4	39.6	20.0	36.8	18.5	71.9	36.2
.5	40.3	20.3	37.5	18.9	71.2	35.9
.6	40.9	20.6	38.1	19.2	70.5	35.5
.7	41.6	21.0	38.8	19.6	69.8	35.2
.8	42.3	21.3	39.5	19.9	69.2	34.9
.9	43.0	21.7	40.2	20.2	68.5	34.5
366.0	43.6	22.0	40.8	20.6	67.8	34.2
.1	44.3	22.3	41.5	20.9	67.1	33.8
.2	45.0	22.7	42.2	21.3	66.5	33.5
.3	45.7	23.0	42.8	21.6	65.8	33.2
.4	46.3	23.4	43.5	21.9	65.1	32.8
.5	47.0	23.7	44.2	22.3	64.4	32.5
.6	47.7	24.0	44.9	22.6	63.8	32.1
.7	48.3	24.4	45.5	23.0	63.1	31.8
.8	49.0	24.7	46.2	23.3	62.4	31.5
.9	49.7	25.1	46.9	23.6	61.7	31.1
367.0	50.4	25.4	47.6	24.0	61.1	30.8
.1	51.0	25.7	48.2	24.3	60.4	30.4
.2	51.7	26.1	48.9	24.7	59.7	30.1
.3	52.4	26.4	49.6	25.0	59.0	29.8
.4	53.1	26.8	50.3	25.3	58.4	29.4
.5	53.7	27.1	50.9	25.7	57.7	29.1
.6	54.4	27.4	51.6	26.0	57.0	28.7
.7	55.1	27.8	52.3	26.4	56.3	28.4
.8	55.8	28.1	53.0	26.7	55.7	28.1
.9	56.4	28.5	53.6	27.0	55.0	27.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
368.0	57.1	28.8	54.3	27.4	54.3	27.4
.1	57.8	29.1	55.0	27.7	53.6	27.0
.2	58.5	29.5	55.7	28.1	53.0	26.7
.3	59.1	29.8	56.3	28.4	52.3	26.4
.4	59.8	30.2	57.0	28.7	51.6	26.0
.5	60.5	30.5	57.7	29.1	50.9	25.7
.6	61.2	30.8	58.4	29.4	50.3	25.3
.7	61.8	31.2	59.0	29.8	49.6	25.0
.8	62.5	31.5	59.7	30.1	48.9	24.7
.9	63.2	31.9	60.4	30.4	48.2	24.3
369.0	63.9	32.2	61.1	30.8	47.6	24.0
.1	64.5	32.5	61.7	31.1	46.9	23.6
.2	65.2	32.9	62.4	31.5	46.2	23.3
.3	65.9	33.2	63.1	31.8	45.6	23.0
.4	66.6	33.6	63.8	32.1	44.9	22.6
.5	67.2	33.9	64.4	32.5	44.2	22.3
.6	67.9	34.2	65.1	32.8	43.5	21.9
.7	68.6	34.6	65.8	33.2	42.9	21.6
.8	69.3	34.9	66.5	33.5	42.2	21.3
.9	69.9	35.3	67.1	33.8	41.5	20.9
370.0	70.6	35.6	67.8	34.2	40.8	20.6
.1	71.3	35.9	68.5	34.5	40.2	20.2
.2	72.0	36.3	69.2	34.9	39.5	19.9
.3	72.6	36.6	69.8	35.2	38.8	19.6
.4	73.3	37.0	70.5	35.5	38.1	19.2
.5	74.0	37.3	71.2	35.9	37.5	18.9
.6	74.6	37.6	71.8	36.2	36.8	18.5
.7	75.3	38.0	72.5	36.6	36.1	18.2
.8	76.0	38.3	73.2	36.9	35.4	17.9
.9	76.7	38.7	73.9	37.2	34.8	17.5
371.0	77.3	39.0	74.5	37.6	34.1	17.2
.1	78.0	39.3	75.2	37.9	33.4	16.8
.2	78.7	39.7	75.9	38.3	32.7	16.5
.3	79.4	40.0	76.6	38.6	32.1	16.2
.4	80.0	40.4	77.2	38.9	31.4	15.8
.5	80.7	40.7	77.9	39.3	30.7	15.5
.6	81.5	41.1	78.7	39.7	29.9	15.1
.7	82.4	41.5	79.6	40.1	29.1	14.6
.8	83.2	42.0	80.4	40.5	28.2	14.2
.9	84.0	42.4	81.2	41.0	27.4	13.8
372.0	84.9	42.8	82.1	41.4	26.6	13.4
.1	85.7	43.2	82.9	41.8	25.7	13.0
.2	86.5	43.6	83.7	42.2	24.9	12.6
.3	87.4	44.0	84.6	42.6	24.1	12.1
.4	88.2	44.5	85.4	43.0	23.2	11.7
.5	89.0	44.9	86.2	43.5	22.4	11.3
.6	89.8	45.3	87.0	43.9	21.6	10.9
.7	90.7	45.7	87.9	44.3	20.8	10.5
.8	91.5	46.1	88.7	44.7	19.9	10.0
.9	92.3	46.6	89.5	45.1	19.1	9.6

Reservoir Storage Tables

PAGE 5

ELEVATION FEET		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
		KAF	KSFD	KAF	KSFD	KAF	KSFD

****

ELEVATION FEET		GROSS KAF	STORAGE KSFD	USABLE KAF	STORAGE KSFD	CUMULATIVE KAF	DRAFT KSFD
373.0		93.2	47.0	90.4	45.6	18.3	9.2
.1		94.0	47.4	91.2	46.0	17.4	8.8
.2		94.8	47.8	92.0	46.4	16.6	8.4
.3		95.7	48.2	92.9	46.8	15.8	8.0
.4		96.5	48.6	93.7	47.2	14.9	7.5
.5		97.3	49.1	94.5	47.7	14.1	7.1
.6		98.2	49.5	95.4	48.1	13.2	6.7
.7		99.1	50.0	96.3	48.5	12.3	6.2
.8		100.0	50.4	97.2	49.0	11.5	5.8
.9		100.8	50.8	98.0	49.4	10.6	5.3
374.0		101.7	51.3	98.9	49.9	9.7	4.9
.1		102.6	51.7	99.8	50.3	8.8	4.4
.2		103.5	52.2	100.7	50.8	7.9	4.0
.3		104.4	52.6	101.6	51.2	7.1	3.6
.4		105.3	53.1	102.5	51.7	6.2	3.1
.5		106.1	53.5	103.3	52.1	5.3	2.7
.6		107.0	54.0	104.2	52.5	4.4	2.2
.7		107.9	54.4	105.1	53.0	3.5	1.8
.8		108.8	54.8	106.0	53.4	2.6	1.3
.9		109.7	55.3	106.9	53.9	1.8	0.9
375.0		110.6	55.7	107.8	54.3	0.9	0.4
.1	SUB	111.4	56.2	108.6	54.8	0.0	0.0
.2		112.3	56.6				
.3		113.2	57.1				
.4		114.1	57.5				
.5		115.0	58.0				
.6		115.8	58.4				
.7		116.7	58.8				
.8		117.6	59.3				
.9		118.5	59.7				
376.0		119.4	60.2				

Fern Ridge

Reservoir Storage Tables

PROJECT NUMBER: 121

STORAGE LOWER BOUND (SLB) =   118.00KAF   STORAGE UPPER BOUND (SUB) = 409.80 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
898.0	116.7	58.8				
.1	116.9	58.9				
.2	117.1	59.0				
.3	117.2	59.1				
.4	117.4	59.2				
.5	117.6	59.3				
.6	117.8	59.4				
.7 SLB	117.9	59.5	0.0	0.0	291.9	147.1
.8	118.1	59.6	0.1	0.1	291.7	147.1
.9	118.3	59.6	0.3	0.1	291.5	147.0
899.0	118.5	59.7	0.5	0.2	291.3	146.9
.1	118.6	59.8	0.6	0.3	291.2	146.8
.2	118.8	59.9	0.8	0.4	291.0	146.7
.3	119.0	60.0	1.0	0.5	290.8	146.6
.4	119.2	60.1	1.2	0.6	290.6	146.5
.5	119.4	60.2	1.4	0.7	290.4	146.4
.6	119.5	60.3	1.5	0.8	290.3	146.3
.7	119.7	60.4	1.7	0.9	290.1	146.3
.8	119.9	60.4	1.9	1.0	289.9	146.2
.9	120.1	60.5	2.1	1.0	289.7	146.1
900.0	120.2	60.6	2.2	1.1	289.6	146.0
.1	120.4	60.7	2.4	1.2	289.4	145.9
.2	120.6	60.8	2.6	1.3	289.2	145.8
.3	120.8	60.9	2.8	1.4	289.0	145.7
.4	121.0	61.0	3.0	1.5	288.8	145.6
.5	121.1	61.1	3.1	1.6	288.7	145.5
.6	121.3	61.2	3.3	1.7	288.5	145.4
.7	121.5	61.2	3.5	1.8	288.3	145.4
.8	121.7	61.3	3.7	1.8	288.1	145.3
.9	121.8	61.4	3.8	1.9	288.0	145.2
901.0	122.0	61.5	4.0	2.0	287.8	145.1
.1	122.2	61.6	4.2	2.1	287.6	145.0
.2	122.4	61.7	4.4	2.2	287.4	144.9
.3	122.5	61.8	4.5	2.3	287.3	144.8
.4	122.7	61.9	4.7	2.4	287.1	144.7
.5	122.9	62.0	4.9	2.5	286.9	144.6
.6	123.1	62.1	5.1	2.6	286.7	144.6
.7	123.3	62.1	5.3	2.7	286.5	144.5
.8	123.4	62.2	5.4	2.7	286.4	144.4
.9	123.6	62.3	5.6	2.8	286.2	144.3
902.0	123.8	62.4	5.8	2.9	286.0	144.2
.1	124.0	62.5	6.0	3.0	285.8	144.1
.2	124.1	62.6	6.1	3.1	285.7	144.0
.3	124.3	62.7	6.3	3.2	285.5	143.9
.4	124.5	62.8	6.5	3.3	285.3	143.8
.5	124.7	62.9	6.7	3.4	285.1	143.7
.6	124.9	62.9	6.9	3.5	284.9	143.7
.7	125.0	63.0	7.0	3.5	284.8	143.6
.8	125.2	63.1	7.2	3.6	284.6	143.5
.9	125.4	63.2	7.4	3.7	284.4	143.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
903.0	125.6	63.3	7.6	3.8	284.2	143.3
.1	125.7	63.4	7.7	3.9	284.1	143.2
.2	125.9	63.5	7.9	4.0	283.9	143.1
.3	126.1	63.6	8.1	4.1	283.7	143.0
.4	126.3	63.7	8.3	4.2	283.5	142.9
.5	126.4	63.8	8.4	4.3	283.4	142.9
.6	126.6	63.8	8.6	4.3	283.2	142.8
.7	126.8	63.9	8.8	4.4	283.0	142.7
.8	127.0	64.0	9.0	4.5	282.8	142.6
.9	127.2	64.1	9.2	4.6	282.6	142.5
904.0	127.3	64.2	9.3	4.7	282.5	142.4
.1	127.5	64.3	9.5	4.8	282.3	142.3
.2	127.7	64.4	9.7	4.9	282.1	142.2
.3	127.9	64.5	9.9	5.0	281.9	142.1
.4	128.0	64.6	10.0	5.1	281.8	142.1
.5	128.2	64.6	10.2	5.2	281.6	142.0
.6	128.4	64.7	10.4	5.2	281.4	141.9
.7	128.6	64.8	10.6	5.3	281.2	141.8
.8	128.8	64.9	10.8	5.4	281.0	141.7
.9	128.9	65.0	10.9	5.5	280.9	141.6
905.0	129.1	65.1	11.1	5.6	280.7	141.5
.1	129.3	65.2	11.3	5.7	280.5	141.4
.2	129.5	65.3	11.5	5.8	280.3	141.3
.3	129.6	65.4	11.6	5.9	280.2	141.2
.4	129.8	65.5	11.8	6.0	280.0	141.2
.5	130.0	65.5	12.0	6.0	279.8	141.1
.6	130.2	65.6	12.2	6.1	279.6	141.0
.7	130.4	65.7	12.4	6.2	279.4	140.9
.8	130.5	65.8	12.5	6.3	279.3	140.8
.9	130.7	65.9	12.7	6.4	279.1	140.7
906.0	130.9	66.0	12.9	6.5	278.9	140.6
.1	131.1	66.1	13.1	6.6	278.7	140.5
.2	131.2	66.2	13.2	6.7	278.6	140.4
.3	131.4	66.3	13.4	6.8	278.4	140.4
.4	131.6	66.3	13.6	6.9	278.2	140.3
.5	131.8	66.4	13.8	6.9	278.0	140.2
.6	131.9	66.5	13.9	7.0	277.9	140.1
.7	132.1	66.6	14.1	7.1	277.7	140.0
.8	132.3	66.7	14.3	7.2	277.5	139.9
.9	132.5	66.8	14.5	7.3	277.3	139.8
907.0	132.7	66.9	14.7	7.4	277.1	139.7
.1	132.8	67.0	14.8	7.5	277.0	139.6
.2	133.0	67.1	15.0	7.6	276.8	139.5
.3	133.2	67.1	15.2	7.7	276.6	139.5
.4	133.4	67.2	15.4	7.7	276.4	139.4
.5	133.5	67.3	15.5	7.8	276.3	139.3
.6	133.7	67.4	15.7	7.9	276.1	139.2
.7	133.9	67.5	15.9	8.0	275.9	139.1
.8	134.1	67.6	16.1	8.1	275.7	139.0
.9	134.3	67.7	16.3	8.2	275.5	138.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
908.0	134.4	67.8	16.4	8.3	275.4	138.8
.1	134.6	67.9	16.6	8.4	275.2	138.7
.2	134.8	68.0	16.8	8.5	275.0	138.7
.3	135.0	68.0	17.0	8.6	274.8	138.6
.4	135.1	68.1	17.1	8.6	274.7	138.5
.5	135.3	68.2	17.3	8.7	274.5	138.4
.6	135.5	68.3	17.5	8.8	274.3	138.3
.7	135.7	68.4	17.7	8.9	274.1	138.2
.8	135.8	68.5	17.8	9.0	274.0	138.1
.9	136.0	68.6	18.0	9.1	273.8	138.0
909.0	136.2	68.7	18.2	9.2	273.6	137.9
.1	136.4	68.8	18.4	9.3	273.4	137.9
.2	136.6	68.8	18.6	9.4	273.2	137.8
.3	136.7	68.9	18.7	9.4	273.1	137.7
.4	136.9	69.0	18.9	9.5	272.9	137.6
.5	137.1	69.1	19.1	9.6	272.7	137.5
.6	137.3	69.2	19.3	9.7	272.5	137.4
.7	137.4	69.3	19.4	9.8	272.4	137.3
.8	137.6	69.4	19.6	9.9	272.2	137.2
.9	137.8	69.5	19.8	10.0	272.0	137.1
910.0	138.0	69.6	20.0	10.1	271.8	137.0
.1	138.1	69.7	20.1	10.2	271.7	137.0
.2	138.3	69.7	20.3	10.2	271.5	136.9
.3	138.5	69.8	20.5	10.3	271.3	136.8
.4	138.7	69.9	20.7	10.4	271.1	136.7
.5	138.9	70.0	20.9	10.5	270.9	136.6
.6	139.0	70.1	21.0	10.6	270.8	136.5
.7	139.2	70.2	21.2	10.7	270.6	136.4
.8	139.4	70.3	21.4	10.8	270.4	136.3
.9	139.6	70.4	21.6	10.9	270.2	136.2
911.0	139.7	70.5	21.7	11.0	270.1	136.2
.1	139.9	70.5	21.9	11.1	269.9	136.1
.2	140.1	70.6	22.1	11.1	269.7	136.0
.3	140.3	70.7	22.3	11.2	269.5	135.9
.4	140.5	70.8	22.5	11.3	269.3	135.8
.5	140.6	70.9	22.6	11.4	269.2	135.7
.6	140.8	71.0	22.8	11.5	269.0	135.6
.7	141.0	71.1	23.0	11.6	268.8	135.5
.8	141.2	71.2	23.2	11.7	268.6	135.4
.9	141.3	71.3	23.3	11.8	268.5	135.3
912.0	141.5	71.3	23.5	11.9	268.3	135.3
.1	141.7	71.4	23.7	11.9	268.1	135.2
.2	141.9	71.5	23.9	12.0	267.9	135.1
.3	142.0	71.6	24.0	12.1	267.8	135.0
.4	142.2	71.7	24.2	12.2	267.6	134.9
.5	142.4	71.8	24.4	12.3	267.4	134.8
.6	142.6	71.9	24.6	12.4	267.2	134.7
.7	142.8	72.0	24.8	12.5	267.0	134.6
.8	142.9	72.1	24.9	12.6	266.9	134.5
.9	143.1	72.2	25.1	12.7	266.7	134.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
913.0	143.3	72.2	25.3	12.8	266.5	134.4
.1	143.5	72.3	25.5	12.8	266.3	134.3
.2	143.6	72.4	25.6	12.9	266.2	134.2
.3	143.8	72.5	25.8	13.0	266.0	134.1
.4	144.0	72.6	26.0	13.1	265.8	134.0
.5	144.2	72.7	26.2	13.2	265.6	133.9
.6	144.4	72.8	26.4	13.3	265.4	133.8
.7	144.5	72.9	26.5	13.4	265.3	133.7
.8	144.7	73.0	26.7	13.5	265.1	133.7
.9	144.9	73.0	26.9	13.6	264.9	133.6
914.0	145.1	73.1	27.1	13.6	264.7	133.5
.1	145.2	73.2	27.2	13.7	264.6	133.4
.2	145.4	73.3	27.4	13.8	264.4	133.3
.3	145.6	73.4	27.6	13.9	264.2	133.2
.4	145.8	73.5	27.8	14.0	264.0	133.1
.5	145.9	73.6	27.9	14.1	263.9	133.0
.6	146.1	73.7	28.1	14.2	263.7	132.9
.7	146.3	73.8	28.3	14.3	263.5	132.8
.8	146.5	73.9	28.5	14.4	263.3	132.8
.9	146.7	73.9	28.7	14.4	263.1	132.7
915.0	146.8	74.0	28.8	14.5	263.0	132.6
.1	147.0	74.1	29.0	14.6	262.8	132.5
.2	147.2	74.2	29.2	14.7	262.6	132.4
.3	147.4	74.3	29.4	14.8	262.4	132.3
.4	147.5	74.4	29.5	14.9	262.3	132.2
.5	147.7	74.5	29.7	15.0	262.1	132.1
.6	147.9	74.6	29.9	15.1	261.9	132.0
.7	148.1	74.7	30.1	15.2	261.7	132.0
.8	148.3	74.7	30.3	15.3	261.5	131.9
.9	148.4	74.8	30.4	15.3	261.4	131.8
916.0	148.6	74.9	30.6	15.4	261.2	131.7
.1	148.8	75.0	30.8	15.5	261.0	131.6
.2	149.0	75.1	31.0	15.6	260.8	131.5
.3	149.1	75.2	31.1	15.7	260.7	131.4
.4	149.3	75.3	31.3	15.8	260.5	131.3
.5	149.5	75.4	31.5	15.9	260.3	131.2
.6	149.7	75.5	31.7	16.0	260.1	131.1
.7	149.9	75.5	31.9	16.1	259.9	131.1
.8	150.0	75.6	32.0	16.1	259.8	131.0
.9	150.2	75.7	32.2	16.2	259.6	130.9
917.0	150.4	75.8	32.4	16.3	259.4	130.8
.1	150.6	75.9	32.6	16.4	259.2	130.7
.2	150.7	76.0	32.7	16.5	259.1	130.6
.3	150.9	76.1	32.9	16.6	258.9	130.5
.4	151.1	76.2	33.1	16.7	258.7	130.4
.5	151.3	76.3	33.3	16.8	258.5	130.3
.6	151.4	76.4	33.4	16.9	258.4	130.3
.7	151.6	76.4	33.6	17.0	258.2	130.2
.8	151.8	76.5	33.8	17.0	258.0	130.1
.9	152.0	76.6	34.0	17.1	257.8	130.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
918.0	152.2	76.7	34.2	17.2	257.6	129.9
.1	152.3	76.8	34.3	17.3	257.5	129.8
.2	152.5	76.9	34.5	17.4	257.3	129.7
.3	152.7	77.0	34.7	17.5	257.1	129.6
.4	152.9	77.1	34.9	17.6	256.9	129.5
.5	153.0	77.2	35.0	17.7	256.8	129.4
.6	153.2	77.2	35.2	17.8	256.6	129.4
.7	153.4	77.3	35.4	17.8	256.4	129.3
.8	153.6	77.4	35.6	17.9	256.2	129.2
.9	153.8	77.5	35.8	18.0	256.0	129.1
919.0	153.9	77.6	35.9	18.1	255.9	129.0
.1	154.1	77.7	36.1	18.2	255.7	128.9
.2	154.3	77.8	36.3	18.3	255.5	128.8
.3	154.5	77.9	36.5	18.4	255.3	128.7
.4	154.6	78.0	36.6	18.5	255.2	128.6
.5	154.8	78.1	36.8	18.6	255.0	128.6
.6	155.0	78.1	37.0	18.6	254.8	128.5
.7	155.2	78.2	37.2	18.7	254.6	128.4
.8	155.3	78.3	37.3	18.8	254.5	128.3
.9	155.5	78.4	37.5	18.9	254.3	128.2
920.0	155.7	78.5	37.7	19.0	254.1	128.1
.1	155.9	78.6	37.9	19.1	253.9	128.0
.2	156.1	78.7	38.1	19.2	253.7	127.9
.3	156.3	78.8	38.3	19.3	253.5	127.8
.4	156.5	78.9	38.5	19.4	253.3	127.7
.5	156.8	79.0	38.8	19.5	253.1	127.6
.6	157.0	79.1	39.0	19.6	252.8	127.5
.7	157.2	79.2	39.2	19.7	252.6	127.4
.8	157.4	79.3	39.4	19.9	252.4	127.3
.9	157.6	79.5	39.6	20.0	252.2	127.2
921.0	157.8	79.6	39.8	20.1	252.0	127.1
.1	158.0	79.7	40.0	20.2	251.8	126.9
.2	158.2	79.8	40.2	20.3	251.6	126.8
.3	158.4	79.9	40.4	20.4	251.4	126.7
.4	158.6	80.0	40.6	20.5	251.2	126.6
.5	158.9	80.1	40.9	20.6	250.9	126.5
.6	159.1	80.2	41.1	20.7	250.7	126.4
.7	159.3	80.3	41.3	20.8	250.5	126.3
.8	159.5	80.4	41.5	20.9	250.3	126.2
.9	159.7	80.5	41.7	21.0	250.1	126.1
922.0	159.9	80.6	41.9	21.1	249.9	126.0
.1	160.1	80.7	42.1	21.2	249.7	125.9
.2	160.3	80.8	42.3	21.3	249.5	125.8
.3	160.5	80.9	42.5	21.4	249.3	125.7
.4	160.8	81.0	42.8	21.6	249.0	125.6
.5	161.0	81.2	43.0	21.7	248.8	125.5
.6	161.2	81.3	43.2	21.8	248.6	125.3
.7	161.4	81.4	43.4	21.9	248.4	125.2
.8	161.6	81.5	43.6	22.0	248.2	125.1
.9	161.8	81.6	43.8	22.1	248.0	125.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
923.0	162.0	81.7	44.0	22.2	247.8	124.9
.1	162.2	81.8	44.2	22.3	247.6	124.8
.2	162.5	81.9	44.5	22.4	247.3	124.7
.3	162.7	82.0	44.7	22.5	247.1	124.6
.4	162.9	82.1	44.9	22.6	246.9	124.5
.5	163.1	82.2	45.1	22.7	246.7	124.4
.6	163.3	82.3	45.3	22.8	246.5	124.3
.7	163.5	82.4	45.5	22.9	246.3	124.2
.8	163.7	82.5	45.7	23.1	246.1	124.1
.9	163.9	82.7	45.9	23.2	245.9	124.0
924.0	164.1	82.8	46.1	23.3	245.7	123.8
.1	164.4	82.9	46.4	23.4	245.4	123.7
.2	164.6	83.0	46.6	23.5	245.2	123.6
.3	164.8	83.1	46.8	23.6	245.0	123.5
.4	165.0	83.2	47.0	23.7	244.8	123.4
.5	165.2	83.3	47.2	23.8	244.6	123.3
.6	165.4	83.4	47.4	23.9	244.4	123.2
.7	165.6	83.5	47.6	24.0	244.2	123.1
.8	165.8	83.6	47.8	24.1	244.0	123.0
.9	166.1	83.7	48.1	24.2	243.7	122.9
925.0	166.3	83.8	48.3	24.3	243.5	122.8
.1	166.5	83.9	48.5	24.4	243.3	122.7
.2	166.7	84.0	48.7	24.6	243.1	122.6
.3	166.9	84.2	48.9	24.7	242.9	122.5
.4	167.1	84.3	49.1	24.8	242.7	122.3
.5	167.3	84.4	49.3	24.9	242.5	122.2
.6	167.5	84.5	49.5	25.0	242.3	122.1
.7	167.8	84.6	49.8	25.1	242.0	122.0
.8	168.0	84.7	50.0	25.2	241.8	121.9
.9	168.2	84.8	50.2	25.3	241.6	121.8
926.0	168.4	84.9	50.4	25.4	241.4	121.7
.1	168.6	85.0	50.6	25.5	241.2	121.6
.2	168.8	85.1	50.8	25.6	241.0	121.5
.3	169.0	85.2	51.0	25.7	240.8	121.4
.4	169.3	85.3	51.3	25.8	240.5	121.3
.5	169.5	85.4	51.5	25.9	240.3	121.2
.6	169.7	85.5	51.7	26.1	240.1	121.1
.7	169.9	85.7	51.9	26.2	239.9	121.0
.8	170.1	85.8	52.1	26.3	239.7	120.8
.9	170.3	85.9	52.3	26.4	239.5	120.7
927.0	170.5	86.0	52.5	26.5	239.3	120.6
.1	170.7	86.1	52.7	26.6	239.1	120.5
.2	171.0	86.2	53.0	26.7	238.8	120.4
.3	171.2	86.3	53.2	26.8	238.6	120.3
.4	171.4	86.4	53.4	26.9	238.4	120.2
.5	171.6	86.5	53.6	27.0	238.2	120.1
.6	171.8	86.6	53.8	27.1	238.0	120.0
.7	172.0	86.7	54.0	27.2	237.8	119.9
.8	172.2	86.8	54.2	27.3	237.6	119.8
.9	172.4	86.9	54.4	27.4	237.4	119.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
928.0	172.6	87.0	54.6	27.6	237.2	119.6
.1	172.9	87.2	54.9	27.7	236.9	119.5
.2	173.1	87.3	55.1	27.8	236.7	119.3
.3	173.3	87.4	55.3	27.9	236.5	119.2
.4	173.5	87.5	55.5	28.0	236.3	119.1
.5	173.7	87.6	55.7	28.1	236.1	119.0
.6	173.9	87.7	55.9	28.2	235.9	118.9
.7	174.1	87.8	56.1	28.3	235.7	118.8
.8	174.3	87.9	56.3	28.4	235.5	118.7
.9	174.6	88.0	56.6	28.5	235.2	118.6
929.0	174.8	88.1	56.8	28.6	235.0	118.5
.1	175.0	88.2	57.0	28.7	234.8	118.4
.2	175.2	88.3	57.2	28.8	234.6	118.3
.3	175.4	88.4	57.4	28.9	234.4	118.2
.4	175.6	88.5	57.6	29.1	234.2	118.1
.5	175.8	88.7	57.8	29.2	234.0	118.0
.6	176.0	88.8	58.0	29.3	233.8	117.8
.7	176.3	88.9	58.3	29.4	233.5	117.7
.8	176.5	89.0	58.5	29.5	233.3	117.6
.9	176.7	89.1	58.7	29.6	233.1	117.5
930.0	176.9	89.2	58.9	29.7	232.9	117.4
.1	177.1	89.3	59.1	29.8	232.7	117.3
.2	177.4	89.4	59.4	29.9	232.4	117.2
.3	177.6	89.5	59.6	30.0	232.2	117.1
.4	177.8	89.7	59.8	30.2	232.0	117.0
.5	178.1	89.8	60.1	30.3	231.8	116.8
.6	178.3	89.9	60.3	30.4	231.5	116.7
.7	178.5	90.0	60.5	30.5	231.3	116.6
.8	178.7	90.1	60.7	30.6	231.1	116.5
.9	179.0	90.2	61.0	30.7	230.8	116.4
931.0	179.2	90.3	61.2	30.9	230.6	116.3
.1	179.4	90.5	61.4	31.0	230.4	116.1
.2	179.7	90.6	61.7	31.1	230.1	116.0
.3	179.9	90.7	61.9	31.2	229.9	115.9
.4	180.1	90.8	62.1	31.3	229.7	115.8
.5	180.4	90.9	62.4	31.4	229.4	115.7
.6	180.6	91.0	62.6	31.6	229.2	115.6
.7	180.8	91.2	62.8	31.7	229.0	115.4
.8	181.0	91.3	63.0	31.8	228.8	115.3
.9	181.3	91.4	63.3	31.9	228.5	115.2
932.0	181.5	91.5	63.5	32.0	228.3	115.1
.1	181.7	91.6	63.7	32.1	228.1	115.0
.2	182.0	91.7	64.0	32.2	227.8	114.9
.3	182.2	91.9	64.2	32.4	227.6	114.8
.4	182.4	92.0	64.4	32.5	227.4	114.6
.5	182.6	92.1	64.6	32.6	227.2	114.5
.6	182.9	92.2	64.9	32.7	226.9	114.4
.7	183.1	92.3	65.1	32.8	226.7	114.3
.8	183.3	92.4	65.3	32.9	226.5	114.2
.9	183.6	92.5	65.6	33.1	226.2	114.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
933.0	183.8	92.7	65.8	33.2	226.0	113.9
.1	184.0	92.8	66.0	33.3	225.8	113.8
.2	184.3	92.9	66.3	33.4	225.5	113.7
.3	184.5	93.0	66.5	33.5	225.3	113.6
.4	184.7	93.1	66.7	33.6	225.1	113.5
.5	184.9	93.2	66.9	33.8	224.9	113.4
.6	185.2	93.4	67.2	33.9	224.6	113.2
.7	185.4	93.5	67.4	34.0	224.4	113.1
.8	185.6	93.6	67.6	34.1	224.2	113.0
.9	185.9	93.7	67.9	34.2	223.9	112.9
934.0	186.1	93.8	68.1	34.3	223.7	112.8
.1	186.3	93.9	68.3	34.4	223.5	112.7
.2	186.6	94.1	68.6	34.6	223.2	112.6
.3	186.8	94.2	68.8	34.7	223.0	112.4
.4	187.0	94.3	69.0	34.8	222.8	112.3
.5	187.3	94.4	69.3	34.9	222.6	112.2
.6	187.5	94.5	69.5	35.0	222.3	112.1
.7	187.7	94.6	69.7	35.1	222.1	112.0
.8	187.9	94.8	69.9	35.3	221.9	111.9
.9	188.2	94.9	70.2	35.4	221.6	111.7
935.0	188.4	95.0	70.4	35.5	221.4	111.6
.1	188.6	95.1	70.6	35.6	221.2	111.5
.2	188.9	95.2	70.9	35.7	220.9	111.4
.3	189.1	95.3	71.1	35.8	220.7	111.3
.4	189.3	95.4	71.3	36.0	220.5	111.2
.5	189.6	95.6	71.6	36.1	220.3	111.0
.6	189.8	95.7	71.8	36.2	220.0	110.9
.7	190.0	95.8	72.0	36.3	219.8	110.8
.8	190.2	95.9	72.2	36.4	219.6	110.7
.9	190.5	96.0	72.5	36.5	219.3	110.6
936.0	190.7	96.1	72.7	36.7	219.1	110.5
.1	190.9	96.3	72.9	36.8	218.9	110.3
.2	191.2	96.4	73.2	36.9	218.6	110.2
.3	191.4	96.5	73.4	37.0	218.4	110.1
.4	191.6	96.6	73.6	37.1	218.2	110.0
.5	191.9	96.7	73.9	37.2	217.9	109.9
.6	192.1	96.8	74.1	37.3	217.7	109.8
.7	192.3	97.0	74.3	37.5	217.5	109.7
.8	192.5	97.1	74.5	37.6	217.3	109.5
.9	192.8	97.2	74.8	37.7	217.0	109.4
937.0	193.0	97.3	75.0	37.8	216.8	109.3
.1	193.2	97.4	75.2	37.9	216.6	109.2
.2	193.5	97.5	75.5	38.0	216.3	109.1
.3	193.7	97.7	75.7	38.2	216.1	109.0
.4	193.9	97.8	75.9	38.3	215.9	108.8
.5	194.1	97.9	76.1	38.4	215.7	108.7
.6	194.4	98.0	76.4	38.5	215.4	108.6
.7	194.6	98.1	76.6	38.6	215.2	108.5
.8	194.8	98.2	76.8	38.7	215.0	108.4
.9	195.1	98.3	77.1	38.9	214.7	108.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
938.0	195.3	98.5	77.3	39.0	214.5	108.1		943.0	207.3	104.5	89.3	45.0	202.5	102.1
.1	195.5	98.6	77.5	39.1	214.3	108.0		.1	207.5	104.6	89.5	45.1	202.3	102.0
.2	195.8	98.7	77.8	39.2	214.0	107.9		.2	207.8	104.8	89.8	45.3	202.0	101.9
.3	196.0	98.8	78.0	39.3	213.8	107.8		.3	208.0	104.9	90.0	45.4	201.8	101.7
.4	196.2	98.9	78.2	39.4	213.6	107.7		.4	208.3	105.0	90.3	45.5	201.5	101.6
.5	196.4	99.0	78.4	39.6	213.4	107.6		.5	208.5	105.1	90.5	45.6	201.3	101.5
.6	196.7	99.2	78.7	39.7	213.1	107.4		.6	208.8	105.2	90.8	45.8	201.0	101.4
.7	196.9	99.3	78.9	39.8	212.9	107.3		.7	209.0	105.4	91.0	45.9	200.8	101.2
.8	197.1	99.4	79.1	39.9	212.7	107.2		.8	209.2	105.5	91.2	46.0	200.6	101.1
.9	197.4	99.5	79.4	40.0	212.4	107.1		.9	209.5	105.6	91.5	46.1	200.3	101.0
939.0	197.6	99.6	79.6	40.1	212.2	107.0		944.0	209.7	105.7	91.7	46.3	200.1	100.9
.1	197.8	99.7	79.8	40.2	212.0	106.9		.1	210.0	105.9	92.0	46.4	199.8	100.7
.2	198.1	99.9	80.1	40.4	211.7	106.8		.2	210.2	106.0	92.2	46.5	199.6	100.6
.3	198.3	100.0	80.3	40.5	211.5	106.6		.3	210.5	106.1	92.5	46.6	199.3	100.5
.4	198.5	100.1	80.5	40.6	211.3	106.5		.4	210.7	106.2	92.7	46.7	199.1	100.4
.5	198.8	100.2	80.8	40.7	211.1	106.4		.5	211.0	106.4	93.0	46.9	198.8	100.2
.6	199.0	100.3	81.0	40.8	210.8	106.3		.6	211.2	106.5	93.2	47.0	198.6	100.1
.7	199.2	100.4	81.2	40.9	210.6	106.2		.7	211.5	106.6	93.5	47.1	198.3	100.0
.8	199.4	100.6	81.4	41.1	210.4	106.1		.8	211.7	106.7	93.7	47.2	198.1	99.9
.9	199.7	100.7	81.7	41.2	210.1	105.9		.9	212.0	106.9	94.0	47.4	197.8	99.7
940.0	199.9	100.8	81.9	41.3	209.9	105.8		945.0	212.2	107.0	94.2	47.5	197.6	99.6
.1	200.1	100.9	82.1	41.4	209.7	105.7		.1	212.4	107.1	94.4	47.6	197.4	99.5
.2	200.4	101.0	82.4	41.5	209.4	105.6		.2	212.7	107.2	94.7	47.7	197.1	99.4
.3	200.6	101.2	82.6	41.7	209.2	105.5		.3	212.9	107.4	94.9	47.9	196.9	99.3
.4	200.9	101.3	82.9	41.8	208.9	105.3		.4	213.2	107.5	95.2	48.0	196.6	99.1
.5	201.1	101.4	83.1	41.9	208.7	105.2		.5	213.4	107.6	95.4	48.1	196.4	99.0
.6	201.4	101.5	83.4	42.0	208.4	105.1		.6	213.7	107.7	95.7	48.2	196.1	98.9
.7	201.6	101.7	83.6	42.2	208.2	105.0		.7	213.9	107.9	95.9	48.4	195.9	98.8
.8	201.9	101.8	83.9	42.3	207.9	104.8		.8	214.2	108.0	96.2	48.5	195.6	98.6
.9	202.1	101.9	84.1	42.4	207.7	104.7		.9	214.4	108.1	96.4	48.6	195.4	98.5
941.0	202.4	102.0	84.4	42.5	207.4	104.6		946.0	214.7	108.2	96.7	48.7	195.1	98.4
.1	202.6	102.1	84.6	42.7	207.2	104.5		.1	214.9	108.3	96.9	48.9	194.9	98.3
.2	202.9	102.3	84.9	42.8	206.9	104.3		.2	215.2	108.5	97.2	49.0	194.6	98.1
.3	203.1	102.4	85.1	42.9	206.7	104.2		.3	215.4	108.6	97.4	49.1	194.4	98.0
.4	203.3	102.5	85.3	43.0	206.5	104.1		.4	215.6	108.7	97.6	49.2	194.2	97.9
.5	203.6	102.6	85.6	43.2	206.2	104.0		.5	215.9	108.8	97.9	49.4	193.9	97.8
.6	203.8	102.8	85.8	43.3	206.0	103.8		.6	216.1	109.0	98.1	49.5	193.7	97.6
.7	204.1	102.9	86.1	43.4	205.7	103.7		.7	216.4	109.1	98.4	49.6	193.4	97.5
.8	204.3	103.0	86.3	43.5	205.5	103.6		.8	216.6	109.2	98.6	49.7	193.2	97.4
.9	204.6	103.1	86.6	43.6	205.2	103.5		.9	216.9	109.3	98.9	49.8	192.9	97.3
942.0	204.8	103.3	86.8	43.8	205.0	103.3		947.0	217.1	109.5	99.1	50.0	192.7	97.1
.1	205.1	103.4	87.1	43.9	204.7	103.2		.1	217.4	109.6	99.4	50.1	192.4	97.0
.2	205.3	103.5	87.3	44.0	204.5	103.1		.2	217.6	109.7	99.6	50.2	192.2	96.9
.3	205.6	103.6	87.6	44.1	204.2	103.0		.3	217.9	109.8	99.9	50.3	191.9	96.8
.4	205.8	103.8	87.8	44.3	204.0	102.8		.4	218.1	110.0	100.1	50.5	191.7	96.6
.5	206.1	103.9	88.1	44.4	203.8	102.7		.5	218.4	110.1	100.4	50.6	191.4	96.5
.6	206.3	104.0	88.3	44.5	203.5	102.6		.6	218.6	110.2	100.6	50.7	191.2	96.4
.7	206.5	104.1	88.5	44.6	203.3	102.5		.7	218.8	110.3	100.8	50.8	191.0	96.3
.8	206.8	104.3	88.8	44.8	203.0	102.4		.8	219.1	110.5	101.1	51.0	190.7	96.2
.9	207.0	104.4	89.0	44.9	202.8	102.2		.9	219.3	110.6	101.3	51.1	190.5	96.0

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
948.0	219.6	110.7	101.6	51.2	190.2	95.9
.1	219.8	110.8	101.8	51.3	190.0	95.8
.2	220.1	111.0	102.1	51.5	189.7	95.7
.3	220.3	111.1	102.3	51.6	189.5	95.5
.4	220.6	111.2	102.6	51.7	189.2	95.4
.5	220.8	111.3	102.8	51.8	189.0	95.3
.6	221.1	111.4	103.1	52.0	188.7	95.2
.7	221.3	111.6	103.3	52.1	188.5	95.0
.8	221.5	111.7	103.5	52.2	188.3	94.9
.9	221.8	111.8	103.8	52.3	188.0	94.8
949.0	222.0	111.9	104.0	52.5	187.8	94.7
.1	222.3	112.1	104.3	52.6	187.5	94.5
.2	222.5	112.2	104.5	52.7	187.3	94.4
.3	222.8	112.3	104.8	52.8	187.0	94.3
.4	223.0	112.4	105.0	52.9	186.8	94.2
.5	223.3	112.6	105.3	53.1	186.5	94.0
.6	223.5	112.7	105.5	53.2	186.3	93.9
.7	223.8	112.8	105.8	53.3	186.0	93.8
.8	224.0	112.9	106.0	53.4	185.8	93.7
.9	224.3	113.1	106.3	53.6	185.5	93.5
950.0	224.5	113.2	106.5	53.7	185.3	93.4
.1	224.8	113.3	106.8	53.8	185.0	93.3
.2	225.0	113.5	107.0	54.0	184.8	93.2
.3	225.3	113.6	107.3	54.1	184.5	93.0
.4	225.6	113.7	107.6	54.2	184.2	92.9
.5	225.8	113.9	107.8	54.4	184.0	92.8
.6	226.1	114.0	108.1	54.5	183.7	92.6
.7	226.4	114.1	108.4	54.6	183.4	92.5
.8	226.6	114.3	108.6	54.8	183.2	92.3
.9	226.9	114.4	108.9	54.9	182.9	92.2
951.0	227.2	114.5	109.2	55.0	182.6	92.1
.1	227.4	114.7	109.4	55.2	182.4	91.9
.2	227.7	114.8	109.7	55.3	182.1	91.8
.3	228.0	114.9	110.0	55.4	181.8	91.7
.4	228.2	115.1	110.2	55.6	181.6	91.5
.5	228.5	115.2	110.5	55.7	181.3	91.4
.6	228.8	115.3	110.8	55.8	181.0	91.3
.7	229.0	115.5	111.0	56.0	180.8	91.1
.8	229.3	115.6	111.3	56.1	180.5	91.0
.9	229.6	115.7	111.6	56.2	180.2	90.9
952.0	229.8	115.9	111.8	56.4	180.0	90.7
.1	230.1	116.0	112.1	56.5	179.7	90.6
.2	230.4	116.1	112.4	56.6	179.4	90.5
.3	230.6	116.3	112.6	56.8	179.2	90.3
.4	230.9	116.4	112.9	56.9	178.9	90.2
.5	231.1	116.5	113.1	57.0	178.7	90.1
.6	231.4	116.7	113.4	57.2	178.4	89.9
.7	231.7	116.8	113.7	57.3	178.1	89.8
.8	231.9	116.9	113.9	57.4	177.9	89.7
.9	232.2	117.1	114.2	57.6	177.6	89.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
953.0	232.5	117.2	114.5	57.7	177.3	89.4
.1	232.7	117.3	114.7	57.9	177.1	89.3
.2	233.0	117.5	115.0	58.0	176.8	89.1
.3	233.3	117.6	115.3	58.1	176.5	89.0
.4	233.5	117.7	115.5	58.3	176.3	88.9
.5	233.8	117.9	115.8	58.4	176.0	88.7
.6	234.1	118.0	116.1	58.5	175.7	88.6
.7	234.3	118.1	116.3	58.7	175.5	88.5
.8	234.6	118.3	116.6	58.8	175.2	88.3
.9	234.9	118.4	116.9	58.9	174.9	88.2
954.0	235.1	118.5	117.1	59.1	174.7	88.1
.1	235.4	118.7	117.4	59.2	174.4	87.9
.2	235.7	118.8	117.7	59.3	174.1	87.8
.3	235.9	119.0	117.9	59.5	173.9	87.7
.4	236.2	119.1	118.2	59.6	173.6	87.5
.5	236.5	119.2	118.5	59.7	173.3	87.4
.6	236.7	119.4	118.7	59.9	173.1	87.3
.7	237.0	119.5	119.0	60.0	172.8	87.1
.8	237.3	119.6	119.3	60.1	172.5	87.0
.9	237.5	119.8	119.5	60.3	172.3	86.9
955.0	237.8	119.9	119.8	60.4	172.0	86.7
.1	238.1	120.0	120.1	60.5	171.7	86.6
.2	238.3	120.2	120.3	60.7	171.5	86.4
.3	238.6	120.3	120.6	60.8	171.2	86.3
.4	238.9	120.4	120.9	60.9	170.9	86.2
.5	239.1	120.6	121.1	61.1	170.7	86.0
.6	239.4	120.7	121.4	61.2	170.4	85.9
.7	239.7	120.8	121.7	61.3	170.1	85.8
.8	239.9	121.0	121.9	61.5	169.9	85.6
.9	240.2	121.1	122.2	61.6	169.6	85.5
956.0	240.5	121.2	122.5	61.7	169.3	85.4
.1	240.7	121.4	122.7	61.9	169.1	85.2
.2	241.0	121.5	123.0	62.0	168.8	85.1
.3	241.3	121.6	123.3	62.1	168.5	85.0
.4	241.5	121.8	123.5	62.3	168.3	84.8
.5	241.8	121.9	123.8	62.4	168.0	84.7
.6	242.1	122.0	124.1	62.5	167.7	84.6
.7	242.3	122.2	124.3	62.7	167.5	84.4
.8	242.6	122.3	124.6	62.8	167.2	84.3
.9	242.9	122.4	124.9	62.9	166.9	84.2
957.0	243.1	122.6	125.1	63.1	166.7	84.0
.1	243.4	122.7	125.4	63.2	166.4	83.9
.2	243.7	122.8	125.7	63.3	166.1	83.8
.3	243.9	123.0	125.9	63.5	165.9	83.6
.4	244.2	123.1	126.2	63.6	165.6	83.5
.5	244.4	123.2	126.4	63.8	165.4	83.4
.6	244.7	123.4	126.7	63.9	165.1	83.2
.7	245.0	123.5	127.0	64.0	164.8	83.1
.8	245.2	123.6	127.2	64.2	164.6	83.0
.9	245.5	123.8	127.5	64.3	164.3	82.8

Green Peter

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
958.0	245.8	123.9	127.8	64.4	164.0	82.7
.1	246.0	124.0	128.0	64.6	163.8	82.6
.2	246.3	124.2	128.3	64.7	163.5	82.4
.3	246.6	124.3	128.6	64.8	163.2	82.3
.4	246.8	124.5	128.8	65.0	163.0	82.2
.5	247.1	124.6	129.1	65.1	162.7	82.0
.6	247.4	124.7	129.4	65.2	162.4	81.9
.7	247.6	124.9	129.6	65.4	162.2	81.8
.8	247.9	125.0	129.9	65.5	161.9	81.6
.9	248.2	125.1	130.2	65.6	161.6	81.5
959.0	248.4	125.3	130.4	65.8	161.4	81.4
.1	248.7	125.4	130.7	65.9	161.1	81.2
.2	249.0	125.5	131.0	66.0	160.8	81.1
.3	249.2	125.7	131.2	66.2	160.6	81.0
.4	249.5	125.8	131.5	66.3	160.3	80.8
.5	249.8	125.9	131.8	66.4	160.0	80.7
.6	250.0	126.1	132.0	66.6	159.8	80.5
.7	250.3	126.2	132.3	66.7	159.5	80.4
.8	250.6	126.3	132.6	66.8	159.2	80.3
.9	250.8	126.5	132.8	67.0	159.0	80.1
960.0	251.1	126.6	133.1	67.1	158.7	80.0
.1	251.4	126.7	133.4	67.2	158.4	79.9
.2	251.7	126.9	133.7	67.4	158.1	79.7
.3	252.0	127.0	134.0	67.5	157.8	79.6
.4	252.2	127.2	134.2	67.7	157.6	79.4
.5	252.5	127.3	134.5	67.8	157.3	79.3
.6	252.8	127.5	134.8	68.0	157.0	79.2
.7	253.1	127.6	135.1	68.1	156.7	79.0
.8	253.4	127.7	135.4	68.3	156.4	78.9
.9	253.7	127.9	135.7	68.4	156.1	78.7
961.0	253.9	128.0	135.9	68.5	155.9	78.6
.1	254.2	128.2	136.2	68.7	155.6	78.4
.2	254.5	128.3	136.5	68.8	155.3	78.3
.3	254.8	128.5	136.8	69.0	155.0	78.1
.4	255.1	128.6	137.1	69.1	154.7	78.0
.5	255.4	128.7	137.4	69.3	154.4	77.9
.6	255.6	128.9	137.6	69.4	154.2	77.7
.7	255.9	129.0	137.9	69.5	153.9	77.6
.8	256.2	129.2	138.2	69.7	153.6	77.4
.9	256.5	129.3	138.5	69.8	153.3	77.3
962.0	256.8	129.5	138.8	70.0	153.0	77.1
.1	257.1	129.6	139.1	70.1	152.7	77.0
.2	257.3	129.7	139.3	70.3	152.5	76.9
.3	257.6	129.9	139.6	70.4	152.2	76.7
.4	257.9	130.0	139.9	70.5	151.9	76.6
.5	258.2	130.2	140.2	70.7	151.6	76.4
.6	258.5	130.3	140.5	70.8	151.3	76.3
.7	258.8	130.5	140.8	71.0	151.0	76.1
.8	259.1	130.6	141.1	71.1	150.7	76.0
.9	259.3	130.7	141.3	71.3	150.5	75.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
963.0	259.6	130.9	141.6	71.4	150.2	75.7
.1	259.9	131.0	141.9	71.5	149.9	75.6
.2	260.2	131.2	142.2	71.7	149.6	75.4
.3	260.5	131.3	142.5	71.8	149.3	75.3
.4	260.8	131.5	142.8	72.0	149.0	75.1
.5	261.0	131.6	143.0	72.1	148.8	75.0
.6	261.3	131.8	143.3	72.3	148.5	74.9
.7	261.6	131.9	143.6	72.4	148.2	74.7
.8	261.9	132.0	143.9	72.5	147.9	74.6
.9	262.2	132.2	144.2	72.7	147.6	74.4
964.0	262.5	132.3	144.5	72.8	147.3	74.3
.1	262.7	132.5	144.7	73.0	147.1	74.1
.2	263.0	132.6	145.0	73.1	146.8	74.0
.3	263.3	132.8	145.3	73.3	146.5	73.9
.4	263.6	132.9	145.6	73.4	146.2	73.7
.5	263.9	133.0	145.9	73.5	145.9	73.6
.6	264.2	133.2	146.2	73.7	145.6	73.4
.7	264.4	133.3	146.4	73.8	145.4	73.3
.8	264.7	133.5	146.7	74.0	145.1	73.1
.9	265.0	133.6	147.0	74.1	144.8	73.0
965.0	265.3	133.8	147.3	74.3	144.5	72.9
.1	265.6	133.9	147.6	74.4	144.2	72.7
.2	265.9	134.0	147.9	74.6	143.9	72.6
.3	266.2	134.2	148.2	74.7	143.6	72.4
.4	266.4	134.3	148.4	74.8	143.4	72.3
.5	266.7	134.5	148.7	75.0	143.1	72.1
.6	267.0	134.6	149.0	75.1	142.8	72.0
.7	267.3	134.8	149.3	75.3	142.5	71.8
.8	267.6	134.9	149.6	75.4	142.2	71.7
.9	267.9	135.0	149.9	75.6	141.9	71.6
966.0	268.1	135.2	150.1	75.7	141.7	71.4
.1	268.4	135.3	150.4	75.8	141.4	71.3
.2	268.7	135.5	150.7	76.0	141.1	71.1
.3	269.0	135.6	151.0	76.1	140.8	71.0
.4	269.3	135.8	151.3	76.3	140.5	70.8
.5	269.6	135.9	151.6	76.4	140.2	70.7
.6	269.8	136.0	151.8	76.6	140.0	70.6
.7	270.1	136.2	152.1	76.7	139.7	70.4
.8	270.4	136.3	152.4	76.8	139.4	70.3
.9	270.7	136.5	152.7	77.0	139.1	70.1
967.0	271.0	136.6	153.0	77.1	138.8	70.0
.1	271.3	136.8	153.3	77.3	138.5	69.8
.2	271.5	136.9	153.5	77.4	138.3	69.7
.3	271.8	137.0	153.8	77.6	138.0	69.6
.4	272.1	137.2	154.1	77.7	137.7	69.4
.5	272.4	137.3	154.4	77.8	137.4	69.3
.6	272.7	137.5	154.7	78.0	137.1	69.1
.7	273.0	137.6	155.0	78.1	136.8	69.0
.8	273.3	137.8	155.3	78.3	136.5	68.8
.9	273.5	137.9	155.5	78.4	136.3	68.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
968.0	273.8	138.1	155.8	78.6	136.0	68.6
.1	274.1	138.2	156.1	78.7	135.7	68.4
.2	274.4	138.3	156.4	78.8	135.4	68.3
.3	274.7	138.5	156.7	79.0	135.1	68.1
.4	275.0	138.6	157.0	79.1	134.8	68.0
.5	275.2	138.8	157.2	79.3	134.6	67.8
.6	275.5	138.9	157.5	79.4	134.3	67.7
.7	275.8	139.1	157.8	79.6	134.0	67.6
.8	276.1	139.2	158.1	79.7	133.7	67.4
.9	276.4	139.3	158.4	79.8	133.4	67.3
969.0	276.7	139.5	158.7	80.0	133.1	67.1
.1	276.9	139.6	158.9	80.1	132.9	67.0
.2	277.2	139.8	159.2	80.3	132.6	66.8
.3	277.5	139.9	159.5	80.4	132.3	66.7
.4	277.8	140.1	159.8	80.6	132.0	66.6
.5	278.1	140.2	160.1	80.7	131.7	66.4
.6	278.4	140.3	160.4	80.9	131.4	66.3
.7	278.6	140.5	160.6	81.0	131.2	66.1
.8	278.9	140.6	160.9	81.1	130.9	66.0
.9	279.2	140.8	161.2	81.3	130.6	65.8
970.0	279.5	140.9	161.5	81.4	130.3	65.7
.1	279.8	141.1	161.8	81.6	130.0	65.5
.2	280.1	141.2	162.1	81.7	129.7	65.4
.3	280.4	141.4	162.4	81.9	129.4	65.2
.4	280.7	141.5	162.7	82.0	129.1	65.1
.5	281.0	141.7	163.0	82.2	128.8	64.9
.6	281.4	141.9	163.4	82.4	128.4	64.8
.7	281.7	142.0	163.7	82.5	128.1	64.6
.8	282.0	142.2	164.0	82.7	127.8	64.4
.9	282.3	142.3	164.3	82.8	127.5	64.3
971.0	282.6	142.5	164.6	83.0	127.2	64.1
.1	282.9	142.6	164.9	83.1	126.9	64.0
.2	283.2	142.8	165.2	83.3	126.6	63.8
.3	283.5	142.9	165.5	83.5	126.3	63.7
.4	283.8	143.1	165.8	83.6	126.0	63.5
.5	284.1	143.3	166.1	83.8	125.7	63.4
.6	284.5	143.4	166.5	83.9	125.3	63.2
.7	284.8	143.6	166.8	84.1	125.0	63.0
.8	285.1	143.7	167.1	84.2	124.7	62.9
.9	285.4	143.9	167.4	84.4	124.4	62.7
972.0	285.7	144.0	167.7	84.5	124.1	62.6
.1	286.0	144.2	168.0	84.7	123.8	62.4
.2	286.3	144.3	168.3	84.9	123.5	62.3
.3	286.6	144.5	168.6	85.0	123.2	62.1
.4	286.9	144.7	168.9	85.2	122.9	61.9
.5	287.2	144.8	169.2	85.3	122.6	61.8
.6	287.5	145.0	169.5	85.5	122.3	61.6
.7	287.9	145.1	169.9	85.6	121.9	61.5
.8	288.2	145.3	170.2	85.8	121.6	61.3
.9	288.5	145.4	170.5	85.9	121.3	61.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
973.0	288.8	145.6	170.8	86.1	121.0	61.0
.1	289.1	145.8	171.1	86.3	120.7	60.9
.2	289.4	145.9	171.4	86.4	120.4	60.7
.3	289.7	146.1	171.7	86.6	120.1	60.5
.4	290.0	146.2	172.0	86.7	119.8	60.4
.5	290.3	146.4	172.3	86.9	119.5	60.2
.6	290.6	146.5	172.6	87.0	119.2	60.1
.7	291.0	146.7	173.0	87.2	118.8	59.9
.8	291.3	146.8	173.3	87.4	118.5	59.8
.9	291.6	147.0	173.6	87.5	118.2	59.6
974.0	291.9	147.2	173.9	87.7	117.9	59.5
.1	292.2	147.3	174.2	87.8	117.6	59.3
.2	292.5	147.5	174.5	88.0	117.3	59.1
.3	292.8	147.6	174.8	88.1	117.0	59.0
.4	293.1	147.8	175.1	88.3	116.7	58.8
.5	293.4	147.9	175.4	88.4	116.4	58.7
.6	293.7	148.1	175.7	88.6	116.1	58.5
.7	294.0	148.2	176.0	88.8	115.8	58.4
.8	294.4	148.4	176.4	88.9	115.4	58.2
.9	294.7	148.6	176.7	89.1	115.1	58.0
975.0	295.0	148.7	177.0	89.2	114.8	57.9
.1	295.3	148.9	177.3	89.4	114.5	57.7
.2	295.6	149.0	177.6	89.5	114.2	57.6
.3	295.9	149.2	177.9	89.7	113.9	57.4
.4	296.2	149.3	178.2	89.8	113.6	57.3
.5	296.5	149.5	178.5	90.0	113.3	57.1
.6	296.8	149.7	178.8	90.2	113.0	57.0
.7	297.1	149.8	179.1	90.3	112.7	56.8
.8	297.5	150.0	179.5	90.5	112.3	56.6
.9	297.8	150.1	179.8	90.6	112.0	56.5
976.0	298.1	150.3	180.1	90.8	111.7	56.3
.1	298.4	150.4	180.4	90.9	111.4	56.2
.2	298.7	150.6	180.7	91.1	111.1	56.0
.3	299.0	150.7	181.0	91.3	110.8	55.9
.4	299.3	150.9	181.3	91.4	110.5	55.7
.5	299.6	151.1	181.6	91.6	110.2	55.6
.6	299.9	151.2	181.9	91.7	109.9	55.4
.7	300.2	151.4	182.2	91.9	109.6	55.2
.8	300.5	151.5	182.5	92.0	109.3	55.1
.9	300.9	151.7	182.9	92.2	108.9	54.9
977.0	301.2	151.8	183.2	92.3	108.6	54.8
.1	301.5	152.0	183.5	92.5	108.3	54.6
.2	301.8	152.1	183.8	92.7	108.0	54.5
.3	302.1	152.3	184.1	92.8	107.7	54.3
.4	302.4	152.5	184.4	93.0	107.4	54.1
.5	302.7	152.6	184.7	93.1	107.1	54.0
.6	303.0	152.8	185.0	93.3	106.8	53.8
.7	303.3	152.9	185.3	93.4	106.5	53.7
.8	303.6	153.1	185.6	93.6	106.2	53.5
.9	304.0	153.2	186.0	93.8	105.8	53.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
978.0	304.3	153.4	186.3	93.9	105.5	53.2
.1	304.6	153.6	186.6	94.1	105.2	53.1
.2	304.9	153.7	186.9	94.2	104.9	52.9
.3	305.2	153.9	187.2	94.4	104.6	52.7
.4	305.5	154.0	187.5	94.5	104.3	52.6
.5	305.8	154.2	187.8	94.7	104.0	52.4
.6	306.1	154.3	188.1	94.8	103.7	52.3
.7	306.4	154.5	188.4	95.0	103.4	52.1
.8	306.7	154.6	188.7	95.2	103.1	52.0
.9	307.0	154.8	189.0	95.3	102.8	51.8
979.0	307.4	155.0	189.4	95.5	102.4	51.6
.1	307.7	155.1	189.7	95.6	102.1	51.5
.2	308.0	155.3	190.0	95.8	101.8	51.3
.3	308.3	155.4	190.3	95.9	101.5	51.2
.4	308.6	155.6	190.6	96.1	101.2	51.0
.5	308.9	155.7	190.9	96.2	100.9	50.9
.6	309.2	155.9	191.2	96.4	100.6	50.7
.7	309.5	156.1	191.5	96.6	100.3	50.6
.8	309.8	156.2	191.8	96.7	100.0	50.4
.9	310.1	156.4	192.1	96.9	99.7	50.2
980.0	310.5	156.5	192.5	97.0	99.3	50.1
.1	310.8	156.7	192.8	97.2	99.0	49.9
.2	311.1	156.8	193.1	97.3	98.7	49.8
.3	311.4	157.0	193.4	97.5	98.4	49.6
.4	311.7	157.1	193.7	97.7	98.1	49.5
.5	312.0	157.3	194.0	97.8	97.8	49.3
.6	312.3	157.5	194.3	98.0	97.5	49.2
.7	312.6	157.6	194.6	98.1	97.2	49.0
.8	312.9	157.8	194.9	98.3	96.9	48.8
.9	313.2	157.9	195.2	98.4	96.6	48.7
981.0	313.5	158.1	195.5	98.6	96.3	48.5
.1	313.9	158.2	195.9	98.7	95.9	48.4
.2	314.2	158.4	196.2	98.9	95.6	48.2
.3	314.5	158.5	196.5	99.1	95.3	48.1
.4	314.8	158.7	196.8	99.2	95.0	47.9
.5	315.1	158.9	197.1	99.4	94.7	47.7
.6	315.4	159.0	197.4	99.5	94.4	47.6
.7	315.7	159.2	197.7	99.7	94.1	47.4
.8	316.0	159.3	198.0	99.8	93.8	47.3
.9	316.3	159.5	198.3	100.0	93.5	47.1
982.0	316.6	159.6	198.6	100.1	93.2	47.0
.1	316.9	159.8	198.9	100.3	92.9	46.8
.2	317.3	160.0	199.3	100.5	92.5	46.7
.3	317.6	160.1	199.6	100.6	92.2	46.5
.4	317.9	160.3	199.9	100.8	91.9	46.3
.5	318.2	160.4	200.2	100.9	91.6	46.2
.6	318.5	160.6	200.5	101.1	91.3	46.0
.7	318.8	160.7	200.8	101.2	91.0	45.9
.8	319.1	160.9	201.1	101.4	90.7	45.7
.9	319.4	161.0	201.4	101.6	90.4	45.6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
983.0	319.7	161.2	201.7	101.7	90.1	45.4
.1	320.0	161.4	202.0	101.9	89.8	45.3
.2	320.4	161.5	202.4	102.0	89.4	45.1
.3	320.7	161.7	202.7	102.2	89.1	44.9
.4	321.0	161.8	203.0	102.3	88.8	44.8
.5	321.3	162.0	203.3	102.5	88.5	44.6
.6	321.6	162.1	203.6	102.6	88.2	44.5
.7	321.9	162.3	203.9	102.8	87.9	44.3
.8	322.2	162.4	204.2	103.0	87.6	44.2
.9	322.5	162.6	204.5	103.1	87.3	44.0
984.0	322.8	162.8	204.8	103.3	87.0	43.8
.1	323.1	162.9	205.1	103.4	86.7	43.7
.2	323.4	163.1	205.4	103.6	86.4	43.5
.3	323.8	163.2	205.8	103.7	86.0	43.4
.4	324.1	163.4	206.1	103.9	85.7	43.2
.5	324.4	163.5	206.4	104.0	85.4	43.1
.6	324.7	163.7	206.7	104.2	85.1	42.9
.7	325.0	163.9	207.0	104.4	84.8	42.8
.8	325.3	164.0	207.3	104.5	84.5	42.6
.9	325.6	164.2	207.6	104.7	84.2	42.4
985.0	325.9	164.3	207.9	104.8	83.9	42.3
.1	326.2	164.5	208.2	105.0	83.6	42.1
.2	326.5	164.6	208.5	105.1	83.3	42.0
.3	326.9	164.8	208.9	105.3	82.9	41.8
.4	327.2	164.9	209.2	105.5	82.6	41.7
.5	327.5	165.1	209.5	105.6	82.3	41.5
.6	327.8	165.3	209.8	105.8	82.0	41.4
.7	328.1	165.4	210.1	105.9	81.7	41.2
.8	328.4	165.6	210.4	106.1	81.4	41.0
.9	328.7	165.7	210.7	106.2	81.1	40.9
986.0	329.0	165.9	211.0	106.4	80.8	40.7
.1	329.3	166.0	211.3	106.5	80.5	40.6
.2	329.6	166.2	211.6	106.7	80.2	40.4
.3	329.9	166.3	211.9	106.9	79.9	40.3
.4	330.3	166.5	212.3	107.0	79.5	40.1
.5	330.6	166.7	212.6	107.2	79.2	39.9
.6	330.9	166.8	212.9	107.3	78.9	39.8
.7	331.2	167.0	213.2	107.5	78.6	39.6
.8	331.5	167.1	213.5	107.6	78.3	39.5
.9	331.8	167.3	213.8	107.8	78.0	39.3
987.0	332.1	167.4	214.1	107.9	77.7	39.2
.1	332.4	167.6	214.4	108.1	77.4	39.0
.2	332.7	167.8	214.7	108.3	77.1	38.9
.3	333.0	167.9	215.0	108.4	76.8	38.7
.4	333.4	168.1	215.4	108.6	76.4	38.5
.5	333.7	168.2	215.7	108.7	76.1	38.4
.6	334.0	168.4	216.0	108.9	75.8	38.2
.7	334.3	168.5	216.3	109.0	75.5	38.1
.8	334.6	168.7	216.6	109.2	75.2	37.9
.9	334.9	168.8	216.9	109.4	74.9	37.8

Reservoir Storage Tables

PAGE 19

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
988.0	335.2	169.0	217.2	109.5	74.6	37.6
.1	335.5	169.2	217.5	109.7	74.3	37.4
.2	335.8	169.3	217.8	109.8	74.0	37.3
.3	336.1	169.5	218.1	110.0	73.7	37.1
.4	336.4	169.6	218.4	110.1	73.4	37.0
.5	336.8	169.8	218.8	110.3	73.0	36.8
.6	337.1	169.9	219.1	110.4	72.7	36.7
.7	337.4	170.1	219.4	110.6	72.4	36.5
.8	337.7	170.3	219.7	110.8	72.1	36.4
.9	338.0	170.4	220.0	110.9	71.8	36.2
989.0	338.3	170.6	220.3	111.1	71.5	36.0
.1	338.6	170.7	220.6	111.2	71.2	35.9
.2	338.9	170.9	220.9	111.4	70.9	35.7
.3	339.2	171.0	221.2	111.5	70.6	35.6
.4	339.5	171.2	221.5	111.7	70.3	35.4
.5	339.9	171.3	221.9	111.9	69.9	35.3
.6	340.2	171.5	222.2	112.0	69.6	35.1
.7	340.5	171.7	222.5	112.2	69.3	35.0
.8	340.8	171.8	222.8	112.3	69.0	34.8
.9	341.1	172.0	223.1	112.5	68.7	34.6
990.0	341.4	172.1	223.4	112.6	68.4	34.5
.1	341.7	172.3	223.7	112.8	68.1	34.3
.2	342.1	172.5	224.1	113.0	67.7	34.1
.3	342.4	172.6	224.4	113.1	67.4	34.0
.4	342.8	172.8	224.8	113.3	67.0	33.8
.5	343.1	173.0	225.1	113.5	66.7	33.6
.6	343.5	173.2	225.5	113.7	66.3	33.5
.7	343.8	173.3	225.8	113.8	66.0	33.3
.8	344.1	173.5	226.1	114.0	65.7	33.1
.9	344.5	173.7	226.5	114.2	65.3	32.9
991.0	344.8	173.8	226.8	114.4	65.0	32.8
.1	345.2	174.0	227.2	114.5	64.6	32.6
.2	345.5	174.2	227.5	114.7	64.3	32.4
.3	345.8	174.4	227.8	114.9	64.0	32.2
.4	346.2	174.5	228.2	115.0	63.6	32.1
.5	346.5	174.7	228.5	115.2	63.3	31.9
.6	346.9	174.9	228.9	115.4	62.9	31.7
.7	347.2	175.1	229.2	115.6	62.6	31.6
.8	347.6	175.2	229.6	115.7	62.2	31.4
.9	347.9	175.4	229.9	115.9	61.9	31.2
992.0	348.2	175.6	230.2	116.1	61.6	31.0
.1	348.6	175.7	230.6	116.3	61.2	30.9
.2	348.9	175.9	230.9	116.4	60.9	30.7
.3	349.3	176.1	231.3	116.6	60.5	30.5
.4	349.6	176.3	231.6	116.8	60.2	30.3
.5	350.0	176.4	232.0	116.9	59.8	30.2
.6	350.3	176.6	232.3	117.1	59.5	30.0
.7	350.6	176.8	232.6	117.3	59.2	29.8
.8	351.0	177.0	233.0	117.5	58.8	29.7
.9	351.3	177.1	233.3	117.6	58.5	29.5

PAGE 20

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
993.0	351.7	177.3	233.7	117.8	58.1	29.3
.1	352.0	177.5	234.0	118.0	57.8	29.1
.2	352.3	177.6	234.3	118.1	57.5	29.0
.3	352.7	177.8	234.7	118.3	57.1	28.8
.4	353.0	178.0	235.0	118.5	56.8	28.6
.5	353.4	178.2	235.4	118.7	56.4	28.5
.6	353.7	178.3	235.7	118.8	56.1	28.3
.7	354.1	178.5	236.1	119.0	55.7	28.1
.8	354.4	178.7	236.4	119.2	55.4	27.9
.9	354.7	178.8	236.7	119.4	55.1	27.8
994.0	355.1	179.0	237.1	119.5	54.7	27.6
.1	355.4	179.2	237.4	119.7	54.4	27.4
.2	355.8	179.4	237.8	119.9	54.0	27.2
.3	356.1	179.5	238.1	120.0	53.7	27.1
.4	356.4	179.7	238.4	120.2	53.4	26.9
.5	356.8	179.9	238.8	120.4	53.0	26.7
.6	357.1	180.1	239.1	120.6	52.7	26.6
.7	357.5	180.2	239.5	120.7	52.3	26.4
.8	357.8	180.4	239.8	120.9	52.0	26.2
.9	358.2	180.6	240.2	121.1	51.6	26.0
995.0	358.5	180.7	240.5	121.3	51.3	25.9
.1	358.8	180.9	240.8	121.4	51.0	25.7
.2	359.2	181.1	241.2	121.6	50.6	25.5
.3	359.5	181.3	241.5	121.8	50.3	25.3
.4	359.9	181.4	241.9	121.9	49.9	25.2
.5	360.2	181.6	242.2	122.1	49.6	25.0
.6	360.6	181.8	242.6	122.3	49.2	24.8
.7	360.9	182.0	242.9	122.5	48.9	24.7
.8	361.2	182.1	243.2	122.6	48.6	24.5
.9	361.6	182.3	243.6	122.8	48.2	24.3
996.0	361.9	182.5	243.9	123.0	47.9	24.1
.1	362.3	182.6	244.3	123.1	47.5	24.0
.2	362.6	182.8	244.6	123.3	47.2	23.8
.3	362.9	183.0	244.9	123.5	46.9	23.6
.4	363.3	183.2	245.3	123.7	46.5	23.4
.5	363.6	183.3	245.6	123.8	46.2	23.3
.6	364.0	183.5	246.0	124.0	45.8	23.1
.7	364.3	183.7	246.3	124.2	45.5	22.9
.8	364.7	183.8	246.7	124.4	45.1	22.8
.9	365.0	184.0	247.0	124.5	44.8	22.6
997.0	365.3	184.2	247.3	124.7	44.5	22.4
.1	365.7	184.4	247.7	124.9	44.1	22.2
.2	366.0	184.5	248.0	125.0	43.8	22.1
.3	366.4	184.7	248.4	125.2	43.4	21.9
.4	366.7	184.9	248.7	125.4	43.1	21.7
.5	367.0	185.1	249.0	125.6	42.8	21.6
.6	367.4	185.2	249.4	125.7	42.4	21.4
.7	367.7	185.4	249.7	125.9	42.1	21.2
.8	368.1	185.6	250.1	126.1	41.7	21.0
.9	368.4	185.7	250.4	126.3	41.4	20.9

Green Peter

403

Reservoir Storage Tables

PAGE 21

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
998.0	368.8	185.9	250.8	126.4	41.0	20.7
.1	369.1	186.1	251.1	126.6	40.7	20.5
.2	369.4	186.3	251.4	126.8	40.4	20.3
.3	369.8	186.4	251.8	126.9	40.0	20.2
.4	370.1	186.6	252.1	127.1	39.7	20.0
.5	370.5	186.8	252.5	127.3	39.3	19.8
.6	370.8	187.0	252.8	127.5	39.0	19.7
.7	371.2	187.1	253.2	127.6	38.6	19.5
.8	371.5	187.3	253.5	127.8	38.3	19.3
.9	371.8	187.5	253.8	128.0	38.0	19.1
999.0	372.2	187.6	254.2	128.1	37.6	19.0
.1	372.5	187.8	254.5	128.3	37.3	18.8
.2	372.9	188.0	254.9	128.5	36.9	18.6
.3	373.2	188.2	255.2	128.7	36.6	18.4
.4	373.5	188.3	255.5	128.8	36.3	18.3
.5	373.9	188.5	255.9	129.0	35.9	18.1
.6	374.2	188.7	256.2	129.2	35.6	17.9
.7	374.6	188.8	256.6	129.4	35.2	17.8
.8	374.9	189.0	256.9	129.5	34.9	17.6
.9	375.3	189.2	257.3	129.7	34.5	17.4
1000.0	375.6	189.4	257.6	129.9	34.2	17.2
.1	375.9	189.5	257.9	130.0	33.9	17.1
.2	376.3	189.7	258.3	130.2	33.5	16.9
.3	376.6	189.9	258.6	130.4	33.2	16.7
.4	377.0	190.1	259.0	130.6	32.8	16.6
.5	377.3	190.2	259.3	130.7	32.5	16.4
.6	377.7	190.4	259.7	130.9	32.1	16.2
.7	378.0	190.6	260.0	131.1	31.8	16.0
.8	378.3	190.7	260.3	131.3	31.5	15.9
.9	378.7	190.9	260.7	131.4	31.1	15.7
1001.0	379.0	191.1	261.0	131.6	30.8	15.5
.1	379.4	191.3	261.4	131.8	30.4	15.3
.2	379.7	191.4	261.7	131.9	30.1	15.2
.3	380.0	191.6	262.0	132.1	29.8	15.0
.4	380.4	191.8	262.4	132.3	29.4	14.8
.5	380.7	192.0	262.7	132.5	29.1	14.7
.6	381.1	192.1	263.1	132.6	28.7	14.5
.7	381.4	192.3	263.4	132.8	28.4	14.3
.8	381.8	192.5	263.8	133.0	28.0	14.1
.9	382.1	192.6	264.1	133.1	27.7	14.0
1002.0	382.4	192.8	264.4	133.3	27.4	13.8
.1	382.8	193.0	264.8	133.5	27.0	13.6
.2	383.1	193.2	265.1	133.7	26.7	13.4
.3	383.5	193.3	265.5	133.8	26.3	13.3
.4	383.8	193.5	265.8	134.0	26.0	13.1
.5	384.1	193.7	266.1	134.2	25.7	12.9
.6	384.5	193.8	266.5	134.4	25.3	12.8
.7	384.8	194.0	266.8	134.5	25.0	12.6
.8	385.2	194.2	267.2	134.7	24.6	12.4
.9	385.5	194.4	267.5	134.9	24.3	12.2

PAGE 22

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1003.0	385.9	194.5	267.9	135.0	23.9	12.1
.1	386.2	194.7	268.2	135.2	23.6	11.9
.2	386.5	194.9	268.5	135.4	23.3	11.7
.3	386.9	195.1	268.9	135.6	22.9	11.6
.4	387.2	195.2	269.2	135.7	22.6	11.4
.5	387.6	195.4	269.6	135.9	22.2	11.2
.6	387.9	195.6	269.9	136.1	21.9	11.0
.7	388.3	195.7	270.3	136.3	21.5	10.9
.8	388.6	195.9	270.6	136.4	21.2	10.7
.9	388.9	196.1	270.9	136.6	20.9	10.5
1004.0	389.3	196.3	271.3	136.8	20.5	10.3
.1	389.6	196.4	271.6	136.9	20.2	10.2
.2	390.0	196.6	272.0	137.1	19.8	10.0
.3	390.3	196.8	272.3	137.3	19.5	9.8
.4	390.6	197.0	272.6	137.5	19.2	9.7
.5	391.0	197.1	273.0	137.6	18.8	9.5
.6	391.3	197.3	273.3	137.8	18.5	9.3
.7	391.7	197.5	273.7	138.0	18.1	9.1
.8	392.0	197.6	274.0	138.1	17.8	9.0
.9	392.4	197.8	274.4	138.3	17.4	8.8
1005.0	392.7	198.0	274.7	138.5	17.1	8.6
.1	393.0	198.2	275.0	138.7	16.8	8.4
.2	393.4	198.3	275.4	138.8	16.4	8.3
.3	393.7	198.5	275.7	139.0	16.1	8.1
.4	394.1	198.7	276.1	139.2	15.7	7.9
.5	394.4	198.8	276.4	139.4	15.4	7.8
.6	394.8	199.0	276.8	139.5	15.0	7.6
.7	395.1	199.2	277.1	139.7	14.7	7.4
.8	395.4	199.4	277.4	139.9	14.4	7.2
.9	395.8	199.5	277.8	140.0	14.0	7.1
1006.0	396.1	199.7	278.1	140.2	13.7	6.9
.1	396.5	199.9	278.5	140.4	13.3	6.7
.2	396.8	200.1	278.8	140.6	13.0	6.6
.3	397.1	200.2	279.1	140.7	12.7	6.4
.4	397.5	200.4	279.5	140.9	12.3	6.2
.5	397.8	200.6	279.8	141.1	12.0	6.0
.6	398.2	200.7	280.2	141.3	11.6	5.9
.7	398.5	200.9	280.5	141.4	11.3	5.7
.8	398.9	201.1	280.9	141.6	10.9	5.5
.9	399.2	201.3	281.2	141.8	10.6	5.3
1007.0	399.5	201.4	281.5	141.9	10.3	5.2
.1	399.9	201.6	281.9	142.1	9.9	5.0
.2	400.2	201.8	282.2	142.3	9.6	4.8
.3	400.6	202.0	282.6	142.5	9.2	4.7
.4	400.9	202.1	282.9	142.6	8.9	4.5
.5	401.3	202.3	283.3	142.8	8.6	4.3
.6	401.6	202.5	283.6	143.0	8.2	4.1
.7	401.9	202.6	283.9	143.2	7.9	4.0
.8	402.3	202.8	284.3	143.3	7.5	3.8
.9	402.6	203.0	284.6	143.5	7.2	3.6

Reservoir Storage Tables

GREEN PETER

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1008.0		403.0	203.2	285.0	143.7	6.8	3.4
.1		403.3	203.3	285.3	143.8	6.5	3.3
.2		403.6	203.5	285.6	144.0	6.2	3.1
.3		404.0	203.7	286.0	144.2	5.8	2.9
.4		404.3	203.8	286.3	144.4	5.5	2.8
.5		404.7	204.0	286.7	144.5	5.1	2.6
.6		405.0	204.2	287.0	144.7	4.8	2.4
.7		405.4	204.4	287.4	144.9	4.4	2.2
.8		405.7	204.5	287.7	145.0	4.1	2.1
.9		406.0	204.7	288.0	145.2	3.8	1.9
1009.0		406.4	204.9	288.4	145.4	3.4	1.7
.1		406.7	205.1	288.7	145.6	3.1	1.6
.2		407.1	205.2	289.1	145.7	2.7	1.4
.3		407.4	205.4	289.4	145.9	2.4	1.2
.4		407.7	205.6	289.7	146.1	2.1	1.0
.5		408.1	205.7	290.1	146.3	1.7	0.9
.6		408.4	205.9	290.4	146.4	1.4	0.7
.7		408.8	206.1	290.8	146.6	1.0	0.5
.8		409.1	206.3	291.1	146.8	0.7	0.3
.9		409.5	206.4	291.5	146.9	0.3	0.2
1010.0	SUB	409.8	206.6	291.8	147.1	0.0	0.0
.1		410.1	206.8				
.2		410.5	207.0				
.3		410.8	207.1				
.4		411.2	207.3				
.5		411.5	207.5				
.6		411.9	207.6				
.7		412.2	207.8				
.8		412.5	208.0				
.9		412.9	208.2				
1011.0		413.2	208.3				

Green Peter

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

STORAGE LOWER BOUND (SLB) =   27.70KAF   STORAGE UPPER BOUND (SUB) =   55.90 KAF

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
609.0 SLB	27.7	14.0	0.0	0.0	28.2	14.2
.1	27.8	14.0	0.1	0.0	28.1	14.2
.2	27.9	14.1	0.2	0.1	28.0	14.1
.3	28.0	14.1	0.3	0.1	27.9	14.1
.4	28.0	14.1	0.3	0.2	27.9	14.0
.5	28.1	14.2	0.4	0.2	27.8	14.0
.6	28.2	14.2	0.5	0.3	27.7	14.0
.7	28.3	14.3	0.6	0.3	27.6	13.9
.8	28.4	14.3	0.7	0.3	27.5	13.9
.9	28.5	14.4	0.8	0.4	27.4	13.8
610.0	28.5	14.4	0.8	0.4	27.4	13.8
.1	28.6	14.4	0.9	0.5	27.3	13.7
.2	28.7	14.5	1.0	0.5	27.2	13.7
.3	28.8	14.5	1.1	0.6	27.1	13.7
.4	28.9	14.6	1.2	0.6	27.0	13.6
.5	29.0	14.6	1.3	0.6	26.9	13.6
.6	29.1	14.7	1.4	0.7	26.8	13.5
.7	29.1	14.7	1.4	0.7	26.8	13.5
.8	29.2	14.7	1.5	0.8	26.7	13.4
.9	29.3	14.8	1.6	0.8	26.6	13.4
611.0	29.4	14.8	1.7	0.9	26.5	13.4
.1	29.5	14.9	1.8	0.9	26.4	13.3
.2	29.6	14.9	1.9	0.9	26.3	13.3
.3	29.7	15.0	2.0	1.0	26.2	13.2
.4	29.7	15.0	2.0	1.0	26.2	13.2
.5	29.8	15.0	2.1	1.1	26.1	13.1
.6	29.9	15.1	2.2	1.1	26.0	13.1
.7	30.0	15.1	2.3	1.2	25.9	13.1
.8	30.1	15.2	2.4	1.2	25.8	13.0
.9	30.2	15.2	2.5	1.2	25.7	13.0
612.0	30.3	15.3	2.5	1.3	25.6	12.9
.1	30.3	15.3	2.6	1.3	25.6	12.9
.2	30.4	15.3	2.7	1.4	25.5	12.8
.3	30.5	15.4	2.8	1.4	25.4	12.8
.4	30.6	15.4	2.9	1.5	25.3	12.8
.5	30.7	15.5	3.0	1.5	25.2	12.7
.6	30.8	15.5	3.1	1.5	25.1	12.7
.7	30.8	15.6	3.1	1.6	25.1	12.6
.8	30.9	15.6	3.2	1.6	25.0	12.6
.9	31.0	15.6	3.3	1.7	24.9	12.5
613.0	31.1	15.7	3.4	1.7	24.8	12.5
.1	31.2	15.7	3.5	1.8	24.7	12.5
.2	31.3	15.8	3.6	1.8	24.6	12.4
.3	31.4	15.8	3.7	1.9	24.5	12.4
.4	31.5	15.9	3.8	1.9	24.4	12.3
.5	31.5	15.9	3.8	1.9	24.4	12.3
.6	31.6	16.0	3.9	2.0	24.3	12.2
.7	31.7	16.0	4.0	2.0	24.2	12.2
.8	31.8	16.0	4.1	2.1	24.1	12.1
.9	31.9	16.1	4.2	2.1	24.0	12.1

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
614.0	32.0	16.1	4.3	2.2	23.9	12.0
.1	32.1	16.2	4.4	2.2	23.8	12.0
.2	32.2	16.2	4.5	2.3	23.7	12.0
.3	32.3	16.3	4.6	2.3	23.6	11.9
.4	32.4	16.3	4.7	2.3	23.5	11.9
.5	32.5	16.4	4.8	2.4	23.4	11.8
.6	32.5	16.4	4.8	2.4	23.4	11.8
.7	32.6	16.5	4.9	2.5	23.3	11.7
.8	32.7	16.5	5.0	2.5	23.2	11.7
.9	32.8	16.5	5.1	2.6	23.1	11.6
615.0	32.9	16.6	5.2	2.6	23.0	11.6
.1	33.0	16.6	5.3	2.7	22.9	11.5
.2	33.1	16.7	5.4	2.7	22.8	11.5
.3	33.2	16.7	5.5	2.8	22.7	11.5
.4	33.3	16.8	5.6	2.8	22.6	11.4
.5	33.4	16.8	5.7	2.9	22.5	11.4
.6	33.5	16.9	5.8	2.9	22.4	11.3
.7	33.6	16.9	5.9	3.0	22.3	11.3
.8	33.7	17.0	6.0	3.0	22.2	11.2
.9	33.7	17.0	6.0	3.0	22.2	11.2
616.0	33.8	17.1	6.1	3.1	22.1	11.1
.1	33.9	17.1	6.2	3.1	22.0	11.1
.2	34.0	17.2	6.3	3.2	21.9	11.0
.3	34.1	17.2	6.4	3.2	21.8	11.0
.4	34.2	17.3	6.5	3.3	21.7	10.9
.5	34.3	17.3	6.6	3.3	21.6	10.9
.6	34.4	17.3	6.7	3.4	21.5	10.8
.7	34.5	17.4	6.8	3.4	21.4	10.8
.8	34.6	17.4	6.9	3.5	21.3	10.7
.9	34.7	17.5	7.0	3.5	21.2	10.7
617.0	34.8	17.5	7.1	3.6	21.1	10.6
.1	34.9	17.6	7.2	3.6	21.0	10.6
.2	35.0	17.6	7.3	3.7	20.9	10.6
.3	35.1	17.7	7.4	3.7	20.8	10.5
.4	35.2	17.7	7.5	3.8	20.7	10.5
.5	35.3	17.8	7.6	3.8	20.6	10.4
.6	35.3	17.8	7.6	3.9	20.6	10.4
.7	35.4	17.9	7.7	3.9	20.5	10.3
.8	35.5	17.9	7.8	3.9	20.4	10.3
.9	35.6	18.0	7.9	4.0	20.3	10.2
618.0	35.7	18.0	8.0	4.0	20.2	10.2
.1	35.8	18.1	8.1	4.1	20.1	10.1
.2	35.9	18.1	8.2	4.1	20.0	10.1
.3	36.0	18.2	8.3	4.2	19.9	10.0
.4	36.1	18.2	8.4	4.2	19.8	10.0
.5	36.2	18.2	8.5	4.3	19.7	9.9
.6	36.3	18.3	8.6	4.3	19.6	9.9
.7	36.4	18.3	8.7	4.4	19.5	9.8
.8	36.5	18.4	8.8	4.4	19.4	9.8
.9	36.6	18.4	8.9	4.5	19.3	9.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
619.0	36.7	18.5	9.0	4.5	19.2	9.7
.1	36.8	18.5	9.1	4.6	19.1	9.7
.2	36.8	18.6	9.1	4.6	19.1	9.6
.3	36.9	18.6	9.2	4.7	19.0	9.6
.4	37.0	18.7	9.3	4.7	18.9	9.5
.5	37.1	18.7	9.4	4.8	18.8	9.5
.6	37.2	18.8	9.5	4.8	18.7	9.4
.7	37.3	18.8	9.6	4.8	18.6	9.4
.8	37.4	18.9	9.7	4.9	18.5	9.3
.9	37.5	18.9	9.8	4.9	18.4	9.3
620.0	37.6	19.0	9.9	5.0	18.3	9.2
.1	37.7	19.0	10.0	5.0	18.2	9.2
.2	37.8	19.1	10.1	5.1	18.1	9.1
.3	37.9	19.1	10.2	5.1	18.0	9.1
.4	38.0	19.2	10.3	5.2	17.9	9.0
.5	38.1	19.2	10.4	5.2	17.8	9.0
.6	38.2	19.3	10.5	5.3	17.7	8.9
.7	38.3	19.3	10.6	5.3	17.6	8.9
.8	38.4	19.4	10.7	5.4	17.5	8.8
.9	38.5	19.4	10.8	5.4	17.4	8.8
621.0	38.6	19.5	10.9	5.5	17.3	8.7
.1	38.7	19.5	11.0	5.5	17.2	8.7
.2	38.8	19.6	11.1	5.6	17.1	8.6
.3	38.9	19.6	11.2	5.6	17.0	8.6
.4	39.0	19.7	11.3	5.7	16.9	8.5
.5	39.1	19.7	11.4	5.7	16.8	8.5
.6	39.2	19.8	11.5	5.8	16.7	8.4
.7	39.3	19.8	11.6	5.8	16.6	8.4
.8	39.4	19.9	11.7	5.9	16.5	8.3
.9	39.5	19.9	11.8	5.9	16.4	8.3
622.0	39.6	20.0	11.9	6.0	16.3	8.2
.1	39.7	20.0	12.0	6.0	16.2	8.2
.2	39.8	20.1	12.1	6.1	16.1	8.1
.3	39.9	20.1	12.2	6.2	16.0	8.1
.4	40.0	20.2	12.3	6.2	15.9	8.0
.5	40.1	20.2	12.4	6.3	15.8	8.0
.6	40.2	20.3	12.5	6.3	15.7	7.9
.7	40.3	20.3	12.6	6.4	15.6	7.9
.8	40.4	20.4	12.7	6.4	15.5	7.8
.9	40.5	20.4	12.8	6.5	15.4	7.8
623.0	40.6	20.5	12.9	6.5	15.3	7.7
.1	40.7	20.5	13.0	6.6	15.2	7.7
.2	40.8	20.6	13.1	6.6	15.1	7.6
.3	40.9	20.6	13.2	6.7	15.0	7.6
.4	41.0	20.7	13.3	6.7	14.9	7.5
.5	41.1	20.7	13.4	6.8	14.8	7.5
.6	41.2	20.8	13.5	6.8	14.7	7.4
.7	41.3	20.8	13.6	6.9	14.6	7.4
.8	41.4	20.9	13.7	6.9	14.5	7.3
.9	41.5	20.9	13.8	7.0	14.4	7.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
624.0	41.6	21.0	13.9	7.0	14.3	7.2
.1	41.7	21.0	14.0	7.1	14.2	7.2
.2	41.8	21.1	14.1	7.1	14.1	7.1
.3	41.9	21.1	14.2	7.2	14.0	7.1
.4	42.0	21.2	14.3	7.2	13.9	7.0
.5	42.1	21.2	14.4	7.3	13.8	7.0
.6	42.2	21.3	14.5	7.3	13.7	6.9
.7	42.3	21.3	14.6	7.4	13.6	6.9
.8	42.4	21.4	14.7	7.4	13.5	6.8
.9	42.5	21.4	14.8	7.5	13.4	6.8
625.0	42.6	21.5	14.9	7.5	13.3	6.7
.1	42.7	21.5	15.0	7.6	13.2	6.7
.2	42.8	21.6	15.1	7.6	13.1	6.6
.3	42.9	21.6	15.2	7.7	13.0	6.5
.4	43.0	21.7	15.3	7.7	12.9	6.5
.5	43.1	21.7	15.4	7.8	12.8	6.4
.6	43.2	21.8	15.5	7.8	12.7	6.4
.7	43.3	21.9	15.6	7.9	12.6	6.3
.8	43.4	21.9	15.7	7.9	12.5	6.3
.9	43.6	22.0	15.9	8.0	12.3	6.2
626.0	43.7	22.0	16.0	8.0	12.2	6.2
.1	43.8	22.1	16.1	8.1	12.1	6.1
.2	43.9	22.1	16.2	8.2	12.0	6.1
.3	44.0	22.2	16.3	8.2	11.9	6.0
.4	44.1	22.2	16.4	8.3	11.8	6.0
.5	44.2	22.3	16.5	8.3	11.7	5.9
.6	44.3	22.3	16.6	8.4	11.6	5.9
.7	44.4	22.4	16.7	8.4	11.5	5.8
.8	44.5	22.4	16.8	8.5	11.4	5.7
.9	44.6	22.5	16.9	8.5	11.3	5.7
627.0	44.7	22.5	17.0	8.6	11.2	5.6
.1	44.8	22.6	17.1	8.6	11.1	5.6
.2	44.9	22.7	17.2	8.7	11.0	5.5
.3	45.0	22.7	17.3	8.7	10.9	5.5
.4	45.1	22.8	17.4	8.8	10.8	5.4
.5	45.3	22.8	17.5	8.8	10.6	5.4
.6	45.4	22.9	17.7	8.9	10.5	5.3
.7	45.5	22.9	17.8	9.0	10.4	5.3
.8	45.6	23.0	17.9	9.0	10.3	5.2
.9	45.7	23.0	18.0	9.1	10.2	5.2
628.0	45.8	23.1	18.1	9.1	10.1	5.1
.1	45.9	23.1	18.2	9.2	10.0	5.0
.2	46.0	23.2	18.3	9.2	9.9	5.0
.3	46.1	23.2	18.4	9.3	9.8	4.9
.4	46.2	23.3	18.5	9.3	9.7	4.9
.5	46.3	23.3	18.6	9.4	9.6	4.8
.6	46.4	23.4	18.7	9.4	9.5	4.8
.7	46.5	23.5	18.8	9.5	9.4	4.7
.8	46.6	23.5	18.9	9.5	9.3	4.7
.9	46.7	23.6	19.0	9.6	9.2	4.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
629.0	46.8	23.6	19.1	9.6	9.1	4.6
.1	46.9	23.7	19.2	9.7	9.0	4.5
.2	47.1	23.7	19.4	9.8	8.8	4.5
.3	47.2	23.8	19.5	9.8	8.7	4.4
.4	47.3	23.8	19.6	9.9	8.6	4.4
.5	47.4	23.9	19.7	9.9	8.5	4.3
.6	47.5	23.9	19.8	10.0	8.4	4.2
.7	47.6	24.0	19.9	10.0	8.3	4.2
.8	47.7	24.0	20.0	10.1	8.2	4.1
.9	47.8	24.1	20.1	10.1	8.1	4.1
630.0	47.9	24.1	20.2	10.2	8.0	4.0
.1	48.0	24.2	20.3	10.2	7.9	4.0
.2	48.1	24.3	20.4	10.3	7.8	3.9
.3	48.2	24.3	20.5	10.4	7.7	3.9
.4	48.3	24.4	20.6	10.4	7.6	3.8
.5	48.5	24.4	20.8	10.5	7.4	3.8
.6	48.6	24.5	20.9	10.5	7.3	3.7
.7	48.7	24.5	21.0	10.6	7.2	3.6
.8	48.8	24.6	21.1	10.6	7.1	3.6
.9	48.9	24.7	21.2	10.7	7.0	3.5
631.0	49.0	24.7	21.3	10.7	6.9	3.5
.1	49.1	24.8	21.4	10.8	6.8	3.4
.2	49.2	24.8	21.5	10.9	6.7	3.4
.3	49.4	24.9	21.7	10.9	6.5	3.3
.4	49.5	24.9	21.8	11.0	6.4	3.2
.5	49.6	25.0	21.9	11.0	6.3	3.2
.6	49.7	25.1	22.0	11.1	6.2	3.1
.7	49.8	25.1	22.1	11.1	6.1	3.1
.8	49.9	25.2	22.2	11.2	6.0	3.0
.9	50.0	25.2	22.3	11.3	5.9	3.0
632.0	50.1	25.3	22.4	11.3	5.8	2.9
.1	50.3	25.3	22.6	11.4	5.6	2.8
.2	50.4	25.4	22.7	11.4	5.5	2.8
.3	50.5	25.4	22.8	11.5	5.4	2.7
.4	50.6	25.5	22.9	11.5	5.3	2.7
.5	50.7	25.6	23.0	11.6	5.2	2.6
.6	50.8	25.6	23.1	11.7	5.1	2.6
.7	50.9	25.7	23.2	11.7	5.0	2.5
.8	51.0	25.7	23.3	11.8	4.9	2.5
.9	51.1	25.8	23.4	11.8	4.8	2.4
633.0	51.3	25.8	23.6	11.9	4.6	2.3
.1	51.4	25.9	23.7	11.9	4.5	2.3
.2	51.5	26.0	23.8	12.0	4.4	2.2
.3	51.6	26.0	23.9	12.0	4.3	2.2
.4	51.7	26.1	24.0	12.1	4.2	2.1
.5	51.8	26.1	24.1	12.2	4.1	2.1
.6	51.9	26.2	24.2	12.2	4.0	2.0
.7	52.0	26.2	24.3	12.3	3.9	1.9
.8	52.2	26.3	24.5	12.3	3.7	1.9
.9	52.3	26.4	24.6	12.4	3.6	1.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
634.0	52.4	26.4	24.7	12.4	3.5	1.8
.1	52.5	26.5	24.8	12.5	3.4	1.7
.2	52.6	26.5	24.9	12.6	3.3	1.7
.3	52.7	26.6	25.0	12.6	3.2	1.6
.4	52.8	26.6	25.1	12.7	3.1	1.5
.5	52.9	26.7	25.2	12.7	3.0	1.5
.6	53.1	26.7	25.4	12.8	2.8	1.4
.7	53.2	26.8	25.5	12.8	2.7	1.4
.8	53.3	26.9	25.6	12.9	2.6	1.3
.9	53.4	26.9	25.7	13.0	2.5	1.3
635.0	53.5	27.0	25.8	13.0	2.4	1.2
.1	53.6	27.0	25.9	13.1	2.3	1.1
.2	53.7	27.1	26.0	13.1	2.2	1.1
.3	53.9	27.2	26.2	13.2	2.0	1.0
.4	54.0	27.2	26.3	13.2	1.9	1.0
.5	54.1	27.3	26.4	13.3	1.8	0.9
.6	54.2	27.3	26.5	13.4	1.7	0.8
.7	54.3	27.4	26.6	13.4	1.6	0.8
.8	54.5	27.5	26.8	13.5	1.4	0.7
.9	54.6	27.5	26.9	13.6	1.3	0.7
636.0	54.7	27.6	27.0	13.6	1.2	0.6
.1	54.8	27.6	27.1	13.7	1.1	0.5
.2	54.9	27.7	27.2	13.7	1.0	0.5
.3	55.1	27.8	27.4	13.8	0.8	0.4
.4	55.2	27.8	27.5	13.9	0.7	0.4
.5	55.3	27.9	27.6	13.9	0.6	0.3
.6	55.4	27.9	27.7	14.0	0.5	0.2
.7	55.5	28.0	27.8	14.0	0.4	0.2
.8	55.7	28.1	28.0	14.1	0.2	0.1
.9	55.8	28.1	28.1	14.2	0.1	0.1
637.0 SUB	55.9	28.2	28.2	14.2	0.0	0.0
.1	56.0	28.2				
.2	56.2	28.3				
.3	56.3	28.4				
.4	56.4	28.4				
.5	56.5	28.5				
.6	56.7	28.6				
.7	56.8	28.6				
.8	56.9	28.7				
.9	57.0	28.8				
638.0	57.2	28.8				

Reservoir Storage Tables

PROJECT NAME: DETROIT

PROJECT NUMBER: 123

STORAGE LOWER BOUND (SLB) =   115.00 KAF   STORAGE UPPER BOUND (SUB) = 436.00 KAF

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1425.0	114.9	57.9				
.1 SLB	115.1	58.0	0.1	0.0	320.9	161.8
.2	115.2	58.1	0.2	0.1	320.8	161.7
.3	115.4	58.2	0.4	0.2	320.6	161.7
.4	115.5	58.2	0.5	0.3	320.5	161.6
.5	115.7	58.3	0.7	0.3	320.3	161.5
.6	115.8	58.4	0.8	0.4	320.2	161.4
.7	116.0	58.5	1.0	0.5	320.0	161.3
.8	116.1	58.6	1.1	0.6	319.9	161.3
.9	116.3	58.6	1.3	0.6	319.7	161.2
1426.0	116.4	58.7	1.4	0.7	319.6	161.1
.1	116.6	58.8	1.6	0.8	319.4	161.0
.2	116.8	58.9	1.8	0.9	319.2	161.0
.3	116.9	58.9	1.9	1.0	319.1	160.9
.4	117.1	59.0	2.1	1.0	318.9	160.8
.5	117.2	59.1	2.2	1.1	318.8	160.7
.6	117.4	59.2	2.4	1.2	318.6	160.6
.7	117.5	59.3	2.5	1.3	318.5	160.6
.8	117.7	59.3	2.7	1.3	318.3	160.5
.9	117.8	59.4	2.8	1.4	318.2	160.4
1427.0	118.0	59.5	3.0	1.5	318.0	160.3
.1	118.1	59.6	3.1	1.6	317.9	160.3
.2	118.3	59.6	3.3	1.7	317.7	160.2
.3	118.4	59.7	3.4	1.7	317.6	160.1
.4	118.6	59.8	3.6	1.8	317.4	160.0
.5	118.8	59.9	3.8	1.9	317.2	159.9
.6	118.9	60.0	3.9	2.0	317.1	159.9
.7	119.1	60.0	4.1	2.0	316.9	159.8
.8	119.2	60.1	4.2	2.1	316.8	159.7
.9	119.4	60.2	4.4	2.2	316.6	159.6
1428.0	119.5	60.3	4.5	2.3	316.5	159.6
.1	119.7	60.3	4.7	2.4	316.3	159.5
.2	119.8	60.4	4.8	2.4	316.2	159.4
.3	120.0	60.5	5.0	2.5	316.0	159.3
.4	120.1	60.6	5.1	2.6	315.9	159.2
.5	120.3	60.6	5.3	2.7	315.7	159.2
.6	120.5	60.7	5.5	2.7	315.5	159.1
.7	120.6	60.8	5.6	2.8	315.4	159.0
.8	120.8	60.9	5.8	2.9	315.2	158.9
.9	120.9	61.0	5.9	3.0	315.1	158.9
1429.0	121.1	61.0	6.1	3.1	314.9	158.8
.1	121.2	61.1	6.2	3.1	314.8	158.7
.2	121.4	61.2	6.4	3.2	314.6	158.6
.3	121.5	61.3	6.5	3.3	314.5	158.5
.4	121.7	61.3	6.7	3.4	314.3	158.5
.5	121.8	61.4	6.8	3.4	314.2	158.4
.6	122.0	61.5	7.0	3.5	314.0	158.3
.7	122.1	61.6	7.1	3.6	313.9	158.2
.8	122.3	61.7	7.3	3.7	313.7	158.2
.9	122.5	61.7	7.5	3.8	313.5	158.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1430.0	122.6	61.8	7.6	3.8	313.4	158.0
.1	122.8	61.9	7.8	3.9	313.2	157.9
.2	122.9	62.0	7.9	4.0	313.1	157.8
.3	123.1	62.0	8.1	4.1	312.9	157.8
.4	123.2	62.1	8.2	4.1	312.8	157.7
.5	123.4	62.2	8.4	4.2	312.6	157.6
.6	123.5	62.3	8.5	4.3	312.5	157.5
.7	123.7	62.4	8.7	4.4	312.3	157.5
.8	123.8	62.4	8.8	4.5	312.2	157.4
.9	124.0	62.5	9.0	4.5	312.0	157.3
1431.0	124.2	62.6	9.2	4.6	311.8	157.2
.1	124.3	62.7	9.3	4.7	311.7	157.1
.2	124.5	62.7	9.5	4.8	311.5	157.1
.3	124.6	62.8	9.6	4.8	311.4	157.0
.4	124.8	62.9	9.8	4.9	311.2	156.9
.5	124.9	63.0	9.9	5.0	311.1	156.8
.6	125.1	63.1	10.1	5.1	310.9	156.8
.7	125.2	63.1	10.2	5.2	310.8	156.7
.8	125.4	63.2	10.4	5.2	310.6	156.6
.9	125.5	63.3	10.5	5.3	310.5	156.5
1432.0	125.7	63.4	10.7	5.4	310.3	156.4
.1	125.8	63.4	10.8	5.5	310.2	156.4
.2	126.0	63.5	11.0	5.5	310.0	156.3
.3	126.2	63.6	11.2	5.6	309.8	156.2
.4	126.3	63.7	11.3	5.7	309.7	156.1
.5	126.5	63.8	11.5	5.8	309.5	156.1
.6	126.6	63.8	11.6	5.9	309.4	156.0
.7	126.8	63.9	11.8	5.9	309.2	155.9
.8	126.9	64.0	11.9	6.0	309.1	155.8
.9	127.1	64.1	12.1	6.1	308.9	155.7
1433.0	127.2	64.1	12.2	6.2	308.8	155.7
.1	127.4	64.2	12.4	6.2	308.6	155.6
.2	127.5	64.3	12.5	6.3	308.5	155.5
.3	127.7	64.4	12.7	6.4	308.3	155.4
.4	127.9	64.5	12.9	6.5	308.1	155.4
.5	128.0	64.5	13.0	6.6	308.0	155.3
.6	128.2	64.6	13.2	6.6	307.8	155.2
.7	128.3	64.7	13.3	6.7	307.7	155.1
.8	128.5	64.8	13.5	6.8	307.5	155.0
.9	128.6	64.8	13.6	6.9	307.4	155.0
1434.0	128.8	64.9	13.8	6.9	307.2	154.9
.1	128.9	65.0	13.9	7.0	307.1	154.8
.2	129.1	65.1	14.1	7.1	306.9	154.7
.3	129.2	65.2	14.2	7.2	306.8	154.7
.4	129.4	65.2	14.4	7.3	306.6	154.6
.5	129.6	65.3	14.6	7.3	306.5	154.5
.6	129.7	65.4	14.7	7.4	306.3	154.4
.7	129.9	65.5	14.9	7.5	306.1	154.3
.8	130.0	65.5	15.0	7.6	306.0	154.3
.9	130.2	65.6	15.2	7.6	305.8	154.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1435.0	130.3	65.7	15.3	7.7	305.7	154.1
.1	130.5	65.8	15.5	7.8	305.5	154.0
.2	130.6	65.9	15.6	7.9	305.4	154.0
.3	130.8	65.9	15.8	8.0	305.2	153.9
.4	130.9	66.0	15.9	8.0	305.1	153.8
.5	131.1	66.1	16.1	8.1	304.9	153.7
.6	131.2	66.2	16.2	8.2	304.8	153.6
.7	131.4	66.2	16.4	8.3	304.6	153.6
.8	131.6	66.3	16.6	8.3	304.4	153.5
.9	131.7	66.4	16.7	8.4	304.3	153.4
1436.0	131.9	66.5	16.9	8.5	304.1	153.3
.1	132.0	66.6	17.0	8.6	304.0	153.3
.2	132.2	66.6	17.2	8.7	303.8	153.2
.3	132.3	66.7	17.3	8.7	303.7	153.1
.4	132.5	66.8	17.5	8.8	303.5	153.0
.5	132.6	66.9	17.6	8.9	303.4	152.9
.6	132.8	66.9	17.8	9.0	303.2	152.9
.7	132.9	67.0	17.9	9.0	303.1	152.8
.8	133.1	67.1	18.1	9.1	302.9	152.7
.9	133.3	67.2	18.3	9.2	302.7	152.6
1437.0	133.4	67.3	18.4	9.3	302.6	152.6
.1	133.6	67.3	18.6	9.4	302.4	152.5
.2	133.7	67.4	18.7	9.4	302.3	152.4
.3	133.9	67.5	18.9	9.5	302.1	152.3
.4	134.0	67.6	19.0	9.6	302.0	152.2
.5	134.2	67.6	19.2	9.7	301.8	152.2
.6	134.3	67.7	19.3	9.7	301.7	152.1
.7	134.5	67.8	19.5	9.8	301.5	152.0
.8	134.6	67.9	19.6	9.9	301.4	151.9
.9	134.8	68.0	19.8	10.0	301.2	151.9
1438.0	134.9	68.0	19.9	10.1	301.1	151.8
.1	135.1	68.1	20.1	10.1	300.9	151.7
.2	135.3	68.2	20.3	10.2	300.7	151.6
.3	135.4	68.3	20.4	10.3	300.6	151.5
.4	135.6	68.3	20.6	10.4	300.4	151.5
.5	135.7	68.4	20.7	10.4	300.3	151.4
.6	135.9	68.5	20.9	10.5	300.1	151.3
.7	136.0	68.6	21.0	10.6	300.0	151.2
.8	136.2	68.7	21.2	10.7	299.8	151.2
.9	136.3	68.7	21.3	10.8	299.7	151.1
1439.0	136.5	68.8	21.5	10.8	299.5	151.0
.1	136.6	68.9	21.6	10.9	299.4	150.9
.2	136.8	69.0	21.8	11.0	299.2	150.8
.3	137.0	69.0	22.0	11.1	299.0	150.8
.4	137.1	69.1	22.1	11.1	298.9	150.7
.5	137.3	69.2	22.3	11.2	298.7	150.6
.6	137.4	69.3	22.4	11.3	298.6	150.5
.7	137.6	69.4	22.6	11.4	298.4	150.5
.8	137.7	69.4	22.7	11.5	298.3	150.4
.9	137.9	69.5	22.9	11.5	298.1	150.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1440.0	138.0	69.6	23.0	11.6	298.0	150.2
.1	138.2	69.7	23.2	11.7	297.8	150.1
.2	138.3	69.7	23.3	11.8	297.7	150.1
.3	138.5	69.8	23.5	11.8	297.5	150.0
.4	138.6	69.9	23.6	11.9	297.4	149.9
.5	138.8	70.0	23.8	12.0	297.2	149.8
.6	139.0	70.1	24.0	12.1	297.0	149.8
.7	139.1	70.1	24.1	12.2	296.9	149.7
.8	139.3	70.2	24.3	12.2	296.7	149.6
.9	139.4	70.3	24.4	12.3	296.6	149.5
1441.0	139.6	70.4	24.6	12.4	296.4	149.4
.1	139.7	70.4	24.7	12.5	296.3	149.4
.2	139.9	70.5	24.9	12.5	296.1	149.3
.3	140.0	70.6	25.0	12.6	296.0	149.2
.4	140.2	70.7	25.2	12.7	295.8	149.1
.5	140.3	70.8	25.3	12.8	295.7	149.1
.6	140.5	70.8	25.5	12.9	295.5	149.0
.7	140.7	70.9	25.7	12.9	295.3	148.9
.8	140.8	71.0	25.8	13.0	295.2	148.8
.9	141.0	71.1	26.0	13.1	295.0	148.7
1442.0	141.1	71.1	26.1	13.2	294.9	148.7
.1	141.3	71.2	26.3	13.2	294.7	148.6
.2	141.4	71.3	26.4	13.3	294.6	148.5
.3	141.6	71.4	26.6	13.4	294.4	148.4
.4	141.7	71.5	26.7	13.5	294.3	148.4
.5	141.9	71.5	26.9	13.6	294.1	148.3
.6	142.0	71.6	27.0	13.6	294.0	148.2
.7	142.2	71.7	27.2	13.7	293.8	148.1
.8	142.3	71.8	27.3	13.8	293.7	148.0
.9	142.5	71.8	27.5	13.9	293.5	148.0
1443.0	142.7	71.9	27.7	13.9	293.3	147.9
.1	142.8	72.0	27.8	14.0	293.2	147.8
.2	143.0	72.1	28.0	14.1	293.0	147.7
.3	143.1	72.2	28.1	14.2	292.9	147.7
.4	143.3	72.2	28.3	14.3	292.7	147.6
.5	143.4	72.3	28.4	14.3	292.6	147.5
.6	143.6	72.4	28.6	14.4	292.4	147.4
.7	143.7	72.5	28.7	14.5	292.3	147.3
.8	143.9	72.5	28.9	14.6	292.1	147.3
.9	144.0	72.6	29.0	14.6	292.0	147.2
1444.0	144.2	72.7	29.2	14.7	291.8	147.1
.1	144.4	72.8	29.4	14.8	291.6	147.0
.2	144.5	72.9	29.5	14.9	291.5	146.9
.3	144.7	73.0	29.7	15.0	291.3	146.9
.4	144.9	73.0	29.9	15.1	291.1	146.8
.5	145.0	73.1	30.0	15.1	291.0	146.7
.6	145.2	73.2	30.2	15.2	290.8	146.6
.7	145.4	73.3	30.4	15.3	290.6	146.5
.8	145.6	73.4	30.6	15.4	290.4	146.4
.9	145.7	73.5	30.7	15.5	290.3	146.3

Reservoir Storage Tables

PAGE 5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1445.0	145.9	73.6	30.9	15.6	290.1	146.3
.1	146.1	73.6	31.1	15.7	289.9	146.2
.2	146.2	73.7	31.2	15.7	289.8	146.1
.3	146.4	73.8	31.4	15.8	289.6	146.0
.4	146.6	73.9	31.6	15.9	289.4	145.9
.5	146.7	74.0	31.7	16.0	289.3	145.8
.6	146.9	74.1	31.9	16.1	289.1	145.7
.7	147.1	74.2	32.1	16.2	288.9	145.7
.8	147.3	74.2	32.3	16.3	288.7	145.6
.9	147.4	74.3	32.4	16.3	288.6	145.5
1446.0	147.6	74.4	32.6	16.4	288.4	145.4
.1	147.8	74.5	32.8	16.5	288.2	145.3
.2	147.9	74.6	32.9	16.6	288.1	145.2
.3	148.1	74.7	33.1	16.7	287.9	145.1
.4	148.3	74.8	33.3	16.8	287.7	145.1
.5	148.4	74.8	33.4	16.9	287.6	145.0
.6	148.6	74.9	33.6	16.9	287.4	144.9
.7	148.8	75.0	33.8	17.0	287.2	144.8
.8	149.0	75.1	34.0	17.1	287.0	144.7
.9	149.1	75.2	34.1	17.2	286.9	144.6
1447.0	149.3	75.3	34.3	17.3	286.7	144.5
.1	149.5	75.4	34.5	17.4	286.5	144.5
.2	149.6	75.4	34.6	17.5	286.4	144.4
.3	149.8	75.5	34.8	17.5	286.2	144.3
.4	150.0	75.6	35.0	17.6	286.0	144.2
.5	150.1	75.7	35.1	17.7	285.9	144.1
.6	150.3	75.8	35.3	17.8	285.7	144.0
.7	150.5	75.9	35.5	17.9	285.5	144.0
.8	150.6	76.0	35.6	18.0	285.4	143.9
.9	150.8	76.0	35.8	18.1	285.2	143.8
1448.0	151.0	76.1	36.0	18.1	285.0	143.7
.1	151.2	76.2	36.2	18.2	284.8	143.6
.2	151.3	76.3	36.3	18.3	284.7	143.5
.3	151.5	76.4	36.5	18.4	284.5	143.4
.4	151.7	76.5	36.7	18.5	284.3	143.4
.5	151.8	76.6	36.8	18.6	284.2	143.3
.6	152.0	76.6	37.0	18.7	284.0	143.2
.7	152.2	76.7	37.2	18.7	283.8	143.1
.8	152.3	76.8	37.3	18.8	283.7	143.0
.9	152.5	76.9	37.5	18.9	283.5	142.9
1449.0	152.7	77.0	37.7	19.0	283.3	142.8
.1	152.9	77.1	37.9	19.1	283.1	142.8
.2	153.0	77.1	38.0	19.2	283.0	142.7
.3	153.2	77.2	38.2	19.3	282.8	142.6
.4	153.4	77.3	38.4	19.3	282.6	142.5
.5	153.5	77.4	38.5	19.4	282.5	142.4
.6	153.7	77.5	38.7	19.5	282.3	142.3
.7	153.9	77.6	38.9	19.6	282.1	142.2
.8	154.0	77.7	39.0	19.7	282.0	142.2
.9	154.2	77.7	39.2	19.8	281.8	142.1

PAGE 6

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1450.0	154.4	77.8	39.4	19.9	281.6	142.0
.1	154.6	77.9	39.6	19.9	281.4	141.9
.2	154.7	78.0	39.7	20.0	281.3	141.8
.3	154.9	78.1	39.9	20.1	281.1	141.7
.4	155.1	78.2	40.1	20.2	280.9	141.6
.5	155.3	78.3	40.3	20.3	280.7	141.5
.6	155.5	78.4	40.5	20.4	280.5	141.4
.7	155.6	78.5	40.6	20.5	280.4	141.3
.8	155.8	78.6	40.8	20.6	280.2	141.3
.9	156.0	78.7	41.0	20.7	280.0	141.2
1451.0	156.2	78.7	41.2	20.8	279.8	141.1
.1	156.4	78.8	41.4	20.9	279.6	141.0
.2	156.5	78.9	41.5	20.9	279.5	140.9
.3	156.7	79.0	41.7	21.0	279.3	140.8
.4	156.9	79.1	41.9	21.1	279.1	140.7
.5	157.1	79.2	42.1	21.2	278.9	140.6
.6	157.3	79.3	42.3	21.3	278.7	140.5
.7	157.4	79.4	42.4	21.4	278.6	140.4
.8	157.6	79.5	42.6	21.5	278.4	140.3
.9	157.8	79.6	42.8	21.6	278.2	140.3
1452.0	158.0	79.6	43.0	21.7	278.0	140.2
.1	158.2	79.7	43.2	21.8	277.8	140.1
.2	158.3	79.8	43.3	21.9	277.7	140.0
.3	158.5	79.9	43.5	21.9	277.5	139.9
.4	158.7	80.0	43.7	22.0	277.3	139.8
.5	158.9	80.1	43.9	22.1	277.1	139.7
.6	159.1	80.2	44.1	22.2	276.9	139.6
.7	159.2	80.3	44.2	22.3	276.8	139.5
.8	159.4	80.4	44.4	22.4	276.6	139.4
.9	159.6	80.5	44.6	22.5	276.4	139.3
1453.0	159.8	80.6	44.8	22.6	276.2	139.3
.1	160.0	80.6	45.0	22.7	276.0	139.2
.2	160.1	80.7	45.1	22.8	275.9	139.1
.3	160.3	80.8	45.3	22.9	275.7	139.0
.4	160.5	80.9	45.5	22.9	275.5	138.9
.5	160.7	81.0	45.7	23.0	275.3	138.8
.6	160.9	81.1	45.9	23.1	275.1	138.7
.7	161.0	81.2	46.0	23.2	275.0	138.6
.8	161.2	81.3	46.2	23.3	274.8	138.5
.9	161.4	81.4	46.4	23.4	274.6	138.4
1454.0	161.6	81.5	46.6	23.5	274.4	138.4
.1	161.8	81.6	46.8	23.6	274.2	138.3
.2	161.9	81.6	46.9	23.7	274.1	138.2
.3	162.1	81.7	47.1	23.8	273.9	138.1
.4	162.3	81.8	47.3	23.9	273.7	138.0
.5	162.5	81.9	47.5	23.9	273.5	137.9
.6	162.7	82.0	47.7	24.0	273.3	137.8
.7	162.8	82.1	47.8	24.1	273.2	137.7
.8	163.0	82.2	48.0	24.2	273.0	137.6
.9	163.2	82.3	48.2	24.3	272.8	137.5

Detroit

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1455.0	163.4	82.4	48.4	24.4	272.6	137.4
.1	163.6	82.5	48.6	24.5	272.4	137.4
.2	163.7	82.6	48.7	24.6	272.3	137.3
.3	163.9	82.6	48.9	24.7	272.1	137.2
.4	164.1	82.7	49.1	24.8	271.9	137.1
.5	164.3	82.8	49.3	24.8	271.7	137.0
.6	164.5	82.9	49.5	24.9	271.5	136.9
.7	164.6	83.0	49.6	25.0	271.4	136.8
.8	164.8	83.1	49.8	25.1	271.2	136.7
.9	165.0	83.2	50.0	25.2	271.0	136.6
1456.0	165.2	83.3	50.2	25.3	270.8	136.5
.1	165.4	83.4	50.4	25.4	270.6	136.4
.2	165.5	83.5	50.5	25.5	270.5	136.4
.3	165.7	83.6	50.7	25.6	270.3	136.3
.4	165.9	83.6	50.9	25.7	270.1	136.2
.5	166.1	83.7	51.1	25.8	269.9	136.1
.6	166.3	83.8	51.3	25.8	269.7	136.0
.7	166.4	83.9	51.4	25.9	269.6	135.9
.8	166.6	84.0	51.6	26.0	269.4	135.8
.9	166.8	84.1	51.8	26.1	269.2	135.7
1457.0	167.0	84.2	52.0	26.2	269.0	135.6
.1	167.2	84.3	52.2	26.3	268.8	135.5
.2	167.4	84.4	52.4	26.4	268.6	135.4
.3	167.5	84.5	52.5	26.5	268.5	135.4
.4	167.7	84.6	52.7	26.6	268.3	135.3
.5	167.9	84.6	52.9	26.7	268.1	135.2
.6	168.1	84.7	53.1	26.8	267.9	135.1
.7	168.3	84.8	53.3	26.8	267.7	135.0
.8	168.4	84.9	53.4	26.9	267.6	134.9
.9	168.6	85.0	53.6	27.0	267.4	134.8
1458.0	168.8	85.1	53.8	27.1	267.2	134.7
.1	169.0	85.2	54.0	27.2	267.0	134.6
.2	169.2	85.3	54.2	27.3	266.8	134.5
.3	169.3	85.4	54.3	27.4	266.7	134.4
.4	169.5	85.5	54.5	27.5	266.5	134.4
.5	169.7	85.6	54.7	27.6	266.3	134.3
.6	169.9	85.6	54.9	27.7	266.1	134.2
.7	170.1	85.7	55.1	27.8	265.9	134.1
.8	170.2	85.8	55.2	27.8	265.8	134.0
.9	170.4	85.9	55.4	27.9	265.6	133.9
1459.0	170.6	86.0	55.6	28.0	265.4	133.8
.1	170.8	86.1	55.8	28.1	265.2	133.7
.2	171.0	86.2	56.0	28.2	265.0	133.6
.3	171.1	86.3	56.1	28.3	264.9	133.5
.4	171.3	86.4	56.3	28.4	264.7	133.4
.5	171.5	86.5	56.5	28.5	264.5	133.4
.6	171.7	86.6	56.7	28.6	264.3	133.3
.7	171.9	86.6	56.9	28.7	264.1	133.2
.8	172.0	86.7	57.0	28.8	264.0	133.1
.9	172.2	86.8	57.2	28.8	263.8	133.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1460.0	172.4	86.9	57.4	28.9	263.6	132.9
.1	172.6	87.0	57.6	29.0	263.4	132.8
.2	172.8	87.1	57.8	29.1	263.2	132.7
.3	172.9	87.2	57.9	29.2	263.1	132.6
.4	173.1	87.3	58.1	29.3	262.9	132.5
.5	173.3	87.4	58.3	29.4	262.7	132.4
.6	173.5	87.5	58.5	29.5	262.5	132.4
.7	173.7	87.6	58.7	29.6	262.3	132.3
.8	173.8	87.6	58.8	29.7	262.2	132.2
.9	174.0	87.7	59.0	29.8	262.0	132.1
1461.0	174.2	87.8	59.2	29.8	261.8	132.0
.1	174.4	87.9	59.4	29.9	261.6	131.9
.2	174.6	88.0	59.6	30.0	261.4	131.8
.3	174.7	88.1	59.7	30.1	261.3	131.7
.4	174.9	88.2	59.9	30.2	261.1	131.6
.5	175.1	88.3	60.1	30.3	260.9	131.5
.6	175.3	88.4	60.3	30.4	260.7	131.4
.7	175.5	88.5	60.5	30.5	260.5	131.4
.8	175.6	88.6	60.6	30.6	260.4	131.3
.9	175.8	88.6	60.8	30.7	260.2	131.2
1462.0	176.0	88.7	61.0	30.8	260.0	131.1
.1	176.2	88.8	61.2	30.8	259.8	131.0
.2	176.4	88.9	61.4	30.9	259.6	130.9
.3	176.5	89.0	61.5	31.0	259.5	130.8
.4	176.7	89.1	61.7	31.1	259.3	130.7
.5	176.9	89.2	61.9	31.2	259.1	130.6
.6	177.1	89.3	62.1	31.3	258.9	130.5
.7	177.3	89.4	62.3	31.4	258.7	130.4
.8	177.4	89.5	62.4	31.5	258.6	130.4
.9	177.6	89.5	62.6	31.6	258.4	130.3
1463.0	177.8	89.6	62.8	31.7	258.2	130.2
.1	178.0	89.7	63.0	31.8	258.0	130.1
.2	178.2	89.8	63.2	31.8	257.8	130.0
.3	178.3	89.9	63.3	31.9	257.7	129.9
.4	178.5	90.0	63.5	32.0	257.5	129.8
.5	178.7	90.1	63.7	32.1	257.3	129.7
.6	178.9	90.2	63.9	32.2	257.1	129.6
.7	179.1	90.3	64.1	32.3	256.9	129.5
.8	179.3	90.4	64.3	32.4	256.7	129.4
.9	179.5	90.5	64.5	32.5	256.5	129.3
1464.0	179.7	90.6	64.7	32.6	256.3	129.2
.1	179.9	90.7	64.9	32.7	256.1	129.1
.2	180.1	90.8	65.1	32.8	255.9	129.0
.3	180.3	90.9	65.3	32.9	255.7	128.9
.4	180.5	91.0	65.5	33.0	255.5	128.8
.5	180.7	91.1	65.7	33.1	255.3	128.7
.6	180.9	91.2	65.9	33.2	255.1	128.6
.7	181.1	91.3	66.1	33.3	254.9	128.5
.8	181.3	91.4	66.3	33.4	254.7	128.4
.9	181.4	91.5	66.4	33.5	254.6	128.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1465.0	181.6	91.6	66.6	33.6	254.4	128.2
.1	181.8	91.7	66.8	33.7	254.2	128.1
.2	182.0	91.8	67.0	33.8	254.0	128.0
.3	182.2	91.9	67.2	33.9	253.8	127.9
.4	182.4	92.0	67.4	34.0	253.6	127.8
.5	182.6	92.1	67.6	34.1	253.4	127.7
.6	182.8	92.2	67.8	34.2	253.2	127.6
.7	183.0	92.3	68.0	34.3	253.0	127.5
.8	183.2	92.4	68.2	34.4	252.8	127.4
.9	183.4	92.5	68.4	34.5	252.6	127.3
1466.0	183.6	92.6	68.6	34.6	252.4	127.2
.1	183.8	92.7	68.8	34.7	252.2	127.2
.2	184.0	92.8	69.0	34.8	252.0	127.1
.3	184.2	92.9	69.2	34.9	251.8	127.0
.4	184.4	93.0	69.4	35.0	251.6	126.9
.5	184.6	93.1	69.6	35.1	251.4	126.8
.6	184.8	93.2	69.8	35.2	251.2	126.7
.7	185.0	93.3	70.0	35.3	251.0	126.6
.8	185.2	93.4	70.2	35.4	250.8	126.5
.9	185.4	93.5	70.4	35.5	250.6	126.4
1467.0	185.6	93.6	70.6	35.6	250.4	126.3
.1	185.8	93.7	70.8	35.7	250.2	126.2
.2	186.0	93.8	71.0	35.8	250.0	126.1
.3	186.2	93.9	71.2	35.9	249.8	126.0
.4	186.4	94.0	71.4	36.0	249.6	125.9
.5	186.5	94.1	71.5	36.1	249.5	125.8
.6	186.7	94.2	71.7	36.2	249.3	125.7
.7	186.9	94.2	71.9	36.3	249.1	125.6
.8	187.1	94.3	72.1	36.4	248.9	125.5
.9	187.3	94.4	72.3	36.5	248.7	125.4
1468.0	187.5	94.5	72.5	36.6	248.5	125.3
.1	187.7	94.6	72.7	36.7	248.3	125.2
.2	187.9	94.7	72.9	36.8	248.1	125.1
.3	188.1	94.8	73.1	36.9	247.9	125.0
.4	188.3	94.9	73.3	37.0	247.7	124.9
.5	188.5	95.0	73.5	37.1	247.5	124.8
.6	188.7	95.1	73.7	37.2	247.3	124.7
.7	188.9	95.2	73.9	37.3	247.1	124.6
.8	189.1	95.3	74.1	37.4	246.9	124.5
.9	189.3	95.4	74.3	37.5	246.7	124.4
1469.0	189.5	95.5	74.5	37.6	246.5	124.3
.1	189.7	95.6	74.7	37.7	246.3	124.2
.2	189.9	95.7	74.9	37.8	246.1	124.1
.3	190.1	95.8	75.1	37.9	245.9	124.0
.4	190.3	95.9	75.3	38.0	245.7	123.9
.5	190.5	96.0	75.5	38.1	245.5	123.8
.6	190.7	96.1	75.7	38.1	245.3	123.7
.7	190.9	96.2	75.9	38.2	245.1	123.6
.8	191.1	96.3	76.1	38.3	244.9	123.5
.9	191.3	96.4	76.3	38.4	244.7	123.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1470.0	191.5	96.5	76.5	38.5	244.5	123.3
.1	191.7	96.6	76.7	38.6	244.3	123.2
.2	191.8	96.7	76.8	38.7	244.2	123.1
.3	192.0	96.8	77.0	38.8	244.0	123.0
.4	192.2	96.9	77.2	38.9	243.8	122.9
.5	192.4	97.0	77.4	39.0	243.6	122.8
.6	192.6	97.1	77.6	39.1	243.4	122.7
.7	192.8	97.2	77.8	39.2	243.2	122.6
.8	193.0	97.3	78.0	39.3	243.0	122.5
.9	193.2	97.4	78.2	39.4	242.8	122.4
1471.0	193.4	97.5	78.4	39.5	242.6	122.3
.1	193.6	97.6	78.6	39.6	242.4	122.2
.2	193.8	97.7	78.8	39.7	242.2	122.1
.3	194.0	97.8	79.0	39.8	242.0	122.0
.4	194.2	97.9	79.2	39.9	241.8	121.9
.5	194.4	98.0	79.4	40.0	241.6	121.8
.6	194.6	98.1	79.6	40.1	241.4	121.7
.7	194.8	98.2	79.8	40.2	241.2	121.6
.8	195.0	98.3	80.0	40.3	241.0	121.5
.9	195.2	98.4	80.2	40.4	240.8	121.4
1472.0	195.4	98.5	80.4	40.5	240.6	121.3
.1	195.6	98.6	80.6	40.6	240.4	121.2
.2	195.8	98.7	80.8	40.7	240.2	121.1
.3	196.0	98.8	81.0	40.8	240.0	121.0
.4	196.2	98.9	81.2	40.9	239.8	120.9
.5	196.4	99.0	81.4	41.0	239.6	120.8
.6	196.6	99.1	81.6	41.1	239.4	120.7
.7	196.8	99.2	81.8	41.2	239.2	120.6
.8	196.9	99.3	81.9	41.3	239.1	120.5
.9	197.1	99.4	82.1	41.4	238.9	120.4
1473.0	197.3	99.5	82.3	41.5	238.7	120.3
.1	197.5	99.6	82.5	41.6	238.5	120.2
.2	197.7	99.7	82.7	41.7	238.3	120.1
.3	197.9	99.8	82.9	41.8	238.1	120.0
.4	198.1	99.9	83.1	41.9	237.9	119.9
.5	198.3	100.0	83.3	42.0	237.7	119.8
.6	198.5	100.1	83.5	42.1	237.5	119.7
.7	198.7	100.2	83.7	42.2	237.3	119.6
.8	198.9	100.3	83.9	42.3	237.1	119.5
.9	199.1	100.4	84.1	42.4	236.9	119.4
1474.0	199.3	100.5	84.3	42.5	236.7	119.3
.1	199.5	100.6	84.5	42.6	236.5	119.2
.2	199.7	100.7	84.7	42.7	236.3	119.1
.3	199.9	100.8	84.9	42.8	236.1	119.0
.4	200.1	100.9	85.1	42.9	235.9	118.9
.5	200.3	101.0	85.3	43.0	235.7	118.8
.6	200.5	101.1	85.5	43.1	235.5	118.7
.7	200.7	101.2	85.7	43.2	235.3	118.6
.8	200.9	101.3	85.9	43.3	235.1	118.5
.9	201.1	101.4	86.1	43.4	234.9	118.4

Detroit

Aug 96
CENPD-ET-WP

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1475.0	201.3	101.5	86.3	43.5	234.7	118.3
.1	201.5	101.6	86.5	43.6	234.5	118.2
.2	201.7	101.7	86.7	43.7	234.3	118.1
.3	201.9	101.8	86.9	43.8	234.1	118.0
.4	202.0	101.9	87.0	43.9	234.0	117.9
.5	202.2	102.0	87.2	44.0	233.8	117.9
.6	202.4	102.1	87.4	44.1	233.6	117.8
.7	202.6	102.2	87.6	44.2	233.4	117.7
.8	202.8	102.3	87.8	44.3	233.2	117.6
.9	203.0	102.4	88.0	44.4	233.0	117.5
1476.0	203.2	102.5	88.2	44.5	232.8	117.4
.1	203.4	102.6	88.4	44.6	232.6	117.3
.2	203.6	102.7	88.6	44.7	232.4	117.2
.3	203.8	102.8	88.8	44.8	232.2	117.1
.4	204.0	102.9	89.0	44.9	232.0	117.0
.5	204.2	103.0	89.2	45.0	231.8	116.9
.6	204.4	103.1	89.4	45.1	231.6	116.8
.7	204.6	103.2	89.6	45.2	231.4	116.7
.8	204.8	103.3	89.8	45.3	231.2	116.6
.9	205.0	103.4	90.0	45.4	231.0	116.5
1477.0	205.2	103.4	90.2	45.5	230.8	116.4
.1	205.4	103.5	90.4	45.6	230.6	116.3
.2	205.6	103.6	90.6	45.7	230.4	116.2
.3	205.8	103.7	90.8	45.8	230.2	116.1
.4	206.0	103.8	91.0	45.9	230.0	116.0
.5	206.2	103.9	91.2	46.0	229.8	115.9
.6	206.4	104.0	91.4	46.1	229.6	115.8
.7	206.6	104.1	91.6	46.2	229.4	115.7
.8	206.8	104.2	91.8	46.3	229.2	115.6
.9	207.0	104.3	92.0	46.4	229.0	115.5
1478.0	207.2	104.4	92.2	46.5	228.8	115.4
.1	207.3	104.5	92.3	46.6	228.7	115.3
.2	207.5	104.6	92.5	46.7	228.5	115.2
.3	207.7	104.7	92.7	46.8	228.3	115.1
.4	207.9	104.8	92.9	46.9	228.1	115.0
.5	208.1	104.9	93.1	47.0	227.9	114.9
.6	208.3	105.0	93.3	47.1	227.7	114.8
.7	208.5	105.1	93.5	47.2	227.5	114.7
.8	208.7	105.2	93.7	47.3	227.3	114.6
.9	208.9	105.3	93.9	47.3	227.1	114.5
1479.0	209.1	105.4	94.1	47.4	226.9	114.4
.1	209.3	105.5	94.3	47.5	226.7	114.3
.2	209.5	105.6	94.5	47.6	226.5	114.2
.3	209.7	105.7	94.7	47.7	226.3	114.1
.4	209.9	105.8	94.9	47.8	226.1	114.0
.5	210.1	105.9	95.1	47.9	225.9	113.9
.6	210.3	106.0	95.3	48.0	225.7	113.8
.7	210.5	106.1	95.5	48.1	225.5	113.7
.8	210.7	106.2	95.7	48.2	225.3	113.6
.9	210.9	106.3	95.9	48.3	225.1	113.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1480.0	211.1	106.4	96.1	48.4	224.9	113.4
.1	211.3	106.5	96.3	48.5	224.7	113.3
.2	211.5	106.6	96.5	48.6	224.5	113.2
.3	211.7	106.7	96.7	48.7	224.3	113.1
.4	211.9	106.8	96.9	48.8	224.1	113.0
.5	212.1	106.9	97.1	48.9	223.9	112.9
.6	212.3	107.0	97.3	49.0	223.7	112.8
.7	212.4	107.1	97.4	49.1	223.6	112.7
.8	212.6	107.2	97.6	49.2	223.4	112.6
.9	212.8	107.3	97.8	49.3	223.2	112.5
1481.0	213.0	107.4	98.0	49.4	223.0	112.4
.1	213.2	107.5	98.2	49.5	222.8	112.3
.2	213.4	107.6	98.4	49.6	222.6	112.2
.3	213.6	107.7	98.6	49.7	222.4	112.1
.4	213.8	107.8	98.8	49.8	222.2	112.0
.5	214.0	107.9	99.0	49.9	222.0	111.9
.6	214.2	108.0	99.2	50.0	221.8	111.8
.7	214.4	108.1	99.4	50.1	221.6	111.7
.8	214.6	108.2	99.6	50.2	221.4	111.6
.9	214.8	108.3	99.8	50.3	221.2	111.5
1482.0	215.0	108.4	100.0	50.4	221.0	111.4
.1	215.2	108.5	100.2	50.5	220.8	111.3
.2	215.4	108.6	100.4	50.6	220.6	111.2
.3	215.7	108.7	100.7	50.8	220.3	111.1
.4	215.9	108.8	100.9	50.9	220.1	111.0
.5	216.1	109.0	101.1	51.0	219.9	110.9
.6	216.3	109.1	101.3	51.1	219.7	110.7
.7	216.6	109.2	101.6	51.2	219.4	110.6
.8	216.8	109.3	101.8	51.3	219.2	110.5
.9	217.0	109.4	102.0	51.4	219.0	110.4
1483.0	217.2	109.5	102.2	51.5	218.8	110.3
.1	217.5	109.6	102.5	51.7	218.5	110.2
.2	217.7	109.7	102.7	51.8	218.3	110.1
.3	217.9	109.9	102.9	51.9	218.1	110.0
.4	218.1	110.0	103.1	52.0	217.9	109.8
.5	218.4	110.1	103.4	52.1	217.6	109.7
.6	218.6	110.2	103.6	52.2	217.4	109.6
.7	218.8	110.3	103.8	52.3	217.2	109.5
.8	219.0	110.4	104.0	52.4	217.0	109.4
.9	219.2	110.5	104.2	52.6	216.8	109.3
1484.0	219.5	110.6	104.5	52.7	216.5	109.2
.1	219.7	110.8	104.7	52.8	216.3	109.1
.2	219.9	110.9	104.9	52.9	216.1	108.9
.3	220.1	111.0	105.1	53.0	215.9	108.8
.4	220.4	111.1	105.4	53.1	215.6	108.7
.5	220.6	111.2	105.6	53.2	215.4	108.6
.6	220.8	111.3	105.8	53.3	215.2	108.5
.7	221.0	111.4	106.0	53.5	215.0	108.4
.8	221.3	111.6	106.3	53.6	214.7	108.3
.9	221.5	111.7	106.5	53.7	214.5	108.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1485.0	221.7	111.8	106.7	53.8	214.3	108.0
.1	221.9	111.9	106.9	53.9	214.1	107.9
.2	222.2	112.0	107.2	54.0	213.8	107.8
.3	222.4	112.1	107.4	54.1	213.6	107.7
.4	222.6	112.2	107.6	54.2	213.4	107.6
.5	222.8	112.3	107.8	54.4	213.2	107.5
.6	223.0	112.5	108.0	54.5	213.0	107.4
.7	223.3	112.6	108.3	54.6	212.7	107.3
.8	223.5	112.7	108.5	54.7	212.5	107.1
.9	223.7	112.8	108.7	54.8	212.3	107.0
1486.0	223.9	112.9	108.9	54.9	212.1	106.9
.1	224.2	113.0	109.2	55.0	211.8	106.8
.2	224.4	113.1	109.4	55.1	211.6	106.7
.3	224.6	113.2	109.6	55.3	211.4	106.6
.4	224.8	113.4	109.8	55.4	211.2	106.5
.5	225.1	113.5	110.1	55.5	210.9	106.4
.6	225.3	113.6	110.3	55.6	210.7	106.2
.7	225.5	113.7	110.5	55.7	210.5	106.1
.8	225.7	113.8	110.7	55.8	210.3	106.0
.9	226.0	113.9	111.0	55.9	210.0	105.9
1487.0	226.2	114.0	111.2	56.1	209.8	105.8
.1	226.4	114.1	111.4	56.2	209.6	105.7
.2	226.6	114.3	111.6	56.3	209.4	105.6
.3	226.8	114.4	111.8	56.4	209.2	105.4
.4	227.1	114.5	112.1	56.5	208.9	105.3
.5	227.3	114.6	112.3	56.6	208.7	105.2
.6	227.5	114.7	112.5	56.7	208.5	105.1
.7	227.7	114.8	112.7	56.8	208.3	105.0
.8	228.0	114.9	113.0	57.0	208.0	104.9
.9	228.2	115.0	113.2	57.1	207.8	104.8
1488.0	228.4	115.2	113.4	57.2	207.6	104.7
.1	228.6	115.3	113.6	57.3	207.4	104.5
.2	228.9	115.4	113.9	57.4	207.1	104.4
.3	229.1	115.5	114.1	57.5	206.9	104.3
.4	229.3	115.6	114.3	57.6	206.7	104.2
.5	229.5	115.7	114.5	57.7	206.5	104.1
.6	229.7	115.8	114.7	57.9	206.3	104.0
.7	230.0	115.9	115.0	58.0	206.0	103.9
.8	230.2	116.1	115.2	58.1	205.8	103.8
.9	230.4	116.2	115.4	58.2	205.6	103.6
1489.0	230.6	116.3	115.6	58.3	205.4	103.5
.1	230.9	116.4	115.9	58.4	205.1	103.4
.2	231.1	116.5	116.1	58.5	204.9	103.3
.3	231.3	116.6	116.3	58.6	204.7	103.2
.4	231.5	116.7	116.5	58.8	204.5	103.1
.5	231.8	116.8	116.8	58.9	204.2	103.0
.6	232.0	117.0	117.0	59.0	204.0	102.9
.7	232.2	117.1	117.2	59.1	203.8	102.7
.8	232.4	117.2	117.4	59.2	203.6	102.6
.9	232.7	117.3	117.7	59.3	203.3	102.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1490.0	232.9	117.4	117.9	59.4	203.1	102.4
.1	233.1	117.5	118.1	59.5	202.9	102.3
.2	233.3	117.6	118.3	59.7	202.7	102.2
.3	233.5	117.7	118.5	59.8	202.5	102.1
.4	233.8	117.9	118.8	59.9	202.2	102.0
.5	234.0	118.0	119.0	60.0	202.0	101.8
.6	234.2	118.1	119.2	60.1	201.8	101.7
.7	234.4	118.2	119.4	60.2	201.6	101.6
.8	234.7	118.3	119.7	60.3	201.3	101.5
.9	234.9	118.4	119.9	60.4	201.1	101.4
1491.0	235.1	118.5	120.1	60.6	200.9	101.3
.1	235.3	118.6	120.3	60.7	200.7	101.2
.2	235.6	118.8	120.6	60.8	200.4	101.1
.3	235.8	118.9	120.8	60.9	200.2	100.9
.4	236.0	119.0	121.0	61.0	200.0	100.8
.5	236.2	119.1	121.2	61.1	199.8	100.7
.6	236.5	119.2	121.5	61.2	199.5	100.6
.7	236.7	119.3	121.7	61.3	199.3	100.5
.8	236.9	119.4	121.9	61.5	199.1	100.4
.9	237.1	119.6	122.1	61.6	198.9	100.3
1492.0	237.3	119.7	122.3	61.7	198.7	100.2
.1	237.6	119.8	122.6	61.8	198.4	100.0
.2	237.8	119.9	122.8	61.9	198.2	99.9
.3	238.0	120.0	123.0	62.0	198.0	99.8
.4	238.2	120.1	123.2	62.1	197.8	99.7
.5	238.5	120.2	123.5	62.2	197.5	99.6
.6	238.7	120.3	123.7	62.4	197.3	99.5
.7	238.9	120.5	123.9	62.5	197.1	99.4
.8	239.1	120.6	124.1	62.6	196.9	99.3
.9	239.4	120.7	124.4	62.7	196.6	99.1
1493.0	239.6	120.8	124.6	62.8	196.4	99.0
.1	239.8	120.9	124.8	62.9	196.2	98.9
.2	240.0	121.0	125.0	63.0	196.0	98.8
.3	240.3	121.1	125.3	63.1	195.7	98.7
.4	240.5	121.2	125.5	63.3	195.5	98.6
.5	240.7	121.4	125.7	63.4	195.3	98.5
.6	240.9	121.5	125.9	63.5	195.1	98.4
.7	241.1	121.6	126.1	63.6	194.9	98.2
.8	241.4	121.7	126.4	63.7	194.6	98.1
.9	241.6	121.8	126.6	63.8	194.4	98.0
1494.0	241.8	121.9	126.8	63.9	194.2	97.9
.1	242.0	122.0	127.0	64.0	194.0	97.8
.2	242.3	122.1	127.3	64.2	193.7	97.7
.3	242.5	122.3	127.5	64.3	193.5	97.6
.4	242.7	122.4	127.7	64.4	193.3	97.4
.5	242.9	122.5	127.9	64.5	193.1	97.3
.6	243.2	122.6	128.2	64.6	192.8	97.2
.7	243.4	122.7	128.4	64.7	192.6	97.1
.8	243.6	122.8	128.6	64.8	192.4	97.0
.9	243.8	122.9	128.8	65.0	192.2	96.9

Reservoir Storage Tables

PAGE 15

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1495.0	244.1	123.0	129.1	65.1	191.9	96.8
.1	244.3	123.2	129.3	65.2	191.7	96.7
.2	244.5	123.3	129.5	65.3	191.5	96.5
.3	244.7	123.4	129.7	65.4	191.3	96.4
.4	244.9	123.5	129.9	65.5	191.1	96.3
.5	245.2	123.6	130.2	65.6	190.8	96.2
.6	245.4	123.7	130.4	65.7	190.6	96.1
.7	245.6	123.8	130.6	65.9	190.4	96.0
.8	245.8	123.9	130.8	66.0	190.2	95.9
.9	246.1	124.1	131.1	66.1	189.9	95.8
1496.0	246.3	124.2	131.3	66.2	189.7	95.6
.1	246.5	124.3	131.5	66.3	189.5	95.5
.2	246.7	124.4	131.7	66.4	189.3	95.4
.3	247.0	124.5	132.0	66.5	189.0	95.3
.4	247.2	124.6	132.2	66.6	188.8	95.2
.5	247.4	124.7	132.4	66.8	188.6	95.1
.6	247.6	124.8	132.6	66.9	188.4	95.0
.7	247.9	125.0	132.9	67.0	188.1	94.9
.8	248.1	125.1	133.1	67.1	187.9	94.7
.9	248.3	125.2	133.3	67.2	187.7	94.6
1497.0	248.5	125.3	133.5	67.3	187.5	94.5
.1	248.7	125.4	133.7	67.4	187.3	94.4
.2	249.0	125.5	134.0	67.5	187.0	94.3
.3	249.2	125.6	134.2	67.7	186.8	94.2
.4	249.4	125.7	134.4	67.8	186.6	94.1
.5	249.6	125.9	134.6	67.9	186.4	94.0
.6	249.9	126.0	134.9	68.0	186.1	93.8
.7	250.1	126.1	135.1	68.1	185.9	93.7
.8	250.3	126.2	135.3	68.2	185.7	93.6
.9	250.5	126.3	135.5	68.3	185.5	93.5
1498.0	250.8	126.4	135.8	68.4	185.2	93.4
.1	251.0	126.5	136.0	68.6	185.0	93.3
.2	251.2	126.6	136.2	68.7	184.8	93.2
.3	251.4	126.8	136.4	68.8	184.6	93.1
.4	251.7	126.9	136.7	68.9	184.3	92.9
.5	251.9	127.0	136.9	69.0	184.1	92.8
.6	252.1	127.1	137.1	69.1	183.9	92.7
.7	252.3	127.2	137.3	69.2	183.7	92.6
.8	252.5	127.3	137.5	69.3	183.5	92.5
.9	252.8	127.4	137.8	69.5	183.2	92.4
1499.0	253.0	127.5	138.0	69.6	183.0	92.3
.1	253.2	127.7	138.2	69.7	182.8	92.2
.2	253.4	127.8	138.4	69.8	182.6	92.0
.3	253.7	127.9	138.7	69.9	182.3	91.9
.4	253.9	128.0	138.9	70.0	182.1	91.8
.5	254.1	128.1	139.1	70.1	181.9	91.7
.6	254.3	128.2	139.3	70.2	181.7	91.6
.7	254.6	128.3	139.6	70.4	181.4	91.5
.8	254.8	128.5	139.8	70.5	181.2	91.4
.9	255.0	128.6	140.0	70.6	181.0	91.3

PAGE 16

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1500.0	255.2	128.7	140.2	70.7	180.8	91.1
.1	255.4	128.8	140.4	70.8	180.6	91.0
.2	255.7	128.9	140.7	70.9	180.3	90.9
.3	255.9	129.0	140.9	71.0	180.1	90.8
.4	256.1	129.1	141.1	71.1	179.9	90.7
.5	256.3	129.2	141.3	71.3	179.7	90.6
.6	256.6	129.4	141.6	71.4	179.4	90.5
.7	256.8	129.5	141.8	71.5	179.2	90.4
.8	257.0	129.6	142.0	71.6	179.0	90.2
.9	257.2	129.7	142.2	71.7	178.8	90.1
1501.0	257.5	129.8	142.5	71.8	178.5	90.0
.1	257.7	129.9	142.7	71.9	178.3	89.9
.2	257.9	130.0	142.9	72.0	178.1	89.8
.3	258.1	130.1	143.1	72.2	177.9	89.7
.4	258.4	130.3	143.4	72.3	177.6	89.6
.5	258.6	130.4	143.6	72.4	177.4	89.5
.6	258.8	130.5	143.8	72.5	177.2	89.3
.7	259.0	130.6	144.0	72.6	177.0	89.2
.8	259.2	130.7	144.2	72.7	176.8	89.1
.9	259.5	130.8	144.5	72.8	176.5	89.0
1502.0	259.7	130.9	144.7	73.0	176.3	88.9
.1	259.9	131.0	144.9	73.1	176.1	88.8
.2	260.1	131.2	145.1	73.2	175.9	88.7
.3	260.4	131.3	145.4	73.3	175.6	88.5
.4	260.6	131.4	145.6	73.4	175.4	88.4
.5	260.8	131.5	145.8	73.5	175.2	88.3
.6	261.0	131.6	146.0	73.6	175.0	88.2
.7	261.3	131.7	146.3	73.7	174.7	88.1
.8	261.5	131.8	146.5	73.9	174.5	88.0
.9	261.7	131.9	146.7	74.0	174.3	87.9
1503.0	261.9	132.1	146.9	74.1	174.1	87.8
.1	262.2	132.2	147.2	74.2	173.8	87.6
.2	262.4	132.3	147.4	74.3	173.6	87.5
.3	262.6	132.4	147.6	74.4	173.4	87.4
.4	262.8	132.5	147.8	74.5	173.2	87.3
.5	263.0	132.6	148.0	74.6	173.0	87.2
.6	263.3	132.7	148.3	74.8	172.7	87.1
.7	263.5	132.8	148.5	74.9	172.5	87.0
.8	263.7	133.0	148.7	75.0	172.3	86.9
.9	263.9	133.1	148.9	75.1	172.1	86.7
1504.0	264.2	133.2	149.2	75.2	171.8	86.6
.1	264.4	133.3	149.4	75.3	171.6	86.5
.2	264.6	133.4	149.6	75.4	171.4	86.4
.3	264.8	133.5	149.8	75.5	171.2	86.3
.4	265.1	133.6	150.1	75.7	170.9	86.2
.5	265.3	133.7	150.3	75.8	170.7	86.1
.6	265.5	133.9	150.5	75.9	170.5	86.0
.7	265.7	134.0	150.7	76.0	170.3	85.8
.8	266.0	134.1	151.0	76.1	170.0	85.7
.9	266.2	134.2	151.2	76.2	169.8	85.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1505.0	266.4	134.3	151.4	76.3	169.6	85.5
.1	266.7	134.4	151.7	76.5	169.3	85.4
.2	266.9	134.6	151.9	76.6	169.1	85.2
.3	267.2	134.7	152.2	76.7	168.8	85.1
.4	267.4	134.8	152.4	76.8	168.6	85.0
.5	267.7	135.0	152.7	77.0	168.3	84.9
.6	267.9	135.1	152.9	77.1	168.1	84.7
.7	268.2	135.2	153.2	77.2	167.8	84.6
.8	268.4	135.3	153.4	77.4	167.6	84.5
.9	268.7	135.5	153.7	77.5	167.3	84.3
1506.0	269.0	135.6	154.0	77.6	167.0	84.2
.1	269.2	135.7	154.2	77.7	166.8	84.1
.2	269.5	135.9	154.5	77.9	166.5	84.0
.3	269.7	136.0	154.7	78.0	166.3	83.8
.4	270.0	136.1	155.0	78.1	166.0	83.7
.5	270.2	136.2	155.2	78.3	165.8	83.6
.6	270.5	136.4	155.5	78.4	165.5	83.4
.7	270.7	136.5	155.7	78.5	165.3	83.3
.8	271.0	136.6	156.0	78.7	165.0	83.2
.9	271.3	136.8	156.3	78.8	164.7	83.1
1507.0	271.5	136.9	156.5	78.9	164.5	82.9
.1	271.8	137.0	156.8	79.0	164.2	82.8
.2	272.0	137.1	157.0	79.2	164.0	82.7
.3	272.3	137.3	157.3	79.3	163.7	82.5
.4	272.5	137.4	157.5	79.4	163.5	82.4
.5	272.8	137.5	157.8	79.6	163.2	82.3
.6	273.0	137.7	158.0	79.7	163.0	82.2
.7	273.3	137.8	158.3	79.8	162.7	82.0
.8	273.6	137.9	158.6	79.9	162.4	81.9
.9	273.8	138.0	158.8	80.1	162.2	81.8
1508.0	274.1	138.2	159.1	80.2	161.9	81.6
.1	274.3	138.3	159.3	80.3	161.7	81.5
.2	274.6	138.4	159.6	80.5	161.4	81.4
.3	274.8	138.6	159.8	80.6	161.2	81.3
.4	275.1	138.7	160.1	80.7	160.9	81.1
.5	275.3	138.8	160.3	80.8	160.7	81.0
.6	275.6	138.9	160.6	81.0	160.4	80.9
.7	275.9	139.1	160.9	81.1	160.1	80.7
.8	276.1	139.2	161.1	81.2	159.9	80.6
.9	276.4	139.3	161.4	81.4	159.6	80.5
1509.0	276.6	139.5	161.6	81.5	159.4	80.4
.1	276.9	139.6	161.9	81.6	159.1	80.2
.2	277.1	139.7	162.1	81.7	158.9	80.1
.3	277.4	139.9	162.4	81.9	158.6	80.0
.4	277.6	140.0	162.6	82.0	158.4	79.8
.5	277.9	140.1	162.9	82.1	158.1	79.7
.6	278.2	140.2	163.2	82.3	157.8	79.6
.7	278.4	140.4	163.4	82.4	157.6	79.5
.8	278.7	140.5	163.7	82.5	157.3	79.3
.9	278.9	140.6	163.9	82.6	157.1	79.2

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1510.0	279.2	140.8	164.2	82.8	156.8	79.1
.1	279.4	140.9	164.4	82.9	156.6	78.9
.2	279.7	141.0	164.7	83.0	156.3	78.8
.3	279.9	141.1	164.9	83.2	156.1	78.7
.4	280.2	141.3	165.2	83.3	155.8	78.5
.5	280.5	141.4	165.5	83.4	155.5	78.4
.6	280.7	141.5	165.7	83.5	155.3	78.3
.7	281.0	141.7	166.0	83.7	155.0	78.2
.8	281.2	141.8	166.2	83.8	154.8	78.0
.9	281.5	141.9	166.5	83.9	154.5	77.9
1511.0	281.7	142.0	166.7	84.1	154.3	77.8
.1	282.0	142.2	167.0	84.2	154.0	77.6
.2	282.2	142.3	167.2	84.3	153.8	77.5
.3	282.5	142.4	167.5	84.4	153.5	77.4
.4	282.8	142.6	167.8	84.6	153.2	77.3
.5	283.0	142.7	168.0	84.7	153.0	77.1
.6	283.3	142.8	168.3	84.8	152.7	77.0
.7	283.5	142.9	168.5	85.0	152.5	76.9
.8	283.8	143.1	168.8	85.1	152.2	76.7
.9	284.0	143.2	169.0	85.2	152.0	76.6
1512.0	284.3	143.3	169.3	85.3	151.7	76.5
.1	284.5	143.5	169.5	85.5	151.5	76.4
.2	284.8	143.6	169.8	85.6	151.2	76.2
.3	285.1	143.7	170.1	85.7	150.9	76.1
.4	285.3	143.8	170.3	85.9	150.7	76.0
.5	285.6	144.0	170.6	86.0	150.4	75.8
.6	285.8	144.1	170.8	86.1	150.2	75.7
.7	286.1	144.2	171.1	86.3	149.9	75.6
.8	286.3	144.4	171.3	86.4	149.7	75.5
.9	286.6	144.5	171.6	86.5	149.4	75.3
1513.0	286.8	144.6	171.8	86.6	149.2	75.2
.1	287.1	144.7	172.1	86.8	148.9	75.1
.2	287.4	144.9	172.4	86.9	148.6	74.9
.3	287.6	145.0	172.6	87.0	148.4	74.8
.4	287.9	145.1	172.9	87.2	148.1	74.7
.5	288.1	145.3	173.1	87.3	147.9	74.6
.6	288.4	145.4	173.4	87.4	147.6	74.4
.7	288.6	145.5	173.6	87.5	147.4	74.3
.8	288.9	145.6	173.9	87.7	147.1	74.2
.9	289.1	145.8	174.1	87.8	146.9	74.0
1514.0	289.4	145.9	174.4	87.9	146.6	73.9
.1	289.7	146.0	174.7	88.1	146.3	73.8
.2	289.9	146.2	174.9	88.2	146.1	73.7
.3	290.2	146.3	175.2	88.3	145.8	73.5
.4	290.4	146.4	175.4	88.4	145.6	73.4
.5	290.7	146.6	175.7	88.6	145.3	73.3
.6	290.9	146.7	175.9	88.7	145.1	73.1
.7	291.2	146.8	176.2	88.8	144.8	73.0
.8	291.4	146.9	176.4	89.0	144.6	72.9
.9	291.7	147.1	176.7	89.1	144.3	72.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1515.0	292.0	147.2	177.0	89.2	144.0	72.6
.1	292.2	147.3	177.2	89.3	143.8	72.5
.2	292.5	147.5	177.5	89.5	143.5	72.4
.3	292.7	147.6	177.7	89.6	143.3	72.2
.4	293.0	147.7	178.0	89.7	143.0	72.1
.5	293.2	147.8	178.2	89.9	142.8	72.0
.6	293.5	148.0	178.5	90.0	142.5	71.8
.7	293.7	148.1	178.7	90.1	142.3	71.7
.8	294.0	148.2	179.0	90.2	142.0	71.6
.9	294.3	148.4	179.3	90.4	141.7	71.5
1516.0	294.5	148.5	179.5	90.5	141.5	71.3
.1	294.8	148.6	179.8	90.6	141.2	71.2
.2	295.0	148.7	180.0	90.8	141.0	71.1
.3	295.3	148.9	180.3	90.9	140.7	70.9
.4	295.5	149.0	180.5	91.0	140.5	70.8
.5	295.8	149.1	180.8	91.1	140.2	70.7
.6	296.0	149.3	181.0	91.3	140.0	70.6
.7	296.3	149.4	181.3	91.4	139.7	70.4
.8	296.6	149.5	181.6	91.5	139.4	70.3
.9	296.8	149.6	181.8	91.7	139.2	70.2
1517.0	297.1	149.8	182.1	91.8	138.9	70.0
.1	297.3	149.9	182.3	91.9	138.7	69.9
.2	297.6	150.0	182.6	92.0	138.4	69.8
.3	297.8	150.2	182.8	92.2	138.2	69.7
.4	298.1	150.3	183.1	92.3	137.9	69.5
.5	298.3	150.4	183.3	92.4	137.7	69.4
.6	298.6	150.5	183.6	92.6	137.4	69.3
.7	298.9	150.7	183.9	92.7	137.1	69.1
.8	299.1	150.8	184.1	92.8	136.9	69.0
.9	299.4	150.9	184.4	93.0	136.6	68.9
1518.0	299.6	151.1	184.6	93.1	136.4	68.8
.1	299.9	151.2	184.9	93.2	136.1	68.6
.2	300.1	151.3	185.1	93.3	135.9	68.5
.3	300.4	151.4	185.4	93.5	135.6	68.4
.4	300.6	151.6	185.6	93.6	135.4	68.2
.5	300.9	151.7	185.9	93.7	135.1	68.1
.6	301.2	151.8	186.2	93.9	134.8	68.0
.7	301.4	152.0	186.4	94.0	134.6	67.9
.8	301.7	152.1	186.7	94.1	134.3	67.7
.9	301.9	152.2	186.9	94.2	134.1	67.6
1519.0	302.2	152.3	187.2	94.4	133.8	67.5
.1	302.4	152.5	187.4	94.5	133.6	67.3
.2	302.7	152.6	187.7	94.6	133.3	67.2
.3	302.9	152.7	187.9	94.8	133.1	67.1
.4	303.2	152.9	188.2	94.9	132.8	67.0
.5	303.5	153.0	188.5	95.0	132.5	66.8
.6	303.7	153.1	188.7	95.1	132.3	66.7
.7	304.0	153.2	189.0	95.3	132.0	66.6
.8	304.2	153.4	189.2	95.4	131.8	66.4
.9	304.5	153.5	189.5	95.5	131.5	66.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1520.0	304.7	153.6	189.7	95.7	131.3	66.2
.1	305.0	153.8	190.0	95.8	131.0	66.1
.2	305.2	153.9	190.2	95.9	130.8	65.9
.3	305.5	154.0	190.5	96.0	130.5	65.8
.4	305.8	154.2	190.8	96.2	130.2	65.7
.5	306.0	154.3	191.0	96.3	130.0	65.5
.6	306.3	154.4	191.3	96.4	129.7	65.4
.7	306.5	154.5	191.5	96.6	129.5	65.3
.8	306.8	154.7	191.8	96.7	129.2	65.1
.9	307.0	154.8	192.0	96.8	129.0	65.0
1521.0	307.3	154.9	192.3	96.9	128.7	64.9
.1	307.5	155.1	192.5	97.1	128.5	64.8
.2	307.8	155.2	192.8	97.2	128.2	64.6
.3	308.1	155.3	193.1	97.3	127.9	64.5
.4	308.3	155.4	193.3	97.5	127.7	64.4
.5	308.6	155.6	193.6	97.6	127.4	64.2
.6	308.8	155.7	193.8	97.7	127.2	64.1
.7	309.1	155.8	194.1	97.8	126.9	64.0
.8	309.3	156.0	194.3	98.0	126.7	63.9
.9	309.6	156.1	194.6	98.1	126.4	63.7
1522.0	309.8	156.2	194.8	98.2	126.2	63.6
.1	310.1	156.3	195.1	98.4	125.9	63.5
.2	310.4	156.5	195.4	98.5	125.6	63.3
.3	310.6	156.6	195.6	98.6	125.4	63.2
.4	310.9	156.7	195.9	98.7	125.1	63.1
.5	311.1	156.9	196.1	98.9	124.9	63.0
.6	311.4	157.0	196.4	99.0	124.6	62.8
.7	311.6	157.1	196.6	99.1	124.4	62.7
.8	311.9	157.2	196.9	99.3	124.1	62.6
.9	312.1	157.4	197.1	99.4	123.9	62.4
1523.0	312.4	157.5	197.4	99.5	123.6	62.3
.1	312.7	157.6	197.7	99.7	123.3	62.2
.2	313.0	157.8	198.0	99.8	123.0	62.0
.3	313.2	157.9	198.2	99.9	122.8	61.9
.4	313.5	158.1	198.5	100.1	122.5	61.8
.5	313.8	158.2	198.8	100.2	122.2	61.6
.6	314.1	158.3	199.1	100.4	121.9	61.5
.7	314.3	158.5	199.3	100.5	121.7	61.3
.8	314.6	158.6	199.6	100.6	121.4	61.2
.9	314.9	158.8	199.9	100.8	121.1	61.1
1524.0	315.2	158.9	200.2	100.9	120.8	60.9
.1	315.4	159.0	200.4	101.1	120.6	60.8
.2	315.7	159.2	200.7	101.2	120.3	60.6
.3	316.0	159.3	201.0	101.3	120.0	60.5
.4	316.3	159.5	201.3	101.5	119.7	60.4
.5	316.5	159.6	201.5	101.6	119.5	60.2
.6	316.8	159.7	201.8	101.8	119.2	60.1
.7	317.1	159.9	202.1	101.9	118.9	59.9
.8	317.4	160.0	202.4	102.0	118.6	59.8
.9	317.7	160.1	202.7	102.2	118.3	59.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1525.0	317.9	160.3	202.9	102.3	118.1	59.5
.1	318.2	160.4	203.2	102.4	117.8	59.4
.2	318.5	160.6	203.5	102.6	117.5	59.2
.3	318.8	160.7	203.8	102.7	117.2	59.1
.4	319.0	160.8	204.0	102.9	117.0	59.0
.5	319.3	161.0	204.3	103.0	116.7	58.8
.6	319.6	161.1	204.6	103.1	116.4	58.7
.7	319.9	161.3	204.9	103.3	116.1	58.6
.8	320.1	161.4	205.1	103.4	115.9	58.4
.9	320.4	161.5	205.4	103.6	115.6	58.3
1526.0	320.7	161.7	205.7	103.7	115.3	58.1
.1	321.0	161.8	206.0	103.8	115.0	58.0
.2	321.2	162.0	206.2	104.0	114.8	57.9
.3	321.5	162.1	206.5	104.1	114.5	57.7
.4	321.8	162.2	206.8	104.3	114.2	57.6
.5	322.1	162.4	207.1	104.4	113.9	57.4
.6	322.3	162.5	207.3	104.5	113.7	57.3
.7	322.6	162.7	207.6	104.7	113.4	57.2
.8	322.9	162.8	207.9	104.8	113.1	57.0
.9	323.2	162.9	208.2	105.0	112.8	56.9
1527.0	323.5	163.1	208.5	105.1	112.5	56.7
.1	323.7	163.2	208.7	105.2	112.3	56.6
.2	324.0	163.4	209.0	105.4	112.0	56.5
.3	324.3	163.5	209.3	105.5	111.7	56.3
.4	324.6	163.6	209.6	105.7	111.4	56.2
.5	324.8	163.8	209.8	105.8	111.2	56.0
.6	325.1	163.9	210.1	105.9	110.9	55.9
.7	325.4	164.1	210.4	106.1	110.6	55.8
.8	325.7	164.2	210.7	106.2	110.3	55.6
.9	325.9	164.3	210.9	106.3	110.1	55.5
1528.0	326.2	164.5	211.2	106.5	109.8	55.3
.1	326.5	164.6	211.5	106.6	109.5	55.2
.2	326.8	164.7	211.8	106.8	109.2	55.1
.3	327.0	164.9	212.0	106.9	109.0	54.9
.4	327.3	165.0	212.3	107.0	108.7	54.8
.5	327.6	165.2	212.6	107.2	108.4	54.7
.6	327.9	165.3	212.9	107.3	108.1	54.5
.7	328.2	165.4	213.2	107.5	107.8	54.4
.8	328.4	165.6	213.4	107.6	107.6	54.2
.9	328.7	165.7	213.7	107.7	107.3	54.1
1529.0	329.0	165.9	214.0	107.9	107.0	54.0
.1	329.3	166.0	214.3	108.0	106.7	53.8
.2	329.5	166.1	214.5	108.2	106.5	53.7
.3	329.8	166.3	214.8	108.3	106.2	53.5
.4	330.1	166.4	215.1	108.4	105.9	53.4
.5	330.4	166.6	215.4	108.6	105.6	53.3
.6	330.6	166.7	215.6	108.7	105.4	53.1
.7	330.9	166.8	215.9	108.9	105.1	53.0
.8	331.2	167.0	216.2	109.0	104.8	52.8
.9	331.5	167.1	216.5	109.1	104.5	52.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1530.0	331.7	167.3	216.7	109.3	104.3	52.6
.1	332.0	167.4	217.0	109.4	104.0	52.4
.2	332.3	167.5	217.3	109.6	103.7	52.3
.3	332.6	167.7	217.6	109.7	103.4	52.1
.4	332.9	167.8	217.9	109.8	103.1	52.0
.5	333.1	168.0	218.1	110.0	102.9	51.9
.6	333.4	168.1	218.4	110.1	102.6	51.7
.7	333.7	168.2	218.7	110.3	102.3	51.6
.8	334.0	168.4	219.0	110.4	102.0	51.4
.9	334.2	168.5	219.2	110.5	101.8	51.3
1531.0	334.5	168.6	219.5	110.7	101.5	51.2
.1	334.8	168.8	219.8	110.8	101.2	51.0
.2	335.1	168.9	220.1	110.9	100.9	50.9
.3	335.3	169.1	220.3	111.1	100.7	50.8
.4	335.6	169.2	220.6	111.2	100.4	50.6
.5	335.9	169.3	220.9	111.4	100.1	50.5
.6	336.2	169.5	221.2	111.5	99.8	50.3
.7	336.4	169.6	221.4	111.6	99.6	50.2
.8	336.7	169.8	221.7	111.8	99.3	50.1
.9	337.0	169.9	222.0	111.9	99.0	49.9
1532.0	337.3	170.0	222.3	112.1	98.7	49.8
.1	337.5	170.2	222.5	112.2	98.5	49.6
.2	337.8	170.3	222.8	112.3	98.2	49.5
.3	338.1	170.5	223.1	112.5	97.9	49.4
.4	338.4	170.6	223.4	112.6	97.6	49.2
.5	338.7	170.7	223.7	112.8	97.3	49.1
.6	338.9	170.9	223.9	112.9	97.1	48.9
.7	339.2	171.0	224.2	113.0	96.8	48.8
.8	339.5	171.2	224.5	113.2	96.5	48.7
.9	339.8	171.3	224.8	113.3	96.2	48.5
1533.0	340.0	171.4	225.0	113.5	96.0	48.4
.1	340.3	171.6	225.3	113.6	95.7	48.2
.2	340.6	171.7	225.6	113.7	95.4	48.1
.3	340.9	171.9	225.9	113.9	95.1	48.0
.4	341.1	172.0	226.1	114.0	94.9	47.8
.5	341.4	172.1	226.4	114.2	94.6	47.7
.6	341.7	172.3	226.7	114.3	94.3	47.5
.7	342.0	172.4	227.0	114.4	94.0	47.4
.8	342.2	172.5	227.2	114.6	93.8	47.3
.9	342.5	172.7	227.5	114.7	93.5	47.1
1534.0	342.8	172.8	227.8	114.8	93.2	47.0
.1	343.1	173.0	228.1	115.0	92.9	46.8
.2	343.4	173.1	228.4	115.2	92.6	46.7
.3	343.7	173.3	228.7	115.3	92.3	46.5
.4	344.0	173.4	229.0	115.5	92.0	46.4
.5	344.3	173.6	229.3	115.6	91.7	46.2
.6	344.6	173.7	229.6	115.8	91.4	46.1
.7	344.9	173.9	229.9	115.9	91.1	45.9
.8	345.2	174.0	230.2	116.1	90.8	45.8
.9	345.5	174.2	230.5	116.2	90.5	45.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1535.0	345.8	174.3	230.8	116.4	90.2	45.5	1540.0	360.8	181.9	245.8	123.9	75.2	37.9
.1	346.1	174.5	231.1	116.5	89.9	45.3	.1	361.1	182.1	246.1	124.1	74.9	37.8
.2	346.4	174.6	231.4	116.7	89.6	45.2	.2	361.4	182.2	246.4	124.2	74.6	37.6
.3	346.7	174.8	231.7	116.8	89.3	45.0	.3	361.7	182.4	246.7	124.4	74.3	37.5
.4	347.0	174.9	232.0	117.0	89.0	44.9	.4	362.0	182.5	247.0	124.5	74.0	37.3
.5	347.3	175.1	232.3	117.1	88.7	44.7	.5	362.3	182.7	247.3	124.7	73.7	37.2
.6	347.6	175.2	232.6	117.3	88.4	44.6	.6	362.6	182.8	247.6	124.8	73.4	37.0
.7	347.9	175.4	232.9	117.4	88.1	44.4	.7	362.9	183.0	247.9	125.0	73.1	36.9
.8	348.2	175.6	233.2	117.6	87.8	44.3	.8	363.2	183.1	248.2	125.1	72.8	36.7
.9	348.5	175.7	233.5	117.7	87.5	44.1	.9	363.5	183.3	248.5	125.3	72.5	36.6
1536.0	348.8	175.9	233.8	117.9	87.2	44.0	1541.0	363.8	183.4	248.8	125.4	72.2	36.4
.1	349.1	176.0	234.1	118.0	86.9	43.8	.1	364.1	183.6	249.1	125.6	71.9	36.2
.2	349.4	176.2	234.4	118.2	86.6	43.7	.2	364.4	183.7	249.4	125.7	71.6	36.1
.3	349.7	176.3	234.7	118.3	86.3	43.5	.3	364.7	183.9	249.7	125.9	71.3	35.9
.4	350.0	176.5	235.0	118.5	86.0	43.4	.4	365.0	184.0	250.0	126.0	71.0	35.8
.5	350.3	176.6	235.3	118.6	85.7	43.2	.5	365.3	184.2	250.3	126.2	70.7	35.6
.6	350.6	176.8	235.6	118.8	85.4	43.1	.6	365.6	184.3	250.6	126.3	70.4	35.5
.7	350.9	176.9	235.9	118.9	85.1	42.9	.7	365.9	184.5	250.9	126.5	70.1	35.3
.8	351.2	177.1	236.2	119.1	84.8	42.8	.8	366.2	184.6	251.2	126.6	69.8	35.2
.9	351.5	177.2	236.5	119.2	84.5	42.6	.9	366.5	184.8	251.5	126.8	69.5	35.0
1537.0	351.8	177.4	236.8	119.4	84.2	42.5	1542.0	366.8	184.9	251.8	126.9	69.2	34.9
.1	352.1	177.5	237.1	119.5	83.9	42.3	.1	367.1	185.1	252.1	127.1	68.9	34.7
.2	352.4	177.7	237.4	119.7	83.6	42.1	.2	367.4	185.2	252.4	127.3	68.6	34.6
.3	352.7	177.8	237.7	119.8	83.3	42.0	.3	367.7	185.4	252.7	127.4	68.3	34.4
.4	353.0	178.0	238.0	120.0	83.0	41.8	.4	368.0	185.5	253.0	127.6	68.0	34.3
.5	353.3	178.1	238.3	120.1	82.7	41.7	.5	368.3	185.7	253.3	127.7	67.7	34.1
.6	353.6	178.3	238.6	120.3	82.4	41.5	.6	368.6	185.8	253.6	127.9	67.4	34.0
.7	353.9	178.4	238.9	120.4	82.1	41.4	.7	368.9	186.0	253.9	128.0	67.1	33.8
.8	354.2	178.6	239.2	120.6	81.8	41.2	.8	369.2	186.1	254.2	128.2	66.8	33.7
.9	354.5	178.7	239.5	120.7	81.5	41.1	.9	369.5	186.3	254.5	128.3	66.5	33.5
1538.0	354.8	178.9	239.8	120.9	81.2	40.9	1543.0	369.8	186.4	254.8	128.5	66.2	33.4
.1	355.1	179.0	240.1	121.1	80.9	40.8	.1	370.1	186.6	255.1	128.6	65.9	33.2
.2	355.4	179.2	240.4	121.2	80.6	40.6	.2	370.4	186.7	255.4	128.8	65.6	33.1
.3	355.7	179.3	240.7	121.4	80.3	40.5	.3	370.7	186.9	255.7	128.9	65.3	32.9
.4	356.0	179.5	241.0	121.5	80.0	40.3	.4	371.0	187.0	256.0	129.1	65.0	32.8
.5	356.3	179.6	241.3	121.7	79.7	40.2	.5	371.3	187.2	256.3	129.2	64.7	32.6
.6	356.6	179.8	241.6	121.8	79.4	40.0	.6	371.6	187.3	256.6	129.4	64.4	32.5
.7	356.9	179.9	241.9	122.0	79.1	39.9	.7	371.9	187.5	256.9	129.5	64.1	32.3
.8	357.2	180.1	242.2	122.1	78.8	39.7	.8	372.2	187.7	257.2	129.7	63.8	32.2
.9	357.5	180.2	242.5	122.3	78.5	39.6	.9	372.5	187.8	257.5	129.8	63.5	32.0
1539.0	357.8	180.4	242.8	122.4	78.2	39.4	1544.0	372.8	188.0	257.8	130.0	63.2	31.9
.1	358.1	180.5	243.1	122.6	77.9	39.3	.1	373.1	188.1	258.1	130.1	62.9	31.7
.2	358.4	180.7	243.4	122.7	77.6	39.1	.2	373.4	188.3	258.4	130.3	62.6	31.6
.3	358.7	180.8	243.7	122.9	77.3	39.0	.3	373.7	188.4	258.7	130.4	62.3	31.4
.4	359.0	181.0	244.0	123.0	77.0	38.8	.4	374.0	188.6	259.0	130.6	62.0	31.3
.5	359.3	181.1	244.3	123.2	76.7	38.7	.5	374.3	188.7	259.3	130.7	61.7	31.1
.6	359.6	181.3	244.6	123.3	76.4	38.5	.6	374.6	188.9	259.6	130.9	61.4	31.0
.7	359.9	181.4	244.9	123.5	76.1	38.4	.7	374.9	189.0	259.9	131.0	61.1	30.8
.8	360.2	181.6	245.2	123.6	75.8	38.2	.8	375.2	189.2	260.2	131.2	60.8	30.7
.9	360.5	181.8	245.5	123.8	75.5	38.1	.9	375.5	189.3	260.5	131.3	60.5	30.5

Detroit

420

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1545.0	375.8	189.5	260.8	131.5	60.2	30.4
.1	376.1	189.6	261.1	131.6	59.9	30.2
.2	376.4	189.8	261.4	131.8	59.6	30.0
.3	376.7	189.9	261.7	131.9	59.3	29.9
.4	377.0	190.1	262.0	132.1	59.0	29.7
.5	377.3	190.2	262.3	132.2	58.7	29.6
.6	377.6	190.4	262.6	132.4	58.4	29.4
.7	377.9	190.5	262.9	132.5	58.1	29.3
.8	378.2	190.7	263.2	132.7	57.8	29.1
.9	378.5	190.8	263.5	132.8	57.5	29.0
1546.0	378.8	191.0	263.8	133.0	57.2	28.8
.1	379.1	191.1	264.1	133.2	56.9	28.7
.2	379.4	191.3	264.4	133.3	56.6	28.5
.3	379.7	191.4	264.7	133.5	56.3	28.4
.4	380.0	191.6	265.0	133.6	56.0	28.2
.5	380.3	191.7	265.3	133.8	55.7	28.1
.6	380.6	191.9	265.6	133.9	55.4	27.9
.7	380.9	192.0	265.9	134.1	55.1	27.8
.8	381.2	192.2	266.2	134.2	54.8	27.6
.9	381.5	192.3	266.5	134.4	54.5	27.5
1547.0	381.8	192.5	266.8	134.5	54.2	27.3
.1	382.1	192.6	267.1	134.7	53.9	27.2
.2	382.4	192.8	267.4	134.8	53.6	27.0
.3	382.7	192.9	267.7	135.0	53.3	26.9
.4	383.0	193.1	268.0	135.1	53.0	26.7
.5	383.3	193.2	268.3	135.3	52.7	26.6
.6	383.6	193.4	268.6	135.4	52.4	26.4
.7	383.9	193.5	268.9	135.6	52.1	26.3
.8	384.2	193.7	269.2	135.7	51.8	26.1
.9	384.5	193.9	269.5	135.9	51.5	26.0
1548.0	384.8	194.0	269.8	136.0	51.2	25.8
.1	385.1	194.2	270.1	136.2	50.9	25.7
.2	385.4	194.3	270.4	136.3	50.6	25.5
.3	385.7	194.5	270.7	136.5	50.3	25.4
.4	386.0	194.6	271.0	136.6	50.0	25.2
.5	386.3	194.8	271.3	136.8	49.7	25.1
.6	386.6	194.9	271.6	136.9	49.4	24.9
.7	386.9	195.1	271.9	137.1	49.1	24.8
.8	387.2	195.2	272.2	137.2	48.8	24.6
.9	387.5	195.4	272.5	137.4	48.5	24.5
1549.0	387.8	195.5	272.8	137.5	48.2	24.3
.1	388.1	195.7	273.1	137.7	47.9	24.1
.2	388.5	195.9	273.5	137.9	47.5	24.0
.3	388.8	196.0	273.8	138.0	47.2	23.8
.4	389.1	196.2	274.1	138.2	46.9	23.6
.5	389.5	196.4	274.5	138.4	46.5	23.5
.6	389.8	196.5	274.8	138.5	46.2	23.3
.7	390.1	196.7	275.1	138.7	45.9	23.1
.8	390.5	196.9	275.5	138.9	45.5	23.0
.9	390.8	197.0	275.8	139.0	45.2	22.8

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1550.0	391.1	197.2	276.1	139.2	44.9	22.6
.1	391.5	197.4	276.5	139.4	44.5	22.5
.2	391.8	197.5	276.8	139.5	44.2	22.3
.3	392.1	197.7	277.1	139.7	43.9	22.1
.4	392.5	197.9	277.5	139.9	43.5	22.0
.5	392.8	198.0	277.8	140.1	43.2	21.8
.6	393.1	198.2	278.1	140.2	42.9	21.6
.7	393.5	198.4	278.5	140.4	42.5	21.5
.8	393.8	198.5	278.8	140.6	42.2	21.3
.9	394.1	198.7	279.1	140.7	41.9	21.1
1551.0	394.4	198.9	279.4	140.9	41.6	20.9
.1	394.8	199.0	279.8	141.1	41.2	20.8
.2	395.1	199.2	280.1	141.2	40.9	20.6
.3	395.4	199.4	280.4	141.4	40.6	20.4
.4	395.8	199.5	280.8	141.6	40.2	20.3
.5	396.1	199.7	281.1	141.7	39.9	20.1
.6	396.4	199.9	281.4	141.9	39.6	19.9
.7	396.8	200.0	281.8	142.1	39.2	19.8
.8	397.1	200.2	282.1	142.2	38.9	19.6
.9	397.4	200.4	282.4	142.4	38.6	19.4
1552.0	397.8	200.5	282.8	142.6	38.2	19.3
.1	398.1	200.7	283.1	142.7	37.9	19.1
.2	398.4	200.9	283.4	142.9	37.6	18.9
.3	398.8	201.0	283.8	143.1	37.2	18.8
.4	399.1	201.2	284.1	143.2	36.9	18.6
.5	399.4	201.4	284.4	143.4	36.6	18.4
.6	399.8	201.5	284.8	143.6	36.2	18.3
.7	400.1	201.7	285.1	143.7	35.9	18.1
.8	400.4	201.9	285.4	143.9	35.6	17.9
.9	400.8	202.1	285.8	144.1	35.2	17.8
1553.0	401.1	202.2	286.1	144.2	34.9	17.6
.1	401.4	202.4	286.4	144.4	34.6	17.4
.2	401.8	202.6	286.8	144.6	34.2	17.3
.3	402.1	202.7	287.1	144.7	33.9	17.1
.4	402.4	202.9	287.4	144.9	33.6	16.9
.5	402.8	203.1	287.8	145.1	33.2	16.8
.6	403.1	203.2	288.1	145.2	32.9	16.6
.7	403.4	203.4	288.4	145.4	32.6	16.4
.8	403.8	203.6	288.8	145.6	32.2	16.3
.9	404.1	203.7	289.1	145.7	31.9	16.1
1554.0	404.4	203.9	289.4	145.9	31.6	15.9
.1	404.8	204.1	289.8	146.1	31.2	15.8
.2	405.1	204.2	290.1	146.3	30.9	15.6
.3	405.4	204.4	290.4	146.4	30.6	15.4
.4	405.8	204.6	290.8	146.6	30.2	15.3
.5	406.1	204.7	291.1	146.8	29.9	15.1
.6	406.4	204.9	291.4	146.9	29.6	14.9
.7	406.7	205.1	291.7	147.1	29.3	14.7
.8	407.1	205.2	292.1	147.3	28.9	14.6
.9	407.4	205.4	292.4	147.4	28.6	14.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1555.0	407.7	205.6	292.7	147.6	28.3	14.2
.1	408.1	205.7	293.1	147.8	27.9	14.1
.2	408.4	205.9	293.4	147.9	27.6	13.9
.3	408.7	206.1	293.7	148.1	27.3	13.7
.4	409.1	206.2	294.1	148.3	26.9	13.6
.5	409.4	206.4	294.4	148.4	26.6	13.4
.6	409.7	206.6	294.7	148.6	26.3	13.2
.7	410.1	206.7	295.1	148.8	25.9	13.1
.8	410.4	206.9	295.4	148.9	25.6	12.9
.9	410.7	207.1	295.7	149.1	25.3	12.7
1556.0	411.1	207.2	296.1	149.3	24.9	12.6
.1	411.4	207.4	296.4	149.4	24.6	12.4
.2	411.7	207.6	296.7	149.6	24.3	12.2
.3	412.1	207.8	297.1	149.8	23.9	12.1
.4	412.4	207.9	297.4	149.9	23.6	11.9
.5	412.7	208.1	297.7	150.1	23.3	11.7
.6	413.1	208.3	298.1	150.3	22.9	11.6
.7	413.4	208.4	298.4	150.4	22.6	11.4
.8	413.7	208.6	298.7	150.6	22.3	11.2
.9	414.1	208.8	299.1	150.8	21.9	11.1
1557.0	414.4	208.9	299.4	150.9	21.6	10.9
.1	414.7	209.1	299.7	151.1	21.3	10.7
.2	415.1	209.3	300.1	151.3	20.9	10.6
.3	415.4	209.4	300.4	151.4	20.6	10.4
.4	415.7	209.6	300.7	151.6	20.3	10.2
.5	416.1	209.8	301.1	151.8	19.9	10.1
.6	416.4	209.9	301.4	151.9	19.6	9.9
.7	416.7	210.1	301.7	152.1	19.3	9.7
.8	417.1	210.3	302.1	152.3	18.9	9.6
.9	417.4	210.4	302.4	152.5	18.6	9.4
1558.0	417.7	210.6	302.7	152.6	18.3	9.2
.1	418.0	210.8	303.0	152.8	18.0	9.1
.2	418.4	210.9	303.4	153.0	17.6	8.9
.3	418.7	211.1	303.7	153.1	17.3	8.7
.4	419.0	211.3	304.0	153.3	17.0	8.5
.5	419.4	211.4	304.4	153.5	16.6	8.4
.6	419.7	211.6	304.7	153.6	16.3	8.2
.7	420.0	211.8	305.0	153.8	16.0	8.0
.8	420.4	211.9	305.4	154.0	15.6	7.9
.9	420.7	212.1	305.7	154.1	15.3	7.7
1559.0	421.0	212.3	306.0	154.3	15.0	7.5
.1	421.4	212.4	306.4	154.5	14.6	7.4
.2	421.7	212.6	306.7	154.6	14.3	7.2
.3	422.0	212.8	307.0	154.8	14.0	7.0
.4	422.4	212.9	307.4	155.0	13.6	6.9
.5	422.7	213.1	307.7	155.1	13.3	6.7
.6	423.0	213.3	308.0	155.3	13.0	6.5
.7	423.4	213.4	308.4	155.5	12.6	6.4
.8	423.7	213.6	308.7	155.6	12.3	6.2
.9	424.0	213.8	309.0	155.8	12.0	6.0

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1560.0	424.4	214.0	309.4	156.0	11.6	5.9
.1	424.7	214.1	309.7	156.1	11.3	5.7
.2	425.0	214.3	310.0	156.3	11.0	5.5
.3	425.4	214.5	310.4	156.5	10.6	5.4
.4	425.7	214.6	310.7	156.6	10.3	5.2
.5	426.0	214.8	311.0	156.8	10.0	5.0
.6	426.4	215.0	311.4	157.0	9.6	4.9
.7	426.7	215.1	311.7	157.1	9.3	4.7
.8	427.0	215.3	312.0	157.3	9.0	4.5
.9	427.4	215.5	312.4	157.5	8.6	4.4
1561.0	427.7	215.6	312.7	157.6	8.3	4.2
.1	428.0	215.8	313.0	157.8	8.0	4.0
.2	428.4	216.0	313.4	158.0	7.6	3.9
.3	428.7	216.1	313.7	158.2	7.3	3.7
.4	429.0	216.3	314.0	158.3	7.0	3.5
.5	429.4	216.5	314.4	158.5	6.6	3.4
.6	429.7	216.6	314.7	158.7	6.3	3.2
.7	430.0	216.8	315.0	158.8	6.0	3.0
.8	430.3	217.0	315.3	159.0	5.7	2.8
.9	430.7	217.1	315.7	159.2	5.3	2.7
1562.0	431.0	217.3	316.0	159.3	5.0	2.5
.1	431.3	217.5	316.3	159.5	4.7	2.3
.2	431.7	217.6	316.7	159.7	4.3	2.2
.3	432.0	217.8	317.0	159.8	4.0	2.0
.4	432.3	218.0	317.3	160.0	3.7	1.8
.5	432.7	218.1	317.7	160.2	3.3	1.7
.6	433.0	218.3	318.0	160.3	3.0	1.5
.7	433.3	218.5	318.3	160.5	2.7	1.3
.8	433.7	218.6	318.7	160.7	2.3	1.2
.9	434.0	218.8	319.0	160.8	2.0	1.0
1563.0	434.3	219.0	319.3	161.0	1.7	0.8
.1	434.7	219.1	319.7	161.2	1.3	0.7
.2	435.0	219.3	320.0	161.3	1.0	0.5
.3	435.3	219.5	320.3	161.5	0.7	0.3
.4	435.7	219.6	320.7	161.7	0.3	0.2
.5 SUB	436.0	219.8	321.0	161.8	0.0	0.0
.6	436.3	220.0				
.7	436.7	220.2				
.8	437.0	220.3				
.9	437.3	220.5				
1564.0	437.7	220.7				

Reservoir Storage Tables

PROJECT NAME: LOST CREEK

PROJECT NUMBER: 149

STORAGE LOWER BOUND (SLB) =   150.00KAF   STORAGE UPPER BOUND (SUB) = 465.00 KAF

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1751.0	SLB	150.0	75.6	0.0	0.0	315.0	158.8
.1		150.2	75.7	0.2	0.1	314.8	158.7
.2		150.4	75.8	0.4	0.2	314.6	158.6
.3		150.6	75.9	0.6	0.3	314.4	158.5
.4		150.9	76.1	0.9	0.4	314.1	158.4
.5		151.1	76.2	1.1	0.5	313.9	158.3
.6		151.3	76.3	1.3	0.6	313.7	158.2
.7		151.5	76.4	1.5	0.8	313.5	158.1
.8		151.7	76.5	1.7	0.9	313.3	157.9
.9		151.9	76.6	1.9	1.0	313.1	157.8
1752.0		152.1	76.7	2.1	1.1	312.9	157.7
.1		152.4	76.8	2.4	1.2	312.6	157.6
.2		152.6	76.9	2.6	1.3	312.4	157.5
.3		152.8	77.0	2.8	1.4	312.2	157.4
.4		153.0	77.1	3.0	1.5	312.0	157.3
.5		153.2	77.2	3.2	1.6	311.8	157.2
.6		153.4	77.4	3.4	1.7	311.6	157.1
.7		153.6	77.5	3.6	1.8	311.4	157.0
.8		153.9	77.6	3.9	1.9	311.1	156.9
.9		154.1	77.7	4.1	2.1	310.9	156.8
1753.0		154.3	77.8	4.3	2.2	310.7	156.7
.1		154.5	77.9	4.5	2.3	310.5	156.5
.2		154.7	78.0	4.7	2.4	310.3	156.4
.3		154.9	78.1	4.9	2.5	310.1	156.3
.4		155.1	78.2	5.1	2.6	309.9	156.2
.5		155.4	78.3	5.4	2.7	309.6	156.1
.6		155.6	78.4	5.6	2.8	309.4	156.0
.7		155.8	78.5	5.8	2.9	309.2	155.9
.8		156.0	78.7	6.0	3.0	309.0	155.8
.9		156.2	78.8	6.2	3.1	308.8	155.7
1754.0		156.4	78.9	6.4	3.2	308.6	155.6
.1		156.6	79.0	6.6	3.3	308.4	155.5
.2		156.9	79.1	6.9	3.5	308.1	155.4
.3		157.1	79.2	7.1	3.6	307.9	155.2
.4		157.3	79.3	7.3	3.7	307.7	155.1
.5		157.5	79.4	7.5	3.8	307.5	155.0
.6		157.7	79.5	7.7	3.9	307.3	154.9
.7		157.9	79.6	7.9	4.0	307.1	154.8
.8		158.1	79.7	8.1	4.1	306.9	154.7
.9		158.4	79.8	8.4	4.2	306.6	154.6
1755.0		158.6	79.9	8.6	4.3	306.4	154.5
.1		158.8	80.1	8.8	4.4	306.2	154.4
.2		159.0	80.2	9.0	4.5	306.0	154.3
.3		159.2	80.3	9.2	4.6	305.8	154.2
.4		159.4	80.4	9.4	4.8	305.6	154.1
.5		159.6	80.5	9.6	4.9	305.4	154.0
.6		159.9	80.6	9.9	5.0	305.1	153.8
.7		160.1	80.7	10.1	5.1	304.9	153.7
.8		160.3	80.8	10.3	5.2	304.7	153.6
.9		160.5	80.9	10.5	5.3	304.5	153.5

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1756.0	160.7	81.0	10.7	5.4	304.3	153.4
.1	160.9	81.1	10.9	5.5	304.1	153.3
.2	161.1	81.2	11.1	5.6	303.9	153.2
.3	161.4	81.4	11.4	5.7	303.6	153.1
.4	161.6	81.5	11.6	5.8	303.4	153.0
.5	161.8	81.6	11.8	5.9	303.2	152.9
.6	162.0	81.7	12.0	6.0	303.0	152.8
.7	162.2	81.8	12.2	6.2	302.8	152.7
.8	162.4	81.9	12.4	6.3	302.6	152.5
.9	162.6	82.0	12.6	6.4	302.4	152.4
1757.0	162.9	82.1	12.9	6.5	302.1	152.3
.1	163.1	82.2	13.1	6.6	301.9	152.2
.2	163.3	82.3	13.3	6.7	301.7	152.1
.3	163.5	82.4	13.5	6.8	301.5	152.0
.4	163.7	82.5	13.7	6.9	301.3	151.9
.5	163.9	82.6	13.9	7.0	301.1	151.8
.6	164.1	82.8	14.1	7.1	300.9	151.7
.7	164.4	82.9	14.4	7.2	300.6	151.6
.8	164.6	83.0	14.6	7.3	300.4	151.5
.9	164.8	83.1	14.8	7.5	300.2	151.4
1758.0	165.0	83.2	15.0	7.6	300.0	151.3
.1	165.2	83.3	15.2	7.7	299.8	151.1
.2	165.4	83.4	15.4	7.8	299.6	151.0
.3	165.6	83.5	15.6	7.9	299.4	150.9
.4	165.9	83.6	15.9	8.0	299.1	150.8
.5	166.1	83.7	16.1	8.1	298.9	150.7
.6	166.3	83.8	16.3	8.2	298.7	150.6
.7	166.5	83.9	16.5	8.3	298.5	150.5
.8	166.7	84.1	16.7	8.4	298.3	150.4
.9	166.9	84.2	16.9	8.5	298.1	150.3
1759.0	167.1	84.3	17.1	8.6	297.9	150.2
.1	167.4	84.4	17.4	8.8	297.6	150.1
.2	167.6	84.5	17.6	8.9	297.4	150.0
.3	167.8	84.6	17.8	9.0	297.2	149.8
.4	168.0	84.7	18.0	9.1	297.0	149.7
.5	168.2	84.8	18.2	9.2	296.8	149.6
.6	168.4	84.9	18.4	9.3	296.6	149.5
.7	168.6	85.0	18.6	9.4	296.4	149.4
.8	168.9	85.1	18.9	9.5	296.1	149.3
.9	169.1	85.2	19.1	9.6	295.9	149.2
1760.0	169.3	85.3	19.3	9.7	295.7	149.1
.1	169.5	85.5	19.5	9.8	295.5	149.0
.2	169.7	85.6	19.7	9.9	295.3	148.9
.3	169.9	85.7	19.9	10.0	295.1	148.8
.4	170.1	85.8	20.1	10.2	294.9	148.7
.5	170.4	85.9	20.4	10.3	294.6	148.5
.6	170.6	86.0	20.6	10.4	294.4	148.4
.7	170.8	86.1	20.8	10.5	294.2	148.3
.8	171.0	86.2	21.0	10.6	294.0	148.2
.9	171.2	86.3	21.2	10.7	293.8	148.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1761.0	171.4	86.4	21.4	10.8	293.6	148.0		1766.0	182.1	91.8	32.1	16.2	282.9	142.6
.1	171.6	86.5	21.6	10.9	293.4	147.9		.1	182.4	91.9	32.4	16.3	282.6	142.5
.2	171.9	86.6	21.9	11.0	293.1	147.8		.2	182.6	92.0	32.6	16.4	282.4	142.4
.3	172.1	86.8	22.1	11.1	292.9	147.7		.3	182.8	92.2	32.8	16.5	282.2	142.3
.4	172.3	86.9	22.3	11.2	292.7	147.6		.4	183.0	92.3	33.0	16.6	282.0	142.2
.5	172.5	87.0	22.5	11.3	292.5	147.5		.5	183.2	92.4	33.2	16.7	281.8	142.1
.6	172.7	87.1	22.7	11.5	292.3	147.4		.6	183.4	92.5	33.4	16.9	281.6	142.0
.7	172.9	87.2	22.9	11.6	292.1	147.3		.7	183.6	92.6	33.6	17.0	281.4	141.9
.8	173.1	87.3	23.1	11.7	291.9	147.1		.8	183.9	92.7	33.9	17.1	281.1	141.7
.9	173.4	87.4	23.4	11.8	291.6	147.0		.9	184.1	92.8	34.1	17.2	280.9	141.6
1762.0	173.6	87.5	23.6	11.9	291.4	146.9		1767.0	184.3	92.9	34.3	17.3	280.7	141.5
.1	173.8	87.6	23.8	12.0	291.2	146.8		.1	184.5	93.0	34.5	17.4	280.5	141.4
.2	174.0	87.7	24.0	12.1	291.0	146.7		.2	184.7	93.1	34.7	17.5	280.3	141.3
.3	174.2	87.8	24.2	12.2	290.8	146.6		.3	184.9	93.2	34.9	17.6	280.1	141.2
.4	174.4	87.9	24.4	12.3	290.6	146.5		.4	185.1	93.3	35.1	17.7	279.9	141.1
.5	174.6	88.0	24.6	12.4	290.4	146.4		.5	185.4	93.5	35.4	17.8	279.6	141.0
.6	174.9	88.2	24.9	12.5	290.1	146.3		.6	185.6	93.6	35.6	17.9	279.4	140.9
.7	175.1	88.3	25.1	12.6	289.9	146.2		.7	185.8	93.7	35.8	18.0	279.2	140.8
.8	175.3	88.4	25.3	12.7	289.7	146.1		.8	186.0	93.8	36.0	18.2	279.0	140.7
.9	175.5	88.5	25.5	12.9	289.5	146.0		.9	186.2	93.9	36.2	18.3	278.8	140.6
1763.0	175.7	88.6	25.7	13.0	289.3	145.8		1768.0	186.4	94.0	36.4	18.4	278.6	140.4
.1	175.9	88.7	25.9	13.1	289.1	145.7		.1	186.6	94.1	36.6	18.5	278.4	140.3
.2	176.1	88.8	26.1	13.2	288.9	145.6		.2	186.9	94.2	36.9	18.6	278.1	140.2
.3	176.4	88.9	26.4	13.3	288.6	145.5		.3	187.1	94.3	37.1	18.7	277.9	140.1
.4	176.6	89.0	26.6	13.4	288.4	145.4		.4	187.3	94.4	37.3	18.8	277.7	140.0
.5	176.8	89.1	26.8	13.5	288.2	145.3		.5	187.5	94.5	37.5	18.9	277.5	139.9
.6	177.0	89.2	27.0	13.6	288.0	145.2		.6	187.7	94.6	37.7	19.0	277.3	139.8
.7	177.2	89.3	27.2	13.7	287.8	145.1		.7	187.9	94.7	37.9	19.1	277.1	139.7
.8	177.4	89.5	27.4	13.8	287.6	145.0		.8	188.1	94.9	38.1	19.2	276.9	139.6
.9	177.6	89.6	27.6	13.9	287.4	144.9		.9	188.4	95.0	38.4	19.3	276.6	139.5
1764.0	177.9	89.7	27.9	14.0	287.1	144.8		1769.0	188.6	95.1	38.6	19.4	276.4	139.4
.1	178.1	89.8	28.1	14.2	286.9	144.7		.1	188.8	95.2	38.8	19.6	276.2	139.3
.2	178.3	89.9	28.3	14.3	286.7	144.6		.2	189.0	95.3	39.0	19.7	276.0	139.2
.3	178.5	90.0	28.5	14.4	286.5	144.4		.3	189.2	95.4	39.2	19.8	275.8	139.0
.4	178.7	90.1	28.7	14.5	286.3	144.3		.4	189.4	95.5	39.4	19.9	275.6	138.9
.5	178.9	90.2	28.9	14.6	286.1	144.2		.5	189.6	95.6	39.6	20.0	275.4	138.8
.6	179.1	90.3	29.1	14.7	285.9	144.1		.6	189.9	95.7	39.9	20.1	275.1	138.7
.7	179.4	90.4	29.4	14.8	285.6	144.0		.7	190.1	95.8	40.1	20.2	274.9	138.6
.8	179.6	90.5	29.6	14.9	285.4	143.9		.8	190.3	95.9	40.3	20.3	274.7	138.5
.9	179.8	90.6	29.8	15.0	285.2	143.8		.9	190.5	96.0	40.5	20.4	274.5	138.4
1765.0	180.0	90.8	30.0	15.1	285.0	143.7		1770.0	190.7	96.2	40.7	20.5	274.3	138.3
.1	180.2	90.9	30.2	15.2	284.8	143.6		.1	190.9	96.3	40.9	20.6	274.1	138.2
.2	180.4	91.0	30.4	15.3	284.6	143.5		.2	191.1	96.4	41.1	20.7	273.9	138.1
.3	180.6	91.1	30.6	15.4	284.4	143.4		.3	191.4	96.5	41.4	20.9	273.6	138.0
.4	180.9	91.2	30.9	15.6	284.1	143.3		.4	191.6	96.6	41.6	21.0	273.4	137.9
.5	181.1	91.3	31.1	15.7	283.9	143.1		.5	191.8	96.7	41.8	21.1	273.2	137.7
.6	181.3	91.4	31.3	15.8	283.7	143.0		.6	192.0	96.8	42.0	21.2	273.0	137.6
.7	181.5	91.5	31.5	15.9	283.5	142.9		.7	192.2	96.9	42.2	21.3	272.8	137.5
.8	181.7	91.6	31.7	16.0	283.3	142.8		.8	192.4	97.0	42.4	21.4	272.6	137.4
.9	181.9	91.7	31.9	16.1	283.1	142.7		.9	192.6	97.1	42.6	21.5	272.4	137.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1771.0	192.9	97.2	42.9	21.6	272.1	137.2
.1	193.1	97.3	43.1	21.7	271.9	137.1
.2	193.3	97.4	43.3	21.8	271.7	137.0
.3	193.5	97.6	43.5	21.9	271.5	136.9
.4	193.7	97.7	43.7	22.0	271.3	136.8
.5	193.9	97.8	43.9	22.1	271.1	136.7
.6	194.1	97.9	44.1	22.3	270.9	136.6
.7	194.4	98.0	44.4	22.4	270.6	136.4
.8	194.6	98.1	44.6	22.5	270.4	136.3
.9	194.8	98.2	44.8	22.6	270.2	136.2
1772.0	195.0	98.3	45.0	22.7	270.0	136.1
.1	195.2	98.4	45.2	22.8	269.8	136.0
.2	195.4	98.5	45.4	22.9	269.6	135.9
.3	195.6	98.6	45.6	23.0	269.4	135.8
.4	195.9	98.7	45.9	23.1	269.1	135.7
.5	196.1	98.9	46.1	23.2	268.9	135.6
.6	196.3	99.0	46.3	23.3	268.7	135.5
.7	196.5	99.1	46.5	23.4	268.5	135.4
.8	196.7	99.2	46.7	23.6	268.3	135.3
.9	196.9	99.3	46.9	23.7	268.1	135.2
1773.0	197.1	99.4	47.1	23.8	267.9	135.0
.1	197.4	99.5	47.4	23.9	267.6	134.9
.2	197.6	99.6	47.6	24.0	267.4	134.8
.3	197.8	99.7	47.8	24.1	267.2	134.7
.4	198.0	99.8	48.0	24.2	267.0	134.6
.5	198.2	99.9	48.2	24.3	266.8	134.5
.6	198.4	100.0	48.4	24.4	266.6	134.4
.7	198.6	100.1	48.6	24.5	266.4	134.3
.8	198.9	100.3	48.9	24.6	266.1	134.2
.9	199.1	100.4	49.1	24.7	265.9	134.1
1774.0	199.3	100.5	49.3	24.8	265.7	134.0
.1	199.5	100.6	49.5	25.0	265.5	133.9
.2	199.7	100.7	49.7	25.1	265.3	133.7
.3	199.9	100.8	49.9	25.2	265.1	133.6
.4	200.1	100.9	50.1	25.3	264.9	133.5
.5	200.4	101.0	50.4	25.4	264.6	133.4
.6	200.6	101.1	50.6	25.5	264.4	133.3
.7	200.8	101.2	50.8	25.6	264.2	133.2
.8	201.0	101.3	51.0	25.7	264.0	133.1
.9	201.2	101.4	51.2	25.8	263.8	133.0
1775.0	201.4	101.6	51.4	25.9	263.6	132.9
.1	201.6	101.7	51.6	26.0	263.4	132.8
.2	201.9	101.8	51.9	26.1	263.1	132.7
.3	202.1	101.9	52.1	26.3	262.9	132.6
.4	202.3	102.0	52.3	26.4	262.7	132.5
.5	202.5	102.1	52.5	26.5	262.5	132.3
.6	202.7	102.2	52.7	26.6	262.3	132.2
.7	202.9	102.3	52.9	26.7	262.1	132.1
.8	203.1	102.4	53.1	26.8	261.9	132.0
.9	203.4	102.5	53.4	26.9	261.6	131.9

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1776.0	203.6	102.6	53.6	27.0	261.4	131.8
.1	203.8	102.7	53.8	27.1	261.2	131.7
.2	204.0	102.8	54.0	27.2	261.0	131.6
.3	204.2	103.0	54.2	27.3	260.8	131.5
.4	204.4	103.1	54.4	27.4	260.6	131.4
.5	204.6	103.2	54.6	27.5	260.4	131.3
.6	204.9	103.3	54.9	27.7	260.1	131.2
.7	205.1	103.4	55.1	27.8	259.9	131.0
.8	205.3	103.5	55.3	27.9	259.7	130.9
.9	205.5	103.6	55.5	28.0	259.5	130.8
1777.0	205.7	103.7	55.7	28.1	259.3	130.7
.1	205.9	103.8	55.9	28.2	259.1	130.6
.2	206.1	103.9	56.1	28.3	258.9	130.5
.3	206.4	104.0	56.4	28.4	258.6	130.4
.4	206.6	104.1	56.6	28.5	258.4	130.3
.5	206.8	104.3	56.8	28.6	258.2	130.2
.6	207.0	104.4	57.0	28.7	258.0	130.1
.7	207.2	104.5	57.2	28.8	257.8	130.0
.8	207.4	104.6	57.4	29.0	257.6	129.9
.9	207.6	104.7	57.6	29.1	257.4	129.8
1778.0	207.9	104.8	57.9	29.2	257.1	129.6
.1	208.1	104.9	58.1	29.3	256.9	129.5
.2	208.3	105.0	58.3	29.4	256.7	129.4
.3	208.5	105.1	58.5	29.5	256.5	129.3
.4	208.7	105.2	58.7	29.6	256.3	129.2
.5	208.9	105.3	58.9	29.7	256.1	129.1
.6	209.1	105.4	59.1	29.8	255.9	129.0
.7	209.4	105.6	59.4	29.9	255.6	128.9
.8	209.6	105.7	59.6	30.0	255.4	128.8
.9	209.8	105.8	59.8	30.1	255.2	128.7
1779.0	210.0	105.9	60.0	30.3	255.0	128.6
.1	210.2	106.0	60.2	30.4	254.8	128.5
.2	210.4	106.1	60.4	30.5	254.6	128.3
.3	210.6	106.2	60.6	30.6	254.4	128.2
.4	210.9	106.3	60.9	30.7	254.1	128.1
.5	211.1	106.4	61.1	30.8	253.9	128.0
.6	211.3	106.5	61.3	30.9	253.7	127.9
.7	211.5	106.6	61.5	31.0	253.5	127.8
.8	211.7	106.7	61.7	31.1	253.3	127.7
.9	211.9	106.8	61.9	31.2	253.1	127.6
1780.0	212.1	107.0	62.1	31.3	252.9	127.5
.1	212.4	107.1	62.4	31.4	252.6	127.4
.2	212.6	107.2	62.6	31.5	252.4	127.3
.3	212.8	107.3	62.8	31.7	252.2	127.2
.4	213.0	107.4	63.0	31.8	252.0	127.0
.5	213.2	107.5	63.2	31.9	251.8	126.9
.6	213.4	107.6	63.4	32.0	251.6	126.8
.7	213.6	107.7	63.6	32.1	251.4	126.7
.8	213.9	107.8	63.9	32.2	251.1	126.6
.9	214.1	107.9	64.1	32.3	250.9	126.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1781.0	214.3	108.0	64.3	32.4	250.7	126.4
.1	214.5	108.1	64.5	32.5	250.5	126.3
.2	214.7	108.3	64.7	32.6	250.3	126.2
.3	214.9	108.4	64.9	32.7	250.1	126.1
.4	215.1	108.5	65.1	32.8	249.9	126.0
.5	215.4	108.6	65.4	33.0	249.6	125.9
.6	215.6	108.7	65.6	33.1	249.4	125.8
.7	215.8	108.8	65.8	33.2	249.2	125.6
.8	216.0	108.9	66.0	33.3	249.0	125.5
.9	216.2	109.0	66.2	33.4	248.8	125.4
1782.0	216.4	109.1	66.4	33.5	248.6	125.3
.1	216.6	109.2	66.6	33.6	248.4	125.2
.2	216.9	109.3	66.9	33.7	248.1	125.1
.3	217.1	109.4	67.1	33.8	247.9	125.0
.4	217.3	109.5	67.3	33.9	247.7	124.9
.5	217.5	109.7	67.5	34.0	247.5	124.8
.6	217.7	109.8	67.7	34.1	247.3	124.7
.7	217.9	109.9	67.9	34.2	247.1	124.6
.8	218.1	110.0	68.1	34.4	246.9	124.5
.9	218.4	110.1	68.4	34.5	246.6	124.3
1783.0	218.6	110.2	68.6	34.6	246.4	124.2
.1	218.8	110.3	68.8	34.7	246.2	124.1
.2	219.0	110.4	69.0	34.8	246.0	124.0
.3	219.2	110.5	69.2	34.9	245.8	123.9
.4	219.4	110.6	69.4	35.0	245.6	123.8
.5	219.6	110.7	69.6	35.1	245.4	123.7
.6	219.9	110.8	69.9	35.2	245.1	123.6
.7	220.1	111.0	70.1	35.3	244.9	123.5
.8	220.3	111.1	70.3	35.4	244.7	123.4
.9	220.5	111.2	70.5	35.5	244.5	123.3
1784.0	220.7	111.3	70.7	35.7	244.3	123.2
.1	220.9	111.4	70.9	35.8	244.1	123.1
.2	221.1	111.5	71.1	35.9	243.9	122.9
.3	221.4	111.6	71.4	36.0	243.6	122.8
.4	221.6	111.7	71.6	36.1	243.4	122.7
.5	221.8	111.8	71.8	36.2	243.2	122.6
.6	222.0	111.9	72.0	36.3	243.0	122.5
.7	222.2	112.0	72.2	36.4	242.8	122.4
.8	222.4	112.1	72.4	36.5	242.6	122.3
.9	222.6	112.2	72.6	36.6	242.4	122.2
1785.0	222.9	112.4	72.9	36.7	242.1	122.1
.1	223.1	112.5	73.1	36.8	241.9	122.0
.2	223.3	112.6	73.3	36.9	241.7	121.9
.3	223.5	112.7	73.5	37.1	241.5	121.8
.4	223.7	112.8	73.7	37.2	241.3	121.6
.5	223.9	112.9	73.9	37.3	241.1	121.5
.6	224.1	113.0	74.1	37.4	240.9	121.4
.7	224.4	113.1	74.4	37.5	240.6	121.3
.8	224.6	113.2	74.6	37.6	240.4	121.2
.9	224.8	113.3	74.8	37.7	240.2	121.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1786.0	225.0	113.4	75.0	37.8	240.0	121.0
.1	225.2	113.5	75.2	37.9	239.8	120.9
.2	225.4	113.7	75.4	38.0	239.6	120.8
.3	225.6	113.8	75.6	38.1	239.4	120.7
.4	225.9	113.9	75.9	38.2	239.1	120.6
.5	226.1	114.0	76.1	38.4	238.9	120.5
.6	226.3	114.1	76.3	38.5	238.7	120.4
.7	226.5	114.2	76.5	38.6	238.5	120.2
.8	226.7	114.3	76.7	38.7	238.3	120.1
.9	226.9	114.4	76.9	38.8	238.1	120.0
1787.0	227.1	114.5	77.1	38.9	237.9	119.9
.1	227.4	114.6	77.4	39.0	237.6	119.8
.2	227.6	114.7	77.6	39.1	237.4	119.7
.3	227.8	114.8	77.8	39.2	237.2	119.6
.4	228.0	115.0	78.0	39.3	237.0	119.5
.5	228.2	115.1	78.2	39.4	236.8	119.4
.6	228.4	115.2	78.4	39.5	236.6	119.3
.7	228.6	115.3	78.6	39.6	236.4	119.2
.8	228.9	115.4	78.9	39.8	236.1	119.1
.9	229.1	115.5	79.1	39.9	235.9	118.9
1788.0	229.3	115.6	79.3	40.0	235.7	118.8
.1	229.5	115.7	79.5	40.1	235.5	118.7
.2	229.7	115.8	79.7	40.2	235.3	118.6
.3	229.9	115.9	79.9	40.3	235.1	118.5
.4	230.1	116.0	80.1	40.4	234.9	118.4
.5	230.4	116.1	80.4	40.5	234.6	118.3
.6	230.6	116.2	80.6	40.6	234.4	118.2
.7	230.8	116.4	80.8	40.7	234.2	118.1
.8	231.0	116.5	81.0	40.8	234.0	118.0
.9	231.2	116.6	81.2	40.9	233.8	117.9
1789.0	231.4	116.7	81.4	41.1	233.6	117.8
.1	231.6	116.8	81.6	41.2	233.4	117.7
.2	231.9	116.9	81.9	41.3	233.1	117.5
.3	232.1	117.0	82.1	41.4	232.9	117.4
.4	232.3	117.1	82.3	41.5	232.7	117.3
.5	232.5	117.2	82.5	41.6	232.5	117.2
.6	232.7	117.3	82.7	41.7	232.3	117.1
.7	232.9	117.4	82.9	41.8	232.1	117.0
.8	233.1	117.5	83.1	41.9	231.9	116.9
.9	233.4	117.7	83.4	42.0	231.6	116.8
1790.0	233.6	117.8	83.6	42.1	231.4	116.7
.1	233.8	117.9	83.8	42.2	231.2	116.6
.2	234.0	118.0	84.0	42.3	231.0	116.5
.3	234.2	118.1	84.2	42.5	230.8	116.4
.4	234.4	118.2	84.4	42.6	230.6	116.2
.5	234.6	118.3	84.6	42.7	230.4	116.1
.6	234.9	118.4	84.9	42.8	230.1	116.0
.7	235.1	118.5	85.1	42.9	229.9	115.9
.8	235.3	118.6	85.3	43.0	229.7	115.8
.9	235.5	118.7	85.5	43.1	229.5	115.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1791.0	235.7	118.8	85.7	43.2	229.3	115.6
.1	235.9	118.9	85.9	43.3	229.1	115.5
.2	236.1	119.1	86.1	43.4	228.9	115.4
.3	236.4	119.2	86.4	43.5	228.6	115.3
.4	236.6	119.3	86.6	43.6	228.4	115.2
.5	236.8	119.4	86.8	43.8	228.2	115.1
.6	237.0	119.5	87.0	43.9	228.0	115.0
.7	237.2	119.6	87.2	44.0	227.8	114.8
.8	237.4	119.7	87.4	44.1	227.6	114.7
.9	237.6	119.8	87.6	44.2	227.4	114.6
1792.0	237.9	119.9	87.9	44.3	227.1	114.5
.1	238.1	120.0	88.1	44.4	226.9	114.4
.2	238.3	120.1	88.3	44.5	226.7	114.3
.3	238.5	120.2	88.5	44.6	226.5	114.2
.4	238.7	120.4	88.7	44.7	226.3	114.1
.5	238.9	120.5	88.9	44.8	226.1	114.0
.6	239.1	120.6	89.1	44.9	225.9	113.9
.7	239.4	120.7	89.4	45.1	225.6	113.8
.8	239.6	120.8	89.6	45.2	225.4	113.7
.9	239.8	120.9	89.8	45.3	225.2	113.5
1793.0	240.0	121.0	90.0	45.4	225.0	113.4
.1	240.2	121.1	90.2	45.5	224.8	113.3
.2	240.4	121.2	90.4	45.6	224.6	113.2
.3	240.6	121.3	90.6	45.7	224.4	113.1
.4	240.9	121.4	90.9	45.8	224.1	113.0
.5	241.1	121.5	91.1	45.9	223.9	112.9
.6	241.3	121.6	91.3	46.0	223.7	112.8
.7	241.5	121.8	91.5	46.1	223.5	112.7
.8	241.7	121.9	91.7	46.2	223.3	112.6
.9	241.9	122.0	91.9	46.3	223.1	112.5
1794.0	242.1	122.1	92.1	46.5	222.9	112.4
.1	242.4	122.2	92.4	46.6	222.6	112.2
.2	242.6	122.3	92.6	46.7	222.4	112.1
.3	242.8	122.4	92.8	46.8	222.2	112.0
.4	243.0	122.5	93.0	46.9	222.0	111.9
.5	243.2	122.6	93.2	47.0	221.8	111.8
.6	243.4	122.7	93.4	47.1	221.6	111.7
.7	243.6	122.8	93.6	47.2	221.4	111.6
.8	243.9	122.9	93.9	47.3	221.1	111.5
.9	244.1	123.1	94.1	47.4	220.9	111.4
1795.0	244.3	123.2	94.3	47.5	220.7	111.3
.1	244.5	123.3	94.5	47.6	220.5	111.2
.2	244.7	123.4	94.7	47.8	220.3	111.1
.3	244.9	123.5	94.9	47.9	220.1	111.0
.4	245.1	123.6	95.1	48.0	219.9	110.8
.5	245.4	123.7	95.4	48.1	219.6	110.7
.6	245.6	123.8	95.6	48.2	219.4	110.6
.7	245.8	123.9	95.8	48.3	219.2	110.5
.8	246.0	124.0	96.0	48.4	219.0	110.4
.9	246.2	124.1	96.2	48.5	218.8	110.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1796.0	246.4	124.2	96.4	48.6	218.6	110.2
.1	246.6	124.3	96.6	48.7	218.4	110.1
.2	246.9	124.5	96.9	48.8	218.1	110.0
.3	247.1	124.6	97.1	48.9	217.9	109.9
.4	247.3	124.7	97.3	49.0	217.7	109.8
.5	247.5	124.8	97.5	49.2	217.5	109.7
.6	247.7	124.9	97.7	49.3	217.3	109.5
.7	247.9	125.0	97.9	49.4	217.1	109.4
.8	248.1	125.1	98.1	49.5	216.9	109.3
.9	248.4	125.2	98.4	49.6	216.6	109.2
1797.0	248.6	125.3	98.6	49.7	216.4	109.1
.1	248.8	125.4	98.8	49.8	216.2	109.0
.2	249.0	125.5	99.0	49.9	216.0	108.9
.3	249.2	125.6	99.2	50.0	215.8	108.8
.4	249.4	125.8	99.4	50.1	215.6	108.7
.5	249.6	125.9	99.6	50.2	215.4	108.6
.6	249.9	126.0	99.9	50.3	215.1	108.5
.7	250.1	126.1	100.1	50.5	214.9	108.4
.8	250.3	126.2	100.3	50.6	214.7	108.3
.9	250.5	126.3	100.5	50.7	214.5	108.1
1798.0	250.7	126.4	100.7	50.8	214.3	108.0
.1	250.9	126.5	100.9	50.9	214.1	107.9
.2	251.1	126.6	101.1	51.0	213.9	107.8
.3	251.4	126.7	101.4	51.1	213.6	107.7
.4	251.6	126.8	101.6	51.2	213.4	107.6
.5	251.8	126.9	101.8	51.3	213.2	107.5
.6	252.0	127.0	102.0	51.4	213.0	107.4
.7	252.2	127.2	102.2	51.5	212.8	107.3
.8	252.4	127.3	102.4	51.6	212.6	107.2
.9	252.6	127.4	102.6	51.7	212.4	107.1
1799.0	252.9	127.5	102.9	51.9	212.1	107.0
.1	253.1	127.6	103.1	52.0	211.9	106.8
.2	253.3	127.7	103.3	52.1	211.7	106.7
.3	253.5	127.8	103.5	52.2	211.5	106.6
.4	253.7	127.9	103.7	52.3	211.3	106.5
.5	253.9	128.0	103.9	52.4	211.1	106.4
.6	254.1	128.1	104.1	52.5	210.9	106.3
.7	254.4	128.2	104.4	52.6	210.6	106.2
.8	254.6	128.3	104.6	52.7	210.4	106.1
.9	254.8	128.5	104.8	52.8	210.2	106.0
1800.0	255.0	128.6	105.0	52.9	210.0	105.9
.1	255.2	128.7	105.2	53.1	209.8	105.7
.2	255.5	128.8	105.5	53.2	209.5	105.6
.3	255.8	128.9	105.8	53.3	209.2	105.5
.4	256.0	129.1	106.0	53.4	209.0	105.4
.5	256.3	129.2	106.3	53.6	208.8	105.2
.6	256.5	129.3	106.5	53.7	208.5	105.1
.7	256.7	129.4	106.7	53.8	208.3	105.0
.8	257.0	129.6	107.0	53.9	208.0	104.9
.9	257.3	129.7	107.3	54.1	207.7	104.7

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1801.0	257.5	129.8	107.5	54.2	207.5	104.6
.1	257.7	129.9	107.7	54.3	207.3	104.5
.2	258.0	130.1	108.0	54.4	207.0	104.4
.3	258.3	130.2	108.3	54.6	206.7	104.2
.4	258.5	130.3	108.5	54.7	206.5	104.1
.5	258.8	130.5	108.8	54.8	206.3	104.0
.6	259.0	130.6	109.0	55.0	206.0	103.9
.7	259.2	130.7	109.2	55.1	205.8	103.7
.8	259.5	130.8	109.5	55.2	205.5	103.6
.9	259.8	131.0	109.8	55.3	205.2	103.5
1802.0	260.0	131.1	110.0	55.5	205.0	103.4
.1	260.2	131.2	110.2	55.6	204.8	103.2
.2	260.5	131.3	110.5	55.7	204.5	103.1
.3	260.8	131.5	110.8	55.8	204.2	103.0
.4	261.0	131.6	111.0	56.0	204.0	102.8
.5	261.3	131.7	111.3	56.1	203.8	102.7
.6	261.5	131.8	111.5	56.2	203.5	102.6
.7	261.7	132.0	111.7	56.3	203.3	102.5
.8	262.0	132.1	112.0	56.5	203.0	102.3
.9	262.3	132.2	112.3	56.6	202.7	102.2
1803.0	262.5	132.3	112.5	56.7	202.5	102.1
.1	262.7	132.5	112.7	56.8	202.3	102.0
.2	263.0	132.6	113.0	57.0	202.0	101.8
.3	263.3	132.7	113.3	57.1	201.7	101.7
.4	263.5	132.8	113.5	57.2	201.5	101.6
.5	263.8	133.0	113.8	57.3	201.3	101.5
.6	264.0	133.1	114.0	57.5	201.0	101.3
.7	264.2	133.2	114.2	57.6	200.8	101.2
.8	264.5	133.4	114.5	57.7	200.5	101.1
.9	264.8	133.5	114.8	57.9	200.2	101.0
1804.0	265.0	133.6	115.0	58.0	200.0	100.8
.1	265.2	133.7	115.2	58.1	199.8	100.7
.2	265.5	133.9	115.5	58.2	199.5	100.6
.3	265.8	134.0	115.8	58.4	199.2	100.5
.4	266.0	134.1	116.0	58.5	199.0	100.3
.5	266.3	134.2	116.3	58.6	198.8	100.2
.6	266.5	134.4	116.5	58.7	198.5	100.1
.7	266.7	134.5	116.7	58.9	198.3	100.0
.8	267.0	134.6	117.0	59.0	198.0	99.8
.9	267.3	134.7	117.3	59.1	197.7	99.7
1805.0	267.5	134.9	117.5	59.2	197.5	99.6
.1	267.7	135.0	117.7	59.4	197.3	99.4
.2	268.0	135.1	118.0	59.5	197.0	99.3
.3	268.3	135.2	118.3	59.6	196.7	99.2
.4	268.5	135.4	118.5	59.7	196.5	99.1
.5	268.8	135.5	118.8	59.9	196.3	98.9
.6	269.0	135.6	119.0	60.0	196.0	98.8
.7	269.2	135.7	119.2	60.1	195.8	98.7
.8	269.5	135.9	119.5	60.2	195.5	98.6
.9	269.8	136.0	119.8	60.4	195.2	98.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1806.0	270.0	136.1	120.0	60.5	195.0	98.3
.1	270.2	136.3	120.2	60.6	194.8	98.2
.2	270.5	136.4	120.5	60.8	194.5	98.1
.3	270.8	136.5	120.8	60.9	194.2	97.9
.4	271.0	136.6	121.0	61.0	194.0	97.8
.5	271.3	136.8	121.3	61.1	193.8	97.7
.6	271.5	136.9	121.5	61.3	193.5	97.6
.7	271.7	137.0	121.7	61.4	193.3	97.4
.8	272.0	137.1	122.0	61.5	193.0	97.3
.9	272.3	137.3	122.3	61.6	192.7	97.2
1807.0	272.5	137.4	122.5	61.8	192.5	97.1
.1	272.7	137.5	122.7	61.9	192.3	96.9
.2	273.0	137.6	123.0	62.0	192.0	96.8
.3	273.3	137.8	123.3	62.1	191.7	96.7
.4	273.5	137.9	123.5	62.3	191.5	96.5
.5	273.8	138.0	123.8	62.4	191.3	96.4
.6	274.0	138.1	124.0	62.5	191.0	96.3
.7	274.2	138.3	124.2	62.6	190.8	96.2
.8	274.5	138.4	124.5	62.8	190.5	96.0
.9	274.8	138.5	124.8	62.9	190.2	95.9
1808.0	275.0	138.6	125.0	63.0	190.0	95.8
.1	275.2	138.8	125.2	63.1	189.8	95.7
.2	275.5	138.9	125.5	63.3	189.5	95.5
.3	275.8	139.0	125.8	63.4	189.2	95.4
.4	276.0	139.2	126.0	63.5	189.0	95.3
.5	276.3	139.3	126.3	63.7	188.8	95.2
.6	276.5	139.4	126.5	63.8	188.5	95.0
.7	276.7	139.5	126.7	63.9	188.3	94.9
.8	277.0	139.7	127.0	64.0	188.0	94.8
.9	277.3	139.8	127.3	64.2	187.7	94.7
1809.0	277.5	139.9	127.5	64.3	187.5	94.5
.1	277.7	140.0	127.7	64.4	187.3	94.4
.2	278.0	140.2	128.0	64.5	187.0	94.3
.3	278.3	140.3	128.3	64.7	186.7	94.2
.4	278.5	140.4	128.5	64.8	186.5	94.0
.5	278.8	140.5	128.8	64.9	186.3	93.9
.6	279.0	140.7	129.0	65.0	186.0	93.8
.7	279.2	140.8	129.2	65.2	185.8	93.6
.8	279.5	140.9	129.5	65.3	185.5	93.5
.9	279.8	141.0	129.8	65.4	185.2	93.4
1810.0	280.0	141.2	130.0	65.5	185.0	93.3
.1	280.2	141.3	130.2	65.7	184.8	93.1
.2	280.5	141.4	130.5	65.8	184.5	93.0
.3	280.8	141.5	130.8	65.9	184.2	92.9
.4	281.0	141.7	131.0	66.0	184.0	92.8
.5	281.3	141.8	131.3	66.2	183.8	92.6
.6	281.5	141.9	131.5	66.3	183.5	92.5
.7	281.7	142.0	131.7	66.4	183.3	92.4
.8	282.0	142.2	132.0	66.6	183.0	92.3
.9	282.3	142.3	132.3	66.7	182.7	92.1

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1811.0	282.5	142.4	132.5	66.8	182.5	92.0
.1	282.7	142.6	132.7	66.9	182.3	91.9
.2	283.0	142.7	133.0	67.1	182.0	91.8
.3	283.3	142.8	133.3	67.2	181.7	91.6
.4	283.5	142.9	133.5	67.3	181.5	91.5
.5	283.8	143.1	133.8	67.4	181.3	91.4
.6	284.0	143.2	134.0	67.6	181.0	91.3
.7	284.2	143.3	134.2	67.7	180.8	91.1
.8	284.5	143.4	134.5	67.8	180.5	91.0
.9	284.8	143.6	134.8	67.9	180.2	90.9
1812.0	285.0	143.7	135.0	68.1	180.0	90.8
.1	285.3	143.8	135.3	68.2	179.7	90.6
.2	285.6	144.0	135.6	68.3	179.4	90.5
.3	285.8	144.1	135.8	68.5	179.2	90.3
.4	286.1	144.2	136.1	68.6	178.9	90.2
.5	286.4	144.4	136.4	68.8	178.6	90.0
.6	286.7	144.5	136.7	68.9	178.3	89.9
.7	286.9	144.7	136.9	69.0	178.1	89.8
.8	287.2	144.8	137.2	69.2	177.8	89.6
.9	287.5	145.0	137.5	69.3	177.5	89.5
1813.0	287.8	145.1	137.8	69.5	177.2	89.3
.1	288.1	145.2	138.1	69.6	176.9	89.2
.2	288.3	145.4	138.3	69.7	176.7	89.1
.3	288.6	145.5	138.6	69.9	176.4	88.9
.4	288.9	145.7	138.9	70.0	176.1	88.8
.5	289.2	145.8	139.2	70.2	175.8	88.6
.6	289.5	145.9	139.5	70.3	175.5	88.5
.7	289.7	146.1	139.7	70.5	175.3	88.4
.8	290.0	146.2	140.0	70.6	175.0	88.2
.9	290.3	146.4	140.3	70.7	174.7	88.1
1814.0	290.6	146.5	140.6	70.9	174.4	87.9
.1	290.8	146.6	140.8	71.0	174.2	87.8
.2	291.1	146.8	141.1	71.2	173.9	87.7
.3	291.4	146.9	141.4	71.3	173.6	87.5
.4	291.7	147.1	141.7	71.4	173.3	87.4
.5	292.0	147.2	142.0	71.6	173.0	87.2
.6	292.2	147.3	142.2	71.7	172.8	87.1
.7	292.5	147.5	142.5	71.9	172.5	87.0
.8	292.8	147.6	142.8	72.0	172.2	86.8
.9	293.1	147.8	143.1	72.1	171.9	86.7
1815.0	293.4	147.9	143.4	72.3	171.6	86.5
.1	293.6	148.0	143.6	72.4	171.4	86.4
.2	293.9	148.2	143.9	72.6	171.1	86.3
.3	294.2	148.3	144.2	72.7	170.8	86.1
.4	294.5	148.5	144.5	72.8	170.5	86.0
.5	294.8	148.6	144.8	73.0	170.3	85.8
.6	295.0	148.7	145.0	73.1	170.0	85.7
.7	295.3	148.9	145.3	73.3	169.7	85.6
.8	295.6	149.0	145.6	73.4	169.4	85.4
.9	295.9	149.2	145.9	73.5	169.1	85.3

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1816.0	296.1	149.3	146.1	73.7	168.9	85.1
.1	296.4	149.4	146.4	73.8	168.6	85.0
.2	296.7	149.6	146.7	74.0	168.3	84.9
.3	297.0	149.7	147.0	74.1	168.0	84.7
.4	297.3	149.9	147.3	74.2	167.7	84.6
.5	297.5	150.0	147.5	74.4	167.5	84.4
.6	297.8	150.1	147.8	74.5	167.2	84.3
.7	298.1	150.3	148.1	74.7	166.9	84.1
.8	298.4	150.4	148.4	74.8	166.6	84.0
.9	298.7	150.6	148.7	74.9	166.3	83.9
1817.0	298.9	150.7	148.9	75.1	166.1	83.7
.1	299.2	150.9	149.2	75.2	165.8	83.6
.2	299.5	151.0	149.5	75.4	165.5	83.4
.3	299.8	151.1	149.8	75.5	165.2	83.3
.4	300.0	151.3	150.0	75.6	165.0	83.2
.5	300.3	151.4	150.3	75.8	164.7	83.0
.6	300.6	151.6	150.6	75.9	164.4	82.9
.7	300.9	151.7	150.9	76.1	164.1	82.7
.8	301.2	151.8	151.2	76.2	163.8	82.6
.9	301.4	152.0	151.4	76.3	163.6	82.5
1818.0	301.7	152.1	151.7	76.5	163.3	82.3
.1	302.0	152.3	152.0	76.6	163.0	82.2
.2	302.3	152.4	152.3	76.8	162.7	82.0
.3	302.6	152.5	152.6	76.9	162.4	81.9
.4	302.8	152.7	152.8	77.1	162.2	81.8
.5	303.1	152.8	153.1	77.2	161.9	81.6
.6	303.4	153.0	153.4	77.3	161.6	81.5
.7	303.7	153.1	153.7	77.5	161.3	81.3
.8	303.9	153.2	153.9	77.6	161.1	81.2
.9	304.2	153.4	154.2	77.8	160.8	81.1
1819.0	304.5	153.5	154.5	77.9	160.5	80.9
.1	304.8	153.7	154.8	78.0	160.2	80.8
.2	305.1	153.8	155.1	78.2	159.9	80.6
.3	305.3	153.9	155.3	78.3	159.7	80.5
.4	305.6	154.1	155.6	78.5	159.4	80.4
.5	305.9	154.2	155.9	78.6	159.1	80.2
.6	306.2	154.4	156.2	78.7	158.8	80.1
.7	306.4	154.5	156.4	78.9	158.6	79.9
.8	306.7	154.6	156.7	79.0	158.3	79.8
.9	307.0	154.8	157.0	79.2	158.0	79.7
1820.0	307.3	154.9	157.3	79.3	157.7	79.5
.1	307.6	155.1	157.6	79.4	157.4	79.4
.2	307.8	155.2	157.8	79.6	157.2	79.2
.3	308.1	155.3	158.1	79.7	156.9	79.1
.4	308.4	155.5	158.4	79.9	156.6	79.0
.5	308.7	155.6	158.7	80.0	156.3	78.8
.6	309.0	155.8	159.0	80.1	156.0	78.7
.7	309.2	155.9	159.2	80.3	155.8	78.5
.8	309.5	156.0	159.5	80.4	155.5	78.4
.9	309.8	156.2	159.8	80.6	155.2	78.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD	ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1821.0	310.1	156.3	160.1	80.7	154.9	78.1	1826.0	324.0	163.4	174.0	87.7	141.0	71.1
.1	310.3	156.5	160.3	80.8	154.7	78.0	.1	324.3	163.5	174.3	87.9	140.7	70.9
.2	310.6	156.6	160.6	81.0	154.4	77.8	.2	324.6	163.6	174.6	88.0	140.4	70.8
.3	310.9	156.7	160.9	81.1	154.1	77.7	.3	324.8	163.8	174.8	88.1	140.2	70.7
.4	311.2	156.9	161.2	81.3	153.8	77.5	.4	325.1	163.9	175.1	88.3	139.9	70.5
.5	311.5	157.0	161.5	81.4	153.5	77.4	.5	325.4	164.1	175.4	88.4	139.6	70.4
.6	311.7	157.2	161.7	81.5	153.3	77.3	.6	325.7	164.2	175.7	88.6	139.3	70.2
.7	312.0	157.3	162.0	81.7	153.0	77.1	.7	325.9	164.3	175.9	88.7	139.1	70.1
.8	312.3	157.5	162.3	81.8	152.7	77.0	.8	326.2	164.5	176.2	88.8	138.8	70.0
.9	312.6	157.6	162.6	82.0	152.4	76.8	.9	326.5	164.6	176.5	89.0	138.5	69.8
1822.0	312.9	157.7	162.9	82.1	152.1	76.7	1827.0	326.8	164.8	176.8	89.1	138.2	69.7
.1	313.1	157.9	163.1	82.2	151.9	76.6	.1	327.1	164.9	177.1	89.3	137.9	69.5
.2	313.4	158.0	163.4	82.4	151.6	76.4	.2	327.3	165.0	177.3	89.4	137.7	69.4
.3	313.7	158.2	163.7	82.5	151.3	76.3	.3	327.6	165.2	177.6	89.6	137.4	69.3
.4	314.0	158.3	164.0	82.7	151.0	76.1	.4	327.9	165.3	177.9	89.7	137.1	69.1
.5	314.3	158.4	164.3	82.8	150.8	76.0	.5	328.2	165.5	178.2	89.8	136.8	69.0
.6	314.5	158.6	164.5	82.9	150.5	75.9	.6	328.5	165.6	178.5	90.0	136.5	68.8
.7	314.8	158.7	164.8	83.1	150.2	75.7	.7	328.7	165.7	178.7	90.1	136.3	68.7
.8	315.1	158.9	165.1	83.2	149.9	75.6	.8	329.0	165.9	179.0	90.3	136.0	68.6
.9	315.4	159.0	165.4	83.4	149.6	75.4	.9	329.3	166.0	179.3	90.4	135.7	68.4
1823.0	315.6	159.1	165.6	83.5	149.4	75.3	1828.0	329.6	166.2	179.6	90.5	135.4	68.3
.1	315.9	159.3	165.9	83.7	149.1	75.2	.1	329.8	166.3	179.8	90.7	135.2	68.1
.2	316.2	159.4	166.2	83.8	148.8	75.0	.2	330.1	166.4	180.1	90.8	134.9	68.0
.3	316.5	159.6	166.5	83.9	148.5	74.9	.3	330.4	166.6	180.4	91.0	134.6	67.9
.4	316.8	159.7	166.8	84.1	148.2	74.7	.4	330.7	166.7	180.7	91.1	134.3	67.7
.5	317.0	159.8	167.0	84.2	148.0	74.6	.5	331.0	166.9	181.0	91.2	134.0	67.6
.6	317.3	160.0	167.3	84.4	147.7	74.5	.6	331.2	167.0	181.2	91.4	133.8	67.4
.7	317.6	160.1	167.6	84.5	147.4	74.3	.7	331.5	167.1	181.5	91.5	133.5	67.3
.8	317.9	160.3	167.9	84.6	147.1	74.2	.8	331.8	167.3	181.8	91.7	133.2	67.2
.9	318.2	160.4	168.2	84.8	146.8	74.0	.9	332.1	167.4	182.1	91.8	132.9	67.0
1824.0	318.4	160.5	168.4	84.9	146.6	73.9	1829.0	332.4	167.6	182.4	91.9	132.6	66.9
.1	318.7	160.7	168.7	85.1	146.3	73.8	.1	332.6	167.7	182.6	92.1	132.4	66.7
.2	319.0	160.8	169.0	85.2	146.0	73.6	.2	332.9	167.8	182.9	92.2	132.1	66.6
.3	319.3	161.0	169.3	85.3	145.7	73.5	.3	333.2	168.0	183.2	92.4	131.8	66.5
.4	319.5	161.1	169.5	85.5	145.5	73.3	.4	333.5	168.1	183.5	92.5	131.5	66.3
.5	319.8	161.2	169.8	85.6	145.2	73.2	.5	333.8	168.3	183.8	92.6	131.3	66.2
.6	320.1	161.4	170.1	85.8	144.9	73.1	.6	334.0	168.4	184.0	92.8	131.0	66.0
.7	320.4	161.5	170.4	85.9	144.6	72.9	.7	334.3	168.5	184.3	92.9	130.7	65.9
.8	320.7	161.7	170.7	86.0	144.3	72.8	.8	334.6	168.7	184.6	93.1	130.4	65.8
.9	320.9	161.8	170.9	86.2	144.1	72.6	.9	334.9	168.8	184.9	93.2	130.1	65.6
1825.0	321.2	161.9	171.2	86.3	143.8	72.5	1830.0	335.1	169.0	185.1	93.3	129.9	65.5
.1	321.5	162.1	171.5	86.5	143.5	72.4	.1	335.4	169.1	185.4	93.5	129.6	65.3
.2	321.8	162.2	171.8	86.6	143.2	72.2	.2	335.7	169.2	185.7	93.6	129.3	65.2
.3	322.1	162.4	172.1	86.7	142.9	72.1	.3	336.0	169.4	186.0	93.8	129.0	65.0
.4	322.3	162.5	172.3	86.9	142.7	71.9	.4	336.3	169.5	186.3	93.9	128.7	64.9
.5	322.6	162.6	172.6	87.0	142.4	71.8	.5	336.5	169.7	186.5	94.0	128.5	64.8
.6	322.9	162.8	172.9	87.2	142.1	71.6	.6	336.8	169.8	186.8	94.2	128.2	64.6
.7	323.2	162.9	173.2	87.3	141.8	71.5	.7	337.1	170.0	187.1	94.3	127.9	64.5
.8	323.4	163.1	173.4	87.4	141.6	71.4	.8	337.4	170.1	187.4	94.5	127.6	64.3
.9	323.7	163.2	173.7	87.6	141.3	71.2	.9	337.7	170.2	187.7	94.6	127.3	64.2

Lost Creek

430

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD		ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1831.0	337.9	170.4	187.9	94.7	127.1	64.1		1836.0	351.9	177.4	201.9	101.8	113.1	57.0
.1	338.2	170.5	188.2	94.9	126.8	63.9		.1	352.1	177.5	202.1	101.9	112.9	56.9
.2	338.5	170.7	188.5	95.0	126.5	63.8		.2	352.4	177.7	202.4	102.1	112.6	56.8
.3	338.8	170.8	188.8	95.2	126.2	63.6		.3	352.7	177.8	202.7	102.2	112.3	56.6
.4	339.0	170.9	189.0	95.3	126.0	63.5		.4	353.0	178.0	203.0	102.3	112.0	56.5
.5	339.3	171.1	189.3	95.4	125.7	63.4		.5	353.3	178.1	203.3	102.5	111.8	56.3
.6	339.6	171.2	189.6	95.6	125.4	63.2		.6	353.5	178.2	203.5	102.6	111.5	56.2
.7	339.9	171.4	189.9	95.7	125.1	63.1		.7	353.8	178.4	203.8	102.8	111.2	56.1
.8	340.2	171.5	190.2	95.9	124.8	62.9		.8	354.1	178.5	204.1	102.9	110.9	55.9
.9	340.4	171.6	190.4	96.0	124.6	62.8		.9	354.4	178.7	204.4	103.0	110.6	55.8
1832.0	340.7	171.8	190.7	96.2	124.3	62.7		1837.0	354.6	178.8	204.6	103.2	110.4	55.6
.1	341.0	171.9	191.0	96.3	124.0	62.5		.1	354.9	178.9	204.9	103.3	110.1	55.5
.2	341.3	172.1	191.3	96.4	123.7	62.4		.2	355.2	179.1	205.2	103.5	109.8	55.4
.3	341.6	172.2	191.6	96.6	123.4	62.2		.3	355.5	179.2	205.5	103.6	109.5	55.2
.4	341.8	172.3	191.8	96.7	123.2	62.1		.4	355.8	179.4	205.8	103.7	109.2	55.1
.5	342.1	172.5	192.1	96.9	122.9	62.0		.5	356.0	179.5	206.0	103.9	109.0	54.9
.6	342.4	172.6	192.4	97.0	122.6	61.8		.6	356.3	179.6	206.3	104.0	108.7	54.8
.7	342.7	172.8	192.7	97.1	122.3	61.7		.7	356.6	179.8	206.6	104.2	108.4	54.7
.8	342.9	172.9	192.9	97.3	122.1	61.5		.8	356.9	179.9	206.9	104.3	108.1	54.5
.9	343.2	173.0	193.2	97.4	121.8	61.4		.9	357.2	180.1	207.2	104.4	107.8	54.4
1833.0	343.5	173.2	193.5	97.6	121.5	61.3		1838.0	357.4	180.2	207.4	104.6	107.6	54.2
.1	343.8	173.3	193.8	97.7	121.2	61.1		.1	357.7	180.3	207.7	104.7	107.3	54.1
.2	344.1	173.5	194.1	97.8	120.9	61.0		.2	358.0	180.5	208.0	104.9	107.0	54.0
.3	344.3	173.6	194.3	98.0	120.7	60.8		.3	358.3	180.6	208.3	105.0	106.7	53.8
.4	344.6	173.7	194.6	98.1	120.4	60.7		.4	358.5	180.8	208.5	105.1	106.5	53.7
.5	344.9	173.9	194.9	98.3	120.1	60.6		.5	358.8	180.9	208.8	105.3	106.2	53.5
.6	345.2	174.0	195.2	98.4	119.8	60.4		.6	359.1	181.0	209.1	105.4	105.9	53.4
.7	345.4	174.2	195.4	98.5	119.6	60.3		.7	359.4	181.2	209.4	105.6	105.6	53.3
.8	345.7	174.3	195.7	98.7	119.3	60.1		.8	359.7	181.3	209.7	105.7	105.3	53.1
.9	346.0	174.4	196.0	98.8	119.0	60.0		.9	359.9	181.5	209.9	105.8	105.1	53.0
1834.0	346.3	174.6	196.3	99.0	118.7	59.9		1839.0	360.2	181.6	210.2	106.0	104.8	52.8
.1	346.6	174.7	196.6	99.1	118.4	59.7		.1	360.5	181.7	210.5	106.1	104.5	52.7
.2	346.8	174.9	196.8	99.2	118.2	59.6		.2	360.8	181.9	210.8	106.3	104.2	52.5
.3	347.1	175.0	197.1	99.4	117.9	59.4		.3	361.1	182.0	211.1	106.4	103.9	52.4
.4	347.4	175.1	197.4	99.5	117.6	59.3		.4	361.3	182.2	211.3	106.5	103.7	52.3
.5	347.7	175.3	197.7	99.7	117.3	59.1		.5	361.6	182.3	211.6	106.7	103.4	52.1
.6	348.0	175.4	198.0	99.8	117.0	59.0		.6	361.9	182.5	211.9	106.8	103.1	52.0
.7	348.2	175.6	198.2	99.9	116.8	58.9		.7	362.2	182.6	212.2	107.0	102.8	51.8
.8	348.5	175.7	198.5	100.1	116.5	58.7		.8	362.4	182.7	212.4	107.1	102.6	51.7
.9	348.8	175.8	198.8	100.2	116.2	58.6		.9	362.7	182.9	212.7	107.2	102.3	51.6
1835.0	349.1	176.0	199.1	100.4	115.9	58.4		1840.0	363.0	183.0	213.0	107.4	102.0	51.4
.1	349.3	176.1	199.3	100.5	115.7	58.3		.1	363.3	183.2	213.3	107.5	101.7	51.3
.2	349.6	176.3	199.6	100.6	115.4	58.2		.2	363.6	183.3	213.6	107.7	101.4	51.1
.3	349.9	176.4	199.9	100.8	115.1	58.0		.3	364.0	183.5	214.0	107.9	101.0	50.9
.4	350.2	176.6	200.2	100.9	114.8	57.9		.4	364.3	183.7	214.3	108.0	100.7	50.8
.5	350.5	176.7	200.5	101.1	114.5	57.7		.5	364.6	183.8	214.6	108.2	100.4	50.6
.6	350.7	176.8	200.7	101.2	114.3	57.6		.6	364.9	184.0	214.9	108.4	100.1	50.5
.7	351.0	177.0	201.0	101.3	114.0	57.5		.7	365.2	184.1	215.2	108.5	99.8	50.3
.8	351.3	177.1	201.3	101.5	113.7	57.3		.8	365.6	184.3	215.6	108.7	99.4	50.1
.9	351.6	177.3	201.6	101.6	113.4	57.2		.9	365.9	184.5	215.9	108.8	99.1	50.0

Reservoir Storage Tables

1   LOST CREEK   1   LOST CREEK

PAGE 19   PAGE 20

PAGE 19 — LOST CREEK

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1841.0	366.2	184.6	216.2	109.0	98.8	49.8
.1	366.5	184.8	216.5	109.2	98.5	49.7
.2	366.8	184.9	216.8	109.3	98.2	49.5
.3	367.1	185.1	217.1	109.5	97.9	49.3
.4	367.5	185.3	217.5	109.6	97.5	49.2
.5	367.8	185.4	217.8	109.8	97.2	49.0
.6	368.1	185.6	218.1	110.0	96.9	48.9
.7	368.4	185.7	218.4	110.1	96.6	48.7
.8	368.7	185.9	218.7	110.3	96.3	48.5
.9	369.1	186.1	219.1	110.4	95.9	48.4
1842.0	369.4	186.2	219.4	110.6	95.6	48.2
.1	369.7	186.4	219.7	110.8	95.3	48.1
.2	370.0	186.5	220.0	110.9	95.0	47.9
.3	370.3	186.7	220.3	111.1	94.7	47.7
.4	370.7	186.9	220.7	111.2	94.3	47.6
.5	371.0	187.0	221.0	111.4	94.0	47.4
.6	371.3	187.2	221.3	111.6	93.7	47.2
.7	371.6	187.4	221.6	111.7	93.4	47.1
.8	371.9	187.5	221.9	111.9	93.1	46.9
.9	372.2	187.7	222.2	112.0	92.8	46.8
1843.0	372.6	187.8	222.6	112.2	92.4	46.6
.1	372.9	188.0	222.9	112.4	92.1	46.4
.2	373.2	188.2	223.2	112.5	91.8	46.3
.3	373.5	188.3	223.5	112.7	91.5	46.1
.4	373.8	188.5	223.8	112.9	91.2	46.0
.5	374.2	188.6	224.2	113.0	90.8	45.8
.6	374.5	188.8	224.5	113.2	90.5	45.6
.7	374.8	189.0	224.8	113.3	90.2	45.5
.8	375.1	189.1	225.1	113.5	89.9	45.3
.9	375.4	189.3	225.4	113.7	89.6	45.2
1844.0	375.8	189.4	225.8	113.8	89.3	45.0
.1	376.1	189.6	226.1	114.0	88.9	44.8
.2	376.4	189.8	226.4	114.1	88.6	44.7
.3	376.7	189.9	226.7	114.3	88.3	44.5
.4	377.0	190.1	227.0	114.5	88.0	44.4
.5	377.3	190.2	227.3	114.6	87.7	44.2
.6	377.7	190.4	227.7	114.8	87.3	44.0
.7	378.0	190.6	228.0	114.9	87.0	43.9
.8	378.3	190.7	228.3	115.1	86.7	43.7
.9	378.6	190.9	228.6	115.3	86.4	43.6
1845.0	378.9	191.0	228.9	115.4	86.1	43.4
.1	379.3	191.2	229.3	115.6	85.7	43.2
.2	379.6	191.4	229.6	115.7	85.4	43.1
.3	379.9	191.5	229.9	115.9	85.1	42.9
.4	380.2	191.7	230.2	116.1	84.8	42.7
.5	380.5	191.9	230.5	116.2	84.5	42.6
.6	380.8	192.0	230.8	116.4	84.2	42.4
.7	381.2	192.2	231.2	116.5	83.8	42.3
.8	381.5	192.3	231.5	116.7	83.5	42.1
.9	381.8	192.5	231.8	116.9	83.2	41.9

PAGE 20 — LOST CREEK

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1846.0	382.1	192.7	232.1	117.0	82.9	41.8
.1	382.4	192.8	232.4	117.2	82.6	41.6
.2	382.8	193.0	232.8	117.4	82.2	41.5
.3	383.1	193.1	233.1	117.5	81.9	41.3
.4	383.4	193.3	233.4	117.7	81.6	41.1
.5	383.7	193.5	233.7	117.8	81.3	41.0
.6	384.0	193.6	234.0	118.0	81.0	40.8
.7	384.4	193.8	234.4	118.2	80.6	40.7
.8	384.7	193.9	234.7	118.3	80.3	40.5
.9	385.0	194.1	235.0	118.5	80.0	40.3
1847.0	385.3	194.3	235.3	118.6	79.7	40.2
.1	385.6	194.4	235.6	118.8	79.4	40.0
.2	385.9	194.6	235.9	119.0	79.1	39.9
.3	386.3	194.7	236.3	119.1	78.7	39.7
.4	386.6	194.9	236.6	119.3	78.4	39.5
.5	386.9	195.1	236.9	119.4	78.1	39.4
.6	387.2	195.2	237.2	119.6	77.8	39.2
.7	387.5	195.4	237.5	119.8	77.5	39.1
.8	387.9	195.5	237.9	119.9	77.1	38.9
.9	388.2	195.7	238.2	120.1	76.8	38.7
1848.0	388.5	195.9	238.5	120.2	76.5	38.6
.1	388.8	196.0	238.8	120.4	76.2	38.4
.2	389.1	196.2	239.1	120.6	75.9	38.2
.3	389.5	196.4	239.5	120.7	75.5	38.1
.4	389.8	196.5	239.8	120.9	75.2	37.9
.5	390.1	196.7	240.1	121.0	74.9	37.8
.6	390.4	196.8	240.4	121.2	74.6	37.6
.7	390.7	197.0	240.7	121.4	74.3	37.4
.8	391.1	197.2	241.1	121.5	73.9	37.3
.9	391.4	197.3	241.4	121.7	73.6	37.1
1849.0	391.7	197.5	241.7	121.9	73.3	37.0
.1	392.0	197.6	242.0	122.0	73.0	36.8
.2	392.3	197.8	242.3	122.2	72.7	36.6
.3	392.6	198.0	242.6	122.3	72.4	36.5
.4	393.0	198.1	243.0	122.5	72.0	36.3
.5	393.3	198.3	243.3	122.7	71.7	36.2
.6	393.6	198.4	243.6	122.8	71.4	36.0
.7	393.9	198.6	243.9	123.0	71.1	35.8
.8	394.2	198.8	244.2	123.1	70.8	35.7
.9	394.6	198.9	244.6	123.3	70.4	35.5
1850.0	394.9	199.1	244.9	123.5	70.1	35.4
.1	395.2	199.2	245.2	123.6	69.8	35.2
.2	395.5	199.4	245.5	123.8	69.5	35.0
.3	395.8	199.6	245.8	123.9	69.2	34.9
.4	396.2	199.7	246.2	124.1	68.8	34.7
.5	396.5	199.9	246.5	124.3	68.5	34.6
.6	396.8	200.0	246.8	124.4	68.2	34.4
.7	397.1	200.2	247.1	124.6	67.9	34.2
.8	397.4	200.4	247.4	124.7	67.6	34.1
.9	397.7	200.5	247.7	124.9	67.3	33.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1851.0	398.1	200.7	248.1	125.1	66.9	33.7
.1	398.4	200.9	248.4	125.2	66.6	33.6
.2	398.7	201.0	248.7	125.4	66.3	33.4
.3	399.0	201.2	249.0	125.5	66.0	33.3
.4	399.3	201.3	249.3	125.7	65.7	33.1
.5	399.7	201.5	249.7	125.9	65.3	32.9
.6	400.0	201.7	250.0	126.0	65.0	32.8
.7	400.3	201.8	250.3	126.2	64.7	32.6
.8	400.6	202.0	250.6	126.4	64.4	32.5
.9	400.9	202.1	250.9	126.5	64.1	32.3
1852.0	401.3	202.3	251.3	126.7	63.8	32.1
.1	401.6	202.5	251.6	126.8	63.4	32.0
.2	401.9	202.6	251.9	127.0	63.1	31.8
.3	402.2	202.8	252.2	127.2	62.8	31.7
.4	402.5	202.9	252.5	127.3	62.5	31.5
.5	402.8	203.1	252.8	127.5	62.2	31.3
.6	403.2	203.3	253.2	127.6	61.8	31.2
.7	403.5	203.4	253.5	127.8	61.5	31.0
.8	403.8	203.6	253.8	128.0	61.2	30.9
.9	404.1	203.7	254.1	128.1	60.9	30.7
1853.0	404.4	203.9	254.4	128.3	60.6	30.5
.1	404.8	204.1	254.8	128.4	60.2	30.4
.2	405.1	204.2	255.1	128.6	59.9	30.2
.3	405.4	204.4	255.4	128.8	59.6	30.1
.4	405.7	204.5	255.7	128.9	59.3	29.9
.5	406.0	204.7	256.0	129.1	59.0	29.7
.6	406.3	204.9	256.3	129.2	58.7	29.6
.7	406.7	205.0	256.7	129.4	58.3	29.4
.8	407.0	205.2	257.0	129.6	58.0	29.2
.9	407.3	205.4	257.3	129.7	57.7	29.1
1854.0	407.6	205.5	257.6	129.9	57.4	28.9
.1	407.9	205.7	257.9	130.0	57.1	28.8
.2	408.3	205.8	258.3	130.2	56.7	28.6
.3	408.6	206.0	258.6	130.4	56.4	28.4
.4	408.9	206.2	258.9	130.5	56.1	28.3
.5	409.2	206.3	259.2	130.7	55.8	28.1
.6	409.5	206.5	259.5	130.9	55.5	28.0
.7	409.9	206.6	259.9	131.0	55.1	27.8
.8	410.2	206.8	260.2	131.2	54.8	27.6
.9	410.5	207.0	260.5	131.3	54.5	27.5
1855.0	410.8	207.1	260.8	131.5	54.2	27.3
.1	411.1	207.3	261.1	131.7	53.9	27.2
.2	411.4	207.4	261.4	131.8	53.6	27.0
.3	411.8	207.6	261.8	132.0	53.2	26.8
.4	412.1	207.8	262.1	132.1	52.9	26.7
.5	412.4	207.9	262.4	132.3	52.6	26.5
.6	412.7	208.1	262.7	132.5	52.3	26.4
.7	413.0	208.2	263.0	132.6	52.0	26.2
.8	413.4	208.4	263.4	132.8	51.6	26.0
.9	413.7	208.6	263.7	132.9	51.3	25.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1856.0	414.0	208.7	264.0	133.1	51.0	25.7
.1	414.3	208.9	264.3	133.3	50.7	25.6
.2	414.6	209.0	264.6	133.4	50.4	25.4
.3	415.0	209.2	265.0	133.6	50.0	25.2
.4	415.3	209.4	265.3	133.7	49.7	25.1
.5	415.6	209.5	265.6	133.9	49.4	24.9
.6	415.9	209.7	265.9	134.1	49.1	24.7
.7	416.2	209.8	266.2	134.2	48.8	24.6
.8	416.6	210.0	266.6	134.4	48.4	24.4
.9	416.9	210.2	266.9	134.5	48.1	24.3
1857.0	417.2	210.3	267.2	134.7	47.8	24.1
.1	417.5	210.5	267.5	134.9	47.5	23.9
.2	417.8	210.7	267.8	135.0	47.2	23.8
.3	418.1	210.8	268.1	135.2	46.9	23.6
.4	418.5	211.0	268.5	135.3	46.5	23.5
.5	418.8	211.1	268.8	135.5	46.2	23.3
.6	419.1	211.3	269.1	135.7	45.9	23.1
.7	419.4	211.5	269.4	135.8	45.6	23.0
.8	419.7	211.6	269.7	136.0	45.3	22.8
.9	420.1	211.8	270.1	136.2	44.9	22.7
1858.0	420.4	211.9	270.4	136.3	44.6	22.5
.1	420.7	212.1	270.7	136.5	44.3	22.3
.2	421.0	212.3	271.0	136.6	44.0	22.2
.3	421.3	212.4	271.3	136.8	43.7	22.0
.4	421.7	212.6	271.7	137.0	43.3	21.9
.5	422.0	212.7	272.0	137.1	43.0	21.7
.6	422.3	212.9	272.3	137.3	42.7	21.5
.7	422.6	213.1	272.6	137.4	42.4	21.4
.8	422.9	213.2	272.9	137.6	42.1	21.2
.9	423.2	213.4	273.2	137.8	41.8	21.1
1859.0	423.6	213.5	273.6	137.9	41.4	20.9
.1	423.9	213.7	273.9	138.1	41.1	20.7
.2	424.2	213.9	274.2	138.2	40.8	20.6
.3	424.5	214.0	274.5	138.4	40.5	20.4
.4	424.8	214.2	274.8	138.6	40.2	20.2
.5	425.2	214.3	275.2	138.7	39.8	20.1
.6	425.5	214.5	275.5	138.9	39.5	19.9
.7	425.8	214.7	275.8	139.0	39.2	19.8
.8	426.1	214.8	276.1	139.2	38.9	19.6
.9	426.4	215.0	276.4	139.4	38.6	19.4
1860.0	426.8	215.2	276.8	139.5	38.3	19.3
.1	427.1	215.3	277.1	139.7	37.9	19.1
.2	427.4	215.5	277.4	139.8	37.6	19.0
.3	427.7	215.6	277.7	140.0	37.3	18.8
.4	428.0	215.8	278.0	140.2	37.0	18.6
.5	428.3	216.0	278.3	140.3	36.7	18.5
.6	428.7	216.1	278.7	140.5	36.3	18.3
.7	429.0	216.3	279.0	140.7	36.0	18.2
.8	429.3	216.4	279.3	140.8	35.7	18.0
.9	429.6	216.6	279.6	141.0	35.4	17.8

Reservoir Storage Tables

PAGE 23

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1861.0	429.9	216.8	279.9	141.1	35.1	17.7
.1	430.3	216.9	280.3	141.3	34.7	17.5
.2	430.6	217.1	280.6	141.5	34.4	17.4
.3	430.9	217.2	280.9	141.6	34.1	17.2
.4	431.2	217.4	281.2	141.8	33.8	17.0
.5	431.5	217.6	281.5	141.9	33.5	16.9
.6	431.8	217.7	281.8	142.1	33.2	16.7
.7	432.2	217.9	282.2	142.3	32.8	16.6
.8	432.5	218.0	282.5	142.4	32.5	16.4
.9	432.8	218.2	282.8	142.6	32.2	16.2
1862.0	433.1	218.4	283.1	142.7	31.9	16.1
.1	433.4	218.5	283.4	142.9	31.6	15.9
.2	433.8	218.7	283.8	143.1	31.2	15.7
.3	434.1	218.8	284.1	143.2	30.9	15.6
.4	434.4	219.0	284.4	143.4	30.6	15.4
.5	434.7	219.2	284.7	143.5	30.3	15.3
.6	435.0	219.3	285.0	143.7	30.0	15.1
.7	435.4	219.5	285.4	143.9	29.6	14.9
.8	435.7	219.7	285.7	144.0	29.3	14.8
.9	436.0	219.8	286.0	144.2	29.0	14.6
1863.0	436.3	220.0	286.3	144.3	28.7	14.5
.1	436.6	220.1	286.6	144.5	28.4	14.3
.2	436.9	220.3	286.9	144.7	28.1	14.1
.3	437.3	220.5	287.3	144.8	27.7	14.0
.4	437.6	220.6	287.6	145.0	27.4	13.8
.5	437.9	220.8	287.9	145.2	27.1	13.7
.6	438.2	220.9	288.2	145.3	26.8	13.5
.7	438.5	221.1	288.5	145.5	26.5	13.3
.8	438.9	221.3	288.9	145.6	26.1	13.2
.9	439.2	221.4	289.2	145.8	25.8	13.0
1864.0	439.5	221.6	289.5	146.0	25.5	12.9
.1	439.8	221.7	289.8	146.1	25.2	12.7
.2	440.1	221.9	290.1	146.3	24.9	12.5
.3	440.5	222.1	290.5	146.4	24.5	12.4
.4	440.8	222.2	290.8	146.6	24.2	12.2
.5	441.1	222.4	291.1	146.8	23.9	12.1
.6	441.4	222.5	291.4	146.9	23.6	11.9
.7	441.7	222.7	291.7	147.1	23.3	11.7
.8	442.1	222.9	292.1	147.2	22.9	11.6
.9	442.4	223.0	292.4	147.4	22.6	11.4
1865.0	442.7	223.2	292.7	147.6	22.3	11.2
.1	443.0	223.3	293.0	147.7	22.0	11.1
.2	443.3	223.5	293.3	147.9	21.7	10.9
.3	443.6	223.7	293.6	148.0	21.4	10.8
.4	444.0	223.8	294.0	148.2	21.0	10.6
.5	444.3	224.0	294.3	148.4	20.7	10.4
.6	444.6	224.2	294.6	148.5	20.4	10.3
.7	444.9	224.3	294.9	148.7	20.1	10.1
.8	445.2	224.5	295.2	148.8	19.8	10.0
.9	445.6	224.6	295.6	149.0	19.4	9.8

PAGE 24

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1866.0	445.9	224.8	295.9	149.2	19.1	9.6
.1	446.2	225.0	296.2	149.3	18.8	9.5
.2	446.5	225.1	296.5	149.5	18.5	9.3
.3	446.8	225.3	296.8	149.7	18.2	9.2
.4	447.2	225.4	297.2	149.8	17.8	9.0
.5	447.5	225.6	297.5	150.0	17.5	8.8
.6	447.8	225.8	297.8	150.1	17.2	8.7
.7	448.1	225.9	298.1	150.3	16.9	8.5
.8	448.4	226.1	298.4	150.5	16.6	8.4
.9	448.7	226.2	298.7	150.6	16.3	8.2
1867.0	449.1	226.4	299.1	150.8	15.9	8.0
.1	449.4	226.6	299.4	150.9	15.6	7.9
.2	449.7	226.7	299.7	151.1	15.3	7.7
.3	450.0	226.9	300.0	151.3	15.0	7.6
.4	450.3	227.0	300.3	151.4	14.7	7.4
.5	450.7	227.2	300.7	151.6	14.3	7.2
.6	451.0	227.4	301.0	151.7	14.0	7.1
.7	451.3	227.5	301.3	151.9	13.7	6.9
.8	451.6	227.7	301.6	152.1	13.4	6.7
.9	451.9	227.8	301.9	152.2	13.1	6.6
1868.0	452.3	228.0	302.3	152.4	12.8	6.4
.1	452.6	228.2	302.6	152.5	12.4	6.3
.2	452.9	228.3	302.9	152.7	12.1	6.1
.3	453.2	228.5	303.2	152.9	11.8	5.9
.4	453.5	228.7	303.5	153.0	11.5	5.8
.5	453.8	228.8	303.8	153.2	11.2	5.6
.6	454.2	229.0	304.2	153.3	10.8	5.5
.7	454.5	229.1	304.5	153.5	10.5	5.3
.8	454.8	229.3	304.8	153.7	10.2	5.1
.9	455.1	229.5	305.1	153.8	9.9	5.0
1869.0	455.4	229.6	305.4	154.0	9.6	4.8
.1	455.8	229.8	305.8	154.2	9.2	4.7
.2	456.1	229.9	306.1	154.3	8.9	4.5
.3	456.4	230.1	306.4	154.5	8.6	4.3
.4	456.7	230.3	306.7	154.6	8.3	4.2
.5	457.0	230.4	307.0	154.8	8.0	4.0
.6	457.3	230.6	307.3	155.0	7.7	3.9
.7	457.7	230.7	307.7	155.1	7.3	3.7
.8	458.0	230.9	308.0	155.3	7.0	3.5
.9	458.3	231.1	308.3	155.4	6.7	3.4
1870.0	458.6	231.2	308.6	155.6	6.4	3.2
.1	458.9	231.4	308.9	155.8	6.1	3.1
.2	459.3	231.5	309.3	155.9	5.7	2.9
.3	459.6	231.7	309.6	156.1	5.4	2.7
.4	459.9	231.9	309.9	156.2	5.1	2.6
.5	460.2	232.0	310.2	156.4	4.8	2.4
.6	460.5	232.2	310.5	156.6	4.5	2.2
.7	460.9	232.3	310.9	156.7	4.1	2.1
.8	461.2	232.5	311.2	156.9	3.8	1.9
.9	461.5	232.7	311.5	157.0	3.5	1.8

Reservoir Storage Tables

ELEVATION FEET		GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1871.0		461.8	232.8	311.8	157.2	3.2	1.6
.1		462.1	233.0	312.1	157.4	2.9	1.4
.2		462.4	233.2	312.4	157.5	2.6	1.3
.3		462.8	233.3	312.8	157.7	2.2	1.1
.4		463.1	233.5	313.1	157.8	1.9	1.0
.5		463.4	233.6	313.4	158.0	1.6	0.8
.6		463.7	233.8	313.7	158.2	1.3	0.6
.7		464.0	234.0	314.0	158.3	1.0	0.5
.8		464.4	234.1	314.4	158.5	0.6	0.3
.9		464.7	234.3	314.7	158.7	0.3	0.2
1872.0	SUB	465.0	234.4	315.0	158.8	0.0	0.0
.1		465.3	234.6				
.2		465.6	234.8				
.3		466.0	234.9				
.4		466.3	235.1				
.5		466.6	235.2				
.6		466.9	235.4				
.7		467.2	235.6				
.8		467.6	235.7				
.9		467.9	235.9				
1873.0		468.2	236.0				

Reservoir Storage Tables

PROJECT NUMBER: 148   PAGE 1   PAGE 2

STORAGE LOWER BOUND (SLB) =   7.00KAF   STORAGE UPPER BOUND (SUB) =   82.30 KAF

ELEVATION		GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
FEET		KAF	KSFD	KAF	KSFD	KAF	KSFD
1854.0	SLB	7.0	3.5	0.0	0.0	75.3	38.0
.1		7.0	3.5	0.0	0.0	75.3	38.0
.2		7.0	3.6	0.0	0.0	75.3	37.9
.3		7.1	3.6	0.1	0.0	75.2	37.9
.4		7.1	3.6	0.1	0.0	75.2	37.9
.5		7.1	3.6	0.1	0.1	75.2	37.9
.6		7.1	3.6	0.1	0.1	75.2	37.9
.7		7.2	3.6	0.2	0.1	75.1	37.9
.8		7.2	3.6	0.2	0.1	75.1	37.9
.9		7.2	3.6	0.2	0.1	75.1	37.9
1855.0		7.2	3.6	0.2	0.1	75.1	37.9
.1		7.2	3.6	0.2	0.1	75.1	37.8
.2		7.3	3.7	0.3	0.1	75.0	37.8
.3		7.3	3.7	0.3	0.1	75.0	37.8
.4		7.3	3.7	0.3	0.2	75.0	37.8
.5		7.3	3.7	0.3	0.2	75.0	37.8
.6		7.3	3.7	0.3	0.2	75.0	37.8
.7		7.4	3.7	0.4	0.2	74.9	37.8
.8		7.4	3.7	0.4	0.2	74.9	37.8
.9		7.4	3.7	0.4	0.2	74.9	37.8
1856.0		7.4	3.7	0.4	0.2	74.9	37.7
.1		7.5	3.8	0.5	0.2	74.8	37.7
.2		7.5	3.8	0.5	0.2	74.8	37.7
.3		7.5	3.8	0.5	0.3	74.8	37.7
.4		7.5	3.8	0.5	0.3	74.8	37.7
.5		7.5	3.8	0.5	0.3	74.8	37.7
.6		7.6	3.8	0.6	0.3	74.7	37.7
.7		7.6	3.8	0.6	0.3	74.7	37.7
.8		7.6	3.8	0.6	0.3	74.7	37.7
.9		7.6	3.8	0.6	0.3	74.7	37.6
1857.0		7.7	3.9	0.7	0.3	74.7	37.6
.1		7.7	3.9	0.7	0.3	74.6	37.6
.2		7.7	3.9	0.7	0.3	74.6	37.6
.3		7.7	3.9	0.7	0.4	74.6	37.6
.4		7.7	3.9	0.7	0.4	74.6	37.6
.5		7.8	3.9	0.8	0.4	74.5	37.6
.6		7.8	3.9	0.8	0.4	74.5	37.6
.7		7.8	3.9	0.8	0.4	74.5	37.6
.8		7.8	3.9	0.8	0.4	74.5	37.5
.9		7.8	4.0	0.8	0.4	74.5	37.5
1858.0		7.9	4.0	0.9	0.4	74.4	37.5
.1		7.9	4.0	0.9	0.4	74.4	37.5
.2		7.9	4.0	0.9	0.5	74.4	37.5
.3		7.9	4.0	0.9	0.5	74.4	37.5
.4		8.0	4.0	1.0	0.5	74.3	37.5
.5		8.0	4.0	1.0	0.5	74.3	37.5
.6		8.0	4.0	1.0	0.5	74.3	37.5
.7		8.0	4.0	1.0	0.5	74.3	37.5
.8		8.0	4.1	1.0	0.5	74.3	37.4
.9		8.1	4.1	1.1	0.5	74.2	37.4

ELEVATION	GROSS STORAGE		USABLE STORAGE		CUMULATIVE DRAFT	
FEET	KAF	KSFD	KAF	KSFD	KAF	KSFD
1859.0	8.1	4.1	1.1	0.5	74.2	37.4
.1	8.1	4.1	1.1	0.6	74.2	37.4
.2	8.1	4.1	1.1	0.6	74.2	37.4
.3	8.1	4.1	1.1	0.6	74.2	37.4
.4	8.2	4.1	1.2	0.6	74.1	37.4
.5	8.2	4.1	1.2	0.6	74.1	37.4
.6	8.2	4.1	1.2	0.6	74.1	37.4
.7	8.2	4.2	1.2	0.6	74.1	37.3
.8	8.3	4.2	1.3	0.6	74.0	37.3
.9	8.3	4.2	1.3	0.6	74.0	37.3
1860.0	8.3	4.2	1.3	0.7	74.0	37.3
.1	8.3	4.2	1.3	0.7	74.0	37.3
.2	8.4	4.2	1.4	0.7	73.9	37.3
.3	8.4	4.2	1.4	0.7	73.9	37.3
.4	8.4	4.2	1.4	0.7	73.9	37.3
.5	8.4	4.3	1.4	0.7	73.9	37.2
.6	8.5	4.3	1.5	0.7	73.8	37.2
.7	8.5	4.3	1.5	0.7	73.8	37.2
.8	8.5	4.3	1.5	0.8	73.8	37.2
.9	8.5	4.3	1.5	0.8	73.8	37.2
1861.0	8.6	4.3	1.6	0.8	73.7	37.2
.1	8.6	4.3	1.6	0.8	73.7	37.2
.2	8.6	4.3	1.6	0.8	73.7	37.2
.3	8.6	4.4	1.6	0.8	73.7	37.1
.4	8.7	4.4	1.7	0.8	73.6	37.1
.5	8.7	4.4	1.7	0.9	73.6	37.1
.6	8.7	4.4	1.7	0.9	73.6	37.1
.7	8.7	4.4	1.7	0.9	73.6	37.1
.8	8.8	4.4	1.8	0.9	73.5	37.1
.9	8.8	4.4	1.8	0.9	73.5	37.1
1862.0	8.8	4.4	1.8	0.9	73.5	37.0
.1	8.8	4.5	1.8	0.9	73.5	37.0
.2	8.9	4.5	1.9	0.9	73.4	37.0
.3	8.9	4.5	1.9	1.0	73.4	37.0
.4	8.9	4.5	1.9	1.0	73.4	37.0
.5	8.9	4.5	1.9	1.0	73.3	37.0
.6	9.0	4.5	2.0	1.0	73.3	37.0
.7	9.0	4.5	2.0	1.0	73.3	37.0
.8	9.0	4.6	2.0	1.0	73.3	36.9
.9	9.1	4.6	2.1	1.0	73.2	36.9
1863.0	9.1	4.6	2.1	1.0	73.2	36.9
.1	9.1	4.6	2.1	1.1	73.2	36.9
.2	9.1	4.6	2.1	1.1	73.2	36.9
.3	9.2	4.6	2.2	1.1	73.1	36.9
.4	9.2	4.6	2.2	1.1	73.1	36.9
.5	9.2	4.6	2.2	1.1	73.1	36.8
.6	9.2	4.7	2.2	1.1	73.1	36.8
.7	9.3	4.7	2.3	1.1	73.0	36.8
.8	9.3	4.7	2.3	1.2	73.0	36.8
.9	9.3	4.7	2.3	1.2	73.0	36.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1864.0	9.3	4.7	2.3	1.2	73.0	36.8
.1	9.4	4.7	2.4	1.2	72.9	36.8
.2	9.4	4.7	2.4	1.2	72.9	36.8
.3	9.4	4.7	2.4	1.2	72.9	36.7
.4	9.4	4.8	2.4	1.2	72.9	36.7
.5	9.5	4.8	2.5	1.2	72.8	36.7
.6	9.5	4.8	2.5	1.3	72.8	36.7
.7	9.5	4.8	2.5	1.3	72.8	36.7
.8	9.5	4.8	2.5	1.3	72.8	36.7
.9	9.6	4.8	2.6	1.3	72.7	36.7
1865.0	9.6	4.8	2.6	1.3	72.7	36.7
.1	9.6	4.9	2.6	1.3	72.7	36.6
.2	9.7	4.9	2.7	1.3	72.6	36.6
.3	9.7	4.9	2.7	1.4	72.6	36.6
.4	9.7	4.9	2.7	1.4	72.6	36.6
.5	9.7	4.9	2.7	1.4	72.6	36.6
.6	9.8	4.9	2.8	1.4	72.5	36.6
.7	9.8	4.9	2.8	1.4	72.5	36.6
.8	9.8	4.9	2.8	1.4	72.5	36.5
.9	9.8	5.0	2.8	1.4	72.5	36.5
1866.0	9.9	5.0	2.9	1.4	72.4	36.5
.1	9.9	5.0	2.9	1.5	72.4	36.5
.2	9.9	5.0	2.9	1.5	72.4	36.5
.3	9.9	5.0	2.9	1.5	72.4	36.5
.4	10.0	5.0	3.0	1.5	72.3	36.5
.5	10.0	5.0	3.0	1.5	72.3	36.5
.6	10.0	5.0	3.0	1.5	72.3	36.4
.7	10.0	5.1	3.0	1.5	72.3	36.4
.8	10.1	5.1	3.1	1.5	72.2	36.4
.9	10.1	5.1	3.1	1.6	72.2	36.4
1867.0	10.1	5.1	3.1	1.6	72.2	36.4
.1	10.1	5.1	3.1	1.6	72.2	36.4
.2	10.2	5.1	3.2	1.6	72.1	36.4
.3	10.2	5.1	3.2	1.6	72.1	36.4
.4	10.2	5.2	3.2	1.6	72.1	36.3
.5	10.3	5.2	3.3	1.6	72.1	36.3
.6	10.3	5.2	3.3	1.7	72.0	36.3
.7	10.3	5.2	3.3	1.7	72.0	36.3
.8	10.3	5.2	3.3	1.7	72.0	36.3
.9	10.4	5.2	3.4	1.7	71.9	36.3
1868.0	10.4	5.2	3.4	1.7	71.9	36.3
.1	10.4	5.2	3.4	1.7	71.9	36.2
.2	10.4	5.3	3.4	1.7	71.9	36.2
.3	10.5	5.3	3.5	1.7	71.8	36.2
.4	10.5	5.3	3.5	1.8	71.8	36.2
.5	10.5	5.3	3.5	1.8	71.8	36.2
.6	10.5	5.3	3.5	1.8	71.8	36.2
.7	10.6	5.3	3.6	1.8	71.7	36.2
.8	10.6	5.3	3.6	1.8	71.7	36.2
.9	10.6	5.4	3.6	1.8	71.7	36.1

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1869.0	10.6	5.4	3.6	1.8	71.7	36.1
.1	10.7	5.4	3.7	1.8	71.6	36.1
.2	10.7	5.4	3.7	1.9	71.6	36.1
.3	10.7	5.4	3.7	1.9	71.6	36.1
.4	10.7	5.4	3.7	1.9	71.6	36.1
.5	10.8	5.4	3.8	1.9	71.5	36.1
.6	10.8	5.4	3.8	1.9	71.5	36.0
.7	10.8	5.5	3.8	1.9	71.5	36.0
.8	10.8	5.5	3.8	1.9	71.5	36.0
.9	10.9	5.5	3.9	2.0	71.4	36.0
1870.0	10.9	5.5	3.9	2.0	71.4	36.0
.1	10.9	5.5	3.9	2.0	71.4	36.0
.2	11.0	5.5	4.0	2.0	71.3	36.0
.3	11.0	5.5	4.0	2.0	71.3	36.0
.4	11.0	5.6	4.0	2.0	71.3	35.9
.5	11.1	5.6	4.1	2.0	71.3	35.9
.6	11.1	5.6	4.1	2.1	71.2	35.9
.7	11.1	5.6	4.1	2.1	71.2	35.9
.8	11.1	5.6	4.1	2.1	71.2	35.9
.9	11.2	5.6	4.2	2.1	71.1	35.9
1871.0	11.2	5.6	4.2	2.1	71.1	35.8
.1	11.2	5.7	4.2	2.1	71.1	35.8
.2	11.3	5.7	4.3	2.1	71.0	35.8
.3	11.3	5.7	4.3	2.2	71.0	35.8
.4	11.3	5.7	4.3	2.2	71.0	35.8
.5	11.4	5.7	4.4	2.2	70.9	35.8
.6	11.4	5.7	4.4	2.2	70.9	35.8
.7	11.4	5.8	4.4	2.2	70.9	35.7
.8	11.4	5.8	4.4	2.2	70.9	35.7
.9	11.5	5.8	4.5	2.3	70.8	35.7
1872.0	11.5	5.8	4.5	2.3	70.8	35.7
.1	11.5	5.8	4.5	2.3	70.8	35.7
.2	11.6	5.8	4.6	2.3	70.7	35.7
.3	11.6	5.8	4.6	2.3	70.7	35.6
.4	11.6	5.9	4.6	2.3	70.7	35.6
.5	11.6	5.9	4.6	2.3	70.7	35.6
.6	11.7	5.9	4.7	2.4	70.6	35.6
.7	11.7	5.9	4.7	2.4	70.6	35.6
.8	11.7	5.9	4.7	2.4	70.6	35.6
.9	11.8	5.9	4.8	2.4	70.5	35.6
1873.0	11.8	5.9	4.8	2.4	70.5	35.5
.1	11.8	6.0	4.8	2.4	70.5	35.5
.2	11.9	6.0	4.9	2.5	70.4	35.5
.3	11.9	6.0	4.9	2.5	70.4	35.5
.4	11.9	6.0	4.9	2.5	70.4	35.5
.5	11.9	6.0	4.9	2.5	70.3	35.5
.6	12.0	6.0	5.0	2.5	70.3	35.5
.7	12.0	6.1	5.0	2.5	70.3	35.4
.8	12.0	6.1	5.0	2.5	70.3	35.4
.9	12.1	6.1	5.1	2.6	70.2	35.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1874.0	12.1	6.1	5.1	2.6	70.2	35.4
.1	12.1	6.1	5.1	2.6	70.2	35.4
.2	12.2	6.1	5.2	2.6	70.1	35.4
.3	12.2	6.1	5.2	2.6	70.1	35.3
.4	12.2	6.2	5.2	2.6	70.1	35.3
.5	12.3	6.2	5.3	2.6	70.1	35.3
.6	12.3	6.2	5.3	2.7	70.0	35.3
.7	12.3	6.2	5.3	2.7	70.0	35.3
.8	12.3	6.2	5.3	2.7	70.0	35.3
.9	12.4	6.2	5.4	2.7	69.9	35.3
1875.0	12.4	6.3	5.4	2.7	69.9	35.2
.1	12.4	6.3	5.4	2.7	69.9	35.2
.2	12.5	6.3	5.5	2.8	69.8	35.2
.3	12.5	6.3	5.5	2.8	69.8	35.2
.4	12.5	6.3	5.5	2.8	69.8	35.2
.5	12.6	6.3	5.6	2.8	69.8	35.2
.6	12.6	6.3	5.6	2.8	69.7	35.2
.7	12.6	6.4	5.6	2.8	69.7	35.1
.8	12.6	6.4	5.6	2.8	69.7	35.1
.9	12.7	6.4	5.7	2.9	69.6	35.1
1876.0	12.7	6.4	5.7	2.9	69.6	35.1
.1	12.7	6.4	5.7	2.9	69.6	35.1
.2	12.8	6.4	5.8	2.9	69.5	35.1
.3	12.8	6.4	5.8	2.9	69.5	35.0
.4	12.8	6.5	5.8	2.9	69.5	35.0
.5	12.9	6.5	5.9	2.9	69.4	35.0
.6	12.9	6.5	5.9	3.0	69.4	35.0
.7	12.9	6.5	5.9	3.0	69.4	35.0
.8	12.9	6.5	5.9	3.0	69.4	35.0
.9	13.0	6.5	6.0	3.0	69.3	35.0
1877.0	13.0	6.6	6.0	3.0	69.3	34.9
.1	13.0	6.6	6.0	3.0	69.3	34.9
.2	13.1	6.6	6.1	3.1	69.2	34.9
.3	13.1	6.6	6.1	3.1	69.2	34.9
.4	13.1	6.6	6.1	3.1	69.2	34.9
.5	13.1	6.6	6.1	3.1	69.2	34.9
.6	13.2	6.6	6.2	3.1	69.1	34.8
.7	13.2	6.7	6.2	3.1	69.1	34.8
.8	13.2	6.7	6.2	3.1	69.1	34.8
.9	13.3	6.7	6.3	3.2	69.0	34.8
1878.0	13.3	6.7	6.3	3.2	69.0	34.8
.1	13.3	6.7	6.3	3.2	69.0	34.8
.2	13.4	6.7	6.4	3.2	68.9	34.8
.3	13.4	6.8	6.4	3.2	68.9	34.7
.4	13.4	6.8	6.4	3.2	68.9	34.7
.5	13.4	6.8	6.4	3.3	68.8	34.7
.6	13.5	6.8	6.5	3.3	68.8	34.7
.7	13.5	6.8	6.5	3.3	68.8	34.7
.8	13.5	6.8	6.5	3.3	68.8	34.7
.9	13.6	6.8	6.6	3.3	68.7	34.7

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1879.0	13.6	6.9	6.6	3.3	68.7	34.6
.1	13.6	6.9	6.6	3.3	68.7	34.6
.2	13.7	6.9	6.7	3.4	68.6	34.6
.3	13.7	6.9	6.7	3.4	68.6	34.6
.4	13.7	6.9	6.7	3.4	68.6	34.6
.5	13.8	6.9	6.8	3.4	68.6	34.6
.6	13.8	6.9	6.8	3.4	68.5	34.5
.7	13.8	7.0	6.8	3.4	68.5	34.5
.8	13.8	7.0	6.8	3.4	68.5	34.5
.9	13.9	7.0	6.9	3.5	68.4	34.5
1880.0	13.9	7.0	6.9	3.5	68.4	34.5
.1	13.9	7.0	6.9	3.5	68.4	34.5
.2	14.0	7.0	7.0	3.5	68.3	34.4
.3	14.0	7.1	7.0	3.5	68.3	34.4
.4	14.0	7.1	7.0	3.5	68.3	34.4
.5	14.1	7.1	7.1	3.6	68.2	34.4
.6	14.1	7.1	7.1	3.6	68.2	34.4
.7	14.1	7.1	7.1	3.6	68.2	34.4
.8	14.2	7.1	7.2	3.6	68.1	34.3
.9	14.2	7.2	7.2	3.6	68.1	34.3
1881.0	14.3	7.2	7.3	3.7	68.1	34.3
.1	14.3	7.2	7.3	3.7	68.0	34.3
.2	14.3	7.2	7.3	3.7	68.0	34.3
.3	14.4	7.2	7.4	3.7	67.9	34.3
.4	14.4	7.3	7.4	3.7	67.9	34.2
.5	14.4	7.3	7.4	3.7	67.9	34.2
.6	14.5	7.3	7.5	3.8	67.8	34.2
.7	14.5	7.3	7.5	3.8	67.8	34.2
.8	14.5	7.3	7.5	3.8	67.8	34.2
.9	14.6	7.3	7.6	3.8	67.7	34.1
1882.0	14.6	7.4	7.6	3.8	67.7	34.1
.1	14.6	7.4	7.6	3.8	67.7	34.1
.2	14.7	7.4	7.7	3.9	67.6	34.1
.3	14.7	7.4	7.7	3.9	67.6	34.1
.4	14.7	7.4	7.7	3.9	67.6	34.1
.5	14.8	7.4	7.8	3.9	67.5	34.0
.6	14.8	7.5	7.8	3.9	67.5	34.0
.7	14.8	7.5	7.8	4.0	67.5	34.0
.8	14.9	7.5	7.9	4.0	67.4	34.0
.9	14.9	7.5	7.9	4.0	67.4	34.0
1883.0	14.9	7.5	7.9	4.0	67.3	34.0
.1	15.0	7.6	8.0	4.0	67.3	33.9
.2	15.0	7.6	8.0	4.0	67.3	33.9
.3	15.1	7.6	8.1	4.1	67.2	33.9
.4	15.1	7.6	8.1	4.1	67.2	33.9
.5	15.1	7.6	8.1	4.1	67.2	33.9
.6	15.2	7.6	8.2	4.1	67.1	33.8
.7	15.2	7.7	8.2	4.1	67.1	33.8
.8	15.2	7.7	8.2	4.1	67.1	33.8
.9	15.3	7.7	8.3	4.2	67.0	33.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1884.0	15.3	7.7	8.3	4.2	67.0	33.8
.1	15.3	7.7	8.3	4.2	67.0	33.8
.2	15.4	7.7	8.4	4.2	66.9	33.7
.3	15.4	7.8	8.4	4.2	66.9	33.7
.4	15.4	7.8	8.4	4.3	66.9	33.7
.5	15.5	7.8	8.5	4.3	66.8	33.7
.6	15.5	7.8	8.5	4.3	66.8	33.7
.7	15.5	7.8	8.5	4.3	66.8	33.7
.8	15.6	7.9	8.6	4.3	66.7	33.6
.9	15.6	7.9	8.6	4.3	66.7	33.6
1885.0	15.6	7.9	8.6	4.4	66.7	33.6
.1	15.7	7.9	8.7	4.4	66.6	33.6
.2	15.7	7.9	8.7	4.4	66.6	33.6
.3	15.8	7.9	8.8	4.4	66.5	33.5
.4	15.8	8.0	8.8	4.4	66.5	33.5
.5	15.8	8.0	8.8	4.4	66.5	33.5
.6	15.9	8.0	8.9	4.5	66.4	33.5
.7	15.9	8.0	8.9	4.5	66.4	33.5
.8	15.9	8.0	8.9	4.5	66.4	33.5
.9	16.0	8.0	9.0	4.5	66.3	33.4
1886.0	16.0	8.1	9.0	4.5	66.3	33.4
.1	16.0	8.1	9.0	4.6	66.3	33.4
.2	16.1	8.1	9.1	4.6	66.2	33.4
.3	16.1	8.1	9.1	4.6	66.2	33.4
.4	16.1	8.1	9.1	4.6	66.2	33.4
.5	16.2	8.2	9.2	4.6	66.1	33.3
.6	16.2	8.2	9.2	4.6	66.1	33.3
.7	16.2	8.2	9.2	4.7	66.1	33.3
.8	16.3	8.2	9.3	4.7	66.0	33.3
.9	16.3	8.2	9.3	4.7	66.0	33.3
1887.0	16.4	8.2	9.4	4.7	65.9	33.2
.1	16.4	8.3	9.4	4.7	65.9	33.2
.2	16.4	8.3	9.4	4.7	65.9	33.2
.3	16.5	8.3	9.5	4.8	65.8	33.2
.4	16.5	8.3	9.5	4.8	65.8	33.2
.5	16.5	8.3	9.5	4.8	65.8	33.2
.6	16.6	8.3	9.6	4.8	65.7	33.1
.7	16.6	8.4	9.6	4.8	65.7	33.1
.8	16.6	8.4	9.6	4.9	65.7	33.1
.9	16.7	8.4	9.7	4.9	65.6	33.1
1888.0	16.7	8.4	9.7	4.9	65.6	33.1
.1	16.7	8.4	9.7	4.9	65.6	33.1
.2	16.8	8.5	9.8	4.9	65.5	33.0
.3	16.8	8.5	9.8	4.9	65.5	33.0
.4	16.8	8.5	9.8	5.0	65.5	33.0
.5	16.9	8.5	9.9	5.0	65.4	33.0
.6	16.9	8.5	9.9	5.0	65.4	33.0
.7	16.9	8.5	9.9	5.0	65.4	32.9
.8	17.0	8.6	10.0	5.0	65.3	32.9
.9	17.0	8.6	10.0	5.0	65.3	32.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1889.0	17.0	8.6	10.0	5.1	65.3	32.9
.1	17.1	8.6	10.1	5.1	65.2	32.9
.2	17.1	8.6	10.1	5.1	65.2	32.9
.3	17.2	8.6	10.2	5.1	65.1	32.8
.4	17.2	8.7	10.2	5.1	65.1	32.8
.5	17.2	8.7	10.2	5.2	65.1	32.8
.6	17.3	8.7	10.3	5.2	65.0	32.8
.7	17.3	8.7	10.3	5.2	65.0	32.8
.8	17.3	8.7	10.3	5.2	65.0	32.8
.9	17.4	8.8	10.4	5.2	64.9	32.7
1890.0	17.4	8.8	10.4	5.2	64.9	32.7
.1	17.4	8.8	10.4	5.3	64.9	32.7
.2	17.5	8.8	10.5	5.3	64.8	32.7
.3	17.5	8.8	10.5	5.3	64.8	32.7
.4	17.6	8.9	10.6	5.3	64.7	32.6
.5	17.6	8.9	10.6	5.3	64.7	32.6
.6	17.6	8.9	10.6	5.4	64.7	32.6
.7	17.7	8.9	10.7	5.4	64.6	32.6
.8	17.7	8.9	10.7	5.4	64.6	32.6
.9	17.8	9.0	10.8	5.4	64.5	32.5
1891.0	17.8	9.0	10.8	5.4	64.5	32.5
.1	17.8	9.0	10.8	5.5	64.5	32.5
.2	17.9	9.0	10.9	5.5	64.4	32.5
.3	17.9	9.0	10.9	5.5	64.4	32.5
.4	18.0	9.1	11.0	5.5	64.3	32.4
.5	18.0	9.1	11.0	5.5	64.3	32.4
.6	18.0	9.1	11.0	5.6	64.3	32.4
.7	18.1	9.1	11.1	5.6	64.2	32.4
.8	18.1	9.1	11.1	5.6	64.2	32.4
.9	18.2	9.2	11.2	5.6	64.1	32.3
1892.0	18.2	9.2	11.2	5.6	64.1	32.3
.1	18.2	9.2	11.2	5.7	64.1	32.3
.2	18.3	9.2	11.3	5.7	64.0	32.3
.3	18.3	9.2	11.3	5.7	64.0	32.3
.4	18.4	9.3	11.4	5.7	63.9	32.2
.5	18.4	9.3	11.4	5.7	63.9	32.2
.6	18.4	9.3	11.4	5.8	63.9	32.2
.7	18.5	9.3	11.5	5.8	63.8	32.2
.8	18.5	9.3	11.5	5.8	63.8	32.2
.9	18.6	9.4	11.6	5.8	63.7	32.1
1893.0	18.6	9.4	11.6	5.8	63.7	32.1
.1	18.6	9.4	11.6	5.9	63.7	32.1
.2	18.7	9.4	11.7	5.9	63.6	32.1
.3	18.7	9.4	11.7	5.9	63.6	32.1
.4	18.8	9.5	11.8	5.9	63.5	32.0
.5	18.8	9.5	11.8	5.9	63.5	32.0
.6	18.8	9.5	11.8	6.0	63.5	32.0
.7	18.9	9.5	11.9	6.0	63.4	32.0
.8	18.9	9.5	11.9	6.0	63.4	32.0
.9	19.0	9.6	12.0	6.0	63.3	31.9

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1894.0	19.0	9.6	12.0	6.1	63.3	31.9
.1	19.0	9.6	12.0	6.1	63.3	31.9
.2	19.1	9.6	12.1	6.1	63.2	31.9
.3	19.1	9.6	12.1	6.1	63.2	31.9
.4	19.2	9.7	12.2	6.1	63.1	31.8
.5	19.2	9.7	12.2	6.2	63.1	31.8
.6	19.2	9.7	12.2	6.2	63.1	31.8
.7	19.3	9.7	12.3	6.2	63.0	31.8
.8	19.3	9.7	12.3	6.2	63.0	31.8
.9	19.4	9.8	12.4	6.2	62.9	31.7
1895.0	19.4	9.8	12.4	6.3	62.9	31.7
.1	19.4	9.8	12.4	6.3	62.9	31.7
.2	19.5	9.8	12.5	6.3	62.8	31.7
.3	19.5	9.8	12.5	6.3	62.8	31.7
.4	19.6	9.9	12.6	6.3	62.7	31.6
.5	19.6	9.9	12.6	6.4	62.7	31.6
.6	19.6	9.9	12.6	6.4	62.7	31.6
.7	19.7	9.9	12.7	6.4	62.6	31.6
.8	19.7	9.9	12.7	6.4	62.6	31.6
.9	19.8	10.0	12.8	6.4	62.5	31.5
1896.0	19.8	10.0	12.8	6.5	62.5	31.5
.1	19.8	10.0	12.8	6.5	62.5	31.5
.2	19.9	10.0	12.9	6.5	62.4	31.5
.3	19.9	10.0	12.9	6.5	62.4	31.4
.4	20.0	10.1	13.0	6.5	62.3	31.4
.5	20.0	10.1	13.0	6.6	62.3	31.4
.6	20.0	10.1	13.0	6.6	62.3	31.4
.7	20.1	10.1	13.1	6.6	62.2	31.4
.8	20.1	10.1	13.1	6.6	62.2	31.3
.9	20.2	10.2	13.2	6.6	62.1	31.3
1897.0	20.2	10.2	13.2	6.7	62.1	31.3
.1	20.2	10.2	13.2	6.7	62.1	31.3
.2	20.3	10.2	13.3	6.7	62.0	31.3
.3	20.3	10.2	13.3	6.7	62.0	31.2
.4	20.4	10.3	13.4	6.7	61.9	31.2
.5	20.4	10.3	13.4	6.8	61.9	31.2
.6	20.4	10.3	13.4	6.8	61.9	31.2
.7	20.5	10.3	13.5	6.8	61.8	31.2
.8	20.5	10.3	13.5	6.8	61.8	31.1
.9	20.6	10.4	13.6	6.8	61.7	31.1
1898.0	20.6	10.4	13.6	6.9	61.7	31.1
.1	20.6	10.4	13.6	6.9	61.7	31.1
.2	20.7	10.4	13.7	6.9	61.6	31.1
.3	20.7	10.4	13.7	6.9	61.6	31.0
.4	20.8	10.5	13.8	6.9	61.5	31.0
.5	20.8	10.5	13.8	7.0	61.5	31.0
.6	20.8	10.5	13.8	7.0	61.5	31.0
.7	20.9	10.5	13.9	7.0	61.4	31.0
.8	20.9	10.5	13.9	7.0	61.4	30.9
.9	21.0	10.6	14.0	7.0	61.3	30.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1899.0	21.0	10.6	14.0	7.1	61.3	30.9
.1	21.0	10.6	14.0	7.1	61.3	30.9
.2	21.1	10.6	14.1	7.1	61.2	30.9
.3	21.1	10.6	14.1	7.1	61.2	30.8
.4	21.2	10.7	14.2	7.1	61.1	30.8
.5	21.2	10.7	14.2	7.2	61.1	30.8
.6	21.2	10.7	14.2	7.2	61.1	30.8
.7	21.3	10.7	14.3	7.2	61.0	30.8
.8	21.3	10.7	14.3	7.2	61.0	30.7
.9	21.4	10.8	14.4	7.2	60.9	30.7
1900.0	21.4	10.8	14.4	7.3	60.9	30.7
.1	21.4	10.8	14.4	7.3	60.9	30.7
.2	21.5	10.8	14.5	7.3	60.8	30.7
.3	21.5	10.9	14.5	7.3	60.8	30.6
.4	21.6	10.9	14.6	7.4	60.7	30.6
.5	21.6	10.9	14.6	7.4	60.7	30.6
.6	21.7	10.9	14.7	7.4	60.6	30.6
.7	21.7	10.9	14.7	7.4	60.6	30.5
.8	21.8	11.0	14.8	7.4	60.5	30.5
.9	21.8	11.0	14.8	7.5	60.5	30.5
1901.0	21.9	11.0	14.9	7.5	60.5	30.5
.1	21.9	11.0	14.9	7.5	60.4	30.5
.2	21.9	11.1	14.9	7.5	60.4	30.4
.3	22.0	11.1	15.0	7.6	60.3	30.4
.4	22.0	11.1	15.0	7.6	60.3	30.4
.5	22.1	11.1	15.1	7.6	60.2	30.4
.6	22.1	11.2	15.1	7.6	60.2	30.3
.7	22.2	11.2	15.2	7.6	60.1	30.3
.8	22.2	11.2	15.2	7.7	60.1	30.3
.9	22.3	11.2	15.3	7.7	60.0	30.3
1902.0	22.3	11.2	15.3	7.7	60.0	30.3
.1	22.3	11.3	15.3	7.7	60.0	30.2
.2	22.4	11.3	15.4	7.8	59.9	30.2
.3	22.4	11.3	15.4	7.8	59.9	30.2
.4	22.5	11.3	15.5	7.8	59.8	30.2
.5	22.5	11.4	15.5	7.8	59.8	30.1
.6	22.6	11.4	15.6	7.8	59.7	30.1
.7	22.6	11.4	15.6	7.9	59.7	30.1
.8	22.7	11.4	15.7	7.9	59.6	30.1
.9	22.7	11.4	15.7	7.9	59.6	30.0
1903.0	22.8	11.5	15.8	7.9	59.5	30.0
.1	22.8	11.5	15.8	8.0	59.5	30.0
.2	22.8	11.5	15.8	8.0	59.5	30.0
.3	22.9	11.5	15.9	8.0	59.4	30.0
.4	22.9	11.6	15.9	8.0	59.4	29.9
.5	23.0	11.6	16.0	8.1	59.3	29.9
.6	23.0	11.6	16.0	8.1	59.3	29.9
.7	23.1	11.6	16.1	8.1	59.2	29.9
.8	23.1	11.7	16.1	8.1	59.2	29.8
.9	23.2	11.7	16.2	8.1	59.1	29.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1904.0	23.2	11.7	16.2	8.2	59.1	29.8
.1	23.2	11.7	16.2	8.2	59.1	29.8
.2	23.3	11.7	16.3	8.2	59.0	29.8
.3	23.3	11.8	16.3	8.2	59.0	29.7
.4	23.4	11.8	16.4	8.3	58.9	29.7
.5	23.4	11.8	16.4	8.3	58.9	29.7
.6	23.5	11.8	16.5	8.3	58.8	29.7
.7	23.5	11.9	16.5	8.3	58.8	29.6
.8	23.6	11.9	16.6	8.3	58.7	29.6
.9	23.6	11.9	16.6	8.4	58.7	29.6
1905.0	23.6	11.9	16.6	8.4	58.7	29.6
.1	23.7	11.9	16.7	8.4	58.6	29.5
.2	23.7	12.0	16.7	8.4	58.6	29.5
.3	23.8	12.0	16.8	8.5	58.5	29.5
.4	23.8	12.0	16.8	8.5	58.5	29.5
.5	23.9	12.0	16.9	8.5	58.4	29.5
.6	23.9	12.1	16.9	8.5	58.4	29.4
.7	24.0	12.1	17.0	8.6	58.3	29.4
.8	24.0	12.1	17.0	8.6	58.3	29.4
.9	24.1	12.1	17.1	8.6	58.2	29.4
1906.0	24.1	12.2	17.1	8.6	58.2	29.3
.1	24.1	12.2	17.1	8.6	58.2	29.3
.2	24.2	12.2	17.2	8.7	58.1	29.3
.3	24.2	12.2	17.2	8.7	58.1	29.3
.4	24.3	12.2	17.3	8.7	58.0	29.3
.5	24.3	12.3	17.3	8.7	58.0	29.2
.6	24.4	12.3	17.4	8.8	57.9	29.2
.7	24.4	12.3	17.4	8.8	57.9	29.2
.8	24.5	12.3	17.5	8.8	57.8	29.2
.9	24.5	12.4	17.5	8.8	57.8	29.1
1907.0	24.5	12.4	17.5	8.8	57.8	29.1
.1	24.6	12.4	17.6	8.9	57.7	29.1
.2	24.6	12.4	17.6	8.9	57.7	29.1
.3	24.7	12.4	17.7	8.9	57.6	29.0
.4	24.7	12.5	17.7	8.9	57.6	29.0
.5	24.8	12.5	17.8	9.0	57.5	29.0
.6	24.8	12.5	17.8	9.0	57.5	29.0
.7	24.9	12.5	17.9	9.0	57.4	29.0
.8	24.9	12.6	17.9	9.0	57.4	28.9
.9	25.0	12.6	18.0	9.1	57.3	28.9
1908.0	25.0	12.6	18.0	9.1	57.3	28.9
.1	25.0	12.6	18.0	9.1	57.3	28.9
.2	25.1	12.6	18.1	9.1	57.2	28.8
.3	25.1	12.7	18.1	9.1	57.2	28.8
.4	25.2	12.7	18.2	9.2	57.1	28.8
.5	25.2	12.7	18.2	9.2	57.1	28.8
.6	25.3	12.7	18.3	9.2	57.0	28.8
.7	25.3	12.8	18.3	9.2	57.0	28.7
.8	25.4	12.8	18.4	9.3	56.9	28.7
.9	25.4	12.8	18.4	9.3	56.9	28.7

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1909.0	25.5	12.8	18.5	9.3	56.8	28.7
.1	25.5	12.9	18.5	9.3	56.8	28.6
.2	25.5	12.9	18.5	9.3	56.8	28.6
.3	25.6	12.9	18.6	9.4	56.7	28.6
.4	25.6	12.9	18.6	9.4	56.7	28.6
.5	25.7	12.9	18.7	9.4	56.6	28.5
.6	25.7	13.0	18.7	9.4	56.6	28.5
.7	25.8	13.0	18.8	9.5	56.5	28.5
.8	25.8	13.0	18.8	9.5	56.5	28.5
.9	25.9	13.0	18.9	9.5	56.4	28.5
1910.0	25.9	13.1	18.9	9.5	56.4	28.4
.1	26.0	13.1	19.0	9.6	56.3	28.4
.2	26.0	13.1	19.0	9.6	56.3	28.4
.3	26.1	13.1	19.1	9.6	56.2	28.4
.4	26.1	13.2	19.1	9.6	56.2	28.3
.5	26.2	13.2	19.2	9.7	56.1	28.3
.6	26.2	13.2	19.2	9.7	56.1	28.3
.7	26.3	13.2	19.3	9.7	56.0	28.3
.8	26.3	13.3	19.3	9.7	56.0	28.2
.9	26.4	13.3	19.4	9.8	55.9	28.2
1911.0	26.4	13.3	19.4	9.8	55.9	28.2
.1	26.5	13.3	19.5	9.8	55.8	28.2
.2	26.5	13.4	19.5	9.8	55.8	28.1
.3	26.6	13.4	19.6	9.9	55.7	28.1
.4	26.6	13.4	19.6	9.9	55.7	28.1
.5	26.7	13.4	19.7	9.9	55.6	28.0
.6	26.7	13.5	19.7	9.9	55.6	28.0
.7	26.8	13.5	19.8	10.0	55.5	28.0
.8	26.8	13.5	19.8	10.0	55.5	28.0
.9	26.9	13.5	19.9	10.0	55.4	27.9
1912.0	26.9	13.6	19.9	10.0	55.4	27.9
.1	27.0	13.6	20.0	10.1	55.3	27.9
.2	27.0	13.6	20.0	10.1	55.3	27.9
.3	27.1	13.6	20.1	10.1	55.2	27.8
.4	27.1	13.7	20.1	10.1	55.2	27.8
.5	27.2	13.7	20.2	10.2	55.1	27.8
.6	27.2	13.7	20.2	10.2	55.1	27.8
.7	27.3	13.8	20.3	10.2	55.0	27.7
.8	27.3	13.8	20.3	10.2	55.0	27.7
.9	27.4	13.8	20.4	10.3	54.9	27.7
1913.0	27.4	13.8	20.4	10.3	54.9	27.7
.1	27.5	13.9	20.5	10.3	54.8	27.6
.2	27.5	13.9	20.5	10.4	54.8	27.6
.3	27.6	13.9	20.6	10.4	54.7	27.6
.4	27.6	13.9	20.6	10.4	54.7	27.6
.5	27.7	14.0	20.7	10.4	54.6	27.5
.6	27.7	14.0	20.7	10.5	54.6	27.5
.7	27.8	14.0	20.8	10.5	54.5	27.5
.8	27.8	14.0	20.8	10.5	54.5	27.5
.9	27.9	14.1	20.9	10.5	54.4	27.4

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1914.0	27.9	14.1	20.9	10.6	54.4	27.4
.1	28.0	14.1	21.0	10.6	54.3	27.4
.2	28.0	14.1	21.0	10.6	54.3	27.4
.3	28.1	14.2	21.1	10.6	54.2	27.3
.4	28.1	14.2	21.1	10.7	54.2	27.3
.5	28.2	14.2	21.2	10.7	54.1	27.3
.6	28.2	14.2	21.2	10.7	54.1	27.3
.7	28.3	14.3	21.3	10.7	54.0	27.2
.8	28.3	14.3	21.3	10.8	54.0	27.2
.9	28.4	14.3	21.4	10.8	53.9	27.2
1915.0	28.5	14.3	21.5	10.8	53.8	27.1
.1	28.5	14.4	21.5	10.8	53.8	27.1
.2	28.6	14.4	21.6	10.9	53.7	27.1
.3	28.6	14.4	21.6	10.9	53.7	27.1
.4	28.7	14.4	21.7	10.9	53.6	27.0
.5	28.7	14.5	21.7	10.9	53.6	27.0
.6	28.8	14.5	21.8	11.0	53.5	27.0
.7	28.8	14.5	21.8	11.0	53.5	27.0
.8	28.9	14.5	21.9	11.0	53.4	26.9
.9	28.9	14.6	21.9	11.0	53.4	26.9
1916.0	29.0	14.6	22.0	11.1	53.3	26.9
.1	29.0	14.6	22.0	11.1	53.3	26.9
.2	29.1	14.7	22.1	11.1	53.2	26.8
.3	29.1	14.7	22.1	11.1	53.2	26.8
.4	29.2	14.7	22.2	11.2	53.1	26.8
.5	29.2	14.7	22.2	11.2	53.1	26.8
.6	29.3	14.8	22.3	11.2	53.0	26.7
.7	29.3	14.8	22.3	11.3	53.0	26.7
.8	29.4	14.8	22.4	11.3	52.9	26.7
.9	29.4	14.8	22.4	11.3	52.9	26.7
1917.0	29.5	14.9	22.5	11.3	52.8	26.6
.1	29.5	14.9	22.5	11.4	52.8	26.6
.2	29.6	14.9	22.6	11.4	52.7	26.6
.3	29.6	14.9	22.6	11.4	52.7	26.6
.4	29.7	15.0	22.7	11.4	52.6	26.5
.5	29.7	15.0	22.7	11.5	52.6	26.5
.6	29.8	15.0	22.8	11.5	52.5	26.5
.7	29.8	15.0	22.8	11.5	52.5	26.5
.8	29.9	15.1	22.9	11.5	52.4	26.4
.9	29.9	15.1	22.9	11.6	52.4	26.4
1918.0	30.0	15.1	23.0	11.6	52.3	26.4
.1	30.0	15.1	23.0	11.6	52.3	26.4
.2	30.1	15.2	23.1	11.6	52.2	26.3
.3	30.1	15.2	23.1	11.7	52.2	26.3
.4	30.2	15.2	23.2	11.7	52.1	26.3
.5	30.2	15.2	23.2	11.7	52.1	26.2
.6	30.3	15.3	23.3	11.7	52.0	26.2
.7	30.3	15.3	23.3	11.8	52.0	26.2
.8	30.4	15.3	23.4	11.8	51.9	26.2
.9	30.4	15.3	23.4	11.8	51.9	26.1

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1919.0	30.5	15.4	23.5	11.8	51.8	26.1
.1	30.5	15.4	23.5	11.9	51.8	26.1
.2	30.6	15.4	23.6	11.9	51.7	26.1
.3	30.6	15.4	23.6	11.9	51.7	26.0
.4	30.7	15.5	23.7	11.9	51.6	26.0
.5	30.7	15.5	23.7	12.0	51.6	26.0
.6	30.8	15.5	23.8	12.0	51.5	26.0
.7	30.8	15.6	23.8	12.0	51.5	25.9
.8	30.9	15.6	23.9	12.0	51.4	25.9
.9	30.9	15.6	23.9	12.1	51.4	25.9
1920.0	31.0	15.6	24.0	12.1	51.3	25.9
.1	31.1	15.7	24.1	12.1	51.2	25.8
.2	31.1	15.7	24.1	12.2	51.2	25.8
.3	31.2	15.7	24.2	12.2	51.1	25.8
.4	31.2	15.7	24.2	12.2	51.1	25.8
.5	31.3	15.8	24.3	12.2	51.0	25.7
.6	31.3	15.8	24.3	12.3	51.0	25.7
.7	31.4	15.8	24.4	12.3	50.9	25.7
.8	31.4	15.9	24.4	12.3	50.9	25.6
.9	31.5	15.9	24.5	12.4	50.8	25.6
1921.0	31.6	15.9	24.6	12.4	50.7	25.6
.1	31.6	15.9	24.6	12.4	50.7	25.6
.2	31.7	16.0	24.7	12.4	50.6	25.5
.3	31.7	16.0	24.7	12.5	50.6	25.5
.4	31.8	16.0	24.8	12.5	50.5	25.5
.5	31.8	16.1	24.8	12.5	50.5	25.4
.6	31.9	16.1	24.9	12.6	50.4	25.4
.7	32.0	16.1	25.0	12.6	50.3	25.4
.8	32.0	16.1	25.0	12.6	50.3	25.4
.9	32.1	16.2	25.1	12.6	50.2	25.3
1922.0	32.1	16.2	25.1	12.7	50.2	25.3
.1	32.2	16.2	25.2	12.7	50.1	25.3
.2	32.2	16.3	25.2	12.7	50.1	25.2
.3	32.3	16.3	25.3	12.7	50.0	25.2
.4	32.3	16.3	25.3	12.8	50.0	25.2
.5	32.4	16.3	25.4	12.8	49.9	25.2
.6	32.5	16.4	25.5	12.8	49.8	25.1
.7	32.5	16.4	25.5	12.9	49.8	25.1
.8	32.6	16.4	25.6	12.9	49.7	25.1
.9	32.6	16.4	25.6	12.9	49.7	25.0
1923.0	32.7	16.5	25.7	12.9	49.6	25.0
.1	32.7	16.5	25.7	13.0	49.6	25.0
.2	32.8	16.5	25.8	13.0	49.5	25.0
.3	32.8	16.6	25.8	13.0	49.5	24.9
.4	32.9	16.6	25.9	13.1	49.4	24.9
.5	33.0	16.6	26.0	13.1	49.3	24.9
.6	33.0	16.6	26.0	13.1	49.3	24.8
.7	33.1	16.7	26.1	13.1	49.2	24.8
.8	33.1	16.7	26.1	13.2	49.2	24.8
.9	33.2	16.7	26.2	13.2	49.1	24.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1924.0	33.2	16.8	26.2	13.2	49.1	24.7
.1	33.3	16.8	26.3	13.3	49.0	24.7
.2	33.4	16.8	26.4	13.3	48.9	24.7
.3	33.4	16.8	26.4	13.3	48.9	24.6
.4	33.5	16.9	26.5	13.3	48.8	24.6
.5	33.5	16.9	26.5	13.4	48.8	24.6
.6	33.6	16.9	26.6	13.4	48.7	24.6
.7	33.6	17.0	26.6	13.4	48.7	24.5
.8	33.7	17.0	26.7	13.5	48.6	24.5
.9	33.7	17.0	26.7	13.5	48.6	24.5
1925.0	33.8	17.0	26.8	13.5	48.5	24.5
.1	33.9	17.1	26.9	13.5	48.4	24.4
.2	33.9	17.1	26.9	13.6	48.4	24.4
.3	34.0	17.1	27.0	13.6	48.3	24.4
.4	34.0	17.2	27.0	13.6	48.3	24.3
.5	34.1	17.2	27.1	13.7	48.2	24.3
.6	34.1	17.2	27.1	13.7	48.2	24.3
.7	34.2	17.2	27.2	13.7	48.1	24.3
.8	34.2	17.3	27.2	13.7	48.1	24.2
.9	34.3	17.3	27.3	13.8	48.0	24.2
1926.0	34.4	17.3	27.4	13.8	47.9	24.2
.1	34.4	17.4	27.4	13.8	47.9	24.1
.2	34.5	17.4	27.5	13.9	47.8	24.1
.3	34.5	17.4	27.5	13.9	47.8	24.1
.4	34.6	17.4	27.6	13.9	47.7	24.1
.5	34.6	17.5	27.6	13.9	47.7	24.0
.6	34.7	17.5	27.7	14.0	47.6	24.0
.7	34.8	17.5	27.8	14.0	47.5	24.0
.8	34.8	17.5	27.8	14.0	47.5	23.9
.9	34.9	17.6	27.9	14.0	47.4	23.9
1927.0	34.9	17.6	27.9	14.1	47.4	23.9
.1	35.0	17.6	28.0	14.1	47.3	23.9
.2	35.0	17.7	28.0	14.1	47.3	23.8
.3	35.1	17.7	28.1	14.2	47.2	23.8
.4	35.1	17.7	28.1	14.2	47.2	23.8
.5	35.2	17.7	28.2	14.2	47.1	23.7
.6	35.3	17.8	28.3	14.2	47.0	23.7
.7	35.3	17.8	28.3	14.3	47.0	23.7
.8	35.4	17.8	28.4	14.3	46.9	23.7
.9	35.4	17.9	28.4	14.3	46.9	23.6
1928.0	35.5	17.9	28.5	14.4	46.8	23.6
.1	35.5	17.9	28.5	14.4	46.8	23.6
.2	35.6	17.9	28.6	14.4	46.7	23.5
.3	35.6	18.0	28.6	14.4	46.7	23.5
.4	35.7	18.0	28.7	14.5	46.6	23.5
.5	35.8	18.0	28.8	14.5	46.5	23.5
.6	35.8	18.1	28.8	14.5	46.5	23.4
.7	35.9	18.1	28.9	14.6	46.4	23.4
.8	35.9	18.1	28.9	14.6	46.4	23.4
.9	36.0	18.1	29.0	14.6	46.3	23.4

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1929.0	36.0	18.2	29.0	14.6	46.3	23.3
.1	36.1	18.2	29.1	14.7	46.2	23.3
.2	36.2	18.2	29.2	14.7	46.1	23.3
.3	36.2	18.3	29.2	14.7	46.1	23.2
.4	36.3	18.3	29.3	14.8	46.0	23.2
.5	36.3	18.3	29.3	14.8	46.0	23.2
.6	36.4	18.3	29.4	14.8	45.9	23.2
.7	36.4	18.4	29.4	14.8	45.9	23.1
.8	36.5	18.4	29.5	14.9	45.8	23.1
.9	36.5	18.4	29.5	14.9	45.8	23.1
1930.0	36.6	18.5	29.6	14.9	45.7	23.0
.1	36.7	18.5	29.7	15.0	45.6	23.0
.2	36.7	18.5	29.7	15.0	45.6	23.0
.3	36.8	18.6	29.8	15.0	45.5	22.9
.4	36.9	18.6	29.9	15.1	45.4	22.9
.5	36.9	18.6	29.9	15.1	45.4	22.9
.6	37.0	18.6	30.0	15.1	45.3	22.8
.7	37.1	18.7	30.1	15.2	45.2	22.8
.8	37.1	18.7	30.1	15.2	45.2	22.8
.9	37.2	18.7	30.2	15.2	45.1	22.7
1931.0	37.3	18.8	30.3	15.3	45.0	22.7
.1	37.3	18.8	30.3	15.3	45.0	22.7
.2	37.4	18.8	30.4	15.3	44.9	22.6
.3	37.4	18.9	30.4	15.3	44.9	22.6
.4	37.5	18.9	30.5	15.4	44.8	22.6
.5	37.6	18.9	30.6	15.4	44.7	22.5
.6	37.6	19.0	30.6	15.4	44.7	22.5
.7	37.7	19.0	30.7	15.5	44.6	22.5
.8	37.8	19.0	30.8	15.5	44.5	22.5
.9	37.8	19.1	30.8	15.5	44.5	22.4
1932.0	37.9	19.1	30.9	15.6	44.4	22.4
.1	38.0	19.1	31.0	15.6	44.3	22.4
.2	38.0	19.2	31.0	15.6	44.3	22.3
.3	38.1	19.2	31.1	15.7	44.2	22.3
.4	38.2	19.2	31.2	15.7	44.1	22.3
.5	38.2	19.3	31.2	15.7	44.1	22.2
.6	38.3	19.3	31.3	15.8	44.0	22.2
.7	38.4	19.3	31.4	15.8	43.9	22.2
.8	38.4	19.4	31.4	15.8	43.9	22.1
.9	38.5	19.4	31.5	15.9	43.8	22.1
1933.0	38.5	19.4	31.5	15.9	43.8	22.1
.1	38.6	19.5	31.6	15.9	43.7	22.0
.2	38.7	19.5	31.7	16.0	43.6	22.0
.3	38.7	19.5	31.7	16.0	43.6	22.0
.4	38.8	19.6	31.8	16.0	43.5	21.9
.5	38.9	19.6	31.9	16.1	43.4	21.9
.6	38.9	19.6	31.9	16.1	43.4	21.9
.7	39.0	19.7	32.0	16.1	43.3	21.8
.8	39.1	19.7	32.1	16.2	43.2	21.8
.9	39.1	19.7	32.1	16.2	43.2	21.8

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1934.0	39.2	19.8	32.2	16.2	43.1	21.7
.1	39.3	19.8	32.3	16.3	43.0	21.7
.2	39.3	19.8	32.3	16.3	43.0	21.7
.3	39.4	19.9	32.4	16.3	42.9	21.6
.4	39.5	19.9	32.5	16.4	42.8	21.6
.5	39.5	19.9	32.5	16.4	42.8	21.6
.6	39.6	20.0	32.6	16.4	42.7	21.5
.7	39.7	20.0	32.7	16.5	42.6	21.5
.8	39.7	20.0	32.7	16.5	42.6	21.5
.9	39.8	20.1	32.8	16.5	42.5	21.4
1935.0	39.8	20.1	32.8	16.6	42.5	21.4
.1	39.9	20.1	32.9	16.6	42.4	21.4
.2	40.0	20.2	33.0	16.6	42.3	21.3
.3	40.0	20.2	33.0	16.7	42.3	21.3
.4	40.1	20.2	33.1	16.7	42.2	21.3
.5	40.2	20.3	33.2	16.7	42.1	21.2
.6	40.2	20.3	33.2	16.8	42.1	21.2
.7	40.3	20.3	33.3	16.8	42.0	21.2
.8	40.4	20.4	33.4	16.8	41.9	21.1
.9	40.4	20.4	33.4	16.9	41.9	21.1
1936.0	40.5	20.4	33.5	16.9	41.8	21.1
.1	40.6	20.5	33.6	16.9	41.7	21.0
.2	40.6	20.5	33.6	17.0	41.7	21.0
.3	40.7	20.5	33.7	17.0	41.6	21.0
.4	40.8	20.5	33.8	17.0	41.5	20.9
.5	40.8	20.6	33.8	17.1	41.5	20.9
.6	40.9	20.6	33.9	17.1	41.4	20.9
.7	41.0	20.6	34.0	17.1	41.3	20.8
.8	41.0	20.7	34.0	17.2	41.3	20.8
.9	41.1	20.7	34.1	17.2	41.2	20.8
1937.0	41.2	20.7	34.2	17.2	41.1	20.7
.1	41.2	20.8	34.2	17.3	41.1	20.7
.2	41.3	20.8	34.3	17.3	41.0	20.7
.3	41.3	20.8	34.3	17.3	41.0	20.6
.4	41.4	20.9	34.4	17.3	40.9	20.6
.5	41.5	20.9	34.5	17.4	40.8	20.6
.6	41.5	20.9	34.5	17.4	40.8	20.5
.7	41.6	21.0	34.6	17.4	40.7	20.5
.8	41.7	21.0	34.7	17.5	40.6	20.5
.9	41.7	21.0	34.7	17.5	40.6	20.5
1938.0	41.8	21.1	34.8	17.5	40.5	20.4
.1	41.9	21.1	34.9	17.6	40.4	20.4
.2	41.9	21.1	34.9	17.6	40.4	20.4
.3	42.0	21.2	35.0	17.6	40.3	20.3
.4	42.1	21.2	35.1	17.7	40.2	20.3
.5	42.1	21.2	35.1	17.7	40.2	20.3
.6	42.2	21.3	35.2	17.7	40.1	20.2
.7	42.3	21.3	35.3	17.8	40.0	20.2
.8	42.3	21.3	35.3	17.8	40.0	20.2
.9	42.4	21.4	35.4	17.8	39.9	20.1

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1939.0	42.5	21.4	35.5	17.9	39.8	20.1
.1	42.5	21.4	35.5	17.9	39.8	20.1
.2	42.6	21.5	35.6	17.9	39.7	20.0
.3	42.6	21.5	35.6	18.0	39.7	20.0
.4	42.7	21.5	35.7	18.0	39.6	20.0
.5	42.8	21.6	35.8	18.0	39.5	19.9
.6	42.8	21.6	35.8	18.1	39.5	19.9
.7	42.9	21.6	35.9	18.1	39.4	19.9
.8	43.0	21.7	36.0	18.1	39.3	19.8
.9	43.0	21.7	36.0	18.2	39.3	19.8
1940.0	43.1	21.7	36.1	18.2	39.2	19.8
.1	43.2	21.8	36.2	18.2	39.1	19.7
.2	43.2	21.8	36.2	18.3	39.1	19.7
.3	43.3	21.8	36.3	18.3	39.0	19.7
.4	43.4	21.9	36.4	18.3	38.9	19.6
.5	43.5	21.9	36.5	18.4	38.8	19.6
.6	43.5	21.9	36.5	18.4	38.8	19.5
.7	43.6	22.0	36.6	18.5	38.7	19.5
.8	43.7	22.0	36.7	18.5	38.6	19.5
.9	43.7	22.1	36.7	18.5	38.6	19.4
1941.0	43.8	22.1	36.8	18.6	38.5	19.4
.1	43.9	22.1	36.9	18.6	38.4	19.4
.2	44.0	22.2	37.0	18.6	38.3	19.3
.3	44.0	22.2	37.0	18.7	38.3	19.3
.4	44.1	22.2	37.1	18.7	38.2	19.3
.5	44.2	22.3	37.2	18.7	38.1	19.2
.6	44.3	22.3	37.3	18.8	38.0	19.2
.7	44.3	22.3	37.3	18.8	38.0	19.1
.8	44.4	22.4	37.4	18.9	37.9	19.1
.9	44.5	22.4	37.5	18.9	37.8	19.1
1942.0	44.5	22.5	37.5	18.9	37.8	19.0
.1	44.6	22.5	37.6	19.0	37.7	19.0
.2	44.7	22.5	37.7	19.0	37.6	19.0
.3	44.8	22.6	37.8	19.0	37.5	18.9
.4	44.8	22.6	37.8	19.1	37.5	18.9
.5	44.9	22.6	37.9	19.1	37.4	18.9
.6	45.0	22.7	38.0	19.1	37.3	18.8
.7	45.0	22.7	38.0	19.2	37.3	18.8
.8	45.1	22.7	38.1	19.2	37.2	18.7
.9	45.2	22.8	38.2	19.3	37.1	18.7
1943.0	45.3	22.8	38.3	19.3	37.0	18.7
.1	45.3	22.9	38.3	19.3	37.0	18.6
.2	45.4	22.9	38.4	19.4	36.9	18.6
.3	45.5	22.9	38.5	19.4	36.8	18.6
.4	45.5	23.0	38.5	19.4	36.8	18.5
.5	45.6	23.0	38.6	19.5	36.7	18.5
.6	45.7	23.0	38.7	19.5	36.6	18.5
.7	45.8	23.1	38.8	19.5	36.5	18.4
.8	45.8	23.1	38.8	19.6	36.5	18.4
.9	45.9	23.1	38.9	19.6	36.4	18.3

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1944.0	46.0	23.2	39.0	19.7	36.3	18.3
.1	46.1	23.2	39.1	19.7	36.2	18.3
.2	46.1	23.3	39.1	19.7	36.2	18.2
.3	46.2	23.3	39.2	19.8	36.1	18.2
.4	46.3	23.3	39.3	19.8	36.0	18.2
.5	46.3	23.4	39.3	19.8	36.0	18.1
.6	46.4	23.4	39.4	19.9	35.9	18.1
.7	46.5	23.4	39.5	19.9	35.8	18.1
.8	46.6	23.5	39.6	19.9	35.7	18.0
.9	46.6	23.5	39.6	20.0	35.7	18.0
1945.0	46.7	23.5	39.7	20.0	35.6	17.9
.1	46.8	23.6	39.8	20.1	35.5	17.9
.2	46.8	23.6	39.8	20.1	35.5	17.9
.3	46.9	23.7	39.9	20.1	35.4	17.8
.4	47.0	23.7	40.0	20.2	35.3	17.8
.5	47.1	23.7	40.1	20.2	35.2	17.8
.6	47.1	23.8	40.1	20.2	35.2	17.7
.7	47.2	23.8	40.2	20.3	35.1	17.7
.8	47.3	23.8	40.3	20.3	35.0	17.7
.9	47.3	23.9	40.3	20.3	35.0	17.6
1946.0	47.4	23.9	40.4	20.4	34.9	17.6
.1	47.5	23.9	40.5	20.4	34.8	17.5
.2	47.6	24.0	40.6	20.5	34.7	17.5
.3	47.6	24.0	40.6	20.5	34.7	17.5
.4	47.7	24.1	40.7	20.5	34.6	17.4
.5	47.8	24.1	40.8	20.6	34.5	17.4
.6	47.9	24.1	40.9	20.6	34.4	17.4
.7	47.9	24.2	40.9	20.6	34.4	17.3
.8	48.0	24.2	41.0	20.7	34.3	17.3
.9	48.1	24.2	41.1	20.7	34.2	17.3
1947.0	48.1	24.3	41.1	20.7	34.2	17.2
.1	48.2	24.3	41.2	20.8	34.1	17.2
.2	48.3	24.3	41.3	20.8	34.0	17.1
.3	48.4	24.4	41.4	20.9	33.9	17.1
.4	48.4	24.4	41.4	20.9	33.9	17.1
.5	48.5	24.5	41.5	20.9	33.8	17.0
.6	48.6	24.5	41.6	21.0	33.7	17.0
.7	48.6	24.5	41.6	21.0	33.7	17.0
.8	48.7	24.6	41.7	21.0	33.6	16.9
.9	48.8	24.6	41.8	21.1	33.5	16.9
1948.0	48.9	24.6	41.9	21.1	33.4	16.9
.1	48.9	24.7	41.9	21.1	33.4	16.8
.2	49.0	24.7	42.0	21.2	33.3	16.8
.3	49.1	24.7	42.1	21.2	33.2	16.8
.4	49.1	24.8	42.1	21.2	33.2	16.7
.5	49.2	24.8	42.2	21.3	33.1	16.7
.6	49.3	24.9	42.3	21.3	33.0	16.6
.7	49.4	24.9	42.4	21.4	32.9	16.6
.8	49.4	24.9	42.4	21.4	32.9	16.6
.9	49.5	25.0	42.5	21.4	32.8	16.5

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1949.0	49.6	25.0	42.6	21.5	32.7	16.5
.1	49.7	25.0	42.7	21.5	32.6	16.5
.2	49.7	25.1	42.7	21.5	32.6	16.4
.3	49.8	25.1	42.8	21.6	32.5	16.4
.4	49.9	25.1	42.9	21.6	32.4	16.4
.5	49.9	25.2	42.9	21.6	32.4	16.3
.6	50.0	25.2	43.0	21.7	32.3	16.3
.7	50.1	25.3	43.1	21.7	32.2	16.2
.8	50.2	25.3	43.2	21.8	32.1	16.2
.9	50.2	25.3	43.2	21.8	32.1	16.2
1950.0	50.3	25.4	43.3	21.8	32.0	16.1
.1	50.4	25.4	43.4	21.9	31.9	16.1
.2	50.5	25.4	43.5	21.9	31.8	16.1
.3	50.5	25.5	43.5	21.9	31.8	16.0
.4	50.6	25.5	43.6	22.0	31.7	16.0
.5	50.7	25.6	43.7	22.0	31.6	15.9
.6	50.8	25.6	43.8	22.1	31.5	15.9
.7	50.8	25.6	43.8	22.1	31.5	15.9
.8	50.9	25.7	43.9	22.1	31.4	15.8
.9	51.0	25.7	44.0	22.2	31.3	15.8
1951.0	51.1	25.8	44.1	22.2	31.2	15.7
.1	51.2	25.8	44.2	22.3	31.1	15.7
.2	51.2	25.8	44.2	22.3	31.1	15.7
.3	51.3	25.9	44.3	22.3	31.0	15.6
.4	51.4	25.9	44.4	22.4	30.9	15.6
.5	51.5	25.9	44.5	22.4	30.8	15.5
.6	51.5	26.0	44.5	22.5	30.8	15.5
.7	51.6	26.0	44.6	22.5	30.7	15.5
.8	51.7	26.1	44.7	22.5	30.6	15.4
.9	51.8	26.1	44.8	22.6	30.5	15.4
1952.0	51.9	26.1	44.9	22.6	30.4	15.3
.1	51.9	26.2	44.9	22.7	30.4	15.3
.2	52.0	26.2	45.0	22.7	30.3	15.3
.3	52.1	26.3	45.1	22.7	30.2	15.2
.4	52.2	26.3	45.2	22.8	30.1	15.2
.5	52.3	26.3	45.3	22.8	30.0	15.2
.6	52.3	26.4	45.3	22.9	30.0	15.1
.7	52.4	26.4	45.4	22.9	29.9	15.1
.8	52.5	26.5	45.5	22.9	29.8	15.0
.9	52.6	26.5	45.6	23.0	29.7	15.0
1953.0	52.6	26.5	45.6	23.0	29.7	15.0
.1	52.7	26.6	45.7	23.0	29.6	14.9
.2	52.8	26.6	45.8	23.1	29.5	14.9
.3	52.9	26.7	45.9	23.1	29.4	14.8
.4	53.0	26.7	46.0	23.2	29.3	14.8
.5	53.0	26.7	46.0	23.2	29.3	14.8
.6	53.1	26.8	46.1	23.2	29.2	14.7
.7	53.2	26.8	46.2	23.3	29.1	14.7
.8	53.3	26.9	46.3	23.3	29.0	14.6
.9	53.3	26.9	46.3	23.4	29.0	14.6

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1954.0	53.4	26.9	46.4	23.4	28.9	14.6
.1	53.5	27.0	46.5	23.4	28.8	14.5
.2	53.6	27.0	46.6	23.5	28.7	14.5
.3	53.7	27.1	46.7	23.5	28.6	14.4
.4	53.7	27.1	46.7	23.6	28.6	14.4
.5	53.8	27.1	46.8	23.6	28.5	14.4
.6	53.9	27.2	46.9	23.6	28.4	14.3
.7	54.0	27.2	47.0	23.7	28.3	14.3
.8	54.0	27.2	47.0	23.7	28.3	14.2
.9	54.1	27.3	47.1	23.8	28.2	14.2
1955.0	54.2	27.3	47.2	23.8	28.1	14.2
.1	54.3	27.4	47.3	23.8	28.0	14.1
.2	54.4	27.4	47.4	23.9	27.9	14.1
.3	54.4	27.4	47.4	23.9	27.9	14.0
.4	54.5	27.5	47.5	24.0	27.8	14.0
.5	54.6	27.5	47.6	24.0	27.7	14.0
.6	54.7	27.6	47.7	24.0	27.6	13.9
.7	54.7	27.6	47.7	24.1	27.6	13.9
.8	54.8	27.6	47.8	24.1	27.5	13.9
.9	54.9	27.7	47.9	24.2	27.4	13.8
1956.0	55.0	27.7	48.0	24.2	27.3	13.8
.1	55.1	27.8	48.1	24.2	27.2	13.7
.2	55.1	27.8	48.1	24.3	27.2	13.7
.3	55.2	27.8	48.2	24.3	27.1	13.7
.4	55.3	27.9	48.3	24.3	27.0	13.6
.5	55.4	27.9	48.4	24.4	26.9	13.6
.6	55.4	28.0	48.4	24.4	26.9	13.5
.7	55.5	28.0	48.5	24.5	26.8	13.5
.8	55.6	28.0	48.6	24.5	26.7	13.5
.9	55.7	28.1	48.7	24.5	26.6	13.4
1957.0	55.8	28.1	48.8	24.6	26.5	13.4
.1	55.8	28.2	48.8	24.6	26.5	13.3
.2	55.9	28.2	48.9	24.7	26.4	13.3
.3	56.0	28.2	49.0	24.7	26.3	13.3
.4	56.1	28.3	49.1	24.7	26.2	13.2
.5	56.2	28.3	49.2	24.8	26.1	13.2
.6	56.2	28.3	49.2	24.8	26.1	13.1
.7	56.3	28.4	49.3	24.9	26.0	13.1
.8	56.4	28.4	49.4	24.9	25.9	13.1
.9	56.5	28.5	49.5	24.9	25.8	13.0
1958.0	56.5	28.5	49.5	25.0	25.8	13.0
.1	56.6	28.5	49.6	25.0	25.7	12.9
.2	56.7	28.6	49.7	25.1	25.6	12.9
.3	56.8	28.6	49.8	25.1	25.5	12.9
.4	56.9	28.7	49.9	25.1	25.4	12.8
.5	56.9	28.7	49.9	25.2	25.4	12.8
.6	57.0	28.7	50.0	25.2	25.3	12.8
.7	57.1	28.8	50.1	25.3	25.2	12.7
.8	57.2	28.8	50.2	25.3	25.1	12.7
.9	57.2	28.9	50.2	25.3	25.1	12.6

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1959.0	57.3	28.9	50.3	25.4	25.0	12.6
.1	57.4	28.9	50.4	25.4	24.9	12.6
.2	57.5	29.0	50.5	25.4	24.8	12.5
.3	57.6	29.0	50.6	25.5	24.7	12.5
.4	57.6	29.1	50.6	25.5	24.7	12.4
.5	57.7	29.1	50.7	25.6	24.6	12.4
.6	57.8	29.1	50.8	25.6	24.5	12.4
.7	57.9	29.2	50.9	25.6	24.4	12.3
.8	57.9	29.2	50.9	25.7	24.4	12.3
.9	58.0	29.3	51.0	25.7	24.3	12.2
1960.0	58.1	29.3	51.1	25.8	24.2	12.2
.1	58.2	29.3	51.2	25.8	24.1	12.2
.2	58.3	29.4	51.3	25.8	24.0	12.1
.3	58.4	29.4	51.4	25.9	23.9	12.1
.4	58.4	29.5	51.4	25.9	23.9	12.0
.5	58.5	29.5	51.5	26.0	23.8	12.0
.6	58.6	29.5	51.6	26.0	23.7	11.9
.7	58.7	29.6	51.7	26.1	23.6	11.9
.8	58.8	29.6	51.8	26.1	23.5	11.9
.9	58.9	29.7	51.9	26.1	23.4	11.8
1961.0	58.9	29.7	51.9	26.2	23.4	11.8
.1	59.0	29.8	52.0	26.2	23.3	11.7
.2	59.1	29.8	52.1	26.3	23.2	11.7
.3	59.2	29.8	52.2	26.3	23.1	11.7
.4	59.3	29.9	52.3	26.4	23.0	11.6
.5	59.4	29.9	52.4	26.4	22.9	11.6
.6	59.4	30.0	52.4	26.4	22.9	11.5
.7	59.5	30.0	52.5	26.5	22.8	11.5
.8	59.6	30.1	52.6	26.5	22.7	11.4
.9	59.7	30.1	52.7	26.6	22.6	11.4
1962.0	59.8	30.1	52.8	26.6	22.5	11.4
.1	59.9	30.2	52.9	26.7	22.4	11.3
.2	59.9	30.2	52.9	26.7	22.4	11.3
.3	60.0	30.3	53.0	26.7	22.3	11.2
.4	60.1	30.3	53.1	26.8	22.2	11.2
.5	60.2	30.4	53.2	26.8	22.1	11.1
.6	60.3	30.4	53.3	26.9	22.0	11.1
.7	60.4	30.4	53.4	26.9	21.9	11.1
.8	60.5	30.5	53.5	26.9	21.8	11.0
.9	60.5	30.5	53.5	27.0	21.8	11.0
1963.0	60.6	30.6	53.6	27.0	21.7	10.9
.1	60.7	30.6	53.7	27.1	21.6	10.9
.2	60.8	30.6	53.8	27.1	21.5	10.8
.3	60.9	30.7	53.9	27.2	21.4	10.8
.4	61.0	30.7	54.0	27.2	21.3	10.8
.5	61.0	30.8	54.0	27.2	21.3	10.7
.6	61.1	30.8	54.1	27.3	21.2	10.7
.7	61.2	30.9	54.2	27.3	21.1	10.6
.8	61.3	30.9	54.3	27.4	21.0	10.6
.9	61.4	30.9	54.4	27.4	20.9	10.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1964.0	61.5	31.0	54.5	27.5	20.8	10.5
.1	61.5	31.0	54.5	27.5	20.8	10.5
.2	61.6	31.1	54.6	27.5	20.7	10.4
.3	61.7	31.1	54.7	27.6	20.6	10.4
.4	61.8	31.2	54.8	27.6	20.5	10.3
.5	61.9	31.2	54.9	27.7	20.4	10.3
.6	62.0	31.2	55.0	27.7	20.3	10.3
.7	62.0	31.3	55.0	27.8	20.3	10.2
.8	62.1	31.3	55.1	27.8	20.2	10.2
.9	62.2	31.4	55.2	27.8	20.1	10.1
1965.0	62.3	31.4	55.3	27.9	20.0	10.1
.1	62.4	31.5	55.4	27.9	19.9	10.0
.2	62.5	31.5	55.5	28.0	19.8	10.0
.3	62.6	31.5	55.6	28.0	19.7	10.0
.4	62.6	31.6	55.6	28.0	19.7	9.9
.5	62.7	31.6	55.7	28.1	19.6	9.9
.6	62.8	31.7	55.8	28.1	19.5	9.8
.7	62.9	31.7	55.9	28.2	19.4	9.8
.8	63.0	31.7	56.0	28.2	19.3	9.7
.9	63.1	31.8	56.1	28.3	19.2	9.7
1966.0	63.1	31.8	56.1	28.3	19.2	9.7
.1	63.2	31.9	56.2	28.3	19.1	9.6
.2	63.3	31.9	56.3	28.4	19.0	9.6
.3	63.4	32.0	56.4	28.4	18.9	9.5
.4	63.5	32.0	56.5	28.5	18.8	9.5
.5	63.6	32.0	56.6	28.5	18.7	9.4
.6	63.6	32.1	56.6	28.6	18.7	9.4
.7	63.7	32.1	56.7	28.6	18.6	9.4
.8	63.8	32.2	56.8	28.6	18.5	9.3
.9	63.9	32.2	56.9	28.7	18.4	9.3
1967.0	64.0	32.3	57.0	28.7	18.3	9.2
.1	64.1	32.3	57.1	28.8	18.2	9.2
.2	64.1	32.3	57.1	28.8	18.2	9.2
.3	64.2	32.4	57.2	28.9	18.1	9.1
.4	64.3	32.4	57.3	28.9	18.0	9.1
.5	64.4	32.5	57.4	28.9	17.9	9.0
.6	64.5	32.5	57.5	29.0	17.8	9.0
.7	64.6	32.6	57.6	29.0	17.7	8.9
.8	64.7	32.6	57.7	29.1	17.6	8.9
.9	64.7	32.6	57.7	29.1	17.6	8.9
1968.0	64.8	32.7	57.8	29.2	17.5	8.8
.1	64.9	32.7	57.9	29.2	17.4	8.8
.2	65.0	32.8	58.0	29.2	17.3	8.7
.3	65.1	32.8	58.1	29.3	17.2	8.7
.4	65.2	32.8	58.2	29.3	17.1	8.6
.5	65.2	32.9	58.2	29.4	17.1	8.6
.6	65.3	32.9	58.3	29.4	17.0	8.6
.7	65.4	33.0	58.4	29.4	16.9	8.5
.8	65.5	33.0	58.5	29.5	16.8	8.5
.9	65.6	33.1	58.6	29.5	16.7	8.4

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1969.0	65.7	33.1	58.7	29.6	16.6	8.4
.1	65.7	33.1	58.7	29.6	16.6	8.3
.2	65.8	33.2	58.8	29.7	16.5	8.3
.3	65.9	33.2	58.9	29.7	16.4	8.3
.4	66.0	33.3	59.0	29.7	16.3	8.2
.5	66.1	33.3	59.1	29.8	16.2	8.2
.6	66.2	33.4	59.2	29.8	16.1	8.1
.7	66.2	33.4	59.2	29.9	16.1	8.1
.8	66.3	33.4	59.3	29.9	16.0	8.1
.9	66.4	33.5	59.4	30.0	15.9	8.0
1970.0	66.5	33.5	59.5	30.0	15.8	8.0
.1	66.6	33.6	59.6	30.0	15.7	7.9
.2	66.7	33.6	59.7	30.1	15.6	7.9
.3	66.8	33.7	59.8	30.1	15.5	7.8
.4	66.9	33.7	59.9	30.2	15.4	7.8
.5	66.9	33.8	59.9	30.2	15.4	7.7
.6	67.0	33.8	60.0	30.3	15.3	7.7
.7	67.1	33.8	60.1	30.3	15.2	7.6
.8	67.2	33.9	60.2	30.4	15.1	7.6
.9	67.3	33.9	60.3	30.4	15.0	7.6
1971.0	67.4	34.0	60.4	30.5	14.9	7.5
.1	67.5	34.0	60.5	30.5	14.8	7.5
.2	67.6	34.1	60.6	30.5	14.7	7.4
.3	67.7	34.1	60.7	30.6	14.6	7.4
.4	67.8	34.2	60.8	30.6	14.5	7.3
.5	67.8	34.2	60.8	30.7	14.5	7.3
.6	67.9	34.3	60.9	30.7	14.4	7.2
.7	68.0	34.3	61.0	30.8	14.3	7.2
.8	68.1	34.3	61.1	30.8	14.2	7.1
.9	68.2	34.4	61.2	30.9	14.1	7.1
1972.0	68.3	34.4	61.3	30.9	14.0	7.1
.1	68.4	34.5	61.4	31.0	13.9	7.0
.2	68.5	34.5	61.5	31.0	13.8	7.0
.3	68.6	34.6	61.6	31.0	13.7	6.9
.4	68.7	34.6	61.7	31.1	13.6	6.9
.5	68.8	34.7	61.8	31.1	13.6	6.8
.6	68.8	34.7	61.8	31.2	13.5	6.8
.7	68.9	34.8	61.9	31.2	13.4	6.7
.8	69.0	34.8	62.0	31.3	13.3	6.7
.9	69.1	34.8	62.1	31.3	13.2	6.6
1973.0	69.2	34.9	62.2	31.4	13.1	6.6
.1	69.3	34.9	62.3	31.4	13.0	6.6
.2	69.4	35.0	62.4	31.4	12.9	6.5
.3	69.5	35.0	62.5	31.5	12.8	6.5
.4	69.6	35.1	62.6	31.5	12.7	6.4
.5	69.7	35.1	62.7	31.6	12.6	6.4
.6	69.7	35.2	62.7	31.6	12.6	6.3
.7	69.8	35.2	62.8	31.7	12.5	6.3
.8	69.9	35.3	62.9	31.7	12.4	6.2
.9	70.0	35.3	63.0	31.8	12.3	6.2

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1974.0	70.1	35.3	63.1	31.8	12.2	6.2
.1	70.2	35.4	63.2	31.9	12.1	6.1
.2	70.3	35.4	63.3	31.9	12.0	6.1
.3	70.4	35.5	63.4	31.9	11.9	6.0
.4	70.5	35.5	63.5	32.0	11.8	6.0
.5	70.6	35.6	63.6	32.0	11.7	5.9
.6	70.6	35.6	63.6	32.1	11.7	5.9
.7	70.7	35.7	63.7	32.1	11.6	5.8
.8	70.8	35.7	63.8	32.2	11.5	5.8
.9	70.9	35.8	63.9	32.2	11.4	5.7
1975.0	71.0	35.8	64.0	32.3	11.3	5.7
.1	71.1	35.8	64.1	32.3	11.2	5.7
.2	71.2	35.9	64.2	32.4	11.1	5.6
.3	71.3	35.9	64.3	32.4	11.0	5.6
.4	71.4	36.0	64.4	32.4	10.9	5.5
.5	71.4	36.0	64.4	32.5	10.9	5.5
.6	71.5	36.1	64.5	32.5	10.8	5.4
.7	71.6	36.1	64.6	32.6	10.7	5.4
.8	71.7	36.2	64.7	32.6	10.6	5.3
.9	71.8	36.2	64.8	32.7	10.5	5.3
1976.0	71.9	36.2	64.9	32.7	10.4	5.2
.1	72.0	36.3	65.0	32.8	10.3	5.2
.2	72.1	36.3	65.1	32.8	10.2	5.2
.3	72.2	36.4	65.2	32.9	10.1	5.1
.4	72.3	36.4	65.3	32.9	10.0	5.1
.5	72.3	36.5	65.3	32.9	10.0	5.0
.6	72.4	36.5	65.4	33.0	9.9	5.0
.7	72.5	36.6	65.5	33.0	9.8	4.9
.8	72.6	36.6	65.6	33.1	9.7	4.9
.9	72.7	36.7	65.7	33.1	9.6	4.8
1977.0	72.8	36.7	65.8	33.2	9.5	4.8
.1	72.9	36.7	65.9	33.2	9.4	4.7
.2	73.0	36.8	66.0	33.3	9.3	4.7
.3	73.1	36.8	66.1	33.3	9.2	4.7
.4	73.2	36.9	66.2	33.4	9.1	4.6
.5	73.3	36.9	66.3	33.4	9.1	4.6
.6	73.3	37.0	66.3	33.4	9.0	4.5
.7	73.4	37.0	66.4	33.5	8.9	4.5
.8	73.5	37.1	66.5	33.5	8.8	4.4
.9	73.6	37.1	66.6	33.6	8.7	4.4
1978.0	73.7	37.2	66.7	33.6	8.6	4.3
.1	73.8	37.2	66.8	33.7	8.5	4.3
.2	73.9	37.2	66.9	33.7	8.4	4.2
.3	74.0	37.3	67.0	33.8	8.3	4.2
.4	74.1	37.3	67.1	33.8	8.2	4.2
.5	74.2	37.4	67.2	33.9	8.1	4.1
.6	74.2	37.4	67.2	33.9	8.1	4.1
.7	74.3	37.5	67.3	33.9	8.0	4.0
.8	74.4	37.5	67.4	34.0	7.9	4.0
.9	74.5	37.6	67.5	34.0	7.8	3.9

ELEVATION FEET	GROSS STORAGE KAF	KSFD	USABLE STORAGE KAF	KSFD	CUMULATIVE DRAFT KAF	KSFD
1979.0	74.6	37.6	67.6	34.1	7.7	3.9
.1	74.7	37.7	67.7	34.1	7.6	3.8
.2	74.8	37.7	67.8	34.2	7.5	3.8
.3	74.9	37.7	67.9	34.2	7.4	3.7
.4	75.0	37.8	68.0	34.3	7.3	3.7
.5	75.1	37.8	68.1	34.3	7.2	3.7
.6	75.1	37.9	68.1	34.4	7.2	3.6
.7	75.2	37.9	68.2	34.4	7.1	3.6
.8	75.3	38.0	68.3	34.4	7.0	3.5
.9	75.4	38.0	68.4	34.5	6.9	3.5
1980.0	75.5	38.1	68.5	34.5	6.8	3.4
.1	75.6	38.1	68.6	34.6	6.7	3.4
.2	75.7	38.2	68.7	34.6	6.6	3.3
.3	75.8	38.2	68.8	34.7	6.5	3.3
.4	75.9	38.3	68.9	34.7	6.4	3.2
.5	76.0	38.3	69.0	34.8	6.3	3.2
.6	76.1	38.4	69.1	34.8	6.2	3.1
.7	76.2	38.4	69.2	34.9	6.1	3.1
.8	76.3	38.5	69.3	34.9	6.0	3.0
.9	76.4	38.5	69.4	35.0	5.9	3.0
1981.0	76.5	38.6	69.5	35.0	5.8	2.9
.1	76.6	38.6	69.6	35.1	5.7	2.9
.2	76.7	38.7	69.7	35.1	5.6	2.8
.3	76.8	38.7	69.8	35.2	5.5	2.8
.4	76.9	38.8	69.9	35.2	5.4	2.7
.5	77.0	38.8	70.0	35.3	5.3	2.7
.6	77.1	38.9	70.1	35.3	5.2	2.6
.7	77.2	38.9	70.2	35.4	5.1	2.6
.8	77.3	39.0	70.3	35.4	5.0	2.5
.9	77.4	39.0	70.4	35.5	4.9	2.5
1982.0	77.5	39.1	70.5	35.5	4.8	2.4
.1	77.6	39.1	70.6	35.6	4.7	2.4
.2	77.7	39.2	70.7	35.6	4.6	2.3
.3	77.8	39.2	70.8	35.7	4.5	2.3
.4	77.9	39.3	70.9	35.7	4.4	2.2
.5	77.9	39.3	70.9	35.8	4.4	2.2
.6	78.0	39.3	71.0	35.8	4.3	2.1
.7	78.1	39.4	71.1	35.9	4.2	2.1
.8	78.2	39.4	71.2	35.9	4.1	2.0
.9	78.3	39.5	71.3	36.0	4.0	2.0
1983.0	78.4	39.5	71.4	36.0	3.9	1.9
.1	78.5	39.6	71.5	36.1	3.8	1.9
.2	78.6	39.6	71.6	36.1	3.7	1.8
.3	78.7	39.7	71.7	36.2	3.6	1.8
.4	78.8	39.7	71.8	36.2	3.5	1.7
.5	78.9	39.8	71.9	36.3	3.4	1.7
.6	79.0	39.8	72.0	36.3	3.3	1.6
.7	79.1	39.9	72.1	36.4	3.2	1.6
.8	79.2	39.9	72.2	36.4	3.1	1.6
.9	79.3	40.0	72.3	36.5	3.0	1.5

Reservoir Storage Tables

ELEVATION FEET	GROSS STORAGE KAF	GROSS STORAGE KSFD	USABLE STORAGE KAF	USABLE STORAGE KSFD	CUMULATIVE DRAFT KAF	CUMULATIVE DRAFT KSFD
1984.0	79.4	40.0	72.4	36.5	2.9	1.5
.1	79.5	40.1	72.5	36.6	2.8	1.4
.2	79.6	40.1	72.6	36.6	2.7	1.4
.3	79.7	40.2	72.7	36.7	2.6	1.3
.4	79.8	40.2	72.8	36.7	2.5	1.3
.5	79.9	40.3	72.9	36.8	2.4	1.2
.6	80.0	40.3	73.0	36.8	2.3	1.2
.7	80.1	40.4	73.1	36.9	2.2	1.1
.8	80.2	40.4	73.2	36.9	2.1	1.1
.9	80.3	40.5	73.3	37.0	2.0	1.0
1985.0	80.4	40.5	73.4	37.0	1.9	1.0
.1	80.5	40.6	73.5	37.1	1.8	0.9
.2	80.6	40.6	73.6	37.1	1.7	0.9
.3	80.7	40.7	73.7	37.2	1.6	0.8
.4	80.8	40.7	73.8	37.2	1.5	0.8
.5	80.9	40.8	73.9	37.3	1.4	0.7
.6	81.0	40.8	74.0	37.3	1.3	0.7
.7	81.1	40.9	74.1	37.4	1.2	0.6
.8	81.2	40.9	74.2	37.4	1.1	0.6
.9	81.3	41.0	74.3	37.5	1.0	0.5
1986.0	81.4	41.0	74.4	37.5	0.9	0.5
.1	81.5	41.1	74.5	37.5	0.8	0.4
.2	81.6	41.1	74.6	37.6	0.7	0.4
.3	81.7	41.2	74.7	37.6	0.6	0.3
.4	81.8	41.2	74.8	37.7	0.5	0.3
.5	81.9	41.3	74.9	37.7	0.4	0.2
.6	82.0	41.3	75.0	37.8	0.3	0.2
.7	82.1	41.4	75.1	37.8	0.2	0.1
.8	82.2	41.4	75.2	37.9	0.1	0.1
.9 SUB	82.3	41.5	75.3	37.9	0.0	0.0
1987.0	82.4	41.5				

Applegate

449