

Detailed Operating Plan for 1997-98

Exhibit 13 - DUNCAN RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
1892.	705.8										
1891.	696.9	697.8	698.7	699.6	700.5	701.3	702.2	703.1	704.0	704.9	0.89
1890.	688.0	688.9	689.8	690.7	691.6	692.4	693.3	694.2	695.1	696.0	0.89
1889.	679.2	680.1	681.0	681.8	682.7	683.6	684.5	685.4	686.2	687.1	0.88
1888.	670.4	671.3	672.2	673.0	673.9	674.8	675.7	676.6	677.4	678.3	0.88
1887.	661.5	662.4	663.3	664.2	665.1	665.9	666.8	667.7	668.6	669.5	0.89
1886.	652.8	653.7	654.5	655.4	656.3	657.1	658.0	658.9	659.8	660.6	0.87
1885.	644.0	644.9	645.8	646.6	647.5	648.4	649.3	650.2	651.0	651.9	0.88
1884.	635.3	636.2	637.0	637.9	638.8	639.6	640.5	641.4	642.3	643.1	0.87
1883.	626.6	627.5	628.3	629.2	630.1	630.9	631.8	632.7	633.6	634.4	0.87
1882.	617.9	618.8	619.6	620.5	621.4	622.2	623.1	624.0	624.9	625.7	0.87
1881.	609.2	610.1	610.9	611.8	612.7	613.5	614.4	615.3	616.2	617.0	0.87
1880.	600.6	601.5	602.3	603.2	604.0	604.9	605.8	606.6	607.5	608.3	0.86
1879.	592.0	592.9	593.7	594.6	595.4	596.3	597.2	598.0	598.9	599.7	0.86
1878.	583.4	584.3	585.1	586.0	586.8	587.7	588.6	589.4	590.3	591.1	0.86
1877.	574.8	575.7	576.5	577.4	578.2	579.1	580.0	580.8	581.7	582.5	0.86
1876.	566.3	567.1	568.0	568.8	569.7	570.5	571.4	572.2	573.1	573.9	0.85
1875.	557.8	558.6	559.5	560.3	561.2	562.0	562.9	563.7	564.6	565.4	0.85
1874.	549.3	550.1	551.0	551.8	552.7	553.5	554.4	555.2	556.1	556.9	0.85
1873.	540.9	541.7	542.6	543.4	544.3	545.1	545.9	546.8	547.6	548.5	0.84
1872.	532.4	533.2	534.1	534.9	535.8	536.6	537.5	538.3	539.2	540.0	0.85
1871.	524.0	524.8	525.7	526.5	527.4	528.2	529.0	529.9	530.7	531.6	0.84
1870.	515.7	516.5	517.4	518.2	519.0	519.8	520.7	521.5	522.3	523.2	0.83

Detailed Operating Plan for 1997-98

Exhibit 13 - DUNCAN RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
1869.	507.3	508.1	509.0	509.8	510.7	511.5	512.3	513.2	514.0	514.9	0.84
1868.	499.0	499.8	500.7	501.5	502.3	503.1	504.0	504.8	505.6	506.5	0.83
1867.	490.7	491.5	492.4	493.2	494.0	494.8	495.7	496.5	497.3	498.2	0.83
1866.	482.4	483.2	484.1	484.9	485.7	486.5	487.4	488.2	489.0	489.9	0.83
1865.	474.2	475.0	475.8	476.7	477.5	478.3	479.1	479.9	480.8	481.6	0.82
1864.	466.0	466.8	467.6	468.5	469.3	470.1	470.9	471.7	472.6	473.4	0.82
1863.	457.8	458.6	459.4	460.3	461.1	461.9	462.7	463.5	464.4	465.2	0.82
1862.	449.7	450.5	451.3	452.1	452.9	453.7	454.6	455.4	456.2	457.0	0.81
1861.	441.6	442.4	443.2	444.0	444.8	445.6	446.5	447.3	448.1	448.9	0.81
1860.	433.5	434.3	435.1	435.9	436.7	437.5	438.4	439.2	440.0	440.8	0.81
1859.	425.4	426.2	427.0	427.8	428.6	429.4	430.3	431.1	431.9	432.7	0.81
1858.	417.4	418.2	419.0	419.8	420.6	421.4	422.2	423.0	423.8	424.6	0.80
1857.	409.4	410.2	411.0	411.8	412.6	413.4	414.2	415.0	415.8	416.6	0.80
1856.	401.4	402.2	403.0	403.8	404.6	405.4	406.2	407.0	407.8	408.6	0.80
1855.	393.5	394.3	395.1	395.9	396.7	397.4	398.2	399.0	399.8	400.6	0.79
1854.	385.6	386.4	387.2	388.0	388.8	389.5	390.3	391.1	391.9	392.7	0.79
1853.	377.7	378.5	379.3	380.1	380.9	381.6	382.4	383.2	384.0	384.8	0.79
1852.	369.9	370.7	371.5	372.2	373.0	373.8	374.6	375.4	376.1	376.9	0.78
1851.	362.1	362.9	363.7	364.4	365.2	366.0	366.8	367.6	368.3	369.1	0.78
1850.	354.3	355.1	355.9	356.6	357.4	358.2	359.0	359.8	360.5	361.3	0.78
1849.	346.6	347.4	348.1	348.9	349.7	350.4	351.2	352.0	352.8	353.5	0.77
1848.	338.9	339.7	340.4	341.2	342.0	342.7	343.5	344.3	345.1	345.8	0.77
1847.	331.2	332.0	332.7	333.5	334.3	335.0	335.8	336.6	337.4	338.1	0.77
1846.	323.6	324.4	325.1	325.9	326.6	327.4	328.2	328.9	329.7	330.4	0.76
1845.	316.0	316.8	317.5	318.3	319.0	319.8	320.6	321.3	322.1	322.8	0.76

Detailed Operating Plan for 1997-98

Exhibit 13 - DUNCAN RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
1844.	308.5	309.2	310.0	310.7	311.5	312.2	313.0	313.7	314.5	315.2	0.75
1843.	300.9	301.7	302.4	303.2	303.9	304.7	305.5	306.2	307.0	307.7	0.76
1842.	293.5	294.2	295.0	295.7	296.5	297.2	297.9	298.7	299.4	300.2	0.74
1841.	286.0	286.7	287.5	288.2	289.0	289.7	290.5	291.2	292.0	292.7	0.75
1840.	278.6	279.3	280.1	280.8	281.6	282.3	283.0	283.8	284.5	285.3	0.74
1839.	271.2	271.9	272.7	273.4	274.2	274.9	275.6	276.4	277.1	277.9	0.74
1838.	263.9	264.6	265.4	266.1	266.8	267.5	268.3	269.0	269.7	270.5	0.73
1837.	256.6	257.3	258.1	258.8	259.5	260.2	261.0	261.7	262.4	263.2	0.73
1836.	249.4	250.1	250.8	251.6	252.3	253.0	253.7	254.4	255.2	255.9	0.72
1835.	242.2	242.9	243.6	244.4	245.1	245.8	246.5	247.2	248.0	248.7	0.72
1834.	235.0	235.7	236.4	237.2	237.9	238.6	239.3	240.0	240.8	241.5	0.72
1833.	227.9	228.6	229.3	230.0	230.7	231.4	232.2	232.9	233.6	234.3	0.71
1832.	220.8	221.5	222.2	222.9	223.6	224.3	225.1	225.8	226.5	227.2	0.71
1831.	213.8	214.5	215.2	215.9	216.6	217.3	218.0	218.7	219.4	220.1	0.70
1830.	206.8	207.5	208.2	208.9	209.6	210.3	211.0	211.7	212.4	213.1	0.70
1829.	199.9	200.6	201.3	202.0	202.7	203.3	204.0	204.7	205.4	206.1	0.69
1828.	193.0	193.7	194.4	195.1	195.8	196.4	197.1	197.8	198.5	199.2	0.69
1827.	186.1	186.8	187.5	188.2	188.9	189.5	190.2	190.9	191.6	192.3	0.69
1826.	179.3	180.0	180.7	181.3	182.0	182.7	183.4	184.1	184.7	185.4	0.68
1825.	172.6	173.3	173.9	174.6	175.3	175.9	176.6	177.3	178.0	178.6	0.67
1824.	165.9	166.6	167.2	167.9	168.6	169.2	169.9	170.6	171.3	171.9	0.67
1823.	159.2	159.9	160.5	161.2	161.9	162.5	163.2	163.9	164.6	165.2	0.67
1822.	152.6	153.3	153.9	154.6	155.2	155.9	156.6	157.2	157.9	158.5	0.66
1821.	146.1	146.7	147.4	148.0	148.7	149.3	150.0	150.6	151.3	151.9	0.65
1820.	139.6	140.2	140.9	141.5	142.2	142.8	143.5	144.1	144.8	145.4	0.65

Detailed Operating Plan for 1997-98

Exhibit 13 - DUNCAN RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
1819.	133.2	133.8	134.5	135.1	135.8	136.4	137.0	137.7	138.3	139.0	0.64
1818.	126.8	127.4	128.1	128.7	129.4	130.0	130.6	131.3	131.9	132.6	0.64
1817.	120.5	121.1	121.8	122.4	123.0	123.6	124.3	124.9	125.5	126.2	0.63
1816.	114.3	114.9	115.5	116.2	116.8	117.4	118.0	118.6	119.3	119.9	0.62
1815.	108.1	108.7	109.3	110.0	110.6	111.2	111.8	112.4	113.1	113.7	0.62
1814.	102.0	102.6	103.2	103.8	104.4	105.0	105.7	106.3	106.9	107.5	0.61
1813.	96.0	96.6	97.2	97.8	98.4	99.0	99.6	100.2	100.8	101.4	0.60
1812.	90.0	90.6	91.2	91.8	92.4	93.0	93.6	94.2	94.8	95.4	0.60
1811.	84.1	84.7	85.3	85.9	86.5	87.0	87.6	88.2	88.8	89.4	0.59
1810.	78.3	78.9	79.5	80.0	80.6	81.2	81.8	82.4	82.9	83.5	0.58
1809.	72.5	73.1	73.7	74.2	74.8	75.4	76.0	76.6	77.1	77.7	0.58
1808.	66.9	67.5	68.0	68.6	69.1	69.7	70.3	70.8	71.4	71.9	0.56
1807.	61.3	61.9	62.4	63.0	63.5	64.1	64.7	65.2	65.8	66.3	0.56
1806.	55.8	56.3	56.9	57.4	58.0	58.5	59.1	59.6	60.2	60.7	0.55
1805.	50.4	50.9	51.5	52.0	52.6	53.1	53.6	54.2	54.7	55.3	0.54
1804.	45.1	45.6	46.2	46.7	47.2	47.7	48.3	48.8	49.3	49.9	0.53
1803.	39.9	40.4	40.9	41.5	42.0	42.5	43.0	43.5	44.1	44.6	0.52
1802.	34.8	35.3	35.8	36.3	36.8	37.3	37.9	38.4	38.9	39.4	0.51
1801.	29.8	30.3	30.8	31.3	31.8	32.3	32.8	33.3	33.8	34.3	0.50
1800.	25.0	25.5	26.0	26.4	26.9	27.4	27.9	28.4	28.8	29.3	0.48
1799.	20.3	20.8	21.2	21.7	22.2	22.6	23.1	23.6	24.1	24.5	0.47
1798.	15.7	16.2	16.6	17.1	17.5	18.0	18.5	18.9	19.4	19.8	0.46
1797.	11.3	11.7	12.2	12.6	13.1	13.5	13.9	14.4	14.8	15.3	0.44
1796.	7.1	7.5	7.9	8.4	8.8	9.2	9.6	10.0	10.5	10.9	0.42
1795.	3.0	3.4	3.8	4.2	4.6	5.0	5.5	5.9	6.3	6.7	0.41
1794.			0.0	0.4	0.8	1.1	1.5	1.9	2.3	2.6	0.37

Detailed Operating Plan for 1997-98

Exhibit 13M - DUNCAN RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
576.68	1726.8										
576.38	1705.0	1707.2	1709.4	1711.6	1713.8	1715.8	1718.0	1720.2	1722.4	1724.6	2.18
576.07	1683.3	1685.5	1687.7	1689.9	1692.1	1694.0	1696.2	1698.4	1700.6	1702.8	2.18
575.77	1661.7	1663.9	1666.1	1668.1	1670.3	1672.5	1674.7	1676.9	1678.9	1681.1	2.15
575.46	1640.2	1642.4	1644.6	1646.6	1648.8	1651.0	1653.2	1655.4	1657.3	1659.5	2.15
575.16	1618.4	1620.6	1622.8	1625.0	1627.2	1629.2	1631.4	1633.6	1635.8	1638.0	2.18
574.85	1597.1	1599.3	1601.3	1603.5	1605.7	1607.7	1609.9	1612.1	1614.3	1616.2	2.13
574.55	1575.6	1577.8	1580.0	1582.0	1584.2	1586.4	1588.6	1590.8	1592.7	1594.9	2.15
574.24	1554.3	1556.5	1558.5	1560.7	1562.9	1564.8	1567.0	1569.2	1571.5	1573.4	2.13
573.94	1533.0	1535.2	1537.2	1539.4	1541.6	1543.6	1545.8	1548.0	1550.2	1552.1	2.13
573.63	1511.8	1514.0	1515.9	1518.1	1520.3	1522.3	1524.5	1526.7	1528.9	1530.8	2.13
573.33	1490.5	1492.7	1494.6	1496.8	1499.0	1501.0	1503.2	1505.4	1507.6	1509.6	2.13
573.03	1469.4	1471.6	1473.6	1475.8	1477.7	1479.9	1482.2	1484.1	1486.3	1488.3	2.10
572.72	1448.4	1450.6	1452.5	1454.7	1456.7	1458.9	1461.1	1463.1	1465.3	1467.2	2.10
572.42	1427.3	1429.5	1431.5	1433.7	1435.7	1437.9	1440.1	1442.0	1444.2	1446.2	2.10
572.11	1406.3	1408.5	1410.5	1412.7	1414.6	1416.8	1419.0	1421.0	1423.2	1425.1	2.10
571.81	1385.5	1387.5	1389.7	1391.6	1393.8	1395.8	1398.0	1399.9	1402.1	1404.1	2.08
571.50	1364.7	1366.7	1368.9	1370.8	1373.0	1375.0	1377.2	1379.1	1381.4	1383.3	2.08
571.20	1343.9	1345.9	1348.1	1350.0	1352.2	1354.2	1356.4	1358.4	1360.6	1362.5	2.08
570.89	1323.4	1325.3	1327.5	1329.5	1331.7	1333.6	1335.6	1337.8	1339.8	1342.0	2.06
570.59	1302.6	1304.5	1306.7	1308.7	1310.9	1312.8	1315.0	1317.0	1319.2	1321.2	2.08
570.28	1282.0	1284.0	1286.2	1288.1	1290.3	1292.3	1294.3	1296.5	1298.4	1300.6	2.06
569.98	1261.7	1263.7	1265.9	1267.8	1269.8	1271.7	1273.9	1275.9	1277.9	1280.1	2.03

Detailed Operating Plan for 1997-98

Exhibit 13M - DUNCAN RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
569.67	1241.2	1243.1	1245.3	1247.3	1249.5	1251.4	1253.4	1255.6	1257.6	1259.8	2.06
569.37	1220.9	1222.8	1225.0	1227.0	1228.9	1230.9	1233.1	1235.0	1237.0	1239.2	2.03
569.06	1200.5	1202.5	1204.7	1206.7	1208.6	1210.6	1212.8	1214.7	1216.7	1218.9	2.03
568.76	1180.2	1182.2	1184.4	1186.4	1188.3	1190.3	1192.5	1194.4	1196.4	1198.6	2.03
568.45	1160.2	1162.1	1164.1	1166.3	1168.3	1170.2	1172.2	1174.1	1176.3	1178.3	2.01
568.15	1140.1	1142.1	1144.0	1146.2	1148.2	1150.1	1152.1	1154.1	1156.3	1158.2	2.01
567.84	1120.1	1122.0	1124.0	1126.2	1128.1	1130.1	1132.0	1134.0	1136.2	1138.2	2.01
567.54	1100.2	1102.2	1104.2	1106.1	1108.1	1110.0	1112.2	1114.2	1116.1	1118.1	1.98
567.23	1080.4	1082.4	1084.3	1086.3	1088.2	1090.2	1092.4	1094.4	1096.3	1098.3	1.98
566.93	1060.6	1062.6	1064.5	1066.5	1068.4	1070.4	1072.6	1074.5	1076.5	1078.5	1.98
566.62	1040.8	1042.7	1044.7	1046.7	1048.6	1050.6	1052.8	1054.7	1056.7	1058.6	1.98
566.32	1021.2	1023.2	1025.1	1027.1	1029.0	1031.0	1033.0	1034.9	1036.9	1038.8	1.96
566.01	1001.6	1003.6	1005.6	1007.5	1009.5	1011.4	1013.4	1015.3	1017.3	1019.3	1.96
565.71	982.1	984.0	986.0	987.9	989.9	991.9	993.8	995.8	997.7	999.7	1.96
565.41	962.7	964.7	966.7	968.6	970.6	972.3	974.2	976.2	978.2	980.1	1.93
565.10	943.4	945.4	947.3	949.3	951.2	953.0	954.9	956.9	958.8	960.8	1.93
564.80	924.1	926.0	928.0	930.0	931.9	933.6	935.6	937.5	939.5	941.5	1.93
564.49	905.0	907.0	908.9	910.6	912.6	914.5	916.5	918.5	920.2	922.1	1.91
564.19	885.9	887.9	889.8	891.5	893.5	895.5	897.4	899.4	901.1	903.0	1.91
563.88	866.8	868.8	870.7	872.5	874.4	876.4	878.3	880.3	882.0	884.0	1.91
563.58	848.0	849.9	851.7	853.6	855.6	857.3	859.2	861.2	863.2	864.9	1.88
563.27	829.2	831.1	832.8	834.8	836.7	838.4	840.4	842.4	844.3	846.0	1.88
562.97	810.3	812.3	814.0	815.9	817.9	819.6	821.6	823.5	825.5	827.2	1.88
562.66	791.7	793.7	795.4	797.3	799.1	801.0	803.0	804.7	806.6	808.4	1.86
562.36	773.1	775.1	776.8	778.8	780.5	782.4	784.4	786.1	788.0	789.8	1.86

Detailed Operating Plan for 1997-98

Exhibit 13M - DUNCAN RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
562.05	754.8	756.5	758.4	760.2	762.1	763.8	765.8	767.5	769.5	771.2	1.83
561.75	736.2	738.1	739.9	741.8	743.5	745.5	747.4	749.1	751.1	752.8	1.86
561.44	718.1	719.8	721.7	723.5	725.4	727.1	728.8	730.8	732.5	734.5	1.81
561.14	699.7	701.4	703.4	705.1	707.1	708.8	710.7	712.4	714.4	716.1	1.83
560.83	681.6	683.3	685.3	687.0	689.0	690.7	692.4	694.3	696.1	698.0	1.81
560.53	663.5	665.2	667.2	668.9	670.9	672.6	674.3	676.2	678.0	679.9	1.81
560.22	645.7	647.4	649.3	651.0	652.8	654.5	656.4	658.1	659.8	661.8	1.79
559.92	627.8	629.5	631.5	633.2	634.9	636.6	638.6	640.3	642.0	643.9	1.79
559.61	610.2	611.9	613.6	615.6	617.3	619.0	620.7	622.4	624.4	626.1	1.76
559.31	592.6	594.3	596.0	597.9	599.7	601.4	603.1	604.8	606.8	608.5	1.76
559.00	575.0	576.7	578.4	580.3	582.0	583.8	585.5	587.2	589.1	590.9	1.76
558.70	557.6	559.3	561.0	562.7	564.4	566.1	568.1	569.8	571.5	573.2	1.74
558.39	540.2	541.9	543.6	545.3	547.1	548.8	550.7	552.4	554.2	555.9	1.74
558.09	523.1	524.8	526.5	528.2	529.9	531.6	533.4	535.1	536.8	538.5	1.71
557.79	506.0	507.7	509.4	511.1	512.8	514.5	516.2	517.9	519.7	521.4	1.71
557.48	489.1	490.8	492.5	494.2	495.9	497.4	499.1	500.8	502.5	504.2	1.69
557.18	472.2	473.9	475.6	477.3	479.0	480.5	482.2	483.9	485.7	487.4	1.69
556.87	455.3	457.0	458.7	460.5	462.2	463.6	465.3	467.1	468.8	470.5	1.69
556.57	438.7	440.4	442.1	443.6	445.3	447.0	448.7	450.4	451.9	453.6	1.66
556.26	422.3	424.0	425.5	427.2	428.9	430.4	432.1	433.8	435.5	437.0	1.64
555.96	405.9	407.6	409.1	410.8	412.5	414.0	415.7	417.4	419.1	420.6	1.64
555.65	389.5	391.2	392.7	394.4	396.1	397.6	399.3	401.0	402.7	404.2	1.64
555.35	373.4	375.1	376.5	378.2	379.7	381.4	383.1	384.6	386.3	387.8	1.61
555.04	357.4	358.9	360.6	362.1	363.8	365.3	367.0	368.5	370.2	371.6	1.59
554.74	341.5	343.0	344.7	346.2	347.9	349.4	351.1	352.6	354.3	355.7	1.59

Detailed Operating Plan for 1997-98

Exhibit 13M - DUNCAN RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
554.43	325.9	327.4	329.1	330.5	332.2	333.7	335.2	336.9	338.4	340.1	1.57
554.13	310.2	311.7	313.4	314.9	316.6	318.1	319.5	321.2	322.7	324.4	1.57
553.82	294.8	296.3	298.0	299.5	300.9	302.4	304.1	305.6	307.0	308.8	1.54
553.52	279.6	281.1	282.6	284.3	285.8	287.2	288.7	290.2	291.9	293.3	1.52
553.21	264.5	265.9	267.4	269.1	270.6	272.1	273.5	275.0	276.7	278.2	1.52
552.91	249.6	251.0	252.5	254.0	255.4	256.9	258.6	260.1	261.5	263.0	1.49
552.60	234.9	236.3	237.8	239.3	240.7	242.2	243.7	245.1	246.6	248.1	1.47
552.30	220.2	221.7	223.1	224.6	226.1	227.5	229.0	230.5	231.9	233.4	1.47
551.99	205.8	207.2	208.7	210.2	211.6	212.9	214.3	215.8	217.3	218.7	1.44
551.69	191.6	193.0	194.5	195.7	197.2	198.7	200.1	201.6	202.8	204.3	1.42
551.38	177.4	178.8	180.3	181.5	183.0	184.5	185.9	187.4	188.6	190.1	1.42
551.08	163.7	165.1	166.4	167.8	169.1	170.5	172.0	173.2	174.7	175.9	1.37
550.77	150.0	151.4	152.7	154.1	155.4	156.8	158.3	159.5	161.0	162.2	1.37
550.47	136.5	137.7	139.2	140.4	141.9	143.1	144.6	145.8	147.3	148.5	1.35
550.17	123.3	124.5	126.0	127.2	128.7	129.9	131.1	132.6	133.8	135.3	1.32
549.86	110.3	111.6	113.0	114.3	115.5	116.7	118.2	119.4	120.6	122.1	1.30
549.56	97.6	98.8	100.1	101.5	102.8	104.0	105.2	106.4	107.9	109.1	1.27
549.25	85.1	86.4	87.6	88.8	90.0	91.3	92.7	93.9	95.2	96.4	1.25
548.95	72.9	74.1	75.4	76.6	77.8	79.0	80.2	81.5	82.7	83.9	1.22
548.64	61.2	62.4	63.6	64.6	65.8	67.0	68.3	69.5	70.5	71.7	1.17
548.34	49.7	50.9	51.9	53.1	54.3	55.3	56.5	57.7	59.0	59.9	1.15
548.03	38.4	39.6	40.6	41.8	42.8	44.0	45.3	46.2	47.5	48.4	1.13
547.73	27.6	28.6	29.8	30.8	32.1	33.0	34.0	35.2	36.2	37.4	1.08
547.42	17.4	18.3	19.3	20.6	21.5	22.5	23.5	24.5	25.7	26.7	1.03
547.42	17.4	18.3	19.3	20.6	21.5	22.5	23.5	24.5	25.7	26.7	1.03
546.81			0.0	1.0	2.0	2.7	3.7	4.6	5.6	6.4	0.91

Detailed Operating Plan for 1997-98

Exhibit 14 - ARROW RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
1444.	3579.6										
1443.	3514.1	3520.6	3527.2	3533.7	3540.3	3546.8	3553.4	3559.9	3566.5	3573.0	6.55
1442.	3448.9	3455.4	3461.9	3468.5	3475.0	3481.5	3488.0	3494.5	3501.1	3507.6	6.52
1441.	3384.0	3390.5	3397.0	3403.5	3410.0	3416.4	3422.9	3429.4	3435.9	3442.4	6.49
1440.	3319.5	3325.9	3332.4	3338.8	3345.3	3351.7	3358.2	3364.6	3371.1	3377.5	6.45
1439.	3255.2	3261.6	3268.1	3274.5	3280.9	3287.3	3293.8	3300.2	3306.6	3313.1	6.43
1438.	3191.4	3197.8	3204.2	3210.5	3216.9	3223.3	3229.7	3236.1	3242.4	3248.8	6.38
1437.	3127.8	3134.2	3140.5	3146.9	3153.2	3159.6	3166.0	3172.3	3178.7	3185.0	6.36
1436.	3064.6	3070.9	3077.2	3083.6	3089.9	3096.2	3102.5	3108.8	3115.2	3121.5	6.32
1435.	3001.7	3008.0	3014.3	3020.6	3026.9	3033.1	3039.4	3045.7	3052.0	3058.3	6.29
1434.	2939.2	2945.4	2951.7	2957.9	2964.2	2970.4	2976.7	2982.9	2989.2	2995.4	6.25
1433.	2877.0	2883.2	2889.4	2895.7	2901.9	2908.1	2914.3	2920.5	2926.8	2933.0	6.22
1432.	2815.1	2821.3	2827.5	2833.7	2839.9	2846.0	2852.2	2858.4	2864.6	2870.8	6.19
1431.	2753.5	2759.7	2765.8	2772.0	2778.1	2784.3	2790.5	2796.6	2802.8	2808.9	6.16
1430.	2692.3	2698.4	2704.5	2710.7	2716.8	2722.9	2729.0	2735.1	2741.3	2747.4	6.12
1429.	2631.5	2637.6	2643.7	2649.7	2655.8	2661.9	2668.0	2674.1	2680.1	2686.2	6.08
1428.	2570.9	2577.0	2583.0	2589.1	2595.1	2601.2	2607.3	2613.3	2619.4	2625.4	6.06
1427.	2510.7	2516.7	2522.7	2528.8	2534.8	2540.8	2546.8	2552.8	2558.9	2564.9	6.02
1426.	2450.8	2456.8	2462.8	2468.8	2474.8	2480.7	2486.7	2492.7	2498.7	2504.7	5.99
1425.	2391.2	2397.2	2403.1	2409.1	2415.0	2421.0	2427.0	2432.9	2438.9	2444.8	5.96
1424.	2331.9	2337.8	2343.8	2349.7	2355.6	2361.5	2367.5	2373.4	2379.3	2385.3	5.93
1423.	2272.8	2278.7	2284.6	2290.5	2296.4	2302.3	2308.3	2314.2	2320.1	2326.0	5.91
1422.	2214.1	2220.0	2225.8	2231.7	2237.6	2243.4	2249.3	2255.2	2261.1	2266.9	5.87
1421.	2155.7	2161.5	2167.4	2173.2	2179.1	2184.9	2190.7	2196.6	2202.4	2208.3	5.84
1420.	2097.7	2103.5	2109.3	2115.1	2120.9	2126.7	2132.5	2138.3	2144.1	2149.9	5.80

Detailed Operating Plan for 1997-98

Exhibit 14 - ARROW RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
1419.	2040.1	2045.9	2051.6	2057.4	2063.1	2068.9	2074.7	2080.4	2086.2	2091.9	5.76
1418.	1982.9	1988.6	1994.3	2000.1	2005.8	2011.5	2017.2	2022.9	2028.7	2034.4	5.72
1417.	1926.1	1931.8	1937.5	1943.1	1948.8	1954.5	1960.2	1965.9	1971.5	1977.2	5.68
1416.	1869.6	1875.2	1880.9	1886.5	1892.2	1897.8	1903.5	1909.1	1914.8	1920.4	5.65
1415.	1813.5	1819.1	1824.7	1830.3	1835.9	1841.5	1847.2	1852.8	1858.4	1864.0	5.61
1414.	1757.8	1763.4	1768.9	1774.5	1780.1	1785.6	1791.2	1796.8	1802.4	1807.9	5.57
1413.	1702.4	1707.9	1713.5	1719.0	1724.6	1730.1	1735.6	1741.2	1746.7	1752.3	5.54
1412.	1647.4	1652.9	1658.4	1663.9	1669.4	1674.9	1680.4	1685.9	1691.4	1696.9	5.50
1411.	1592.7	1598.2	1603.6	1609.1	1614.6	1620.0	1625.5	1631.0	1636.5	1641.9	5.47
1410.	1538.4	1543.8	1549.3	1554.7	1560.1	1565.5	1571.0	1576.4	1581.8	1587.3	5.43
1409.	1484.5	1489.9	1495.3	1500.7	1506.1	1511.4	1516.8	1522.2	1527.6	1533.0	5.39
1408.	1430.9	1436.3	1441.6	1447.0	1452.3	1457.7	1463.1	1468.4	1473.8	1479.1	5.36
1407.	1377.7	1383.0	1388.3	1393.7	1399.0	1404.3	1409.6	1414.9	1420.3	1425.6	5.32
1406.	1324.7	1330.0	1335.3	1340.6	1345.9	1351.2	1356.5	1361.8	1367.1	1372.4	5.30
1405.	1272.1	1277.4	1282.6	1287.9	1293.1	1298.4	1303.7	1308.9	1314.2	1319.4	5.26
1404.	1219.5	1224.8	1230.0	1235.3	1240.5	1245.8	1251.1	1256.3	1261.6	1266.8	5.26
1403.	1167.3	1172.5	1177.7	1183.0	1188.2	1193.4	1198.6	1203.8	1209.1	1214.3	5.22
1402.	1115.4	1120.6	1125.8	1131.0	1136.2	1141.3	1146.5	1151.7	1156.9	1162.1	5.19
1401.	1063.9	1069.0	1074.2	1079.3	1084.5	1089.6	1094.8	1099.9	1105.1	1110.2	5.15
1400.	1012.8	1017.9	1023.0	1028.1	1033.2	1038.3	1043.5	1048.6	1053.7	1058.8	5.11
1399.	962.5	967.5	972.6	977.6	982.6	987.6	992.7	997.7	1002.7	1007.8	5.03
1398.	912.7	917.7	922.7	927.6	932.6	937.6	942.6	947.6	952.5	957.5	4.98
1397.	863.2	868.1	873.1	878.0	883.0	887.9	892.9	897.8	902.8	907.7	4.95
1396.	814.1	819.0	823.9	828.8	833.7	838.6	843.6	848.5	853.4	858.3	4.91
1395.	765.2	770.1	775.0	779.9	784.8	789.6	794.5	799.4	804.3	809.2	4.89

Detailed Operating Plan for 1997-98

Exhibit 14 - ARROW RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
1394.	716.2	721.1	726.0	730.9	735.8	740.7	745.6	750.5	755.4	760.3	4.90
1393.	667.5	672.4	677.2	682.1	687.0	691.8	696.7	701.6	706.5	711.3	4.87
1392.	619.3	624.1	628.9	633.8	638.6	643.4	648.2	653.0	657.9	662.7	4.82
1391.	571.5	576.3	581.1	585.8	590.6	595.4	600.2	605.0	609.7	614.5	4.78
1390.	524.2	528.9	533.7	538.4	543.1	547.8	552.6	557.3	562.0	566.8	4.73
1389.	477.9	482.5	487.2	491.8	496.4	501.0	505.7	510.3	514.9	519.6	4.63
1388.	432.3	436.9	441.4	446.0	450.5	455.1	459.7	464.2	468.8	473.3	4.56
1387.	387.2	391.7	396.2	400.7	405.2	409.7	414.3	418.8	423.3	427.8	4.51
1386.	342.6	347.1	351.5	356.0	360.4	364.9	369.4	373.8	378.3	382.7	4.46
1385.	298.5	302.9	307.3	311.7	316.1	320.5	325.0	329.4	333.8	338.2	4.41
1384.	254.6	259.0	263.4	267.8	272.2	276.5	280.9	285.3	289.7	294.1	4.39
1383.	211.2	215.5	219.9	224.2	228.6	232.9	237.2	241.6	245.9	250.3	4.34
1382.	168.4	172.7	177.0	181.2	185.5	189.8	194.1	198.4	202.6	206.9	4.28
1381.	126.1	130.3	134.6	138.8	143.0	147.2	151.5	155.7	159.9	164.2	4.23
1380.	84.3	88.5	92.7	96.8	101.0	105.2	109.4	113.6	117.7	121.9	4.18
1379.	43.2	47.3	51.4	55.5	59.6	63.7	67.9	72.0	76.1	80.2	4.11
1378.	2.7	6.7	10.8	14.8	18.9	22.9	27.0	31.0	35.1	39.1	4.05
1377.										0.0	2.70

Detailed Operating Plan for 1997-98

Exhibit 14M - ARROW RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	0	0.03	0.06	0.09	0.12	0.15	0.18	0.21	0.24	0.27	
440.13	8757.8										
439.83	8597.6	8613.5	8629.6	8645.6	8661.7	8677.6	8693.7	8709.7	8725.8	8741.7	16.03
439.52	8438.1	8454.0	8469.9	8486.0	8501.9	8517.8	8533.7	8549.6	8565.8	8581.7	15.95
439.22	8279.3	8295.2	8311.1	8327.0	8342.9	8358.6	8374.5	8390.4	8406.3	8422.2	15.88
438.91	8121.5	8137.1	8153.0	8168.7	8184.6	8200.3	8216.2	8231.8	8247.7	8263.4	15.78
438.61	7964.2	7979.8	7995.7	8011.4	8027.0	8042.7	8058.6	8074.3	8089.9	8105.8	15.73
438.30	7808.1	7823.7	7839.4	7854.8	7870.5	7886.1	7901.8	7917.4	7932.9	7948.5	15.61
438.00	7652.5	7668.1	7683.5	7699.2	7714.6	7730.3	7745.9	7761.3	7777.0	7792.4	15.56
437.69	7497.9	7513.3	7528.7	7544.3	7559.7	7575.2	7590.6	7606.0	7621.6	7637.1	15.46
437.39	7344.0	7359.4	7374.8	7390.2	7405.6	7420.8	7436.2	7451.6	7467.0	7482.4	15.39
437.08	7191.0	7206.2	7221.6	7236.8	7252.2	7267.4	7282.8	7298.0	7313.4	7328.5	15.29
436.78	7038.9	7054.0	7069.2	7084.6	7099.8	7115.0	7130.1	7145.3	7160.7	7175.9	15.22
436.47	6887.4	6902.6	6917.8	6932.9	6948.1	6963.0	6978.2	6993.4	7008.5	7023.7	15.14
436.17	6736.7	6751.9	6766.8	6782.0	6796.9	6812.1	6827.2	6842.2	6857.3	6872.3	15.07
435.86	6587.0	6601.9	6616.8	6632.0	6646.9	6661.8	6676.8	6691.7	6706.9	6721.8	14.97
435.56	6438.2	6453.2	6468.1	6482.8	6497.7	6512.6	6527.5	6542.5	6557.1	6572.1	14.88
435.26	6290.0	6304.9	6319.6	6334.5	6349.2	6364.1	6379.0	6393.7	6408.6	6423.3	14.83
434.95	6142.7	6157.4	6172.0	6187.0	6201.6	6216.3	6231.0	6245.7	6260.6	6275.3	14.73
434.65	5996.1	6010.8	6025.5	6040.2	6054.8	6069.3	6084.0	6098.6	6113.3	6128.0	14.66
434.34	5850.3	5865.0	5879.4	5894.1	5908.5	5923.2	5937.9	5952.3	5967.0	5981.4	14.58
434.04	5705.2	5719.7	5734.3	5748.8	5763.2	5777.6	5792.3	5806.8	5821.2	5835.9	14.51
433.73	5560.6	5575.1	5589.5	5603.9	5618.4	5632.8	5647.5	5661.9	5676.4	5690.8	14.46
433.43	5417.0	5431.5	5445.6	5460.1	5474.5	5488.7	5503.1	5517.6	5532.0	5546.2	14.36
433.12	5274.1	5288.3	5302.8	5317.0	5331.4	5345.6	5359.8	5374.2	5388.4	5402.8	14.29
432.82	5132.2	5146.4	5160.6	5174.8	5189.0	5203.2	5217.4	5231.6	5245.8	5259.9	14.19

Detailed Operating Plan for 1997-98

Exhibit 14M - ARROW RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	0	0.03	0.06	0.09	0.12	0.15	0.18	0.21	0.24	0.27	
432.51	4991.3	5005.5	5019.4	5033.6	5047.6	5061.8	5076.0	5089.9	5104.1	5118.0	14.09
432.21	4851.4	4865.3	4879.3	4893.4	4907.4	4921.3	4935.3	4949.2	4963.4	4977.4	13.99
431.90	4712.4	4726.3	4740.3	4754.0	4767.9	4781.9	4795.8	4809.8	4823.5	4837.4	13.90
431.60	4574.2	4587.9	4601.8	4615.5	4629.5	4643.2	4657.1	4670.8	4684.7	4698.5	13.82
431.29	4436.9	4450.6	4464.3	4478.0	4491.7	4505.4	4519.4	4533.1	4546.8	4560.5	13.73
430.99	4300.6	4314.3	4327.8	4341.5	4355.2	4368.6	4382.3	4396.1	4409.8	4423.2	13.63
430.68	4165.1	4178.5	4192.2	4205.7	4219.4	4232.9	4246.3	4260.0	4273.5	4287.2	13.55
430.38	4030.5	4044.0	4057.4	4070.9	4084.4	4097.8	4111.3	4124.7	4138.2	4151.6	13.46
430.07	3896.7	3910.2	3923.4	3936.8	3950.3	3963.5	3976.9	3990.4	4003.9	4017.1	13.38
429.77	3763.8	3777.1	3790.5	3803.7	3816.9	3830.2	3843.6	3856.8	3870.0	3883.5	13.29
429.46	3632.0	3645.2	3658.4	3671.6	3684.8	3697.8	3711.0	3724.2	3737.4	3750.6	13.19
429.16	3500.8	3514.1	3527.0	3540.2	3553.2	3566.4	3579.6	3592.6	3605.8	3618.8	13.11
428.85	3370.7	3383.6	3396.6	3409.8	3422.8	3435.8	3448.7	3461.7	3474.9	3487.9	13.02
428.55	3241.0	3254.0	3266.9	3279.9	3292.9	3305.8	3318.8	3331.8	3344.7	3357.7	12.97
428.24	3112.3	3125.3	3138.0	3151.0	3163.7	3176.7	3189.6	3202.4	3215.3	3228.0	12.87
427.94	2983.6	2996.6	3009.3	3022.3	3035.0	3048.0	3060.9	3073.7	3086.6	3099.4	12.87
427.64	2855.9	2868.6	2881.4	2894.3	2907.1	2919.8	2932.5	2945.2	2958.2	2970.9	12.77
427.33	2728.9	2741.7	2754.4	2767.1	2779.8	2792.3	2805.0	2817.7	2830.5	2843.2	12.70
427.03	2602.9	2615.4	2628.1	2640.6	2653.3	2665.8	2678.5	2691.0	2703.7	2716.2	12.60
426.72	2477.9	2490.4	2502.9	2515.3	2527.8	2540.3	2553.0	2565.5	2578.0	2590.5	12.50
426.42	2354.9	2367.1	2379.6	2391.8	2404.0	2416.3	2428.7	2441.0	2453.2	2465.7	12.31
426.11	2233.0	2245.2	2257.5	2269.5	2281.7	2293.9	2306.2	2318.4	2330.4	2342.6	12.18
425.81	2111.9	2123.9	2136.1	2148.1	2160.3	2172.3	2184.6	2196.6	2208.8	2220.8	12.11
425.50	1991.8	2003.8	2015.8	2027.7	2039.7	2051.7	2064.0	2075.9	2087.9	2099.9	12.01
425.20	1872.1	1884.1	1896.1	1908.1	1920.1	1931.8	1943.8	1955.8	1967.8	1979.8	11.96

Detailed Operating Plan for 1997-98

Exhibit 14M - ARROW RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	0	0.03	0.06	0.09	0.12	0.15	0.18	0.21	0.24	0.27	
424.89	1752.3	1764.2	1776.2	1788.2	1800.2	1812.2	1824.2	1836.2	1848.2	1860.1	11.99
424.59	1633.1	1645.1	1656.8	1668.8	1680.8	1692.6	1704.5	1716.5	1728.5	1740.3	11.91
424.28	1515.2	1526.9	1538.7	1550.7	1562.4	1574.1	1585.9	1597.6	1609.6	1621.4	11.79
423.98	1398.2	1410.0	1421.7	1433.2	1445.0	1456.7	1468.4	1480.2	1491.7	1503.4	11.69
423.67	1282.5	1294.0	1305.8	1317.2	1328.7	1340.2	1352.0	1363.5	1375.0	1386.7	11.57
423.37	1169.2	1180.5	1192.0	1203.2	1214.5	1225.7	1237.2	1248.5	1259.8	1271.3	11.33
423.06	1057.7	1068.9	1079.9	1091.2	1102.2	1113.4	1124.7	1135.7	1147.0	1158.0	11.16
422.76	947.3	958.3	969.3	980.4	991.4	1002.4	1013.6	1024.6	1035.6	1046.7	11.03
422.45	838.2	849.2	860.0	871.0	881.8	892.8	903.8	914.5	925.5	936.3	10.91
422.15	730.3	741.1	751.8	762.6	773.4	784.1	795.1	805.9	816.7	827.4	10.79
421.84	622.9	633.7	644.4	655.2	666.0	676.5	687.2	698.0	708.8	719.5	10.74
421.54	516.7	527.2	538.0	548.5	559.3	569.8	580.3	591.1	601.6	612.4	10.62
421.23	412.0	422.5	433.0	443.3	453.8	464.4	474.9	485.4	495.7	506.2	10.47
420.93	308.5	318.8	329.3	339.6	349.9	360.1	370.7	380.9	391.2	401.7	10.35
420.62	206.2	216.5	226.8	236.8	247.1	257.4	267.7	277.9	288.0	298.2	10.23
420.32	105.7	115.7	125.8	135.8	145.8	155.8	166.1	176.2	186.2	196.2	10.06
420.02	6.6	16.4	26.4	36.2	46.2	56.0	66.1	75.8	85.9	95.7	9.91
419.71										0.0	6.61

Detailed Operating Plan for 1997-98

Exhibit 15 - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2475.	10121.1										5.38
2474.	10067.5	10072.9	10078.2	10083.6	10088.9	10094.3	10099.7	10105.0	10110.4	10115.7	5.36
2473.	10014.1	10019.4	10024.8	10030.1	10035.5	10040.8	10046.1	10051.5	10056.8	10062.2	5.34
2472.	9960.8	9966.1	9971.5	9976.8	9982.1	9987.4	9992.8	9998.1	10003.4	10008.8	5.33
2471.	9907.8	9913.1	9918.4	9923.7	9929.0	9934.3	9939.6	9944.9	9950.2	9955.5	5.30
2470.	9854.8	9860.1	9865.4	9870.7	9876.0	9881.3	9886.6	9891.9	9897.2	9902.5	5.30
2469.	9802.1	9807.4	9812.6	9817.9	9823.2	9828.5	9833.7	9839.0	9844.3	9849.5	5.27
2468.	9749.5	9754.8	9760.0	9765.3	9770.5	9775.8	9781.1	9786.3	9791.6	9796.8	5.26
2467.	9697.1	9702.3	9707.6	9712.8	9718.1	9723.3	9728.5	9733.8	9739.0	9744.3	5.24
2466.	9644.8	9650.0	9655.3	9660.5	9665.7	9671.0	9676.2	9681.4	9686.6	9691.9	5.23
2465.	9592.7	9597.9	9603.1	9608.3	9613.5	9618.8	9624.0	9629.2	9634.4	9639.6	5.21
2464.	9540.8	9546.0	9551.2	9556.4	9561.6	9566.8	9571.9	9577.1	9582.3	9587.5	5.19
2463.	9489.0	9494.2	9499.4	9504.5	9509.7	9514.9	9520.1	9525.3	9530.4	9535.6	5.18
2462.	9437.4	9442.6	9447.7	9452.9	9458.0	9463.2	9468.4	9473.5	9478.7	9483.8	5.16
2461.	9386.0	9391.1	9396.3	9401.4	9406.6	9411.7	9416.8	9422.0	9427.1	9432.3	5.14
2460.	9334.8	9339.9	9345.0	9350.2	9355.3	9360.4	9365.5	9370.6	9375.8	9380.9	5.12
2459.	9283.7	9288.8	9293.9	9299.0	9304.1	9309.3	9314.4	9319.5	9324.6	9329.7	5.11
2458.	9232.8	9237.9	9243.0	9248.1	9253.2	9258.3	9263.3	9268.4	9273.5	9278.6	5.09
2457.	9182.0	9187.1	9192.2	9197.2	9202.3	9207.4	9212.5	9217.6	9222.6	9227.7	5.08
2456.	9131.4	9136.5	9141.5	9146.6	9151.6	9156.7	9161.8	9166.8	9171.9	9176.9	5.06
2455.	9081.0	9086.0	9091.1	9096.1	9101.2	9106.2	9111.2	9116.3	9121.3	9126.4	5.04

Detailed Operating Plan for 1997-98

Exhibit 15 - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2454.	9030.8	9035.8	9040.8	9045.9	9050.9	9055.9	9060.9	9065.9	9071.0	9076.0	5.02
2453.	8980.7	8985.7	8990.7	8995.7	9000.7	9005.8	9010.8	9015.8	9020.8	9025.8	5.01
2452.	8930.8	8935.8	8940.8	8945.8	8950.8	8955.8	8960.7	8965.7	8970.7	8975.7	4.99
2451.	8881.0	8886.0	8891.0	8895.9	8900.9	8905.9	8910.9	8915.9	8920.8	8925.8	4.98
2450.	8831.4	8836.4	8841.3	8846.3	8851.2	8856.2	8861.2	8866.1	8871.1	8876.0	4.96
2449.	8782.0	8786.9	8791.9	8796.8	8801.8	8806.7	8811.6	8816.6	8821.5	8826.5	4.94
2448.	8732.8	8737.7	8742.6	8747.6	8752.5	8757.4	8762.3	8767.2	8772.2	8777.1	4.92
2447.	8683.7	8688.6	8693.5	8698.4	8703.3	8708.3	8713.2	8718.1	8723.0	8727.9	4.91
2446.	8634.8	8639.7	8644.6	8649.5	8654.4	8659.3	8664.1	8669.0	8673.9	8678.8	4.89
2445.	8586.0	8590.9	8595.8	8600.6	8605.5	8610.4	8615.3	8620.2	8625.0	8629.9	4.88
2444.	8537.5	8542.4	8547.2	8552.1	8556.9	8561.8	8566.6	8571.5	8576.3	8581.2	4.85
2443.	8489.1	8493.9	8498.8	8503.6	8508.5	8513.3	8518.1	8523.0	8527.8	8532.7	4.84
2442.	8440.8	8445.6	8450.5	8455.3	8460.1	8465.0	8469.8	8474.6	8479.4	8484.3	4.83
2441.	8392.7	8397.5	8402.3	8407.1	8411.9	8416.8	8421.6	8426.4	8431.2	8436.0	4.81
2440.	8344.8	8349.6	8354.4	8359.2	8364.0	8368.8	8373.5	8378.3	8383.1	8387.9	4.79
2439.	8297.1	8301.9	8306.6	8311.4	8316.2	8321.0	8325.7	8330.5	8335.3	8340.0	4.77
2438.	8249.5	8254.3	8259.0	8263.8	8268.5	8273.3	8278.1	8282.8	8287.6	8292.3	4.76
2437.	8202.1	8206.8	8211.6	8216.3	8221.1	8225.8	8230.5	8235.3	8240.0	8244.8	4.74
2436.	8154.8	8159.5	8164.3	8169.0	8173.7	8178.5	8183.2	8187.9	8192.6	8197.4	4.73
2435.	8107.8	8112.5	8117.2	8121.9	8126.6	8131.3	8136.0	8140.7	8145.4	8150.1	4.70
2434.	8060.9	8065.6	8070.3	8075.0	8079.7	8084.4	8089.0	8093.7	8098.4	8103.1	4.69
2433.	8014.1	8018.8	8023.5	8028.1	8032.8	8037.5	8042.2	8046.9	8051.5	8056.2	4.68
2432.	7967.5	7972.2	7976.8	7981.5	7986.1	7990.8	7995.5	8000.1	8004.8	8009.4	4.66
2431.	7921.1	7925.7	7930.4	7935.0	7939.7	7944.3	7948.9	7953.6	7958.2	7962.9	4.64
2430.	7874.9	7879.5	7884.1	7888.8	7893.4	7898.0	7902.6	7907.2	7911.9	7916.5	4.62

Detailed Operating Plan for 1997-98

Exhibit 15 - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2429.	7828.8	7833.4	7838.0	7842.6	7847.2	7851.9	7856.5	7861.1	7865.7	7870.3	4.61
2428.	7782.9	7787.5	7792.1	7796.7	7801.3	7805.9	7810.4	7815.0	7819.6	7824.2	4.59
2427.	7737.2	7741.8	7746.3	7750.9	7755.5	7760.1	7764.6	7769.2	7773.8	7778.3	4.57
2426.	7691.6	7696.2	7700.7	7705.3	7709.8	7714.4	7719.0	7723.5	7728.1	7732.6	4.56
2425.	7646.2	7650.7	7655.3	7659.8	7664.4	7668.9	7673.4	7678.0	7682.5	7687.1	4.54
2424.	7600.9	7605.4	7610.0	7614.5	7619.0	7623.6	7628.1	7632.6	7637.1	7641.7	4.53
2423.	7555.9	7560.4	7564.9	7569.4	7573.9	7578.4	7582.9	7587.4	7591.9	7596.4	4.50
2422.	7511.0	7515.5	7520.0	7524.5	7529.0	7533.5	7537.9	7542.4	7546.9	7551.4	4.49
2421.	7466.2	7470.7	7475.2	7479.6	7484.1	7488.6	7493.1	7497.6	7502.0	7506.5	4.48
2420.	7421.6	7426.1	7430.5	7435.0	7439.4	7443.9	7448.4	7452.8	7457.3	7461.7	4.46
2419.	7377.2	7381.6	7386.1	7390.5	7395.0	7399.4	7403.8	7408.3	7412.7	7417.2	4.44
2418.	7333.0	7337.4	7341.8	7346.3	7350.7	7355.1	7359.5	7363.9	7368.4	7372.8	4.42
2417.	7288.9	7293.3	7297.7	7302.1	7306.5	7311.0	7315.4	7319.8	7324.2	7328.6	4.41
2416.	7245.0	7249.4	7253.8	7258.2	7262.6	7267.0	7271.3	7275.7	7280.1	7284.5	4.39
2415.	7201.3	7205.7	7210.0	7214.4	7218.8	7223.2	7227.5	7231.9	7236.3	7240.6	4.37
2414.	7157.7	7162.1	7166.4	7170.8	7175.1	7179.5	7183.9	7188.2	7192.6	7196.9	4.36
2413.	7114.3	7118.6	7123.0	7127.3	7131.7	7136.0	7140.3	7144.7	7149.0	7153.4	4.34
2412.	7071.0	7075.3	7079.7	7084.0	7088.3	7092.7	7097.0	7101.3	7105.6	7110.0	4.33
2411.	7028.0	7032.3	7036.6	7040.9	7045.2	7049.5	7053.8	7058.1	7062.4	7066.7	4.30
2410.	6985.1	6989.4	6993.7	6998.0	7002.3	7006.6	7010.8	7015.1	7019.4	7023.7	4.29
2409.	6942.3	6946.6	6950.9	6955.1	6959.4	6963.7	6968.0	6972.3	6976.5	6980.8	4.28
2408.	6899.7	6904.0	6908.2	6912.5	6916.7	6921.0	6925.3	6929.5	6933.8	6938.0	4.26
2407.	6857.3	6861.5	6865.8	6870.0	6874.3	6878.5	6882.7	6887.0	6891.2	6895.5	4.24
2406.	6815.1	6819.3	6823.5	6827.8	6832.0	6836.2	6840.4	6844.6	6848.9	6853.1	4.22
2405.	6773.0	6777.2	6781.4	6785.6	6789.8	6794.1	6798.3	6802.5	6806.7	6810.9	4.21

Detailed Operating Plan for 1997-98

Exhibit 15 - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2404.	6731.2	6735.3	6739.5	6743.7	6747.9	6752.1	6756.3	6760.5	6764.7	6768.9	4.20
2403.	6689.5	6693.7	6697.9	6702.0	6706.2	6710.4	6714.5	6718.7	6722.9	6727.1	4.17
2402.	6648.0	6652.2	6656.3	6660.5	6664.7	6668.8	6673.0	6677.1	6681.3	6685.5	4.16
2401.	6606.7	6610.9	6615.0	6619.2	6623.3	6627.4	6631.6	6635.7	6639.9	6644.0	4.14
2400.	6565.5	6569.7	6573.8	6577.9	6582.1	6586.2	6590.3	6594.5	6598.6	6602.7	4.13
2399.	6524.6	6528.7	6532.8	6536.9	6541.0	6545.1	6549.2	6553.3	6557.4	6561.5	4.11
2398.	6483.9	6487.9	6492.0	6496.1	6500.1	6504.2	6508.3	6512.4	6516.4	6520.5	4.07
2397.	6443.5	6447.6	6451.6	6455.6	6459.6	6463.7	6467.7	6471.8	6475.8	6479.8	4.03
2396.	6403.5	6407.5	6411.5	6415.5	6419.5	6423.5	6427.5	6431.5	6435.5	6439.5	4.00
2395.	6363.9	6367.8	6371.8	6375.7	6379.7	6383.7	6387.6	6391.6	6395.6	6399.5	3.96
2394.	6324.5	6328.5	6332.4	6336.3	6340.2	6344.2	6348.1	6352.0	6356.0	6359.9	3.93
2393.	6285.6	6289.5	6293.4	6297.2	6301.1	6305.0	6308.9	6312.8	6316.7	6320.6	3.90
2392.	6246.9	6250.8	6254.6	6258.5	6262.4	6266.2	6270.1	6274.0	6277.8	6281.7	3.87
2391.	6208.6	6212.4	6216.2	6220.0	6223.9	6227.7	6231.5	6235.4	6239.2	6243.1	3.83
2390.	6170.6	6174.4	6178.2	6181.9	6185.7	6189.5	6193.3	6197.2	6201.0	6204.8	3.80
2389.	6132.9	6136.7	6140.4	6144.2	6147.9	6151.7	6155.5	6159.2	6163.0	6166.8	3.77
2388.	6095.5	6099.2	6103.0	6106.7	6110.4	6114.2	6117.9	6121.7	6125.4	6129.2	3.74
2387.	6058.4	6062.1	6065.8	6069.5	6073.2	6076.9	6080.6	6084.3	6088.1	6091.8	3.71
2386.	6021.7	6025.3	6029.0	6032.7	6036.3	6040.0	6043.7	6047.4	6051.0	6054.7	3.68
2385.	5985.2	5988.8	5992.5	5996.1	5999.7	6003.4	6007.0	6010.7	6014.3	6018.0	3.65
2384.	5949.0	5952.6	5956.2	5959.8	5963.4	5967.0	5970.7	5974.3	5977.9	5981.6	3.62
2383.	5913.0	5916.6	5920.2	5923.8	5927.4	5931.0	5934.6	5938.2	5941.8	5945.4	3.59
2382.	5877.4	5881.0	5884.5	5888.1	5891.7	5895.2	5898.8	5902.3	5905.9	5909.5	3.56
2381.	5842.1	5845.6	5849.2	5852.7	5856.2	5859.7	5863.3	5866.8	5870.3	5873.9	3.53
2380.	5807.0	5810.5	5814.0	5817.5	5821.0	5824.5	5828.0	5831.6	5835.1	5838.6	3.51

Detailed Operating Plan for 1997-98

Exhibit 15 - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2379.	5772.2	5775.7	5779.1	5782.6	5786.1	5789.6	5793.0	5796.5	5800.0	5803.5	3.48
2378.	5737.6	5741.1	5744.5	5748.0	5751.4	5754.9	5758.3	5761.8	5765.3	5768.7	3.45
2377.	5703.4	5706.8	5710.2	5713.6	5717.1	5720.5	5723.9	5727.3	5730.8	5734.2	3.43
2376.	5669.3	5672.7	5676.1	5679.5	5682.9	5686.3	5689.7	5693.1	5696.5	5700.0	3.41
2375.	5635.5	5638.9	5642.3	5645.6	5649.0	5652.4	5655.8	5659.2	5662.5	5665.9	3.38
2374.	5602.0	5605.3	5608.7	5612.0	5615.4	5618.7	5622.1	5625.5	5628.8	5632.2	3.35
2373.	5568.7	5572.0	5575.4	5578.7	5582.0	5585.3	5588.7	5592.0	5595.3	5598.7	3.33
2372.	5535.6	5538.9	5542.2	5545.5	5548.8	5552.1	5555.4	5558.7	5562.1	5565.4	3.31
2371.	5502.8	5506.1	5509.3	5512.6	5515.9	5519.2	5522.5	5525.7	5529.0	5532.3	3.28
2370.	5470.2	5473.4	5476.7	5479.9	5483.2	5486.5	5489.7	5493.0	5496.3	5499.5	3.26
2369.	5437.8	5441.0	5444.3	5447.5	5450.7	5453.9	5457.2	5460.4	5463.7	5466.9	3.24
2368.	5405.6	5408.9	5412.1	5415.3	5418.5	5421.7	5424.9	5428.1	5431.4	5434.6	3.22
2367.	5373.7	5376.9	5380.1	5383.3	5386.5	5389.7	5392.9	5396.1	5399.3	5402.4	3.19
2366.	5342.0	5345.2	5348.3	5351.5	5354.7	5357.8	5361.0	5364.2	5367.4	5370.5	3.17
2365.	5310.5	5313.6	5316.8	5319.9	5323.0	5326.2	5329.3	5332.5	5335.7	5338.8	3.15
2364.	5279.1	5282.3	5285.4	5288.5	5291.6	5294.8	5297.9	5301.0	5304.2	5307.3	3.13
2363.	5248.0	5251.1	5254.2	5257.4	5260.5	5263.6	5266.7	5269.8	5272.9	5276.0	3.11
2362.	5217.1	5220.2	5223.3	5226.4	5229.5	5232.6	5235.7	5238.7	5241.8	5244.9	3.09
2361.	5186.4	5189.4	5192.5	5195.6	5198.7	5201.7	5204.8	5207.9	5211.0	5214.0	3.07
2360.	5155.9	5158.9	5162.0	5165.0	5168.0	5171.1	5174.2	5177.2	5180.3	5183.3	3.05
2359.	5125.5	5128.5	5131.6	5134.6	5137.6	5140.7	5143.7	5146.7	5149.8	5152.8	3.03
2358.	5095.4	5098.4	5101.4	5104.4	5107.4	5110.4	5113.4	5116.5	5119.5	5122.5	3.02
2357.	5065.4	5068.4	5071.4	5074.4	5077.4	5080.4	5083.4	5086.4	5089.4	5092.4	3.00
2356.	5035.6	5038.5	5041.5	5044.5	5047.5	5050.4	5053.4	5056.4	5059.4	5062.4	2.98
2355.	5005.9	5008.9	5011.9	5014.8	5017.8	5020.7	5023.7	5026.7	5029.6	5032.6	2.96

Detailed Operating Plan for 1997-98

Exhibit 15 - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2354.	4976.5	4979.4	4982.4	4985.3	4988.3	4991.2	4994.1	4997.1	5000.0	5003.0	2.94
2353.	4947.2	4950.1	4953.0	4956.0	4958.9	4961.8	4964.8	4967.7	4970.6	4973.6	2.93
2352.	4918.0	4920.9	4923.9	4926.8	4929.7	4932.6	4935.5	4938.4	4941.3	4944.3	2.91
2351.	4889.1	4892.0	4894.9	4897.8	4900.6	4903.5	4906.4	4909.3	4912.2	4915.1	2.90
2350.	4860.3	4863.1	4866.0	4868.9	4871.8	4874.6	4877.5	4880.4	4883.3	4886.2	2.88
2349.	4831.6	4834.4	4837.3	4840.2	4843.1	4845.9	4848.8	4851.7	4854.5	4857.4	2.87
2348.	4803.1	4805.9	4808.8	4811.6	4814.5	4817.3	4820.2	4823.0	4825.9	4828.7	2.85
2347.	4774.7	4777.5	4780.4	4783.2	4786.0	4788.9	4791.7	4794.6	4797.4	4800.2	2.84
2346.	4746.5	4749.3	4752.1	4755.0	4757.8	4760.6	4763.4	4766.2	4769.1	4771.9	2.82
2345.	4718.4	4721.2	4724.0	4726.8	4729.6	4732.4	4735.3	4738.1	4740.9	4743.7	2.81
2344.	4690.5	4693.3	4696.1	4698.8	4701.6	4704.4	4707.2	4710.0	4712.8	4715.6	2.79
2343.	4662.7	4665.4	4668.2	4671.0	4673.8	4676.5	4679.3	4682.1	4684.9	4687.7	2.78
2342.	4635.0	4637.8	4640.5	4643.3	4646.1	4648.8	4651.6	4654.4	4657.1	4659.9	2.77
2341.	4607.4	4610.2	4613.0	4615.7	4618.5	4621.2	4624.0	4626.7	4629.5	4632.2	2.76
2340.	4580.0	4582.8	4585.5	4588.2	4591.0	4593.7	4596.5	4599.2	4602.0	4604.7	2.74
2339.	4552.7	4555.4	4558.2	4560.9	4563.6	4566.4	4569.1	4571.8	4574.6	4577.3	2.73
2338.	4525.5	4528.2	4530.9	4533.6	4536.4	4539.1	4541.8	4544.5	4547.3	4550.0	2.72
2337.	4498.3	4501.0	4503.7	4506.5	4509.2	4511.9	4514.6	4517.3	4520.0	4522.8	2.72
2336.	4471.2	4473.9	4476.6	4479.3	4482.0	4484.7	4487.5	4490.2	4492.9	4495.6	2.71
2335.	4444.2	4446.9	4449.6	4452.3	4455.0	4457.7	4460.4	4463.1	4465.8	4468.5	2.70
2334.	4417.3	4420.0	4422.6	4425.3	4428.0	4430.7	4433.4	4436.1	4438.8	4441.5	2.69
2333.	4390.4	4393.1	4395.8	4398.4	4401.1	4403.8	4406.5	4409.2	4411.9	4414.6	2.69
2332.	4363.6	4366.3	4368.9	4371.6	4374.3	4377.0	4379.7	4382.3	4385.0	4387.7	2.68
2331.	4336.9	4339.6	4342.2	4344.9	4347.6	4350.2	4352.9	4355.6	4358.2	4360.9	2.67
2330.	4310.2	4312.9	4315.6	4318.2	4320.9	4323.6	4326.2	4328.9	4331.6	4334.2	2.66

Detailed Operating Plan for 1997-98

Exhibit 15 - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2329.	4283.7	4286.3	4289.0	4291.6	4294.3	4296.9	4299.6	4302.3	4304.9	4307.6	2.66
2328.	4257.2	4259.8	4262.5	4265.1	4267.8	4270.4	4273.1	4275.7	4278.4	4281.0	2.65
2327.	4230.8	4233.4	4236.1	4238.7	4241.3	4244.0	4246.6	4249.3	4251.9	4254.5	2.64
2326.	4204.5	4207.1	4209.7	4212.3	4215.0	4217.6	4220.2	4222.9	4225.5	4228.1	2.63
2325.	4178.2	4180.8	4183.4	4186.1	4188.7	4191.3	4193.9	4196.6	4199.2	4201.8	2.63
2324.	4152.0	4154.6	4157.2	4159.9	4162.5	4165.1	4167.7	4170.3	4173.0	4175.6	2.62
2323.	4125.9	4128.5	4131.2	4133.8	4136.4	4139.0	4141.6	4144.2	4146.8	4149.4	2.61
2322.	4099.9	4102.5	4105.1	4107.7	4110.3	4112.9	4115.5	4118.1	4120.7	4123.3	2.61
2321.	4074.0	4076.6	4079.1	4081.7	4084.3	4086.9	4089.5	4092.1	4094.7	4097.3	2.59
2320.	4048.1	4050.7	4053.3	4055.9	4058.4	4061.0	4063.6	4066.2	4068.8	4071.4	2.59
2319.	4022.3	4024.9	4027.5	4030.0	4032.6	4035.2	4037.8	4040.4	4042.9	4045.5	2.58

Detailed Operating Plan for 1997-98

EXhibit 15M - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
754.38	24762.3										13.16
754.08	24631.1	24644.4	24657.3	24670.5	24683.5	24696.7	24709.9	24722.9	24736.1	24749.1	13.11
753.77	24500.5	24513.5	24526.7	24539.6	24552.9	24565.8	24578.8	24592.0	24605.0	24618.2	13.06
753.47	24370.1	24383.1	24396.3	24409.2	24422.2	24435.2	24448.4	24461.4	24474.3	24487.5	13.04
753.16	24240.4	24253.4	24266.4	24279.3	24292.3	24305.3	24318.2	24331.2	24344.2	24357.1	12.97
752.86	24110.8	24123.7	24136.7	24149.7	24162.6	24175.6	24188.6	24201.5	24214.5	24227.5	12.97
752.55	23981.8	23994.8	24007.5	24020.5	24033.4	24046.4	24059.1	24072.1	24085.1	24097.8	12.89
752.25	23853.1	23866.1	23878.8	23891.8	23904.5	23917.5	23930.4	23943.2	23956.1	23968.9	12.87
751.94	23724.9	23737.6	23750.6	23763.3	23776.3	23789.0	23801.7	23814.7	23827.4	23840.4	12.82
751.64	23597.0	23609.7	23622.7	23635.4	23648.1	23661.1	23673.8	23686.5	23699.2	23712.2	12.80
751.33	23469.5	23482.2	23494.9	23507.7	23520.4	23533.4	23546.1	23558.8	23571.5	23584.2	12.75
751.03	23342.5	23355.2	23368.0	23380.7	23393.4	23406.1	23418.6	23431.3	23444.1	23456.8	12.70
750.72	23215.8	23228.5	23241.2	23253.7	23266.4	23279.2	23291.9	23304.6	23317.1	23329.8	12.67
750.42	23089.5	23102.3	23114.7	23127.5	23139.9	23152.7	23165.4	23177.9	23190.6	23203.1	12.62
750.11	22963.8	22976.3	22989.0	23001.5	23014.2	23026.7	23039.1	23051.9	23064.3	23077.1	12.58
749.81	22838.5	22851.0	22863.5	22876.2	22888.7	22901.2	22913.6	22926.1	22938.8	22951.3	12.53
749.50	22713.5	22726.0	22738.5	22750.9	22763.4	22776.1	22788.6	22801.1	22813.6	22826.0	12.50
749.20	22589.0	22601.4	22613.9	22626.4	22638.9	22651.4	22663.6	22676.1	22688.5	22701.0	12.45
748.90	22464.7	22477.2	22489.6	22501.9	22514.3	22526.8	22539.3	22551.8	22564.0	22576.5	12.43
748.59	22340.9	22353.4	22365.6	22378.1	22390.3	22402.8	22415.3	22427.5	22440.0	22452.2	12.38
748.29	22217.6	22229.8	22242.3	22254.5	22267.0	22279.2	22291.5	22303.9	22316.2	22328.7	12.33

Detailed Operating Plan for 1997-98

EXhibit 15M - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
747.98	22094.8	22107.0	22119.2	22131.7	22143.9	22156.2	22168.4	22180.6	22193.1	22205.3	12.28
747.68	21972.2	21984.4	21996.6	22008.9	22021.1	22033.6	22045.8	22058.1	22070.3	22082.5	12.26
747.37	21850.1	21862.3	21874.6	21886.8	21899.0	21911.3	21923.2	21935.5	21947.7	21959.9	12.21
747.07	21728.3	21740.5	21752.7	21764.7	21776.9	21789.2	21801.4	21813.6	21825.6	21837.9	12.18
746.76	21606.9	21619.1	21631.1	21643.4	21655.3	21667.6	21679.8	21691.8	21704.0	21716.0	12.14
746.46	21486.0	21498.0	21510.3	21522.3	21534.5	21546.5	21558.5	21570.7	21582.7	21594.9	12.09
746.15	21365.7	21377.7	21389.6	21401.9	21413.9	21425.9	21437.8	21449.8	21462.1	21474.1	12.04
745.85	21245.5	21257.5	21269.5	21281.5	21293.5	21305.7	21317.7	21329.7	21341.7	21353.7	12.01
745.54	21125.9	21137.9	21149.9	21161.9	21173.9	21185.8	21197.6	21209.6	21221.6	21233.6	11.96
745.24	21006.5	21018.5	21030.5	21042.2	21054.2	21066.2	21078.2	21090.2	21101.9	21113.9	11.94
744.93	20887.8	20899.8	20911.6	20923.6	20935.3	20947.3	20959.0	20971.0	20982.8	20994.8	11.87
744.63	20769.4	20781.2	20793.2	20804.9	20816.9	20828.6	20840.4	20852.4	20864.1	20876.1	11.84
744.32	20651.3	20663.0	20675.0	20686.7	20698.5	20710.5	20722.2	20734.0	20745.7	20757.7	11.82
744.02	20533.6	20545.3	20557.1	20568.8	20580.6	20592.5	20604.3	20616.0	20627.8	20639.5	11.77
743.71	20416.4	20428.1	20439.9	20451.6	20463.4	20475.1	20486.6	20498.3	20510.1	20521.8	11.72
743.41	20299.7	20311.4	20322.9	20334.7	20346.4	20358.2	20369.7	20381.4	20393.1	20404.6	11.67
743.10	20183.2	20195.0	20206.5	20218.2	20229.7	20241.5	20253.2	20264.7	20276.4	20287.9	11.65
742.80	20067.3	20078.8	20090.5	20102.0	20113.7	20125.2	20136.7	20148.5	20160.0	20171.7	11.60
742.49	19951.5	19963.0	19974.8	19986.3	19997.8	20009.5	20021.0	20032.5	20044.0	20055.8	11.57
742.19	19836.5	19848.0	19859.5	19871.0	19882.5	19894.0	19905.5	19917.0	19928.5	19940.0	11.50
741.88	19721.8	19733.3	19744.8	19756.3	19767.8	19779.3	19790.5	19802.0	19813.5	19825.0	11.47
741.58	19607.3	19618.8	19630.3	19641.5	19653.0	19664.5	19676.0	19687.5	19698.8	19710.3	11.45
741.28	19493.3	19504.8	19516.0	19527.5	19538.8	19550.3	19561.8	19573.0	19584.5	19595.8	11.40
740.97	19379.8	19391.0	19402.5	19413.8	19425.3	19436.5	19447.8	19459.3	19470.5	19482.0	11.35
740.67	19266.7	19278.0	19289.2	19300.7	19312.0	19323.2	19334.5	19345.8	19357.3	19368.5	11.30

Detailed Operating Plan for 1997-98

EXhibit 15M - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
740.36	19153.9	19165.2	19176.5	19187.7	19199.0	19210.5	19221.7	19233.0	19244.2	19255.5	11.28
740.06	19041.6	19052.9	19064.2	19075.4	19086.7	19097.9	19108.9	19120.2	19131.4	19142.7	11.23
739.75	18929.8	18941.1	18952.1	18963.4	18974.6	18985.9	18996.9	19008.1	19019.4	19030.4	11.18
739.45	18818.3	18829.5	18840.5	18851.8	18862.8	18874.1	18885.3	18896.3	18907.6	18918.6	11.16
739.14	18707.2	18718.2	18729.5	18740.5	18751.7	18762.7	18773.7	18785.0	18796.0	18807.3	11.11
738.84	18596.4	18607.4	18618.6	18629.6	18640.6	18651.9	18662.9	18673.9	18684.9	18696.2	11.08
738.53	18486.3	18497.3	18508.3	18519.3	18530.3	18541.3	18552.3	18563.3	18574.3	18585.4	11.01
738.23	18376.4	18387.4	18398.4	18409.4	18420.5	18431.5	18442.2	18453.2	18464.2	18475.3	10.99
737.92	18266.8	18277.8	18288.8	18299.6	18310.6	18321.6	18332.6	18343.6	18354.4	18365.4	10.96
737.62	18157.7	18168.7	18179.5	18190.5	18201.2	18212.2	18223.3	18234.0	18245.0	18255.8	10.91
737.31	18049.1	18059.8	18070.8	18081.6	18092.6	18103.4	18114.1	18125.1	18135.9	18146.9	10.86
737.01	17940.9	17951.7	17962.4	17973.5	17984.2	17995.0	18005.8	18016.5	18027.5	18038.3	10.81
736.70	17833.0	17843.8	17854.6	17865.3	17876.1	17887.1	17897.9	17908.6	17919.4	17930.2	10.79
736.40	17725.6	17736.4	17747.1	17757.9	17768.7	17779.4	17790.0	17800.7	17811.5	17822.3	10.74
736.09	17618.7	17629.5	17640.0	17650.8	17661.5	17672.3	17682.8	17693.6	17704.3	17714.9	10.69
735.79	17512.0	17522.8	17533.3	17544.1	17554.6	17565.4	17576.1	17586.7	17597.4	17607.9	10.67
735.48	17405.8	17416.4	17427.1	17437.7	17448.4	17458.9	17469.5	17480.2	17490.7	17501.5	10.62
735.18	17299.9	17310.4	17321.2	17331.7	17342.2	17353.0	17363.5	17374.0	17384.6	17395.3	10.59
734.87	17194.7	17205.2	17215.7	17226.3	17236.8	17247.3	17257.8	17268.3	17278.9	17289.4	10.52
734.57	17089.7	17100.3	17110.8	17121.3	17131.8	17142.3	17152.6	17163.1	17173.7	17184.2	10.50
734.26	16985.0	16995.6	17006.1	17016.3	17026.9	17037.4	17047.9	17058.4	17068.7	17079.2	10.47
733.96	16880.8	16891.3	16901.6	16912.1	16922.4	16932.9	16943.4	16953.7	16964.2	16974.5	10.42
733.66	16777.1	16787.3	16797.9	16808.1	16818.7	16828.9	16839.2	16849.7	16860.0	16870.5	10.37
733.35	16673.8	16684.1	16694.4	16704.9	16715.2	16725.4	16735.7	16746.0	16756.5	16766.8	10.32
733.05	16570.8	16581.1	16591.4	16601.6	16611.9	16622.4	16632.7	16643.0	16653.3	16663.5	10.30

Detailed Operating Plan for 1997-98

EXhibit 15M - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI											AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	-----	
732.74	16468.4	16478.7	16489.0	16499.2	16509.5	16519.8	16530.0	16540.3	16550.6	16560.8	-----	10.27
732.44	16366.6	16376.8	16387.0	16397.2	16407.4	16417.6	16427.8	16438.0	16448.2	16458.5	-----	10.21
732.13	16265.1	16275.3	16285.4	16295.6	16305.7	16315.9	16326.1	16336.3	16346.4	16356.6	-----	10.17
731.83	16164.1	16174.2	16184.3	16194.4	16204.5	16214.6	16224.8	16234.9	16245.1	16255.2	-----	10.13
731.52	16063.3	16073.4	16083.5	16093.6	16103.7	16113.8	16123.9	16134.0	16144.1	16154.2	-----	10.10
731.22	15963.0	15973.1	15983.1	15993.1	16003.2	16013.2	16023.3	16033.3	16043.4	16053.4	-----	10.05
730.91	15863.5	15873.4	15883.3	15893.3	15903.2	15913.2	15923.1	15933.1	15943.1	15953.1	-----	9.96
730.61	15764.8	15774.6	15784.5	15794.3	15804.2	15814.0	15823.9	15833.8	15843.7	15853.6	-----	9.87
730.30	15666.8	15676.6	15686.4	15696.2	15706.0	15715.7	15725.5	15735.3	15745.1	15755.0	-----	9.79
730.00	15569.8	15579.5	15589.2	15598.9	15608.6	15618.2	15628.0	15637.7	15647.4	15657.1	-----	9.70
729.69	15473.6	15483.2	15492.8	15502.4	15512.0	15521.6	15531.3	15540.9	15550.6	15560.2	-----	9.62
729.39	15378.3	15387.8	15397.3	15406.8	15416.4	15425.9	15435.4	15445.0	15454.5	15464.1	-----	9.53
729.08	15283.7	15293.1	15302.6	15312.0	15321.5	15330.9	15340.4	15349.9	15359.3	15368.8	-----	9.46
728.78	15189.9	15199.3	15208.6	15218.0	15227.3	15236.6	15246.0	15255.4	15264.8	15274.3	-----	9.37
728.47	15096.9	15106.2	15115.5	15124.8	15134.0	15143.3	15152.6	15162.0	15171.3	15180.6	-----	9.30
728.17	15004.7	15013.9	15023.1	15032.3	15041.5	15050.7	15060.0	15069.2	15078.5	15087.7	-----	9.22
727.86	14913.2	14922.4	14931.5	14940.6	14949.8	14958.9	14968.1	14977.3	14986.4	14995.6	-----	9.15
727.56	14822.5	14831.6	14840.6	14849.7	14858.7	14867.8	14876.8	14885.9	14895.0	14904.1	-----	9.07
727.25	14732.6	14741.5	14750.5	14759.5	14768.5	14777.4	14786.5	14795.5	14804.5	14813.5	-----	8.99
726.95	14643.4	14652.3	14661.2	14670.0	14678.9	14687.8	14696.8	14705.7	14714.7	14723.6	-----	8.92
726.64	14554.7	14563.6	14572.4	14581.3	14590.1	14599.0	14607.8	14616.7	14625.6	14634.5	-----	8.86
726.34	14466.8	14475.6	14484.4	14493.2	14502.0	14510.7	14519.5	14528.3	14537.1	14545.9	-----	8.79
726.04	14379.7	14388.4	14397.1	14405.8	14414.5	14423.2	14431.9	14440.7	14449.4	14458.1	-----	8.71
725.73	14293.3	14301.9	14310.6	14319.2	14327.8	14336.4	14345.1	14353.7	14362.4	14371.0	-----	8.64
725.43	14207.4	14215.9	14224.5	14233.1	14241.7	14250.3	14258.9	14267.5	14276.1	14284.7	-----	8.59

Detailed Operating Plan for 1997-98

EXhibit 15M - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
725.12	14122.2	14130.7	14139.2	14147.7	14156.2	14164.7	14173.3	14181.8	14190.3	14198.8	8.51
724.82	14037.7	14046.2	14054.6	14063.0	14071.5	14079.9	14088.4	14096.8	14105.3	14113.8	8.45
724.51	13953.8	13962.2	13970.6	13979.0	13987.4	13995.7	14004.1	14012.5	14020.9	14029.3	8.39
724.21	13870.5	13878.8	13887.2	13895.5	13903.8	13912.2	13920.5	13928.8	13937.2	13945.5	8.33
723.90	13787.9	13796.1	13804.4	13812.6	13820.9	13829.1	13837.4	13845.7	13854.0	13862.2	8.26
723.60	13705.8	13714.0	13722.2	13730.4	13738.6	13746.8	13755.0	13763.2	13771.4	13779.7	8.20
723.29	13624.4	13632.5	13640.7	13648.8	13656.9	13665.1	13673.2	13681.4	13689.5	13697.7	8.14
722.99	13543.4	13551.5	13559.6	13567.6	13575.7	13583.8	13591.9	13600.0	13608.1	13616.3	8.09
722.68	13463.1	13471.1	13479.2	13487.2	13495.2	13503.2	13511.3	13519.3	13527.3	13535.4	8.03
722.38	13383.4	13391.3	13399.3	13407.2	13415.2	13423.2	13431.2	13439.1	13447.1	13455.1	7.97
722.07	13304.2	13312.1	13319.9	13327.8	13335.7	13343.6	13351.5	13359.5	13367.5	13375.4	7.92
721.77	13225.5	13233.3	13241.2	13249.0	13256.8	13264.7	13272.6	13280.5	13288.4	13296.3	7.87
721.46	13147.3	13155.1	13162.9	13170.7	13178.5	13186.3	13194.2	13202.0	13209.8	13217.6	7.81
721.16	13069.7	13077.5	13085.2	13092.9	13100.7	13108.4	13116.2	13124.0	13131.8	13139.5	7.76
720.85	12992.6	13000.3	13008.0	13015.7	13023.3	13031.0	13038.8	13046.5	13054.2	13062.0	7.71
720.55	12915.9	12923.6	12931.2	12938.9	12946.5	12954.2	12961.9	12969.5	12977.2	12984.9	7.66
720.24	12839.9	12847.4	12855.0	12862.6	12870.2	12877.8	12885.4	12893.1	12900.7	12908.3	7.61
719.94	12764.2	12771.7	12779.3	12786.9	12794.4	12802.0	12809.5	12817.1	12824.7	12832.3	7.56
719.63	12689.0	12696.5	12704.0	12711.5	12719.1	12726.6	12734.1	12741.6	12749.1	12756.7	7.52
719.33	12614.3	12621.8	12629.2	12636.7	12644.2	12651.6	12659.1	12666.6	12674.0	12681.5	7.46
719.02	12540.1	12547.5	12554.9	12562.3	12569.7	12577.2	12584.6	12592.0	12599.5	12606.9	7.42
718.72	12466.3	12473.7	12481.0	12488.4	12495.8	12503.2	12510.5	12517.9	12525.3	12532.7	7.38
718.42	12392.9	12400.2	12407.6	12414.9	12422.3	12429.6	12436.9	12444.3	12451.6	12459.0	7.34
718.11	12320.0	12327.3	12334.6	12341.9	12349.1	12356.4	12363.7	12371.0	12378.3	12385.6	7.29
717.81	12247.5	12254.8	12262.0	12269.2	12276.5	12283.7	12291.0	12298.2	12305.5	12312.7	7.25

Detailed Operating Plan for 1997-98

EXhibit 15M - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
717.50	12175.5	12182.7	12189.9	12197.1	12204.3	12211.5	12218.7	12225.9	12233.1	12240.3	7.20
717.20	12103.7	12110.9	12118.1	12125.2	12132.4	12139.6	12146.8	12153.9	12161.1	12168.3	7.17
716.89	12032.5	12039.6	12046.7	12053.8	12061.0	12068.1	12075.2	12082.3	12089.5	12096.6	7.13
716.59	11961.6	11968.7	11975.8	11982.8	11989.9	11997.0	12004.1	12011.2	12018.3	12025.4	7.09
716.28	11891.1	11898.2	11905.2	11912.2	11919.3	11926.3	11933.4	11940.4	11947.5	11954.5	7.04
715.98	11820.9	11828.0	11835.0	11842.0	11849.0	11856.0	11863.1	11870.1	11877.1	11884.1	7.02
715.67	11751.2	11758.2	11765.1	11772.1	11779.1	11786.0	11793.0	11800.0	11807.0	11814.0	6.97
715.37	11681.8	11688.8	11695.7	11702.6	11709.5	11716.5	11723.4	11730.4	11737.3	11744.3	6.94
715.06	11612.8	11619.7	11626.6	11633.5	11640.4	11647.3	11654.2	11661.1	11668.0	11674.9	6.90
714.76	11544.0	11550.9	11557.8	11564.7	11571.5	11578.4	11585.3	11592.2	11599.0	11605.9	6.87
714.45	11475.7	11482.5	11489.4	11496.2	11503.0	11509.8	11516.7	11523.5	11530.4	11537.2	6.83
714.15	11407.7	11414.5	11421.3	11428.1	11434.9	11441.6	11448.5	11455.3	11462.1	11468.9	6.80
713.84	11340.0	11346.8	11353.5	11360.3	11367.1	11373.8	11380.6	11387.4	11394.1	11400.9	6.77
713.54	11272.6	11279.3	11286.0	11292.8	11299.5	11306.3	11313.0	11319.8	11326.5	11333.3	6.74
0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
712.93	11138.7	11145.4	11152.0	11158.7	11165.4	11172.1	11178.8	11185.4	11192.1	11198.8	6.68
712.62	11072.0	11078.7	11085.4	11092.0	11098.7	11105.3	11112.0	11118.7	11125.3	11132.0	6.66
712.32	11005.5	11012.2	11018.8	11025.5	11032.1	11038.8	11045.4	11052.1	11058.7	11065.4	6.65
712.01	10939.3	10945.9	10952.5	10959.1	10965.8	10972.4	10979.0	10985.6	10992.3	10998.9	6.63
711.71	10873.2	10879.8	10886.4	10893.0	10899.6	10906.2	10912.8	10919.4	10926.0	10932.7	6.61
711.40	10807.3	10813.9	10820.5	10827.0	10833.6	10840.2	10846.8	10853.4	10860.0	10866.6	6.59
711.10	10741.5	10748.1	10754.7	10761.2	10767.8	10774.4	10781.0	10787.5	10794.1	10800.7	6.58
710.80	10676.0	10682.5	10689.1	10695.6	10702.2	10708.7	10715.3	10721.8	10728.4	10734.9	6.55
710.49	10610.6	10617.1	10623.7	10630.2	10636.7	10643.3	10649.8	10656.3	10662.9	10669.4	6.53
710.19	10545.4	10552.0	10558.5	10565.0	10571.5	10578.0	10584.5	10591.1	10597.6	10604.1	6.52

Detailed Operating Plan for 1997-98

EXhibit 15M - MICA RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
709.88	10480.4	10486.9	10493.4	10499.9	10506.4	10512.9	10519.4	10525.9	10532.4	10538.9	6.50
709.58	10415.6	10422.1	10428.6	10435.1	10441.5	10448.0	10454.5	10461.0	10467.5	10473.9	6.48
709.27	10351.0	10357.5	10363.9	10370.4	10376.8	10383.3	10389.8	10396.2	10402.7	10409.2	6.46
708.97	10286.6	10293.0	10299.5	10305.9	10312.3	10318.8	10325.2	10331.7	10338.1	10344.6	6.44
708.66	10222.4	10228.8	10235.2	10241.6	10248.0	10254.4	10260.9	10267.3	10273.7	10280.2	6.43
708.36	10158.3	10164.7	10171.1	10177.5	10183.9	10190.3	10196.7	10203.1	10209.5	10215.9	6.40
708.05	10094.5	10100.9	10107.3	10113.6	10120.0	10126.4	10132.8	10139.2	10145.5	10151.9	6.38
707.75	10030.8	10037.1	10043.5	10049.9	10056.2	10062.6	10069.0	10075.4	10081.8	10088.1	6.37
707.44	9967.4	9973.7	9980.0	9986.4	9992.7	9999.0	10005.4	10011.7	10018.1	10024.4	6.34
707.14	9904.1	9910.4	9916.7	9923.1	9929.4	9935.7	9942.0	9948.4	9954.7	9961.0	6.33
706.83	9841.0	9847.3	9853.7	9859.8	9866.2	9872.5	9878.8	9885.1	9891.5	9897.8	6.31

Detailed Operating Plan for 1997-98

Exhibit 16 - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2459.	2510.5										
2458.	2487.1	2489.4	2491.8	2494.1	2496.5	2498.8	2501.1	2503.5	2505.8	2508.2	2.34
2457.	2463.8	2466.1	2468.5	2470.8	2473.1	2475.4	2477.8	2480.1	2482.4	2484.8	2.33
2456.	2440.6	2442.9	2445.2	2447.6	2449.9	2452.2	2454.5	2456.8	2459.2	2461.5	2.32
2455.	2417.5	2419.8	2422.1	2424.4	2426.7	2429.0	2431.4	2433.7	2436.0	2438.3	2.31
2454.	2394.5	2396.8	2399.1	2401.4	2403.7	2406.0	2408.3	2410.6	2412.9	2415.2	2.30
2453.	2371.6	2373.9	2376.2	2378.5	2380.8	2383.0	2385.3	2387.6	2389.9	2392.2	2.29
2452.	2348.8	2351.1	2353.4	2355.6	2357.9	2360.2	2362.5	2364.8	2367.0	2369.3	2.28
2451.	2326.1	2328.4	2330.6	2332.9	2335.2	2337.4	2339.7	2342.0	2344.3	2346.5	2.27
2450.	2303.4	2305.7	2307.9	2310.2	2312.5	2314.7	2317.0	2319.3	2321.6	2323.8	2.27
2449.	2280.9	2283.1	2285.4	2287.6	2289.9	2292.1	2294.4	2296.6	2298.9	2301.1	2.25
2448.	2258.4	2260.6	2262.9	2265.1	2267.4	2269.6	2271.9	2274.1	2276.4	2278.6	2.25
2447.	2236.1	2238.3	2240.6	2242.8	2245.0	2247.2	2249.5	2251.7	2253.9	2256.2	2.23
2446.	2213.8	2216.0	2218.3	2220.5	2222.7	2224.9	2227.2	2229.4	2231.6	2233.9	2.23
2445.	2191.7	2193.9	2196.1	2198.3	2200.5	2202.7	2205.0	2207.2	2209.4	2211.6	2.21
2444.	2170.0	2172.2	2174.3	2176.5	2178.7	2180.8	2183.0	2185.2	2187.4	2189.5	2.17
2443.	2147.7	2149.9	2152.2	2154.4	2156.6	2158.8	2161.1	2163.3	2165.5	2167.8	2.23
2442.	2125.9	2128.1	2130.3	2132.4	2134.6	2136.8	2139.0	2141.2	2143.3	2145.5	2.18
2441.	2104.1	2106.3	2108.5	2110.6	2112.8	2115.0	2117.2	2119.4	2121.5	2123.7	2.18
2440.	2082.5	2084.7	2086.8	2089.0	2091.1	2093.3	2095.5	2097.6	2099.8	2101.9	2.16
2439.	2061.0	2063.1	2065.3	2067.4	2069.6	2071.7	2073.9	2076.0	2078.2	2080.3	2.15
2438.	2039.5	2041.6	2043.8	2045.9	2048.1	2050.2	2052.4	2054.5	2056.7	2058.8	2.15
2437.	2018.2	2020.3	2022.5	2024.6	2026.7	2028.8	2031.0	2033.1	2035.2	2037.4	2.13
2436.	1997.0	1999.1	2001.2	2003.4	2005.5	2007.6	2009.7	2011.8	2014.0	2016.1	2.12
2435.	1975.9	1978.0	1980.1	1982.2	1984.3	1986.4	1988.6	1990.7	1992.8	1994.9	2.11

Detailed Operating Plan for 1997-98

Exhibit 16 - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2434.	1954.9	1957.0	1959.1	1961.2	1963.3	1965.4	1967.5	1969.6	1971.7	1973.8	2.10
2433.	1934.0	1936.1	1938.2	1940.3	1942.4	1944.4	1946.5	1948.6	1950.7	1952.8	2.09
2432.	1913.2	1915.3	1917.4	1919.4	1921.5	1923.6	1925.7	1927.8	1929.8	1931.9	2.08
2431.	1892.5	1894.6	1896.6	1898.7	1900.8	1902.8	1904.9	1907.0	1909.1	1911.1	2.07
2430.	1871.9	1874.0	1876.0	1878.1	1880.1	1882.2	1884.3	1886.3	1888.4	1890.4	2.06
2429.	1851.4	1853.4	1855.5	1857.5	1859.6	1861.6	1863.7	1865.7	1867.8	1869.8	2.05
2428.	1831.0	1833.0	1835.1	1837.1	1839.2	1841.2	1843.2	1845.3	1847.3	1849.4	2.04
2427.	1810.7	1812.7	1814.8	1816.8	1818.8	1820.8	1822.9	1824.9	1826.9	1829.0	2.03
2426.	1790.6	1792.6	1794.6	1796.6	1798.6	1800.6	1802.7	1804.7	1806.7	1808.7	2.01
2425.	1770.5	1772.5	1774.5	1776.5	1778.5	1780.5	1782.6	1784.6	1786.6	1788.6	2.01
2424.	1750.6	1752.6	1754.6	1756.6	1758.6	1760.5	1762.5	1764.5	1766.5	1768.5	1.99
2423.	1730.8	1732.8	1734.8	1736.7	1738.7	1740.7	1742.7	1744.7	1746.6	1748.6	1.98
2422.	1711.1	1713.1	1715.0	1717.0	1719.0	1720.9	1722.9	1724.9	1726.9	1728.8	1.97
2421.	1691.5	1693.5	1695.4	1697.4	1699.3	1701.3	1703.3	1705.2	1707.2	1709.1	1.96
2420.	1672.0	1673.9	1675.9	1677.8	1679.8	1681.7	1683.7	1685.6	1687.6	1689.5	1.95
2419.	1652.6	1654.5	1656.5	1658.4	1660.4	1662.3	1664.2	1666.2	1668.1	1670.1	1.94
2418.	1633.3	1635.2	1637.2	1639.1	1641.0	1642.9	1644.9	1646.8	1648.7	1650.7	1.93
2417.	1614.2	1616.1	1618.0	1619.9	1621.8	1623.7	1625.7	1627.6	1629.5	1631.4	1.91
2416.	1595.2	1597.1	1599.0	1600.9	1602.8	1604.7	1606.6	1608.5	1610.4	1612.3	1.90
2415.	1576.3	1578.2	1580.1	1582.0	1583.9	1585.7	1587.6	1589.5	1591.4	1593.3	1.89
2414.	1557.5	1559.4	1561.3	1563.1	1565.0	1566.9	1568.8	1570.7	1572.5	1574.4	1.88
2413.	1538.9	1540.8	1542.6	1544.5	1546.3	1548.2	1550.1	1551.9	1553.8	1555.6	1.86
2412.	1520.3	1522.2	1524.0	1525.9	1527.7	1529.6	1531.5	1533.3	1535.2	1537.0	1.86
2411.	1501.9	1503.7	1505.6	1507.4	1509.3	1511.1	1512.9	1514.8	1516.6	1518.5	1.84
2410.	1483.6	1485.4	1487.3	1489.1	1490.9	1492.7	1494.6	1496.4	1498.2	1500.1	1.83

Detailed Operating Plan for 1997-98

Exhibit 16 - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2409.	1465.5	1467.3	1469.1	1470.9	1472.7	1474.5	1476.4	1478.2	1480.0	1481.8	1.81
2408.	1447.6	1449.4	1451.2	1453.0	1454.8	1456.5	1458.3	1460.1	1461.9	1463.7	1.79
2407.	1429.7	1431.5	1433.3	1435.1	1436.9	1438.6	1440.4	1442.2	1444.0	1445.8	1.79
2406.	1412.1	1413.9	1415.6	1417.4	1419.1	1420.9	1422.7	1424.4	1426.2	1427.9	1.76
2405.	1394.6	1396.3	1398.1	1399.8	1401.6	1403.3	1405.1	1406.8	1408.6	1410.3	1.75
2404.	1377.4	1379.1	1380.8	1382.6	1384.3	1386.0	1387.7	1389.4	1391.2	1392.9	1.72
2403.	1360.3	1362.0	1363.7	1365.4	1367.1	1368.8	1370.6	1372.3	1374.0	1375.7	1.71
2402.	1343.3	1345.0	1346.7	1348.4	1350.1	1351.8	1353.5	1355.2	1356.9	1358.6	1.70
2401.	1326.6	1328.3	1329.9	1331.6	1333.3	1334.9	1336.6	1338.3	1340.0	1341.6	1.67
2400.	1310.0	1311.7	1313.3	1315.0	1316.6	1318.3	1320.0	1321.6	1323.3	1324.9	1.66
2399.	1293.6	1295.2	1296.9	1298.5	1300.2	1301.8	1303.4	1305.1	1306.7	1308.4	1.64
2398.	1277.3	1278.9	1280.6	1282.2	1283.8	1285.4	1287.1	1288.7	1290.3	1292.0	1.63
2397.	1261.2	1262.8	1264.4	1266.0	1267.6	1269.2	1270.9	1272.5	1274.1	1275.7	1.61
2396.	1245.2	1246.8	1248.4	1250.0	1251.6	1253.2	1254.8	1256.4	1258.0	1259.6	1.60
2395.	1229.4	1231.0	1232.6	1234.1	1235.7	1237.3	1238.9	1240.5	1242.0	1243.6	1.58
2394.	1213.7	1215.3	1216.8	1218.4	1220.0	1221.5	1223.1	1224.7	1226.3	1227.8	1.57
2393.	1198.1	1199.7	1201.2	1202.8	1204.3	1205.9	1207.5	1209.0	1210.6	1212.1	1.56
2392.	1182.8	1184.3	1185.9	1187.4	1188.9	1190.4	1192.0	1193.5	1195.0	1196.6	1.53
2391.	1167.5	1169.0	1170.6	1172.1	1173.6	1175.1	1176.7	1178.2	1179.7	1181.3	1.53
2390.	1152.4	1153.9	1155.4	1156.9	1158.4	1159.9	1161.5	1163.0	1164.5	1166.0	1.51
2389.	1137.4	1138.9	1140.4	1141.9	1143.4	1144.9	1146.4	1147.9	1149.4	1150.9	1.50
2388.	1122.5	1124.0	1125.5	1127.0	1128.5	1129.9	1131.4	1132.9	1134.4	1135.9	1.49
2387.	1107.7	1109.2	1110.7	1112.1	1113.6	1115.1	1116.6	1118.1	1119.5	1121.0	1.48
2386.	1093.0	1094.5	1095.9	1097.4	1098.9	1100.3	1101.8	1103.3	1104.8	1106.2	1.47
2385.	1078.4	1079.9	1081.3	1082.8	1084.2	1085.7	1087.2	1088.6	1090.1	1091.5	1.46

Detailed Operating Plan for 1997-98

Exhibit 16 - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2384.	1063.8	1065.3	1066.7	1068.2	1069.6	1071.1	1072.6	1074.0	1075.5	1076.9	1.46
2383.	1049.3	1050.7	1052.2	1053.6	1055.1	1056.5	1058.0	1059.4	1060.9	1062.3	1.45
2382.	1034.9	1036.3	1037.8	1039.2	1040.7	1042.1	1043.5	1045.0	1046.4	1047.9	1.44
2381.	1020.6	1022.0	1023.5	1024.9	1026.3	1027.7	1029.2	1030.6	1032.0	1033.5	1.43
2380.	1006.3	1007.7	1009.2	1010.6	1012.0	1013.4	1014.9	1016.3	1017.7	1019.2	1.43
2379.	992.2	993.6	995.0	996.4	997.8	999.2	1000.7	1002.1	1003.5	1004.9	1.41
2378.	978.1	979.5	980.9	982.3	983.7	985.1	986.6	988.0	989.4	990.8	1.41
2377.	964.1	965.5	966.9	968.3	969.7	971.1	972.5	973.9	975.3	976.7	1.40
2376.	950.2	951.6	953.0	954.4	955.8	957.1	958.5	959.9	961.3	962.7	1.39
2375.	936.3	937.7	939.1	940.5	941.9	943.2	944.6	946.0	947.4	948.8	1.39
2374.	922.5	923.9	925.3	926.6	928.0	929.4	930.8	932.2	933.5	934.9	1.38
2373.	908.8	910.2	911.5	912.9	914.3	915.6	917.0	918.4	919.8	921.1	1.37
2372.	895.2	896.6	897.9	899.3	900.6	902.0	903.4	904.7	906.1	907.4	1.36
2371.	881.6	883.0	884.3	885.7	887.0	888.4	889.8	891.1	892.5	893.8	1.36
2370.	868.1	869.4	870.8	872.1	873.5	874.8	876.2	877.5	878.9	880.2	1.35
2369.	854.7	856.0	857.4	858.7	860.1	861.4	862.7	864.1	865.4	866.8	1.34
2368.	841.3	842.6	844.0	845.3	846.7	848.0	849.3	850.7	852.0	853.4	1.34
2367.	828.1	829.4	830.7	832.1	833.4	834.7	836.0	837.3	838.7	840.0	1.32
2366.	815.0	816.3	817.6	818.9	820.2	821.5	822.9	824.2	825.5	826.8	1.31
2365.	801.9	803.2	804.5	805.8	807.1	808.4	809.8	811.1	812.4	813.7	1.31
2364.	788.9	790.2	791.5	792.8	794.1	795.4	796.7	798.0	799.3	800.6	1.30
2363.	776.0	777.3	778.6	779.9	781.2	782.4	783.7	785.0	786.3	787.6	1.29
2362.	763.2	764.5	765.8	767.0	768.3	769.6	770.9	772.2	773.4	774.7	1.28
2361.	750.5	751.8	753.0	754.3	755.6	756.8	758.1	759.4	760.7	761.9	1.27
2360.	737.9	739.2	740.4	741.7	742.9	744.2	745.5	746.7	748.0	749.2	1.26

Detailed Operating Plan for 1997-98

Exhibit 16 - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2359.	725.3	726.6	727.8	729.1	730.3	731.6	732.9	734.1	735.4	736.6	1.26
2358.	712.8	714.0	715.3	716.5	717.8	719.0	720.3	721.5	722.8	724.0	1.25
2357.	700.4	701.6	702.9	704.1	705.4	706.6	707.8	709.1	710.3	711.6	1.24
2356.	688.0	689.2	690.5	691.7	693.0	694.2	695.4	696.7	697.9	699.2	1.24
2355.	675.7	676.9	678.2	679.4	680.6	681.8	683.1	684.3	685.5	686.8	1.23
2354.	663.5	664.7	665.9	667.2	668.4	669.6	670.8	672.0	673.3	674.5	1.22
2353.	651.4	652.6	653.8	655.0	656.2	657.4	658.7	659.9	661.1	662.3	1.21
2352.	639.3	640.5	641.7	642.9	644.1	645.3	646.6	647.8	649.0	650.2	1.21
2351.	627.3	628.5	629.7	630.9	632.1	633.3	634.5	635.7	636.9	638.1	1.20
2350.	615.3	616.5	617.7	618.9	620.1	621.3	622.5	623.7	624.9	626.1	1.20
2349.	603.4	604.6	605.8	607.0	608.2	609.3	610.5	611.7	612.9	614.1	1.19
2348.	591.6	592.8	594.0	595.1	596.3	597.5	598.7	599.9	601.0	602.2	1.18
2347.	579.8	581.0	582.2	583.3	584.5	585.7	586.9	588.1	589.2	590.4	1.18
2346.	568.1	569.3	570.4	571.6	572.8	573.9	575.1	576.3	577.5	578.6	1.17
2345.	556.5	557.7	558.8	560.0	561.1	562.3	563.5	564.6	565.8	566.9	1.16
2344.	544.9	546.1	547.2	548.4	549.5	550.7	551.9	553.0	554.2	555.3	1.16
2343.	533.4	534.5	535.7	536.8	538.0	539.1	540.3	541.4	542.6	543.7	1.15
2342.	521.9	523.0	524.2	525.3	526.5	527.6	528.8	529.9	531.1	532.2	1.15
2341.	510.5	511.6	512.8	513.9	515.1	516.2	517.3	518.5	519.6	520.8	1.14
2340.	499.2	500.3	501.5	502.6	503.7	504.8	506.0	507.1	508.2	509.4	1.13
2339.	488.0	489.1	490.2	491.4	492.5	493.6	494.7	495.8	497.0	498.1	1.12
2338.	476.7	477.8	479.0	480.1	481.2	482.3	483.5	484.6	485.7	486.9	1.13
2337.	465.6	466.7	467.8	468.9	470.0	471.1	472.3	473.4	474.5	475.6	1.11
2336.	454.5	455.6	456.7	457.8	458.9	460.0	461.2	462.3	463.4	464.5	1.11
2335.	443.5	444.6	445.7	446.8	447.9	449.0	450.1	451.2	452.3	453.4	1.10

Detailed Operating Plan for 1997-98

Exhibit 16 - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2334.	432.6	433.7	434.8	435.9	437.0	438.0	439.1	440.2	441.3	442.4	1.09
2333.	421.7	422.8	423.9	425.0	426.1	427.1	428.2	429.3	430.4	431.5	1.09
2332.	410.8	411.9	413.0	414.1	415.2	416.2	417.3	418.4	419.5	420.6	1.09
2331.	400.1	401.2	402.2	403.3	404.4	405.4	406.5	407.6	408.7	409.7	1.07
2330.	389.3	390.4	391.5	392.5	393.6	394.7	395.8	396.9	397.9	399.0	1.08
2329.	378.7	379.8	380.8	381.9	382.9	384.0	385.1	386.1	387.2	388.2	1.06
2328.	368.2	369.2	370.3	371.3	372.4	373.4	374.5	375.5	376.6	377.6	1.05
2327.	357.8	358.8	359.9	360.9	362.0	363.0	364.0	365.1	366.1	367.2	1.04
2326.	347.4	348.4	349.5	350.5	351.6	352.6	353.6	354.7	355.7	356.8	1.04
2325.	337.1	338.1	339.2	340.2	341.2	342.2	343.3	344.3	345.3	346.4	1.03
2324.	327.0	328.0	329.0	330.0	331.0	332.0	333.1	334.1	335.1	336.1	1.01
2323.	316.9	317.9	318.9	319.9	320.9	321.9	323.0	324.0	325.0	326.0	1.01
2322.	306.9	307.9	308.9	309.9	310.9	311.9	312.9	313.9	314.9	315.9	1.00
2321.	297.0	298.0	299.0	300.0	301.0	301.9	302.9	303.9	304.9	305.9	0.99
2320.	287.2	288.2	289.2	290.1	291.1	292.1	293.1	294.1	295.0	296.0	0.98
2319.	277.5	278.5	279.4	280.4	281.4	282.3	283.3	284.3	285.3	286.2	0.97
2318.	267.8	268.8	269.7	270.7	271.7	272.6	273.6	274.6	275.6	276.5	0.97
2317.	258.2	259.2	260.1	261.1	262.0	263.0	264.0	264.9	265.9	266.8	0.96
2316.	248.7	249.6	250.6	251.5	252.5	253.4	254.4	255.3	256.3	257.2	0.95
2315.	239.1	240.1	241.0	242.0	242.9	243.9	244.9	245.8	246.8	247.7	0.96
2314.	229.7	230.6	231.6	232.5	233.5	234.4	235.3	236.3	237.2	238.2	0.94
2313.	220.3	221.2	222.2	223.1	224.1	225.0	225.9	226.9	227.8	228.8	0.94
2312.	210.9	211.8	212.8	213.7	214.7	215.6	216.5	217.5	218.4	219.4	0.94
2311.	201.6	202.5	203.5	204.4	205.3	206.2	207.2	208.1	209.0	210.0	0.93
2310.	192.3	193.2	194.2	195.1	196.0	196.9	197.9	198.8	199.7	200.7	0.93

Detailed Operating Plan for 1997-98

Exhibit 16 - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN FEET	1000 SFD										AVERAGE DIFFERENCE PER TENTH FT
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
2309.	183.1	184.0	184.9	185.9	186.8	187.7	188.6	189.5	190.5	191.4	0.92
2308.	174.0	174.9	175.8	176.7	177.6	178.5	179.5	180.4	181.3	182.2	0.91
2307.	164.9	165.8	166.7	167.6	168.5	169.4	170.4	171.3	172.2	173.1	0.91
2306.	155.9	156.8	157.7	158.6	159.5	160.4	161.3	162.2	163.1	164.0	0.90
2305.	146.9	147.8	148.7	149.6	150.5	151.4	152.3	153.2	154.1	155.0	0.90
2304.	138.1	139.0	139.9	140.7	141.6	142.5	143.4	144.3	145.1	146.0	0.88
2303.	129.3	130.2	131.1	131.9	132.8	133.7	134.6	135.5	136.3	137.2	0.88
2302.	120.5	121.4	122.3	123.1	124.0	124.9	125.8	126.7	127.5	128.4	0.88
2301.	111.8	112.7	113.5	114.4	115.3	116.1	117.0	117.9	118.8	119.6	0.87
2300.	103.2	104.1	104.9	105.8	106.6	107.5	108.4	109.2	110.1	110.9	0.86
2299.	99.2	99.6	100.0	100.4	100.8	101.2	101.6	102.0	102.4	102.8	0.40
2298.	86.2	87.5	88.8	90.1	91.4	92.7	94.0	95.3	96.6	97.9	1.30
2297.	81.6	82.1	82.5	83.0	83.4	83.9	84.4	84.8	85.3	85.7	0.46
2296.	69.7	70.9	72.1	73.3	74.5	75.6	76.8	78.0	79.2	80.4	1.19
2295.	61.5	62.3	63.1	64.0	64.8	65.6	66.4	67.2	68.1	68.9	0.82
2294.	53.5	54.3	55.1	55.9	56.7	57.5	58.3	59.1	59.9	60.7	0.80
2293.	45.6	46.4	47.2	48.0	48.8	49.5	50.3	51.1	51.9	52.7	0.79
2292.	39.2	39.8	40.5	41.1	41.8	42.4	43.0	43.7	44.3	45.0	0.64
2291.	30.0	30.9	31.8	32.8	33.7	34.6	35.5	36.4	37.4	38.3	0.92
2290.	22.4	23.2	23.9	24.7	25.4	26.2	27.0	27.7	28.5	29.2	0.76
2289.	14.8	15.6	16.3	17.1	17.8	18.6	19.4	20.1	20.9	21.6	0.76
2288.	7.4	8.1	8.9	9.6	10.4	11.1	11.8	12.6	13.3	14.1	0.74
2287.	0.0	0.7	1.5	2.2	3.0	3.7	4.4	5.2	5.9	6.7	0.74

Detailed Operating Plan for 1997-98

Exhibit 16M - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
749.50	6142.2										
749.20	6084.9	6090.6	6096.4	6102.1	6107.9	6113.6	6119.2	6125.1	6130.7	6136.6	5.73
748.90	6027.9	6033.6	6039.4	6045.1	6050.7	6056.3	6062.2	6067.8	6073.4	6079.3	5.70
748.59	5971.2	5976.8	5982.4	5988.3	5993.9	5999.6	6005.2	6010.8	6016.7	6022.3	5.68
748.29	5914.7	5920.3	5925.9	5931.5	5937.2	5942.8	5948.7	5954.3	5959.9	5965.5	5.65
747.98	5858.4	5864.0	5869.6	5875.3	5880.9	5886.5	5892.1	5897.8	5903.4	5909.0	5.63
747.68	5802.4	5808.0	5813.6	5819.2	5824.9	5830.2	5835.9	5841.5	5847.1	5852.8	5.60
747.37	5746.6	5752.2	5757.8	5763.2	5768.8	5774.5	5780.1	5785.7	5791.1	5796.7	5.58
747.07	5691.0	5696.7	5702.0	5707.7	5713.3	5718.7	5724.3	5729.9	5735.6	5740.9	5.55
746.76	5635.5	5641.1	5646.5	5652.1	5657.8	5663.1	5668.8	5674.4	5680.0	5685.4	5.55
746.46	5580.4	5585.8	5591.5	5596.8	5602.5	5607.9	5613.5	5618.9	5624.5	5629.9	5.50
746.15	5525.4	5530.8	5536.4	5541.8	5547.4	5552.8	5558.4	5563.8	5569.4	5574.8	5.50
745.85	5470.8	5476.2	5481.9	5487.2	5492.6	5498.0	5503.6	5509.0	5514.4	5520.0	5.46
745.54	5416.3	5421.7	5427.3	5432.7	5438.1	5443.4	5449.1	5454.5	5459.8	5465.5	5.46
745.24	5362.2	5367.6	5373.0	5378.4	5383.7	5389.1	5394.8	5400.1	5405.5	5410.9	5.41
744.93	5309.1	5314.5	5319.6	5325.0	5330.4	5335.5	5340.9	5346.3	5351.7	5356.8	5.31
744.63	5254.6	5259.9	5265.6	5271.0	5276.3	5281.7	5287.3	5292.7	5298.1	5303.7	5.46
744.32	5201.2	5206.6	5212.0	5217.1	5222.5	5227.9	5233.3	5238.7	5243.8	5249.2	5.33
744.02	5147.9	5153.3	5158.7	5163.8	5169.2	5174.6	5179.9	5185.3	5190.5	5195.8	5.33
743.71	5095.0	5100.4	5105.6	5110.9	5116.1	5121.5	5126.9	5132.0	5137.4	5142.5	5.28
743.41	5042.4	5047.6	5053.0	5058.1	5063.5	5068.6	5074.0	5079.1	5084.5	5089.7	5.26
743.10	4989.8	4995.0	5000.4	5005.5	5010.9	5016.0	5021.4	5026.5	5031.9	5037.1	5.26
742.80	4937.7	4942.9	4948.2	4953.4	4958.5	4963.7	4969.0	4974.2	4979.3	4984.7	5.21
742.49	4885.9	4891.0	4896.1	4901.5	4906.7	4911.8	4916.9	4922.1	4927.5	4932.6	5.19
742.19	4834.2	4839.4	4844.5	4849.7	4854.8	4859.9	4865.3	4870.4	4875.6	4880.7	5.16

Detailed Operating Plan for 1997-98

Exhibit 16M - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
741.88	4782.9	4788.0	4793.1	4798.3	4803.4	4808.5	4813.7	4818.8	4824.0	4829.1	5.14
741.58	4731.7	4736.9	4742.0	4747.1	4752.3	4757.2	4762.3	4767.4	4772.6	4777.7	5.11
741.28	4680.8	4686.0	4691.1	4696.0	4701.1	4706.3	4711.4	4716.6	4721.4	4726.6	5.09
740.97	4630.2	4635.3	4640.2	4645.4	4650.5	4655.4	4660.5	4665.7	4670.8	4675.7	5.06
740.67	4579.8	4584.9	4589.8	4595.0	4599.9	4605.0	4610.1	4615.0	4620.2	4625.1	5.04
740.36	4529.6	4534.5	4539.7	4544.6	4549.7	4554.6	4559.7	4564.6	4569.8	4574.7	5.02
740.06	4479.7	4484.6	4489.8	4494.6	4499.8	4504.7	4509.6	4514.7	4519.6	4524.7	4.99
739.75	4430.1	4435.0	4440.1	4445.0	4449.9	4454.8	4459.9	4464.8	4469.7	4474.8	4.97
739.45	4380.9	4385.8	4390.7	4395.6	4400.5	4405.3	4410.5	4415.4	4420.3	4425.2	4.92
739.14	4331.7	4336.6	4341.5	4346.4	4351.3	4356.2	4361.3	4366.2	4371.1	4376.0	4.92
738.84	4283.0	4287.9	4292.8	4297.7	4302.6	4307.2	4312.1	4317.0	4321.9	4326.8	4.87
738.53	4234.6	4239.5	4244.4	4249.0	4253.9	4258.8	4263.7	4268.6	4273.2	4278.1	4.84
738.23	4186.4	4191.3	4195.9	4200.8	4205.7	4210.4	4215.2	4220.1	4225.0	4229.7	4.82
737.92	4138.4	4143.3	4148.0	4152.9	4157.5	4162.4	4167.3	4171.9	4176.8	4181.5	4.80
737.62	4090.7	4095.4	4100.3	4104.9	4109.8	4114.4	4119.3	4124.0	4128.9	4133.5	4.77
737.31	4043.3	4047.9	4052.8	4057.4	4062.3	4067.0	4071.6	4076.5	4081.2	4086.1	4.75
737.01	3996.0	4000.7	4005.6	4010.2	4014.9	4019.5	4024.4	4029.1	4033.7	4038.6	4.72
736.70	3949.3	3954.0	3958.6	3963.2	3967.9	3972.5	3977.4	3982.1	3986.7	3991.4	4.67
736.40	3902.8	3907.5	3912.1	3916.8	3921.4	3926.1	3930.7	3935.4	3940.0	3944.7	4.65
736.09	3856.6	3861.2	3865.9	3870.5	3875.2	3879.6	3884.2	3888.9	3893.5	3898.2	4.62
735.79	3810.6	3815.2	3819.9	3824.3	3828.9	3833.6	3838.2	3842.9	3847.3	3851.9	4.60
735.48	3765.1	3769.7	3774.1	3778.8	3783.2	3787.8	3792.5	3796.9	3801.5	3805.9	4.55
735.18	3719.6	3724.2	3728.6	3733.3	3737.7	3742.3	3747.0	3751.4	3756.0	3760.4	4.55
734.87	3674.5	3679.0	3683.6	3688.0	3692.7	3697.1	3701.5	3706.1	3710.5	3715.2	4.50
734.57	3629.8	3634.2	3638.8	3643.2	3647.6	3652.0	3656.7	3661.1	3665.5	3670.1	4.48

Detailed Operating Plan for 1997-98

Exhibit 16M - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
734.26	3585.5	3589.9	3594.3	3598.7	3603.1	3607.5	3612.2	3616.6	3621.0	3625.4	4.43
733.96	3541.7	3546.1	3550.5	3554.9	3559.3	3563.5	3567.9	3572.3	3576.7	3581.1	4.38
733.66	3497.9	3502.3	3506.7	3511.1	3515.5	3519.7	3524.1	3528.5	3532.9	3537.3	4.38
733.35	3454.8	3459.2	3463.4	3467.8	3472.0	3476.4	3480.8	3484.9	3489.3	3493.5	4.31
733.05	3412.0	3416.2	3420.6	3424.8	3429.2	3433.3	3437.7	3441.9	3446.3	3450.4	4.28
732.74	3369.9	3374.1	3378.3	3382.7	3386.8	3391.0	3395.1	3399.3	3403.7	3407.9	4.21
732.44	3328.1	3332.3	3336.4	3340.6	3344.7	3348.9	3353.3	3357.5	3361.6	3365.8	4.18
732.13	3286.5	3290.7	3294.8	3299.0	3303.2	3307.3	3311.5	3315.6	3319.8	3324.0	4.16
731.83	3245.7	3249.8	3253.7	3257.9	3262.1	3266.0	3270.1	3274.3	3278.4	3282.4	4.09
731.52	3205.0	3209.2	3213.1	3217.3	3221.2	3225.4	3229.5	3233.4	3237.6	3241.5	4.06
731.22	3164.9	3168.8	3173.0	3176.9	3181.1	3185.0	3188.9	3193.1	3197.0	3201.1	4.01
730.91	3125.0	3129.0	3133.1	3137.0	3140.9	3144.9	3149.0	3152.9	3156.8	3161.0	3.99
730.61	3085.7	3089.6	3093.5	3097.4	3101.3	3105.2	3109.4	3113.3	3117.2	3121.1	3.94
730.30	3046.5	3050.4	3054.3	3058.3	3062.2	3066.1	3070.0	3073.9	3077.8	3081.7	3.91
730.00	3007.9	3011.8	3015.7	3019.3	3023.3	3027.2	3031.1	3035.0	3038.7	3042.6	3.87
729.69	2969.4	2973.4	2977.0	2980.9	2984.9	2988.5	2992.4	2996.4	3000.3	3003.9	3.84
729.39	2931.3	2935.2	2938.9	2942.8	2946.4	2950.4	2954.3	2957.9	2961.9	2965.5	3.82
729.08	2893.8	2897.5	2901.4	2905.1	2908.8	2912.4	2916.3	2920.0	2923.7	2927.6	3.74
728.78	2856.4	2860.1	2864.0	2867.7	2871.3	2875.0	2878.9	2882.6	2886.3	2890.2	3.74
728.47	2819.5	2823.1	2826.8	2830.5	2834.1	2837.8	2841.7	2845.4	2849.1	2852.7	3.69
728.17	2782.8	2786.4	2790.1	2793.8	2797.4	2801.1	2804.8	2808.5	2812.1	2815.8	3.67
727.86	2746.3	2750.0	2753.6	2757.3	2761.0	2764.4	2768.1	2771.8	2775.4	2779.1	3.65
727.56	2710.1	2713.8	2717.4	2720.9	2724.5	2728.2	2731.9	2735.5	2739.0	2742.6	3.62
727.25	2674.1	2677.8	2681.2	2684.9	2688.6	2692.0	2695.7	2699.3	2703.0	2706.4	3.60
726.95	2638.4	2642.1	2645.5	2649.2	2652.6	2656.3	2659.9	2663.4	2667.0	2670.5	3.57

Detailed Operating Plan for 1997-98

Exhibit 16M - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
726.64	2602.7	2606.4	2609.8	2613.5	2616.9	2620.6	2624.2	2627.6	2631.3	2634.7	3.57
726.34	2567.2	2570.6	2574.3	2577.7	2581.4	2584.8	2588.5	2591.9	2595.6	2599.0	3.55
726.04	2532.0	2535.4	2539.1	2542.5	2546.2	2549.6	2553.0	2556.7	2560.1	2563.8	3.52
725.73	2497.0	2500.4	2504.1	2507.5	2510.9	2514.4	2518.0	2521.5	2524.9	2528.6	3.50
725.43	2462.0	2465.4	2469.1	2472.5	2476.0	2479.4	2483.1	2486.5	2489.9	2493.6	3.50
725.12	2427.5	2430.9	2434.4	2437.8	2441.2	2444.6	2448.3	2451.7	2455.2	2458.6	3.45
724.82	2393.0	2396.4	2399.9	2403.3	2406.7	2410.1	2413.8	2417.2	2420.7	2424.1	3.45
724.51	2358.8	2362.2	2365.6	2369.0	2372.5	2375.9	2379.3	2382.7	2386.2	2389.6	3.43
724.21	2324.8	2328.2	2331.6	2335.0	2338.5	2341.6	2345.1	2348.5	2351.9	2355.3	3.40
723.90	2290.8	2294.2	2297.6	2301.0	2304.5	2307.6	2311.1	2314.5	2317.9	2321.3	3.40
723.60	2257.0	2260.4	2263.8	2267.0	2270.4	2273.9	2277.3	2280.7	2283.9	2287.3	3.38
723.29	2223.5	2226.9	2230.1	2233.5	2236.9	2240.1	2243.5	2247.0	2250.4	2253.6	3.35
722.99	2190.2	2193.6	2196.8	2200.2	2203.4	2206.8	2210.3	2213.4	2216.9	2220.0	3.33
722.68	2156.9	2160.3	2163.5	2167.0	2170.1	2173.6	2177.0	2180.2	2183.6	2186.8	3.33
722.38	2123.9	2127.1	2130.5	2133.7	2137.1	2140.3	2143.7	2146.9	2150.3	2153.5	3.30
722.07	2091.1	2094.3	2097.7	2100.9	2104.3	2107.5	2110.7	2114.1	2117.3	2120.7	3.28
721.77	2058.3	2061.5	2064.9	2068.1	2071.5	2074.7	2077.9	2081.3	2084.5	2087.9	3.28
721.46	2026.0	2029.2	2032.4	2035.8	2039.0	2042.2	2045.4	2048.5	2052.0	2055.1	3.23
721.16	1994.0	1997.2	2000.3	2003.5	2006.7	2009.9	2013.3	2016.5	2019.7	2022.8	3.21
720.85	1961.9	1965.1	1968.3	1971.5	1974.7	1977.8	1981.3	1984.4	1987.6	1990.8	3.21
720.55	1930.1	1933.3	1936.5	1939.7	1942.8	1946.0	1949.2	1952.4	1955.6	1958.7	3.18
720.24	1898.6	1901.7	1904.9	1908.1	1911.3	1914.2	1917.4	1920.6	1923.8	1926.9	3.16
719.94	1867.2	1870.4	1873.6	1876.5	1879.7	1882.9	1886.1	1889.3	1892.2	1895.4	3.13
719.63	1836.2	1839.4	1842.3	1845.5	1848.7	1851.6	1854.8	1857.9	1861.1	1864.1	3.11
719.33	1805.3	1808.5	1811.5	1814.6	1817.6	1820.8	1823.9	1826.9	1830.1	1833.0	3.08

Detailed Operating Plan for 1997-98

Exhibit 16M - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
719.02	1774.5	1777.7	1780.6	1783.8	1786.8	1789.9	1793.1	1796.0	1799.2	1802.2	3.08
718.72	1743.9	1746.9	1750.1	1753.0	1756.2	1759.1	1762.3	1765.2	1768.4	1771.3	3.06
718.42	1713.6	1716.5	1719.7	1722.7	1725.8	1728.8	1731.7	1734.9	1737.8	1741.0	3.03
718.11	1683.3	1686.2	1689.4	1692.3	1695.5	1698.4	1701.4	1704.5	1707.5	1710.7	3.03
717.81	1653.2	1656.1	1659.3	1662.2	1665.2	1668.1	1671.3	1674.2	1677.1	1680.3	3.01
717.50	1623.3	1626.3	1629.2	1632.4	1635.3	1638.2	1641.2	1644.1	1647.3	1650.2	2.98
717.20	1593.7	1596.7	1599.6	1602.5	1605.5	1608.4	1611.6	1614.5	1617.4	1620.4	2.96
716.89	1564.1	1567.0	1570.0	1572.9	1575.9	1578.8	1582.0	1584.9	1587.8	1590.8	2.96
716.59	1534.8	1537.7	1540.6	1543.6	1546.5	1549.4	1552.4	1555.3	1558.2	1561.2	2.94
716.28	1505.4	1508.3	1511.3	1514.2	1517.1	1520.1	1523.0	1525.9	1528.9	1531.8	2.94
715.98	1476.3	1479.2	1482.2	1485.1	1488.0	1490.7	1493.6	1496.6	1499.5	1502.5	2.91
715.67	1447.4	1450.3	1453.3	1456.0	1458.9	1461.8	1464.8	1467.7	1470.4	1473.3	2.89
715.37	1418.5	1421.5	1424.4	1427.1	1430.0	1433.0	1435.9	1438.8	1441.5	1444.5	2.89
715.06	1389.9	1392.8	1395.5	1398.5	1401.4	1404.1	1407.0	1410.0	1412.9	1415.6	2.86
714.76	1361.5	1364.5	1367.2	1370.1	1372.8	1375.7	1378.7	1381.4	1384.3	1387.0	2.84
714.45	1333.2	1336.1	1338.8	1341.7	1344.4	1347.3	1350.3	1353.0	1355.9	1358.6	2.84
714.15	1305.0	1307.7	1310.6	1313.3	1316.3	1319.0	1321.9	1324.6	1327.5	1330.2	2.81
713.84	1276.9	1279.6	1282.5	1285.2	1288.1	1290.8	1293.8	1296.5	1299.4	1302.1	2.81
713.54	1249.0	1251.7	1254.6	1257.3	1260.2	1262.9	1265.6	1268.6	1271.3	1274.2	2.79
713.23	1221.3	1224.0	1227.0	1229.7	1232.4	1235.0	1238.0	1240.7	1243.4	1246.3	2.76
712.93	1193.9	1196.6	1199.3	1202.3	1205.0	1207.6	1210.3	1213.0	1216.0	1218.7	2.74
712.62	1166.3	1169.0	1171.9	1174.6	1177.3	1180.0	1182.9	1185.6	1188.3	1191.2	2.76
712.32	1139.1	1141.8	1144.5	1147.2	1149.9	1152.6	1155.5	1158.2	1160.9	1163.6	2.72
712.01	1112.0	1114.7	1117.4	1120.1	1122.7	1125.4	1128.4	1131.1	1133.8	1136.4	2.72
711.71	1085.1	1087.8	1090.4	1093.1	1095.8	1098.5	1101.2	1103.9	1106.6	1109.3	2.69

Detailed Operating Plan for 1997-98

Exhibit 16M - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
711.40	1058.4	1061.1	1063.8	1066.5	1069.2	1071.6	1074.3	1077.0	1079.7	1082.4	2.67
711.10	1031.7	1034.4	1037.1	1039.8	1042.5	1044.9	1047.6	1050.3	1053.0	1055.7	2.67
710.80	1005.1	1007.8	1010.4	1013.1	1015.8	1018.3	1021.0	1023.7	1026.3	1029.0	2.67
710.49	978.9	981.6	984.0	986.7	989.4	991.9	994.5	997.2	999.9	1002.4	2.62
710.19	952.5	955.2	957.8	960.3	963.0	965.7	968.4	971.1	973.5	976.2	2.64
709.88	926.5	929.2	931.7	934.4	936.8	939.5	942.2	944.6	947.3	949.8	2.59
709.58	900.8	903.3	906.0	908.4	911.1	913.6	916.3	918.7	921.4	923.8	2.57
709.27	875.4	877.8	880.5	883.0	885.7	888.1	890.6	893.3	895.7	898.4	2.54
708.97	849.9	852.4	855.1	857.5	860.2	862.7	865.1	867.8	870.3	872.9	2.54
708.66	824.7	827.2	829.9	832.3	834.8	837.2	839.9	842.4	844.8	847.5	2.52
708.36	800.0	802.5	804.9	807.4	809.8	812.3	815.0	817.4	819.9	822.3	2.47
708.05	775.3	777.8	780.2	782.7	785.1	787.6	790.3	792.7	795.1	797.6	2.47
707.75	750.9	753.3	755.8	758.2	760.6	763.1	765.5	768.0	770.4	772.9	2.45
707.44	726.6	729.1	731.5	734.0	736.4	738.6	741.1	743.5	746.0	748.4	2.42
707.14	702.7	705.1	707.6	709.8	712.2	714.7	717.1	719.5	721.7	724.2	2.40
706.83	678.9	681.4	683.6	686.0	688.5	690.7	693.1	695.6	698.0	700.2	2.37
706.53	655.2	657.6	659.8	662.3	664.7	666.9	669.4	671.8	674.3	676.5	2.37
706.22	631.7	634.2	636.4	638.8	641.0	643.5	645.9	648.1	650.6	652.8	2.35
705.92	608.5	610.7	613.1	615.3	617.8	620.0	622.4	624.6	627.1	629.3	2.32
705.61	585.0	587.4	589.6	592.1	594.3	596.7	599.2	601.4	603.8	606.0	2.35
705.31	562.0	564.2	566.6	568.8	571.3	573.5	575.7	578.1	580.3	582.8	2.30
705.00	539.0	541.2	543.6	545.8	548.3	550.5	552.7	555.1	557.3	559.8	2.30
704.70	516.0	518.2	520.6	522.8	525.3	527.5	529.7	532.1	534.3	536.8	2.30
704.39	493.2	495.4	497.9	500.1	502.3	504.5	506.9	509.1	511.3	513.8	2.28
704.09	470.5	472.7	475.1	477.3	479.5	481.7	484.2	486.4	488.6	491.0	2.28

Detailed Operating Plan for 1997-98

Exhibit 16M - LIBBY RESERVOIR CAPACITY TABLE

ELEVATION IN METERS	SI										AVERAGE DIFFERENCE PER 3/100 M
	.00	.03	.06	.09	.12	.15	.18	.21	.24	.27	
703.78	448.0	450.2	452.4	454.8	457.0	459.2	461.4	463.6	466.1	468.3	2.25
703.48	425.7	427.9	430.1	432.3	434.5	436.7	439.2	441.4	443.6	445.8	2.23
703.18	403.4	405.6	407.8	410.1	412.3	414.5	416.9	419.1	421.3	423.5	2.23
702.87	381.4	383.6	385.8	388.0	390.2	392.4	394.6	396.8	399.0	401.2	2.20
702.57	359.4	361.6	363.8	366.0	368.2	370.4	372.6	374.8	377.0	379.2	2.20
702.26	337.9	340.1	342.3	344.2	346.4	348.6	350.8	353.0	355.0	357.2	2.15
701.96	316.3	318.5	320.7	322.7	324.9	327.1	329.3	331.5	333.5	335.7	2.15
701.65	294.8	297.0	299.2	301.2	303.4	305.6	307.8	310.0	311.9	314.1	2.15
701.35	273.5	275.7	277.7	279.9	282.1	284.1	286.3	288.5	290.7	292.6	2.13
701.04	252.5	254.7	256.6	258.9	260.8	263.0	265.2	267.2	269.4	271.3	2.10
700.74	242.7	243.7	244.7	245.6	246.6	247.6	248.6	249.6	250.5	251.5	0.98
700.43	210.9	214.1	217.3	220.4	223.6	226.8	230.0	233.2	236.3	239.5	3.18
700.13	199.6	200.9	201.8	203.1	204.0	205.3	206.5	207.5	208.7	209.7	1.13
699.82	170.5	173.5	176.4	179.3	182.3	185.0	187.9	190.8	193.8	196.7	2.91
699.52	150.5	152.4	154.4	156.6	158.5	160.5	162.5	164.4	166.6	168.6	2.01
699.21	130.9	132.9	134.8	136.8	138.7	140.7	142.6	144.6	146.6	148.5	1.96
698.91	111.6	113.5	115.5	117.4	119.4	121.1	123.1	125.0	127.0	128.9	1.93
698.60	95.9	97.4	99.1	100.6	102.3	103.7	105.2	106.9	108.4	110.1	1.57
698.30	73.4	75.6	77.8	80.2	82.5	84.7	86.9	89.1	91.5	93.7	2.25
697.99	54.8	56.8	58.5	60.4	62.1	64.1	66.1	67.8	69.7	71.4	1.86
697.69	36.2	38.2	39.9	41.8	43.5	45.5	47.5	49.2	51.1	52.8	1.86
697.38	18.1	19.8	21.8	23.5	25.4	27.2	28.9	30.8	32.5	34.5	1.81
697.08	0.0	1.7	3.7	5.4	7.3	9.1	10.8	12.7	14.4	16.4	1.81