

## INDEX

[illegible]

## INDEX

[illegible]

# FORD CAR PARTS

## SECTION 10

1

| YEAR                            | MODEL                                     | DESCRIPTION                                  | QTY. | PART NUMBER  |
|---------------------------------|-------------------------------------------|----------------------------------------------|------|--------------|
| <b>1001 GASKET - REAR WHEEL</b> |                                           |                                              |      |              |
| <b>- A -</b>                    |                                           |                                              |      |              |
| 65                              | A(exc. 71)                                | Bearing retainer-outer-2 15/16" I.D.-4 holes | 2    | A8AZ 1001-A  |
| 65/66                           | A(71 & P/C)                               | Bearing retainer-3 1/4" I.D.-5 holes         | 4    | C5AZ 1001-A  |
| 65/66                           | A (H/D)                                   |                                              | 4    |              |
| 65/66                           | A (except 71)                             | With large bearing                           | 4    |              |
| 65/66                           | A(exc. 71)                                | Backing plate-2 7/8" I.D.-4 holes            | 2    | C1AZ 1001-A  |
| 66/70                           | A "Before 9/30/69"                        | Backing plate-3 3/16" I.D.-4 holes           | 2    | C6VY 1001-A  |
| 70/                             | A "From 9/30/69"                          | Backing plate-3 3/16" I.D.-4 holes           | 2    | D0AZ 1001-A  |
| <b>- B -</b>                    |                                           |                                              |      |              |
| 65/68                           | B                                         | Bearing retainer-outer-2 15/16" I.D.-4 holes | 2    | A8AZ 1001-A  |
| 65/70                           | B "Before 9/30/69"                        | Backing plate-2 7/8" I.D.-4 holes            | 2    | C1AZ 1001-A  |
| 70/                             | B "From 9/30/69"                          | Backing plate-2 7/8" I.D.-4 holes            | 2    | D0OZ 1001-A  |
| <b>- F -</b>                    |                                           |                                              |      |              |
| 65/68                           | F(6 cyl.)                                 | Bearing retainer-2 11/16" I.D.-4 holes       | 2    | ★C3DZ 1001-A |
| 65/68                           | F(8 cyl.)                                 | Bearing retainer-outer-2 15/16" I.D.-4 holes | 2    | A8AZ 1001-A  |
| 65/70                           | F(6 cyl.)-7 1/4" ring gear                | Backing plate-2 11/16" I.D.-4 holes          | 2    | C0DZ 1001-A  |
| 65/70                           | F(exc. 7 1/4" ring gear) "Before 9/30/69" | Backing plate-2 7/8" I.D.-4 holes            | 2    | C1AZ 1001-A  |
| 70                              | F(exc. 7 1/4" ring gear) "From 9/30/69"   | Backing plate-2 7/8" I.D.-4 holes            | 2    | D0OZ 1001-A  |
| 71/                             | F(8" & 9" ring gear)                      | Backing plate-2 7/8" I.D.-4 holes            | 2    | D0OZ 1001-A  |
| <b>- L -</b>                    |                                           |                                              |      |              |
| 71/                             | L                                         | Backing plate-2 11/16" I.D.-4 holes          | 2    | C0DZ 1001-A  |
| <b>- P -</b>                    |                                           |                                              |      |              |
| 65/70                           | P(6 cyl.)-7 1/4" ring gear                | Backing plate-2 11/16" I.D.-4 holes          | 2    | C0DZ 1001-A  |
| 70                              | P(exc. 7 1/4" ring gear)                  | Backing plate-2 7/8" I.D.-4 holes            | 2    | C1AZ 1001-A  |
| 70                              | P(6 cyl.)-8" ring gear                    | Backing plate-2 11/16" I.D.-4 holes          | 2    | C0DZ 1001-A  |
| 71/                             | P(9" brakes)                              |                                              | 2    |              |
| 71/                             | P(10" brakes)                             | Backing plate-2 7/8" I.D.-4 holes            | 2    | D0OZ 1001-A  |
| <b>- S -</b>                    |                                           |                                              |      |              |
| 65/66                           | S                                         | Bearing retainer-3 1/4" I.D.-5 holes         | 4    | C5AZ 1001-A  |
| 66/70                           | S "Before 9/30/69"                        | Backing plate-3 3/16" I.D.-4 holes           | 2    | C6VY 1001-A  |
| 70/71                           | S "From 9/30/69"                          | Backing plate-3 3/16" I.D.-4 holes           | 2    | D0AZ 1001-A  |
| 72                              | S                                         | Backing plate-2 7/8" I.D.-4 holes            | 2    | D0OZ 1001-A  |
| <b>- U -</b>                    |                                           |                                              |      |              |
| 66/68                           | U                                         | Bearing retainer-outer-2 15/16" I.D.-4 holes | 2    | A8AZ 1001-A  |
| 66/70                           | U(2700 lb. axle) "Before Ser. G50,001"    | Backing plate-2 7/8" I.D.-4 holes            | 2    | C1AZ 1001-A  |
| 70/                             | U(2700 lb. axle) "From Ser. G50,001"      | Backing plate-2 7/8" I.D.-4 holes            | 2    | D0OZ 1001-A  |
| 66/70                           | U(3300 lb. axle) "Before Ser. G50,001"    | Backing plate-3 3/16" I.D.-4 holes           | 2    | C6VY 1001-A  |
| 70/                             | U(3300 lb. axle) "From Ser. G50,001"      | Backing plate-3 3/16" I.D.-4 holes           | 2    | D0AZ 1001-A  |
| <b>- X -</b>                    |                                           |                                              |      |              |
| 65/68                           | X(6 cyl.)                                 | Bearing retainer-2 11/16" I.D.-4 holes       | 2    | ★C3DZ 1001-A |
| 65/68                           | X(8 cyl.)                                 | Bearing retainer-outer-2 15/16" I.D.-4 holes | 2    | A8AZ 1001-A  |
| 65/70                           | X(6 cyl.)-7 1/4" ring gear                | Backing plate-2 11/16" I.D.-4 holes          | 2    | C0DZ 1001-A  |
| 65/70                           | X(exc. 7 1/4" ring gear) "Before 9/30/69" | Backing plate-2 7/8" I.D.-4 holes            | 2    | C1AZ 1001-A  |
| 70                              | X(exc. 7 1/4" ring gear) "From 9/30/69"   | Backing plate-2 7/8" I.D.-4 holes            | 2    | D0OZ 1001-A  |

## SECTION 10

## FORD CAR PARTS

| YEAR             | MODEL                                        | T<br>Y<br>P | REMARKS                                | WHEEL<br>SIZE                | NO. HOLES &<br>BOLT CIRCLE | QTY.    | PART NUMBER                       |
|------------------|----------------------------------------------|-------------|----------------------------------------|------------------------------|----------------------------|---------|-----------------------------------|
|                  |                                              |             |                                        | TIRES                        |                            |         |                                   |
| 1007 WHEEL ASSY. |                                              |             |                                        |                              |                            |         |                                   |
| - A -            |                                              |             |                                        |                              |                            |         |                                   |
| 65               | A(exc. 427 engine)-NOTE 1                    | P           | #Orange paint-NOTE 4                   |                              | 15 x 5.00                  | 5-4 1/2 | 5 ★C8AZ 1007-D<br>r/b D1AZ 1007-A |
|                  | A(Taxi)-NOTE 1                               | P           |                                        |                              | 15 x 5.50                  | 5-4 1/2 | 5 C1AZ 1007-A                     |
|                  | A(427 engine)-NOTE 1                         | P           |                                        |                              | 15 x 6.00                  | 5-4 1/2 | 5 C6AZ 1007-A                     |
| 66/67            | A(exc. 71, P/C)-NOTE 1                       | P           | #Orange paint-NOTE 4                   |                              | 15 x 5.00                  | 5-4 1/2 | 5 ★C8AZ 1007-D<br>r/b D1AZ 1007-A |
|                  | A(exc. 71, P/C)-NOTE 2                       | P           |                                        |                              | 15 x 5.50                  | 5-4 1/2 | 5 C5SZ 1007-A                     |
|                  | A(71, P/C)-NOTE 3                            | P           |                                        |                              | 15 x 6.00                  | 5-4 1/2 | 5 C6AZ 1007-A                     |
| 68               | A(exc. 71 & P/C)-NOTE 1                      | P           | #Orange paint-NOTE 4                   |                              | 15 x 5.00                  | 5-4 1/2 | 5 ★C8AZ 1007-D<br>r/b D1AZ 1007-A |
|                  | A(exc. 71 & P/C)-NOTE 2                      | P           | Stamped C8SA 1007-AW or<br>C8AA 1007-C |                              | 15 x 5.50                  | 5-4 1/2 | 5 ★C8AZ 1007-A<br>r/b C8AZ 1007-E |
|                  | A(71, P/C & all R. P. O. wheels)-<br>NOTE 3  | P           | Stamped C8AA 1007-DW                   |                              | 15 x 6.00                  | 5-4 1/2 | 5 ★C8AZ 1007-B<br>r/b C8AZ 1007-F |
| 69               | A(exc. 71, P/C)-NOTE 1                       | P           | #Orange paint-NOTE 4                   |                              | 15 x 5.00                  | 5-4 1/2 | 5 ★C8AZ 1007-D<br>r/b D1AZ 1007-A |
|                  | A(exc. 71, P/C)-NOTE 2                       | P           | # Yellow paint, "V"                    |                              | 15 x 5.50                  | 5-4 1/2 | 5 C8AZ 1007-E                     |
|                  | A(exc. 71, P/C)-NOTE 3                       | P           | # Brown paint                          |                              | 15 x 6.00                  | 5-4 1/2 | 5 ★C8AZ 1007-F<br>r/b D0LY 1007-A |
|                  | A(71)-NOTE 3                                 | P           | # Violet paint                         |                              | 15 x 6.50                  | 5-4 1/2 | 5 ★C9AZ 1007-A<br>r/b D1AZ 1007-B |
|                  | A(P/C with 8.55 x 15 tires)-<br>NOTE 3       | P           |                                        |                              | 15 x 6.50                  | 5-4 1/2 | 5 ★C9AZ 1007-B<br>r/b D1AZ 1007-B |
| 70               | A(exc. 71, P/C)-NOTE 1                       | P           | #Orange paint-NOTE 4                   | F78, G78                     | 15 x 5.00                  | 5-4 1/2 | 5 ★C8AZ 1007-D<br>r/b D1AZ 1007-A |
|                  | A(exc. 71, P/C)-NOTE 2                       | P           | # Yellow paint, "V"                    | F78, G78,<br>H78             | 15 x 5.50                  | 5-4 1/2 | 5 C8AZ 1007-E                     |
|                  | A(exc. 71, P/C)-NOTE 3                       | P           | # Brown paint                          | G78-P/C,<br>H70,<br>8.25-P/C | 15 x 6.00                  | 5-4 1/2 | 5 ★C8AZ 1007-F<br>r/b D0LY 1007-A |
|                  | A(71)-NOTE 3                                 | P           | # Violet paint                         | H78                          | 15 x 6.50                  | 5-4 1/2 | 5 ★C9AZ 1007-A<br>r/b D1AZ 1007-B |
|                  | A(P/C with 8.55 x 15 tires)-<br>NOTE 3       | P           |                                        | H78                          | 15 x 6.50                  | 5-4 1/2 | 5 ★C9AZ 1007-B<br>r/b D1AZ 1007-B |
| 71               | A(exc. 71, P/C)-NOTE 1-<br>"Before 11/16/70" | P           | #Orange paint-NOTE 4                   |                              | 15 x 5.00                  | 5-4 1/2 | 5 ★C8AZ 1007-D<br>r/b D1AZ 1007-A |
|                  | A(exc. 71, P/C)-NOTE 1-<br>"From 11/16/70"   | P           | # White & Pink paint                   |                              | 15 x 5.00                  | 5-4 1/2 | 5 D1AZ 1007-A                     |
|                  | A(exc. 71, P/C)-NOTE 2                       | P           | # Yellow paint, "V"                    | H78                          | 15 x 5.50                  | 5-4 1/2 | 5 C8AZ 1007-E                     |
|                  | A(exc. 71, P/C)-NOTE 3                       | P           | #Brown paint                           | †8.25-15<br>‡8.55-15         | 15 x 6.00                  | 5-4 1/2 | 5 ★C8AZ 1007-F<br>r/b D0LY 1007-D |
|                  | A(71)-NOTE 3                                 | P           | #Violet paint                          | H78                          | 15 x 6.50                  | 5-4 1/2 | 5 ★C9AZ 1007-A<br>r/b D1AZ 1007-B |
|                  | A(P/C)-NOTE 3-<br>"Before 2/10/71"           | P           | #Pink & White paint, "E"               | H78                          | 15 x 6.00                  | 5-4 1/2 | 5 D0LY 1007-A                     |
|                  | A(P/C)-NOTE 3-<br>"From 2/10/71"             | P           | # Brown, Violet &<br>Yellow paint, "F" | H78                          | 15 x 6.50                  | 5-4 1/2 | 5 D1AZ 1007-B                     |
| 72               | A(exc. 71, P/C)-NOTE 3                       | P           | # White & Pink paint, "T"              | F78, G78                     | 15 x 5.00                  | 5-4 1/2 | 5 D1AZ 1007-A                     |
|                  | A(exc. 71, P/C)-NOTE 3                       | P           | # Yellow paint, "V"                    | H78                          | 15 x 5.50                  | 5-4 1/2 | 5 C8AZ 1007-E                     |
|                  | A(71)-NOTE 3                                 | P           | # Brown, Violet &<br>Yellow paint, "F" | H78, HR78                    | 15 x 6.50                  | 5-4 1/2 | 5 D1AZ 1007-B                     |
|                  | A(P/C)-NOTE 3                                | P           | # Pink & White paint, "E"              | 8.25-15,<br>HR78             | 15 x 6.00                  | 5-4 1/2 | 5 D0LY 1007-A                     |
|                  | A(P/C)-NOTE 3                                | P           | # Brown, Violet &<br>Yellow paint, "F" | 8.55-15,<br>HR78             | 15 x 6.50                  | 5-4 1/2 | 5 D1AZ 1007-B                     |

NOTE 1-Used for service replacement of all five wheels on a unit with drum front brakes.

NOTE 2-Used for service replacement of all five wheels on a unit with disc front brakes.

NOTE 3-Used for service replacement of all five wheels on a unit with drum or disc front brakes.

NOTE 4-Has 2 3/4" center hole diameter. Replaces C8AZ 1007-C with 2 7/16" center hole diameter.

P-Plain wheel

# Identification marking

† P/C except A/C

‡ P/C with A/C

| YEAR                         | MODEL                           | TYPE          | REMARKS                                              | WHEEL SIZE                         | NO. HOLES & BOLT CIRCLE | QTY.    | PART NUMBER                     |             |
|------------------------------|---------------------------------|---------------|------------------------------------------------------|------------------------------------|-------------------------|---------|---------------------------------|-------------|
| 1007 WHEEL ASSY. - continued |                                 |               |                                                      |                                    |                         |         |                                 |             |
| - B -                        |                                 |               |                                                      |                                    |                         |         |                                 |             |
| 65                           | B                               | P             | #White paint                                         | 14 x 5.00                          | 5-4 1/2                 | 5       | C8OZ 1007-G                     |             |
| 66                           | B(exc.71)-6 cyl. & 8 cyl.289    | P             |                                                      | 14 x 4.50                          | 5-4 1/2                 | 5       | C6OZ 1007-A                     |             |
|                              | B(8 cyl.390)                    | P             | #White paint                                         | 14 x 5.00                          | 5-4 1/2                 | 5       | C8OZ 1007-G                     |             |
|                              | B                               | SS            | Use with 1210 trim ring                              | 14 x 5.00                          | 5-4 1/2                 | 5       | C6ZZ 1007-A                     |             |
|                              | B                               | SS            | Chrome-cavities painted grey gold                    | 14 x 5.00                          | 5-4 1/2                 | 5       | C5ZZ 1007-B                     |             |
|                              | B(63D, 76D GT Models)           | P             |                                                      | 14 x 5.50                          | 5-4 1/2                 | 5       | C2AZ 1007-C                     |             |
| 67                           | B(exc.71)-6 cyl. & 8 cyl.289    | P             |                                                      | 14 x 4.50                          | 5-4 1/2                 | 5       | C6OZ 1007-A                     |             |
|                              | B                               | P             | #White paint                                         | 14 x 5.00                          | 5-4 1/2                 | 5       | C8OZ 1007-G                     |             |
|                              | B-GT w/F70 x 14 wide oval tires | P             | #Red paint                                           | 14 x 5.50                          | 5-4 1/2                 | 5       | C8OZ 1007-H                     |             |
|                              | B                               | SS            | Use with 1210 trim ring                              | 14 x 5.50                          | 5-4 1/2                 | 5       | C7ZZ 1007-B                     |             |
|                              | B(GT)                           | SS            | Painted grey                                         | 14 x 5.50                          | 5-4 1/2                 | 5       | C7OZ 1007-B                     |             |
| 68                           | B(disc brakes)                  | P             | Stamped C8OA 1007-EW, FW, GW or HW                   | 14 x 5.00                          | 5-4 1/2                 | 5       | ★C8OZ 1007-C<br>r/b C8OZ 1007-G |             |
|                              | B                               | P             | #White paint                                         | 14 x 5.00                          | 5-4 1/2                 | 5       | C8OZ 1007-G                     |             |
|                              | B(exc.GT, 66, 71)-disc brakes   | P             | Stamped C8ZA 1007-AW, BW or CW                       | 14 x 6.00                          | 5-4 1/2                 | 5       | ★C8ZZ 1007-A<br>r/b C8ZZ 1007-D |             |
|                              | B(exc.66, 71)                   | P             | #Tan paint                                           | 14 x 6.00                          | 5-4 1/2                 | 5       | C8ZZ 1007-D                     |             |
|                              | B(exc.66)-disc brakes           | SS            | Black reflective paint                               | 14 x 6.00                          | 5-4 1/2                 | 5       | ★C8OZ 1007-F<br>m/w C8OZ 1007-K |             |
|                              | B(exc.66)                       | SS            | Reflective silver                                    | 14 x 6.00                          | 5-4 1/2                 | 5       | C8OZ 1007-K                     |             |
|                              | B (disc brakes)                 | SS            | Chrome-stamped C8OA 1007-N, T or Z                   | 14 x 6.00                          | 5-4 1/2                 | 5       | ★C8ZZ 1007-C<br>r/b C8ZZ 1007-E |             |
|                              | B                               | SS            | Chrome                                               | 14 x 6.00                          | 5-4 1/2                 | 5       | C8ZZ 1007-E                     |             |
|                              | B-disc brakes                   | SS            | Silver-stamped C8OA 1007-L or M-use w/1210 trim ring | 14 x 6.00                          | 5-4 1/2                 | 5       | ★C8OZ 1007-E<br>r/b C8OZ 1007-J |             |
|                              | B                               | SS            | Silver-use with 1210 trim ring                       | 14 x 6.00                          | 5-4 1/2                 | 5       | C8OZ 1007-J                     |             |
|                              | 69                              | B             | P                                                    | #White paint                       | 14 x 5.00               | 5-4 1/2 | 5                               | C8OZ 1007-G |
|                              |                                 | B(exc.66, 71) | P                                                    | #Tan paint                         | 14 x 6.00               | 5-4 1/2 | 5                               | C8ZZ 1007-D |
|                              |                                 | B(exc.66)     | SS                                                   | Reflective silver                  | 14 x 6.00               | 5-4 1/2 | 5                               | C8OZ 1007-K |
| B(exc. Rio Grande)           |                                 | SS            | Chrome                                               | 14 x 6.00                          | 5-4 1/2                 | 5       | C8ZZ 1007-E                     |             |
| B(exc. Rio Grande)           |                                 | SS            | Silver-use with 1210 trim ring                       | 14 x 6.00                          | 5-4 1/2                 | 5       | C8OZ 1007-J                     |             |
| B(exc. Rio Grande)           |                                 | SS            | Primed-use with 1A079 insert                         | 14 x 6.00                          | 5-4 1/2                 | 5       | C9ZZ 1007-B                     |             |
| B(66A, B)-Rio Grande         |                                 | SS            |                                                      | 14 x 6.00                          | 5-4 1/2                 | 4       | C9OZ 1007-F                     |             |
| 70                           | B                               | P             | #White paint                                         | E78, F78<br>G78,<br>8.25-P/C       | 14 x 5.00               | 5-4 1/2 | 5                               | C8OZ 1007-G |
|                              | B                               | P             | #White & Violet paint                                | E70, F70,<br>G70, G78,             | 14 x 7.00               | 5-4 1/2 | 5                               | D0OZ 1007-B |
|                              | B                               | SS            | Painted argent # White & Yellow paint, "G"           | E70, F70,<br>G70, G78              | 14 x 7.00               | 5-4 1/2 | 5                               | D0ZZ 1007-C |
|                              | B                               | P             | Green paint, "D"                                     | F60                                | 15 x 7.00               | 5-4 1/2 | 5                               | D0OZ 1007-A |
|                              | B                               | SS            | Chrome                                               | F60                                | 15 x 7.00               | 5-4 1/2 | 5                               | C9ZZ 1007-D |
| 71                           | B                               | P             | #White paint                                         | E78, F78,<br>G78%<br>8.25-P/C      | 14 x 5.00               | 5-4 1/2 | 5                               | C8OZ 1007-G |
|                              | B                               | P             | # White & Violet paint                               | E70, F70,<br>G70, E78,<br>F78, G78 | 14 x 7.00               | 5-4 1/2 | 5                               | D0OZ 1007-B |
|                              | B(Halo pkg. option)             |               |                                                      |                                    |                         | 5       |                                 |             |
|                              | B                               | SS            | Painted argent # White & Yellow paint, "G"           | E70, F70,<br>G70                   | 14 x 7.00               | 5-4 1/2 | 5                               | D0ZZ 1007-C |
|                              | B                               | P             | # Green paint, "D"                                   | F60⊕                               | 15 x 7.00               | 5-4 1/2 | 5                               | D0OZ 1007-A |
|                              | B "Before 4/2/71"               | SS            | Chrome                                               | F60⊕                               | 15 x 7.00               | 5-4 1/2 | 5                               | C9ZZ 1007-D |
|                              | B "From 4/2/71"                 | SS            | Chrome-# Orange paint, "J"                           |                                    | 15 x 7.00               | 5-4 1/2 | 5                               | D1OZ 1007-A |

# Identification marking    P - Plain wheel    SS - Styled steel wheel    % Except Ranchero

⊕ Not available on 250 C.I.D. engine

## 1007 WHEEL ASSY. - continued

| YEAR  | MODEL                                     | T<br>Y<br>P<br>E | REMARKS                             | WHEEL<br>SIZE                      | NO.HOLES &<br>BOLT CIRCLE | QTY.      | PART NUMBER |                                 |             |
|-------|-------------------------------------------|------------------|-------------------------------------|------------------------------------|---------------------------|-----------|-------------|---------------------------------|-------------|
| TIRES |                                           |                  |                                     |                                    |                           |           |             |                                 |             |
| - B - |                                           |                  |                                     |                                    |                           |           |             |                                 |             |
| 72    | B(53,63,65,97)- exc.P/C                   | P                | # Red & Green paint, "P"            | E78, F78,<br>G78                   | 14 x 5.00                 | 5-4 1/2   | 5           | ★D2OZ 1007-A<br>r/b D3OZ 1007-A |             |
|       | B(Taxi) "Before 2/21/72"                  |                  |                                     | G78                                |                           |           | 5           |                                 |             |
|       | B(53,65)--exc. P/C                        | P                | # White & Yellow paint,<br>"S"      | E70, F70,<br>G70                   | 14 x 6.00                 | 5-4 1/2   | 5           | D2OZ 1007-E                     |             |
|       | B(71)-exc.P/C                             |                  |                                     | H78                                |                           |           | 5           |                                 |             |
|       | B(97)                                     |                  |                                     | E70, F70,<br>G70, E78,<br>F78, G78 |                           |           | 5           |                                 |             |
|       | B                                         | SS               | Chrome-#red paint, "H"              | H78                                | 14 x 7.00                 | 5-4 1/2   | 5           | ★D2OZ 1007-F<br>r/b D4OZ 1007-A |             |
|       | B(97)                                     | P                | # Pink & White paint, "E"           | F78, G78,<br>HR78                  | 15 x 6.00                 | 5-4 1/2   | 5           | D0LY 1007-A                     |             |
|       | B(P/C)                                    |                  |                                     | 8.25-15,<br>HR78                   |                           |           | 5           |                                 |             |
|       | B(Taxi) "From 2/21/72"                    |                  |                                     | G78                                |                           |           | 5           |                                 |             |
|       | B(Magnum 500 wheels)                      |                  |                                     |                                    |                           |           |             | Use S/S wheel                   |             |
| - F - |                                           |                  |                                     |                                    |                           |           |             |                                 |             |
| 65    | F(6 cyl.)                                 | P                |                                     |                                    | 13 x 4.50                 | 4-4 1/2   | 5           | ★C0DZ 1007-A<br>r/b D0DZ 1007-A |             |
|       | F(6 cyl.)                                 | P                |                                     |                                    | 14 x 4.50                 | 4-4 1/2   | 5           | C4DZ 1007-A                     |             |
|       | F(except GT350)-8 cyl.                    | P                |                                     |                                    | 13 x 4.50                 | 5-4 1/2   | 5           | C1UU 1007-A                     |             |
|       | F(except GT350)-8 cyl.                    | P                | #White paint                        |                                    | 14 x 5.00                 | 5-4 1/2   | 5           | C8OZ 1007-G                     |             |
|       | F(except GT350) "Before 2/1/65"           | SS               | Chrome-cavities painted grey        |                                    | 14 x 5.00                 | 5-4 1/2   | 5           | ★C5ZZ 1007-A<br>r/b C5ZZ 1007-B |             |
|       | F(except GT350)-8 cyl. -<br>"From 2/1/65" | SS               | Chrome-cavities painted grey gold   |                                    | 14 x 5.00                 | 5-4 1/2   | 5           | C5ZZ 1007-B                     |             |
|       | F(except GT350)-8 cyl.                    | P                |                                     |                                    | 15 x 5.50                 | 5-4 1/2   | 5           | C1AZ 1007-A                     |             |
|       | F(GT350)                                  | SS               | Painted grey                        |                                    | 14 x 6.00                 | 5-4 1/2   | 5           | S2MS 1007-B                     |             |
|       | F(GT350)                                  | SS               | Chrome                              |                                    | 14 x 6.00                 | 5-4 1/2   | 5           | S2MS 1007-C                     |             |
|       |                                           | F(GT350)         | P                                   |                                    |                           | 15 x 6.00 | 5-4 1/2     | 5                               | C8AZ 1007-F |
| 66    | F(6 cyl.)                                 | P                |                                     |                                    | 13 x 4.50                 | 4-4 1/2   | 5           | ★C0DZ 1007-A<br>r/b D0DZ 1007-A |             |
|       | F(6 cyl.)                                 | P                |                                     |                                    | 14 x 4.50                 | 4-4 1/2   | 5           | C4DZ 1007-A                     |             |
|       | F(except GT350)-8 cyl.                    | P                | #White paint                        |                                    | 14 x 5.00                 | 5-4 1/2   | 5           | C8OZ 1007-G                     |             |
|       | F(except GT350)-8 cyl.                    | SS               | Cavities painted grey gold          |                                    | 14 x 5.00                 | 5-4 1/2   | 5           | C5ZZ 1007-B                     |             |
|       | F(except GT350)                           | SS               | Use with 1210 trim ring             |                                    | 14 x 5.00                 | 5-4 1/2   | 5           | C6ZZ 1007-A                     |             |
|       | F(except GT350)-8 cyl.                    | P                |                                     |                                    | 15 x 5.50                 | 5-4 1/2   | 5           | C1AZ 1007-A                     |             |
|       | F(GT350)                                  | SS               | Painted grey                        |                                    | 14 x 6.00                 | 5-4 1/2   | 5           | S2MS 1007-B                     |             |
|       | F(GT350)                                  | SS               | Chrome                              |                                    | 14 x 6.00                 | 5-4 1/2   | 5           | S2MS 1007-C                     |             |
|       |                                           | F(GT350)         | P                                   |                                    |                           | 15 x 6.00 | 5-4 1/2     | 5                               | C8AZ 1007-F |
|       |                                           | F(6 cyl.)        | P                                   |                                    |                           | 14 x 4.50 | 4-4 1/2     | 5                               | C4DZ 1007-A |
| 67    | F(except GT350/500)-8 cyl.                | P                | #White paint                        |                                    | 14 x 5.00                 | 5-4 1/2   | 5           | C8OZ 1007-G                     |             |
|       | F(except GT350/500)                       | SS               | Use with 1210 trim ring             |                                    | 14 x 5.50                 | 5-4 1/2   | 5           | C7ZZ 1007-B                     |             |
|       | F(GT)                                     | SS               | Painted grey                        |                                    | 14 x 5.50                 | 5-4 1/2   | 5           | C7OZ 1007-B                     |             |
|       | F(except GT350/500)- 8 cyl. 390           | P                | Stamped C8ZA 1007-AW, BW, CW        |                                    | 14 x 6.00                 | 5-4 1/2   | 5           | ★C8ZZ 1007-A<br>r/b C8ZZ 1007-D |             |
|       | F(except GT350/500)-competition           | P                |                                     |                                    | 15 x 6.00                 | 5-4 1/2   | 5           | C7ZZ 1007-D                     |             |
|       | F(GT350/500)                              | P                | Painted black                       |                                    | 15 x 6.00                 | 5-4 1/2   | 5           | ★C8AZ 1007-B<br>r/b D0LY 1007-A |             |
|       | F(GT350/500)                              | SA               | Chromed rim-mag star                |                                    | 15 x 7.00                 | 5-4 1/2   | 5           | S7MS 1007-C                     |             |
|       | F(6 cyl.)                                 | P                | #Yellow & Green paint               |                                    | 14 x 5.00                 | 4-4 1/2   | 5           | C8DZ 1007-A                     |             |
|       | F(exc. GT, GT350/500)                     | P                | #White paint                        |                                    | 14 x 5.00                 | 5-4 1/2   | 5           | C8OZ 1007-G                     |             |
|       | F(exc. GT, GT350/500)-<br>disc brakes     | P                | Stamped C8OA 1007-EW, FW, GW,<br>HW |                                    | 14 x 5.00                 | 5-4 1/2   | 5           | ★C8OZ 1007-C<br>r/b C8OZ 1007-G |             |
| 68    | F(exc. GT, GT350/500)-<br>disc brakes     | P                | Stamped C8ZA 1007-AW, BW, CW        |                                    | 14 x 6.00                 | 5-4 1/2   | 5           | ★C8ZZ 1007-A<br>r/b C8ZZ 1007-D |             |
|       |                                           |                  |                                     |                                    |                           |           |             |                                 |             |

# Identification marking

P - Plain wheel

SS - Styled steel wheel

SA - Styled aluminum wheel

### 1007 WHEEL ASSY. - continued

| YEAR  | MODEL                                            | TYPE | REMARKS                                                    | WHEEL SIZE          | NO. HOLES & BOLT CIRCLE | QTY.    | PART NUMBER                     |             |
|-------|--------------------------------------------------|------|------------------------------------------------------------|---------------------|-------------------------|---------|---------------------------------|-------------|
| - F - |                                                  |      |                                                            |                     |                         |         |                                 |             |
| 68    | F(exc.GT,GT350/500-disc brakes                   | SS   | Silver-stamped C8OA 1007-L,M-use w/1210 trim ring          | 14 x 6.00           | 5-4 1/2                 | 5       | ★C8OZ 1007-E<br>r/b C8OZ 1007-J |             |
|       | F(exc.GT,GT350/500)-disc brakes                  | SS   | Chrome-stamped C8OA 1007-N,T,Z                             | 14 x 6.00           | 5-4 1/2                 | 5       | ★C8ZZ 1007-C<br>r/b C8ZZ 1007-E |             |
|       | F(exc.GT,GT350/500)                              | P    | #Red paint                                                 | 14 x 6.00           | 5-4 1/2                 | 5       | C8ZZ 1007-D                     |             |
|       | F(exc.GT,GT350/500)                              | SS   | Silver-use with 1210 trim ring                             | 14 x 6.00           | 5-4 1/2                 | 5       | C8OZ 1007-J                     |             |
|       | F(exc.GT,GT350/500)                              | SS   | Chrome                                                     | 14 x 6.00           | 5-4 1/2                 | 5       | C8ZZ 1007-E                     |             |
|       | F(GT)-disc brakes                                | SS   | Black                                                      | 14 x 6.00           | 5-4 1/2                 | 5       | ★C8OZ 1007-F<br>m/w C8OZ 1007-K |             |
|       | F(GT)                                            | SS   | Reflective silver                                          | 14 x 6.00           | 5-4 1/2                 | 5       | C8OZ 1007-K                     |             |
|       | F(GT350/500)                                     | P    | Painted black-stamped C8AA 1007-DW                         | 15 x 6.00           | 5-4 1/2                 | 5       | C8AZ 1007-B                     |             |
| 69    | F(6 cyl.)                                        | P    | #Yellow & Green paint                                      | 14 x 5.00           | 4-4 1/2                 | 5       | C8DZ 1007-A                     |             |
|       | F(exc.GT, Boss, GT350/500)                       | P    | #White paint                                               | 14 x 5.00           | 5-4 1/2                 | 5       | C8OZ 1007-G                     |             |
|       | F(exc.GT, Boss, GT350/500)                       | P    | #Red paint                                                 | 14 x 6.00           | 5-4 1/2                 | 5       | C8ZZ 1007-D                     |             |
|       | F(exc.GT, Boss, GT350/500)                       | SS   | Silver-use with 1210 trim ring                             | 14 x 6.00           | 5-4 1/2                 | 5       | C8OZ 1007-J                     |             |
|       | F(exc.GT, Boss, GT350/500) (Standard Mach I)     | SS   | Chrome                                                     | 14 x 6.00           | 5-4 1/2                 | 5       | C8ZZ 1007-E                     |             |
|       | F(exc.GT, Boss, GT350/500)-<br>"Before 10/15/68" | SS   | Primed                                                     | 14 x 6.00           | 5-4 1/2                 | 5       | ★C9ZZ 1007-A<br>r/b C9ZZ 1007-B |             |
|       | F(exc.GT, Boss, GT350/500)-<br>"From 10/15/68"   | SS   | Primed-use with 1A079 insert stamped ED-C9AZ 1007-B1 or B2 | 14 x 6.00           | 5-4 1/2                 | 5       | C9ZZ 1007-B                     |             |
|       | F(GT)                                            | SS   | Reflective silver                                          | 14 x 6.00           | 5-4 1/2                 | 5       | C8OZ 1007-K                     |             |
|       | F(GT350/500)                                     | P    | Use for spare wheel-# Red paint                            | 14 x 6.00           | 5-4 1/2                 | 1       | C8ZZ 1007-D                     |             |
|       | F(GT350/500)                                     | P    | #Brown paint                                               | 15 x 6.00           | 5-4 1/2                 | 4       | ★C8AZ 1007-F<br>r/b D0LY 1007-A |             |
|       | F(Boss 302)                                      | SS   | Chrome                                                     | 15 x 7.00           | 5-4 1/2                 | 5       | C9ZZ 1007-D                     |             |
|       | F(Boss 302)                                      | SS   | Painted argent                                             | 15 x 7.00           | 5-4 1/2                 | 5       | C9ZZ 1007-E                     |             |
|       | F(Boss 429)                                      | SS   | Chrome                                                     | 15 x 7.00           | 5-4 1/2                 | 4       | C9ZZ 1007-H                     |             |
|       | F(GT350/500)                                     | SS   |                                                            | 15 x 7.00           | 5-4 1/2                 | 4       | C9ZZ 1007-J                     |             |
|       |                                                  |      |                                                            | TIRES               |                         |         |                                 |             |
| 70    | F(6 cyl.)                                        | P    | #Yellow & Green paint                                      | E78                 | 14 x 5.00               | 4-4 1/2 | 5                               | C8DZ 1007-A |
|       | F(exc. Boss, GT350/500)                          | P    | #Red paint                                                 | E70, E78, F70, F78† | 14 x 6.00               | 5-4 1/2 | 5                               | C8ZZ 1007-D |
|       | F(exc. Boss, GT350/500)                          | SS   | Primed-use with 1A079 insert                               |                     | 14 x 6.00               | 5-4 1/2 | 5                               | C9ZZ 1007-B |
|       | F(except Boss, GT350/500)                        | SS   | Painted argent<br>#Brown & Pink paint                      | E70, E78, F70       | 14 x 6.00               | 5-4 1/2 | 5                               | D0ZZ 1007-B |
|       | F(exc. Boss, GT350/500)                          | P    | #White & Violet paint                                      | E70, F70            | 14 x 7.00               | 5-4 1/2 | 5                               | D0OZ 1007-B |
|       | F(exc. Boss, GT350/500)                          |      | Painted argent # White & Yellow paint, "G"                 | E70, F70            | 14 x 7.00               | 5-4 1/2 | 5                               | D0ZZ 1007-C |
|       | F(exc. GT350/500)                                | P    | # Green paint, "D"                                         | F60                 | 15 x 7.00               | 5-4 1/2 | 5                               | D0OZ 1007-A |
|       | F(Boss)                                          | P    | Use for spare wheel-Red paint                              | E70, E78, F70, F78† | 14 x 6.00               | 5-4 1/2 | 1                               | C8ZZ 1007-D |
|       | F(Boss)                                          | SS   | Chrome                                                     | F60                 | 15 x 7.00               | 5-4 1/2 | 5                               | C9ZZ 1007-D |
|       | F(GT350/500)                                     | SS   |                                                            |                     | 15 x 7.00               | 5-4 1/2 | 4                               | C9ZZ 1007-J |
| 71    | F                                                | P    | # Brown & Violet paint, "N"-collapsible spare tire         | E78, F78 F78        | 14 x 6.00               | 5-4 1/2 | 5<br>1                          | D0DZ 1007-B |
|       | F                                                | P    | # White & Violet paint                                     | E70, F70            | 14 x 7.00               | 5-4 1/2 | 5                               | D0OZ 1007-B |
|       | F                                                | SS   | Painted argent # White & Yellow paint, "G"                 | E70, F70            | 14 x 7.00               | 5-4 1/2 | 5                               | D0ZZ 1007-C |
|       | F                                                | P    | # Green paint, "D"                                         | F60                 | 15 x 7.00               | 5-4 1/2 | 5                               | D0OZ 1007-A |
|       | F                                                | SS   | Chrome                                                     | F60                 | 15 x 7.00               | 5-4 1/2 | 5                               | C9ZZ 1007-D |
|       | F                                                | SS   | Chrome-# Orange paint, "J"                                 |                     | 15 x 7.00               | 5-4 1/2 | 5                               | D1OZ 1007-A |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |
|       |                                                  |      |                                                            |                     |                         |         |                                 |             |

# Identification marking

† Collapsible tire

P - Plain wheel

SS - Styled steel wheel

• Competition handling package

## SECTION 10

## FORD CAR PARTS

## 1007 WHEEL ASSY. - continued

| YEAR                                                                                  | MODEL                              | T<br>Y<br>P | REMARKS                                               | WHEEL<br>SIZE                   | NO. HOLES &<br>BOLT CIRCLE | QTY.    | PART NUMBER                          |
|---------------------------------------------------------------------------------------|------------------------------------|-------------|-------------------------------------------------------|---------------------------------|----------------------------|---------|--------------------------------------|
|                                                                                       |                                    |             |                                                       | TIRES                           |                            |         |                                      |
| - F -                                                                                 |                                    |             |                                                       |                                 |                            |         |                                      |
| 72                                                                                    | F                                  | P           | #Brown & Violet paint, "N"-<br>collapsible spare tire | E78, F78                        | 14 x 6.00                  | 5-4 1/2 | 5<br>1<br>D0DZ 1007-B                |
|                                                                                       | F                                  | P           | #White & Violet paint                                 | E70, F70                        | 14 x 7.00                  | 5-4 1/2 | 5<br>D0OZ 1007-B                     |
|                                                                                       | F                                  | SS          | Painted argent # White &<br>Yellow paint, "G"         | E78, F70                        | 14 x 7.00                  | 5-4 1/2 | 5<br>D0ZZ 1007-C                     |
|                                                                                       | F                                  | P           | # Green paint, "D"                                    | F60                             | 15 x 7.00                  | 5-4 1/2 | 5<br>D0OZ 1007-A                     |
|                                                                                       | F                                  | SS          | Chrome-#Orange paint,<br>"J"                          | F60                             | 15 x 7.00                  | 5-4 1/2 | 5<br>D1OZ 1007-A                     |
|                                                                                       | F(Magnum 500 wheels)               |             |                                                       |                                 |                            |         | Use S/S wheel                        |
| - L -                                                                                 |                                    |             |                                                       |                                 |                            |         |                                      |
| 71                                                                                    | L                                  | P           | # Pink paint, "A"                                     | 6.00                            | 13 x 4.00                  | 4-4 1/4 | 5<br>D1FZ 1007-A                     |
|                                                                                       | L                                  | P           | # Green paint, "B"                                    | A70, A78                        | 13 x 5.00                  | 4-4 1/4 | 5<br>★D1FZ 1007-B<br>r/b D2FZ 1007-A |
|                                                                                       | L                                  | SA          | #B-black paint stripe                                 | A70, A78,<br>175                | 13 x 5.00                  | 4-4 1/4 | 4<br>\$ D3FZ 1007-A                  |
| 72                                                                                    | L (62, 64)                         | P           | # Pink paint, "A"                                     | 6.00                            | 13 x 4.00                  | 4-4 1/4 | 5<br>D1FZ 1007-A                     |
|                                                                                       | L (62, 64)                         | P           | # Green paint, "B"                                    | A70, A78                        | 13 x 5.00                  | 4-4 1/4 | 5<br>★D1FZ 1007-B<br>r/b D2FZ 1007-A |
|                                                                                       | L (73)                             | P           | # Yellow paint, "C"                                   | A70, A78,<br>175-13,<br>175R-13 | 13 x 5.00                  | 4-4 1/4 | 5<br>D2FZ 1007-A                     |
|                                                                                       | L                                  | SA          | #B-black paint stripe                                 | A70, A78,<br>175                | 13 x 5.00                  | 4-4 1/4 | 4<br>\$ D3FZ 1007-A                  |
| - P -                                                                                 |                                    |             |                                                       |                                 |                            |         |                                      |
| 70                                                                                    | P(6 cyl.)                          | P           | # Red & White paint                                   | 6.00                            | 13 x 4.50                  | 4-4 1/2 | 5<br>D0DZ 1007-A                     |
|                                                                                       | P(6 cyl.)                          | P           | "Before 8/25/69" Use with hub caps only               |                                 | 14 x 4.50                  | 4-4 1/2 | 5<br>C4DZ 1007-A                     |
|                                                                                       | P(6 cyl.)                          | P           | "From 8/25/69" Orange & Yellow paint                  | B78, C78,<br>6.45               | 14 x 4.50                  | 4-4 1/2 | 5<br>D0DZ 1007-E                     |
|                                                                                       | P(6 cyl.)                          | P           | Use w/wheel covers only                               |                                 | 14 x 5.00                  | 4-4 1/2 | 5<br>C8DZ 1007-A                     |
| 71                                                                                    | P(6 cyl.)                          | P           | #Brown & Greenpaint, "L"                              | D70                             | 14 x 6.00                  | 4-4 1/2 | 5<br>D0DZ 1007-C                     |
|                                                                                       | P(6 cyl.)                          | P           | #Red & White paint                                    |                                 | 13 x 4.50                  | 4-4 1/2 | 5<br>D0DZ 1007-A                     |
|                                                                                       | P(6 cyl.)                          | P           | #Orange & Yellow paint                                | B78, C78                        | 14 x 4.50                  | 4-4 1/2 | 5<br>D0DZ 1007-E                     |
|                                                                                       | P(6 cyl.)                          | P           | #Brown & Greenpaint, "L"                              | D70                             | 14 x 6.00                  | 4-4 1/2 | 5<br>D0DZ 1007-C                     |
|                                                                                       | P(6 cyl. & 8 cyl.)                 | P           | #Brown & Violet paint, "N"                            | D70                             | 14 x 6.00                  | 5-4 1/2 | 5<br>D0DZ 1007-B                     |
|                                                                                       | P(8 cyl.)                          | P           | #White & Orange paint, "M"                            | B78, C78                        | 14 x 4.50                  | 5-4 1/2 | 5<br>D0DZ 1007-D                     |
|                                                                                       | P(8 cyl.)                          | SS          | Painted argent -<br># Brown & Yellow paint            | D70                             | 14 x 6.00                  | 5-4 1/2 | 5<br>★D0DZ 1007-F<br>Not replaced    |
| 72                                                                                    | P(6 cyl.)                          | P           | #Orange & Yellow paint                                | 6.45, B78                       | 14 x 4.50                  | 4-4 1/2 | 5<br>D0DZ 1007-E                     |
|                                                                                       | P(6 cyl. 250 & 8 cyl.)-exc. Calif. | P           | # "F"                                                 | ER-70                           | 14 x 5.50                  | 5-4 1/2 | 5<br>D3ZZ 1007-A                     |
|                                                                                       | P(6 cyl. 170, 200)                 | P           | #Brown & Greenpaint, "L"                              | D70                             | 14 x 6.00                  | 4-4 1/2 | 5<br>D0DZ 1007-C                     |
|                                                                                       | P(6 cyl. 250 & 8 cyl.)             | P           | #Brown & Violet paint, "N"                            | D70                             | 14 x 6.00                  | 5-4 1/2 | 5<br>D0DZ 1007-B                     |
|                                                                                       | P(8 cyl.)                          | P           | #White & Orange paint, "M"                            | 6.45, B78                       | 14 x 4.50                  | 5-4 1/2 | 5<br>D0DZ 1007-D                     |
| - S -                                                                                 |                                    |             |                                                       |                                 |                            |         |                                      |
| 65/67                                                                                 | S                                  | P           |                                                       |                                 | 15 x 5.50                  | 5-4 1/2 | 5<br>C5SZ 1007-A                     |
| 68/69                                                                                 | S                                  | P           | #Yellow paint, "V"                                    |                                 | 15 x 5.50                  | 5-4 1/2 | 5<br>C8AZ 1007-E                     |
| 70/                                                                                   | S                                  | P           | # Pink & White paint, "E"                             | H78, HR78,<br>215               | 15 x 6.00                  | 5-4 1/2 | 5<br>D0LY 1007-A                     |
| - U -                                                                                 |                                    |             |                                                       |                                 |                            |         |                                      |
| 66                                                                                    | U                                  | P           | H/D                                                   |                                 | 15 x 5.50                  | 5-5 1/2 | 5<br>C5TZ 1007-D                     |
|                                                                                       | U                                  | P           | External hub cap fastening # 75160<br>or 73813        | # 75160                         | 15 x 5.50                  | 5-5 1/2 | 5<br>★C8TZ 1007-D<br>r/b D2TZ 1015-B |
|                                                                                       | U                                  | P           | External hub cap fastening # 75192                    | # 75192                         | 16 x 5.00                  | 5-5 1/2 | 5<br>★B4TZ 1007-C<br>r/b D2TZ 1007-E |
| 67                                                                                    | U                                  | P           | External hub cap fastening # 75160<br>or 73813        | # 75160                         | 15 x 5.50                  | 5-5 1/2 | 5<br>★C8TZ 1007-D<br>r/b D2TZ 1015-B |
|                                                                                       | U                                  | P           | External hub cap fastening # 75192                    | # 75192                         | 16 x 5.00                  | 5-5 1/2 | 5<br>★B4TZ 1007-C<br>r/b D2TZ 1007-E |
| # Identification marking SS - Styled wheel P - Plain wheel SA - Styled aluminum wheel |                                    |             |                                                       |                                 |                            |         |                                      |

# Identification marking

SS - Styled wheel

P - Plain wheel

SA - Styled aluminum wheel



### 1007 WHEEL ASSY. - continued

| YEAR         | MODEL                                        | TYPE | REMARKS                                     | WHEEL SIZE | NO. HOLES & BOLT CIRCLE | QTY. | PART NUMBER                     |
|--------------|----------------------------------------------|------|---------------------------------------------|------------|-------------------------|------|---------------------------------|
| <b>- U -</b> |                                              |      |                                             |            |                         |      |                                 |
| 68/71        | U "Before Ser.M00,001"                       | P    | External hub cap fastening # 75160 or 73813 | 15 x 5.50  | 5-5 1/2                 | 5    | ★C8TZ 1007-D<br>r/b D2TZ 1015-B |
|              | U "From Ser.M00,001"                         | P    |                                             | 15 x 5.50  | 5-5 1/2                 | 5    | D2TZ 1015-B                     |
|              | U                                            | P    | External hub cap fastening # 75192          | 16 x 5.00  | 5-5 1/2                 | 5    | ★B4TZ 1007-C<br>r/b D2TZ 1007-E |
| 72           | U                                            | P    |                                             | 15 x 5.50  | 5-5 1/2                 | 5    | D2TZ 1015-B                     |
|              | U                                            | P    | External hub cap fastening                  | 16 x 5.00  | 5-5 1/2                 | 5    | D2TZ 1007-E                     |
| <b>- X -</b> |                                              |      |                                             |            |                         |      |                                 |
| 65           | X(6 cyl.)                                    | P    |                                             | 13 x 4.00  | 4-4 1/2                 | 5    | ★C0DD 1007-J<br>r/b D0DZ 1007-A |
|              | X(6 cyl.)                                    | P    | Use w/6.50-13 tires -                       | 13 x 4.50  | 4-4 1/2                 | 5    | ★C0DZ 1007-A<br>r/b D0DZ 1007-A |
|              | X(6 cyl.)                                    | P    |                                             | 14 x 4.50  | 4-4 1/2                 | 5    | C4DZ 1007-A                     |
|              | X(8 cyl.)                                    | P    | #White paint                                | 14 x 5.00  | 5-4 1/2                 | 5    | C8OZ 1007-G                     |
| 66           | X(54, 62A, B)-6 cyl.                         | P    | Use w/6.50-13 tires-                        | 13 x 4.50  | 4-4 1/2                 | 5    | ★C0DZ 1007-A<br>r/b D0DZ 1007-A |
|              | X(54, 62)-6 cyl.                             | P    |                                             | 14 x 4.50  | 4-4 1/2                 | 5    | C4DZ 1007-A                     |
|              | X(54, 62)-8 cyl.                             | P    |                                             | 14 x 4.50  | 5-4 1/2                 | 5    | C6OZ 1007-A                     |
|              | X(66, 71)                                    | P    | #White paint                                | 14 x 5.00  | 5-4 1/2                 | 5    | C8OZ 1007-G                     |
| 67           | X(54, 62)-6 cyl.                             | P    |                                             | 14 x 4.50  | 4-4 1/2                 | 5    | C4DZ 1007-A                     |
|              | X(54, 62)-8 cyl.                             | P    |                                             | 14 x 4.50  | 5-4 1/2                 | 5    | C6OZ 1007-A                     |
|              | X(62C)-w/185 R14 or 7.35-14 radial ply tires | P    |                                             | 14 x 5.00  | 4-4 1/2                 | 5    | ★C7DZ 1007-A<br>r/b C8DZ 1007-A |
|              | X(66, 71)                                    | P    | #White paint                                | 14 x 5.00  | 5-4 1/2                 | 5    | C8OZ 1007-G                     |
| 68           | X(6 cyl.)                                    | P    | #Yellow & Green paint                       | 14 x 5.00  | 4-4 1/2                 | 5    | C8DZ 1007-A                     |
|              | X-disc brakes                                | P    | Stamped C8OA 1007-EW, FW, GW, HW            | 14 x 5.00  | 5-4 1/2                 | 5    | ★C8OZ 1007-C<br>r/b C8OZ 1007-G |
|              | X                                            | P    | #White paint                                | 14 x 5.00  | 5-4 1/2                 | 5    | C8OZ 1007-G                     |
| 69/70        | X(6 cyl.)                                    | P    | # Yellow & Green paint                      | 14 x 5.00  | 4-4 1/2                 | 5    | C8DZ 1007-A                     |
|              | X                                            | P    | #White paint                                | 14 x 5.00  | 5-4 1/2                 | 5    | C8OZ 1007-G                     |

### 1012 NUT - WHEEL HUB BOLT




SIMS 1012-A




S2MS 1012-A



S7MS 1012-B



S7MS 1012-C



S7MS 1012-D

P-6826

### 1965/69 WHEEL LUG NUT (MUSTANG GT350/500)

| YEAR         | MODEL | DESCRIPTION                                     | QTY. | PART NUMBER |
|--------------|-------|-------------------------------------------------|------|-------------|
| <b>- A -</b> |       |                                                 |      |             |
| 65           | A     | 1/2"-20-open-zinc plate                         | 20   | C0AZ 1012-A |
| 66/69        | A     | 1/2"-20-open-zinc plate                         | 20   | C0AZ 1012-A |
|              | A     | 1/2"-20-blind-chrome-use w/bolt-on wheel covers | 20   | C6AZ 1012-A |
| 70/          | A     | 1/2"-20-open-zinc plate                         | 20   | C0AZ 1012-A |
| <b>- B -</b> |       |                                                 |      |             |
| 65/69        | B     | 1/2"-20-open-zinc plate-exc. w/styled wheels    | 20   | C0AZ 1012-A |
|              | B     | 1/2"-20-blind-chrome-use w/styled steel wheels  | 20   | C5ZZ 1012-B |
| 70/          | B     | 1/2"-20-open-zinc plate-exc. w/styled wheels    | 20   | C0AZ 1012-A |
|              | B     | 1/2"-20-blind-chrome-use w/styled steel wheels  | 20   | C4GY 1012-A |

# Identification marking

P - Plain wheel

SS - Styled steel wheel

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR  
COMPANY

— DEARBORN, MICHIGAN

**FINAL ISSUE**

| YEAR                                             | MODEL                | DESCRIPTION                                                                        | QTY. | PART NUMBER  |
|--------------------------------------------------|----------------------|------------------------------------------------------------------------------------|------|--------------|
| <b>1012 NUT - WHEEL HUB BOLT -continued</b>      |                      |                                                                                    |      |              |
| <b>- F -</b>                                     |                      |                                                                                    |      |              |
| 65/66                                            | F(exc. GT350)        | 1/2"-20-blind-chrome-use w/styled steel wheels                                     | 20   | C5ZZ 1012-B  |
|                                                  | F(exc. GT350)        | 1/2"-20-open-zinc plate                                                            | AR   | C0AZ 1012-A  |
|                                                  | F(GT350)             | Cragar-use w/SIMS 1007-B & S2MS 1007-A                                             | 20   | SIMS 1012-A  |
|                                                  | F(exc. GT350) - 1966 | 1/2"-20-blind-chrome-use w/bolt-on wheel covers                                    | AR   | C6AZ 1012-A  |
| 67                                               | F(exc. GT350/500)    | 1/2"-20-blind-chrome-use w/bolt-on wheel covers                                    | AR   | C6AZ 1012-A  |
|                                                  | F(exc. GT350/500)    | 1/2"-20-open-zinc plate                                                            | AR   | C0AZ 1012-A  |
|                                                  | F(exc. GT350/500)    | 1/2"-20-blind-chrome-use w/styled steel wheels                                     | 20   | C5ZZ 1012-B  |
|                                                  | F(GT350/500)         | Use w/S7MS 1007-D                                                                  | 20   | S7MS 1012-D  |
|                                                  | F(GT350/500)         | Use w/C8AZ 1007-B                                                                  | 20   | S7MS 1012-C  |
| 68                                               | F(exc. GT350/500)    | 1/2"-20-open-zinc plate                                                            | AR   | C0AZ 1012-A  |
|                                                  | F(exc. GT350/500)    | 1/2"-20-blind-chrome-use w/styled steel wheels                                     | 20   | C5ZZ 1012-B  |
|                                                  | F(exc. GT350/500)    | 1/2"-20-blind-chrome-use w/bolt-on wheel covers                                    | AR   | C6AZ 1012-A  |
|                                                  | F(GT350/500)         | Use w/C8AZ 1007-B                                                                  | 20   | S7MS 1012-C  |
| 69                                               | F(exc. GT350/500)    | 1/2"-20-blind-chrome-use w/styled steel wheels                                     | 20   | C5ZZ 1012-B  |
|                                                  | F(exc. GT350/500)    | 1/2"-20-blind-chrome-use w/bolt-on wheel covers                                    | AR   | C6AZ 1012-A  |
|                                                  | F(exc. GT350/500)    | 1/2"-20-open-zinc plate-exc. w/styled wheels                                       | AR   | C0AZ 1012-A  |
|                                                  | F(GT350/500)         | Use with C8AZ 1007-F                                                               | 20   | S7MS 1012-D  |
| 70                                               | F(exc. Boss)         | 1/2"-20-open-zinc plate-exc. w/styled wheels                                       | AR   | C0AZ 1012-A  |
|                                                  | F(exc. Boss)         | 1/2"-20-blind-chrome-use w/styled steel wheels                                     | 20   | C4GY 1012-A  |
|                                                  | F(Boss)              | 1/2"-20-blind-chrome-use w/styled steel wheels                                     | 20   | C5ZZ 1012-B  |
| 71/                                              | F                    | 1/2"-20-open-zinc plate-exc. w/styled wheels                                       | 20   | C0AZ 1012-A  |
|                                                  | F                    | 1/2"-20-blind-chrome-use w/styled steel wheels                                     | 20   | C4GY 1012-A  |
| <b>- L -</b>                                     |                      |                                                                                    |      |              |
| 71/                                              | L                    | 1/2"-20-open-zinc plate                                                            | 16   | C0AZ 1012-A  |
| <b>- P -</b>                                     |                      |                                                                                    |      |              |
| 70/                                              | P                    | 1/2"-20-open-zinc plate                                                            | AR   | C0AZ 1012-A  |
| <b>- S -</b>                                     |                      |                                                                                    |      |              |
| 65/                                              | S                    | 1/2"-20-open-zinc plate                                                            | 20   | C0AZ 1012-A  |
| <b>- U -</b>                                     |                      |                                                                                    |      |              |
| 66/                                              | U                    | 1/2"-20-open-zinc plate                                                            | 20   | C0AZ 1012-A  |
| <b>- X -</b>                                     |                      |                                                                                    |      |              |
| 65/70                                            | X                    | 1/2"-20-open-zinc plate                                                            | AR   | C0AZ 1012-A  |
| <b>1015 WHEEL ASSY. - Refer to Group 1007</b>    |                      |                                                                                    |      |              |
| <b>1A028 SLEEVE and RING ASSY. - LOCKOUT HUB</b> |                      |                                                                                    |      |              |
| 66/                                              | U                    | Use with Dana (Spicer) free running hub-also supplied in C4TZ 1104-D, C8TZ 1104-A  | 2    | C4TZ 1A028-A |
| <b>1A029 KNOB - LOCKOUT HUB ACTUATING</b>        |                      |                                                                                    |      |              |
| 66/67                                            | U                    | Use with Dana (Spicer) free running hub-also supplied in C4TZ 1104-D               | 2    | C4TZ 1A029-A |
| 68/                                              | U                    | Use with Dana (Spicer) free running hub-also supplied in C8TZ 1104-A               | 2    | C8TZ 1A029-A |
| <b>1A030 "O" RING - FREE RUNNING HUB KNOB</b>    |                      |                                                                                    |      |              |
| 66/67                                            | U                    | Use with Dana (Spicer) free running hub-also supplied in C4TZ 1104-D               | 2    | C1TZ 1A030-A |
| 68/                                              | U                    | Inner-use with Dana (Spicer) free running hub-3" I.D.-also supplied in C8TZ 1104-A | 2    | C8TZ 1A030-A |
| 68/                                              | U                    | Outer-use with Dana (Spicer) free running hub-2" I.D.-also supplied in C8TZ 1104-A | 2    | C8TZ 1A030-B |

# FORD CAR PARTS

## SECTION 10

9

| YEAR                                                    | MODEL         | DESCRIPTION                                                                                                                                          | QTY. | PART NUMBER                       |
|---------------------------------------------------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------------------------------|
| <b>1A031 BOLT - LOCKOUT HUB RETAINING PLATE</b>         |               |                                                                                                                                                      |      |                                   |
| 68/                                                     | U             | Use with Dana (Spicer) free running hub-<br>No. 10-24 x 1 3/32"-socket head - also supplied<br>in C8TZ 1104-A                                        | 12   | C8TZ 1A031-A                      |
| <b>1040 WEIGHT-WHEEL BALANCE</b>                        |               |                                                                                                                                                      |      |                                   |
| 65/                                                     | A,B,F,L,P,S   | 3/4 oz.                                                                                                                                              | AR   | ♣C7AZ 1040-G                      |
|                                                         |               | 1 1/4 oz.                                                                                                                                            | AR   | ♣C7AZ 1040-H                      |
|                                                         |               | 1 3/4 oz.                                                                                                                                            | AR   | ♣C7AZ 1040-J                      |
| 67/                                                     | A,B,F,L,P,S,X | 1/4 oz.                                                                                                                                              | AR   | ♣CC1CZ 1040-AUP                   |
|                                                         |               | 1/2 oz.                                                                                                                                              | AR   | ☆C7AZ 1040-A                      |
|                                                         |               | 1/2 oz.                                                                                                                                              | AR   | ♣CB9AA 1040-AUP                   |
|                                                         |               | 1 oz.                                                                                                                                                | AR   | ☆C7AZ 1040-B                      |
|                                                         |               | 1 oz.                                                                                                                                                | AR   | ♣CB9AA 1040-BUP                   |
|                                                         |               | 1 1/2 oz.                                                                                                                                            | AR   | ☆C7AZ 1040-C                      |
|                                                         |               | 1 1/2 oz.                                                                                                                                            | AR   | ♣CB9AA 1040-CUP                   |
|                                                         |               | 2 oz.                                                                                                                                                | AR   | ☆C7AZ 1040-D                      |
|                                                         |               | 2 oz.                                                                                                                                                | AR   | ♣CB9AA 1040-DUP                   |
|                                                         |               | 2 1/2 oz.                                                                                                                                            | AR   | ☆C7AZ 1040-E                      |
|                                                         |               | 2 1/2 oz.                                                                                                                                            | AR   | ♣CB9AA 1040-EUP                   |
|                                                         |               | 3 oz.                                                                                                                                                | AR   | ☆C7AZ 1040-F                      |
|                                                         |               | 3 oz.                                                                                                                                                | AR   | ♣CB9AA 1040-FUP                   |
|                                                         |               | 3 1/2 oz.                                                                                                                                            | AR   | ♣8M 1040-GUP                      |
|                                                         |               | 4 oz.                                                                                                                                                | AR   | ♣8M 1040-HUP                      |
| <b>1A050 PLATE - LOCKOUT HUB RETAINING</b>              |               |                                                                                                                                                      |      |                                   |
| 66/67                                                   | U             | Use with Dana (Spicer) free running hub -also<br>supplied in C4TZ 1104-D                                                                             | 2    | C4TZ 1A050-A                      |
| 68/                                                     | U             | Use with Dana (Spicer) free running hub -also<br>supplied in C8TZ 1104-A                                                                             | 2    | C8TZ 1A050-A                      |
| <b>1A051 RETAINER - LOCKOUT HUB CLUTCH</b>              |               |                                                                                                                                                      |      |                                   |
| 66/67                                                   | U             | Use with Dana (Spicer) free running hub -also<br>supplied in C4TZ 1104-D                                                                             | 2    | C4TZ 1A051-A                      |
| 68/                                                     | U             | Use with Dana (Spicer) free running hub -also<br>supplied in C8TZ 1104-A                                                                             | 2    | C8TZ 1A051-A                      |
| <b>1A052 RING and BUSHING ASSY. - LOCKOUT HUB-INNER</b> |               |                                                                                                                                                      |      |                                   |
| 66/                                                     | U             | Use with Dana (Spicer) free running hub -also<br>supplied in C4TZ 1104-D & C8TZ 1104-A                                                               | 2    | C4TZ 1A052-A                      |
| <b>1A053 CAM - LOCKOUT HUB ACTUATING</b>                |               |                                                                                                                                                      |      |                                   |
| 66/67                                                   | U             | Use with Dana (Spicer) free running hub -also<br>supplied in C4TZ 1104-D                                                                             | 2    | C4TZ 1A053-A                      |
| 68/                                                     | U             | Use with Dana (Spicer) free running hub -also<br>supplied in C8TZ 1104-A                                                                             | 2    | C8TZ 1A053-A                      |
| <b>1A054 SPRING - LOCKOUT HUB PRESSURE</b>              |               |                                                                                                                                                      |      |                                   |
| 66/69                                                   | U             | "Before Ser.F30,001" Use with Dana (Spicer) free running hub -also<br>supplied in C4TZ 1104-D, C8TZ 1104-A                                           | 2    | ★C4TZ 1A054-A<br>r/b C9TZ 1A054-A |
| 69/                                                     | U             | "From Ser.F30,001" Use with Dana (Spicer) free running hub -also<br>supplied in C8TZ 1104-A                                                          | 2    | C9TZ 1A054-A                      |
| <b>1A055 RETAINER - LOCKOUT HUB PRESSURE SPRING</b>     |               |                                                                                                                                                      |      |                                   |
| 66/                                                     | U             | Use with Dana (Spicer) free running hub -also<br>supplied in C4TZ 1104-D & C8TZ 1104-A                                                               | 2    | C4TZ 1A055-A                      |
| <b>1A079 INSERT - WHEEL SPIDER TRIM</b>                 |               |                                                                                                                                                      |      |                                   |
| 69                                                      | B, F          | Use with C9ZZ 1007-B-12 required per wheel                                                                                                           | 60   | C9ZZ 1A079-A                      |
| 70                                                      | F             |                                                                                                                                                      | 60   |                                   |
| <b>1097 SEAL and LOCK RING KIT - FREE RUNNING HUB</b>   |               |                                                                                                                                                      |      |                                   |
| 66/67                                                   | U             | Use for C4TZ 1104-D - Dana (Spicer) hub -<br>Consists of<br>1-C1TZ 1A030-A "O" Ring-1-378391-S "O" Ring<br>1-371834-S Lock Ring 1-378392-S Lock Ring | 2    | B9TZ 1097-A                       |

☆ U.S. only      ♣ Canada only

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR  
COMPANY

— DEARBORN, MICHIGAN

**FINAL ISSUE**

| YEAR                                                                                  | MODEL                                                     | DESCRIPTION                                                                         | QTY. | PART NUMBER |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------------------------------------------|------|-------------|
| <b>1102 HUB and BRAKE DRUM - FRONT WHEEL - Also refer to Group 1102 Hub and Rotor</b> |                                                           |                                                                                     |      |             |
| <b>- A -</b>                                                                          |                                                           |                                                                                     |      |             |
| 65/68                                                                                 | A(11" x 2 1/2" brakes) NOTE 1                             | 11 1/32" I.D. -2 25/32" brake surface - incl. B5A 1202-A and B5A 1217-A cups        | 2    | C5AZ 1102-B |
|                                                                                       | A(11" x 3" brakes)-except Taxi with aluminum drums NOTE 1 | 11 1/32" I.D. -3 9/32" brake surface - incl. B5A 1202-A and B5A 1217-A cups         | 2    | C5AZ 1102-A |
| 65/67                                                                                 | A(11" x 3" brakes), Taxi NOTE 1                           | Aluminum drum-11" I.D. -3 1/4" brake surface - incl. B5A 1202-A and B5A 1217-A cups | 2    | C3AZ 1102-E |
| 69                                                                                    | A(11" x 2 1/2" brakes) NOTE 1                             | 11 1/32" I.D. -2 25/32" brake surface - incl. B5A 1202-A and B5A 1217-A cups        | 2    | C9AZ 1102-B |
|                                                                                       | A(11" x 3" brakes) NOTE 1                                 | 11 1/32" I.D. -3 9/32" brake surface - incl. B5A 1202-A and B5A 1217-A cups         | 2    | C9AZ 1102-C |
| 70/                                                                                   | A(11" x 2 1/2" brakes)                                    | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                              | 2    | D0AZ 1102-B |
|                                                                                       | A(11" x 3" brakes)                                        | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                              | 2    | D0AZ 1102-C |
| <b>- B -</b>                                                                          |                                                           |                                                                                     |      |             |
| 65/66                                                                                 | B(10" x 2 1/4" brakes) NOTE 1                             | 10" I.D. -2 13/16" brake surface-non-flared - incl. B5A 1202-A and B5A 1217-A cups  | 2    | C3OZ 1102-D |
| 67/68                                                                                 | B(10" x 2 1/2" fade resistant brakes) NOTE 1              |                                                                                     | 2    |             |
| 66/68                                                                                 | B(10" x 2 1/2" brakes) NOTE 1                             | 10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups        | 2    | C9OZ 1102-B |
| 67/68                                                                                 | B(10" x 2 1/4" brakes) NOTE 1                             | 10" I.D. -2 9/16" brake surface - incl. B5A 1202-A and B5A 1217-A cups              | 2    | C7OZ 1102-A |
| 69                                                                                    | B(10" x 2 1/4" & 10" x 2 1/2" brakes) NOTE 1              | 10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups        | 2    | C9OZ 1102-B |
| 70/71                                                                                 | B(10" x 2 1/4" & 10" x 2 1/2" brakes)                     | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                              | 2    | D0OZ 1102-A |
| <b>- F -</b>                                                                          |                                                           |                                                                                     |      |             |
| 65/66                                                                                 | F(9" x 2 1/4" brakes)                                     | 9" x 2 1/2" brake surface - incl. C0DD 1202-A and C0DD 1217-A cups                  | 2    | C1DZ 1102-B |
| 65/66                                                                                 | F(10" x 2 1/4" brakes) NOTE 1                             | 10" I.D. -2 13/16" brake surface-non-flared - incl. B5A 1202-A and B5A 1217-A cups  | 2    | C3OZ 1102-D |
| 67/68                                                                                 | F(10" x 2 1/2" fade resistant brakes) NOTE 1              |                                                                                     | 2    |             |
| 67/68                                                                                 | F(9" x 2 1/4" brakes)                                     | 9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups                  | 2    | C6DZ 1102-E |
|                                                                                       | F(10" x 2 1/4" brakes) NOTE 1                             | 10" I.D. -2 9/16" brake surface - incl. B5A 1202-A and B5A 1217-A cups              | 2    | C7OZ 1102-A |
|                                                                                       | F(10" x 2 1/2" brakes) NOTE 1                             | 10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups        | 2    | C9OZ 1102-B |
| 69                                                                                    | F(9" x 2 1/4" brakes) NOTE 1                              | 9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups                    | 2    | C9DZ 1102-A |
|                                                                                       | F(10" x 2 1/4" & 10" x 2 1/2" brakes) NOTE 1              | 10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups        | 2    | C9OZ 1102-B |
| 70                                                                                    | F(6 cyl.)-9" x 2 1/4" brakes                              | 9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups                  | 2    | D0ZZ 1102-A |
|                                                                                       | F(8 cyl.)-10" x 2 1/4" & 10" x 2 1/2" brakes)             | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                              | 2    | D0OZ 1102-A |
| 71                                                                                    | F(10" x 2 1/4" & 10" x 2 1/2" brakes)                     | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                              | 2    | D0OZ 1102-A |
| 72                                                                                    | F(10" x 2 1/2" brakes)                                    |                                                                                     | 2    |             |
| <b>- L -</b>                                                                          |                                                           |                                                                                     |      |             |
| 71/                                                                                   | L(9" x 2" brakes)                                         | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                              | 2    | D1FZ 1102-A |
| <b>- P -</b>                                                                          |                                                           |                                                                                     |      |             |
| 70                                                                                    | P(6 cyl.)-9" x 2 1/4" brakes- NOTE 1                      | 9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups                    | 2    | C9DZ 1102-A |
|                                                                                       | "Before 8/25/69"                                          |                                                                                     |      |             |
|                                                                                       | P(6 cyl.)-9" x 2 1/4" brakes "From 8/25/69"               | 9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups                  | 2    | D0ZZ 1102-A |
| 71                                                                                    | P(6 cyl.)-9" x 2 1/4" brakes                              | 9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups                  | 2    | D0ZZ 1102-A |
|                                                                                       | P(6 cyl.250)-10" x 2 1/4" brakes                          | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                              | 2    | D0OZ 1102-A |
|                                                                                       | P(8 cyl.)-10" x 2 1/2" brakes                             |                                                                                     | 2    |             |
| 72                                                                                    | P(6 cyl.)-9" x 2 1/4" brakes                              | 9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups                  | 2    | D0ZZ 1102-A |
|                                                                                       | P(6 cyl.250 & 8 cyl.)-10" x 2 1/2" brakes                 | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                              | 2    | D0OZ 1102-A |

NOTE 1 - Hub and drum or hub and rotor assy. are furnished with original (B5A 1202-A, B5A 1217-A) cups. If original spindle has been replaced by later (large) spindle, it is necessary to replace cups in hub and drum or hub and rotor assy. with larger I.D. cups (D0AZ 1202-A, D0AZ 1217-A)

| YEAR                                                                                              | MODEL                                 | DESCRIPTION                                                                                           | QTY. | PART NUMBER     |
|---------------------------------------------------------------------------------------------------|---------------------------------------|-------------------------------------------------------------------------------------------------------|------|-----------------|
| <b>1102 HUB and BRAKE DRUM - FRONT WHEEL - Also refer to Group 1102 Hub and Rotor - continued</b> |                                       |                                                                                                       |      |                 |
| <b>- U -</b>                                                                                      |                                       |                                                                                                       |      |                 |
| 66/69                                                                                             | U(11" x 2" brakes)                    | "Before Ser. F30,001" Incl. B7A 4222-A and B7A 4222-B cups                                            | 2    | B9TZ 1102-B     |
| 69/                                                                                               | U(11" x 2" brakes)                    | "From Ser. F30,001" Incl. B7A 4222-A and B7A 4222-B cups                                              | 2    | C9TZ 1102-B     |
| <b>- X -</b>                                                                                      |                                       |                                                                                                       |      |                 |
| 65                                                                                                | X(9" x 2 1/4" brakes)                 | 9" x 2 1/2" brake surface - incl. C0DD 1202-A and C0DD 1217-A cups                                    | 2    | C1DZ 1102-B     |
| 65/66                                                                                             | X(10" x 2 1/4" brakes)                | NOTE 1 10" I.D. - 2 13/16" brake surface-non-flared -                                                 | 2    | C3OZ 1102-D     |
| 67/68                                                                                             | X(10" x 2 1/2" fade resistant brakes) | NOTE 1 incl. B5A 1202-A and B5A 1217-A cups                                                           | 2    |                 |
| 66/68                                                                                             | X(9" x 2 1/4" brakes)                 | 9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups                                      | 2    | C6DZ 1102-E     |
| 67/68                                                                                             | X(10" x 2 1/4" brakes)                | NOTE 1 10" I.D. - 2 9/16" brake surface - incl. B5A 1202-A and B5A 1217-A cups                        | 2    | C7OZ 1102-A     |
| 69                                                                                                | X(9" x 2 1/4" brakes)                 | NOTE 1 9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups                               | 2    | C9DZ 1102-A     |
| 69/70                                                                                             | X(10" x 2 1/4" & 10" x 2 1/2" brakes) | NOTE 1 10" I.D. - 2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups                  | 2    | C9OZ 1102-B     |
| 70                                                                                                | X(10" x 2 1/4" brakes)                | NOTE 1 "Before 8/25/69" 10" I.D. - 2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups | 2    | C9OZ 1102-B     |
|                                                                                                   | X(10" x 2 1/2" brakes)                | "From 8/25/69" Incl. D0AZ 1202-A and D0AZ 1217-A cups                                                 | 2    | D0OZ 1102-A     |
|                                                                                                   | X(9" x 2 1/4" brakes)                 | NOTE 1 "Before 8/25/69" 9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups              | 2    | C9DZ 1102-A     |
|                                                                                                   | X(9" x 2 1/4" brakes)                 | "From 8/25/69" 9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups                     | 2    | D0ZZ 1102-A     |
|                                                                                                   |                                       | Cotter pin-1/8"-1 1/4"                                                                                | 2    | 72053-S(N52)    |
|                                                                                                   |                                       | Cotter pin-5/32"-1 1/4"                                                                               | 2    | 72054-S(N61)    |
| 65/66                                                                                             | F(6 cyl.)                             | Nut (spindle)-5/8"-18 hex.                                                                            | 2    | 374502-S(MM38A) |
| 65                                                                                                | X(6 cyl.)                             |                                                                                                       | 2    |                 |
| 65/69                                                                                             | A,B                                   | Nut (spindle)-3/4"-16 hex.                                                                            | 2    | 374504-S(MM38C) |
| 65/66                                                                                             | F(8 cyl.)                             |                                                                                                       | 2    |                 |
| 67/69                                                                                             | F                                     |                                                                                                       | 2    |                 |
| 65                                                                                                | X(8 cyl.)                             |                                                                                                       | 2    |                 |
| 66/69                                                                                             | X                                     |                                                                                                       | 2    |                 |
| 70                                                                                                | P,X                                   | "Before 8/25/69"                                                                                      | 2    |                 |
| 70/                                                                                               | A,B,F,L                               | Nut (spindle)-13/16"-20 hex.                                                                          | 2    | 383840-S100     |
| 70/                                                                                               | P,X                                   | "From 8/25/69"                                                                                        | 2    | (MM38G)         |
| 65/69                                                                                             | A,B,X                                 | Retainer (locknut)-3/4" I.D.                                                                          | 2    | 374536-S        |
| 69                                                                                                | F                                     |                                                                                                       | 2    | (MM304A)        |
| 70                                                                                                | P,X                                   | "Before 8/25/69"                                                                                      | 2    |                 |
| 70/                                                                                               | A,B,F,L                               | Retainer (locknut)-13/16" I.D.                                                                        | 2    | 383841-S        |
| 70/                                                                                               | P,X                                   | "From 8/25/69"                                                                                        | 2    | (MM304B)        |
| <b>1102 HUB and ROTOR - FRONT WHEEL DISC BRAKE - Also refer to Group 1102 Hub and Brake Drum</b>  |                                       |                                                                                                       |      |                 |
| <b>- A -</b>                                                                                      |                                       |                                                                                                       |      |                 |
| 65/67                                                                                             | A                                     | Incl. B7C 1202-A and C3SZ 1217-A cups                                                                 | 2    | C5SZ 1102-A     |
| 68                                                                                                | A                                     | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                           | 2    | C8AZ 1102-A     |
| 69                                                                                                | A                                     | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                           | 2    | C9AZ 1102-A     |
| 70/                                                                                               | A                                     | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                                                | 2    | D0AZ 1102-A     |
| <b>- B -</b>                                                                                      |                                       |                                                                                                       |      |                 |
| 67                                                                                                | B                                     | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                           | 2    | C5ZZ 1102-B     |
| 68/69                                                                                             | B                                     | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                           | 2    | C8OZ 1102-A     |
| 70/71                                                                                             | B                                     | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                                                | 2    | D0OZ 1102-B     |
| 72                                                                                                | B                                     | Use with 14" wheels - incl. D0AZ 1202-A and D0AZ 1217-A cups                                          | 2    | D2OZ 1102-A     |
|                                                                                                   | B                                     | Use with 15" wheels - incl. D0AZ 1202-A and D0AZ 1217-A cups                                          | 2    | D2SZ 1102-A     |

NOTE 1 - Hub and drum or hub and rotor assy. are furnished with original (B5A 1202-A, B5A 1217-A) cups. If original spindle has been replaced by later (large) spindle, it is necessary to replace cups in hub and drum or hub and rotor assy. with larger I.D. cups (D0AZ 1202-A, D0AZ 1217-A)

**FORD CAR PARTS****SECTION 10**

| YEAR                                                                                               | MODEL                 | DESCRIPTION                                                                                                                                                                                                                                      | QTY. | PART NUMBER     |
|----------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------------|
| <b>1102 HUB and ROTOR - FRONT WHEEL DISC BRAKE</b> - Also refer to Group 1102 Hub and Brake Drum - |                       |                                                                                                                                                                                                                                                  |      |                 |
| <b>- continued</b>                                                                                 |                       |                                                                                                                                                                                                                                                  |      |                 |
| <b>- F -</b>                                                                                       |                       |                                                                                                                                                                                                                                                  |      |                 |
| 35/67                                                                                              | F                     | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                                                                                                                                                                      | 2    | C5ZZ 1102-B     |
| 68/69                                                                                              | F(except Boss)        | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                                                                                                                                                                      | 2    | C8OZ 1102-A     |
| 69                                                                                                 | F(Boss 302)           | Incl. B7C 1202-A and C3SZ 1217-A cups                                                                                                                                                                                                            | 2    | C9ZZ 1102-A     |
| 69                                                                                                 | F(Boss 429)           |                                                                                                                                                                                                                                                  | 2    | C9ZZ 1102-B     |
| 70/                                                                                                | F                     | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                                                                                                                                                                                           | 2    | D0OZ 1102-B     |
| <b>- L -</b>                                                                                       |                       |                                                                                                                                                                                                                                                  |      |                 |
| 71/                                                                                                | L(manual disc brakes) | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                                                                                                                                                                                           | 2    | D1FZ 1102-B     |
| <b>- S -</b>                                                                                       |                       |                                                                                                                                                                                                                                                  |      |                 |
| 65/67                                                                                              | S                     | Incl. B7C 1202-A and C3SZ 1217-A cups                                                                                                                                                                                                            | 2    | C5SZ 1102-A     |
| 68                                                                                                 | S                     | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                                                                                                                                                                      | 2    | C8AZ 1102-A     |
| 69                                                                                                 | S                     | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                                                                                                                                                                      | 2    | C9AZ 1102-A     |
| 70/71                                                                                              | S                     | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                                                                                                                                                                                           | 2    | D0AZ 1102-A     |
| 72                                                                                                 | S                     | Incl. D0AZ 1202-A and D0AZ 1217-A cups                                                                                                                                                                                                           | 2    | D2SZ 1102-A     |
| <b>- X -</b>                                                                                       |                       |                                                                                                                                                                                                                                                  |      |                 |
| 67                                                                                                 | X                     | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                                                                                                                                                                      | 2    | C5ZZ 1102-B     |
| 68/70                                                                                              | X                     | NOTE 1 Incl. B5A 1202-A and B5A 1217-A cups                                                                                                                                                                                                      | 2    | C8OZ 1102-A     |
|                                                                                                    |                       | Cotter pin-1/8"-1 1/4"                                                                                                                                                                                                                           | 2    | 72053-S(N52)    |
|                                                                                                    |                       | Cotter pin-5/32"-1 1/4"                                                                                                                                                                                                                          | 2    | 72054-S(N61)    |
| 66/67                                                                                              | B                     | Nut (spindle)-5/8"-18 hex.                                                                                                                                                                                                                       | 2    | 374502-S(MM38A) |
| 65/66                                                                                              | F                     |                                                                                                                                                                                                                                                  | 2    |                 |
| 67                                                                                                 | X                     |                                                                                                                                                                                                                                                  | 2    |                 |
| 66/69                                                                                              | A                     | Nut (spindle)-3/4"-16 hex.                                                                                                                                                                                                                       | 2    | 374504-S(MM38C) |
| 68/69                                                                                              | B, X                  |                                                                                                                                                                                                                                                  | 2    |                 |
| 67/69                                                                                              | F                     |                                                                                                                                                                                                                                                  | 2    |                 |
| 65/69                                                                                              | S                     |                                                                                                                                                                                                                                                  | 2    |                 |
| 70                                                                                                 | X                     | "Before 8/25/69"                                                                                                                                                                                                                                 | 2    |                 |
| 70/                                                                                                | A, B, F, S            | Nut (spindle)-13/16"-20 hex.                                                                                                                                                                                                                     | 2    | 383840-S100     |
| 70                                                                                                 | X                     | "From 8/25/69"                                                                                                                                                                                                                                   | 2    | (MM38G)         |
| 71/                                                                                                | L                     |                                                                                                                                                                                                                                                  | 2    |                 |
| 66/69                                                                                              | A, B                  | Retainer (locknut)-3/4" I. D.                                                                                                                                                                                                                    | 2    | 374536-S        |
| 65/69                                                                                              | F, S                  |                                                                                                                                                                                                                                                  | 2    | (MM304A)        |
| 67/69                                                                                              | X                     |                                                                                                                                                                                                                                                  | 2    |                 |
| 70                                                                                                 | X                     | "Before 8/25/69"                                                                                                                                                                                                                                 | 2    |                 |
| 70/                                                                                                | A, B, F, S            | Retainer (locknut)-13/16" I. D.                                                                                                                                                                                                                  | 2    | 383841-S        |
| 70                                                                                                 | X                     | "From 8/25/69"                                                                                                                                                                                                                                   | 2    | (MM304B)        |
| 71                                                                                                 | L                     |                                                                                                                                                                                                                                                  | 2    |                 |
| <b>1104 HUB KIT - FREE RUNNING (WARN)</b>                                                          |                       |                                                                                                                                                                                                                                                  |      |                 |
| 66/                                                                                                | U-manual locking      | Warn Mfg. Co. M167-♣                                                                                                                                                                                                                             | 1    | C6TZ 1104-B     |
| 66/                                                                                                | U-lockomatic          | Warn Mfg. Co. M75-B (exc. R.P.O. locking differential and front shafts without hole in outer end)-♣                                                                                                                                              | 1    | C6TZ 1104-F     |
| <b>1104 HUB ASSY. - FRONT WHEEL - FREE RUNNING</b>                                                 |                       |                                                                                                                                                                                                                                                  |      |                 |
| 66/67                                                                                              | U                     | Dana(Spicer)-imprinted "Hub Lok" -includes C4TZ 1A028-A, C4TZ 1A029-A, C1TZ 1A030-A, C4TZ 1A050-A, C4TZ 1A051-A, C4TZ 1A052-A, C4TZ 1A053-A, C4TZ 1A054-A, C4TZ 1A055-A, 378390-S, 378391-S, 378392-S8-uses B9TZ 1097-A for seal & lock ring kit | 2    | C4TZ 1104-D     |
| 68/                                                                                                | U                     | Dana(Spicer)-imprinted "Ford" -includes C8TZ 1A029-A, C8TZ 1A030-A & B, C8TZ 1A031-A, C8TZ 1A050-A, C8TA 1A051-A, C4TZ 1A052-A, C8TZ 1A053-A, C9TZ 1A054-A, C4TZ 1A055-A, 378392-S8                                                              | 2    | C8TZ 1104-A     |

NOTE 1 - Hub and drum or hub and rotor assy. are furnished with original (B5A 1202-A, B5A 1217-A) cups. If original spindle has been replaced by later (large) spindle, it is necessary to replace cups in hub and drum or hub and rotor assy. with larger I.D. cups (D0AZ 1202-A, D0AZ 1217-A)

♣ Obtain service parts from authorized Warn service outlets

## SECTION 10

| YEAR                         | MODEL              | LOCATION | SIZE               | REMARKS | QTY. | PART NUMBER  |
|------------------------------|--------------------|----------|--------------------|---------|------|--------------|
| <b>1107 BOLT - WHEEL HUB</b> |                    |          |                    |         |      |              |
| <b>- A -</b>                 |                    |          |                    |         |      |              |
| 65/67                        | A (drum brakes)    | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                              | A (one piece drum) | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                              | A (drum brakes)    | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                              | A (disc brakes)    | F        | 1/2"-20 x 2"       | 1966/67 | 1    | ▲C5SZ 1107-A |
|                              | A                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 68                           | A (drum brakes)    | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                              | A (drum brakes)    | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                              | A (drum brakes)    | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                              | A (disc brakes)    | F        | 1/2"-20 x 2"       |         | 1    | ▲C5SZ 1107-A |
|                              | A                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 69/70                        | A (drum brakes)    | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                              | A (drum brakes)    | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                              | A (drum brakes)    | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                              | A (disc brakes)    | F        | 1/2"-20 x 1 13/16" |         | 1    | ▲C9AZ 1107-A |
|                              | A                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 71/                          | A (drum brakes)    | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                              | A (disc brakes)    | F        | 1/2"-20 x 1 13/16" |         | 1    | ▲C9AZ 1107-A |
|                              | A                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| <b>- B -</b>                 |                    |          |                    |         |      |              |
| 65/67                        | B (drum brakes)    | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                              | B (one piece drum) | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                              | B (drum brakes)    | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                              | B (disc brakes)    | F        | 1/2"-20 x 1 15/16" | 1967    | 1    | ▲C5ZZ 1107-A |
|                              | B                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 68                           | B (drum brakes)    | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                              | B (drum brakes)    | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                              | B (drum brakes)    | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                              | B (disc brakes)    | F        | 1/2"-20 x 1 5/8"   | NOTE 1  | 1    | ▲C8OZ 1107-A |
|                              | B (disc brakes)    | F        | 1/2"-20 x 2"       | NOTE 2  |      | ▲C9OZ 1107-A |
|                              | B                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 69                           | B (drum brakes)    | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                              | B (drum brakes)    | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                              | B (drum brakes)    | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                              | B (disc brakes)    | F        | 1/2"-20 x 2"       | NOTE 2  | 1    | ▲C9OZ 1107-A |
|                              | B                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 70                           | B (drum brakes)    | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                              | B (drum brakes)    | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                              | B (drum brakes)    | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                              | B (disc brakes)    | F        | 1/2"-20 x 2"       | NOTE 2  | 1    | ▲C9OZ 1107-A |
|                              | B                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 71                           | B (drum brakes)    | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                              | B (disc brakes)    | F        | 1/2"-20 x 2"       | NOTE 2  | 1    | ▲C9OZ 1107-A |
|                              | B                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 72                           | B (disc brakes)    | F        | 1/2"-20 x 1 13/16" |         | 1    | ▲C9AZ 1107-A |
|                              | B                  | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |

▲ When more than one hub bolt replacement is necessary on vehicles equipped with two piece design rotor, the complete hub and rotor assy. must be replaced. Hub bolts may be replaced as necessary on vehicles equipped with unicast design rotor.

⊕ F - Front R - Rear

NOTE 1 - Serration at bolt head

NOTE 2 - Serration at center of bolt

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR  
COMPANY

- DEARBORN, MICHIGAN

**FINAL ISSUE**

[illegible]

▲ When more than one hub bolt replacement is necessary on vehicles equipped with two piece design rotor, the complete hub and rotor assy. must be replaced. Hub bolts may be replaced as necessary on vehicles equipped with unicast design rotor.

⊕ F - Front      R - Rear

NOTE 1 - Serration at bolt head

NOTE 2 - Serration at center of bolt



## SECTION 10

| YEAR                                     | MODEL                                     | LOCATION | SIZE               | REMARKS | QTY. | PART NUMBER  |
|------------------------------------------|-------------------------------------------|----------|--------------------|---------|------|--------------|
| <b>1107 BOLT - WHEEL HUB - continued</b> |                                           |          |                    |         |      |              |
| <b>- S -</b>                             |                                           |          |                    |         |      |              |
| 65/68                                    | S (disc brakes)                           | F        | 1/2"-20 x 2"       |         | 1    | ▲C5SZ 1107-A |
|                                          | S                                         | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 69/                                      | S (disc brakes)                           | F        | 1/2"-20 x 1 13/16" |         | 1    | ▲C9AZ 1107-A |
|                                          | S                                         | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| <b>- U -</b>                             |                                           |          |                    |         |      |              |
| 66/69                                    | U (drum brakes) -<br>"Before Ser.F30,001" | F        | 1/2"-20 x 1 11/16" |         | AR   | C6TZ 1107-B  |
|                                          | U                                         | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 69/                                      | U (drum brakes) -<br>"From Ser.F30,001"   | F        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
|                                          | U                                         | R        |                    |         | AR   |              |
| <b>- X -</b>                             |                                           |          |                    |         |      |              |
| 65/67                                    | X (drum brakes)                           | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                                          | X (one piece drum)                        | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                                          | X (drum brakes)                           | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                                          | X (disc brakes)                           | F        | 1/2"-20 x 1 15/16" | 1967    | 1    | ▲C5ZZ 1107-A |
|                                          | X                                         | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 68                                       | X (drum brakes)                           | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                                          | X (drum brakes)                           | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                                          | X (drum brakes)                           | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                                          | X (disc brakes)                           | F        | 1/2"-20 x 1 5/8"   | NOTE 1  | 1    | ▲C8OZ 1107-A |
|                                          | X (disc brakes)                           | F        | 1/2"-20 x 2"       | NOTE 2  | 1    | ▲C9OZ 1107-A |
|                                          | X                                         | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |
| 69/70                                    | X (drum brakes)                           | F        | 1/2"-20 x 1 1/2"   |         | AR   | C1AZ 1107-A  |
|                                          | X (drum brakes)                           | F        | 1/2"-20 x 1 9/16"  |         | AR   | C3OZ 1107-A  |
|                                          | X (drum brakes)                           | F        | 1/2"-20 x 1 11/16" |         | AR   | C3AZ 1107-A  |
|                                          | X (disc brakes)                           | F        | 1/2"-20 x 2"       | NOTE 2  | 1    | ▲C9OZ 1107-A |
|                                          | X                                         | R        | 1/2"-20 x 1 5/8"   |         | AR   | A9AZ 1107-B  |

| YEAR                                 | MODEL                                 | DESCRIPTION                                                               | QTY. | PART NUMBER |
|--------------------------------------|---------------------------------------|---------------------------------------------------------------------------|------|-------------|
| <b>1125 DRUM - FRONT WHEEL BRAKE</b> |                                       |                                                                           |      |             |
| 66/69                                | U "Before Ser. F30,001"               |                                                                           | 2    | C0TZ 1125-A |
| 69/                                  | U "From Ser. F30,001"                 | Refer to Group 1102                                                       |      |             |
| <b>1126 DRUM - REAR WHEEL BRAKE</b>  |                                       |                                                                           |      |             |
| <b>- A -</b>                         |                                       |                                                                           |      |             |
| 65/68                                | A(11" x 2 1/4" & 11" x 2 1/2" brakes) | 11 1/32" I.D. -2 3/4" brake surface-overall depth 5" -flared cross-ribbed | 2    | C3AZ 1126-B |
| 65/68                                | A(11" x 2 1/4" brakes)                | 11 1/32" I.D. -2 5/8" brake surface-3 9/16" o/all depth-non-flared        | 2    | C7AZ 1126-B |
| 69/                                  | A(11" x 2 1/4" brakes)                | 11 1/32" I.D. -2 9/32" brake surface-non-flared -grooved-3 1/2" wide drum | 2    | C9AZ 1126-A |
| 69/                                  | A(11" x 2 1/4" & 11" x 2 1/2" brakes) | 11 1/32" I.D. -2 3/4" brake surface-flared & ribbed-5" wide drum          | 2    | C9AZ 1126-B |

▲ When more than one hub bolt replacement is necessary on vehicles equipped with two piece design rotor, the complete hub and rotor assy. must be replaced. Hub bolts may be replaced as necessary on vehicles equipped with unicast design rotor.

⊕ F - Front R - Rear

NOTE 1 - Serration at bolt head

NOTE 2 - Serration at center of bolt

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR  
COMPANY

— DEARBORN, MICHIGAN


**FINAL ISSUE**

## SECTION 10


## FORD CAR PARTS

| YEAR                                            | MODEL                                     | DESCRIPTION                                                        | QTY. | PART NUMBER      |
|-------------------------------------------------|-------------------------------------------|--------------------------------------------------------------------|------|------------------|
| <b>1126 DRUM - REAR WHEEL BRAKE - continued</b> |                                           |                                                                    |      |                  |
| <b>- B -</b>                                    |                                           |                                                                    |      |                  |
| 65/67                                           | B(10" x 1 3/4" brakes)                    | 10" I.D. -2" brake surface                                         | 2    | C3OZ 1126-B      |
|                                                 | B(10" x 2" brakes)                        | 10" I.D. -2 1/4" brake surface-non-flared                          | 2    | C2OZ 1126-B      |
|                                                 | B(10" x 2 1/2" brakes)                    | 10" I.D. -2 3/4" brake surface-non-flared                          | 2    | C3OZ 1126-A      |
|                                                 | B(10" x 2 1/2" brakes)-1967 only          | 10" I.D. -2 3/4" brake surface-flared                              | 2    | C8OZ 1126-C      |
| 68/69                                           | B(10" x 1 3/4" brakes)                    | 10" I.D. -2" brake surface                                         | 2    | C3OZ 1126-B      |
|                                                 | B(10" x 2" brakes)                        | 10" I.D. -2 1/4" brake surface-non-flared                          | 2    | C2OZ 1126-B      |
|                                                 | B(10" x 2" brakes)                        | 10" I.D. -2 1/4" brake surface-flared                              | 2    | C8OZ 1126-A      |
|                                                 | B(10" x 2 1/2" brakes)                    | 10" I.D. -2 3/4" brake surface-flared                              | 2    | C8OZ 1126-C      |
| 70/71                                           | B(10" x 2" brakes)                        | 10" I.D. -2 1/4" brake surface-non-flared                          | 2    | C2OZ 1126-B      |
|                                                 | B(10" x 2" brakes)                        | 10" I.D. -2 1/4" brake surface-flared                              | 2    | C8OZ 1126-A      |
|                                                 | B(10" x 2 1/2" brakes)                    | 10" I.D. -2 3/4" brake surface-flared                              | 2    | C6OZ 1126-C      |
| 72                                              | B(exc. P/C)-w/10" x 2" brakes             | Non-flared                                                         | 2    | D2OZ 1126-A      |
|                                                 | B(exc. P/C)-w/10" x 2" brakes             | Flared                                                             | 2    | D2OZ 1126-B      |
|                                                 | B(exc. P/C)-w/10" x 2 1/2" brakes         | Flared & ribbed                                                    | 2    | D2OZ 1126-C      |
|                                                 | B(53, 65-P/C)-11" x 2 1/4" brakes         | 11 1/32" I.D. -2 3/4" brake surface-flared and ribbed-5" wide drum | 2    | C9AZ 1126-B      |
| <b>- F -</b>                                    |                                           |                                                                    |      |                  |
| 65/70                                           | F(except GT 350)-9" x 1 1/2" brakes       | 9" I.D. -1 3/4" brake surface                                      | 2    | C0DZ 1126-C      |
| 65/                                             | F(except GT 350)-10" x 1 3/4" brakes      | 10" I.D. -2" brake surface                                         | 2    | C3OZ 1126-B      |
| 65/66                                           | F(except GT 350/500)-9" x 2 1/4" brakes   | 9" I.D. -2 1/2" brake surface                                      | 2    | C0DZ 1126-B      |
| 65/67                                           | F(GT 350/500)                             | 10" I.D. -2 3/4" brake surface                                     | 2    | C3OZ 1126-A      |
| 69/                                             | F(10" x 2" brakes)                        | 10" I.D. -2 1/4" brake surface                                     | 2    | C2OZ 1126-B      |
| <b>- L -</b>                                    |                                           |                                                                    |      |                  |
| 71                                              | L(9" x 1 1/2" brakes)                     | 9" I.D. -1 3/4" brake surface                                      | 2    | D1FZ 1126-A      |
| 72                                              | L(exc. 73)-9" x 1 1/2" brakes             | 9" I.D. -1 3/4" brake surface                                      | 2    | D1FZ 1126-A      |
|                                                 | L(73)-9" x 1 1/2" brakes                  | 9" I.D. -1 3/4" brake surface-ribbed                               | 2    | D2FZ 1126-A      |
| <b>- P -</b>                                    |                                           |                                                                    |      |                  |
| 70                                              | P(6 cyl.)-9" x 1 1/2" brakes              | 9" I.D. -1 3/4" brake surface                                      | 2    | C0DZ 1126-C      |
| 71/                                             | P(6 cyl.)-9" x 1 1/2" brakes              | 9" I.D. -1 3/4" brake surface                                      | 2    | C0DZ 1126-C      |
|                                                 | P(6 cyl.250 & 8 cyl.)-10" x 1 3/4" brakes | 10" I.D. -2" brake surface                                         | 2    | C3OZ 1126-B      |
| <b>- S -</b>                                    |                                           |                                                                    |      |                  |
| 65/66                                           | S(11" x 2 1/2" brakes)                    | 11 3/32" I.D. -2 3/4" brake surface                                | 2    | C3SZ 1126-A      |
| 67/68                                           | S(11" x 2 1/4" brakes)                    | 11 1/32" I.D. -2 5/8" brake surface                                | 2    | C7AZ 1126-B      |
| 69/                                             | S(11" x 2 1/4" brakes)                    | 11 1/32" I.D. -2 3/4" brake surface-flared & ribbed-5" wide drum   | 2    | C9AZ 1126-B      |
| <b>- U -</b>                                    |                                           |                                                                    |      |                  |
| 66/                                             | U (10 x 2 1/2" brakes)                    | Std. -2780# rear axle -2 7/8" brake surface                        | 2    | C6TZ 1126-A      |
| 66/                                             | U (11 x 1 3/4" brakes)                    | Optional-3300# rear axle -2" brake surface                         | 2    | C4TZ 1126-A      |
| <b>- X -</b>                                    |                                           |                                                                    |      |                  |
| 65/70                                           | X(9" x 1 1/2" brakes)                     | 9" I.D. -1 3/4" brake surface                                      | 2    | C0DZ 1126-C      |
| 65                                              | X(9" x 2 1/4" brakes)                     | 9" I.D. -2 1/2" brake surface                                      | 2    | C0DZ 1126-B      |
| 65/70                                           | X(10" x 1 3/4" brakes)                    | 10" I.D. -2" brake surface                                         | 2    | C3OZ 1126-B      |
| 66/70                                           | X(10" x 2" brakes)                        | 10" I.D. -2 1/4" brake surface                                     | 2    | C2OZ 1126-B      |
| 66                                              | X(10" x 2 1/2" brakes)                    | 10" I.D. -2 3/4" brake surface                                     | 2    | C3OZ 1126-A      |
| 65/70                                           | A, B, F, S, X                             | Spring nut (drum to axle shaft)-1/2"                               | 4or6 | 356080S32(MM270) |


### 1130 CAP OR COVER - WHEEL HUB




**A**  
# C3AZ-1130-Z (15")  
(RED CENTER WITH CREST)  
MUSTANG




**B**  
C3DZ-1130-A (9")  
(HUB CAP)  
FALCON




**C**  
% C3OZ-1130-L (13")  
(RED CENTER WITH CREST)  
FALCON




**D**  
% C3OZ-1130-K (14")  
(RED CENTER WITH CREST)  
FALCON




**E**  
C4AZ-1130-A (10 1/2")  
C4OZ-1130-A (9 1/2")  
(HUB CAP)  
FAIRLANE, FALCON, FORD



**F**  
•★ C4AZ-1130-H (14")  
•C4OZ-1130-H (13")  
MUSTANG




**G**  
%★ C4AZ-1130-L (14")  
(RED, WHITE AND BLUE CENTER)  
MUSTANG




**H**  
C4DZ-1130-D (9 1/2")  
(BLACK CENTER)  
FALCON-HUB CAP




**J**  
★ S1MS-1130-A (3")  
(GT-350)  
MUSTANG-HUB CAP



**K**  
S2MS-1130-B (2 3/4")  
(GT-350)  
MUSTANG-HUB CAP



**L**  
★S2MS-1130-C (2 1/2")  
(GT-350)  
MUSTANG-HUB CAP




**M**  
C5AZ-1130-A (10 1/2")  
(HUB CAP)  
FORD


• PLAIN CENTER  
% SIMULATED WIRE WITH SPINNER  
# SPINNER-RED CENTER WITH FORD CREST

P-8916


### 1965 HUB CAPS and WHEEL COVERS (Page 1 of 2)




**A**  
C5AZ-1130-C (15")  
(BLUE CENTER)  
FORD




**B**  
%C5AZ-1130-D (15")  
(BLUE CENTER)  
FORD




**C**  
C5AZ-1130-F (15")  
("FORD" CENTER)  
FORD




**D**  
C5DZ-1130-A (13")  
C5DZ-1130-F (14")  
FALCON




**E**  
\*C5DZ-1130-D (13")  
#C5DZ-1130-C (14")  
FALCON (RED CENTER)




**F**  
C5OZ-1130-A (14")  
(PLAIN CENTER WITH CREST)  
FAIRLANE




**G**  
C5OZ-1130-E (14")  
(RED CENTER)  
FAIRLANE




**H**  
C5SZ-1130-A (15")  
"THUNDERBIRD"-PLAIN CENTER  
THUNDERBIRD



**J**  
C5SZ-1130-B (15")  
C5SZ-1130-C (15")  
(BLACK CENTER)  
THUNDERBIRD



**K**  
▲ C5ZZ-1130-A (13")  
▲ C5ZZ-1130-K (13")  
● C5ZZ-1130-P (13")  
▲ C5ZZ-1130-C (14")  
▲ C5ZZ-1130-J (14")  
● C5ZZ-1130-N (14")  
(BLACK CENTER)  
MUSTANG



**L**  
#▲C5ZZ-1130-B (13")  
#▲C5ZZ-1130-M (13")  
#●C5ZZ-1130-S (13")  
#▲C5ZZ-1130-L (14")  
#★C5ZZ-1130-R (14")  
(BLACK CENTER)  
MUSTANG




**M**  
C5ZZ-1130-W (2 1/2")  
(HUB CAP)  
MUSTANG


● CHROME  
▲ RUSTLESS STEEL  
# SPINNER IN CENTER  
% SIMULATED WIRE  
WITH SPINNER

P-8917


### 1130 CAP OR COVER - WHEEL HUB - continued




**A**  
C20A-1130-A (13 1/8")  
(PLAIN CENTER)  
FALCON




**B**  
C3DZ-1130-A (9")  
(HUB CAP)  
FALCON




**C**  
%C3OZ-1130-K (14")  
(RED CENTER WITH CREST)  
FALCON




**D**  
%C3OZ-1130-L (13")  
(RED CENTER WITH CREST)  
FALCON




**E**  
C5AZ-1130-A (10 1/2")  
C6DZ-1130-A (9 1/2")  
(HUB CAP)  
FORD, FAIRLANE, FALCON, MUSTANG




**F**  
%★C5AZ-1130-D (15")  
(BLUE CENTER)  
FORD



**G**  
C5DZ-1130-A (13")  
C5DZ-1130-F (14")  
FALCON




**H**  
★C5DZ-1130-D (13")  
#★C5DZ-1130-C (14")  
FALCON (RED CENTER)




**I**  
C5OZ-1130-A (14")  
(PLAIN CENTER WITH CREST)  
FAIRLANE



**K**  
C5ZZ-1130-W (2 1/2")  
("MUSTANG" EMBLEM)  
MUSTANG-HUB CAP



**L**  
S2MS-1130-B (2 3/4")  
(GT-350)  
MUSTANG-HUB CAP




**M**  
S2MS-1130-C (2 1/2")  
(GT-350)  
MUSTANG-HUB CAP

# SPINNER IN CENTER  
% SIMULATED WIRE WITH SPINNER


P-8918

### 1966 HUB CAPS and WHEEL COVERS (Page 1 of 3)


## 1130 CAP OR COVER - WHEEL HUB - continued




**A**  
 ▲ C6AZ-1130-A (15")  
 ■ C6AZ-1130-G (15")  
 BRONCO, FORD (BLACK CENTER)




**B**  
 ■ C6AZ-1130-B (15")  
 ▲ C6AZ-1130-H (15")  
 FORD (BLACK CENTER)




**C**  
 C6AZ-1130-C (16 1/4")  
 (RED CENTER)  
 FORD




**D**  
 \* C6AZ-1130-K (15")  
 # C6AZ-1130-N (15")  
 FORD




**E**  
 % C6AZ-1130-L (15")  
 (BLUE CENTER)  
 FORD



**F**  
 C6OZ-1130-C (14")  
 (RED CENTER)  
 FAIRLANE



**G**  
 \* C6OZ-1130-K (14")  
 # C6OZ-1130-N (14")  
 FAIRLANE, FALCON, MUSTANG



**H**  
 C6OZ-1130-L (2 1/2")  
 (RED CENTER)  
 FAIRLANE RANCHERO-HUB CAP

% SIMULATED WIRE WITH SPINNER

\* "FORD" CENTER


# PLAIN CENTER

■ CHROME (BELOW CENTER AREA)


▲ ARGENT (PAINTED BELOW CENTER AREA)

P-8919


### 1130 CAP OR COVER - WHEEL HUB - continued




**A**  
C6SZ-1130-A (15")  
(GREY CENTER)  
THUNDERBIRD




**B**  
C6SZ-1130-B (15")  
(RED CENTER)  
THUNDERBIRD




**C**  
C6TZ-1130-A (15")  
("FORD" CENTER)  
BRONCO-REAR WHEELS



**D**  
C6TZ-1130-B (15")  
(3 5/8" HOLE IN CENTER)  
BRONCO FRONT WHEELS




**E**  
C6ZZ-1130-A (14")  
(BLACK CENTER)  
MUSTANG




**F**  
#★C6ZZ-1130-B (14")  
(BLACK CENTER)  
MUSTANG

# SPINNER IN CENTER

P-8920




**A**  
% C3OZ-1130-K (14")  
(RED CENTER WITH CREST)  
FALCON




**B**  
C5AZ-1130-A (10 1/2")  
(HUB CAP)  
FORD




**C**  
C5ZZ-1130-W (2 1/2")  
("MUSTANG" EMBLEM)  
MUSTANG-HUB CAP




**D**  
S7MS-1130-A (16 1/4")  
(GT-350/500)  
MUSTANG




**E**  
S7MS-1130-B (2 1/2")  
GT-350/500  
MUSTANG




**F**  
S7MS-1130-C (2 3/4")  
GT-350/500  
MUSTANG



**G**  
C6AZ-1130-C (16 1/4")  
(RED CENTER)  
FORD, MUSTANG



**H**  
C6AZ-1130-G (15")  
(BLACK CENTER)  
BRONCO



**I**  
\*C6AZ-1130-K (15")  
#C6AZ-1130-N (15")  
FORD

\*"FORD" CENTER


# PLAIN CENTER

% SIMULATED WIRE WITH SPINNER


P-8921




### 1130 CAP OR COVER - WHEEL HUB - continued




**(A)**  
C6AZ-1130-L (15")  
(BLUE CENTER)  
FORD




**(B)**  
\*C6OZ-1130-K (14")  
#C6OZ 1130-N (14")  
FAIRLANE, FALCON, MUSTANG




**(C)**  
C6TZ-1130-A, (15")  
FORD CENTER  
BRONCO-REAR WHEELS




**(D)**  
C7AZ-1130-A (10 1/2")  
C7DZ-1130-A (9 5/8")  
(BLACK CENTER)  
FORD, FAIRLANE, FALCON, MUSTANG




**(E)**  
C7AZ-1130-B (15")  
(RED CENTER)  
FORD




**(F)**  
C7AZ-113-E (15")  
("L T D" CENTER)  
FORD



**(G)**  
%C7AZ-1130-H (15")  
\*C7OZ-1130-F (14")  
(BLUE CENTER)  
FORD, FAIRLANE, FALCON, MUSTANG



**(H)**  
C7DZ-1130-C (14")  
("FORD" CREST)  
FALCON



**(J)**  
C7OZ-1130-B (14")  
("FORD" CENTER)  
FAIRLANE

%SIMULATED WIRE WITH SPINNER


\*FORD CENTER

#PLAIN CENTER


P-8922

1967 HUB CAPS and WHEEL COVERS


(Page 2 of 3)

**1130 CAP OR COVER - WHEEL HUB - continued**


**A**  
C7OZ-1130-C (2 1/2")  
(RED CENTER)  
FAIRLANE, MUSTANG




**B**  
C7OZ-1130-D (14")  
★ C7OZ-1130-G (14")  
FAIRLANE (BLUE CENTER)




**C**  
C7SZ-1130-A (16 1/4")  
(PLAIN CENTER)  
THUNDERBIRD




**D**  
C7SZ-1130-B (16 1/4")  
(TURQUOISE CENTER)  
THUNDERBIRD




**E**  
C7TZ-1130-H (15")  
(FRONT WHEELS-HOLE IN CENTER)  
BRONCO



**F**  
C7ZZ-1130-A (3 3/4")  
(MUSTANG CENTER)  
MUSTANG-HUBCAP



**G**  
● C7ZZ-1130-B (14")  
▲ C7ZZ-1130-G (14")  
MUSTANG (RED CENTER)



**H**  
# C7ZZ-1130-E (14")  
(RED CENTER)  
MUSTANG


#SIMULATED WIRE WITHOUT SPINNER

● 21 DEPRESSIONS PAINTED GREY-GOLD METALIC


▲ 21 DEPRESSIONS PAINTED REFLECTIVE GREY

P-8923


### 1130 CAP OR COVER - WHEEL HUB - continued




**A**  
C6AZ-1130-C (16 1/4")  
(RED CENTER)  
FORD, MUSTANG




**B**  
C6AZ-1130-G (15")  
(BLACK CENTER)  
BRONCO-REAR WHEELS




**C**  
\*C6AZ-1130-K (15")  
#C6AZ-1130-N (15")  
FORD, MUSTANG




**D**  
\*C6OZ-1130-K (14")  
#C6OZ-1130-N (14")  
FAIRLANE/TORINO, FALCON, MUSTANG




**E**  
C7OZ-1130-C (2 1/2")  
(RED CENTER)  
FAIRLANE/TORINO




**F**  
C7SZ-1130-B (16 1/4")  
(TURQUOISE CENTER)  
THUNDERBIRD




**G**  
C7TZ-1130-H (15")  
(FRONT WHEELS-HOLE IN CENTER)  
BRONCO




**H**  
•C7ZZ-1130-E (14")  
(RED CENTER)  
MUSTANG




**J**  
C8AZ-1130-A (15")  
(BLACK CENTER)  
FORD




**K**  
%C8AZ-1130-B (15")  
(BURGUNDY CENTER)  
FORD



**L**  
▲C8AZ-1130-D (10 1/2")  
(BLACK CENTER)  
C8DZ-1130-A (10 1/2")  
FALCON (PLAIN CENTER)



**M**  
•C8AZ-1130-F (15") •C8OZ-1130-J (14")  
FAIRLANE/TORINO,  
FALCON, FORD, MUSTANG



**N**  
S8MS-1132-A (16 1/4")  
(GT350/500) MUSTANG


▲FORD, FAIRLANE/TORINO AND FALCON  
%COMBINATION OF BLACK, SILVER, GOLD  
AND BURGUNDY IN CENTER

•SIMULATED WIRE WITHOUT SPINNER  
\*FORD CENTER  
#PLAIN CENTER


P-8924

## 1968 HUB CAPS and WHEEL COVERS (Page 1 of 2)


## 1130 CAP OR COVER - WHEEL HUB - continued




**A**  
C8OZ-1130-A (14")  
(BLUE CENTER)  
FAIRLANE/TORINO, FALCON




**B**  
C8OZ-1130-B (14")  
(PLAIN CENTER)  
FAIRLANE/TORINO, FALCON




**C**  
C8OZ-1130-C (7 1/2")  
(HUB CAP)  
FAIRLANE/TORINO, MUSTANG




**D**  
C8OZ-1130-E (14")  
(BLUE CENTER)  
FAIRLANE/TORINO,




**E**  
C8OZ-1130-G (7 1/2")  
(HUB CAP)  
FAIRLANE/TORINO, MUSTANG




**F**  
C8OZ-1130-L (15 3/8")  
(BLUE CENTER)  
FAIRLANE/TORINO,




**G**  
C8SZ-1130-A (15")  
(BLACK CENTER)  
THUNDERBIRD




**H**  
C8SZ-1130-B (16 1/4")  
(PLAIN CENTER)  
THUNDERBIRD




**I**  
# C8SZ-1130-C (16 1/4")  
(THUNDERBIRD CENTER)  
THUNDERBIRD



**K**  
C8ZZ-1130-A (14")  
( "MUSTANG" CENTER)  
MUSTANG



**L**  
C8ZZ-1130-E (14")  
(RED CENTER)  
MUSTANG




**M**  
C8ZZ-1130-F (10 1/2")  
(BLACK CENTER)  
MUSTANG-HUB CAP

# RECESSED SPINNER


• SIMULATED WIRE WITHOUT SPINNER

P-8925


**1130 CAP OR COVER - WHEEL HUB - continued**




**A**  
C6AZ-1130-C (16 1/4")  
(RED CENTER)  
MUSTANG




**B**  
C6AZ-1130-G (15")  
(BLACK CENTER)  
BRONCO-REAR WHEELS




**C**  
C7TZ-1130-H (15")  
(FRONT WHEELS-HOLE IN CENTER)  
BRONCO




**D**  
•C7ZZ-1130-E (14")  
(RED CENTER)  
MUSTANG




**E**  
C8AZ-1130-A (15")  
(BLACK CENTER)  
FORD



**F**  
# C8AZ-1130-B (15")  
(BURGUNDY CENTER)  
FORD



**G**  
C8AZ-1130-D (10 1/2")  
(BLACK CENTER)  
FAIRLANE/TORINO,  
FALCON, FORD, MUSTANG




**H**  
C80Z-1130-C (7 1/2")  
(HUB CAP)  
FAIRLANE/TORINO, MUSTANG

# COMBINATION OF BLACK, SILVER, GOLD AND BURGUNDY IN CENTER  
• SIMULATED WIRE WITHOUT SPINNER

P-8926

**1969 HUB CAPS and WHEEL COVERS**  
(Page 1 of 2)


1130 CAP OR COVER - WHEEL HUB - continued




A

C8OZ-1130-G (7 1/2")  
(HUB CAP)


FAIRLANE/TORINO, MUSTANG



B

C8SZ-1130-A (15")  
(BLACK CENTER)  
THUNDERBIRD


C

C9OZ-1130-A (14")  
(RED CENTER)  
FAIRLANE/TORINO, FALCON


D

C9OZ-1130-B (14")  
(PLAIN CENTER-BLACK CREST)  
FAIRLANE/TORINO, FALCON


E

C9OZ-1130-D (2 3/4")  
(BLACK CENTER)  
FAIRLANE/TORINO RANCHERO  
"RIO GRANDE"


F

C9SZ-1130-A (15")  
("THUNDERBIRD" PLAIN CENTER)  
THUNDERBIRD


G

\*C9SZ-1130-D (16 1/4")  
(THUNDERBIRD EMBLEM)  
THUNDERBIRD

H

C9ZZ-1130-A (14")  
(PLAIN CENTER-BLACK LETTERS)  
MUSTANG

I

C9ZZ-1130-E (2 3/4")  
(BLACK CENTER)  
MUSTANG

K

C9ZZ-1130-D (2 3/4")  
GT-350/500 (BLACK CENTER)  
MUSTANG


L

C9ZZ-1130-F (2 3/16")  
"BOSS 429"  
MUSTANG


\* REFER TO TEXT SECTION 10 FOR COLOR DESIRED

P-8927


### 1130 CAP OR COVER - WHEEL HUB - continued




**A**  
C6AZ-1130-G (15")  
(BLACK CENTER)  
BRONCO-REAR WHEELS




**B**  
C6AZ-1130-N (15")  
(PLAIN CENTER)  
FORD




**C**  
C6OZ-1130-N (14")  
(PLAIN CENTER)  
FAIRLANE/TORINO, MUSTANG




**D**  
C7TZ-1130-H (15")  
(FRONT WHEELS-HOLE IN CENTER)  
BRONCO




**E**  
C8AZ-1130-D (10 1/2")  
(BLACK CENTER)  
FALCON, FORD




**F**  
# C8AZ-1130-F (15")  
# C8OZ-1130-J (14")  
FAIRLANE/TORINO, FORD, MUSTANG




**G**  
C8OZ-1130-G (7 1/2")  
(HUB CAP)  
FAIRLANE/TORINO, MUSTANG




**H**  
C9OZ-1130-A (14")  
(RED CENTER)  
FALCON



**J**  
C9OZ-1130-B (14")  
(PLAIN CENTER-BLACK CREST)  
FALCON, FORD



**K**  
C9ZZ-1130-D (2 3/4")  
GT-350/500 (BLACK CENTER)  
MUSTANG




**L**  
C9ZZ-1130-E 2 3/4"  
(BLACK CENTER)  
MUSTANG


# SIMULATED WIRE WITHOUT SPINNER

P-8928


### 1970 HUB CAPS and WHEEL COVERS (Page 1 of 2)




**A**  
 \*D0AZ-1130-B (16 1/4")  
 \*D0AZ-1130-K (16 1/4")  
 \*D0AZ-1130-J (16 1/4")  
 (PLAIN CENTER)  
 FORD, THUNDERBIRD




**B**  
 D0AZ-1130-C (15 1/8")  
 (BLACK CENTER)  
 FORD




**C**  
 \*D0AZ-1130-E (10 1/4")  
 \*D0AZ-1130-H (10 1/4")  
 (CHROME FINISH-BLACK LETTERS)  
 \*D0AZ-1130-G (10 1/4")  
 \*D0SZ-1130-B (10 1/4")  
 FAIRLANE/TORINO, FORD,  
 MAVERICK, MUSTANG-HUB CAP




**D**  
 D0DZ-1130-C (9 5/8")  
 D0DZ-1130-D (10 5/8")  
 (PLAIN CENTER)  
 MAVERICK-HUB CAP




**E**  
 D0DZ-1130-E (14")  
 (PLAIN CENTER)  
 MAVERICK




**F**  
 D0OZ-1130-A (15 3/8")  
 (RED CENTER)  
 FAIRLANE/TORINO




**G**  
 ▼%D0OZ-1130-G (16 1/4")  
 ▼□D0OZ-1130-D (15 1/4")  
 (RED CENTER)  
 FAIRLANE/TORINO  
 %D0ZZ-1130-F (16 1/4")  
 □D0ZZ-1130-D (15 1/4")  
 ■D0ZZ-1130-E (15 1/4")  
 (BLACK CENTER)  
 MUSTANG




**H**  
 D0OZ-1130-F (2 3/4")  
 (PLAIN CENTER)  
 FAIRLANE/TORINO-HUB CAP



**J**  
 D0SZ-1130-A (16 1/4")  
 (BLACK CENTER)  
 THUNDERBIRD



**K**  
 \*★D0SZ-1130-B (16 1/4")  
 \*D0SZ-1130-F (16 1/4")  
 (BLACK CENTER)  
 ΔD0SZ-1130-D (16 1/4")  
 ΔD0SZ-1130-E (16 1/4")  
 THUNDERBIRD




**L**  
 D0ZZ-1130-A (14 1/8")  
 ("MUSTANG" CENTER)  
 MUSTANG

▼ ARGENT BACKGROUND  
 Δ REFER TO TEXT SECTION 10  
 FOR COLOR DESIRED  
 ■ USED ON 14"×6" WHEELS  
 □ USED ON 14"×7" WHEELS  
 % USED ON 15"×7" WHEELS  
 # CIRCULAR BRUSHED  
 CHROME FINISH  
 \* REFER TO TEXT SECTION 10  
 TO CLARIFY MODEL APPLICATION


P-8929




**1130 CAP OR COVER - WHEEL HUB - continued**




**A**  
C6AZ-1130-G (15")  
(BLACK CENTER)  
BRONCO-REAR WHEELS




**B**  
C6OZ-1130-N (14")  
(PLAIN CENTER)  
MAVERICK, MUSTANG, TORINO




**C**  
# C8AZ-1130-B (15")  
(BURGUNDY CENTER)  
FORD




**D**  
C8OZ-1130-G (7 1/2")  
(HUB CAP)  
MAVERICK, TORINO




**E**  
■ C8OZ-1130-J (14")  
(PLAIN CENTER)  
MAVERICK




**F**  
C7TZ-1130-H (15")  
(FRONT WHEELS-HOLE IN CENTER)  
BRONCO




**G**  
C9OZ-1130-B (14")  
(PLAIN CENTER BLACK CREST)  
TORINO




**H**  
C9ZZ-1130-E (2 3/4")  
D1ZZ-1130-G (2 3/4")  
(BLACK CENTER)  
MUSTANG



**I**  
●★ D0AZ-1130-G (10 1/4")  
● D5DZ-1130-B (10 1/4")  
▲ D0AZ-1130-H (10 1/4")  
(HUB CAP)  
FORD, MUSTANG, TORINO



**K**  
D0AZ-1130-J (16 1/4")  
(PLAIN CENTER)  
FORD




**L**  
D0DZ-1130-C (9 5/8")  
D0DZ-1130-D (10 5/8")  
(PLAIN CENTER)  
MAVERICK-HUB CAP

- BRUSHED FINISH CENTER
- ▲ BRIGHT FINISH CENTER
- SIMULATED WIRE WITHOUT SPINNER
- # COMBINATION OF BLACK, SILVER, GOLD AND BURGUNDY IN CENTER AREA


P-8930

**1971 HUB CAPS and WHEEL COVERS**  
(Page 1 of 2)


## 1130 CAP OR COVER - WHEEL HUB - continued




**A**  
DODZ-1130-E (14")  
(PLAIN CENTER)  
MAVERICK



**B**  
DDOZ-1130-A (15 3/8")  
(RED CENTER)  
TORINO




**C**  
• DDOZ-1130-F (2 3/4")  
• DIOZ-1130-A (2 3/4")  
(BRIGHT CENTER)  
TORINO




**D**  
▼ □ DDOZ-1130-D (15 1/4")  
▼ % DDOZ-1130-G (16 1/4")  
(RED CENTER)  
TORINO


\* □ D1ZZ-1130-C (15 1/4")  
\* ▲ D1ZZ-1130-D (15 1/4")  
\* % D1ZZ-1130-E (16 1/4")  
(BLACK CENTER)  
MUSTANG




**E**  
DOSZ-1130-A (16 1/4")  
(BLACK CENTER)  
THUNDERBIRD




**F**  
DOSZ-1130-F (16 1/4")  
(BLACK CENTER)  
# DOSZ-1130-E (16 1/4")  
# D1SZ-1130-A THRU N (16 1/4")  
THUNDERBIRD




**G**  
\* D1AZ-1130-A (15 1/8")  
(BLACK CENTER)  
FORD




**H**  
# D1DZ-1130-A THRU C (10 1/4")  
(PLAIN CENTER)  
TORINO-HUB CAP



**I**  
D1FZ-1130-A (9 1/4")  
(PLAIN CENTER)  
PINTO-HUB CAP



**K**  
D1FZ-1130-B (13 1/8")  
(PLAIN CENTER)  
PINTO




**L**  
D1ZZ-1130-B (14 1/8")  
(PLAIN CENTER)  
MUSTANG


# REFER TO TEXT SECTION  
10 FOR COLOR DESIRED  
□ USED ON 14"×7" WHEELS ONLY  
▲ USED ON 14"×6" WHEELS ONLY  
\* ARGENT WITH BLACK BACKGROUND  
▼ ARGENT BACKGROUND  
% USED ON 15"×7" WHEELS  
• USED WITH STYLIZED STEEL WHEELS

P-8931


1130 CAP OR COVER - WHEEL HUB - continued




**A**  
C6AZ-1130-G (15")  
(BLACK CENTER)  
BRONCO REAR WHEELS ONLY




**B**  
C7TZ-1130-H (15")  
(HOLE IN CENTER)  
FRONT WHEELS ONLY BRONCO




**C**  
#C8AZ-1130-B (15")  
(BURGUNDY CENTER)  
FORD




**D**  
D0DZ-1130-C (9 5/8")  
D0DZ-1130-D (10 5/8")  
(PLAIN CENTER)  
MAVERICK-HUB CAP




**E**  
●D1ZZ-1130-G (2 3/4")  
(BLACK CENTER)  
MUSTANG




**F**  
D0DZ-1130-E (14 1/8")  
(PLAIN CENTER)  
MAVERICK




**G**  
\*\*D0AZ-1130-G (10 1/4")  
\*D5DZ-1130-B (10 1/4")  
\*D0AZ-1130-H (10 1/4")  
\*D2ZZ-1130-B (10 1/4")  
(BRUSHED FINISH CENTER)  
FORD, MAVERICK, MUSTANG-HUB CAP




**H**  
D0OZ-1130-A (15 3/8")  
(RED CENTER)  
TORINO




**I**  
D0SZ-1130-A (16 1/4")  
(BLACK CENTER)  
THUNDERBIRD



**K**  
\*D1AZ-1130-A (15 1/8")  
(BLACK CENTER)  
FORD AND TORINO



**L**  
\*D1FZ-1130-A (9 1/4")  
\*D2FZ-1130-A (9 1/4")  
\*D2FZ-1130-B (9 1/4")  
(PLAIN CENTER)  
PINTO-HUB CAP




**M**  
D1FZ-1130-B (13 1/8")  
(PLAIN CENTER)  
PINTO

- \* REFER TO TEXT SECTION 10 TO CLARIFY MODEL APPLICATION
- USED WITH STYLIZED STEEL WHEELS ONLY
- # COMBINATION OF BLACK, SILVER, GOLD AND BURGUNDY IN CENTER AREA


P-8833

### 1972 HUB CAPS and WHEEL COVERS (Page 1 of 2)


## 1130 CAP OR COVER - WHEEL HUB - continued




**A**  
D1ZZ-1130-B (14 1/8")  
(PLAIN CENTER)  
MUSTANG




**B**  
□ D1ZZ-1130-D (15 1/4")  
% D1ZZ-1130-E (16 1/4")  
(ARGENT WITH BLACK BACKGROUND)  
MUSTANG




**C**  
▲ D2AZ-1130-J (15 1/8")  
FORD, TORINO (BLACK CENTER)




\* D2OZ-1130-F (14 1/8")  
(BLACK CENTER)  
% D2DZ-1130-A THRU M (14 1/8")  
MAVERICK, TORINO




\*■ D2OZ-1130-D (10 1/4")  
\*+ D2OZ-1130-E (10 1/4")  
HUB CAP (BLACK CENTER)



**F**  
# D2SZ-1130-A THRU J (16 1/4")  
▲ D2SZ-1130-F (16 1/4")  
# D3SZ-1130-E (16 1/4")  
THUNDERBIRD (BLACK CENTER)



**G**  
D2ZZ-1130-A (14 1/8")  
(BLACK CENTER)  
MUSTANG



**H**  
● D10Z-1130-A (2 3/4")  
(BRIGHT CENTER)  
TORINO

\* REFER TO TEXT SECTION 10 TO CLARIFY MODEL APPLICATION

■ TORINO-BRIGHT FINISH OUTER

+ TORINO-BLACK FINISH OUTER

● USED WITH STYLIZED STEEL WHEELS

# REFER TO TEXT PORTION OF CATALOG FOR CORRECT COLOR

▲ CIRCULAR BRUSHED FINISH

□ USED ON 14" x 6" WHEELS ONLY

% USED ON 15" x 7" WHEELS ONLY

P-8834

1130 CAP or COVER - WHEEL HUB - continued

### WHEEL COVER or HUB CAP IDENTIFICATION CHART

| IDENTIFICATION | PART NUMBER  | IDENTIFICATION | PART NUMBER  | IDENTIFICATION | PART NUMBER    | IDENTIFICATION | PART NUMBER     |
|----------------|--------------|----------------|--------------|----------------|----------------|----------------|-----------------|
| C2OA 1130-A    | C2OA 1130-A  | C6AA 1130-A    | C6AZ 1130-A  | C8AA 1130-D    | C8AZ 1130-D    | D0SA 1130-A    | D0SZ 1130-A     |
| C3AA 1130-Z    | C3AZ 1130-Z  | C6AA 1130-D    | C6AZ 1130-B  | C8AA 1130-E    | C8AZ 1130-B    | D0SA 1130-B1   | ★D0SZ 1130-B    |
| C3AA 1130-AF   | C3AZ 1130-Z  | C6AA 1130-E    | C6AZ 1130-C  | C8AA 1130-F    | C8AZ 1130-B    | D0SA 1130-B2   | ★D0SZ 1130-B    |
| C3DA 1130-A    | C3DZ 1130-A  | C6AA 1130-F    | ★C6AZ 1130-L | C8AA 1130-G    | C8AZ 1130-A    | D0SA 1130-C13D | ★D0SZ 1130-D13D |
| C3OA 1130-K    | ★C3OZ 1130-K | C6AA 1130-G    | C6AZ 1130-G  | C8AA 1130-H    | C6AZ 1130-K    | D0SA 1130-C15W | D0SZ 1130-D15W  |
| C3OA 1130-L    | C3OZ 1130-L  | C6AA 1130-H    | C6AZ 1130-H  | C8AA 1130-K    | C8AZ 1130-F    | D0SA 1130-C18C | D0SZ 1130-D18C  |
| C3OA 1130-R    | C3OZ 1130-L  | C6AA 1130-J    | C6AZ 1130-K  | C8AA 1130-L    | C6AZ 1130-K    | D0SA 1130-C19V | D0SZ 1130-D19V  |
|                |              | C6DA 1130-A    | C6DZ 1130-A  | C8AA 1130-M    | C6AZ 1130-N    | D0SA 1130-C20F | ★D0SZ 1130-D20F |
|                |              | C6OA 1130-C    | C6OZ 1130-C  | C8AA 1130-N    | C8AZ 1130-F    | D0SA 1130-C24P | D0SZ 1130-D24P  |
| C4AA 1130-A    | C4AZ 1130-A  | C6OA 1130-E    | C6OZ 1130-K  | C8DA 1130-B    | C8DZ 1130-A    | D0SA 1130-C38Y | D0SZ 1130-D38Y  |
| C4AA 1130-F    | ★C4AZ 1130-H | C6OA 1130-F    | C6OZ 1130-L  | C8OA 1130-A    | C8OZ 1130-A    | D0SA 1130-C40D | D0SZ 1130-D40D  |
| C4AA 1130-R    | ★C4AZ 1130-L | C6OA 1130-G    | ★C6ZZ 1130-E | C8OA 1130-B    | C8OZ 1130-B    | D0SA 1130-C58B | D0SZ 1130-D58B  |
| C4DA 1130-B    | C4DZ 1130-D  | C6SA 1130-A    | C6SZ 1130-A  | C8OA 1130-C    | C8OZ 1130-C    | D0SA 1130-C64B | D0SZ 1130-D64B  |
| C4OA 1130-A    | C4OZ 1130-A  | C6SA 1130-B    | C6SZ 1130-B  | C8OA 1130-D    | C8OZ 1130-C    | D0SA 1130-C64G | ★D0SZ 1130-D64G |
| C4ZA 1130-E    | C5ZZ 1130-C  | C6TA 1130-E    | C6TZ 1130-A  | C8OA 1130-E    | C8OZ 1130-E    | D0SA 1130-C65G | D0SZ 1130-D65G  |
| C4ZA 1130-F    | C5ZZ 1130-A  | C6TA 1130-F    | C6TZ 1130-B  | C8OA 1130-H    | C8OZ 1130-G    | D0SA 1130-C75G | ★D0SZ 1130-D75G |
| C4ZA 1130-G    | ★C5ZZ 1130-D | C6ZA 1130-A    | C6ZZ 1130-A  | C8OA 1130-J    | C8OZ 1130-G    | D0SA 1130-D    | D0SZ 1130-F     |
| C4ZA 1130-H    | ★C5ZZ 1130-B | C6ZA 1130-B    | ★C6ZZ 1130-B | C8OA 1130-L    | C8OZ 1130-L    | D0SA 1130-E01W | D0SZ 1130-E15W  |
| C4ZA 1130-J    | C5ZZ 1130-J  |                |              | C8OA 1130-M    | C8OZ 1130-N    | D0SA 1130-E04V | D1SZ 1130-A     |
| C4ZA 1130-K    | C5ZZ 1130-K  | C7AA 1130-A    | C7AZ 1130-A  | C8OA 1130-N    | C8OZ 1130-J    | D0SA 1130-E08F | D1SZ 1130-L     |
| C4ZA 1130-L    | ★C5ZZ 1130-L | C7AA 1130-C    | C7AZ 1130-E  | C8SA 1130-B    | ★C8SZ 1130-B   | D0SA 1130-E09F | D1SZ 1130-B     |
| C4ZA 1130-M    | ★C5ZZ 1130-M | C7AA 1130-D    | C7AZ 1130-B  | C8SA 1130-C    | C8SZ 1130-C    | D0SA 1130-E10D | D0SZ 1130-E13D  |
|                |              | C7AA 1130-E    | C7AZ 1130-H  | C8SA 1130-E    | C8SZ 1130-A    | D0SA 1130-E13D | D0SZ 1130-E13D  |
| C5AA 1130-A    | C5AZ 1130-A  | C7DA 1130-C    | C7DZ 1130-C  | C8SA 1130-F    | C8SZ 1130-A    | D0SA 1130-E13V | D1SZ 1130-C     |
| C5AA 1130-B    | C5AZ 1130-F  | C7DA 1130-D    | C7DZ 1130-A  | C8ZA 1130-A    | C8ZZ 1130-A    | D0SA 1130-E14B | D1SZ 1130-D     |
| C5AA 1130-C    | C5AZ 1130-C  | C7OA 1130-A    | C7OZ 1130-D  | C8ZA 1130-D    | C8ZZ 1130-F    | D0SA 1130-E14R | D1SZ 1130-E     |
| C5AA 1130-D    | ★C5AZ 1130-D | C7OA 1130-B    | C7OZ 1130-B  | C8ZA 1130-E    | C8ZZ 1130-E    | D0SA 1130-E14T | D1SZ 1130-F     |
| C5DA 1130-A    | C5DZ 1130-A  | C7OA 1130-C    | C7OZ 1130-C  |                |                | D0SA 1130-E15W | D0SZ 1130-E15W  |
| C5DA 1130-B    | ★C5DZ 1130-D | C7OA 1130-D    | C7OZ 1130-F  | C9AA 1130-A    | C8AZ 1130-B    | D0SA 1130-E18C | D0SZ 1130-E18C  |
| C5DA 1130-C    | ★C5DZ 1130-C | C7OA 1130-E    | C7OZ 1130-D  | C9OA 1130-A    | C9OZ 1130-A    | D0SA 1130-E19V | D0SZ 1130-E19V  |
| C5DA 1130-D    | C5DZ 1130-F  | C7SA 1130-B    | C7SZ 1130-B  | C9OA 1130-B    | C9OZ 1130-B    | D0SA 1130-E20F | D0SZ 1130-E20F  |
| C5OA 1130-A    | C5OZ 1130-A  | C7SA 1130-D    | C7SZ 1130-A  | C9SA 1130-A    | C9SZ 1130-A    | D0SA 1130-E24D | D0SZ 1130-E40D  |
| C5OA 1130-B    | ★C5OZ 1130-B | C7SA 1130-E    | ★C7SZ 1130-D | C9SA 1130-D    | C8SZ 1130-A    | D0SA 1130-E24P | D0SZ 1130-E24P  |
| C5OA 1130-C    | C5OZ 1130-E  | C7TA 1130-H    | C7TZ 1130-H  | C9SA 1130-C05P | C9SZ 1130-D05P | D0SA 1130-E25Y | D1SZ 1130-G     |
| C5SA 1130-A    | C5SZ 1130-A  | C7ZA 1130-B    | C7ZZ 1130-B  | C9SA 1130-C13D | C9SZ 1130-D13D | D0SA 1130-E28B | D1SZ 1130-H     |
| C5SA 1130-B    | C5SZ 1130-B  | C7ZA 1130-E    | C7ZZ 1130-A  | C9SA 1130-C15K | C9SZ 1130-D15K | D0SA 1130-E30D | D1SZ 1130-M     |
| C5SA 1130-C    | C5SZ 1130-C  | C7ZA 1130-G    | C7ZZ 1130-E  | C9SA 1130-C23G | C9SZ 1130-D23G | D0SA 1130-E37B | D1SZ 1130-J     |
| C5ZA 1130-C    | C5ZZ 1130-N  |                |              | C9SA 1130-C26B | C9SZ 1130-D26B | D0SA 1130-E38Y | D0SZ 1130-E38Y  |
| C5ZA 1130-D    | C5ZZ 1130-P  |                |              | C9ZA 1130-B    | C9ZZ 1130-A    | D0SA 1130-E40D | D0SZ 1130-E40D  |
| C5ZA 1130-E    | ★C5ZZ 1130-R |                |              |                |                | D0SA 1130-E42G | D0SZ 1130-E64G  |
| C5ZA 1130-F    | C5ZZ 1130-S  |                |              | D0AA 1130-B    | D0AZ 1130-B    | D0SA 1130-E46G | D1SZ 1130-K     |
| C5ZA 1130-J    | C5ZZ 1130-W  |                |              | D0AA 1130-E    | D0AZ 1130-C    | D0SA 1130-E50G | D1SZ 1130-N     |
|                |              |                |              | D0AA 1130-F    | D0AZ 1130-B    | D0SA 1130-E58B | D0SZ 1130-E58B  |
|                |              |                |              | D0AA 1130-G    | D0AZ 1130-H    | D0SA 1130-E64B | D0SZ 1130-E64B  |
|                |              |                |              | D0AA 1130-H    | D0AZ 1130-J    |                |                 |
|                |              |                |              | D0AA 1130-J    | D0AZ 1130-K    | D0SA 1130-E64G | D0SZ 1130-E64G  |
|                |              |                |              | D0DA 1130-A    | D0DZ 1130-C    | D0SA 1130-E65G | D0SZ 1130-E65G  |
|                |              |                |              | D0DA 1130-B    | D0DZ 1130-D    | D0SA 1130-E75G | D0SZ 1130-E75G  |
|                |              |                |              | D0DA 1130-C1   | D0DZ 1130-E    |                |                 |
|                |              |                |              | D0DA 1130-E    | D0DZ 1130-C    |                |                 |
|                |              |                |              | D0DA 1130-F    | D0DZ 1130-D    |                |                 |
|                |              |                |              | D0DA 1130-A    | D0DZ 1130-A    |                |                 |
|                |              |                |              | D0OA 1130-D    | D0OZ 1130-D    |                |                 |
|                |              |                |              | D0OA 1130-F    | D0OZ 1130-G    |                |                 |
|                |              |                |              | D0OA 1130-H    | D0OZ 1130-D    |                |                 |
|                |              |                |              | D0OA 1130-J    | D0OZ 1130-G    |                |                 |
|                |              |                |              | D0OA 1130-K    | ★D0AZ 1130-G   |                |                 |
|                |              |                |              | D0OA 1130-K    | D5DZ 1130-B    |                |                 |

## 1130 CAP or COVER - WHEEL HUB - continued

## WHEEL COVER or HUB CAP IDENTIFICATION CHART - continued

| IDENTIFICATION  | PART NUMBER  | IDENTIFICATION  | PART NUMBER | IDENTIFICATION  | PART NUMBER | IDENTIFICATION | PART NUMBER |
|-----------------|--------------|-----------------|-------------|-----------------|-------------|----------------|-------------|
| D0ZA 1130-E     | D0ZZ 1130-D  | D2AA 1130-AA    | D0AZ 1130-H | D2OA 1130-AA    | D2OZ 1130-D | D2ZA 1130-AA   | D2ZZ 1130-A |
| D0ZA 1130-F     | D0ZZ 1130-E  | D2AA 1130-DA    | D2AZ 1130-J | D2OA 1130-AB    | D2OZ 1130-D | D2ZA 1130-BA   | D2ZZ 1130-B |
| D0ZA 1130-G     | D0ZZ 1130-F  | D2DA 1130-AE3BA | D2DZ 1130-B | D2OA 1130-BA    | D2OZ 1130-E | D2ZA 1130-AA   | D2FZ 1130-A |
| D0ZA 1130-H     | D0AZ 1130-E  | D2DA 1130-AE5GA | D2DZ 1130-C | D2OA 1130-BB    | D2OZ 1130-E | D2ZA 1130-BA   | D2FZ 1130-B |
| D0ZA 1130-J     | D0AZ 1130-G  | D2DA 1130-AF3GA | D2DZ 1130-D | D2OA 1130-CA    | D2OZ 1130-F |                |             |
| D0ZA 1130-K     | D0ZZ 1130-A  | D2DA 1130-AH1BA | D2DZ 1130-H | D2OA 1130-CB    | D2OZ 1130-F |                |             |
| D0ZA 1130-L     | D0ZZ 1130-D  | D2DA 1130-A13RA | D2DZ 1130-K | D2OA 1130-DA    | D2OZ 1130-F |                |             |
| D0ZA 1130-M     | D0ZZ 1130-E  | D2DA 1130-A14RA | D2DZ 1130-J | D2OA 1130-DB    | D2OZ 1130-F |                |             |
| D0ZA 1130-N     | D0ZZ 1130-F  | D2DA 1130-A14WA | D2DZ 1130-A |                 |             |                |             |
|                 |              | D2DA 1130-A15VA | D2DZ 1130-E | D2SA 1130-AB    | D2SZ 1130-F |                |             |
| D1AA 1130-AB    | *D1AZ 1130-A | D2DA 1130-A24VA | D2DZ 1130-M | D2SA 1130-B50GA | D2SZ 1130-E |                |             |
| D1DA 1130-A04VA | D1DZ 1130-C  | D2DA 1130-A25VA | D2DZ 1130-F | D2SA 1130-C09FB | D2SZ 1130-A |                |             |
| D1DA 1130-A27DA | D1DZ 1130-A  | D2DA 1130-A37TA | D2DZ 1130-L | D2SA 1130-C13CB | D2SZ 1130-B |                |             |
| D1DA 1130-A49GA | D1DZ 1130-B  | D2DA 1130-A41BA | D2DZ 1130-H | D2SA 1130-C15VB | D2SZ 1130-C |                |             |
| D1ZA 1130-BA    | D1ZZ 1130-B  | D2DA 1130-A80FA | D2DZ 1130-G | D2SA 1130-C16FB | D2SZ 1130-H |                |             |
| D1ZA 1130-CB    | D1ZZ 1130-C  | D2DA 1130-A98RA | D2DZ 1130-K | D2SA 1130-C18GB | D3SZ 1130-E |                |             |
| D1ZA 1130-DB    | D1ZZ 1130-D  | D2DA 1130-A99RA | D2DZ 1130-J | D2SA 1130-C30DB | D2SZ 1130-G |                |             |
| D1ZA 1130-EB    | D1ZZ 1130-E  |                 |             | D2SA 1130-C37BB | D2SZ 1130-D |                |             |
| D12A 1130-AA    | D1FZ 1130-A  |                 |             | D2SA 1130-C50GB | D2SZ 1130-E |                |             |
| D12A 1130-BA    | D1FZ 1130-B  |                 |             | D2SA 1130-C59GB | D2SZ 1130-J |                |             |

| MODEL | IDENTIFICATION | DIAMETER<br>(Inches) | DESCRIPTION | SHOWN ON<br>Page Loc. | PART NUMBER |
|-------|----------------|----------------------|-------------|-----------------------|-------------|
|-------|----------------|----------------------|-------------|-----------------------|-------------|

## 1965

|                  |             |        |                                                   |      |                                 |
|------------------|-------------|--------|---------------------------------------------------|------|---------------------------------|
| A                | C5AA 1130-A | 10 1/2 | 36 Depressions                                    | 17 M | C5AZ 1130-A                     |
| A                | C4AA 1130-A | 10 1/2 | "Ford" letters with Black background              | 17 E | C4AZ 1130-A                     |
| A                | C5AA 1130-C | 15     | Incl. crest-Blue center                           | 18 A | C5AZ 1130-C                     |
| A                | C5AA 1130-B | 15     | Imprinted "Ford"                                  | 18 C | C5AZ 1130-F                     |
| A                | C5AA 1130-D | 15     | Simulated wire-incl. spinner-Blue center          | 18 B | *C5AZ 1130-J<br>Not replaced    |
| B                | C4AA 1130-A | 10 1/2 | "Ford" letters w/Black background                 | 17 E | C4AZ 1130-A                     |
| B                | C5OA 1130-A | 14     | Incl. crest                                       | 18 F | C5OZ 1130-A                     |
| B                | C5OA 1130-C | 14     | Incl. crest-Red center                            | 18 G | C5OZ 1130-E                     |
| F(except GT 350) | C5ZA 1130-J | 2 1/2  | Imprinted "Ford Mustang"-includes attaching parts | 18 M | C5ZZ 1130-W                     |
| F(except GT 350) | C4ZA 1130-F | 13     | Imprinted "Mustang"-Black center                  | 18 K | C5ZZ 1130-A                     |
| F(except GT 350) | C4ZA 1130-H | 13     | Incl. spinner-imprinted "Mustang"-Black center    | 18 L | *C5ZZ 1130-B<br>r/b C5ZZ 1130-A |
| F(except GT 350) | C4ZA 1130-K | 13     | Imprinted "Mustang"-Black center                  | 18 K | C5ZZ 1130-K                     |
| F(except GT 350) | C5ZA 1130-D | 13     | Imprinted "Mustang"-Black center                  | 18 K | C5ZZ 1130-P                     |
| F(except GT 350) | C4ZA 1130-M | 13     | Incl. spinner-imprinted "Mustang"-Black center    | 18 L | *C5ZZ 1130-M<br>r/b C5ZZ 1130-J |
| F(except GT 350) | C5ZA 1130-F | 13     | Incl. spinner-imprinted "Mustang"-Black center    | 18 L | C5ZZ 1130-S                     |
| F(except GT 350) |             | 13     | Wire                                              | 17 F | C4OZ 1130-H                     |
| F(except GT 350) | C4ZA 1130-E | 14     | Imprinted "Mustang"-Black center                  | 18 K | C5ZZ 1130-C                     |
| F(except GT 350) | C4ZA 1130-J | 14     | Imprinted "Mustang"-Black center                  | 18 K | C5ZZ 1130-J                     |
| F(except GT 350) | C5ZA 1130-C | 14     | Imprinted "Mustang"-Black center                  | 18 K | C5ZZ 1130-N                     |
| F(except GT 350) | C4ZA 1130-L | 14     | Incl. spinner-imprinted "Mustang"-Black center    | 18 L | *C5ZZ 1130-L<br>r/b C5ZZ 1130-C |

\* Not used on vehicles equipped with fender skirts

### 1130 CAP or COVER - WHEEL HUB - continued

| MODEL                                                                                  | IDENTIFICATION                   | DIAMETER<br>(Inches) | DESCRIPTION                                                                                    | SHOWN ON<br>Page Loc. | PART NUMBER                     |
|----------------------------------------------------------------------------------------|----------------------------------|----------------------|------------------------------------------------------------------------------------------------|-----------------------|---------------------------------|
| <b>1965 - continued</b>                                                                |                                  |                      |                                                                                                |                       |                                 |
| F(except GT 350)                                                                       | C5ZA 1130-E                      | 14                   | Incl. spinner-imprinted "Mustang"-<br>Black center                                             | 18 L                  | ★C5ZZ 1130-R<br>Not replaced    |
| F(except GT 350)                                                                       | C4AA 1130-F                      | 14                   | Wire                                                                                           | 17 F                  | ★C4AZ 1130-H<br>Not replaced    |
| F(except GT 350)                                                                       | C4AA 1130-R                      | 14                   | Simulated wire-incl. spinner-Red, White<br>& Blue center                                       | 17 G                  | ★C4AZ 1130-L<br>Not replaced    |
| F(except GT 350)                                                                       | C3AA 1130-Z, AF                  | 15                   | Incl. spinner-stainless steel                                                                  | 17 A                  | C3AZ 1130-Z                     |
| F(GT 350)                                                                              |                                  | 3                    | Cap assy.-use with Cragar 15" wheel                                                            | 17 J                  | ★S1MS 1130-A<br>Not replaced    |
| F(GT 350)<br>Consists of<br>(1) S2MS 1131-B bracket<br>(1) S2MS 1132-A emblem (GT 350) |                                  | 2 3/4                | Cap assy.-use with S2MS 1007-B & C<br><br>(1) S2MS 1133-A cap (plastic)<br>(2) S2MS 1135-A nut | 17 K                  | S2MS 1130-B                     |
| F(GT 350)<br>Consists of<br>(1) S2MS 1130-A cap (die cast imprinted "CS")              |                                  | 2 1/2                | Cap assy.-use with S2MS 1007-A<br><br>(1) S7MS 1131-B bracket<br>(1) 1/4"-20 x 5/8" bolt-hex.  | 17 L                  | ★S2MS 1130-C<br>Not replaced    |
| S                                                                                      | C5SA 1130-A                      | 15                   | Imprinted Thunderbird-plain center                                                             | 18 H                  | C5SZ 1130-A                     |
| S                                                                                      | C5SA 1130-B                      | 15                   | Incl. Thunderbird crest -Black center                                                          | 18 J                  | C5SZ 1130-B                     |
| S                                                                                      | C5SA 1130-C                      | 15                   | Incl. Thunderbird crest -Black center                                                          | 18 J                  | C5SZ 1130-C                     |
| X                                                                                      | C3DA 1130-A                      | 9                    | Black letters                                                                                  | 17 B                  | C3DZ 1130-A                     |
| X                                                                                      | C4DA 1130-B                      | 9 1/2                | 6 Embossed bars-incl. Falcon letters on Black<br>background                                    | 17 H                  | C4DZ 1130-D                     |
| X                                                                                      | C4OA 1130-A                      | 9 1/2                | "Ford" letters with Black background                                                           | 17 E                  | C4OZ 1130-A                     |
| X                                                                                      | C4AA 1130-A                      | 10 1/2               | "Ford" letters with Black background                                                           | 17 E                  | C4AZ 1130-A                     |
| X                                                                                      | C3OA 1130-L, R                   | 13                   | Simulated wire-incl. spinner                                                                   | 17 C                  | C3OZ 1130-L                     |
| X                                                                                      | C5DA 1130-B                      | 13                   | Incl. spinner-imprinted "Falcon"-Red center                                                    | 18 E                  | ★C5DZ 1130-D<br>Not replaced    |
| X                                                                                      | C5DA 1130-A                      | 13                   | 6 open slots-imprinted "Falcon"                                                                | 18 D                  | C5DZ 1130-A                     |
| X                                                                                      | C3OA 1130-K                      | 14                   | Simulated wire-incl. spinner                                                                   | 17 D                  | ★C3OZ 1130-K<br>Not replaced    |
| X                                                                                      | C5DA 1130-D                      | 14                   | Imprinted "Falcon"                                                                             | 18 D                  | C5DZ 1130-F                     |
| X                                                                                      | C5DA 1130-C                      | 14                   | Incl. spinner-imprinted "Falcon"-Red center                                                    | 18 E                  | ★C5DZ 1130-C<br>r/b C5DZ 1130-F |
| <b>1966</b>                                                                            |                                  |                      |                                                                                                |                       |                                 |
| A                                                                                      | C5AA 1130-A                      | 10 1/2               | 36 Depressions - imprinted "Ford"                                                              | 19 E                  | C5AZ 1130-A                     |
| A                                                                                      | C6AA 1130-A                      | 15                   | Horiz. crest-center is Black w/outer Red<br>trim-argent section below center                   | 20 A                  | C6AZ 1130-A                     |
| A                                                                                      | C6AA 1130-G                      | 15                   | Horiz. crest-center is Black w/outer Red<br>trim-bright section below center                   | 20 A                  | C6AZ 1130-G                     |
| A                                                                                      | C6AA 1130-D                      | 15                   | Vert. crest-center is Black w/outer Black<br>trim-argent section below center                  | 20 B                  | C6AZ 1130-B                     |
| A                                                                                      | C6AA 1130-H                      | 15                   | Vert. crest-center is Black w/outer Black<br>trim-bright section below center                  | 20 B                  | C6AZ 1130-H                     |
| A                                                                                      | C6AA 1130-J,<br>C8AA 1130-H or L | 15                   | Simulated mag-plain chrome center                                                              | 20 D                  | C6AZ 1130-K                     |
| A                                                                                      | C8AA 1130-M                      | 15                   | Simulated mag-plain chrome center                                                              | 20 D                  | C6AZ 1130-N                     |
| A                                                                                      | C6AA 1130-F                      | 15                   | Wire-incl. spinner-Blue center                                                                 | 20 E                  | ★C6AZ 1130-L<br>Not replaced    |
| A                                                                                      | C5AA 1130-D                      | 15                   | Simulated wire-incl. spinner-Blue center                                                       | 19 F                  | ★C5AZ 1130-D<br>Not replaced    |
| A                                                                                      | C6AA 1130-E                      | 16 1/4               | Simulated steel wheel-bolt on type-incl.<br>crest-Red center                                   | 20 C                  | C6AZ 1130-C                     |
| B                                                                                      | C6OA 1130-F                      | 2 1/2                | Red center w/crest-incl. attaching parts                                                       | 20 H                  | C6OZ 1130-L                     |
| B                                                                                      | C6DA 1130-A                      | 9 1/2                | 36 depressions-imprinted "Ford"                                                                | 19 E                  | C6DZ 1130-A                     |
| B                                                                                      | C5AA 1130-A                      | 10 1/2               | 36 depressions-imprinted "Ford"                                                                | 19 E                  | C5AZ 1130-A                     |

\* Not used on vehicles equipped with fender skirts

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR  
COMPANY

— DEARBORN, MICHIGAN

**FINAL ISSUE**

## 1130 CAP or COVER - WHEEL HUB - continued

| MODEL                                         | IDENTIFICATION |          | DIAMETER<br>(Inches) | DESCRIPTION                                                            | SHOWN ON |      | PART NUMBER                     |
|-----------------------------------------------|----------------|----------|----------------------|------------------------------------------------------------------------|----------|------|---------------------------------|
|                                               |                |          |                      |                                                                        | Page     | Loc. |                                 |
| 1966 - continued                              |                |          |                      |                                                                        |          |      |                                 |
| B                                             | C5OA           | 1130-A   | 14                   | Incl. crest -plain center                                              | 19       | J    | C5OZ 1130-A                     |
| B                                             | C6OA           | 1130-C   | 14                   | Incl. crest-Red center                                                 | 20       | F    | C6OZ 1130-C                     |
| B                                             | C8OA           | 1130-M   | 14                   | Simulated mag-plain chrome center                                      | 20       | G    | C6OZ 1130-N                     |
| B                                             | C6OA           | 1130-E   | 14                   | Simulated mag-plain chrome center-<br>Also serviced in C6OZ 1130-J kit | 20       | G    | C6OZ 1130-K                     |
| F(except GT 350)                              | C5ZA           | 1130-J   | 2 1/2                | Imprinted Ford Mustang-incl. attaching parts                           | 19       | K    | C5ZZ 1130-W                     |
| F(except GT350)                               | C6DA           | 1130-A   | 9 1/2                | 36 depressions-imprinted "Ford"                                        | 19       | E    | C6DZ 1130-A                     |
| F(except GT 350)                              | C6ZA           | 1130-A   | 14                   | Black center                                                           | 21       | E    | C6ZZ 1130-A                     |
| F(except GT 350)                              | C6ZA           | 1130-B   | 14                   | Incl. spinner-Black center                                             | 21       | F    | *C6ZZ 1130-B<br>r/b C6ZZ 1130-A |
| F(except GT350)                               | C8OA           | 1130-M   | 14                   | Simulated mag-plain chrome center                                      | 20       | G    | C6OZ 1130-N                     |
| F(except GT350)                               | C6OA           | 1130-E   | 14                   | Simulated mag-plain chrome center-<br>Also serviced in C6OZ 1130-J kit | 20       | G    | C6OZ 1130-K                     |
| F(GT 350)                                     |                |          | 2 3/4                | Cap assy.-use with S2MS 1007-B & C                                     | 19       | L    | S2MS 1130-B                     |
| Consists of                                   |                |          |                      |                                                                        |          |      |                                 |
| (1) S2MS 1131-B bracket                       |                |          |                      | (1) S2MS 1133-A cap (plastic)                                          |          |      |                                 |
| (1) S2MS 1132-A emblem (GT 350)               |                |          |                      | (2) S2MS 1135-A nut                                                    |          |      |                                 |
| F(GT 350)                                     |                |          | 2 1/2                | Cap assy.-use with S2MS 1007-A                                         | 19       | M    | S2MS 1130-C                     |
| Consists of                                   |                |          |                      |                                                                        |          |      |                                 |
| (1) S2MS 1130-A cap (die cast imprinted "CS") |                |          |                      | (1) S7MS 1131-B bracket                                                |          |      |                                 |
|                                               |                |          |                      | (1) 1/4"-20 x 5/8" bolt-hex.                                           |          |      |                                 |
| S                                             | C6SA           | 1130-B   | 15                   | Incl. Thunderbird crest-Red center                                     | 21       | B    | C6SZ 1130-B                     |
| S                                             | C6SA           | 1130-A   | 15                   | Incl. Thunderbird crest- Grey center                                   | 21       | A    | C6SZ 1130-A                     |
| U                                             | C6TA           | 1130-F   | 15                   | For front wheels only-has 3-5/8" hole                                  | 21       | D    | C6TZ 1130-B                     |
| U                                             | C6TA           | 1130-E   | 15                   | For rear wheels only-imprinted "Ford"                                  | 21       | C    | C6TZ 1130-A                     |
| U                                             | C6AA           | 1130-G   | 15                   | For rear wheels only-incl. crest                                       | 20       | A    | C6AZ 1130-G                     |
| X                                             | C3DA           | 1130-A   | 9                    | Black letters -imprinted "Ford"                                        | 19       | B    | C3DZ 1130-A                     |
| X                                             | C6DA           | 1130-A   | 9 1/2                | 36 depressions-imprinted "Ford"                                        | 19       | E    | C6DZ 1130-A                     |
| X                                             | C5AA           | 1130-A   | 10 1/2               | 36 depressions -imprinted "Ford"                                       | 19       | E    | C5AZ 1130-A                     |
| X                                             | C3OA           | 1130-L,R | 13                   | Incl. spinner-simulated wire-Red center                                | 19       | D    | C3OZ 1130-L                     |
| X                                             | C5DA           | 1130-A   | 13                   | 6 open slots-imprinted "Falcon"                                        | 19       | G    | C5DZ 1130-A                     |
| X                                             | C5DA           | 1130-B   | 13                   | Incl. spinner-imprinted "Falcon"- Red center                           | 19       | H    | *C5DZ 1130-D<br>Not replaced    |
| X                                             | C2OA           | 1130-A   | 13 1/8               | Coruna design -plain center                                            | 19       | A    | C2OA 1130-A                     |
| X                                             | C3OA           | 1130-K   | 14                   | Incl. spinner-simulated wire- Red center                               | 19       | C    | *C3OZ 1130-K<br>Not replaced    |
| X                                             | C5DA           | 1130-C   | 14                   | Incl. spinner-imprinted "Falcon"-Red center                            | 19       | H    | *C5DZ 1130-C<br>r/b C5DZ 1130-F |
| X                                             | C5DA           | 1130-D   | 14                   | 6 open slots-imprinted "Falcon"                                        | 19       | G    | C5DZ 1130-F                     |
| X                                             | C8OA           | 1130-M   | 14                   | Simulated mag-plain chrome center                                      | 20       | G    | C6OZ 1130-N                     |
| X                                             | C6OA           | 1130-E   | 14                   | Simulated mag-plain chrome center-<br>Also serviced in C6OZ 1130-J kit | 20       | G    | C6OZ 1130-K                     |

## 1967

|   |                                  |        |                                                              |    |   |                              |
|---|----------------------------------|--------|--------------------------------------------------------------|----|---|------------------------------|
| A | C5AA 1130-A                      | 10 1/2 | 36 Depressions -imprinted "Ford"                             | 22 | B | C5AZ 1130-A                  |
| A | C7AA 1130-A                      | 10 1/2 | "Ford" emblem-Black center                                   | 23 | D | C7AZ 1130-A                  |
| A | C6AA 1130-F                      | 15     | Wire-incl. spinner-Blue center                               | 23 | A | *C6AZ 1130-L<br>Not replaced |
| A | C7AA 1130-D                      | 15     | Ford crest-Red center                                        | 23 | E | C7AZ 1130-B                  |
| A | C7AA 1130-C                      | 15     | "LTD" incl. Ford crest                                       | 23 | F | C7AZ 1130-E                  |
| A | C6AA 1130-J,<br>C8AA 1130-H or L | 15     | Simulated mag-plain chrome center                            | 22 | J | C6AZ 1130-K                  |
| A | C8AA 1130-M                      | 15     | Simulated mag-plain chrome center                            | 22 | J | C6AZ 1130-N                  |
| A | C6AA 1130-E                      | 16 1/4 | Simulated steel wheel-bolt on type-incl.<br>crest-Red center | 22 | G | C6AZ 1130-C                  |
| A | C7AA 1130-E                      | 15     | Wire-incl. spinner-Blue center                               | 23 | G | C7AZ 1130-H                  |

\* Not used on vehicles equipped with fender skirts



### 1130 CAP or COVER - WHEEL HUB - continued

| MODEL                                                                           | IDENTIFICATION               | DIAMETER<br>(Inches) | DESCRIPTION                                                                                       | SHOWN ON<br>Page Loc. | PART NUMBER                  |
|---------------------------------------------------------------------------------|------------------------------|----------------------|---------------------------------------------------------------------------------------------------|-----------------------|------------------------------|
| 1967 - continued                                                                |                              |                      |                                                                                                   |                       |                              |
| B                                                                               | C7OA 1130-C                  | 2 1/2                | Push-in type -incl. crest-Red center                                                              | 24 A                  | C7OZ 1130-C                  |
| B                                                                               | C7AA 1130-A                  | 10 1/2               | Ford emblem-Black center                                                                          | 23 D                  | C7AZ 1130-A                  |
| B                                                                               | C6OA 1130-E                  | 14                   | Simulated mag-plain chrome center -<br>Also serviced in C6OZ 1130-J kit                           | 23 B                  | C6OZ 1130-K                  |
| B                                                                               | C7OA 1130-D                  | 14                   | Wire-incl. spinner-Blue center                                                                    | 23 G                  | ★C7OZ 1130-F<br>Not replaced |
| B                                                                               | C8OA 1130-M                  | 14                   | Simulated mag-plain chrome center                                                                 | 23 B                  | C6OZ 1130-N                  |
| B                                                                               | C7OA 1130-B                  | 14                   | 12 Embossments-imprinted Ford                                                                     | 23 J                  | C7OZ 1130-B                  |
| B                                                                               | C7OA 1130-A ,<br>C7OA 1130-E | 14                   | 12 Embossments-painted Black w/Blue<br>center-incl. Ford crest                                    | 24 B                  | C7OZ 1130-D                  |
| F(except GT 350/500)                                                            | C5ZA 1130-J                  | 2 1/2                | Imprinted "Ford Mustang"-incl.<br>attaching parts                                                 | 22 C                  | C5ZZ 1130-W                  |
| F(except GT 350/500)                                                            | C7OA 1130-C                  | 2 1/2                | Push-in type -incl. crest-Red center                                                              | 24 A                  | C7OZ 1130-C                  |
| F(except GT 350/500)                                                            | C7ZA 1130-E                  | 3 3/4                | Push-in type                                                                                      | 24 F                  | C7ZZ 1130-A                  |
| F(except GT 350/500)                                                            | C7DA 1130-D                  | 9 5/8                | Ford emblem-Black center                                                                          | 23 D                  | C7DZ 1130-A                  |
| F(except GT 350/500)                                                            | C7AA 1130-A                  | 10 1/2               | Ford emblem-Black center                                                                          | 23 D                  | C7AZ 1130-A                  |
| F(except GT 350/500)                                                            | C6OA 1130-E                  | 14                   | Simulated mag-plain chrome center -<br>Also serviced in C6OZ 1130-J kit                           | 23 B                  | C6OZ 1130-K                  |
| F(except GT 350/500)                                                            | C7OA 1130-D                  | 14                   | Wire-incl. spinner-Blue center                                                                    | 23 G                  | ★C7OZ 1130-F<br>Not replaced |
| F(except GT 350/500)                                                            | C8OA 1130-M                  | 14                   | Simulated mag-plain chrome center                                                                 | 23 B                  | C6OZ 1130-N                  |
| F(except GT 350/500)                                                            | C7ZA 1130-H                  | 14                   | 21 openings-imprinted "Mustang"-Red center                                                        | 24 G                  | C7ZZ 1130-G                  |
| F(except GT 350/500)                                                            | C7ZA 1130-G                  | 14                   | Simulated wire-Red center                                                                         | 24 H                  | C7ZZ 1130-E                  |
| F(except GT 350/500)                                                            | C7ZA 1130-B                  | 14 1/8               | 21 Openings-imprinted "Mustang"-Red center                                                        | 24 G                  | C7ZZ 1130-B                  |
| F(except GT350/500)                                                             | C6AA 1130-E                  | 16 1/4               | Simulated steel wheel-bolt on type-<br>incl. crest-Red center                                     | 22 G                  | C6AZ 1130-C                  |
| F(except GT350/500)                                                             | C7AA 1130-E                  | 15                   | Wire-incl. spinner-Blue center                                                                    | 23 G                  | C7AZ 1130-H                  |
| F(GT 350/500)                                                                   |                              | 2 1/2                | Cap assy.-use with S7MS 1007-D                                                                    | 22 E                  | S7MS 1130-B                  |
| Consists of<br>(1) S7MS 1131-B bracket<br>(1) S7MS 1132-A emblem (Shelby Cobra) |                              |                      | (1) S7MS 1133-B cap<br>(1) 1/4"-20 x 5/8" bolt-hex.                                               |                       |                              |
| F(GT 350/500)                                                                   |                              | 2 3/4                | Cap assy.-use with S7MS 1007-C                                                                    | 22 F                  | S7MS 1130-C                  |
| Consists of<br>(1) S7MS 1131-A bracket<br>(1) S7MS 1132-B emblem (Shelby Cobra) |                              |                      | (1) S7MS 1133-A cap<br>(2) 42127-S screws                                                         |                       |                              |
| F(GT 350/500)                                                                   |                              | 16 1/4               | Cover-styled                                                                                      | 22 D                  | S7MS 1130-A                  |
| S                                                                               | C7SA 1130-D                  | 16 1/4               | 24 Openings-imprinted                                                                             | 24 C                  | C7SZ 1130-A                  |
| S                                                                               | C7SA 1130-B                  | 16 1/4               | 5 Openings, 5 simulated spokes & 5 bolt holes-<br>incl. Thunderbird emblem in Turquoise<br>center | 24 D                  | C7SZ 1130-B                  |
| U                                                                               | C6TA 1130-E                  | 15                   | For rear wheels only-imprinted "Ford"                                                             | 23 C                  | C6TZ 1130-A                  |
| U                                                                               | C6AA 1130-G                  | 15                   | For rear wheels only-incl. crest                                                                  | 22 H                  | C6AZ 1130-G                  |
| U                                                                               | C7TA 1130-H                  | 15                   | For front wheels only                                                                             | 24 E                  | C7TZ 1130-H                  |
| X                                                                               | C7DA 1130-D                  | 9 5/8                | Ford emblem-Black center                                                                          | 23 D                  | C7DZ 1130-A                  |
| X                                                                               | C7AA 1130-A                  | 10 1/2               | Ford emblem-Black center                                                                          | 23 D                  | C7AZ 1130-A                  |
| X                                                                               | C3OA 1130-K                  | 14                   | Simulated wire-incl. spinner                                                                      | 22 A                  | ★C3OZ 1130-K<br>Not replaced |
| X                                                                               | C7DA 1130-C                  | 14                   | 12 Depressions-incl. Ford crest                                                                   | 23 H                  | C7DZ 1130-C                  |
| X                                                                               | C6OA 1130-E                  | 14                   | Simulated mag-plain chrome center -<br>Also serviced in C6OZ 1130-J kit                           | 23 B                  | C6OZ 1130-K                  |
| X                                                                               | C7OA 1130-D                  | 14                   | Wire-incl. spinner-Blue center                                                                    | 23 G                  | ★C7OZ 1130-F<br>Not replaced |
| X                                                                               | C8OA 1130-M                  | 14                   | Simulated mag-plain chrome center                                                                 | 23 B                  | C6OZ 1130-N                  |

# FORD CAR PARTS

## SECTION 10

### 1130 CAP or COVER - WHEEL HUB - continued

| MODEL                | IDENTIFICATION                 | DIAMETER<br>(Inches) | DESCRIPTION                                                                                   | SHOWN ON<br>Page Loc. | PART NUMBER |
|----------------------|--------------------------------|----------------------|-----------------------------------------------------------------------------------------------|-----------------------|-------------|
| 1968                 |                                |                      |                                                                                               |                       |             |
| A                    | C8AA 1130-D                    | 10 1/2               | "Ford" crest -Black center                                                                    | 25 L                  | C6AZ 1130-D |
| A                    | C8AA 1130-E, F                 | 15                   | Simulated wire-"Ford" crest -<br>Burgundy center                                              | 25 K                  | C8AZ 1130-B |
| A                    | C6AA 1130-J<br>C8AA 1130-H, L  | 15                   | Simulated mag-plain chrome center                                                             | 25 C                  | C6AZ 1130-K |
| A                    | C8AA 1130-M                    | 15                   | Simulated mag-plain chrome center                                                             | 25 C                  | C6AZ 1130-N |
| A                    | C8AA 1130-G                    | 15                   | "Ford" crest-Black center                                                                     | 25 J                  | C8AZ 1130-A |
| A                    | C6AA 1130-E                    | 16 1/4               | Simulated steel wheel-bolt on type-incl.<br>crest-Red center                                  | 25 A                  | C6AZ 1130-C |
| A                    | C8AA 1130-K, N                 | 15                   | Simulated wire-plain center hub                                                               | 25 M                  | C8AZ 1130-F |
| B                    |                                | 2 1/2                | Push-in type -incl. crest-Red center                                                          | 25 E                  | C7OZ 1130-C |
| B                    | C8OA 1130-C, D                 | 7 1/2                | Incl. GT emblem                                                                               | 26 C                  | C8OZ 1130-C |
| B                    | C8OA 1130-H, J                 | 7 1/2                | Plain center                                                                                  | 26 E                  | C8OZ 1130-G |
| B                    | C8AA 1130-D                    | 10 1/2               | "Ford" crest                                                                                  | 25 L                  | C8AZ 1130-D |
| B                    | C8OA 1130-E                    | 14                   | 16 Openings-incl. Ford crest-Blue center                                                      | 26 D                  | C8OZ 1130-E |
| B                    | C6OA 1130-E                    | 14                   | Simulated mag-plain chrome center-<br>Also serviced in C6OZ 1130-J kit                        | 25 D                  | C6OZ 1130-K |
| B                    | C8OA 1130-M                    | 14                   | Simulated mag-plain chrome center                                                             | 25 D                  | C6OZ 1130-N |
| B                    | C8OA 1130-A                    | 14                   | 64 Ribs-incl. Ford crest-Blue center                                                          | 26 A                  | C8OZ 1130-A |
| B                    | C8OA 1130-B                    | 14                   | 64 Ribs-incl. Ford crest-plain center                                                         | 26 B                  | C8OZ 1130-B |
| B                    | C8OA 1130-N                    | 14                   | Simulated wire-plain center hub                                                               | 25 M                  | C8OZ 1130-J |
| B                    | C8OA 1130-L                    | 15 3/8               | Simulated wire-Ford crest-Blue center                                                         | 26 F                  | C8OZ 1130-L |
| F(except GT350/500)  | C8OA 1130-C, D                 | 7 1/2                | Incl. GT emblem                                                                               | 26 C                  | C8OZ 1130-C |
| F(except GT350/500)  | C8OA 1130-H, J                 | 7 1/2                | Plain center                                                                                  | 26 E                  | C8OZ 1130-G |
| F(except GT 350/500) | C8ZA 1130-D                    | 10 1/2               | Incl. Mustang emblem -Black center                                                            | 26 M                  | C8ZZ 1130-F |
| F(except GT350/500)  | C6OA 1130-E                    | 14                   | Simulated mag-plain chrome center-<br>Also serviced in C6OZ 1130-J kit                        | 25 D                  | C6OZ 1130-K |
| F(except GT350/500)  | C8OA 1130-M                    | 14                   | Simulated mag-plain chrome center                                                             | 25 D                  | C6OZ 1130-N |
| F(except GT 350/500) | C8ZA 1130-A                    | 14                   | 16 Openings-imprinted Mustang                                                                 | 26 K                  | C8ZZ 1130-A |
| F(except GT 350/500) | C7ZA 1130-G                    | 14                   | Simulated wire-Red center                                                                     | 25 H                  | C7ZZ 1130-E |
| F(except GT 350/500) | C8ZA 1130-E                    | 14                   | 16 Openings-incl. Mustang emblem -<br>Red center                                              | 26 L                  | C8ZZ 1130-E |
| F(except GT350/500)  | C6AA 1130-J,<br>C8AA 1130-H, L | 15                   | Simulated "mag" wheel                                                                         | 25 C                  | C6AZ 1130-K |
| F(except GT350/500)  | C8OA 1130-N                    | 14                   | Simulated wire-plain center hub                                                               | 25 M                  | C8OZ 1130-J |
| F(except GT350/500)  | C6AA 1130-E                    | 16 1/4               | Simulated steel wheel-bolt-on type-<br>crest-Red center                                       | 25 A                  | C6AZ 1130-C |
| F(GT 350/500)        |                                | 16 1/4               | Cover-die cast                                                                                | 25 N                  | S8MS 1132-A |
| S                    | C7SA 1130-B                    | 16 1/4               | 5 Openings-5 simulated spokes & 5 bolt holes-<br>incl. Thunderbird emblem in Turquoise center | 25 F                  | C7SZ 1130-B |
| S                    | C8SA 1130-E, F                 | 15                   | Simulated wire-incl. Thunderbird crest-<br>Black center                                       | 26 G                  | C8SZ 1130-A |
| S                    | C8SA 1130-B                    | 16 1/4               | 24 openings-imprinted "Thunderbird"-<br>plain center                                          | 26 H                  | C8SZ 1130-B |
| S                    | C8SA 1130-C                    | 16 1/4               | 24 Openings-imprinted "Thunderbird" in<br>recessed spinner                                    | 26 J                  | C8SZ 1130-C |
| U                    | C6AA 1130-G                    | 15                   | For rear wheels only-incl. crest                                                              | 25 B                  | C6AZ 1130-G |
| U                    | C7TA 1130-H                    | 15                   | For front wheels only                                                                         | 25 G                  | C7TZ 1130-H |
| X                    | C8AA 1130-D                    | 10 1/2               | "Ford" crest-Black center                                                                     | 25 L                  | C8AZ 1130-D |
| X                    | C8DA 1130-B                    | 10 1/2               | Stainless steel-incl. Ford crest -plain center                                                | 25 L                  | C8DZ 1130-A |
| X                    | C6OA 1130-E                    | 14                   | Simulated mag-plain chrome center -<br>Also serviced in C6OZ 1130-J kit                       | 25 D                  | C6OZ 1130-K |
| X                    | C8OA 1130-A                    | 14                   | 64 Ribs-incl. Ford crest-Blue center                                                          | 26 A                  | C8OZ 1130-A |
| X                    | C8OA 1130-B                    | 14                   | 64 Ribs-incl. Ford crest-plain center                                                         | 26 B                  | C8OZ 1130-B |
| X                    | C8OA 1130-M                    | 14                   | Simulated mag-plain chrome center                                                             | 25 D                  | C6OZ 1130-N |
| X                    | C8OA 1130-N                    | 14                   | Simulated wire-plain center hub                                                               | 25 M                  | C8OZ 1130-J |

### 1130 CAP or COVER - WHEEL HUB - continued

| MODEL                              | IDENTIFICATION                 | DIAMETER<br>(Inches) | DESCRIPTION                                                                 | SHOWN ON<br><br>Page Loc. | PART NUMBER    |
|------------------------------------|--------------------------------|----------------------|-----------------------------------------------------------------------------|---------------------------|----------------|
| 1969                               |                                |                      |                                                                             |                           |                |
| A                                  | C8AA 1130-D                    | 10 1/2               | "Ford" crest -Black center                                                  | 27 G                      | C8AZ 1130-D    |
| A                                  | C8AA 1130-G                    | 15                   | "Ford" crest -Black center                                                  | 27 E                      | C8AZ 1130-A    |
| A                                  | C8AA 1130-E, F,<br>C9AA 1130-A | 15                   | Simulated wire-"Ford" crest -<br>Burgundy center                            | 27 F                      | C8AZ 1130-B    |
| B(66A, B, )-Rio Grande             |                                | 2 3/4                | Use with C9OZ 1007-F wheel embossed-<br>"Ranchero Rio Grande" -Black center | 28 E                      | C9OZ 1130-D    |
| B(except Rio Grande)               | C8OA 1130-C, D                 | 7 1/2                | Includes GT emblem                                                          | 27 H                      | C8OZ 1130-C    |
| B(except Rio Grande)               | C8OA 1130-J                    | 7 1/2                | Plain center                                                                | 28 A                      | C8OZ 1130-G    |
| B(except Rio Grande)               | C8AA 1130-D                    | 10 1/2               | "Ford" crest -Black center                                                  | 27 G                      | C8AZ 1130-D    |
| B(except Rio Grande)               | C9OA 1130-A                    | 14                   | "Ford" crest -Red center                                                    | 28 C                      | C9OZ 1130-A    |
| B(except Rio Grande)               | C9OA 1130-B                    | 14                   | "Ford" crest stamped -plain center                                          | 28 D                      | C9OZ 1130-B    |
| F (Boss 429)                       |                                | 2 3/16               | Use with C9ZZ 1007-H wheel-<br>Mustang emblem in center                     | 28 L                      | C9ZZ 1130-F    |
| F (Boss 302)                       |                                | 2 3/4                | Use with (styled steel) wheels-Mustang<br>emblem -Black center              | 28 J                      | C9ZZ 1130-E    |
| F(GT 350/500)                      | S9MS 1130-B                    | 2 3/4                | Use with (styled steel) wheels-snap on type -<br>Black center               | 28 K                      | C9ZZ 1130-D    |
| F(exc. Boss, GT350/500,<br>Grande) | C8OA 1130-C, D                 | 7 1/2                | Includes GT emblem                                                          | 27 H                      | C8OZ 1130-C    |
| F(exc. Boss, GT350/500,<br>Grande) | C8OA 1130-J                    | 7 1/2                | Plain center                                                                | 28 A                      | C8OZ 1130-G    |
| F(exc. Boss, GT350/500,<br>Grande) | C8AA 1130-D                    | 10 1/2               | "Ford" crest -Black center                                                  | 27 G                      | C8AZ 1130-D    |
| F(exc. Boss, GT350/500,<br>Grande) | C9ZA 1130-B                    | 14                   | Imprinted "Mustang"-plain center-<br>Also serviced in C9ZZ 1130-B kit       | 28 H                      | C9ZZ 1130-A    |
| F(Grande)                          | C7ZA 1130-G                    | 14                   | Simulated wire-Red center                                                   | 27 D                      | C7ZZ 1130-E    |
| F(GT 350/500)                      |                                | 16 1/4               | Simulated steel wheel-bolt on type-includes<br>crest-Red center             | 27 A                      | C6AZ 1130-C    |
| S                                  | C9SA 1130-A                    | 15                   | Imprinted "Thunderbird"-plain center                                        | 28 F                      | C9SZ 1130-A    |
| S                                  | C9SA 1130-C05P                 | 16 1/4               | Thunderbird emblem-Silver cover                                             | 28 G                      | C9SZ 1130-D05P |
| S                                  | C9SA 1130-C13D                 | 16 1/4               | Thunderbird emblem-Red cover                                                | 28 G                      | C9SZ 1130-D13D |
| S                                  | C9SA 1130-C15K                 | 16 1/4               | Thunderbird emblem-Aqua cover                                               | 28 G                      | C9SZ 1130-D15K |
| S                                  | C9SA 1130-C23G                 | 16 1/4               | Thunderbird emblem-Gold cover                                               | 28 G                      | C9SZ 1130-D23G |
| S                                  | C9SA 1130-C26B                 | 16 1/4               | Thunderbird emblem-Blue cover                                               | 28 G                      | C9SZ 1130-D26B |
| S                                  | C8SA 1130-E, F,<br>C9SA 1130-D | 15                   | Simulated wire-incl. "Thunderbird" crest<br>Black center                    | 28 B                      | C8SZ 1130-A    |
| U                                  | C6AA 1130-G                    | 15                   | For rear wheels only-incl. crest                                            | 27 B                      | C6AZ 1130-G    |
| U                                  | C7TA 1130-H                    | 15                   | For front wheels only                                                       | 27 C                      | C7TZ 1130-H    |
| X                                  | C8AA 1130-D                    | 10 1/2               | "Ford" crest -Black center                                                  | 27 G                      | C8AZ 1130-D    |
| X                                  | C9OA 1130-A                    | 14                   | "Ford" crest -Red center                                                    | 28 C                      | C9OZ 1130-A    |
| X                                  | C9OA 1130-B                    | 14                   | "Ford" crest stamped -plain center                                          | 28 D                      | C9OZ 1130-B    |

### 1970

|                                 |                             |        |                                                                               |    |   |             |
|---------------------------------|-----------------------------|--------|-------------------------------------------------------------------------------|----|---|-------------|
| A                               | D0AA 1130-G<br>D2AA 1130-AA | 10 1/4 | Plain chrome finish-circular Black stripes-<br>imprinted "Ford Motor Company" | 30 | C | D0AZ 1130-H |
| A(15" x 5.00 wheels)            | C8AA 1130-D                 | 10 1/2 | "Ford" crest -Black center                                                    | 29 | E | C8AZ 1130-D |
| A                               | C8AA 1130-M                 | 15     | Simulated mag-plain chrome center                                             | 29 | B | C6AZ 1130-N |
| A                               | D0AA 1130-E                 | 15 1/8 | 31 bars-Ford crest -Black center                                              | 30 | B | D0AZ 1130-C |
| A "Before 12/15/69"             | D0AA 1130-B, F              | 16 1/4 | 5 openings-5 spokes-5 simulated nuts-<br>imprinted "Ford Motor Company"       | 30 | A | D0AZ 1130-B |
| A "From 12/15/69 to<br>5/28/70" | D0AA 1130-H                 | 16 1/4 | 5 openings-5 spokes-5 simulated nuts-<br>imprinted "Ford Motor Company"       | 30 | A | D0AZ 1130-J |
| A "From 5/28/70"                | D0AA 1130-J                 | 16 1/4 | 5 openings-5 spokes-5 simulated nuts-<br>imprinted "Ford Motor Company"       | 30 | A | D0AZ 1130-K |
| A                               | C8AA 1130-K, N              | 15     | Simulated wire-plain center hub                                               | 29 | F | C8AZ 1130-F |

## SECTION 10

## 1130 CAP or COVER - WHEEL HUB - continued

| MODEL                                         | IDENTIFICATION              | DIAMETER<br>(Inches) | DESCRIPTION                                                                                         | SHOWN<br>ON<br>Page Loc. | PART NUMBER                     |
|-----------------------------------------------|-----------------------------|----------------------|-----------------------------------------------------------------------------------------------------|--------------------------|---------------------------------|
| <b>1970 - continued</b>                       |                             |                      |                                                                                                     |                          |                                 |
| B                                             | None                        | 2 3/4                | Use with styled steel wheels-"Ford" crest-chrome background                                         | 30 H                     | D00Z 1130-F                     |
| B                                             | C8OA 1130-H, J              | 7 1/2                | Use with styled steel wheels-plain center                                                           | 29 G                     | C8OZ 1130-G                     |
| B "Before 12/24/69"                           | D0ZA 1130-H                 | 10 1/4               | Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"                           | 30 C                     | D0AZ 1130-E                     |
| B "From 12/24/69"                             | D0AA 1130-G<br>D2AA 1130-AA | 10 1/4               | Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"                           | 30 C                     | D0AZ 1130-H                     |
| B                                             | D0OA 1130-K,<br>D0ZA 1130-J | 10 1/4               | Brushed chrome finish-circular Black stripes-imprinted "Ford Motor Company"-use with 1210 trim ring | 30 C                     | ★D0AZ 1130-G<br>r/b D5DZ 1130-B |
| B                                             | C8OA 1130-M                 | 14                   | Simulated mag-plain chrome center                                                                   | 29 C                     | C8OZ 1130-N                     |
| B                                             | C9OA 1130-B                 | 14                   | "Ford" crest stamped-plain center                                                                   | 29 J                     | C9OZ 1130-B                     |
| B                                             | D0OA 1130-D, H              | 15 1/4               | Simulated styled steel-Ford crest-Red background-use with 14" x 7" wheels                           | 30 G                     | D00Z 1130-D                     |
| B                                             | C8OA 1130-N                 | 14                   | Simulated wire-plain center hub                                                                     | 29 F                     | C8OZ 1130-J                     |
| B                                             | D0OA 1130-A                 | 15 3/8               | 18 ribs-Ford crest-Red background - use with 14" wheels                                             | 30 F                     | D00Z 1130-A                     |
| B                                             | D0OA 1130-F, J              | 16 1/4               | Simulated styled steel-Ford crest-Red background-use with 15" x 7" wheels                           | 30 G                     | D00Z 1130-G                     |
| F(Boss)                                       | None                        | 2 3/4                | Use with (styled steel) wheels-Mustang emblem -Black center                                         | 29 L                     | C9ZZ 1130-E                     |
| F(GT350/500)                                  | S9MS 1130-B                 | 2 3/4                | Use with styled steel wheels-snap-on type-Black center                                              | 29 K                     | C9ZZ 1130-D                     |
| F(exc. Boss, GT350/500)                       | C8OA 1130-H, J              | 7 1/2                | Use with styled steel wheels-plain center                                                           | 29 G                     | C8OZ 1130-G                     |
| F(exc. Boss, GT350/500)-<br>"Before 12/24/69" | D0ZA 1130-H                 | 10 1/4               | Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"                           | 30 C                     | D0AZ 1130-E                     |
| F(exc. Boss, GT350/500)-<br>"From 12/24/69"   | D0AA 1130-G<br>D2AA 1130-AA | 10 1/4               | Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"                           | 30 C                     | D0AZ 1130-H                     |
| F(exc. Boss, GT350/500)                       | D0OA 1130-K,<br>D0ZA 1130-J | 10 1/4               | Brushed chrome finish-circular Black stripes-imprinted "Ford Motor Company"-use with 1210 trim ring | 30 C                     | ★D0AZ 1130-G<br>r/b D5DZ 1130-B |
| F(exc. Boss, GT350/500)                       | C8OA 1130-M                 | 14                   | Simulated mag-plain chrome center                                                                   | 29 C                     | C8OZ 1130-N                     |
| F(exc. Boss, GT350/500)                       | D0ZA 1130-K                 | 14 1/8               | 16 depressions-chrome background-imprinted "Mustang"                                                | 30 L                     | D0ZZ 1130-A                     |
| F(exc. Boss, GT350/500)                       | D0ZA 1130-E, L              | 15 1/4               | Simulated styled steel-Mustang emblem-Black background-use with 14" x 7" wheels                     | 30 G                     | D0ZZ 1130-D                     |
| F(exc. Boss, GT350/500)                       | D0ZA 1130-F, M              | 15 1/4               | Simulated styled steel-Mustang emblem-Black background-use with 14" x 6" wheels                     | 30 G                     | D0ZZ 1130-E                     |
| F(exc. Boss, GT350/500)                       | C8OA 1130-N                 | 14                   | Simulated wire-plain center hub                                                                     | 29 F                     | C8OZ 1130-J                     |
| F(exc. Boss, GT350/500)                       | D0ZA 1130-G, N              | 16 1/4               | Simulated styled steel-Mustang emblem-Black background-use with 15" x 7" wheels                     | 30 G                     | D0ZZ 1130-F                     |
| P                                             | D0DA 1130-A, E              | 9 5/8                | 5 Ribs                                                                                              | 30 D                     | D0DZ 1130-C                     |
| P                                             | D0OA 1130-K,<br>D0ZA 1130-J | 10 1/4               | Brushed chrome finish-circular Black-stripes-imprinted "Ford Motor Company"-use with 1210 trim ring | 30 C                     | ★D0AZ 1130-G<br>r/b D5DZ 1130-B |
| P                                             | D0DA 1130-B, F              | 10 5/8               | 5 Ribs                                                                                              | 30 D                     | D0DZ 1130-D                     |
| P                                             | D0DA 1130-C1                | 14                   | 8 Ribs -also serviced in D0DZ 1130-B kit                                                            | 30 E                     | D0DZ 1130-E                     |
| S                                             | D0SA 1130-A                 | 16 1/4               | 72 ribs-Thunderbird emblem-Black background-imprinted "Thunderbird"                                 | 30 J                     | D0SZ 1130-A                     |
| S "Before 5/28/70"                            | D0AA 1130-H                 | 16 1/4               | 5 openings-5spokes-5 simulated nuts-imprinted "Ford Motor Company"                                  | 30 A                     | D0AZ 1130-J                     |
| S "From 5/28/70"                              | D0AA 1130-J                 | 16 1/4               | 5 openings-5 spokes-5 simulated nuts-imprinted "Ford Motor Company"                                 | 30 A                     | D0AZ 1130-K                     |
| S "Before 3/16/70"                            | D0SA 1130-B1, B2            | 16 1/4               | 12 openings-Thunderbird emblem-Black background-imprinted "Thunderbird"                             | 30 K                     | ★D0SZ 1130-B<br>r/b D0SZ 1130-F |
| S "From 3/16/70"                              | D0SA 1130-D                 | 16 1/4               | 12 openings-Thunderbird emblem-Black background-imprinted "Thunderbird"                             | 30 K                     | D0SZ 1130-F                     |



## FORD CAR PARTS

## 1130 CAP or COVER - WHEEL HUB - continued

| MODEL | IDENTIFICATION | DIAMETER<br>(Inches) | DESCRIPTION | SHOWN<br>ON<br>Page Loc. | PART NUMBER |
|-------|----------------|----------------------|-------------|--------------------------|-------------|
|-------|----------------|----------------------|-------------|--------------------------|-------------|

## 1970 - continued

|   |             |        |                                    |    |   |             |
|---|-------------|--------|------------------------------------|----|---|-------------|
| U | C6AA 1130-G | 15     | For rear wheels only-incl.crest    | 29 | A | C6AZ 1130-G |
| U | C7TA 1130-H | 15     | For front wheels only              | 29 | D | C7TZ 1130-H |
| X | C8AA 1130-D | 10 1/2 | "Ford" crest -Black center         | 29 | E | C8AZ 1130-D |
| X | C9OA 1130-A | 14     | "Ford" crest - Red center          | 29 | H | C9OZ 1130-A |
| X | C9OA 1130-B | 14     | "Ford" crest stamped -plain center | 29 | J | C9OZ 1130-B |
|   |             |        |                                    |    |   |             |
|   |             |        |                                    |    |   |             |
|   |             |        |                                    |    |   |             |

## 1971

|                            |                             |        |                                                                                                       |      |                                 |
|----------------------------|-----------------------------|--------|-------------------------------------------------------------------------------------------------------|------|---------------------------------|
| A                          | D0AA 1130-G<br>D2AA 1130-AA | 10 1/4 | Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"                             | 31 J | D0AZ 1130-H                     |
| A                          | C8AA 1130-E,F               | 15     | Simulated wire-"Ford" crest - Burgundy center                                                         | 31 C | C8AZ 1130-B                     |
| A                          | D1AA 1130-AB                | 15 1/8 | Circular brushed finish-46 depressions-imprinted "Ford Motor Company"-Black center                    | 32 G | ★D1AZ 1130-A<br>r/b D2AZ 1130-J |
| A                          | D0AA 1130-H                 | 16 1/4 | 5 openings-5 spokes-5 simulated nuts-imprinted "Ford Motor Company"                                   | 31 K | D0AZ 1130-J                     |
| B "Before 4/2/71"          | None                        | 2 3/4  | Use with (styled steel) wheels-"Ford" crest-chrome background                                         | 32 C | D0OZ 1130-F                     |
| B "From 4/2/71"            | None                        | 2 3/4  | Use with (styled steel) wheels-Ford Crest-chrome background                                           | 32 C | D1OZ 1130-A                     |
| B                          | C8OA 1130-H,J               | 7 1/2  | Use with (styled steel) wheels-plain center                                                           | 31 D | C8OZ 1130-G                     |
| B(65C)                     | D1DA 1130-A27DA             | 10 1/4 | Circular brushed center-Red stripe - imprinted "Ford" - use w/14" wheels and E78, F78, G78 tires      | 32 H | D1DZ 1130-A                     |
| B(65C)                     | D1DA 1130-A49GA             | 10 1/4 | Circular brushed center-Lime Green stripe-imprinted "Ford" - use w/14" wheels and E78, F78, G78 tires | 32 H | D1DZ 1130-B                     |
| B(65C)                     | D1DA 1130-A04VA             | 10 1/4 | Circular brushed center-Yellow stripe-imprinted "Ford" - use w/14" wheels and E78, F78, G78 tires     | 32 H | D1DZ 1130-C                     |
| B(exc.66A,B,C with 7" rim) | D0AA 1130-G<br>D2AA 1130-AA | 10 1/4 | Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"                             | 31 J | D0AZ 1130-H                     |
| B(66A,B,C with 7" rim)     | D0OA 1130-K,<br>D0ZA 1130-J | 10 1/4 | Brushed chrome finish-circular Black stripes-imprinted "Ford Motor Company"-use with 1210 trim ring   | 31 J | ★D0AZ 1130-G<br>r/b D5DZ 1130-B |
| B                          | C8OA 1130-M                 | 14     | Simulated mag-plain chrome center                                                                     | 31 B | C6OZ 1130-N                     |
| B                          | C9OA 1130-B                 | 14     | "Ford" crest stamped -plain center                                                                    | 31 G | C9OZ 1130-B                     |
| B                          | D0OA 1130-D,H               | 15 1/4 | Simulated styled steel-"Ford" crest-Red background-use with 14" x 7" wheels                           | 32 D | D0OZ 1130-D                     |
| B                          | D0OA 1130-A                 | 15 3/8 | 18 ribs-"Ford" crest-Red background-use with 14" wheels                                               | 32 B | D0OZ 1130-A                     |
| B                          | D0OA 1130-F,J               | 16 1/4 | Simulated styled steel-"Ford" crest-Red background-use with 15" x 7" wheels                           | 32 D | D0OZ 1130-G                     |
| F "Before 4/2/71"          | None                        | 2 3/4  | Use with 15" x 7" (styled steel) wheels-Mustang emblem -Black center                                  | 31 H | C9ZZ 1130-E                     |
| F "From 4/2/71"            | None                        | 2 3/4  | Use with 15" x 7" (styled steel) wheels-Mustang emblem-Black center                                   | 31 H | D1ZZ 1130-G                     |
| F                          | D0AA 1130-G<br>D2AA 1130-AA | 10 1/4 | Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"                             | 31 J | D0AZ 1130-H                     |
| F                          | D0OA 1130-K,<br>D0ZA 1130-J | 10 1/4 | Brushed chrome finish-circular Black stripes imprinted "Ford Motor Company"-use with 1210 trim ring   | 31 J | ★D0AZ 1130-G<br>r/b D5DZ 1130-B |
| F                          | C8OA 1130-M                 | 14     | Simulated mag-plain chrome center                                                                     | 31 B | C6OZ 1130-N                     |
|                            |                             |        |                                                                                                       |      |                                 |
|                            |                             |        |                                                                                                       |      |                                 |
|                            |                             |        |                                                                                                       |      |                                 |



## 1130 CAP or COVER - WHEEL HUB - continued

| MODEL                                       | IDENTIFICATION                                                  | DIAMETER<br>(Inches) | DESCRIPTION                                                                                          | SHOWN<br>ON<br>Page Loc. | PART NUMBER                     |
|---------------------------------------------|-----------------------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------|--------------------------|---------------------------------|
| <b>1972</b>                                 |                                                                 |                      |                                                                                                      |                          |                                 |
| A                                           | D0AA 1130-G<br>D2AA 1130-AA                                     | 10 1/4               | Plain chrome finish-circular Black stripes-imprinted " Ford Motor Company"                           | 33 G                     | D0AZ 1130-H                     |
| A                                           | C8AA 1130-E, F                                                  | 15                   | Simulated wire-"Ford" crest - Burgundy center                                                        | 33 C                     | C8AZ 1130-B                     |
| A                                           | D1AA 1130-AB                                                    | 15 1/8               | Circular brushed finish-46 depressions-imprinted "Ford Motor Company" - Black center                 | 33 K                     | ★D1AZ 1130-A<br>r/b D2AZ 1130-J |
| A                                           | D2AA 1130-DA                                                    | 15 1/8               | Circular brushed finish-46 depressions-Ford crest-imprinted "Ford"                                   | 34 C                     | D2AZ 1130-J                     |
| B                                           | None                                                            | 2 3/4                | Use with (styled steel) wheels-Ford crest-Chrome background                                          | 34 H                     | D1OZ 1130-A                     |
| B                                           | D2OA 1130-AA,<br>D2OA 1130-AB                                   | 10 1/4               | Bright chrome finish-with crest                                                                      | 34 E                     | D2OZ 1130-D                     |
| B                                           | D2OA 1130-BA,<br>D2OA 1130-BB                                   | 10 1/4               | Black finish-with crest                                                                              | 34 E                     | D2OZ 1130-E                     |
| B                                           | D2OA 1130-CA,<br>D2OA 1130-CB,<br>D2OA 1130-DA,<br>D2OA 1130-DB | 14 1/8               | Bright chrome finish-80 depressions-with crest-Black center-use w/14" wheels                         | 34 D                     | D2OZ 1130-F                     |
| B                                           | D1AA 1130-AB                                                    | 15 1/8               | Circular brushed finish-46 depressions-imprinted "Ford Motor Company" - Black center                 | 33 K                     | D1AZ 1130-A                     |
| B(97)                                       | D2AA 1130-DA                                                    | 15 1/8               | Circular brushed finish-46 depressions-Ford crest-imprinted "Ford"-use with 15" wheels               | 34 C                     | D2AZ 1130-J                     |
| B                                           | D0OA 1130-A                                                     | 15 3/8               | 18 Ribs-"Ford" crest-Red background-use with 14" wheels                                              | 33 H                     | D0OZ 1130-A                     |
| F                                           | None                                                            | 2 3/4                | Use with 15" x 7" (styled steel) wheels-Mustang emblem -Black center                                 | 33 E                     | D1ZZ 1130-G                     |
| F (63, 65D, 76)                             | D0AA 1130-G,<br>D2AA 1130-AA                                    | 10 1/4               | Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"-use without 1210 trim ring | 33 G                     | D0AZ 1130-H                     |
| F                                           | D0OA 1130-K<br>D0ZA 1130-J                                      | 10 1/4               | Brushed Chrome finish-circular Black stripes imprinted "Ford Motor Company-use with 1210 trim ring   | 33 G                     | ★D0AZ 1130-G<br>r/b D5DZ 1130-B |
| F(63D, 65D)-Sprint pkg.                     | D2ZA 1130-BA                                                    | 10 1/4               | Circular brushed finish-imprinted "Ford Motor Company"-circular Blue stripe-▲3F                      | 33 G                     | D2ZZ 1130-B                     |
| F(exc. 65F)                                 | D1ZA 1130-BA                                                    | 14 1/8               | Circular brushed finish-15 depressions-imprinted "Mustang"-chrome center                             | 34 A                     | D1ZZ 1130-B                     |
| F(65F)                                      | D2ZA 1130-AA                                                    | 14 1/8               | Circular brushed finish-80 depressions-" Mustang" emblem -Black center                               | 34 G                     | D2ZZ 1130-A                     |
| F                                           | D1ZA 1130-DB                                                    | 15 1/4               | Simulated styled steel-Mustang emblem Black background-use with 14" x 6" wheels                      | 34 B                     | D1ZZ 1130-D                     |
| F                                           | D1ZA 1130-EB                                                    | 16 1/4               | Simulated styled steel-Mustang emblem-Black background-use with 15" x 7" wheels                      | 34 B                     | D1ZZ 1130-E                     |
| L<br>L "Before 12/1/71"<br>L "From 12/1/71" | D12A 1130-AA                                                    | 9 1/4                | 72 Bars around outer edge-standard hub cap Use without 1210 trim ring                                | 33 L                     | D1FZ 1130-A                     |
| L                                           | D22A 1130-AA                                                    | 9 1/4                | 72 Bars around outer edge-use with 1210 trim ring                                                    | 33 L                     | D2FZ 1130-A                     |
| L(64B)-Sprint pkg.                          | D22A 1130-BA                                                    | 9 1/4                | 72 Bars around outer edge-circular Blue stripe-▲3F                                                   | 33 L                     | D2FZ 1130-B                     |
| L                                           | D12A 1130-BA                                                    | 13 1/8               | Circular brushed finish-8 openings                                                                   | 33 M                     | D1FZ 1130-B                     |
|                                             |                                                                 |                      |                                                                                                      |                          |                                 |
|                                             |                                                                 |                      |                                                                                                      |                          |                                 |
|                                             |                                                                 |                      |                                                                                                      |                          |                                 |
|                                             |                                                                 |                      |                                                                                                      |                          |                                 |
|                                             |                                                                 |                      |                                                                                                      |                          |                                 |

▲ - Warranty Plate Color Code



### 1130 CAP or COVER - WHEEL HUB - continued

| MODEL                   | IDENTIFICATION                      | DIAMETER<br>(Inches) | DESCRIPTION                                                                                                    | SHOWN<br>ON<br>Page Loc. | PART NUMBER                     |
|-------------------------|-------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------|--------------------------|---------------------------------|
| <b>1972 - continued</b> |                                     |                      |                                                                                                                |                          |                                 |
| P                       | D00A 1130-K,<br>D0ZA 1130-J         | 10 1/4               | Brushed Chrome finish-circular Black stripes 33 G<br>imprinted "Ford Motor Company"-use with<br>1210 trim ring |                          | *D0AZ 1130-G<br>r/b D5DZ 1130-B |
| P(62A)-Sprint pkg.      | D2ZA 1130-BA                        | 10 1/4               | Circular brushed finish-imprinted<br>"Ford Motor Company"-circular Blue stripe                                 | 33 G                     | D2ZZ 1130-B                     |
| P                       | D0DA 1130-B, F                      | 10 5/8               | 5 Ribs                                                                                                         | 33 D                     | D0DZ 1130-D                     |
| P                       | D0DA 1130-C1                        | 14 1/8               | 8 Ribs                                                                                                         | 33 F                     | D0DZ 1130-E                     |
| P                       | D2DA 1130-A41BA,<br>D2DA 1130-AH1BA | 14 1/8               | 80 Depressions-w/crest-circular Light Blue<br>Metallic stripe-▲3B                                              | 34 D                     | D2DZ 1130-H                     |
| P                       | D2DA 1130-AE3BA                     | 14 1/8               | 80 Depressions-w/crest-circular Bright<br>Blue Metallic stripe-▲3J                                             | 34 D                     | D2DZ 1130-B                     |
| P                       | D2DA 1130-AF3GA                     | 14 1/8               | 80 Depressions-w/crest-circular Ivy<br>Bronze Metallic stripe-▲4C                                              | 34 D                     | D2DZ 1130-D                     |
| P                       | D2DA 1130-AE5GA                     | 14 1/8               | 80 Depressions-w/crest-circular Medium<br>Lime Metallic stripe-▲4F                                             | 34 D                     | D2DZ 1130-C                     |
| P                       | D2DA 1130-A14RA,<br>D2DA 1130-A99RA | 14 1/8               | 80 Depressions-w/crest-circular Medium<br>Green Metallic stripe-▲4P                                            | 34 D                     | D2DZ 1130-J                     |
| P                       | D2DA 1130-A13RA,<br>D2DA 1130-A98RA | 14 1/8               | 80 Depressions-w/crest-circular Dark Green<br>Metallic stripe-▲4Q                                              | 34 D                     | D2DZ 1130-K                     |
| P                       | D2DA 1130-A80FA                     | 14 1/8               | 80 Depressions-w/crest-circular Ginger<br>Metallic stripe-▲5H                                                  | 34 D                     | D2DZ 1130-G                     |
| P                       | D2DA 1130-A37TA                     | 14 1/8               | 80 Depressions-w/crest-circular Tan stripe-<br>▲5L                                                             | 34 D                     | D2DZ 1130-L                     |
| P                       | D2DA 1130-A15VA                     | 14 1/8               | 80 Depressions-w/crest-circular Medium<br>Golden Rod stripe-▲6C                                                | 34 D                     | D2DZ 1130-E                     |
| P                       | D2DA 1130-A24VA                     | 14 1/8               | 80 Depressions-w/crest-circular Medium<br>Bright Yellow stripe-▲6E                                             | 34 D                     | D2DZ 1130-M                     |
| P                       | D2DA 1130-A25VA                     | 14 1/8               | 80 Depressions-w/crest-circular Bright<br>Yellow Gold Metallic stripe-▲6F                                      | 34 D                     | D2DZ 1130-F                     |
| P                       | D2DA 1130-A14WA                     | 14 1/8               | 80 Depressions-w/crest-circular Pastel<br>White stripe-▲9C                                                     | 34 D                     | D2DZ 1130-A                     |
| S                       | D0SA 1130-A                         | 16 1/4               | 72 Ribs-Thunderbird emblem-Black<br>background-imprinted "Thunderbird"                                         | 33 J                     | D0SZ 1130-A                     |
| S                       | D2SA 1130-AB                        | 16 1/4               | Circular brushed finish-58 serrations-<br>Thunderbird emblem                                                   | 34 F                     | D2SZ 1130-F                     |
| S                       | D2SA 1130-C30DB                     | 16 1/4               | 58 Serrations-Thunderbird emblem-<br>Medium Red cover-▲2G                                                      | 34 F                     | D2SZ 1130-G                     |
| S                       | D2SA 1130-C37BB                     | 16 1/4               | 58 Serrations-Thunderbird emblem-<br>Blue cover-▲3C                                                            | 34 F                     | D2SZ 1130-D                     |
| S                       | D2SA 1130-B50GA,<br>D2SA 1130-C50GB | 16 1/4               | 58 Serrations-Thunderbird emblem-<br>Medium Ivy Bronze Metallic cover-▲4D                                      | 34 F                     | D2SZ 1130-E                     |
| S                       | D2SA 1130-C59GB                     | 16 1/4               | 58 Serrations-Thunderbird emblem-<br>Medium Ivy cover-▲4G                                                      | 34 F                     | D2SZ 1130-J                     |
| S                       | D2SA 1130-C18GB                     | 16 1/4               | 58 Serrations-Thunderbird emblem-<br>Bright Lime Gold Metallic cover-▲4U                                       | 34 F                     | D3SZ 1130-E                     |
| S                       | D2SA 1130-C09FB                     | 16 1/4               | 58 Serrations-Thunderbird emblem-<br>Ginger cover-▲5C                                                          | 34 F                     | D2SZ 1130-A                     |
| S                       | D2SA 1130-C16FB                     | 16 1/4               | 58 Serrations-Thunderbird emblem-<br>Medium Ginger cover-▲5D                                                   | 34 F                     | D2SZ 1130-H                     |
| S                       | D2SA 1130-C13CB                     | 16 1/4               | 58 Serrations-Thunderbird emblem-<br>Copper cover-▲5G                                                          | 34 F                     | D2SZ 1130-B                     |
| S                       | D2SA 1130-C15VB                     | 16 1/4               | 58 Serrations-Thunderbird emblem-<br>Yellow cover-▲6G                                                          | 34 F                     | D2SZ 1130-C                     |
| U                       | C7TA 1130-H                         | 15                   | For front wheels only                                                                                          | 33 B                     | C7TZ 1130-H                     |
| U                       | C6AA 1130-G                         | 15                   | For rear wheels only-includes crest                                                                            | 33 A                     | C6AZ 1130-G                     |

▲ - Warranty Plate Color Code

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR  
COMPANY

— DEARBORN, MICHIGAN

**FINAL ISSUE**

## SECTION 10

## FORD CAR PARTS

| YEAR                                                       | MODEL                           | DESCRIPTION                                                                                                                    | QTY. | PART NUMBER  |
|------------------------------------------------------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------|--------------|
| <b>1130 COVER KIT - WHEEL HUB</b>                          |                                 |                                                                                                                                |      |              |
| 70                                                         | A                               | 15 1/8" dia.-31 bars-Ford crest-consists of of 4-D0AZ 1130-C cover, 4-B7AZ 1705-A ext.-r/b 4-D0AZ 1130-C, 4-B7AZ 1705-A (3-74) | 1    | ★D0AZ 1130-D |
| 66/68                                                      | B,F,X                           | 14" dia.-simulated magnesium-stamped 552029 or 552030-consists of 4-C6OZ 1130-K cover, 4-C6AA 1705-C ext.                      | 1    | C6OZ 1130-J  |
| 69                                                         | F                               | 14" dia.-imprinted "Mustang"-consists of 4-C9ZZ 1130-A cover, 4-C6AA 1705-B ext.                                               | 1    | C9ZZ 1130-B  |
| 70/71                                                      | P                               | 14" dia.-imprinted "Ford Motor Company"-consists of 4-D0DZ 1130-E cover, 4-B7A 1705-A ext.                                     | 1    | D0DZ 1130-B  |
| <b>1131 CAP - FRONT HUB GREASE</b>                         |                                 |                                                                                                                                |      |              |
| 65/69                                                      | A,B(drum brakes)                | 1 25/32" O.D.                                                                                                                  | 2    | B5A 1131-A   |
| 65                                                         | X (10" x 2 1/4" brakes)         |                                                                                                                                | 2    |              |
| 66/70                                                      | X(drum brakes)                  |                                                                                                                                | 2    |              |
| 65/66                                                      | F (8 cyl.)                      |                                                                                                                                | 2    |              |
| 67/69                                                      | F (drum brakes)                 |                                                                                                                                | 2    |              |
| 68/69                                                      | A,B,F(exc.Boss),S,X-disc brakes |                                                                                                                                | 2    |              |
| 70/                                                        | A,B,F,L,P,S                     |                                                                                                                                | 2    |              |
| 69                                                         | F(Boss 429)-disc brakes         |                                                                                                                                | 2    | C9ZZ 1131-A  |
| 65/67                                                      | S                               | 1 31/32" O.D.                                                                                                                  | 2    | LF 1131-A    |
| 66/67                                                      | A (disc brakes)                 |                                                                                                                                | 2    |              |
| 69                                                         | F(Boss 302)-disc brakes         |                                                                                                                                | 2    |              |
| 66/                                                        | U                               | 3 1/8" O.D.                                                                                                                    | 2    | B9TZ 1131-A  |
| 65                                                         | X                               | 1 37/64" O.D.                                                                                                                  | 2    | C3DZ 1131-A  |
| 65/66                                                      | F (6 cyl.)                      |                                                                                                                                | 2    |              |
| <b>1132 CAP or COVER - WHEEL HUB - Refer to Group 1130</b> |                                 |                                                                                                                                |      |              |
| <b>1137 APPLIQUE - WHEEL COVER</b>                         |                                 |                                                                                                                                |      |              |
| 68/69                                                      | A                               | Also serviced in C8AZ 1130-B wheel cover                                                                                       | 1    | C7AZ 1137-A  |
| 71/                                                        | A                               |                                                                                                                                | 1    |              |
| <b>1140 SPRING - BRAKE DRUM SILENCER</b>                   |                                 |                                                                                                                                |      |              |
| 65/69                                                      | Taxi                            | 32" long-use with bonded brake lining                                                                                          | 4    | B7A 1140-A   |
| 70/                                                        | A(Taxi)-drum brakes front       |                                                                                                                                | 2    |              |
| <b>1175 SEAL - WHEEL BEARING - Refer to Group 1190</b>     |                                 |                                                                                                                                |      |              |
| <b>1177 SEAL - REAR WHEEL BEARING OIL - INNER</b>          |                                 |                                                                                                                                |      |              |
| <b>- A -</b>                                               |                                 |                                                                                                                                |      |              |
| 65/67                                                      | A                               | 1 3/8" I.D. -2 3/8" O.D.                                                                                                       | 2    | B7A 1177-B   |
|                                                            | A                               | 1 1/2" I.D. -2 1/2" O.D.-r/b C9AZ 1177-A(7/74)                                                                                 | 2    | ★B7A 1177-A  |
|                                                            | A (Special duty performance)    | 1 1/2" I.D. -2 1/2" O.D.                                                                                                       | 2    | C1AA 1177-A  |
|                                                            | A (1967)-WER axle               | 1 25/64" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft-r/b D1AZ 1177-A and D1AZ 1177-B(7/74)                                     | 2    | ★C7AZ 1177-A |
| 68                                                         | A                               | 1 1/2" I.D. -2 1/2" O.D.-r/b C9AZ 1177-A(7/74)                                                                                 | 2    | ★B7A 1177-A  |
|                                                            | A (WER axle)                    | 1 25/64" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft-r/b D1AZ 1177-A and D1AZ 1177-B(7/74)                                     | 2    | ★C7AZ 1177-A |
| 69/                                                        | A (exc.WER axle)                | 1 1/2" I.D. -2 1/2" O.D. -#red paint                                                                                           | 2    | C9AZ 1177-A  |
|                                                            | A (WER axle) "Before 7/1/71"    | 1 25/64" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft-r/b D1AZ 1177-A and D1AZ 1177-B(7/74)                                     | 2    | ★C7AZ 1177-A |
|                                                            | A (WER axle) "From 7/1/71"      | R.H. -1 3/8" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft-#green paint-r/b D5AZ 1177-A(9/24)                                    | 1    | ★D1AZ 1177-A |
|                                                            | A (WER axle) "From 7/1/71"      | L.H. -1 3/8" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft-#yellow paint-r/b D5AZ 1177-A(9/24)                                   | 1    | ★D1AZ 1177-B |
| <b>- B -</b>                                               |                                 |                                                                                                                                |      |              |
| 65/67                                                      | B                               | 1 3/8" I.D. -2 3/8" O.D.                                                                                                       | 2    | B7A 1177-B   |
|                                                            | B (exc.WEZ axle or 8 cyl.427)   | 1 23/64" I.D. -2 17/64" O.D. -to seal 1 3/8" shaft-use with carrier plate flange on inside of axle housing tube                | 2    | C4OZ 1177-A  |
|                                                            | B (8 cyl.427)-1967              | 1 1/2" I.D.-2 17/64" O.D.-13/32" thick-to seal 1 1/2" shaft-#red paint                                                         | 2    | C7OZ 1177-A  |
|                                                            | B (WEZ axle)-1967               | 1 3/8" I.D.-2 17/64" O.D.-7/16" thick to seal 1 3/8" shaft-#red paint                                                          | 2    | C7OZ 1177-B  |

# Identification marking

| YEAR                                                          | MODEL                                     | DESCRIPTION                                                                                                  | QTY. | PART NUMBER |
|---------------------------------------------------------------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------|------|-------------|
| <b>1177 SEAL - REAR WHEEL BEARING OIL - INNER - continued</b> |                                           |                                                                                                              |      |             |
| <b>- B -</b>                                                  |                                           |                                                                                                              |      |             |
| 68                                                            | B (exc. WEZ axle or 8 cyl. 427)           | 1 23/64" I.D. -2 17/64" O.D. -to seal 1 3/8" shaft-use w/carrier plate flange on inside of axle housing tube | 2    | C4OZ 1177-A |
|                                                               | B (8 cyl. 427)                            | 1 1/2" I.D. -2 17/64" O.D. -13/32" thick-to seal 1 1/2" shaft -#red paint                                    | 2    | C7OZ 1177-A |
|                                                               | B (WEZ axle)                              | 1 3/8" I.D. -2 17/64" O.D. -7/16" thick-to seal 1 3/8" shaft -#red paint                                     | 2    | C7OZ 1177-B |
| 69/71                                                         | B (31 spline axle shaft)                  | 1 1/2" I.D. -2 17/64" O.D. -13/32" thick-to seal 1 1/2" shaft -#red paint                                    | 2    | C7OZ 1177-A |
|                                                               | B (28 spline axle shaft)                  | 1 3/8" I.D. -2 17/64" O.D. -7/16" thick-to seal 1 3/8" shaft -#red paint                                     | 2    | C7OZ 1177-B |
| 72                                                            | B (28 spline axle shaft) " Before 4/1/72" | 1 3/8" I.D. -2 17/64" O.D. -7/16" thick-to seal 1 3/8" shaft -#red paint                                     | 2    | C7OZ 1177-B |
|                                                               | B (28 spline axle shaft) " From 4/1/72"   | 1 1/2" I.D. -2 17/64" O.D. -13/32" thick-to seal 1 1/2" shaft -#red paint                                    | 2    | C7OZ 1177-A |
| <b>- F -</b>                                                  |                                           |                                                                                                              |      |             |
| 65/66                                                         | F (6 cyl.)                                | 1 21/64" I.D. -2 1/16" O.D. -to seal 1 11/32" shaft                                                          | 2    | C1DZ 1177-A |
|                                                               | F (8 cyl.)                                | 1 3/8" I.D. -2 3/32" O.D.                                                                                    | 2    | C1UW 1177-A |
| 67/68                                                         | F                                         | 1 3/8" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft                                                             | 2    | C6DZ 1177-A |
|                                                               | F                                         | 1 23/64" I.D. -2 17/64" O.D. -to seal 1 3/8" shaft-use w/carrier plate flange on inside of axle hsg. tube    | 2    | C4OZ 1177-A |
| 69/71                                                         | F (31 spline axle shaft)                  | 1 1/2" I.D. -2 17/64" O.D. -13/32" thick-to seal 1 1/2" shaft -#red paint                                    | 2    | C7OZ 1177-A |
|                                                               | F (exc. 7 1/4" ring gear)                 | 1 3/8" I.D. -2 17/64" O.D. -7/16" thick-to seal 1 3/8" shaft-use with 28 spline axle -#red paint             | 2    | C7OZ 1177-B |
|                                                               | F (7 1/4" ring gear)                      | 1 21/64" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft -#red paint                                               | 2    | C9DZ 1177-A |
| 72                                                            | F (28 spline axle shaft)                  | 1 3/8" I.D. -2 17/64" O.D. -7/16" thick-to seal 1 3/8" shaft -#red paint                                     | 2    | C7OZ 1177-B |
|                                                               | F (31 spline axle shaft)                  | 1 1/2" I.D. -2 17/64" O.D. -13/32" thick-to seal 1 1/2" shaft -#red paint                                    | 2    | C7OZ 1177-A |
| <b>- L -</b>                                                  |                                           |                                                                                                              |      |             |
| 71/                                                           | L                                         | R.H. -1 9/32" I.D. -1 7/8" O.D. -to seal 1 11/16" shaft -#green paint                                        | 1    | D1FZ 1177-A |
|                                                               |                                           | L.H. -#yellow paint                                                                                          | 1    | D1FZ 1177-B |
| <b>- P -</b>                                                  |                                           |                                                                                                              |      |             |
| 70                                                            | P (6 cyl.)                                | 1 21/64" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft                                                           | 2    | C9DZ 1177-A |
| 71/                                                           | P (9" brakes) -4 bolt axle shaft          | 1 21/64" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft                                                           | 2    | C9DZ 1177-A |
|                                                               | P (10 brakes) -5 bolt axle shaft          | 1 3/8" I.D. -2 17/64" O.D. -7/16" thick-to seal 1 3/8" shaft -#red paint                                     | 2    | C7OZ 1177-B |
| <b>- S -</b>                                                  |                                           |                                                                                                              |      |             |
| 65/68                                                         | S                                         | 1 1/2" I.D. -2 1/2" O.D. -r/b C9AZ 1177-A (7/74)                                                             | 2    | ★B7A 1177-A |
| 69/72                                                         | S                                         | " Before 4/1/72" 1 1/2" I.D. -2 1/2" O.D. -#red paint                                                        | 2    | C9AZ 1177-A |
| 72                                                            | S                                         | " From 4/1/72" 1 1/2" I.D. -2 17/64" O.D. -13/32" thick-to seal 1 1/2" shaft -#red paint                     | 2    | C7OZ 1177-A |
| <b>- U -</b>                                                  |                                           |                                                                                                              |      |             |
| 66/68                                                         | U (2780 lb. axle)                         | 1 3/8" I.D. -2 3/8" O.D.                                                                                     | 2    | B7A 1177-B  |
|                                                               | U (3300 lb. axle)                         | 1 1/2" I.D. -2 1/2" O.D. -r/b C9AZ 1177-A (7/74)                                                             | 2    | ★B7A 1177-A |
| 69/                                                           | U                                         | 1 3/8" I.D. -2 3/8" O.D.                                                                                     | 2    | C9UZ 1177-A |
|                                                               | U                                         | 1 1/2" I.D. -2 1/2" O.D. -#red paint                                                                         | 2    | C9AZ 1177-A |
| <b># Identification marking</b>                               |                                           |                                                                                                              |      |             |

| YEAR                                                          | MODEL                                          | DESCRIPTION                                                                                                     | QTY. | PART NUMBER  |
|---------------------------------------------------------------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------|--------------|
| <b>1177 SEAL - REAR WHEEL BEARING OIL - INNER - continued</b> |                                                |                                                                                                                 |      |              |
| <b>- X -</b>                                                  |                                                |                                                                                                                 |      |              |
| 65                                                            | X(54, 62, 63)-6 cyl.                           | 1 11/64" I.D. -2 1/32" O.D. -to seal 1 11/64" shaft                                                             | 2    | C0DW 1177-A  |
|                                                               | X(Taxi, 59, 66, 71, 76, 78)-6 cyl.             | 1 21/64" I.D. -2 1/16" O.D. -to seal 1 11/32" shaft                                                             | 2    | C1DZ 1177-A  |
|                                                               | X(8 cyl.)-exc. WCZ, WDJ axle                   | 1 23/64" I.D. -2 17/64" O.D. -to seal 3/8" shaft-use with carrier plate flange on inside of axle housing tube   | 2    | C4OZ 1177-A  |
|                                                               | X(8 cyl.)-WCZ, WDJ axle                        | 1 3/8" I.D. -2 3/32" O.D.                                                                                       | 2    | C1UW 1177-A  |
| 66                                                            | X(54, 62)-6 cyl.                               | 1 3/8" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft                                                                | 2    | C6DZ 1177-A  |
|                                                               | X(Taxi, 66, 71)-6 cyl.                         | 1 21/64" I.D. -2 1/16" O.D. -to seal 1 11/32" shaft                                                             | 2    | C1DZ 1177-A  |
|                                                               | X(8 cyl.)-exc. WCZ, WDJ axle                   | 1 23/64" I.D. -2 17/64" O.D. -to seal 1 3/8" shaft-use with carrier plate flange on inside of axle housing tube | 2    | C4OZ 1177-A  |
|                                                               | X(8 cyl.)-WCZ, WDJ axle                        | 1 3/8" I.D. -2 3/32" O.D.                                                                                       | 2    | C1UW 1177-A  |
| 67                                                            | X(54, 62)-6 cyl.                               | 1 3/8" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft                                                                | 2    | C6DZ 1177-A  |
|                                                               | X(Taxi, 71)-6 cyl.                             | 1 21/64" I.D. -2 1/16" O.D. -to seal 1 11/32" shaft                                                             | 2    | C1DZ 1177-A  |
|                                                               | X(8 cyl.)                                      | 1 23/64" I.D. -2 17/64" O.D. -to seal 1 3/8" shaft-use with carrier plate flange on inside of axle housing tube | 2    | C4OZ 1177-A  |
| 68                                                            | X (exc. S/W)-6 cyl.                            | 1 3/8" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft                                                                | 2    | C6DZ 1177-A  |
|                                                               | X                                              | 1 23/64" I.D. -2 17/64" O.D. -to seal 1 3/8" shaft-use with carrier plate flange on inside of axle hsg. tube    | 2    | C4OZ 1177-A  |
| 69/70                                                         | X (exc. 7 1/4" ring gear)                      | 1 3/8" I.D. -2 17/64" O.D. -7/16" thick-to seal 1 3/8" shaft -#red paint                                        | 2    | C7OZ 1177-B  |
|                                                               | X (7 1/4" ring gear)                           | 1 21/64" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft                                                              | 2    | C9DZ 1177-A  |
| <b>1180 RETAINER - REAR WHEEL BEARING - INNER</b>             |                                                |                                                                                                                 |      |              |
| <b>- A -</b>                                                  |                                                |                                                                                                                 |      |              |
| 65/68                                                         | A (9" ring gear)                               | 1 3/8" I.D. -2" O.D. -r/b C9OZ 1180-A (3-74)                                                                    | 2    | ★B9AZ 1180-A |
| 65/                                                           | A (9", 9 3/8" ring gear)                       | 1 1/2" I.D. -2 7/16" O.D.                                                                                       | 2    | C9AZ 1180-A  |
| <b>- B -</b>                                                  |                                                |                                                                                                                 |      |              |
| 65/69                                                         | B "Before 3/15/69"                             | 1 3/8" I.D. -2" O.D. -r/b C9OZ 1180-A (3-74)                                                                    | 2    | ★B9AZ 1180-A |
| 69/71                                                         | B "From 3/15/69"                               | 1 3/8" I.D. -2 1/4" O.D.                                                                                        | 2    | C9OZ 1180-A  |
| 72                                                            | B                                              | 1 3/8" I.D. -2 1/4" O.D.                                                                                        | 2    | D2OZ 1180-A  |
| <b>- F -</b>                                                  |                                                |                                                                                                                 |      |              |
| 65/70                                                         | F (7 1/4" ring gear)                           | 1 5/16" I.D. -1 7/8" O.D.                                                                                       | 2    | C0DW 1180-B  |
| 65/69                                                         | F (8, 8 3/4", 9" ring gear) - "Before 3/15/69" | 1 3/8" I.D. -2" O.D. -r/b C9OZ 1180-A (3-74)                                                                    | 2    | ★B9AZ 1180-A |
| 69/                                                           | F (8", 9" ring gear) "From 3/15/69"            | 1 3/8" I.D. -2 1/4" O.D.                                                                                        | 2    | C9OZ 1180-A  |
| <b>- L -</b>                                                  |                                                |                                                                                                                 |      |              |
| 71/72                                                         | L                                              | 1 3/16" I.D. -1 7/8" O.D.                                                                                       | 2    | D3FZ 1180-A  |
| <b>- P -</b>                                                  |                                                |                                                                                                                 |      |              |
| 70                                                            | P (4 bolt axle shaft)                          | 1 5/16" I.D. -1 7/8" O.D.                                                                                       | 2    | C0DW 1180-B  |
| 71/                                                           | P(9" brakes)-4 bolt axle shaft                 | 1 5/16" I.D. -1 7/8" O.D.                                                                                       | 2    | C0DW 1180-B  |
|                                                               | P(10" brakes)-5 bolt axle shaft                | 1 3/8" I.D. -2 1/4" O.D.                                                                                        | 2    | C9OZ 1180-A  |
| <b>- S -</b>                                                  |                                                |                                                                                                                 |      |              |
| 65/71                                                         | S                                              | 1 1/2" I.D. -2 7/16" O.D.                                                                                       | 2    | C9AZ 1180-A  |
| 72                                                            | S                                              | 1 3/8" I.D. -2 1/4" O.D.                                                                                        | 2    | D2OZ 1180-A  |
| <b>- U -</b>                                                  |                                                |                                                                                                                 |      |              |
| 66/69                                                         | U (2800 lb. axle) "Before Ser.F10,001"         | 1 3/8" I.D. -2" O.D. -r/b C9OZ 1180-A (3-74)                                                                    | 2    | ★B9AZ 1180-A |
| 69/                                                           | U (2800 lb. axle) "From Ser.F10,001"           | 1 3/8" I.D. -2 1/4" O.D.                                                                                        | 2    | C9OZ 1180-A  |
| 66/                                                           | U (3300 lb. axle)                              | 1 1/2" I.D. -2 7/16" O.D.                                                                                       | 2    | C9AZ 1180-A  |
| <b>- X -</b>                                                  |                                                |                                                                                                                 |      |              |
| 65/70                                                         | X (7 1/4" ring gear)                           | 1 5/16" I.D. -1 7/8" O.D.                                                                                       | 2    | C0DW 1180-B  |
| 66/67                                                         | X (7 3/4" ring gear)                           | 1 3/16" I.D. -1 7/8" O.D.                                                                                       | 2    | D3FZ 1180-A  |
| 65/69                                                         | X (8", 9" ring gear) "Before 3/15/69"          | 1 3/8" I.D. -2" O.D. -r/b C9OZ 1180-A (3-74)                                                                    | 2    | ★B9AZ 1180-A |
| 69/70                                                         | X (8", 9" ring gear) "From 3/15/69"            | 1 3/8" I.D. -2 1/4" O.D.                                                                                        | 2    | C9OZ 1180-A  |

| YEAR                                                    | MODEL                                 | DESCRIPTION                                         | QTY. | PART NUMBER     |
|---------------------------------------------------------|---------------------------------------|-----------------------------------------------------|------|-----------------|
| <b>1190 RETAINER - FRONT WHEEL HUB GREASE</b>           |                                       |                                                     |      |                 |
| 65/66                                                   | A(Taxicab)                            | 2 1/2" & 2 11/16" O.D.-to seal 1 15/16" shaft       | 2    | C3SZ 1190-A     |
| 65/66                                                   | A (except N. Y. Taxicab)              | 2 1/2" O.D. -1 15/16" I.D. -9/32" thick             | 2    | B5AZ 1190-A     |
| 65/69                                                   | B(drum brakes)                        |                                                     | 2    |                 |
| 65                                                      | X (10" x 2 1/4" brakes)               |                                                     | 2    |                 |
| 65                                                      | X (8 cyl.)                            |                                                     | 2    |                 |
| 66/70                                                   | X(drum brakes)                        |                                                     | 2    |                 |
| 65/66                                                   | F (8 cyl.)-drum brakes                |                                                     | 2    |                 |
| 67/69                                                   | F(drum brakes)                        |                                                     | 2    |                 |
| 66/67                                                   | A(disc brakes)                        | 2 27/32" major O.D. -2 37/64" minor O.D. -          | 2    | C6AZ 1190-A     |
| 65/67                                                   | S                                     | 1 15/16" I.D.                                       | 2    |                 |
| 69                                                      | F(Boss 302, 429)-disc brakes          |                                                     | 2    |                 |
| 68/69                                                   | B, F (exc. Boss)                      | 2 3/4" O.D. -9/32" thick-to seal 1 15/16" shaft     | 2    | C8AZ 1190-A     |
| 68/                                                     | A, S                                  |                                                     | 2    |                 |
| 67/70                                                   | X(disc brakes)                        |                                                     | 2    |                 |
| 70/                                                     | B, F, L, P                            |                                                     | 2    |                 |
| 65/67                                                   | F (disc brakes)                       |                                                     | 2    |                 |
| 67                                                      | B (disc brakes)                       |                                                     | 2    |                 |
| 67                                                      | A(drum brakes)                        |                                                     | 2    |                 |
| 66/70                                                   | U (steering knuckle grease seal)      | 3" O.D. -5/16" thick-to seal 1 15/16" shaft         | 2    | C6TZ 1190-A     |
| 66/69                                                   | U(hub oil seal) "Before Ser. F30,001" | 3 1/4" O.D. -2 1/4" I.D. -#442380-X or 501709       | 2    | B9TZ 1190-A     |
| 69/                                                     | U(hub oil seal) "From Ser. F30,001"   | 3 5/8" O.D. -2 1/2" I.D. -#C9TA 1175-B1, B2 or B3   | 2    | C9TZ 1175-C     |
| 65                                                      | X                                     | 2 1/16" O.D.                                        | 2    | C1DZ 1190-A     |
| 65/66                                                   | F (6 cyl.)-drum brakes                |                                                     | 2    |                 |
| <b>1193 GASKET - FRONT BRAKE GREASE BAFFLE</b>          |                                       |                                                     |      |                 |
| 65                                                      | B (drum brakes)                       | Not replaced (3-74)                                 | 2    | ★C2OA 2026-A    |
| 66/71                                                   | B (drum brakes)                       |                                                     | 2    | C6DZ 2026-A     |
| 65                                                      | F (10" brakes)                        | Not replaced (3-74)                                 | 2    | ★C2OA 2026-A    |
| 66/                                                     | F (10" brakes)                        |                                                     | 2    | C6DZ 2026-A     |
| 71/                                                     | L (drum brakes)                       |                                                     | 2    | C6DZ 2026-A     |
| 71/                                                     | P (6 cyl. 250 & 8 cyl.)               |                                                     | 2    | C6DZ 2026-A     |
| 66/                                                     | U                                     |                                                     | 2    | B9C 1193-A      |
| 65                                                      | X (10" brakes)                        | Not replaced                                        | 2    | ★C2OA 2026-A    |
| 66/70                                                   | X (10" brakes)                        |                                                     | 2    | C6DZ 2026-A     |
| <b>1195 WASHER - FRONT WHEEL OUTER BEARING RETAINER</b> |                                       |                                                     |      |                 |
| 65/69                                                   | A, B, S                               | 3/4" I.D. x 1 21/32" O.D. x 3/32" thick             | 2    | C2AZ 1195-A     |
| 65/66                                                   | X (10" x 2 1/4" brakes)               |                                                     | 2    |                 |
| 65/66                                                   | F (8 cyl.)-10" x 2 1/4" brakes        |                                                     | 2    |                 |
| 67/69                                                   | F, X                                  |                                                     | 2    |                 |
| 70                                                      | P, X "Before 8/25/69"                 |                                                     | 2    |                 |
| 70                                                      | A, B, F, S                            | 13/16" I.D. x 1 21/32" O.D. x 3/32" thick           | 2    | D0AZ 1195-A     |
| 70                                                      | P, X "From 8/25/69"                   |                                                     | 2    |                 |
| 71/                                                     | A, B, F, L, S, P                      |                                                     | 2    |                 |
| 65                                                      | X                                     | 5/8" I.D. x 1 7/16" O.D. x 3/32" thick              | 2    | C1DD 1195-A     |
| 65/66                                                   | F (6 cyl.)                            |                                                     | 2    |                 |
| <b>1197 LOCKNUT - FRONT WHEEL BEARING</b>               |                                       |                                                     |      |                 |
| 66/72                                                   | U                                     | r/b D2TZ 1198-A (3-74)                              | 2    | ★B9C 1197-A     |
| <b>1198 BEARING RETAINER KIT - FRONT WHEEL LOCK</b>     |                                       |                                                     |      |                 |
| 72                                                      | U                                     | Consists of<br>1-Locknut & Pin 1-Locknut 1-Retainer | AR   | D2TZ 1198-A     |
| 66/72                                                   | U                                     | Retainer only-r/b D2TZ 1198-A (3-74)                | 2    | ★B9C 1198-A     |
| <b>1199 SPACER - FRONT HUB</b>                          |                                       |                                                     |      |                 |
| 66/                                                     | U                                     | R/b D4TZ 1199-A(12/74)                              | 2    | ★B9C 1199-A     |
| 66/                                                     | U                                     | Ring (hub retaining)-1 5/8"                         | 2    | 374424-S(XX16E) |
|                                                         |                                       |                                                     |      |                 |
|                                                         |                                       |                                                     |      |                 |
|                                                         |                                       |                                                     |      |                 |
|                                                         |                                       |                                                     |      |                 |

# Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR  
COMPANY

— DEARBORN, MICHIGAN

**FINAL ISSUE**

| YEAR                                                      | MODEL                         |                            | DESCRIPTION                                         | QTY. | PART NUMBER |
|-----------------------------------------------------------|-------------------------------|----------------------------|-----------------------------------------------------|------|-------------|
| <b>1201 CONE and ROLLER - FRONT WHEEL BEARING - INNER</b> |                               |                            |                                                     |      |             |
| <b>- A -</b>                                              |                               |                            |                                                     |      |             |
| 65/67                                                     | A (drum brakes)               | NOTE 1                     | 1 1/4" I.D. - #LM 67048                             | 2    | B5A 1201-A  |
| 68/69                                                     | A                             | NOTE 1                     |                                                     | 2    |             |
| 65/67                                                     | A (drum brakes)               | NOTE 1                     | 1 3/8" I.D. - #LM 68149                             | 2    | D0AZ 1201-A |
| 68/69                                                     | A                             | NOTE 1                     |                                                     | 2    |             |
| 70/                                                       | A                             |                            |                                                     | 2    |             |
| 66/67                                                     | A (disc brakes)               |                            | 1 5/8" I.D. - 2 9/16" O.D. - #LM 48548              | 2    | B7C 1201-A  |
| 66/69                                                     | A                             |                            | Differential-1 13/16" I.D. - #22590                 | 2    | B7T 1201-A  |
| 71                                                        | A                             |                            | Differential                                        | 2    |             |
| <b>- B -</b>                                              |                               |                            |                                                     |      |             |
| 65/69                                                     | B                             | NOTE 1                     | 1 1/4" I.D. - #LM 67048                             | 2    | B5A 1201-A  |
| 65/69                                                     | B                             | NOTE 1                     | 1 3/8" I.D. - #LM 68149                             | 2    | D0AZ 1201-A |
| 70/                                                       | B                             |                            |                                                     | 2    |             |
| <b>- F -</b>                                              |                               |                            |                                                     |      |             |
| 65/66                                                     | F(6 cyl.)                     |                            | 1 1/16" I.D. - #L 44649                             | 2    | C0DD 1201-A |
| 65/66                                                     | F(8 cyl.)-10" x 2 1/4" brakes | NOTE 1                     | 1 1/4" I.D. - #LM 67048-also used w/disc brakes     | 2    | B5A 1201-A  |
| 67/69                                                     | F(exc. Boss)                  | NOTE 1                     |                                                     | 2    |             |
| 70                                                        | F(GT350/500)                  |                            |                                                     | 2    |             |
| 65/66                                                     | F(8 cyl.)-10" x 2 1/4" brakes | NOTE 1                     | 1 3/8" I.D. - #LM 68149-also use w/disc brakes      | 2    | D0AZ 1201-A |
| 67/69                                                     | F(exc. Boss)                  | NOTE 1                     |                                                     | 2    |             |
| 70/                                                       | F(exc. GT350/500)             |                            |                                                     | 2    |             |
| 69                                                        | F(Boss 302,429)-disc brakes   |                            | 1 5/8" I.D. - 2 9/16" O.D. - #LM 48548              | 2    | B7C 1201-A  |
| <b>- L -</b>                                              |                               |                            |                                                     |      |             |
| 71/                                                       | L                             |                            | 1 3/8" I.D. - #LM 68149                             | 2    | D0AZ 1201-A |
| 71/                                                       | L                             |                            | Differential-1 5/8" I.D. - 2 9/16" O.D. - #LM 48548 | 2    | B7C 1201-A  |
| <b>- P -</b>                                              |                               |                            |                                                     |      |             |
| 70                                                        | P                             | NOTE 1<br>"Before 8/25/69" | 1 1/4" I.D. - #LM 67048                             | 2    | B5A 1201-A  |
| 70/                                                       | P                             | NOTE 1<br>"From 8/25/69"   | 1 3/8" I.D. - #LM 68149                             | 2    | D0AZ 1201-A |
| <b>- S -</b>                                              |                               |                            |                                                     |      |             |
| 65/67                                                     | S                             |                            | 1 5/8" I.D. - 2 9/16" O.D. - #LM 48548              | 2    | B7C 1201-A  |
| 66/69                                                     | S                             |                            | Differential-1 13/16" I.D. - #22590                 | 2    | B7T 1201-A  |
| 68/69                                                     | S                             | NOTE 1                     | 1 3/8" I.D. - #LM 68149                             | 2    | D0AZ 1201-A |
| 70/                                                       | S                             |                            |                                                     | 2    |             |
| 68/69                                                     | S                             | NOTE 1                     | 1 1/4" I.D. - #LM 67048                             | 2    | B5A 1201-A  |
| 71/                                                       | S                             |                            | Differential-1 13/16" I.D. - #22590                 | 2    | B7T 1201-A  |
| <b>- U -</b>                                              |                               |                            |                                                     |      |             |
| 66/                                                       | U                             |                            | 1 3/4" I.D. - #LM 603049                            | 2    | B7A 4221-B  |
| <b>- X -</b>                                              |                               |                            |                                                     |      |             |
| 65                                                        | X                             |                            | 1 1/16" I.D. - #L44649                              | 2    | C0DD 1201-A |
| 65                                                        | X(10" x 2 1/4" brakes)        | NOTE 1                     | 1 1/4" I.D. - #LM 67048                             | 2    | B5A 1201-A  |
| 66/69                                                     | X                             | NOTE 1                     |                                                     | 2    |             |
| 65                                                        | X(10" x 2 1/4" brakes)        | NOTE 1                     | 1 3/8" I.D. - #LM 68149                             | 2    | D0AZ 1201-A |
| 66/69                                                     | X                             | NOTE 1                     |                                                     | 2    |             |
| 70                                                        | X                             | NOTE 1<br>"From 8/25/69"   |                                                     | 2    |             |
| 70                                                        | X                             | NOTE 1<br>"Before 8/25/69" | 1 1/4" I.D. - #LM 67048                             | 2    | B5A 1201-A  |

# Identification marking NOTE 1 - The small I.D. bearings and cups (B5A 1201-A, B5A 1202-A, B5A 1216-A, and B5A 1217-A) are used with original spindle. If the original spindle has been replaced by the later (large) spindle, it is necessary to use the large I.D. bearings and cups. (D0AZ 1201-A, D0AZ 1202-A, D0AZ 1216-A, and D0AZ 1217-A) check for size and identification before ordering.

| 1202 CUP - FRONT WHEEL BEARING-INNER |                               |                  |                                                                          |      |             |
|--------------------------------------|-------------------------------|------------------|--------------------------------------------------------------------------|------|-------------|
| YEAR                                 | MODEL                         |                  | DESCRIPTION                                                              | QTY. | PART NUMBER |
| <b>- A -</b>                         |                               |                  |                                                                          |      |             |
| 65/67                                | A(drum brakes)                | NOTE 1           | Use with 1 1/4" I.D. inner bearing-#LM 67010                             | 2    | B5A 1202-A  |
| 68/69                                | A                             | NOTE 1           |                                                                          | 2    |             |
| 65/67                                | A(drum brakes)                | NOTE 1           | Use with 1 3/8" I.D. inner bearing-#L68110                               | 2    | D0AZ 1202-A |
| 68/69                                | A                             | NOTE 1           |                                                                          | 2    |             |
| 70/                                  | A                             |                  |                                                                          | 2    |             |
| 66/67                                | A(with disc brakes)           |                  | #LM 48510                                                                | 2    | B7C 1202-A  |
| 66/70                                | A                             |                  | Differential-#25520-3 17/64" O.D.                                        | 2    | C3TZ 1202-B |
| <b>- B -</b>                         |                               |                  |                                                                          |      |             |
| 65/69                                | B                             | NOTE 1           | Use with 1 1/4" I.D. inner bearing-#LM 67010                             | 2    | B5A 1202-A  |
| 65/69                                | B                             | NOTE 1           | Use with 1 3/8" I.D. inner bearing-#LM 68110                             | 2    | D0AZ 1202-A |
| 70/                                  | B                             |                  |                                                                          | 2    |             |
| <b>- F -</b>                         |                               |                  |                                                                          |      |             |
| 65/66                                | F(6 cyl.)                     |                  | 2" O.D.-#L44610                                                          | 2    | C0DD 1202-A |
| 65/66                                | F(8 cyl.)-10" x 2 1/4" brakes | NOTE 1           | Use with 1 1/4" I.D. inner bearing-#LM 67010-also used with disc brakes  | 2    | B5A 1202-A  |
| 67/69                                | F(exc. Boss)                  | NOTE 1           |                                                                          | 2    |             |
| 70                                   | F(GT350/500)                  |                  |                                                                          | 2    |             |
| 65/66                                | F(8 cyl.)-10" x 2 1/4" brakes | NOTE 1           | Use with 1 3/8" I.D. inner bearing-#LM 68110 -also used with disc brakes | 2    | D0AZ 1202-A |
| 67/69                                | F(exc. Boss)                  | NOTE 1           |                                                                          | 2    |             |
| 70/                                  | F(exc. GT350/500)             |                  |                                                                          | 2    |             |
| 69                                   | F(Boss 302,429)-disc brakes   |                  | #LM 48510                                                                | 2    | B7C 1202-A  |
| <b>- L -</b>                         |                               |                  |                                                                          |      |             |
| 71/                                  | L                             |                  | Use with 1 3/8" I.D. inner bearing-#LM 68110                             | 2    | D0AZ 1202-A |
| 71/                                  | L                             |                  | Differential-#LM 48510                                                   | 2    | B7C 1202-A  |
| <b>- P -</b>                         |                               |                  |                                                                          |      |             |
| 70                                   | P                             | NOTE 1           | Use with 1 1/4" I.D. inner bearing-#LM 67010                             | 2    | B5A 1202-A  |
|                                      |                               | "Before 8/25/69" |                                                                          |      |             |
| 70/                                  | P                             | NOTE 1           | Use with 1 3/8" I.D. inner bearing-#LM 68110                             | 2    | D0AZ 1202-A |
|                                      |                               | "From 8/25/69"   |                                                                          |      |             |
| <b>- S -</b>                         |                               |                  |                                                                          |      |             |
| 65/67                                | S                             |                  | #LM 48510                                                                | 2    | B7C 1202-A  |
| 66/                                  | S                             |                  | Differential-#25520-3 17/64" O.D.                                        | 2    | C3TZ 1202-B |
| 68/69                                | S                             | NOTE 1           | Use with 1 1/4" I.D. inner bearing-#LM 67010                             | 2    | B5A 1202-A  |
| 68/69                                | S                             | NOTE 1           | Use with 1 3/8" I.D. inner bearing-#LM 68110                             | 2    | D0AZ 1202-A |
| 70/                                  | S                             |                  |                                                                          | 2    |             |
| <b>- U -</b>                         |                               |                  |                                                                          |      |             |
| 66/                                  | U                             |                  | Transfer case-front bearing output shaft-#14276                          | AR   | 01Y 1202    |
| 66/                                  | U                             |                  | Transfer case-rear bearing output shaft-#15245                           | AR   | 8A 1202     |
| 66/                                  | U                             |                  | 3 1/16" O.D.-#LM 603011                                                  | 2    | B7A 4222-B  |
| <b>- X -</b>                         |                               |                  |                                                                          |      |             |
| 65                                   | X                             |                  | 2" O.D.-#L44610                                                          | 2    | C0DD 1202-A |
| 65                                   | X(10" x 2 1/4" brakes)        | NOTE 1           | Use with 1 1/4" I.D. inner bearing-#LM 67010                             | 2    | B5A 1202-A  |
| 66/69                                | X                             | NOTE 1           |                                                                          | 2    |             |
| 65                                   | X(10" x 2 1/4" brakes)        | NOTE 1           | Use with 1 3/8" I.D. inner bearing-#LM 68110                             | 2    | D0AZ 1202-A |
| 66/69                                | X                             | NOTE 1           |                                                                          | 2    |             |
| 70                                   | X                             | NOTE 1           |                                                                          | 2    |             |
|                                      |                               | "From 8/25/69"   |                                                                          |      |             |
| 70                                   | X                             | NOTE 1           | Use with 1 1/4" I.D. inner bearing-#LM 67010                             | 2    | B5A 1202-A  |
|                                      |                               | "Before 8/25/69" |                                                                          |      |             |
| <b>1210 RING - WHEEL TRIM</b>        |                               |                  |                                                                          |      |             |
| <b>- B -</b>                         |                               |                  |                                                                          |      |             |
| 66                                   | B                             |                  | Stainless steel-15 3/8" O.D.-12 3/16" I.D.-use with styled steel wheels  | 4    | C6ZZ 1210-A |
| 67                                   | B                             |                  | Stainless steel-15 3/8" O.D.-11 15/16" I.D.-use with styled steel wheels | 4    | C7ZZ 1210-A |

# Identification marking NOTE 1 - The small I.D. bearings and cups (B5A 1201-A, B5A 1202-A, B5A 1216-A, and B5A 1217-A) are used with original spindle. If the original spindle has been replaced by the later (large) spindle, it is necessary to use the large I.D. bearings and cups. (D0AZ 1201-A, D0AZ 1202-A, D0AZ 1216-A, and D0AZ 1217-A) check for size and identification before ordering.

| YEAR                                      | MODEL                        | DESCRIPTION                                                                                        | QTY. | PART NUMBER |
|-------------------------------------------|------------------------------|----------------------------------------------------------------------------------------------------|------|-------------|
| <b>1210 RING - WHEEL TRIM - continued</b> |                              |                                                                                                    |      |             |
| <b>- B -</b>                              |                              |                                                                                                    |      |             |
| 68/69                                     | B                            | 15 3/8" O.D. -12" I.D. -2" wide-#C80A 1210-B-use with styled steel wheels                          | 4    | C8ZZ 1210-B |
| 70                                        | B                            | Brushed chrome-15 1/4" O.D. -11" I.D. -2 3/4" wide-#D0ZA 1210-B,E-use with 14" x 7" wheels         | 4    | D0ZZ 1210-B |
|                                           | B                            | Brushed chrome-16 1/4" O.D. -10 15/16" I.D. -2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels | 4    | D0ZZ 1210-C |
| 71                                        | B                            | Brushed chrome-16 1/4" O.D.-10 5/16" I.D.-2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels    | 4    | D0ZZ 1210-C |
|                                           | B(includes Halo pkg. option) | Brushed chrome-15 1/4" O.D.-11" I.D.-2 3/4" wide-#D0ZA 1210-B,E-use with 14" x 7" wheels           | 4    | D0ZZ 1210-B |
| 72                                        | B                            | Brushed chrome-15 1/4" O.D.-11 3/16" I.D.-2 1/4" wide-#D0DA 1210-A,B-use with 14" x 6" wheels      | 4    | D0DZ 1210-A |
|                                           | B                            | Brushed chrome-16 1/4" O.D.-10 15/16" I.D.-2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels   | 4    | D0ZZ 1210-C |
| <b>- F -</b>                              |                              |                                                                                                    |      |             |
| 66                                        | F(8 cyl.)                    | Stainless steel-15 3/8" O.D.-12 3/16" I.D.-use with styled steel wheels                            | 4    | C6ZZ 1210-A |
| 67                                        | F                            | Stainless steel-15 3/8" O.D.-11 15/16" I.D.-use with styled steel wheels                           | 4    | C7ZZ 1210-A |
| 68/69                                     | F                            | 15 3/8" O.D.-12" I.D.-2" wide-#C80A 1210-B-use with styled steel wheels                            | 4    | C8ZZ 1210-B |
| 70                                        | F                            | Brushed chrome-15 1/4" O.D.-1 11/16" wide-#D0ZA 1210-C,F-use with 14" x 6" wheels                  | 4    | D0ZZ 1210-A |
|                                           | F                            | Brushed chrome-15 1/4" O.D.-11" I.D.-2 3/4" wide-#D0ZA 1210-B,E-use with 14" x 7" wheels           | 4    | D0ZZ 1210-B |
|                                           | F                            | Brushed chrome-16 1/4" O.D.-10 15/16" I.D.-2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels   | 4    | D0ZZ 1210-C |
| 71/                                       | F                            | Brushed chrome-15 1/4" O.D.-11" I.D.-2 3/4" wide-#D0ZA 1210-B,E-used with 14" x 7" wheels          | 4    | D0ZZ 1210-B |
|                                           | F                            | Brushed chrome-15 1/4" O.D.-11 3/16" I.D.-2 1/4" wide-#D0DA 1210-A,B-use with 14" x 6" wheels      | 4    | D0DZ 1210-A |
|                                           | F                            | Brushed chrome-16 1/4" O.D.-10 5/16" I.D.-2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels    | 4    | D0ZZ 1210-C |
| <b>- L -</b>                              |                              |                                                                                                    |      |             |
| 71/                                       | L                            | Chrome-14 1/4" O.D.-11 1/4" I.D.-1 9/16" wide - #D12A 1210-AA                                      | 4    | D1FZ 1210-A |
| <b>- P -</b>                              |                              |                                                                                                    |      |             |
| 70/                                       | P                            | Brushed chrome-15 1/4" O.D. - 1 11/16" wide-#D0ZA 1210-C,F-use with 14" x 4 1/2" wheels            | 4    | D0ZZ 1210-A |
|                                           | P                            | Brushed chrome-15 1/4" O.D.-11 3/16" I.D.-2 1/4" wide-#D0DA 1210-A,B-use with 14" x 6" wheels      | 4    | D0DZ 1210-A |
|                                           |                              |                                                                                                    |      |             |
|                                           |                              |                                                                                                    |      |             |
|                                           |                              |                                                                                                    |      |             |
|                                           |                              |                                                                                                    |      |             |

# Identification marking



| YEAR                                                    | MODEL                         | DESCRIPTION                                        | QTY. | PART NUMBER |
|---------------------------------------------------------|-------------------------------|----------------------------------------------------|------|-------------|
| <b>1216 CONE and ROLLER - FRONT WHEEL BEARING-OUTER</b> |                               |                                                    |      |             |
| <b>- A -</b>                                            |                               |                                                    |      |             |
| 65/67                                                   | A(drum brakes)                | NOTE 1 3/4" I.D.-#LM 11949                         | 2    | B5A 1216-A  |
| 68/69                                                   | A                             | NOTE 1                                             | 2    |             |
| 65/67                                                   | A(drum brakes)                | NOTE 1 7/8" I.D.-#LM 12749                         | 2    | D0AZ 1216-A |
| 68/69                                                   | A                             | NOTE 1                                             | 2    |             |
| 70/                                                     | A                             |                                                    | 2    |             |
| 66/67                                                   | A(with disc brakes)           | #M 12649                                           | 2    | C3SZ 1216-A |
| <b>- B -</b>                                            |                               |                                                    |      |             |
| 65/69                                                   | B                             | NOTE 1 3/4" I.D.-#LM 11949                         | 2    | B5A 1216-A  |
| 65/69                                                   | B                             | NOTE 1 7/8" I.D.-#LM 12749                         | 2    | D0AZ 1216-A |
| 70/                                                     | B                             |                                                    | 2    |             |
| <b>- F -</b>                                            |                               |                                                    |      |             |
| 65/66                                                   | F(6 cyl.)                     | 11/16" I.D.-#LM 11749                              | 2    | C0DD 1216-A |
| 65/66                                                   | F(8 cyl.)-10" x 2 1/4" brakes | NOTE 1 3/4" I.D.-#LM 11949-also used w/disc brakes | 2    | B5A 1216-A  |
| 67/69                                                   | F(exc. Boss)                  | NOTE 1                                             | 2    |             |
| 70                                                      | F(GT350/500)                  |                                                    | 2    |             |
| 65/66                                                   | F(8 cyl.)-10" x 2 1/4" brakes | NOTE 1 7/8" I.D.-#LM 12749                         | 2    | D0AZ 1216-A |
| 67/69                                                   | F(exc. Boss)                  | NOTE 1                                             | 2    |             |
| 70/                                                     | F(exc. GT350/500)             |                                                    | 2    |             |
| 69                                                      | F(Boss 302, 429)-disc brakes  | #M 12649                                           | 2    | C3SZ 1216-A |
| <b>- L -</b>                                            |                               |                                                    |      |             |
| 71/                                                     | L                             | 7/8" I.D.-#LM 12749                                | 2    | D0AZ 1216-A |
| <b>- P -</b>                                            |                               |                                                    |      |             |
| 70                                                      | P                             | NOTE 1 3/4" I.D.-#LM 11949                         | 2    | B5A 1216-A  |
|                                                         |                               | "Before 8/25/69"                                   |      |             |
| 70/                                                     | P                             | NOTE 1 7/8" I.D.-#LM 12749                         | 2    | D0AZ 1216-A |
|                                                         |                               | "From 8/25/69"                                     |      |             |
| <b>- S -</b>                                            |                               |                                                    |      |             |
| 65/67                                                   | S                             | #M 12649                                           | 2    | C3SZ 1216-A |
| 68/69                                                   | S                             | NOTE 1 3/4" I.D.-#LM 11949                         | 2    | B5A 1216-A  |
| 68/69                                                   | S                             | NOTE 1 7/8" I.D.-#LM 12749                         | 2    | D0AZ 1216-A |
| 70/                                                     | S                             |                                                    | 2    |             |
| <b>- U -</b>                                            |                               |                                                    |      |             |
| 66/                                                     | U                             | 1 5/8" I.D.-#LM 501349, HM 503049                  | 2    | B7A 4221-A  |
| 66/                                                     | U                             | Use for rear output shaft-front cone #25877        | 2    | C3TZ 1216-B |
| <b>- X -</b>                                            |                               |                                                    |      |             |
| 65                                                      | X                             | 11/16" I.D.-#LM 11749                              | 2    | C0DD 1216-A |
| 65                                                      | X(10" x 2 1/4" brakes)        | NOTE 1 3/4" I.D.-#LM 11949                         | 2    | B5A 1216-A  |
| 66/69                                                   | X                             | NOTE 1                                             | 2    |             |
| 70                                                      | X                             | NOTE 1 3/4" I.D.-#LM 11949                         | 2    | B5A 1216-A  |
|                                                         |                               | "Before 8/25/69"                                   |      |             |
| 65                                                      | X(10" x 2 1/4" brakes)        | NOTE 1 7/8" I.D.-#LM 12749                         | 2    | D0AZ 1216-A |
| 66/69                                                   | X                             | NOTE 1                                             | 2    |             |
| 70                                                      | X                             | NOTE 1                                             | 2    |             |
|                                                         |                               | "From 8/25/69"                                     |      |             |
| <b>1217 CUP - FRONT WHEEL BEARING - OUTER</b>           |                               |                                                    |      |             |
| <b>- A -</b>                                            |                               |                                                    |      |             |
| 65/67                                                   | A(drum brakes)                | NOTE 1 Use with 3/4" I.D. outer bearing-#LM 11910  | 2    | B5A 1217-A  |
| 68/69                                                   | A                             | NOTE 1                                             | 2    |             |
| 65/67                                                   | A(drum brakes)                | NOTE 1 Use with 7/8" I.D. outer bearing-#LM 12700, | 2    | D0AZ 1217-A |
| 68/69                                                   | A                             | NOTE 1 LM 12710                                    | 2    |             |
| 70/                                                     | A                             |                                                    | 2    |             |
| 66/67                                                   | A(disc brakes)                | #M 12610                                           | 2    | C3SZ 1217-A |

# Identification marking NOTE 1 - The small I.D. bearings and cups (B5A 1201-A, B5A 1202-A, B5A 1216-A, and B5A 1217-A) are used with original spindle. If the original spindle has been replaced by the later (large) spindle, it is necessary to use the large I.D. bearings and cups. (D0AZ 1201-A, D0AZ 1202-A, D0AZ 1216-A, and D0AZ 1217-A) check for size and identification before ordering.

| YEAR                                                      | MODEL                         | DESCRIPTION                                                                      | QTY. | PART NUMBER                     |
|-----------------------------------------------------------|-------------------------------|----------------------------------------------------------------------------------|------|---------------------------------|
| <b>1217 CUP - FRONT WHEEL BEARING - OUTER - continued</b> |                               |                                                                                  |      |                                 |
| <b>- B -</b>                                              |                               |                                                                                  |      |                                 |
| 65/69                                                     | B                             | NOTE 1 Use with 3/4" I.D. outer bearing-#LM 11910                                | 2    | B5A 1217-A                      |
| 65/69                                                     | B                             | NOTE 1 Use with 7/8" I.D. outer bearing-#LM 12700,                               | 2    | D0AZ 1217-A                     |
| 70/                                                       | B                             | LM 12710                                                                         | 2    |                                 |
| <b>- F -</b>                                              |                               |                                                                                  |      |                                 |
| 65/66                                                     | F(6 cyl.)                     | 1 9/16" O.D.-#LA 11710                                                           | 2    | C0DD 1217-A                     |
| 65/66                                                     | F(8 cyl.)-10" x 2 1/4" brakes | NOTE 1 Use with 3/4" I.D. outer bearing-#LM 11910-also used with disc brakes     | 2    | B5A 1217-A                      |
| 67/69                                                     | F(exc. Boss)                  | NOTE 1                                                                           | 2    |                                 |
| 70                                                        | F(GT350/500)                  |                                                                                  | 2    |                                 |
| 65/66                                                     | F(8 cyl.)-10" x 2 1/4" brakes | NOTE 1 Use with 7/8" I.D. outer bearing-#LM 12700,                               | 2    | D0AZ 1217-A                     |
| 67/69                                                     | F(exc. Boss)                  | NOTE 1 LM 12710                                                                  | 2    |                                 |
| 70/                                                       | F(exc. GT350/500)             |                                                                                  | 2    |                                 |
| 69                                                        | F(Boss 302,429)-disc brakes   | #M 12610                                                                         | 2    | C3SZ 1217-A                     |
| <b>- L -</b>                                              |                               |                                                                                  |      |                                 |
| 71/                                                       | L                             | Use with 7/8" I.D. outer bearing-#LM 12700, LM 12710                             | 2    | D0AZ 1217-A                     |
| <b>- P -</b>                                              |                               |                                                                                  |      |                                 |
| 70                                                        | P                             | NOTE 1 Use with 3/4" I.D. outer bearing-#LM 11910                                | 2    | B5A 1217-A                      |
|                                                           |                               | "Before 8/25/69"                                                                 |      |                                 |
| 70/                                                       | P                             | NOTE 1 Use with 7/8" I.D. outer bearing-#LM 12700, LM 12710                      | 2    | D0AZ 1217-A                     |
|                                                           |                               | "From 8/25/69"                                                                   |      |                                 |
| <b>- S -</b>                                              |                               |                                                                                  |      |                                 |
| 65/67                                                     | S                             | #M 12610                                                                         | 2    | C3SZ 1217-A                     |
| 68/69                                                     | S                             | NOTE 1 Use with 3/4" I.D. outer bearing-#LM 11910                                | 2    | B5A 1217-A                      |
| 68/69                                                     | S                             | NOTE 1 Use with 7/8" I.D. outer bearing-#LM 12700,                               | 2    | D0AZ 1217-A                     |
| 70/                                                       | S                             | LM 12710                                                                         | 2    |                                 |
| <b>- U -</b>                                              |                               |                                                                                  |      |                                 |
| 66/                                                       | U                             | 2 7/8" O.D.-#LM 501310                                                           | 2    | B7A 4222-A                      |
| <b>- X -</b>                                              |                               |                                                                                  |      |                                 |
| 65                                                        | X                             | 1 9/16" O.D.-#LA 11710                                                           | 2    | C0DD 1217-A                     |
| 65                                                        | X(10" x 2 1/4" brakes)        | NOTE 1 Use with 3/4" I.D. outer bearing-#LM 11910                                | 2    | B5A 1217-A                      |
| 66/69                                                     | X                             | NOTE 1                                                                           | 2    |                                 |
| 65                                                        | X(10" x 2 1/4" brakes)        | NOTE 1 Use with 7/8" I.D. outer bearing-#LM 12700,                               | 2    | D0AZ 1217-A                     |
| 66/69                                                     | X                             | NOTE 1 LM 12710                                                                  | 2    |                                 |
| 70                                                        | X                             | NOTE 1                                                                           | 2    |                                 |
|                                                           |                               | "From 8/25/69"                                                                   |      |                                 |
| 70                                                        | X                             | NOTE 1 Use with 3/4" I.D. outer bearing-#LM 11910                                | 2    | B5A 1217-A                      |
|                                                           |                               | "Before 8/25/69"                                                                 |      |                                 |
| <b>1225 BEARING - REAR WHEEL</b>                          |                               |                                                                                  |      |                                 |
| 65/68                                                     | A(exc. P/C & Heavy Duty 71)   | 1 3/8" I.D.-2 13/16" O.D.-#207CC, 207DD, 2-3538, F207AKK29, F207KK or RW207CE    | 2    | ☆D0AZ 1225-A                    |
| 65/71                                                     | B                             | (ball)-incl. B9AZ 1180-A or C9OZ 1180-A                                          | 2    |                                 |
| 65/                                                       | F,X                           | retainer                                                                         | 2    |                                 |
| 66/                                                       | U(2780 lb. axle)              |                                                                                  | 2    |                                 |
| 71/                                                       | P(5 stud axle shaft)          | 1 3/8" I.D.-2 13/16" O.D.-#FPP, F207AKK, USA-gold color (ball)-incl. C9OZ 1180-A | 2    | ★D0AZ 1225-B<br>r/b D3AZ 1225-A |
|                                                           |                               | retainer                                                                         |      |                                 |
| 65/67                                                     | A(exc. P/C & Heavy Duty 71)   | 1 3/8" I.D.-2 13/16" O.D.-#RW207CE,                                              | 2    | ♣CC4AZ 1225-B                   |
| 65/67                                                     | B,F,U,X                       | 2-3538 or F207KK29-includes retainer                                             | 2    |                                 |
| 67/                                                       | A(WER axle)                   | Straight roller-1 1/8" I.D.-2 1/4" O.D.-#R1563TAV retainer (1180) not reqd.      | 2    | C7AZ 1225-A                     |
| 71/                                                       | L                             | 1 3/16" I.D.-2 11/16" O.D.-#FPP, 206AKK or USA (ball)-incl. D3FZ 1180-A retainer | 2    | D1FZ 1225-A                     |
| 65/66                                                     | X(54, 58, 62, 64)             | 1 13/16" I.D.-2 7/16" O.D.-#88506-AR-(extra small)-includes C0DW 1180-A retainer | 2    | ☆C0DZ 1225-A                    |
| 65/66                                                     | X(54, 58, 62, 64)             | 1 13/16" I.D.-2 7/16" O.D.-#88506-AR-incl. retainer                              | 2    | ♣CC3DZ 1225-A                   |

☆ U.S. only      ♣ Canada only      # Identification marking

NOTE 1 - The small I.D. bearings and cups (B5A 1201-A, B5A 1202-A, B5A 1216-A, and B5A 1217-A) are used with original spindle. If the original spindle has been replaced by the later (large) spindle, it is necessary to use the large I.D. bearings and cups. (D0AZ 1201-A, D0AZ 1202-A, D0AZ 1216-A, and D0AZ 1217-A). Check for size and identification before ordering.

| YEAR                                                                | MODEL                  | DESCRIPTION                                                                                   | QTY. | PART NUMBER                     |
|---------------------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------------------|------|---------------------------------|
| <b>1225 BEARING - REAR WHEEL - continued</b>                        |                        |                                                                                               |      |                                 |
| 65/66                                                               | F(6 cyl.)              | 1 5/16" I.D.-2 11/16" O.D.-#RWF34R                                                            | 2    | ★D0DZ 1225-A                    |
| 67/70                                                               | F,X                    | or F206KK-(ball)-incl. C0DW 1180-B retainer                                                   | 2    |                                 |
| 70                                                                  | P                      |                                                                                               | 2    |                                 |
| 71/                                                                 | P(4 stud axle shaft)   |                                                                                               | 2    |                                 |
| 65/66                                                               | X(Taxicab, 66, 71, 78) |                                                                                               | 2    |                                 |
| 65/66                                                               | F(6 cyl.)              | 1 5/16" I.D.-2 11/16" O.D.-#RWF34R                                                            | 2    | ♣CC3DZ 1225-B                   |
| 67                                                                  | F                      |                                                                                               | 2    |                                 |
| 65/66                                                               | X(Taxi, 66, 71, 78)    |                                                                                               | 2    |                                 |
| 67                                                                  | X                      |                                                                                               | 2    |                                 |
| 65/71                                                               | A(P/C & Heavy Duty 71) | 1 17/32" I.D. x 3 5/32" O.D.-#88128-                                                          | 2    | C9AZ 1225-A                     |
| 69/                                                                 | A(exc. WER axle)       | FPP, F208AKK or USA (ball)-incl.                                                              | 2    |                                 |
| 65/71                                                               | S                      | C9AZ 1180-A retainer                                                                          | 2    |                                 |
| 66/                                                                 | U(3300 lb. axle)       |                                                                                               | 2    |                                 |
| 72                                                                  | B                      | 1 3/8" I.D.-2 13/16" O.D.-#Gold Paint, FPP, F207 AKK or USA (ball)-incl. D2OZ 1180-A retainer | 2    | ★D2OZ 1225-A<br>r/b D2OZ 1225-B |
| 72                                                                  | S                      | 1 3/8" I.D.-2 13/16" O.D.-#Blue Paint, F207 AKK, FPP or USA (ball)-incl. D2OZ 1180-A retainer | 2    | D2OZ 1225-B                     |
| <b>1245 GEAR - FRONT AXLE SHAFT DRIVE</b>                           |                        |                                                                                               |      |                                 |
| 66/                                                                 | U                      |                                                                                               | 2    | C0TT 1245-A                     |
| 66/                                                                 | U                      | Retaining ring (gear to shaft)-1 1/4"                                                         | 2    | 371834-S(QQ40)                  |
| <b>1A361 SPRING - SPARE WHEEL CARRIER RELEASE LEVER</b>             |                        |                                                                                               |      |                                 |
| 68/                                                                 | U                      | Use with swing away carrier                                                                   | 1    | C8TZ 1A361-A                    |
| <b>1A366 BUMPER - SPARE WHEEL CARRIER LATCH</b>                     |                        |                                                                                               |      |                                 |
| 68/                                                                 | U                      | Use with swing away carrier                                                                   | 1    | C8TZ 1A366-A                    |
| <b>1A379 WRENCH - SPARE WHEEL LOCK BOLT</b>                         |                        |                                                                                               |      |                                 |
| 65/66                                                               | A                      |                                                                                               | 1    | CIAB 1A379-A                    |
| <b>1386 LOCK ASSY. - SPARE WHEEL</b>                                |                        |                                                                                               |      |                                 |
| 65/66                                                               | A(71)                  | Includes keys                                                                                 | 1    | CIAZ 1386-A                     |
| 65/66                                                               | B(71)                  |                                                                                               | 1    |                                 |
| 65/66                                                               | A(71)                  | Consists of -<br>1-C1AB 1A379-A Wrench 1-C1AB 1440-B Bolt<br>1-CIAZ 1386-A Lock & Keys Assy.  | 1    | ★CIAZ 1386-C<br>Not replaced    |
| 65/66                                                               | A (except 71)          | Consists of<br>1-C1AB 1A379-A Wrench 1-C1AB 1440-A Bolt<br>1-CIAZ 1386-A Lock & Keys Assy.    | 1    | ★CIAZ 1386-B<br>Not replaced    |
| <b>1A398 LATCH ASSY. - SPARE WHEEL CARRIER</b>                      |                        |                                                                                               |      |                                 |
| 68/                                                                 | U                      | Use with swing away carrier                                                                   | 1    | C8TZ 1A398-A                    |
| 68/                                                                 | U                      | Bumper (latch)-rubber                                                                         | 1    | 354860-S(CC-6)                  |
| <b>1A399-400 REINFORCEMENT - SPARE WHEEL CARRIER HINGE</b>          |                        |                                                                                               |      |                                 |
| 68/                                                                 | U                      | Upper-use with swing away carrier                                                             | 1    | C8TZ 1A399-A                    |
| 68/                                                                 | U                      | Lower-use with swing away carrier                                                             | 1    | C8TZ 1A400-A                    |
| <b>1A401 REINFORCEMENT - SPARE WHEEL CARRIER LOCK LATCH BRACKET</b> |                        |                                                                                               |      |                                 |
| 68/                                                                 | U                      | Use with swing away carrier                                                                   | 1    | C8TZ 1A401-A                    |
| <b>1402 PLATE - SPARE WHEEL RETAINER</b>                            |                        |                                                                                               |      |                                 |
| 68/69                                                               | U                      | Use with swing away carrier                                                                   | 1    | C8TZ 1402-A                     |
| <b>1A403 CABLE - SPARE WHEEL CARRIER CHECK</b>                      |                        |                                                                                               |      |                                 |
| 68/                                                                 | U                      | Use with swing away carrier                                                                   | 1    | C8TZ 1A403-A                    |
| <b>1A404 PLATE - SPARE WHEEL CARRIER ARM</b>                        |                        |                                                                                               |      |                                 |
| 68/                                                                 | U                      | Use with swing away carrier                                                                   | 1    | C8TZ 1A404-A                    |
| <b>1A406 RETAINER - SPARE WHEEL CARRIER</b>                         |                        |                                                                                               |      |                                 |
| 68/69                                                               | U                      | Use with swing away carrier                                                                   | 1    | C8TZ 1A406-A                    |
| <b>1A408 RETAINER - SPARE WHEEL CARRIER CHECK CABLE</b>             |                        |                                                                                               |      |                                 |
| 68/                                                                 | U                      | Use with swing away carrier                                                                   | 1    | C8TZ 1A408-A                    |
| <b>1422 SUPPORT - SPARE WHEEL</b>                                   |                        |                                                                                               |      |                                 |
| 66/                                                                 | U                      | Mounted on tailgate                                                                           | 2    | C6TZ 1422-A                     |
| 66/                                                                 | U                      | Screw (attaching)-1/4"-20 x 5/8"-tapping                                                      | 4    | 379872-S2(UU86G)                |
| <b>1422 STOP - SPARE WHEEL</b>                                      |                        |                                                                                               |      |                                 |
| 68                                                                  | A(63)                  |                                                                                               | 1    | C8AZ 1422-A                     |

★ U. S. only  
May, 1975

♣ Canada only

# Identification marking

COPYRIGHT © 1975 —

FORD MOTOR  
COMPANY

— DEARBORN, MICHIGAN

**FINAL ISSUE**

| YEAR                                                                                   | MODEL                        | DESCRIPTION                             | QTY. | PART NUMBER            |
|----------------------------------------------------------------------------------------|------------------------------|-----------------------------------------|------|------------------------|
| <b>1424 PLATE - SPARE WHEEL MOUNTING</b> - Also refer to Groups 17032, 17091 and 17088 |                              |                                         |      |                        |
| 65/67                                                                                  | F                            | 4" O.D. -3 tabs                         | 1    | C5ZZ 1424-A            |
| 67                                                                                     | A(54, 57, 62, 63)            |                                         | 1    |                        |
| 68/                                                                                    | U(exc. swing away carrier)   |                                         | 1    |                        |
| 68/69                                                                                  | F(styled steel wheels)       |                                         | 1    | C8MY 1424-A            |
| 71/                                                                                    | L                            |                                         | 1    |                        |
| 68/                                                                                    | U(swing away carrier)        | Retaining plate                         | 1    | C8TZ 1424-A            |
| <b>1432 ARM - SPARE WHEEL CARRIER</b>                                                  |                              |                                         |      |                        |
| 68/                                                                                    | U                            | Use with swing away carrier             | 1    | D0TZ 1432-A            |
| <b>1433 CARRIER - SPARE WHEEL</b>                                                      |                              |                                         |      |                        |
| 68/                                                                                    | U                            | Use with swing away carrier             | 1    | C8TZ 1433-A            |
| <b>1446 CLAMP - SPARE WHEEL</b> - Also Refer to Group 17091                            |                              |                                         |      |                        |
| 65/66                                                                                  | X(66)                        |                                         | 1    | BA 1446-A              |
| 65/66                                                                                  | S                            | With wire wheels                        | 1    |                        |
| <b>1448 BOLT - SPARE WHEEL MOUNTING</b>                                                |                              |                                         |      |                        |
| <b>- A -</b>                                                                           |                              |                                         |      |                        |
| 65                                                                                     | A(54A, 57, 62, 63)           | 3/8"-16 x 6 7/16"                       | 1    | C5AZ 1448-A            |
|                                                                                        | A(54B, E, 76)                | 3/8"-16 x 9 1/2"-2 1/2" thread length   | 1    | C5AZ 1448-D            |
|                                                                                        | A(71)                        | 3/8"-16 x 6 1/2"-spherical head         | 1    | C5AZ 1448-C            |
| 66                                                                                     | A(54A, 57, 62)               | 3/8"-16 x 6 7/16"                       | 1    | C5AZ 1448-A            |
|                                                                                        | A(54B, E, 76)                | 3/8"-16 x 9 1/2"-2 1/2" thread length   | 1    | C5AZ 1448-D            |
|                                                                                        | A(54)-folding rear seat back | 3/8"-16 x 6 1/2"-spherical head         | 1    | C5AZ 1448-C            |
|                                                                                        | A(63)                        | 3/8"-16 x 9"-3 1/4" thread length       | 1    | C6OZ 1448-A            |
|                                                                                        | A(71)                        | 3/8"-16 x 6 1/2"-spherical head         | 1    | C5AZ 1448-C            |
| 67                                                                                     | A(54, 57, 62)                | 3/8"-16 x 7"-4" thread length           | 1    | C7SZ 1448-A            |
|                                                                                        | A(63)                        | 3/8"-16 x 9 1/2"-2 1/2" thread length   | 1    | C5AZ 1448-D            |
|                                                                                        | A(71)                        | 3/8"-16 x 6 1/2"-spherical head         | 1    | C5AZ 1448-C            |
|                                                                                        | A(76)                        | 3/8"-16 x 9"-3 1/4" thread length       | 1    | C6OZ 1448-A            |
| 68                                                                                     | A(54, 57, 62, 65)            | 1/2"-13 x 7"-3 1/2" thread length       | 1    | C8AZ 1448-A            |
|                                                                                        | A(63)                        | 3/8"-16 x 5 9/16"-1 3/4" thread length  | 1    | C6DZ 1448-A            |
|                                                                                        | A(71)                        | 3/8"-16 x 6 1/2"-spherical head         | 1    | C5AZ 1448-C            |
|                                                                                        | A(76)                        | 1/2"-13 x 7 3/4"-3 1/4" thread length   | 1    | C8AZ 1448-B            |
| 69                                                                                     | A(except 71, 76)             | 3/8"-16 x 7 3/8"-2 1/16" thread length  | 1    | C9AZ 1448-A            |
|                                                                                        | A(71)                        | 3/8"-16 x 7 1/2"-6" thread length       | 1    | 382947-S2<br>(BB198MA) |
|                                                                                        | A(76)                        | 3/8"-16 x 10 1/4"-4 1/2" thread length  | 1    | C6OZ 1448-E            |
| 70                                                                                     | A(except 71)                 | 3/8"-16 x 10 1/4"-4 1/2" thread length  | 1    | C6OZ 1448-E            |
|                                                                                        | A(71)                        | 3/8"-16 x 7 1/2"-6" thread length       | 1    | 382947-S2<br>(BB198MA) |
| 71/                                                                                    | A(except 71, 76)             | 3/8"-16 x 7 3/8"-2 1/16" thread length  | 1    | C9AZ 1448-A            |
|                                                                                        | A(71)                        | 3/8"-16 x 7 1/2"-6" thread length       | 1    | 382947-S2<br>(BB198MA) |
|                                                                                        | A(76)                        | 3/8"-16 x 10 1/4"-4 1/2" thread length  | 1    | C6OZ 1448-E            |
| <b>- B -</b>                                                                           |                              |                                         |      |                        |
| 65                                                                                     | B(except 71)                 | 3/8"-16 x 6 3/4"                        | 1    | B7A 1448-A             |
|                                                                                        | B(71)                        | 3/8"-16 x 3 3/4"-includes plate         | 1    | C0DZ 1448-B            |
| 66                                                                                     | B(54, 62, 63)                | 3/8"-16 x 9"-3 1/4" thread length       | 1    | C6OZ 1448-A            |
|                                                                                        | B(54, 62, 63)                | 3/8"-16 x 6 3/4"                        | 1    | B7A 1448-A             |
|                                                                                        | B(71)                        | 3/8"-16 x 6 1/2"-spherical head         | 1    | C5AZ 1448-C            |
|                                                                                        | B(76)                        | 3/8"-16 x 7 11/32"-2 1/2" thread length | 1    | C6OZ 1448-D            |
| 67                                                                                     | B(54, 62, 63)                | 3/8"-16 x 9 1/2"-2 1/2" thread length   | 1    | C5AZ 1448-D            |
|                                                                                        | B(54, 62, 63)                | 3/8"-16 x 6 3/4"                        | 1    | B7A 1448-A             |
|                                                                                        | B(66)                        | 3/8"-16 x 5 9/16"-1 3/4" thread length  | 1    | C6DZ 1448-A            |
|                                                                                        | B(71)                        | 3/8"-16 x 6 1/2"-spherical head         | 1    | C5AZ 1448-C            |
|                                                                                        | B(76)                        | 3/8"-16 x 7 11/32"-2 1/2" thread length | 1    | C6OZ 1448-D            |
| 68                                                                                     | B(except 66, 71)             | 1/2"-13 x 10 1/2"-3" thread length      | 1    | C8OZ 1448-A            |
|                                                                                        | B(66)                        | 3/8"-16 x 5 9/16"-1 3/4" thread length  | 1    | C6DZ 1448-A            |
|                                                                                        | B(71)                        | 3/8"-16 x 6 1/2"-spherical head         | 1    | C5AZ 1448-C            |
| 69                                                                                     | B(except 66, 71)             | 1/2"-13 x 10 1/2"-3" thread length      | 1    | C8OZ 1448-A            |
|                                                                                        | B(66)                        | 3/8"-16 x 5 9/16"-1 3/4" thread length  | 1    | C6DZ 1448-A            |
|                                                                                        | B(71)                        | 3/8"-16 x 6 1/2"-spherical head         | 1    | C5AZ 1448-C            |

| YEAR                                                | MODEL                       | DESCRIPTION                                        | QTY. | PART NUMBER            |
|-----------------------------------------------------|-----------------------------|----------------------------------------------------|------|------------------------|
| <b>1448 BOLT - SPARE WHEEL MOUNTING - continued</b> |                             |                                                    |      |                        |
| 70                                                  | B(except 71,76)             | 1/2"-13 x 10 1/2"-3" thread length                 | 1    | C8OZ 1448-A            |
|                                                     | B(71)                       | 3/8"-16 x 6 1/2"-spherical head                    | 1    | C5AZ 1448-C            |
|                                                     | B(76)                       | 1/2"-13 x 9 25/32"-4" thread length                | 1    | C8WY 1448-A            |
| 71                                                  | B(except 71)                | 1/2"-13 x 10 1/2"-3" thread length                 | 1    | C8OZ 1448-A            |
|                                                     | B(71)                       | 3/8"-16 x 6 1/2"-spherical head                    | 1    | C5AZ 1448-C            |
| 72                                                  | B(except 71, 97)            | 1/2"-13 x 12 7/16"-4 1/2" thread length            | 1    | D2OZ 1448-A            |
|                                                     | B(71)                       | 3/8"-16 x 7 1/2"-6" thread length                  | 1    | 382947-S2<br>(BB198MA) |
|                                                     | B(97)                       | 1/2"-13 x 8 3/4"-6 1/2" thread length              | 1    | D0DZ 1448-A            |
| <b>- F -</b>                                        |                             |                                                    |      |                        |
| 65                                                  | F                           | 3/8"-16 x 9 1/2"-2 1/2" thread length              | 1    | C5AZ 1448-D            |
|                                                     | F                           | 3/8"-16 x 9"-3 1/4" thread length                  | 1    | C6OZ 1448-A            |
| 66                                                  | F(styled steel wheels)      | 3/8"-16 x 9 1/2"-2 1/2" thread length              | 1    | C5AZ 1448-D            |
|                                                     | F(standard wheels)          | 3/8"-16 x 9"-3 1/4" thread length                  | 1    | C6OZ 1448-A            |
| 67                                                  | F(standard wheels)          | 3/8"-16 x 7"-4" thread length                      | 1    | C7SZ 1448-A            |
|                                                     | F(6 cyl.& 8 cyl.289)        | 3/8"-16 x 7 11/32"-2 1/2" thread length            | 1    | C6OZ 1448-D            |
|                                                     | F(styled steel wheels)      | 3/8"-16 x 9"-3 1/4" thread length                  | 1    | C6OZ 1448-A            |
| 68                                                  | F(standard wheels)          | 1/2"-13 x 8 3/4"-4" thread length                  | 1    | C8ZZ 1448-A            |
|                                                     | F(styled steel wheels)      | 1/2"-13 x 9 3/4"-4" thread length                  | 1    | C8WY 1448-A            |
| 69                                                  | F(standard wheels)          | "Before 5/15/69" 1/2"-13 x 6 1/4"-4" thread length | 1    | C9ZZ 1448-B            |
|                                                     | F(standard wheels)          | "From 5/15/69" 1/2"-13 x 8 3/4"-4" thread length   | 1    | C8ZZ 1448-A            |
|                                                     | F(styled steel wheels)      | 1/2"-13 x 12"-4" thread length                     | 1    | C9ZZ 1448-A            |
| 70                                                  | F(standard wheels)          | 1/2"-13 x 6 1/4"-4" thread length                  | 1    | C9ZZ 1448-B            |
| 71/                                                 | F(except 76)                | 1/2"-13 x 8 3/4"-6 1/2" thread length              | 1    | D0DZ 1448-A            |
|                                                     | F(76)                       | 1/2"-13 x 9 1/2"-5" thread length                  | 1    | D1ZZ 1448-A            |
| <b>- L -</b>                                        |                             |                                                    |      |                        |
| 71                                                  | L                           | 3/8"-16 x 4 1/2"                                   | 1    | D1FZ 1448-A            |
| 72                                                  | L(exc. 73)                  | 3/8"-16 x 4 1/2"                                   | 1    | D1FZ 1448-A            |
|                                                     | L(73)                       | 3/8"-16 x 6 3/4"                                   | 1    | D2FZ 1448-A            |
| <b>- P -</b>                                        |                             |                                                    |      |                        |
| 70                                                  | P(except D70 x 14 tires)    | 1/2"-13 x 8 3/4"-6 1/2" thread length              | 1    | D0DZ 1448-A            |
|                                                     | P(D70 x 14 tires)           | 1/2"-13 x 10 3/8"-3" thread length                 | 1    | D0DZ 1448-B            |
| 71/                                                 | P                           | 1/2"-13 x 8 3/4"-6 1/2" thread length              | 1    | D0DZ 1448-A            |
| <b>- S -</b>                                        |                             |                                                    |      |                        |
| 65/66                                               | S                           | 3/8"-16 x 9"-3 1/4" thread length                  | 1    | C6OZ 1448-A            |
| 67/71                                               | S                           | 3/8"-16 x 7"-4" thread length                      | 1    | C7SZ 1448-A            |
| 72                                                  | S                           | 1/2"-13 x 12 7/16"-4 1/2" thread length            | 1    | D2OZ 1448-A            |
| <b>- U -</b>                                        |                             |                                                    |      |                        |
| 69                                                  | U (exc. swing-away carrier) | 3/8"-16 x 7-3" thread length                       | 1    | 359808-S2<br>(BB198M)  |
| <b>- X -</b>                                        |                             |                                                    |      |                        |
| 65                                                  | X(66)                       | Rod (spare wheel mounting)                         | 1    | C0DB 6647114-A         |
|                                                     | X(71,78)                    | 3/8"-16 x 3 3/4"-includes plate                    | 1    | C0DZ 1448-B            |
| 66                                                  | X(54,62)                    | 3/8"-16 x 9"-3 1/4" thread length                  | 1    | C6OZ 1448-A            |
|                                                     | X(66)                       | 3/8"-16 x 5 9/16"-1 3/4" thread length             | 1    | C6DZ 1448-A            |
|                                                     | X(66)                       | Rod (spare wheel mounting)                         | 1    | C0DB 6647114-A         |
|                                                     | X(71)                       | 3/8"-16 x 6 1/2"-spherical head                    | 1    | C5AZ 1448-C            |
|                                                     | X(71,78)                    | 3/8"-16 x 3 3/4"-includes plate                    | 1    | C0DZ 1448-B            |
| 67                                                  | X(54,62)                    | 3/8"-16 x 9 1/2"-2 1/2" thread length              | 1    | C5AZ 1448-D            |
|                                                     | X(71)                       | 3/8"-16 x 6 1/2"-spherical head                    | 1    | C5AZ 1448-C            |
| 68                                                  | X(except 71)                | 1/2"-13 x 10 1/2"-3" thread length                 | 1    | C8OZ 1448-A            |
|                                                     | X(71)                       | 3/8"-16 x 6 1/2"-spherical head                    | 1    | C5AZ 1448-C            |
| 69/70                                               | X(except 71)                | 1/2"-13 x 9 3/4"-4" thread length                  | 1    | C8WY 1448-A            |
|                                                     | X(71)                       | 3/8"-16 x 6 1/2"-spherical head                    | 1    | C5AZ 1448-C            |
| 65                                                  | X(except 71,78)             | Bolt-3/8"-16 x 7"-carriage                         | 1    | 359808-S2<br>(BB198M)  |
| 65                                                  | X(71,78)                    | Washer-flat-39/64"                                 | 1    | 359820-S8/XX203)       |
| 65/66                                               | X(66)                       | Pin (rod)-self-locking                             | 1    | 352358-S(NN127)        |

## SECTION 10

## FORD CAR PARTS

| YEAR                                         | MODEL                                                                        | DESCRIPTION                                                  | QTY. | PART NUMBER  |
|----------------------------------------------|------------------------------------------------------------------------------|--------------------------------------------------------------|------|--------------|
| <b>1462 NUT - SPARE WHEEL MOUNTING BOLT</b>  |                                                                              |                                                              |      |              |
| <b>- A -</b>                                 |                                                                              |                                                              |      |              |
| 65/67                                        | A                                                                            | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| 68                                           | A(exc.63,71)                                                                 | Wing-1/2"-13                                                 | 1    | C8AZ 1462-A  |
|                                              | A(63,71)                                                                     | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| 69/                                          | A                                                                            | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| <b>- B -</b>                                 |                                                                              |                                                              |      |              |
| 65/67                                        | B                                                                            | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| 68/71                                        | B(exc.66,71)                                                                 | Wing-1/2"-13                                                 | 1    | C8AZ 1462-A  |
|                                              | B(66,71)                                                                     | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| 72                                           | B(exc.71,97)                                                                 | Wing-1/2"-13                                                 | 1    | C8AZ 1462-A  |
|                                              | B(71)                                                                        | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
|                                              | B(97)                                                                        | Wing-1/2"-13                                                 | 1    | C8AZ 1462-A  |
| <b>- F -</b>                                 |                                                                              |                                                              |      |              |
| 65/67                                        | F                                                                            | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| 68/                                          | F                                                                            | Wing-1/2"-13                                                 | 1    | C8AZ 1462-A  |
| <b>- L -</b>                                 |                                                                              |                                                              |      |              |
| 71/                                          | L                                                                            | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| 72                                           | L(73)                                                                        | Channel type-3/8"-16-used on top of spare wheel cover        |      | D2FZ 1462-A  |
| <b>- P -</b>                                 |                                                                              |                                                              |      |              |
| 70                                           | P                                                                            | Wing-1/2"-13                                                 | 1    | C8AZ 1462-A  |
| 71/                                          | P                                                                            | Wing-1/2"-13-standard wheels                                 | 1    | C8AZ 1462-A  |
| 71                                           | P                                                                            | Styled steel wheels                                          | 2    |              |
| <b>- S -</b>                                 |                                                                              |                                                              |      |              |
| 65/                                          | S                                                                            | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| <b>- U -</b>                                 |                                                                              |                                                              |      |              |
| 66/69                                        | U(exc.swing away carrier)                                                    | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| 70/                                          | U(exc.swing away carrier)                                                    | Wing                                                         | 1    | C8UZ 1462-A  |
| 68/                                          | U(with swing away carrier)                                                   | Wing                                                         | 1    | C8TZ 1462-A  |
| <b>- X -</b>                                 |                                                                              |                                                              |      |              |
| 65/67                                        | X                                                                            | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| 68/70                                        | X(exc.71)                                                                    | Wing-1/2"-13                                                 | 1    | C8AZ 1462-A  |
|                                              | X(71)                                                                        | Wing-3/8"-16                                                 | 1    | B9AZ 1462-A  |
| <b>1478-9 HINGE - SPARE WHEEL CARRIER</b>    |                                                                              |                                                              |      |              |
| 68/                                          | U                                                                            | Upper-use with swing away carrier                            | 1    | C8TZ 1478-A  |
|                                              |                                                                              | Lower-use with swing away carrier                            | 1    | C8TZ 1479-A  |
| <b>1487 PIN - SPARE WHEEL CARRIER HANGER</b> |                                                                              |                                                              |      |              |
| 68/                                          | U                                                                            | 4 1/4" long-use with swing away carrier                      | 2    | C8TZ 1487-A  |
| <b>1508 TIRE KIT - COLLAPSIBLE SPARE</b>     |                                                                              |                                                              |      |              |
| 68                                           | F                                                                            | 14" x 7.35" - not replaced                                   | 1    | *C8ZZ 1508-A |
|                                              | Consists of<br>1-C8AZ 1508-C Tire 1-C8ZA 1720-A Cap 1-C8ZZ 19C543-A Inflator |                                                              |      |              |
| 68/                                          | F                                                                            | Refer to Group 19C543                                        |      | * 1508       |
| <b>1705 EXTENSION - TIRE VALVE</b>           |                                                                              |                                                              |      |              |
| 65/                                          | A, B, P, X                                                                   | 1 1/4" long                                                  | 4    | B7AZ 1705-A  |
| 67/                                          | F(except GT 350/500), S                                                      |                                                              | 4    |              |
| 68/                                          | S                                                                            | Required to inflate inner chamber of life guard safety tires | 1    | C7VY 1705-A  |
| 65/70                                        | X (with full wheel covers)                                                   | 7/8" long                                                    | 4    | C0DZ 1705-A  |
| 65/69                                        | B (with full wheel covers)                                                   |                                                              | 4    |              |
| 65/69                                        | F                                                                            |                                                              | 4    |              |
| 69                                           | F(GT350/500)                                                                 |                                                              | 4    |              |
| 65/67                                        | S                                                                            |                                                              | 4    |              |
| 70/                                          | A,B,L,P,S                                                                    |                                                              | 4    |              |