

A

GROUP
NUMBER

FINAL ISSUE

INDEX

PART NAME	GROUP NUMBER
E	
Extension (front bumper stone deflector)	17C782, 17A939
Extension (front bumper stone deflector outer)	17798
Extension (front valance center panel)	17B948-9

F

Filter Assy. (windshield washer fluid)	17K608
Filter Assy. (windshield wiper motor)	17C600
Frame (front license plate)	17A387
Frame (rear license plate)	17A387

G

Gasket (rear view outside mirror)	17724
Gasket (speedo. case)	17303
Gasket (windshield wiper control switch)	17C573
Gasket (windshield wiper motor cover)	17471
Gasket (windshield wiper motor seal)	17C430
Gear (speedo. drive)	17285
Gear (speedo. driven)	17271
Gear assy. (speedo. driven)	17271, 17322
Gear & pinion (windshield wiper motor)	17A479
Gear & shaft assy. (windshield wiper motor output)	17A434
Gear & stop assy. (windshield wiper motor output)	17A556

Glass (rear view outside mirror)	17723
Governor (windshield wipers)	17C476
Grille (front bumper)	17B968
Grommet (speedo. case)	17304
Grommet (speedo. mounting)	17B303
Grommet (windshield wiper motor mounting)	17C431
Grommet (windshield wiper pivot shaft)	17C582
Guard (bumper)	17984-5, 17996-7
Guard kit (front bumper)	17996
Guard kit (rear bumper)	17984

H

Handle (jack)	17032, 17081
Hardware kit (license plate)	17A356
Hook (jack)	17A003
Hose (rear window washer)	17652
Hose (windshield washer)	17543, 17A605, 17K605
Hose (windshield washer reservoir to pump)	17580
Hose (windshield wiper)	17543
Hose assy. (windshield wiper motor damper drain)	17C511
Housing (tachometer & clock)	17311
Housing (windshield wiper motor)	17A431

PART NAME	GROUP NUMBER
I	
Insulator (front bumper arm)	17B947
Insulator (front bumper stone deflector)	17C760
Insulator (rear bumper guard)	17B907
Insulator (windshield wiper motor water shield)	17C444

J

Jack assy.	17080
Jet & bracket assy. (windshield washer nozzle)	17603

K

KIT - refer to appropriate noun name	
For example	
Guard kit (front bumper)	17996
Knob (rear view outside mirror remote control)	17B718
Knob assy. (air scoop control)	17513
Knob assy. (air vent control)	17513
Knob assy. (emergency warning flasher control)	17513
Knob assy. (radio fader control)	17513
Knob assy. (rear window defogger switch control)	17513
Knob assy. (spotlamp switch control)	17513
Knob assy. (windshield washer control)	17513
Knob assy. (windshield wiper switch control)	17513

L

Lens (speedo, dial opening)	17259
Lever (windshield wiper motor park switch)	17B549
License plate frame (front)	17A387
License plate frame (rear)	17A387
Link (windshield wiper)	17B439

M

Mirror (vanity)	17A679
Mirror assy. (rear view inside)	17700
Mirror assy. (rear view outside)	17682
Mirror & cable (rear view outside)	17A708
Mirror kit (rear view inside)	17700
Mirror kit (rear view outside)	17696
Motor assy. (windshield wiper)	17504, 17508
Moulding (front bumper)	17B970
Moulding (front bumper stone deflector)	17819

PART NAME	GROUP NUMBER
S	
Screw (windshield wiper motor shaft stop)	17A549
Seal (rear bumper)	17A953
Seal (speedo. drive gear)	17298
Seal (windshield washer nozzle)	17634
Seal (windshield washer pump)	17B610
Seal (windshield wiper pivot shaft to cowl top)	17A475
Shaft assy. (odometer reset)	17A381
Sheath (control cable rear view outside mirror)	17B742
Shield (rear bumper opening)	17C857
Shim (front bumper)	17A799
Shim (rear bumper)	17B925
Sleeve (bumper arm bolt)	17841
Sleeve (speedo. cable)	17B301
Sleeve (windshield wiper motor switch)	17C428
Spacer (bumper guard)	17120
Spacer (front bumper arm to frame)	17765
Spacer (front bumper pad bolt)	17C864
Spacer (rear view inside mirror bracket)	17B680
Spacer (speedo. dial)	17A317
Spacer (speedo. driving gear)	17288
Spacer (windshield wiper motor output shaft)	17A558
Spacer (windshield wiper mounting outer)	17514-5
Spacer (windshield wiper pivot shaft inner)	17B588
Speedometer assy.	17255, 17282
Spring (jack hold down)	17119
Spring (windshield wiper cam return)	17A501
Spring (windshield wiper motor brush)	17B599
Spring assy. (rear license plate support)	17A397
Step (rear bumper)	17B807
Step kit (rear bumper)	17B820
Stop (front bumper)	17C817
Stop (rear bumper)	17B990
Stop (windshield wiper arm)	17C549
Stop assy. (windshield wiper arm)	17C583
Stop assy. (windshield wiper motor)	17C479

PART NAME	GROUP NUMBER
S - cont'd.	
Strap (windshield wiper motor ground)	17A497
Support (center valance panel front)	17890
Support (front bumper)	17N800
Support (front bumper stone deflector)	17747, 17890
Support (rear bumper arm)	17A858
Switch assy. (rear window washer time delay)	17A412
Switch assy. (windshield washer control)	17A625, 17A553
Switch assy. (windshield wiper)	17A553
T	
Tachometer kit	17A326
Tee (tachometer)	17B308
Tee (windshield washer hose)	17A601
Tip replacement kit (speedo. cable)	17A254
Tool (electrical terminal crimping)	17018
Tube (windshield wiper)	17544
Tube (windshield wiper pressure feed)	17B474
Tube assy. (windshield wiper pressure feed lower)	17C506
V	
Valve (windshield washer control)	17A614
W	
Washer (arm to pivot shaft)	17541
Washer (windshield wiper arm to pivot shaft)	17541
Washer kit (windshield)	17A603
Wiring (rear window washer feed)	17A409
Wiring (windshield wiper switch to ignition switch)	17A460
Wiring (windshield wiper switch to motor)	17B587
Wiring assy. (tachometer)	17A299
Wiring assy. (windshield wiper switch to motor)	17A622
Wrench (battery venting socket)	17A126
Wrench (jack handle)	17032
Wrench (wheel nut)	17032

FORD CAR PARTS

SECTION 170

1

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A003 HOOK - JACK				
- A -				
65/66	A		1	C5AZ 17A003-B
67	A		1	C7AZ 17A003-A
68	A		1	C8AZ 17A003-A
69/70	A (except 71)	Color Black	1	C9AZ 17A003-A
69/70	A (71)	Color Gray	1	C9MY 17A003-B
71	A (except 71)		1	D1AZ 17A003-B
71	A (71)		1	D1AZ 17A003-A
- B -				
65/67	B		1	C5AZ 17A003-B
68/69	B		1	C8OZ 17A003-A
70/71	B(except 66, 71)	Black-used w/D00Z 17080-A jack assy.	1	D0OZ 17A003-A
70/71	B(66, 71)	Gray-used w/D00Z 17080-B jack assy.	1	D0OZ 17A003-B
- S -				
66	S		1	C6SZ 17A003-A
67	S		1	C7SZ 17A003-A
68/69	S		1	C8SZ 17A003-A
70/71	S		1	D0SZ 17A003-A
- X -				
66/70	X		1	C5AZ 17A003-B
67/68	A(except 71 & 54 with rear folding seat)	Bolt (hook assy. -jack to spare wheel)-	1	353677-S8(BB405)
69/70	A(except 71)	3/8"-16 x 3 1/2" hex.head	1	
70/71	S		1	
67	A(except 71)	Washer (hook assy. -jack to spare wheel)-	1	356383-S7(XX362)
		25/64" I.D. x 5/8" O.D.	1	
17A012 RETAINER - JACK - Unless listed - Improvise locally				
70/71	P-with 6.45 x 14 wheels & tires		1	D0DZ 17A012-A
66	U	"Before Ser.830,001"		
66/67	U	"From Ser. 830, 001"	1	C6TZ 17A012-A
17018 TOOL - ELECTRICAL TERMINAL CRIMPING				
65/	All		AR	B9A 17018-A
65/	All	Contact extraction tool	1	C4AZ 17018-B
17032 WRENCH - JACK HANDLE and WHEEL NUT				
65/	F		1	★D0ZZ 17032-A
71/	L		1	r/b D4ZZ 17032-A(5-75)
70/	P		1	
66/	U		1	C2SZ 17032-C
65/	A, B, S		1	
65/70	X		1	
17A038 RETAINER - JACK HANDLE & WHEEL NUT WRENCH				
67	A	Front	1	C7AZ 17A038-A
69/	A(71)		2	

SECTION 170

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A039-40 BRACKET - JACK STOWAGE - Unless listed - Improve				
72	B		1	D2OZ 17A039-A
67/71	S	Rear	1	C7SZ 17A040-A
69/70	A(except 71)	Wing bolt (attach bracket-upper & lower in stowing jack assy.)-5/16"-18 x 53/64"	1	359615-S8(BB833)
70/71	S	Screw & washer (attach bracket-jack stowage to rear floor crossmember-No.10-12 x 1/2"	1	42127-S8(U248C)
17080 JACK ASSEMBLY				
- A -				
65/	A	Universal-chain lift (heavy duty)	1	C5AZ 17080-C
69/70	A(except 71)		1	C9AZ 17080-A
71	A (except 71)		1	D1AZ 17080-A
69/71	A(71)	Use C5AZ 17080-C Universal-chain lift	1	★
72	A		1	D2OZ 17080-A
- B -				
65	B		1	C0DZ 17080-A
65/	B	Universal-chain lift (heavy duty)	1	C5AZ 17080-C
68/69	B(except 71)	Standard	1	C8OZ 17080-C
68/69	B(71)	Standard	1	C8OZ 17080-D
70/71	B(except 66, 71)		1	D0OZ 17080-A
70/71	B(66, 71)		1	D0OZ 17080-B
72	B		1	D2OZ 17080-A
- F -				
65/70	F	Scissors type jack	1	D1ZZ 17080-A
67/70	F(6 cyl.)	Identified w/ 5/16" letter "A"	1	★ D0ZZ 17080-A r.b D1ZZ 17080-A(5-75)
71/	F	Scissors type jack	1	D1ZZ 17080-A
- L -				
71/	L	Scissors type jack	1	D1ZZ 17080-A
- P -				
70/	P	Scissors type jack	1	D1ZZ 17080-A
- S -				
65/	S	Universal-chain lift (heavy duty)	1	C5AZ 17080-C
68/69	S		1	C8SZ 17080-A
70/71	S		1	D1SZ 17080-A
72	S		1	D2OZ 17080-A
- U -				
66/	U		1	C6TZ 17080-B
- X -				
65	X		1	C0DZ 17080-A
65/70	X	Universal-chain lift (heavy duty)	1	C5AZ 17080-C
68/70	X(except 71)	Standard	1	C8DZ 17080-C
68/70	X(71)	Standard	1	C8DZ 17080-D
17081 HANDLE - JACK				
66/	U		1	C6TZ 17081-A

SECTION 170

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17088 BASE - JACK - continued				
- B -				
72	B	Type 2	1	D2OZ 17088-D
65/66	B	Type 4	1	C4AZ 17088-B
69/71	B	Type 4	1	C9AZ 17088-B
72	B	Type 4	1	D2OZ 17088-A
65/69	B	Type 7	1	C3AZ 17088-A
68/69	B	Type 7	1	C8AZ 17088-E
68/71	B	Type 7	1	D0AZ 17088-B
70/71	B	Type 7	1	C9AZ 17088-A
72	B	Type 7	1	D2OZ 17088-C
68/71	B	Type 8	1	C8AZ 17088-F
72	B	Type 9	1	D2OZ 17088-B
- S -				
72	S	Type 2	1	D2OZ 17088-D
72	S	Type 4	1	D2OZ 17088-A
65/71	S	Type 7	1	D2VY 17088-A
72	S	Type 7	1	D2OZ 17088-C
72	S	Type 9	1	D2OZ 17088-B
- X -				
66	X	Type 4	1	C4AZ 17088-B
65/67	X	Type 7	1	C3AZ 17088-A
68/70	X	Type 7	1	C8AZ 17088-E
68/70	X	Type 7	1	D0AZ 17088-B
17091 CLAMP - JACK HOLD DOWN- Also refer to Groups 1446 & 17A012				
65	A		1	C3AZ 17091-A
66	A (63, 76)		1	
71/	A(76)		1	
66/69	B(54, 62, 63)		1	
66/71	B(76)		1	
68/71	B(71)		1	
69	B(65)-with 427 & 428 CJ with 4/S/T		1	
66	X(54, 62)		1	
66	U	Refer to Group 17A012		
68/	U		1	C7TZ 17091-A
66/	U	Nut-Wing (attach jack handle between upper brkt. & hold down clamp)	1	358462-S7(MM297)
68/	U	Stud 1/4" -20 x 1.00" - attach 17091 to upper wheel housing	1	382406-S5(WW138)
17A091 RETAINER - JACK HANDLE and WHEEL NUT WRENCH - If not listed - Improve				
67/68	A	Rear	1	C7AZ 17A091-A
67/69	B		2	
67/71	S		2	
67/70	X (71)		2	
17A116 RETAINER ASSY. - JACK FRONT				
71/	A(71)		1	D1AZ 17A116-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17119 SPRING - JACK HOLD DOWN				
68/	F	With collapsible spare tire	1	C8ZZ 17119-A
65/66	S		1	BAE 17119-A
65/66	A (54, 57, 62, 63)		1	
67/68	A(54, 57, 62, 63, 76)		1	
67/71	S		1	C7SZ 17119-B
67/68	A(71)		1	
65/66	S	Screw (spring to frt. and rear brkt.)- No. 14-10 x 5/8"	2	31498-S8(U253B)
65/66		Flatwasher-1/4"	2	44719-S8(X17)
65/66	S	Flatwasher (spring to frt. & rear brkt.)- No. 16-1/4"	2	44720-S8(X18)
65/68	A(54, 57, 62)	Screw (jack hold down spring to rear floor pan)-No. 8-15 x 1/2"	2	52726-S2(U381)
17120 SPACER - BUMPER GUARD				
66	S		2	C6SZ 17120-A
17A139 BRACKET - JACK HANDLE and WHEEL NUT WRENCH RETAINER				
72	B(exc. 71, 97), S	Improvise	2	★
17A140 BRACKET - JACK HANDLE RETAINER				
72	B, S	Improvise	1	★
17A254 TIP REPLACEMENT KIT - SPEEDOMETER CABLE				
65/	All	Used with universal speedometer cable core with .130" diameter-consists of (1) Swaging tool (1) Cable tip	1	B9AF 17A254-A
17255 SPEEDOMETER ASSY. - LESS MOUNTING PLATE				
- A -				
65/66	A	2 mile graduations	1	C5AZ 17255-B
67	A	2 mile graduations	1	C7AZ 17255-B
68	A(except P/C)	5 mile graduations	1	C8AZ 17255-A
	A(P/C)	2 mile graduations	1	C8AZ 17255-B
69/70	A(except P/C)	5 mile graduations	1	D0AZ 17255-A
69	A(P/C)	2 mile graduations	1	C9AZ 17255-C
70	A(P/C)	2 mile graduations	1	D0AZ 17255-B
71/	A(except P/C)	5 mile graduations-120 M.P.H.	1	D2AZ 17255-B
	A(P/C)	2 mile graduations-140 M.P.H.	1	D2AZ 17255-C
- B -				
65	B	2 mile graduations	1	C5OZ 17255-B
66	B	2 mile graduations	1	C6OZ 17255-B
67	B	2 mile graduations	1	C7OZ 17255-B
68	B	5 mile graduations	1	C8OZ 17255-D
69	B	5 mile graduations	1	C9OZ 17255-C
70/71	B(except P/C)	5 mile graduations	1	D1OZ 17255-D
70	B(P/C)	2 mile graduations	1	D0OZ 17255-D
71	B(P/C)	2 mile graduations	1	D1OZ 17255-C
72	B(except P/C)	120 M.P.H.-w/o tachometer instrument group	1	D2GY 17255-A
		120 M.P.H.-w/tachometer instrument group	1	D4OZ 17255-A
72	B(P/C)	140 M.P.H.	1	D2GY 17255-C

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17255 SPEEDOMETER ASSY. - LESS MOUNTING PLATE - continued				
- F -				
65	F	Without camera case cluster-rectangular 120 M.P.H.	1	C5DZ 17255-A
65/66	F(63, 65, 76)	With woodgrain & camera case cluster- round 140 M.P.H.	1	C5ZZ 17255-A
67/68	F(exc. Shelby GT350/500)	Miles-w/o trip odometer	1	C7ZZ 17255-E
	F(exc. Shelby GT350/500)	Miles-with trip odometer	1	C7ZZ 17255-F
67/68	F(Shelby GT350/500)	140 M. P. H. -with trip odometer	1	C8ZF 17282-E
69	F(exc. 63C & Shelby GT350/500)	Miles-with trip odometer	1	C9ZZ 17255-B
69/70	F(Shelby GT350/500)	140 M. P. H. -with trip odometer	1	C9ZZ 17255-N
69/70	F(exc. 65E & Shelby GT350/500)	W/o trip odometer-10 mile graduations- Black dial	1	D0ZZ 17255-A
69/70	F(65E)	W/o trip odometer-5 mile graduations- Gray Blue dial	1	D0ZZ 17255-B
70	F(exc. 63C)	W/ trip odometer-10 mile graduations- Black dial	1	D0ZZ 17255-C
69/70	F(63C)	W/ trip odometer-5 mile graduations- Gray Blue dial	1	D0ZZ 17255-D
71/	F	Miles-w/o trip odometer	1	D1ZZ 17255-A
71/	F	Miles-with trip odometer	1	D1ZZ 17255-B
- L -				
71/	L		1	D1FZ 17255-A
- P -				
70/	P		1	D1DZ 17255-C
- S -				
65/66	S		1	C4SZ 17255-A
67	S		1	C7SZ 17255-A
68	S		1	C8SZ 17255-A
69/71	S		1	D0SZ 17255-A
72	S	Miles-w/o trip odometer	1	D2SZ 17255-A
		Miles-w/ trip odometer	1	D2SZ 17255-B
- U -				
66/	U		1	C1TZ 17255-E
- X -				
65	X		1	C5DZ 17255-A
66	X		1	C6DZ 17255-A
67	X		1	C7DZ 17255-A
68	X		1	C8DZ 17255-A
69/70	X		1	C9DZ 17255-C
70	A	Screw (retains 17255)-No. 6-18 x 1/2"	3	42124-S7-8 (U245)
65/70	X	Screw (speedo. to back plate)-No. 8-18 x 3/8"	2	52540-S13 (U227)
70/	P	Screw (speedo to back plate)	2	★382576-S2
17259 LENS - SPEEDOMETER DIAL OPENING				
69/70	A	Clear plastic	1	C9AZ 17259-A
65/66	S	Clear plastic	1	C4SZ 17259-A
69/70	A	Screw (retains 17259)-No. 6-18 x 1/2"	2	42124-S7-8 (U-245)

17260 CABLE ASSY. - SPEEDOMETER

There are two ways of selecting Speedometer Cables:

- (1) By Identification
- (2) By Model Application

By IDENTIFICATION:

When the Identification Number of the speedometer cable is known:

1. Refer to Identification Chart below.
2. Find the Identification Number and the corresponding Service Number.

By MODEL APPLICATION:

1. Refer to Model Application Chart beginning on page 10.
2. Refer to appropriate Model, Year and Transmission to find Service Part Number.

IDENTIFICATION CHART


IDENTIFICATION		SERVICE PART NUMBER		IDENTIFICATION		SERVICE PART NUMBER	
C6AA	9A820-A	C5AZ	17260-G	C7AF	17260-A	C7AZ	17260-A
C6SA	9A820-A	C6SZ	17260-A	C7AF	17260-B	C7AZ	17260-A
C6SA	9A820-B	C6SZ	17260-A	C7AF	17260-C	C7AZ	17260-A
C7AF	9A820-A	C7AZ	17260-C	C7AF	17260-D	C7AZ	17260-D
C7AF	9A820-C	C7AZ	17260-E	C7AF	17260-E	C7AZ	17260-F
C7SF	9A820-A	C7SZ	17260-B	C7AF	17260-F	C7AZ	17260-F
C7SF	9A820-B	C7SZ	17260-D	C7AF	17260-G	C7AZ	17260-F
C7SF	9A820-C	C7SZ	17260-F	C7AF	17260-H	C7AZ	17260-F
C7ZF	9A820-A	*C7ZZ	17260-E	C7DF	17260-A	C7DZ	17260-C
C7ZF	9A820-B	*C7ZZ	17260-E	C7GF	17260-D	C7OZ	17260-B
C4SA	17260-F	C4SZ	17260-F	C7OF	17260-A	C7OZ	17260-A
C4ZA	17260-A	C5ZZ	17260-E	C7OF	17260-C	C7OZ	17260-C
C4ZA	17260-C	C5DZ	17260-A	C7OF	17260-E	C7OZ	17260-E
C4ZA	17260-D	C5OZ	17260-A	C7SF	17260-A	C7SZ	17260-A
C5AA	17260-A	C2DZ	17260-K	C7SF	17260-C	C7SZ	17260-C
C5AA	17260-B	C2DZ	17260-K	C7SF	17260-D	C7SZ	17260-E
C5AA	17260-E	C5AZ	17260-E	C7TA	17260-V	C5TZ	17260-Y
C5AA	17260-F	C5AZ	17260-G	C7ZF	17260-A	C7ZZ	17260-J
C5DA	17260-A	C5DZ	17260-A	C7ZF	17260-D	C7ZZ	17260-D
C5DA	17260-B	C2DZ	17260-K	C7ZF	17260-F	C7ZZ	17260-F
C5DA	17260-D	C3DZ	17260-F	C7ZF	17260-G	C7ZZ	17260-H
C5OA	17260-A	C5OZ	17260-A	C8AF	17260-A	C7AZ	17260-A
C5OA	17260-B	C5DZ	17260-A	C8AF	17260-B	C7AZ	17260-A
C5OA	17260-C	C2DZ	17260-K	C8AF	17260-C	C7AZ	17260-A
C5SA	17260-A	C5DZ	17260-A	C8AF	17260-D	C8AZ	17260-D
C5SA	17260-B	C4SZ	17260-G	C8AF	17260-E	C7AZ	17260-D
C5SA	17260-C	C4SZ	17260-G	C8DF	17260-A	C8DZ	17260-A
C5SF	17260-A	C3DZ	17260-F	C8DF	17260-B	C7ZZ	17260-C
C5ZA	17260-A	C5ZZ	17260-E	C8DF	17260-C	C7ZZ	17260-C
C5ZA	17260-B	C5DZ	17260-A	C8GF	17260-A	C8GY	17260-A
C5ZA	17260-C	C5DZ	17260-A	C8GF	17260-B	C8GY	17260-A
C5ZA	17260-D	C5OZ	17260-A	C8GF	17260-C	C8GY	17260-A
C6AA	17260-A	C2DZ	17260-K	C8GF	17260-D	C8GY	17260-D
C6DF	17260-C	C6DZ	17260-B	C8GF	17260-F	C8GY	17260-A
C6DF	17260-D	C7DZ	17260-A	C8GF	17260-H	C8GY	17260-D
C6DF	17260-F	C7DZ	17260-A	C8GF	17260-J	C8GY	17260-J
C6GF	17260-A	C6OZ	17260-A	C8OF	17260-A	C8DZ	17260-A
C6SF	17260-B	C6SZ	17260-B	C8OF	17260-B	C7ZZ	17260-C
C6TA	17260-AB	C5TZ	17260-Y	C8OF	17260-C	C7ZZ	17260-C
				C8OF	17260-D	C7ZZ	17260-C
				C8OF	17260-E	C7AZ	17260-D
				C8OF	17260-F	C8DZ	17260-A
				C8OF	17260-G	C7ZZ	17260-C

17260 CABLE ASSY. - SPEEDOMETER - continued

IDENTIFICATION CHART - continued

IDENTIFICATION		SERVICE PART NUMBER		IDENTIFICATION		SERVICE PART NUMBER	
C8OF	17260-H	C7ZZ	17260-C	D1AF	17260-AA	D0OZ	17260-A
C8OF	17260-J	C7ZZ	17260-C	D1AF	17260-AB	D0OZ	17260-A
C8OF	17260-K	C8ZZ	17260-F	D1AF	17260-BA	D0AZ	17260-D
				D1AF	17260-BB	D0AZ	17260-D
C8SF	17260-A	C8SZ	17260-A	D1AF	17260-CA	D0AZ	17260-A
C8SF	17260-B	C8SZ	17260-B	D1AF	17260-DA	D1AZ	17260-C
C8SF	17260-C	C8SZ	17260-A	D1DF	17260-AA	D1ZZ	17260-G
C8SF	17260-D	D0SZ	17260-B	D1DF	17260-AB	D1ZZ	17260-G
				D1DF	17260-AC	D1ZZ	17260-G
C8ZF	17260-A	C7ZZ	17260-J	D1DF	17260-BA	C8GY	17260-D
C8ZF	17260-B	C7ZZ	17260-C	D1OF	17260-AA	D0SZ	17260-B
C8ZF	17260-C	C7ZZ	17260-C	D1OF	17260-AB	D0SZ	17260-B
C8ZF	17260-D	C7DZ	17260-C	D1OF	17260-DA	D0OZ	17260-F
C8ZF	17260-E	C8ZZ	17260-E	D1OF	17260-DB	D0OZ	17260-F
C8ZF	17260-F	C8ZZ	17260-F				
				D1SF	17260-AA	D0SZ	17260-B
				D1SF	17260-AB	D0SZ	17260-B
C9AF	17260-A	C9ZZ	17260-C	D1ZF	17260-AA	D1ZZ	17260-A
C9AF	17260-B	D0AZ	17260-A	D1ZF	17260-AB	D1ZZ	17260-A
C9AF	17260-C	C9AZ	17260-C	D1ZF	17260-AC	D1ZZ	17260-G
C9AF	17260-E	C9AZ	17260-E	D1ZF	17260-BA	D0OZ	17260-A
C9AF	17260-F	D0OZ	17260-C	D1ZF	17260-BB	D0OZ	17260-A
C9AF	17260-G	D0AZ	17260-D	D1ZF	17260-CA	D1ZZ	17260-A
				D1ZF	17260-CB	D1ZZ	17260-A
C9DF	17260-A	C8GY	17260-D	D1ZF	17260-DA	C9ZZ	17260-A
C9DF	17260-B	C8GY	17260-A	D1ZF	17260-DB	C9ZZ	17260-A
C9DF	17260-C	D0DZ	17260-B	D1ZF	17260-EA	D1ZZ	17260-E
				D1ZF	17260-EB	D1ZZ	17260-E
C9GF	17260-A	C9GY	17260-A	D1ZF	17260-FA	D1ZZ	17260-F
C9SF	17260-A	D0SZ	17260-B	D1ZF	17260-FB	D1ZZ	17260-F
C9ZF	17260-A	C9ZZ	17260-A	D12F	17260-AA	D1FZ	17260-A
C9ZF	17260-B	C9ZZ	17260-B	D12F	17260-AB	D1FZ	17260-A
C9ZF	17260-C	C9ZZ	17260-C	D12F	17260-AC	D1FZ	17260-A
C9ZF	17260-D	C9ZZ	17260-D	D12F	17260-AD	D1FZ	17260-C
C9ZF	17260-E	D0OZ	17260-A	D12F	17260-BA	D1FZ	17260-B
C9ZF	17260-F	C9ZZ	17260-F	D12F	17260-BB	D1FZ	17260-B
C9ZF	17260-G	C9ZZ	17260-G	D12F	17260-BC	D1FZ	17260-B
C9ZF	17260-H	D0ZZ	17260-D	D12F	17260-BD	D1FZ	17260-D
C9ZF	17260-J	D0OZ	17260-C	D12F	17260-CA	D1ZZ	17260-G
				D12F	17260-CB	D1ZZ	17260-G
				D12F	17260-CC	D1ZZ	17260-G
D0AF	17260-A	D0OZ	17260-C	D2AF	17260-BA	D1AZ	17260-C
D0AF	17260-C	D0AZ	17260-A	D2AF	17260-CA	D0OZ	17260-A
D0AF	17260-D	D0OZ	17260-C	D2AF	17260-DA	D0AZ	17260-D
				D2DF	17260-AA	D1ZZ	17260-G
D0DF	17260-A	C9ZZ	17260-C	D2DF	17260-BA	D0AZ	17260-D
D0DF	17260-B	C8GY	17260-D	D2OF	17260-AA	D2OZ	17260-B
				D2OF	17260-BA	D2OZ	17260-B
D0OF	17260-A	D0OZ	17260-A	D2OF	17260-CA	D2OZ	17260-D
D0OF	17260-C	D0OZ	17260-C	D2OF	17260-DA	D2OZ	17260-D
D0OF	17260-D	D0OZ	17260-D				
D0OF	17260-F	D0OZ	17260-F	D2SF	17260-AB	D2VY	17260-A
D0OF	17260-G	D0OZ	17260-G	D2VF	17260-AB	D2VY	17260-A
D0OF	17260-H	D0OZ	17260-A	D2ZF	17260-BA	D0OZ	17260-A
D0OF	17260-K	D0OZ	17260-C	D2ZF	17260-CA	C9ZZ	17260-A
D0OF	17260-L	D0OZ	17260-D	D2ZF	17260-DA	D1ZZ	17260-F
D0OF	17260-R	D0OZ	17260-G	D22F	17260-AA	D1FZ	17260-C
D0OF	17260-U	D0OZ	17260-F	D22F	17260-BA	D1FZ	17260-D
D0OF	17260-V	D0OZ	17260-H	D22F	17260-CA	D1ZZ	17260-G
D0SF	17260-B	D0SZ	17260-B				
D0SF	17260-C	D0SZ	17260-C				
D0SF	17260-E	D0SZ	17260-B				

17260 CABLE ASSY. - SPEEDOMETER - continued



P-868

MODEL APPLICATION CHART

For Core Replacement use B9AZ 17262-A (81") or C5AZ 17262-B (135") and cut to fit

YEAR	MODEL	TRANS.	SPEED CONTROL, MODULATOR or NOX EMISSION		LENGTH (INCHES)	REMARKS	PART NUMBER
			YES	NO			
- A -							
65/66	A	All		x	55		*C2DZ 17260-K
65/66	A	All	x		41 7/8	Pump to speedo.	*C5AZ 17260-E
65/66	A	All	x		39 5/16	Pump to trans.	*C5AZ 17260-G
65/66	A	3/M/T					*CC5AA 17260-A
65/66	A	4/M/T,C4, C6,C/M					*CC5AA 17260-B
67	A(w/o rolling door locks)	All		x	55		C7AZ 17260-A
67	A(w/rolling door locks)	All		x	53		C7AZ 17260-F
67	A(w/o rolling door locks)	All	x		75 5/16	Pump to trans.	•C7AZ 17260-C
67	A(w/rolling door locks) - "Before 9/2/66"	All	x				
67	A(w/rolling door locks)- "From 9/2/66"	All	x		73 5/16	Pump to trans.	•C7AZ 17260-E
67	A	All	x			Pump to trans.	▲Refer to Group 9A820
67/68	A	All	x		42 11/16	Pump to speedo.	C7AZ 17260-D
68	A	3/M/T,C4, C6,C/M		x	55		C7AZ 17260-A
68	A	4/M/T		x	60 5/8		C8AZ 17260-D
68/69	A	All	x			Pump to trans.	Refer to Group 9A820
69	A	All	x		15 1/2	Pump to speedo.	C9AZ 17260-E
69	A	3/M/T,C4, C/M		x	49		C9AZ 17260-C
69	A	4/M/T,C6		x	56		C9ZZ 17260-C
70	A	C6		x	56		
70/71	A	3/M/T		x	47		D00Z 17260-C
70/	A(8 cyl.351-2V)	C/M		x	50 13/16		D0AZ 17260-A
70	A(8 cyl.302-2V w/o A/C)	C4,C/M		x			D0AZ 17260-D
71/	A(8 cyl.302-2V)	C4		x			
71/	A(exc. 429 P/C)	C6		x	53 13/16		
71/	A(8 cyl. 429 P/C)	C6		x	53		D00Z 17260-A
70/	A	All	x				D1AZ 17260-C
							Refer to Group 9A820
		</					

• Used with Curtiss Wright speed control
* U.S. only • Canada only

▲ Used with Perfect Circle speed control

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

17260 CABLE ASSY. - SPEEDOMETER - continued

MODEL APPLICATION CHART - continued

YEAR	MODEL	TRANS.	SPEED CONTROL, MODULATOR or NOX EMISSION		LENGTH (INCHES)	REMARKS	PART NUMBER	
			YES	NO				
- B -								
65	B(6 cyl.)	3/M/T			55		C2DZ	17260-K
65	B(8 cyl.)	3/M/T			58 13/16		C5DZ	17260-A
65	B	4/M/T					CC4DA	17260-G
65	B	4/M/T, C4, C/M			64 15/16		C5OZ	17260-A
66	B(6 cyl. & 8 cyl. 289)	4/M/T, C4, C/M			61 3/16		C6DZ	17260-B
66	B(8 cyl. 390)	All						
66	B(6 cyl. & 8 cyl. 289)	3/M/T			53 3/16		C6OZ	17260-A
67	B(exc. 8 cyl. 390)	3/M/T, C4, O/D			56		C7OZ	17260-A
	"Before 9/1/66"	4/M/T						
	"From 9/1/66"	4/M/T			63		C7OZ	17260-E
		3/M/T						
67	B(8cyl. 390)	C6			65		C7OZ	17260-B
68	B	C6		x	62 3/4	Adapter (C8ZZ 17294-A) also required	C8ZZ	17260-F
68	B	4/M/T, C4		x	66 5/16		C7ZZ	17260-C
68	B(8 cyl. 390)	3/M/T		x				
68	B(exc. 8 cyl. 390)	3/M/T		x	54 13/16		C8DZ	17260-A
68	B	All	x		42 3/4	Pump to speedo.	C7AZ	17260-D
68	B	All	x			Pump to trans.	Refer to Group 9A820	
69	B(exc. 8 cyl. 390)	3/M/T			54 3/8		C8GY	17260-D
69	B(8 cyl. 390)	3/M/T			64 3/8		C8GY	17260-A
69	B	C4, C/M						
69	B	4/M/T, C6				W/o 3.91 or 4.30:1 rear axle W/3.91 or 4.30:1 rear axle		
69	B(8 cyl. 428)- "From 1/31/69"	4/M/T						
69	B "Before 1/31/69"	4/M/T			47	W/3.91 or 4.30:1 rear axle- adapter (C9ZZ 17294-A) also required	C9GY	17260-A
69	B(exc. 8 cyl. 428)- "From 1/31/69"	4/M/T						
69	B	C6			60 13/16	W/3.91 or 4.30:1 rear axle- adapter (C8ZZ 17294-A) also required	C8GY	17260-J
70	B	3/M/T		x	53 13/16		D0OZ	17260-A
70	B	C4, C/M		x	56		D0OZ	17260-C
70	B	C6		x	63	W/o 3.91 or 4.30:1 rear axle	D0OZ	17260-D
70	B	C6		x	61	W/3.91 or 4.30:1 rear axle- adapter (C8ZZ 17294-A) also required	D0OZ	17260-G
70	B	4/M/T		x	102 13/16	W/o 3.91 or 4.30:1 rear axle	D0OZ	17260-F
71	B	4/M/T		x		W/o 3.91 rear axle		
70	B	4/M/T		x	101 13/16	W/3.91 or 4.30:1 rear axle- adapter (D0OZ 17294-A) also required	D0OZ	17260-H
71	B	4/M/T		x		W/3.91 rear axle		
71	B	3/M/T, C4, C6		x	67 13/16		D0SZ	17260-B
72	B	3/M/T, C4, C/M		x	66		D2OZ	17260-B
72	B	4/M/T, C6		x	73		D2OZ	17260-D
70/	B	All	x				Refer to Group 9A820	

* Canada only

17260 CABLE ASSY. - SPEEDOMETER - continued

MODEL APPLICATION CHART - continued

YEAR	MODEL	TRANS.	SPEED CONTROL, MODULATOR or NOX EMISSION		LENGTH (INCHES)	REMARKS	PART NUMBER	
			YES	NO				
- F -								
65/66	F	3/M/T			48 11/16		C5ZZ	17260-E
65/66	F(6 cyl.)	4/M/T			58 13/16		C5DZ	17260-A
65/66	F	C4						
65/66	F(8 cyl.)	4/M/T			64 15/16		C5OZ	17260-A
67	F	All	x		42 3/4	Pump to speedo.	▲C7ZZ	17260-H
67	F	All	x		36 7/16	Pump to speedo.	●C7ZZ	17260-F
67	F	3/M/T, C4		x	63 1/16		C7ZZ	17260-D
67	F	C6		x	66 9/16		C7ZZ	17260-C
68	F	C4, C6		x		W/o 3.91 or 4.30:1 rear axle		
67/68	F	4/M/T		x	77 1/16		C7ZZ	17260-J
68	F(8 cyl. 390)	3/M/T		x				
68	F(exc. 8 cyl. 390)	3/M/T		x	58 13/16		C7DZ	17260-C
68	F	C6		x	62 3/4	W/3.91 or 4.30:1 rear axle- adapter (C8ZZ 17294-A) also required	C8ZZ	17260-F
68	F	All	x		57 13/16	Pump to speedo.	C8ZZ	17260-E
69	F	All	x		56	Pump to speedo.	C9ZZ	17260-D
68/69	F	All	x			Pump to trans.		Refer to Group 9A820
69	F	C6		x	63 1/2	W/o 3.91 or 4.30:1 rear axle	C9ZZ	17260-B
69	F	3/M/T, C4, C/M		x	56		C9ZZ	17260-C
69/70	F	4/M/T		x	66 1/2	W/o 3.91 or 4.30:1 rear axle	C9ZZ	17260-A
69	F(8 cyl. 428)- "From 1/31/69"	4/M/T		x		W/3.91 or 4.30:1 rear axle		
69	F	4/M/T		x	70	W/3.91 or 4.30:1 rear axle- adapter (C9ZZ 17294-A) also required	C9ZZ	17260-F
69	F(exc. 8 cyl. 428)- "From 1/31/69"	4/M/T		x				
70	F	4/M/T		x				
69/70	F	C6		x	58	W/3.91 or 4.30:1 rear axle- adapter (C8ZZ 17294-A) also required	C9ZZ	17260-G
70	F	C4		x	56		D0OZ	17260-C
70	F	C/M		x				
70	F	C/M		x	61 13/16		D0ZZ	17260-D
70	F	C6		x		W/o 3.91 or 4.30:1 rear axle		
70/	F	3/M/T		x	53 13/16		D0OZ	17260-A
71/	F	C4, C/M		x	61 1/2		★D1ZZ	17260-G
71	F	C6		x		W/o 3.91 or 4.11:1 rear axle	r/b D4FZ 17260-A(5-75)	
72	F	C6		x				
71	F	C6		x	57 13/16	W/3.91 or 4.11:1 rear axle- adapter (C8ZZ 17294-A) also required	D1ZZ	17260-E
71	F(exc. 8 cyl. 302-4V H/O & 351-4V Special	4/M/T		x	66 1/2	W/o 3.91 or 4.11:1 rear axle	C9ZZ	17260-A
72	F(exc. 8 cyl. 351-4V H/O)	4/M/T		x				
71	F(8 cyl. 302-4V H/O & 351-4V special)	4/M/T		x	71 13/16	W/3.91 or 4.11:1 rear axle- Adapter (C9ZZ 17294-A) also required	D1ZZ	17260-F
72	F(8 cyl. 351-4V H/O)	4/M/T		x				
70/	F	All	x					Refer to Group 9A820

• Used with Curtiss Wright speed control
May, 1975

COPYRIGHT © 1975 —

▲ Used with Perfect Circle speed control
FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

17260 CABLE ASSY. - SPEEDOMETER - continued

MODEL APPLICATION CHART - continued

YEAR	MODEL	TRANS.	SPEED CONTROL, MODULATOR or NOX EMISSION		LENGTH (INCHES)	REMARKS	PART NUMBER
			YES	NO			
- L -							
71	L	"Before 2/19/71"	4/M/T, 71WG-AB		x	72 13/16	D1FZ 17260-A
71/	L	"From 2/19/71"	4/M/T, 71WG-AB, 71WG-AC 71WG-AD		x	70	D1FZ 17260-C
71	L	"Before 2/19/71"	4/M/T, 71WG-BA		x	72 13/16	★D1FZ 17260-B r/b D1FZ 17260-D(5-75)
71/	L	"From 2/19/71"	4/M/T, 71WG-BA		x	70	D1FZ 17260-D
71/	L		C4			61 1/2	★D1ZZ 17260-G r/b D4FZ 17260-A(5-75)
- P -							
70/71	P		3/M/T		x	54 3/8	C8GY 17260-D
72	P		3/M/T		x	50 13/16	D0AZ 17260-D
70	P		C4		x	56	C9ZZ 17260-C
71/	P		C4		x	61 1/2	★D1ZZ 17260-G r/b D4FZ 17260-A(5-75)
- S -							
65	S		C/M	x		62 3/8	Pump to speedo. C4SZ 17260-G
65	S		C/M	x		51 3/4	Pump to trans. C4SZ 17260-F
65	S	"Before 11/13/64"	C/M		x	58 13/16	C5DZ 17260-A
65	S	"From 11/13/64"	C/M		x	74 9/16	C3DZ 17260-F
66	S		C6		x		
66	S		C6	x		59 9/16	Pump to speedo. C6SZ 17260-B
66	S		C6	x		57 9/16	Pump to trans. C6SZ 17260-A
67	S(w/o rolling door locks)	C6			x	62 5/8	C7SZ 17260-A
67	S(w/rolling door locks)- "Before 8/26/66"	C6			x		
67	S(w/rolling door locks)- "From 8/26/66"	C6			x	59 1/4	C7SZ 17260-E
67	S(w/o rolling door locks)	C6	x			70 13/16	Pump to trans. C7SZ 17260-B
67	S(w/rolling door locks)- "From 8/26/66"	C6	x			67 11/16	Pump to trans. C7SZ 17260-F
67	S	C6	x			44 5/16	Pump to speedo. C7SZ 17260-C
68	S	C6		x		65	C8SZ 17260-A
68	S	C6	x			41	Pump to speedo. C8SZ 17260-B
68/70	S	C6	x				Pump to trans. Refer to Group 9A820
70	S	C6	x			23 5/16	Pump to speedo. D0SZ 17260-C
69/71	S	C6			x	67 13/16	D0SZ 17260-B
72	S	C6			x	64 1/2	D2VY 17260-A
71/	S	C6	x				Refer to Group 9A820
- U -							
66/	U	All				70 13/16	C5TZ 17260-Y
- X -							
65	X		3/M/T			55	C2DZ 17260-K
65	X		F/4/S			74 9/16	C3DZ 17260-F
65	X		W/F/S,C4			58 13/16	C5DZ 17260-A
66/67	X		4/M/T			73	C7DZ 17260-A
66	X		3/M/T,C4			61 1/8	C6DZ 17260-B
67	X		3/M/T			58 13/16	C7DZ 17260-C
67	X		C4			65	C7OZ 17260-B
68	X		3/M/T			54 13/16	C8DZ 17260-A
68	X		C4			66 5/16	C7ZZ 17260-C
69/70	X		3/M/T			54 3/8	C8GY 17260-D
69	X		C4			64 3/8	C8GY 17260-A
70	X		C4			61 13/16	D0DZ 17260-B

17260 CABLE ASSY. - SPEEDOMETER - continued

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65	A, B, S, X	Bolt (speedo. casing to trans.)-1/4"-20 x 5/8"	1	20324-S8(B41)
65/69	A, B, S, X	Lockwasher (cable to trans. hsg.)	1	34805-S8(X62)
65/69	A	Grommet (used for routing casing thru steering column opening cover plate)-with .22" dia. hole	1	352963-S(KK17)
65	A, B, S, X	Clip (casing & core to dash panel or floor pan)	1	359339-S32(GG75)
65/69	S	Clip (cable to floor pan)	1	
65/69	A, F, X	"O" ring (seals cable at trans. hsg.)	1	
65/69	A	Clip (cable to floor pan)-No. 14 spring	1	★378011-S32
66	B, S	"O" ring (seals cable at trans. hsg.)-11/16" I.D.	1	87036-S94(T1C)
70	B, F, S	(Use as oil seal for speedometer drive gear)	1	
66	A, B, X	Screw (speedo. cable to dash)-5/16"-18 x 1/2"	1	40143-S8(U268M)
66	A, B, X	Clip (speedo. cable to dash panel)	1	352977-S100
70	F	Clip (attach cable to L.H. side member)	1	(GG156)
66	A, B, F, S, X	Screw & washer assy. (speedo. cable to trans.)-1/4"-20 x 5/8"	1	43263-S8(U3)
66	A	Clip (speedo. cable to fender apron)-5/16"	1	377987-S(GG256)
68/69	A, B, X	Clip (cable to dash panel)-also with 4/S/T	1	381939-S100 (GG163E)
65/69	B	Clip (cable to engine rear suppt. mtg. brkt.)	1	377797-S32(GG331)
66	X		1	
68	A(76)-with 4 speed S/T	Clip (cable to dash panel)	1	
66	B, X	Grommet (used for routing cable-thru firewall)	1	★380634-S
70	B, F, S		1	
68	B, X	Screw (speedo. cable to dash panel)-5/16"-18 x 1/2"	1	40923-S8(U264)
65/70	F	Clip (cable to dash or front floor member)	1 or 2	379816-S32
68	X	Clip (speedo. cable to rear engine support)	1	(GG234A)
70	B	(Attach cable to engine support extension)	1	
70	A	Clip assy. (attach cable to dash panel)	1	381939-S100
70	F	(Attach cable to underbody)	1	(GG163E)
70	B, F	Screw & washer (attach clamp & cable to trans.)	1	20345-S7-8(B150A)
66	F	Clip (speedo. cable to floor pan)	1	373842-S100 (GG207)
66	F	Clip (speedo. cable to floor pan)	1	★380072-S8
67/69	F-with speed control	Clip (speedo. cable to servo bracket)	1	358341-S2(GG46)
67/69	F-with speed control	Clip (cable to engine cross support)-use with Perfect Circle System	1	373829-S100 (GG267)
67/69	F-with speed control	Screw (cable to L.H. side panel)-5/16"-18 x 1 3/4"-hex. hd. -use with Perfect Circle System	1	381877-S2 (UU52AF)
70	F	Clip (attach cable to bellcrank at dash)	1	357949-S(GG141)
66	S	Lockwasher (speedo. cable to steering col.)-3/8"	1	351487-S(XX291)
66	S	Clip (speedo. cable to instrument panel)	1	358350-S(GG172)
66	S	Clip (speedo. cable to dash panel)	1	359339-S32(GG75)
66	S	Clip (speedo. cable to steering column)	1	372172-S100 (GG228)
67/69	S	Clip (use at No. 1 body bracket support)	1	358313-S32(GG44)
68	S	Clip (attach cable to floor pan)	1	382456-S(GG328)
70	A	(To hold cable L.H. side only to dash assy.)	1	
70	S	(To prevent cable from kinking)	1	
68	S, F	Clip (cable to floor pan)	1	381832-S100
70	F	Clip (attach cable to underbody)	1	(GG327)
68	U	Screw (attach speedo. cable)-5/16"-18 x 5/8" tap.	AR	40936-S8(U265)
55	X	Clip (Stewart Warner cable to dash panel)	1	★373841-S100
55	X	Clip (American Chain & Cable-cable to dash panel)	1	373842-S100 (GG207)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17262 CORE - SPEEDOMETER DRIVE - Also refer to Group 17260				
65/	All using core dia. .13" up to 81" long	Kit-L.H.wind-.130"dia. x 81" long-universal type	1	B9AZ 17262-A
Consists of (1) Cable core .13" dia. x 81" long (1) Swage die (1) Cable core tip (1) Instruction sheet No. 256A				
65/	All using core .13" dia. up to 135" long	Universal kit - cut to fit	1	C5AZ 17262-B
17263 BRACKET - SPEEDOMETER CABLE SUPPORT - If not listed-improvise				
66/	U	8 3/4" long	1	C6TZ 17263-B
17264 CLIP - SPEEDOMETER CABLE				
66/	B	To clip speedo.cable to transmission housing	1	B9TZ 17264-A
67/	A		1	
68/	F		1	
71/	L		1	
70/	P		1	
67/	S-except with speed control		1	
66/70	X		1	
17271 GEAR - SPEEDOMETER DRIVEN - Refer to Section 172				
17282 SPEEDOMETER ASSY.-Refer to Group 17255				
17285 GEAR - SPEEDOMETER DRIVE - Refer to Section 172				
17288 SPACER - SPEEDOMETER DRIVING GEAR				
65/66	F	11/16" long-steel	1	C2DZ 17288-B
17289 PLATE - SPEEDOMETER MOUNTING - Also refer to Group 10848				
69/70	A		1	C9AZ 17289-A
68/70	S		1	C8SZ 17289-A
17292 RETAINER - SPEEDOMETER DRIVEN GEAR				
65/	All	"C" type-.665"/.685" O.D. -.330"/.345" I.D.	1	C1DD 17292-A
71/	L(4 cyl. 98)	For 4/M/T-71WG--BA	1	D0RY 17292-A
17294 ADAPTER ASSY. - SPEEDOMETER				
68/70	F-with C6 trans.	Straight-use with 3.91 or 4.30:1 rear axle-.6944 gear ratio	1	C8ZZ 17294-A
68/71	B-with C6 trans.		1	
71	F-with C6 trans.	Used with 3.91 or 4.11:1 rear axle	1	
69	B-with 4/M/T exc.8 cyl. 351, 428	90°- used with 3.91 or 4.30:1 rear axle-.7500 gear ratio	1	C9ZZ 17294-A
69	F-with 4/M/T exc.8 cyl. 428		1	
70	F-with 4/M/T		1	
71/	F-with 4/M/T	Used with 3.91 or 4.11:1 rear axle	1	
70/71	B-with 4/M/T with 429 C.I.D.	Straight-use with 3.91 or 4.30:1 rear axle-.7511 gear ratio	1	D0OZ 17294-A
70/71	B	Screw & washer (attach adapter to trans.)	1	20345-S7-8(B150A)
17298 OIL SEAL - SPEEDOMETER DRIVE GEAR				
65	A, B, S, X		1	1A 17298
71/	L(4/M/T)		1	D0RY 17298-A
68/69	F, S	"O" ring-.669"/.679" I.D.	1	87036-S94(T1C)
17A299 WIRING ASSY. - TACHOMETER - If not listed improvise				
68/69	A, B, F, S, X	Marked C8OB 17A299-A, B or C9OB 17A299 - A or B	1	C9OZ 17A299-A
70	A, F, S, X, P	Marked D0OB 17A299-A	1	
72	A, B, P, U		1	
70/71	B(8 cyl. 302, 351)	Marked D0OB 17A299-C, D1OB 17A299-AA, AB	1	D0OZ 17A299-A

17271 SPEEDOMETER GEARS - DRIVE and/or DRIVEN

HOW TO FIND SPEEDOMETER DRIVE and DRIVEN GEAR PART NUMBERS

There are two ways of determining the part number of a speedometer drive or driven gear.

BY IDENTIFICATION or BY APPLICATION

BY IDENTIFICATION

YOU MUST KNOW: Physical shape

Material

Color

Number of teeth

Size (17285 only)

Identification number - if applicable (17271 only)

EXAMPLE:

DRIVEN GEAR (17271)

Physical shape conforms to -

TYPE: 3A

MATERIAL: Nylon

COLOR: Green or White

NUMBER of TEETH: 17

PART NUMBER listed is: C3DZ 17271-B

DRIVE GEAR (17285)

Physical shape conforms to -

TYPE: 4A

MATERIAL: Nylon

COLOR: Yellow

NUMBER of TEETH: 7

SIZE: 1 3/8" I.D. x 2 1/64" O.D. x
11/16" thick or long

PART NUMBER listed is: C8AZ 17285-A

BY APPLICATION

YOU MUST KNOW: Year

Rear Axle Ratio

Engine

Transmission

Tire Size

For convenience the model years are arranged in separate sections as follows:

1965	172.65
1966	172.66
1967	172.67
1968	172.68
1969	172.69
1970	172.70
1971	172.71
1972	172.72

EXAMPLE:

YEAR: 1970

REAR AXLE RATIO: 3.25 to 1

ENGINE: 8 cyl. 390 C.I.D.























TRANSMISSION: 3 speed manual (3/M/T)

TIRE SIZE: 8.25 x 15

DRIVEN GEAR part number listed is C8AZ 17285-A

DRIVE GEAR part number listed is C3DZ 17271-B (for both regular vehicles and Police,












Taxi and Rental vehicles).

TYPE 1TYPE 1aTYPE 2TYPE 3TYPE 3aTYPE 3bTYPE 3cTYPE 4

P-8343

17271 SPEEDOMETER DRIVEN GEAR IDENTIFICATION CHART

TYPE •	MATERIAL	COLOR	TEETH	DESCRIPTION	PART NUMBER
1	Nylon	Blue	16		★C7AZ 17271-A r/b D0AZ 17271-A
1a	Nylon	Blue	16		D0AZ 17271-A
2	Nylon	Red	19		C3VY 17271-A
3	Nylon	Blue	16		★C7AZ 17271-A r/b D0AZ 17271-A
3	Nylon	Blue	16		C8SZ 17271-A
3	Nylon	None	17		★C7AZ 17271-B r/b C7SZ 17271-A
3	Nylon	Green	17		C7SZ 17271-A
3	Nylon	Gray	18		C7SZ 17271-B
3	Nylon	Tan	19		★C6VY 17271-B r/b C7VY 17271-A
3	Nylon	Tan	19		C7VY 17271-A
3	Nylon	Orange	20		C8SZ 17271-B
3	Nylon	Purple	21		D0OZ 17271-A
3a	Nylon	Brown	15		★C3OZ 17271-A r/b C0DD 17271-A
3a	Nylon	Brown	15		★C3DZ 17271-A r/b C2DZ 17271-J
3a	Nylon	Wine	16		C0DD 17271-A
3a	Nylon	Orange	16		C2DZ 17271-J
3a	Nylon	Green or White	17		C3DZ 17271-B
3a	Nylon	Purple	17		C2DZ 17271-G
3a	Nylon	Green or White	18		C2DZ 17271-F
3a	Nylon	Gold or Yellow	18		C0DD 17271-B
3a	Nylon	Pink-end only	19		C4DZ 17271-A
3a	Nylon	Pink	19		C0DD 17271-C
3a	Nylon	Black	20		C1DD 17271-A
3a	Nylon	Blue	20		C2DZ 17271-H
3a	Nylon	Red	21		C4OZ 17271-A
3b	Nylon	Blue	17		C0AA 17271-A
3b	Nylon	Brown	17		C2AZ 17271-A
3b	Nylon	Purple	18		C0AA 17271-B
3b	Nylon	None	18		C0AA 17271-J
3b	Steel	None	18	Ident. C0AA 17271-F -Not repl. (3-74)	★C0AA 17271-F
3b	Steel	None	18	Ident. C0AA 17271-L	C0AA 17271-L
3b	Nylon	Red	19		C0AA 17271-K
3b	Nylon	Gray	19		C0AA 17271-C
3b	Steel	None	19	Ident. C0AA 17271-N	C0AA 17271-N
3b	Steel	None	19	Ident. C0AA 17271-S-Not replaced	★C0AA 17271-S
3b	Nylon	Black	20		C0AA 17271-D
3b	Nylon	Orange	20		C0AA 17271-G
3b	Steel	None	20	Ident. C0AA 17271-M -Not repl. (3-74)	★C0AA 17271-M
3b	Steel	None	20	Ident. C3AA 17271-A	C3AZ 17271-A
3b	Nylon	Yellow	21		C0AA 17271-E
3b	Nylon	Green	21		C0AA 17271-H
3b	Steel	None	21	Ident. C0AA 17271-R -Not repl. (3-74)	★C0AA 17271-R
3b	Steel	None	21	Ident. C0AA 17271-T	C0AA 17271-T
3c	Steel	None	17	Ident. C2OA 17271-B	C2OZ 17271-B
3c	Steel	None	18	Ident. C1DD 17271-B	C2DZ 17271-A
3c	Steel	None	19	Ident. C2OA 17271-C	C2OZ 17271-C
3c	Steel	None	20	Ident. C2OA 17271-D -Not repl. (3-74)	★C2OZ 17271-D
4	Nylon & Steel	Yellow	21	Ident. 69EG 17322-FA	D1RY 17271-A
4	Nylon & Steel	Black	23		D0RY 17271-B
4	Nylon & Steel	Green	24		D0RY 17271-A
4	Nylon & Steel	Black	24	Ident. 71BG 17322-FA	D1RY 17271-B

TYPE 1TYPE 2TYPE 2aTYPE 2bTYPE 3TYPE 4TYPE 4aTYPE 4b

17285 SPEEDOMETER DRIVE GEAR IDENTIFICATION CHART

TYPE •	MATERIAL	COLOR	TEETH	D I M E N S I O N S (I N C H E S)			PART NUMBER
				I. D.	O. D.	THICKNESS OR LENGTH	
1	Steel	None	7	1 13/64	2 3/16	31/32	C2DZ 17285-A
2	Nylon	None	6	1 5/32	2 1/64	11/16	C0DR 17285-A
2a	Steel	None	6	1 3/8	2	11/16	C2OZ 17285-C
2a	Nylon	Blue	7	1	1 17/32	1 1/8	D0RY 17285-A
2a	Steel	None	7	1 1/32	1 25/32	7/16	D1RY 17285-C
2a	Steel	None	8	1 1/8	1 7/8	7/16	D1RY 17285-A
2b	Nylon	Yellow	7	1 3/8	2	11/16	★C2OZ 17285-A r/b C3OZ 17285-C
3	Steel	None	6	1 3/32	1 29/32	35/64	D1FZ 17285-A
3	Steel	None	6	1 19/64	2	39/64	C3OZ 17285-A
3	Steel	None	7	1 3/8	2	11/16	★C5AZ 17285-A r/b C8OZ 17285-B
3	Steel	None	8	1 19/64	2	39/64	C5DZ 17285-C
3	Steel	None	8	1 19/64	2 1/64	39/64	C5OZ 17285-B
4	Nylon	Green	6	1 3/8	1 13/16	11/16	B7C 17285-A
4	Nylon	Black	7	1 1/4	2	11/16	C6ZZ 17285-A
4	Nylon	Gray	8	1 3/8	2 1/64	11/16	C5DZ 17285-B
4a	Nylon	Pink	6	1 3/8	1 13/16	11/16	C5ZZ 17285-A
4a	Nylon	Black	7	1 3/8	1 13/16	11/16	C4DZ 17285-A
4a	Nylon	Yellow	7	1 3/8	2 1/64	11/16	C8AZ 17285-A
4a	Nylon	Brown	8	1 3/8	2 1/64	11/16	C8OZ 17285-B
4b	Nylon	None	7	1 5/32	2	11/16	C2OZ 17285-B
4b	Nylon	Pink or Yellow	7	1 3/8	2	11/16	★C2OZ 17285-D r/b C3OZ 17285-C
4b	Steel	None	7	1 3/8	2	11/16	C3OZ 17285-C

• Refer to Illustration on opposite page

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1965

2.80 - REAR AXLE RATIO

6 200	C4	6.95 x 14, 7.35 x 14		\$	C0DD 17271-A	C0DD 17271-A
8 289						
8 289	C4	6.00 x 13		\$	C3DZ 17271-B	C3DZ 17271-B
8 289	C4	6.50 x 13, 6.45 x 14		\$	C0DD 17271-A	C3DZ 17271-B
8 289	3/M/T	6.00 x 13	"Before 12/1/64"	C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
			"From 12/1/64"	C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8 289	3/M/T	6.50 x 13, 6.45 x 14	"Before 12/1/64"	C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
			"From 12/1/64"	C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8 289	3/M/T	6.95 x 14	"Before 12/1/64"	C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
			"From 12/1/64"	C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8 289	3/M/T	7.35 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8 289	W/4/S	6.45 x 14	HEK-L -	*C5DZ 17285-C	C2DZ 17271-J	C2DZ 17271-G
			"Before 11/23/64"			
			HEK-L, P, U -	C5DZ 17285-C	C2DZ 17271-F	C4DZ 17271-A
			"From 11/23/64"			
8 289	W/4/S	6.95 x 14, 7.35 x 14	HEK-L, R, V -	*C5DZ 17285-C	C2DZ 17271-J	C2DZ 17271-J
			"Before 11/23/64"			
			HEK-L, P, R, U, V -	C5DZ 17285-C	C2DZ 17271-F	C2DZ 17271-F
			"From 11/23/64"			
8 289	W/4/S	6.00 x 13, 6.50 x 13	HEK-P, R, U, V	C5DZ 17285-C	C4DZ 17271-A	C4DZ 17271-A
8 289	W/4/S	6.95 x 14, 7.35 x 14	HEK-J -	*C5OZ 17285-B	C0DD 17271-A	C0DD 17271-A
			"Before 11/23/64"			
			HEK-J, S -	C5OZ 17285-B	C0DD 17271-B	C0DD 17271-B
			"From 11/23/64"			

2.83 - REAR AXLE RATIO

6 170, 200	C4	6.00 x 13		\$	C3DZ 17271-B	C3DZ 17271-B
6 170, 200	C4	6.50 x 13, 6.45 x 14		\$	C0DD 17271-A	C3DZ 17271-B
6 170, 200	C4	6.95 x 14		\$	C0DD 17271-A	C0DD 17271-A
6 170	3/M/T	6.00 x 13		C2OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
6 170	3/M/T	6.50 x 13, 6.45 x 14		C2OZ 17285-B	C0DD 17271-A	C3DZ 17271-B
6 170	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-A	C0DD 17271-A

3.00 - REAR AXLE RATIO

6 200	C4	6.95 x 14, 7.35 x 14		\$	C3DZ 17271-B	C3DZ 17271-B
8 289						
8 289	C4	6.00 x 13		\$	C0DD 17271-B	C0DD 17271-B
8 289	C4	6.50 x 13, 6.45 x 14		\$	C3DZ 17271-B	C0DD 17271-B
6 240	C4	7.35 x 15		\$	C0DD 17271-A	C3DZ 17271-B
8 352						
	C/M		PCD-Z, AA			
6 240	C4	7.75 x 15, 8.15 x 15		\$	C0DD 17271-A	C0DD 17271-A
8 352						
	C/M		PCD-Z, AA			
6 240	3/M/T	7.35 x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8 352						
	C/M		PCD-U, V			
6 240	3/M/T	7.75 x 15, 8.15 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8 352						
	C/M		PCD-U, V			
8 289	3/M/T	6.00 x 13		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8 289	3/M/T	6.50 x 13	"Before 12/1/64"	C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
			"From 12/1/64"	C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A

\$ Part of transmission output shaft

* If drive gear is replaced - must also replace driven gear

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1965

3.00 - REAR AXLE RATIO - continued

8 289	3/M/T	6.95 x 14, 7.35 x 14	"Before 12/1/64"	C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
		6.95 x 14	"From 12/1/64"	C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
		7.35 x 14	"From 12/1/64"	C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8 289	3/M/T	6.45 x 14		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8 289	W/4/S	6.45 x 14	HEK-L	C5DZ 17285-C	C2DZ 17271-G	C2DZ 17271-F
8 289	W/4/S	6.95 x 14	HEK-L, M -	*C5DZ 17285-C	C2DZ 17271-G	C2DZ 17271-G
			"Before 11/23/64"			
			HEK-L, M, P, R, U, V	C5DZ 17285-C	C4DZ 17271-A	C2DZ 17271-H
			"From 11/23/64"			
8 289	W/4/S	7.35 x 14	HEK-L -	*C5DZ 17285-C	C2DZ 17271-J	C2DZ 17271-G
			"Before 11/23/64"			
			HEK-L, P, U -	C5DZ 17285-C	C4DZ 17271-A	C4DZ 17271-A
			"From 11/23/64"			
8 289	W/4/S	6.50 x 13	HEK-M -	*C5DZ 17285-C	C2DZ 17271-G	C2DZ 17271-F
			"Before 11/23/64"			
			HEK-M, R, V -	C5DZ 17285-C	C2DZ 17271-H	C2DZ 17271-H
			"From 11/23/64"			
8 289	W/4/S	6.95 x 14	HEK-J -	*C5OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
			"Before 11/23/64"			
			HEK-J, S -	C5OZ 17285-B	C0DD 17271-C	C1DD 17271-A
			"From 11/23/64"			
8 289	W/4/S	7.35 x 14	HEK-J -	*C5OZ 17285-B	C0DD 17271-A	C0DD 17271-A
			"Before 11/23/64"			
			HEK-J, S -	C5OZ 17285-B	C0DD 17271-C	C0DD 17271-A
			"From 11/23/64"			
8 390	3/M/T C/M	7.35 x 15, 7.75 x 15, 8.15 x 15	PCE-BB, BC, BD, BE, BG	C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8 390	C/M	7.35 x 15	PCE-BK, BL, BM, BM-1, BN, BN-1, BP	C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8 390	C/M	7.75 x 15, 8.15 x 15	PCE-BK, BL, BM, BM-1, BN, BN-1, BP	C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B

3.20 - REAR AXLE RATIO

6 170,200	C4	6.00 x 13		\$	C0DD 17271-C	C1DD 17271-A
6 170,200	C4	6.50 x 13, 6.45 x 14		\$	C0DD 17271-B	C0DD 17271-C
6 170,200	C4	6.95 x 14		\$	C0DD 17271-B	C0DD 17271-B
6 170,200	C4	7.35 x 14		\$	C3DZ 17271-B	C0DD 17271-B
6 170,200	3/M/T	6.00 x 13		C2OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 170,200	3/M/T	6.50 x 13, 6.45 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 170,200	3/M/T	7.35 x 14		C2OZ 17285-B	C3DZ 17271-B	C0DD 17271-B

3.25 - REAR AXLE RATIO

6 200	C4	6.95 x 14		\$	C0DD 17271-B	C0DD 17271-C
6 200	C4	7.35 x 14		\$	C0DD 17271-B	C0DD 17271-B
6 240	C4	7.35 x 15		\$	C3DZ 17271-B	C0DD 17271-B
8 289						
6 240	C4	7.75 x 15, 8.15 x 15		\$	C3DZ 17271-B	C3DZ 17271-B
8 289						
8 289	C/M	7.35 x 15	PCT-J2, J3, K	\$	C3DZ 17271-B	C0DD 17271-B
8 352	C/M	7.35 x 15	PCD-Z, AA	\$	C0DD 17271-B	C0DD 17271-B
8 289	C/M	7.75 x 15, 8.15 x 15	PCT-J2, J3, K	\$	C3DZ 17271-B	C3DZ 17271-B
8 352	C/M		PCD-Z, AA			
8 289	C/M	7.35 x 15	PCT-J1	C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8 289	C/M	7.75 x 15, 8.15 x 15	PCT-J1	C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8 352	C/M		PCD-U, V			
8 390	C/M		PCE-BB, BC, BD, BE, BG			

* If drive gear is replaced - must also replace driven gear

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1965

3.25 - REAR AXLE RATIO - continued						
8 352	C/M	7.35 x 15	PCD-U, V	C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8 390	C/M		PCE-BC, BD, BE, BG			
8 390	C/M	7.35 x 15	PCE-BK, BL, BM, BM-1, BN, BN-1, BP	C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8 390	C/M	7.75 x 15, 8.15 x 15	PCE-BJ, BK, BL, BM, BM-1, BN, BN-1, BP	C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8 390	O/D	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8 390	O/D	7.75 x 15, 8.15 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6 200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 200	3/M/T	7.35 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 240	3/M/T	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8 289						
6 240	3/M/T	7.75 x 15, 8.15 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8 289, 352, 390						
8 289	3/M/T	6.95 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8 289	3/M/T	7.35 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
8 352, 390	3/M/T	7.35 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8 289	W/4/S	6.45 x 14		C5DZ 17285-C	C4DZ 17271-A	C4DZ 17271-A
8 289	W/4/S	6.95 x 14	"Before 11/23/64"	*C5DZ 17285-C	C2DZ 17271-F	C4DZ 17271-A
		7.35 x 14	"Before 11/23/64"	*C5DZ 17285-C	C2DZ 17271-F	C2DZ 17271-F
		6.95 x 14, 7.35 x 14	"From 11/23/64"	C5DZ 17285-C	C2DZ 17271-H	C2DZ 17271-H
8 390	F/4/S	7.35 x 15, 7.75 x 15, 8.15 x 15	"Before 10/12/64"	B7C 17285-A	C0DD 17271-A	C0DD 17271-A
		7.35 x 15	"From 10/12/64"	C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
		7.75 x 15, 8.15 x 15	"From 10/12/64"	C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B

3.50 - REAR AXLE RATIO						
6 170	C4	6.00 x 13		\$	C4OZ 17271-A	C4OZ 17271-A
6 170	C4	6.50 x 13, 6.45 x 14		\$	C1DD 17271-A	C4OZ 17271-A
8 289						
6 170, 200	C4	6.95 x 14		\$	C1DD 17271-A	C1DD 17271-A
8 289						
6 200	C4	7.35 x 14		\$	C0DD 17271-C	C1DD 17271-A
8 289						
6 240	C4	7.35 x 15		\$	C0DD 17271-C	C0DD 17271-C
6 240	C4	7.75 x 15		\$	C0DD 17271-B	C0DD 17271-C
6 240	C4	8.15 x 15		\$	C0DD 17271-B	C0DD 17271-B
8 240	O/D	7.35 x 15		C2OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8 289, 390						
6 240	O/D	7.75 x 15, 8.15 x 15		C2OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8 289, 390						
8 289	O/D	6.95 x 14, 7.35 x 14		C2OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6 170, 200	3/M/T	6.00 x 13		C2OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6 170, 200	3/M/T	6.50 x 13		C2OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
6 170, 200	3/M/T	6.45 x 14, 6.95 x 14		C2OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 200	3/M/T	7.35 x 14		C2OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8 240	3/M/T	7.35 x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
8 352, 390						

\$ Part of transmission output shaft

* If drive gear is replaced - must also replace driven gear

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1965

3.50 - REAR AXLE RATIO - continued

6 240	3/M/T	7.75 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8 352,390						
6 240	3/M/T	8.15 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8 352,390						
8 289	3/M/T	6.45 x 14				
8 289	3/M/T	6.95 x 14		C3OZ 17285-C	C1DD 17271-A	C4OZ 17271-A
8 289	3/M/T	7.35 x 14		C3OZ 17285-C	C1DD 17271-A	C1DD 17271-A
				C3OZ 17285-C	C0DD 17271-C	C1DD 17271-A
8 289	W/4/S	6.45 x 14, 6.95 x 14	HEK-L	C5DZ 17285-C	C2DZ 17271-H	C2DZ 17271-H
8 289	W/4/S	7.35 x 14	HEK-L	C5DZ 17285-C	C4DZ 17271-A	C2DZ 17271-H
8 289	W/4/S	6.95 x 14	HEK-J	C5OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8 289	W/4/S	7.35 x 14	HEK-J	C5OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8 289	W/4/S	6.95 x 14, 7.35 x 14	HEK-K	C3OZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
8 289	F/4/S	6.95 x 14				
8 390	F/4/S	7.35 x 15		C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8 390	F/4/S	7.75 x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
8 390	F/4/S	8.15 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8 427	F/4/S	7.35 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8 427	F/4/S	7.75 x 15, 8.15 x 15		B7C 17285-A	C0DD 17271-A	C3DZ 17271-B
				B7C 17285-A	C0DD 17271-A	C0DD 17271-A

3.89 - REAR AXLE RATIO

6 240	C4	7.35 x 15, 6.95 x 14, 7.35 x 14		\$	C4OZ 17271-A	C4OZ 17271-A
8 289						
8 289	C4	6.95 x 14, 7.35 x 14		\$	C4OZ 17271-A	C4OZ 17271-A
6 240	C4	7.75 x 15		\$	C1DD 17271-A	C4OZ 17271-A
6 240	C4	8.15 x 15		\$	C1DD 17271-A	C1DD 17271-A
6 240	O/D	7.35 x 15, 7.75 x 15				
8 289,390				C2OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6 240	O/D	8.15 x 15				
8 289,390				C2OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
6 240	3/M/T	7.35 x 15, 7.75 x 15				
8 352,390				C3OZ 17285-C	C4OZ 17271-A	C4OZ 17271-A
6 240	3/M/T	8.15 x 15				
8 352,390				C3OZ 17285-C	C1DD 17271-A	C1DD 17271-A
8 289	W/4/S	6.95 x 14				
8 289	W/4/S	7.35 x 14		C3OZ 17285-A	C0DD 17271-A	C0DD 17271-A
				C3OZ 17285-A	C0DD 17271-B	C0DD 17271-C
8 289	F/4/S	6.95 x 14				
8 390	F/4/S	7.35 x 15, 7.75 x 15	"Before 10/12/64"	C5ZZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
		7.35 x 15	"From 10/12/64"	B7C 17285-A	C0DD 17271-B	C0DD 17271-B
		7.75 x 15	"From 10/12/64"	C3OZ 17285-C	C4OZ 17271-A	C4OZ 17271-A
8 390	F/4/S	8.15 x 15	"Before 10/12/64"	C3OZ 17285-C	C1DD 17271-A	C4OZ 17271-A
			"From 10/12/64"	B7C 17285-A	C3DZ 17271-B	C3DZ 17271-B
				C3OZ 17285-C	C1DD 17271-A	C1DD 17271-A

4.11 - REAR AXLE RATIO

8 390	3/M/T	7.35 x 15		B7C 17285-A	C0DD 17271-C	C0DD 17271-C
8 390	3/M/T	7.75 x 15, 8.15 x 15		B7C 17285-A	C0DD 17271-B	C0DD 17271-C
8 289	W/4/S	6.95 x 14				
8 289	W/4/S	7.35 x 14		C3OZ 17285-A	C1DD 17271-A	C1DD 17271-A
				C3OZ 17285-A	C0DD 17271-C	C1DD 17271-A
8 289	F/4/S	6.95 x 14				
8 427	F/4/S	7.35 x 15		C5ZZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8 427	F/4/S	7.75 x 15, 8.15 x 15		B7C 17285-A	C0DD 17271-C	C0DD 17271-C
				B7C 17285-A	C0DD 17271-B	C0DD 17271-C

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1966							
2.80 - REAR AXLE RATIO							
6	170,200	C4	6.50 x 13		\$	C0DD 17271-A	C3DZ 17271-B
8	289						
6	170,200	C4	6.95 x 14, 7.35 x 14		\$	C0DD 17271-A	C0DD 17271-A
8	289						
8	390,428	C6	7.35 x 15		\$	C3DZ 17271-B	C0DD 17271-B
8	390	C6	7.75 x 15, 8.15 x 15, 8.45 x 15		\$	C3DZ 17271-B	C3DZ 17271-B
8	390	C/M(MX)	8.15 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	289	3/M/T	6.95 x 14, 7.35 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289	F/4/S	6.95 x 14, 7.35 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289	W/4/S	6.95 x 14		C6ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
2.83 - REAR AXLE RATIO							
6	170,200	C4	6.50 x 13		\$	C0DD 17271-A	C3DZ 17271-B
6	170,200	C4	6.95 x 14		\$	C0DD 17271-A	C0DD 17271-A
8	289						
6	170,200	3/M/T	6.50 x 13		C2OZ 17285-B	C0DD 17271-A	C3DZ 17271-B
6	170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-A	C0DD 17271-A
3.00 - REAR AXLE RATIO							
6	170,200	C4	6.95 x 14, 7.35 x 14		\$	C3DZ 17271-B	C3DZ 17271-B
8	289						
6	170,200, 240	C4	7.75 x 14, 7.75 x 15, 8.15 x 15, 8.45 x 15		\$	C0DD 17271-A	C0DD 17271-A
8	289						
6	240	C4	7.35 x 15		\$	C0DD 17271-A	C3DZ 17271-B
8	352,390, 428	C6	7.75 x 14, 7.35 x 15		\$	C0DD 17271-B	C0DD 17271-C
8	352,390, 428	C6	7.75 x 15, 8.15 x 15, 8.45 x 15		\$	C0DD 17271-B	C0DD 17271-B
8	390	C6	7.35 x 14		\$	C0DD 17271-C	C0DD 17271-C
6	240	C/M(FX)	7.35 x 15		\$	C0DD 17271-A	C3DZ 17271-B
8	289,352						
6	240	C/M(FX)	7.75 x 15, 8.15 x 15, 8.45 x 15		\$	C0DD 17271-A	C0DD 17271-A
8	289,352						
6	240	C/M(MX)	7.35 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	352,390						
6	240	C/M(MX)	7.75 x 15, 8.15 x 15, 8.45 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	352,390, 428						
8	289	C/M(MX)	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8	289	C/M(MX)	7.75 x 15, 8.15 x 15, 8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
6	240	3/M/T	7.35 x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8	289,390						
6	240	3/M/T	7.75 x 15, 8.15 x 15, 8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	289,390						

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1966

3.00 - REAR AXLE RATIO - continued

8 289	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8 289	3/M/T	7.35 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8 289	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8 390	3/M/T	7.35 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8 390	3/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8 289	W/4/S	6.95 x 14		C6ZZ 17285-A	C2OZ 17271-G	C2DZ 17271-G
8 289,390	F/4/S	6.95 x 14, 7.35 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8 289,390	F/4/S	7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J

3.20 - REAR AXLE RATIO

6 170,200	C4	6.50 x 13		\$	C0DD 17271-B	C0DD 17271-C
6 170,200	C4	6.95 x 14		\$	C0DD 17271-B	C0DD 17271-B
8 289						
6 170,200	3/M/T	6.50 x 13		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 170,200	D/4/S	6.95 x 14		C5ZZ 17285-B	C2DZ 17271-F	C2DZ 17271-F

3.25 - REAR AXLE RATIO

6 170,200	C4	6.50 x 13		\$	C0DD 17271-C	C0DD 17271-C
8 289						
6 170,200	C4	7.35 x 14		\$	C0DD 17271-B	C0DD 17271-B
8 289						
6 170,200,	C4	7.75 x 14, 7.35 x 15		\$	C3DZ 17271-B	C0DD 17271-B
240						
8 289						
6 170,200	C4	6.95 x 14		\$	C0DD 17271-B	C0DD 17271-C
8 289						
6 240	C4	7.75 x 15, 8.15 x 15, 8.45 x 15		\$	C3DZ 17271-B	C3DZ 17271-B
8 289						
8 352,390,	C6	7.35 x 15, 7.75 x 14		\$	C1DD 17271-A	C1DD 17271-A
428						
8 352,390,	C6	7.75 x 15, 8.15 x 15, 8.45 x 15		\$	C0DD 17271-C	C1DD 17271-A
428						
8 390	C6	7.35 x 14		\$	C1DD 17271-A	C4OZ 17271-A
6 240	C/M(FX)	7.35 x 15		\$	C3DZ 17271-B	C0DD 17271-B
8 289,352						
6 240	C/M(FX)	7.75 x 15, 8.15 x 15, 8.45 x 15		\$	C3DZ 17271-B	C3DZ 17271-B
8 289,352						
6 240	C/M(MX)	7.75 x 15, 8.15 x 15, 8.45 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8 352,390						
6 240	C/M(MX)	7.35 x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8 352,390						
6 170,200	3/M/T	6.50 x 13		C2OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6 170,200	3/M/T	7.35 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 170,200	3/M/T	7.75 x 14		C2OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
6 170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 240	3/M/T	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8 289,390						
6 240	3/M/T	7.75 x 15, 8.15 x 15, 8.45 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8 289,390						

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
						REGULAR	P/C, TAXI or RENTAL

1966

3.25 - REAR AXLE RATIO - continued							
8	289	3/M/T	7.35 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
8	289	3/M/T	7.75 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	289	3/M/T	6.95 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	289,390	F/4/S	7.35 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	390	3/M/T					
8	289,390	F/4/S	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	390	3/M/T					
8	289	F/4/S	6.95 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	390,428	F/4/S	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8	390,428	F/4/S	7.75 x 15, 8.15 x 15, 8.45 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
3.50 - REAR AXLE RATIO							
6	170,200	C4	7.35 x 14		\$	C0DD 17271-C	C1DD 17271-A
8	289						
6	170,200,	C4	7.75 x 14, 7.35 x 15		\$	C0DD 17271-C	C0DD 17271-C
	240						
8	289						
6	170,200	C4	6.95 x 14		\$	C1DD 17271-A	C1DD 17271-A
8	289						
6	240	C4	7.75 x 15, 8.15 x 15, 8.45 x 15		\$	C0DD 17271-B	C0DD 17271-C
8	289						
8	428	C6	8.45 x 15		\$	C1DD 17271-A	C1DD 17271-A
6	240	C/M(FX)	7.35 x 15		\$	C0DD 17271-C	C0DD 17271-C
8	289,352						
6	240	C/M(FX)	7.75 x 15, 8.15 x 15, 8.45 x 15		\$	C0DD 17271-B	C0DD 17271-C
8	289,352						
6	240	C/M(MX)	7.75 x 15, 8.15 x 15		C8OZ 17285-B		C4OZ 17271-A
6	240	C/M(MX)	8.45 x 15		C8OZ 17285-B		C1DD 17271-A
8	289	C/M(MX)	7.35 x 15, 7.75 x 15		C3OZ 17285-C		C0DD 17271-C
8	289	C/M(MX)	8.15 x 15, 8.45 x 15		C3OZ 17285-C		C0DD 17271-B
8	289	O/D	6.95 x 14, 7.35 x 14		C2OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	240	O/D	7.35 x 15		C2OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8	289						
6	240	O/D	7.75 x 14, 7.75 x 15, 8.15 x 15, 8.45 x 15		C2OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	289						
6	170,200	3/M/T	7.35 x 14		C2OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6	170,200	3/M/T	7.75 x 14		C2OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6	170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	240	3/M/T	7.35 x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
8	289,390						
6	240	3/M/T	7.75 x 15, 8.15 x 15, 8.45 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8	289,390						
8	289	F/4/S	6.95 x 14		C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	390,428	F/4/S	7.35 x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
8	390,428	F/4/S	7.75 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8	390,428	F/4/S	8.15 x 15, 8.45 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	427	F/4/S	7.35 x 15		B7C 17285-A	C0DD 17271-A	C3DZ 17271-B
8	427	F/4/S	7.75 x 15, 8.15 x 15, 8.45 x 15		B7C 17285-A	C0DD 17271-A	C0DD 17271-A

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
						REGULAR	P/C, TAXI or RENTAL

1966

3.50 - REAR AXLE RATIO - continued							
8	289	3/M/T	7.35 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
8	289	3/M/T	8.15 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
8	289	3/M/T	7.75 x 15	Bronco-exc. snow tires	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
8	289	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
8	289	3/M/T	7.75 x 15, 9.15 x 15	Bronco-w/snow tires	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B

3.89 - REAR AXLE RATIO							
6	170,200	C4	6.95 x 14		\$	C4OZ 17271-A	C4OZ 17271-A
8	289						
8	289	F/4/S	6.95 x 14		C5ZZ 17285-A	C4DZ 17271-A	C4DZ 17271-A

4.11 - REAR AXLE RATIO							
6	170	3/M/T	6.50 x 16	Bronco	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
8	289						
6	170	3/M/T	7.35 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
8	289						
6	170	3/M/T	7.75 x 15, 8.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
8	289						
6	170	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
8	289						
6	170	3/M/T	7.75 x 15, 8.15 x 15, 9.15 x 15	Bronco-w/snow tires	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
8	289						
8	427	F/4/S	7.35 x 15		B7C 17285-A	C0DD 17271-C	C0DD 17271-C
8	427	F/4/S	7.75 x 15, 8.15 x 15, 8.45 x 15		B7C 17285-A	C0DD 17271-B	C0DD 17271-C

4.57 - REAR AXLE RATIO							
6	170	3/M/T	6.50 x 16	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6	170	3/M/T	7.35 x 15, 7.75 x 15, 8.15 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
8	170	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6	170	3/M/T	9.15 x 15	Bronco-w/snow tires	C6TZ 17285-A	C1DD 17271-A	C1DD 17271-A

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL. C.I.D.		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR P/C, TAXI or RENTAL	
1967							
2.75 - REAR AXLE RATIO							
8	390	C6	205R x 15, 7.75 x 14, F70 x 14		\$	C3DZ 17271-B	C3DZ 17271-B
8	390	C6	8.15 x 15, 215R x 15		\$	C0DD 17271-A	C3DZ 17271-B
8	390	C6	8.45 x 15		\$	C0DD 17271-A	C0DD 17271-A
8	390	C6	7.35 x 14		\$	C3DZ 17271-B	C0DD 17271-B
8	390	C/M(MX)	205R x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	390	C/M(MX)	8.15 x 15, 215R x 15		C8OZ 17285-B	C0DD 17271-A	C3DZ 17271-B
8	390	C/M(MX)	8.45 x 15		C8OZ 17285-B	C0DD 17271-A	C0DD 17271-A
2.79 - REAR AXLE RATIO							
6	200	C4	7.35 x 14		\$	C0DD 17271-A	C0DD 17271-A
8	289	C4	6.95 x 14, 7.35 x 14, 185R x 14		\$	C7SZ 17271-B	C7SZ 17271-B
8	289	C4	7.75 x 14, F70 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
8	289	3/M/T	6.95 x 14, 7.35 x 14, 185R x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289	3/M/T	7.75 x 14, F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	289	4/M/T	6.95 x 14, 7.35 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
2.80 - REAR AXLE RATIO							
6	200	C4	7.35 x 14		\$	C0DD 17271-A	C0DD 17271-A
6	240	C4, C/M(FX)	7.75 x 15, 8.15 x 15, 205R x 15, 215R x 15		\$	C7SZ 17271-A	C7SZ 17271-A
8	289						
6	240	C4, C/M(FX)	8.45 x 15		\$	D0AZ 17271-A	C7SZ 17271-A
8	289						
8	289	C4	6.95 x 14, 7.35 x 14, 185R x 14		\$	C7SZ 17271-B	C7SZ 17271-B
8	289	C4	7.75 x 14, F70 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
8	390, 428	C6	8.15 x 15, 205R x 15, 215R x 15, G70 x 15		\$	C3DZ 17271-B	C3DZ 17271-B
8	390, 428	C6	8.45 x 15		\$	C0DD 17271-A	C3DZ 17271-B
8	289	3/M/T	6.95 x 14, 7.35 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289	3/M/T	7.75 x 14, F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	289	3/M/T	185R x 14		C8OZ 17285-B	C7SZ 17271-B	C7SZ 17271-B
8	289	4/M/T	6.95 x 14, 7.35 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
2.83 - REAR AXLE RATIO							
6	170, 200	C4	6.95 x 14, 7.35 x 14, 185R x 14		\$	C0DD 17271-A	C0DD 17271-A
6	170, 200	3/M/T- (RED)	6.95 x 14, 7.35 x 14, 185R x 14		C2OZ 17285-B	C0DD 17271-A	C0DD 17271-A
6	170, 200	3/M/T- (RAN)	6.95 x 14, 7.35 x 14, 185R x 14		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1967							
3.00 - REAR AXLE RATIO							
6	200	C4	7.35 x 14		\$	C3DZ 17271-B	C3DZ 17271-B
6	200	C4	7.75 x 14, F70 x 14		\$	C0DD 17271-A	C0DD 17271-A
6	240	C4, C/M(FX)	7.75 x 15, 8.15 x 15, 215R x 15		\$	C7SZ 17271-B	C7SZ 17271-B
8	289						
6	240	C4, C/M(FX)	8.45 x 15		\$	C7SZ 17271-A	C7SZ 17271-B
8	289						
6	240	C4, C/M(FX)	205R x 15		\$	C7SZ 17271-B	C6VY 17271-B
8	289						
8	289	C4	6.95 x 14		\$	C7VY 17271-A	C8SZ 17271-B
8	289	C4	7.35 x 14, 7.75 x 14, F70 x 14, 185R x 14		\$	C7VY 17271-A	C7VY 17271-A
8	289, 390	C6	7.35 x 14, 7.75 x 14, F70 x 14, 185R x 14		\$	C0DD 17271-C	C0DD 17271-C
8	390, 428	C6	8.15 x 15		\$	C7SZ 17271-B	C7SZ 17271-B
8	390, 428	C6	215R x 15		\$	C0DD 17271-B	C0DD 17271-B
8	390, 428	C6	8.45 x 15		\$	C3DZ 17271-B	C0DD 17271-B
8	390, 428	C6	205R x 15		\$	C0DD 17271-B	C0DD 17271-C
6	240	C/M(MX)	7.75 x 15, 8.15 x 15, 215R x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289, 390, 428						
6	240	C/M(MX)	8.45 x 15		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	289, 390, 428						
8	390, 428	C/M(MX)	205R x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6	240	3/M/T	7.75 x 15, 8.15 x 15, 8.45 x 15, 205R x 15, 215R x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	289, 390						
8	289, 390	3/M/T- (RAN)	7.35 x 14, F70 x 14, 185R x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	289, 390	3/M/T- (RAN)	7.75 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	289	3/M/T- (RAN)	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	289, 390	3/M/T- (RAT), 4/M/T	6.95 x 14, 7.35 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	289, 390	3/M/T- (RAT), 4/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289, 390	3/M/T- (RAT), 4/M/T	F70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
3.10 - REAR AXLE RATIO							
6	240	C4, C/M(FX)	7.75 x 15, 205R x 15, 215 x 15		\$	C7VY 17271-A	C7VY 17271-A
8	289						
6	240	C4, C/M(FX)	8.15 x 15		\$	C7SZ 17271-B	C6VY 17271-B
8	289						
3.10 - REAR AXLE RATIO							
6	240	C4, C/M(FX)	7.75 x 15, 205R x 15, 215 x 15		\$	C7VY 17271-A	C7VY 17271-A
8	289						
6	240	C4, C/M(FX)	8.15 x 15		\$	C7SZ 17271-B	C6VY 17271-B
8	289						

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
						REGULAR	P/C, TAXI or RENTAL

1967

3.10 - REAR AXLE RATIO - continued

6	240	C4,	8.45 x 15		\$	C7SZ 17271-B	C7SZ 17271-B
8	289	C/M(FX)					
6	240	3/M/T	7.75 x 15, 215R x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8	289						
6	240	3/M/T	8.15 x 15, 8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	289						
6	240	3/M/T	205R x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8	289						

3.20 - REAR AXLE RATIO

6	170,200	C4	6.95 x 14, 7.35 x 14, 185R x 14		\$	C0DD 17271-B	C0DD 17271-B
6	200	C4	7.75 x 14		\$	C3DZ 17271-B	C3DZ 17271-B
6	200	C4	F70 x 14		\$	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T- (RED)	6.95 x 14, 7.35 x 14, 185R x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	170,200	3/M/T- (RAN)	6.95 x 14, 7.35 x 14, 185R x 14		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6	200	3/M/T- (RAN)	7.75 x 14		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	200	3/M/T- (RAN)	F70 x 14		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B

3.25 - REAR AXLE RATIO

6	170,200	C4	7.75 x 14		\$	C3DZ 17271-B	C0DD 17271-B
6	170,200	C4	7.35 x 14, 185R x 14, F70 x 14		\$	C0DD 17271-B	C0DD 17271-B
6	240	C4,	7.75 x 15, 205R x 15		\$	C8SZ 17271-B	C8SZ 17271-B
8	289	C/M(FX)					
6	240	C4,	8.15 x 15, 215R x 15		\$	C7VY 17271-A	C8SZ 17271-B
8	289	C/M(FX)					
6	240	C4,	8.45 x 15		\$	C7VY 17271-A	C7VY 17271-A
8	289	C/M(FX)					
8	289,390	C6	7.35 x 14, 185R x 14		\$	C4OZ 17271-A	C4OZ 17271-A
8	289,390,	C6	7.75 x 14, F70 x 14,		\$	C1DD 17271-A	C1DD 17271-A
428			205R x 15, E70 x 15				
8	390,428	C6	8.15 x 15, G70 x 15, 215R x 15		\$	C0DD 17271-C	C1DD 17271-A
8	390,428	C6	8.45 x 15		\$	C0DD 17271-C	C0DD 17271-C
6	240	C/M(MX)	7.75 x 15, 8.15 x 15, 215R x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	289						
6	240	C/M(MX)	8.45 x 15		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	289,390,						
428							
8	390,428	C/M(MX)	7.75 x 15, 205R x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	390,428	C/M(MX)	8.15 x 15, 215R x 15, G70 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A

\$ Part of transmission output shaft

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1967

3.25 - REAR AXLE RATIO - continued

6	170,200	3/M/T-(RED)	7.75 x 14		C2OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T-(RAN)	7.75 x 14		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T-(RED)	185R x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	170,200	3/M/T-(RAN)	7.35 x 14, 185R x 14, F70 x 14		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6	240	3/M/T, 4/M/T, O/D	7.75 x 15, 8.15 x 15, 215R x 15, G70 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8	289,390, 428						
6	240	3/M/T, 4/M/T, O/D	8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8	289,390, 428						
6	240	3/M/T, 4/M/T, O/D	205R x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8	289,390, 428						
8	289,390	3/M/T-(RAN)	7.35 x 14, 185R x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	289,390	3/M/T-(RAT), 4/M/T	7.35 x 14, F70 x 14, 185R x 14, E70 x 15		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	289,390	3/M/T-(RAN)	7.75 x 14, F70 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	289,390	3/M/T-(RAT), 4/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F

3.50 - REAR AXLE RATIO

6	170,200	C4	7.35 x 14		\$	C0DD 17271-C	C1DD 17271-A
6	170,200	C4	7.75 x 14, F70 x 14, E70 x 15		\$	C0DD 17271-C	C0DD 17271-C
8	289						
6	170,200	C4	185R x 14		\$	C1DD 17271-A	C1DD 17271-A
8	289						

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR		
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL	
1967								
3.50 - REAR AXLE RATIO - continued								
8	289	O/D	7.35 x 14		C2OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B	
8	289	O/D	7.75 x 14, F70 x 14		C2OZ 17285-C	C0DD 17271-A	C0DD 17271-A	
6	170,200	3/M/T-(RED)	7.75 x 14		C2OZ 17285-B	C0DD 17271-C	C0DD 17271-C	
6	170,200	3/M/T-(RAN)	7.75 x 14, F70 x 14		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C	
6	170,200	3/M/T-(RED)	185R x 14		C2OZ 17285-B	C1DD 17271-A	C1DD 17271-A	
6	170,200	3/M/T-(RAN)	185R x 14		C3OZ 17285-C	C1DD 17271-A	C1DD 17271-A	
6	200	3/M/T-(RAN)	7.35 x 14		C3OZ 17285-C	C0DD 17271-C	C1DD 17271-A	
8	390,428	3/M/T, 4/M/T	8.15 x 15, 8.45 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B	
8	390,428	3/M/T, 4/M/T	G70 x 15, 215R x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C	
8	390,428	3/M/T, 4/M/T	205R x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C	
8	427	4/M/T	8.15 x 15, 8.45 x 15, 205R x 15, 215R x 15		B7C 17285-A	C0DD 17271-A	C0DD 17271-A	
8	289	4/M/T	F70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J	
8	289	4/M/T	E70 x 15		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G	
8	289	4/M/T	185R x 14		C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G	
3.89 - REAR AXLE RATIO								
6	200	C4	F70 x 14		\$	C4OZ 17271-A	C4OZ 17271-A	
8	289							
8	289,427	4/M/T	F70 x 14		C5ZZ 17285-A	C2DZ 17271-F	C2DZ 17271-F	
4.11 - REAR AXLE RATIO								
6	170	3/M/T	6.50 x 16	Bronco	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B	
8	289							
6	170	3/M/T	7.35 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C	
8	289							
6	170	3/M/T	7.75 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C	
8	289							
6	170	3/M/T	8.15 x 15	Bronco-exc. snow tires - "Before Ser.A84,001"	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C	
8	289			"From Ser.A84,001"	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B	
6	170	3/M/T	7.75 x 15, 8.15 x 15, 9.15 x 15	Bronco-w/snow tires	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B	
8	289							
6	170	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B	
8	289							

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL

1967

4.57 - REAR AXLE RATIO

[illegible]

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.T.D.					REGULAR	P/C, TAXI or RENTAL
1968							
2.50 - REAR AXLE RATIO							
8	429	C6	8.15 x 15, 215R x 15		\$ - 9 teeth	C7SZ 17271-A	C7SZ 17271-A
8	429	C6	8.45 x 15		\$ - 9 teeth	C8SZ 17271-A	C7SZ 17271-A
2.75 - REAR AXLE RATIO							
8	390	C6	7.75 x 14, F70 x 14, 205R x 15		\$ - 8 teeth	C3DZ 17271-B	C3DZ 17271-B
8	390	C6	7.35 x 14, E70 x 14, FR70 x 14		\$ - 8 teeth	C3DZ 17271-B	C0DD 17271-B
8	390	C6	185R x 14		\$ - 8 teeth	C0DD 17271-B	C0DD 17271-B
8	390	C6	8.15 x 15, 215R x 15, G70 x 15		\$ - 8 teeth	D0AZ 17271-A	C3DZ 17271-B
8	390	C6, C/M- (FMX)	8.45 x 15		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	390	C/M- (FMX)	8.15 x 15, 215R x 15, G70 x 15		\$	D0AZ 17271-A	C7SZ 17271-A
8	390	C/M- (FMX)	205R x 15		\$	C7SZ 17271-A	C7SZ 17271-A
8	390	C/M(MX)	205R x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	390	C/M(MX)	8.15 x 15, 215R x 15, G70 x 15		C8OZ 17285-B	D0AZ 17271-A	C3DZ 17271-B
8	390	C/M(MX)	8.45 x 15		C8OZ 17285-B	D0AZ 17271-A	D0AZ 17271-A
2.79 - REAR AXLE RATIO							
8	289, 302	C4	6.95 x 14, 185R x 14, E70 x 14		\$	C7SZ 17271-B	C7SZ 17271-B
8	289, 302	C4	7.75 x 14, F70 x 14		\$	C7SZ 17271-A	C7SZ 17271-A
8	289, 302	C4	7.35 x 14, FR70 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
8	289, 302	3/M/T	6.95 x 14, 185R x 14, E70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289, 302	3/M/T	7.75 x 14, F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	289, 302	3/M/T	7.35 x 14, FR70 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	289	4/M/T	6.95 x 14, 185R x 14, 7.35 x 14, E70 x 14, F70 x 14, FR70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
2.80 - REAR AXLE RATIO							
6	240	C4, C/M- (FMX)	7.75 x 15, 8.15 x 15, 205R x 15, 215R x 15, G70 x 15		\$	C7SZ 17271-A	C7SZ 17271-A
8	302						
6	240	C4, C6, C/M- (FMX)	8.45 x 15		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	302, 390, 428						
8	390, 428	C6	8.15 x 15, G70 x 15, 205R x 15, 215R x 15		\$ - 8 teeth	C3DZ 17271-B	C3DZ 17271-B
8	429	C6	8.15 x 15, 215R x 15		\$ - 9 teeth	C7VY 17271-A	C7VY 17271-A
8	429	C6	8.45 x 15		\$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR P.C, TAXI or RENTAL	
1968							
2.83 - REAR AXLE RATIO							
6	170,200	C4	6.95 x 14,185R x 14,7.35 x 14, E70 x 14, FR70 x 14		\$	C7SZ 17271-B	C7SZ 17271-B
6	170,200	C4	7.75 x 14, F70 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
6	170,200	3/M/T	6.95 x 14,185R x 14		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
3.00 - REAR AXLE RATIO							
6	200	C4	7.35 x 14,7.75 x 14, FR70 x 14,185R x 14, E70 x 14, F70 x 14		\$	C7VY 17271-A	C7VY 17271-A
6	240	C4, C/M- (FMX)	7.75 x 15,8.15 x 15, 215R x 15,G70 x 15		\$	C7SZ 17271-B	C7SZ 17271-B
8	302,390						
6	240	C4, C/M- (FMX)	8.45 x 15		\$	C7SZ 17271-A	C7SZ 17271-B
8	302,390						
6	240	C4, C/M- (FMX)	205R x 15		\$	C7SZ 17271-B	C6VY 17271-B
8	302,390						
8	289,302	C4	6.95 x 14		\$	C7VY 17171-A	C8SZ 17271-A
8	289,302	C4	7.35 x 14,E70 x 14,F70 x 14, FR70 x 14,185R x 14		\$	C7VY 17271-A	C7VY 17271-A
8	289,302	C4	7.75 x 14		\$	C7SZ 17271-B	C6VY 17271-B
8	390	C6	7.35 x 14,F70 x 14,FR70 x 14, 185R x 14,E70 x 14		\$ - 8 teeth	C0DD 17271-C	C0DD 17271-C
8	390,428	C6	7.75 x 14,205R x 15		\$ - 8 teeth	C0DD 17271-B	C0DD 17271-C
8	390,428	C6	8.15 x 15,215R x 15,G70 x 15		\$ - 8 teeth	C0DD 17271-B	C0DD 17271-B
8	390,428	C6	8.45 x 15		\$ - 8 teeth	C3DZ 17271-B	C0DD 17271-B
8	390,429	C6	8.15 x 15,215R x 15,8.45 x 15		\$ - 9 teeth	C8SZ 17271-B	C8SZ 17271-B
6	240	C/M(MX)	7.75 x 15,8.15 x 15, 215R x 15,G70 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	302,390						
8	428	C/M(MX)	8.15 x 15,215R x 15,G70 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6	240	C/M(MX)	8.45 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	302						
8	390,428	C/M(MX)	8.45 x 15		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	390,428	C/M(MX)	205R x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6	200	3/M/T	7.35 x 14,185R x 14,E70 x 14		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	200	3/M/T	7.75 x 14, F70 x 14		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
6	200	3/M/T	FR70 x 14		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-A
6	240	3/M/T	7.75 x 15,8.15 x 15,8.45 x 15, 205R x 15,215R x 15,G70 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	302,390						
8	289,302	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	289,302	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	289,302	3/M/T	7.35 x 14,185R x 14,E70 x 14, F70 x 14, FR70 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
						REGULAR	P/C, TAXI or RENTAL

1968

3.00 - REAR AXLE RATIO - continued

8	390	3/M/T	7.35 x 14, 185R x 14, E70 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	289, 302, 390	4/M/T	6.95 x 14, E70 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	390	3/M/T	7.75 x 14, F70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289, 302, 390	4/M/T	7.75 x 14, F70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	390	3/M/T	FR70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	289, 302, 390	4/M/T	FR70 x 14, 7.35 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G

3.10 - REAR AXLE RATIO

6	240	C4, C/M- (FMX)	7.75 x 15, 205R x 15, 215R x 15		\$	C7VY 17271-A	C7VY 17271-A
8	302, 390						
6	240	C4, C/M- (FMX)	8.15 x 15		\$	C7SZ 17271-B	C6VY 17271-B
8	302, 390						
6	240	C4, C/M- (FMX)	8.45 x 15		\$	C7SZ 17271-B	C7SZ 17271-B
8	302, 390						
6	240	C4, C/M- (FMX)	G70 x 15		\$	C6VY 17271-B	C8SZ 17271-B
8	302, 390						
6	240	3/M/T	7.75 x 15, 215R x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8	302						
6	240	3/M/T	8.15 x 15, 8.45 x 15, G70 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	302						
6	240	3/M/T	205R x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8	302						

3.20 - REAR AXLE RATIO

6	170, 200	C4	6.95 x 14, E70 x 14		\$	C8SZ 17271-B	D00Z 17271-A
6	170, 200	C4	7.35 x 14, 7.75 x 14, F70 x 14		\$	C8SZ 17271-B	C8SZ 17271-B
6	170, 200	C4	185R x 14		\$	D00Z 17271-A	D00Z 17271-A
6	200	C4	FR70 x 14		\$	C7VY 17271-A	C7VY 17271-A
6	170, 200	3/M/T	6.95 x 14, 185R x 14, E70 x 14		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6	170, 200	3/M/T	7.75 x 14		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	200	3/M/T	7.35 x 14, F70 x 14, FR70 x 14		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B

\$ Part of transmission output shaft

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1968							
3.25 - REAR AXLE RATIO							
6	170,200	C4	7.75 x 14, F70 x 14, FR70 x 14		\$	C8SZ 17271-B	C8SZ 17271-B
8	302						
6	170,200	C4	7.35 x 14, 185R x 14, E70 x 14		\$	D0OZ 17271-A	D0OZ 17271-A
8	289,302	C4	7.35 x 14		\$	C8SZ 17271-B	D0OZ 17271-A
8	289,302	C4	6.95 x 14, 185R x 14, E70 x 14		\$	D0OZ 17271-A	D0OZ 17271-A
6	240	C4,	7.75 x 15, 205R x 15		\$	C8SZ 17271-B	C8SZ 17271-B
		C/M-					
		(FMX)					
8	302,390						
6	240	C4,	8.15 x 15, 215R x 15, G70 x 15		\$	C7VY 17271-A	C8SZ 17271-B
		C/M-					
		(FMX)					
8	302,390						
6	240	C4,	8.45 x 15		\$	C7VY 17271-A	C7VY 17271-A
		C/M-					
		(FMX)					
8	302,390						
8	390	C6	7.35 x 14		\$ - 8 teeth	C1DD 17271-A	C4OZ 17271-A
8	390	C6	7.75 x 14, F70 x 14, FR70 x 14		\$ - 8 teeth	C1DD 17271-A	C1DD 17271-A
8	390	C6	E70 x 14, 185R x 14		\$ - 8 teeth	C4OZ 17271-A	C4OZ 17271-A
8	390,428	C6	205R x 15		\$ - 8 teeth	C1DD 17271-A	C1DD 17271-A
8	390,427, 428	C6	8.15 x 15, G70 x 15, 215R x 15		\$ - 8 teeth	C0DD 17271-A	C1DD 17271-A
8	390,427, 428	C6	8.45 x 15		\$ - 8 teeth	C0DD 17271-C	C0DD 17271-C
6	240	C/M(MX)	7.75 x 15, 8.15 x 15, 215R x 15, 205R x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	302,390, 428						
6	240	C/M(MX)	8.45 x 15		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	302,390, 428						
8	390,428	C/M(MX)	G70 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6	170,200	3/M/T	7.75 x 14, F70 x 14		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T	7.35 x 14, 185R x 14, E70 x 14, FR70 x 14		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6	240	3/M/T	7.75 x 15, 8.15 x 15, 215R x 15, G70 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8	302,390						
6	240	3/M/T	8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8	302,390						
8	289,302	3/M/T	7.35 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
8	289,302	3/M/T	7.75 x 14, F70 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	289,302	3/M/T	6.95 x 14, 185R x 14, E70 x 14, FR70 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1968							
3.25 - REAR AXLE RATIO - continued							
6 8	240 802,390	3/M/T	205R x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8	390	3/M/T	7.35 x 14, F70 x 14, FR70 x 14, E70 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	390	3/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	390,428	4/M/T	205R x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	390,428	4/M/T	8.15 x 15, G70 x 15, 215R x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	390,428	4/M/T	8.45 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	289,302, 390	4/M/T	7.35 x 14, E70 x 14, F70 x 14, FR70 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	289,302, 390	4/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	289,302	4/M/T	6.95 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
3.50 - REAR AXLE RATIO							
8	427	C6	FR70 x 14, 8.45 x 15		\$ - 8 teeth	C4OZ 17271-A	C4OZ 17271-A
8	427	C6	8.15 x 15, G70 x 15		\$ - 8 teeth	C1DD 17271-A	C1DD 17271-A
8	289	4/M/T	F70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289,390, 428	4/M/T	FR70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	390,428	4/M/T	8.15 x 15, 8.45 x 15		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	390,428	4/M/T	215R x 15, G70 x 15		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	390,428	4/M/T	205R x 15		C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	390	3/M/T	8.15 x 15, 8.45 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	390	3/M/T	215R x 15, G70 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8	390	3/M/T	205R x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	7.35 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	7.75 x 15	Bronco	C6TZ 17285-A	C0DD 17271-A	C0DD 17271-A
6 8	170 289	3/M/T	8.15 x 15	Bronco-exc. snow tires -w/snow tires	C6TZ 17285-J C6TZ 17285-A	C0DD 17271-B C0DD 17271-A	C0DD 17271-B C0DD 17271-A
6 8	170 289	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/snow tires	C6TZ 17285-J C6TZ 17285-J	C3DZ 17271-B C0DD 17271-B	C3DZ 17271-B C0DD 17271-B
6 8	170 289	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
3.91 - REAR AXLE RATIO							
8	390,428	C6	FR70 x 14	#	\$	C7SZ 17271-A	C7SZ 17271-A
8	390,428	4/M/T	FR70 x 14		C5ZZ 17285-A	C2DZ 17271-F	C2DZ 17271-F

\$ Part of transmission output shaft

C8ZZ 17294-A adapter must also be used

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1968

4.11 - REAR AXLE RATIO

6 8	170 289	3/M/T	7.35 x 15, 7.75 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	8.15 x 15	Bronco-exc. snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C0DD 17271-B C0DD 17271-C	C0DD 17271-B C0DD 17271-C
6 8	170 289	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C3DZ 17271-B C0DD 17271-B	C3DZ 17271-B C0DD 17271-B
6 8	170 289	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B

4.30 - REAR AXLE RATIO

8	390,428	C6	FR70 x 14	#	\$	C7SZ 17271-B	C6VY 17271-B
8	390,428	4/M/T	FR70 x 14		C5ZZ 17285-A	C2DZ 17271-H	C2DZ 17271-H

4.57 - REAR AXLE RATIO

6 8	170 289	3/M/T	7.35 x 15, 7.75 x 15	Bronco-exc. snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C4OZ 17271-B C4OZ 17271-A	C4OZ 17271-B C4OZ 17271-A
6 8	170 289	3/M/T	8.15 x 15	Bronco-exc. snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C1DD 17271-A C4OZ 17271-A	C1DD 17271-A C4OZ 17271-A
6 8	170 289	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C0DD 17271-C C1DD 17271-A	C0DD 17271-C C1DD 17271-A
6 8	170 289	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-A

\$ Part of transmission output shaft

C8ZZ 17294-A adapter must also be used

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
						REGULAR	P/C, TAXI or RENTAL

1969

2.33 - REAR AXLE RATIO							
6	250	C4	E78 x 14		\$	C0DD 17271-A	C0DD 17271-A
2.75 - REAR AXLE RATIO							
8	351,390	C6,C/M	E70 x 14, F70 x 14, FR70 x 14, 7.75 x 14, 7.75 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	351,390	C6,C/M	7.35 x 14, E78 x 14		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	351,390	C6,C/M	8.55 x 15, H70 x 15		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	351,390	C6,C/M	8.25 x 15, 215R x 15		\$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	351,390	3/M/T	E70 x 14, F70 x 14, FR70 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	351,390	3/M/T	7.35 x 14, E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
2.79 - REAR AXLE RATIO							
6	250	C4	E70 x 14, 6.95 x 14, C78 x 14		\$	C7SZ 17271-B	C7SZ 17271-B
8	302						
6	250	C4	7.75 x 14, F70 x 14		\$	C7SZ 17271-A	C7SZ 17271-A
8	302						
6	250	C4	7.35 x 14, E78 x 14, FR70 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
8	302						
6	250	3/M/T	6.95 x 14, C78 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	302						
6	250	3/M/T	7.35 x 14, FR70 x 14, E70 x 14, E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	302						
8	302	3/M/T	7.75 x 14, F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	302	4/M/T	6.95 x 14, 7.35 x 14, E70 x 14, F70 x 14, FR70 x 14, C78 x 14, E78 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
2.80 - REAR AXLE RATIO							
6	240	C4,C6, C/M	7.75 x 15, 8.25 x 15, 215R x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	302,390, 428,429						
6	240	C4,C6, C/M	8.55 x 15, H70 x 15		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	302,390, 428,429						
8	429	C6	8.25 x 15, 215R x 15		\$ - 9 teeth	C7VY 17271-A	C7VY 17271-A
8	429	C6	8.55 x 15		\$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
2.83 - REAR AXLE RATIO							
6	170,200	C4	6.95 x 14, 7.35 x 14, E78 x 14		\$	C7SZ 17271-B	C7SZ 17271-B
6	170,200	C4	7.75 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
6	200	C4	C78 x 14		\$	C7SZ 17271-B	C6VY 17271-B
3.00 - REAR AXLE RATIO							
6	200,250	C4,C6, C/M	6.95 x 14		\$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
8	302,351, 390,428						
6	200,250	C4,C6, C/M	7.35 x 14, E70 x 14, F70 x 14, FR70 x 14, E78 x 14		\$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
8	302,351, 390,428						
6	200,250	C4,C6, C/M	C78 x 14		\$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B
8	302,351, 390,428						

\$ Part of transmission output shaft

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
						REGULAR	P/C, TAXI or RENTAL

1969

3.00 - REAR AXLE RATIO - continued

6	250	C4, C6, C/M	7.75 x 14		\$ - 8 teeth	C7SZ 17271-B	C6VY 17271-B
8	302, 351, 390						
6	240	C4, C6, C/M	7.75 x 15, 8.25 x 15, 215R x 15		\$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8	302, 390, 428, 429						
6	240	C4, C6, C/M	8.55 x 15, H70 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	302, 390, 428, 429						
8	429	C6	8.25 x 15, 215R x 15, 8.55 x 15		\$ - 9 teeth	C8SZ 17271-B	C8SZ 17271-B
6	170, 200, 250	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	302, 351						
6	250	3/M/T	7.35 x 14, E70 x 14, F70 x 14, FR70 x 14, E78 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	302, 351						
6	250	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	302, 351						
6	250	3/M/T	C78 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	302, 351						
8	390	3/M/T	7.35 x 14, E70 x 14, FR70 x 14, E78 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	390	3/M/T	F70 x 14, 7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	390	3/M/T	C78 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
6	240	3/M/T	7.75 x 15, 8.25 x 15, 8.55 x 15, 215R x 15, H70 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
8	302, 390						
8	302, 351, 390	4/M/T	7.35 x 14, E70 x 14, E78 x 14, FR70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	302, 351, 390	4/M/T	F70 x 14, 7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302, 351, 390	4/M/T	C78 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G

3.08 - REAR AXLE RATIO

6	170, 200	C4	6.95 x 14, C78 x 14		\$	C8SZ 17271-B	C8SZ 17271-B
6	170, 200	C4	7.75 x 14		\$	C7VY 17271-A	C7VY 17271-A
6	200	C4	7.35 x 14, E78 x 14		\$	C7VY 17271-A	C8SZ 17271-B
6	170, 200	3/M/T	6.95 x 14, C78 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	170, 200	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6	200	3/M/T	7.35 x 14, E78 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A

3.10 - REAR AXLE RATIO

6	240	C4	7.75 x 15, 215R x 15		\$	C6VY 17271-B	C6VY 17271-B
8	302						
6	240	C4	8.25 x 15		\$	C7SZ 17271-B	C6VY 17271-B
8	302						
6	240	C4	8.55 x 15, H70 x 15		\$	C7SZ 17271-B	C7SZ 17271-B
8	302						
6	240	3/M/T	7.75 x 15, 215R x 15		C8AZ 17285-A	C0DD 17271-A	C3DZ 17271-B
8	302						
6	240	3/M/T	8.25 x 15, 8.55 x 15, H70 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
8	302						

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
						REGULAR	P/C, TAXI or RENTAL

1969

3.20 - REAR AXLE RATIO

6	170,200	C4	6.95 x 14		\$	C8SZ 17271-B	D00Z 17271-A
6	170,200	C4	7.75 x 14		\$	C8SZ 17271-B	C8SZ 17271-B
6	170,200	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	170,200	3/M/T	7.75 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B

3.25 - REAR AXLE RATIO

6	250	C4, C6, C/M	7.35 x 14, E78 x 14		\$ - 8 teeth	C8SZ 17271-B	D00Z 17271-A
8	302,351, 390						
6	200,240, 250	C4, C6, C/M	7.75 x 14, F70 x 14, FR70 x 14, 7.75 x 15		\$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B
8	302,351, 390,429						
6	250	C4, C6, C/M	E70 x 14, 6.95 x 14, C78 x 14		\$ - 8 teeth	D00Z 17271-A	D00Z 17271-A
8	302,351, 390						
6	240	C4, C6, C/M	8.25 x 15, 215R x 15		\$ - 8 teeth	C6VY 17271-B	C8SZ 17271-B
8	302,351, 390,429						
6	240	C4, C6, C/M	8.55 x 15, H70 x 15		\$ - 8 teeth	C6VY 17271-B	C6VY 17271-B
8	302,351, 390,429						
6	250	3/M/T	7.35 x 14, E78 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
8	302,351						
6	200,250	3/M/T	7.75 x 14, F70 x 14, FR70 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	302,351						
6	250	3/M/T	E70 x 14, 6.95 x 14, C78 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	302,351						
8	390	3/M/T	7.35 x 14, E70 x 14, F70 x 14, FR70 x 14, E78 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	390	3/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	390	3/M/T	6.95 x 14, C78 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
6	240	3/M/T	7.75 x 15, 8.25 x 15, 215R x 15		C8AZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
8	302,390						
6	240	3/M/T	8.55 x 15, H70 x 15		C8AZ 17285-A	C0DD 17271-A	C3DZ 17271-B
8	302,390						
8	302,351, 390	4/M/T	7.35 x 14, E70 x 14, F70 x 14, FR70 x 14, E78 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	302,351, 390	4/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	428	4/M/T	7.35 x 14, 7.75 x 14, F70 x 14, FR70 x 14, E70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	351,390	4/M/T	6.95 x 14, C78 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	429	4/M/T	8.25 x 15, 215R x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	429	4/M/T	8.55 x 15, H70 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G

3.50 - REAR AXLE RATIO

8	390,428	C6	7.35 x 14, 7.75 x 14, F70 x 14, FR70 x 14, E70 x 14, E78 x 14		\$ - 8 teeth	D00Z 17271-A	D00Z 17271-A
8	351,428	4/M/T	7.35 x 14, E70 x 14, FR70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	351,428	4/M/T	7.75 x 14, F70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302,351, 390	4/M/T	7.35 x 14, F70 x 14, FR70 x 14, E70 x 14, E78 x 14, F60 x 15		C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A

\$ - Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1969							
3.50 - REAR AXLE RATIO - continued							
6 8	170 302	3/M/T	7.35 x 15, 7.75 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	8.25 x 15, G78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/snow tires	C6TZ 17285-J C6TZ 17285-J	C3DZ 17271-B C0DD 17271-B	C3DZ 17271-B C0DD 17271-B
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
3.91 - REAR AXLE RATIO							
8	390, 428	C6	7.35 x 14	#	\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	390, 428	C6	E70 x 14, E78 x 14, F70 x 14, FR70 x 14, 7.75 x 14	#	\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	302, 390	4/M/T	7.35 x 14, F70 x 14, F60 x 15, FR70 x 14, E78 x 14, 7.75 x 14	%	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302, 390	4/M/T	E70 x 14	%	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	351, 428	4/M/T	E70 x 14, FR70 x 14, F70 x 14, 7.35 x 14, 7.75 x 14		C5ZZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
4.11 - REAR AXLE RATIO							
6 8	170 302	3/M/T	7.35 x 15, 7.75 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	8.25 x 15, G78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/ snow tires	C6TZ 17285-A C6TZ 17285-A	C3DZ 17271-B C0DD 17271-B	C3DZ 17271-B C0DD 17271-B
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
4.30 - REAR AXLE RATIO							
8	428	C6	7.35 x 14, E70 x 14, E78 x 14	#	\$ - 8 teeth	C6VY 17271-B	C6VY 17271-B
8	428	C6	7.75 x 14, F70 x 14, FR70 x 14	#	\$ - 8 teeth	C7SZ 17271-B	C6VY 17271-B
8	302, 390	4/M/T	7.35 x 14, E70 x 14, E78 x 14	%	C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	302, 390	4/M/T	F60 x 15, F70 x 14, FR70 x 14, 7.75 x 14	%	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	351, 428	4/M/T	E70 x 14, F70 x 14, FR70 x 14, 7.35 x 14, 7.75 x 14		C5ZZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
4.57 - REAR AXLE RATIO							
6 8	170 302	3/M/T	7.35 x 15, 7.75 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6 8	170 302	3/M/T	8.25 x 15, G78 x 15	Bronco-exc. snow tires -w/ snow tires	C6TZ 17285-A C6TZ 17285-A	C4OZ 17271-A C1DD 17271-A	C4OZ 17271-A C1DD 17271-A
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/ snow tires	C6TZ 17285-A C6TZ 17285-A	C0DD 17271-C C1DD 17271-A	C0DD 17271-C C1DD 17271-A
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C

C8ZZ 17294-A adapter must also be used

% C9ZZ 17294-A adapter must also be used

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1970

2.75 - REAR AXLE RATIO

8 351	C4, C/M	7.35 x 14, E78 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
8 351	C4, C/M	7.75 x 14, E70 x 14, F70 x 14, F78 x 14, G70 x 14, F60 x 15		\$	C7SZ 17271-A	C7SZ 17271-A
8 351	C4, C/M	G78 x 14		\$	D0AZ 17271-A	D0AZ 17271-A
6 240	C4, C6, C/M	7.75 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8 302, 351, 390, 429						
6 240	C4, C6, C/M	8.25 x 15, F78 x 15, G78 x 15		\$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8 302, 351, 390, 429						
6 240	C4, C6, C/M	8.55 x 15, H78 x 15, H70 x 15		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8 302, 351, 390, 429						
8 351	3/M/T	7.35 x 14, E78 x 14				
8 351	3/M/T	E70 x 14, F70 x 14, F60 x 15		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
				C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B

2.79 - REAR AXLE RATIO

6 250	C4	7.35 x 14, E70 x 14, E78 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
8 302						
6 250	C4	7.75 x 14, F70 x 14, F78 x 14, G70 x 14, G78 x 14, F60 x 15		\$	C7SZ 17271-A	C7SZ 17271-A
8 302						
8 302	C4	6.95 x 14		\$	C7SZ 17271-B	C7SZ 17271-B
6 250	3/M/T	7.35 x 14, E70 x 14, E78 x 14				
8 302				C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
6 250	3/M/T	7.75 x 14, F70 x 14, F78 x 14, G70 x 14, G78 x 14, F60 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8 302						
8 302	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B

2.80 - REAR AXLE RATIO

8 429	C6	7.75 x 15, 8.25 x 15, F78 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8 429	C6	8.55 x 15, H70 x 15, H78 x 15		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8 429	C6	G78 x 15		\$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8 429	C6	8.55 x 15, H78 x 15		\$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
8 429	C6	215R x 15		\$ - 9 teeth	C7VY 17271-A	C7VY 17271-A

2.83 - REAR AXLE RATIO

6 170, 200	C4	6.00 x 13		\$	C8SZ 17271-B	C8SZ 17271-B
6 170, 200	C4	6.45 x 13, C78 x 14, B78 x 14, 6.50 x 13		\$	C7VY 17271-A	C7VY 17271-A

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1970

2.83 - REAR AXLE RATIO - continued

6	170,200	C4	D70 x 14, 6.95 x 14, 7.35 x 14, E70 x 14, F78 x 14		\$	C7SZ 17271-B	C7SZ 17271-B
6	200	C4	F70 x 14, F60 x 15, 7.75 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
6	170,200	3/M/T	6.00 x 13		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	170,200	3/M/T	6.45 x 14, C78 x 14, B78 x 14, 6.50 x 13		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6	170,200	3/M/T	D70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B

3.00 - REAR AXLE RATIO

6	200	C4	B78 x 14, C78 x 14, 6.95 x 14		\$	C7VY 17271-A	C8SZ 17271-B
8	302						
6	200,250	C4, C6, C/M	D70 x 14, 7.35 x 14, E70 x 14, F70 x 14, E78 x 14		\$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
8	302,351, 429						
6	200	C4	6.00 x 13		\$	D0OZ 17271-A	D0OZ 17271-A
6	200	C4	6.45 x 14		\$	C8SZ 17271-B	C8SZ 17271-B
6	200,250	C4, C6, C/M	7.75 x 14, F78 x 14, F60 x 15, G70 x 14		\$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
8	302,351, 428,429						
6	240,250	C4, C6, C/M	7.75 x 15, 8.25 x 15, F78 x 15, G78 x 15, G78 x 14		\$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8	302,351, 390,428, 429						
6	240	C4, C6, C/M	8.55 x 15, H70 x 15, H78 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	302,390, 428,429						
8	429	C6	H78 x 15		\$ - 9 teeth	C7VY 17271-A	C8SZ 17271-B
8	429	C6	215R x 15, 8.55 x 15		\$ - 9 teeth	C8SZ 17271-B	C8SZ 17271-B
6	250	3/M/T	7.35 x 14, F70 x 14, E78 x 14, F70 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	302,351						
6	200,250	3/M/T	7.75 x 14, F78 x 14, F60 x 15, G70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	302,351						
6	250	3/M/T	8.25 x 15, G78 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	302,351						
8	302	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6	240	3/M/T	7.75 x 15, 8.25 x 15, 8.55 x 15, F78 x 15, G78 x 15, H70 x 15, H78 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
8	302,351, 390						

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1970

3.00 - REAR AXLE RATIO - continued

8 302,351, 428,429	4/M/T	7.35 x 14, E78 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8 302,351, 428,429	4/M/T	F70 x 14, F60 x 15, 7.75 x 15, F78 x 14, G70 x 15, G78 x 15, 8.25 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8 302,351, 428,429	4/M/T	E70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G

3.07 - REAR AXLE RATIO

6 240 8 302,351	C4, C/M	7.75 x 15		\$	C7VY 17271-A	C7VY 17271-A
6 240 8 302,351	C4, C/M	8.55 x 15, H78 x 15		\$	C7SZ 17271-B	C7SZ 17271-B
6 240 8 302,351	C4, C/M	8.25 x 15, F78 x 15, G78 x 15		\$	C7SZ 17271-B	C7VY 17271-A
6 240 8 302	3/M/T	7.75 x 15, 8.25 x 15, 8.55 x 15, G78 x 15, F78 x 15, H70 x 15, H78 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A

3.08 - REAR AXLE RATIO

6 170,200	C4	6.00 x 13, 6.45 x 14, 6.50 x 13		\$	D0OZ 17271-A	D0OZ 17271-A
6 170,200	C4	B78 x 14, C78 x 14, E70 x 14, 6.95 x 14		\$	C8SZ 17271-B	C8SZ 17271-B
6 170,200	C4	D70 x 14, 7.35 x 14, E78 x 14		\$	C7VY 17271-A	C8SZ 17271-B
6 200	C4	F70 x 14, F60 x 15, 7.75 x 14		\$	C7VY 17271-A	C7VY 17271-A
6 170,200	3/M/T	6.00 x 13, 6.45 x 14, 6.50 x 13		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6 170,200	3/M/T	B78 x 14, C78 x 14, 6.95 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 170,200	3/M/T	D70 x 14, 7.35 x 14, E78 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 200	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C

3.20 - REAR AXLE RATIO

6 170,200	C4	6.45 x 14, 6.50 x 13, B78 x 14, C78 x 14		\$	D0OZ 17271-A	D0OZ 17271-A
6 170,200	C4	6.00 x 13		\$	D0AZ 17271-A	D0AZ 17271-A
6 170,200	C4	D70 x 14, 6.95 x 14		\$	C8SZ 17271-B	D0OZ 17271-A
6 200	C4	7.75 x 14		\$	C8SZ 17271-B	C8SZ 17271-B
6 170,200	3/M/T	6.45 x 14, 6.50 x 13, B78 x 14, C78 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6 170,200	3/M/T	D70 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
6 200	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 200	3/M/T	6.95 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B

3.25 - REAR AXLE RATIO

6 250 8 302,351, 429	C4, C6, C/M	7.35 x 14, E78 x 14		\$ - 8 teeth	C8SZ 17271-B	D0OZ 17271-A

\$ Part of transmission output shaft

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1970							
3.25 - REAR AXLE RATIO - continued							
6	200,250	C4,C6, C/M	7.75 x 14,F70 x 14,F78 x 14, F60 x 15,G70 x 14		\$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B
8	302,351, 429						
6	250	C4,C6, C/M	E70 x 14		\$ - 8 teeth	D00Z 17271-B	D00Z 17271-B
8	302,351, 429						
6	250	C4,C6, C/M	G78 x 14		\$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
8	302,351, 429						
6	240	C4,C6, C/M	7.75 x 15,F78 x 15		\$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B
8	302,351, 390,429						
6	240,250	C4,C6, C/M	8.25 x 15,G78 x 15		\$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
8	302,351, 390,429						
6	240	C4,C6, C/M	8.55 x 15,H70 x 15,H78 x 15		\$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
8	302,351, 390,429						
6	250	3/M/T	7.35 x 14,E78 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
8	302,351						
6	200,250	3/M/T	7.75 x 14,F70 x 14,F78 x 14, F60 x 15,G70 x 14,8.25 x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	302,351						
6	250	3/M/T	E70 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	302,351						
6	250	3/M/T	G78 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	302,351						
6	240	3/M/T	7.75 x 15,8.25 x 15, F78 x 15,G78 x 15		C8AZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
8	302,351, 390						
6	240	3/M/T	8.55 x 15,H70 x 15,H78 x 15		C8AZ 17285-A	C0DD 17271-A	C3DZ 17271-B
8	302,351, 390						
8	302,351, 428,429	4/M/T	7.35 x 14,E70 x 14,F70 x 14, E78 x 14,G70 x 14,F60 x 15		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	302,351, 429						
8	302,351, 429	4/M/T	7.75 x 14,F78 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	302,351, 429						
8	429	4/M/T	8.55 x 15,H70 x 15,H78 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G

* Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1970							
3.50 - REAR AXLE RATIO							
8	351,428,429	C6,C/M	7.75 x 14,F70 x 14,F78 x 14,G70 x 14,G78 x 14,F60 x 15		\$ - 8 teeth	D00Z 17271-A	D00Z 17271-A
8	302,351,428,429	4/M/T	7.35 x 14,E78 x 14		C4DZ 17285-A	C4DZ 17271-A	C2DZ 17271-H
8	302,351,428,429	4/M/T	7.75 x 14,F70 x 14,F78 x 14,F60 x 15,G70 x 14		C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	302,351,428,429	4/M/T	F70 x 14		C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8	351,429	4/M/T	G78 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
6	170	3/M/T	7.35 x 15,7.75 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
8	302						
6	170	3/M/T	8.25 x 15,G78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
8	302						
6	170	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
8	302			-w/ snow tires	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
6	170	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
8	302						
3.91 - REAR AXLE RATIO							
8	351,428,429	C6,C/M	7.35 x 14,7.75 x 14,F70 x 14,E78 x 14,F78 x 14,F60 x 15,G70 x 14	#	\$	C7SZ 17271-A	C7SZ 17271-A
8	351,428,429	C6,C/M	E70 x 14	#	\$	C7SZ 17271-A	C7SZ 17271-B
8	351,429	C6,C/M	G78 x 14	#	\$	D0AZ 17271-A	D0AZ 17271-A
8	302,351,428,429	4/M/T	7.35 x 14,7.75 x 14,F70 x 14,F78 x 14,G78 x 14,G70 x 14,F60 x 15	% or ⊕	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302,351,428,429	4/M/T	E70 x 14,E78 x 14	% of ⊕	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
4.11 - REAR AXLE RATIO							
6	170	3/M/T	7.35 x 15,7.75 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
8	302						
6	170	3/M/T	8.25 x 15,G78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
8	302						
6	170	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
8	302			-w/snow tires	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6	170	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
8	302						

\$ Part of transmission output shaft

C8ZZ 17294-A adapter must also be used

% C9ZZ 17294-A (Mustang) adapter must also be used

⊕ D00Z 17294-A (Torino) adapter must also be used

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1970

4.30 - REAR AXLE RATIO

8	351,428, 429	C6, C/M	7.35 x 14, E70 x 14, E78 x 14	#	\$	C7VY 17271-A	C7VY 17271-A
8	351,428, 429	C6, C/M	7.75 x 14, F70 x 14, F78 x 14, F60 x 15, G70 x 14	#	\$	C7SZ 17271-B	C7VY 17271-A
8	351,429	C6, C/M	G78 x 14	#	\$	C7SZ 17271-B	C7SZ 17271-B
8	302,351, 428,429	4/M/T	7.35 x 14, 7.75 x 14, E70 x 14,	% or ⊕	C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	302,351, 428,429	4/M/T	F70 x 14, F78 x 14, G70 x 14, F60 x 15	% or ⊕	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	351,429	4/M/T	G78 x 14	% or ⊕	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G

4.57 - REAR AXLE RATIO

6 8	170 302	3/M/T	7.35 x 15, 7.75 x 15, G78 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6 8	170 302	3/M/T	8.25 x 15	Bronco-exc. snow tires -w/ snow tires	C6TZ 17285-A C6TZ 17285-A	C4OZ 17271-A C1DD 17271-A	C4OZ 17271-A C1DD 17271-A
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/ snow tires	C6TZ 17285-A C6TZ 17285-A	C0DD 17271-C C1DD 17271-A	C0DD 17271-C C1DD 17271-A
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A

\$ Part of transmission output shaft

% C9ZZ 17294-A (Mustang) adapter must also be used

C8ZZ 17294-A adapter must also be used

⊕ D0OZ 17294-A (Torino) adapter must also be used

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1971							
2.75 - REAR AXLE RATIO							
8	351	C4, C/M	E70 x 14		\$	C7SZ 17271-B	C7SZ 17271-B
8	351	C4, C/M	F70 x 14, F78 x 14, G70 x 14, G78 x 14, F60 x 15, 8.25 x 14		\$	C7SZ 17271-A	C7SZ 17271-A
8	351	C4, C/M	E78 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
6	240	C4, C6, C/M	F78 x 15, 8.25 x 15, G78 x 15		\$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	302, 351, 390, 400, 429						
6	240	C4, C6, C/M	H78 x 15, J78 x 15, 8.55 x 15, 215 x 15		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	302, 351, 390, 400, 429						
8	429	C6	H78 x 15, HR78 x 15, 215 x 15		\$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429	C6	225 x 15		\$ - 9 teeth	C7SZ 17271-A	C7SZ 17271-B
8	351	3/M/T	F70 x 14, F78 x 14, F60 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	351	3/M/T	E70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	351	3/M/T	E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
2.79 - REAR AXLE RATIO							
6	200, 250	C4	D70 x 14, C78 x 14, E78 x 14, E70 x 14		\$	C7SZ 17271-B	C7SZ 17271-B
8	302						
6	200	C4	B78 x 14		\$	C7VY 17271-A	C7VY 17271-A
8	302						
6	200	C4	6.50 x 13, 6.45 x 14		\$	C7SZ 17271-B	C7VY 17271-A
8	302						
6	200	C4	6.00 x 13		\$	C7VY 17271-A	C8SZ 17271-B
8	302						
6	250	C4	F60 x 15, F78 x 14, G70 x 14, G78 x 14, 8.25 x 14, 8.25 x 15		\$	C7SZ 17271-A	C7SZ 17271-A
8	302						
6	250	C4	F70 x 14		\$	C7SZ 17271-A	C7SZ 17271-B
8	302						
6	170, 250	3/M/T	D70 x 14, C78 x 14, E70 x 14, E78 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	302						
6	170	3/M/T	B78 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	302						
6	170	3/M/T	6.50 x 13, 6.45 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	302						
6	170	3/M/T	6.00 x 13		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	302						
6	250	3/M/T	F60 x 15, F78 x 14, G70 x 14, G78 x 14, 8.25 x 14, 8.25 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	302						
6	250	3/M/T	F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	302						

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1971							
2.80 - REAR AXLE RATIO							
8	400, 429	C6	H78 x 15, J78 x 15, 8.55 x 15, 215 x 15		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	400, 429	C6	F78 x 15, 8.25 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	400, 429	C6	G78 x 15		\$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	429	C6	H78 x 15, 215 x 15, 225 x 15		\$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429	C6	HR78 x 15		\$ - 9 teeth	C7SZ 17271-B	C7VY 17271-A
3.00 - REAR AXLE RATIO							
6	170, 200, 250	C4	6.00 x 13		\$	D0OZ 17271-A	D0OZ 17271-A
8	302						
6	170, 200, 250	C4	6.50 x 13, B78 x 14, D70 x 14, 6.45 x 14		\$	C8SZ 17271-B	C8SZ 17271-B
8	302						
6	170, 200, 250	C4, C6, C/M	C78 x 14, E70 x 14		\$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
8	302, 351, 429						
6	250	C4, C6, C/M	E78 x 14, F70 x 14		\$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
8	302, 351, 429						
6	240, 250	C4, C6, C/M	G78 x 14, 8.25 x 15, F78 x 15, G78 x 15		\$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8	302, 351, 400, 429						
6	250	C4, C6, C/M	F78 x 14, G70 x 14, F60 x 15, 8.25 x 14		\$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
8	302, 351, 429						
6	240	C6, C/M	J78 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	302, 400, 429						
6	240	C6, C/M	H78 x 15, 215 x 15, 8.55 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	302, 400, 429						
8	429 P/C	C6	H78 x 15, 8.25 x 15, 8.55 x 15, 215 x 15		\$ - 9 teeth		C8SZ 17271-B
8	429 P/C	C6	J78 x 15		\$ - 9 teeth		C7VY 17271-A
8	429	C6	225 x 15		\$ - 9 teeth	C7VY 17271-A	C7VY 17271-A
8	429	C6	HR78 x 15		\$ - 9 teeth	C8SZ 17271-B	C8SZ 17271-B
8	429	C6	H78 x 15, 215 x 15		\$ - 9 teeth	C7VY 17271-A	C8SZ 17271-B
6	170, 200	3/M/T	6.00 x 13		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	302						
6	170, 200	3/M/T	6.50 x 13, B78 x 14, D70 x 14, 6.45 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	302						
6	170, 200, 250	3/M/T	C78 x 14, F70 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	302, 351						

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1971

3.00 - REAR AXLE RATIO - continued

6 250	3/M/T	E78 x 14, F70 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8 302,351						
6 250	3/M/T	G78 x 14, 8.25 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8 300,351						
6 250	3/M/T	F78 x 14, G70 x 14, F60 x 15, 8.25 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8 302,351						
6 240	3/M/T	F78 x 15, G78 x 15, 8.25 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
8 302,351						
8 302,351, 429	4/M/T	F70 x 14, F78 x 14, G70 x 14, G78 x 14, F60 x 15, 8.25 x 14, 8.25 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8 302,351, 429	4/M/T	E70 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8 302,351, 429	4/M/T	E78 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G

3.00 - REAR AXLE RATIO

6 240	C4, C6, C/M	G78 x 15, H78 x 15, 8.55 x 15, 215 x 15		\$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8 302,351						
6 240	C4, C6, C/M	F78 x 15, 8.25 x 15		\$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
8 302,351						
6 240	C4, C6, C/M	J78 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8 302,351						
6 240	3/M/T	F78 x 15, G78 x 15, H78 x 15, 8.25 x 15, 8.55 x 15, 215 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
8 302						

3.18 - REAR AXLE RATIO

4 122	C4	6.00 x 13		\$	D0AZ 17271-A	C7SZ 17271-A
4 122	C4	A70 x 13, A78 x 13		\$	C7SZ 17271-A	C7SZ 17271-A

3.25 - REAR AXLE RATIO

6 250	C4, C6, C/M	E70 x 14, E78 x 14		\$	D0OZ 17271-A	D0OZ 17271-A
8 302,351, 429						
6 250	C4, C6, C/M	F70 x 14, F78 x 14, G70 x 14, G78 x 14, F60 x 15, 8.25 x 14		\$	C8SZ 17271-B	C8SZ 17271-B
8 302,351, 429						
6 240, 250	C4, C6, C/M	8.25 x 15, F78 x 15		\$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
8 302,351, 390, 400, 429						

\$ Part of transmission output shaft

◇ 2.0 litre

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1971							
3.25 - REAR AXLE RATIO - continued							
6	240	C4, C6, C/M	G78 x 15, H78 x 15, 8.55 x 15, 215 x 15		\$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
8	302, 351, 390, 400, 429						
6	240						
8	302, 351, 390, 400, 429	C4, C6, C/M	J78 x 15		\$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
6	240						
8	302, 351, 390, 400, 429						
6	250	3/M/T	E70 x 14, E78 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	302, 351						
6	250	3/M/T	F70 x 14, F78 x 14, G70 x 14, G78 x 14, F60 x 15, 8.25 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	302, 351						
6	250	3/M/T	8.25 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	302, 351						
6	240	3/M/T	J78 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
8	302, 351						
6	240	3/M/T	F78 x 15, G78 x 15, 8.25 x 15		C8AZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
8	302, 351						
6	240	3/M/T	H78 x 15, 8.55 x 15, 215 x 15		C8AZ 17285-A	C0DD 17271-A	C3DZ 17271-B
8	302, 351						
8	351, 429	4/M/T	F70 x 14, E78 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	351, 429						
8	351, 429	4/M/T	G78 x 14, 8.25 x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	351, 429						
8	351, 429	4/M/T	E70 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	351, 429						
8	351, 429	4/M/T	F78 x 14, G70 x 14, F60 x 15, 8.25 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	351, 429						
3.50 - REAR AXLE RATIO							
8	351, 429	C6	F70 x 14, F78 x 14, F60 x 15, G70 x 14, G78 x 14, 8.25 x 14, 8.25 x 15		\$ - 8 teeth	D0OZ 17271-A	D0OZ 17271-A
8	302, 351, 429						
8	302, 351, 429	4/M/T	F70 x 14, F78 x 14, G70 x 14, F60 x 15, 8.25 x 14	Exc.RUG-BA1 trans.	C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	351, 429						
8	351, 429	4/M/T	8.25 x 15	Exc.RUG-BA1 trans.	C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	351, 429						
8	351, 429	4/M/T	G78 x 14	Exc.RUG-BA1 trans.	C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	351						
8	351	4/M/T	F70 x 14, F78 x 14, F60 x 15, G70 x 14, G78 x 14, 8.25 x 14, 8.25 x 15	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	351						
8	302, 351, 429	4/M/T	E70 x 14	Exc.RUG-BA1 trans.	C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8	351						
8	351	4/M/T	E70 x 14	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	302, 351, 429						
8	302, 351, 429	4/M/T	E78 x 14	Exc.RUG-BA1 trans.	C4DZ 17285-A	C4DZ 17271-A	C2DZ 17271-H
8	351						
8	351	4/M/T	E78 x 14	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	351						
6	170	3/M/T	E78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
8	302						

* Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1971							
3.50 - REAR AXLE RATIO - continued							
6 8	170 302	3/M/T	G78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc.snow tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
				-w/ snow tires	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
3.55 - REAR AXLE RATIO							
4 4	◇122 ◇122	C4	A70 x 13,A78 x 13		\$	C7VY 17271-A	C7VY 17271-A
		C4	6.00 x 13		\$	C7SZ 17271-B	C7VY 17271-A
4 4	*98, ◇122	4/M/T 71WG-AB	A70 x 13,A78 x 13		D1FZ 17285-A	C0DD 17271-C	C0DD 17271-C
4 4	*98, ◇122	4/M/T 71WG-AB	6.00 x 13		D1FZ 17285-A	C0DD 17271-B	C0DD 17271-C
4 4	*98 ◇122	4/M/T 71WG-BA	A70 x 13,A78 x 13,6.00 x 13		D0RY 17285-A	D0RY 17271-A	D0RY 17271-A
3.82 - REAR AXLE RATIO							
4 4	*98, ◇122	4/M/T 71WG-AB	6.00 x 13,A78 x 13		D1FZ 17285-A	C1DD 17271-A	C1DD 17271-A
4 4	*98, ◇122	4/M/T 71WG-AB	A70 x 13		D1FZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
4 4	*98 ◇122	4/M/T 71WG-BA	A70 x 13,A78 x 13,6.00 x 13		D0RY 17285-A	D0RY 17271-A	D0RY 17271-A
3.91 - REAR AXLE RATIO							
8 8 8 8	351,429 351,429 351,429 351,429	C6	E78 x 14,F70 x 14,F78 x 14, G70 x 14,F60 x 15,8.25 x 14	#	\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8 8 8 8	351,429 351,429 351,429 351,429	C6	8.25 x 15	#	\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8 8 8 8	351,429 351,429 351,429 351,429	C6	E70 x 14	#	\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8 8 8 8	351,429 351,429 351,429 351,429	C6	G78 x 14	#	\$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8 8 8 8	302,351, 429 351,429 351	4/M/T 4/M/T 4/M/T 4/M/T	E78 x 14,F70 x 14,F78 x 14, F60 x 15,G70 x 14,8.25 x 14	Exc.RUG-BA1 trans. % or ⊕	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8 8 8 8	351,429 351 351 302,351, 429	4/M/T 4/M/T 4/M/T 4/M/T	G78 x 14	Exc.RUG-BA1 trans. ⊕	C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-J
8 8 8 8	351 351 302,351, 429	4/M/T 4/M/T 4/M/T 4/M/T	E78 x 14	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8 8 8 8	351 351 302,351, 429	4/M/T 4/M/T 4/M/T 4/M/T	F70 x 14,F78 x 14,G70 x 14, G78 x 14,8.25 x 14	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8 8 8 8	302,351, 429 351 351,429	4/M/T 4/M/T 4/M/T 4/M/T	E70 x 14	Exc.RUG-BA1 trans. % or ⊕	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8 8 8 8	351 351 302,351, 429	4/M/T 4/M/T 4/M/T 4/M/T	E70 x 14	W/RUG-BA1 trans.	C5ZZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8 8 8 8	351,429 351 351 302,351, 429	4/M/T 4/M/T 4/M/T 4/M/T	8.25 x 15	Exc.RUG-BA1 trans. ⊕.	C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8 8 8 8	351 351 302,351, 429	4/M/T 4/M/T 4/M/T 4/M/T	8.25 x 15	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-F

\$ Part of transmission output shaft

* 1.6 Litre

◇ 2.0 Litre

C8ZZ 17294-A adapter must also be used

% C9ZZ 17294-A (Mustang) adapter must also be used

⊕ D0OZ 17294-A (Torino) adapter must also be used

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1971

4.11 - REAR AXLE RATIO

8	429	C6	E70 x 14, E78 x 14, F78 x 14, F60 x 15	#	\$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429	C6	E70 x 14	#	\$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
8	302, 429	4/M/T	E78 x 14, F70 x 14, F78 x 14, F60 x 15	%	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	302, 429	4/M/T	E70 x 14	%	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
6 8	170 302	3/M/T	G78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	E78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc.snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C3DZ 17271-B C0DD 17271-B	C3DZ 17271-B C0DD 17271-B

4.57 - REAR AXLE RATIO

6 8	170 302	3/M/T	E78 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6 8	170 302	3/M/T	G78 x 15	Bronco	C6TZ 17285-A	C1DD 17217-A	C1DD 17271-A
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc.snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C0DD 17271-C C1DD 17271-A	C0DD 17271-C C1DD 17271-A

* Part of transmission output shaft

C8ZZ 17294-A adapter must also be used

% C9ZZ 17294-A (Mustang) adapter must also be used

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
						REGULAR	P/C, TAXI or RENTAL

1972

2.75 - REAR AXLE RATIO

6	240,250	C4, C6, C/M	F78 x 15, G78 x 15, 8.25 x 15, G78 x 14		\$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	302,351, 400,429						
6	240,250	C4, C6, C/M	H78 x 15, 8.55 x 15, H70 x 15, HR78 x 15, H78 x 14		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	302,351, 400,429						
6	250	C4, C6, C/M	E70 x 14		\$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8	302,351, 400,429						
6	250	C4, C6, C/M	E78 x 14, 7.35 x 14		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	302,351, 400,429						
6	250	C4, C6, C/M	F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G70 x 14, 8.25 x 14, G60 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	302,351, 400,429						
8	400,429	C6	9.15 x 15, 2.25 x 15		\$ - 9 teeth	C7SZ 17271-A	C7SZ 17271-B
8	400,429	C6	215R x 15, 8.55 x 15, H78 x 15, 215 x 15		\$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429 P/C	C6	8.55 x 15, 215 x 15, 215R x 15, H78 x 15, J78 x 15, H70 x 15, HR78 x 15		\$ - 9 teeth		C7SZ 17271-B
8	429 P/C	C6	8.25 x 15, 225R x 15, F78 x 15, G78 x 15		\$ - 9 teeth		C7VY 17271-B
6	250	3/M/T	E78 x 14, 7.35 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	302,351						
6	250	3/M/T	E70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	302,351						
6	250	3/M/T	F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G60 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	302,351						

2.79 - REAR AXLE RATIO

6	200,250	C4	E70 x 14, 7.35 x 14, D70 x 14, C78 x 14, DR78 x 14, 6.95 x 14		\$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8	302,351						
6	200,250	C4	6.50 x 13, 6.45 x 14		\$	C7SZ 17271-B	C7VY 17271-A
8	302						
6	200,250	C4	6.00 x 13		\$	C7VY 17271-A	C8SZ 17271-B
8	302						
6	200,250	C4	B78 x 14		\$	C7VY 17271-A	C7VY 17271-A
8	302						
6	200,250	C4	A70 x 13, A78 x 13		\$	C8SZ 17271-B	C8SZ 17271-B
8	302						

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
						REGULAR	P/C, TAXI or RENTAL

1972

2.79 - REAR AXLE RATIO - continued

6	250	C4	E78 x 14		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	302,351						
6	250	C4	F60 x 15, F70 x 14, F78 x 14,		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	302,351		7.75 x 14, G78 x 14, G70 x 14,				
			8.25 x 14, 8.25 x 15, F78 x 15,				
			G60 x 15				
6	250	C4	H78 x 14, G78 x 15		\$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	302,351						
6	170,200,	3/M/T	E70 x 14, F70 x 14, 7.35 x 14,		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
	250		D70 x 14, C78 x 14, DR78 x 14,				
8	302,351		6.95 x 14				
6	170,200	3/M/T	6.50 x 13, 6.45 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	302						
6	170,200	3/M/T	6.00 x 13		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	302						
6	170,200	3/M/T	B78 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	302						
6	170,200	3/M/T	A70 x 13, A78 x 13		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	302						
6	250	3/M/T	E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	302,351						
6	250	3/M/T	F78 x 14, 7.75 x 14, G60 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	302,351		F60 x 15				

2.80 - REAR AXLE RATIO

8	400,429	C6	F78 x 15, 8.25 x 15		\$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	400,429	C6	G78 x 15, HR78 x 15		\$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	400,429	C6	H78 x 15, 8.55 x 15, H70 x 15		\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	400,429	C6	9.15 x 15, 225 x 15, H78 x 15,		\$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
			215 x 15				
8	400,429	C6	215R x 15, 8.55 x 15		\$ - 9 teeth	C7SZ 17271-B	C7VY 17271-A

3.00 - REAR AXLE RATIO

6	200,250	C4	6.50 x 13, 6.45 x 14, B78 x 14,		\$	C8SZ 17271-B	C8SZ 17271-B
8	302		D70 x 14, DR78 x 14				
6	200,250	C4	6.00 x 13, A70 x 13, A78 x 13		\$	D0OZ 17271-A	D0OZ 17271-A
8	302						
6	200,250	C4, C6	E70 x 14, C78 x 14, 6.95 x 14		\$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
8	302,351,	C/M					
	400,429						

\$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL
1972							
3.18 - REAR AXLE RATIO							
4	122	C4	6.00 x 13, 175R x 13, 175 x 13		\$	D0AZ 17271-A	C7SZ 17271-A
4	122	C4	A70 x 13, A78 x 13		\$	C7SZ 17271-A	C7SZ 17271-A
3.25 - REAR AXLE RATIO							
6	240, 250	C4, C6, C/M	F78 x 15, F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G70 x 14, 8.25 x 14, G60 x 15		\$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B
8	302, 351, 400, 429						
6	240, 250	C4, C6, C/M	G78 x 15, H78 x 15, 8.55 x 15, H70 x 15, HR78 x 15, H78 x 14		\$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
8	302, 351, 400, 429						
6	240, 250	C4, C6	8.25 x 15, G78 x 14, G78 x 15		\$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
8	302, 351, 400, 429						
6	250	C4, C6, C/M	E70 x 14, 7.35 x 14		\$ - 8 teeth	D0OZ 17271-A	D0OZ 17271-A
8	302, 351, 400, 429						
6	250	C4, C6, C/M	E78 x 14		\$ - 8 teeth	C8SZ 17271-B	D0OZ 17271-A
8	302, 351, 400, 429						
8	400, 429	C6	9.15 x 15		\$ - 9 teeth	C8SZ 17271-B	D0OZ 17271-A
8	400, 429	C6	2.25 x 15, 215R x 15, 8.55 x 15, H78 x 15, 215 x 15		\$ - 9 teeth	D0OZ 17271-A	D0OZ 17271-A
6	250	3/M/T	E78 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
8	302, 351						
6	250	3/M/T	E70 x 14, 7.35 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	302, 351						
6	250	3/M/T	F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G60 x 15, G70 x 14, 8.25 x 14, F78 x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	302, 351						
8	351	4/M/T	E70 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	351	4/M/T	E78 x 14, F70 x 14, 7.35 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	351	4/M/T	F60 x 15, F78 x 14, G70 x 14, 8.25 x 14, 7.75 x 14, G60 x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	351	4/M/T	G78 x 14, 8.25 x 15, F78 x 15, H78 x 14, G78 x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
6	250	3/M/T	G78 x 14, 8.25 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	302						
6	250	3/M/T	H78 x 14, G78 x 15		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	302						

\$ Part of transmission output shaft
3.0 Liter

\$ Part of transmission output shaft

2.0 Litre

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL. C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
					REGULAR	P/C, TAXI or RENTAL

1972

3.50 - REAR AXLE RATIO

8	351,400, 429	C6	F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G78 x 14, G70 x 14, 8.25 x 14, 8.25 x 15, F78 x 15, G60 x 15, H78 x 14, G78 x 15		\$ - 8 teeth	D00Z 17271-A	D00Z 17271-A
8	351,400, 429	C6	E70 x 14, 7.35 x 14	#	\$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	351	4/M/T	E70 x 14		●C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8	351	4/M/T	E78 x 14		●C4DZ 17285-A	C4DZ 17271-A	C2DZ 17271-H
8	351	4/M/T	F60 x 15, F70 x 14, F78 x 14, 7.35 x 14, 7.75 x 14, G70 x 14, 8.25 x 14, G60 x 15		●C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	351	4/M/T	G78 x 14, F78 x 15		●C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	351	4/M/T	8.25 x 15, H78 x 14, G78 x 15		●C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	351	4/M/T	E78 x 14, 7.35 x 14		† C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	351	4/M/T	E70 x 14		† C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	351	4/M/T	F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G78 x 14, G70 x 14, 8.25 x 14, 8.25 x 15, F78 x 15, G60 x 15, H78 x 14, G78 x 15		† C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
6 8	170 302	3/M/T	9.15 x 15, 7.00 x 15	Bronco	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
6 8	170 302	3/M/T	G78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	E78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C

3.55 - REAR AXLE RATIO

4	◇122	C4	6.00 x 13, 175R x 13, 175 x 13		\$	C7SZ 17271-B	C7VY 17271-A
4	◇122	C4	A70 x 13, A78 x 13		\$	C7VY 17271-A	C7VY 17271-A
4	*98 ◇122	4/M/T, 71WG-AD	6.00 x 13, 175R x 13, 175 x 13		D1FZ 17285-A	C0DD 17271-B	C0DD 17271-C
4	*98 ◇122	4/M/T, 71WG-AD	A70 x 13, A78 x 13		D1FZ 17285-A	C0DD 17271-C	C0DD 17271-C
4	*98	4/M/T, 7WG-BC	A70 x 13, A78 x 13, 6.00 x 13		D0RY 17285-A	D0RY 17271-A	D0RY 17271-A

3.78 - REAR AXLE RATIO

4	◇122	C4	6.00 x 13, A70 x 13, A78 x 13, 175R x 13, 175 x 13		\$	C8SZ 17271-B	C8SZ 17271-B
4	◇122	4/M/T, 71WG-AD	6.00 x 13, A70 x 13, A78 x 13, 175R x 13, 175 x 13		D1FZ 17285-A	C1DD 17271-A	C1DD 17271-A

\$ Part of transmission output shaft # C8ZZ 17294-A adapter must also be used ◇ 2.0 Litre * 1.6 Litre
 ● 7 teeth - L.H. helix † 6 teeth - L.H. helix

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

ENGINE		TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR	
CYL.	C.I.D.					REGULAR	P/C, TAXI or RENTAL

3.91 - REAR AXLE RATIO

4.11 - REAR AXLE RATIO

4.57 - REAR AXLE RATIO

C8ZZ 17294-A adapter must also be used

FORD CAR PARTS

SECTION 173

1

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17B301 SLEEVE - SPEEDOMETER CABLE				
67/71	S	Plastic	1	C7SZ 17B301-A
17B302 RETAINER - SPEEDOMETER SLEEVE				
67/71	S		1	C7SZ 17B302-A
67/68	S	Screw(attach Retainer, Sleeve and Grommet to instrument cluster housing)	2	42138-87-8(U245A)
17303 GASKET - SPEEDOMETER CASE				
65/66	A, B, F, X	Rubber-diamond shape	1	C2SZ 17303-A
65/66	S	Rubber - improvise	1	★
67/	A, F	Rubber	1	C7MY 17303-A
67/71	B, S		1	
67/70	X		1	
70/	P		1	C9MY 17303-A
72	B, S		1	
17B303 GROMMET - SPEEDOMETER MOUNTING				
67/71	S	Rubber	1	C7SZ 17B303-A
17304 GROMMET - SPEEDOMETER CASE				
35/66	A, B, F	Neoprene-13/32" O.D. x 3/16" thick	2	FDR 17304-A
65/67	X		2	
35/66	S	Rubber-improvise	3	★
17305 RETAINER - SPEEDOMETER CASE GROMMET				
65/66	A, B, F	Steel-3/8" O.D. x 11/64" thick	2	FDR 17305-A
65/67	X		2	
17B308 TEE - TACHOMETER				
65/67	A, B, F, X	Used with C6AZ 10B944-B cluster kit	1	C6AZ 17B308-A
68/69	A, B, F, S, X		1	
17A317 SPACER - SPEEDOMETER DIAL - improvise				
17A326 TACHOMETER KIT				
65/67	All (8 cyl. high-performance units-12 volt)	Sun type kit-4" size-circle-sweep dial-to 9000 R.P.M.-for steering column or instrument panel top mount add (1) C4AZ 17368-A - Not replaced (5-75)	1	★C4AZ 17A326-A
65/72	All (8 cyl.)	Cobra-9000 RPM-250° dial-for steering column mount (1) C6AZ 17368-A mounting bracket is required-r/b D3AZ 17A326-B (11-73)	1	★C6AZ 17A326-G
65/70	All (8 cyl.)	6000 RPM (flat type)	1	C8AZ 17A326-B
66/71	All (8 cyl.)	Faria-6000 RPM-100° dial-not replaced (11-73)	1	★C6AZ 17A326-D
65/72	All (8 cyl.)	Faria-6000 RPM-250° dial-r/b D3AZ 17A326-A (11-73)	1	★D2AZ 17A326-A
72	All (8 cyl.)	Faria-6000 RPM-250° dial	1	D3AZ 17A326-A
72	All (8 cyl.)	Faria-9000 RPM-250° dial	1	D3AZ 17A326-B
65/71	All (8 cyl.)	8000 RPM-hood mounted-use with 12 volt systems only-not replaced (11-73)	1	★C9AZ 17A326-A
17B336 CLIP - SPEEDOMETER DRIVE GEAR RETAINING				
69/	All	Used to attach speedometer drive gear to output shaft-alternate in function with BA 7064 snap ring and 353351-S ball-1/4"	1	C9AZ 17B336-A
17A356 HARDWARE KIT - LICENSE PLATE				
65/	All	Service details Consists of (4) 380707-S(MM228B)-nut 1/4" insert (4) 381856-S40(UU52B)-screw-1/4"-14 x 1/2"	1	★

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17360 TACHOMETER ASSY. - Also refer to Group 17A326 Accessories Section				
68	B(8 cyl.)	6000 R. P. M. - use in place of clock	1	♣C8OZ 17360-F
69	B	6000 R. P. M. -use in place of clock	1	♣C9OZ 17360-A
70/71	B(8 cyl.)	8000 R. P. M. -use in place of clock	1	D0OZ 17360-A
72	B	6000 R. P. M.	1	D2GY 17360-A
67	F(8 cyl. -Special 4/B-except Shelby GT350/500)- 8000 R. P. M.	Used only on vehicles having oil & ammeter warning indicator lamps & trip odometer- "RPM x 100"-r/b C7ZF 17360-E (3-74)	1	★C7ZZ 17360-A
67/68	F-8000 R. P. M.		1	C7ZF 17360-E
69/70	F (except 63C)-8000 R. P. M.		1	C9ZZ 17360-A
69/70	F (63C)-8000 R. P. M.		1	C9ZZ 17360-B
71/	F (8 cyl.)-8000 R. P. M.	Marked D1ZF 17360-AA	1	D1ZZ 17360-A
70/71	B	Screw (attach wires of tachometer assy. to 14401 main wire assy.)	1	383313-S(YV6)
17362 BEZEL - TACHOMETER & CLOCK				
65	F(except Shelby GT350)	Supplied only in (17360)or (15000) -used on vehicles having charge indicator warning light and oil pressure warning light	2	★C4ZF 17362-A
65/66	F (except Shelby GT350)	Paint to match-used only on vehicles having ammeter and oil pressure gauges	2	C5ZZ 17362-A
65/66	F (Shelby GT350)	Use for 8000 R. P. M. tach. and 80 lb. oil gauge- not replaced (5-75)	1	★S1MS 17362-C

♣ For new installation on standard models also use 10848 plate & 10K843 printed circuit board

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17368 BRACKET - TACHOMETER MOUNTING				
65/67	All (12 volts-8 cyl. -high performance units)	For mounting C4AZ 17A326-A tachometer kit on instrument panel top or steering column	1	C4AZ 17368-A
67/	All	For mounting C6AZ 17A326-E or G tachometer kit on steering column	1	C6AZ 17368-A
Consists of				
1-C5RA 17368-C		Bracket	1-EDB 66548-A	Clamp
1-C4ZF 3682-B		Insulator	1-I. S. 2235 Instructions	
17A381 SHAFT ASSY. - ODOMETER RESET				
67/68	F-with trip odometer		1	C7ZZ 17A381-B
69/70	F-with trip odometer	Refer to Group 10880		
71/	F-with trip odometer	Refer to Group 10887		
17A385 BRACKET - FRONT LICENSE PLATE MOUNTING - Also refer to Group 17B875-				
- A -				
68	A(54C,57F,63C,65A,71A, E, 76B)		1	C8AZ 17A385-A
69/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17A385-A
71	A		1	D1AZ 17A385-A
72	A		1	D2AZ 17A385-A
- B -				
72	B(53B, 65B, 71B)		1	D2OZ 17A385-A
72	B(53D, 63, 65D, R, 71D, K, 97)		1	D2OZ 17A385-B
- F -				
68	F(Shelby GT350/500)		1	S8MS 17A385-A
69/70	F(except Shelby GT350/500)		1	C9ZZ 17A385-B
71/	F		1	D1ZZ 17A385-A
- L -				
71/	L		1	D1FZ 17A385-A
- P -				
70/	P		1	D0DZ 17A385-A
- S -				
70/71	S		1	D0SZ 17A385-A
72	S		1	D2SZ 17A385-A
- U -				
67/	U-with chrome bumper & bumper guards		1	C7TZ 17A385-A
69/70	A	Bolt 1/4"-20 (bracket to front bumper)	2	350325-S100 (BB647)
69/	A, F, S	Screw (used to attach license plate-front & rear)	4	381856-S40(UU52B)
65	B	Bolt (bracket to bumper guard)-1/4"-20 x 5/8	2	305325-S100 (BB647)
65	B	Nut & washer 1/4"-20	2	33795-S7 (M49)

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A385 BRACKET - FRONT LICENSE PLATE MOUNTING - continued - Also refer to Group 17B875				
68	B, X	Bolt (bracket to rear bumper)-1/4"-20 x 3/4"	2	20344-S8(B42)
68	B, X	Nut (bracket to rear bumper)-1/4"-20 hex.	2	33795-S7(M49)
69/70	A	Nut (bracket to front bumper)	2	
70	F	(Attach bracket to front valance panel)	2	
68	B, X	Washer (bracket to rear bumper)-1/4" lock	2	34940-S7(X88)
70	F	Anti-rattler	1	358159-A1S(CC9A)
70/	S		3	
70/	P	Nut(bracket to front valance panel)-1/4"-20	2	★45263-S2
70/	P	Screw (bracket to front valance panel)	2	★57030-S2
72	S	Screw (bracket to front bumper)	2	57032-S36(B340)
66	S	Nut (brkt. to valance panel)-1/4"-20	2	357227-S2(MM206)
66	S	Screw (brkt. to valance panel)-1/4"-20 x 3/4"	2	371492-S2(BB569)
70/	S	Nut (used to attach license plate-front & rear)	4	380707-S(MM228B)
67	U	Step bolt (bracket to bumper)-1/4"-20	2	350325-S100 (BB647)
17A387 FRAME - LICENSE PLATE				
69/71	S	Front and/or rear	AR	D2AZ 17A387-A
72	A	Front	1	
72	A (except 71), B(97)	Rear	1	
72	F, L, S, U	Front or rear	AR	
17A396 BUMPER - LICENSE PLATE				
70/71	B		2	D0DZ 17A396-A
71/	L		2	
70/	P		2	
72	S		2	
72	B(71,97)	Rear bumper	2	D2OZ 17A396-A
66/	U	Rear bumper	1	C6TZ 17A396-A
17A397 SPRING ASSY. - REAR LICENSE PLATE SUPPORT				
66/	U		1	C6TZ 17A397-A
17A398 ANCHOR - REAR LICENSE PLATE SUPPORT				
66/	U		1	C6TZ 17A398-A
		Screw (anchor to license plate bracket)- No. 10-24 x 1/2"	2	51765-S8(U370)

FORD CAR PARTS

SECTION 175

1

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A402 CAP - REAR WINDOW WIPER BLADE END				
71/	A(71)-with backlite washer/wiper	R.H.	1	D1AZ 17A402-A
		L.H.	1	D1AZ 17A402-B
17A409 WIRING - REAR WINDOW WASHER FEED				
71/	A(71)-with backlite washer/wiper		1	D1AZ 17A409-B
17A412 SWITCH ASSY. - REAR WINDOW WASHER TIME DELAY				
71/	A(71)-with backlite washer/wiper		1	D1AZ 17A412-A
17C428 SLEEVE - WINDSHIELD WIPER MOTOR SWITCH				
65	B, X	Used with single speed Ford motor	1	C3AZ 17C428-A
65/66	F		1	
17C430 GASKET - WINDSHIELD WIPER MOTOR SEAL				
69/	A	Rubber	1	C9AZ 17C430-D
72	S		1	
66/71	B	Rubber-used with single speed & 2 speed wipers	1	C6OZ 17C430-A
70/	P		1	
66/70	X		1	
17A431 HOUSING - WINDSHIELD WIPER MOTOR				
66/71	B	Used with 2 speed electric wipers	1	C6OZ 17A431-A
72	B-w/o concealed wipers		1	
66/70	F		1	
70/	P		1	
69/	U		1	
66/70	X		1	
17C431 GROMMET - WINDSHIELD WIPER MOTOR MOUNTING				
69/71	A	Used with 2 speed wipers-without ground	2	D2AZ 17C431-A
72	B-with concealed wipers		2	
72	S		2	
69/71	B	Used with 2 speed wipers	2	C6OZ 17C431-A
69/71	A	Used with 2 speed wipers-with ground	1	D2AZ 17C431-B
72	B-with concealed wipers		1	
72	S		1	
66/71	B	Used with single speed & 2 speed wipers	1	C6OZ 17C431-B
66/70	X		1	
69/70	F	Used with 2 speed or intermittent wipers	3	C9ZZ 17C431-A
70/71	S	Used with electric or hydraulic wipers	AR	
69/70	F	Used with 2 speed or intermittent wipers	1	C9ZZ 17C431-B
71/	F	Used with 2 speed or intermittent wipers	1	D1ZZ 17C431-A
72	B-w/o concealed wipers		1	
71/	F	Used with 2 speed or intermittent wipers	2	D1ZZ 17C431-B
72	B-w/o concealed wipers		2	
70	S	Used with 2 speed or intermittent wipers-with ground	1	D0SZ 17C431-A
65/68	A	Screw and washer-hex. head (att.grommet)-No. 10-24 x 7/8"	4	★379338-S8
17A434 GEAR and SHAFT ASSY. - WINDSHIELD WIPER MOTOR OUTPUT				
65/68	A	Used w/2 speed Ford motor	1	C5AZ 17A434-B
70	S		1	
65	B, X	Used with single speed Ford motor	1	C3DZ 17A434-B
65/66	F		1	
66/71	B	Used with 2 speed electric wipers	1	C6OZ 17A434-A
72	B-w/o concealed wipers		1	
67/	F		1	
70/	P		1	
69/	U		1	
66/70	X		1	
71/	L		1	D1FZ 17A434-A
17A436 ARM - WINDSHIELD WIPER MOTOR OUTPUT				
- A -				
65/66	A	Used with single speed Ford motor	1	C5AZ 17A436-A
65/68	A	Used with 2 speed Ford motor	1	C5AZ 17A436-B
69	A	"Before 7/1/69" Used with 2 speed or intermittent wipers-r/b D1AZ 17A436-A (5-75)	1	★C9AZ 17A436-B

Kit consists of

1-C9AF 17A436-A Arm assy. w/s wiper output

1-C9AF 17C518-A Latch assy.w/s wiper wind

1-C9AF 17C522-A Spring w/s wiper windlatch

1-C9AZ 17C526-A Cover w/s wiper output arm

1-359294-S2 Screw 1/4"-20 hex. washer head

1-Instruction sheet

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

FORD CAR PARTS

SECTION 175

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A436 ARM - WINDSHIELD WIPER MOTOR OUTPUT - continued				
69/70	A	"From 7/1/69" Used with 2 speed or intermittent wipers	1	D1AZ 17A436-A
Kit consists of				
	1-C9AF 17A436-A	Arm assy. w/s wiper output	1-C9AF 17C526-A	Cover w/s wiper output arm
	1-D1AF 17C518-AA	Latch assy. w/s wiper wind	1-359294-S2	Screw 1/4"-20 hex. washer head
	1-C9AF 17C522-A	Spring w/s wiper wind latch	1-Instruction sheet	
71	A	"Before 3/15/71" Used with 2 speed or intermittent wipers- r/b D1VY 17A436-A (5-75)	1	★D0VY 17A436-A
Kit consists of				
	1-D0VF 17A436-D	Arm assy. w/s wiper output	1-C9AZ 17C526-A	Cover w/s wiper output arm
	1-C9AF 17C518-B	Latch assy. w/s wiper wind	1-359294-S2	Screw 1/4"-20 hex. washer head
	1-C9AF 17C522-A	Spring w/s wiper wind latch	1-Instruction sheet	
71/	A	"From 3/15/71" Used with 2 speed or intermittent wipers	1	D1VY 17A436-A
Kit consists of				
	1-D0VF 17A436-D	Arm assy. w/s wiper output	1-C9AF 17C526-A	Cover w/s wiper output arm
	1-D1AF 17C518-AA	Latch assy. w/s wiper wind	1-359294-S2	Screw 1/4"-20 hex. washer head
	1-C9AF 17C522-A	Spring w/s wiper wind latch	1-Instruction sheet	
- B -				
65	B	Used with single speed Ford motor	1	C3OZ 17A436-D
65	B	Used with 2 speed Ford motor	1	C3OZ 17A436-A
66	B	Used with single speed wipers	1	C6OZ 17A436-A
66/69	B	Used with 2 speed wipers	1	C6OZ 17A436-B
70	B	Used with 2 speed or intermittent wipers	1	D0OZ 17A436-A
71	B	Used with 2 speed wipers	1	
72	B-with intermittent wipers		1	D2OZ 17A436-A
Kit consists of				
	1-D2OF 17A436-AB	Arm assy. w/s wiper output	1-C9AZ 17C526-A	Cover w/s wiper output arm
	1-D1AF 17C518-AA	Latch assy. w/s wiper wind	1-359294-S2	Screw 1/4"-20 hex.washer head
	1-C9AF 17C522-A	Spring w/s wiper wind latch	1-Instruction sheet	
72	B-w/o intermittent wipers		1	D2OZ 17A436-B
- F -				
65/66	F	Used with single speed Ford motor-straight arm	1	C5ZZ 17A436-B
69/70	F	Used with 2 speed wipers	1	C9ZZ 17A436-A
71/	F	Used with 2 speed wipers	1	D1ZZ 17A436-A
- L -				
71/	L		1	D1FZ 17A436-A
- P -				
70/	P		1	D0DZ 17A436-A
- S -				
70	S	Used with 2 speed or intermittent wipers	1	D0SZ 17A436-A
72	S	Used with 2 speed or intermittent wipers	1	D1AZ 17A436-A
Kit consists of				
	1-C9AF 17A436-A	Arm assy.w/s wiper output	1-C9AZ 17C526-A	Cover w/s wiper output arm
	1-D1AF 17C518-AA	Latch assy.w/s wiper wind	1-359294-S2	Screw 1/4"-20 hex.washer head
	1-C9AF 17C522-A	Spring w/s wiper wind latch	1-Instruction sheet	
- U -				
69/	U	Used with 2 speed electric wipers	1	C9TZ 17A436-A
- X -				
65	X	Used with single speed Ford motor	1	C3DZ 17A436-B
66	X	Used with single speed wipers	1	C6OZ 17A436-A
66/70	X	Used with 2 speed wipers	1	C6OZ 17A436-B
		Locknut (arm to output shaft)-5/16"-24	1	354299-S2(MM156)
		Washer spring (arm to output shaft)-5/8"	1	359981-S(XX364)
		Washer-flat (arm to output shaft)-1/2"	1	371702-S(XX180)
17C436 RETAINER - WINDSHIELD WIPER MOTOR BUSHING				
69/	A	Used with 2 speed or intermittent wipers	1	C9AZ 17C436-A
72	S		1	
17B439 LINK - WINDSHIELD WIPERS				
66/67	B	Used with windshield washers	1	C6OZ 17B439-A
17C443 BRACKET - WINDSHIELD WIPER CONTROL MOUNTING				
71/	A		1	D1AZ 17C443-A
71	F	"Before 2/15/71"	1	D1ZZ 17C443-A
71/	F	"From 2/15/71"	1	D3ZZ 17C443-B
72	S		1	D3SZ 17C443-A
65	X		1	C4DZ 17C443-A
65/66	F		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17C444 INSULATOR - WINDSHIELD WIPER MOTOR WATER SHIELD				
65/66	S	Half-moon shape-cut from rubber- 3/64" x 1 5/32" x 4"	1	★
17A460 WIRING - WINDSHIELD WIPER SWITCH TO IGNITION SWITCH				
65	B	Used when converting 2-speed w/s wipers to single-speed wipers-improvise	1	★
65	X	Clip (wiring to instrument panel)	1	372864-S100(GG91)
17A461 CAM - WINDSHIELD WIPER MOTOR				
35/68	A		1	COMF 17A461-A
35/71	B			
65/	F		1	
70/	P		1	
70	S		1	
65/70	X		1	
17A464 ARM and LINK ASSY. - WINDSHIELD WIPER MOTOR				
65/71	B	Used with 2 speed motor	1	D0SZ 17A464-A
65/68	A		1	
65/	F		1	
70/	P		1	
65/70	X		1	
70	S		1	
17470 CONTROL ASSY. - WINDSHIELD WIPER - Also refer to Group 17A625				
65/66	S		1	C4SZ 17470-D
67	S	"Before 5/23/67"	1	C7SZ 17470-A
67	S	"From 5/23/67"	1	C7SZ 17470-D
67	S	Bowden cable assy. only	1	C7SZ 17470-C
68/69	S	Cable assy. - 23 5/8" long	1	C8SZ 17470-E
68/69	S	"Before 10/1/68"	1	C8SZ 17470-D
69	S	"From 10/1/68"	1	C9SZ 17470-A
		For wiper and air register control - Marked C8SB 17C530-A or C		
		For wiper and air register control -includes (1) C9SZ 17513-C knob - Marked C9SB 17C530-A		
70/71	S-with hydraulic wipers	Valve & control assy.	1	D0SZ 17470-A
70/71	S-with hydraulic wipers	Cable assy.	1	D0SZ 17470-B
70	S-with electric wipers	Refer to Group 17A553		
72	S			
65/69	S	Screw(control & brkt.to plate)-No.10-24 x 3/8"	6	40905-S7(U258)
68/69	S	Screw & washer (control assy.to instrument pod assy.)-No. 6-18 x 3/4"	2	42138-S7(U245A)
65/69	S	Grommet (control wire thru upper cowl)	1	352963-S(KK17)
17471 GASKET - WINDSHIELD WIPER MOTOR COVER				
45/68	A	1/64" thick-used with 2 speed motor	1	C2OZ 17471-A
65	B, X		1	
65/68	F		1	
70	S		1	
65/66	A, B, F, X	Used with single speed motor	1	C6AZ 17471-B
66/71	B	Used with 2 speed motor	1	
69/	F	Used with 2 speed motor	1	
70/	P		1	
66/70	X		1	
66	A	Used with single speed motor marked C6AF 17504-B	1	C6AZ 17471-A
71/	L		1	
17B474 TUBE - WINDSHIELD WIPER PRESSURE FEED				
65/66	S		1	C5SZ 17B474-A
67	S	Upper (damper to wiper motor)	1	C7SZ 17B474-A
68/ 69	S		1	C8SZ 17B474-A
66	S	Nut-5/8"-18-use with 3/8" tube	1	87945-S8(I-23)
68/69	S		1	
17A475 SEAL - WINDSHIELD WIPER PIVOT SHAFT TO COWL TOP				
65	B	Leather-improvise	2	★
66/70	B, X	Leather-L. H. side only	1	C6OZ 17A475-A
65/70	F	Leather	2	C5ZZ 17A475-B
70/	P		2	
71/	F	Leather	1	D1ZZ 17A475-B
71/	L	Leather	2	D1FZ 17A475-A
69/	U	Leather -with 2 speed electric wipers	2	C9TZ 17A475-A

SECTION 175

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17C476 GOVERNOR - WINDSHIELD WIPERS				
69/70	A	Used with intermittent wipers	1	C9AZ 17C476-B
69	B		1	
71/	A	Used with intermittent wipers	1	D1AZ 17C476-A
70	B	Used with intermittent wipers	1	D0OZ 17C476-C
71	B	Used with intermittent wiper	1	D1OZ 17C476-A
72	B	Used with intermittent wipers	1	D2OZ 17C476-A
69/70	F	"Before 10/15/69" Used with intermittent wipers	1	C9ZZ 17C476-B
70	F	"From 10/15/69" Used with intermittent wipers	1	D0ZZ 17C476-B
71/	F	Used with intermittent wipers	1	D1ZZ 17C476-A
70	S	Used with intermittent wipers	1	D0SZ 17C476-A
72	S	Used with intermittent wipers - r/b D5SZ 17C476-A (5-75)	1	★D2LY 17C476-A
70	S-with intermittent wipers	Connector-1/8" x 1/8" hose-used in 17K605 assy. for vacuum supply to 17C476 governor assy.	1	383783-S (II-191VK)
69/70	A	Screw & washer (attach 17C476 to cowl panel)	2	42134-S8(U249)
17A479 GEAR and PINION - WINDSHIELD WIPER MOTOR				
65	B, X	Used with single speed Ford motor	1	C3AZ 17A479-A
65/66	F		1	
65/66	A	Used with single speed Ford motor	1	C5AZ 17A479-A
66	B, X		1	
65/68	A	Used with 2 speed electric motor	1	C5AZ 17A479-B
65	B, F, X		1	
70	S	Used with 2 speed or intermittent wipers	1	D0SZ 17A479-A
		Washer-(used as spacer)-1/4" I. D. -flat	1	358662-S(XX87)
		Washer-(used as spacer)-3/8" I. D. -flat	AR	372205-S(XX161)
		"C" washer	1	374035-S(XX13C)
69/	A	Kit-used with 2 speed or intermittent wipers	1	C9AZ 17A479-A
72	B-with concealed wipers		1	
72	S		1	
Consists of 1-C9AF 17B580-A Gear and pinion assy. 1-38044-S Ring-3/8 retaining windshield wiper motor				
69/70	B, X	Kit-for servicing motors identified as:	1	★D0PZ 17A479-A
69/	F	C9OF 17C434-A, C9ZF 17C434-A,	1	
71/	L	D1ZF 17C434-A, C9OF 17504-A,	1	
70	P	C9TF 17504-A, B, C9ZF 17504-A, B, C, D,	1	
69/	U	D0DF 17504-A, D0OF 17504-A, D1ZF 17504-AA, D12F 17504-AA, AB, C9OF 17C504-A, B D1ZF 17C504-A, C9ZF 17C504-A, C9ZF 17508-A-r/b D0PZ 17A479-B(5-75)	1	
Consists of 1-C9OF 17A482-A Shaft 1-C9TF 17B580-A Gear & pinion assy. 1-C5AZ 17B549-A Lever parking switch 1-373907-S2 Nut-1/4" spring				
66/	B	Kit-for servicing motors identified as:	1	D0PZ 17A479-B
67/70	F	C6OF 17504-A, C, C7DF 17504-A,		
70/	P	C7OF 17504-A, B, C7ZF 17504-A, C,		
69/	U	C8OF 17504-A, D0OF 17504-B, D1DF 17504-AA,		
66/70	X	C7AF 17C504-A, C8OF 17C504-A, C6OF 17508-A, C7OF 17508-A, C7ZF 17508-A		
Consists of 1-C9OF 17A482-A Shaft 1-C9OF 17B580-A Gear & pinion assy. 1-C5AZ 17B549-A Lever parking switch 1-373907-S2 Nut-1/4" spring				
17C479 STOP ASSY. - WINDSHIELD WIPER MOTOR				
65	A, B, X	Used with single speed motor -not required on	1	C5AZ 17C479-A
65/66	F	units "Before 7/15/65"	1	
71/	L		1	
66	A	"Before 4/1/66" Refer to basic group 17A549		
66/71	B	Used with single speed and 2 speed wipers	1	C6OZ 17C479-A
72	B-w/o concealed wipers		1	
66	A	"From 4/1/66" Used with single speed motor	1	
66/	F	Used with 2 speed wipers	1	
70/	P	Used with 2 speed wipers	1	
69/	U	Used with 2 speed electric wipers	1	
66/70	X	Used with single and 2 speed wipers	1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A485 ARMATURE - WINDSHIELD WIPER MOTOR				
85	B, X	Used with single speed Ford motor	1	C3AZ 17A485-C
65/66	A, F	Used with single speed Ford motor	1	C3UZ 17A485-A
66	B, X		1	
66/71	B	Used with 2 speed electric wipers	1	C6OZ 17A485-B
72	B-w/o concealed wipers		1	
66/	F		1	
71/	L		1	
70/	P		1	
69/	U		1	
66/70	X		1	
17489 CONNECTOR - WINDSHIELD WIPER HOSE				
66/69	U-with vacuum wipers		1	C6TZ 17489-A
17C491 RETAINER - WINDSHIELD WIPER SWITCH				
69	F		1	C9ZZ 17C491-A
70	F		1	D0ZZ 17C491-A
72	S		1	D2LY17C491-A
17496 BRACKET - WINDSHIELD WIPER MOTOR MOUNTING				
- B -				
66/71	B	On inner cowl	1	C6OZ 17496-A
66/71	B	Next to motor	1	D0OZ 17496-A
72	B-w/o concealed wipers		1	D2OZ 17496-A
- F -				
69/70	F	Next to motor	1	C9ZZ 17496-A
71/	F	Located on cowl panel	1	D1ZZ 17496-A
71/	F	Next to motor	1	D1ZZ 17496-B
- P -				
70/	P		1	D0DZ 17496-B
- S -				
70	S	Used with electric wipers	1	D0SZ 17496-A
70/71	S	Used with hydraulic wipers	1	D0SZ 17496-B
- U -				
69/	U	Used with 2 speed electric wipers	1	C9TZ 17496-A
- X -				
66/70	X	Used with single and 2 speed wipers on inner cowl	1	C6OZ 17496-A
66/70	X	Used with single and 2 speed wipers next to motor	1	C6OZ 17496-B
69/	F	Screw (bracket to cowl)-1/4"-20 x 3/4"	4	20344-S8(B42)
69/	F	Lockwasher (bracket to cowl)-1/4"-1/2"	4	34940-S8(X88)
65/68	A	Screw & washer-hex. head(bracket to motor)-	3	43260-S8(U-1)
65/	F	1/4"-20 x 1/2"	3	
70	S-electric wipers		3	
65/71	B	Screw(brkt.thru cowl to mtg.plate)-1/4"-20 x 3/4"	2	371492-S2(BB569)
17A497 STRAP - WINDSHIELD WIPER MOTOR GROUND				
71/	L	Improvise from 2" brass strap x .010" thick	1	★
17A501 SPRING - WINDSHIELD WIPER CAM RETURN				
65/68	A	Used with 2 speed Ford motor	1	COMF 17A501-B
65/	B, F		1	
70/	P		1	
70	S		1	
65/70	X		1	
17504 MOTOR ASSY.- WINDSHIELD WIPER - Refer to Group 17508				
17A504 RETAINER - WINDSHIELD WIPER ARM				
71/	A, F		1	D1AZ 17A504-B
72	B		1	
70/71	B, S		1	D0SZ 17A504-A
71/	L		4	D1FZ 17A504-A

FORD CAR PARTS**SECTION 175**

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17C505 DAMPER - WINDSHIELD WIPER MOTOR SURGE				
67/69	S - With hydraulic wipers		1	C6VY 17C505-B
17C506 TUBE ASSY. - WINDSHIELD WIPER PRESSURE FEED - LOWER				
67	S-with hydraulic wipers		1	C7SZ 17C506-A
68/69	S-with hydraulic wipers		1	C8SZ 17C506-A
70/71	S-with hydraulic wipers		1	D0SZ 17C506-A
68/69	S	Nut (attach tube to steering gear to surge chamber)-5/18"-18 (3/8" flared tube)	2	87945-S8(I-23)
17508 MOTOR ASSY. - WINDSHIELD WIPER				

The following chart will provide quick identification when the production wiper motor number is known, wiper motors may also be selected by model, year and description beginning on the next page.

IDENTIFICATION	SERVICE PART NUMBER	IDENTIFICATION	SERVICE PART NUMBER
C5SB 17C434-A	C5SZ 17508-C	C7OF 17504-B	C6OZ 17508-D
C5SB 17C434-B	C5SZ 17508-C	C7SB 17504-A	C7SZ 17508-A
C6SB 17C434-A	C5SZ 17508-C	C7ZF 17504-A	C6OZ 17508-D
C9OF 17C434-A	C6OZ 17508-E	C7ZF 17504-C	C6OZ 17508-D
C9ZF 17C434-A	D0ZZ 17508-A	C7ZF 17504-D	C6OZ 17508-D
D0SF 17C434-A	D0SZ 17508-A	C8AF 17504-A	C8AZ 17508-A
D1ZF 17C434-A	D1ZZ 17508-A	C8OF 17504-A	C6OZ 17508-D
C8OF 17C439-A	C6OZ 17508-D	C8SB 17504-A	C8SZ 17508-E
C9AF 17A479-B	C9AZ 17508-B	C8SB 17504-B	C8SZ 17508-E
		C8SB 17504-C	C8SZ 17508-E
		C8SB 17504-E	C8SZ 17508-E
		C8SB 17504-F	C8SZ 17508-E
C3DF 17504-A	C3DZ 17508-A	C9AF 17504-A	C9AZ 17508-B
C3DF 17504-C	C3DZ 17508-A	C9AF 17504-B	C9AZ 17508-B
C3DF 17504-E	C3DZ 17508-A	C9AF 17504-C	D2AZ 17508-A
C3DF 17504-G	C3DZ 17508-A	C9AF 17504-D	C3AZ 17508-B
C3DF 17504-H	C3DZ 17508-A	C9OF 17504-A	C6OZ 17508-E
C3DF 17504-J	C3DZ 17508-A	C9SB 17504-A	C9SZ 17508-A
C3DF 17504-K	C3DZ 17508-A	C9SB 17504-E	C9SZ 17508-A
C3DF 17504-L	C3DZ 17508-A	C9TF 17504-A	C6OZ 17508-E
C3OF 17504-A	C3UZ 17508-C	C9TF 17504-B	C6OZ 17508-E
C3OF 17504-C	C3OZ 17508-A	C9ZF 17504-A	D0ZZ 17508-A
C3OF 17504-E	C3OZ 17508-A	C9ZF 17504-B	D0ZZ 17508-A
C3OF 17504-H	C3OZ 17508-A	C9ZF 17504-C	D0ZZ 17508-A
C3OF 17504-J	C3OZ 17508-A	C9ZF 17504-D	D0ZZ 17508-A
C3OF 17504-L	C3UZ 17508-C		
C4SB 17504-D	C5SZ 17508-C	D0DF 17504-A	C6OZ 17508-E
C4ZF 17504-A	C3UZ 17508-C	D0OF 17504-A	C6OZ 17508-E
C4ZF 17504-B	C3DZ 17508-A	D0OF 17504-B	C6OZ 17508-D
C5AF 17504-A	C6AZ 17508-A	D0SB 17504-A	D0SZ 17508-B
C5AF 17504-B	C5AZ 17508-E	D0SB 17504-B	D0SZ 17508-B
C5AF 17504-C	C5AZ 17508-C	D0SF 17504-A	D0SZ 17508-A
C5AF 17504-D	C6AZ 17508-A	D0SF 17504-B	D0SZ 17508-A
C5AF 17504-E	D0SZ 17508-A	D0VF 17504-E	D2AZ 17508-A
C5AF 17504-F	C5AZ 17508-C	D1DF 17504-AA	C6OZ 17508-D
C5AF 17504-G	C6AZ 17508-A	D1ZF 17504-AA	D1ZZ 17508-A
C5AF 17504-K	D0SZ 17508-A	D12F 17504-AA	D1FZ 17508-A
C5SB 17504-B	C5SZ 17508-C	D2AF 17504-AA	D2AZ 17508-A
C6AF 17504-A	C6AZ 17508-A	D2BF 17504-AA	C6OZ 17508-D
C6AF 17504-B	C6AZ 17508-A	D2DF 17504-AA	C6OZ 17508-D
C6OF 17504-A	C6OZ 17508-D	D2OF 17504-AA	C6OZ 17508-D
C6OF 17504-B	C6OZ 17508-B	D2OF 17504-AB	C6OZ 17508-D
C6OF 17504-C	C6OZ 17508-D	D2OF 17504-BA	D2AZ 17508-A
C6SB 17504-A	C5SZ 17508-C	D2OF 17504-BB	D2AZ 17508-A
C6TB 17504-B	C7TZ 17508-B	D2OF 17504-BC	D2AZ 17508-A
C6TB 17504-D	C7TZ 17508-B	D2SF 17504-AA	D2AZ 17508-A
C6ZF 17504-A	C6ZZ 17508-A	D2SF 17504-AB	D2AZ 17508-A
C7AF 17504-A	D0SZ 17508-A	D2SF 17504-AD	D2AZ 17508-A
C7AF 17504-B	D0SZ 17508-A	D2ZF 17504-AA	D1ZZ 17508-A
C7DF 17504-A	C6OZ 17508-D	D2ZF 17504-AA	D1FZ 17508-A
C7OF 17504-A	C6OZ 17508-D		

17508 MOTOR ASSY. - WINDSHIELD WIPER - continued

IDENTIFICATION	SERVICE PART NUMBER	IDENTIFICATION	SERVICE PART NUMBER
C6AF 17C504-A	D0SZ 17508-A	C3UF 17508-A	C3UZ 17508-C
C7AF 17C504-A	C6OZ 17508-D	C5AF 17508-A	C6AZ 17508-A
C8AF 17C504-A	C6OZ 17508-D	C5AF 17508-B	C6AZ 17508-A
C9AF 17C504-A	C9AZ 17508-B	C5OF 17508-A	C3UZ 17508-C
C9AF 17C504-B	D2AZ 17508-A	C6AF 17508-A	C6AZ 17508-A
C9OF 17C504-A	C6OZ 17508-E	C6AF 17508-B	C6AZ 17508-A
C9OF 17C504-B	C6OZ 17508-E	C6AF 17508-C	C6AZ 17508-A
C9ZF 17C504-A	D0ZZ 17508-A	C6OF 17508-A	C6OZ 17508-D
D1ZF 17C504-AA	D1ZZ 17508-A	C6OF 17508-B	C6OZ 17508-B
D0SF 17C504-A	D0SZ 17508-A	C6OF 17508-C	C6OZ 17508-B
D1ZF 17C504-A	D1ZZ 17508-A	C7OF 17508-A	C6OZ 17508-D
D2PF 17C504-AA	D2AZ 17508-A	C7ZF 17508-A	C6OZ 17508-D
D2PF 17C504-BA	D2SZ 17508-A	C9ZF 17508-A	D0ZZ 17508-A
		D0SB 17508-B	D0SZ 17508-B
C3OF 17508-A	C3UZ 17508-C	D1ZF 17508-AA	D1FZ 17508-A
C3OF 17508-B	C3UZ 17508-C	D1ZF 17508-AB	D1FZ 17508-A
C3OF 17508-D	C3UZ 17508-C		

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
- A -				
65/66	A	Single speed electric-less bracket & drive-	1	C6AZ 17508-A (WM-166)
65	A	"Before 1/31/65" 2 speed electric (Ford)-used w/pump marked C2AB 17664-A	1	C5AZ 17508-C (WM-146)
65/68	A	"From 1/31/65" Used with 2 speed wipers	1	D0SZ 17508-A (WM-238)
69/72	A	Used with 2 speed or intermittent wipers	1	D2AZ 17508-A (WM-259)
- B -				
65	B	Single speed electric (Ford)-less drive	1	C3UZ 17508-C (WM-122)
65	B	2 speed electric - less drive	1	C3OZ 17508-A (WM-123)
66	B	Used with single speed wipers-less bracket & drive	1	C6OZ 17508-B (WM-170)
66/71	B	Used with 2 speed or intermittent wipers	1	C6OZ 17508-D (WM-189)
72	B-w/o concealed wipers	Used with 2 speed or intermittent wipers	1	C6OZ 17508-E (WM-230)
69/70	B	Used with 2 speed or intermittent wipers	1	D2AZ 17508-A (WM-259)
72	B-w/concealed wipers	Used with 2 speed or intermittent wipers	1	D2AZ 17508-A (WM-259)
- F -				
65/66	F	Single speed electric (Ford)-less drive	1	C3UZ 17508-C (WM-122)
65	F	2 speed electric (Ford)-less drive	1	C3DZ 17508-A (WM-120)
66	F	Used with 2 speed wipers-includes brkt. & drive	1	C6ZZ 17508-A (WM-172)
67/68	F	Used with 2 speed wipers	1	C6OZ 17508-D (WM-189)
69/70	F	Used with 2 speed or intermittent wipers	1	D0ZZ 17508-A (WM-240)
71/	F	Used with 2 speed or intermittent wipers	1	D1ZZ 17508-A (WM-254)
- L -				
71/	L	Used with 2 speed wipers-with (4) wire leads with 4 term connector-r/b D3FZ 17508-A(5-75)	1	★D1FZ 17508-A (WM-243)
- P -				
70	P	2 speed wipers	1	C6OZ 17508-E (WM-230)
71/	P	Used with 2 speed wipers	1	C6OZ 17508-D (WM-189)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17508 MOTOR ASSY. - WINDSHIELD WIPER - continued				
- S -				
65/66	S	Hydraulic-less bracket-includes attaching parts	1	C5SZ 17508-C (WM-215)
67	S	Hydraulic	1	C7SZ 17508-A (WM-217)
68	S	Hydraulic	1	C8SZ 17508-E (WM-226)
69	S	Hydraulic	1	C9SZ 17508-A (WM-233)
70	S	2 speed electric or intermittent wipers	1	D0SZ 17508-A (WM-238)
70/71	S	Hydraulic wipers	1	D0SZ 17508-B (WM-241)
72	S	2 speed or intermittent wipers	1	D2SZ 17508-B (WM-260)
- U -				
66/69	U	Vacuum wipers	2	C7TZ 17508-B (WM-219)
66/69	U	Kit-used to convert vacuum wipers to electric wiper system	1	C6TZ 17508-D (WM-242)
69/71	U	Electric wipers	1	C6OZ 17508-E (WM-230)
72	U	Electric wipers	1	C6OZ 17508-D (WM-189)
- X -				
65	X	2 speed electric - less bracket & drive	1	C3DZ 17508-A (WM-120)
65	X	Single speed electric (Ford)-less drive	1	C3UZ 17508-C (WM-122)
66	X	Used with single speed wipers-less bracket & drive	1	C6OZ 17508-B (WM-170)
66/68	X	Used with 2 speed wipers	1	C6OZ 17508-D (WM-189)
69/70	X	Used with 2 speed wipers	1	C6OZ 17508-E (WM-230)
65	A	Screw (vacuum motor thru cowl to aux. drive 1/4"-20 x 3/4")	2	20344-S8(B42)
70	F	(Attach motor to cowl)	4	
70/	P	Screw & washer (attach motor to cowl) - 1/4"-28 x 3/4"	4	20345-S7-8 (B150A)
65/69	A, B, S, X	Nut (electric motor output arm to shaft)-1/4"-28	1	33796-S7(M61)
65/70	X	Lockwasher-1/4" spring	2	34805-S8(X62)
65/69	A, B, S, X	Lockwasher-1/4" external tooth	AR	34940-S7(X88)
66/69	U	Nut (motor to windshield frame)-No. 10-24	4	34053-S8(M156)
66/69	U	Lockwasher (motor to w/s frame)-No. 10-24	4	34903-S8(X96)
65/68	A	Screw (elect. motor to dash panel)-1/4"-20 x 1"	2	38294-S8(U141)
65/70	X	Screw (vacuum mtr. to auxiliary drive body)	2	
65/69	S	Screw & washer assy. (motor to wiper bracket)- and 17A428 housing on output shaft - 5/16"-18 x 3/4"	1	42789-S7(U10)
66	S	Screw & washer assy. (motor to cowl)- 1/4"-20 x 1/2"	4	43260-S8(U1)
68/69	F		4	
69/	U	Screw (motor to w/s)-No. 8-32 x 1 3/8"	4	50803-S8(U150B)
66/69	U	Screw (motor to w/s frame)-No. 12-32 x 7/8"	4	★55427-S2
69/70	F	Nut 5/16" -24 (motor to bracket)	1	354299-S2(MM156)
70/	P		1	
68/69	B, X		1	
69/70	F	Washer 5/8" spring (motor to bracket)	1	358981-S(XX364)
67	S	Screw (motor to cowl top panel)-5/16"-18 x 3/4"-hex.	3	359662-S8 (BB575A)
65/70	X	Bolt (elect. wiper mtr. to dash panel)-1/4"-20 x 1 3/4"	2	370521-S(BB128)
66/69	U	Screw (motor to w/s frame)-No. 10-24 x 3/4"	4	371698-S8(BB122)
69/70	F	Flat washer (motor to bracket)-1/2"	1	371702-S(XX180)
70/	P		1	
65/69	A, B, F		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17508 MOTOR ASSY. - WINDSHIELD WIPER - continued				
66/69	U	Nut (motor to windshield frame)-No. 10-32	4	372893-S2(MM193)
66	A	Screw (motor to cowl)-No. 10-24 x 1 1/4" hex. hd.	4	*379338-S7
67	B, F, X	Screw-adjusting-No. 4-40 x .562" fill. head	1	380365-S(BB4M)
66	B, X	Screw & washer assy. (motor to cowl)-	4	*380541-S7
70/	B	No. 10-24 hex. head	3	
69/	U	Rivet (motor to w/s)-No. 8-32	4	382167-S36 (MM119X)
68/69	U	Nut (motor to windshield frame)-No. 8-32-"J" type retainer	4	382226-S2 (MM284D)
17C508 RESISTOR ASSY. - WINDSHIELD WIPER GOVERNOR				
67	A-with safety package	6 1/2" long-45 OHM-low fuel warning relay	1	C7AZ 17C508-A
67	S		1	
69	A	"Before 3/3/69" Use with intermittent wipers	1	
69	A	"From 3/3/69" Not required		
68	F, S	3 1/2" long-22 OHM-not required from 4/8/68	1	C8ZZ 17C508-A
17A511 COVER - WINDSHIELD WIPER MOTOR GEAR - Also refer to Groups 17470, 17A553				
65	A	"Before 1/31/65" Used w/2 speed motor marked C5AF 17504-F	1	C2OZ 17A511-A
65/68	A	"From 1/31/65" Used with 2 speed wiper-includes switch	1	C5AZ 17A511-C
66	F		1	
70	S		1	
66	A	Use with single speed motor marked C6AF 17504-B-includes (1) C6AZ 17471-A gasket	1	C5AZ 17A511-B
69/70	A	Kit-used with 2 speed or intermittent wipers	1	C9AZ 17A511-B
71/	A	Kit-used with 2 speed or intermittent wipers	1	D2AZ 17A511-A
72	B		1	
72	S		1	
Kit-consists of				
1-C9AF 17A511-C		Switch & cover assy. w/s wiper	1-Instruction Sheet	
4-40917-S36		Screw-No. 8-32 tapping washer head		
65	B, F, X	Used with 2 speed electric motor	1	C2OZ 17A511-A
65	B, X	Used with single or 2 speed motor-includes	1	C3AZ 17A511-C
65/66	A	(1) C6AZ 17471-B gasket	1	
69/71	B		1	
65/	F		1	
71/	L		1	
70	P		1	
69/	U		1	
69/70	X		1	
66/71	B	Includes switch	1	C6OZ 17A511-B
66	A		1	
72	B-w/o concealed wipers		1	
66/70	F		1	
70/	P		1	
69/	U		1	
68/70	X		1	
70	S	Used with intermittent wipers	1	D0SZ 17A511-A
69/	A	Screw (switch & cover to motor)-No. 8-32 x 1/2"	4	40917-S(U257)
65/68	A	Screw (switch & cover to motor)-No. 8-18 x 1/2"	2	380934-S100 (UU67F)
17C511 HOSE ASSY. - WINDSHIELD WIPER MOTOR DAMPER DRAIN				
67	S		1	C7SZ 17C511-A
68/69	S		1	C8SZ 17C511-A
68/69	S	Nut-7/16"-24 x 1/4"-flared tube	2	87943-S8(I-21)
17512 NUT - WINDSHIELD WIPER CONTROL - Also refer to Group 019A10				
65	B	Also used for R. H. air control on 8 cyl. with automatic choke	1 or 2	C3OZ 17512-A
68/69	B		1	C8OZ 17512-A
70/71	B-with 2 speed wipers		1	
65/66	F		1 or 2	C4DZ 17512-A
69/70	F		1	C9ZZ 17512-A
71/	F		1	D1ZZ 17512-A
71/	L		1	D1FZ 17512-A
70/	P	Chrome	1	D0DZ 17512-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17512 NUT - WINDSHIELD WIPER CONTROL - continued - Also refer to Group 019A10				
70/71	S-except intermittent wipers		1	D0SZ 17512-C
70	S-with intermittent wipers		1	D0SZ 17512-B
69/	U-with electric wipers		1	C1TF 17512-A
65	X		1	C4DZ 17512-A
68/70	X		1	C8OZ 17512-A
17513 KNOB ASSY. - Also refer to Groups 15674, 18513, 18519				
- A -				
65/66	A	"Wash"-windshield washer control	1	C5AZ 17513-B
65/66	A	"Air"-air control-Chrome	1	C5AZ 17513-D
65/66	A	Windshield wiper control-refer to Group 18519		
67	A	Chrome-windshield wiper control & forced ventilation system control	1or2	C7AZ 17513-A
67	A	R.H. & L.H. air controls	2	C7AZ 17513-B
67	A	Plastic-emergency warning flasher	1	C7OZ 17513-A
68	A (with forced vent system)	R.H. & L.H. air vents	2	C8AZ 17513-A
		Use with production installed defogger only	1	
68/69	A(with tilt column)	Emergency warning switch	1	C8MY 17513-C
68/71	A	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
68/	A	Dealer installed rear window defogger w/spade type switch	1	C8TZ 17513-A
68/70	A	Spotlamp control-1 7/8" O.D. -includes 1/4"-28 set screw (dealer installed)	AR	C8AZ 17513-C
69/70	A	Wiper control or radio fader control	1or2	C9AZ 17513-A
69	A -except integral A/C	R.H. air control letter "Right Air"	1	C9AZ 17513-B
69	A	L.H. air control letter "Left Air"	1	C9AZ 17513-C
70	A	Air control-R.H. and/or L.H.	2	D0AZ 17513-A
71/	A	Air control-R.H. and/or L.H.	2	D1AZ 17513-A
71	A	"Before 5/3/71" Wiper control	1	D1ZZ 17513-A
71/	A	"From 5/3/71" Wiper control	1	D1AZ 17513-B
- B -				
65	B(54, 62, 65A, 71)	Black w/chrome ctr. -knurled-wiper control & R.H. air control	1or2	C4DZ 17513-E
65	B	"Before 10/1/64" Black w/black ctr. -knurled-marked "A"- L.H. air control-from 10/1/64 knob incl. in (01891) assy.	1	C4DZ 17513-C
66	B	Washer control	1	C6OZ 17513-A
66	B	Air control-service in (01890-1)		
67/68	B	Emergency warning flasher	1	C7OZ 17513-A
68	B	(1) for front mounted stereo speaker and (1) for rear seat speaker	AR	C4DZ 17513-D
68/70	B	Spotlamp control-1 7/8" O.D. -includes 1/4"-28 set screw (dealer installed)	1or2	C8AZ 17513-C
68/70	B(71)	Back window regulator control-use with swing away tailgate with power back lite	1	C8OZ 17513-B
68/71	B	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
68/	B	Dealer installed rear window defogger w/spade type switch	1	C8TZ 17513-A
69	B	Inner-with intermittent wiper	1	C8GY 17513-C
69	B	Outer-with intermittent wiper	1	C8GY 17513-D
68/69	B	Wiper control-without intermittent wipers	1	C9OZ 17513-A
70/71	B	"Before 5/3/71" Wiper control	1	D0OZ 17513-A
71/	B	"From 5/3/71" Wiper control	1	D1OZ 17513-A
72	B	Radio fader control	1	C9AZ 17513-A
- F -				
65	F	Wiper control	1	C4AZ 17513-A
65	F	Air control-marked "A"	1	C4DZ 17513-C
69/70	F(Boss 429)	Air scoop control	1	
66	F	Wiper control	1	C4AZ 17513-A
67	F(with tilt steering wheel or collapsible/tilt wheel)	Emergency warning flasher	1	C7SZ 17513-C
67/68	F(with fixed steering wheel)	Emergency warning flasher	1	C7OZ 17513-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17513 KNOB ASSY. - continued-Also refer to Groups 15674, 18513, 18519				
- F -				
68	F(289 high perf.)	Black w/Black ctr. knurled-wiper control for	1	C4DZ 17513-D
68	F(63, 65)	defogger unit	1	
68	F	"Wiper"	1	C8ZZ 17513-C
68/69	F(with tilt column)	Emergency warning switch	1	C8MY 17513-C
68/70	F	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
68/70	F	Spotlamp control-1 7/8" O.D. -includes 1/4"-28 set screw (dealer installed)	AR	C8AZ 17513-C
69	F	Wiper control	1	C9ZZ 17513-C
70	F	Wiper control	1	D0OZ 17513-A
71	F	"Before 5/3/71" Wiper control	1	D1ZZ 17513-A
71/	F	"From 5/3/71" Wiper control	1	D1OZ 17513-A
- L -				
71	L	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
71/	L	Dealer installed rear window defogger w/spade type switch	1	C8TZ 17513-A
71	L	"Before 6/15/71" Wiper control	1	D1FZ 17513-A
71/	L	"From 6/15/71" Wiper control	1	D2DZ 17513-A
72	L	Volume control-rear seat speaker	1	C9AZ 17513-A
- P -				
70/71	P	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
70/	P	Dealer installed rear window defogger w/spade type switch	1	C8TZ 17513-A
70/71	P	"Before 6/15/71" Wiper control	1	D0DZ 17513-A
71/	P	"From 6/15/71" Wiper control	1	D2DZ 17513-A
72	P	Volume control-rear seat speaker	1	C9AZ 17513-A
- S -				
65/66	S	Air control-R.H. & L.H.	2	C4SZ 17513-C
		Wiper-washer control	2	C4SZ 17513-C
67	S	Chrome-with No. 8-32 stud-w/s wiper, washer & flo thru	3	C7SZ 17513-A
67	S	Chrome-with No. 8-32 threaded insert-w/s wiper, washer & flo thru	3	C7SZ 17513-B
67	S	R.H. & L.H. air controls	2	C7SZ 17513-D
67	S	Plastic-emergency warning flasher	1	C7SZ 17513-C
68/69	S(with tilt column)	Emergency warning switch	1	C8MY 17513-C
68/69	S	Rear vent atr control	1	C8SZ 17513-B
70	S-with intermittent wipers	Wiper control	1	D0SZ 17513-A
68/71	S-except intermittent wipers	Wiper control	1	D0SZ 17513-C
72	S	Radio fader control	1	C9AZ 17513-A
72	S	Wiper control	1	D1AZ 17513-B
- U -				
66/	U	Washer-refer to Chassis Group 11500		
66	U	Heater control & Emergency warning flasher	1or2	C3TZ 17513-A
67	U	Black-knurled-heater control & emergency warning flasher	1	C7TZ 17513-A
68/69	U -with vacuum wipers	Wiper control	1	C8TZ 17513-B
68/69	U	For emergency flasher control	1	C8TZ 17513-A
68	U	"Before Ser. D82, 001" Heater control switch knob	1	
69/	U -with electric wipers	Wiper control	1	C8UZ 17513-A
69/	U	"From Ser. D82, 001" Heater control switch knob	1	
70/	U	Emergency flasher control	1	
- X -				
65	X(54A, 54D, 59A, 62A, 62D, 66A, 71A, 78)-X(71B)	Black w/black ctr. -knurled-wiper control -	1	C4DZ 17513-D
		"Before 10/6/64"		
65	X(54B, 62B, 63B, 66B, H, 71C, 76A)X(71B)	Black w/chrome ctr. -knurled-wiper control	1	C4DZ 17513-E
		"From 10/6/64"		
65	X	Black w/black ctr. -marked "A"-air control	1	C4DZ 17513-C
66	X	Air control-refer to Group 01890-1 in Body Section		
66	X(single speed)	Wiper & washer control-Chrome	1	C6DZ 17513-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER		
17513 KNOB ASSY. - continued - Also refer to Groups 15674, 18513, 18519						
- X -						
66/67	X(2 speed)	Washer control-Chrome	1	C6DZ 17513-B		
66/67	X (2 speed)	Wiper control - refer to basic group (18519)				
67/68	X	Plastic-emergency warning flasher	1	C7OZ 17513-A		
68	X	(1) for front mounted stereo speaker (1) for rear seat speaker	AR	C4DZ 17513-D		
68/70	X	Tailgate window control	1	C8DZ 17513-B		
		Wiper control	1			
68/70	X	Spotlamp control-1 7/8" O.D. -includes 1/4"-28 set screw (dealer installed)	1	C8AZ 17513-C		
68/70	X	Used with dealer installed defogger	1	C8MY 17513-A		
69/70	X(71)	With power back lite switch	1	C8OZ 17513-B		
65/69	A, B, F, S, X	Screw (knob to control)-No. 8-32 x .19" set	1 or 2	375504-S8(UU28A)		
68	A-with defogger		1			
17514-5 SPACER - WINDSHIELD WIPER MOUNTING - OUTER						
- X -						
65	X	R. H.	1	C0DB 17514-B		
		L. H.	1	C0DB 17515-B		
17B518 PLATE - WINDSHIELD WIPER MOTOR MOUNTING						
70	S	Used with electric wipers	1	D0SZ 17B518-A		
70/71	S	Used with hydraulic wipers	1	D0SZ 17B518-B		
YEAR	MODEL	DESCRIPTION	QTY.	RIGHT HAND	QTY.	LEFT HAND
17526-7 ARM - WINDSHIELD WIPER PIVOT						
- A -						
65/68	A	Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1	C1SZ 17526-A
69/70	A	Approx. 14 3/4" long	1	C9AZ 17526-A	1	C9AZ 17526-A
71/	A		1	D1AZ 17526-A	1	D1AZ 17527-C
- B -						
65/69	B	Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1	C1SZ 17526-A
70	B		1	D0OZ 17526-A	1	D0OZ 17527-A
71	B	"Before 8/24/70"	1	D0OZ 17526-B	1	★D0OZ 17527-B r/b D0OZ 17527-C(5-75)
71	B	"From 8/24/70"	1	D0OZ 17526-B	1	D0OZ 17527-C
72	B-w/concealed wipers	"Before 9/15/71"	1	★D2OZ 17526-A r/b D2OZ 17526-C(5-75)	1	D2OZ 17527-A
72	B-w/concealed wipers -	"From 9/15/71 to 10/1/71"	1	★D2OZ 17526-A r/b D2OZ 17526-C(5-75)	1	★D2OZ 17527-E r/b D3OZ 17527-B(5-75)
72	B-w/concealed wipers-	"From 10/1/71 to 3/1/72"	1	D2OZ 17526-C	1	★D2OZ 17527-B r/b D3OZ 17527-B(5-75)
72	B-w/concealed wipers	"From 3/1/72"	1	D2OZ 17526-C	1	★D3OZ 17527-A r/b D3OZ 17527-B(11-74)
72	B-w/o concealed wipers	"Before 2/1/72"	1	D2OZ 17526-B	1	D2OZ 17526-B
72	B-w/o concealed wipers	"From 2/1/72"	1	D2OZ 17526-D	1	D2OZ 17526-D
- F -						
65/70	F	Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1	C1SZ 17526-A
71	F	"Before 11/15/70"	1	D1ZZ 17526-A	1	D1ZZ 17527-A
71/	F	"From 11/15/70"	1	D1ZZ 17526-A	1	D1ZZ 17527-B
- L -						
71/	L		1	D1FZ 17526-A	1	D1FZ 17526-A
- P -						
70/	P	14" long	1	D0DZ 17526-A	1	D0DZ 17526-A
- S -						
65	S	Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1	C1SZ 17526-A
66	S	14 3/4"	1	C6SZ 17526-C	1	C6SZ 17527-C
67	S	"Before 1/24/67"	1	C7SZ 17526-C	1	C7SZ 17527-D
67	S	"From 1/24/67"	1	C7SZ 17526-C	1	★C7SZ 17527-C r/b C7SZ 17527-D(5-75)

YEAR	MODEL	DESCRIPTION	QTY.	RIGHT HAND	QTY.	LEFT HAND
17526-7 ARM - WINDSHIELD WIPER PIVOT- continued						
- S -						
68	S	"Before 11/15/67"	Includes wiper blade assy.	1	C8SZ 17526-A	1 C7SZ 17527-D
68/69	S	"From 11/15/67"		1	C8SZ 17526-B	1 C7SZ 17527-D
70/71	S			1	D0SZ 17526-A	1 D0SZ 17527-B
72	S	"Before 9/15/71"		1	D2SZ 17526-A	1 D2SZ 17527-A
72	S	"From 9/15/71"		1	D2SZ 17526-B	1 D2SZ 17527-A
- U -						
66/	U		Adjustable 7 61/64" to 11 15/32"	1	A8TZ 17526-A	1 A8TZ 17526-A
- X -						
65	X		Adjustable 10 3/8" to 14 7/8" long-dull finish	1	C0AZ 17526-A	1 C0AZ 17526-A
66/67	X		Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1 C1SZ 17526-A
68/70	X		14 31/32"	1	C8OZ 17526-A	1 C8OZ 17526-A
YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER		
17C526 COVER - WINDSHIELD WIPER OUTPUT ARM						
69/	A			1	C9AZ 17C526-A	
72	B-w/concealed wipers			1		
72	S			1		
17528 BLADE ASSY. - WINDSHIELD WIPER						
68	All	Universal-winter blade		2	♣C0AZ 17528-A	
69	All	Universal-winter blade		2	♣CD0AZ 17528-A	
70/71	All	Universal-winter blade			♣CD1AZ 17528-A	
YEAR	MODEL	DESCRIPTION	BLADE ONLY	QTY.	BLADE ASSY.	
- A -						
65	A	16.00" long-(Anco)	C3OZ 17593-D	2	C3OZ 17528-H	
65/68	A	16.00" long-(Trico)		2	C3OZ 17528-L	
65/68	A	16.00" long-(Trico)	★C6AZ 17593-B r/b D4AZ 17593-C(5-75)	2		
69/70	A	18 7/8" long	C9AZ 17593-A	2	C9AZ 17528-A	
71/	A	18" long-(Trico)	D3AZ 17593-A	2	D3AZ 17528-A	
72	A	18" long -(Anco)	D2AZ 17593-A	2	★D2AZ 17528-A r/b D3AZ 17528-A(5-75)	
71/	A (71)-with backlite washer	43" long-rear window wiper	★D1AZ 17593-B r/b D3AZ 17528-B(5-75)	1	D1AZ 17528-B	
- B -						
65	B-with single speed wipers	15.00" long-(Trico)	★C3AZ 17593-C r/b D4AZ 17593-D(5-75)	2	† ★ C3AZ 17528-E	
65/66	B(2-speed wipers)	16.00" long-(Anco)	C3OZ 17593-D	2	C3OZ 17528-H	
65/66	B	15.00" long-(Trico)	Not available	2	C3AZ 17528-J	
65/69	B	16.00" long-(Trico)		2	C3OZ 17528-L	
70/	B	16.00" long-(Trico)		2	D0OZ 17528-A	
65/	B	16.00" long-(Trico)	★C6AZ 17593-B r/b D4AZ 17593-C(5-75)	2		
- F -						
65/68	F	15.00" long-(Trico)	★C3AZ 17593-C r/b D4AZ 17593-D(5-75)	2	† ★ C3AZ 17528-E	
65/68	F	15.00" long-(Trico)	Not available	2	C3AZ 17528-J	
69/70	F	16.00" long-(Trico)		2	C3OZ 17528-L	
69/70	F	16.00" long-(Trico)	★C6AZ 17593-B r/b D4AZ 17593-C(5-75)	2		
71/	F	"From 2/1/71"	D3AZ 17593-A	2	D3AZ 17528-A	
- L -						
71/	L	16" long-(Anco)	D3DZ 17593-A	2	D1DZ 17528-A	
- P -						
70	P	16.00" long-(Anco)	Not available	2	★D0DZ 17528-A r/b D3DZ 17528-A(5-75)	
71/	P	16" long-(Anco)	D3DZ 17593-A	2	D1DZ 17528-A	

† For service use C3AZ 17528-J
May, 1975

♣ Canada only

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	BLADE ONLY	QTY.	BLADE ASSY.
17528 BLADE ASSY. - WINDSHIELD WIPER - continued					
- S -					
65/66	S	"Before 9/3/65"	18.00" long-(Anco)	C4SZ 17593-A	2 ▲C4SZ 17528-A
65/66	S	"Before 9/3/65"	18.00" long (Trico) Bright finish	D0UZ 17593-A	2 C1VB 17528-C
65/66	S	"From 9/3/65"	18.00" long (Trico)-dull finish	D0UZ 17593-A	2 ★C1VZ 17528-B r/b D1AZ 17528-A(5-75)
67	S		★C6AZ 17593-B r/b D4AZ 17593-D(5-75)		Serviced only in Basic 17526-7 Arm assy.
68/69	S		16.00" long-(Trico)-R.H.		1 C3OZ 17528-L
68/69	S		16.00" long-(Trico)-L.H.		1 C8SZ 17528-A
70/71	S		16.00" long-(Trico)		2 D0OZ 17528-A
68/71			16" long-(Anco) ★C6AZ 17593-B r/b D4AZ 17593-D(5-75)	2	
72	S		18" long-(Trico)	D3AZ 17593-A	2 D3AZ 17528-A
72	S		18" long- (Anco) D2AZ 17593-A	2	★D2AZ 17528-A r/b D3AZ 17528-A(5-75)

- U -

66/69	U-with vacuum wipers	12" long-(Trico)	Not available	2	A8TZ 17528-A
69/	U-with electric wipers	13" long-(Trico)	Not available	2	C9TZ 17528-A

- X -

65	X	"Before 2/15/66"	15.00" long-(Trico) ★C3AZ 17593-C r/b D4AZ 17593-D(5-75)	2	† ★C3AZ 17528-E
65/66	X(single speed wipers)	"From 2/15/66"	15.00" long-(Trico)	2	C3AZ 17528-J
66	X(2 speed wipers)		16.00" long-(Anco)	2	C3OZ 17528-H
66/70	X		16.00" long-(Trico)	2	C3OZ 17528-L
66/70	X		16.00" long-(Anco) ★C6AZ 17593-B r/b D4AZ 17593-C(5-75)	2	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17530 BEZEL - REAR VIEW OUTSIDE MIRROR CONTROL				
69/70	A, F	With L.H. remote control mirror	1	C9AZ 17530-A
70	B		1	
68/69	B(63, 65, 66, 76)	Housing remote control	1	C8OZ 17530-A
65/66	S		1	C4SZ 17530-A
69/70	A	Nut & washer (attach bezel to panel assy. door trim)	2	34653-S36(M106X)
70	B		2	

17531 CLIP - WINDSHIELD WIPER ADAPTER AND CONNECTING ARM				
65	B, X	"U" shape-overall height -39/64"		2 C3SZ 17531-A
65/66	S	"Before 10/18/65"		2
65/	A, F	Use with windshield wipers	2	C5ZZ 17531-A
66/	B	Use with windshield wipers	2	
70/	P	Used with windshield wipers	1	
66/	S	Used with windshield wipers	AR	
66/70	X	Used with windshield wiper	2	
69/	U	Used with 2 speed electric wipers	1	
68/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Used to attach headlamp cover motor	2	
70/71	B	Used to attach headlamp cover motor	2	
66/69	S	"From 10/18/65"	4	
72	S	Used to attach headlamp cover motor	2	

17540 ARM - WINDSHIELD WIPER MOUNTING				
65/68	A	Use with C5AZ 17566-7-A pivot shafts	2	C5AZ 17540-A

17541 WASHER - WINDSHIELD WIPER ARM TO PIVOT SHAFT				
65/66	X	Leather	2	C0DB 17541-A

17C541 COVER ASSY.- WINDSHIELD WIPER MOTOR				
69/70	A	Kit-used with 2 speed or intermittent wipers	1	C9AZ 17C541-C

Kit-consists of

1-C9AF	17C430-C	Gasket	1-C9AF	17C541-B	Cover assy.-w/s wiper motor drive
1-C9AZ	17C430-D	Gasket	1-Instruction Sheet		
1-C9AZ	17C526-A	Cover-w/s wiper output arm			

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER	
17C541 COVER ASSY. - WINDSHIELD WIPER MOTOR - continued					
71/	A		1	D2AZ 17C541-A	
	Kit-consists of				
	1-C9AZ 17C430-D	Gasket	1-D2AF 17C541-AA	Cover assy.-w/s wiper motor drive	
	1-D2AF 17C430-AA	Gasket	1-Instruction sheet		
	1-C9AF 17C526-A	Cover-w/s wiper output arm			
72	B		1	D2OZ 17C541-B	
	Kit-consists of				
	1-C9AZ 17C430-D	Gasket	1-D2OF 17C541-AB	Cover assy.-w/s wiper motor drive	
	1-D2AF 17C430-AA	Gasket	1-Instruction sheet		
	1-C9AZ 17C526-A	Cover-w/s wiper output arm			
72	S		1	D2SZ 17C541-A	
	Kit-consists of				
	1-C9AZ 17C430-D	Gasket	1-D2SF 17C541-AA	Cover assy.-w/s wiper motor drive	
	1-D2AF 17C430-AA	Gasket	1-Instruction sheet		
	1-C9AF 17C526-A	Cover-w/s wiper output arm			
72	U	"From 9/19/72"	1	D3BZ 17C541-A	
17543 HOSE - BULK					
65/	All	7/64" I.D. x 50 ft. roll	AR	D3PZ 17543-B (KW-6-B)	
65/71	All	1/8" I.D. x 50 ft. long-r/b	D3PZ 17543-B(5-75)	AR	★A9A 17543-A
65/	All	5/32" I.D. x 50 ft. roll-r/b	D3PZ 17543-C(5-75)	AR	★D0PZ 17543-C (KW-7-A)
65/	All	7/32" I.D. x 50 ft. roll	AR	D0PZ 17543-A (KW-5-A)	
65/	All	9/32" I.D. x 50 ft. roll	AR	D3PZ 17543-D (KW-8-B)	
65/71	All	5/16" I.D. x 25 ft. long-r/b	D3PZ 17543-D(5-75)	AR	★B9A 17543-A
65	All	Grommet (windshield wiper hose thru dash panel)	1	373114-S(KK41)	
		Tee (transmission line and windshield wiper tube to intake manifold)-3 way	1	375518-S(II-167A)	
66	U	Clip (hose to windshield frame)	2	★357332-S32	
68	S	Elbow-90° (hose to rubber plug in harness)-1/8"	2	382294-S(II-187AD)	
67	F	Grommet (hose to dash panel)	1	★376163-S	
67	S	Connector tee w/s wiper (hose to hand brake supply)	1	353376-S35(II-103)	
67	S	Tee (connect vacuum hose)-1/4" x 1/4" x 3/16"	1	373844-S(II-98KA)	
69	S	32.50" long-including connectors-windshield washer	1	C9SZ 17543-A	
17544 TUBE - WINDSHIELD WIPER - Cut as required from 17543 hose					
68/69	A	Connector "T"-1 7/16" long x 3/16" x 7/16"	1	378830-S(II-106H)	
67/69	F	Strap adjustable (tube to L.H. front fender apron)	1	376914-S(YY2)	
68/69	F	Strap adjustable (tube to dash panel)	1	382175-S(GG289)	
17A549 SCREW - WINDSHIELD WIPER MOTOR SHAFT STOP					
65/68	A	With Ford 2 speed motor	1	COMF 17A549-A	
65/71	B		1		
65/	F		1		
70/	P		1		
65/70	X		1		
70	S		1	D0SZ 17A549-A	
17B549 LEVER - WINDSHIELD WIPER MOTOR PARK SWITCH					
65/66	A	Used with single speed Ford motor	1	C5AZ 17B549-A	
66	B,X	Used with single speed Ford motor	1		
71/	F,L	Used with 2 speed wipers	1		
66/71	B	Used with 2 speed wipers-Stamped "H"	1	C6OZ 17B549-A	
72	B-w/o concealed wipers		1		
66/70	F,X		1		
70/	P		1		
69/	U		1		
17C549 STOP - WINDSHIELD WIPER ARM					
70/71	S		1	D0SZ 17C549-A	
72	S	R.H.	1	D1SZ 17C549-A	
		L.H.	1	D1SZ 17C549-B	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A553 SWITCH ASSY. - WINDSHIELD WIPER and WASHER - Also refer to Group 17A625				
- A -				
65/66	A-with single speed wipers	5 terminals-marked C5AB 17A553-A or C	1	C5AZ 17A553-A (SW-728)
65/66	A-with 2 speed wipers	7 terminals-marked C5AB 17A553-B	1	C5AZ 17A553-B (SW-729)
67	A "Before 3/1/67"	7 terminals-marked C7AB 17A553-B or C	1	C7AZ 17A553-B (SW-738)
67	A "From 3/1/67"	7 terminals-marked C7AB 17A553-D or E	1	C7AZ 17A553-D (SW-739)
68	A	7 terminals-marked C8AB 17A553-A	1	C8AZ 17A553-A (SW-827)
69	A-with 2 speed wipers	9 terminals-marked C9AB 17A553-G	1	C9AZ 17A553-G (SW-879)
69/70	A-with intermittent wipers	10 terminals-marked C9AB 17A553-D	1	C9AZ 17A553-B (SW-844)
70	A-with 2 speed wipers	9 terminals-marked C9AB 17A553-H	1	D0AZ 17A553-A (SW-939)
71/	A-with 2 speed wipers	10 terminals -marked D1AB 17A553-AB	1	D1AZ 17A553-B (SW-999)
71/	A-with intermittent wipers	10 terminals -marked D1AB 17A553-BB	1	D1AZ 17A553-C (SW-997)
- B -				
65	B-with single speed wipers	5 terminals-marked C3OB 17A553-A	1	C4OZ 17A553-B (SW-727)
65	B-with 2 speed wipers	6 terminals-marked C4OB 17A553-A	1	C4OZ 17A553-A (SW-799)
66	B-single speed wipers	5 terminals-marked C6OB 17A553-A	1	C6OZ 17A553-A (SW-772)
66/67	B-2 speed wipers	5 terminals-marked C6OB 17A553-B or C	1	C6OZ 17A553-C (SW-773)
68/69	B-2 speed wipers	7 terminals-marked C8GB 17A553-A or C8OB 17A553-A	1	C8GY 17A553-A (SW-754)
69	B-with intermittent wipers	9 terminals-marked C8GB 17A553-B	1	C8GY 17A553-B (SW-829)
70	B-with intermittent wipers	7 terminals-marked D0OB 17A553-C or E	1	D0OZ 17A553-B (SW-897)
70/71	B-2 speed wipers	7 terminals-marked D0OB 17A553-A or D	1	D0OZ 17A553-A (SW-896)
72	B-2 speed wipers-w/o concealed wipers	8 terminals-marked D2OB 17A553-CA	1	D2OZ 17A553-A (SW-1073)
72	B-2 speed wipers w/concealed wipers	10 terminals-marked D2OB 17A553-DA	1	D2OZ 17A553-C (SW-1083)
72	B-with intermittent wipers	10 terminals-marked D2OB 17A553-EA	1	D2OZ 17A553-B (SW-1074)
- F -				
65	F-single speed wipers without washers	5 terminals-marked C4ZB 17A553-B or E	1	C5ZZ 17A553-B (SW-731)
65/66	F-single speed wipers with washers	7 terminals-marked C4ZB 17A553-C	1	C5ZZ 17A553-C (SW-732)
65/66	F-2 speed wipers "Before 12/19/65"	7 terminals-marked C4ZB 17A553-D	1	C5ZZ 17A553-E (SW-733)
66	F-2 speed wipers "From 12/19/65"	7 terminals-marked C6ZB 17A553-A or B	1	C6ZZ 17A553-A (SW-737)
67	F	5 terminals-marked C7ZB 17A553-B	1	C7ZZ 17A553-A (SW-746)
68	F	5 terminals-marked C8ZB 17A553-A	1	C8ZZ 17A553-A (SW-834)
69/70	F-with intermittent wipers	7 terminals-marked C9ZF 17A553-B,C or D0ZB 17A553-B	1	D0ZZ 17A553-A (SW-933)
69	F-2 speed wipers	7 terminals-marked C9ZB 17A553-A	1	C9ZZ 17A553-A (SW-847)
70	F-with 2 speed wipers	7 terminals-marked D0ZB 17A553-A	1	D0ZZ 17A553-B (SW-940)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A553 SWITCH ASSY. - WINDSHIELD WIPER and WASHER - continued - Also refer to Group 17A625				
- F -				
71/	F-with 2 speed wipers	7 terminals-marked D1ZB 17A553-AA	1	D1ZZ 17A553-A (SW-994)
71/	F-with intermittent wipers	7 terminals-marked D1ZB 17A553-BB or D2ZB 17A553-AA	1	D1ZZ 17A553-B (SW-993)
- L -				
71/	L-with 2 speed wipers	7 terminals-marked D12B 17A553-A1A	1	D1FZ 17A553-A (SW-977)
- P -				
70/	P-with 2 speed wipers	7 terminals-marked D0OB 17A553-A or D	1	D0OZ 17A553-A (SW-896)
- S -				
70	S-with 2 speed wipers	7 terminals-marked D0SB 17A553-A or C	1	D0SZ 17A553-A (SW-916)
70	S-with intermittent wipers	10 spade terminals-marked D0SB 17A553-B, D	1	D0SZ 17A553-B (SW-917)
65/71	S-with hydraulic wipers	Refer to Group 17470		
72	S-with 2 speed wipers	10 terminals-marked D2LB 17A553-AA	1	D2LY 17A553-A (SW-1075)
72	S-with intermittent wipers	10 terminals-marked D2LB 17A553-CA	1	D2LY 17A553-B (SW-1076)
- U -				
67/69	U-vacuum wipers	Refer to Group 17A625		
69/	U-2 speed wipers	7 terminals-marked C8UB 17A553-A	1	C8UZ 17A553-A (SW-869)
- X -				
65	X-with single speed wipers	5 terminals-marked C3AB 17A553-D	1	C4DZ 17A553-B (SW-798)
65	X-with 2 speed wipers	6 terminals-marked C4DB 17A553-A	1	C4DZ 17A553-A (SW-797)
66	X-single speed wipers	5 terminals-marked C6DB 17A553-A	1	C6DZ 17A553-A (SW-805)
66	X-2 speed wipers "Before 9/16/65"	5 terminals-marked C6DB 17A553-B	1	
66/67	X-2 speed wipers "From 9/15/65"	5 terminals-marked C6DB 17A553-C	1	C6DZ 17A553-C (SW-734)
68/70	X-2 speed wipers	7 terminals-marked C8GB 17A553-A or C8OB 17A553-A	1	C8GY 17A553-A (SW-754)
68	A	Screw (wiper switch to instrument cluster)- No. 6-32 x 1/2" pan head	2	51763-S(U362)
69/	A	Screw (wiper switch to instrument cluster)	2	52533-S(U266)
17A556 GEAR and STOP ASSY. - WINDSHIELD WIPER MOTOR OUTPUT				
65/68	A	Used with 2 speed Ford motor	1	B9MF 17A556-A
65/71	B		1	
65/	F		1	
70/	P		1	
65/70	X		1	
17A558 SPACER - WINDSHIELD WIPER MOTOR OUTPUT SHAFT				
65/66	A	Used with single speed Ford motor	1	C5AZ 17A558-A
66/71	B	Used with 2 speed wipers	1	
72	B-w/o concealed wipers		1	
66/	F		1	
71/	L	Used with 2 speed wipers	1	
70/	P	Used with 2 speed wipers	1	
69/	U	Used with 2 speed electric wipers	1	
66/70	X	Used with 2 speed wipers	1	
17B563 PIN - WINDSHIELD WIPER MOTOR				
66/67	B, X	"Before 4/3/67"	1	C6OZ 17B563-A
67	F		1	
66/71	B	"From 4/3/67"	1	C7OZ 17B563-A
72	B-w/o concealed wipers	1 3/8" long-(non-adjustable switch)	1	
66/	F		1	
71/	L		1	
70/	P		1	
70	S		1	
69/	U	Used with 2 speed electric wipers	1	
66/70	X		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17C563 PLATE ASSY.- WINDSHIELD WIPER DRIVE LINK PIVOT.				
69/70	A		1	C9AZ 17C563-A
70	S-with electric wipers		1	D0SZ 17C563-A
17B564 PIN - WINDSHIELD WIPER MOTOR CONTACT OPERATING				
65/66	A, B, F, X	Used with single speed wiper	1	C3AZ 17B564-A
66/68	B, X	Used with 2 speed wipers-not required on units built from 4/3/67	1	
67	F	Used with 2 speed wiper-not required on units built from 4/3/67	1	
17566-7 ARM and PIVOT SHAFT ASSY. - WINDSHIELD WIPER MOUNTING				
- A -				
65/68	A	R. H. -pivot shaft only-use with C5AZ 17540-A	1	C5AZ 17566-A
		L. H.	1	C5AZ 17567-A
69/70	A	R. H.	1	C9AZ 17566-A
		L. H.	1	C9AZ 17567-B
71	A	"Before 4/5/71" R.H. -r/b D3AZ 17566-A(5-75)	1	★D1AZ 17566-A
71/	A	"From 4/5/71" R.H. -r/b D3AZ 17566-A(5-75)	1	★D2AZ 17566-A
71/72	A (65)	"Before 11/1/71" L.H. -r/b D2AZ 17567-A(5-75)	1	★D1AZ 17567-A
72	A (65)	"From 11/1/71" L.H.	1	D2AZ 17567-A
71/72	A (except 65)	"Before 11/1/71" L. H. -r/b D2AZ 17567-B(5-75)	1	★D1AZ 17567-B
72	A (except 65)	"From 11/1/71" L.H.	1	D2AZ 17567-B
- B -				
65	B	R. H. -less spacer	1	C4OZ 17566-A
		L. H.	1	C4OZ 17567-A
66/67	B	R. H.	1	C6OZ 17566-A
		L. H.	1	C6OZ 17567-B
68/69	B	R. H.	1	C8OZ 17566-A
		L. H.	1	C8OZ 17567-B
70/71	B	R. H.	1	D0OZ 17566-A
	"Before 2/2/70"	L. H. -r/b D0OZ 17567-B(5-75)	1	★D0OZ 17567-A
	"From 2/2/70 to 11/2/70"	L. H.	1	D0OZ 17567-B
	"From 11/2/70"	L.H.	1	D1OZ 17567-A
72	B	One piece design	1	D2OZ 17566-A
- F -				
65	F	"Before 5/3/65" R. H. -less spacer	1	C5ZZ 17566-B
		L. H.	1	C5ZZ 17567-B
65/66	F	"From 5/3/65" R. H. -with spacer	1	C5ZZ 17566-C
		L. H.	1	C5ZZ 17567-C
67/68	F	R. H.	1	C7ZZ 17566-A
		L. H.	1	C5ZZ 17567-C
69/70	F	R. H.	1	C9ZZ 17566-A
		L. H.	1	C9ZZ 17567-A
71/	F	R.H.	1	D1ZZ 17566-A
		L.H.	1	D1ZZ 17567-A
- L -				
71/	L	One piece design-r/b D3FZ 17566-A(5-75)	1	★D1FZ 17566-A
- P -				
70/	P	R. H.	1	D0DZ 17566-A
		L. H.	1	D0DZ 17567-A
- S -				
65	S	R. H. -less spacer	1	C4SZ 17566-A
		L. H.	1	C4SZ 17567-B
66	S	R. H. -not replaced (5-75)	1	★C6SZ 17566-A
		L. H.	1	C6SZ 17567-B
67	S	R. H.	1	C7SZ 17566-A
		L. H.	1	C7SZ 17567-A
68/69	S	R.H. & L.H.	2	C8SZ 17566-A
70	S	R. H. - used with electric wipers	1	D0SZ 17566-A
		L. H.	1	D0SZ 17567-B
70/71	S	Use with hydraulic wipers-one piece design	1	D0SZ 17566-B
72	S	One piece design	1	D2SZ 17566-A
- U -				
69/	U-with electric wipers		1	C9TZ 17566-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17566-7 ARM and PIVOT SHAFT ASSY. - WINDSHIELD WIPER MOUNTING - continued				
- X -				
65	X	R. H. -less spacer	1	C3DZ 17566-B
		L. H.	1	C3DZ 17567-A
66/70	X	R. H.	1	C6OZ 17566-A
		L. H.	1	C6OZ 17567-B
65/70	F	"From 5/3/65"	6	20344-S8(B42)
70/	P		3	
65/70	F	"From 5/3/65"	6	34805-S8(X62)
70/	P		3	
65/	F	"Before 5/3/65"	6	43263-S8(U3)
65/68	A	Screw & washer assy. (arm & pivot shaft to cowl top)-1/4"-20 x 5/8"	6	
65/70	X	Flatwasher (arm & pivot shaft to motor)-1/4"	1or2	44719-S8(X17)
65	B, X	Flatwasher(R. H. arm & pivot to L.H.arm pivot)	1	
66	A	Bolt (arm & pivot to cowl panel)-No.10-24 x 7/16"	6	350002-S(BB529)
68/	B		2	
68/70	X		2	
65	X	Nut (arm & pivot shaft to cowl)-5/8"-24	2	356094-S13 (MM182)
65/68	A	Spring washer (R. H. & L. H. arm & pivot shaft to motor)	1	356600-S(XX361)
65	S	Nut (arm & pivot shaft to cowl top)-3/4"-20-round	2	370695-S37
65	B	Nut (arm & pivot shaft to cowl top)	2	(MM213D)
65/69	S	Screw & washer assy. (arm & pivot shaft to cowl)-1/4"-20 x 3/4"	4	371492-S2(BB569)
65	S	Screw & washer (arm & pivot shaft to cowl top)-1/4"-20 x 1/2"	4	373460-S7(BB629)
65	B, X	Spring washer (R. H. arm & pivot to L. H. arm & pivot)-3/8"	1	374669-S2 (XX368A)
65	X	Spring washer (arm & pivot shaft to motor)	1	
65	A	Screw & washer assy. (arm & pivot shaft to cowl)-No.10-24 x 7/16"	6	375921-S13(BB51C)
17B566 BRUSH and TERMINAL ASSY. - WINDSHIELD WIPER MOTOR				
65	B, X	Slip-on terminal-used with single speed Ford motor	1	C3AZ 17B566-A
65/66	F		1	
65/68	A, B, F, X	Grounded-eyelet terminal-used with single speed Ford motor	1	C3AZ 17B566-B
66/71	B	Used with 2 speed wipers-Ground	1	C6OZ 17B566-A
72	B-w/o concealed wipers		1	
66/	F		1	
71/	L		1	
70/	P		1	
69/	U		1	
66/70	X		1	
17C569 COVER - WINDSHIELD WIPER MOTOR and LINKAGE				
69/72	U	"Before 9/19/72"	1	C9TZ 17C569-A
72	U	"From 9/19/72"		Refer to Group 17C541
17C570-1 BRACKET - WINDSHIELD WIPER MOTOR and LINKAGE COVER				
69/	U	R. H. -used with 2 speed electric wipers	1	C9TZ 17C570-A
		L. H.	1	C9TZ 17C571-A
17573 BEARING - WINDSHIELD WIPER ARM				
71/	L		4	D1FZ 17573-A
17C573 GASKET - WINDSHIELD WIPER CONTROL SWITCH				
70/71	S-except with intermittent wipers		1	D0SZ 17C573-A
70	S-with intermittent wipers		1	D0SZ 17C573-B
17580 HOSE - WINDSHIELD WASHER RESERVOIR TO PUMP - Cut as required from 17543 Bulk Hose				
65/70	X	Screw (attaches clip 359548-S100 and hose to front fender to apron brace to dash)-No.8-15 x 1/2"	1	52726-S13(U381)
65/70	X	Clip	1	359548-S100 (GG144)
17C582 GROMMET - WINDSHIELD WIPER PIVOT SHAFT				
70/	P	29/32" I. D. x 1" long	1	D0DZ 17C582-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER	
17B583 PLATE & SWITCH ASSY. - WINDSHIELD WIPER MOTOR					
69/	A	Kit-used with 2 speed or intermittent wipers	1	C9AZ 17B583-B	
72	B-with concealed wipers		1		
72	S		1		
Kit-consists of					
	1-C9AZ 17C436-A	Retainer w/s wiper motor brg.	1-D2AF 17B443-A	Plate assy.w/s wiper motor	
	1-C9AZ 17C535-A	Retainer w/S wiper motor cup	1-Instruction Sheet		
65	B,X	Used with single speed Ford motor	1	C3AZ 17B583-A	
65/66	F		1		
66/67	B,F,X	"Before 4/3/67"	1	C6OZ 17B583-A	
67/68	B,F,X	"From 4/3/67"	1	C7OZ 17B583-B	
69/71	B		1	C8UZ 17B583-B	
72	B-w/o concealed wipers		1		
71/	F,L		1		
70/	P		1		
69/70	X		1		
69/	U		1		
69/70	F		1	C9ZZ 17B583-B	
66/67	B,X	Screw-use with adjustable windshield wiper switch-No. 4-40 x 9/16"-fillister head	1	380365-S(BB4M)	
67	F		1		
68	B,F,X	Screw (attach 17B583 to 17A431)-No. 6-20 x 1/2" round head	3	375557-S7 (UU82)	
17C583 STOP ASSY. - WINDSHIELD WIPER ARM					
71/	A	R.H.	1	D3AZ 17C583-A	
		L.H.	1	D1AZ 17C583-C	
70/71	B		1	D0OZ 17C583-A	
71/	F		1		
17B584 CUP and MAGNET ASSY. - WINDSHIELD WIPER MOTOR					
67/71	B	Used with 2 speed electric wipers	1	C7OZ 17B584-A	
66/70	F		1		
72	B-w/o concealed wipers		1		
71/	L		1		
70/	P		1		
69/	U		1		
67/70	X		1		
68	B,F,X	Bolt (attach 17B584 to 17A431)-No. 10-32 x 3 7/8" hex. head	2	372212-S7-8 (BB205C)	
17B587 WIRING - WINDSHIELD WIPER SWITCH TO MOTOR					
65/66	A-2 speed wipers	"From 6/14/65"	1	C6AZ 17B587-B	
68/69	B,F	Used with 2 speed wiper	1	C8OZ 17B587-A	
68/70	X		1		
65/66	F-single speed wipers	Marked C5ZB 17B587-B	1	C5ZZ 17B587-B	
66/69	U	Marked D0UJ 17B587-A-used with C6TZ 17508-D conversion kit	1	C6TZ 17B587-B	
69/70	U	"Before Ser.G70,001"	1	C9TZ 17B587-B	
70/	U	"From Ser.G70,001"	1	D0BZ 17B587-A	
66	A(8 cyl. 427)	Marked D0BB 17B587-A	1		
66	F	Clip(wiring to dash panel)-single speed wipers	1	380896-S(GG252)	
66	F	Screw (wire to switch)-No. 10-12 x 1/2"	1	52727-S8(U382)	
		Lockwasher (wire to switch)	1	34939-S8(X86)	
17593 BLADE - WINDSHIELD WIPER - LESS FRAME- Refer to Group 17528					
17598 CONNECTOR - WINDSHIELD WASHER HOSE					
68/69	S-with integral A/C	"Before 9/16/68" only	7/64" I.D. small end-5/32" I.D. large end-13/32" long-use valve to vacuum hose	2	C8SZ 17598-A
17B599 SPRING - WINDSHIELD WIPER MOTOR BRUSH					
65/66	A	Used with single speed & 2 speed motors	2	C5AZ 17B599-A	
65/71	B		3		
72	B-w/o concealed wipers		3		
65/	F		3		
71/	L		3		
70/	P		3		
69/	U		3		
65/70	X		3		

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17C600 FILTER ASSY. - WINDSHIELD WIPER MOTOR				
70/71	S-with hydraulic wipers	Brass rod 3 1/16" long-w/screen filter & threaded both ends	1	D1SZ 17C600-A
17A601 TEE - WINDSHIELD WASHER HOSE				
65/68	A		1	C0AZ 17A601-A
68/70	A, F	"F" shaped	1	C8OZ 17A601-A
68/69	B		1	
72	P		1	
65/67	B, U, X	Nylon	1	C0AB 17A601-A
65/66	F, S		1	
71/	A		1	D0SZ 17A601-A
70/	B		1	
70/71	S		1	
72	B		1	D2OZ 17A601-A
67/69	S	"F" shaped	1	C7SZ 17A601-A
67	B, F		1	
70/71	P		1	
70/71	S		1	D0VY 17A601-A
71/	A		1	
71/	F		1	D1ZZ 17A601-A
68/	U	Nylon-3 way	1	C8UZ 17A601-A
67/69	S	Lockwasher (tee to cowl)-No. 8-3/8"	1	34938-S(X85)
67/69	S	Screw (tee to cowl)-No. 8-15 x 3/4"	1	42140-S(U246A)
69	F	Screw (tee to cowl)-No. 8-15 x 1/2"	1	52012-S8(U202)
70/	P	Screw (tee to cowl)-No. 8-15 x 5/8"	1	52554-S8(U230)
68/70	A, X	Tee-"Y" shaped-3/16" x 3/16" x 3/16"	1	383013-S (II-106NB)
17A602 NOZZLE - WINDSHIELD WASHER				
65	F, X	Rubber-r/b C5AZ 17603-F (5-75)	2	★C5AZ 17A602-B
65/66	A		2	
65/67	S		2	
17603 JET & BRACKET ASSY. - WINDSHIELD WASHER NOZZLE - Also refer to Group 17666				
- A -				
65/68	A	"Before 11/1/67"	2	C5AZ 17603-F
68	A	"From 11/1/67"	1	C8AZ 17603-A
		R.H.	1	C8AZ 17603-C
		L.H.	1	
69/70	A		2	D0AZ 17603-A
71/	A		1	D1AZ 17603-B
		R.H.	1	D1AZ 17603-A
		L.H.	1	
- B -				
65	B		2	C5OZ 17603-B
66/67	B		2	C6OZ 17603-B
68/69	B	Dual jet holes	2	C8OZ 17603-B
70	B	"Before 3/10/70"	2	D0OZ 17603-A
70/71	B	"From 3/10/70"	2	D0OZ 17603-B
72	B		2	D2OZ 17603-A
- F -				
65	F	"Before 5/25/64"	2	C5ZZ 17603-E
66	F		2	
65	F	"From 5/25/64"	2	C5ZZ 17603-D
67	F	"Before 4/4/67"	2	C7ZZ 17603-A
67/68	F	"From 4/4/67"	2	C7ZZ 17603-B
69/70	F	With dual holes in jet tube-includes bracket	2	D0ZZ 17603-A
71/	F		1	D1ZZ 17603-B
		R.H.	1	D1ZZ 17603-A
		L.H.	1	
- L -				
71/	L		2	D1FZ 17603-A
- P -				
70	P	"Before 8/11/69"	2	D0DZ 17603-A
70/	P	"From 8/11/69"	2	D0DZ 17603-E

• Also supplied in (17A603) washer kit

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 176

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17603 JET & BRACKET ASSY. - WINDSHIELD WASHER NOZZLE - continued - Also refer to Group 17666				
- S -				
65/66	S	Includes nozzle (C5AZ 17A602-B)	2	C4SZ 17603-D
67	S	"Before 4/7/67"		
67/69	S	"From 4/7/67"		
70/71	S	Dual jet holes	2	C7SZ 17603-C
		R. H.	1	D0SZ 17603-E
		L. H.	1	D0SZ 17603-F
72	S		2	D2SZ 17603-A
- X -				
65	X			
66/67	X	Includes nozzle (C5AZ 17A602-B) & adapter	2	C4DZ 17603-D
68/70	X		2	C6OZ 17603-B
67	A		2	C8DZ 17603-A
		Screw (nozzle to cowl top vent grille)- No. 10-12 x 3/4" self tap	2	32938-S7(U345)
67/69	S	Lockwasher (jet to cowl top)-No. 8-3/8"-1/64"	1	34938-S(X85)
67/69	S	Screw (jet to cowl top)-No. 8-15 x 3/4"	1	42140-S(U246A)
69	A, F	Screw (jet & bracket to cowl top)-No. 8-15 x 5/8"	2	52554-S8(U230)
70/	P		4	
65/69	B	Screw (jet & brkt. to cowl top)-No. 10-16 x 1/2"	2	350754-S8 (UU-86)
65/70	X	Screw (jet & brkt. to cowl top)-No. 8-18 x 3/8"	2	376378-S101(UU97)
66	F	Screw (jet & brkt. assy. to cowl top)-No. 8-15 x 3/8"	2	378278-S(XX119N)
67	A	Screw (attach windshield washer jet)- No. 8-15 x 1/2"-washer head round	2	378729-S2(UU87R)
67	S	Nipple-1/8" hose (connects hoses to R. H. & L. H. hoses)	2	379886-S(II-191T)
17A603 WASHERKIT - WINDSHIELD				
65/68	A, B, X	Foot-operated	1	C1RZ 17A603-A
Consists of				
1-C0AB	17A601-A	Tee	1-C2RZ 17632-A	Cover
1-C1RB	17A605-A	Hose	1-C1RB 17A635-A	Pin
1-C1RB	17A605-B	Hose	1-B9BA 17651-A	Bracket
2-C1RB	17A605-C	Hose	1-C1RZ 17664-A	Pump
1-C1RB	17A615-A	Screen	2-C1RB 17665-A	Nozzle
1-C1RZ	17618-A	Reservoir		
4-42127-S8 Screw				
2-376772-S Flat washer				
2-376773-S Retainer washer				
1-Instruction Sketch				
17A605 HOSE - WINDSHIELD WASHER - Cut as required from 17543 bulk hose				
69/70	A	Clip (att. hose to cowl vent grille head seal)	2	353547-S2(GG173)
70	F	Strap-adjustable (att. hose to dash panel)	1	★374320-S
68	A	Clip (attach 17A605 hose to cowl top vent grille)	1	374806-S100 (GG312)
65/69	B	Grommet (hose thru dash panel)-improvise	1	★376163-S
65/70	X-with electric w/s washer		1	
66	F	Strap-adjustable (attach hoses to fender apron)	1	376914-S(YY2)
66	F	Strap-adjustable (attach hoses to dash panel)	1	
66	U	Strap-adjustable (attach hoses to fender apron)	3	
66	F	Clip (hose to cowl top)	1	★376931-S
65/70	X-with electric w/s washer		1	
66	A	Screw (jet to cowl top)-No. 10-16 x 1/2" hex. hd.	2	377843-S(UU-52)
67	S	Nipple-1/8" hose-.99" long (R.H. to L.H. hoses)	2	379886-S(II-191T)
66/69	B, X	Clip (hose to cowl)	2	380714-S2(GG357)
70/	B	Clip (att. hose to hood panel inner)	1	★382929-S
69/70	A	Clip (att. hose to top & side of front fender reinforcement)	2	382932-S(GG338C)
69/70	A		2	382988-S(GG338B)
70/71	B	Connector (att. hose 17A605 to hose assy.)- 3/16" x 3/16"	1	383003-S (II-191VF)
70/71	B	Connector (att. hose to hose)- 3/16" x 3/16" x 3/16"	1	383007-S(II-106T)
17K605 HOSE - WINDSHIELD WASHER - Cut as required from 17543 bulk hose				
70/71	S-intermittent wipers	Connector-1/8" x 1/8" hose-used in 17K605 assy. for vacuum supply to 17C476 governor assy.	1	383783-S (II-191VK)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17K608 FILTER ASSY. - WINDSHIELD WASHER FLUID				
68/71	S		1	C8UZ 17K608-A
71/	A(71)-with backlite washer/wiper		1	
68/71	U		1	
68/71	S	Washer (between filter & pump)	1	382243-S(XX208A)
68/71	U		1	
17B610 SEAL - WINDSHIELD WASHER PUMP				
68/71	S		1	C8UZ 17B610-A
71/	A(71)-with backlite washer/wiper		1	
68/71	U		1	
17A614 VALVE - WINDSHIELD WASHER CONTROL				
68/69	S		1	C1VB 17A614-A
17615 CONNECTOR - WINDSHIELD WASHER RESERVOIR TO HOSES				
69	A, B, F	With auxiliary instrument cluster kit (10B944)	1	1H 17615
69/70	X		1	
17618 RESERVOIR - WINDSHIELD WASHER				
- A -				
65	A	Used with C1RZ 17A603-A	1	C1RZ 17618-A
65/66	A	"Before 10/16/65" Integral hinge type cover	1	C1AZ 17618-D
66/67	A	"From 10/16/65 to 3/1/67" Integral hinge type cover	1	C1AZ 17618-E
67	A	"From 3/1/67" Blow-moulded plastic container - uses C7AZ 17632-A cover	1	C7AZ 17618-A
68	A		1	C7AZ 17618-B
71/	A(71)-with backlite washer/wiper	Reservoir only	1	D1AZ 17618-A
69/	A	Reservoir only	1	C9AZ 17618-B
- B -				
65	B	Used with C1RZ 17A603-A	1	C1RZ 17618-A
65/67	B	"Before 3/1/67" Integral hinge type cover	1	C1AZ 17618-E
67/68	B	"From 3/1/67" Blow-moulded plastic container - uses C7AZ 17632-A cover	1	C7OZ 17618-A
69/71	B	Reservoir and motor assy.	1	C9OZ 17618-A
69/71	B	Reservoir only	1	C9OZ 17618-B
72	B	Reservoir only	1	D2OZ 17618-B
- F -				
65/67	F	"Before 3/1/67" Integral hinge type cover	1	C1AZ 17618-E
67/68	F	"From 3/1/67" Blow-moulded plastic container - uses C7AZ 17632-A cover	1	C7OZ 17618-A
69/70	F	Reservoir and motor assy. - r/b D2OZ 17618-B and C9AZ 17664-A (3-74)	1	★C9ZZ 17618-A
71/	F	Reservoir only	1	D1TZ 17618-B
69/70	F	Reservoir only	1	D2OZ 17618-B
- L -				
71/	L	Reservoir and motor assy.	1	D1SZ 17618-A
71/	L	Reservoir only		D1SZ 17618-B
- P -				
70/	P	Reservoir and motor assy.	1	C9OZ 17618-A
71/	P	Reservoir only	1	C9OZ 17618-B
- S -				
65/67	S	Integral hinge type cover	1	C1AZ 17618-E
68/69	S	Reservoir only	1	C8SZ 17618-B
70	S		1	C8TZ 17618-A
71	S	Reservoir and motor assy. - r/b D1SZ 17618-B and C9AZ 17664-A (5-75)	1	★D1SZ 17618-A
72	S	Reservoir and motor assy.	1	D2LY 17618-A
71	S	Reservoir only	1	D1SZ 17618-B
72	S	Reservoir only	1	D2LY 17618-B
- U -				
66/67	U	Integral hinge type cover	1	C1AZ 17618-D
68/70	U		1	C8TZ 17618-A
71/	U	Reservoir only	1	★D1TZ 17618-B

SECTION 176


FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17618 RESERVOIR - WINDSHIELD WASHER - continued				
- X -				
65	X	Used with C1RZ 17A603-A	1	C1RZ 17618-A
65/67	X	"Before 3/1/67" Integral hinge type cover	1	C1AZ 17618-E
67/68	X	"From 3/1/67" Blow-moulded plastic container-reservoir and motor assy.	1	C7OZ 17618-A
69/70	X	Reservoir motor assy.	1	C9OZ 17618-A
69/70	X	Reservoir only	1	C9OZ 17618-B
70	S	Washer (used between filter & pump assy.	1	382243-S(XX208A)
69/70	A, F	Screw (reservoir to fender)-1/4"-20 x 3/4"	3	40953-S8(U263)
70	B, P, S		3	
68/69	B, S, X	Screw (reservoir washer to front fender apron)-1/4"-14 x .53" hex. head	3	55981-S2(U254E)
68	A, F		3	
72	S		2	
70	S	Screw & washer (att. reservoir to radiator support)	3	381797-S2(UU89J)
17A622 WIRING ASSY. - WINDSHIELD WASHER SWITCH TO MOTOR				
69/70	A	8" long-use C0TF 15A300-A-remove eyelet & spade terminals & add (1) each C7AZ 14A309-A connector, C8OZ 14461-A & C7AZ 14488-A terminals-also contains 7 1/2 amp. fuse B6AZ 14526-A	1	★
69/70	A	Pump feed 4" long	1	C9AZ 17A622-A
65	F	Use with 2 speed wiper-single wire 1 bullet terminal & 1 female terminal-cut from B6A 14296-C	1	★
65	F-with alternator	Use with single speed wiper-no fuse holder, 3 female terminals & 1 eyelet terminal-cut from B6A 14296-C	1	★
65/69	A	Clip (wiring to dash panel)	1	372866-S100(GG89)
17A625 SWITCH - WINDSHIELD WASHER CONTROL - Also refer to Group 17470 & 17A553				
65/66	A	Marked C5AB 17A625-A	1	C5AZ 17A625-A (SW-748)
68	A	Marked C8AB 17A625-A	1	C8AZ 17A625-A (SW-835)
66/67	B	Marked C6OB 17A625-A - Also included in 17A603-Kit	1	C6OZ 17A625-A (SW-749)
65/67	S		1	C4SZ 17A625-A (SW-747)
67/69	U-with vacuum wipers		1	C7TZ 17A625-A
69/	U-with electric wipers	Refer to Group 17A553		
66/67	X	Marked C6DB 17A625-A	1	C6DZ 17A625-A (SW-776)
68	A	Screw (washer switch to instrument panel)-No. 8-32 x 1/2" fillister head	1	31061-S8(U50)
68	A	Washer (washer switch to instrument panel)-No. 8-3/8" lock	1	34938-S8(X85)
66	A, B, X	Screw (washer switch to wiper switch)-No. 6-32 x 3/8"	2	378368-S (UU74M)
65/67	S	Clip (switch to control)	1	378366-S2 (GG232E)
17626-7 PANEL - FRONT VALANCE - Also refer to Group 17A939				
- B -				
70/71	B		1	D0OZ 17626-A
72	B(53B, 65B, 71B)		1	D2OZ 17626-A
72	B(53D, 63, 65D, R, 71D, K, 97)		1	D2OZ 17626-B
- F -				
69	F (except Shelby GT 350/500)	Not used with F60-15 tires	1	C9ZZ 17626-C
69	F(except Shelby GT 350/500)	Used with F60-15 tires	1	C9ZZ 17626-E
69/70	F(Shelby GT 350/500)	Fiberglass	1	C9ZZ 17626-D
70	F(except Shelby GT350/500)		1	D0ZZ 17626-A
71	F	"Before 6/14/71" r/b D1ZZ 17626-B (11-73)	1	★D1ZZ 17626-A
71/	F	"From 6/14/71"	1	D1ZZ 17626-B
- L -				
71/	L		1	D1FZ 17626-A


YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17626-7 PANEL - FRONT VALANCE - continued - Also refer to Group 17A939				
- P -				
70 /	P		1	D0DZ 17626-A
- S -				
66	S	R. H. Center-Refer to Group 17A939	1	C6SZ 17626-A
		L. H.	1	C6SZ 17627-A
70/71	S	Chrome	1	D1SZ 17626-A
66	S	Screw (panel to valance support)-No.14-10 x 1/2"	2	31497-S2(U254)
		Screw & washer assy. (panel to valance support)- 5/16"-18 x 3/4"	2	20347-S8(B156)
		Screw & washer assy. (panel to valance bracket)	2	
		Bolt (panel to fenders)-5/16"-18 x 1.00"	6	20386-S2(B53)
		Nut-retainer (panel to fender)-5/16"-18	6	370328-S2(MM188)
		Nut-retainer (panel to valance bracket)-5/16"-18	2	
		Nut-retainer (panel to valance support)-5/16"-18	2	
		Nut (panel to valance support)-No. 14-10	2	★351087-S2
70 /	S	Bolt (att. front valance panel)	6	23378-S8(B3)
70 /	P	Nut (attach front valance to front fender)	6	★45263-S2
70/71	B	(Attach valance)	4	
70	P	(Valance to support)	2	
70 /	P	Screw (valance panel to support)	2	★57030-S2
70	B	(Attach valance)	4	
70 /	P	Screw & washer (valance panel to fender)- 1/4"-20 x 15/32"	6	57032-S2(B340)
70/71	S	Nut & washer (att. front valance panel)	6	376838-S2 (MM296AF)
70/71	S	Nut & retainer (att. valance panel at front bumper)	6	★378895-S36
17632 COVER - WINDSHIELD WASHER RESERVOIR				
65	A,B,F,S,X	Used with reservoirs that contain spout at bottom	1	B8S 17632-A
66/67	U		1	
65/67	A,B,X	Used w/C1RZ 17A603-A	1	C2RZ 17632-A
67/68	A,B,F,X	Used with blow-moulded plastic reservoir	1	C7AZ 17632-A
68/70	S		1	
69	A		1	C9AZ 17632-A
71 /	A(71)-with backlite washer/wiper		1	D1AZ 17632-A
69/71	B		1	C9OZ 17632-A
70 /	P		1	
69/70	X		1	
72	B		1	D2OZ 17632-A
69/70	F		1	
71 /	L		1	D1SZ 17632-A
71	S		1	
71 /	F,U		1	D1TZ 17632-A
72	S		1	D2LY 17632-A
17634 SEAL - WINDSHIELD WASHER NOZZLE				
72	U		2	C1UZ 17634-A
17651 BRACKET - WINDSHIELD WASHER RESERVOIR MOUNTING				
- A -				
66/67	A	"From 10/16/65"	Not required on units built from 3/1/67	1 C5AZ 17651-B
71 /	A(71)-with backlite washer/wiper			1 D3AZ 17651-A
- B -				
65/66	B	"Before 10/16/65"		1 C4AZ 17651-A
- F -				
65/66	F	"Before 10/16/65"		1 C4AZ 17651-A
- S -				
65/66	S			1 C1VB 17651-A
- U -				
66/70	U			1 C4AZ 17651-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17651 BRACKET - WINDSHIELD WASHER RESERVOIR MOUNTING - continued				
- X -				
65/66	X	"Before 10/16/65"	1	C4AZ 17651-A
65	A, S	Screw (bracket to fender apron)-No.10-12 x 1/2"	2	42127-S8 (U248C)
66	A	Bolt (bracket to fender)-No. 10-24 x 3/8"	2	374469-S2 (BB704X)
		Nut (bracket to fender)-No. 10-24	2	375964-S7 (MM115E)
65/67	B, F, X	Screw (bracket to fender apron)-No.10-12 x 5/8"	2	42134-S8 (U249)
67	F	Screw (bracket to L. H. front fender apron)- No. 8-18 x 3/4" self tap pan head	2	376389-S101 (UU82D)
67	S	Bolt (bracket to radiator support)- No. 10-24 x .38"-round hd.	2	374469-S2 (BB704X)
17652 HOSE - REAR WINDOW WASHER				
71/	A(71)-with backlite washer/wiper	Moulded hose	1	D1AZ 17652-A
17664 PUMP - WINDSHIELD WASHER				
- A -				
65	A	"Before 1/31/65"	1	C1AZ 17664-C
65/68	A	"From 1/31/65"	1	C5AZ 17664-A
65/67	A	Marked C5AF 17664-A	1	C5AZ 17664-A
69/	A	Used w/C1RZ 17A603-A	1	C8TZ 17664-A
		Kit	1	C9AZ 17664-A
Consists of				
(1) C9AF 17B616-A Motor		(1) 383163-S36 Retainer	(1) Instruction sheet	
71/	A(71)-with backlite washer/wiper		1	C8SZ 17664-A
- B -				
65	B-with single speed motor	Wires at side-4 single connectors	1	C4DZ 17664-A
65	B-with 2 speed motor	Wires at side-2 multiple connectors	1	C4DZ 17664-B
65/67	B	Used with C1RZ 17A603-A	1	C8TZ 17664-A
66/68	B	Marked C5AF 17664-A	1	C5AZ 17664-A
69/	B	Kit	1	C9AZ 17664-A
Consists of				
(1) C9AF 17B616-A Motor		(1) 383163-S36 Retainer	(1) Instruction sheet	
- F -				
65/66	F-1 speed motor		1	C1AZ 17664-C
65	F-2 speed motor		1	C5AZ 17664-A
66	F-2 speed motor	Marked C5AF 17664-A	1	C5AZ 17664-A
67/68	F	Marked C7ZB 17664-A foot-operated electric wiper actuating	1	C7ZZ 17664-A
69/	F	Kit	1	C9AZ 17664-A
Consists of				
(1) C9AF 17B616-A Motor		(1) 383163-S36 Retainer	(1) Instruction sheet	
- L -				
71/	L	Kit	1	C9AZ 17664-A
Consists of				
(1) C9AF 17B616-A Motor		(1) 383163-S36 Retainer	(1) Instruction sheet	
- P -				
70/	P	Kit	1	C9AZ 17664-A
Consists of				
(1) C9AF 17B616-A Motor		(1) 383163-S36 Retainer	(1) Instruction sheet	
- S -				
65/67	S		1	C1AZ 17664-C
68/70	S		1	C8SZ 17664-A
71/	S	Kit	1	C9AZ 17664-A
Consists of				
(1) C9AF 17B616-A Motor		(1) 383163-S36 Retainer	(1) Instruction sheet	


YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17664 PUMP - WINDSHIELD WASHER - continued				
- U -				
66/67	U		1	C1AZ 17664-C
68/70	U		1	C8UZ 17664-A
71/	U	Kit	1	C9AZ 17664-A
Consists of				
(1) C9AF 17B616-A Motor		(1) 383163-S36 Retainer	(1) Instruction sheet	
- X -				
65	X-with single speed motor	Wires at side-4 single connectors	1	C4DZ 17664-A
65	X-with 2 speed motor	Wires at side-2 multiple connectors	1	C4DZ 17664-B
65/67	X	Used with C1RZ 17A603-A	1	C8TZ 17664-A
66/68	X	Marked C5AF 17664-A	1	C5AZ 17664-A
69/70	X	Kit	1	C9AZ 17664-A
Consists of				
(1) C9AF 17B616-A Motor		(1) 383163-S36 Retainer	(1) Instruction sheet	
65	A	Screw (pump to dash panel)-No.10-12 x 7/8"	3	★32944-S7
66/68	A, B, F	Screw (control to apron)-No. 10-16 x 7/8"	2	42120-S2(U248)
66/70	X		2	
65	B, X	Screw (pump to dash panel)-No.10-12 x 5/8"	3	42134-S8(U249)
68	F	Screw (pump windshield washer to dash panel)- No. 10-12 x 3/4" self tap	4	42141-S8(U250)
65	A	Flatwasher (pump to dash panel)-No. 10-1/2"	3	44713-S8(X13)
65	S	Screw (pump to apron)-No. 10-12 x 5/8"	3	★375408-S8
66	S	Screw (control to fender)-No. 10-12 x 5/8"	2	★376638-S8
17665-6 NOZZLE - WINDSHIELD WASHER - Also refer to Group 17603 and Accessories Section				
67	S	"Before 4/7/67"	2	C9VY 17665-A
67	S	"From 4/7/67"		
66/	U	Refer to Group 17603	2	B5S 17666-A
66/	U	Nut (jet to hood panel)-5/16"-18	2	33922-S2(M27)
17668 BRACE - REAR BUMPER TO CROSS MEMBER				
72	S		2	D2SZ 17668-A
17A669 CONTACT ASSY. - WINDSHIELD WASHER PUMP SWITCH				
65/68	A-with 2 speed motor	Use w/pump marked C5AF 17664-A	1	C5AZ 17A669-A
66/67	B, X		1	
66	F		1	
17B675 PLATE - REAR VIEW OUTSIDE MIRROR HOUSING				
69	A, F	Plate-use with L. H. remote control mirror	1	C9AZ 17B675-A
71/	F(63D, 76D)		1	
70	P		1	
68/69	B(63, 65, 66, 76)		1	C8OZ 17B675-C
17B676 REMOTE CONTROL - REAR VIEW OUTSIDE MIRROR				
65/66	A, S		1	C5SZ 17B676-B
65	B, X-rectangular mirror		1	
65/66	A, B, F, X	Used with L. H. remote control round mirror	1	C4OZ 17B676-B
66	S		1	
17A679 MIRROR - VANITY				
68/	All		1	C6AZ 17A679-A
72	A, S	Ginger -r/b D0VY 17A679-G (5-75)	1	★D0VY 17A679-A
		Tobacco	1	D0VY 17A679-D
		White -r/b D0VY 17A679-G (5-75)	1	★D0VY 17A679-F
		Black	1	D0VY 17A679-C
		Red -r/b D0VY 17A679-G (5-75)	1	★D0VY 17A679-H
		Blue -r/b D0VY 17A679-G (5-75)	1	★D0VY 17A679-J
		Green- r/b D0VY 17A679-G (3-74)	1	★D0VY 17A679-K
17B680 SPACER - REAR VIEW INSIDE MIRROR BRACKET				
65/67	A(54, 62, 71)	Nylon- 27/64" O. D.	1	C5AZ 17B680-A
67	B(54, 62, 66, 71), F, X		1	




TYPE 1




TYPE 2




TYPE 3




TYPE 4




TYPE 5




TYPE 6




TYPE 7




TYPE 8




TYPE 9




TYPE 10



TYPE 11



TYPE 12



TYPE 13

P-4914

17682 MIRROR ASSY. - REAR VIEW OUTSIDE - IDENTIFICATION CHART

ENGINEERING NUMBER	SERVICE NUMBER	ENGINEERING NUMBER	SERVICE NUMBER
C3RA 17682-A	★C5ZZ 17682-B	C7SB 17683-C	C8SZ 17682-B
C3RA 17682-D	B5AZ 17696-A	C7SB 17683-E	C8SZ 17682-B
C3RA 17682-C	★C5ZZ 17696-B	C7SB 17683-F	C8SZ 17682-B
C4AA 17682-A	★C4AZ 17696-C	C7TB 17683-U	C8AZ 17682-B
C4RA 17682-A	★C5ZZ 17682-B	C7TB 17683-AB	C8AZ 17682-B
C4SB 17682-C	C5SZ 17682-D	C8AB 17683-A	C8MY 17696-B
C4SB 17682-D	C5SZ 17682-D	C8AB 17683-B	C8AZ 17682-B
C4SB 17682-F	C5SZ 17682-D	C8AB 17683-C	C8MY 17696-B
C4SB 17682-G	C5SZ 17682-D	C8AB 17683-D	C8AZ 17682-D
C5AA 17682-A	C5AZ 17696-A	C8AB 17683-D	C8MY 17696-B
C5AA 17682-B	C5AZ 17696-C	C8AB 17683-E	C8MY 17696-B
C5AA 17682-C	C5AZ 17696-D	C8DB 17683-A	C8DZ 17682-A
C5AA 17682-D	★C5AZ 17696-E	C8DB 17683-B	C8MY 17696-B
C5AB 17682-A	C5AZ 17682-C	C8DB 17683-C	C8MY 17696-B
C5AB 17682-C	C5AZ 17696-F	C8DB 17683-D	C8MY 17696-B
C5AB 17682-D	C5AZ 17682-C	C8OB 17683-A	C8MY 17696-B
C5AB 17682-E	C5AZ 17682-C	C8CB 17683-B	C8OZ 17696-A
C5AB 17682-F	C5AZ 17696-F	C8OB 17683-C	C8OZ 17696-A
C5DB 17682-B	C5DZ 17682-B	C8OB 17683-D	C8OZ 17696-A
C5DB 17682-C	C1SZ 17696-B	C8OB 17683-G	C8OZ 17682-C
C5OB 17682-A	C5OZ 17682-A	C8OB 17683-H	C8OZ 17696-A
C5OB 17682-B	C5OZ 17682-A	C8SB 17683-A	C8SZ 17682-B
C5OB 17682-C	C5AZ 17696-F	C8SB 17683-B	C8SZ 17682-B
C5RA 17682-A	C5ZZ 17682-B	C8SB 17683-C	C8SZ 17682-B
C5SB 17682-A	C5SZ 17682-D	C8TB 17683-A	C8TZ 17682-D
C5SB 17682-B	C5SZ 17682-D	C8TB 17683-AB	C8TZ 17696-A
C5ZB 17682-A	★C5ZZ 17682-B	C8TB 17683-N	C8TZ 17696-A
C6AB 17682-A	C5AZ 17682-C	C8TB 17683-U	C8TZ 17696-A
C6OB 17682-A	★C5ZZ 17682-B	C8TB 17683-Y	C8TZ 17696-A
C6SB 17682-A	C5SZ 17682-D	C8ZB 17683-A	C8MY 17696-B
C6SB 17682-B	C5SZ 17682-D	C8ZB 17683-B	C8MY 17696-B
C7AB 17682-A	C8AZ 17696-B	C8ZB 17683-C	C8MY 17696-B
C7AB 17682-B	C8AZ 17696-B	C8ZB 17683-D	C8MY 17696-B
C7AB 17682-C	C8AZ 17696-B	C9AB 17683-C	C9AZ 17682-A
C7AB 17682-D	C8AZ 17696-A	C9AB 17683-D	C9AZ 17682-B
C7AB 17682-E	C8AZ 17696-A	C9AB 17683-F	C9AZ 17682-B
C8AB 17682-B	C8AZ 17696-B	C9OB 17683-AW	C9OZ 17682-C
C8AB 17682-C	C8AZ 17696-A	C9OB 17683-CW	C9OZ 17682-C
C8DB 17682-A	C8AZ 17696-A	C9TB 17683-A	C9TZ 17682-A
C8GB 17682-A	C8AZ 17696-A	C9TB 17683-B	C9TZ 17682-A
C8GB 17682-B	C8AZ 17696-A	C9TB 17683-C	C9TZ 17682-A
C8GB 17682-C	C8AZ 17696-A	C9ZB 17683-A	C9ZZ 17682-D
C8GB 17682-D	C8AZ 17696-A	C9ZB 17683-CW	C9ZZ 17682-C
C8TB 17682-N	C8TZ 17696-B	C9ZB 17683-D	C9ZZ 17682-B
C8TB 17682-U	C8TZ 17696-B	C9ZB 17683-EW	C9ZZ 17682-C
C8TB 17682-Y	C8TZ 17696-B	C9ZB 17683-F	C9ZZ 17682-B
C8TB 17682-A	C8TZ 17682-A	C9ZB 17683-GW	C9ZZ 17682-E
C8TB 17682-AB	C8TZ 17696-B		
C9AJ 17682-A	C9AZ 17696-A	D0AB 17683-B	D0AZ 17682-A
C9OB 17682-AW	C9OZ 17682-A	D0AB 17683-CW	D0AZ 17682-B
C9OB 17682-BW	C9OZ 17682-A	D0DB 17683-A	D0DZ 17682-A
C9ZB 17682-AW	C9ZZ 17682-A	D0DB 17683-B	D0DZ 17682-B
C9ZB 17682-BW	C9ZZ 17682-A	D0DB 17683-CW	D0DZ 17682-C
D0DB 17682-AW	D0DZ 17682-D	D0DB 17683-D	D0DZ 17682-B
D0OB 17682-AW	D0OZ 17682-D	D0DB 17683-EW	D0DZ 17682-C
D1AJ 17682-AA	D1AZ 17696-B	D0OB 17683-E	D0OZ 17683-B
D1OB 17682-AW	D1OZ 17682-B	D0OB 17683-F	D0OZ 17683-A
D1ZB 17682-AW	D1ZZ 17682-B	D0OB 17683-GW	D0OZ 17682-C
D2OB 17682-AW	D2OZ 17682-D	D0ZB 17683-BW	D0ZZ 17682-B
D2OJ 17682-BA	D2OZ 17682-D	D0ZB 17683-C	D0ZZ 17682-A
D22B 17682-AW	D2FZ 17682-A	D1AB 17683-AA	D2AZ 17696-A
		D1AB 17683-AB	D2AZ 17696-A
C7AB 17683-A	C8AZ 17682-B	D1DB 17683-AW	D1DZ 17682-A
C7AB 17683-B	C7AZ 17696-E	D1OB 17683-AA	D1OZ 17682-A
C7AB 17683-D	C7AZ 17696-E	D1OB 17683-AB	D1OZ 17682-A
C7AB 17683-G	C7AZ 17696-E	D1OB 17683-BA	D0OZ 17682-B
C7AB 17683-H	C7AZ 17696-E	D1SB 17683-AA	D1SZ 17682-A
C7AB 17683-J	C7AZ 17696-E	D1SB 17683-AB	D1SZ 17682-A
C7OB 17683-B	C7AZ 17696-E	D1WB 17683-BW	D1WY 17682-A
C7SB 17683-A	C8SZ 17682-B	D1ZB 17683-AA	D1ZZ 17682-A
C7SB 17683-B	C8SZ 17682-B	D1ZB 17683-BW	D1ZZ 17682-C

17682 MIRROR ASSY. - REAR VIEW OUTSIDE IDENTIFICATION CHART - continued

ENGINEERING NUMBER		SERVICE NUMBER		ENGINEERING NUMBER		SERVICE NUMBER	
D12B	17683-AA	D1FZ	17682-A	D2OJ	17683-AA	D2OZ	17682-C
D12B	17683-CW	D1FZ	17696-A	D2SB	17683-AA	D2SZ	17682-A
D2DB	17683-AW	D1DZ	17682-A	D2SB	17683-AB	D2SZ	17682-A
D2OB	17683-AB	D2OZ	17682-A	D2WB	17683-AW	D1WY	17682-A
D2OB	17683-BA	D2OZ	17682-B	D2ZB	17683-AW	D1ZZ	17682-C
D2OB	17683-CW	D2OZ	17682-C				

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
17682 MIRROR ASSY. - REAR VIEW OUTSIDE - INCLUDES GASKET					
- A -					
65	A	1	Conical shaped-Kit -r/b not replaced (5-75)	1	★B5AZ 17696-A
65/66	A	2	Universal type-round head-Kit	1	C1SZ 17696-B
65	A	4	Round-Kit	1	C2OZ 17696-A
65/66	A	5	Rectangular head	1or2	C5AZ 17696-F
Consists of					
	1-C5AB 17682-C	Mirror assy.	2-376370-S100	Screw-No. 10-16 x .75"	1-Installation sketch
	1-C5AB 17724-B	Gasket	2-379830-S	Nut	
66	A	6	L.H.-Universal type-round head-Kit	1	C3RZ 17696-A
65/66	A	7	R.H.-manual rectangular head-companion mirror for L.H. rectangular remote mirror	1	C5AZ 17696-C
Consists of					
	1-C5AA 17682-B	Mirror assy.	1-C5AA 17724-B	Gasket	2-379830-S Nut
	1-C5AA 17A717-A	Plate	2-52743-S7	Screw-No. 10-12 x 3/4"	1-Installation sketch
65/66	A		L.H.-remote-rectangular	1	C5AZ 17682-C
65/66	A		L.H.-remote control-round head	1	C5ZZ 17682-B
67	A	5	L.H.-door mounted-remote control	1	C7AZ 17696-E
Consists of					
	1-C7AB 17683-J	Mirror assy.	1-C7SZ 17B732-A	Nut (remote control knob)	
	1-C7AZ 17724-A	Gasket (Ford)	1-C7SZ 17B733-A	Plate (remote control)	
	1-C7OZ 17724-A	Gasket (Fairlane-Falcon)	2-376370-S100	Screw	
			2-376309-S	Insert-nut	
67/68	A	5	R.H.-rectangular head-companion to L.H. remote control mirror	1	C8AZ 17696-A
Consists of					
	1-C8AB 17682-C	Mirror assy.	1-C7OZ 17724-A	Gasket(Fairlane)	2-376370-S100 Screw
	1-C7AZ 17724-A	Gasket(Ford)	2-C9AJ 17C700-A	Retainer	1-Installation sketch
			1-C7ZZ 17724-B	Gasket(Mustang)	
67/68	A	5	R.H.-rectangular head-companion to L.H. manual mirror-r/b D4AZ 17696-A (5-75)	1	★C8AZ 17696-B
Consists of					
	1-C8AB 17682-B	Mirror assy.	1-C8OZ 17724-A	Gasket(Fairlane)	1-Installation sketch
	1-C7AZ 17724-A	Gasket(Ford)	2-376370-S100	Screw-No. 10-12 x .75"	
	1-C7OZ 17724-A	Gasket(Falcon)	2-379830-S	Nut	
68	A		L.H.-remote control-rectangular head	1	C8AZ 17682-D
67/	A		L.H.-manual mirror-rectangular head-r/b D4AZ 17696-A (5-75)	1	★C8AZ 17682-B
69	A(57, 63, 65, 76)		L.H.-remote control-rectangular head	1	C9AZ 17682-A
69/70	A(54, 62, 71)	5	L.H.-rectangular remote control	1	C9AZ 17696-B
Consists of					
	1-C9AZ 17682-B	Mirror assy.	1-C8SZ 17B733-C	Plate	1-Installation sketch
	1-C7SZ 17B732-B	Nut	2-382879-S45	Screw-No. 10-24 x 1.00"	
69	A(57, 63, 65, 76)	5	L.H.-rectangular remote control	1	C9AZ 17696-C
Consists of					
	1-C9AZ 17682-A	Mirror assy.	1-C9AZ 17530-A	Bezel assy.	1-382031-S100 Clip assy.
	1-C9AZ 17B675-A	Plate	2-34653-S36	Nut & washer assy.	2-382879-S45 Screw-No. 10-24 x 1"
	1-C6GB 17B732-A	Nut	1-57259-S2	Screw & washer assy.	1-Installation sketch
69	A	9	R.H.-rectangular head-manual companion to L.H. manual mirror	1	C9AZ 17696-D
Consists of					
	1-C8AB 17682-B	Mirror assy.	1-C8OZ 17724-A	Gasket(Fairlane)	2-376370-S100 Screw
	1-C9AZ 17724-A	Gasket(Ford)	1-C8OZ 17724-B	Gasket(Fairlane)	1-Installation sketch
	1-C7OZ 17724-A	Gasket(Falcon)	2-C9AJ 17C700-A	Retainer	

* For type refer to Illustration on Page 8

FORD CAR PARTS

SECTION 176

11

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
17682 MIRROR ASSY.- REAR VIEW OUTSIDE - INCLUDES GASKET - continued					
- A -					
70/	A	9	R.H.-rectangular head-companion to L.H. manual mirror	1	D0AZ 17696-B
Consists of					
1-C8AB 17682-B Mirror assy.		2-382879-S45	Screw-No. 10-24 x 1.00"		
1-C9AZ 17724-A Gasket		2-C9AZ 17C700-B	Retainer		
69/70	A(54, 62, 71)		L.H. -remote control-rectangular head	1	C9AZ 17682-B
70	A(57, 63, 65, 76)		L.H. -remote control-rectangular head	1	D0AZ 17682-A
70	A(63, 65, 76)		R.H. -manual "racing type head"-in prime	1	C9OZ 17682-A
70	A(63, 65, 76)		L.H. -remote control-racing type head-in prime	1	D0AZ 17682-B
70	A(57, 63, 65, 76)	5	L.H.-rectangular head-remote control	1	D0AZ 17696-A
Consists of					
1-D0AZ 17682-A Mirror assy.		1-C9AZ 17B721-C	Retainer	1-57259-S2	Screw & washer assy. -
1-C8SZ 17B733-C Plate		2-382879-S45	Screw-No. 10-24 x 1"	No. 8-32 x 3/4"	
1-C7SZ 17B732-B Nut		1-382031-S100	Clip assy.	1-Installation sketch	
71/	A	5	L.H.-remote control-rectangular head	1	D2AZ 17696-A
Consists of					
1-D1AB 17683-AA Mirror assy.		1-C8SZ 17B733-C	Plate	1-382031-S100	Clip
1-C9AZ 17B721-C Retainer		1-55907-S2	Screw	2-382879-S45	Screw
1-C7AZ 17724-A Gasket		1-57259-S2	Screw & washer	1-Installation sketch	
1-C7SZ 17B732-B Nut					
71/	A	5	R.H.-manual-companion to L.H. remote control-rectangular head-Kit	1	D1AZ 17696-B
67/	A	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	AR	C7AZ 17696-D
65/	A	12	Trailer towing mirror-R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B
68/	A		Kit-R.H. or L.H. manual rectangular head	AR	D4AZ 17696-A
- B -					
65	B	1	Conical shaped-Kit-not replaced (5-75)	1	★B5AZ 17696-A
65/66	B	2	Universal type-round head-Kit	1	C1SZ 17696-B
65	B	4	Round head-Kit	1	C2OZ 17696-A
65/66	B	5	Rectangular head-Details listed under Model Code "A"-Kit	1	C5AZ 17696-F
65/66	B		L.H. -remote control-round head	1	C5ZZ 17682-B
66	B	6	L.H.-universal type-round head-Kit	1	C3RZ 17696-A
67	B	5	L.H.-door mounted-remote control (See Details listed under Model Code "A")-Kit	1	C7AZ 17696-E
67/68	B	5	R.H.-rectangular head-companion to L.H. manual mirror (See Details listed under Model Code "A")-Kit-r/b D4AZ 17696-B(5-75)	1	★C8AZ 17696-B
67/69	B	5	R.H.-rectangular head-companion to L.H. remote control mirror (See Details listed under Model Code "A")-Kit	1	C8AZ 17696-A
67/71	B		L.H. -manual mirror-rectangular head-r/b D4AZ 17696-B (5-75)	1	★C8AZ 17682-B
68/69	B(54, 71)		L.H.-remote control-rectangular head	1	C8AZ 17682-D
68/69	B (except 54, 71)		L.H.-remote control-rectangular head	1	C8OZ 17682-C
69	B	13	Dual racing mirrors-L.H. remote & R.H. manual-in prime	1	C9OZ 17696-A
Consists of					
1-C8OZ 17530-A Bezel		1-C8OZ 17B732-B	Nut		
1-C8OZ 17B675-C Plate		2-50803-S2	Screw & washer-No. 8-32 x .38"		
1-C9OZ 17682-A R.H.-manual mirror		1-50809-S2	Screw & washer-No. 8-32 x .50"		
1-C9OZ 17682-C L.H. remote control mirror assy.		3-376370-S100	Screw-No. 10-16 x .75"		
1-C9OZ 17724-A R.H. gasket		1-382031-S100	Clip assy.		
1-C9OZ 17724-B L.H. gasket		1-382879-S45	Screw-No. 10-24 x 1"		
3-C9AJ 17C700-A Retainer		1-Installation sketch			
69	B(63, 65, 66, 76)		R.H.-manual "Racing" type head-(in prime)	1	C9OZ 17682-A
69	B(63, 65, 66, 76)		L.H. -remote control-"Racing" type head-(in prime)	1	C9OZ 17682-C

* For type refer to Illustration on Page 8

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
17682 MIRROR ASSY.- REAR VIEW OUTSIDE - INCLUDES GASKET - continued					
- B -					
69/70	B	9	R.H.-rectangular head-manual companion to L.H.-manual (Details listed under Model Code "A")-Kit	1	C9AZ 17696-D
70	B	9	R.H.-rectangular-companion to L.H. manual mirror-(Details listed under Model Code "A")-Kit	1	D0AZ 17696-B
71	B(exc. 63F, 76F)			1	
70	B(63, 65, 66, 76)	13	Dual racing mirrors-L.H.-remote & R.H. manual-in prime	1	D0OZ 17696-C
Consists of					
1-D0OZ 17682-C		L.H. remote control mirror	1-C8SZ 17B733-C	Plate	
1-D0OZ 17682-D		R.H. manual mirror	4-382879-S45	Screw No. 10-24 x 1"	
1-C9OZ 17724-A		R.H. gasket	1-382031-S100	Clip assy.	
1-C9OZ 17724-B		L.H. gasket	1-57259-S2	Screw-No. 8-32 x 3/4"	
3-D0AJ 17C700-A		Retainer	1-Installation sketch		
1-C7SZ 17B732-B		Nut			
70	B(63, 65, 66, 76)		L.H.-remote control-rectangular head	1	D0OZ 17682-A
70/71	B(54, 57, 62, 71)		L.H.-remote control-rectangular head	1	D0OZ 17682-B
71	B(63C, H, 65, 66)		L.H.-remote control-rectangular head	1	D1OZ 17682-A
70/71	B(63, 65, 66, 76)-	"Before 9/1/70"	R.H. -manual-racing type head-in prime	1	D0OZ 17682-D
71	B(63, 65, 66, 76)	"From 9/1/70"	R.H. -manual-racing type head-in prime	1	D1OZ 17682-B
70	B(63, 65, 66, 76)		L.H.-remote control-racing type head-in prime	1	D0OZ 17682-C
71	B(63, 65, 66, 76)		L.H.-remote control-racing type head-in prime	1	D1WY 17682-A
70	B	5	R.H.-rectangular head-manual companion to L.H. remote control mirror (See Details listed under Model Code "A")-Kit	1	C9AZ 17696-A
71	B(exc. 63F, 76F)			1	
70/71	B(54, 57, 62, 71)	5	L.H.-rectangular head-remote control-r/b details (5-75)	1	*D0OZ 17696-B
Consists of					
1-D0OZ 17682-B		Mirror assy.	1-C7SZ 17B732-B	Nut	2-382879-S45 Screw-No. 10-24 x 1"
1-C9AZ 17724-A		Gasket	1-C8SZ 17B733-C	Plate	1-Installation sketch
71	B(63C, H, 65, 66)		L.H.-remote control-rectangular head	1	D1OZ 17696-A
70	B(63, 65, 66, 76)			1	
Consists of					
1-D1OZ 17682-A		Remote control mirror	1-C7SZ 17B732-B	Nut	2-382879-S45 Screw-No. 10-24 x 1"
1-C7AZ 17724-A		Gasket	1-C8SZ 17B733-C	Gasket	1-Installation sketch
71	B(57C, E, 63C, 65B, C, E)	13	Dual racing mirrors-L.H. remote & R.H. manual-in prime	1	D1OZ 17696-B
Consists of					
1-D0OZ 17682-D		R.H.-manual mirror	1-D1WY 17724-A		1-Installation sketch
1-D1WY 17682-A		L.H.-remote control mirror	1-C7SZ 17B732-B	Nut	
3-D0AJ 17C700-A		Retainer	1-C8SZ 17B733-C	Plate	
1-C9OZ 17724-A		R.H.-gasket	4-382879-S45	Screw-No. 10-24 x 1"	
72	B		R.H. -manual-racing type head (in prime)-incl. attaching parts	1	D2OZ 17682-D
72	B (exc. 97)		L.H. -manual mirror-rectangular head	1	D2OZ 17682-A
72	B		L.H. -remote control-rectangular head-r/b D2OZ 17696-B (5-75)	1	*D2OZ 17682-B
72	B		L.H. -remote control-racing type head (in prime)	1	D2OZ 17682-C
72	B	5	L.H.-remote control-rectangular head	1	D2OZ 17696-B
Consists of					
1-D2OZ 17682-B		Remote control mirror	1-C8SZ 17B733-C	Plate	2-382930-S Clip
1-D2OZ 17724-A		Gasket	2-45334-S2	Nut & washer	1-Installation sketch
1-C7SZ 17B732-B		Nut			
72	B(65, 97D, K)	13	Dual racing mirrors-L.H. remote & R.H. manual-in prime	1	D2OZ 17696-A
Consists of					
1-D2OZ 17682-C		L.H.-remote control mirror	1-D2OZ 17724-B	L.H.-gasket	4-45334-S2 Nut
1-D2OZ 17682-D		R.H.-manual mirror	1-D2OZ 17724-C	R.H.-gasket	2-382390-S Cup
			1-C7SZ 17B732-B	Nut	1-Installation sketch
			1-C8SZ 17B733-C	Plate	

13

FINAL ISSUE

SECTION 176

FORD CAR PARTS

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
17682 MIRROR ASSY.- REAR VIEW OUTSIDE - INCLUDES GASKET - continued					
- L -					
71/	L	13	L.H.-racing mirror-remote control-in prime	1	D1FZ 17696-A
Consists of					
	1-D1FZ 17682-A	L.H. remote control	1-C8SZ 17B733-C Plate		
	1-D0AJ 17C700-A	Retainer	2-382879-S45 Screw-No. 10-24 x 1"		
	1-D1FZ 17724-A	Gasket	1-382930-S Clip		
	1-C9TZ 17B732-A	Nut	1-Installation sketch		
71/	L		"Before 4/3/72" L.H.-manual mirror	1	D1FZ 17682-A
72	L		"From 4/3/72" L.H.-manual mirror-rectangular head	1	D2FZ 17682-B
71/72	L		"Before 7/3/72" L.H.-remote control-"Racing" type-(in prime)	1	D1FZ 17696-A
72	L		"From 7/3/72" L.H.-remote control-"Racing" type-(in prime)	1	D2FZ 17682-C
72	L		R.H.-manual-"Racing" type-(in prime)	1	D2FZ 17682-A
- P -					
70/	P		L.H.-manual mirror-rectangular head	1	D0DZ 17682-A
70/	P		R.H.-manual-"Racing" type head-(in prime)	1	D0DZ 17682-D
70	P		L.H.-remote control-rectangular head	1	D0DZ 17682-B
70/	P		L.H.-remote control-"Racing" type head-(in prime)	1	D1DZ 17682-A
70/	P	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	AR	C7AZ 17696-D
70/	P	12	Trailer towing mirror-R.H. or L.H.-fender mounted-Kit	AR	D3AZ 17696-B
70/	P	13	Dual racing mirrors-L.H. remote & R.H. manual-in prime	1	D1DZ 17696-B
Consists of					
	1-D0DZ 17682-D	R.H.-manual mirror	1-C9TZ 17B732-A Nut		
	1-D1DZ 17682-A	L.H.-remote control mirror	1-C8SZ 17B733-C Plate		
	3-D0AJ 17C700-A	Retainer	1-382879-S45 Screw-No. 10-24 x 1"		
	1-D0DZ 17724-C	R.H.-gasket	1-Installation sketch		
	1-D0DZ 17724-B	L.H.-gasket			
72	P	5	L.H.-rectangular head-remote control	1	D2DZ 17696-A
Consists of					
	1-D2DB 17683-BA	L.H.-remote control mirror	1-C8SZ 17B733-B Plate		
	1-D0DZ 17724-A	Gasket	2-382879-S45 Screw		
	1-C9TZ 17B732-A	Nut	1-Installation sketch		
72	P(54,62A)		L.H.-remote control-rectangular head	1	D2DZ 17682-A
- S -					
65/66	S		L.H.-rectangular head-remote control	1	C5SZ 17682-D
65	S	1	Conical shaped-Kit-not replaced (5-75)	1	★B5AZ 17696-A
65	S	4	Round-Kit	1	C2OZ 17696-A
66	S	5	Rectangular head-Kit	1	C5AZ 17696-F
66	S	6	L.H.-universal type-round head-Kit-not replaced (5-75)	1	★C3RZ 17696-A
65/66	S	7	R.H.-door mtd.-companion mirror-Kit	1	C4SZ 17696-A
66	S		L.H.-remote control-round head	1	C5ZZ 17682-B
67/70	S		L.H.-remote control-rectangular	1	C8SZ 17682-B
67/	S		R.H.-companion mirror-not available		*
71	S		L.H.-remote control	1	D1SZ 17682-A
72	S		L.H.-remote control-rectangular head	1	D2SZ 17682-A
72	S		L.H.-manual mirror-rectangular head-r/b D4AZ 17696-B (5-75)	1	★C8AZ 17682-B
67/	S	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	AR	C7AZ 17696-D
65/	S	12	Trailer towing mirror-R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B
72	S		Kit-R.H. or L.H.-manual rectangular head mirror	AR	D4AZ 17696-A
- U -					
67	U	5	R.H. manual mirror rectangular-matching to L.H.-manual-Kit	1	C8AZ 17696-B
67	U	5	R.H.-Rectangular head-manual-companion to L.H. C7AZ 17682-G-Kit	1	C7TZ 17696-F

* For type refer to Illustration on Page 8

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
17682 MIRROR ASSY.- REAR VIEW OUTSIDE - INCLUDES GASKET - continued					
- U -					
66	U	6	L.H.-universal type-round head-with doors-not replaced (5-75)	1	★C3RZ 17696-A
Consists of 1-C8TB 17683-AB Mirror assy. 2-55593-S40 Screw & washer assy. 2-55613-S39 Screw & washer assy. 1-C6TZ 16D122-B Reinforcement 2-376903-S36 Rivet 1-Installation sketch					
67/	U	11	R.H.-car type-Kit	1	C7TZ 17696-M
67/	U	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	AR	C7AZ 17696-D
66/	U	12	Trailer towing mirror-R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B
66/69	U	12	L.H.-Rectangular head-fender mtd.& painted-Kit	1	C8TZ 17696-A
67	U		L.H.-manual-rectangular head-r/b D4AZ 17696-B (5-75)	1	★C8AZ 17682-B
68/	U		L.H.-door mounted-manual-rectangular head	1	C8TZ 17682-D
69/	U		L.H.-remote control-rectangular head	1	C9TZ 17682-A
- X -					
65	X		L.H.-remote control-rectangular	1	C5DZ 17682-B
65	X	1	Conical shaped-Kit-not replaced (5-75)	1	★B5AZ 17696-A
65/66	X	2	Universal type-round head-Kit	1	C1SZ 17696-B
65	X	4	Round head-Kit	1	C2OZ 17696-A
65/66	X	5	Rectangular head-Kit	1	C5AZ 17696-F
66	X	6	L.H.-universal type-round head-Kit-not replaced (5-75)	1	★C3RZ 17696-A
65/66	X		L.H.-remote control-round	1	C5ZZ 17682-B
67	X	5	L.H.-door mounted-remote control-(Details listed under Model Code "A")-Kit	1	C7AZ 17696-E
67/70	X	5	R.H.-rectangular head-companion to L.H. manual mirror (Details listed under Model Code "A")-Kit	1	C8AZ 17696-B
67/70	X	5	R.H.-rectangular head-companion to L.H. remote control (Details listed under Model Code "A")-Kit	1	C8AZ 17696-A
67/70	X		L.H.-manual mirror-rectangular head-r/b D4AZ 17696-A (5-75)	1	★C8AZ 17682-B
68	X		L.H.-remote control-rectangular head	1	★C8DZ 17682-A
68/70	X		L.H.-remote control-rectangular head	1	C8AZ 17682-D
69/70	X	9	R.H.-rectangular head-manual companion to L.H. manual (Details listed under Model Code "A")-Kit	1	C9AZ 17696-D
67/70	X	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	1or2	C7AZ 17696-D
65/70	X	12	Trailer towing mirror R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B
68	B(63, 65, 66, 76)		Screw (outside mirror to door inner panel)-No. 8-32 x 1/2"	1	31061-S8(U50)
69/70	A		Screw & washer (attach mirror to L.H. door assy.)	1	31093-S7-8
70	B			1	(U-52)
67/69	S		Nut (mirror & gasket to door)-No. 10-24	2or	34053-S8(M156)
			Lockwasher-No. 10	2or4	34903-S8(X96)
65/66	A		Screw (mirror to door)-No. 10-12 x 3/4"	2	376370-S100
					(UU56F)
67/69	A, B, F, X, U		Screw (mirror to door)-No. 10-24 x 1"	2or4	376770-S100
					(BB602G)
67/69	A, B, F, X, U		Nut (mirror & gasket to door)-1/4"-20 round hd.	AR	376903-S40
					(MM120-BF)
65/66	S		Set screw (mirror to mtg. plate)-No. 8-32 x 5/8"	AR	378213-S37(UU28E)
67/	A, B, F, X, U		Rivet-nut (mirror to door)-No. 10-24 x 17/32"	2or4	379556-S36
70	P			2	(MM120A)
65/66	S		Pin (mirror assy. to plate)-1/8" x 3/8"	1	★379954-S2

* For type refer to Illustration on Page 8

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
17682 MIRROR ASSY. - REAR VIEW OUTSIDE - INCLUDES GASKET - continued					
67/69	A, B, F, X		Screw & washer assy. (outside mirror to arm)- No. 10-24 x .62" hex. washer head	1	★381875-S9
68	B(63, 65, 66, 76)		Clip assy. (attach mirror to inner door panel)- No. 8-32	1	382031-S100
70	P		Clip (attach mirror to L. H. door assy.)	1	(GG280)
69/70	A			1	
70	B, F			1	
69/70	A		Screw (attach mirror to L. H. door assy.)	2	★382879-S45
70	B		(Attach mirror to R. H. or L. H. door assy.)	2	
70	F		Screw (attach mirror to R. H. or L. H. door assy.)	2	★382968-S45
17690 ARM - REAR VIEW INSIDE MIRROR					
65	A, B, X		Includes (2) 382617-S7-8(BB 600CC) screw- 8-32 x .38" oval head	2	C2SZ 17690-F
66/67	A(57, 63, 76), B(63, 76)			2	
68/69	A, B, F, X			2	
68/69	U			2	
65/69	S			2	
67	F		Chrome-break-away mirror	1	C7ZZ 17690-B
17696 MIRROR KIT - REAR VIEW OUTSIDE - Refer to Group 17682					
17698 BRACKET - REAR VIEW INSIDE MIRROR					
65/69	All		Used to adapt mirrors requiring mounting arm (17690) to windshield with flat design mounting bracket	1	C9AZ 17698-B
65/67	A(54, 62, 71)		Kit-bracket & arm assy. -Chrome (break away)	1	C5AZ 17698-D
	Consists of				
	1-C7AB 17698-D	Bracket	1-C7AB 17C715-F	Bracket assy.	
65/67	A(57, 63, 76), B(65), X(63, 76)		Cement-on-type-ball type	1	C1SZ 17698-D
68/69	A, B, F			1	
65/69	S			1	
66/69	U			1	
68/70	X			1	
65	B(54, 62, 71)			1	C2DZ 17698-B
65	X(54, 62, 66)			1	
66	B(54, 62, 71), X		Screw on type	1	C6OZ 17698-A
67	B(54, 62, 66, 71), X		Kit-bracket & arm assy. -painted (break away)	1	C7OZ 17698-C
	Consists of				
	1-C7OB 17698-C	Bracket	1-C7OB 17C715-B	Bracket assy.	
65/66	F			1	C5ZZ 17698-A
67	F		Chrome-break-away mirror	1	C7ZZ 17698-C
70/	A, B, F, L, P, S, U		Flat type	1	C9AZ 17698-A
17700 MIRROR ASSY. - REAR VIEW INSIDE					
- A -					
65/66	A(57, 63, 76)		Day/nite mirror-cement-on type-less arm & bracket	1	C1SZ 17700-D
65/66	A(54, 62, 71)		Less bracket-chrome -header mounted	1	C5AZ 17700-A
67	A(54, 62, 71)		Day/nite mirror-2.42" x 10" long with flat arm for bolt mounted- black vinyl covered-paint to match	1	C7AZ 17700-F1A
67	A(54, 62, 71)		Less mounting arm-break-away type Blue	1	C7AZ 17700-F1B
67	A(57, 63, 76)		Day/nite mirror-2.45" x 10" long- 1/2" dia. ball mounted-black vinyl covered less mounting arm -paint to match	1	C7AZ 17700-G1A
68/69	A			1	
68	A		Less arm & bracket-cement-on-type	1	C8AZ 17700-E1Y
70/71	A		Nugget Aqua	1	C7AZ 17700-E1K
70/71	A		Day/nite mirror-2.45" x 10" long- with undetachable mounting arm- black vinyl covered-paint to match	1	C9AZ 17700-AA
72	A		Day/nite mirror-2 1/2" x 12" long with undetachable mounting arm-black vinyl covered-paint to match	1	D0AZ 17700-A
- B -					
65	B(65)		Day/nite mirror-cement-on-type-less arm & bracket	1	C1SZ 17700-D
66	B(63, 76)			1	
65	B(54, 62, 71)		Mirror head only-less arm & brkt.	1	C3AZ 17700-B

* For type refer to Illustration on Page 8

FORD CAR PARTS

SECTION 176

17

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17700 MIRROR ASSY. - REAR VIEW INSIDE - continued				
- B -				
66	B(54, 62, 71)	Day/nite mirror-2 3/8" x 10" long- 1/4" flat across shank for set screw mtd. vinyl covered	1	C7OZ 17700-C
67	B(54,62,66,71)	Day/nite mirror-2.42" x 10" long-with flat arm for bolt mounted-black vinyl covered-paint to match	1	C7AZ 17700-F1A
67	B(54, 62, 66, 71)	Less mounting arm-break-away type Blue	1	C7AZ 17700-F1B
67	B(63,76)	Day/nite mirror-2.45" x 10" long-1/2" dia.ball mounted-black vinyl covered less mounting arm-paint to match	1	C7AZ 17700-G1A
68/69	B		1	
70/71	B	Day/nite mirror-2.45" x 10" long-with undetachable mounting arm-black vinyl covered-paint to match	1	C9AZ 17700-AA
72	B	Day/nite mirror - 2 1/2" x 12" long with undetachable mounting arm - black vinyl covered - paint to match	1	D0AZ 17700-A
- F -				
65/66	F	Day/nite mirror-2.38" x 10" long-1/4" flat across shank for set screw mtd.vinyl covered	1	C7OZ 17700-C
67	F	Day/nite mirror-2.42" x 10" long-with flat arm for bolt mounted-black vinyl covered - paint to match	1	C7AZ 17700-F1A
67	F	Less mounting arm-break-away type Blue	1	C7AZ 17700-F1B
68/69	F	Day/nite mirror-2.45" x 10" long-1/2" dia.ball mounted-black vinyl covered less mounting arm-paint to match	1	C7AZ 17700-G1A
68	F	Less mounting arm-cement-on-type Aqua	1	C7AZ 17700-E1K
70/71	F	Day/nite mirror-2.45 x 10" long-with undetachable mounting arm-black vinyl covered-paint to match	1	C9AZ 17700-AA
72	F	Day/nite mirror - 2 1/2" x 12" long with undetachable mounting arm-black vinyl covered-paint to match	1	D0AZ 17700-A
- L -				
71/	L	Day/nite mirror-2.45" x 10" long-with undetachable mounting arm-black vinyl covered-paint to match	1	C9AZ 17700-AA
71/	L	Non-glare	1	D0DZ 17700-A
- P -				
70	P	Non-day/nite mirror-2.45" x 10" long-with undetachable mounting arm-blue vinyl covered	1	C9OZ 17700-C
70/	P	Day/nite mirror-2.45" x 10" long-with undetachable mounting arm-black vinyl covered-paint to match	1	C9AZ 17700-AA
70/	P	Non-glare	1	D0DZ 17700-A
- S -				
65/66	S	Day/nite mirror-cement-on-type-less arm & bracket	1	C1SZ 17700-D
67/69	S	Day/nite mirror-2.45" x 10" long-1/2" dia.ball mounted-black vinyl covered less mounting arm - paint to match	1	C7AZ 17700-G1A
67/68	S	Less arm & bracket-cement-on-type Gold Nugget	1	C7AZ 17700-E1G
70/71	S	Day/nite mirror-2.45" x 10" long-with undetachable mounting arm-black vinyl covered-paint to match	1	C9AZ 17700-AA
72	S	Day/nite mirror - 2 1/2" x 12" long with undetachable mounting arm - black vinyl covered - paint to match	1	D0AZ 17700-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17700 MIRROR ASSY. - REAR VIEW INSIDE - continued - Also refer to Accessories Section				
- U -				
66/67	U	Day/nite mirror-cement-on-type- less arm & bracket	1	C1SZ 17700-D
68/69	U	Day/nite mirror-2.45" x 10" long- 1/2" dia.ball mounted-black vinyl covered less mounting arm-paint to match	1	C7AZ 17700-G1A
68/69	U	Non-day/night-2.45" x 10" long- 1/2" dia.ball mounted-black vinyl covered less mounting arm-paint to match	1	C9UZ 17700-A
70/	U	Day/nite mirror-2.45" x 10" long- with undetachable mounting arm- black vinyl covered-paint to match	1	C9AZ 17700-AA
- X -				
65	X(except 63, 76)	Mirror head only-less arm & bracket	1	C3AZ 17700-B
66	X	Day/nite mirror-2 3/8" x 10" long-1/4" flat across shank for set screw mtd.vinyl covered	1	C7OZ 17700-C
65	X(63B, 76A)	Day/nite mirror-cement-on-type-less arm & bracket	1	C1SZ 17700-D
67	X	Day/nite mirror-2.42" x 10" long- with flat arm for bolt mounted- black vinyl covered-paint to match	1	C7AZ 17700-F1A
67	X	Less mounting arm-break-away type-Blue	1	C7AZ 17700-F1B
68/70	X	Day/nite mirror-2.45" x 10" long- 1/2" dia.ball mounted-black vinyl covered less mounting arm-paint to match	1	C7AZ 17700-G1A
65	S	Screw (mirror & arm to bracket)-No.8-32 x 3/8"	2	50387-S13(U120)
65/67	X(54,59,62,66,71,78)	Screw (mirror bracket to header)-No.8-15 x 5/8	3	52377-S13(U305)
65/67	X(59, 71, 78)	Screw (mirror to bracket)-1/4"-28 x 1/2"	1	374560-S13
66	B(54, 62, 71), X	Screw-set (mirror to bracket)-No. 10-32 x 3/16"	1	374985-S8(UU33K)
65/66	F		1	
66	S, U	Screw (mirror to bracket)-No. 8-32 x 7/16"	2	328617-S7-8 (BB600CC)
65/67	A(54, 62, 71)	Screw (arm to bracket)-1/4"-20 x 1/2"	1	379479-S13
66/67	F	(mirror to bracket) for break away type	1	(BB600G)
66	A(57, 63, 76), B, F(63, 76)	Screw (mirror to bracket)-No. 8-32 x 3/8"	2	374986-S13 (BB600C)
17C700 RETAINER - REAR VIEW OUTSIDE MIRROR				
69	F-with racing type mirrors		3	C9ZZ 17C700-A
68/69	F-exc.w/racing type mirrors	Stamped W-1024	2	C9AZ 17C700-B
68/70	A, B		2	
68/70	X		2	
17A708 MIRROR and CABLE - REAR VIEW OUTSIDE - Also Included in Mirror Assembly-17682				
65	B	L.H.-remote control	1	C5DZ 17A708-A
17A717 PLATE - REAR VIEW OUTSIDE MIRROR MOUNTING				
65/66	A	Also included in C5AZ 17696-B-marked C5AB 17A717-A	1	C5AZ 17A717-A
65/66	S	Marked C4SB 17A717-A, C, C6SB 17A717-A or C5SB 17A717-A	1	C4SZ 17A717-D
66	A	Screw (plate to door)-No. 10-12 x 3/4"	2	32938-S7(U345)
		Nut-insert (plate to door)-No. 8 or 10	2	376309-S(MM216N)
66	S	Screw (plate to door)-No. 10-24 x 3/4"	2	379598-S100 (BB637F)
		Nut-rim (plate to door)-No. 10-24 x 1/2"	2	379556-S36 (MM120A)
17B718 KNOB - REAR VIEW OUTSIDE MIRROR REMOTE CONTROL				
65/66	A, S		1	C6GY 17B718-A
17B719 NUT - REAR VIEW OUTSIDE MIRROR CONTROL KNOB- Also refer to Group 17B732				
65/66	A(door-mounted)		1	C3AZ 17B719-A
69	A(57, 63, 65, 76), F		1	C6GY 17B719-A
65	B, X		1	C2VY 17B719-A
17A720 PAD - REAR VIEW INSIDE MIRROR TO WINDSHIELD				
65/	All	Refer to Group 19554 (Loctite bond adhesive #312) in paint section		

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17B721 RETAINER - REAR VIEW OUTSIDE MIRROR CABLE				
65	A,B,S,X		1	C2VY 17B721-A
66	A,S		1	
69/70	A(57,63,65,76)		1	C9AZ 17B721-C
71	A		1	
69/70	A(57,63,65,76)	Screw (attach retainer mirror cable to door)	1	52012-S8(U-202)
17723 GLASS - REAR VIEW OUTSIDE MIRROR				
68	A,B,F,X	For remote control mirror (glass replacement)	1	C8AZ 17723-A
68/	A,B,F	R.H. & L.H. mirror (glass replacement)-	1	C8AZ 17723-B
68/70	X		1	
70/	P		1	
69/70	A,F	Glass replacement for remote control mirror	1	C9AZ 17723-A
71	B		1	
70/71	P		1	
71/	A	Glass replacement for remote control mirror	1	D1AZ 17723-A
72	B		1	
69/70	B	R.H.-racing type mirror glass replacement	1	C9WY 17723-A
69/70	F	R.H. & L.H.-racing type mirror glass replacement	1	
70/	P		1	
69/	B	L.H.-racing type mirror-glass replacement	1	C9OZ 17723-A
71/	F,P		1	
71/	L	Glass replacement for remote control mirror	1	D1FZ 17723-A
68/70	S	Glass replacement for remote control mirror	1	C8SZ 17723-A
71/	S	Glass replacement for remote control mirror	1	D1SZ 17723-A
66/67	U	Use with C6TZ 17696-B	1	C6TZ 17723-B
68/69	U	Less arm - painted - 5" x 8" rectangular head	2	C8UZ 17723-A
17724 GASKET - REAR VIEW OUTSIDE MIRROR - Also Included in Mirror Assembly				
- A -				
65/66	A-with round remote control mirror	Polyethylene-flat gasket-improvise	1	★
65/66	A	Marked C5AB 17724-A	1	C5AZ 17724-A
67/70	A		1or2	D1AZ 17724-A
69/70	A	R.H. & L.H.-marked C9AB 17C701-A	1or2	C9AZ 17724-A
70	A(63,65,76)	L.H.-use with racing type mirror	1	D0AZ 17724-A
70	A(63,65,76)	R.H.-use with racing type mirror	1	D0AZ 17724-B
71/	A	L.H.-manual mirror	1	D1AZ 17724-A
- B -				
65/66	B-with round remote control mirror	Polyethylene-improvise-flat gasket	1	★
67	B		1or2	C7OZ 17724-A
68/70	B(54,71)		1	C8OZ 17724-A
68/70	B(63,65,66,76)		1	C8OZ 17724-B
69/71	B(63,65,66,76) "Before 9/1/70"	R.H.-racing type mirror	1	C9OZ 17724-A
71	B(63,65,66,76) "From 9/1/70"	R.H.-racing type mirror	1	D1OZ 17724-B
69/70	B(63,65,66,76)	L.H.-racing type mirror	1	C9OZ 17724-B
71	B(63,65,66,76)	L.H.-racing type mirror	1	D1WY 17724-A
70	B	Used with remote control mirror	1	C9AZ 17724-A
71	B(54,57,63C,H,65,66,71)		1	C7AZ 17724-A
72	B(except racing mirrors)		1	D2OZ 17724-A
72	B(racing mirrors)	R.H.	1	D2OZ 17724-C
		L.H.	1	D2OZ 17724-B
- F -				
65/66	F-with round remote control mirror	Polyethylene-flat gasket-improvise	1	★
67	F-with remote mirror		1	C7ZZ 17724-B
68/69	F		1	
69/70	F	R.H.-Use with Racing type mirror-improvise	1	★
69/70	F	L.H.-Use with Racing type mirror	1	C9ZZ 17724-C
69/70	F(except with Racing mirror)		1	C9ZZ 17724-B
71/	F(63D,65D,76D)	Used with manual mirror	1	D1ZZ 17724-A
71/	F	Used with Racing mirrors	2	D1ZZ 17724-B
- L -				
71/	L		1	D1FZ 17724-A
- P -				
70/	P-except racing type mirror	Marked D0DB 17C701-A	1	D0DZ 17724-A
70/	P-with racing type manual mirror	R.H.	1	D0DZ 17724-C
70/	P-with racing type remote control mirror	L.H.	1	D0DZ 17724-B

SECTION 176

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17724 GASKET - REAR VIEW OUTSIDE MIRROR - continued - Also included in Mirror Assembly				
- S -				
65/66	S	Black plastic-marked C4SB 17724-C-3, 88" long	1	C4SZ 17724-B
66	S-with round remote control mirror	Polyethylene-flat gasket-improvise	1	★
68/70	S		1	C8SZ 17724-A
71	S		1	D1SZ 17724-A
72	S	L. H. -remote control	1	D2LZ 17724-A
- U -				
67/	U	R. H. & L. H.	1or2	C7TZ 17724-A
69/	U	With remote control mirror	1	C9TZ 17724-B
- X -				
65	X	Black plastic-marked C5OB 17724-D	1	C5OZ 17724-C
65/66	X-with round remote control mirror	Polyethylene-improvise-flat gasket	1	★
65/66	X-with round head remote control mirror		1	C5ZZ 17724-A
67/70	X		1or2	C7OZ 17724-A
17B732 NUT - REAR VIEW OUTSIDE MIRROR REMOTE CONTROL- Also refer to Group 17B719				
67	B	Repl. by C7SZ 17B732-B (5-75)	1	★C7SZ 17B732-A
67/68	A, F, S, X	"Before 9/18/67"	1	
68	B(except 63, 65, 66, 76)	"Before 9/18/67"	1	
68/	A, S	"From 9/18/67"	1	
68/69	B(except 63, 65, 66, 76)	"From 9/18/67"	1	C7SZ 17B732-B
68/70	X	"From 9/18/67"	1	
68	F	"From 9/18/67"	1	
70/	B, F		1	
68/69	B(63, 65, 66, 76)		1	C8OZ 17B732-B
70/	P, U		1	C9TZ 17B732-A
70	F-racing mirror		1	
71/	F(63D, 65D, 76)		1	
71/	L		1	
65/66	S		1	C4SZ 17B732-A
17B733 PLATE - REAR VIEW OUTSIDE MIRROR REMOTE CONTROL				
65/66	A	With door-mounted remote control mirror	1	C3AZ 17B733-B
67/69	A(except 54, 62, 71)		1	
69	A(54, 62, 71), S		1	C8SZ 17B733-C
70/	A, B, P, U		1	
71/	F		1	
71/	L		1	
67/69	B, F, X		1	C7SZ 17B733-A
67/68	S		1	
70	F		1	C8SZ 17B733-B
17B742 SHEATH - CONTROL CABLE REAR VIEW OUTSIDE MIRROR				
65/	A	3/8" O.D. x 4.00" long	1	C4SZ 17B742-B
68/	B, F		1	
71/	L, P		1	
65/68	S		1	
68/70	X		1	
17747 SUPPORT - FRONT BUMPER STONE DEFLECTOR				
70/71	B	R. H.-cut notch as required	1	D0OZ 17747-A
		L. H.	1	D0OZ 17747-B
72	B(53B, 65B, 71B)	R. H.	1	D2OZ 17747-A
		L. H.	1	D2OZ 17747-B
72	B(53D, 63, 65D, 71D, K, 97)	Center	1	D2OZ 17890-A
67/68	F	R. H.	1	C7ZZ 17747-A
		L. H.	1	C7ZZ 17747-B
		Center	1	C7ZZ 17890-A
69/70	F		2	C9ZZ 17747-A
70/	P		2	D0DZ 17747-A
66	S	R. H.	1	C6SZ 17747-A
		L. H.	1	C6SZ 17747-B
		Center	1	C6SZ 17890-A
66	S	Screw & washer assy. (support to center valance panel)-5/16"-18 x 3/4"	1	20347-S8(B156)
67/68	F	Screw (support to hood lock supports)-5/16"-18 x 1"	2	378178-S2 (BB412B)
68	S	Nut-retainer (support to center valance panel)-5/16"-18	1	379831-S2 (MM192M)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER		
17747 SUPPORT - FRONT BUMPER STONE DEFLECTOR - continued						
70/	P	Nut (attach support to front bumper outer arm)- 1/4"-20 (Attach support to front valence panel)	2	★45263-S2		
70/71	B	Nut(att. support to stone deflector)-1/4"-20	4	376331-S36 (MM292B)		
70/71	B	Screen(att. support to rad. extension)- 1/4"-14 x 3/4"	6	55914-S2(U254F)		
67/68	F	Screw (support to radiator support)- 5/16"-18 x 1"	4	378178-S2 (BB412B)		
17A750-1 BRACKET - REAR BUMPER INNER ARM MOUNTING - Refer to Group 17787-8						
YEAR	MODEL	DESCRIPTION	QTY.	INNER	QTY.	OUTER
17754-5 ARM - FRONT BUMPER						
- A -						
65/66	A	R. H.	1	C5AZ 17766-A	1	C5AZ 17754-A
		L. H.	1	C5AZ 17767-A	1	C5AZ 17755-A
67	A(except Police & Taxi)	R. H.	1	C7AZ 17766-J	1	C7AZ 17754-C
		L. H.	1	C7AZ 17767-J	1	C7AZ 17755-C
67	A(Police & Taxi)	R. H.	1	C7AZ 17766-H	1	C7AZ 17754-C
		L. H.	1	C7AZ 17767-H	1	C7AZ 17755-C
68	A(except P/C & Taxi)	R. H.	1	C8AZ 17766-A	1	C8AZ 17754-A
		L. H.	1	C8AZ 17767-A	1	C8AZ 17755-A
68	A(P/C, Taxi)	R. H.	1	C8AZ 17766-B	1	C8AZ 17754-A
		L. H.	1	C8AZ 17767-B	1	C8AZ 17755-A
69/70	A	R. H.	1	C9AZ 17766-A		
		L. H.	1	C9AZ 17767-A		
71	A	R. H.			1	D1AZ 17754-A
		L. H.			1	D1AZ 17755-A
72	A	R. H.			1	D2AZ 17754-A
		L. H.			1	D2AZ 17755-A
- B -						
65	B	R. H.	1	C5OZ 17766-A	1	C5OZ 17754-A
		L. H.	1	C5OZ 17767-A	1	C5OZ 17755-A
66/67	B	R. H.	1	C6OZ 17766-A	1	C6OZ 17754-B
		L. H.	1	C6OZ 17767-A	1	C6OZ 17755-B
68/69	B(exc. 63-Talladega)	R. H.	1	C8OZ 17766-B	1	C8OZ 17754-A
		L. H.	1	C8OZ 17767-B	1	C8OZ 17755-A
69	B(63-Talladega)	R. H.	1	C9OZ 17766-A	1	C9OZ 17754-A
		L. H.	1	C9OZ 17767-A	1	C9OZ 17755-A
70/71	B	R. H.	1	D0OZ 17766-A	1	D0OZ 17754-A
		L. H.	1	D0OZ 17767-A	1	D0OZ 17755-A
72	B(53B, 65B, 71B)	R. H.	1	D2OZ 17766-A		
		L. H.	1	D2OZ 17767-A		
72	B(53D, 63, 65D, R, 71D, K, 97)	R. H.	1	D2OZ 17766-B		
		L. H.	1	D2OZ 17767-B		
- F -						
65/66	F	R. H.	1	C5ZZ 17766-A	1	C5ZZ 17A975-A
		L. H.	1	C5ZZ 17767-A	1	C5ZZ 17A976-A
67/68	F(except Shelby GT 350/500)	R. H.	1	C7ZZ 17766-A	1	C7ZZ 17754-A
		L. H.	1	C7ZZ 17767-A	1	C7ZZ 17755-A
67/68	F(Shelby GT 350/500)	R. H.-not repl.(5-75)	1	★S8MS 17A973-A	1	S8MS 17A975-A
		L. H.-not repl.(5-75)	1	★S8MS 17A974-A	1	S8MS 17A976-A
69/70	F(except Shelby GT 350/500)	R. H.	1	C9ZZ 17766-A	1	C9ZZ 17754-A
		L. H.	1	C9ZZ 17767-A	1	C9ZZ 17755-A
69/70	F(Shelby GT 350/500)	R. H.			1	C9ZZ 17754-B
		L. H.			1	C9ZZ 17755-B
71/	F	R. H.	1	D1ZZ 17766-A		
		L. H.	1	D1ZZ 17767-A		
- L -						
71/	L	R. H.	1	D1FZ 17766-A	1	D1FZ 17754-A
		L. H.	1	D1FZ 17767-A	1	D1FZ 17755-A
- P -						
70/	P	R. H.	1	D14Y 17766-A	1	D0DZ 17754-A
		L. H.	1	D14Y 17767-A	1	D0DZ 17755-A

SECTION 176

FORD CAR PARTS

YEAR	MODEL		DESCRIPTION		QTY.	INNER	QTY.	OUTER
17754-5 ARM - FRONT BUMPER - continued								
- S -								
65	S		R. H.	1	C4SZ 17766-A	1	C4SZ 17754-A	
			L. H.	1	C4SZ 17767-A	1	C4SZ 17755-A	
66	S	"Before 9/16/65"	R. H.	1	C6SZ 17766-A	1	C6SZ 17754-A	
			L. H.	1	C6SZ 17767-A	1	C6SZ 17755-A	
66	S	"From 9/16/65"	R. H.	1	C6SZ 17766-B	1	C6SZ 17754-A	
			L. H.	1	C6SZ 17767-B	1	C6SZ 17755-A	
67	S		R. H.	1	C7SZ 17766-A	1	C7SZ 17754-A	
			L. H.	1	C7SZ 17767-A	1	C7SZ 17755-A	
68/69	S		R. H.	1	C8SZ 17766-C	1	C8SZ 17754-A	
			L. H.	1	C8SZ 17767-C	1	C8SZ 17755-A	
70/71	S		R. H.	1	D0SZ 17766-A			
			L. H.	1	D0SZ 17767-A			
72	S		R. H.	1	D2SZ 17766-A			
			L. H.	1	D2SZ 17767-A			
- X -								
65	X		R. H.	1	C4DZ 17766-B	1	C4DZ 17754-B	
			L. H.	1	C4DZ 17767-B	1	C4DZ 17755-B	
66/67	X		R. H.	1	C6DZ 17766-A	1	C6DZ 17754-A	
			L. H.	1	C6DZ 17767-A	1	C6DZ 17755-A	
68/70	X		R. H.	1	C8DZ 17766-A	1	C8DZ 17754-A	
			L. H.	1	C8DZ 17767-A	1	C8DZ 17755-A	
YEAR	MODEL		DESCRIPTION			QTY.	PART NUMBER	
65	S		Bolt (arms to bumper)-7/16"-14 x 1 3/8"			4	20450-S(B106)	
65	S		Bolt (inner arm to front end)-7/16"-14 x 2"			4	20524-S7(B111)	
69/	A		Bolt (inner & outer arm to impact bar)-7/16"-14 x 1 1/2"			4	23472-S(B15)	
65/66	A		Nut (inner and outer arms to impact bar)-7/16"-14			8	34396-S7-8(M95)	
65/69	F		Nut-5/16"-18			2	33797-S7(M50)	
66	S		Nut (inner & outer arms to impact bar)-1/2"-13			4	33845-S8(M57)	
65/69	F		Nut (bracket to impact bar)-5/16"-18			2	34392-S7(M93)	
66	S		Nut (outer arms to bumper ends)-7/16"-14			4	34670-S7(M54)	
66	F		Washer-spring (arm to body)-7/16"			4	34808-S2(X67)	
65/66	S		Lockwasher (outer arm to bumper end)-7/16"			4		
68/69	B		Washer (inner & outer arms to frame)-1/2"			4	34809-S8(X68)	
65/66	A					2		
66	S					6		
65	S		Lockwasher-7/16"			4	34848-S8(X75)	
70	B		Washer(att, outer arm to bumper)			2	34848-S8(X75)	
68/69	B		Nut (attach inner or outer arm to impact bar)			4or6	★34948-S	
70	B, S		Nut (att, inner arm to frame)			2	★34979-S4	
69/	A		Nut (inner & outer arm to impact bar)-7/16"-14			8	34988-S4(M89D)	
65/69	F		Washer-flat-5/16"			2	44725-S8 (X22)	
65	S		Flatwasher-7/16"			AR	44730-S8(X26)	
65/	A		Washer (inner & outer arm to impact bar)			8	44735-S8(X32)	
66/69	B, X					6		
65	S		Screw (inner arm thru bumper to end brace)-3/8"-16 x 1 1/4"			2	50066-S8(U108)	
65/68	A, F		Nut (inner arm to frame)-1/2"-13			2	55697-S8(M89F)	
68/69	B		Screw (attach outer arm to 16B134 brace)-1/4"-14 x 3/4"			2	55914-S2 (U254F)	
68/69	B		Bolt (attach outer arm to 17A820-1 bracket assy.)			2	★56360-S	
69/	A		Screw & washer assy.(inner & outer arm to reinforcement)			4	★57048-S2	
66	S		Washer (inner & outer arms to impact bar)-1/2"			6	351321-S8(XX197)	
65	S		Bolt (arm to inner arm)-7/16"-14 x 3 1/2"			2	351988-S8(BB187)	
70	S		Washer(att, inner arm to frame)			2	356606-S8(XX184)	
65/69	F		Screw (bracket to fender)-5/16"-18 x 1 5/8"			2	359530-S8(BB576)	
65	S		Bolt (arm to inner arm to front end)-7/16"-14 x 3 1/2"			2	359554-S8(BB185)	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17754-5 ARM - FRONT BUMPER - continued				
65/69	F	Screw (bumper guard bracket to inner arm and bumper guard)-5/16"-18 x 3/4"	AR	359662-S7-8 (BB575A)
68/69	S			
66/67	B, X	Nut (inner & outer arm to impact bar)-7/16"-14	4or6	371951-S8(MM151)
66	F	Bolt (arm to body)-7/16"-14 x 1 3/4"	4	372434-S8(BB405C)
69/	A	Washer(att. arm to bumper)	4	375266-S7(XX326A)
70	B, F		2	
65/66	A	Bolt-Hex.head (inner and outer arms to frame)-1/2"-13 x 1 3/4" pilot end	4	375455-S7-8 (BB405E)
68/69	B		4	
66	S	Retainer (outer arms to bumper ends)-7/16"	4	*376202-S
65	F	Bolt (bracket to impact bar)-5/16"-18 x 3/4"	2	376337-S100 (BB647D)
65/66	A	Nut and retainer (inner arm to frame)-1/2"-13	2	376487-S(MM192C)
69/	A	Washer (inner & outer arm to frame)-No. 5-1 1/2"	6	376515-S2(XX326)
65/66	A		2	
70	B		6	
70	P		2	
68/	S		2	
65/68	A	Bolt (inner arm to frame)-1/2"-13 x 1 3/4"	2	378349-S2(BB551B)
67	F	Nut & retainer (bracket front fender bumper to fender)-5/16"-18	2	378680-S2 (MM192AA)
65/69	F	Nut retainer (bracket to fender)-5/16"-18	2	378680-S2 (MM192AA)
65/68	A	Nut & retainer (outer bumper arm to frame)-1/2"-13	2	379730-S2 (MM192S)
69/	A	Nut & retainer (inner & outer arm to frame)-1/2"-13	6	382928-S2 (MM192SA)
70	S	Nut & retainer(att. inner arm to front bumper support)	6	
69/	A	Bolt (inner & outer arm to frame) - 7/16"-14 x 1 1/4"	4	383465-S100 (BB647HE)
70	F	Bolt(att. inner & outer arm to bumper)	4	
70	B	Nut(att. outer arm to bumper)-7/16"	2	381968-S2 (MM192QA)
71	F	Bolt-carriage (attach inner arms to bumper reinforcement)-3/8"-16 x 1"	4	381977-S40 (BB198D)
66	S	Nut & retainer (inner arms to impact bar)-1/2"	2	*380855-S2
66	S	Bolt (outer arm to bumper)	4	381745-S2 (BB405A)
17K754 BRACKET - FRONT BUMPER STOP				
68/69	S		2	C8SZ 17K754-A
68/69	S	Screw (bracket to front bumper outer arm)-1/4"-14 x 2" oval head	2	351476-S2(UU58H)
68/69	S	Nut retainer (17766-7 arm to 17756 bumper) - 3/8"-16	2	359761-S2 (MM192AK)
17756-7 BUMPER - FRONT				
- A -				
65/66	A		1	C5AZ 17757-B
67	A		1	C7AZ 17757-A
68	A		1	C8AZ 17757-A
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17757-B
69/70	A(except 54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17757-A
70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	D0AZ 17757-A
71	A-except with bumper guards		1	D1AZ 17757-A
71	A-with bumper guards		1	D1AZ 17757-B
72	A-except with bumper guards		1	D2AZ 17757-A
72	A-with bumper guards		1	D2AZ 17757-B
- B -				
65	B		1	C5OZ 17757-B
66/67	B		1	C6OZ 17757-A
68	B		1	C8OZ 17757-A
69	B(exc. 66 and Talladega)		1	
69	B(63-Talladega)		1	C9OZ 17757-C
69	B(66)		1	C9OZ 17757-B
70/71	B		1	D0OZ 17757-A

SECTION 176

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17756-7 BUMPER - FRONT - continued				
- B -				
72	B(53B, 65B, 71B)-except with bumper guards		1	D2OZ 17757-A
72	B(53B, 65B, 71B)-with bumper guards		1	D2OZ 17757-E
72	B(53D, 63, 65D, R, 71D, K, 97) - except with bumper guards		1	D2OZ 17757-B
72	B(53D, 63, 65D, R, 71D, K, 97)-with bumper guards		1	D2OZ 17757-D
- F -				
65/66	F		1	C5ZZ 17757-A
67/68	F		1	C7ZZ 17757-A
69/70	F(Shelby GT 350/500)		1	C9ZZ 17757-B
69/70	F(except Shelby GT350/500)		1	C9ZZ 17757-A
71/	F	Chrome	1	D1ZZ 17757-A
71/	F	Paint to match with urethane paint	1	D2ZZ 17757-F
- L -				
71/	L-except with bumper guards		1	D1FZ 17757-A
71/	L-with bumper guards		1	D1FZ 17757-B
- P -				
70	P		1	D0DZ 17757-A
71/	P-except with high protection bumper guards		1	
71/	P-with high protection bumper guards		1	D1DZ 17757-A
- S -				
65	S	Upper	1	C4SZ 17756-B
		Lower	1	C4SZ 17757-B
66	S		1	C6SZ 17757-B
67	S(except with T/E)		1	C7SZ 17757-A
67	S(with T/E)		1	C7SZ 17757-B
68/69	S	Front-upper	1	C9SZ 17756-A
68	S	Front-lower	1	C8SZ 17757-A
69	S	Front-lower	1	C9SZ 17757-A
70/71	S	Upper	1	D0SZ 17757-A
72	S-w/o bumper pad		1	D2SZ 17757-A
72	S-w/ bumper pad		1	D2SZ 17757-B
- U -				
66/	U	Painted-use as front or rear bumper	2	C6TZ 17757-F
66/	U	Chrome-used as front or rear bumper	2	C6TZ 17757-G
66/	U	Split type-used with winch-included in (19E536) kit		
- X -				
65	X		1	C4DZ 17757-A
66/67	X		1	C6DZ 17757-A
68/70	X		1	C8DZ 17757-A
72	A, B, F, L, P, S	Button plug-29/32" dia. x 9/16"	AR	385361-S100(PP8H)
65	X	Bolt (license plate to bar) 1/4"-20 x 1/2"	2	20308-S7(B40)
66/	U	Bolt (impact bar to side member)-3/8"-16 x 1.00"	4	23410-S8(B9)
68/69	B	Bolt (attach bumper to inner arm)-7/16"-14 x 1 1/2"	2	23472-S(B15)
66	A	(Impact bar to inner or outer arm)	4	
65	X	Nut - 1/4"-20	2	33795-S7(M49)
68	B, X	Nut (arm inner to bumper bar)-7/16"-14 lock	AR	34396-S7(M95)
66/	U	Nut (impact bar to side member)-7/16"-14	4	34670-S2(M54)
65/69	A, S, X	Nut-7/16"-20	AR	34671-S8(M67)
65	X	Lockwasher-1/4" spring lock	2	34805-S8(X62)
65/69	A, S, X	Lockwasher-7/16" -	AR	34808-S8(X67)
66/	U	Washer (impact bar to side member) 7/16" spring	4	34808-S2(X67)
65	X	Lockwasher-1/4" external tooth	2	34940-S7(X88)
68/69	B	Nut (impact bar to 17A820-1)	4	34988-S4(M89D)
65/69	S	Screw (license plate to frt. bumper)- 1/4"-20 x 1 1/4"	2	*41636-S40
69/	A	Washer (impact bar to reinforcement)-3/8"	2	44727-S8(X24)
65/69	A, S, X	Washer-flat-7/16"	AR	44730-S8 (X26)
65/69	A, X	Washer-flat-1/2"	AR	44735-S8(X32)
68/69	B	Washer-flat (impact bar to 17A820-1)-1/2"	4	44735-S8(X32)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17756-7 BUMPER - FRONT - continued				
65/66	S	Bolt (outer bar to center)-7/16"-14 x 7/8"	4	357450-S(BB172)
65	X	Rubber-bumper-anti-rattle	1	358159-A1S(CC9A)
69	A	Rubber anti-rattle bumper & license bracket	4	
68/69	B		2	
65/68	A, B	Rubber bumper-license plate	1	371347-S (CC23)
65/69	A, X	Nut-7/16"-14	AR	371951-S8(MM151)
65	F	Bolt-carriage (bumper to 17B762 bracket)-5/16"-18 x 3/4"	2	376337-S100 (BB647D)
69/	A	Nut (impact bar to reinforcement)-3/8"-16	2	382535-S100 (MM173MX)
69/	A	Carriage bolt (impact bar to reinforcement) 3/8"-16 x 7/8"	2	378535-S2 (BB647H)
65	F, X	Screw(attaches license plate)-1/4"-20 x 5/8"	2	379872-S2(UU86G)
65/69	A, B, F, S, X	Bumper-rubber (between bumper & license plate)	2	380521-S(CC46)
65/69	A, B, F, S, X	Nut (license plate frt. bumper)-1/4" nylon	2	380707-S (MM228B)
70/	P		4	
70	A, X	Bolt-carriage (bumper to bumper arm)-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
70/	B, F, P, S		AR	
71	F(63R)	U-nut (bumper to bumper arm) - 3/8"-16 locking	1	384458-S2 (MM284DD)
17758 BOLT - BUMPER				
- A -				
65/67	A	7/16"-14 x 1 3/4"	AR	B9A 17758-A
68/69	A	7/16"-14 x 1 1/4"	AR	C3AZ 17758-A
71	A(53, 57H, K, 65H, K, 71H, 76)		8	
70	A	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
72	A		AR	
- B -				
66/67	B	7/16"-14 x 1 3/4"	AR	B9A 17758-A
65	B	7/16"-14 x 1 1/4"	AR	C3AZ 17758-A
68/69	B		AR	
70/	B	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
- F -				
65/68	F	7/16"-14 x 1" -r/b C3AZ 17758-A (5-75)	AR	★C5ZZ 17758-A
69	F	7/16"-14 x 1 1/4"	4	C3AZ 17758-A
70/	F	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
- P -				
70/	P	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
- S -				
65	S	7/16"-14 x 1 3/4"	AR	B9A 17758-A
67	S		AR	
70/71	S	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
- U -				
66/67	U-with chrome bumper	7/16"-14 x 1 1/4"-oval head (bumper to arm)	8	C0AB 17758-A
67	U-with chrome bumper	7/16"-14 x .88" to plug bumper guard holes	4	C4AZ 17758-A
68/69	U-with chrome bumper	7/16"-14 x 1 3/4"	AR	B9A 17758-A
70/	U-with chrome bumper		2	C4AZ 17758-A
- X -				
65/67	X	7/16"-14 x 1 3/4"	AR	B9A 17758-A
68/70	X	7/16"-14 x 1 1/4"	AR	C3AZ 17758-A
65/69	A, S, X	Nut-7/16"-20	AR	34671-S8(M67)
65/69	A, S, X	Lockwasher-7/16"	AR	34808-S8(X67)
65/69	A, S, X	Washer-7/16"	AR	44730-S8(X26)
65/69	A, S, X	Nut-7/16"-14	AR	371951-S8(MM151)
66/69	U-with paint bumper	Bolt-carriage (3/8"-16 x 1"	1	23410-S8(B9)
67	U-with paint bumper	Bumper-use as anti-rattle at license plate	1	380369-S(CC44)
66	S	Bolt-hex, head (bumper attaching) 1/2"-13 x 1 3/4"	AR	375455-S-8 (BB405E)
17C760 INSULATOR - FRONT BUMPER STONE DEFLECTOR				
70/71	S	39/64" x 1 1/2" x 1 55/64"	1	D0SZ 17C760-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17B762 BRACKET - FRONT BUMPER MOUNTING END				
69/70	F	Improvise from strip steel-3/4" thick-1 1/4" wide-2 5/64" long	2	★
71/	L	R.H.	1	D1FZ 17B762-A
		L.H.	1	D1FZ 17B763-A
70/	P	Improvise from strip steel-1/16" thick-1/4" wide- 5 7/8" long	2	★
70/	P	Nut-(attach bracket & stone deflector to front fender reinforcement)-1/4"-20	2	★45267-S2
69/70	F	Retainer(bracket to front valance panel)	2	357227-S(MM206)
69/70	F	Bolt(aff.bracket to bumper)-5/16"-18 x 3/4"	2	376337-S100 (BB647D)
17765 SPACER - FRONT BUMPER ARM				
69/	A	To frame	AR	C9AZ 17765-A
72	B		1	
72	B, S	To floor	AR	D2OZ 17765-A
17766-7 ARM - FRONT BUMPER- Refer to Group 17754-5				
17B769 DEFLECTOR - FRONT BUMPER STONE LOWER- Refer to Basic 17779				
17779 PANEL ASSY. - LOWER - RADIATOR GRILLE OPENING				
69	F(Shelby GT 350/500)		1	C9ZZ 17779-B
17779 DEFLECTOR - FRONT BUMPER STONE				
- A -				
65	A		1	C5AZ 17779-A
66	A		1	C6AZ 17779-B
67	A		1	C7AZ 17779-A
68	A		1	C8AZ 17779-B
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17779-B
69/70	A (except 54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17779-A
70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	D0AZ 17779-A
71/	A	Refer to Group 8150		
- B -				
65	B		1	C5OZ 17779-A
66/67	B		1	C6OZ 17779-A
68	B		1	C8OZ 17779-B
69	B		1	C9OZ 17779-A
70/71	B		1	D0OZ 17779-A
- F -				
65/66	F	Upper	1	C5ZZ 17779-A
		Lower-refer to Group 17A939		
67/68	F		1	C7ZZ 17779-A
69	F(except Shelby GT 350/500)		1	C9ZZ 17779-A
70	F		1	D0ZZ 17779-A
71/	F	Refer to Group 8200		
- L -				
71/	L		1	D1FZ 17779-A
- P -				
70/	P		1	D0DZ 17779-A
- S -				
66	S		1	C6SZ 17779-A
67/69	S	Upper	1	C8SZ 17779-B
67/69	S	Lower	1	C8SZ 17B769-B
70/71	S	R.H.	1	D0SZ 17779-A
		L.H.	1	D0SZ 17779-B
		Center	1	D0SZ 17779-C
- X -				
65	X		1	C4DZ 17779-B
66/67	X		1	C6DZ 17779-A
68/70	X		1	C8DZ 17779-A
65/66	A	Bolt-hex.head-stone deflector to grille-5/16"-24 x 3/4"	2	20347-S8(B156)
65/66	A	Bolt-hex.head-stone deflector to grille-5/16"-18 x 1"	4	20386-S8(B53)
65	X	Screw & washer (deflector to radiator grille center support)-1/4"-20 x 5/8"	1	31080-S8(U60)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17779 DEFLECTOR - FRONT BUMPER STONE - continued				
65/66	A	Nut (frt. stone deflector to hood support)-5/16"-18	1	34392-S7-8(M93)
65/66	A	Nut (front stone deflector to fender filler)	2	
65	X	Nut-5/16"-24	AR	34393-S7(M98)
65/66	A	Washer-flat-stone deflector to grille-5/16"	4	34906-S8(X98)
68	A	Screw (deflector to parking lamp body)-1/4"-20 x 3/4" self tap	2	40953-S8(U263)
70/	P	Screw-hex.washer head (deflector to fender)-No.14-10 x 1"	2	42154-S7-8(U256)
70/	P	Spring nut (att.deflector to front fender)	2	★45261-S
70/71	B	Nut (att. deflector to hood lock support)	2	★45263-S2
70/	P	(att. defelctor to hood lock support brace)	1	
70/	P	Nut (att. deflector to front fender reinforcement)	2	★45267-S2
70/	P	Screw (att.deflector to fender and hood lock support brace)	3	★57030-S
70/71	B	(Deflector to hood lock support brace)	2	
69/70	A	Screw & washer (deflector to fender and radiator support)	AR	★57040-S39
65	X	Bolt & lockwasher (attaching stone deflector)-5/16"-24 x 1 1/8"	AR	353483-S2(BB588)
65/66	X	Nut-retainer (front stone deflector to extension)-1/4"-20	4	354394-S2(MM187)
68/69	B	(deflector to radiator support)	1	
65/66	F	Screw & washer assy. (front stone deflector to extension)-1/4"-20 x 5/8"	4	354476-S2(BB570)
68/69	B	Nut & retainer (deflector to radiator grille center support)-1/4"-20	2	356657-S2
68/70	X	(Attaching stone deflector)	2	(MM186)
65/66	F		AR	
65/67	B	Screw (attach stone deflector)-5/16"-18 x 3/4"	AR	359662-S7-8
65/70	X		AR	(BB575A)
65/66	F		AR	
65/66	F	Nut-retainer (stone deflector)-5/16"-18	AR	370328-S2(MM188)
65	B		AR	
68/69	B	Screw & washer (deflector to radiator support)-1/4"-20 x 3/4" hex. head	1	371492-S2(BB569)
68/70	X		1	
67	A	Bolt (reinforcement to front bumper)-7/16"-14 x 1 1/8"-hex. hd.	2	20410-S8(B103)
		Bolt (arm to reinforcement)-7/16"-14 x 1 1/8"-hex. hd.	4	
67	A	Washer (reinforcement to front bumper)-7/16"-lock	2	34848-S8(X75)
		Washer (arm to reinforcement)-7/16"-lock	4	
65/66	F	Rubber bumper (license plate)	1	375838-S (CC32)
65/66	A	Screw (front stone deflector to apron)-5/16"-18 x 1"	2	376256-S
65/66	A	Screw (front stone deflector to hood support)	1	(BB545A)
65/66	A	Screw (front stone deflector to fender filler)	2	
67/68	F	Nut and washer (deflector to supports)-5/8"-18	3	376838-S2
				(MM296AF)
68	A	Plug button	1	377935-S(PP2D)
67/69	S	Screw & washer (attaching stone deflector)-5/16"-18 x 1" hex. head	AR	378178-S2
67/68	F		AR	(BB412B)
66	B	Nut-retainer (front stone deflector to hood brace)-5/16"-18	1	378643-S2
				(MM295L)
65/67	A	Nut-retainer (front stone deflector to apron)-5/16"-18	2	378680-S2
				(MM192AA)
69/70	A	Nut & retainer (deflector to fender)	AR	379114-S2
69/70	A	(att. stone deflector to brace hood lock support)	2	(MM192AD)
66/69	B	Nut-retainer (front stone deflector to fender)-5/16"-18	2	379831-S2
				(MM192M)
65/70	X	(Attaching stone deflector)	AR	
70/	P	Grommet -9/32" I.D. x 7/8" O.D.	2	383333-S100
				(KK71X)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER		
17C782 EXTENSION - FRONT BUMPER STONE DEFLECTOR						
70/71	S	R.H.	1	D0SZ 17C782-A		
		L.H.	1	D0SZ 17C782-B		
70/71	S	Screw & washer (att. extension to bracket headlamp housing)	4	57140-S2(B340H)		
70/71	S	(att. extension to stone deflector mounting brkt.)	2			
70/71	S	Nut & retainer (att. extension to bracket headlamp housing)	4	379114-S2		
		(att. extension to stone deflector mounting brkt.)	2	(MM192AD)		
17787-8 ARM - REAR BUMPER						
			QTY.	INNER	QTY.	OUTER
- A -						
65/66	A(except 71)	R.H.	1	C5AZ 17787-C	1	C5AZ 17795-A
		L.H.	1	C5AZ 17788-C	1	C5AZ 17796-A
65	A(71)	R.H.	1	★C5AZ 17787-B	1	★C5AZ 17795-B
				Not repl. (3-74)		Not repl. (3-74)
		L.H.	1	★C5AZ 17788-B	1	C5AZ 17796-B
				Not repl. (3-74)		
67	A(except 71)	R.H.	1	C7AZ 17787-A	1	C7AZ 17795-A
		L.H.	1	C7AZ 17788-A	1	C7AZ 17796-A
68	A(except 71)	R.H.	1	C8AZ 17787-A	1	C8AZ 17795-A
		L.H.	1	C8AZ 17788-A	1	C8AZ 17796-A
66/68	A(71)	R.H.	1	C8AZ 17787-B	1	C8AZ 17795-C
		L.H.	1	C8AZ 17788-B	1	C8AZ 17796-C
69	A(except 71)	R.H.	1	C9AZ 17787-A	1	C9AZ 17795-A
		L.H.	1	C9AZ 17788-A	1	C9AZ 17796-A
70	A(except 71)	R.H.	1	D0AZ 17787-A	1	D0AZ 17795-A
		L.H.	1	D0AZ 17788-A	1	D0AZ 17796-A
69/70	A(71)	R.H.	1	C9AZ 17787-B	1	C9AZ 17795-B
		L.H.	1	C9AZ 17788-B	1	C9AZ 17796-B
71/	A(except 71)	R.H.-to frame	1	D2AZ 17787-C		
		L.H.	1	D2AZ 17788-C		
71	A(except 71)	R.H.-to bumper arm	1	D1AZ 17787-B	1	
		L.H.	1	D1AZ 17788-B	1	
71	A(71)	R.H.	1	C9AZ 17787-B	1	D1AZ 17795-A
		L.H.	1	C9AZ 17788-B	1	D1AZ 17796-A
72	A(except 71)	R.H.-to bumper arm	1	D2AZ 17787-A	1	D2AZ 17795-A
		L.H.	1	D2AZ 17788-A	1	D2AZ 17796-A
72	A(71)	R.H.	1	D2AZ 17787-B	1	D1AZ 17795-A
		L.H.	1	D2AZ 17788-B	1	D1AZ 17796-A
- B -						
65	B	R.H.	1	C5OZ 17787-A	1	C5OZ 17795-A
		L.H.	1	C5OZ 17788-A	1	C5OZ 17796-A
66/	B(66, 71)	R.H.	1	C6OZ 17787-C	1	C6OZ 17795-B
		L.H.	1	C6OZ 17788-C	1	C6OZ 17796-C
66/67	B(except 66, 71)	R.H.	1	C6OZ 17787-A	1	C6OZ 17795-A
		L.H.	1	C6OZ 17788-A	1	C6OZ 17796-A
68/69	B(except 66, 71)	R.H.	1	C8OZ 17787-A	1	C8OZ 17795-A
		L.H.	1	C8OZ 17788-A	1	C8OZ 17796-A
70/71	B(except 66, 71)	R.H.	1	D1OZ 17787-B	1	D0OZ 17795-A
		L.H.	1	D1OZ 17788-B	1	D0OZ 17796-A
72	B(except 71, 97)	R.H.	1	D2OZ 17A750-A		
		L.H.	1	D2OZ 17A751-A		
72	B(71)	R.H.	1	D2OZ 17787-A	1	D2OZ 17795-A
		L.H.	1	D2OZ 17788-A	1	D2OZ 17796-A
72	B(97)	R.H.	1	D2OZ 17787-B	1	D2OZ 17795-B
		L.H.	1	D2OZ 17788-B	1	D2OZ 17796-B
- F -						
65/66	F	R.H.	1	C5ZZ 17A750-A		
		L.H.	1	C5ZZ 17A750-A		
67/68	F	R.H.	1	C7ZZ 17A750-A		
		L.H.	1	C7ZZ 17A750-A		
69/70	F	R.H. or L.H.	2	C9ZZ 17A750-A		
71/	F	R.H.	1	D1ZZ 17787-A		
		L.H.	1	D1ZZ 17788-A		

YEAR	MODEL		DESCRIPTION		QTY.	PART NUMBER	
17787-8 ARM - REAR BUMPER - continued							
				QTY.	INNER	QTY.	OUTER
- L -							
71/	L(62, 64)		R.H. or L.H.	2	D3FZ 17A750-A		
72	L(73)		R.H. or L.H.	2	D3FZ 17A750-B		
72	L(73)		R.H. or L.H.-gusset	2	D2FZ 17787-A		
- P -							
70/72	P	"Before 6/12/72"	R.H. or L.H.	2	D0DZ 17A750-A		
72	P	"From 6/12/72"	R.H. or L.H.	2	D3DZ 17787-A		
- S -							
65/66	S		R.H.	1	★C4SZ 17787-A	1	C4SZ 17795-A
			L.H.	1	Not repl.(5-75)		
			R.H. -inner bracket	1	C4SZ 17788-A	1	C4SZ 17796-A
			L.H. -inner bracket	1	★C4SZ 17A750-A	1	
					Not repl. (3-74)		
				1	C4SZ 17A751-A	1	
67/68	S	"Before 11/15/67"	R.H.	1	C7SZ 17787-B	1	C7SZ 17795-B
			L.H.	1	C8SZ 17788-B	1	C8SZ 17796-A
68/71	S	"From 11/15/67"	R.H.	1	C8SZ 17787-A	1	C8SZ 17795-A
			L.H.	1	C8SZ 17788-A	1	C8SZ 17796-A
72	S		R.H.	1	D2SZ 17787-A	1	D2SZ 17795-A
			L.H.	1	D2SZ 17788-A	1	D2SZ 17795-A
- X -							
65	X(54, 62, 63, 76)		R.H.	1	C4DZ 17787-C	1	C4DZ 17795-A
			L.H.	1	C4DZ 17788-C	1	C4DZ 17796-A
65	X(59, 66, 71, 78)		R.H.	1	C4DZ 17787-D	1	C4DZ 17795-B
			L.H.	1	C4DZ 17788-D	1	C4DZ 17796-B
66/70	X(54, 62)		R.H.	1	C6DZ 17787-A		
			L.H.	1	C6DZ 17788-A		
66/70	X(66, 71)		R.H.	1	C6OZ 17787-C	1	C6OZ 17795-B
			L.H.	1	C6OZ 17788-C	1	C6OZ 17796-C
66/69	F		Bolt (brkt. to lower backpanel)-7/16"-14 x 1 1/8"		4	20410-S8(B103)	
65	S		Bolt (outer arm to center bumper)-7/16"-14 x 1 1/8"		4	20410-S8(B103)	
68	B, X		Bolt (arm rear bumper to impact bar)-7/16"-14 x 1" carriage head		2	23412-S8(B14)	
70/	B(66, 71)		Nut (att. inner & outer arms to rear floor pan assy.)-1/2"-13		4	★33773-S4	
65/68	A(except 76)		Nut (inner arm to frame)-1/2"-13		2	33845-S2(M57)	
68	B, X		Nut (arm to bumper bar)-7/16"-14 lock		AR	34396-S7(M95)	
65	S		Lockwasher-7/16"		6	34808-S8(X67)	
70/	P		Nut (att. 17A750 brkt. to rear bumper)-7/16"-14		4	34988-S4(M89D)	
65	S		Flatwasher-7/16"		6	44730-S8(X26)	
66	B(54, 62, 63, 76)		Washer-flat (arm to impact bar)-1/2"		6	44735-S8(X32)	
65	B		Flatwasher-1/2"		8	44735-S8(X32)	
65	X		Flatwasher-1/2"		AR	44735-S8(X32)	
66	S		Bolt (outer arm to underbody)-7/16"-14 x 3 1/2"		4	45550-S7-8(B116)	
65	X(59, 66, 71, 78)		Bolt (inner & outer arms to support brace)-7/16"-14 x 3 3/4"-hex. hd.		4	★45558-S2	
65	X		Nut-7/16"-14		AR	55675-S(M89E)	
65	B		Nut-1/2"-13		4	55697-S8(M89F)	
68	B, X		Nut (inner arm to outer)-1/2"-13 hex. lock		4	55697-S8(M89F)	
69/70	A		Bolt (attached arms to frame)		4	★56383-S4	
69/70	A(71)		Screw & washer (outer arm to brace)		2	★57481-S36	
67	A		Washer(bumper arm to frame at rear)-1/2"-flat-special		2	351453-S8(XX186)	
67	A		Washer (bumper arm to frame at front)-1/2"flat		2	356606-S8(XX184)	
65	S		Bolt (outer arm to outer bumper)-7/16"-14 x 1 7/16"		2	358910-S(BB176)	
68	A				2		
65	S		Bolt (outer arm to underbody)-7/16"-14 x 3 1/4"		4	359554-S8(BB185)	
65	X(54, 62, 63, 76)				4		
66	S		Screw (bracket to impact bar)-3/8"-16 x 3/4"		4	370608-S2(BB579)	
72	S		Screw & washer (outer arm to underbody)		4	★57482-S36	
66/69	B(54, 62, 63, 76)		Nut (arm to impact bar)-7/16"-14		6	371951-S8(MM151)	
66	A(71)				8		

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17787-8 ARM - REAR BUMPER - continued				
68	A	Nut & retainer (arm rear bumper out to rear bar)-7/16"-14	2	372571-S2 (MM192Q)
69/70	A(71)	Nut & retainer (outer arm to brace)	2	★372949-S2
66	S	Screw (bracket to arm)-3/8"-16 x 1 1/8"	4	373162-S(BB563A)
65	B	Bolt (inner & outer arm to support)-1/2"-13 x 3 7/8"	4	373522-S8 (BB199B)
70/	P	Flat washer (att. 17A750 brkt. to rear bumper)	4	★373596-S2
69/70	A(except 71)	Washer (att. outer arm to bumper)-1/2" flat	8	375266-S7
70/	B	(att. outer arm to bumper)	8	(XX326A)
70/	B	(att. inner arm to bumper)	6	
66	S	(outer arm to underbody)	4	
65/68	A	Bolt (inner & outer arms to frame) 1/2"-13 x 1 3/4" hex. head	6	375455-S7(BB405E)
65/70	A	Lockwasher (inner & outer arms to frame)-1/2"	AR	376515-S2(XX326)
69/70	F	(att. 17A750 to lower back panel)	4	
66	F	(bracket to lower back panel)	4	
65/68	A	Nut-retainer (inner & outer arms to frame)-1/2"-13	2	379970-S2 (MM192D)
65/70	A(except 71)	Nut & retainer (att. inner arms to frame)-1/2"-13	2	★377164-S2
70/	S		2	
69/70	A	Nut & retainer (attach arms to frame)-1/2"-13	2	379970-S2 (MM192D)
70/	S		2	
66	F	Washer (bracket to lower back panel)	4	★380019-S36
66	B(54, 62, 63, 76)	Screw & washer assy. (arm to pan assy.) 3/8"-16 x 1 1/8"	8	★380636-S36
68	B(54, 63, 65, 66, 76)	Screw & washer (inner & outer arms to frame or brace)-3/8"-16 x 1 1/4" hex. head	AR	381715-S100 (BB412K)
70/	B		2	
70/	P		AR	
71	F	Nut & retainer (bracket to lower back panel)-7/16"-14	1	383085-S3
72	S		4	(MM192QB)
17789 BRACE - REAR BUMPER/END - Also refer to Group 17787-8				
69/70	A(71)	R. H.	1	C9AZ 17789-A
		L. H.	1	C9AZ 17789-B
71/	A(71)	R. H.	1	D1AZ 17789-A
		L. H.	1	D1AZ 17789-B
72	B(except 71, 97)	R. H.	1	D2OZ 17789-A
		L. H.	1	D2OZ 17789-B
69/70	A(71)	Nut & retainer (att. brace to rear bumper outer arm)	2	★372949-S2
17792-3 BRACKET - LOWER CROSS SUPPORT				
68	F(Shelby -GT350/500)	R. H. -use with S8MS 8B321-A Support	1	S8MS 17792-A
		L. H. -not replaced (5-75)	1	★S8MS 17793-A
17A792 REINFORCEMENT - FRONT BUMPER CENTER - Also refer to Group 17A820				
68	A(Police & Taxi)		1	C8AZ 17A792-A
69/70	A(except 54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17A792-A
69/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	D0AZ 17A792-A
70/71	B		1	D0OZ 17A792-A
72	B(53D, 63, 65D, R, 71D, K, 97)		1	D2OZ 17A792-A
72	B(53B, 65B, 71B)		1	D2OZ 17A792-B
71/	F		1	D1ZZ 17A792-A
67/68	S	"Not required from 5/15/68"	1	C7SZ 17A792-B
70/71	S		1	D0SZ 17A792-A
72	S		1	D2SZ 17A792-A
67	A	Nut & retainer (reinforcement to front bumper) 7/16"-14	2	372571-S2 (MM192Q)
		Nut & retainer (arm to reinforcement)-7/16"-14	4	
67	A	Screw (reinforcement to bumper)-7/16"-14 x 1" pan head	2	381558-S100 (BB609)
70/71	S	Screw & washer (att. reinforcement to front bumper)-3/8"-16 x 1"	3	57102-S2(B331)
70/71	S	Spring nut (att. reinforcement to front bumper)-3/8"-16	3	★45265-S2
69/70	A		4	
72	S	Spring nut (att. reinforcement to front bumper)-3/8"-16		384458-S (MM284DD)
72	S	Bolt (att. reinforcement to front bumper)	1	380545-S40 (BB222E)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17794 PANEL - FRONT BUMPER FINISH				
70	S		2	D0SZ 17794-A
17B794-5 BRACKET - FRONT BUMPER GUARD				
71	B	R.H.-upper	1	D1OZ 17B794-A
		L.H.	1	D1OZ 17B794-B
71	B	R.H.-lower	1	D1OZ 17B795-A
		L.H.	1	D1OZ 17B795-B
72	B(53B, 65B, 71B, 97D)	Upper	2	D2OZ 17B794-A
72	B(53D, 63, 65D, 71D, K, 97K, R)	R.H.-upper	1	D2OZ 17B794-B
		L.H.	1	D2OZ 17B794-C
65/66	F	R.H. & L.H.	2	C5ZZ 17B794-A
71/	F(except 63R)	Upper-high protection	2	D1ZZ 17B794-A
		Lower	2	D1ZZ 17B795-B
71/	F	Lower-low protection	2	D1ZZ 17B795-A
71	S		4	D1SZ 17B794-A
17795-6 ARM - REAR BUMPER - Refer to Group 17787-8				
17798-9 EXTENSION - FRONT BUMPER STONE DEFLECTOR OUTER				
70/71	S	R.H.	1	D0SZ 17798-A
		L.H.	1	D0SZ 17799-A
17A799 SHIM - FRONT BUMPER - IMPROVISE				
17N800 SUPPORT - FRONT BUMPER				
70/71	S	R.H.	1	D0SZ 17N800-A
		L.H.	1	D0SZ 17N800-B
70/71	S	Washer (attach support to front bumper mounting bracket)	2	44730-S8(X-26)
70/71	S	Nut & retainer (attach support to front bumper mounting bracket)	6	★372949-S2
70/71	S	Nut (attach support to front valance panel)	2	379114-S2 (MM-192-AD)
17A807 PAD ASSY. - BUMPER GUARD - Also refer to Group 17988				
- A -				
70	A	Front bumper	2	D0AZ 17A812-A
70	A(exc. 71)	Rear bumper	2	
71	A	Front bumper - inner guard	2	D1AZ 17A812-A
71	A	Front bumper-outer guard	2	D1AZ 17A812-B
71	A(except 71)	Rear bumper	2	D1AZ 17A807-A
72	A	Front bumper - inner guard	2	D1MY 17A812-A
72	A(except 71)	Rear bumper	2	D1MY 17A812-B
- B -				
71	B	Front and/or rear bumper	4	D1OZ 17A807-A
72	B	Front bumper	2	D1MY 17A812-B
72	B(except 71, 97)	Rear bumper	2	
- F -				
67	F	Front bumper	2	C7ZZ 17A812-A
67/68	F	Rear bumper	2	C7ZZ 17A807-A
71	F	Front bumper - low protection guards	2	D1ZZ 17A812-A
71/	F	For high protection guards	AR	D1MY 17A812-B
- L -				
71/	L	Front bumper	2	D1FZ 17A812-A
71/	L(62, 64)	Rear bumper	2	
72	L(73)	Rear bumper	2	D2FZ 17A807-A
- P -				
70	P	Rear bumper	2	D0DZ 17A807-A
70/71	P	Front bumper	2	D0DZ 17A812-A
71/	P	For high protection guards	AR	D1MY 17A812-B
70	P	Nut (attach pad to rear bumper guard)-#8-32	6	★45270-S36
72	P	Front and rear bumper-Blue	1	D2DZ 17A807-A
		-Brown	1	D2DZ 17A807-D
		-Copper	1	D2DZ 17A807-E
		-Green	1	D2DZ 17A807-C
		-White	1	D2DZ 17A807-B
- S -				
71/	S	Front bumper - Referto Group 17K833		
71	S	Rear bumper	2	D1OZ 17A807-A
72	S	Rear bumper	2	D2SZ 17A807-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17B807 STEP - REAR BUMPER				
69	A(71A, C, J)	"Before 12/5/68" Located on rear bumper	1	C9AZ 17B807-A
69/70	A(71A, C, J)	"From 12/5/68" Located at lower back panel	1	C9AZ 17B807-B
71/	A(71)		1	
69	A(71)	Nut (to attach step to rear bumper)	4	34976-S(M89CA)
69	A(71)	Washer (to attach step to rear bumper)-1/2" flat	4	44735-S(X32)
69/	A(71)	Screw (to attach step to back panel)- No. 8-18 x 1/2"	8	52413-S13(U316)
66/68	A(71)	Nut (step to impact bar) - 7/16"-14	2	371951-S8(MM15)
66/67	A(71)	Includes pad - R. H. and L. H.	2	C6AZ 17B807-A
68	A(71)-with step bumper	"From 1/24/68" R. H.	1	
17B08 DEFLECTOR - REAR BUMPER STONE - Also refer to Group 17814 and 403B26				
- A -				
65	A	70" long-cut to 18" long-use as C0AB8A211-A	1	B9AB 17808-E
66/68	A(71)	Rustless steel	1	C6AZ 17808-A
67	A(54, 57, 62, 63, 76)	Masticated tire casing	1	C7AZ 17808-A
68	A(except 71)	End	2	C8AZ 17836-A
69/70	A(except 71)	End	2	C9AZ 17836-A
69/	A(71)		1	C9AZ 17808-A
71	A(except 71)		1	D1AZ 17808-A
72	A(except 71)		1	D2AZ 17808-B
- B -				
66/69	B(66, 71)	Rubber-72" long-includes (13) 371141-S32 clips and (4) 373086-S101 screw No. 10-12 x .62"	1	C6OZ 17808-C
70/71	B(66, 71)	Rubber	1	D0OZ 17808-A
72	B(53, 63, 65)		1	D3OZ 17808-A
72	B(53, 63, 65)	R.H.	1	D3OZ 17C837-A
		L.H.	1	D3OZ 17C838-A
- X -				
65	X(59, 66, 71, 78)	Cut to 30.86" long for rear stone deflector ends	2	C1KB 17808-A
66/70	X(54, 62)	Rubber-67.36" long	1	C6DZ 17808-A
66/70	X(71)	"From 1/25/67" Rubber-72" long-includes (13) 371141-S32 clips and (4) 373086-S101 screw No. 10-12 x .62"	1	C6OZ 17808-C
66	X(66)		1	
66	B(71), X(66, 71)	Screw (rear stone deflector to rear floor panel, extension rear floor & quarter panel)- No. 10-12 x 1/2"	10	52727-S2(X382)
65	X	Clip (Deflector to lower back panel or rear floor cross member)	6	354045-S2 (GG41)
66	B(71), X(54, 62, 71)	Clip (deflector to upper lock panel)	12	371141-S32
67	B(66, 71)		13	(GG121A)
66	X(66, 71)		9	
66	B(71), X(54, 62, 71)	Screw (deflector to quarter panel)- No. 10-12 x .62"-round washer head	4	373086-S101 (BB630-A)
67/69	B(66, 71)	Screw (to attach deflector rear bumper stone)- No. 10-12 x .62"-round washer head	4	373086-S101 (BB630A)
66	X(66, 71)		4	
69/70	A(exc. 71)	Screw (to attach deflector to rear panel)- No. 8-18 x 5/8"	8	375453-S100 (BB658C)
66	A(71)	Screw (rear stone deflector to quarter panel & lower back panel)-No. 8-18 x 1/2"	9	379560-S101 (UU89CA)
69/70	A(71)	Screw (attach deflector to rear panel)- No. 8-18 x 3/8"	8	381671-S45 (UU89C)
70/71	B(66, 71)	Screw (attach deflector to rear quarter panel)	4	★382064-S36X
70/71	B(66, 71)	Clip (attach deflector to rear floor sill & quarter panel)	13	384101-S (GG-121-B)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A812 PAD ASSY. - BUMPER GUARD - Refer to Group 17A807				
17814 DEFLECTOR - REAR BUMPER STONE - Also refer to Group 17808				
65	B (71)	Tire carcass-7" x 12 1/2"-5/16"holes-improvise	2	★
17819 MOULDING - FRONT BUMPER STONE DEFLECTOR - INCLUDES ATTACHING PARTS				
65	B		1	C5OZ 17819-B
65	B	Screw-hex.washer head (attach 17819)- No.10-12 x 1/2"	2	42127-S8(U248C)
17A820-1 BRACKET - FRONT BUMPER END - Also refer to Group 17A792				
66/67	B	R. H.	1	C6OZ 17A820-A
		L. H.	1	C6OZ 17A821-A
68/69	B	R. H.	1	C8OZ 17A820-B
		L. H.	1	C8OZ 17A821-B
65	S	R. H.	1	C4SZ 17A820-A
		L. H.	1	C4SZ 17A821-A
66	S	R. H.	1	C6SZ 17A820-A
		L. H.	1	C6SZ 17A821-A
66	B	Nut (brace to impact bar)-5/16"-18	2	34392-S7-8(M93)
66	B	Flatwasher (brace to impact bar)-5/16"	2	44725-S8(X22)
66/69	B	Screw (brace to fender)-5/16"-18 x 3/4"	2	359662-S7-8 (BB575A)
66	B	Nut & retainer (brace to fender)-5/16"-18	2	379831-S2 (MM192M)
65/66	S	Flatwasher-7/16"	2	44730-S8(X26)
65/66	S	Bolt (brace to front end)-7/16"-14 x 3 3/4"	2	351988-S8(BB187)
65/66	S	Lockwasher-7/16"	2	34848-S8(X75)
17B820 STEP KIT - REAR BUMPER- Refer to Accessories Section				
17B821 PAD - REAR BUMPER STEP				
66/68	A(71)	Includes attaching parts-Also included in 17B807	1	C6AZ 17B821-A
66	A(71)	Nut (pad to step)-1/4"-20	4	33920-S40(M25)
66/68	A(71)	Lockwasher (pad to step)-1/4"	4	3377827-S39
17C829-34 PAD ASSY. - BUMPER				
71/	L	R. H.-front bumper	1	D1FZ 17K833-A
		Center	1	D1FZ 17C829-AA
		L. H.	1	D1FZ 17K834-A
71/	L	R. H.-rear bumper	1	D1FZ 17K831-A
		Center	1	D1FZ 17C830-A
		L. H.	1	D1FZ 17K832-A
71	S	Front bumper center	1	D1SZ 17K833-A
72	S	Front bumper center	1	D2SZ 17K833-B
17836-7 DEFLECTOR - REAR BUMPER STONE END - Refer to group 17808				
17B839 BRACKET ASSY. - FRONT BUMPER JACKING				
71	A		2	D1AZ 17B839-A
17841 SLEEVE - BUMPER ARM BOLT - If not listed improvise				
65/66	B, F, X	Cut to size required	2or4	C1KB 17841-B
68/71	A, B		2	
67	F(63)-less fold down rear seat-used at rear seat back spring		4	
70/	P		2	
67/71	S		2	
68/70	X		2	
17B847 BAR - REAR BUMPER NAME PLATE				
65	S		1	C4SZ 17B847-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17B850 PLATE - REAR BUMPER NAME				
65	S	Plastic-Thunderbird body-bright metal finish with brush satin finish wings on dull black background-Includes attaching parts	1	C5SZ 17B850-C
17C854 PAD - FRONT BUMPER JACKING BRACKET				
71/	A		2	D1AZ 17C854-A
17B856 PLATE - BUMPER ARM ADJUSTING				
65/66	A(71)	Front & rear	4	C4AZ 17B856-A
65/66	A(54, 57, 62, 63, 76)	Front	2	
67/68	A	Front & rear	AR	
67/71	S	Front & rear	4	
17C856 BRACKET ASSY. - REAR BUMPER GUARD - Refer to Group 17B876-7				
17C857 SHIELD - REAR BUMPER OPENING				
72	S		1	D4SZ 17C857-A
17B862-3 REINFORCEMENT - REAR BUMPER MOUNTING BRACKET				
66/69	B(except 66, 71)	R. H. -welded to floor pan	1	C6OZ 17B862-A
		L. H.	1	C6OZ 17B863-A
70/71	B (except 66, 71)	R. H.	1	D0OZ 17B862-A
		L. H.	1	D0OZ 17B863-A
65/66	F	R. H. -welded to floor pan	1	C5ZZ 17B862-A
		L. H.	1	C5ZZ 17B863-A
67/68	F		2	C7ZZ 17B862-A
69/70	F		1	D0ZZ 17B862-A
70	P		2	
71/	F, P		2	D1ZZ 17B862-A
71/	L		2	D1FZ 17B862-A
66/70	X(54, 62)	R. H. -welded to floor pan	1	C6DZ 17B862-A
		L. H.	1	C6DZ 17B863-A
17C864 SPACER - FRONT BUMPER PAD - BOLT - Unless listed improvise				
72	S-with bumper guards		6	D2SZ 17C864-A
17A869-70 BRACKET - FRONT BUMPER TO FENDER				
65/66	F	R. H.	1	C5ZZ 17A869-A
		L. H.	1	C5ZZ 17A870-A
67/68	F(except Shelby GT 350/500)	R. H.	1	C7ZZ 17A869-A
		L. H.	1	C7ZZ 17A870-A
67/68	F(Shelby GT 350/500)	Not required		
17B875 BRACKET - LICENSE PLATE - Also refer to Group 17A385				
65/66	A(54, 57, 62, 63, 76)	Front bumper	1	C5AZ 17B875-A
65	A(54, 57, 62, 63, 76)	Rear bumper	1	C5AZ 17B891-A
65/66	A(71)	Front or rear bumper	1	C5AZ 17B875-A
68/69	B	Front bumper	1	C8OZ 17B875-A
70/71	B	Front bumper	1	D0OZ 17B875-A
66/67	B,	Front bumper	1	C6OZ 17B875-A
66/70	X	Front bumper	1	
66/70	X(except 66, 71)	Front bumper	1	
		Rear bumper	1	
67/69	S	Front bumper	1	
68/71	B	Bolt-1/4" -20 x 3/4" (attach brkt. to impact bar)	2	20344-S(B-42)
68/71	B	Nut -1/4" -20(attach bracket to impact bar)	2	33795-S (M-49)
65	B	Nut-1/4"-20	2	33795-S7(M49)
65/67	A	Nut-1/4"-20	2or4	34390-S7 (M92)
66/67	B, X		2or4	
68/71	B	Lock washer-1/4" (attach brkt. to impact bar)	2	34940-S(X-88)
65/67	A, B, X	Bolt(brkt. to front or rear bumper)-1/4"-20 x 5/8"	2or4	350325-S100(BB647)
65	A, B	Nut-1/4"-20 sleeve	2or4	380707-S(MM228B)
65	A, B	Screw(license plate to front or rear brkt.)-1/4"-20 x 5/8"	2or4	379872-S2 (U186G)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17B876-7 BRACKET - REAR BUMPER GUARD - Also refer to Group 17934-5				
70	A(exc. 71)	Upper	2	D0AZ 17B876-A
71	A	Upper-front or rear bumper guards	2	D1AZ 17B876-A
71	B(except 66,71)	Upper	2	D1OZ 17B876-A
		Lower	2	D1OZ 17C856-A
65/66	F(except dual exhaust with chrome extensions)	R. H.	1	C5ZZ 17B876-A
		L. H.	1	C5ZZ 17B877-A
			2	C7ZZ 17B876-A
67/68	F(except with F70 x 14 tires)		2	D1FZ 17B876-A
71/	L (62, 64)		2	D2FZ 17B876-A
72	L(73)	Rear bumper guards	2	D0DZ 17B876-A
70/	P		2	★
71	S	Upper-Improvise from 1/8" thick steel	2	D1SZ 17C856-A
		Lower	2	57140-S2(B340H)
70/	P	Screw & washer(att. bracket to body)-5/16"-18	2	★45268-S2
70/	P	Nut & retainer(att. bracket to body)-5/16"-18	2	359662-S7-8
65/66	F(except dual exhaust with chrome extensions)	Screw (brkt. to rear floor member)-5/16"-18 x 3/4"	3	(BB575A)
		Screw (bracket to rear floor member)-5/16"-18 x 1 5/8"	1	359530-S8(BB576)
		Nut & retainer (bracket to rear floor member)-5/16"-18	4	379831-S2
				(MM192M)
17890 SUPPORT - FRONT BUMPER STONE DEFLECTOR- Refer to Group 17747				
17B891 BRACKET - REAR BUMPER LICENSE PLATE - Refer to Group 17B875				
17899 BRACE - FRONT VALANCE PANEL				
72	B		2	D2OZ 17899-A
17906 BUMPER - REAR				
- A -				
65	A(71)		1	C5AZ 17906-B
65/66	A (except 71)		1	C6AZ 17906-B
66/67	A(71)		1	C6AZ 17906-A
68	A(71B, D, E, H)		1	
68	A(71A, C, J)	"Before 1/24/68"	1	
68	A(71A, C, J)	"From 1/24/68"	1	C8AZ 17906-B
67	A (except 71)		1	C7AZ 17906-A
68	A(except 71)		1	C8AZ 17906-A
69	A(except 71)		1	C9AZ 17906-A
69/70	A(71)		1	C9AZ 17906-C
70	A(except 71)		1	D0AZ 17906-A
71	A (except 71)		1	D1AZ 17906-A
71	A(71)		1	D1AZ 17906-B
72	A(54, 57F, 65D, F) w/o bumper guard		1	D2AZ 17906-A
72	A(54, 57F, 65D, F) w/ bumper guards	Use plug button 385361-S100 w/o bumper guards	1	D2AZ 17906-F
72	A(53, 57H, K, 65H, K, 76) w/ bumper guards		1	D2AZ 17906-B
72	A(53, 57H, K, 65H, K, 76)-w/o bumper guards		1	D2AZ 17906-E
72	A(71)		1	D2AZ 17906-D
- B -				
65	B		1	C5OZ 17906-A
66/67	B(except 66, 71)		1	C6OZ 17906-A
68/69	B(except 66, 71)		1	C8OZ 17906-A
70/71	B(except 66, 71)		1	D0OZ 17906-A
66/71	B(66, 71)		1	D0OZ 17906-B
72	B(except 71, 97) w/o bumper guards		1	D2OZ 17906-A
72	B(except 71, 97)w/ bumper guards		1	D2OZ 17906-C
72	B(71, 97)		1	D2OZ 17906-B
- F -				
65/66	F		1	C5ZZ 17906-A
67/68	F		1	C7ZZ 17906-A
69/70	F		1	C9ZZ 17906-A
71/	F	Except high protection guards-r/b D3ZZ 17906-D (5-75)	1	★D1ZZ 17906-A
71/	F (except 63R)	Used with high protection guards	1	D1ZZ 17906-B
- L -				
71/	L-w/o bumper guards		1	D1FZ 17906-A
71/	L-with bumper guards and horizontal pads		1	D1FZ 17906-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17906 BUMPER - REAR - continued				
- P -				
70	P	Repl. by D3DZ 17906-B (5-75)	1	*D0DZ 17906-A
71	P	Except high protection guards	1	
71/72	P	Used with high protection guards	1	D2DZ 17906-A
72	P		1	D3DZ 17906-B
- S -				
65/66	S		1	C4SZ 17906-A
67/71	S	Lower	1	C7SZ 17906-B
72	S-without bumper guards		1	D2SZ 17906-A
72	S-with bumper guards		1	D2SZ 17906-B
- U -				
66/	U	Refer to basic Group 17756-7		
- X -				
65	X		1	C4DZ 17906-A
66/70	X(54, 62)		1	C6DZ 17906-A
66/70	X(71)		1	C6OZ 17906-B
66	X(66)		1	
69/70	A(71)	Carriage bolt-5/16"-18 x 3/4" (bumper to reinforcement)	2	23378-S(B-3)
69/70	A(except 71)	Carriage bolt-7/16"-14 x 1 1/2" (bumper to inner & outer arms)	4	23472-S8(B-15)
72	A, B, F, L, P, S	Button plug (chrome)-29/32" dia. x 9/16"	AR	385361-S100 (PP-8H)
68	B, X	Nut (arm to bumper bar)-7/16"-14 lock	AR	34396-S7(M95)
65	A, S	Nut-7/16"-20	AR	34671-S8(M67)
65	A, S	Lockwasher-7/16"	AR	34808-S8(X67)
69/70	A(71)	Nut-5/16" (bumper to reinforcement)	2	34976-S4(M89CA)
69/70	A(except 71)	Nut (bumper to inner & outer arms)	8	34988-S4(M89D)
69/70	A(71)	(Bumper to brace)	2	
65/69	A, B, F, S, X	Screw (attach license plate)-use with 380707-S sleeve nut	AR	42154-S8(U256)
66	S	Washer-flat (bumper attaching)-3/8"	8	44727-S8(X24)
65	A, S	Washer-flat-7/16"	AR	44730-S8(X26)
69/70	A(except 71)	Washer-1/2" flat(bumper to inner & outer arms)	8	44735-S(X-32)
69/70	A(except 71)	Screw & washer assy. (bumper to reinforcement)	2	*57048-S2
69/70	A(except 71)	Anti-rattler	2	358159-A1S (CC9A)
65/66	A(71), X		1	
68	B(54, 63, 65, 76)	Nut & washer (attach license bracket to impact bar)-1/4"-20	2	383278-S2 (MM296AG)
68	A	Bolt (rear bumper to reinforcement)-7/16"-14 x 1 7/16" hex. head	2	358910-S(BB176)
66	S	Nut (bumper attaching)-3/8"-16	8	373403-S8 (MM173J)
69/70	A(71)	Washer(att. bumper to inner & outer arms)	6	375266-S7
69/70	A(71)	(Att. bumper to brace)	4	(XX326A)
66	S	Bolt (bumper attaching)-3/8"-16 x 1"	2	*378219-S2
66	S	Bolt (bumper attaching)-3/8"-16 x 7/8"	6	378535-S2 (BB647H)
67	S	Bumper (insulate rear bumper from grounding)	2	372617-S(CC24A)
69/70	A(except 71)	Nut & retainer assy. (bumper to reinforcement)	2	*379671-S2
65	F, S, X	Screw (attaches license plate)-1/4"-20 x 5/8"	2	379872-S2 (UU86G)
68	B(except 71)	Bumper (in bumper bar behind license plate bracket)	2	380005-S(CC12L)
65/69	A, B, F, S, X	Bumper-rubber (between license plate & bumper)	2	380521-S(CC46)
65/69	A, B, F, S, X	Nut (license plate to rear bumper)-1/4" nylon	2	380707-S (MM228B)
70/	P	Bolt-carriage (bumper attaching)-7/16"-14 x 1.25"	AR	383465-S100 (BB647HE)
72	A	Plug button	AR	385361-S100 (PP-8-H)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A906 BRACE - REAR BUMPER MOUNTING BRACKET TO CROSSMEMBER				
72	L(73)		2	D2FZ 17A906-A
17B907 INSULATOR - REAR BUMPER GUARD				
71	A	R.H.-front guard	1	D1AZ 17B907-A
		L.H.	1	D1AZ 17B907-B
71	A	Rear guard-cut to fit	2	D1OZ 17B907-A
71/	B	Front and/or rear guard-cut to fit	4	
71/	L	Front and/or rear guard-cut to fit	4	
72	S	Rear guard-cut to fit	4	
71	S		4	D1SZ 17B907-A
17912 REINFORCEMENT - REAR BUMPER - Refer to Group 17A914				
17A914 REINFORCEMENT - REAR BUMPER CENTER				
66/68	A(71)	Center-painted	1	C6AZ 17A914-B
67	A(54, 57, 62, 63, 76)	Center	1	C7AZ 17A914-A
68	A(except 71)		1	C8AZ 17A914-A
69	A(except 71)		1	C9AZ 17912-A
69/	A(71)		1	C9AZ 17A914-A
70	A(except 71)		1	D0AZ 17A914-A
71	A (except 71)		1	D1AZ 17A914-A
72	A(except 71)		1	D2AZ 17A914-A
66/71	B(66, 71)		1	C6OZ 17A914-C
66/70	X(71)		1	
72	B(71, 97)	Center	1	D2OZ 17A914-B
65	S		1	C4SZ 17912-A
67/71	S	Center-on units built from "12/1/69" Add (2) 11/32" dia. holes for bumper	1	C7SZ 17A914-A
72	S		1	D2SZ 17A914-A
68	B(66, 71), X(71)	Bolt (reinf. to bar rear bumper impact)- 5/16"-18 x 3/4" hex. head	2	20346-S8(B50)
66/68	A(71)		2	
65/68	A(71)	Bolt (reinforcement to inner arms)- 7/16"-14 x 1 1/8"	4	20410-S8 (B103)
70	B(66, 71)	Nut (attach reinforcement to bumper)-5/16"-18	2	33770-S4 (M-89-K)
66	A(71)	Nut (reinforcement to impact bar)-5/16"-18	2	34392-S7(M93)
68	A	Nut (center bar to rear bumper)-5/16"-18 lock	2	
68	B(66, 71), X(71)		2	
65	A(71)	Nut-7/16"	2	34670-S7-8(M54)
65	A(71)	Washer-7/16"	2	34808-S2(X67)
65/68	A(71)	Lockwasher (reinforcement to inner arms)-7/16"	4	34848-S8(X75)
68	B(66, 71), X(71)		4	
70	B(66, 71)	Bolt (attach reinforcement to bumper)- 5/16" -18 x 7/8"	2	56320-S4 (B-318-GD)
69/70	A(except 71)	Screw & washer assy (reinforcement to inner arm)	4	*57048-S2
69/70	A(71)	Screw & washer assy (reinforcement to inner arm)	2	*57481-S
68	A	Bolt (reinforcement bumper bar to bumper inner)-7/16"-14 x 1 7/16"	2	358910-S(BB176)
65/70	B(66, 71), X(71)	Nut retainer-7/16"-14	4	372571-S2(MM192Q)
65/68	A(71)		4	
70/71	S	Nut & retainer (attach reinforcement to bumper)-7/16" -14	6	*372949-S2
65	A(71)	Bolt (reinforcement to impact bar)- 7/16"-14 x 1.12 truss head	2	379432-S40 (BB822H)
69/70	A(except 71)	Nut & retainer assy (reinforcement to inner arm)	4	*379671-S2
68	B(66, 71), X(71)	Bolt (reinforcement to arm)-7/16"-14 x 1 1/4" hex. head	4	381745-S2 (BB405A)
69/70	A(71)	Nut & retainer assy (reinforcement to inner arm)	2	381968-S (MM192QA)
69/70	A(except 71)	Bolt (attach reinforcement to bumper)- 3/8" -16 x 1"	2	*381977-S2
71	A(except 71)	Nut "U" (attach reinforcement)-3/8"-16 spring	4	383615-S (MM284DE)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A924 ABSORBER - BUMPER ARM TO BUMPER - Improvise				
17B925 SHIM - REAR BUMPER - IMPROVISE				
17934-5 CLAMP - FRONT BUMPER GUARD - Also refer to Group 17B876				
70	A	Upper-front bumper	2	D0AZ 17934-A
70	A	Lower-front bumper	1	D0AZ 17935-A
70	A(exc. 71)	-rear bumper	2	
17A939 EXTENSION - FRONT BUMPER STONE DEFLECTOR - Also refer to Group 17626				
68/69	B(exc. 63-Talladega)	R. H.	1	C8OZ 17A939-A
		L. H.	1	C8OZ 17A939-B
69	B(63-Talladega)	R. H.	1	C9OZ 17A939-A
		L. H.	1	C9OZ 17A939-B
65/66	F	Lower-with parking lamp holes	1	C5ZZ 17A939-A
		Upper-Refer to Group 17779		
67/68	F	Lower	1	C7ZZ 17A939-A
		Upper-Refer to Group 17779		
66	S	Center	1	C6SZ 17A939-A
		R. H. & L. H. -Refer to Group 17626-7		
66	S	Screw & washer assy. (center valance panel to support)-5/16"-18 x 3/4"	1	20347-S8(B156)
68	B	Nut & retainer-1/4"-20	AR	354394-S2(MM187)
67/68	F	Bolt & washer (extension to stone deflector)-1/4"-20 x 5/8"	4	354476-S2(BB570)
67/68	F	Nut & retainer (extension to lamp body or stone deflector)-1/4"-20	4	356657-S32(MM186)
65/66	F	Bolt-hex.head (att.extension)-5/16"-18 x 3/4"	AR	359662-S7-8(BB575A)
65/68	F	Nut & retainer (att.extension)-5/16"-18	AR	370328-S(MM188)
68	B	Screw & washer (extension stone deflector to radiator grille)-also to front fender (front extension)-1/4"-20 x .75"	AR	372238-S7-8(BB811)
67/68	F	Bumper	2	375838-S(CC32)
67/68	F	Screw (extension to fender)-5/16"-18 x 1"	4	378178-S2(BB412B)
66	S	Nut-retainer (center valance panel to support)-5/16"-18	1	379831-S2(MM192M)
17B947 INSULATOR - FRONT BUMPER ARM - Improvise from rubber stock if not listed				
71/	L		4	D0WY 17B947-A
17B948-9 EXTENSION - FRONT VALANCE CENTER PANEL				
66	S	R. H. -not replaced (3-74)	1	★C6SZ 17B948-A
		L. H.	1	C6SZ 17B949-A
17A953 SEAL - REAR BUMPER - Improvise from AB 19560-A Sealer				
17A956 REINFORCEMENT - FRONT BUMPER STONE DEFLECTOR				
71	A		1	D1AZ 17A956-A
72	B		1	D2OZ 17A956-A
17B962-3 BRACE - FRONT BUMPER INNER ARM				
69	B(63-Talladega)	R. H.	1	C9OZ 17B962-A
		L. H.	1	C9OZ 17B963-A
17B965 BRACKET - REAR BUMPER STOP				
72	B(except 71, 97)-w/bumper guards	R. H.	1	D2OZ 17B965-A
		L. H.	1	D2OZ 17B965-B
67/71	S	R. H. & L. H.	2	C7SZ 17B965-C

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17A968-9 REINFORCEMENT - BUMPER GUARD OUTER - FRONT				
66	S	R. H.	1	C6SZ 17A968-A
		L. H. -not replaced (3-74)	1	★ C6SZ 17A969-A
66	S	Nut (reinforcement to fender apron)-1/2"-13	4	33845-S8(M-57)
66	S	Washer-flat (reinforcement to fender apron)-1/2"	4	44735-S8(X32)
66	S	Bolt (reinforcement to fender apron)-1/2"-13 x 1 1/4"	4	350688-S(BB193)
17B968 GRILLE - FRONT BUMPER				
67	S-with T/E	R. H. -includes attaching parts	1	C7SZ 17B968-A
		L. H.	1	C7SZ 17B968-B
17B970 MOULDING - FRONT BUMPER				
71	A	Used with bumper guards	1	D1AZ 17B970-A
67	S-with T/E	Includes attaching parts	1	C7SZ 17B970-A
17A973-6 ARM - FRONT BUMPER - Refer to Group 17754-5				
17982 PLATE - REAR BUMPER GUARD				
71	B (except 66,71)	Lower	2	D1OZ 17982-A
71	S	Lower-improvise from 1/8" thick steel	2	★
17984-5 GUARD - BUMPER - A -				
65/66	A	R.H. and L.H. -front-includes pad	2	C5AZ 17996-B
65/66	A(except 71)	R.H. and L.H. -rear	2	
68	A	R.H. and L.H. -front	2	
68	A(except 71)	R.H. and L.H. -rear	2	
65/66	A(except 71)	R.H. and L.H. -rear-includes pad and attaching parts	2	C5AZ 17984-B
68	A(except 71)	Rear-use with dealer installed bumper guard kit-only	2	C8AZ 17984-D
68	A	R.H. -front-use with dealer installed bumper guard kit only	1	C8AZ 17996-B
		L.H.	1	C8AZ 17996-C
68	A	r/b details (3-74)	1	★ C8AZ 17996-A
69	A(except 54C, 57F, 63C, 65A, 71A, E, 76B)	Not replaced (3-74)	1	★ C9AZ 17996-A
70	A(except 54C, 57F, 65A, 71)			
Consists of				
1-C9AJ 17K786-A Guard & pad assy. -R.H.		1-Installation sketch		
1-C9AJ 17K789-A Guard & pad assy. -L.H.				
69	A(except 71)	Rear	1	C9AZ 17984-A
Consists of				
2-C9AJ 17K785-A Guard & pad assy.		1-Installation sketch		
70	A(except 54C, 57F, 65A, 71)	Rear-includes 2 guard assys. with pads	1	D0AZ 17984-A
70	A(54A, B, E, 57B, 62B, E, 63B, C, 65C, 76A, B)	Rear-for dealer installed bumper guard kit only-includes attaching parts	2	D0AZ 17984-B
70	A	R.H. -front	1	D0AZ 17996-A
		L.H.	1	D0AZ 17997-A
70	A(exc. 71)	Rear	2	D0AZ 17984-C
71	A	R. H. -front-inner-includes pad & attaching parts	1	D1AZ 17996-A
		L.H.	1	D1AZ 17997-A
71	A	R.H. -front-outer-includes pad & attaching parts	1	D1AZ 17996-B
		L.H.	1	D1AZ 17997-B
71	A (except 71)	Rear-includes pad & attaching parts	2	D1AZ 17984-A
72	A	R. H. -front-inner -includes pad & attaching parts	1	D2AZ 17996-B
		L. H.	1	D2AZ 17997-A
72	A(except 71)	Rear - includes pad & attaching parts	2	D2AZ 17984-B
72	A(except 71)	Rear -r/b details (5-75)	1	★ D2AZ 17984-A
Consists of				
2-D2AZ 17984-B Guard assy.		6-45270-S36	Nut-No. 8-32	1-Installation sketch
2-D1MY 17A812-B Pad assy.		4-384578-S2	Screw & washer-5/16" -18 x 1 1/18"	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17984-5 GUARD - BUMPER - continued				
- A -				
72	A	r/b details (3-74)	1	★D2AZ 17996-A
Consists of				
2-D1MY 17A812-B Pad assy.		1-D2AZ 17997-A	Guard-inner-L.H.	2-384578-S2 Screw & washer-
2-D2AB 17C864-AA Spacer		8-45270-S36	Nut-No. 8-32	5/16"-18 x 1 1/16"
1-D2AZ 17996-B Guard-inner-R.H.		2-376838-S36	Nut & washer-	1-Installation sketch
			5/16"-18	
- B -				
65/69	B	R.H. and L.H.-front-includes pad	2	C5AZ 17996-B
65/69	B (except 71)	R.H. and L.H.-rear	2	
71	B	R.H.-front - includes pad & attaching parts	1	D1OZ 17996-A
		L.H.	1	D1OZ 17997-A
71	B (except 66, 71)	Rear - includes pad & attaching parts	2	D1OZ 17984-A
71	B (exc. 66, 71)	r/b details (3-74)	1	★D1OZ 17984-B
Consists of				
2-D1OZ 17A807-A Pad assy.		2-D1OZ 17982-A	Plate	2-57040-S2 Screw-5/16"-18 x 7/8"
2-D1OZ 17C856-A Bracket-lower		2-D1OZ 17984-A	Guard assy.	4-376838-S2 Nut & washer-5/16"-18
2-D1OZ 17B876-A Bracket-upper		6-45270-S36	Nut-No. 8-32	1-Installation sketch
72	B(53B, 65B)	Rear	1	D2OZ 17984-B
Consists of				
2-D2OZ 17984-A Guard assy.		1-D2OZ 17B965-A	Bracket-R.H.	4-384578-S2 Screw & washer-
2-D1MY 17A812-B Pad assy.		1-D2OZ 17B965-B	Bracket-L.H.	5/16"-18 x 1 1/16"
1-D1AZ 17B990-A Stop		6-45270-S36	Nut-No. 8-32	1-Installation sketch
71	B	r/b details (3-74)	1	★D1OZ 17996-B
Consists of				
1-D1OZ 17B794-A Bracket-upper-R.H.		2-D1OZ 17A807-A	Pad assy.	6-45270-S36 Nut-No. 8-32
1-D1OZ 17B794-B Bracket-upper-L.H.		1-D1OZ 17996-A	Guard assy.-R.H.	4-376838-S2 Nut & washer-5/16"-18
1-D1OZ 17B795-A Bracket-lower-R.H.		1-D1OZ 17997-A	Guard assy.-L.H.	1-Installation sketch
1-D1OZ 17B795-B Bracket-lower-L.H.				
72	B(53B, 65B, 71B)	Front	1	D2OZ 17996-C
Consists of				
2-D1MY 17A812-B Pad assy.		1-D2OZ 17996-A	Guard assy.-R.H.	6-45270-S36 Nut-No. 8-32
2-D1MY 17A812-B Pad assy.		1-D2OZ 17996-A	Guard assy.-R.H.	6-45270-S36 Nut-No. 8-32
2-D2OZ 17B794-A Bracket-upper		1-D2OZ 17997-A	Guard assy.-L.H.	4-57041-S2 Screw & washer-
			1-Installation sketch	5/16"-18 x 1"
72	B(53B, 65B, 71B, 97D)	R. H. -front - includes pad & attaching parts	1	D2OZ 17996-A
		L. H.	1	D2OZ 17997-A
72	B(53D, 63, 65D, R, 71D, K, 97K, R)	R.H.-front-includes pad & attaching parts	1	D2OZ 17996-B
		L. H.	1	D2OZ 17997-B
72	B(except 71, 97)	Rear - includes pad & attaching parts	2	D2OZ 17984-A
- F -				
65/66	F	R.H.-front-less pad	1	C5ZZ 17996-C
		L. H.	1	C5ZZ 17997-B
65/66	F(except dual exhaust with chrome extension)	Rear-guard only-R. H. or L. H.	2	C5ZZ 17984-C
67	F "Before 5/8/67"	R.H.-front-flat front edge-less pad	1	C7ZZ 17996-A
		L. H.	1	C7ZZ 17997-A
67/68	F "From 5/8/67"	R.H.-front-painted front edge-less pad	1	▲C7ZZ 17996-B
		L.H.	1	▲C7ZZ 17997-B
67/68	F	Rear-guard only-R. H. or L. H.	2	▲C7ZZ 17984-A
69/70	F	R.H.-front-includes attaching parts	1	C9ZZ 17996-A
		L.H.	1	C9ZZ 17997-A
71	F-with low protection guard	Front - includes pad & attaching parts	2	D1ZZ 17996-A
71/	F(exc. 63R)	r/b details (3-74)	1	★D1ZZ 17996-C
Consists of				
2-D1ZZ 17B794-A Bracket-upper		1-D1ZZ 17996-B	Guard assy.-R.H.	6-45270-S36 Nut-No. 8-32
2-D1ZZ 17B795-B Bracket-lower		1-D1ZZ 17997-A	Guard assy.-L.H.	4-384578-S36 Screw & washer-
2-D1MY 17A812-B Pad assy.		1-	Installation sketch	5/16"-18 x 1 1/16"

▲ Not used when vehicle is equipped with F70 x 14 tires

FORD CAR PARTS

SECTION 176

41

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17984-5 GUARD - BUMPER - continued				
71/	F (except 63R)-with high protection guard	R.H.-front - includes pad & attaching parts L.H.	1 1	D1ZZ 17996-B D1ZZ 17997-A
71/	F(exc. 63R)	Rear-r/b details (5-75)	1	★D1ZZ 17984-B
	Consists of			
	2-D1MY 17A812-B	Pad assy.	6-45270-S36	Nut-No. 8-32 1- Installation sketch
	2-D1ZZ 17984-A	Guard assy.	4-384578-S36	Screw & washer-5/16"-18 x 1 1/16"
71/	F (except 63R)	Rear - includes pad & attaching parts	2	D1ZZ 17984-A
- L -				
71/	L	R.H.-front-less pad L.H.	1 1	D1FZ 17996-A D1FZ 17997-A
71/	L (62, 64)	Rear - includes pad & attaching parts	2	D1FZ 17984-A
71/	L	r/b details (3-74)	1	★D1FZ 17996-B
	Consists of			
	2-D1FZ 17A812-A	Pad assy.	1-D1FZ 17997-A	Guard assy.-L.H. 4-376762-S2 Nut-1/4"-20
	2-D1FZ 17988-A	Reinforcement	2-34661-S2	Nut & washer- 1- Installation sketch
	1-D1FZ 17996-A	Guard assy.-R.H.		5/16"-18
71/	L(62, 64)	r/b details (3-74)	1	★D1FZ 17984-B
	Consists of			
	2-D1FZ 17A812-A	Pad assy.	2-D1FZ 17984-A	Guard assy. 4-376762-S2 Nut-1/4"-20
	2-D1FZ 17B876-A	Reinforcement	2-34661-S36	Nut & washer- 1- Installation sketch
				5/16"-18
72	L(73)	Rear- includes pad & attaching parts	2	D2FZ 17984-B
- P -				
70/71	P -with low protection guard	R.H.-front L.H.	1 1	D0DZ 17996-A D0DZ 17997-A
70/71	P -with low protection guard	R.H.-rear L.H.	1 1	D0DZ 17984-A D0DZ 17985-A
71/	P	Front-r/b details (5-75)	1	★D1DZ 17996-A
	Consists of			
	1-D1DZ 17996-B	Guard assy.-R.H.	4-384578-S36	Screw & washer-5/16"-18 x 1 1/16"
	1-D1DZ 17997-A	Guard assy.-L.H.	6-45270-S36	Nut-No. 8-32
	2-D1MY 17A812-B	Pad assy.		1-Installation sketch
71/	P	Rear-r/b details (5-75)	1	★D1DZ 17984-A
	Consists of			
	2-D1DZ 17984-B	Guard assy.	6-45270-S36	Nut-No. 8-32
	2-D1MY 17A812-B	Pad assy.		1-Installation sketch
	4-384578-S36	Screw & washer-5/16"-18 x 1 1/16"		
71/72	P-with high protection guard - "Before 4/3/72"	R.H.-front - includes pad & attaching parts L.H. -r/b D2DZ 17997-A	1 1	D1DZ 17996-B ★D1DZ 17997-A
72	P-with high protection guard- "From 4/3/72"	R.H.-front-less pad L.H.	1 1	D2DZ 17996-A D2DZ 17997-A
71/	P-with high protection guard	Rear-less pad	2	D2DZ 17984-A
- S -				
65	S	R.H.-front L.H.	1 1	C4SZ 17996-A C4SZ 17997-A
66	S	"Before 9/16/65"	2	C6SZ 17996-A
66	S	"From 9/16/65"	2	C6SZ 17996-B
71	S	Front - includes pad & attaching parts	1	D1SZ 17996-A
71	S	Rear- includes pad & attaching parts	2	D1SZ 17984-A
72	S	Rear - includes pad & attaching parts	2	D2SZ 17984-A
- U -				
66/	U-with chrome bumper	Front bumper	2	C6TZ 17996-A
- X -				
65/70	X	R.H. and L.H.-front- includes pad	2	C5AZ 17996-B
65/70	X (exc. 71)	R.H. and L.H.-rear	2	
66	S	Nut (front guard to bracket)-3/8"-16	2	33799-S2(M52)
66	S	Washer-spring (front guard to bracket)-7/16"	2	34807-S8(X66)
65	F	Flatwasher (front guard)	2	44725-S8(X22)
65	S	Flatwasher-7/16"	2or4	44730-S8 (X26)
66	S	Flatwasher (front guard to reinforcement)-1/2"	8	44735-S8(X32)
70/	P	Nut & retainer (att.rear guard to 17B876 bracket)	2	★45268-S2

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17984-5 GUARD - BUMPER - continued				
66	S	Nut-lock (front guard to reinforcement)-1/2"-13	4	55697-S8(M89F)
66	S	Bolt (front guard to bracket)-3/8"-16 x 1 5/8"	2	★302332-S2
66	S	Bolt (front guard to reinforcement)- 1/2"-13 x 1 1/4"	4	350688-S(BB193)
65	F	Screw (front guard to member assy.)- 5/16"-18 x 1 5/8"	2	359530-S8(BB576)
65	F	Screw (rear guard lower to lower back panel)	2	
70/	P	Nut & retainer (rear guard upper to lower back panel)- 7/16"-14	2	383085-S3 (MM-192-QB)
65/	F	Screw (front guard to bracket)-5/16"-18 x 3/4"	2	359662-S7-8
65	F	Screw (rear guard upper to lower back panel)	2	(BB575A)
65/66	F	Nut-retainer (front guard)-5/16"-18	4	370328-S2(MM188)
67	F	Screw & washer (front bumper to bracket)- 5/16"-18 x 1 1/4"	2	373762-S(BB551H)
67/70	F	Screw & washer (bumper guard to body)- 5/16"-18 x 1 1/4"-hex. hd.	2	377357-S2 (BB867X)
67	F	Nut & retainer (front bumper to bracket)- 5/16"-18	4	378680-S2 (MM192AA)
67	F	Nut & retainer (bumper guard to body)-5/16"-18	2	379670-S2 (BB192AB)
65	F	Nut-retainer (rear guard)-5/16"-18	4	379831-S2(MM192M)
65/66	F	Bumper-rubber (front & rear guards)	8	379944-S(CC37)
70/	P	Screw & washer (att. rear guard to 17B876 bracket)	2	379890-S40 (BB624C)
17B984 PLATE - FRONT BUMPER UPPER END				
68/69	S	R. H.	1	C8SZ 17B984-A
		L. H.	1	C8SZ 17B984-B
17A986 BRACKET - VALANCE PANEL - FRONT				
70/71	B	R. H.	1	D0OZ 17A986-A
		L. H.	1	D0OZ 17A986-B
66	S		2	C6SZ 17A986-A
70/71	B	Nut & retainer (att. bracket to front valance panel)	2	★45263-S2
17988 PLATE - BUMPER GUARD BACK				
65/66	A	Front-R. H. or L. H.	AR	C5AZ 17988-A
68/69	A	Front-R. H. or L. H.	AR	
65/69	B, X	Front-R. H. or L. H.	AR	
69	F	Front-R. H. or L. H.	AR	
65/66	A(except 71)	Rear-R. H. or L. H.	AR	
68	A(except 71)	Rear-R. H. or L. H.	AR	
65/69	B, X (except 71)	Rear-R. H. or L. H.	AR	
69	F	Rear-R. H. or L. H.	AR	
71/	L	Front	2	D1FZ 17988-A
17B990 STOP - REAR BUMPER				
70	A(except 71)		2	D0AZ 17B990-A
71/	A (except 71)		2	D3OZ 17B990-A
71/	A (except 71)	Center	2	D1AZ 17B990-B
72	A(except 71)	Cut to size	2	D1MY 17B990-A
72	A(except 71)	Center	1	D2AZ 17B990-A
72	B(53B, 63, 65B, R, 71B, K, 97)	Front bumper	AR	
72	B	Rear bumper	AR	
68/71	S		2	C8SZ 17B990-B
72	S		1	D2SZ 17B990-A
17B991 PLATE - FRONT BUMPER TO FRONT MOUNTING				
69/	A	R. H.	1	C9AZ 17B991-A
		L. H.	1	C9AZ 17B991-B
72	B, S	R. H.	1	D2OZ 17B991-A
		L. H.	1	D2OZ 17B991-B
17996-7 GUARD - BUMPER - Refer to Group 17984-5				