

A

GROUP
NUMBER

F	
Fan blade assy.	8600
Filler assy. (radiator grille to bumper)	8B469
Frame (radiator grille)	8B271-2

GROUP
NUMBER

G

Gasket (thermostat)	8590
Gasket (water outlet connection)	8255
Gasket (water pump cover)	8513
Gasket (water pump housing)	8507
Gasket assortment (water outlet connection)	8255
Glass (radiator coolant level sight)	8B404
Grille (radiator)	8150-1, 8200, 8210, 8220
Grille assy. kit (radiator)	8210
Guard (fan)	8A611

H

Hose (radiator)	8260, 8286
Hose (radiator bulk)	8333
Hose (radiator drain)	8081
Hose (radiator overflow)	8075 8A213
Hose (radiator supply tank)	8063
Hose (water by-pass)	8597
Housing (water pump)	8505
Hub (water pump pulley)	8553

I

Impeller (water pump)	8512
Insulator (fan shroud)	8B024, 8A644
Insulator (radiator grille ornament)	8B325
Insulator (radiator mounting)	8124-5

K

KIT - refer to appropriate noun name	
For example	
Belt kit (drive)	8A615

L

Lace (radiator grille)	8A212
Letter (radiator grille)	8316-22

INDEX

[illegible]

RADIATOR CROSS REFERENCE GUIDE

A To use this guide:

1. Find the identification marking on radiator top tank or the side mounting bracket.
2. Locate this number in column marked "Identification Marking".
3. Read across to next column to right to find the service number.

B If the radiator identification is not known, the pages following this guide have radiator part numbers arranged in the following order:

1. Car line
2. Model years
3. Number of cylinders
4. Cubic inch displacement

IDENTIFICATION NUMBER	SERVICE PART NUMBER	IDENTIFICATION NUMBER	SERVICE PART NUMBER	IDENTIFICATION NUMBER	SERVICE PART NUMBER
C0DD 8005-F	C5ZZ 8005-C	C3DA 8005-L	C3DZ 8005-K	C5AE 8005-H	C5AZ 8005-C
C0DD 8005-G	C5ZZ 8005-C	C3DA 8005-M	C3DZ 8005-K	C5AE 8005-J	C5AZ 8005-H
C0DE 8005-A	C5ZZ 8005-C	C3DE 8005-H	C3DZ 8005-K	C5AE 8005-M	C5AZ 8005-F
		C3DE 8005-M	C3DZ 8005-K	C5AE 8005-Z	C5AZ 8005-H
C1DD 8005-A	C5ZZ 8005-C	C3DE 8005-S	C5ZZ 8005-C	C5AE 8005-AB	C5AZ 8005-F
C1DD 8005-C	C3DZ 8005-J or C5ZZ 8005-C	C3DE 8005-V	C5ZZ 8005-C	C5AE 8005-AD	C5AZ 8005-F
C1DD 8005-D	C5ZZ 8005-C	C3DE 8005-Y	C5ZZ 8005-C	C5AE 8005-AE	C5AZ 8005-C
C1DD 8005-E	C5ZZ 8005-C	C3DE 8005-Z	C5ZZ 8005-C		
C1DD 8005-F	C5ZZ 8005-C			C5OE 8005-B	C5OZ 8005-C
C1DD 8005-J	C5ZZ 8005-C	C3DE 8005-AT	C3DZ 8005-K	C5OE 8005-J	C7OZ 8005-A
C1DD 8005-K	C5ZZ 8005-C	C3DE 8005-AZ	C3DZ 8005-K	C5OE 8005-L	C7OZ 8005-B
		C3DE 8005-BA	C3DZ 8005-K	C5SE 8005-A	C4SZ 8005-D
C2DE 8005-C	C5ZZ 8005-C	C3DE 8005-BC	C5ZZ 8005-C	C5SE 8005-B	C4SZ 8005-D
C2DE 8005-D	C5ZZ 8005-C	C3DE 8005-BE	C3DZ 8005-K		
C2DE 8005-E	C5ZZ 8005-C	C3OA 8005-K	C7OZ 8005-A		
C2DE 8005-J	C5ZZ 8005-C	C3OA 8005-L	C7OZ 8005-A	C6AE 8005-B	C6AZ 8005-C
		C3OA 8005-M	C7OZ 8005-A	C6AE 8005-F	C6AZ 8005-B
C2OA 8005-F	C7OZ 8005-A	C3OE 8005-AC	C7OZ 8005-A	C6AE 8005-N	C6AZ 8005-C
C2OA 8005-H	C7OZ 8005-A			C6AE 8005-T	C5AZ 8005-H
C2OA 8005-N	C7OZ 8005-A			C6AE 8005-AA	C6AZ 8005-S
C2OA 8005-R	C7OZ 8005-A			C6DE 8005-A	C7OZ 8005-A
C2OA 8005-S	C7OZ 8005-A			C6DE 8005-D	C7OZ 8005-B
C2OA 8005-T	C7OZ 8005-A			C6DE 8005-F	C7OZ 8005-A
C2OE 8005-A	C7OZ 8005-A	C4AE 8005-U	C5OZ 8005-C		
C2OE 8005-B	C7OZ 8005-A	C4DE 8005-D	C3DZ 8005-K	C6OE 8005-A	C7OZ 8005-A
C2OE 8005-C	C7OZ 8005-A	C4DE 8005-N	C5ZZ 8005-C	C6OE 8005-B	C7OZ 8005-A
C2OE 8005-D	C7OZ 8005-A	C4DE 8005-S	C3DZ 8005-K	C6OE 8005-C	C5OZ 8005-C
C2OE 8005-J	C7OZ 8005-A	C4OE 8005-D	C7OZ 8005-A	C6OE 8005-D	C5OZ 8005-C
C2OE 8005-N	C7OZ 8005-A	C4SE 8005-C	C4SZ 8005-D	C6OE 8005-F	C6OZ 8005-F
C2OE 8005-R	C7OZ 8005-A	C4SE 8005-E	C4SZ 8005-D	C6OE 8005-H	C6OZ 8005-F
C2OE 8005-S	C7OZ 8005-A	C4ZE 8005-F	C5ZZ 8005-C	C6OE 8005-K	C7OZ 8005-A
C2YA 8005-A	C7OZ 8005-A	C4ZE 8005-H	C3DZ 8005-K	C6OE 8005-M	C7OZ 8005-B
		C4ZE 8005-M	C3DZ 8005-K	C6OE 8005-U	C7OZ 8005-A
		C4ZE 8005-N	C3DZ 8005-K	C6OE 8005-Y	C6OZ 8005-F
				C6OE 8005-AA	C6OZ 8005-F
C3DA 8005-B	C5ZZ 8005-C			C6SE 8005-A	C4SZ 8005-D
C3DA 8005-D	C5ZZ 8005-C			C6SE 8005-B	C4SZ 8005-D
C3DA 8005-E	C3DZ 8005-K				
C3DA 8005-H	C5ZZ 8005-C	C5AE 8005-D	C5AZ 8005-H		
C3DA 8005-J	C5ZZ 8005-C	C5AE 8005-E	C5AZ 8005-C		
C3DA 8005-K	C3DZ 8005-K	C5AE 8005-F	C5AZ 8005-C		
		C5AE 8005-G	C5AZ 8005-C		

RADIATOR CROSS REFERENCE GUIDE - continued

IDENTIFICATION NUMBER	SERVICE PART NUMBER	IDENTIFICATION NUMBER	SERVICE PART NUMBER	IDENTIFICATION NUMBER	SERVICE PART NUMBER
C6SE 8005-C	C6SZ 8005-A	C7ZE 8005-AA	C9ZZ 8005-B	C9DE 8005-A	C9OZ 8005-B
C6TA 8005-BN	C8TZ 8005-AD	C7ZE 8005-AC	C9ZZ 8005-A	C9DE 8005-B	C9OZ 8005-B
C6TE 8005-A	C6TZ 8005-P	C7ZE 8005-AD	C9ZZ 8005-B	C9DE 8005-C	C9OZ 8005-B
C6ZE 8005-D	C5ZZ 8005-C				
C6ZE 8005-F	C3DZ 8005-K				
		C8AE 8005-A	C8AZ 8005-A	C9OE 8005-A	C9OZ 8005-A
C7AE 8005-B	C7AZ 8005-J	C8AE 8005-B	C8AZ 8005-B	C9OE 8005-B	C9OZ 8005-A
C7AE 8005-D	C5AZ 8005-H	C8AE 8005-C	C8AZ 8005-B	C9OE 8005-C	C9OZ 8005-B
C7AE 8005-J	C6AZ 8005-C	C8AE 8005-D	C8AZ 8005-C	C9OE 8005-D	C9OZ 8005-B
C7AE 8005-K	C6AZ 8005-C	C8AE 8005-F	C8AZ 8005-B	C9OE 8005-E	C9OZ 8005-B
C7AE 8005-L	C6AZ 8005-C	C8AE 8005-G	C6AZ 8005-C	C9OE 8005-F	C9OZ 8005-B
C7AE 8005-M	C6AZ 8005-C	C8AE 8005-H	C6AZ 8005-C	C9OE 8005-G	C7OZ 8005-B
C7AE 8005-R	C7AZ 8005-C	C8AE 8005-J	C7AZ 8005-H	C9OE 8005-H	C7OZ 8005-B
C7AE 8005-S	C7AZ 8005-C	C8AE 8005-K	C7AZ 8005-H	C9TA 8005-AH	C8TZ 8005-AD
C7AE 8005-T	C7AZ 8005-G	C8AE 8005-M	C8AZ 8005-A		
C7AE 8005-U	C7AZ 8005-G	C8AE 8005-R	C8AZ 8005-B	C9ZE 8005-B	C9ZZ 8005-A
C7AE 8005-V	C7AZ 8005-J	C8AE 8005-S	C7AZ 8005-J	C9ZE 8005-C	C9ZZ 8005-B
C7AE 8005-Y	C5AZ 8005-H	C8AE 8005-T	C7AZ 8005-J	C9ZE 8005-D	C9ZZ 8005-B
C7AE 8005-Z	C5AZ 8005-H			C9ZE 8005-E	C9ZZ 8005-A
C7AE 8005-AA	C5AZ 8005-F	C8DE 8005-A	C7OZ 8005-A	C9ZE 8005-F	C9ZZ 8005-A
C7AE 8005-AB	C5AZ 8005-H	C8DE 8005-D	C7OZ 8005-A	C9ZE 8005-G	C9ZZ 8005-B
		C8OE 8005-A	C8OZ 8005-C	C9ZE 8005-H	C9ZZ 8005-B
C7DE 8005-B	C7OZ 8005-A	C8OE 8005-B	C8OZ 8005-C	C9ZE 8005-J	C9ZZ 8005-D
C7DE 8005-D	C7OZ 8005-A	C8OE 8005-D	C8OZ 8005-C	C9ZE 8005-K	C9ZZ 8005-C
C7ME 8005-B	C8AZ 8005-A	C8OE 8005-E	C7OZ 8005-B	C9ZE 8005-L	C9ZZ 8005-D
C7ME 8005-D	C8AZ 8005-A	C8OE 8005-F	C8OZ 8005-B	C9ZE 8005-M	C9ZZ 8005-E
C7ME 8005-E	C8AZ 8005-B	C8OE 8005-H	C8OZ 8005-C	C9ZE 8005-N	C9ZZ 8005-D
C7ME 8005-G	C8AZ 8005-A	C8SE 8005-A	C8AZ 8005-C	C9ZE 8005-R	C9ZZ 8005-D
C7OE 8005-C	C7OZ 8005-C			C9ZE 8005-V	C9ZZ 8005-D
C7OE 8005-D	C7OZ 8005-C	C8ZE 8005-A	C8ZZ 8005-C	C9ZE 8005-Y	C9ZZ 8005-D
C7OE 8005-E	C7OZ 8005-B	C8ZE 8005-B	C8ZZ 8005-C	C9ZE 8005-AD	C9ZZ 8005-A
C7OE 8005-F	C7OZ 8005-B	C8ZE 8005-C	C8ZZ 8005-C	C9ZE 8005-AE	C8ZZ 8005-C
C7OE 8005-H	C7OZ 8005-A	C8ZE 8005-E	C9ZZ 8005-C	C9ZE 8005-AG	C9ZZ 8005-F
C7OE 8005-J	C7OZ 8005-B	C8ZE 8005-F	C9ZZ 8005-C		
C7OE 8005-K	C7OZ 8005-B	C8ZE 8005-H	C9ZZ 8005-B	D0AE 8005-A	D0AZ 8005-B
C7OE 8005-M	C7OZ 8005-A	C8ZE 8005-K	C8ZZ 8005-C	D0AE 8005-B	D0AZ 8005-B
C7OE 8005-N	C7OZ 8005-B	C8ZE 8005-L	C8ZZ 8005-C	D0AE 8005-C	D0OZ 8005-A or C9AZ 8005-D
C7SE 8005-D	C8AZ 8005-A	C8ZE 8005-M	C8ZZ 8005-C	D0AE 8005-D	D0OZ 8005-A or C9AZ 8005-D
C7TE 8005-D	C6TZ 8005-P	C8ZE 8005-N	C9ZZ 8005-A	D0AE 8005-E	D0AZ 8005-B
		C8ZE 8005-R	C9ZZ 8005-A	D0AE 8005-F	D0OZ 8005-B
C7ZE 8005-G	C7ZZ 8005-C	C8ZE 8005-S	C8ZZ 8005-C	D0AE 8005-G	C9AZ 8005-C
C7ZE 8005-H	C9ZZ 8005-B			D0AE 8005-H	C9AZ 8005-C
C7ZE 8005-J	C9ZZ 8005-B	C9AE 8005-A	C9AZ 8005-A		
C7ZE 8005-L	C9ZZ 8005-A	C9AE 8005-B	C9AZ 8005-A	D0DE 8005-A	C9ZZ 8005-A
C7ZE 8005-R	C9ZZ 8005-B	C9AE 8005-C	C9AZ 8005-A	D0DE 8005-C	D0DZ 8005-A
C7ZE 8005-S	C9ZZ 8005-B	C9AE 8005-D	C9AZ 8005-A	D0DE 8005-D	D0DZ 8005-A
C7ZE 8005-T	C9ZZ 8005-B	C9AE 8005-E	C9AZ 8005-C		
C7ZE 8005-U	C9ZZ 8005-B	C9AE 8005-F	D0OZ 8005-A	D0OE 8005-A	D0OZ 8005-A
C7ZE 8005-V	C7ZZ 8005-C	C9AE 8005-G	C9AZ 8005-C	D0OE 8005-B	D0OZ 8005-A
C7ZE 8005-Y	C7ZZ 8005-C	C9AE 8005-H	C9AZ 8005-C	D0OE 8005-C	D0AZ 8005-B
C7ZE 8005-Z	C7ZZ 8005-C	C9AE 8005-J	C9AZ 8005-D	D0OE 8005-D	D0OZ 8005-B
		C9AE 8005-K	C9AZ 8005-D		

RADIATOR CROSS REFERENCE GUIDE - continued

IDENTIFICATION NUMBER	SERVICE PART NUMBER	IDENTIFICATION NUMBER	SERVICE PART NUMBER	IDENTIFICATION NUMBER	SERVICE PART NUMBER
D0OE 8005-E	D0OZ 8005-B	D1LE 8005-AA	D1LY 8005-A	D2OE 8005-DB	D2OZ 8005-A
D0OE 8005-F	D0OZ 8005-A	D1OA 8005-AA	D1AZ 8005-B	D2OE 8005-EB	D2OZ 8005-A
D0OE 8005-G	D0OZ 8005-A	D1OE 8005-BA	D1AZ 8005-B	D2OE 8005-EC	D2OZ 8005-A
D0OE 8005-H	D0OZ 8005-A	D1OE 8005-BB	D1AZ 8005-B	D2OE 8005-FB	D2OZ 8005-B
D0OE 8005-J	C9AZ 8005-C	D1OE 8005-CA	D2ZZ 8005-C	D2OE 8005-GB	D2OZ 8005-B
D0OE 8005-K	D0OZ 8005-E	D1OE 8005-DA	D2ZZ 8005-C	D2OE 8005-HA	D2OZ 8005-B
D0SE 8005-B	D0SZ 8005-A	D1OE 8005-EA	D1AZ 8005-B	D2OE 8005-HB	D2OZ 8005-B
D0SE 8005-C	D0SZ 8005-A	D1OE 8005-FA	D1AZ 8005-B	D2OE 8005-JB	D2OZ 8005-B
D0TA 8005-F	D0TZ 8005-D	D1OE 8005-GA	D1OZ 8005-B	D2OE 8005-KA	D2OZ 8005-B
D0TE 8005-A	C6TZ 8005-P	D1SE 8005-AA	D1SZ 8005-A	D2OE 8005-KB	D2OZ 8005-C
D0WE 8005-B	D0ZZ 8005-D	D1SE 8005-BA	D1SZ 8005-A	D2OE 8005-KC	D2OZ 8005-C
		DIVE 8005-AA	D1VY 8005-A	D2OE 8005-LA	D2OZ 8005-B
		DIVE 8005-AB	D1VY 8005-A	D2OE 8005-LB	D2OZ 8005-B
		DIVE 8005-AC	D1VY 8005-A	D2OE 8005-LC	D2OZ 8005-C
D0ZE 8005-A	D0ZZ 8005-D	D1ZE 8005-AA	D2ZZ 8005-C	D2OE 8005-LD	D2OZ 8005-C
D0ZE 8005-B	D0ZZ 8005-D	D1ZE 8005-AB	D2ZZ 8005-C	D2OE 8005-NA	D2OZ 8005-A
D0ZE 8005-C	C9ZZ 8005-E	D1ZE 8005-BA	D2ZZ 8005-C	D2OE 8005-RA	D2VY 8005-A
D0ZE 8005-D	C9ZZ 8005-E	D1ZE 8005-BB	D2ZZ 8005-C	D2OE 8005-RC	D2VY 8005-A
D0ZE 8005-E	D0ZZ 8005-C	D1ZE 8005-CA	D2ZZ 8005-C	D2OE 8005-SA	D2OZ 8005-B
D0ZE 8005-G	D0ZZ 8005-D	D1ZE 8005-DA	D1ZZ 8005-B	D2OE 8005-TA	D2OZ 8005-B
D0ZE 8005-H	C9ZZ 8005-E	D1ZE 8005-EA	D1ZZ 8005-B	D2OE 8005-UA	D2OZ 8005-A
D0ZE 8005-J	C9ZZ 8005-E	D1ZE 8005-FA	D1AZ 8005-B	D2OE 8005-VA	D2VY 8005-A
D0ZE 8005-K	C9ZZ 8005-E	D1ZE 8005-GA	D2ZZ 8005-C	D2SE 8005-AB	D2VY 8005-A
D0ZE 8005-L	C9ZZ 8005-E	D1ZE 8005-HA	D2ZZ 8005-C	D2SE 8005-BB	D2OZ 8005-A
D0ZE 8005-N	C9ZZ 8005-A	D1ZE 8005-AA	D1FZ 8005-A	D2SE 8005-CB	D2VY 8005-A
D0ZE 8005-R	C9ZZ 8005-A	D1ZE 8005-BB	D1FZ 8005-A	D2SE 8005-DB	D2VY 8005-A
D0ZE 8005-S	C9ZZ 8005-E	D1ZE 8005-CA	D1FZ 8005-A	D2SE 8005-EB	D2OZ 8005-A
D0ZE 8005-T	C9ZZ 8005-A	D1ZE 8005-CB	D1FZ 8005-A	D2SE 8005-FB	D2VY 8005-A
		D1ZE 8005-DB	D1FZ 8005-A	D2SE 8005-GA	D2VY 8005-A
		D1ZE 8005-DC	D1FZ 8005-A	D2TA 8005-AGA	C8TZ 8005-AD
				D2VE 8005-DA	D2VY 8005-A
D1AE 8005-AA	D1AZ 8005-A	D2AE 8005-AB	D3ZZ 8005-A		
D1AE 8005-BA	D1AZ 8005-A	D2AE 8005-BB	D2AZ 8005-B	D2ZE 8005-BA	D2ZZ 8005-A
D1AE 8005-CA	D1AZ 8005-B	D2AE 8005-CA	D2AZ 8005-E	D2ZE 8005-CA	D2ZZ 8005-C
D1AE 8005-DA	D1AZ 8005-B	D2AE 8005-CB	D2AZ 8005-E	D2ZE 8005-DA	D2ZZ 8005-C
D1AE 8005-EA	D2ZZ 8005-C	D2AE 8005-DA	D2AZ 8005-E	D2ZE 8005-DB	D2ZZ 8005-C
D1AE 8005-FA	D2ZZ 8005-C	D2AE 8005-EA	D2AZ 8005-A	D2ZE 8005-DC	D2ZZ 8005-C
D1AE 8005-GA	D2ZZ 8005-C	D2AE 8005-FA	D2AZ 8005-A		
D1AE 8005-HA	D2ZZ 8005-C	D2AE 8005-FB	D2AZ 8005-A	D2ZE 8005-DD	D2ZZ 8005-C
D1AE 8005-HB	D1AZ 8005-E	D2AE 8005-GB	D2AZ 8005-B	D2ZE 8005-EA	D2ZZ 8005-B
D1AE 8005-JA	D1AZ 8005-D	D2AE 8005-HA	D2AZ 8005-D	D2ZE 8005-EB	D2ZZ 8005-B
D1AE 8005-KA	D1AZ 8005-D	D2AE 8005-JA	D3ZZ 8005-A	D2ZE 8005-EC	D2ZZ 8005-B
		D2AE 8005-KA	D2AZ 8005-B	D2ZE 8005-ED	D1VY 8005-A
		D2AE 8005-MA	D2AZ 8005-D	D2ZE 8005-FA	D2ZZ 8005-A
D1DE 8005-AA	D1DZ 8005-A	D2AE 8005-MB	D2AZ 8005-E	D2ZE 8005-FB	D2ZZ 8005-A
D1DE 8005-AB	D1DZ 8005-A	D2AE 8005-NA	D2AZ 8005-D	D2ZE 8005-FC	D2ZZ 8005-A
D1DE 8005-AC	D1DZ 8005-A	D2AE 8005-NB	D2AZ 8005-D	D2ZE 8005-GA	D2ZZ 8005-C
D1DE 8005-BA	D1DZ 8005-A	D2AE 8005-RA	D2AZ 8005-E	D2ZE 8005-GB	D2ZZ 8005-C
D1DE 8005-BB	D1DZ 8005-A	D2AE 8005-VA	D2AZ 8005-B	D2ZE 8005-JA	D2ZZ 8005-C
D1DE 8005-BC	D1DZ 8005-A			D2ZE 8005-JB	D2ZZ 8005-C
D1DE 8005-CA	D1DZ 8005-B			D2ZE 8005-JC	D2ZZ 8005-C
D1DE 8005-DA	D1DZ 8005-B	D2DE 8005-AA	D1DZ 8005-A	D2ZE 8005-KA	D2ZZ 8005-C
D1DE 8005-DB	D1DZ 8005-B	D2DE 8005-BA	D1DZ 8005-A	D2ZE 8005-LB	D1VY 8005-A
D1DE 8005-EA	D1DZ 8005-B	D2DE 8005-CA	D1DZ 8005-B	D2ZE 8005-MA	D2ZZ 8005-B
D1DE 8005-EB	D1DZ 8005-B	D2DE 8005-DA	D2DZ 8005-A	D2ZE 8005-MB	D1VY 8005-A
D1DE 8005-HA	D2DZ 8005-A	D2DE 8005-EA	D2DZ 8005-A	D2ZE 8005-NA	D1VY 8005-A
D1DE 8005-JA	D2DZ 8005-A	D2DE 8005-FA	D2DZ 8005-A	D2ZE 8005-NB	D1VY 8005-A
D1DE 8005-KA	D2DZ 8005-A	D2DE 8005-GA	D2DZ 8005-A	D2ZE 8005-RA	D2ZZ 8005-C
D1DE 8905-LA	D2DZ 8005-A	D2DE 8005-HA	D2DZ 8005-A		
D1DE 8005-MA	D2DZ 8005-A	D2OE 8005-AB	D2OZ 8005-A	D2ZE 8005-AA	D1FZ 8005-A
D1DE 8005-NA	D2DZ 8005-B	D2OE 8005-CA	D2VY 8005-A	D2ZE 8005-AB	D2FZ 8005-A
D1DE 8005-PA	D2DZ 8005-A	D2OE 8005-CB	D2VY 8005-A	D2ZE 8005-BA	D1FZ 8005-A
D1DE 8005-RA	D2DZ 8005-A	D2OE 8005-CC	D2VY 8005-A	D2ZE 8005-BB	D2FZ 8005-A

FORD CAR PARTS**SECTION 80****8005 RADIATOR**

YEAR	C Y L	C. I. D.	CORE WIDTH	CORE HEIGHT	CORE THICK- NESS	STD. COOL- ING	EXTRA COOL- ING	SUPER EXTRA COOLING	A C	DESCRIPTION	Q T Y.	PART NUMBER
- A -												
65	6	240, 289	23 1/4	17 3/8	1 1/4		x		x		1	*C5AZ 8005-F
	8	240, 289	20 1/4	17 3/8	1 1/4	x					1	*C5AZ 8005-C
	8	352, 390, 427	23 3/16	17 3/8	2"	x	x		x		1	*C5AZ 8005-H
66	6	240	20 1/4	17 3/8	1 1/4	x				w/o T/E	1	*C5AZ 8005-C
	6	240	23 1/4	17 3/8	1 1/4		x		x	w/o T/E	1	*C5AZ 8005-F
	6	240	20 1/4	17 5/8	1 1/4	x	x			With T/E	1	*C6AZ 8005-B
	6	240	23 1/4	17 5/8	1 1/4				x	With T/E	1	*C6AZ 8005-C
	8	289	20 1/4	17 3/8	1 1/4	x					1	*C5AZ 8005-C
	8	289	23 1/4	17 3/8	1 1/4		x		x	15 Fins per inch	1	*C5AZ 8005-F
	8	352, 390, 427, 428(exc. P/C with A/C)	23 3/16	17 3/8	2"	x	x		x		1	*C5AZ 8005-H
	8	428 P/C							x		1	*C6AZ 8005-S
67	6	240	19 3/4	17 1/4	1 1/4	x				w/o T/E-NOTE 1	1	*C7AZ 8005-H
	6	240	20 1/4	17 5/8	1 1/4	x				With T/E-NOTE 1	1	*C7AZ 8005-C
	6	240	23 1/4	17 5/8	1 1/4		x	x	x	With or w/o T/E-NOTE 1	1	*C6AZ 8005-C
	8	289	19 3/4	17 1/4	1 1/4	x				NOTE 1	1	*C7AZ 8005-H
	8	289	23 1/4	17 3/8	1 1/4		x	x	x	NOTE 1	1	*C7AZ 8005-J
	8	390	23 1/8	17 3/8	2 3/8	x	x	x		Police units	1	*C7AZ 8005-G
	8	390, 427, 428	23 3/16	17 3/8	2"	x	x	x	x	NOTE 1	1	*C5AZ 8005-H
	8	428 P/C	23 1/8	17 3/8	2 3/8				x		1	*C7AZ 8005-G
	8	428 (Police Units)				x	x	x			1	
68	6	240 (exc. Police or Taxi)	20 1/4	17 5/8	1 1/4	x				W/ T/E	1	C7AZ 8005-C
	6	240 (Police & Taxi)	23 1/4	17 5/8	1 1/4	x				W/ T/E or Imco	1	C6AZ 8005-C
	6	240 (exc. Police & Taxi)					x			W/ T/E or Imco	1	
	8	302	19 3/4	17 1/4	1 1/4	x				W/ T/E or Imco	1	C7AZ 8005-H
	8	302	23 1/4	17 3/8	1 1/4		x		x	W/ T/E or Imco	1	C7AZ 8005-J
	8	390 (exc. Police)	21 3/4	18 1/2	1 1/2	x				W/ T/E or Imco	1	C8AZ 8005-C
	8	390 (exc. Police)	21 3/4	18 1/2	2 1/4		x		x	W/ T/E or Imco	1	C8AZ 8005-A
	8	390 (Police)	21 3/4	18 1/2	2 1/4	x				W/ T/E or Imco	1	C8AZ 8005-A
	8	390 (Police)	21 3/4	18 1/2	2 1/4				x	W/ T/E or Imco	1	*C8AZ 8005-B
	8	427	21 3/4	18 1/2	2 1/4	x					1	C8AZ 8005-A
	8	428 (exc. P/C)	21 3/4	18 1/2	1 1/2	x				W/Imco	1	C8AZ 8005-C
	8	428 (exc. P/C)	21 3/4	18 1/2	2 1/4		x		x	W/ T/E or Imco	1	C8AZ 8005-A
	8	428 (Police)	21 3/4	18 1/2	2 1/4	x				W/ T/E or Imco	1	C8AZ 8005-A
	8	428 (Police)	21 3/4	18 1/2	2 1/4				x	W/ T/E or Imco	1	*C8AZ 8005-B
	8	428 P/C	21 3/4	18 1/2	2 1/4	x				W/ T/E	1	C8AZ 8005-A
	8	428 P/C	21 3/4	18 1/2	2 1/4				x	W/ T/E	1	*C8AZ 8005-B
69	6	240	21 3/4	17 7/8	1 1/2	x	x		x		1	C9AZ 8005-A
	8	302	21 3/4	17 7/8	1 1/2	x	x		x		1	
	8	351				x	x		x		1	
	8	390, 429 exc. P/C	21 3/4	17 7/8	1 1/2	x					1	C9AZ 8005-D
	8	390, 429 exc. P/C	26	17 7/8	2 1/4		x		x		1	D00Z 8005-A
	8	390, 428 P/C	26	17 7/8	1 1/2	x			x		1	C9AZ 8005-C
	8	390, 429 w/Trailer towing pkg.					x		x		1	
	8	429 P/C				x	x		x		1	
70	6	240	21 3/4	17 7/8	1 1/2	x	x		x		1	C9AZ 8005-A
	8	302	21 11/16	17 27/32	1 1/2	x	x		x		1	D0AZ 8005-B
	8	351 (2/V)				x					1	
	8	351 (2/V)	26	17 7/8	2 1/4		x		x		1	D00Z 8005-A
	8	390 (2/V), 429				x					1	
	8	390 P/C, 428 P/C, 429 P/C				x	x		x		1	
	8	390, 429 "Before 7/28/69"					x		x		1	
	8	390, 429 w/trailer towing pkg.					x		x		1	
	8	351-W, 390, 429 w/H/D radiator					x		x		1	
	8	390, 429 "From 7/28/69"	26	17 7/8	1 1/2		x		x		1	C9AZ 8005-C

NOTE 1 - Some 1967 units were equipped with 1966 radiators (8005), upper brackets (8A193) & pads (8124), (1966 radiator had off-center filler neck-1967 radiator had center filler neck). When replacing the upper brkt. or pads on these units, use C5AZ 8A193-A or B & C3AZ 8124-A.

* Includes oil cooler unit (when used with S/T or O/D, do not remove oil cooler unit plugs)

8005 RADIATOR - continued

YEAR	C Y L.	C. I. D.	CORE WIDTH	CORE HEIGHT	CORE THICK- NESS	STD. COOL- ING	EXTRA COOL- ING	SUPER EXTRA COOLING	A C	DESCRIPTION	Q T Y.	PART NUMBER
- A -												
71	6	240	21 3/4	17 7/8	1 1/2	x					1	D1AZ 8005-A
	8	302	21 3/4	17 7/8	1 1/2	x					1	D1AZ 8005-E
	8	351W				x					1	
	8	351(P/C),400(P/C)	26	17 7/8	2 1/4	x	x		x		1	D1VY 8005-A
	8	351W,390,400,429 w/ trailer towing, pkg., or heavy duty rad.					x		x		1	
	8	390 P/C				x	x		x		1	
	8	429 w/Police cooling				x	x		x		1	
	8	302	26	17 7/8	1 1/2				x		1	D2ZZ 8005-C
	8	351W							x		1	
	8	351C				x	x		x		1	
	8	390				x					1	
	8	400-w/o trailer towing pkg. or H/D rad.				x			x		1	
	8	429				x			x		1	
	8	429 P/C w/Police cooling	26	17 7/8	2 1/4	x			x		1	D1ZZ 8005-B
72	6	240	21 3/4	17 7/8	1 1/2	x					1	D2AZ 8005-A
	8	302	21 3/4	17 7/8	1 1/2	x					1	D2AZ 8005-E
	8	351W				x					1	
	8	351W	26	17 7/8	1 1/2				x		1	D2AZ 8005-D
	8	351C				x			x		1	
	8	351C-w/extra cooling pkg.	26	17 7/8	2 1/4		x				1	D2AZ 8005-B
	8	351W-w/extra cooling pkg.					x				1	
	8	351W (P/C)				x			x		1	
	8	400(w/3.25/1 axle ratio)				x			x		1	
	8	400 (P/C)				x			x		1	
	8	429-w/extra cooling pkg.					x		x		1	
	8	429(w/3.25/1 axle ratio)				x			x		1	
	8	429 P/C w/Police cooling				x			x		1	
	8	429 w/Police cooling				x			x		1	
	8	400(exc. 3.25/1 axle ratio)	26	17 27/32	1 1/2	x			x		1	D3ZZ 8005-A
	8	429(exc. 3.25/1 axle ratio, X/C pkg. or Police cooling)				x			x		1	
65/	6&8	A11				x	x	x	x	Screw (rad. to suppt.)- 5/16"-24 x 1 1/8"	4	353483-S2 (BB588)
65/	6&8	A11				x	x	x	x	Nut-Retainer(rad. to apron to lower suppt.)	4	359952-S2 (MM198)
- B -												
65	6	200	20 1/4	17 3/8	1 1/4	x	x		x	17 1/4" R/B 20 1/4" core width	1	C7OZ 8005-A
	8	289(exc. Special)	20 1/4	17 3/8	1 1/4	x				17 1/4" R/B 20 1/4" core width	1	C7OZ 8005-B
	8	289(exc. Special)	20 1/4	17 3/8	1 1/4		x		x	Deluxe hang-on A/C	1	C5OZ 8005-C
66	8	289				x	x				1	
	6	200	20 1/4	17 3/8	1 1/4	x	x		x	17 1/4" R/B 20 1/4" core width	1	C7OZ 8005-A
	8	289	20 1/4	17 3/8	1 1/4	x				17 1/4" R/B 20 1/4" core width	1	C7OZ 8005-B
	8	289	20 1/4	17 3/8	1 1/4		x		x	(1) C7ZZ 8A193-A	1	C5OZ 8005-C
67	8	390	23 1/4	17 3/8	2	x	x		x	Includes (2) C7OZ 8124-A	1	★C6OZ 8005-F
	6	200	20 1/4	17 3/8	1 1/4	x	x		x	Includes Imco	1	C7OZ 8005-A
	8	289	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-B
	8	390	23 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-C
	8	427				x	x		x		1	

SECTION 80

8005 RADIATOR - continued

YEAR	C Y L.	C. I. D.	CORE WIDTH	CORE HEIGHT	CORE THICK- NESS	STD. COOL- ING	EXTRA COOL- ING	SUPER EXTRA COOLING	A/C	DESCRIPTION	Q T Y.	PART NUMBER
- B -												
68	6	200	20 1/4	17 3/8	1 1/4	x	x		x	W/ T/E or Imco	1	C7OZ 8005-A
	8	289, 302	20 1/4	17 3/8	1 1/4	x	x		x	W/ T/E or Imco	1	C7OZ 8005-B
	8	390 (exc. GT)	24 1/4	17 3/8	1 1/2	x				W/ T/E or Imco	1	C8OZ 8005-C
	8	390 (GT)	24 1/4	17 3/8	2 1/4	x	x		x	W/Imco	1	C8OZ 8005-B
	8	427				x				W/Imco	1	
69	8	428CJ				x				W/Imco	1	
	6	250	20 1/4	17 3/8	1 1/4	x	x		x		1	C9OZ 8005-B
	8	302	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-B
	8	351				x					1	
	8	351, 351 w/trailer towing pkg.	24	17 3/8	1 1/2		x		x		1	C9OZ 8005-A
70	8	390 (GT), 390 w/trailer towing pkg.	24 1/4	17 3/8	2 1/4	x	x		x		1	C8OZ 8005-B
	8	428CJ				x					1	
	6	250	21 11/16	17 27/32	1 1/2	x	x		x		1	D0AZ 8005-B
	8	302 "Before 3/18/70"				x	x		x		1	
	8	302 "From 3/18/70"				x					1	
71	8	351 (2/V, 4/V)				x					1	
	8	302(S/T) "From 3/18/70"	26	17 7/8	1 1/2		x		x		1	C9AZ 8005-C
	8	302(A/T) "From 3/18/70"	26	17 7/8	2 1/4		x		x		1	D0OZ 8005-A
	8	351 (2/V, 4/V)					x		x		1	
	8	429 (CJ) - "Before 7/28/69"	26	17 7/8	2 1/4	x	x		x		1	
	8	429(exc. CJ)				x	x		x		1	
	8	429(CJ) "From 7/28/69"	26	17 7/8	1 1/2	x					1	C9AZ 8005-C
	8	429CJ	26	17 7/8	2 1/4		x		x		1	D0OZ 8005-E
	8	429S/CJ w/T/E				x					1	
	8	429CJ w/trailer towing pkg.				x					1	
72	6	250	21 3/4	17 7/8	1 1/2	x	x		x		1	D1AZ 8005-B
	8	302				x					1	
	8	351(exc. 3.5/1 axle ratio)				x					1	
	6	250 (P/C)	21 3/4	17 7/8	1 1/2	x	x		x		1	D1OZ 8005-B
	8	302	26	17 7/8	1 1/2		x				1	D2ZZ 8005-C
	8	351					x		x		1	
	8	351 w/ 3.5/1 axle ratio				x					1	
	8	302 P/C, 351 P/C	26	17 7/8	2 1/4	x	x		x		1	D1VY 8005-A
	8	351 w/trailer towing pkg.	26	17 7/8	2 1/4	x	x		x		1	
	8	429 (CJ)				x					1	
72	8	429CJ	26	17 7/8	2 1/4		x		x		1	D1ZZ 8005-B
	8	429CJ-w/trailer towing pkg.				x	x		x		1	
	8	429CJ (P/C)				x	x		x		1	
	6	250(exc. P/C) - "Before 2/1/72"	28	17 7/8	7/8	x			x		1	D2OZ 8005-B
	8	302(exc. P/C) - "Before 2/1/72"				x	x		x		1	
	8	351(2V) (exc. P/C) - "Before 2/1/72"				x					1	
	6	250(exc. P/C) - "From 2/1/72"	28	17 7/8	1 1/2	x			x		1	D2OZ 8005-C
	8	302(exc. P/C) - "From 2/1/72"				x	x		x		1	
	8	351(2V)(exc. P/C) - "From 2/1/72"				x					1	
	6	250(P/C)	28	17 7/8	1 1/2	x	x		x		1	D2OZ 8005-A
	8	351(2/V) (exc. P/C)					x		x		1	
	8	400(exc. P/C & trailer towing pkg.)				x	x				1	
	8	429(4/V) (exc. P/C)				x	x		x		1	

8005 RADIATOR - continued

YEAR	C Y L.	C. I. D.	CORE WIDTH	CORE HEIGHT	CORE THICK- NESS	STD. COOL- ING	EXTRA COOL- ING	SUPER EXTRA COOLING	A °C	DESCRIPTION	Q T Y.	PART NUMBER
- B -												
72	8	302(P/C)	28	17 7/8	2 1/4	x			x		1	D2VY 8005-A
	8	351(2/V), 351(CJ) w/trailer towing pkg.					x				1	
	8	351(2/V) (P/C)				x			x		1	
	8	351 (CJ)				x	x		x		1	
	8	400(P/C)				x			x		1	
	8	400 w/trailer towing pkg.					x				1	
	8	400(exc. P/C & trailer towing pkg.							x		1	
	8	429(P/C)				x	x		x		1	
	8	429(4/V) w/trailer towing pkg.					x				1	
65/	6& All					x	x	x	x	Screw (rad. to suppt.) 5/16"-24 x 1 1/8"	4	353483-S2 (BB588)
65/	6& All					x	x	x	x	Nut-retainer- 5/16"-24	4	359952-S2 (MM198)
- F -												
65/66	6	170, 200	17 1/4	16 1/2	1 1/4	x	x		x	(15 Fins per inch)	1	C5ZZ 8005-C
	8	260, 289	17 1/4	17 1/2	1 1/4	x	x	x	x		1	C3DZ 8005-K
67	6	200	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-A
	8	289	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-B
	8	390	23 1/4	16	2"	x	x		x		1	C7ZZ 8005-C
68	6	200	20 1/4	16 7/16	1 1/4		x		x		1	C9ZZ 8005-A
	8	289-2V	20 1/4	16 7/16	1 1/4	x					1	C9ZZ 8005-B
	8	289-2V	24 3/16	16	1 1/2		x		x		1	C9ZZ 8005-C
	8	289-Spec.	24 3/16	16	1 1/2	x	x		x		1	C9ZZ 8005-C
	8	302	20 1/4	16 7/16	1 1/4	x					1	C9ZZ 8005-B
	8	302	24 3/16	16	1 1/2		x		x		1	C9ZZ 8005-C
	8	390	24 3/16	16	2 1/4	x	x		x		1	C8ZZ 8005-C
	8	427				x	x				1	
	8	428CJ				x	x		x		1	
69	6	200	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-A
	6	250-"Before 12/16/68"	23 1/4	15 7/16	1 1/4	x	x		x		1	C9ZZ 8005-D
	6	250-"From 12/16/68"	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-E
	8	302-2V, 351	20 1/4	16 7/16	1 1/4	x					1	C9ZZ 8005-B
	8	351	24 3/16	16	1 1/2		x		x		1	C9ZZ 8005-C
	8	302-4V spec..				x					1	
	8	302 Spec.					x		x		1	
	8	390-GT	24 3/16	16	2 1/4	x	x		x		1	C8ZZ 8005-C
	8	428CJ				x	x		x		1	
	8	429-Boss				x	x		x		1	
70	6	200	20 1/4	16 7/16	1 1/4	x			x		1	C9ZZ 8005-A
	6	250	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-E
	6	200					x				1	
	8	302				x					1	
	8	302 (exc. spec.)				x					1	
	8	351 (2/V)				x					1	
	8	351(4/B)-w/o 3.5/1 axle ratio					x				1	
	8	302 (4/V) spec.	24 3/16	16	2 1/4	x	x				1	D0ZZ 8005-C
	8	428 (CJ)	24 3/16	16	2 1/4	x	x		x		1	C8ZZ 8005-C
	8	429-Boss				x	x		x		1	
	8	302 (Exc. spec.)	24 3/16	16	2 1/4		x		x		1	D0ZZ 8005-D
	8	351 (2/V, 4/V)					x		x		1	
	8	351 (4/B)-w/3.5/1 axle ratio				x	x				1	

8005 RADIATOR - continued

YEAR	C Y L	C.I.D.	CORE WIDTH	CORE HEIGHT	CORE THICK- NESS	STD. COOL- ING	EXTRA COOL- ING	SUPER EXTRA COOLING	A/C	DESCRIPTION	Q T Y.	PART NUMBER
- F -												
71	6	250	21 3/4	17 7/8	1 1/2	x	x		x		1	D1AZ 8005-B
	8	302 (2/V)				x					1	
	8	302 (4/V) spec.	26	17 7/8	2 1/4	x					1	D1VY 8005-A
	8	429CJ				x					1	
	8	302 (2/V)	26	17 7/8	1 1/2		x				1	D2ZZ 8005-C
	8	351 (w/ 3.5/1 axle ratio)				x					1	
	8	351 (exc. CJ)				x	x		x		1	
	8	351(CJ)	26	17 7/8	2 1/4	x					1	D1ZZ 8005-B
	8	429 (S/CJ)				x					1	
	8	429 (CJ)					x		x		1	
	8	351 (4V) Spec. -Boss				x					1	
	8	351CJ	26	17 7/8	2 1/4				x		1	D1VY 8005-A
72	6	250	21 3/4	17 7/8	1 1/2	x			x		1	D2ZZ 8005-A
	8	302(2/V)				x					1	
	8	302(2/V)	26	17 7/8	1 1/2		x		x		1	D2ZZ 8005-C
	8	351(2/V)				x	x		x		1	
	8	351CJ	26	17 7/8	2 1/4	x	x		x		1	D1VY 8005-A
	8	351 spec.	26	17 7/8	2 1/4	x					1	D2ZZ 8005-B
65/	6,	All				x	x		x	Bolt (rad. to suppt.)- 5/16"-24 x 3/4"	4	20347-S8(B156)
8												
65/	6,	170, 200, 260, 289				x	x		x	Washer-5/16"	4	34806-S7(X64)
8												
65/	6,	170, 200, 260, 289				x	x		x	Nut-retainer-5/16"-24	4	359952-S2
8										(MM198)		
- L -												
71/	4	98	17 1/4	15 1/8	1 1/4	x			x		1	D1FZ 8005-A
71	4	122				x			x		1	
72	4	122(exc. trailer towing pkg.)				x					1	
72	4	122	17 1/4	15 1/8	1 1/4				x		1	D2FZ 8005-A
	4	122(with trailer towing pkg.)				x					1	
- P -												
70	6	170, 200	20 1/4	16 7/16	1 1/4	x	x				1	C9ZZ 8005-A
	6	250	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-E
71	6	170, 200 "Before 3/1/71"	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-A
	6	170, 200 "From 3/1/71"	20 1/4	16 7/16	1 1/4	x	x		x		1	D2DZ 8005-A
	6	250	20 1/4	16 7/16	1 1/4	x	x		x		1	D2DZ 8005-B
	8	302				x					1	
	8	302	20 1/4	15 1/2	1 15/16				x		1	D1DZ 8005-A
72	6	170, 200	20 1/4	16 7/16	1 1/4	x			x		1	D2DZ 8005-A
	6	250 "Before 2/15/72"	20 1/4	15 1/2	1 15/16				x		1	D1DZ 8005-A
	8	302							x		1	
	6	250 "From 2/15/72"	20 1/4	16 7/16	1 1/4				x		1	D2DZ 8005-B
	6	250				x					1	
	8	302				x					1	
- S -												
65	8	390	22 1/2	17 1/4	2	x	x		x		1	♦C4SZ 8005-D
66	8	390, 428(exc. A/C w/T/E)	22 1/2	17 1/4	2	x	x		x		1	C4SZ 8005-D
	8	390, 428(w/T/E)	22 1/4	19	2 1/4				x		1	★C6SZ 8005-A
67	8	390, 428	21 3/4	18 1/2	2 1/4	x	x		x	Includes 372496-S(II-177F) adaptors	1	*C8AZ 8005-A
68	8	429	21 3/4	18 1/4	1 1/2	x					1	C8AZ 8005-C
	8	429	21 3/4	18 1/4	2 1/4		x		x		1	C8AZ 8005-A
69	8	429	21 3/4	18 1/4	2 1/4	x	x		x		1	C8AZ 8005-A
70	8	429	24 1/2	18 7/16	2 9/32	x	x		x	Includes (2) 372496-S fittings for Mark III only	1	D0SZ 8005-A

* Includes oil cooler unit (when used with S/T or O/D, do not remove oil cooler unit plugs)

♦ Cut or bend upper shroud tabs to accept finger guard

8005 RADIATOR - continued

YEAR	CYL.	C.I.D.	CORE WIDTH	CORE HEIGHT	CORE THICKNESS	STD. COOLING	EXTRA COOLING	SUPER EXTRA COOLING	A/C	DESCRIPTION	QTY.	PART NUMBER
- S -												
71	8	429	24 1/2	18 3/8	2 1/4	x	x		x		1	DISZ 8005-A
72	8	400, 429	28	17 7/8	1 1/2	x					1	D2OZ 8005-A
	8	400, 429	28	17 7/8	2 1/4				x		1	D2VY 8005-A
	8	400, 429 w/trailer towing pkg.					x				1	
	8	460							x		1	
	8	460 w/trailer towing pkg.					x				1	
65/	8	All				x	x	x	x	Bolt (rad. to upper suppt.)-1/4"-20 x .56"	2	371492-S2 (BB569)
65/	8	All								Screw (rad. to lower support)-15/16"-24 x 1 1/8"	4	353483-S2 (BB588)
65/	8	All				x	x	x	x	Nut(rad. upper suppt.) - 1/4"-20	3	34390-S7(M92)
- U -												
66/69	6	170	17 1/4	17 3/8	1 1/4	x	x				1	C6TZ 8005-P
	8	289, 302	19 3/4	19 3/4	2	x	x			Cross flow w/integral fill neck - NOTE 1	1	C8TZ 8005-AD
70/71	6	170	17 1/4	17 3/8	1 1/4	x					1	C6TZ 8005-P
	8	302	19 3/4	19 1/16	2	x	x			Cross flow	1	D2TZ 8005-B
72	6	170	17 1/4	17 3/8	1 1/4	x					1	C6TZ 8005-P
	8	302	19 3/4	19 1/16	2	x					1	D2TZ 8005-B
	8	302	19 3/4	19 3/4	2		x				1	C8TZ 8005-AD
69	6	170				x	x			Screw & washer(rad. to deflector)-5/16"-18 x 3/4"	1	354538-S2 (BB572A)
- X -												
65	6	170, 200	17 1/4	16 1/2	1 1/4	x	x				1	*C5ZZ 8005-C
	8	289	17 1/4	16 1/2	1 1/4	x	x				1	*C3DZ 8005-K
66	6	170, 200	20 1/4	17 3/8	1 1/4	x					1	*C7OZ 8005-A
	6	170, 200					x		x		1	
	8	289	20 1/4	17 3/8	1 1/4	x					1	C7OZ 8005-B
	8	289	20 1/4	17 3/8	1 1/4		x		x		1	*C5OZ 8005-C
67	6	170, 200	20 1/4	17 3/8	1 1/4	x	x		x		1	*C7OZ 8005-A
	8	289	20 1/4	17 3/8	1 1/4	x	x		x		1	*C7OZ 8005-B
68/69	6	170, 200	20 1/4	17 3/8	1 1/4	x	x		x		1	*C7OZ 8005-A
	8	289, 302	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-B
70	6	200	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-A
	8	302	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-A
65/70	8	All				x	x	x	x	Lockwasher-5/16"	1	C9OZ 8005-B
65/70	8	All				x	x	x	x	Nut-ret. (rad. to suppt.)	4	34806-S7(X64)
	8	All				x	x	x	x		4	359952-S2

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8C013-4 PLATE - RADIATOR GRILLE INNER						
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	All	All	R.H.	1	C9AZ 8C013-A
		All	All	L.H.	1	C9AZ 8C014-A
8B018 SEAL - RADIATOR AIR DEFLECTOR SIDE						
65/67	A	6	240	Serviced in assy.-refer to Group 8310	1	★
8C022 RETAINER - RADIATOR GRILLE NAME PLATE						
71	P(62D)	6	All	Improvise-1 1/4 x 3 3/4-.035" thick steel plate		★
8052 BRACKET - RADIATOR SUPPORT LOWER						
- A -						
65/66	A	6	240	Uses C3AZ 8125-A pad -not replaced	2	★C5AZ 8052-E
		8	All	Uses C3AZ 8125-A pad	2	C5AZ 8052-D
67	A	6	240	Uses C3AZ 8125-A pad -not replaced	2	★C5AZ 8052-E
		8	All	Uses C3AZ 8125-A pad	2	C7AZ 8052-A

NOTE 1 - When used as replacement for C6TZ 8005-N remove supply tank from vehicle & use C8TZ 8260-L hose

* Includes oil cooler unit (when used with S/T or O/D, do not remove oil cooler unit plugs)

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 80

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8052 BRACKET - RADIATOR SUPPORT LOWER - continued						
- A -						
68	A	6&8	240,302		2	C7AZ 8052-A
	A	8	390,427, 428	R. H.	1	C7SZ 8052-D
	A	8	390,427, 428	L. H.	1	C7SZ 8052-E
69/70	A	6	240	L. H.	1	C9AZ 8052-A
	A	8	302	L. H.	1	
	A-with A/C	8	390,429	R. H.	1	
	A	6	240	R. H.	1	C9AZ 8052-B
	A	8	302,351	R. H.	1	
	A-with A/C	8	390,429	L. H.	1	
	A-without A/C	8	390,429	R. H.	1	C9AZ 8052-D
	A-without A/C	8	390,429	L. H.	1	C9AZ 8052-E
	A	8	351	L. H.	1	
71/	A	6	240	R. H.	1	C9AZ 8052-B
	A	8	302, 351, 390, 400	R. H.	1	
	A	8	429	L. H.	1	
	A	6	240	L. H.	1	C9AZ 8052-E
	A	8	302, 351, 390, 400	L. H.	1	
	A	8	429	R. H.	1	
- B -						
66	B	8	390	Uses C3AZ 8125-A pad	2	C6OZ 8052-A
67	B	8	390	Uses C3AZ 8125-A pad	2	C7OZ 8052-A
68/69	B	8	390,427, 428CJ		2	C8OZ 8052-A
69	B-with A/C	8	351		2	
70/71	B	6&8	250,302, 351,429	R. H.	1	D0OZ 8052-A
				L. H.	1	D0OZ 8052-B
- F -						
67	F (63, 65)	8	390	Uses C3AZ 8125-A pad	2	C7ZZ 8052-A
68	F	8	289,302, 390-4V, 427	R. H.	1	C8ZZ 8052-A
69/70	F-with A/C or X/C	8	302,351, 390,428		1	
				L. H.	1	C8ZZ 8052-B
70	F - use w/24 13/64" wide Radiator	8	428 CJ	R. H.	1	C8ZZ 8052-A
				L. H.	1	C8ZZ 8052-B
71/	F	6&8	All	R. H.	1	D0OZ 8052-A
				L. H.	1	D0OZ 8052-B
- S -						
67	S	8	390,427, 428	R. H. -uses (2) C7SZ 8125-A pads	1	C7SZ 8052-D
				L. H. -uses (2) C7SZ 8125-B pads	1	C7SZ 8052-E
68/69	S	8	429	R. H.	1	C8SZ 8052-A
				L. H.	1	C8SZ 8052-C
70/71	S	8	429	R. H.	1	C8LY 8052-A
				L. H.	1	C8LY 8052-B
65/	A	6&8		Screw (bracket to rad, suppt.) -5/16"-24 x 1 1/8"	2	353483-S2(BB588)
65/	A	6&8		Nut retainer (brkt. to rad, suppt.) -5/16"-24	2	359952-S2(MM198)
67/69	S	8	390,429	Screw and washer assy. -5/16"-18 x 1"	2	378178-S2(BB412B)
70/71	S	8	429	Screw and washer assy. -5/16"-18 x 7/8"	2	57140-S2(B340H)
8C055 SHIELD - RADIATOR GRILLE SIGHT						
72	S	8	All	Lower-12 1/2" x 10 3/4" rubber 3/32" thick-improvise	2	★
72	S	8	All	Retain 8C055 to bumper	2	D2LY 14A163-C
72	S	8	All	Pin (att. 8C055 to 8182 & 8183) -1/2" x 3/764"	2	382570-S(HH8T)

FORD CAR PARTS

11

SECTION 80

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8A058	SUPPORT - RADIATOR LOWER - Refer to Group 8A193				
	8063	HOSE - RADIATOR SUPPLY TANK - Cut to fit from bulk hose 8333				
	8075	HOSE - RADIATOR OVERFLOW - Cut to fit from bulk hose 9324				
	8C077	TRANSFER - RADIATOR GRILLE OPENING PANEL COLOR STRIPE				
72	B(97R)	8	All	Vinyl tape	1	D2OZ 8C077-A
	8A080	TANK ASSY. - RADIATOR OVERFLOW SUPPLY - Refer to Group 8592				
	8081	HOSE - RADIATOR DRAIN - Cut to fit from bulk hose 9324				
	8083-4	BRACKET - RADIATOR MOUNTING				
67	B	6&8	200,289	R.H. & L.H.	2	C7OZ 8083-A
68/69	B	6&8	200,289	R. H.	1	
			302			
69	B	8	351	R.H.	1	
68/69	B	6&8	200,289	L. H.	1	C8OZ 8084-A
			302			
69	B	8	351	L.H.	1	
69	F-A/C	" Before 12/16/68"	6	250	R. H.	
			6	250	L. H.	C9ZZ 8083-A
69	F-A/C	"From 12/16/68"	6	250	R.H. & L.H. -not required	C9ZZ 8084-A
	8100	CAP - RADIATOR			1	★
67	B, F, X-with Imco	6	170,200	15 lb. pressure-r/b C9AZ 8100-A(8/74)	1	★C7DZ 8100-A
67	A, 390, 428-with A/C	8	390,428		1	(RS-17)
69	F (Economy 1/B)	6	250		1	
65/70	A,B,F,P,S,X-units beyond warranty (170,200,240, 250, 260, 289, 302, 351, 352, 390, 427, 428, 429)	6&8	All	13 lb. pressure-pressure release vent cap-zinc plate	1	C1UZ 8100-A (RL-12)
				7 lb. pressure-pressure release vent cap-optional for taxis-zinc plate	1	B2AZ 8100-A (RL-9)
65/71/	A,B,F,P,S,U,X	6&8	All	13 lb. pressure-optional with C9ZZ 8100-A	1	C9AZ 8100-A (RS-12-A)
71/	L	4	98,122		1	C9ZZ 8100-A (RS-512-A)
65/71/	A,B,F,P,S,U,X	6&8	All	13 lb. pressure-#chrome-optional with C9AZ 8100-A	1	D2VY 8100-A (RS-40)
71/	L	4	98,122		1	
65/	All	6&8	All	14 lb. pressure - replacement cap for radiator coolant recovery kit	1	
	8K103	CAP - RADIATOR OVERFLOW CONTAINER				
65/	All	6&8	All	Cap type-2" x 1/2"-used on overflow container in radiator coolant recovery kit-replaces plug type cap	1	D2AZ 8K103-A
	8115	DRAINCOCK - RADIATOR or CYLINDER BLOCK				
65/	A,B,F,L,P,S,X	6&8	All	1/4"-18" pipe thread-includes extension-also used as a drain for the cylinder block	1or2	8A 8115
66/	U	6	170	Radiator-straight	1	
66/	U	8	289,302	Radiator-right angle	1	8CM 8115
	8A123	BRACKET - RADIATOR GRILLE INNER				
65	A	6&8	All		2	C5AZ 8A123-A
66	B	6&8	All		1	C6OZ 8A123-A
	8124-5	INSULATOR - RADIATOR MOUNTING - Also refer to group 8126				
	- A -					
65	A(76)	6&8	All	Body to frame-cut to 2" square	1	8C 8124-A
	A	6&8	All	Upper-used with (8233) support	2	C3AZ 8124-A
		6&8	All	Lower-used with (8052) bracket	2	C3AZ 8125-A
66	A(76)	6&8	All	Body to frame-cut to 2" square	1	8C 8124-A
	A	6&8	All	Upper-used w/(8A193) support	2	C3AZ 8124-A
	A	6&8	All	Lower-used w/(8052) bracket	2	C3AZ 8125-A
67	A(76)	6&8	All	Body to frame-cut to 2" square	1	8C 8124-A
	A-w/o A/C	6&8	240,302	Upper-used w/C5AZ 8A193-E suppt.	2	C7OZ 8124-A
	A-A/C	6&8	240,302	Upper-used w/C5AZ 8A193-C suppt.	2	C3AZ 8124-A
	A	8	All	Upper-used w/(8A193) suppt.	2	C7OZ 8124-A
	A	6&8	All	Lower-used w/(8052) bracket	2	C3AZ 8125-A
68	A	8	390,428	Lower-R. H. -use with (8052) support	1	C7SZ 8125-C
		8	390,428	Lower-L. H. -use with (8052) support	1	C7SZ 8125-D
		6&8	240,302	Upper	2	C7OZ 8124-A
		6&8	240,302	Lower	2	C3AZ 8125-A

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

FORD CAR PARTS**SECTION 80**

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8124-5 INSULATOR - RADIATOR MOUNTING - continued - Also refer to group 8126						
- A -						
69/70	A	6&8	240,302	Upper & lower-L. H.	2	C7SZ 8125-C
				Upper & lower-R. H.	2	C7SZ 8125-D
		8	390,428	Upper & lower-L. H.	2	C7SZ 8125-D
			429	Upper & lower-R. H.	2	C7SZ 8125-C
	A(76)	6&8	All	Body to frame	1	8C 8124-A
71	A	6&8	All	Lower	2	C7SZ 8125-C
72	A	6&8	All	R. H.	1	C7SZ 8125-C
				L. H.	1	C7SZ 8125-D
- B -						
66	B	8	390	Upper-used w/(8A193) support	2	C3AZ 8124-A
		8	390	Lower-used w/(8052) bracket	2	C3AZ 8125-A
67	B	8	390,427	Upper-used w/(8A193) suppt.	2	C7OZ 8124-A
		8	390,427	Lower-used w/(8052) bracket	2	C3AZ 8125-A
68/70	B	8	390,427	Upper-used w/(8A193) support	2	C7OZ 8124-A
			428CJ			
69/70	B(A/C with X/C)	8	351	Upper	2	
		8	390,427	Lower	2	C8ZZ 8125-A
			428CJ			
69/70	B (A/C with X/C)	8	351	Lower	2	
71	B	6&8	All	Lower	2	C7SZ 8125-C
72	B	6&8	All	Lower-R. H.	1	D2OZ 8125-A
	"Before 5/1/72"			Lower-L. H.	1	D2OZ 8125-B
72	B	6&8	All	Lower-R. H.	1	D3OZ 8125-A
	"From 5/1/72"			Lower-L. H.	1	D3OZ 8125-B
- F -						
67/70	F	8	289,302	Upper -used w/(8A193) support	2	C7OZ 8124-A
			390,427			
			428CJ			
67		8	390	Lower-used w/(8052) bracket	2	C3AZ 8125-A
68/70	F	8	390-4V	Lower	2	C8ZZ 8125-A
			289,302			
			427,428CJ			
			Spec.			
70	F-Boss	8	429		2	
71/	F	6&8	All	Lower-R. H.	1	C7SZ 8125-C
		6&8	All	Lower-L. H.	1	C7SZ 8125-D
- S -						
67/71	S	8	390,428	Used in (8052) & (8A193)	2	C7SZ 8125-C
			429		2	C7SZ 8125-D
72	S	8	400,429	Lower-R.H.	1	D2OZ 8125-A
	"Before 5/1/72"		460	Lower-L. H.	1	D2OZ 8125-B
72	S	8	400,429	Lower-R.H.	1	D3OZ 8125-A
	"From 5/1/72"		460	Lower-L. H.	1	D3OZ 8125-B
- U -						
66/	U	8	289,302	"U" shaped rubber-used in (8A058) & (8A193)	4	C6TZ 8125-A
8126 SHIM - RADIATOR BOTTOM SUPPORT - Also refer to Basic 8A440						
65/70	A(76)	6&8	All	Steel or fibre-.06" x 2" round with slot-front end to frame-replaces rectangular shims w/slot.	AR	C4AZ 8126-B
8146 SHROUD - FAN						
- A -						
65	A-w/integral A/C (first 1000 units)	8	289	R. H. -for radiators marked C5AE-AC, AD	1	★C4AZ 8147-A
				L. H.	1	★C4AZ 8148-B
	A-w/integral A/C (after first 1000 units) or hang-on A/C	8	289	One-piece type-not for rad.marked C5AE-AC,AD used with 23 1/4" radiator (C5AZ 8005-F)	1	C5AZ 8146-A
	A-with A/C	8	352,390	One-piece type	1	C5AZ 8146-B
	A	8	427	One-piece type	1	C5AZ 8146-B

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8146 SHROUD - FAN - continued						
- A -						
66	A-integral A/C	8	289	One-piece type	1	C5AZ 8146-A
	A-integral, hang-on A/C-w/o T/E	8	352,390, 428	One-piece type	1	C5AZ 8146-B
	A -w/o T/E	8	427, 428 P/I	One-piece type	1	C5AZ 8146-B
	A-integral A/C or X/C -w/T/E	8	352,390	One-piece type	1	C5AZ 8146-B
	A-Std., integral A/C, X/C, 53, 55, 60 amp. alt. -w/T/E	8	428	One-piece type	1	C5AZ 8146-B
67	A-Super X/C, A/C	6	240	One piece type-plastic-marked C7AE-B	1	C7AZ 8146-B
	A-Super X/C, integral A/C	8	289	One-piece type-plastic-marked C7AE-A	1	♦C7AZ 8146-A
	A-hang-on A/C-w/20 1/4" rad. core	8	289		1	C9OZ 8146-B
	A-hang-on A/C-w/23 1/4" rad. core	8	289	One-piece type-plastic-marked C7AE-A	1	C7AZ 8146-A
	A-Std., X/C, Super X/C, A/C -w/o r w/o T/E	8	390, 428 exc. P/I	One piece type	1	C5AZ 8146-B
	A	8	427, 428 P/C	One-piece type	1	C5AZ 8146-B
	A	8	428 P/C		1	C8AZ 8146-A
68	A-(Police & Taxi)	6	240	Plastic-marked C7AE-B	1	C7AZ 8146-B
	A-A/C	8	302	Plastic-marked C7AE-A	1	C7AZ 8146-A
	A-X/C w/hang-on A/C	8	289, 302	Use on 23" wide radiator	1	
	A-X/C w/hang-on A/C	8	302	Use on 20" wide radiator	1	C9OZ 8146-B
	A-Std. & A/C	8	390, 428		1	C8AZ 8146-A
	A-(Police)Std. & A/C	8	390, 428 exc. P/C		1	C8AZ 8146-A
	A-Std. w/T/E	8	427		1	C8AZ 8146-A
	A	8	428 P/C		1	C8AZ 8146-A
69	A(Police, Taxi)	6	240	Plastic-marked C7AE-B	1	C7AZ 8146-B
	A-Std. X/C or A/C	8	302, 351	Plastic-marked C9AE-B	1	C9AZ 8146-B
	A(exc. P/C)-X/C, A/C	8	390, 429	Plastic	1	C9AZ 8146-C
	A (P/C)-Std. or A/C	8	390, 428 P/C		1	
	A-X/C with hang-on A/C	8	390, 429	Use on 26" wide radiator	1	
	A(P/C) Std., X/C	8	429		1	
	A (exc. P/C)-std. cooling	8	390, 429	Plastic	1	C9AZ 8146-D
	A-X/C with hang-on A/C	8	390, 429	Use with 22" wide radiator	1	
70	A-Std., X/C & A/C	8	302	Plastic - marked D0AE-C	1	D0AZ 8146-C
	A-Std. cooling	8	351		1	
	A-X/C & A/C	8	351	Plastic-marked D0AE-E & F	1	D0AZ 8146-F
	A-w/Heavy Duty radiator or w/trailer towing pkg.	8	351		1	
	A-Std., X/C or A/C	8	428 P/C	Plastic	1	C9AZ 8146-C
	A-Std. cooling, A/C & trailer towing pkg.	8	390		1	
	A, P/C-Std., X/C & A/C	8	429	Plastic - marked D0AE-A	1	D0AZ 8146-A
71	A-Std. cooling	8	302, 351C&W		1	D0AZ 8146-C
	A-w/A/C, w/trailer towing pkg. or Heavy Duty cooling	8	351W		1	D0AZ 8146-F
	A(P/C)-w/Std. cooling or A/C	8	351		1	
	A	8	390		1	C9AZ 8146-C
	A	8	400	Plastic-marked D1AE-AA or BA	1	D1AZ 8146-A
	A	8	429		1	D0AZ 8146-A
	A	8	429		1	D0AZ 8146-A
72	A-Std. cooling	8	302,	Marked D0AE-C	1	
	A-Std. cooling	8	351W		1	D0AZ 8146-C
	A-Std. cooling(exc. 3.25/1 axle ratio)	8	351C		1	
	A-Std. cooling(w/3.25/1 axle ratio)	8	351C	Plastic-marked D2AE-CA	1	D2AZ 8146-B
	A-Heavy Duty cooling	8	351C		1	
	A-w/A/C	8	351C&W	Marked D0AE-E or F	1	D0AZ 8146-F
	A(P/C)	8	351C&W		1	
	A	8	400	Plastic-marked D1AE-AA, AB or BA	1	D1AZ 8146-A
	A	8	429		1	D0AZ 8146-A

♦ If inadequate clearance exists, replace the (4) 5/8" hex. head tap screws with (4) 42151-S hex. head tap screws 1" long and (4) 33799-S 3/8" nuts, used as spacers.

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 80

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8146 SHROUD - continued						
- B -						
65	B-with A/C or B-Special	8	289		1	C90Z 8146-B
66	B-with integral A/C	8	289		1	C90Z 8146-B
	B-X/C or integral A/C	8	390	One-piece type-plastic	1	C60Z 8146-A
67	B-with A/C	8	289		1	C90Z 8146-B
	B	8	390,427	One-piece type-plastic-marked C6OE-C-19 1/2" dia. center hole -replaced shroud marked C7OE-A w/20 1/2" ctr. hole	1	C60Z 8146-A
68	B-w/A/C	8	289,302		1	C90Z 8146-B
	B-w/A/C	8	390	Plastic-marked C8OE-A	1	C80Z 8146-A
	B-Std. w/T/E	8	427	Plastic-marked C8OE-A	1	C80Z 8146-A
	B	8	428CJ		1	C80Z 8146-A
69	B-Std., X/C & A/C	8	302		1	C90Z 8146-B
	B-Std.	8	351		1	
	B-X/C with hang-on A/C	8	302,351	Use with 20" wide radiator	1	
	B-with A/C	8	250	Plastic-marked C9OE-B	1	C90Z 8146-C
	B-X/C with hang-on A/C	8	250		1	
	B-w/X/C or A/C	8	351	Plastic-marked C90Z-F	1	C90Z 8146-A
	B-X/C with hang-on A/C	8	351	Use with 24" wide radiator	1	
	B-w/trailer towing pkg.	8	351		1	
	B-w/ A/C & hang-on A/C	8	390GT	Plastic-marked C8OE-A	1	C80Z 8146-A
	B	8	428		1	
70	B-X/C and/or A/C	6	250	Plastic-marked D0OE-A	1	D1ZZ 8146-B
	B-Std., X/C & A/C -	8	302	Plastic-marked D0OE-B	1	D00Z 8146-B
	"Before 3/18/70"					
	B-Std.	8	302		1	
	B-Std. -w/o 3.5/1 axle ratio	8	351		1	
	B-X/C or A/C	8	351	Plastic-marked D1ZE-AA, D3ZE-AA or BA	1	D3ZZ 8146-A
	B-Std. -w/3.5/1 axle ratio	8	351		1	
	B-X/C & A/C "From 3/18/70"	8	302		1	
	B-Std., X/C & A/C	8	429	Plastic-marked D0OE-D	1	D00Z 8146-D
71	B-w/A/C	6	250	Plastic-marked D1ZE-BA & BB	1	D1ZZ 8146-B
	B(P/C)-Std., X/C or A/C	6	250		1	
	B-w/X/C & A/C	8	351	Plastic-marked D1ZE-AA, D3ZE-AA or BA	1	D3ZZ 8146-A
	B-Std. cooling	8	302	Plastic-marked D0OE-B	1	D00Z 8146-B
	B-Std. cooling (exc.3.5/1 axle ratio)	8	351		1	
	B-w/X/C & A/C	8	302	Plastic-marked D1ZE-AA, D3ZE-AA or BA	1	D3ZZ 8146-A
	B-Std. cooling (w/3.5/1 axle ratio)	8	351		1	
	B(P/C)	8	302,351		1	
	B	8	429 CJ	Plastic-marked D0OE-D	1	D00Z 8146-D
72	B-with A/C	6	250	Plastic-marked D2OE-CA or CB	1	D20Z 8146-B
	B(P/C, Taxi)-Std. cooling	6	250		1	
	B	8	302,	Plastic-marked D2OE-BB or BC	1	D20Z 8146-A
			351,400			
	B	8	429		1	D2SZ 8146-A
- F -						
65	F-with A/C	6	200	One-piece type	1	C3DZ 8146-C
	F-with A/C	8	260,289	One-piece type	1	C3DZ 8146-D
	F-Spec.(4/B carb.)	8	289	One-piece type	1	C3DZ 8146-D
66	F-with A/C	6	200	One-piece type	1	C3DZ 8146-C
	F-with A/C	8	289	One-piece type-use w/ C3DZ 8005-K(1 1/4" or 2 1/4" core)	1	C6ZZ 8146-A
	F-with A/C	8	289	One-piece type-use w/C3DZ 8005-K(1 1/4" core)-8149 bracket must be used	1	C3DZ 8146-D
	F-Spec. (4/B carb.)	8	289	One-piece type	1	C3DZ 8146-D
67	F-with A/C	6	200	One-piece type-plastic	1	C7ZZ 8146-C
	F-with A/C	8	289	One-piece type-plastic-marked C7ZE-B	1	C9ZZ 8146-B
	F-Spec. (4/B carb.)	8	289	One-piece type-plastic-marked C7ZE-B	1	C9ZZ 8146-B
	F-with A/C, (Std., X/C-with T/E)	8	390	One-piece type-plastic-marked C7ZE-A	1	C7ZZ 8146-A
68	F-X/C or w/A/C	6	200		1	C7ZZ 8146-C
	F-w/A/C	8	289exc.	Plastic-marked C9OE-F	1	C90Z 8146-A
	F-Std. w/Imco	8	289 Spec.		1	
	F-w/A/C	8	302 Spec.		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8146 SHROUD - FAN - continued						
- F -						
68/70	F-Std. or X/C, A/C w/T/E	8	390		1	C8ZZ 8146-A
	F-Std. (1968)	8	427		1	
	F	8	428CJ		1	
	F (GT350)(1968)	8	289,302		1	C9CZ 8146-A
69	F-w/X/C or A/C	6	200		1	C7ZZ 8146-C
	F-w/X/C or A/C & hang-on A/C - "Before 12/16/68"	6	250	Plastic-use on 23 1/4" radiator	1	C9ZZ 8146-A
	F-w/X/C or A/C "From 12/16/68"	6	250	Plastic-use on 20 1/4" radiator	1	C9ZZ 8146-C
	F-Std.	8	302,351	Plastic-marked C9ZE-C	1	C9ZZ 8146-B
	F-X/C with hang-on A/C	8	302,351	Use with 20" wide radiator	1	
	F-w/X/C & A/C	8	302,351	Plastic-marked C9OE-F	1	C9OZ 8146-A
	F-X/C with hang-on A/C	8	302,351	Use with 24" wide radiator	1	
	F-Boss	8	302 Spec.		1	
70	F-A/C	6	200		1	C7ZZ 8146-C
	F-X/C or A/C	6	250	Plastic	1	C9ZZ 8146-C
	F-Std.	8	302, 351-2V	Plastic-marked D0ZE-B	1	D0ZZ 8146-B
	F-Std. -w/o 3.5/1 axle ratio	8	351-4V		1	
	F-X/C & A/C	8	302,351	Plastic-marked D0ZE-A or E	1	D0ZZ 8146-A
	F	8	302spec		1	
	F-Std. -w/3.5/1 axle ratio	8	351-4V		1	
	F	8	428CJ		1	C8ZZ 8146-A
71	F-w/A/C	6	250	Plastic-marked D1ZE-BA & BB	1	D1ZZ 8146-B
	F-Std. cooling	8	302	Plastic-marked D0OE-B	1	D0OZ 8146-B
	F	8	302 Spec.	Plastic-marked D1ZE-AA ,D3ZE-AA or AB	1	D3ZZ 8146-A
	F-X/C	8	302		1	
	F-w/A/C	8	302,351		1	
	F-X/C	8	351		1	
	F-Boss-Std.cooling	8	351 Spec.		1	
	F	8	429 CJ & S/CJ	Plastic-marked D0OE-D	1	D0OZ 8146-D
72	F-w/A/C	6	250		1	D1ZZ 8146-B
	F-S/C	8	302		1	D0OZ 8146-B
	F-wX/C & A/C	8	302	Marked D1ZE-AA ,D3ZE-AA or AB	1	D3ZZ 8146-A
	F	8	351		1	
- L -						
72	L-M/T w/Std. cooling	4	98	Plastic-marked D12E-AB	1	D1FZ 8146-A
71/	L	4	122	Plastic-marked D12E 8146-BA or BB	1	D1FZ 8146-B
- P -						
70/	P-with A/C	6	170,200	Plastic-marked D1DE 8146-BA	1	D1DZ 8146-B
70/71	P-with A/C	6	250	Plastic	1	D0DZ 8146-D
71/	P-with A/C	8	302		1	D1DZ 8146-A
71/	P-w/o A/C	8	302		1	D0DZ 8146-B
- S -						
65	S-with A/C	8	390	R.H. -not replaced L.H. -not replaced	1 1	★C4SZ 8147-A ★C4SZ 8148-A
66	S-A/C w/o T/E	8	390,428	One-piece type-plastic-Marked C6SE 8146-A	1	C6SZ 8146-A
	S-A/C with T/E	8	390,428	One-piece type-plastic-Marked C6SE 8146-B	1	C6SZ 8146-B
67/69	S	8	390,429	One-piece type-plastic-marked C8SE-A	1	C8SZ 8146-A
70/71	S	8	429	Plastic	1	D0SZ 8146-A
	S	8	429,460	Plastic-marked D2SE-AB or AC	1	D2SZ 8146-A
72	S	8	400	Plastic-marked D2SE-BA or BB	1	D2SZ 8146-B
- U -						
66/67	U-X/C or T/E	6	170	Not replaced	1	★C6TZ 8146-H
66/	U	8	289,302	Marked D3TA-HA	1	C6TZ 8146-J

SECTION 80

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8156 MOULDING - RADIATOR GRILLE LOWER						
66	B	6&8	All	Includes (8244) retainer	1	C6OZ 8156-A
67	B(54,62,63B,C,66,71,76B,C)	6&8	All	Includes (8244) retainers	1	C7OZ 8156-A
	B(63D,76D)	6&8	All	Includes (8244) retainers	1	C7OZ 8156-B
69	B(54C,63D,F,65C,D,F,66C,D,71E,76D,F)	6&8	All	Aluminum	1	C9OZ 8156-A
8A156 MOULDING ASSY. - RADIATOR GRILLE OPENING PANEL						
72	B(53D,63R,65D,R,71D,K,97D,K,R)6&8	8	All	Aluminum-includes (10) 45271-S36 nuts	1	D2OZ 8A156-A
72	S	8	All	Includes (8) 384273-S100 nuts	1	D2SZ 8A156-A
8B170 SEAL - RADIATOR						
69/70	A	6&8	All	For service refer to Group 8348-9		★
69/70	A	6&8	All	Clip (seal to rad. assy.)	4	371141-S32 (GG121A)
8174 BRACE - RADIATOR GRILLE CENTER SUPPORT						
70/71	S	8	429	Center	1	D0SZ 8174-A
8182-3 SUPPORT - RADIATOR GRILLE						
- A -						
66	A-with four-piece grille	6&8	All	R. H. -use w/(2) C6AZ 8200-A & (2) C6AZ 8B271-A	1	C6AZ 8182-A
				L. H.	1	C6AZ 8183-A
	A-with one-piece grille	6&8	All	R. H. -use w/C6AZ 8200-B	1	C6AZ 8182-B
				L. H.	1	C6AZ 8183-B
- B -						
65	B	6&8	All	R. H. & L. H.-not replaced	2	★C5OZ 8182-A
66	B	6&8	All	R. H.	1	C6OZ 8182-A
				L. H.	1	C6OZ 8183-A
67	B	6&8	All	R. H. -outer	1	C7OZ 8182-A
				L. H. -outer	1	C7OZ 8183-A
68	B	6&8	All	R. H. & L. H.	2	C8OZ 8182-A
69	B-Talladega	8	All	Center	1	C9OZ 8182-B
70	B	6&8	All	Center R. H.	1	D0OZ 8182-A
	B	6&8	All	Center L. H.	1	D0OZ 8183-A
71	B	6&8	All	R. H.	1	D0OZ 8182-A
		6&8	All	L. H.	1	D0OZ 8183-A
72	B(53D,63R,65D,R,71D,K,97D,K,R)	6&8	All		1	D2OZ 8182-A
- F -						
65	F-without fog lamps	6&8	All	R. H.-not required on units w/fog lamps	1	C5ZZ 8182-A
		6&8	All	L. H.	1	C5ZZ 8183-A
69	F	6&8	All	Center	1	C9ZZ 8182-A
69/70	F(GT350/500)	8	All		1	C9ZZ 8182-B
71/	F	6&8	All	Center	1	D1ZZ 8182-B
69	F	6&8	All	Screw (support to radiator support)	2	★57030-S
69	F	6&8	All	Nut	2	★45263-S
- S -						
66	S	8	All		2	C6SZ 8182-C
72	S	8	All	R. H.	1	D2SZ 8182-A
				L. H.	1	D2SZ 8183-A
68	S	8	All	Nut-5/16"-18	4	379930-S (MM173M)
8A186 SUPPORT - RADIATOR GRILLE CENTER						
71/	F(exc.63R)	6&8	All	Also supplied in 8200	1	D1ZZ 8A186-B
8A188 SPACER - RADIATOR GRILLE						
65	S	8	390	Rubber-1" O. D. x. 42" I. D. x. 90" long-improvise	2	★C5SB 8A188-A
8190 BODY ASSY. - FRONT						
67	F(GT350/500)	8	All	Fiberglass-incl. (1) I.S. 4415-not replaced	1	★S7MS 8190-A
68	F(GT350/500)	8	All	Fiberglass-front end-upper	1	S8MS 8190-A
		8	All	Fiberglass-front end-R. H.	1	S8MS 8192-A
		8	All	Fiberglass-front end-L. H.	1	S8MS 8193-A
		8	All	Fiberglass-front end-lower	1	S8MS 8196-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8190-1 PANEL - RADIATOR GRILLE OPENING						
39	B-Talladega	8	All		1	C9OZ 8190-A
72	B(53D,63R,65D,R,71D,K,97D,K,R)	6&8	All		1	D2OZ 8190-A
67/68	F	6&8	All	R. H. -includes (1) C7ZZ 8244-A	1	C7ZZ 8190-A
				L. H. -includes (1) C7ZZ 8244-A	1	C7ZZ 8191-A
70/71	S	8	429		1	D1SZ 8190-A
72	S	8	All		1	D2SZ 8190-A
70	S	8	429	Nut & retainer assy. (panel to support) - 5/16"-18	4	379114-S2 (MM192AD)
8192-6 PANEL ASSY. - FRONT END - Refer to Group 8190						
8A193 BRACKET - RADIATOR SUPPORT UPPER						
- A -						
65/66	A	6	240	Bent legs-uses (2) C3AZ 8124-A pads	1	C5AZ 8233-B
	A-w/o A/C	6	240	Bent legs-uses (2) C3AZ 8124-A pads	1	C5AZ 8A193-B
	A-with A/C	6	240	Straight legs-uses (2) C3AZ 8124-A pads	1	★ 8A193
	A	8	All	Straight legs-uses (2) C3AZ 8124-A pads	1	C5AZ 8A193-A
67	A-without A/C	6	240	Uses (2) C7OZ 8124-A pads	1	★ 8A193
	A-with A/C	6	240	Uses (2) C3AZ 8124-A pads	1	★ 8A193
	A	8	All	Uses (2) C7OZ 8124-A pads	1	C5AZ 8A193-D
68	A-Std. -except Taxi	6	240		1	★ 8A193
	A-X/C and Taxi	6	240		1	★ 8A193
	A	8	302		1	C5AZ 8A193-D
	A	8	390,428		1	C8AZ 8A193-D
	A-except Model 71	8	427		1	
69	A-Std.	6	240	R. H.	1	D1AZ 8A193-A
				L. H.	1	D1AZ 8A193-B
	A-Std. or A/C	8	302	R. H.	1	D1AZ 8A193-A
				L. H.	1	D1AZ 8A193-B
	A-Std. or A/C	8	390,429	R. H.	1	D1AZ 8A193-B
				L. H.	1	D1AZ 8A193-A
70	A	6&8	All (exc. 428)	R. H.	1	D1AZ 8A193-B
				L. H.	1	D1AZ 8A193-A
71/	A	6&8	All	R. H.	1	D1AZ 8A193-B
				L. H.	1	D1AZ 8A193-A
- B -						
66	B	8	390	Uses (2) C3AZ 8124-A pads	1	C6OZ 8A193-A
67/69	B	8	390,427, 428CJ	Uses (2) C7OZ 8124-A pads	1	C7OZ 8A193-A
69	B	8	302,351		1	
70/71	B	6&8	All	R. H.	1	D1AZ 8A193-B
				L. H.	1	D1AZ 8A193-A
72	B	6&8	All	R. H.	1	D2OZ 8A193-A
				L. H.	1	D2OZ 8A193-B
- F -						
67/68	F	8	289,302, 390,427	Uses (2) C7OZ 8124-A pads	1	C7ZZ 8A193-A
69/70	F	8	302,351, 390, 428 CJ, 429		1	C9ZZ 8A193-B
70	F-A/C & extra cooling pkg.	8	390, 428 CJ		1	D0ZZ 8A193-A
70	F-Boss	8	429 Spec.		1	D0ZZ 8A193-B
71/	F	6&8	All	R. H.	1	D1AZ 8A193-B
				L. H.	1	D1AZ 8A193-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8A193 BRACKET - RADIATOR SUPPORT UPPER - continued						
- S -						
65/66	S	8	390,428		1	C4SZ 8A193-C
67/68	S	8	390,428	L. H. -uses (2) C7SZ 8125-B pads	1	C7SZ 8A193-F
			429			
		8	390,428	R. H. -uses (2) C7SZ 8125-A pads	1	C7SZ 8A193-E
			429			
69	S	8	429		1	C7SZ 8A193-E
72	S	8	All	Upper-R. H.	1	D2SZ 8A193-A
				Upper-L. H.	1	D2SZ 8A193-B
- U -						
66/68	U	6&8	170,289	Upper-straight-57" long	1	C6TZ 8A193-B
	U	6&8	170,289	Lower-straight-57" long	1	C6TZ 8A058-A
	U	8	289	Upper-"U" shaped-uses (8125) pad	2	C6TZ 8A193-C
	U	8	289	Lower-"U" shaped-uses (8125) pad	2	C6TZ 8A058-B
69/	U	6&8	170,302	Upper-straight-57" long	1	C9TZ 8A193-A
	U	6&8	170,302	Lower-straight-57" long	1	C9TZ 8A058-A
	U	6&8	170,200	Lower-straight	1	D3BZ 8A058-A
			302			
	U	8	302	Upper-"U" shaped-uses (8125) pad	2	C6TZ 8A193-C
	U	8	302	Lower-"U" shaped-uses (8125) pad	2	C6TZ 8A058-B
65/69	S			Screw(support to air deflectors)-5/16"-24 x 1 1/8"	2	353483-S2(BB588)
65/69	S			Nut Retainer 5/16"-24	3	359952-S2(MM198)
65/	A	8	All		2	
65/69	S			Screw (support to front end sheet metal)-5/16"-24 x 1 1/8"	3	353483-S2(BB588)
65/	A	8	All	Bolt (support to rad. support)	2	
65/66	S	8	All	Bolt(support to radiator)-1/4"-20 x 1 1/2" hex. hd.	3	20308-S7-8(B40)
66/68	U	8	289	Bolt (radiator support to 16138)-1/4"-20 x 3/4"	2	371492-S2(BB569)
66/68	U	8	289	Nut-1/4"-20	2	33795-S7(M49)
8194 RETAINER - RADIATOR GRILLE ORNAMENT- Refer to Group 8213						
8196 PANEL ASSY. - FRONT END LOWER - Refer to Group 8190						
8200 GRILLE - RADIATOR						
- A -						
65	A	6&8	All		1	C5AZ 8200-A
66	A(57F,63C,D,F,71A,E,76B,D)	6&8	All	Less (8B271) frame-aluminum-2 1/2" high	2	C6AZ 8200-A
	A(54,57B,62,63B,71B,71C,71D,76A)	6&8	All	One-piece design-aluminum	1	C6AZ 8200-B
67	A(54A,B,F,57B,62,63B,71B,C,D,76A)	6&8	All	One piece design-aluminum	1	C7AZ 8200-A
	A(54C,57F,63C,63J,71A,71E,76B)	6&8	All	Center-die cast	1	C7AZ 8200-B
				Outer-R. H.	1	C7AZ 8150-A
				Outer-L. H.	1	C7AZ 8151-A
68	A(54A, B, E, 57B, 62, 63B, 65C, 71B, C, D, H, J, 76A)	6&8	All	R. H.	1	C8AZ 8150-A
				L. H.	1	C8AZ 8151-A
	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	R. H.	1	C8AZ 8150-B
	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	L. H.	1	C8AZ 8151-B
69	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	Center-die cast-less bar & grille	1	C9AZ 8200-A
				Outer-R.H.-die cast-less bar & mounting	1	C9AZ 8150-A
				Outer-L.H.-die cast-less bar & mounting	1	C9AZ 8151-A
				Inner-R.H.-die cast-less bar & moulding	1	C9AZ 8150-B
				Inner-L.H.-die cast-less bar & moulding	1	C9AZ 8151-B
	A(54A, 54B, 54E, 57B, 62, 63B, 65C, 71B, 71C, 71D, 71H, 71J, 76A)	6&8	All	One piece design	1	C9AZ 8200-B

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8200 GRILLE - RADIATOR - continued						
- A -						
70	A(54C, 57F, 63C, 65A, 71A, 71E, 76B)	6&8	All	Center	1	D0AZ 8200-B
				Outer-R.H.	1	D0AZ 8150-A
				Outer-L.H.	1	D0AZ 8151-A
				Inner-R.H.	1	D0AZ 8150-B
				Inner-L.H.	1	D0AZ 8151-B
	A(54A, B, E, 57B, 62, 63B, 65C, M 71B, C, D, H, J, 76A)	6&8	All		1	D0AZ 8200-A
71	A(53, 57H, K, 65H, K, 71H, 76)- "Before 12/1/70" or with Chrome ribs & Tan-tone Argent panels	6&8	All	Center	1	D1AZ 8200-C
				R.H.	1	▲D1AZ 8150-B
				L.H.	1	▲D1AZ 8151-B
	A(53, 57H, K, 65H, K, 71H, 76)- "From 12/1/70" or with Chrome ribs & Greytone Argent panels	6&8	All	Center	1	D1AZ 8200-C
				R.H.	1	D1AZ 8150-C
				L.H.	1	D1AZ 8151-C
	A(54, 57F, 65D, F, 71B, D, F)- "Before 12/8/70" or with Tan-tone Argent ribs & Greytone Argent panels	6&8	All	Center	1	D1AZ 8200-D
				R.H.	1	◆D1AZ 8150-A
				L.H.	1	◆D1AZ 8151-A
	A(54, 57F, 65D, F, 71B, D, F) - "From 12/8/70" or with Greytone Argent ribs & Greytone Argent panels	6&8	All	Center	1	D1AZ 8200-D
				R.H.	1	D1AZ 8150-D
				L.H.	1	D1AZ 8151-D
72	A(54B, D, 65D, 71B, D)	6&8	All	Center -Argent	1	D2AZ 8200-A
				R.H.-Argent large rectangles	1	D2AZ 8150-B
				L.H.-Argent large rectangles	1	D2AZ 8151-B
	A(54F, 57F, 65F, 71F)	6&8	All	Center -Chrome & Argent	1	D2AZ 8200-B
				R.H.-Argent large rectangles	1	D2AZ 8150-B
				L.H.-Argent large rectangles	1	D2AZ 8151-B
	A(53, 57H, K, 65H, K, 71H, 76)	6&8	All	Center -Chrome & Argent	1	D2AZ 8200-B
				R.H.-Chrome & Argent small rectangles	1	D2AZ 8150-A
				L.H.-Chrome & Argent small rectangles	1	D2AZ 8151-A
- B -						
65	B	6&8	All		1	C5OZ 8200-A
66	B (54, 62, 63B, 63C, 71, 76B, 76C)	6&8	All	Less mouldings	1	C6OZ 8200-A
	B (63D, 76D)	6&8	All	Less mouldings	1	C6OZ 8200-B
67	B (63D, 76D)	8	All	Less mouldings	1	C7OZ 8200-B
	B(54, 62, 63B, 63C, 66, 71, 76B, 76C)	6&8	All	Less mouldings	1	C7OZ 8200-A
68	B	6&8	All		1	C8OZ 8200-B
69	B(54A, 54B, 63B, 63E, 65A, 65B, 65E, 66A, 66B, 71B, 71D, 76B, 76E)	6&8	All	One piece design-aluminum	1	C9OZ 8200-A
	B(54C, 63D, 63F, 65C, 65D, 65F, 66C, 66D, 71E, 76D, 76F)	6&8	All		1	C9OZ 8200-C
	B(63B, 63E, 65A, 65E)-Cobra	8	All		1	C9OZ 8200-D
70	B(63H)	6&8	All	Plastic-r/b D1OZ 8200-B(10/74)	1	★D0OZ 8200-E
	B(54C, 57C, E, 63C, F, 65C, E, 66C, E, 71C, E, 76)	6&8	All		1	D0OZ 8200-C
	B(66B) "From 12/20/69"	6&8	All		1	
	B(54A, B, 62, 65B, 66A, 71B, D)	6&8	All		1	D1OZ 8200-A
	B(66B) "Before 12/20/69"	6&8	All		1	
71	B(54C, 57, 63C, F, 65C, E, 66B, C, E, 71C, E, 76)-w/o hidden head lamps- with Dark Argent grilles	6&8	All	R.H.	1	D1OZ 8150-A
				L.H.	1	D1OZ 8151-A
	B(54C, 57, 63C, F, 65C, E, 66B, C, E, 71C, E, 76)-w/o hidden head lamps- w/Light Argent grilles	6&8	All	R.H.	1	D1OZ 8150-B
				L.H.	1	D1OZ 8151-B
	B(54C, 57, 63C, F, 65C, E, 66B, C, E, 71C, E, 76)-with hidden head lamps	6&8	All		1	D0OZ 8200-C
	B(63H-Cobra)	6&8	All	Plastic	1	D1OZ 8200-B
	B(54A, 65A, 66A, 71D)	6&8	All	Plastic	1	D1OZ 8200-A

▲ D1AZ 8150-B and D1AZ 8151-B are optional with D1AZ 8150-C and D1AZ 8151-C when replaced in sets.

◆ D1AZ 8150-A and D1AZ 8151-A are optional with D1AZ 8150-D and D1AZ 8151-D when replaced in sets.

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8200 GRILLE - RADIATOR - continued						
- B -						
72	B(53B, 65B, 71B)	6&8	All		1	D2OZ 8200-B
	B(63R, 65R, 71K, 97K, R)	6&8	All		1	D2OZ 8200-C
	B(53D, 65D, 71D, 97D)	6&8	All	Plastic	1	D2OZ 8200-D
- F -						
65	F (w/o fog lamps)	6&8	All		1	C5ZZ 8200-C
	F (with fog lamps)	6&8	All		1	C5ZZ 8200-D
66	F	6&8	All		1	C6ZZ 8200-A
67	F	6&8	All		1	C7ZZ 8200-A
	F(GT350/500)	8	All	Lower-w/inboard or outboard lights-attaches to 8196-not replaced	1	★S7MS 8220-B
68	F-w/o fog lamps	6&8	All		1	C8ZZ 8200-A
	F(65)-GT/CS	6&8	All		1	
	F-w/ fog lamps	6&8	All		1	C8ZZ 8200-B
	F(GT350/500)	8	All	Not replaced	1	★S8MS 8210-A
69	F	6&8	All	Black-plastic	1	C9ZZ 8200-A
	F	6&8	All	Black with chrome frame-plastic	1	C9ZZ 8200-C
	F(Shelby GT350/500)	8	All		1	C9ZZ 8200-B
	F(GT350/500)	8	All	Improvise-drill 6 holes in 40 1/2" length of 1/6" x 1" angle steel		★ 8A150
70	F(exc. 63C)	6&8	All	Without sport lamps	1	D0ZZ 8200-A
	F(63C)	6&8	All	With sport lamps	1	D0ZZ 8200-B
	F(GT350/500)	8	All		1	C9ZZ 8200-B
71	F-w/sport lamps	6&8	All	Includes mouldings	1	D1ZZ 8200-C
	F-w/o sport lamps	6&8	All	Includes mouldings	1	D1ZZ 8200-D
72	F-w/o sport lamps	6&8	All	Includes mouldings, support & ornament	1	D1ZZ 8200-D
	F-w/sport lamps	6&8	All	Includes mouldings & ornament	1	D1ZZ 8200-C
- L -						
71/	L	4	98, 122	Plastic-paint Black when necessary	1	D1FZ 8200-A
- P -						
70	P	6	All	Plastic -paint Black when necessary	1	D0DZ 8200-A
71/	P(54, 62A)-w/o luxury decor option	6&8	All	Plastic	1	D0DZ 8200-A
	P(62D)	6&8	All	Plastic	1	D1DZ 8200-A
72	P(54, 62A)-w/luxury decor option	6&8	All	Plastic-partial bright finish	1	D2DZ 8200-A
- S -						
65	S	8	390	R. H.	1	C5SZ 8150-B
				L. H.	1	C5SZ 8151-B
66	S	8	390, 428	R. H. -grille-less mldg. & cover	1	C6SZ 8150-A
				L. H. -grille-less mldg. & cover	1	C6SZ 8151-A
67	S	8	390, 428	Center-less (13A138) covers & (8224-5) ext.	1	C7SZ 8200-A
				R. H. extension-marked C7SB 8230-A	1	C7SZ 8224-A
				L. H. extension-marked C7SB 8231-A	1	C7SZ 8225-A
68	S	8	All	Center	1	C8SZ 8200-A
	S	8	All	R. H.	1	C8SZ 8224-A
	S	8	All	L. H.	1	C8SZ 8225-A
69	S	8	All	Center	1	C9SZ 8200-A
				R. H. -die cast	1	C9SZ 8150-A
				L. H. -die cast	1	C9SZ 8151-A
70	S-w/o sport lamps	8	429		1	D0SZ 8200-E
	(w/sport lamps)	8	429		1	D0SZ 8200-F
71	S (w/o sport lamps)	8	429	Aluminum	1	D1SZ 8200-A
	S (w/sport lamps)	8	429	Aluminum	1	D1SZ 8200-B
72	S-use w/Argent grille	8	All	Plastic	1	D2SZ 8200-A
	S-use w/Black grille	8	All	Plastic	1	D2SZ 8200-B

SECTION 80

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8200 GRILLE - RADIATOR - continued						
- U -						
66/68	U	6&8	170,289 302	Includes (1) C9TB 13200-C lamp, (3) 57093-S2 screw, (1) C9TB 13201-C lamp, (13) 45264-S2 nut, (10) 57039-S2 screw	1	C6TZ 8200-G
67/68	U-with sport package	6&8	170,289	R. H. & L. H. mldgs. -refer to Group 8242-3		
69/	U	6&8	170,302		1	C6TZ 8200-F
- X -						
65	X	6&8	All		1	C5DZ 8200-A
66	X(54, 62, 71)	6&8	All		1	C6DZ 8200-A
	X (66)	6&8	All		1	C6DZ 8200-B
67	X	6&8	All		1	C7DZ 8200-A
68/70	X	6&8	All	"From 1/1/70" refer to Fairlane	1	C8DZ 8200-A
65/71	A	6&8	All	Screw (grille to headlamp)-1/4"-20 x 1/2"	2	50992-S7(U154)
65/71	B	6&8	All	Screw (grille to front bumper stone deflector)-5/16"-24 x 1 1/8"	4	353483-S2(BB588)
65/71	A	6&8	All	Screw (grille to hood lock hook support)-5/16"-24 x 1 1/8"	2	353483-S2(BB588)
65/71	A	6&8	All	Screw (grille to front bumper stone deflector)	4	
65/71	A	6&8	All	Screw (grille to outer support)	2	
65/70	X	6	All	Screw(grille to stone deflector)	4	
70	F	6&8	All	Screw (attaches grille)-No. 8-32	8	51764-S8(U366)
70	B	6&8	All	Screw (grille to headlamp housing)-No. 8-32	6	31093-S7-8(U52)
70	A	6&8	All	Screw(grille to headlamp housing)-No. 8-18 x 3/4"	4	376389-S101 (UU28D)
70	S	8	All	Screw (grille to support)	4	
70	S	8	All	Grille to side support	4	
65/71	A	6&8	All	Bolt (grille bar to lamp hsg.)-1/4"-20 x 5/8"	6	20324-S8(B41)
65/71	S	8	All	Nut-1/4"-20	6	33795-S7(M49)
69/71	A	6&8	All	Nut (grille to headlamp housing)-No. 8-32	4	34052-S7(M155)
65/71	A	6&8	All	Nut retainer(grille to hood lock suppt.)-5/16"-24	2or3	359952-S2(MM198)
65/71	A	6&8	All	Nut retainer (grille to bumper stone deflector)	4	
65/70	X	6	All	Nut retainer (grille to stone deflector)	2or4	
65/70	X	6	All	Nut-retainer (grille to hood lock support)	2	
68	A	6&8	All	Nut (grille to hood lock support)-1/4"-20	4	354394-S2(MM187)
				Nut (grille to headlamp assy.)	4	
68	A	6&8	All	Grille to headlamp housing	AR	
70	B	6&8	All	Nut (grille to headlamp housing)-No. 8-32	6	381664-S2
70	X	6	All	(Grille to fender)	2	(MM194AF)
70	S	8	429	Nut (grille to support)-No. 8-15	4	45174-S8(M138)
65/70	X	6	All	Rubber bumper-used as spacer between grille and center support	1	359193-S(CC25)
70	X	6&8	All	Grommet (grille to stone deflector)	2	379009-S(KK12A)
70	S	8	429	Screw (bracket-center to grille)-No. 8-18 x 1/2"	1	380934-S2 (UU67F)
69/	F	6&8	All	Rivet-1/4 blind (grille to supports)	3	383142-S(SS45A)
70/	P	6	170,200		4	
69/70	X	6&8	All		AR	
8208 SHIELD - RADIATOR LOWER SPLASH						
69	B-Talladega	8	All		1	C9OZ 8208-A
70/71	S	8	All		1	D0SZ 8208-A
8210 GRILLE - RADIATOR - Refer to Group 8200						
8210 GRILLE ASSY. KIT - RADIATOR						
67	F(GT350/500)	8	All	Not replaced	1	★C7ZZ 8210-A
Consists of the following -						
1-S7MS 8210-B Grille Assy. 1-S7MS 8B323-B Bracket-L. H. Headlamp 1-S7MS 8B322-B Bracket-R. H. Headlamp						
8A212 LACE - RADIATOR GRILLE						
68	F(GT350/500)	8	All	Upper, center and side-cut to length-not repl.	3	★S8MS 8A212-A
		8	All	End-not replaced	2	★S8MS 8A212-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8213 ORNAMENT - RADIATOR GRILLE - Includes attaching parts						
- A -						
65	A(54A, 57, 62A, 63, 71A-B-C-E, 76)	6&8	All	Crest w/3 lions	1	†C5AZ 8213-A
66	A (63D, 76D)	6&8	All	"7 litre"	1	★C6AZ 8194-A Not replaced
	A(57F, 63C, 63F, 71A, 71E, 76B)	6&8	All	Dummy lamp-R. H. -L. H.	1 1	See gp. 13201 See gp. 13201
67	A(54C, 57F, 63J)	6&8	All	"LTD"	2	C7AZ 8194-A
	A(63C, 76B)	6&8	All	"XL"	2	C7AZ 8194-A
68	A(54C, 57F, 63C, 65A, 71A, 76B)	6&8	All	Ford crest located on headlamp door		See gp. 13A198
70	A(54A, B, E, 57B, 62, 63B, 65C, 71B, C, D, H, J, 76A)	6&8	All		1	☆ D0AZ 8213-B
70	A(54A, B, E, 57B, 62, 63B, 65C, M, 71B, C, D, H, J, 76)- "Before 11/3/69"	6&8	All		1	♦D0AZ 8213-A
70	A(54A, B, E, 57B, 62, 63B, 65C, M, 71B, C, D, H, J, 76)- "From 11/3/69"	6&8	All		1	♦D0AZ 8213-B
71/	A(53H, K, 57H, K, 65H, K, 71H, 76H)	6&8	All		1	†D1AZ 8194-A
- B -						
66	B (54B, 62B, 63B, 71, 76B)	6&8	All	Crest	1	C6OZ 8194-A
	B (63C, 76C)	6&8	All	"XL"	1	C6OZ 8194-A
	B (63D, 76D)	6&8	All	"GT"	1	C6OZ 8194-A
67	B(54B, 63B, 66A, 71B, 71E, 76B)	6&8	All	Crest	1	C7OZ 8194-A
	B(63C, 66D, 76C)	6&8	All	"XL"	1	C7OZ 8194-A
	B(63D, 76D)	8	All	"GT"	1	C7OZ 8194-A
68	B(54C, 65C, 71E)	6&8	All	Crest	2	C8OZ 8194-A
	B(63D, 65D, 66D, 76D)	6&8	All	"GT"	2	C8OZ 8194-A
69	B(63D, 63F, 65D, 65F, 66C, 66D, 76D, 76F)	8	All	"G"	AR	C9OZ 8194-A
				"T"		C9OZ 8213-B
70	B(54C, 57C, E, 63C, 65C, E, 66B, E, 71C, E) "Before 12/15/69"	6&8	All		1	D0OZ 8194-B
	B(54C, 57C, E, 63C, 65C, E, 66B, E, 71C, E) "From 12/15/69"	6&8	All		1	D0OZ 8194-B
	B(63F, 66C, 76F)	6&8	All		1	D0OZ 8194-B
71	B(63H)	6&8	All		1	D1OZ 8194-A
	B(54C, 57, 63C, 65C, E, 66B, E, 71C, E)-w/o hidden headlamps	6&8	All		1	D1OZ 8213-B
	B(54B, 65B, 66A, 71B)	6&8	All	Not replaced	1	★D1OZ 8213-A
	B(63F, 66C, 76)-w/o hidden headlamps	6&8	All		1	D1OZ 8213-C
	B(63F, 76)-w/hidden headlamps	6&8	All		1	D1OZ 8194-C
	B(54C, 57, 63C, 65C, E, 71C, E)-w/hidden head lamps	6&8	All		1	D1OZ 8194-C
72	B(53D, 63R, 65D, R, 71D, K, 97D, K, R)	6&8	All		1	D2OZ 8213-C

† Includes (8194) retainer

• Canada only

☆ U.S. only

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 80

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8213 ORNAMENT - RADIATOR GRILLE - continued - Includes attaching parts						
- F -				QTY.	RETAINER	QTY. ORNAMENT
65	F	6&8	All	Running Mustang	1	C5ZZ 8194-A 1 * C5ZZ 8213-A
66	F	6&8	All	Running Mustang- w/o fog lamps		1 * C6ZZ 8213-A
		6&8	All	Running Mustang- with fog lamps has side tabs		1 * C6ZZ 8213-B
67	F	6&8	All	Running Mustang		1 * C7ZZ 8213-A
68	F-exc. GT/CS	6&8	All	W/o Running Mustang Refer to 8A224		1 C8ZZ 8213-A
69	F	6&8	All	Mustang & plate	1	C9ZZ 8194-A 1 † C9ZZ 8213-B
69/70	F(GT350/500)	8	All	2" snake & plate		1 ★C9ZZ 8213-C
70	F	6&8	All			1 D0ZZ 8213-A
71/	F (except 63R)	6&8	All	Also supplied in 8200		1 D1ZZ 8213-A
	F (63R)	6&8	All	Also supplied in 8200		1 D1ZZ 8213-B
	F(65D)-use on roof at pillar	6&8	All			AR D1ZZ 8213-B
YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
- L -						
71	L(62B)-w/Rallye pkg.	4	All		1	★D1FZ 8213-A
- P -						
70	P	6	All		1	D0DZ 8213-B
71/	P(54, 62A)	6	All		1	D0DZ 8213-B
	P(62D)	6	All	"Maverick"	1	D1DZ 8213-A
- S -						
66	S	8	All	T'bird-25 5/8" wide	1	C6SZ 8213-A
67	S	8	All		1	C7SZ 8213-A
69	S	8	All		1	C9SZ 8213-A
70/71	S	8	All		1	D0SZ 8213-A
72	S	8	All		1	D2SZ 8213-A
- X -						
65	X	6&8	All	3 Falcons	1	C5DZ 8213-A
67	F	6&8	All	Nut & washer (orn. to support)-No.10-24	4	376784-S32(MM295R)
68	A (57F)	6&8	All	Nut & washer (ornament to grille)-No.10-24	2	353911-S100 (MM191E)
70	A, F	6&8	All	Nut (ornament to grille)-5/16"	2	382110-S100 (MM284X)
70	B	6&8	All	Nut (ornament to grille)-1/8"	2	373888-S7-8
70/71	S	8	429	(Ornament to grille opening panel)	2	(MM290)
8A213 HOSE - RADIATOR OVERFLOW - Cut to fit from bulk hose 9324						
65/70	A	6&8	All	Clip-improvise	1	379042-S(GG143A)
68	S	6&8	All	Strap-adjustable	1	376914-S(YY2)
8217 BRACKET - RADIATOR GRILLE MOUNTING - UPPER						
68	F(GT350/500)	8	All	Not replaced	2	★S8MS 8217-A
70	F(GT350/500)	8	All	Replaced by C9ZZ 8223-A	1	★C9ZZ 8217-A
8220 GRILLE - RADIATOR - Refer to Group 8200						
8221 COVER - RADIATOR GRILLE MOULDING JOINT - Also refer to Group 8A340						
70	B(54C, 57C, E, 63C, F, 65C, E, 66C, E, 71C, E, 76)	6&8	All		4	D0OZ 8221-A
71	B(all w/hidden head lamps)	6&8	All		1	
66	F	6&8	All	Center	1	C6ZZ 8221-A
67/68	F	6&8	All	Center	1	C7ZZ 8221-A
8221 PANEL - RADIATOR GRILLE OPENING						
69	F	6&8	All	Center	1	C9ZZ 8221-A
70	F(exc. GT350/500)	6&8	All	Lower	1	D0ZZ 8221-A
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	6&8	All	Center-attach to bar & grille	1	C9AZ 8221-A
70	F	6&8	All	Screw (panel to stone deflector)- No. 8-18 x 3/8	4	381671-S45 (UU89C)

† Includes (8194) retainer

* Includes (8A224) medallion

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8223 REINFORCEMENT - UPPER - RADIATOR GRILLE						
69/70	F(GT350/500)	8	All	Includes studs	1	C9ZZ 8223-A
8223 MOULDING ASSY. - RADIATOR GRILLE OPENING PANEL CENTER						
70/71	S	8	429		1	D1SZ 8223-A
70	S	8	All	Screw (moulding to panel)-No. 8-18	4	52720-S8(U380)
70	S	8	All	Nut (moulding to panel)-5/32"	9	382110-S100 (MM284X)
70	S	8	All	Screw (moulding to panel)	1	376389-S101 (UU82D)
8224-5 EXTENSION - RADIATOR GRILLE - Refer to Group 8200						
8A224 MEDALLION - RADIATOR GRILLE - Also refer to Group 8213						
65/66	F	6&8	All	Mustang-also included in (8213) assy.	1	C5ZZ 8A224-B
67	F	6&8	All	Mustang-also included in (8213) assy.	1	C7ZZ 8A224-A
67	F	6&8	All	Screw (medallion to ornament assy.)- No. 8-32 x 3/8"	1	376368-S101(UU59)
68	F-exc. GT/CS	6&8	All	Mustang-Includes attaching parts	1	C8ZZ 8A224-A
69	F(63A, 63B, 65, 76)	6&8	All	Mustang-includes attaching parts - not replaced	1	★C9ZZ 8A224-A
67	F(GT350)	8	All	"GT350"-used on grille, dash & deck lid- not replaced	3	★S7MS 8A224-A
67	F(GT500)	8	All	"GT500"-used on grille, dash & deck lid not replaced	3	★S7MS 8A224-B
8232 BRACKET - RADIATOR GRILLE SUPPORT - CENTER						
68	B	6&8	All		1	C8OZ 8232-A
69	B-exc. Talladega	6&8	All		1	C9OZ 8232-A
69	B-Talladega	8	All		1	C9OZ 8232-B
70	F	6&8	All		1	D0ZZ 8232-A
66	S	8	All		1	C6SZ 8232-A
67	S	8	All		1	C7SZ 8232-B
68/69	S	8	All		1	C8SZ 8232-A
70	S	8	All		2	D0SZ 8232-A
71	S	8	All		2	D1SZ 8232-A
72	S	8	All		2	D2SZ 8232-A
8233 BRACKET - RADIATOR SUPPORT UPPER - Refer to Group 8A193						
8242-3 MOULDING - RADIATOR GRILLE OPENING - Includes attaching parts						
69	A(54C, 57F, 63C, 65A, 71A, 71E, 76B)	6&8	All	R.H. & L.H.-attach to bar & grille	2	C9AZ 8242-A
70	B(54C, 57C, E, 63C, F, 65C, E, 66C, E, 71C, E, 76)	6&8	All	R.H.	4	D0OZ 8242-A
				L.H.	1	D0OZ 8243-A
71	B(54C, 57, 63C, F, 65C, E, 66B, C, E, 71C, E, 76)-without hidden headlamp	6&8	All	Center-L.H.	1	D1OZ 8242-A
				Side-L.H.	1	D1OZ 8242-B
				Center-R.H.	1	D1OZ 8243-A
				Side-R.H.	1	D1OZ 8243-B
71	B(54C, 57, 63C, F, 65C, E, 71C, E, 76)-with hidden headlamp	6&8	All	R.H.	1	D0OZ 8242-A
				L.H.	1	D0OZ 8243-A
65	F	6&8	All	R. H.	1	C5ZZ 8242-A
				L. H.	1	C5ZZ 8243-A
66	F	6&8	All	R. H. -less center joint cover	1	C5ZZ 8242-A
		6&8	All	L. H. -less center joint cover	1	C5ZZ 8243-A
67/68	F	6&8	All	R. H. -less (8221)-includes (4) C7ZZ 8244-B	1	C7ZZ 8242-A
		6&8	All	L. H. -less (8221)-includes (4) C7ZZ 8244-B	1	C7ZZ 8243-A
69	F	6&8	All	R. H. -panel	1	C9ZZ 8242-A
		6&8	All	R. H. -moulding	1	C9ZZ 8242-B
		6&8	All	L. H. -panel	1	C9ZZ 8243-A
		6&8	All	L. H. -moulding	1	C9ZZ 8243-B

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8242-3 MOULDING - RADIATOR GRILLE OPENING - continued - Includes attaching parts						
66	S	8	All	R. H.	1	C6SZ 8242-A
		8	All	L. H.	1	C6SZ 8242-B
70/71	S	8	All	R. H.	1	D0SZ 8242-A
				L. H.	1	D0SZ 8243-A
67/	U-Sport Package	6&8	All	R. H. -includes (4) C7ZZ 63291B80-A	1	C7TZ 8242-A
		6&8	All	L. H. -includes (4) C7TZ 8244-B	1	C7TZ 8243-A
69	F	6&8	All	Spring & nut (attach 8242-3 to radiator grille opening panel)-No. 8-15	AR	45174-S8(M138)
70	S	8	429	Nut & retainer assy. (moulding to fender) - 5/16"-18	4	379114-S2 (MM192AD)
70	S	8	429	Nut (moulding to panel & fender)-5/32"	12	382110-S100 (MM284X)
8244 RETAINER - RADIATOR GRILLE OPENING PANEL MOULDING						
66	B	6&8	All	Also supplied with C6OZ 8418-A center mldg. - not replaced	5	★C6OZ 8244-A
		6&8	All	Also supplied with C6OZ 8156-A lower mldg. - not replaced	5	★C6OZ 8244-B
67	B	6&8	All	Not replaced	5	★C7OZ 8244-A
70/71	B(54A, B, 62, 63H, 65B, H, 66A, 71B, D)	6&8	All		6	D0OZ 8244-A
65/66	F	6&8	All	Included with C5ZZ 8242-3-A mouldings	6	C5ZZ 8244-A
67/71	F	6&8	All	Rectangular-with slot-also supplied with C7ZZ 8190-1-A	2	C7ZZ 8244-A
		6&8	All	Round-with stud-also supplied w/C7ZZ 8242-3-A	8	C7ZZ 8244-B
69	F	6&8	All	1" long-stud	2	C9ZZ 8244-A
69	F	6&8	All	3/4" long-stud -also attach 20938-9 to 20124-5	2	C9ZZ 8244-B
69	F	6&8	All	Included with 8242-3 moulding	8	C9ZZ 8244-C
67/	U-Sport Package	6&8	All	Nylon-with 3/16" dia. nylon pin	8	C7TZ 8244-A
67/69	U-Sport Package	6&8	All	Nylon-with No. 8-32 steel screw	14	★C7TZ 8244-B replaced by - C7ZZ 63291B80-A
8B251 RETAINER - RADIATOR GRILLE MOULDING						
70/71	B	6&8	All		12	D0OZ 8B251-A
8255 GASKET - WATER OUTLET CONNECTION						
- A -						
65/	A	6&8	240,302, 289, 351W		1	C9AZ 8255-A (RG-30)
65/67	A	"Before 12/1/66"	8 352,390, 427,428		1	D1PZ 8255-A (RG-24-A)
67/71	A	"From 12/1/66"	8 390,427, 428		1	C8PZ 8255-U (RG-24)
69/	A	8	429		1	C8SZ 8255-A
71/	A	8	351C, 400		1	(RG-7)
72	A	6	240	W/hang-on A/C-used as spacer for thermostat housing	1	D2AZ 8255-A (RG-35)
- B -						
66/67	B	"Before 12/1/66"	8 390		1	D1PZ 8255-A (RG-24-A)
67/69	B	"From 12/1/66"	8 390,427, 428CJ		1	C8PZ 8255-U (RG-24)
65/69	B	6&8	170,200, 250,289, 302,351		1	C9AZ 8255-A (RG-30)
70/	B	6&8	250,302		1	
72	B	8	351W		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8255 GASKET - WATER OUTLET CONNECTION - continued						
- B -						
70/	B	8	351C		1	C8SZ 8255-A
		8	429		1	(RG-7)
72	B	8	400		1	
- F -						
65/69	F	6&8	170,200, 250,260, 289,302, 351		1	C9AZ 8255-A (RG-30)
70/	F	6&8	200,250, 302, 351-W 302 Spec.		1	
69/71	F-Boss				1	
67	F	"Before 12/1/66"	8 390		1	D1PZ 8255-A (RG-24-A)
67/70	F	"From 12/1/66"	8 390, 427, 428		1	C8PZ 8255-U (RG-24)
69	F Boss	8	429		1	C8SZ 8255-A
70/	F (2/B,4/B)	8	351C,CJ		1	(RG-7)
71/	F	8	351 spec.		1	
71	F	8	429 CJ		1	
- L -						
71/	L	4	122		1	D1FZ 8255-A (RG-33)
	L	4	98		1	D1FZ 8255-B (RG-34)
- P -						
70/	P	6	170,200, 250,302		1	C9AZ 8255-A (RG-30)
- S -						
65/67	S	"Before 12/1/66"	8 390,428		1	D1PZ 8255-A (RG-24-A)
67	S	"From 12/1/66"	8 390,428		1	C8PZ 8255-U (RG-24)
68/	S	8	429		1	C8SZ 8255-A
72	S	8	400,460		1	(RG-7)
- U -						
66/	U	6&8	170,289, 302		1	C9AZ 8255-A (RG-30)
- X -						
65/70	X	6&8	170,200, 250,289, 302		1	C9AZ 8255-A (RG-30)

8255 GASKET ASSORTMENT - WATER OUTLET CONNECTION						
65/					AR	C8PZ 8255-A (RG-12)

Consists of the following

(10) B5A 8255-A (RG-1)	(5) C8PZ 8255-K (RG-17)	(10) C8PZ 8255-U (RG-24)
(5) C8SZ 8255-A (RG-7)	(5) C8PZ 8255-L (RG-18)	(5) C8PZ 8255-V (RG-25)
(5) EAG 8255-B (RG-18)	(5) C8PZ 8255-M (RG-19)	(10) C8PZ 8255-Z (RG-26)
(5) EAD 8255-A (RG-10)	(5) C8PZ 8255-N (RG-20)	(10) C8PZ 8255-AA (RG-27)
(5) C8PZ 8255-E (RG-13)	(5) C8PZ 8255-R (RG-21)	(10) C8PZ 8255-AB (RG-28)
(5) C8PZ 8255-G (RG-14)	(5) C8PZ 8255-S (RG-22)	(5) C8PZ 8255-AC (RG-29)
(5) C8PZ 8255-H (RG-15)	(5) C8PZ 8255-T (RG-23)	(15) C9AZ 8255-A (RG-30)
(5) C8PZ 8255-J (RG-16)		

8260 HOSE - RADIATOR

Motorcraft numbers as they appear in the model application chart which follows can be used to determine diameter and length of the hose as explained below.

FLEXIBLE
RADIATOR HOSE

FIRST LETTER PREFIX:

SECOND LETTER PREFIX:

K - Designates the hose line in all cases.

A - Designates 1 1/4" inside diameter at end opening.

B - Designates 1 1/2" inside diameter at end opening.

C - Designates 1 3/4" inside diameter at end opening.

D - Designates 2" inside diameter at end opening.

NUMBERS:

(There must always be a three digit numeral.) First two digits designate the amount of full inches of hose length. Third digit designates the remaining fraction of an inch (expressed in eighths of an inch) of hose length.

EXAMPLE:

KAB-194 - Flexible radiator hose having a 1 1/4" inside diameter at one end and a 1 1/2" inside diameter at the other end opening and a hose length of 19 1/2".

KC-092 - Flexible radiator hose having a 1 3/4" end opening inside diameter at both ends and a hose length of 9 1/4".

MOLDED
RADIATOR HOSE

FIRST LETTER PREFIX:

SECOND and THIRD LETTER PREFIXES:

K - Designates the hose line in all cases.

M - Designates the molded curved type hose.

S - Designates the molded straight type hose.

NUMBERS:

Sequential numbering system beginning with the numeral "1".

EXAMPLE:

KM-174 - Motorcraft molded curved radiator hose.

KS-7 - Motorcraft molded straight radiator hose.

YEAR	MODEL	ENGINE		HOSE TYPE	UPPER				LOWER				
		CYL	C. I. D.		I. D. (INCHES)	LENGTH (INCHES)	MOTOR- CRAFT NO.	PART NO.	I. D. (INCHES)	LENGTH (INCHES)	MOTOR- CRAFT NO.	PART NO.	
- A -													
65	A	6	240	M	1 1/2		KM-127	C5AZ 8260-D	13/4&17/8	14 1/2	KM-66	C5AZ 8286-B	
	A	8	289	M	1 1/2	17 3/8	KM-298	●C5AZ 8260-F			KM-311	C4AZ 8286-F	
				F			KB-154	C9PZ 8260-T					
	A	8	352,390, 427	M	1 1/2, 1 3/4		KM-297	●C5AZ 8260-G			KM-617	●D2PZ 8286-J	
				F			KBC-150	C9PZ 8260-R			KCD-144	C9PZ 8286-P	
66	A-w/o T/E	6	240	M	1 1/2		KM-127	C5AZ 8260-D	13/4 & 17/8	14 1/2	KM-66	C5AZ 8286-B	
	A-T/E	6	240	M	1 1/2		KM-321	●C6AZ 8260-A	13/4 & 17/8	14 1/2	KM-66	C5AZ 8286-B	
				F			KB-154	C9PZ 8260-T					
	A	8	289	M	1 1/2	17 3/8	KM-298	●C5AZ 8260-F			KM-311	C4AZ 8286-F	
				F			KB-154	C9PZ 8260-T					
	A-w/ or w/o T/E	8	352,390, 427,428	M	1 1/2, 1 3/4		KM-297	●C5AZ 8260-G			KM-617	●D2PZ 8286-J	
				F			KBC-150	C9PZ 8260-R			KCD-144	C9PZ 8286-P	
67	A(exc.X/C,A/C, Super X/C or T/E) -w/o T/E	6	240	M	1 1/2		KM-127	C5AZ 8260-D	13/4&17/8	14 1/2	KM-66	C5AZ 8286-B	
	A(exc.A/C,X/C or Super X/C)- with T/E	6	240	M	1 1/2		KM-321	C6AZ 8260-A	13/4&17/8	14 1/2	KM-66	C5AZ 8286-B	
	A-A/C,X/C or Super X/C-w/or w/o T/E	6	240	M	1 1/2		KM-321	●C6AZ 8260-A	13/4 & 17/8	14 1/2	KM-66	C5AZ 8286-B	
				F			KB-154	C9PZ 8260-T					
	A-w/ or w/o T/E	8	289	M	1 1/2	17 3/8	KM-298	●C5AZ 8260-F			KM-311	C4AZ 8286-F	
				F			KB-154	C9PZ 8260-T					
	A-w/ or w/o T/E	8	390,427, 428	M	1 1/2, 1 3/4	15 1/2	KM-204	●C7AZ 8260-A			KM-617	●D2PZ 8286-J	
				F	1 1/2, 1 3/4	13 1/2	KBC-164	C9PZ 8260-U			KCD-144	C9PZ 8286-P	

⊕ Length on curved moulded hoses is approximate developed (curved) length

● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE		HOSE TYPE	UPPER				LOWER			
		CYL	C.I.D.		I. D. (INCHES)	LENGTH (INCHES)	MOTOR-CRAFT NO.	PART NO.	I. D. (INCHES)	LENGTH (INCHES)	MOTOR-CRAFT NO.	PART NO.
- A -												
68	A	6	240	M	1 1/2		KM-321	●C6AZ 8260-A	1 3/4&1 7/8	14 1/2	KM-66	C5AZ 8286-B
				F			KB-154	C9PZ 8260-T				
	A	8	302	M	1 1/2		KM-298	●C5AZ 8260-F			KM-311	C4AZ 8286-F
				F			KB-170	C9PZ 8260-L				
	A	8	390,427, 428	M	1 3/4, 2 1/16	15 1/2	KM-205	●IC7MY 8260-B			KM-85	C7MY 8286-B
				F	1 1/2, 1 3/4	16 1/2	KBC-164	C9PZ 8260-U				
69	A-Std. or X/C	6	240	M	1 1/4	19 1/4	KM-125	C9AZ 8260-A	1 3/4	16 29/32	KM-105	C9AZ 8286-A
	A-Std. or X/C	8	302, 351	M	1 1/2	23 5/16	KM-264	●C9AZ 8260-B	1 3/4	21		C9AZ 8286-B
				F			KB-250	C9PZ 8260-Z				
	A-w/A/C	8	302,351	M	1 1/2	28 9/32	KM-39	C9AZ 8260-D	1 3/4	21		C9AZ 8286-B
	A-Std. X/C or A/C	8	390,428 P/C	M			KM-616	D2PZ 8260-R		18 7/8	KM-146	D0VZ 8286-A
				F			KBC-200	C9PZ 8260-P				
	A-Std. , X/C or A/C	8	429	M	1 1/2	19 3/4	KM-268	●C9MZ 8260-A	1 3/4	18 5/8	KM-106	C9MZ 8286-A
				F			KB-200	C9PZ 8286-A				
70	A-Std. or X/C	6	240	M	1 1/4	19 1/4	KM-125	C9AZ 8260-A	1 3/4	16 29/32	KM-105	C9AZ 8286-A
	A-Std. , X/C	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 3/4	23	KM-141	●D0AZ 8286-A
				F					1 3/4	19	KC-190	C9PZ 8286-K
	A-A/C	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 3/4	23	KM-141	D0AZ 8286-A
	A-Std. ,X/C or A/C	8	351W	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 3/4	23	KM-141	D0AZ 8286-A
	A-Std. , X/C or A/C	8	390,428	M			KM-616	●D2PZ 8260-R		18 7/8	KM-146	D0VZ 8286-A
				F			KBC-200	C9PZ 8260-P				
	A-Std. X/C or A/C	8	429	M	1 1/2	18 1/2	KM-396	D1VY 8260-A		18 7/8	KM-146	D0VZ 8286-A
71	A	6	240	M	1 1/4	19 1/4	KM-125	C9AZ 8260-A	1 1/2&1 7/8	14 3/8	KM-378	D1AZ 8286-C
	A	8	302, 351-W	M	1 1/2	20 1/2	KM-136	●D0AZ 8260-A	1 1/2 & 1 3/4	22	KM-369	●D1AZ 8286-A
				F	1 1/2	25	KB-250	C9PZ 8260-Z	1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P
	A	8	390	M			KM-616	●D2PZ 8260-R	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D
				F			KBC-200	C9PZ 8260-P				
	A	8	351-C, 400	M	1 1/2	24 15/16	KM-412	D2OZ 8260-D	1 1/2&1 3/4	22	KM-369	●D1AZ 8286-A
				F					1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P
	A	8	429	M		18 1/2	KM-396	D1VY 8260-A	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D
72	A	6	240	M	1 1/4	19 1/4	KM-125	C9AZ 8260-A	1 1/2 & 1 7/8	14 3/8	KM-378	D1AZ 8286-C
	A	8	302, 351-W	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 1/2 & 1 3/4	22	KM-369	D1AZ 8286-A
	A	8	351-C, 400	M	1 1/2	24 15/16	KM-412	D2OZ 8260-D	1 1/2 & 1 3/4	22	KM-369	D1AZ 8286-A
	A	8	429	M	1 1/2	18 1/2	KM-396	D1VY 8260-A	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D

⊕ Length on curved moulded hoses is approximate developed (curved) length

● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE		HOSE TYPE	UPPER				LOWER			
		CYL	C.I.D.		I. D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR-CRAFT NO.	PART No.	I. D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR-CRAFT NO.	PART NO.
- B -												
65	B	6	200	M			KM-198	•IC2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	B-exc.w/4(2V)	8	289	M			KM-615	•D2PZ 8260-H	1 3/4	14 9/16	KM-314	C5OZ 8286-A
				F			KB-140	C9PZ 8260-K				
	B-4(2V)carb.kit	8	289	M				NOTE 1	1 3/4	14 9/16	KM-314	C5OZ 8286-A
66	B	6	200	M			KM-198	•C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	B-exc.w/4(2V) carb.kit	8	289	M			KM-615	•D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	B-4(2V)carb.kit	8	289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
	B	8	390	M			KM-322	C6OZ 8260-C			KM-617	D2PZ 8286-J
67	B	6	200	M			KM-198	•C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	B-exc. w/4(2V) carb. kit	8	289	M			KM-615	•D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	B-4(2V)carb.kit	8	289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
	B	8	390,427	M			KM-322	C6OZ 8260-C			KM-617	D2PZ 8286-J
68	B-w/or w/o T/E	6	200	M			KM-198	•C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	B	8	289,302	M	1 1/2	13 7/8	KM-263	•C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-154	C9PZ 8260-T				
	B	8	390,427	M			KM-322	C6OZ 8260-C			KM-617	D2PZ 8286-J
69	B	6	250	M	1 1/2	11	KM-266	•C9ZZ 8260-A	1 3/4 & 1 7/8	18	KM-108	C9ZZ 8286-A
				F			KB-120	C9PZ 8260-N				
	B-X/C or A/C	8	351	M			KM-615	•D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
	B-w/trailer towing pkg.	8	351									
				F			KB-154	C9PZ 8260-T				
	B	8	302,351	M	1 1/2	14 3/8	KM-263	•C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-154	C9PZ 8260-T				
	B	8	390,427, 428CJ	M	1 1/2, 1 3/4	16 1/2	KM-204-A	D0PZ 8260-B			KM-617	D2PZ 8286-J
70	B-Std., X/C or A/C	6	250	M	1 1/2	15 9/16	KM-137	D0OZ 8260-A		18 1/2	KM-143	•D0OZ 8286-A
				F					1 3/4	19	KC-190	C9PZ 8286-K
	B-Std., X/C or A/C	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 3/4	23	KM-141	•D0AZ 8286-A
				F					1 3/4	19	KC-190	C9PZ 8286-K
	B-Std., X/C or A/C	8	351C	M	1 1/2	24 15/16	KM-412	•D2OZ 8260-D	1 3/4	23	KM-141	•D0AZ 8286-A
				F	1 1/2	25	KB-250	C9PZ 8260-Z	1 3/4	19	KC-190	C9PZ 8286-K
	B-Std., X/C or A/C	8	429, 429CJ	M	1 1/2	18 1/2	KM-396	•D1VY 8260-A	1 3/4 & 2	19 1/8	KM-189-A	•D0OZ 8286-F
				F	1 1/2	17	KB-170	C9PZ 8260-L	1 3/4 & 2	18	KCD-180	C9PZ 8286-U
71	B	6	250	M	1 1/2	15 9/16	KM-137	•D0OZ 8260-A	1 1/2 & 1 7/8	18 1/4	KM-374	•D1OZ 8286-B
				F	1 1/2	17	KB-170	C9PZ 8260-L	1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P
	B	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 1/2 & 1 3/4	20 7/8	KM-383	•D1OZ 8286-C
									1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P
	B	8	351	M	1 1/2	24 15/16	KM-412	•D2OZ 8260-D	1 1/2 & 1 1/4	20 7/8	KM-383	•D1OZ 8286-C
				F	1 1/2	25	KB-250	C9PZ 8260-Z	1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P
	B	8	429CJ	M	1 1/2	18 1/2	KM-396	•D1VY 8260-A	1 1/2 & 2	17 9/16	KM-376	D1SZ 8286-A
				F	1 1/2	17	KB-170	C9PZ 8260-L				

NOTE 1 - Use (1) B9A 8260-D (KM-229) radiator to water & fuel manifold and use (2) C5TZ 8260-A (KM-201) to intake manifold.

⊕ Length on curved moulded hoses is approximate developed (curved) length

● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

† Cut to fit

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE		HOSE TYPE ●	UPPER				LOWER				
		CYL	C.I.D.		I. D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR- CRAFT NO.	PART NO.	I. D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR- CRAFT NO.	PART NO.	
- B -													
72	B	6	250	M			KM-611	D2PZ 8260-N	1 1/2 & 2	23 3/8	KM-408	D2OZ 8286-B	
	B	8	302, 351-W	M	1 1/2	21 27/32	KM-405-A	D3AZ 8260-B	1 1/2 & 1 3/4	23 1/16	KM-407	★D2OZ 8286-C r/b D3AZ 8286-A(2/74)	
	B	8	351-C, 400	M	1 1/2	24 15/16	KM-412	D2OZ 8260-D	1 1/2 & 1 3/4	23 1/16	KM-407	★D2OZ 8286-C r/b D3AZ 8286-A(2/74)	
	B	8	429	M	1 1/2	18 1/2	KM-396	D1VY 8260-A	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D	
- F -													
65	F	6	170,200	M	1 1/4		KM-201	★C5TZ 8260-A			KM-613	D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F					
	F-w/generators-exc. w/4(2V)carb. kit	8	260,289	M			KM-296	●C3DZ 8260-J	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-140	C9PZ 8260-K					
	F-w/generator & 4(2V)carb. kit	8	260,289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
	F-w/alternators -exc.w/4(2V)carb. kit	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-140	C9PZ 8260-K					
	F-w/alternators & 4(2V)carb. kit	8	289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
66	F	6	200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F					
	F-w/o A/C -exc. w/4(2V)carb. kit	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-140	C9PZ 8260-K					
	F-4 (2V)carb. kit	8	289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
	F-w/A/C	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	●C3DZ 8286-F	
				F			KA-110	C9PZ 8260-F			KC-164	C9PZ 8286-R	
67	F	6	200	M			KM-198	C2OZ 8260-H			KM-613	D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F					
	F-exc.w/4(2V)carb. kit	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-140	C9PZ 8260-K					
	F-4(2V)carb. kit	8	289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
	F	8	390	M	1 1/2 & 1 3/4	14 1/2	KM-297	●C5AZ 8260-G			KM-617	D2PZ 8286-J	
			F			KBC-150	C9PZ 8260-R						
68	F	6	200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F					
	F-Std.	8	289 4V	M	1 1/2		KM-298	●C5AZ 8260-F	1 3/4		KM-316	C8ZZ 8286-A	
				F			KB-170	C9PZ 8260-L					
	F-Std.	8	289-2V, 302	M	1 1/2	13	KM-263	●C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-154	C9PZ 8260-T					
	F-X/C or A/C		289-2V, 302	M	1 1/2		KM-298	●C5AZ 8260-F	1 3/4		KM-316	C8ZZ 8286-A	
				F			KB-170	C9PZ 8260-L					
	F	8	390-4V, 427	M	1 3/4	14 1/2	KM-297	●C5AZ 8260-G			KM-617	D2PZ 8286-J	
	F	8	428CJ										
			F			KBC-150	C9PZ 8260-R						

NOTE 1 - Use (1) B9A 8260-D(KM-229) radiator to water & fuel manifold and use (2) C5TZ 8260-A(KM-201) to intake manifold

⊕ Length on curved moulded hoses is approximate developed (curved) length

+ Not used with power steering

● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

-DEARBORN, MICHIGAN

FINAL ISSUE

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE		HOSE TYPE	UPPER				LOWER				
		CYL	C.I.D.		I.D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR- CRAFT NO.	PART NO.	I.D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR- CRAFT NO.	PART NO.	
- F -													
69	F	6	200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F					
	F- "Before 12/16/68"	6	250	M			KM-42	C9ZZ 8260-D	1 3/4 & 1 7/8	18	KM-109	C9ZZ 8286-A	
	F- "From 12/16/68"	6	250	M	1 1/2	11	KM-266	●C9ZZ 8260-A	1 3/4 & 1 7/8	18	KM-108	C9ZZ 8286-A	
	F-Std.	8	302,351	M			KB-120	C9PZ 8260-N					
				F			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-140	C9PZ 8260-K					
	F-X/C or A/C F-Boss	8	351 302 Spec.	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-154	C9PZ 8260-T					
	F	8	390, 428CJ	M	1 3/4	14 1/2	KM-297	●C5AZ 8260-G			KM-617	D2PZ 8286-J	
			F			KBC-150	C9PZ 8260-R						
	F-Boss	8	429 Spec.	M	1 1/2	11 1/4	KM-229	B9A 8260-D			KM-131	C9AZ 8286-D	
70	F	6	200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F					
	F	6	250	M	1 1/2	11	KM-266	●C9ZZ 8260-A	1 3/4 & 1 7/8	18	KM-108	C9ZZ 8286-A	
				F			KB-120	C9PZ 8260-N					
	F-Std., X/C, or A/C-	8	351C	M			KM-610	●D2PZ 8260-M	1 3/4	14 7/8	KM-147	●D0ZZ 8286-A	
				F			KB-200	C9PZ 8286-L	1 3/4	16 1/2	KC-164	C9PZ 8286-R	
	F-Std., X/C or A/C	8	302, 351W	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-147	●D0ZZ 8286-A	
				F			KB-154	C9PZ 8260-T	1 3/4	16 1/2	KC-164	C9PZ 8286-R	
	F-Boss	8	302 Spec.	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-147	●D0ZZ 8286-A	
				F			KB-154	C9PZ 8260-T	1 3/4	16 1/2	KC-164	C9PZ 8286-R	
	F	8	428CJ	M	1 3/4	14 1/2	KM-297	●C5AZ 8260-G			KM-617	D2PZ 8286-J	
			F			KBC-150	C9PZ 8260-R						
	F-Boss	8	429 Spec.	M	1 1/2	11 1/4	KM-229	B9A 8260-D			KM-131	C9AZ 8286-D	
71	F	6	250	M	1 1/2	15 9/16	KM-137	●D0OZ 8260-A	1 1/2&1 7/8	18 1/4	KM-374	●D1OZ 8286-B	
				F	1 1/2	20	KB-200	C9PZ 8286-L	1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P	
	F	8	302, 302 Spec.	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 1/2&1 3/4	20 7/8	KM-383	●D1OZ 8286-C	
				F					1 1/4&1 1/2	20	KBC-200	C9PZ 8260-P	
	F	8	351	M	1 1/2	24 15/16	KM-412	●D2OZ 8260-D	1 1/2&1 3/4	20 7/8	KM-383	●D1OZ 8286-C	
				F	1 1/2	25	KB-250	C9PZ 8260-Z	1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P	
	F	8	429 CJ & S/CJ	M	1 1/2	18 1/2	KM-396	●D1VY 8260-A	1 1/2 & 2	17 9/16	KM-376	D1SZ 8286-A	
				F			KB-170	C9PZ 8260-L					
	F-Boss	8	351 Spec.	M	1 1/2	24 15/16	KM-412	D2OZ 8260-D	1 1/2 & 1 3/4	20 7/8	KM-383	D1OZ 8286-C	
72	F	6	250	M	1 1/2	15 9/16	KM-137	D0OZ 8260-A	1 1/2 & 1 7/8	18 1/4	KM-374	D1OZ 8286-B	
	F	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 1/2 & 1 3/4	20 7/8	KM-383	D1OZ 8286-C	
	F	8	351CJ 351 spec.	M	1 1/2	24 15/16	KM-412	D2OZ 8260-D	1 1/2 & 1 3/4	20 7/8	KM-383	D1OZ 8286-C	

● 'M' Moulded, 'F' Flexible-when moulded hoses are not available, use flexible hose

⊕ Length on curved moulded hoses is approximate developed (curved) length

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE		HOSE TYPE	UPPER				LOWER				
		CYL	C.I.D.		I.D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR-CRAFT NO.	PART NO.	I.D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR-CRAFT NO.	PART NO.	
- L -													
71	L	4	98	M	1 1/4, 1 1/2	14 1/8	KM-366	●D1FZ 8260-B	1 1/4	18 5/16	KM-368	D1FZ 8286-B	
				F	1 1/4, 1 1/2	19 1/2	KAB-194	C9PZ 8286-T	1 1/4	20	KA-200	D1PZ 8286-A	
	L	4	122	M	1 1/4	10 1/8	KM-364	●D1FZ 8260-A	1 1/4 & 1 1/2	14 1/2	KM-367	●D1FZ 8286-A	
				F	1 1/4	11	KA-110	C9PZ 8260-F	1 1/4 & 1 1/2	19 1/2	KAB-194	C9PZ 8286-T	
72	L-std. cooling	4	98	M	1 1/4, 1 1/2	14 1/8	KM-366	D1FZ 8260-B	1 1/4	18 5/16	KM-368	D1FZ 8286-B	
	L-std. cooling	4	122	M	1 1/4	10 1/8	KM-364	D1FZ 8260-A	1 1/4 & 1 1/2	14 1/2	KM-367	D1FZ 8286-A	
	L-w/A/C & T/T pkg.	4	122	M	1 1/4	10 1/8	KM-364	D1FZ 8260-A	1 1/2	15 11/16	KM-625	D2FZ 8286-A	
- P -													
70	P	6	170,200	M			KM-598	●D2PZ 8260-B			KM-613	●D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F	1 1/2 & 1 1/4	19 1/2	KAB-194	C9PZ 8286-T	
	P	6	250	M			KM-612	D2PZ 8260-G	1 3/4 & 1 7/8	18	KM-108	C9ZZ 8286-A	
	P	6	170,200	M			KM-598	D2PZ 8260-B			KM-613	●D2PZ 8286-H	
				F					1 1/4 & 1 1/2	19 1/2	KAB-194	C9PZ 8286-T	
	P-w/o A/C or P/S	6	250	M			KM-612	●D2PZ 8260-G	1 1/2 & 1 7/8	20 3/16	KM-370	●D1DZ 8286-A	
				F	1 1/2	14	KB-140	C9PZ 8260-K	1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P	
	P-w/o A/C-with P/S	6	250	M			KM-612	●D2PZ 8260-G	1 1/2 & 1 7/8	20 3/16	KM-370	D1DZ 8286-A	
				F	1 1/2	14	KB-140	C9PZ 8260-K					
	P-with A/C-without P/S	6	250	M			KM-612	●D2PZ 8260-G	1 1/2 & 1 7/8	20 3/16	KM-370	●D1DZ 8286-A	
				F	1 1/4	11	KA-110	C9PZ 8260-F	1 1/4 & 1 1/2	20	KBC-200	C9PZ 8260-P	
	P-with A/C & P/S	6	250	M			KM-612	●D2PZ 8260-G	1 1/2 & 1 7/8	20 3/26	KM-370	D1DZ 8286-A	
				F	1 1/4	11	KA-110	C9PZ 8260-F					
	P	8	302	M			KM-615	●D2PZ 8260-H	1 1/2 & 1 3/4	16 3/8	KM-372	D1DZ 8286-C	
				F			KB-154	C9PZ 8260-T					
	P	6	170,200	M			KM-598	D2PZ 8260-B			KM-613	D2PZ 8286-H	
72	P	6	250	M			KM-616	D2PZ 8260-G	1 1/2 & 1 7/8	20 3/16	KM-370	D1DZ 8286-A	
	P	8	302	M			KM-615	D2PZ 8260-H	1 1/2 & 1 3/4	16 3/8	KM-372	D1DZ 8286-C	
- S -													
65/66	S	8	390,428	M	1 3/4	11 5/8	KM-241	●C4SZ 8260-E	1 5/8 & 1 7/8		KM-310	C4AZ 8286-D	
				F			KC-110	C9PZ 8260-S					
	S-w/ or w/o T/E	8	390,428	M	1 1/2	16	KM-205	●C7MY 8260-B			KM-85	C7MY 8286-B	
				F			KBC-164	C9PZ 8260-U					
68/69	S	8	429	M	1 1/2	18 1/2	KM-396	D1VY 8260-A	1 3/4	18 5/8	KM-106	C9MZ 8286-A	
70	S	8	429	M	1 1/2	18 1/2	KM-396	●D1VY 8260-A		18 7/8	KM-146	●D0VZ 8286-A	
				F			KB-170	C9PZ 8260-L	1 3/4 & 2	18	KCD-180	C9PZ 8286-U	
	S	8	429	M	1 1/2	18 1/2	KM-396	●D1VY 8260-A	1 1/2 & 2	17 9/16	KM-376	D1SZ 8286-A	
				F			KB-170	C9PZ 8260-L					
	S	8	400	M	1 1/2	22 7/8	KM-418	●D2SZ 8260-A	1 1/2 & 1 3/4	23 1/16	KM-407	●D2OZ 8286-C	
							r/b D3AZ 8260-A(2/74)				r/b D3AZ 8286-A(2/74)		
	S	8	429,460	M	1 1/2	18 1/2	KM-396	D1VY 8260-A	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D	

⊕ Length on curved moulded hoses is approximate developed (curved) length

• "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose † Cut to fit

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE		HOSE	UPPER				LOWER				
		CYL	C. I. D.	TYPE	I. D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR- CRAFT NO.	PART NO.	I. D. (INCHES)	LENGTH (INCHES) ⊕	MOTOR- CRAFT NO.	PART NO.	
- U -													
66/	U	6	170	M			KM-198	●C2OZ 8260-H	1 1/4&1 1/2		KM-613	D2PZ 8286-H	
				F			KA-094	C9PZ 8260-V			KAB-194	C9PZ 8286-T	
	U-eng. to sup. tank	8	289	M	1 1/2		KM-325	●C6TZ 8260-E	1 3/4		KM-84	C6TZ 8286-K	
				F			KB-104	C9PZ 8260-G					
				M	1 1/2		KM-326	●C6TZ 8260-F "Before ser. C70,001"	1 3/4		KM-84	C6TZ 8286-K	
				F			KB-154	C9PZ 8260-T					
U-side flow rad. w/integral fill neck	8	289,302	M	1 1/2		KM-37	C8TZ 8260-L "From Ser. C70,001"	1 3/4		KM-84	C6TZ 8286-K		
- X -													
65	X w/o A/C	6	170,200	M	1 1/4	11 3/4	KM-239	●C3DZ 8260-D			KM-613	D2PZ 8286-H	
				F			KA-094	C9PZ 8260-V					
	X w/A/C	6	170,200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F					
	X-exc. w/4(2V) carb. kit	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-140	C9PZ 8260-K					
	X-4(2V)carb. kit	8	289					NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
66/67	X	6	170,200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F					
	X-exc. w/4 (2V) carb. kit	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-140	C9PZ 8260-K					
	X-4(2V)carb. kit	8	289					NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
68/70	X-w/or w/o T/E	6	170,200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H	
				F			KA-110	C9PZ 8260-F					
68	X	8	289	M	1 1/2	14 1/16	KM-263	●C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-154	C9PZ 8260-T					
68/69	X	8	302	M	1 1/2	14 1/16	KM-263	●C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F	
				F			KB-154	C9PZ 8260-T					
70	X	8	302	M			KM-615	D2PZ 8260-H	1 3/4	14 7/8	KM-147	D0ZZ 8286-A	
				F			KB-154	C9PZ 8260-T					
		</											

NOTE 1 - Use (1) B9A 8260-D (KM-229) radiator to water - & - fuel manifold and use (2) C5TZ 8260-A (KM-201) to intake manifold

‡ Cut to fit

⊕ Length on curved moulded hoses is approximate developed (curved) length

● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

I. D. LENGTH		PART NUMBER		I. D. LENGTH		PART NUMBER	
8260 HOSE - RADIATOR - continued							
LIST OF FLEXIBLE HOSES BY LENGTH							
1 1/4" x 9 1/2"	C9PZ	8260-V	1 3/4" x 6"	C9PZ	8286-H		
1 1/4" x 11"	C9PZ	8260-F	1 3/4" x 11"	C9PZ	8260-S		
1 1/4" x 15"	C9PZ	8260-J	1 3/4" x 13 1/2"	C9PZ	8260-H		
1 1/4" x 1 1/2" x 19 1/2"	C9PZ	8286-T	1 3/4" x 16 1/2"	C9PZ	8286-R		
1 1/4" & 1 3/4" x 20"	C9PZ	8260-P	1 3/4" x 19"	C9PZ	8286-K		
			1 3/4" x 23 1/2"	C9PZ	8286-M		
1 1/2" x 8"	C9PZ	8260-E	1 3/4" & 2" x 12 1/4"	C9PZ	8260-AE		
1 1/2" x 10 1/2"	C9PZ	8260-G	1 3/4" & 2" x 14 1/2"	C9PZ	8286-P		
1 1/2" x 12"	C9PZ	8260-N	1 3/4" & 2" x 16 1/2"	C9PZ	8286-S		
1 1/2" x 14"	C9PZ	8260-K	1 3/4" & 2" x 18"	C9PZ	8286-U		
			1 3/4" & 2" x 23 1/2"	C9PZ	8260-AD		
1 1/2" x 15 1/2"	C9PZ	8260-T					
1 1/2" x 17"	C9PZ	8260-L	2" x 9 1/2"	C9PZ	8260-AC		
1 1/2" x 20"	C9PZ	8286-L	2" x 12 1/4"	C9PZ	8286-N		
1 1/2" x 25"	C9PZ	8260-Z	2" x 14 1/2"	C9PZ	8286-J		
1 1/2" & 1 3/4" x 13 1/4"	C9PZ	8260-Y	2" x 17"	C9PZ	8260-M		
1 1/2" & 1 3/4" x 15"	C9PZ	8260-R	2" x 20"	C9PZ	8260-AB		
1 1/2" & 1 3/4" x 16 1/2"	C9PZ	8260-U	2" x 24"	C9PZ	8260-AA		

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8261 REINFORCEMENT - RADIATOR GRILLE OPENING PANEL - CENTER						
72	S	8	All		1	D2SZ 8261-A
8B271-2 FRAME - RADIATOR GRILLE						
66	A(57F,63C,D,F,71A,E,76B,D)	6&8	All	Zinc die cast-use w/C6AZ 8200-A	2	C6AZ 8B271-A
71	B(54C,57,63C,F,65C,E,66B,C,E,71C,E,76)-w/o hidden headlamps	6&8	All	R.H. - includes mouldings	1	D1OZ 8B271-A
				L.H. - includes mouldings	1	D1OZ 8B272-A
72	B(53D,63R,65D,R,71D,K,97D,K,R)	6&8	All	Plastic	1	D2OZ 8B271-A
8A273-4 BRACKET - RADIATOR SUPPORT						
67/71	S	8	390,428, 429	R.H.	1	C7SZ 8A273-A
				L.H.	1	C7SZ 8A274-A
8A278 BRACKET - RADIATOR GRILLE MOUNTING UPPER						
65	X	6&8	All	Not replaced	2	★ 8A278
66	B	6&8	All		2	C6OZ 8A278-A
66	X	6&8	All		2	C6DZ 8A278-A
67	X	6&8	All		2	C7DZ 8A278-A
68/70	X	6&8	All		2	C8DZ 8A278-A
8A281 REINFORCEMENT - RADIATOR SIDE SUPPORT						
66/72	U	"Before 6/11/72"	6&8 170,289 302		1	C6TZ 8A281-A
72	U	"From 6/11/72"	6&8 170,200 302		1	D3BZ 8A281-A
72	U	"From 6/11/72"	8 302		1	D3BZ 8A281-B
8286 HOSE - RADIATOR - Refer to Group 8260						
8287 CLAMP - HOSE						
65/	A,B,F,L,P,S,X	4, 6&8	All	Range 1/4" to 5/8" -worm type	AR	C9AZ 8287-A (YF-231)
65/	A,B,F,L,P,S,U,X	4, 6&8	All	Universal type-adjustable range 5/8" to 1 1/4"-worm type	AR	B7A 8287-A (YF-229)
65/	A,B,F,L,P,S,U,X	4, 6&8	All	Universal type-adjustable range 13/16" to 1 3/4"-worm type	AR	B7AZ 8287-C (YF-232)
65/	A,B,F,L,P,S,U,X	4, 6&8	All	Universal type-adjustable range 1 1/2" to 2 1/2"-worm type	AR	B7A 8287-B (YF-230)
65/70	A,B,F,S,X	6&8	All	Universal type-adjustable range 1 1/2" to 2 3/4"-slot type -r/b C9AZ 8287-B	AR	★ 8A 8287
65/	A,B,F,P,S,X	6&8	All	Universal type-adjustable range 2 1/2" to 4"-worm type	AR	B7AZ 8287-D (YF-233)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8287 CLAMP - HOSE - continued						
65/	A,B,F,L,P,S,U	6&8	All	Range 2 1/16" to 3"	AR	C9AZ 8287-B (YF-234)
68/	All	6&8	All	Adjustable-9/16"-1 1/16"	1	★CC1CZ 8287-AUP
68/	All	6&8	All	Adjustable-13/16"-1 1/2"	1	★CC1CZ 8287-BUP
68/	All	6&8	All	Adjustable-1 1/16-2"	1	★CC1CZ 8287-CUP
68/	All	6&8	All	Adjustable-1 9/16"-2 1/2	1	★CC1CZ 8287-DUP
65/69	A, S	6&8	All	Screw(radiator hose clamps)- No.10-32x 1 5/8	1	27185-S2(UU177A)
65/69	A, S	6&8	All	Nut-No. 10-32	1	34079-S7(M163)
8303 BRACE - RADIATOR GRILLE OUTER SUPPORT EXTENSION						
69	B-Talladega	8	All	16 5/8" long	2	C9OZ 8303-A
8310-1 DEFLECTOR ASSY. - RADIATOR AIR SIDE						
- A -						
65/67	A	6&8	24Q,289	R. H. -includes (8348) seal	1	C5AZ 8310-A
		6&8	24Q,289	L. H. -includes (8B018) seal	1	C5AZ 8311-A
68	A	6&8	24Q,302	R. H. -includes (8348) seal	1	C8AZ 8310-A
	A	6&8	24Q,302	L. H. -includes (8348) seal	1	C8AZ 8311-A
69	A-Std. cooling	6	240	R. H.	1	C9AZ 8311-A
				L. H.	1	C9AZ 8310-A
	A-w/o A/C	8	302	R.H.	1	C9AZ 8311-A
				L. H.	1	C9AZ 8310-A
	A-w/A/C	8	302	R.H.	1	C9AZ 8311-A
				L. H.	1	C9AZ 8310-C
	A-Std. cooling	8	39Q,429	R. H.	1	C9AZ 8311-A
				L. H.	1	C9AZ 8310-A
70	A(54C, 57F, 63C, 65A, 71A, E, 76)	8	302,351	R. H.	1	D0AZ 8310-A
				L. H.	1	D0AZ 8311-A
	A(54A, B, E, 57B, 62B, E, 65C, 71B, C, D, H, J)	6	240	R.H.	1	C9AZ 8310-A
	A(54A, B, E, 57B, 62, 65C, 71B, C, D, H, J)-w/o A/C	8	302		1	
				L. H.	1	C9AZ 8311-A
	A(54A, B, E, 57B, 62, 65C, 71B, C, D, H, J)-w/A/C	8	302	R.H.	1	C9AZ 8311-A
				L. H.	1	C9AZ 8310-C
	A(54A, B, E, 57B, 62B, E, 65C, 71B, C, D, H, J)-w/o A/C	8	351	R.H.	1	C9AZ 8310-A
				L. H.	1	C9AZ 8311-A
71	A	6&8	240,302, 351	R.H.	1	D1AZ 8310-A
				L. H.	1	D1AZ 8311-A
72	A	6	240	R.H.	1	D1AZ 8310-A
				L. H.	1	D1AZ 8311-A
- F -						
67	F	6&8	20Q,289, 302,390		2	C7ZZ 8310-A
68	F	6&8	20Q,302		2	
	F-Std. cooling	8	289		2	
69/70	F	6&8	20Q,25Q, 302,351	L. H.	1	C9ZZ 8310-A
- S -						
65	S	8	390	R. H.	1	★ C4SZ 8310-A
				L. H.	1	★ C4SZ 8311-A
66	S-except A/C "Before 12/1/65"	8	39Q,428	R. H. -From 12/1/65 see C6SZ 10A682-A	1	★ C4SZ 8310-A
				L. H.	1	★ C4SZ 8311-A
	S-with A/C "Before 12/1/65"	8	39Q,428	R. H.-From 12/1/65 see C6SZ 10A682-B	1	★ C6SZ 8310-A
				L. H.	1	★ C6SZ 8311-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8310-1 DEFLECTOR ASSY. - RADIATOR AIR SIDE - continued						
- U -						
66/72	U	"Before 6/11/72"	6 170	R. H.	1	C6TZ 8310-A
				L. H.-r/b D3BZ 8311-A	1	★C6TZ 8311-A
72	U	"From 6/11/72"	6 170,200	R.H.	1	C6TZ 8310-A
				L.H.	1	D3BZ 8311-A
66/	U		8 289,302	R.H.	1	C6TZ 8310-B
				L. H.	1	C6TZ 8311-B
65/71	A		6&8 289,352	Screw(deflector to radiator support)-1/4" -	2	371492-S2
			390	20 x 3/4"		(BB569)
65/71	A		6&8 289,352	Nut retainer (deflector to rad. suppt.)-1/4"-20	2	354394-S2(MM187)
			390			
8A310-1 CLIP - RADIATOR GRILLE MOULDING						
68	F(GT350/500)		8 All	To attach 8A316	4	S8MS 8A310-A
				To attach 8A318	3	
				To attach 8A319	3	
				To attach 8A320	8	
68	F(GT350/500)		8 All	To attach 8A316	2	★S8MS 8A311-A
				To attach 8A318	3	Not replaced
				To attach 8A319	3	
8316 LETTER - RADIATOR GRILLE						
67/	U-Sports package		6&8 All	"F" - wide grooves-w/plastic cover	1	C7TZ 8316-A
				"O"	1	C7TZ 8318-A
				"R"	1	C7TZ 8320-A
				"D"	1	C7TZ 8322-A
8A316 MOULDING - RADIATOR GRILLE LOWER OPENING						
68	F(GT350/500)		8 All		1	S8MS 8A316-A
				Clip-Refer to Group 8A310-1		
8A317-20 MOULDING - RADIATOR GRILLE UPPER OPENING						
68	F(GT350/500)		8 All	Center cap-not replaced	1	★S8MS 8A317-A
				Upper-R. H.	1	S8MS 8A318-A
				Upper-L. H.	1	S8MS 8A319-A
				Lower	1	S8MS 8A320-A
				Clip-Refer to Group 8A310-1		
8318-22 LETTER - RADIATOR GRILLE - Refer to Group 8316						
8B321 SUPPORT - RADIATOR GRILLE LOWER - For support brackets - Refer to Group 17792-3						
68	F(GT350/500)		8 All		1	S8MS 8B321-A
8B322-3 BRACKET - HEADLAMP MOUNTING - Also refer to Groups 13099 thru 13101						
67	F(GT350/500)		8 All	Outboard-R. H. -not replaced	1	★S7MS 8B323-B
				Inboard-R. H. -not replaced	1	★ S7MS 8B323-A
				Outboard-L. H.	1	S7MS 8B322-B
68	F(GT350/500)		8 All	Inner-R. H.	1	S8MS 8B322-B
				Inner-L. H.	1	S8MS 8B322-A
8324 REINFORCEMENT - RADIATOR AIR SIDE DEFLECTOR						
69/71	U		6&8 170,302	Not replaced-improvise	4	★C6TZ 8324-A
8B325 INSULATOR - RADIATOR GRILLE ORNAMENT						
66	B		6&8 All	Rubber-improvise		★
8326-7 DEFLECTOR - RADIATOR AIR UPPER						
69/70	A		6&8 All	Rubber	1	C9AZ 8326-A
71	A		8 351,390, 429		1	
65/67	A		6&8 240,289, 352,390, 427,428	Rubber-50" long	1	C5AZ 8327-B
72	B-w/A/C		8 351CJ	Plastic	1	D2OZ 8327-A
70/71	S		8 All		1	D0SZ 8326-A
72	S		8 All	Plastic	1	D2SZ 8326-A
71/	P-A/T		6 250		1	D1DZ 8326-A
71	P-w/A/C		8 302		1	
72	P-A/T		8 302		1	
72	S		8 All	Screw (attach 8326 to 16138)-1/4"-14 x 3/4"	4	55914-S2(U254F)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTOR CRAFT NO.	QTY.	PART NUMBER
8333 HOSE - RADIATOR BULK							
65/	Cut to required length			1 1/4" I.D. x 36" long	KS-8	AR	C9PZ 8333-D
65/	Cut to required length			1 1/2" I.D. x 36" long	KS-5	AR	C9PZ 8333-A
65/70	Cut to required length			1 3/4" I.D. x 36" long	KS-3	AR	51A 8333-B
65/	Cut to required length			1 3/4" I.D. x 36" long	KS-6	AR	C9PZ 8333-B
65/	Cut to required length			2" I.D. x 36" long	KS-7	AR	C9PZ 8333-C
8A340 COVER - RADIATOR GRILLE MOULDING JOINT - Also refer to Group 8221							
66	S	8	390,428	Upper		1	C6SZ 8A340-A
8348-9 SEAL - RADIATOR AIR DEFLECTOR							
65/66	A	6&8	240289	R.H.-240, R.H. & L.H.-289-improvise-included in C5AZ 8310-A		1 or 2	★C5AB 8348-A
65/66	A-with A/C (1966)	8	352,390, 428	R.H.-rubber-3" wide x 15 5/8" long-not repl.		1	★C6AZ 8349-A
				L. H. -not replaced		1	★C6AZ 8349-B
	A	8	352,390, 427, 428	Lower-rubber-1 5/8" wide x 12 1/2" long - not replaced		1	★C5AZ 8349-A
	A	8	352,390, 427, 428	Lower-rubber-2 1/4" wide x 29 3/4" long - not replaced		1	★C5AZ 8349-B
67	A-with A/C	6	240	R.H.-rubber-3" wide x 14 1/8" long -not repl.		1	★C7AZ 8349-B
				L. H. -not replaced		1	★C7AZ 8349-C
	A-with A/C	6	240	Lower-rubber-vertical-"L" shaped-26 3/8" long		1	C7AZ 8349-D
	A	6&8	240,289	R. H. -240, R. H. & L. H. -289-improvise-included in C5AZ 8310-A		1 or 2	★C5AB 8348-A
	A	8	390,427, 428	Upper-rear-rubber-24" long -not replaced		1	★C7AZ 8349-A
	A	8	390,427, 428	Lower-rubber-vertical-"L" shaped-26 3/8" long		1	C7AZ 8349-D
	A	8	390,427, 428	Lower-rubber-horizontal-2 1/4" wide x 29 3/4" long -not repl.		1	★C5AZ 8349-B
	A	8	390,427, 428	R. H. -rubber-3" wide x 14 1/8" long -not repl.		1	★C7AZ 8349-B
68				L. H. -not replaced		1	★C7AZ 8349-C
	A	6	240	Improvise-rubber-17 7/64" x 2 7/8" x 7/64" thick		1	★C8AB 8348-C
	A-with A/C	8	302	Improvise-rubber-17 7/64" x 2 7/8" x 7/64" thick		1	★C8AB 8348-B
	A	8	390,428	R. H. -16 11/16" long -not replaced		1	★C8AZ 8349-A
	A	8	390,427, 428	Lower-rubber-horizontal-2 1/4" wide x 29 3/4" long -not replaced		1	★C5AZ 8349-B
	A	8	390,427, 428	Upper-rear-rubber-24" long -not replaced		1	★C7AZ 8349-A
68	A	8	390,427, 428	R.H.-rubber-3" wide x 14 1/8" long		1	★C7AZ 8349-B
	A	8	428	L.H.-not replaced		1	★C7AZ 8349-C
68	A	8	390,427, 428	Lower-rubber-vertical-L shaped-26 3/8" long		1	C7AZ 8349-D
	A-(except 71)	8	427	R. H. -16 11/16" long -not replaced		1	★C8AZ 8349-A
69	A-with A/C	6&8	All	Lower		1	C9AZ 8349-A
70	A-with A/C	6&8	All	Lower		1	D0AZ 8349-A
70/	A	6&8	All	23 13/16" long (radiator support to radiator)		1	D00Z 8349-A
70/71	B	6&8	All			1	
71/	F	6&8	All	Use with 26" wide radiator		1	
71	A-with A/C	6&8	240,429			1	D0AZ 8349-A
65/66	S	8	390,428	Rubber-17" long - not replaced		2	★C4SZ 8349-A
67	S	8	390,428	Upper-rubber -on rad. support-not replaced		1	★C7SZ 8349-D
		8	390,428	Lower-rubber-horizontal-2 1/4" wide x 29 3/4" long -not replaced		1	★C5AZ 8349-B
	S	8	390,428	Lower-rubber-vertical-3 1/4" wide x 13 1/16" long-not replaced		1	★+C5MY 8349-A
67/69	S	8	390,428, 429	R. H. -inner-rubber-12 7/8" long-on (13A158)		1	C7SZ 8349-B
67/69	S	8	390,428, 429	L. H. -inner-rubber-12 7/8" long-on (13A158)		1	C7SZ 8349-C
68/69	S	8	429	Upper-rubber-20 1/2" long		1	C8SZ 8349-A
68/69	S	8	429	Lower-rubber-26 3/8" long		1	C7AZ 8349-D

+ Cut 1" off 3 1/4" dimension

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8348-9 SEAL - RADIATOR AIR DEFLECTOR - continued						
65/69	A, S	8	352,390, 427, 428, 429	Screw (8327 seal to suppt.)-No. 10-12 x 5/8" - replaces nylon drive pin	AR	42134-S8(U249)
	S-with A/C	8	390,429	(8B384 deflector to support)	5	
	S-with A/C	8	390,429	Clip-trim & moulding (8327 deflector to flange)	5	371141-S32 (GG121A)
70	A	8	All	Screw (seal to rad. support)-1/4" -14	4	55981-S2(U254E)
70	B	6&8	All	Clip (seal to rad.assy.)	6	371141-S32 (GG121A)
8390 BAR - RADIATOR GRILLE						
69	A(54C, 57F, 63C, 65A, 71A, 71E, 76B)	6&8	All	Outer-R.H. & L. H. -includes attaching parts	2	C9AZ 8390-A
65	F	6&8	All	Lower	1	C5ZZ 8390-F
	without fog lamps	6&8	All	Center - R. H.	1	C5ZZ 8390-B
	without fog lamps	6&8	All	Center - L. H.	1	C5ZZ 8390-C
	with fog lamps	6&8	All	Ctr. -R. H. -w/lamp cup-marked C5ZB 8418-B	1	C5ZZ 8390-D
	with fog lamps	6&8	All	Ctr. -L. H. -w/lamp cup-marked C5ZB 8B250-B	1	C5ZZ 8390-E
66	F	6&8	All	Lower	1	C5ZZ 8390-F
	with fog lamps	6&8	All	Center-R. H.	1	C6ZZ 8390-A
	with fog lamps	6&8	All	Center-L. H.	1	C6ZZ 8390-B
67	F	6&8	All	Center-R. H.	1	C7ZZ 8390-A
	without fog lamps	6&8	All	Center-L. H.	1	C7ZZ 8390-B
	with fog lamps	6&8	All	Center-R. H.	1	C7ZZ 8390-C
	with fog lamps	6&8	All	Center-L. H.	1	C7ZZ 8390-D
8B391 SEAL - GRILLE, FENDER and HEADLAMP						
69	A	6&8	All	48 13/64" long-cut to fit-used in grille opening	AR	C8LY 8B391-A
69/70	A	6&8	All	48 13/64" long-cut to fit-used in fender ext.	AR	
70/71	B	6&8	All	Cut to fit	AR	
69	B-Talladega	6&8	All	144" long-cut to fit -used in grille opening	AR	C9OZ 8B391-A
70	B	6&8	All		AR	
69	B-Talladega	8	All	144" long-cut to fit -used in headlamp door	AR	
8B404 GLASS - RADIATOR COOLANT LEVEL SIGHT						
65/	All	6&8	All	Used in coolant recovery kit	1	D0AZ 8B404-A
8418 MOULDING - RADIATOR GRILLE - Includes attaching parts						
- A -						
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	6&8	All	Center-bar-attach to grille	1	C9AZ 8418-A
70	A(54C, 57F, 63C, 65A, 71A, E, 76B)	6&8	All	Outer-R.H.	1	D0AZ 8418-C
				Outer-L.H.	1	D0AZ 8418-D
- B -						
66	B	6&8	All	Center-includes (8244) retainers	1	C6OZ 8418-A
67	B(63D, 76D)	8	All	Center	1	C7OZ 8418-B
	B(54, 62, 63B, C, 66, 71, 76B, C)	6&8	All	Center	1	C7OZ 8418-A
69	B(54C, 63D, F, 65C, D, F, 66C, D, 71E, 76D, F)	6&8	All	Center-aluminum	1	C9OZ 8418-A
70	B(54B, 65B, 66A, B, 71B)	6&8	All	Center-includes 8213	1	D0OZ 8418-A
	B(54A, 62, 63H, 65H, 71D)	6&8	All	Center	1	D0OZ 8418-B
71	B(54C, 57, 63C, F, 65C, E, 66B, C, E, 71C, E, 76)-w/o hidden head lamps	6&8	All	R.H.-upper	1	D1OZ 8418-A
				L.H.-upper	1	D1OZ 8418-B
	B(54A, 63H, 65A, 66A, 71D)	6&8	All		1	D1OZ 8418-C
- F -						
69/70	F(Shelby GT350/500)	8	All		1	C9ZZ 8418-A
- U -						
67/	U-with sport pkg.	6&8	170,289, 302	Upper & lower-includes (7) C7ZZ 63291B80-A retainers	2	C7TZ 8418-A

SECTION 80

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8419 MOULDING - RADIATOR GRILLE - Includes attaching parts						
- A -						
71	A(53,57H,K,65H,K,71H,76)	6&8	All	Serviced only in 8200	1	★ 8419
- B -						
69	B(54C,63D,F,65C,D,F,66C,D,71E,76D,F)	6&8	All	Upper-aluminum	1	C9OZ 8419-A
70	B(54C,57C,E,63C,F,65C,E,66C,E,71C,E,76F)	6&8	All	Center-upper-also serviced in 13099 assy.	1	D0OZ 8419-A
				Center-lower-also serviced in 13099 assy.	1	D0OZ 8419-B
71	B(54C,57,63C,F,65C,E,66B,C,E,71C,E,76)-w/o hidden head lamps	6&8	All	R.H.-lower	1	D1OZ 8419-A
				L.H.-lower	1	D1OZ 8419-B
	B(54C,57,63C,F,65C,E,71C,E,76)-w/ hidden head lamps	6&8	All	Center-upper	1	D0OZ 8419-A
				Center-lower	1	D0OZ 8419-B
- F -						
68	F	6&8	All		1	C8ZZ 8419-A
69	F	6&8	All	Center	1	C9ZZ 8419-A
71/	F	6&8	All	Upper-also supplied in 8200	1	D1ZZ 8419-B
				Lower-also supplied in 8200	1	D1ZZ 8419-D
				R.H. -also supplied in 8200	1	D1ZZ 8419-C
				L.H. -also supplied in 8200	1	D1ZZ 8419-E
71/	F(63D,65,76)	6&8	All	Center-also supplied in 8200	1	D1ZZ 8419-A
- S -						
66	S	8	390,428	R.H. & L.H.-upper	2	C6SZ 8419-A
				R.H. & L.H.-side-refer to Group 8242-3		
8B423-4 PANEL - RADIATOR GRILLE BACKING						
69	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	R.H.-outer	1	C9AZ 8B423-B
				L. H. -outer	1	C9AZ 8B424-B
8B428 RETAINER - RADIATOR GRILLE BAR						
69	A(54C,57F,63C,54A,71A,E,76B)	6&8	All	Attaches bar to grille	AR	C9AZ 8B428-A
8A440 SHIM - RADIATOR BOTTOM SUPPORT - Also refer to Group 8126						
69	A(76)	6&8	All	Improvise-2" x 2" x .45" thick-steel with .53" hole in center		★
8B455 BRACKET - RADIATOR GRILLE OPENING PANEL						
70	S "Before 2/2/70"	8	All	Center	1	D0SZ 8B455-A
70	S "From 2/2/70"	8	All	Center	1	D0SZ 8B455-B
71	S	8	All	Center	1	D1SZ 8B455-A
8B466-7 EXTENSION ASSY. - RADIATOR SIDE SUPPORT						
70/71	B	6&8	All	R. H.	1	D0OZ 8B466-A
	B	6&8	All	L. H.	1	D0OZ 8B467-A
8B469 FILLER ASSY. - RADIATOR GRILLE TO BUMPER - Includes Attaching Parts						
70/71	S "From 7/21/69"	8	All	R. H. -Black-not used before 7/21/69	1	D0SZ 8B469-A
		8	All	L. H. -Black-not used before 7/21/69	1	D0SZ 8B469-F
70/71	S	8	All	R. H. -Gray	1	D0SZ 8B469-C
		8	All	L. H. -Gray	1	D0SZ 8B469-D
8B477-8 PANEL ASSY. - RADIATOR GRILLE OPENING SIDE						
70/71	S "From 7/21/69"	8	All	R. H.	1	D0SZ 8B477-A
		8	All	L. H.	1	D0SZ 8B478-A
8A483 SUPPORT - RADIATOR HOSE						
69	A-w/A/C	8	302	Supports upper hose - not replaced	1	★C9AZ 8A483-B
69	A	8	351	Supports upper hose	1	

FORD CAR PARTS

SECTION 85

1

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8A500 CAP - WATER OUTLET						
65/66	A	8	427	Neoprene-to cap return nipple on water pump	1	C4TZ 8A500-A
66/67	A	6	240	Used to cap nipple on (8592) connection	1	
66/68	A, B, F, X	8	289	Used to cap water pump tube (8555)	1	
67/70	A, X	8	289,302	Used to cap B7A 18599-B elbow	1	
68	A, B	8	390,428	Used to cap intake manifold fitting (9A455)	1	
66/70	U	6	170	Used to cap intake manifold	1	
70	P	6	170,200		1	
71	L	4	98	Used w/o heater	2	
65	A	8	352,390	To cap return nipple on water pump-improvise	1	★C5ME 8A500-A
65/66	A	6&8	All	Clamp (cap to heater connection)	1	97333-S35(E8)
65/70	S	8	All		1	
67/68	A, B, F, X	8	289	Clamp (heater outlet cap)	1	B7A 8287-A
8501 PUMP ASSY. - WATER - Less Pullev - includes (8507) gasket						
- A -						
65	A	6	240		1	D2AZ 8501-A
	A	8	289	Aluminum-does not use (8508) cover	1	C5AZ 8501-K
	A	8	289		1	D3UZ 8501-A
	A (except P/C-390)	8	352,390		1	D0AZ 8501-D
	A(P/C-390) & Special (427)	8	390,427		1	C5AZ 8501-S
66	A	6	240		1	D2AZ 8501-A
	A	8	289		1	D3UZ 8501-A
	A	8	352,390		1	D0AZ 8501-D
	A	8	427,428		1	C5AZ 8501-S
	A	8	428	P/I	1	D0AZ 8501-D
	A	8	exc.P/I		1	
67	A	6	240		1	D2AZ 8501-A
	A	8	289		1	D3UZ 8501-A
	A	8	390,427, 428		1	D0AZ 8501-D
	A	8	exc.P/C		1	
	A-with or w/o T/E	8	427,428		1	C5AZ 8501-S
68	A	6	240		1	D2AZ 8501-A
	A	8	302	Note 1	1	D3UZ 8501-A
	A	8	390		1	D0AZ 8501-D
	A	8	427,428		1	D0AZ 8501-D
	A	8	P/C		1	
69	A	6	240		1	D2AZ 8501-A
	A	8	302,351	Note 1	1	D3UZ 8501-A
	A	8	390		1	D0AZ 8501-D
	A	8	428 P/C		1	D0AZ 8501-D
	A	8	429	Note 2	1	C9VZ 8501-A
70	A	6	240		1	D2AZ 8501-A
	A	8	302,351		1	D0AZ 8501-F
	A	8	390		1	D0AZ 8501-D
	A	8	428 P/C		1	D0AZ 8501-D
	A	8	429	Note 3	1	D1VY 8501-B
71	A	6	240		1	D2AZ 8501-A
	A	8	302, 351W	Replaced by D00Z 8501-C (12-74)	1	★D0AZ 8501-F
	A	8	351C, 400	Includes (1) D0AZ 8513-A gasket	1	D2SZ 8501-A
	A	8	390		1	D0AZ 8501-D
	A	8	429	Note 3	1	D1VY 8501-B

1 Used without heater

NOTE 1 - Change water by-pass tube for 289,302 engines when necessary

NOTE 2 - Pump includes (1) each C8VZ 8507-A & C8SZ 8513-A

NOTE 3 - Pump includes (1) each C8VZ 8507-A, C8SZ 8508-A & C8SZ 8513-A

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR COMPANY - DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 85

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8501 PUMP ASSY. - WATER - continued - Less Pulley - Includes (8507) gasket						
- A -						
72	A	6	240		1	D2AZ 8501-A
	A	8	302, 351W	R/b D0OZ 8501-C (12-74)	1	★D0AZ 8501-F
	A	8	351C, 400		1	D2SZ 8501-A
	A	"Before 10/4/71"	8 429	R/b D4VY 8501-A (12-74)	1	★D2VY 8501-A
	A	"From 10/4/71"	8 429	Note 3 - r/b D4VY 8501-A (9-74)	1	★D2VY 8501-C
	All off highway vehicles	8	351C, 400	Aluminum -not replaced	1	★D0ZX 8505-A
- B -						
65	B	6	200		1	D4DZ 8501-A
	B(except Special)-"Before Chg/L#8"	8	289	Aluminum-does not use (8508) cover	1	C5AZ 8501-K
	B-Special "Before Chg/L#8"	8	289		1	C5OZ 8501-A
66	B	"CHG/L#8"	8 289		1	D3UZ 8501-A
	B	6	200		1	D4DZ 8501-A
	B	8	289		1	D3UZ 8501-A
	B-without T/E	8	289	Aluminum-uses C4OZ 8530-C brg.-use with C4AZ 6019-B	1	C5AZ 8501-K
67	B	8	390		1	D0AZ 8501-D
	B	6	200		1	D4DZ 8501-A
	B	8	289		1	D3UZ 8501-A
68	B	8	390,427		1	D0AZ 8501-D
	B	6	200		1	D4DZ 8501-A
	B(except High Performance)	8	289,302	Note 1	1	D3UZ 8501-A
	B	8	390,427, 428		1	D0AZ 8501-D
69	B	6	250		1	D0DZ 8501-A
	B	8	302,351	Note 1	1	D3UZ 8501-A
	B	8	390, 428 CJ		1	D0AZ 8501-D
70	B	6	250		1	D0DZ 8501-A
	B	8	302		1	D0OZ 8501-C
	B	8	351	Includes (1) D0AZ 8513-A gasket-r/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	B	8	429	Note 3	1	D1VY 8501-B
71	B	6	250	R/b D5DZ 8501-A	1	★D2DZ 8501-A
	B	8	302		1	D0OZ 8501-C
	B	8	351	Includes (1) D0AZ 8513-A gasket - r/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	B	8	429	Note 3	1	D1VY 8501-B
72	B	6	250	R/b D5DZ 8501-A	1	★D2DZ 8501-A
	B	8	302, 351W		1	D0OZ 8501-C
	B	8	351C, 400	Includes (1) D0AZ 8513-A gasket-r/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	B	8	429	R/b D4VY 8501-A (12-74)	1	★D2VY 8501-A
	B	"Before 10/4/71"	8 429		1	★D2VY 8501-C
	B	"From 10/4/71"	8 429	Note 3 - r/b D4VY 8501-A (9-74)	1	★D2VY 8501-C
	All off highway vehicles	8	351C, 400	Aluminum - not replaced	1	★D0ZX 8505-A
- F -						
65	F	6	170,200		1	D4DZ 8501-A
	F(except Special)-with generator or alternator "Before Chg/L#8"	8	260,289 R. F.	Aluminum-uses C4OZ 8512-B & C4OZ 8530-C	1	C5AZ 8501-K
	F(except Special)-with alternators (with A/C)- "Chg/L#8"	8	289		1	D3UZ 8501-A
	F-Special "Before Chg/L#8"	8	289		1	C5OZ 8501-A
	F-Special-with alternators- "Chg/L#8"	8	289		1	D3UZ 8501-A

NOTE 1 - Change water by-pass tube for 289, 302 engines when necessary

NOTE 3 - Pump includes (1) each C8VZ 8507-A, C8SZ 8508-A & C8SZ 8513-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8501 PUMP ASSY. - WATER - continued - Less Pulley - Includes (8507) Gasket						
- F -						
66	F	6	200		1	D4DZ 8501-A
	F-except Special-without T/E	8	289		1	D3UZ 8501-A
	F-except Special-without T/E	8	289	Aluminum-uses C4OZ 8530-C bearing-use with C4AZ 6019-B	1	C5AZ 8501-K
	F-except Special-with T/E	8	289		1	D3UZ 8501-A
	F-Special	8	289		1	C5OZ 8501-A
67	F	6	200		1	D4DZ 8501-A
	F-except Special	8	289		1	D3UZ 8501-A
	F-Special	8	289		1	C5OZ 8501-A
	F	8	390		1	D0AZ 8501-D
68	F	6	200		1	D4DZ 8501-A
	F-Special	8	289		1	C5OZ 8501-A
	F-(except Special)	8	289,302	Note 1	1	D3UZ 8501-A
	F	8	390,427		1	D0AZ 8501-D
69	F	6	200		1	D4DZ 8501-A
	F	6	250		1	D0DZ 8501-A
	F(exc. Boss)	8	302-2V, 351	Note 1	1	D3UZ 8501-A
	F-Boss	8	302-4V		1	C9ZZ 8501-A
	F	8	390, 428 CJ		1	D0AZ 8501-D
	F-Boss	8	429	Note 2	1	C9VZ 8501-A
	F	6	200		1	D4DZ 8501-A
70	F	6	250		1	D0DZ 8501-A
	F-Boss	8	302 spec.		1	D0ZZ 8501-B
	F	8	351C	Includes (1) D0AZ 8513-A gasket - r/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	F	8	428CJ		1	D0AZ 8501-D
	F(exc. Boss)	8	302, 351W		1	D0OZ 8501-C
	F	6	250	R/b D5DZ 8501-A	1	★D2DZ 8501-A
	F	8	302-2V		1	D0OZ 8501-C
71	F	8	302-4V		1	D0ZZ 8501-B
	F	8	351	Includes (1) D0AZ 8513-A gasket - r/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	F	8	429	Note 3	1	D1VY 8501-B
	F	6	250	R/b D5DZ 8501-A	1	★D2DZ 8501-A
	F	8	302		1	D0OZ 8501-C
72	F	8	351	R/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	All off highway vehicles	8	351C	Aluminum- not replaced	1	★D0ZX 8505-A
- L -						
71/	L	4	122		1	D3RY 8501-A
	L	4	98		1	D1FZ 8501-B
- P -						
70	P	6	170,200		1	D4DZ 8501-A
	P	6	250		1	D0DZ 8501-A
71/	P	6	170,200		1	D4DZ 8501-A
	P	6	250		1	D2DZ 8501-A
	P	8	302		1	D0OZ 8501-C
- S -						
65/67	S	8	390,428		1	D0AZ 8501-D
68	S	8	429	Note 2	1	C9VZ 8501-A
69	S	8	429	Note 3	1	C9VZ 8501-B
70/71	S	8	429	Note 3	1	D1VY 8501-B
72	S	8	400	Includes (1) D0AZ 8513-A gasket	1	D2SZ 8501-A
	S	8	429	Note 3	1	D1VY 8501-B
	S	8	429, 460	Note 3 - r/b D4VY 8501-A (9-74)	1	★D2VY 8501-C

NOTE 1 - Change water by-pass tube for 289, 302 engines when necessary

NOTE 2 - Pump includes (1) each C8VZ 8507-A & C8SZ 8513-A

NOTE 3 - Pump includes (1) each C8VZ 8507-A, C8SZ 8508-A & C8SZ 8513-A

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 85

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8501 PUMP ASSY. WATER - continued -Includes (8507) Gasket						
- U -						
66/	U	6	170		1	D4DZ 8501-A
	U	8	289,302	Note 1	1	D3UZ 8501-A
- X -						
65/70	X	6	170,200		1	D4DZ 8501-A
65	X	8	289	Aluminum-does not use (8508) cover	1	C5AZ 8501-K
	X-	8	289		1	D3UZ 8501-A
66/67	X-without T/E	8	289		1	D3UZ 8501-A
	X-without T/E	8	289	Aluminum	1	D3UZ 8501-A
	X-with T/E	8	289		1	C5AZ 8501-K
68	X-High Performance	8	289		1	D3UZ 8501-A
	X(except High Performance)	8	289,302	Note 1	1	C5OZ 8501-A
69/70	X	8	302	Note 1	1	D3UZ 8501-A
65/	B, F, P, U, X	6	170,200	Bolt (pump to block)-5/16"-18 x 3/4"	1	370790-S(BB428)
65/	B, F, P, U, X	6	170,200	Bolt (pump to block)-5/16"-18 x 2"	2	379862-S7-8
69/	B, F, P	6	250		4	(BB429H)
65/	A	6	240	Bolt (pump to block)-5/16"-18 x 7/8"	4	357235-S(BB136)
65/	A	6	240	Plug (accessories hole in pump)-3/8"	1	87710-S(P-16)
65	A, B, F, X	8	260,289	Bolt (pump to frt. cover)-5/16"-18 x 1 1/2"	3	45970-S(B227D)
65	A, B, F, X	8	260,289	Bolt (pump to frt. cover)-5/16"-18 x 2 5/8"	1	45979-S(B227G)
65	A, B, F, X	8	260,289	Bolt (pump to frt. cover)-5/16"-18 x 1 3/8"	1	359162-S(BB286)
66/69	A, B, F, X, U	8	289,302	Bolt (pump to frt. cover)-5/16"-18 x 1 7/8"	1	373564-S(BB562D)
			351W			
66/69	A, B, F, X, U	8	289,302	Bolt (pump to frt. cover)-5/16"-18 x 1 1/2"	3	378335-S7-8
			351W			(BB562A)
66/69	A, B, F, X, U	8	289,302	Bolt (pump to frt. cover)-5/16"-18 x 2 5/8"	1	378365-S7-8
			351W			(BB562G)
65/	A, B, F, P, U, X	8	260,289	Bolt (pump to cover to block)-5/16"-24 x 5"	1or2	300958-S(B73B)
			302,351W			
65/69	A, B, F, X, U	8	260,289	Bolt (pump to cover to block)-5/16"-18 x 3 7/16"	2	376258-S(BB545C)
			302,351W			
65/69	A, B, F, X, U	8	260,289	Bolt (pump to cover to block)-5/16"-18 x 3 11/16"	1	*379861-S
			302,351W			
70	A, B, F, X, U	8	302	Bolt (pump to frt. cover)-5/16"-18 x 2"	2	56126-S(B319M)
70	A, B, F, X, U	8	302,351W	Bolt (pump to frt. cover)-5/16"-18 x 1 7/8"	3	373564-S(BB562D)
70/	A, B, F, P, U, X	8	302,351W	Bolt (pump to cover to block)-5/16"-18 x 2 7/8"	1	383963-S
						(BB545BE)
70/	A, B, F, P, U, X	8	302,351W	Bolt (pump to frt. cover)-5/16"-18 x 3 5/8"	1or2	*383765-S
71/	A, B, F, P, U	8	302	Bolt (pump to block)-5/16"-18 x 1"	2	376256-S(BB545A)
65/	A, B, F, P, U, X	8	260,289	Washer (pump to frt. cover)-11/32"-flat	AR	*354033-S
			302,351W			
69/70	A, B, F, X, U	8	302,351W	Washer (pump to frt. cover)-5/16"-flat	AR	351415-S(XX128)
70	A, B, F, X, U	8	302,351W	Washer (pump to cover to block)-5/16"-flat	1	373513-S7-8
						(XX119M)
71/	A, B	8	351W	Bolt (pump to cover to block)-5/16"-18 x 1 1/2"	3	378335-S7-8
						(BB562A)
70/	A, B, F, S	8	351C,400	Bolt(pump to block)-5/16"-18 x 1 7/8"	5	373564-S(BB562D)
70/	A, B, F, S	8	351C,400	Bolt (pump to cover to block)-5/16"-18 x 2 7/8"	3	383963-S
						(BB545BE)
70/	A, B, F, S	8	351C,400	Bolt (pump to frt. cover)-5/16"-18 x 2 7/8"	1	383965-S2
						(UU52JE)
70/	A, B, F, S	8	351C,400	Bolt (pump to frt. cover)-5/16"-18 x 1 1/4"	2	382127-S2
						(UU52AE)
70/	A, B, F, S	8	351C,400	Washer (pump to cover to block)-5/16"-flat	3	373513-S7-8
						(XX119M)
65/71	A, B, F, S	8	352,390	Bolt (pump to block)-3/8"-16 x 1 3/8"	3	20448-S2(B83)
			427,428			
65/68	A, B, F, S	8	390,427	Bolt (pump to block)-3/8"-16 x 1 1/8"	1	42999-S(B253)
			428			

NOTE 1 - Change water by-pass tube for 289, 302 engines when necessary

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8501 PUMP ASSY. WATER - continued - Includes (8507) Gasket						
69/71	A, B, F	8	390,427, 428	Bolt (pump to block)-3/8"-16 x 1 1/4"	1	372304-S (BB-428-Z)
65/71	A, B, F, S	8	352,390, 427,428	Washer (pump to block)-3/8"-lock	3	34807-S8(X66)
65/71	A, B, F, S	8	352,390, 427,428	Plug (hole in pump)-3/8"	1	87710-S(P16)
68/	A, B, F, S	8	429,460	Bolt (pump to frt. cover)-5/16"-18 x 1 11/16"	5	382133-S2 (BB429J)
68/	A, B, F, S	8	429,460	Bolt (pump to cover to block)-5/16"-18 x 4"	6	382134-S2 (BB429M)
68/69	A, F, S	8	429	Washer (pump to frt. cover)-5/16"-lock	6	34806-S7(X64)
71/	L	4	98	Bolt (pump to block)-1/4"-20 x 1 1/4"	1	20424-S7-8(B43E)
71/	L	4	98	Bolt (pump to block)-1/4"-20 x 1 5/8"	1	357913-S(BB127)
71/	L	4	122	Bolt (pump to block)-M10 x 35-hex. head-metric coarse	1	E600312-S82 (AB33)
71/	L	4	122	Bolt (pump to block)-M8 x 20-hex. head-metric coarse	4	E602187-S82 (AB17)
8505 HOUSING - WATER PUMP - Refer to Group 8501						
8507 GASKET - WATER PUMP HOUSING - Also refer to group 8513						
65/70	B, F, U, X	6	170,200	4 holes	1	CODE 8507-A
70/	P		170,200		1	
71/	U	6	170		1	
65/	A	6	240	5 holes	1	C5AZ 8507-A
65/71	A, B, F, S	8	352,390, 428	2 holes	2	B8A 8507-A
65/68	A, B (Special)	8	406,427		2	
65	A, B, F, X	8	260,289	9 holes-2 cutouts	1	C2OZ 8507-B
66	B, F, X-w/o T/E	8	289	Used with C5AZ 8501-B, K (aluminum)	1	
65	A, B, F, X	8	289	9 holes-4 cutouts	1	C5AZ 8507-B
66	A, B, F, U, X with T/E	8	289		1	
66	A, B, F, U, X without T/E	8	289	Used with D3UZ 8501-A (cast iron)	1	
67/	A, B, F, P, U, X	8	289,302, 302 Spec.		1	
69/	A, B, F	8	351W		1	
70	B, F	8	351C	Not used-use 8513 gasket		★8507
68/	A, B, F, S	8	429,460		1	C8VZ 8507-A
72	S	8	400		1	D2SZ 8507-A
69/	B, F, P	6	250		1	C9DZ 8507-A
71/	L	4	98		1	D0RY 8507-A
71/	L	4	122		1	D1FZ 8507-A
8508 COVER - WATER PUMP						
65/69	A, B, F, U, X	8	289,302	Oblong	1	C5AZ 8508-A
69	B, F	8	351		1	
70	F-Boss	8	302 Spec.		1	
70/	U	8	302		1	
65/71	A, B, F, S	8	352,390, 428	Round-w/6 tabs-includes (1) C2AZ 8513-A gskt.	1	C2AZ 8508-A
65/68	A, B (Special)	8	427		1	
69	B, F	8	427		1	

Identification marking

FORD CAR PARTS

SECTION 85

7

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- A -								
66	A-53,55,60 alt. w/o T/E	8	352,390, 428 exc.P/I	#C6AE 8509-E -r/b C8AZ 8509-B (8-74)	2	6.83	1	★C6AZ 8509-B
	A-Std., P/S, X/C, 53, 55, 60 alt. - w/T/E	8	352,390, 428 exc.P/I	#C6TE 8509-A	3	5.62 6.82	1	C6TZ 8509-A
	A	8	427	#ECG 8509-H	1	7.32	1	B7A 8509-B
	A- Integral A/C w/or w/o T/E- "From 2/14/66"	8	428P/I	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	A-Std. (except A/C)-w/o T/E- "From 2/14/66"	8	428 P/I				1	
	A-Hang-on-A/C w/o T/E	8	428 P/I	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	A- Integral A/C-w/or w/o T/E- "Before 2/14/66"	8	428 P/I				1	
	A-Std. (except A/C) w/o T/E "Before 2/14/66"	8	428 P/I	#C6AE 8509-E -r/b C8AZ 8509-B (8-74)	2	6.83	1	★C6AZ 8509-B
	A-Std. (except A/C) w/T/E	8	428 P/I	#C6AE 8509-J	3	5.68, 6.10	1	C6AZ 8509-D
67	A-Std. (except A/C or Super X/C)- w/o T/E	6	240		1	6.98	1	C5AZ 8509-A
	A - Integral A/C- with or w/o T/E	6	240	#C6AE 8509-D or G	2	5.84	1	C6AZ 8509-G
	A-(42, 53, 55 amp. alt. w/Super X/C), or Hang-on A/C w/o T/E	6	240				1	
	A-53, 55 amp. alternator (std. cooling & X/C) w/o T/E	6	240	#C6AE 8509-C - r/b C8TZ 8509-A	2	7.10	1	★C6AZ 8509-K
	A-Std. (exc.A/C)-w/T/E	6	240	#C6TE 8509-B	3	5.35, 7.00	1	C6TZ 8509-B
	A-Std. or P/S (exc. 53, 55, 60 alts. or A/C) w/o T/E	8	289	#C5OE 8509-A -r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	A-A/C w/T/E	8	289	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	A-53, 55, 60 alts., Super X/C or A/C w/o T/E	8	289				1	
	A-Std., P/S, X/C, 55 alt. (ex. w/T/E) (except A/C) "Before 11/14/66"	8	289	#C7OE 8509-A	3	4.36, 6.00	1	C7AZ 8509-B
	A-S/T(exc. A/C)-w/T/E- "From 11/14/66"	8	289	#C7OE 8509-A	3	4.36, 6.00	1	C7AZ 8509-B
	A-auto trans. -(exc. A/C)-w/T/E- "From 11/14/66"	8	289	#C7OE 8509-B	3	6.45	1	C7AZ 8509-E
	A-Std., X/C, with A/T & Imco	8	390,428	#ECG 8509-F	1	6.80	1	B7A 8509-C
	A-Std. & X/C w/o T/E w/Std. Ford alt.	8	390,428	#C6OE 8509-C	1	6.3/16	1	C6OZ 8509-A
	A-w/P/S w/o A/C	8	390,428	#ECG 8509-H	1	7.5/16	1	B7A 8509-B
	A-P/S (dlr. installed) w/o T/E	8	390,428 exc.P/I	Part of C7AZ 3A635-B	1	7.03	1	C5AZ 8509-G
	A-Std. (exc. A/C, 53, 55, 60 alts., or dlr. installed P/S) w/o T/E	8	390,428 exc.P/I		1	7.32	1	B7A 8509-B
	A - Integral A/C-with or w/o T/E	8	390,428 exc.P/I	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	A-Std. & X/C	8	390,428	#C6AE 8509-F	2	6 1/4	1	C6AZ 8509-C
	A-w/53, 55, 60, 65 amp. alt.	8	390,428				1	
	A-Hang-on A/C-dealer w/o T/E	8	390,428 exc.P/I				1	
	A-53, 55, 60 alternators w/o T/E	8	390,428 exc.P/I	#C6AE 8609-E-r/b C8AZ 8509-B (8-74)	2	6.83	1	★C6AZ 8509-B

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 85

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- A -								
67	A-Std., X/C A-w/T/E w/55, 65 GPD or 53, 60 amp. L/N alt.	8	39Q428	#C6AE 8509-J	3	5 11/16 6 1/8	1	C6AZ 8509-D
	A-Std., P/S, X/C, 53, 55, 60 alts. - (exc. A/C or Super X/C) w/T/E	8	39Q428 exc.P/I	#C6TE 8509-A	3	5.62 6.82	1	C6TZ 8509-A
	A-Super X/C w/T/E	8	39Q428 exc.P/I	#C6ME 8509-A	3	5.69 5.87	1	C7MY 8509-A
	A	8	427	#ECG 8509-H	1	7.32	1	B7A 8509-B
	A-Std. (except A/C) w/o T/E	8	428P/I	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	A-Integral A/C - with or w/o T/E	8	428 P/I				1	
	A-Std., P/S, 53, 55, 60 alts. exc. A/C w/T/E	8	428P/I	#C6AE 8509-J	3	5.68, 6.10	1	C6AZ 8509-D
68	A-w/Imco w/o 55 amp. Ford alt.	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-w/55 amp. alt. w/Imco	6	240	#C6AE 8509-C-r/b C8TZ 8509-A	2	7 1/8	1	★C6AZ 8509-K
	A-w/X/C & Std. alt. w/o P/S	6	240	#C8TE 8509-A	3	6 1/8 7	1	C8TZ 8509-A
	A-w/T/E, W/o A/C	6	240 exc.P/C				1	
	A-w/o A/C, w/Imco	8	302	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	A-w/A/C	8	302	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	A-w/55, 65 amp. Ford or 65 amp. L-N A/T w/P/S w/o A/C w/Imco	8	302	#C7OE 8509-D-r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	A-w/o A/C, w/T/E	8	302	#C7OE 8509-B	3	6 1/2	1	C7AZ 8509-E
	A-Std. & X/C w/o T/E w/53, 55, 60 amp. alt.	8	39Q428		2	6- 15/64	1	C6AZ 8509-C
	A-w/A/C	8	39Q428				1	
	A-Std., P/S, X/C	8	39Q428	#C8AE 8A528-B	1	7 1/4	1	C8AZ 8509-A
	A-Std. & X/C w/o T/E w/Std. Ford alt.	8	39Q428	#C6OE 8509-C	1	6 3/16	1	C6OZ 8509-A
	A-w/A/C	8	39Q428	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	A-Std. & X/C w/T/E w/55, 65 Ford or 53, 60 amp. L/N alt. (Police Units)	8	39Q428 exc.P/C		3	5 11/16 6 1/8	1	C6AZ 8509-D
	A-Std. & X/C w/42, 55, 65 amp. alt. w/T/E, w/o A/C (exc. Police Units)	8	39Q428 exc.P/C	#C8AE 8509-C-repl. pulley I.D. C8AE 8509-D	3	6 1/4 7 1/8	1	C8AZ 8509-D
	A-w/o A/C	8	428 P/C				1	
	A	8	427	#C8OE 8509-A	3	6	1	C8OZ 8509-C
69	A	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-w/55 amp. alt.	6	240	#C6AE 8509-C-r/b C8TZ 8509-A	2	7 1/8	1	★C6AZ 8509-K
	A-Std.	8	302,351	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	A-w/A/C	8	302	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	A-w/P/S or w/H.D. alt.-w/o A/C	8	302,351	#C7OE 8509-D-r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	A-w/P/S & A/C	8	351	#C6OE 8509-B	2	5 3/8	1	C6AZ 8509-F
	A-Std.	8	390 exc.P/C	#C8AE 8A528-B	1	7 1/4	1	C8AZ 8509-A
	A-w/A/C, Imco	8	390	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	A-w/o A/C	8	390 P/C	#C6TE 8509-C	2	6 1/8	1	C8TZ 8509-C
	A-w/55, 65 amp. alt.	8	390 exc.P/C	#C8AE 8509-A	2	7 1/4	1	C8AZ 8509-B
	A-Std.	8	428	#C8OE 8509-A	3	6	1	C8OZ 8509-C
	A-Std. cooling, Std. alt.	8	429		2	7 1/4	1	C9AZ 8509-B
	A-P/C-std., X/C	8	429	#C9SE 8509-A	2	6 5/16	1	C8VY 8509-B
	A-w/A/C	8	429	#C9AE 8509-E	3	6 3/4 5- 41/64	1	C9AZ 8509-C
	A-P/C-w/A/C	8	429	#C9AE 8509-G	3	6 1/4 6	1	C9AZ 8509-E

Identification marking

FORD CAR PARTS

SECTION 85

9

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- A -								
70	A	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-w/55 amp. alternator - "Before 12/1/69"	6	240	#C6AE 8509-C-not used "From 12/1/69"-r/b C8TZ 8509-A	2	7 1/8	1	★C6AZ 8509-K
	A Std. pulley	8	302,351	#C9OE -E	1	6- 61/64	1	C9OZ 8509-B
	A-w/P/S or 55 amp. alt.	8	302,351	#C9OE-G or D1AE-BA	1	6- 61/64	1	C9OZ 8509-D
	A-w/X/C or A/C	8	351	#C9OE-F or D1AE-AA -r/b	1	5- 15/16	1	★C9OZ 8509-C
	A-w/A/C	8	302	D2OZ 8509-A (12-74)	2	7 1/4	1	C8AZ 8509-B
	A(exc. P/C)-w/55 or 65 amp. alt. w/o A/C	8	390		2	6- 15/64	1	C6AZ 8509-C
	A(exc. P/C)-w/A/C	8	390		2	6 1/8	1	C6TZ 8509-C
	A(P/C)-w/o A/C	8	390		2	6 5/8	1	C8AZ 8509-C
	A(P/C)-w/A/C	8	390		3	6	1	C8OZ 8509-C
	A-Std.	8	428	#C8OE 8509-A	1	7	1	D0OZ 8509-A
	A-w/o A/C	8	429		1	6 1/8	1	D0OZ 8509-H
	A-w/o A/C	8	429 P/C		2	6 1/8	1	D0SZ 8509-B
	A-w/A/C	8	429 P/C		1	7	1	C5AZ 8509-A
	A-w/o A/C	8	429 P/C		1	6- 61/64	1	C9OZ 8509-B
71	A-w/o A/C	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-Std. pulley	8	302,351, 400	#C9OE 8509-E	1	6- 61/64	1	C9OZ 8509-B
	A-w/A/C	8	302,351, 400	#C9OE-F or D1AE-AA -r/b D2OZ 8509-A (12-74)	1	5- 15/16	1	★C9OZ 8509-C
	A-w/42 amp. alt.	8	390		1	7 1/4	1	C8AZ 8509-A
	A-w/idler pulley-w/o A/C	8	302,351	#C9OE-G or D1AE-BA	1	6- 61/64	1	C9OZ 8509-D
	A-w/P/S-w/o A/C	8	302,351, 400		2	7 1/4	1	C8AZ 8509-B
	A(exc. P/C)-w/55 or 65 amp. alt. w/o A/C	8	390		2	6 1/8	1	C6TZ 8509-C
	A(P/C)-w/o A/C	8	390		2	6 5/8	1	C8AZ 8509-C
	A(P/C)-w/A/C	8	390		2	6- 15/64	1	C6AZ 8509-C
	A(exc. P/C)-w/A/C	8	390		1	7	1	D0OZ 8509-A
	A-w/o A/C	8	429		1	6 1/8	1	D0OZ 8509-H
	A-w/o A/C	8	429 P/C		2	6 1/8	1	D0SZ 8509-B
	A-w/A/C	8	429 P/C		1	7	1	C5AZ 8509-A
	A-w/P/S & A/C	8	429		1	6- 61/64	1	C9OZ 8509-B
	A-w/o A/C	8	429 P/C		2	6 1/8	1	D0SZ 8509-B
72	A-w/o A/C	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-w/o A/C & P/S	8	302,351, 400	#C9OE-8509-E	1	6- 61/64	1	C9OZ 8509-B
	A-w/P/S-w/o A/C	8	302,400	#D1AE 8509-BA	1	6- 61/64	1	C9OZ 8509-D
	A-w/P/S or idler pulley w/o A/C	8	351		1	5- 15/16	1	★C9OZ 8509-C
	A-w/A/C	8	351,400	#C9OE 8509-F or D1AE 8509-AA - r/b D2OZ 8509-A (12-74)	1	7	1	D0OZ 8509-A
	A-w/P/S-w/o A/C	8	429	#D0OE 8509-A	1	6 1/8	1	D0OZ 8509-H
	A-w/idler pulley w/o A/C	8	429		2	6 1/8	1	D0SZ 8509-B
	A-Police cooling w/P/S-w/o A/C	8	429		1	7	1	C5AZ 8509-A
	A-w/P/S	8	429 P/C		1	6- 61/64	1	C9OZ 8509-B
	A-Police cooling-w/P/S & A/C	8	429, 429 P/C		2	6 1/8	1	D0SZ 8509-B
- B -								
65	B (except X/C or hang-on A/C)	6	200	1.87" depth	1	5.00	1	C3OZ 8509-B
	B- Hang-on A/C, (X/C-w/o P/S)	6	200		1	5.60	1	C0DE 8509-A
	B-A/C	6	200		2	5.00	1	C5DZ 8509-A
	B-X/C (with P/S & auto, trans.)	6	200		2	5.00	1	C5DZ 8509-A
	B-P/S or 38 amp. alternator	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	B-A/C, X/C, 53, 55 amp. alternators	8	289	#C6AE-A	2	5.82	1	C6AZ 8509-A

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

FORD CAR PARTS

SECTION 85

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- B -								
66	B-Std. (exc. P/S, A/C, 53, 55 alt.) - w/o T/E	6	200		1	5.60	1	C0DE 8509-A
	B- Integral A/C- with or w/o T/E	6	200	#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	B- Hang-on A/C-dlr. w/o T/E	6	200				1	
	B-(P/S exc. A/C-factory, dlr.), 53, 55 alt. w/o T/E	6	200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	B-Std. (P/S exc. A/C), X/C, 53, 55 amp. alt., Power fan w/T/E	6	200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	B-Std., (P/S-factory, dlr. -exc. 55 amp. alternator) w/o T/E	8	289	#C5OE 8509-A -r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	B- Integral A/C- with or w/o T/E	8	289	With or w/o P/S-#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-55 amp. alternator w/o T/E	8	289				1	
	B- Hang-on A/C-dlr. w/o T/E	8	289				1	
	B-Std. (P/S exc. A/C), X/C, 55 alt., power fan w/T/E	8	289	#C6OE-A, C7OE-A	3	4.36 6.00	1	C7AZ 8509-B
	B-38 alt. (except A/C)-GT w/o T/E	8	390	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
	B-38 alt. (exc. A/C) w/o T/E	8	390	With or w/o P/S-used w/C5AZ 8600-G (4 blades)			1	
	except GT \$							
	B-38 alt. with X/C (exc. A/C)-except GT-w/o T/E %	8	390	Used w/C6MY 8600-B (6 blades)			1	
	B-38 alt. (exc. A/C or X/C) w/o T/E %	8	390	With or w/o P/S- #ECG 8509-H - used w/C6MY 8600-B (6 blades)	1	7.32	1	B7A 8509-B
	B- Integral A/C with or w/o T/E	8	390	With or w/o P/S- #C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-53, 55 amp. alt. -w/o T/E \$	8	390	With or w/o P/S- #C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-53, 55 alt. (exc. A/C)-GT w/o T/E %	8	390				1	
	B-53, 55 alt. with X/C w/o T/E	8	390				1	
	(exc. A/C)-except GT- %							
	B- Hang-on A/C w/o T/E	8	390				1	
	B-53, 55 alt. w/Std. cool. w/o T/E %	8	390	#C6OE 8509-D	2	7.35	1	C6AZ 8509-M
	(exc. A/C)-except GT- %							
	B- Std. cool. with or w/o P/S, 53, 55 alt., power fan (exc. X/C, A/C)-except GT-w/T/E %	8	390	#C6OE 8509-E	3	5.56 7.22	1	C6AZ 8509-P
	B(Std. exc. A/C) (P/S w/o A/C), X/C, 53, 55 alt., (Power fan-exc. GT)-w/T/E \$	8	390	#C6AE 8509-J	3	5.68 6.10	1	C6AZ 8509-D
	B-X/C with or w/o P/S, 53, 55 alt., power fan (exc. A/C)-except GT-w/T/E %	8	390				1	
67	B-Std. (exc. A/C, P/S, 53, 55 alt.) w/o T/E	6	200		1	5.60	1	C0DE 8509-A
	B-auto. trans. w/Imco (exc. A/C)-w/T/E "From 11/14/66"	6	200				1	
	B-A/C with or w/o T/E	6	200	#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	B-Std., P/S, X/C, power fan, 53 alt. w/T/E "Before 11/14/66"	6	200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	B(exc. auto. trans. w/Imco or A/C)-w/T/E "From 11/14/66"	6	200				1	
	B-P/S, (53, 55 alts. w/o P/S)-w/o T/E	6	200				1	
	B-Std., P/S, Integral w/o T/E	8	289	#C5OE 8509-A -r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	B- Hang-on A/C w/o T/E	8	289	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-A/C, 55 alternator w/T/E	8	289				1	
# Identification marking								
				\$ "Before 1/28/66"				
				% "From 1/28/66"				

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- B -								
67	B-Std. P/S,X/C,power fan w/T/E "Before 11/14/66"	8	289	#C7OE 8509-A	3	4.36 6.00	1	C7AZ 8509-B
	B-S/T (exc. auto. trans., A/C, 55 alt.)-w/T/E "From 11/14/66"	8	289				1	
	B-auto. trans. (except A/C-w/T/E) "From 11/14/66"	8	289	#C7OE 8509-B	3	6.45	1	C7AZ 8509-E
	B-Std. -GT w/o T/E	8	390	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
	B-X/C-except GT w/o T/E	8	390	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
	B-P/S w/o A/C-dlr. inst. w/o T/E	8	390				1	
	B-Std. -except GT w/o T/E	8	390	#ECG 8509-H	1	7.32	1	B7A 8509-B
	B-P/S with A/C-dlr. inst. w/o T/E	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B- Integral A/C- with or w/o T/E "Before 1/9/67"	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-Integral A/C- w/T/E "From 1/9/67"	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B- Integral A/C-exc. GT w/o T/E "From 1/9/67"	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-Integral A/C-GT w/o T/E "From 1/9/67"	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-Hang-on A/C w/o T/E	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-53, 55 alt. -GT w/o T/E	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-53, 55 alt. w/X/C-exc. GT-w/o T/E	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-53, 55 alt. w/o X/C-exc. GT -w/o T/E	8	390	#C6OE 8509-D	2	7.35	1	C6AZ 8509-M
	B-Std. cool., w/or w/o P/S, 53 alt., power fan-except GT w/T/E	8	390	#C6TE 8509-A	3	5.62 6.82	1	C6TZ 8509-A
	B-Std., P/S, X/C, 53 alt. -GT w/T/E	8	390	#C6AE 8509-J	3	5.68 6.10	1	C6AZ 8509-D
	B-X/C, power fan, 53 alt. -except GT w/T/E	8	390	#C6AE 8509-J	3	5.68 6.10	1	C6AZ 8509-D
	B-Std. (53, 55, 65 alts. w/o A/C) with A/T and Imco	8	390	#C6AE 8509-E -r/b C8AZ 8509-B (8-74)	2	6.83	1	★C6AZ 8509-B
	B-Std., X/C-with A/T and Imco	8	390	#ECG 8509-C	1	6.80	1	B7A 8509-C
68	B	8	427	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
	B-w/std. alt. w/o A/C	6	200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	B-w/55 amp. alt. w/Imco w/o A/C, w/std. & 55 amp. alt. w/T/E w/o A/C	6	200	#C4ZE 8509-A	2	5 5/8	1	C4DZ 8509-A
	B-w/A/C or P/F w/T/E or Imco	6	200	#C4GE 8509-K	2	5	1	C5AZ 8509-K
	B-w/o P/S, w/o A/C, w/Imco	8	289, 302	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	B-w/P/S or 55 amp. A/T w/o A/C w/Imco	8	289, 302	#C7OE 8509-D -r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	B-w/A/C	8	289, 302	#C6TE 8509-C	2	6 1/8	1	C6TZ 8509-C
	B-with T/E	8	289		3	6.45	1	C7AZ 8509-E
	B-without A/C (except GT Models)	8	390	#C8AE 8509-C	1	5 17/64 7 1/64	1	C8AZ 8509-D
	B-w/o 55 amp. alt. w/o A/C, w/Imco	8	390 2V	#C8AE 8A528-A	1	7 1/4	1	C8AZ 8509-A
	B-w/55 amp. alt. w/o A/C, w/Imco	8	390 2V	#C8AE 8509-A	2	7 1/4	1	C8AZ 8509-B
	B-with A/C	8	390	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	B-without A/C, with T/E	8	390 2V	#C8OE 8509-A	3	6	1	C8OZ 8509-C
	B-without A/C (GT models)	8	390 4V				1	
	B	8	427				1	
	B-without A/C	8	428 CJ				1	
	B-without A/C	6	250	#C9ZE 8A528-C	1	6.70	1	C9ZZ 8509-B
	B-w/A/C	6	250	#C9ZE-A or B	2	5 29/32	1	C9ZZ 8509-A
	B-Std.	8	302, 351	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	B-w/P/S w/o A/C	8	302, 351	#C7OE 8509-D-r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
69								

* Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- B -								
69	B-w/A/C	8	302,351	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	B-Std. & X/C "Before 1/6/69"	8	390 GT	R/b C8OZ 8509-C	1	6 1/8	1	★C5AZ 8509-J
	B-Std. & X/C "From 1/6/69"	8	390 GT	#C8AE 8A528-B	1	7 1/4	1	C8AZ 8509-A
	B-w/A/C	8	390GT, 428 CJ	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	B-Std.	8	428 CJ	#C8AE 8509-C	3	6 17/64, 7 7/64	1	C8AZ 8509-D
70	B	6	250	#C9ZE 8A528-C	1	6.70	1	C9ZZ 8509-B
	B-w/A/C	6	250	#C9ZE-A or B	2	5 29/32	1	C9ZZ 8509-A
	B-Std. pulley	8	302, 351	#C9OE-E	1	6- 6 1/64	1	C9OZ 8509-B
	B-w/P/S or 55 amp. alt.	8	302,351	#C9OE-G or DIAE-BA	1	6 61/64	1	C9OZ 8509-D
	B-w/o A/C "Before 5/11/70"	8	429 - exc. S/CJ		1	7	1	D0OZ 8509-A
	B-w/o A/C "From 5/11/70"	8	429 - exc. S/CJ		1	6 1/2	1	D0SZ 8509-A
	B-w/A/C "Before 5/11/70"	8	429, 429CJ		2	6 1/8	1	D0SZ 8509-B
	B-w/A/C "From 5/11/70"	8	429		2	6 3/8 & 5 3/8	1	D0OZ 8509-K
	B-w/A/C "From 5/11/70"	8	429CJ		2	6 3/8 & 5 11/16	1	D0OZ 8509-L
	B	8	429 - S/CJ	Repl. pulley Ident. D0OE-J	2	5 27/32 & 6 9/16	1	D0OZ 8509-M
71	B	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	B-w/A/C	6	250	#D1OE-AA	2	5 7/8	1	D1OZ 8509-B
	B-Std. pulley	8	302,351	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	B-w/A/C	8	302,351	#C9OE-F or DIAE-AA - r/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C
	B-w/idler pulley-w/o A/C or w/P/S w/o A/C	8	302,351	#C9OE-G or DIAE-BA	1	6 61/64	1	C9OZ 8509-D
	B-w/o A/C	8	429, 429 CJ	#D0SE-A	1	6 1/2	1	D0SZ 8509-A
	B-w/A/C & P/S-w/55 amp. alt.	8	429CJ		2	6 3/8 & 5 11/16	1	D0OZ 8509-L
72	B-w/o A/C	6	250	#D1OE 8A528-AA	1	6- 11/16	1	D1OZ 8509-A
	B-w/ integral A/C	6	250	#D2OE-BA	2	6- 7/16	1	D2OZ 8509-B
	B-w/ hang-on A/C	6	250				1	D2OZ 8509-C
	B-w/o A/C-w/o P/S-w/o idler pulley	8	302,351, 400	#C9OE-E	1	6- 6 1/64	1	C9OZ 8509-B
	B-w/A/C	8	351CJ	R/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C
	B-w/A/C	8	302,351 2/B,400	#D2OE-AA	1	6- 7/32	1	D2OZ 8509-A
	B-w/P/S-w/o A/C	8	302,351, 400	#D1AE-BA	1	6- 6 1/64	1	C9OZ 8509-D
	B-w/idler w/o A/C	8	302,351				1	
	B-w/idler pulley w/o A/C or w/o idler pulley w/o A/C	8	429		1	7	1	D0OZ 8509-A
	B-w/A/C	8	429		2	6 1/8	1	D0SZ 8509-B
	B-Std.	8	429F/C		1	6 1/8	1	D0OZ 8509-H

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- F -								
65	F (except A/C or P/S)	6	170		1	5.60	1	CODE 8509-A
	F-P/S (except with A/C)	6	170		2	5.64	1	C4DZ 8509-A
	F (except A/C or P/S)	6	200		1	5.00	1	C3OZ 8509-B
	F-P/S (except with A/C)	6	200		2	4.98	1	C5AZ 8509-K
	F-A/C (with or without P/S)	6	200		2	5.00	1	C5DZ 8509-A
	F-units w/generators-exc. A/C,X/C	8	260,289		1	5.82	1	C2OZ 8509-A
	F-units w/generators-A/C or X/C	8	260,289	Used with or w/o P/S	2	5.40	1	C2OZ 8509-B
	F-units w/alternators-exc. A/C,X/C	8	289	#C5OE 8509-A -r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	F-units w/alternators-with A/C	8	289	w/or w/o P/S-#C6AE-A	2	5.82	1	C6AZ 8509-A
66	F-Std. (exc. P/S, A/C) w/o T/E	6	200		1	5.60	1	CODE 8509-A
	F- Hang-on A/C with or w/o T/E	6	200	#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	F-Std. (exc. A/C),(P/S-factory)-X/C	6	200	#C4ZE 8509-A-for	2	5.64	1	C4DZ 8509-A
	F-P/S-factory, dlr. w/T/E	6	200	air pump drive pulley-see Group 9B464			1	
	F-Std. (P/S exc. A/C) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	F-Hang-on A/C with or w/o T/E	8	289	#C6OE 8509-B	2	5.34	1	C6AZ 8509-F
	F-Std. , P/S, X/C w/T/E	8	289	#C6OE-A, C7OE-A	3	4.36	1	C7AZ 8509-B
						6.00		
67	F-Std. (exc. P/S, A/C) w/o T/E	6	200		1	5.60	1	CODE 8509-A
	F-auto. trans. w/Imco w/T/E	6	200				1	
	(exc. A/C) "From 11/14/66"							
	F-A/C with or w/o T/E	6	200	#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	F-P/S w/o T/E	6	200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	F-Std. (exc. A/C), P/S, X/C-w/T/E	6	200				1	
	F-S/T(exc. A/C) w/T/E ⊕	6	200				1	
	F-Std. , P/S (exc. A/C) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	F-A/C w/ & w/o T/E	8	289	#C6OE 8509-B	2	5.34	1	C6AZ 8509-F
	F-Special w/T/E	8	289	#C7OE 8509-A	3	4.36	1	C7AZ 8509-B
						6.00		
	F-Std. , P/S, X/C-w/T/E	8	289	#C6OE-A, C7OE-A	3	4.36	1	C7AZ 8509-B
	F-S/T(exc. auto. trans., A/C, Spec.) w/T/E ⊕	8	289				1	
	F-auto. trans. w/T/E ⊕	8	289	#C7OE 8509-B	3	6.45	1	C7AZ 8509-E
68	F-Std. , P/S(exc. A/C) w/o T/E	8	390	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
	F-Integral A/C w/ or w/o T/E †	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	F-Integral A/C w/T/E ‡	8	390				1	
	F-Integral w/o T/E ‡	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	F-Hang-on w/ or w/o T/E	8	390				1	
	F-Std. , P/S, X/C w/T/E	8	390	#C6AE 8509-J	3	5.68	1	C6AZ 8509-D
						6.10		
68	F-w/o A/C w/Imco	6	200	#C0DE 8509-A	1	5 5/8	1	CODE 8509-A
	F-w/o A/C, w/ T/E	6	200	#C4ZE 8509-A	1	5 5/8	1	C4DZ 8509-A
	F-w/A/C	6	200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	F-High Performance	8	289 GT	#C7OE 8509-B	3	6 1/2	1	C7AZ 8509-E
	F(except High Performance) w/T/E w/o A/C	8	289,302				1	
	F-w/T/E or Imco w/A/C	8	289-2V 302	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	F-w/A/C	8	390		2	5 7/8	1	

Identification marking † "Before 11/14/66" ⊕ "From 11/14/66" ‡ "Before 1/9/67" ‡ "From 1/9/67"

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 85

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- F -								
68	F-w/o A/C	8	390	#C8OE 8509-A	3	6	1	C8OZ 8509-C
	F	8	427				1	
	F-w/o A/C	8	428CJ				1	
69	F-w/o A/C	6	200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	F-w/A/C	6	200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	F-w/o A/C	6	250	#C9ZE 8A528-C	1	6.70	1	C9ZZ 8509-B
	F-w/A/C	6	250	#C9ZE-A or B	2	5 29/32	1	C9ZZ 8509-A
	F(exc. Boss)-Std.	8	302-2V, 351	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	F(exc. Boss)w/A/C	8	302-2V, 351, 390 GT, 428 CJ	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	F(exc. Boss)w/P/S, w/o A/C	8	302-2V 351	#C7OE 8509-D-r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	F-Boss	8	302-4V	#C7OE 8509-B	3	6 1/2	1	C7AZ 8509-E
	F-Std. & X/C "Before 2/17/69"	8	390 GT	R/b C8OZ 8509-C	1	6 1/8	1	★C5AZ 8509-J
	F-Std. & X/C "From 2/17/69"	8	390 GT	#C8AE 8A528-B	1	7 1/4	1	C8AZ 8509-A
	F-Std.	8	428 CJ	#C8AE 8509-D	3	6 17/64, 7 7/64	1	C8AZ 8509-D
	F-Boss	8	429	#C9AE 8509-H	2	6 3/4 7 1/4	1	C9AZ 8509-D
70	F-w/o A/C	6	200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	F-w/A/C	6	200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	F	6	250	#C9ZE 8A528-C	1	6.70	1	C9ZZ 8509-B
	F-Std. pulley	8	302, 351	#C9OE-E	1	6- 6 1/64	1	C9OZ 8509-B
	F-w/P/S	8	302, 351	#C9OE-G or D1AE-BA	1	6- 6 1/64	1	C9OZ 8509-D
	F-w/A/C	8	428CJ	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	F-Std. & X/C "Before 9/1/69"	8	428CJ	#C8AE 8509-D	3	6 17/64, 7 7/64	1	C8AZ 8509-D
	F-Std. & X/C "From 9/1/69"	8	428CJ	#C8DE 8509-A	3	6	1	C8OZ 8509-C
	F	8	428 Super CJ				1	
	F-Boss	8	429 Spec.	#C9AE 8509-H	2	6 3/4 7 1/4	1	C9AZ 8509-D
71	F-w/o A/C	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	F-w/A/C	6	250	#D1OE 8509-AA	2	5 7/8	1	D1OZ 8509-B
	F-Std. pulley	8	302,351	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	F-Boss-Std. cooling w/o P/S	8	351 Spec.				1	
	F-Boss	8	302Spec.				1	
	F-w/A/C	8	302,351	#C9OE-F or D1AE-AA - r/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C
	F-w/idler pulley w/o A/C or w/P/S-w/o A/C	8	302,351	#C9OE-G or D1AE-BA	1	6 61/64	1	C9OZ 8509-D
	F-Boss-Std. cooling w/P/S	8	351Spec.				1	
	F-w/A/C & P/S-w/55 amp. alt.	8	429CJ		2	6 3/8 5 11/16	1	D0OZ 8509-L
	F-Std. cooling w/55 amp. alt.	8	429CJ		1	6 1/2	1	D0SZ 8509-A
	F-w/o A/C	8	429		2	5 27/32 6 9/16	1	D0OZ 8509-M
72	F-w/o A/C	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	F-w/integral A/C	6	250	#D1OE 8509-AA	2	5 7/8	1	D1OZ 8509-B
	F-w/hang on A/C	6	250				1	D2OZ 8509-C
	F-Std. pulley	8	302,351	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	F-w/P/S w/o A/C or w/idler pulley w/o A/C	8	302,351	#D1AE-BA	1	6 61/64	1	C9OZ 8509-D
	F-w/A/C	8	302,351	#C9OE-F or D1AE-AA - r/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- L -								
71/	L	4	122	Replaces single sheave pulley	2		1	D1FZ 8509-A
	L	4	98		1	3 15/16	1	D1FZ 8509-B
72	L-w/hang-on A/C	4	122				1	D2FZ 8509-A
- P -								
70	P(S/T)-w/o A/C	6	170		1	5	1	C3OZ 8509-B
	P(A/T)-w/o A/C	6	170		1	5 5/8	1	C0DE 8509-A
	P-w/o A/C	6	200				1	
	P-w/A/C	6	170,200		2	5	1	C5AZ 8509-K
	P-w/A/C	6	250	#C9ZE-A or B	2	5 29/32	1	C9ZZ 8509-A
	P-w/o A/C	6	250	#C9ZE 8A528-A or C	1	6 11/16	1	C9ZZ 8509-B
71	P-w/o A/C	6	170		1	5	1	C3OZ 8509-B
	P-w/o A/C w/o P/S	6	200		1	5 5/8	1	C0DE 8509-A
	P-w/A/C	6	200		2	5	1	C5AZ 8509-K
	P-w/o A/C	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	P-w/A/C	6	250	#D1OE 8509-AA	2	5 7/8	1	D1OZ 8509-B
	P-w/o P/S	8	302	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	P-w/P/S w/o A/C	8	302	#C9OE-G or D1AE-BA	1	6 61/64	1	C9OZ 8509-D
72	P-w/o A/C	6	170		1	5	1	C3OZ 8509-B
	P-w/hang-on A/C	6	170,200				1	D2DZ 8509-A
	P-w/o A/C	6	200		1	5 5/8	1	C0DE 8509-A
	P-w/integral A/C	6	200		2	5	1	C5AZ 8509-K
	P-w/o A/C	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	P-w/hang-on A/C	6	250				1	D2OZ 8509-C
	P-w/integral A/C	6	250	#D1OE 8509-AA	2	5 7/8	1	D1OZ 8509-B
	P-Std. pulley	8	302	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	P-w/P/S w/o A/C	8	302	#D1AE-BA	1	6 61/64	1	C9OZ 8509-D
	P-w/A/C	8	302	#C9OE-F or D1AE-AA-r/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C
- S -								
65	S (except A/C)	8	390		1	7.32	1	B7A 8509-B
	S-A/C-with or without P/S	8	390		2	6.20	1	C7AZ 8509-B
66	S (except A/C) w/o T/E	8	390,428		1	7.03	1	C5AZ 8509-G
	S- Integral A/C w/T/E	8	390,428	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	S- Integral A/C w/o T/E	8	390,428	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	S-Std., X/C(except A/C) w/T/E	8	390,428	#C6TE 8509-A	3	5.62	1	C6TZ 8509-A
67	S (except A/C) w/o T/E	8	390,428	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	S- Integral A/C with or w/o T/E	8	390,428				1	
	S-Std., X/C(except A/C)-with T/E	8	390,428	#C6ME 8509-A	3	5.69	1	C7MY 8509-A
68	S-w/o A/C	8	429	#C8VY 8509-A	1	6 21/64	1	C8VY 8509-B
	S-w/A/C "Before 12/26/67"	8	429	#C8SE 8509-C	3	6	1	C8SZ 8509-B
	S-w/A/C "From 12/26/67"	8	429	#C8SE 8509-F	3	5.51	1	C8SZ 8509-C
69	S-w/o A/C	8	429	#C9SE 8509-A	2	6.31	1	C8VY 8509-B
	S-w/A/C	8	429		3	5 5/8	1	C8SZ 8509-D
70	S-w/o A/C	8	429		1	7	1	D0OZ 8509-A
	S-w/A/C	8	429		2	6 1/8	1	D0SZ 8509-B
71	S-w/o A/C	8	429		1	7	1	D0OZ 8509-A
	S-w/A/C	8	429		2	6 1/8	1	D0SZ 8509-B
72	S	8	400		1	6 7/32	1	D2OZ 8509-A
	S-w/o A/C	8	429		1	7	1	D0OZ 8509-A
	S-w/A/C	8	429	#D2SE-AA	2	6 & 6 1/8	1	D2SZ 8509-A
	S	8	460				1	

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- U -								
66	U	-w/o T/E	6	170		1 5 5/8	1	C0DE 8509-A
	U	-with T/E	6	170	#C4ZE 8509-A	2 5 5/8	1	C4DZ 8509-A
	U	-w/or w/o T/E	8	289	#C6TE 8509-C	2 6 1/8	1	C6TZ 8509-C
67	U	-w/o T/E	6	170		1 5 5/8	1	C0DE 8509-A
	U	-with T/E	6	170	#C4ZE 8509-A	2 5 5/8	1	C4DZ 8509-A
	U		8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1 6 1/8	1	★C5AZ 8509-J
68	U	-with T/E	6	170	#C4ZE 8509-A	2 5 5/8	1	C4DZ 8509-A
	U		8	289	#C8OE 8A528-A	1 6 1/8	1	C8OZ 8509-D
	U							
69	U		6	170		1 5 5/8	1	C0DE 8509-A
	U		6	170	#C4ZE 8509-A	2 5 5/8	1	C4DZ 8509-A
	U		8	302	#C8OE 8A528-A	1 6 1/8	1	C8OZ 8509-D
	U		8	302	#C6TE 8509-C	2 6 5/8	1	C6TZ 8509-C
70/	U		6	170		1 5 5/8	1	C0DE 8509-A
	U		8	302	#C8OE 8A528-A	1 6 1/8	1	C8OZ 8509-D
- X -								
65	X (except A/C or P/S)		6	200		1 5.00	1	C3OZ 8509-B
	X-P/S (except A/C)		6	200	(2) 3/8" sheaves	2 4.98	1	C5AZ 8509-K
	X (except A/C or P/S)		6	170		1 5.60	1	C0DE 8509-A
	X-P/S (except A/C)		6	170	(2) 3/8" sheaves	2 5.64	1	C4DZ 8509-A
	X-A/C (with or without P/S)		6	170,200	(1) 1/2" sheave, (1) 3/8" sheave	2 5.00	1	C5DZ 8509-A
	X (except A/C or X/C)		8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1 6.11	1	★C5AZ 8509-J
66	X-A/C, X/C		8	289	#C6AE-A	2 5.82	1	C6AZ 8509-A
	X-Std. (exc. P/S, A/C) w/o T/E	6	170,200		1 5.60	1	C0DE 8509-A	
	X- Integral A/C with or w/o T/E	6	170,200	With or w/o P/S-#C5DE 8509-A	2 5.00	1	C5DZ 8509-A	
	X- Hang-on A/C w/o T/E	6	170,200	#C5DE 8509-A	2 5.00	1	C5DZ 8509-A	
	X-P/S-w/o A/C w/o T/E	6	17Q200	#C4ZE 8509-A	2 5.64	1	C4DZ 8509-A	
	X-Std., (P/S exc. A/C), X/C w/T/E	6	17Q200			1		
	X-Std., (P/S exc. A/C) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1 6.11	1	★C5AZ 8509-J	
67	X- Hang-on A/C-dlr. w/o T/E	8	289	With or w/o P/S-#C6AE 8509-A	2 5.86	1	C6AZ 8509-A	
	X- Integral A/C with or w/o T/E	8	289			1		
	X-Std., (P/S exc. A/C), X/C-w/T/E	8	289	#C6OE-A, C7OE-A	3 4.36 6.00	1	C7AZ 8509-B	
	X-Standard w/o T/E	6	170,200		1 5.60	1	C0DE 8509-A	
	X-auto. trans. w/Imco (exc. A/C)- w/T/E	6	17Q200			1		
	"From 11/14/66"							
	X-A/C with or w/o T/E	6	170,200	With or w/o P/S-#C5DE 8509-A	2 5.00	1	C5DZ 8509-A	
68	X-P/S, (53,55 alt. w/o P/S) w/o T/E	6	170,200	#C4ZE 8509-A	2 5.64	1	C4DZ 8509-A	
	X-Std., P/S, X/C w/T/E	6	17Q200			1		
	"Before 11/14/66"							
	X-S/T (exc. A/C) w/T/E	6	17Q200	#C4ZE 8509-A	2 5.64	1	C4DZ 8509-A	
	"From 11/14/66"							
	X-Std., (P/S exc. A/C) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1 6.11	1	★C5AZ 8509-J	
	X-A/C with or w/o T/E	8	289	With or w/o P/S-#C6AE 8509-A	2 5.86	1	C6AZ 8509-A	
	X-Std., (P/S exc. A/C), X/C w/T/E	8	289	#C7OE 8509-A	3 4.36 6.00	1	C7AZ 8509-B	
69	"Before 11/14/66"							
	X-S/T (exc. auto. trans., A/C)- w/T/E	8	289			1		
	"From 11/14/66"							
	X-auto.trans. (exc. A/C) w/T/E	8	289	#C7OE 8509-B	3 6.45	1	C7AZ 8509-E	
	"From 11/14/66"							

Identification marking

FORD CAR PARTS

SECTION 85

17

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
8509 PULLEY - WATER PUMP - continued								
- X -								
68	X-w/T/E	6	170	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	X-w/Imco w/o A/C, P/F w/55 amp. alt.	6	200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	X-w/T/E w/o A/C	6	200	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	X-w/Imco w/55 amp. alt. w/o A/C	6	200					
	X-w/A/C	6	200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	X-w/o A/C, w/T/E	6	200	#C4ZE 8509-A	2	5 5/8	1	C4DZ 8509-A
	X-w/o P/S, w/o A/C, w/Imco	8	289,302	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	X-w/A/C, w/T/E	8	289,302	#C6TE 8509-C	2	6 1/8	1	C6TZ 8509-C
	X-w/P/S or 55 amp. A/T-w/o A/C	8	289,302	#C7OE 8509-D-r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	X-w/o A/C w/T/E w/Imco	8	289,302	#C7OE 8509-B	3	6 1/2	1	C7AZ 8509-E
69	X-w/o A/C	6	170,200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	X-w/A/C	6	170,200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	X-Std.	8	302	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	X-w/A/C	8	302	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
70	X-w/o A/C	6	200	#C0DE-A	1	5 5/8	1	C0DE 8509-A
	X-w/ A/C	6	200	#C4GE-A	2	5	1	C5AZ 8509-K
	X-Std. pulley	8	302	#C9OE-E	1	6- 61/64	1	C9OZ 8509-B
	X-w/A/C	8	302	#C9OE- For DIAE-AA-r/b D2OZ 8509-A (12-74)	1	5- 15/16	1	★C9OZ 8509-C
	X-w/P/S	8	302	#C9OE-G or DIAE-BA	1	6- 61/64	1	C9OZ 8509-D
YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION			QTY.	PART NUMBER
8512 IMPELLER - WATER PUMP								
- A -								
65/67	A	8	352,390, 427,428				1	C3AZ 8512-E
	A	8	289				1	C4OZ 8512-C
68	A	8	427, 428 P/C				1	C8AZ 8512-A
	A	8	390,428 exc.P/C				1	C3AZ 8512-E
65/	A	6	240	3.88" O.D. -.90" depth			1	C5AZ 8512-A
68/69	A	8	302				1	C4OZ 8512-C
69	A	8	351				1	C4OZ 8512-C
	A	8	390				1	C3AZ 8512-E
	A	8	428				1	C8AZ 8512-A
	A	8	429				1	C8VZ 8512-A
70	A	8	302	3 15/16" O.D. -1 13/32" depth			1	D0OZ 8512-A
	A	8	351					
	A	8	390	4 19/32" O.D. -27/32" depth			1	D0AZ 8512-B
	A	8	428 P/C	3 3/4" O.D. -27/32" depth			1	D0AZ 8512-A
71/	A	8	429				1	C8VZ 8512-A
	A	8	302, 351 C.W.				1	D0OZ 8512-A
	A	8	390				1	D0AZ 8512-B
	A	8	400				1	D0OZ 8512-A
	A	8	429	4.60" O.D.			1	C8VZ 8512-A
- B -								
65/68	B	6	170,200	3.00" O.D. -1.14" depth-part of C6DZ 8501-D			1	C3DZ 8512-B

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8512 IMPELLER - WATER PUMP - continued						
- B -						
65/67	B	8	260, 289-2V		1	C4OZ 8512-C
	B	8	289-4V	3.94" O.D. -1.79" depth-6 vanes	1	C4OZ 8512-A
66/68	B	8	390,427		1	C3AZ 8512-E
68/69	B	8	390,427	3.75" O.D. -1.06" depth	1	C8AZ 8512-A
	B	8	289-2V, 302		1	C4OZ 8512-C
69	B	6	250		1	C9DZ 8512-A
	B	8	351		1	C4OZ 8512-C
	B	8	428 CJ		1	C8AZ 8512-A
70	B	6	250		1	C9DZ 8512-A
	B	8	302,351	3 15/16" O.D. -1 13/32" depth	1	D0OZ 8512-A
	B	8	428CJ		1	C8VZ 8512-A
	B	8	429		1	
71/	B	6	250	"Before 1/21/72"	1	C9DZ 8512-A
	B	6	250	"From 1/21/72"	1	D2DZ 8512-A
	B	8	302, 351C,W		1	D0OZ 8512-A
	B	8	400		1	
	B	8	429	4.60" O.D.	1	C8VZ 8512-A
- F -						
65/70	F	6	170,200	3.00" O.D. -1.14" depth	1	C3DZ 8512-B
65/67	F	8	260, 289-2V		1	C4OZ 8512-C
	F	8	289-4V	3.94" O.D. -1.79" depth-6 vanes-part of C3OZ 8501-B & C5OZ 8501-A, C, D	1	C4OZ 8512-A
67	F	8	390		1	C3AZ 8512-E
68/69	F	8	390,427		1	C8AZ 8512-A
	F	8	289-2V, 302-2V		1	C4OZ 8512-C
	F (exc. Boss)					
69	F	6	250		1	C9DZ 8512-A
	F-Boss	8	302-4V		1	C8AZ 8512-B
	F	8	351		1	C4OZ 8512-C
	F	8	428 CJ		1	C8AZ 8512-A
	F-Boss	8	429		1	C8VZ 8512-A
70	F	6	250		1	C9DZ 8512-A
	F (2/B, 4/B)-exc. Spec.	8	302,351	3 15/16" O.D. -1 13/32" depth	1	D0OZ 8512-A
	F-Boss	8	302	3 15/16" O.D. -1 25/64"	1	D0ZZ 8512-A
			Spec.			
	F	8	428CJ	3 3/4" O.D. -27/32" depth	1	D0AZ 8512-A
71/	F	6	250	"Before 1/21/72"	1	C9DZ 8512-A
	F	6	250	"From 1/21/72"	1	D2DZ 8512-A
	F	8	302,351, 351CJ, 351Spec.		1	D0OZ 8512-A
	F	8	302 Spec.		1	D0ZZ 8512-A
	F	8	429 CJ, S/CJ	4.60" O.D.	1	C8VZ 8512-A
- L -						
71/	L	4	98		1	D1FZ 8512-B
	L	4	122	Serviced in (8501) assy. only	1	★D1FZ 8512-A
- P -						
70/	P	6	170,200	3.00" O.D. -1.14" depth	1	C3DZ 8512-B
	P	6	250	"Before 1/21/72"	1	C9DZ 8512-A
	P	6	250	"From 1/21/72"	1	D2DZ 8512-A
	P	8	302	3 1/2" O.D. -7/8" thick	1	D0OZ 8512-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8512 IMPELLER - WATER PUMP - continued						
- S -						
55/67	S	8	390,428		1	C3AZ 8512-E
68	S	8	390	3.75" O.D. -1.06" depth	1	C8AZ 8512-A
69/	S	8	429,460	4.60" O.D.	1	C8VZ 8512-A
	S	8	400		1	D0OZ 8512-A
- U -						
66/	U	6	170	3.00" O.D. -1.14" depth-part of C6DZ 8501-A, B	1	C3DZ 8512-B
66/	U	8	289,302		1	C4OZ 8512-C
- X -						
65/70	X	6	144,170, 200	3.00" O.D. -1.14" depth	1	C3DZ 8512-B
65/70	X	8	289,302		1	C4OZ 8512-C
8513 GASKET - WATER PUMP COVER - Also refer to group 8507						
65/71	A, B, F, S	8	352,390, 428	Round-6 tabs-4 5/8" I.D.	1	C2AZ 8513-A
65/68	A, B (Special)	8	427		1	
69	B, F	8	427		1	
65/69	A, B, F, U, X	8	289,302, 351	Oblong-part of C5AZ 8501-E, L. C5OZ 8501-C, D	1	C5AZ 8513-A
70/	U	8	302		1	
68/	A, B, F, S	8	429,460		1	C8SZ 8513-A
70/	A, B, F, P, S, X	8	302, 351C, W, 400		1	D0AZ 8513-A
8517 SEAT ASSY. - WATER PUMP IMPELLER						
70/71	F-Boss	8	302		1	C9AZ 8517-A
70/	A, B, F, P, X	8	302, 351, 390, 428		1	
71/	A, B, S	8	400		1	
71/	F	8	351CJ		1	
8K517 PLATE - WATER BY-PASS ORIFICE						
70/	B, F(2/B, 4/B)	8	351C	1 13/16" O.D. -3/4" I.D. -acts as water	1	D0AZ 8K517-A
71/	B, F	8	351CJ, 351Spec.	restrictor	1	
71/	A(2/B)	8	351C		1	
8522 RECOVERY KIT - RADIATOR COOLANT						
65/	All	6&8	All		1	D0AZ 8522-A
Consists of						
1-D0AJ 8007-A Tank Assy. 1-D2AJ 8B081-A Overflow Hose 1-D0AJ 8N040-A Clip 1-D2VY 8100-A Radiator Cap 1-D0AJ 8N041-A Clip 1-D2AZ 8K103-A Overflow Container Cap						
8530 SHAFT and BEARING ASSY. - WATER PUMP						
65/67	B, F, U, X	6	170,200	4.52" long	1	C6DZ 8530-A
65	A	6	240	4.52" long	1	C6DZ 8530-A
66/68	A-w/o T/E	6	240		1	
66/68	A-with T/E "Before 2/19/68"	6	240	4.52" long	1	C6DZ 8530-A
68	A-with T/E "From 2/19/68"	6	240		1	C6DZ 8530-C
68	B, F, U, X	6	170,200		1	
69	F, X	6	170,200		1	
69/	A	6	240		1	
70/	P	6	170,200		1	
69/72	B, F, P "Before 1/21/72"	6	250		1	C9DZ 8530-A
72	B, F, P "From 1/21/72"	6	250		1	D2DZ 8530-A
65/68	A, B, F, U, X	8	260,289, 302	This bearing to be used with water pump hsg. w/front face to rear face dimension of 17/32"	1	C4OZ 8530-D
65/69	A, B, F, S (including Specials)	8	352,390	5.37" long	1	C1AZ 8530-C
68	A, B, F, X-without T/E	8	427,428		1	
69	A, B, F	8	390,428		1	C1AZ 8530-D

YEAR	MODEL		CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER	
8530 SHAFT and BEARING ASSY. - WATER PUMP - continued								
71/	L		4	98,122		1	D0RY 8530-A	
69,	B, F, U, X		8	302,351	Use with water pump housing with front face to rear face dimension of 4.28"	1	C9OZ 8530-A	
69	A			302		1		
70/	U		8	302		1		
69	A		8	351		1	C4OZ 8530-D	
68	S		8	429		1	C8SZ 8530-A	
69	S		8	429		1	C9SZ 8530-A	
	F-Boss		8	429		1		
70	A		8	429	R/b D4VY 8530-A (9-74)	1	★D0OZ 8530-A	
	B (2/B, 4/B), F(4/B)		8	351C		1		
	B		8	429		1		
	S		8	429		1		
70	A		8	302,351		1	D2SZ 8530-A	
	B, F		8	302,302		1		
				Spec.				
	F(2/B)		8	351C, W		1		
72	S		8	400		1		
70/71	A		8	390,		1	D0AZ 8530-A	
				428 P/C				
	F		8	428CJ,		1		
				S/CJ				
71/72	A, B, F, P	"Before 6/19/72"	8	302,351		1	D0OZ 8530-B	
71/72	A	"Before 6/19/72"	8	400		1		
72	B		8	400		1		
72	A, B, F, P	"From 6/19/72"	8	302,351		1	D2AZ 8530-A	
72	A	"From 6/19/72"	8	400		1		
71/	A, B, F, S		8	429,460		1	D1VY 8530-A	
8K537 RETAINER - WATER PUMP BEARING								
71/	L		4	98		1	D0RY 8K537-A	
YEAR	MODEL				DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8546 SPACER - PULLEY TO FAN - Including pilot unless noted								
- A -								
65	A-with Hang-on A/C		6	240	1.07" thick	YA-82	1	C6TZ 8546-A
	A (with 42, 45 amp. alternator)		6	240	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	A-with 53 & 55 amp. alternator		6	240	.86" thick		1	ECE 8546-B
	A-except Factory installed A/C		8	289	4.25" thick		1	C5AZ 8546-A
	A(hang-on or integral A/C)		8	289	2.92" thick-use with C5AZ 8600-H-	YA-75	1	C4AZ 8546-G
	Factory installed "From 6/1/65"				"Before 6/1/65"- Refer to Group 8A616			
	A-with extra cooling		8	352,390	3.02" thick-also used with 53, 55	YA-70	1	C2OZ 8546-D
				exc.P/I	60 amp. alternators		1	
	A-except with A/C		8	390 P/I				
	A-except A/C or extra cooling		8	352,390	3.40" thick-not used with 53, 55	YA-78	1	C5AZ 8546-B
				exc.P/I	amp. alternators			
	A - Hang-on A/C-factory installed w/o fan clutch & dealer installed		8	352	3.15" thick	YA-79	1	C5OZ 8546-A
	A - Hang-on A/C-factory installed with fan clutch		8	352	Refer Group 8A616			
65	A-Hang-on A/C-factory installed w/std. trans. w/o fan clutch		8	390	3.15" thick	YA-79	1	C5OZ 8546-A
				exc.P/I				
	A - Hang-on A/C-factory installed w/auto. trans. w/o fan clutch		8	390		YA-75	1	C4AZ 8546-G
				exc.P/I				
	A - Hang-on A/C-factory installed with fan clutch-std. or auto. trans.		8	390	Refer to Group 8A616			
				exc.P/I				
	A - Hang-on A/C-factory installed		8	390 P/I	Refer to Group 8A616			
				390 P/I				
	A - Hang-on A/C-dealer installed		8	390,	3.15" thick	YA-79	1	C5OZ 8546-A
				390 P/I				
	A-except w/A/C "Before 1/25/65"		8	427	"From 1/25/65" Refer to	YA-70	1	C2OZ 8546-D

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	N	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8546 SPACER - PULLEY TO FAN - continued - Including pilot unless noted								
- A -								
66	A-Std.(except A/C)with or w/o T/E	6	240	.98" thick			1	C6TZ 8546-B
	A-Hang-on A/C-dlr.inst. w/o T/E	6	240	1.07" thick		YA-82	1	C6TZ 8546-A
	A-Std.(exc.Integral A/C)- w or w/o T/E	8	289	4.25" thick			1	C5AZ 8546-A
	A - Integral A/C w/or w/o T/E- "From 11/30/65"	8	289	Used w/C5AZ 8600-K see also group 8A616		YA-75	1	C4AZ 8546-G
	A-X/C(except A/C) with T/E	8	352,390	1.88" thick		YA-81	1	C6OZ 8546-D
	A-Std. (exc. X/C or A/C) with T/E	8	352,390	2.44" thick		YA-74	1	C4AZ 8546-F
	A-Std. (except A/C) w/o T/E	8	352,390 428 exc.P/I	2.44" thick		YA-74	1	C4AZ 8546-F
	A-Std. (except A/C) with T/E	8	428 exc.P/I	1.88" thick		YA-81	1	C6OZ 8546-D
67	A-Std. (exc. A/C, Taxi, Police)- with or w/o T/E	6	240	.98" thick			1	C6TZ 8546-B
	A-Std. Taxi, Police (exc. A/C)- with or w/o T/E	6	240	1.07" thick		YA-82	1	C6TZ 8546-A
	A- Hang-on A/C w/o fan clutch w/o T/E	6	240	1.07" thick		YA-82	1	C6TZ 8546-A
	A-Std.(exc.Integral A/C or Super X/C) with or w/o T/E	8	289	3.40" thick		YA-78	1	C5AZ 8546-B
	A - Integral A/C or Super X/C with or w/o T/E	8	289			YA-75	1	C4AZ 8546-G
	A-Std.trans. - with or w/o T/E "Before 2/9/67"	8	390,428 exc.P/I	1.88" thick		YA-81	1	C6OZ 8546-D
	A-Std.trans. - w/o T/E "From 2/9/67"	8	390,428 exc.P/I	1.88" thick		YA-81	1	C6OZ 8546-D
	A-Auto.trans. - with T/E "Before 2/9/67"	8	390,428 exc.P/I	1.88" thick		YA-81	1	C6OZ 8546-D
	A-Auto.trans. - w/o T/E	8	390,428 exc.P/I	2.44" thick		YA-74	1	C4AZ 8546-F
	A-Std. & Auto.trans. - with T/E "From 2/9/67"	8	390,428 exc.P/I	2.44" thick		YA-74	1	C4AZ 8546-F
	A-X/C with Imco	8	390,428	1.88" thick		YA-81	1	C6OZ 8546-D
68	A-Std., X/C	6	240				1	C8AZ 8546-A
	A-Std. (Police or Taxi)						1	
	A-w/A/C	8	302			YA-75	1	C4AZ 8546-G
	A-X/C w/ Hang-on A/C	8	289,302	Use with 23" wide radiator			1	
	A-w/o A/C	8	302	3.40" thick		YA-78	1	C5AZ 8546-B
	A-(exc. P/C) w/o A/C	8	390,428	1.88" thick		YA-81	1	C6OZ 8546-D
	A-(Police) w/A/C	8	390	2.44" thick		YA-74	1	C4AZ 8546-F
	A-w/o A/C or P/F	8	428 P/C	2.44" thick			1	
69	A-X/C	6	240	1 1/4" thick-#C8YE-A or D10A-AA		YA-20	1	C8YZ 8546-A
	A-Std. "Before 9/19/69"	6	240				1	
	A-Std. "From 9/19/69"	6	240	1.50" thick		YA-21	1	D0AZ 8546-B
	A (Police & Taxi)-Std. & X/C	8	302	3.10" thick		YA-108	1	C5TZ 8546-E
	A-Std.	8	302	1.50" thick		YA-21	1	D0AZ 8546-B
	A-w/A/C	8	302	2.62" thick		YA-75	1	C4AZ 8546-G
	A-w/X/C Hang-on A/C	8	302				1	
	A-Std.	8	390	1.50" thick		YA-21	1	D0AZ 8546-B
	A-X/C	8	390,428	1.88" thick		YA-81	1	C6OZ 8546-D
	A-Std. & A/C	8	428 P/C	2.44" thick		YA-74	1	C4AZ 8546-F
	A-Std., X/C	8	429	1.25" thick- #C9AE-A			1	C9AZ 8546-A
	A-X/C w/Hang-on A/C	8	429	2.12" thick		YA-83	1	C8SZ 8546-D
	A-P/C-std., X/C	8	429				1	

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8546 SPACER - PULLEY TO FAN - continued- Including pilot unless noted							
- A -							
70	A-A/C	8	302, 351W	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	A-P/C & taxi-std. & X/C	8	240		YA-21	1	D0AZ 8546-B
	A-Std. & X/C	8	302, 351W	1 1/2" thick		1	
	A-X/C or A/C	8	351W	2 7/16" thick	YA-74	1	C4AZ 8546-F
	A-Std. & X/C	8	390	1.50" thick	YA-21	1	D0AZ 8546-B
	A-Std. & X/C	8	429	1.25" thick-#C9AE-A		1	C9AZ 8546-A
	A-X/C-w/Hang-on A/C	8	429	2 1/8" thick	YA-83	1	C8SZ 8546-D
	A-P/C-Std. & X/C	8	429			1	
71	A	6	240	1 1/2" thick	YA-21	1	D0AZ 8546-B
	A-w/o A/C	8	302, 351W	1 1/2" thick	YA-21	1	D0AZ 8546-B
	A-w/A/C	8	351W		YA-74	1	C4AZ 8546-F
	A	8	400	"Before 2/1/71"		1	
	A-w/A/C	8	351W	"From 2/1/71"	YA-75	1	C4AZ 8546-G
	A	8	400	"From 2/1/71"		1	
	A	8	390	1 1/2" thick	YA-21	1	D0AZ 8546-B
			Exc.P/C				
	A	8	390 P/C		YA-74	1	C4AZ 8546-F
	A-Std. cooling	8	429	1 1/4" thick		1	C9AZ 8546-A
72			Exc.P/C				
	A-Std. & A/C	8	429 P/C		YA-83	1	C8SZ 8546-D
	A-Std. cooling	6	240	1 1/2" thick	YA-21	1	D0AZ 8546-B
	A-Std. cooling	8	302,351			1	
	A-w/hang-on A/C	6	240	Use w/single sheave c/shaft pulley	YA-50	1	D2AZ 8546-A
	A-w/A/C	8	351C		YA-74	1	C4AZ 8546-F
	A-w/A/C	8	351W		YA-75	1	C4AZ 8546-G
	A(P/C)-w/S/C & A/C	8	351W, 400			1	
	A	8	400			1	
	A-Std. cooling	8	429	1 1/4" thick		1	C9AZ 8546-A
	A-Std. cooling & A/C	8	429 P/C		YA-44	1	D1DZ 8546-A
- B -							
65	B-except A/C	6	200	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	B-except Deluxe Hang-on A/C	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
66	B-Std. (exc. A/C), (53, 55 alt. exc. X/C)	6	200	1.93" thick	YA-80	1	C5TZ 8546-D
			w/o T/E				
	B-X/C & X/C w/53, 55 alt. w/o T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	B-Hang-on A/C-dlr. w/o T/E	6	200	1.50" thick	YA-21	1	D0AZ 8546-B
	B-Std., X/C, 53, 55 alt. with T/E	6	200	1.50" thick	YA-21	1	D0AZ 8546-B
	B-Hang-on A/C w/o T/E	8	289	3.22 thick	YA-69	1	C2OZ 8546-A
	B-Std., (P/S exc. A/C), X/C, 55 alt. with T/E	8	289	3.40" thick	YA-78	1	C5AZ 8546-B
	B-Std. (exc. A/C), 55 alt. w/o T/E	8	289	3.40" thick-replaces spacer	YA-78	1	C5AZ 8546-B
			"From 11/22/65"	3.60" thick-used "Before 11/22/65"			
	B-Std. (exc. X/C, GT or A/C) w/auto.	8	390	1.50" thick	YA-21	1	D0AZ 8546-B
	B-Std., 53, 55 alt. (exc. X/C, GT, A/C) w/o T/E	8	390	2.42" thick-used w/4 blade fan		1	★C6OZ 8546-C
			"Before 1/28/66"				Not replaced
	B-Std. (exc. X/C, GT or A/C) w/Std. trans. w/or w/o T/E	8	390	1.88" thick-used with C6MY 8600-B (6 blades)	YA-81	1	C6OZ 8546-D
67	B-Hang-on A/C w/o T/E	8	390	1.88" thick	YA-81	1	C6OZ 8546-D
	B-Std., X/C, (P/S exc. A/C), 53, 55 alts. (exc. GT, A/C, Power fan) w/T/E	8	390	1.88" thick-used w/4 blade fan	YA-81	1	C6OZ 8546-D
			"Before 1/28/66"				
	B w/o T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	B-Hang-on A/C w/ or w/o T/E	8	289	2 7/16" thick	YA-74	1	C4AZ 8546-F
	B-exc. A/C, Power fan w/or w/o T/E	8	289	3.22" thick	YA-69	1	C2OZ 8546-A
	B (exc. GT, Integral A/C, X/C, Power fan w/ or w/o T/E	8	390	1.88" thick	YA-81	1	C6OZ 8546-D

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8546 SPACER - PULLEY TO FAN - continued - Including pilot unless noted							
- B -							
68	B-w/o P/F	6	200	1.93" thick	YA-80	1	C5TZ 8546-D
	B-w/ A/C	8	289		YA-27	1	C8ZZ 8546-B
	B-w/o A/C or P/F	8	302	3.22" thick	YA-69	1	C2OZ 8546-A
	B-(exc. GT) w/o A/C or P/F	8	390	1.50" thick	YA-21	1	D0AZ 8546-B
69	B-Std.	6	250	1.28" thick-#C9ZE-B		1	C9ZZ 8546-A
	B-w/ A/C	8	302	2.95" thick-#C8ZE-D	YA-27	1	C8ZZ 8546-B
	B-X/C w/Hang-on A/C	8	351			1	
	B-Std.	8	302,351	1.50" thick	YA-21	1	D0AZ 8546-B
	B-Std. & X/C	8	390 GT			1	
	B	8	428 Super CJ	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
70	B-Std.	6	250	1.28" thick-#C9ZE-B		1	C9ZZ 8546-A
	B-w/ A/C "Before 4/30/70"	6	250	"From 4/30/70" use 8A616-A clutch	YA-32	1	D0DZ 8546-A
	B-Std. & X/C	8	302	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	B-Std. & X/C-with A/T	8	351			1	
	B-w/ A/C	8	302,351	2 21/32" thick	YA-31	1	D0AZ 8546-A
	B-Std. & X/C-with S/T	8	351			1	
	B	8	429 Spec.	1 13/16" thick		1	D0SZ 8546-A
71	B-w/o A/C	6	250	1 13/16" thick		1	D0SZ 8546-A
	B-w/ A/C	6	250	2 3/16" thick	YA-44	1	D1DZ 8546-A
	B(P/C)	6	250			1	
	B-w/o A/C	8	302,351	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	B-w/ A/C	8	302,351	2 7/16" thick	YA-74	1	C4AZ 8546-F
	B(P/C)	8	302,351			1	
	B	8	429CJ	2 1/8" thick	YA-83	1	C8SZ 8546-D
72	B-w/ integral A/C	6	250	2 3/16" thick	YA-44	1	D1DZ 8546-A
	B(P/C, Taxi)	6	250			1	
	B-w/hang on A/C	6	250		YA-53	1	D2DZ 8546-C
	B-Std. cooling	6	250	1 13/16" thick		1	D0SZ 8546-A
	B-w/ A/C	8	302,351	2 7/16" thick	YA-75	1	C4AZ 8546-G
			400				
	B(P/C)-w/S/C & A/C	8	302,351			1	
			400				
	B-w/ A/C	8	351CJ			1	
	B-Std. & X/C(ex. P/C)	8	302, 351C,400	1 7/8" thick	YA-81	1	C6OZ 8546-D
	B-Std. & X/C	8	351CJ			1	
	B-Std. & X/C	8	429			1	C9AZ 8546-A
73	B-Std. cooling & A/C	8	429P/C	2 3/16" thick	YA-44	1	D1DZ 8546-A
- F -							
65	F-Std. (exc. A/C), P/S w/o A/C	6	170	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F	6	200	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F(w/generator)-extra cooling	8	26Q,289	3.02" thick	YA-70	1	C2OZ 8546-D
	F(w/generator)-Special-4/B carb.	8	289	High performance engine		1	
	F(w/gen.)-exc. A/C, X/C or P/S	8	26Q,289	3.22" thick	YA-69	1	C2OZ 8546-A
	F(w/generator)-P/S except with A/C	8	26Q,289			1	
	F(w/alternator except F-Special)- except factory A/C	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F(w/alternator)-Special-4/B carb.	8	289	2.36" thick		1	C3OZ 8546-A
66	F-Std. (exc. A/C) w/o T/E	6	200	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F-Hang-on A/C w/o T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	F-Std., X/C(P/S exc. A/C)with T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	F-A/C (w/or w/o P/S) with T/E	6	200	1.91" thick	YA-80	1	C5TZ 8546-D

* Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8546 SPACER - PULLEY TO FAN - continued - Including pilot unless noted							
- F -							
66	F-Std.(exc. Spec. or A/C),X/C,P/S with T/E	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-Std.(exc. Spec.or A/C)w/o T/E "Before 11/22/65"	8	289	3.22" thick	YA-69	1	C2OZ 8546-A
	F-Std.(exc. Spec. or A/C) w/o T/E "From 11/22/65"	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-Special-4/B carb. "From 11/14/66"	8	289	2.36" thick		1	C3OZ 8546-A
67	F	6	200	3.22" thick	YA-69	1	C2OZ 8546-A
	F - Hang-on A/C w/o fan clutch	8	289	1.88" thick	YA-81	1	C6OZ 8546-D
	F-Spec. (4/B) w/ or w/o T/E	8	289	2.44" thick	YA-74	1	C4AZ 8546-F
	F-exc.Spec. "Before 11/14/66"	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-exc.Spec.-S/T "From 11/14/66"	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-exc.Spec.-auto.trans. w/o T/E "From 11/14/66"	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-exc.Spec.-auto.trans.w/T/E "From 11/14/66"	8	289	3.40" thick	YA-78	1	C5AZ 8546-B
68	F	6	200	1.93" thick	YA-80	1	C5TZ 8546-D
	F-w/ A/C	8	289,302		YA-27	1	C8ZZ 8546-B
	F-Std. w/o A/C	8	289,302	3.15" thick	YA-79	1	C5OZ 8546-A
	F-Std. w/o A/C, w/T/E	8	289-4V	1.61" thick	YA-71	1	C2OZ 8546-G
	F-w/ X/C	8	289,302			1	C3OZ 8546-A
69	F-Std.	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	F-Std. & X/C-exc.Economy 1/B	6	250	1.28" thick-#C9ZE-B		1	C9ZZ 8546-A
	F-w/ A/C	8	302-2V	2.95" thick-#C8ZE-D	YA-27	1	C8ZZ 8546-B
	F-Std. "From 4/14/69"	8	302-4V			1	
	F-X/C w/Hang-on A/C	8	351			1	
	F-Std.	8	302-2V	1.50" thick	YA-21	1	D0AZ 8546-B
	F-Std.	8	351			1	
	F-Std. & X/C "From 1/6/69"	8	390 GT	Not used before 1/6/69"		1	
	F	8	428 Super C.J.	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	F-Std. "Before 4/14/69"	8	302-4V	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
70	F-Std. & X/C "Before 8/27/69"	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	F-Std.	8	351			1	
	F-Std. & X/C "From 8/27/69"	6	200	1.50" thick	YA-21	1	D0AZ 8546-B
	F-Std. & X/C	6	250	1.28" thick-#C9ZE-B		1	C9ZZ 8546-A
	F(exc.Spec.)-Std. & X/C	8	302	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	F-Boss	8	302	2 21/32" thick-#D0AE-A	YA-31	1	D0AZ 8546-A
			Spec.				
	F-w/A/C	8	302,351			1	
	F-Std. & X/C	8	351			1	
	F-Std. cooling	8	302,351	1 1/2" thick	YA-21	1	D0AZ 8546-B
	F	8	428 Super C.J.	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	F-Std. & X/C	8	428CJ	1.88" thick	YA-81	1	C6OZ 8546-D
	F	8	428 Super C.J.			1	
	F	8	429	9/16" thick	YA-62	1	D0ZZ 8546-A
			Spec.				
71	F-w/o A/C	6	250	1 13/16" thick		1	D0SZ 8546-A
	F-w/A/C	6	250	2 3/16" thick	YA-44	1	D1DZ 8546-A
	F-w/o A/C	8	302,351	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	F-w/A/C	8	302,351	2 7/16" thick	YA-74	1	C4AZ 8546-F
	F	8	302			1	
			Spec.				
	F-Boss-Std.cooling	8	351Spec.			1	
	F-w/o A/C	8	429 C.J. & S.C.J.	2 1/8" thick	YA-83	1	C8SZ 8546-D

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8546 SPACER - PULLEY TO FAN - continued							
- F -							
72	F-w/ integral A/C	6	250	2 3/16" thick	YA-44	1	D1DZ 8546-A
	F-w/hang-on A/C	6	250		YA-53	1	D2DZ 8546-C
	F-w/A/C	8	302	2 5/8" thick	YA-75	1	C4AZ 8546-G
	F-w/A/C	8	302, 351C			1	
	F-Std. cooling & A/C	8	351CJ			1	
	F-Std. & X/C	8	302, 351C	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
- L -							
71	L -S/C	4	98	3/4" thick-#D12E 8546-C1A or C2A		1	D1FZ 8546-A
	L-w/hang-on A/C	4	98		YA-46	1	D1FZ 8546-C
	L	4	122	1 1/8" thick-#D12E 8546-D1A or D2A	YA-45	1	D1FZ 8546-B
72	L-S/C	4	98	3/4" thick-#D12E-C1A or C2A		1	D1FZ 8546-A
	L-w/hang-on A/C	4	98		YA-55	1	D2FZ 8546-B
	L-S/C or integral A/C	4	122	1 1/8" thick-#D1ZE-D1A or D2A	YA-45	1	D1FZ 8546-B
	L-w/hang-on A/C	4	122		YA-54	1	D2FZ 8546-A
- P -							
70	P-w/o A/C	6	170,200	1 7/8" thick	YA-81	1	C6OZ 8546-D
	P-w/A/C	6	250	2.18" thick	YA-32	1	D0DZ 8546-A
71	P-w/o A/C	6	250	1.28" thick-#C9ZE-B		1	C9ZZ 8546-A
	P	6	170,200	1 7/8" thick	YA-81	1	C6OZ 8546-D
	P-w/o A/C	6	250	1 13/16" thick		1	D0SZ 8546-A
	P-w/A/C	6	250	2 3/16" thick	YA-44	1	D1DZ 8546-A
	P-Std. or X/C	8	302	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	P-w/A/C	8	302	2 7/16"	YA-74	1	C4AZ 8546-F
72	P(exc. hang-on A/C)	6	170,200	1 7/8" thick	YA-81	1	C6OZ 8546-D
	P-w/hang-on A/C, w/H.D. fan	6	170,200		YA-53	1	D2DZ 8546-C
	P-w/hang-on A/C	6	250			1	
	P-w/hang-on A/C, w/o H.D.fan	6	170,200		YA-52	1	D2DZ 8546-B
	P-Std. cooling	6	250	1 13/16" thick		1	D0SZ 8546-A
	P-w/ integral A/C "Before 2/15/72"	6	250	1 5/32" thick-#D2DE-AA	YA-51	1	D2DZ 8546-A
	P-w/ integral A/C "From 2/15/72"	6	250		YA-44	1	D1DZ 8546-A
	P-w/A/C	8	302	2 7/16" thick	YA-74	1	C4AZ 8546-F
	P-Std. cooling	8	302	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
- S -							
65	S-except A/C	8	390	1.18" thick-use (2) pcs. to replace (2.30") production spacer		2	B5A 8546-A
66/67	S-C/M trans. (except A/C)	8	390	1.93" thick	YA-80	1	C5TZ 8546-D
	S-C6 trans. (except A/C)	8	390,428	1.18" thick-use 2 pieces to replace production spacer		2	B5A 8546-A
68/69	S-Std. or X/C	8	429	2.42" thick		1	C8SZ 8546-A
70	S-Std. cooling "Before 9/2/69"	8	429	1 1/4" thick		1	C9AZ 8546-A
	S-Std. cooling "From 9/2/69"	8	429	1" thick		1	D0SZ 8546-B
71	S-Std. cooling	8	429	1" thick		1	D0SZ 8546-B
72	S-All	8	400	2 15/16" thick	YA-56	1	D2SZ 8546-A
	S-Std. cooling	8	429	1 1/4" thick		1	C9AZ 8546-A
- U -							
66/68	U-with or w/o T/E	6	170	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	U-with or w/o T/E (1966)	8	289	.19" thick-no pilot		1	C2AZ 8546-A
	U-with or w/o T/E (1967)	8	289	1.07" thick	YA-82	1	C6TZ 8546-A
69/	U	6	170	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	U	8	302	1.07" thick	YA-82	1	C6TZ 8546-A
- X -							
65	X-with P/S, extra cooling or A/C	6	170,200	.86" thick	YA-76	1	C4DZ 8546-B
	X	8	289	1.50" thick	YA-21	1	D0AZ 8546-B
66	X-P/S-dealer w/o T/E	6	170,200	.86" thick	YA-76	1	C4DZ 8546-B
	X-X/C(w/or w/o P/S) w/o T/E	6	170,200	1.61" thick	YA-71	1	C2OZ 8546-G
	X-X/C with T/E	6	170,200	1.61" thick	YA-71	1	C2OZ 8546-G

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8546 SPACER - PULLEY TO FAN - continued							
- X -							
66	X-Std., (P/S-factory, exc. A/C, X/C) w/o T/E	6	170,200	1.88" thick	YA-81	1	C6OZ 8546-D
	X-Std., P/S with T/E	6	170,200	1.88" thick	YA-81	1	C6OZ 8546-D
	X-Hang-on A/C w/o T/E	8	289	3.22" thick	YA-69	1	C2OZ 8546-A
	X-Std., P/S with or w/o T/E	8	289	3.40" thick-repl. 3.60" spacer	YA-78	1	C5AZ 8546-B
67	X-auto. trans. w/o T/E	6	170	1.61" thick	YA-71	1	C2OZ 8546-G
	X-X/C with or w/o T/E	6	170	1.61" thick	YA-71	1	C2OZ 8546-G
	X-S/T w/o T/E	6	170	1.88" thick	YA-81	1	C6OZ 8546-D
	X w/o T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	X-Hang-on A/C w/or w/o T/E	8	289	2.44" thick	YA-74	1	C4AZ 8546-F
	X-exc. A/C w/or w/o T/E	8	289	3.22" thick	YA-69	1	C2OZ 8546-A
68	X-Std. w/T/E	6	170	1.61" thick	YA-71	1	C2OZ 8546-G
	X-w/Imco	6	170	1.93" thick	YA-80	1	C5TZ 8546-D
	X-w/X/C & T/E	6	170			1	
	X	6	200			1	
	X-w/o A/C	8	289,302	3.22" thick	YA-69	1	C2OZ 8546-A
	X-w/A/C	8	289,302	2.95" thick-#C8ZE-D	YA-27	1	C8ZZ 8546-B
69	X-Std.	6	170,200	1 19/32" thick	YA-71	1	C2OZ 8546-G
	X-Std.	8	302	1.50" thick	YA-21	1	D0AZ 8546-B
	X-w/A/C	8	302	2.95" thick-#C8ZE-D	YA-27	1	C8ZZ 8546-B
70	X-Std. & X/C "Before 8/27/69"	6	200	1 19/32" thick	YA-71	1	C2OZ 8546-G
	X-Std. & X/C "From 8/27/69"	6	200	1.50" thick	YA-21	1	D0AZ 8546-B
	X-w/o A/C	8	302	1 1/4" thick-#C8YE-A or D10A-AA	YA-20	1	C8YZ 8546-A
	X-Std. cooling	8	302	1 1/2" thick	YA-21	1	D0AZ 8546-B
YEAR	MODEL			DESCRIPTION		QTY.	PART NUMBER
8548 TUBE OR HOSE - WATER BY PASS - Also refer to Groups 8555 & 8597							
65	A	8	289,352	Rubber-with heater & A/C-cut from 18472 bulk hose		1	★
			390				
66	A-without T/E	8	352	Rubber-w/heater & A/C-cut from 18472 bulk hose		1	
66	B-with or w/o T/E	8	390	Rubber-w/o heater-cut from 18472 bulk hose		1	
66	A-with T/E	8	390,428	Rubber-w/heater & A/C-cut from 18472 bulk hose		1	
66/69	B, F, X-w/o T/E	6	170,200	Rubber-htr. nipple to carb. spacer(9A589)-cut from FDA 18472-A		1	★
		8	All	Bolt (tube to water pump)-5/16"-18 x 3/4"		2	20346-S8 (B50)
		8	All	Lockwasher-5/16"		2	34806-S7(X64)
68	F	8	390-4V, 427	Elbow 45°		1	353476-S100 (II-173)
8550 SLINGER - WATER PUMP SHAFT - Also refer to Group 8530							
65/68	A, B, F, S, U (170, 200, 260, 289, 352, 390, 427, 428)	6 & 8		3/4" long		1	B7C 8550-A
71/	L	4	98			1	D0RY 8550-A
8553 HUB - WATER PUMP PULLEY							
65/69	A, B, F, X, U (exc. Boss)	8	260,289, 302-2V	2.54" O. D. -. 74" depth		1	B9AE 8553-A
65/68	A, B, F, S	8	352,390, 428			1	
65/68	A, B(Special)	8	406,427, 428			1	
69	A, B, F	8	351			1	
69	F-Boss	8	302-4V			1	
70/	U	8	302			1	
65/70	A, B, F, X, U (144, 170, 200, 223, 240)	6		2.50" O. D. -. 56"/.66" length		1	B4A 8553-A
71/	U, P	6	170,200			1	
71/	A	6	240			1	
72	A, B, F, P, S "From 6/19/72"	8	302,351, 400			1	

Identification marking

27

FINAL ISSUE

SECTION 85

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8564 SEAL - WATER PUMP						
65/67	A, B, F, S, U, X(170, 200, 240, 260, 289, 352, 390, 427, 428)	6&8			1	B2AZ 8564-D
68	A, B, F, S, X, U	8	289,390, 427,428		1	
68/69	A, B, F, X	8	302,351		1	
68/	A, B, F, P, X	6	200,240		1	
68/	P, U	6	170		1	
69/	U	8	302		1	
72	B, F, P "From 1/21/72"	6	250		1	
69/72	B, F, P "Before 1/21/72"	6	250		1	C9DZ 8564-B
69/71	A, B, F	8	390,428		1	B6TZ 8564-D
69/	A, B, F, S	8	429,460		1	
70/	A, B, F, P, X	8	302,		1	
70/	A, B, F	8	351C,W		1	
71/	A, B, S	8	400		1	
71/	L	4	98		1	D1FZ 8564-A
71/	L	4	122		1	B6TZ 8564-D
8575 THERMOSTAT - WATER						

YEAR	MODEL	ENGINE		Q T Y.	† LOW TEMPERATURE			† HIGH TEMPERATURE		
		CYL.	C. I. D.		° TEMP.	MOTORCRAFT SALES NO.	PART NUMBER	° TEMP.	MOTORCRAFT SALES NO.	PART NUMBER
- A -										
65/66	A	6&8	240, 289	1				190	(RT-9)	A8AZ 8575-C
	A	8	352, 390, 427, 428	1				190	(RT-19)	A8AZ 8575-F
67	A	6&8	240, 289	1				190	(RT-9)	A8AZ 8575-C
	A "Before 12/1/66"	8	390, 427, 428	1				190	(RT-19)	A8AZ 8575-F
	A "From 12/1/66"	8	390, 427, 428	1				190	(RT-9)	A8AZ 8575-C
68/	A	6&8	240, 289, 302, 351W	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	A	8	390, 427, 428, 429	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
71/	A	8	351C, 400	1				192	(RT-139)	D0AZ 8575-A
- B -										
65/67	B "Before 11/14/66" Imco "From 11/14/66"	6	200	1				190	(RT-9)	A8AZ 8575-C
	B-auto, trans. w/Imco "From 11/14/66"	6	200	1				200	(RT-1020)	C7DZ 8575-A
	B-exc. auto, trans. w/	6	200	1				190	(RT-9)	A8AZ 8575-C
	B	8	289	1				190	(RT-9)	A8AZ 8575-C
	B-1966/67- "Before 12/1/66"	8	390	1				190	(RT-19)	A8AZ 8575-F
	B-1967- "From 12/1/66"	8	390, 427	1				190	(RT-9)	A8AZ 8575-C
68	B	6	200	1				200	(RT-1020)	C7DZ 8575-A
68/69	B	8	289, 302	1				190	(RT-9)	A8AZ 8575-C
	B	8	390, 427, 428 CJ	1				190	(RT-9)	A8AZ 8575-C
69	B	6&8	250, 351	1				190	(RT-9)	A8AZ 8575-C
70/	B	6&8	250, 302, 351W	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	B	8	351C, 351CJ, 400	1				192	(RT-139)	D0AZ 8575-A
	B	8	429	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C

† Low temperature-use with alcohol type anti-freeze. Use high temperature for replacement except when permanent type anti-freeze has been drained & replaced by alcohol.

8575 THERMOSTAT - WATER - continued

YEAR	MODEL	ENGINE		Q T Y.	LOW TEMPERATURE			HIGH TEMPERATURE		
		CYL.	C. I. D.		o TEMP.	MOTORCRAFT SALES NO.	PART NUMBER	o TEMP.	MOTORCRAFT SALES NO.	PART NUMBER
- F -										
65/67	F 'Before 11/14/66"	6&8	170,200,260	1				190	(RT-9)	A8AZ 8575-C
	F-exc. auto.trans.w/ Imco 'From 11/14/66"	6	200	1				190	(RT-9)	A8AZ 8575-C
	F-auto.trans.w/Imco 'From 11/14/66"	6	200	1				200	(RT-1020)	C7DZ 8575-A
	F-w/generator	8	289	1				190	(RT-9)	A8AZ 8575-C
	F-w/alternator	8	289	1				190	(RT-9)	A8AZ 8575-C
	F-1967" Before 12/1/66"	8	390	1				190	(RT-19)	A8AZ 8575-F
	F-1967" From 12/1/66"	8	390	1				190	(RT-9)	A8AZ 8575-C
68/	F-exc. Economy 1/B	6	200, 250	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	F-Economy 1/B(1969)	6	250	1					(RT-1020)	C7DZ 8575-A
	F (exc. Boss)	8	289, 302-2V, 351w	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	F-Boss	8	302-4V	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	F	8	351C, 351CJ, Spec. 1	1				192	(RT-139)	D0AZ 8575-A
	F	8	390, 427, 428 CJ	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	F-Boss	8	429	1				190	(RT-9)	A8AZ 8575-C
	F	8	429CJ, S/CJ	1				190	(RT-9)	A8AZ 8575-C
- L -										
71	L	4	98	1	179	(RT-168)	D1FZ 8575-B	190	(RT-148)	D0RY 8575-A
	L	4	122	1				190	(RT-169)	D1PZ 8575-B
72	L	4	98	1	179	(RT-168)	D1FZ 8575-B	190	(RT-159)	D1PZ 8575-A
	L	4	122	1	190	(RT-169)	D1PZ 8575-B	190	(RT-169)	D1PZ 8575-B
- P -										
70	P	6&8	170, 200, 250, 302	1	180 160	(RT-8) (RT-6)	A8AZ 8575-B A8AZ 8575-A	190	(RT-9)	A8AZ 8575-C
- S -										
65/67	S 'Before 12/1/66"	8	390, 428	1				190	(RT-19)	A8AZ 8575-F
67	S 'From 12/1/66"	8	390, 428	1				190	(RT-9)	A8AZ 8575-C
68/	S	8	429	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
72	S	8	400	1				192	(RT-139)	D0AZ 8575-A
72	S	8	460	1				190	(RT-9)	A8AZ 8575-C
- U -										
66/68	U	6	170	1				190	(RT-9)	A8AZ 8575-C
66/67	U	8	289	1				180	(RT-8)	A8AZ 8575-B
68	U	8	289	1				190	(RT-9)	A8AZ 8575-C
69/	U	6&8	170, 302	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
- X -										
65/67	X 'Before 11/14/66"	6	170, 200	1				190	(RT-9)	A8AZ 8575-C
	X-exc. auto.trans.w/ Imco 'From 11/14/66"	6	170, 200	1				190	(RT-9)	A8AZ 8575-C
	X-auto.trans.w/Imco 'From 11/14/66"	6	170, 200	1				200	(RT-1020)	C7DZ 8575-A
	X	8	289	1				190	(RT-9)	A8AZ 8575-C
68/70	X	6	170, 200	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	X	8	289, 302	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8590 GASKET -THERMOSTAT						
71/	L	4	122	Non-adhesive backing	1	D1FZ 8590-A
71/	L	4	122	Adhesive backing	1	D4PZ 8590-A

† Low temperature-use with alcohol type anti-freeze. Use high temperature for replacement except when permanent type anti-freeze has been drained & replaced by alcohol.

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

† Use with intake manifold having thermostat seat	‡ Use with intake manifold without thermostat seat
---	--

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8592 CONNECTION - WATER OUTLET - continued						
- F -						
65/67	F	6	170,200		1	C1DZ 8592-C
	F	8	260,289	W/o thermostat pocket	1	+C3OZ 8592-A
	F	8	260,289	With thermostat pocket	1	† C9OZ 8592-A
	F-1967	8	390	Marked C5AE 8594-A	1	C5AZ 8592-B
	F-1967	8	390		1	C4TZ 8592-C
68/69	F	6	200		1	C1DZ 8592-C
	F-with A/C -1969	6	250	Marked C9DE 8594-A	1	C9DZ 8592-A
	F-without A/C -1969	6	250		1	C9DZ 8592-B
	F	8	289,302,351		1	C9OZ 8592-A
	F	8	390,427,428 CJ	Marked C8AE 8594-B	1	C4TZ 8592-C
	F-Boss -1969	8	429		1	C8SZ 8592-A
70	F	6	200		1	C1DZ 8592-C
	F	6	250	Marked C9DE 8594-A	1	C9DZ 8592-A
	F	8	302		1	C9OZ 8592-A
	F		351W		1	
	F	8	351C		1	D1AZ 8592-A
	F	8	390,428CJ	Marked C8AE 8594-B	1	C4TZ 8592-C
71/	F-w/o A/C	6	250		1	C9DZ 8592-B
	F-w/A/C	6	250		1	C9DZ 8592-A
	F	8	302		1	C9OZ 8592-A
	F	8	351,351CJ,351Spec.		1	D1AZ 8592-A
	F	8	429 CJ, S/CJ		1	C8SZ 8592-A
- L -						
71/	L	4	98		1	D1FZ 8592-B
71/	L	4	122	R/b D3FZ 8592-A (1-74)	1	★D1FZ 8592-A
- P -						
70	P	6	170,200		1	C1DZ 8592-C
	P	6	250		1	C9DZ 8592-B
71/	P	6	170		1	C1DZ 8592-C
	P-w/o A/C	6	200		1	
	P-w/A/C	6	200		1	C1DZ 8592-C
	P	6	250		1	C9DZ 8592-B
	P	8	302		1	C9OZ 8592-A
- S -						
65/66	S	8	390,428		QTY. 1	SUPPLY TANK C1AZ 8A080-C
67	S	8	390,428	Marked C5AE 8594-A	1	C5AZ 8592-B
67	S	8	390,428	Marked C8AE 8594-B	1	C4TZ 8592-C
68/	S	8	429		1	C8SZ 8592-A
72	S	8	460		1	
72	S	8	400		1	D1AZ 8592-A
- U -						
66/68	U	6	170		1	C1DZ 8592-C
	U	8	289		1	C9OZ 8592-A
	U	8	289		1	C9OZ 8592-A
69/70	U	6	170		1	C1DZ 8592-C
	U	8	302		1	C9OZ 8592-A
71/	U	6	170		1	C1DZ 8592-C
	U	8	302		1	C9OZ 8592-A

† Use with intake manifold having thermostat seat

★ Use with intake manifold without thermostat seat

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8592 CONNECTION - WATER OUTLET - continued						
- X -						
65/70	X	6	170,200		1	C1DZ 8592-C
65/68	X	8	260,289	W/o thermostat pocket	1	+ C3OZ 8592-A
	X	8	289	With thermostat pocket	1	‡ C9OZ 8592-A
68/69	X	8	289,302		1	C9OZ 8592-A
70	X	8	302		1	
65/68	X	6	144,170	Bolt (connection to cylinder head)-	2	370790-S (BB428)
65/68	B	6	170	5/16"-18 x .875"		
69/	A, B, F, P, X, U	8	302	Bolt (connection to intake manifold)-	2	357235-S(BB136)
66/68	U	8	289	5/16"-18 x 7/8" hex. head	2	
65/70	X	6	170	Lockwasher-5/16"	2	34806-S7(X64)
68/	A, B, F, S	8	429,460		2	
72	A, B, S(California only)	8	429,460		1	
66/68	U	8	289	Bolt-3/8"-16 x 5/8"	2	20328-S8(B76)
69/	B, F, X, U	6	170,200	Bolt (connection to cyl.head)-5/16"-18 x 1 1/4"	2	377388-S(BB249G)
			250			
69/	A	6	240	Bolt (connection to cyl.head)-5/16"-18 x 7/8"	2	376256-S(BB545A)
70/	A, B, F	8	351C	Screw & washer(water conn. to block)-5/16" -	2	57633-S100(U21)
				18 x 3/4"		
71/	A, B, S	8	400		2	
71/	L	4	122	Bolt hex.hd.(connection to block)-M8 x 20mm	2	E602187-S82(AB17)
71	L	4	98	Bolt hex.hd.-5/16"-18 x 7/8"(attach water	2	20366-S8(B52)
				conn. to cylinder head)		
68/	A, B, F, S	8	429,460	Bolt(conn. to block)-5/16" -18 x 1 1/8"	2	352464-S8(BB139)
72	A, B, S(California only)	8	429,460		1	
71/	L	4	122	Washer (connection to block)	1	E630027-S71(AX13)
8593 WASHER - THERMOSTAT GASKET						
71/	L	4	122	Used to retain thermostat gasket	1	D1FZ 8593-A
8597 HOSE - WATER BY-PASS - Also refer to Groups 8548, 8555						
66/70	B, F, X w/o heater	6	170,200	Rubber-5/8" x 28 1/2"-(9C524) tube to water	1	*
				pump-cut from 18472 bulk hose		
66/67	B, F, X-with A/C, heater	6	170,200	Rubber elbow-5/8" I.D. x 1" O.D. - 8M 18599	1	C6DZ 8597-A
				nipple (near 8592) to heater water outlet tube		
65/69	A, B, F, U, X	8	260,289,		1	D2PZ 8597-A
			302			(KM-614)
65	A, B, F, X	8	260,289	Rubber-straight-cut as req'd. from 18472 bulk	1	*
			289,292	hose		
65/67	A, B, S	8	352,390	Rubber-5/8" I.D. x 2 3/4" O.D. -	1	C2OZ 8597-D
			427,428	cut as required		
68	B, F, S, X	6&8	170,200		1	
			429			
69	F-Boss	8	429	Cut as required	1	
			Spec.			
69	A, S	8	429		1	
70/71	A, F	8	390,428	Cut as required	1	
70/	A, B, S	8	429	Cut as required	1	
72	S	8	460	Cut as required	1	
69	B, F	8	351W		1	C9OZ 8597-A
70/	A, B, F, P, U, X	8	302	3/4" I.D. x 5/8" I.D.-cut as required	1	D0OZ 8597-B
69/	A	8	351W	Cut as required	1	(KM-640)
69/	B, F	8	351W		1	
68	X	6	170,200	Clamp-hose (hose to water pump)	2	97333-S35(E8)
68	B, F	6	200		2	
68	S	8	429		2	

8600 FAN BLADE ASSY.

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIA.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- A -									
65	A-except A/C	6	240	20 1/4" radiator core	4	17"	5/8"	1	C20A 8600-B
	A-Hang-on A/C	6	240	Without fan clutch	5	18"	5/8"	1	C5AZ 8600-F
	A-Hang-on or Integral A/C	6	240		7	18 1/4"	2 3/8"	1	C5AZ 8600-D
	A-except A/C	8	289		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-Hang-on A/C	8	289	Without fan clutch-marked C5AE-G	5	18"	5/8"	1	C5AZ 8600-F
	A-Integral A/C	8	289	Marked C6OE-C-used w/C4AZ 8A616-C replaces 5 blade fan	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	A-Integral A/C or factory installed Hang-on A/C "After first 1000 units-before 6/1/65"		289		7	18 1/4"	2 3/8"	1	C5AZ 8600-D
	A-Integral A/C or factory installed Hang-on A/C- "From 6/1/65"	8	289	W/o fan clutch-flex.blades-replaces fan marked C5AE-H	5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	A-Std. or X/C	8	352		4	18 1/2"	5/8"	1	D2OZ 8600-A
	A-Std. cooling & Auto. Trans.	8	390 exc. P/C		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-Std. cooling & S/T	8	390 exc. P/C		4	18 1/2"	5/8"	1	D2OZ 8600-A
	A-X/C	8	390 exc. P/C		4	18 1/2"	5/8"	1	D2OZ 8600-A
	A-Hang-on A/C	8	352, 390 exc. P/C	Without fan clutch-marked C5AE-G	5	18"	5/8"	1	C5AZ 8600-F
	A-A/C	8	352, 390 exc. P/C	Used with fan clutch-aluminum blades	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-Std. cooling	8	390 P/C		4	18 1/2"	5/8"	1	D2OZ 8600-A
	A-Hang-on A/C (dealer installed)	8	390 P/C	Marked C5AE-G	5	18"	5/8"	1	C5AZ 8600-F
	A-A/C (factory installed)	8	390 P/C	Used with fan clutch-aluminum blades	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A "Before 1/25/65"	8	427		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A "From 1/25/65"	8	427		7	18"	2 3/8"	1	C4SZ 8600-A
	66	A-except A/C	6	240		4	18 1/4"	5/8"	1
A-Hang-on A/C- without T/E		6	240	Without fan clutch-marked C5AE-G-replaced fan marked C5AE-D	5	18"	5/8"	1	C5AZ 8600-F
A-Integral A/C		6	240	With fan clutch-marked C6AE-D	7	18 1/4"	2 3/8"	1	C5AZ 8600-J
A-w/T/E(exc. A/C)		8	289	Marked C6OE-D	4	17 1/8"	5/8"	1	C6OZ 8600-D
A-exc. A/C or T/E		8	289	Marked C6OE-B, C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
A-Hang-on A/C		8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
A-Integral A/C- "Before 10/8/65"		8	289	Marked C6AE-D-used w/C5AZ 8A616-C-replaces fan marked C5AE-E	7	18 1/4"	2 3/8"	1	C5AZ 8600-J
A-Integral A/C- "From 10/8/65 to 11/30/65"		8	289	Marked C6OE-C-used w/C4AZ 8A616-C replaces 5 blade fan	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
A-Integral A/C- "From 11/30/65"		8	289	Flex.blades-used w/C4AZ 8546-C	5	18"	5/8"	1	C5AZ 8600-K (YA-15)
A-except A/C- "Before 2/21/66"		8	352, 390	Marked C5AE-A	4	18 1/2"	5/8"	1	D2OZ 8600-A
A-except A/C - "From 2/21/66"		8	352, 390	Marked C6ME-C	5	18 1/2"	5/8"	1	C1AZ 8600-A
A-Integral A/C		8	352, 390	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
A		8	427	Marked C4SE-A	7	18"	2 3/8"	1	C4SZ 8600-A
A-except A/C - "Before 2/21/66"		8	428 exc. P/C	Marked C5AE-A	4	18 1/2"	5/8"	1	D2OZ 8600-A
A-except A/C- "From 2/21/66"		8	428 exc. P/C	Marked C6ME-C	5	18 1/2"	5/8"	1	C1AZ 8600-A

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- A -									
66	A-Integral A/C-	8	428	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-except A/C - "Before 2/14/66"	8	428 P/C	Marked C4SE-A	7	18"	2 3/8"	1	C4SZ 8600-A
	A-except A/C- "From 2/14/66"	8	428 P/C	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-Integral A/C- "Before 2/14/66"	8	428 P/C	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-Integral A/C- "From 2/14/66"	8	428 P/C		7	19 1/2"	2 3/8"	1	C6MY 8600-A
67	A-except Taxi, Police, A/C, Super X/C	6	240		4	18 1/4"	5/8"	1	C3AZ 8600-B
	A-Taxi, Police, Hang-on A/C w/o fan clutch	6	240		5	18 1/4"	5/8"	1	C5AZ 8600-C
	A-Integral A/C, Super X/C - "Before 1/17/67"	6	240	Marked C6AE-D-use w/C5AZ 8A616-D	7	18 1/4"	2 3/8"	1	C5AZ 8600-J
	A-Integral A/C, Super X/C - "From 1/17/67"	6	240	Marked C5AE-E-use w/C5AZ 8A616-B	7	18 1/4"	2 3/8"	1	C5AZ 8600-D
	A exc. A/C, Super X/C or T/E	8	289	Marked C6OE-D or C7AE-F	4	17 1/8"	5/8"	1	C6OZ 8600-D
	A(exc. A/C or Super X/C)-with T/E	8	289	Marked C1VV-D or C6AE-E	4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-Hang-on A/C	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	A-Integral A/C or Super X/C	8	289	Flex. blades	5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	A-Std.	8	390, 428	Without T/E or Imco	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
		8	390, 428	With T/E or Imco					
	A-exc. A/C	† 8	390, 428 exc. P/C	Marked C7AE-C	4	19"	5/8"	1	C7AZ 8600-C
	A-exc. A/C	† 8	390, 428 exc. P/C	With T/E-marked C7AE-B	4	19"	5/8"	1	C7AZ 8600-A
	A-S/T-exc. A/C	† 8	390, 428 exc. P/C	Without T/E-marked C7AE-B	4	19"	5/8"	1	C7AZ 8600-A
	A-auto. exc. A/C	† 8	390, 428 exc. P/C	Without T/E-marked C7AE-C	4	19"	5/8"	1	C7AZ 8600-C
	A-Hang-on A/C	8	390, 428 exc. P/C	Marked C6ME-C	5	18 1/2"	5/8"	1	C1AZ 8600-A
	A-A/C	8	390, 428 exc. P/C	With Imco	6	18 1/2"	5/8"	1	C6MY 8600-B
	A(P/C)-A/ T w/o T/E or Imco	8	390, 428 exc. P/I	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A(P/C)-S/ T	8	390, 428 exc. P/I	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-Integral A/C	8	390, 428 exc. P/I		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A-X/C w/o A/C	8	390, 428 exc. P/C	Marked C8AE-D	5	19"	5/8"	1	C8AZ 8600-D
	A-Integral A/C	8	428 P/I		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A-except A/C	8	427, 428 P/I	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B

† "Before 2/9/67"

† "From 2/9/67"

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- A -									
68	A-Std. (exc. P/C or Taxi)	6	240		4	18 1/4"	5/8"	1	C3AZ 8600-B
	A-Std. or X/C (P/C, Taxi)	6	240		5	18 1/4"	5/8"	1	C5AZ 8600-C
	A-Std.	8	302		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-X/C	8	302	Marked C7SE-B	4	18"	5/8"	1	C7SZ 8600-B
	A-w/A/C, w/Imco	8	302	Flex. blades	5	18"	5/8"	1	C5AZ 8600-K
	A-X/C w/Hang-on A/C	8	302	Flex. blades				1	(YA-15)
	A-Std. w/o A/C w/T/E or Imco	8	390, 428 exc. P/C	Marked C7AE-B	4	19"	5/8"	1	C7AZ 8600-A
	A-Std. or X/C with A/C	8	390, 428 exc. P/C		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A-Std. and A/C	8	390, 428 P/C	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1	C8AZ 8600-B (YA-16)
	A-X/C w/o A/C	8	390, 428 exc. P/C	Marked C8AE-D	5	19"	5/8"	1	C8AZ 8600-D
	A-Std. w/T/E	8	427		5	19 1/2"	5/8"	1	C8AZ 8600-A
	A-Std. or X/C	8	427	Marked C5AE-B	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
69	A(exc. P/C, Taxi)	6	240	Marked C7OE-A	4	17 3/4"	5/8"	1	C7OZ 8600-A
	A(P/C, Taxi)- "Before 9/19/68"	6	240		5	18 1/4"	5/8"	1	C5AZ 8600-C
	A-w/o A/C-	8	302	Marked C7SE-B	4	18 "	5/8"	1	C7SZ 8600-B
	A(Police, Taxi)- "From 9/19/68"	6	240					1	
	A-w/A/C	8	302		5	18"	5/8"	1	C5AZ 8600-K
	A-X/C-w/hang-on A/C	8	302					1	(YA-15)
	A-w/A/C	8	351		7	18"	2 3/8"	1	C8SZ 8600-C
	A-std. & X/C	8	351	Marked C7ZE-B	4	18"	5/8"	1	C7SZ 8600-B
	A(exc. P/C)-A/C	8	390, 429		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A-w/trailer towing pkg.	8	390, 429					1	
	A(exc. P/C) Std., X/C	8	390, 429	Marked D0AE-B-replaces C9AE-C, D, E, F, G	4	19"	5/8"	1	D0AZ 8600-B
	A(P/C)	8	390 428 P/C	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1	C8AZ 8600-B (YA-16)
	A(P/C) Std., X/C, A/C	8	429					1	
	A-X/C-with hang-on A/C		390, 429	Marked C8AE-D	5	19"	5/8"	1	C8AZ 8600-D
70	A(P/C)	6	240		4	19"	5/8"	1	C7AZ 8600-C
	A-Std. & X/C-(exc. P/C)	6	240		4	17 9/16"	5/8"	1	C9OZ 8600-B
	A-w/o A/C	8	302, 351		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-with A/C	8	302		5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	A-with A/C	8	351	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
	A-Std. & X/C	8	390, 429	Marked D0AE-B	4	19"	5/8"	1	D0AZ 8600-B
	A-w/A/C	8	390, 429		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A(P/C)	8	428	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1	C8AZ 8600-B (YA-16)
71	A(P/C, Taxi) Std. cooling	6	240		4	19"	5/8"	1	C7AZ 8600-C
	A (exc. P/C, Taxi)- Std. cooling	6	240		4	19"	5/8"	1	D0AZ 8600-B
	A Std. cooling	8	302, 351W		4	17 1/2"	5/8"	1	C6OZ 8600-A

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- A -									
71	A-w/A/C	8	351W	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
	A(P/C)-Std. cooling & A/C	8	351, 400					1	
	A-Std. cooling (exc. P/C)	8	390, 429	Marked D0AE-B	4	19"	5/8"	1	D0AZ 8600-B
	A-Std. cooling	8	400					1	
	A-w/A/C	8	390, 429		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A-Std. cooling & or A/C (P/C only)	8	390, 429	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1	C8AZ 8600-B (YA-16)
	A-w/A/C	8	400	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
72	A, Taxi-Std. cooling	6	240		4	19"	5/8"	1	C7AZ 8600-A
	A-Std. cooling	6	351C		4	19"	5/8"	1	D0AZ 8600-B
	A-Std. cooling	8	302, 351W		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-Std. cooling	8	400, 429	Marked D0AE-B	4	19"	5/8"	1	D0AZ 8600-B
	A-w/A/C	8	351	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
	A(P/C)-Std. or A/C	8	C&W 351 C&W					1	
	A(P/C)-Std. cooling & A/C	8	400	Marked D2SE-AA	5	18 1/2"	5/8"	1	D2SZ 8600-A (YA-65)
	A-W/A/C	8	400						
	A(P/C) Std. cooling & A/C	8	429	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1	C8AZ 8600-B (YA-16)
	A-W/A/C	8	429		7	19 1/2"	2 3/8"	1	C6MY 8600-A
- B -									
65	B-Std. Trans.	6	200		4	14 1/2"	5/8"	1	C0DZ 8600-A
	B-Auto. Trans.	6	200		4	15 1/2"	5/8"	1	C2DZ 8600-D
	B-Hang-on A/C	6	200	Aluminum blades	5	17"	5/8"	1	C5AZ 8600-A
	B-X/C or 53, 55 alt.	6	200	Aluminum blades	5	17"	5/8"	1	C5AZ 8600-A
	B-Deluxe Hang-on A/C	6	200		5	17 1/4"	2 3/8"	1	C3OZ 8600-D
	B-Special	8	289		4	17 1/8"	5/8"	1	C6OZ 8600-D
	B-(exc. Special)-Std. or extra cooling	8	289		4	17"	5/8"	1	C2OA 8600-B
	B-X/C or Hang-on A/C	8	289	Aluminum blades	5	17"	5/8"	1	C5AZ 8600-A
	B-X/C & 53, 55 alt.	8	289	Aluminum blades	5	17"	5/8"	1	C5AZ 8600-A
	B-Deluxe Hang-on A/C	8	289		7	17 1/2"	2 3/8"	1	C4OZ 8600-D
36	B-exc. X/C, 53, 55 alt., A/C	6	200	Marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	B-X/C, 53, 55 alt.	6	200	With or without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Hang-on A/C	6	200	Without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Integral A/C, power fan	6	200	Without T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	B-Hang-on or Integral A/C, power fan	6	200	With T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	B-exc. A/C, X/C, power fan	8	289	With T/E-marked C6OE-D	4	17 1/8"	5/8"	1	C6OZ 8600-D
	B-except A/C, X/C, power fan	8	289	W/o T/E-marked C6OE-B, C6AE-E, or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-X/C	8	289	With or without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Hang-on A/C	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	B-Integral A/C	8	289	With or w/o T/E-marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	B-power fan	8	289	With or w/o T/E-marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	B-exc. A/C, GT-"Before 1/28/66"	8	390	With or w/o T/E-marked C5AE-A	4	18 1/2"	5/8"	1	D2OZ 8600-A

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- B -									
66	B-exc. A/C, GT- "From 1/28/66"	8	390	With or w/o T/E	6	18 1/2"	5/8"	1	C6MY 8600-B
	B-Hang-on A/C	8	390	With or without T/E-marked C6ME-B	6	18 1/2"	5/8"	1	C6MY 8600-B
	B-GT, Integral A/C, power fan, X/C, w/fan clutch	8	390	With or without T/E-marked C6OE-F- replaces 18" fan marked C6OE-E	7	18 1/4"	2 3/8"	1	C6OZ 8600-F
67	B-exc. X/C, A/C, power fan	6	200	Without T/E-marked C5DA-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	B-auto, trans. (exc. X/C, A/C, power fan), w/Imco-	6	200	With T/E-marked C5DA-A- replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	B-exc. X/C, A/C, power fan -	6	200	With T/E-marked C7DE-A	4	17	5/8"	1	C7DZ 8600-A
	B-S/T (exc. X/C, A/C, power fan)-	6	200	With T/E-marked C7DE-A	4	17"	5/8"	1	C7DZ 8600-A
	B-X/C	6	200	With or w/o T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Hang-on A/C	6	200	With or w/o T/E	6	15 1/16"	5/8"	1	C9DZ 8600-A
	B-power fan	6	200	With or w/o T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	B-Integral A/C								
	B-exc. A/C, X/C, power fan	8	289	Without T/E-marked C1VV-D or C6AE-E	4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-exc. A/C, X/C, power fan	8	289	With T/E-marked C7OE-A	4	17 3/4"	5/8"	1	C7OZ 8600-A
	B-X/C	8	289	With or w/o T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Hang-on A/C	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	B-Integral A/C, power fan	8	289	With or w/o T/E-marked C6OE-G	7	17 1/2"	2 3/8	1	C4OZ 8600-D
	B-exc. GT, A/C, X/C, power fan	8	390	Marked C7AE-B	4	19"	5/8"	1	C7AZ 8600-A
	B-Hang-on A/C	8	390	Marked C6ME-C	5	18 1/2"	5/8"	1	C1AZ 8600-A
	B-GT, Integral A/C, X/C, power fan	8	390	With or w/o T/E-marked C6OE-F	7	18 1/4"	2 3/8"	1	C6OZ 8600-F
	B	8	427	Marked C6OE-F	7	18 1/4"	2 3/8"	1	C6OZ 8600-F
	68	B-Std. w/o A/C	6	200		4	15 1/2"	5/8"	1
B-w/A/C, w/P/F, T/E or Imco		6	200	Marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
B-w/A/C		8	289,302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
B-Std.		8	289, 302		4	17 1/2"	5/8"	1	C6OZ 8600-A
B-Std. or X/C		8	390-2V		4	19"	5/8"	1	C7AZ 8600-C
B-w/Power Option Fan & Imco		8	390-2V	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
B-w/A/C		8	390-2V	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
B-Std. or X/C		8	390-4V		4	19"	5/8"	1	C7AZ 8600-C
B-o A/C & T/E									
B-X/C w/A/C		8	390-4V	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
w/T/E									
B		8	427	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
B		8	428CJ					1	
69	B-Std. w/Imco	6	250	Marked C9OE-F	4	17 1/8"	5/8"	1	C9OZ 8600-A
	B-w/A/C	6	250	Marked C9ZE-C	6	17"	2 5/8"	1	C9ZZ 8600-B
	B-X/C-w/ hang-on A/C	6	250	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-w/A/C	8	302,351		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)

⚡ "Before 11/14/66"

⚡ "From 11/14/66"

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- B -									
69	B-Std. or X/C	8	302	Marked C6AE-E	4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-Std.	8	351						
	B-X/C-w/ hang-on A/C	8	302,351		5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	B-W/X/C	8	351	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	B-w/A/C	8	390 GT	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
	B-w/o A/C	8	390GT	Marked C8OE-A	4	19"	5/8"	1	C7AZ 8600-C
	B-X/C-with hang-on A/C	8	390		6	18 1/2"	5/8"	1	C6MY 8600-B
	B-Std. & A/C	8	428CJ	Marked C9ZE-E	7	18 1/4"	2 5/8"	1	C9ZZ 8600-C
	B-Std.	8	428 SuperCJ	Marked C9OE-H	6	18"	5/8"	1	C9OZ 8600-D
70	B-w/o A/C	6	250	Marked C9OE-F	4	17 1/8"	5/8"	1	C9OZ 8600-A
	B-w/A/C - "Before 4/30/70"	6	250	Marked C9ZE-C	6	17"	2 5/8"	1	C9ZZ 8600-B
	B-w/A/C "From 4/30/70"	6	250		5	17"	5/8"	1	D0DZ 8600-A
	B-X/C-w/ hang-on A/C	6	250	Marked C5AE-B -slot existing holes away from center hole of fan (4 places)	5	17"	5/8"	1	C5AZ 8600-A
	B-w/A/C - "Before 3/18/70"	8	302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	B-Std. or X/C	8	302	Marked C6AE-E or C9OE-A	4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-Std.	8	351						
	B-exc. Special & CJ	8	429	Marked D0SE-A	7	19"	2 3/8"	1	D0SZ 8600-A
	B	8	429 Spec.		5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	B-Std. & A/C	8	351					1	
	B-w/A/C	8	302					1	
	"From 3/18/70"								
	B	8	429 Spec.		7	18 1/4"	2 5/8"	1	C9ZZ 8600-C
	B	8	429CJ	Marked D0OE-A	7	19"	5/8"	1	D0OZ 8600-A (YA-25)
71	B-Std. cooling	6	250		4	17 1/2"	5/8"	1	C5OZ 8600-A
	B-Std. & X/C	8	302, 351					1	
	B-w/A/C	6	250		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	B(P/C)	6	250					1	
	B-w/A/C	8	302, 351		5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	B(P/C)	8	302, 351					1	
	B	8	429CJ	Marked D00E-A	7	19"	5/8"	1	D0OZ 8600-A (YA-25)
72	B-Std. cooling	6	250	Marked D2OE-AB	4	18 1/2"	5/8"	1	D2OZ 8600-A
	B-w/A/C	6	250		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	B(P/C, Taxi)	6	250					1	
	B(exc. P/C)-S/C, X/C	8	302,351- 2/B, 400, 429	Marked D2OE-AB	4	18 1/2"	5/8"	1	D2OZ 8600-A
	B-S/C	8	351-4/B					1	
	B(exc. P/C)-A/C	8	302, 351, 400	Marked D3OE-AA-replaces 7 blade fan	5	18 1/2"	5/8"	1	D3OZ 8600-A (YA-66)
	B(P/C)-Std. cooling & A/C	8	302, 351, 400					1	
	B-w/X/C	8	351-4/B	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
	B(exc. P/C)-A/C	8	429	Marked D0SE-A	7	19"	2 3/8"	1	D0SZ 8600-A
B(P/C)-Std. cooling & A/C	8	429	Marked D0OE-A	7	19"	5/8"	1	D0OZ 8600-A (YA-25)	

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- F -									
65	F-Hang-on A/C	6	170		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-exc. A/C	6	170,200	Replaces fans marked C2DA-A, C2OA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	F-Hang-on A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-(except Special)-Std. or extra cooling	8	260,289		4	17"	5/8"	1	C2OA 8600-B
	F-Hang-on A/C factory installed (w/generator)	8	260,289		5	17 1/4"	2 3/8"	1	C3OZ 8600-D
	F-Hang-on A/C (w/gen. or alt.)	8	260,289	Aluminum-replaces 6 blade fan	5	17	5/8"	1	C5AZ 8600-A
	F-Special	8	289		4	17 1/8"	5/8"	1	C6OZ 8600-D
	F-Hang-on A/C factory installed (w/alternator)	8	289		7	17 1/2"	2 3/8"	1	C4OZ 8600-D
66	F-Std. (exc. A/C)	6	200	Replaces fans marked C2DA-A, C2OA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	F-A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-Special	8	289	Marked C3OA-C	4	17 1/8"	5/8"	1	C6OZ 8600-D
	F-Std. (exc. Spec., A/C or T/E)	8	289	Marked C6OE-B, C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std., X/C, P/S-w/T/E	8	289	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	F-Hang-on A/C	8	289	Marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
67	F-Std. (exc. A/C)-includes Imco	6	200	Replaces fans marked C2DA-A, C2OA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	F-A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-Special	8	289	Marked C6OE-D-	4	17 1/8"	5/8"	1	C6OZ 8600-D
	F-auto. trans. (exc. A/C)-with T/E \$	8	289	Marked C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std. (exc. Special, A/C or T/E)	8	289	Marked C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std., X/C, P/S, with T/E	8	289	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	F-exc. auto. trans. or A/C with T/E \$	8	289	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	F-A/C w/spacer	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	F-A/C w/clutch	8	289	Marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	F-Std.	8	390	Marked C6OE-F	7	18 1/4"	2 3/8"	1	C6OZ 8600-F
68	F-Std. w/o A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-w/X/C or A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-Std. w/o A/C	8	289		4	17 1/8"	5/8"	1	C6OZ 8600-D
	F-w/A/C	8	289, 302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F-Std. -w/o A/C	8	302		4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-std. or X/C-"From 11/6/68"	8	351					1	
	F-Std., X/C or A/C	8	390,427	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
	F(GT350)	8	All	Marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
69	F-Std.	6	200	Marked C9ZE-D	4	16"	5/8"	1	C9ZZ 8600-A
	F-w/X/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-X/C-w/hang-on A/C	6	200,250	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	F-Std. & X/C	6	250		4	17 1/8"	5/8"	1	C9OZ 8600-A
	F-w/A/C	6	250	Marked C9ZE-C	6	17"	2 5/8"	1	C9ZZ 8600-B
	F-Economy 1/B	6	250					1	
	F(exc. Boss)-w/A/C	8	302-2V, 351		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F(exc. Boss)-Std. or X/C	8	302-2V		4	17 1/2"	5/8"	1	C6OZ 8600-A

\$ "From 11/14/66"

• "Before 11/14/66"

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- F -									
69	F-Std. or X/C	8	351	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	F(exc. Boss)-X/C-w/hang-on A/C	8	302-2V, 351		5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	F Boss	8	302-4V	Marked C9WE-A	5	17 1/2"	2 3/8"	1	C9WZ 8600-A
	F Boss	8	302-4V		4	17 1/8"	5/8"	1	C8OZ 8600-D
	F Boss	8	302-4V		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F	8	390 GT	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
	F-X/C-w/hang-on A/C	8	390	Marked C8AE-D	5	19"	5/8"	1	C8AZ 8600-D
	F-Std. & A/C	8	428CJ	Marked C9ZE-E	7	18 1/4"	2 5/8"	1	C9ZZ 8600-C
	F	8	428 SuperCJ					1	
	F-Std.	8	428 SuperCJ	Marked C9OE-H	6	18"	5/8"	1	C9OZ 8600-D
F Boss	8	429-4V	Marked C9ZE-F	7	18"	3/4"	1	C9ZZ 8600-D	
70	F-Std. - "Before 8/27/69"	6	200	Marked C9ZE-D	4	16"	5/8"	1	C9ZZ 8600-A
	F-w/X/C - "Before 8/27/69"	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-Std. & X/C - "From 8/27/69"	6	200	Marked C8YE 8600-A	5	16 1/2"	5/8"	1	C8YZ 8600-A
	F-X/C-w/hang-on A/C	6	200,250	Marked C5AE-B-slot existing holes away from center hole of fan (4-places)	5	17"	5/8"	1	C5AZ 8600-A
	F-Std. & X/C	6	250		4	17 1/8"	5/8"	1	C9OZ 8600-A
	F-w/A/C	6	250	Marked C9ZE-C	6	17"	2 5/8"	1	C9ZZ 8600-B
	F-w/A/C	8	302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F-Std., X/C & A/C	8	351					1	
	F(Boss)	8	302 Spec.					1	
	F-Std. or X/C-S/T	8	351	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	F-Std. or X/C	8	302-2V					1	
	F-Std. - "Before 9/1/69"	8	428CJ	Marked C9ZE-E	7	18 1/4"	2 5/8"	1	C9ZZ 8600-C
	F-A/C	8	428CJ					1	
	F-std. - "From 9/1/69"	8	428 S/CJ					1	
	F-A/C	8	428 S/CJ					1	
	F-Std. - "Before 9/1/69"	8	428 S/CJ		6	18"	5/8"	1	C9OZ 8600-D
	F-Std. - "From 9/1/69"	8	428CJ		7	18"	5/8"	1	D0TZ 8600-B
F-Boss	8	429 Spec.	Marked D0ZE-A	5	18"	1"	1	D0ZZ 8600-A	
71	F-Std. cooling	6	250		4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std. & X/C	8	302,351					1	
	F-w/A/C	6	250		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F-w/A/C	8	302, 351	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
	F-Std. cooling	8	302 Spec.					1	
	F-Boss-Std. cooling	8	351Spec.					1	
	F	8	429CJ & S/CJ	Marked D0OE-A	7	19"	5/8"	1	D0OZ 8600-A (YA-25)

8600 FAN BLADE ASSY. continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- F -									
72	F-Std. cooling	6	250		4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std. & X/C	8	302					1	
	F-w/A/C	6	250		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F-w/A/C	8	302,351	Marked D2SE-AA	5	18 1/2"	5/8"	1	D2SZ 8600-A (YA-65)
	F-(M/T)-Std.&A/C	8	351CJ					1	
	F-Std. & X/C	8	351-2V	Marked D2OE-AA, AB	4	18 1/2"	5/8"	1	D2OZ 8600-A
	F-(A/T)-Std. cooling	8	351CJ	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
- L -									
71	L	4	98		2	14"	5/8"	1	D1FZ 8600-A
	L Std. cooling or A/C	4	122	Marked D12E-BA, BB, BC or BD - replaces 2 blade fan	4	16"	5/8"	1	D1FZ 8600-B r/b D4ZZ 8600-A(2-74)
	L-w/hang-on A/C	4	122		6	14 5/16"	5/8"	1	C9RZ 8600-A
72	L	4	98		2	14"	5/8"	1	D1FZ 8600-A
	L-w/hang-on A/C	4	98		6	14 5/16"	5/8"	1	C9RZ 8600-A
	L-Std. cooling	4	122	Marked D22E-BA	2	16"	5/8"	1	D2FZ 8600-B
	L-w/hang-on A/C	4	122		6	14 5/16"	5/8"	1	C9RZ 8600-A
	L(A/T)-w/ integral A/C	4	122	Marked D12E-BD	4	16"	5/8"	1	D1FZ 8600-B r/b D4ZZ 8600-A(2-74)
- P -									
70	P-Std. cooling, A/T	6	170	Marked C9ZE-D	4	16"	5/8"	1	C9ZZ 8600-A
	P-w/o A/C	6	200					1	
	P-Std. cooling, S/T	6	170		4	15 1/2"	5/8"	1	C2DZ 8600-D
	P-w/A/C	6	170,200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	P-w/o A/C	6	250		4	17 1/8"	5/8"	1	C9OZ 8600-A
	P-w/A/C	6	250	Marked D0DE-A	5	17"	5/8"	1	D0DZ 8600-A
71	P-Std. cooling	6	170,200		4	17 1/8"	5/8"	1	C6OZ 8600-D
	P-w/A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	P-Std. cooling	6	250		4	17 1/8"	5/8"	1	C6OZ 8600-D
	P-w/A/C	6	250	Marked D1DE-AA	5	17"	5/8"	1	D1DZ 8600-A (YA-26)
	P-std. cooling	8	302	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	P-w/ A/C	8	302	Replaces 7 blade fan	5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
72	P-Std. cooling	6	170,200		4	17 1/8"	5/8"	1	C6OZ 8600-D
	P-w/A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	P-Std. cooling	6	250		4	17 1/2"	5/8"	1	C6OZ 8600-A
	P-w/A/C - "Before 2/15/72"	6	250	Marked D2DE 8600-AA	5	18 1/16"	5/8"	1	D2DZ 8600-A
	P-Std. cooling	8	302	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	P-w/A/C	8	302	Replaces 7 blade fan	5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	P-w/A/C - "From 2/15/72"	6	250					1	
- S -									
65	S-A/C	8	390	Used on first 500 units manufactured	5	18"	2 5/8"	1	★C1SS 8600-A
	S-exc. A/C	8	390		5	18 1/2"	5/8"	1	C1AZ 8600-A
	S-A/C	8	390	Used after 500 units manufactured	7	18"	2 3/8"	1	C4SZ 8600-A
66	S-except A/C	8	390,428		5	18 1/2"	5/8"	1	C1AZ 8600-A
	S-with A/C(w/o T/E)	8	390,428	Marked C4SE-A	7	18"	2 3/8"	1	C4SZ 8600-A
	S-with A/C & T/E	8	390,428	Marked C6AE-A	7	19"	2 3/8"	1	★C6AZ 8600-A
67	S/	8	390,428	Marked C6OE-F	7	18 1/4"	2 3/8"	1	C6OZ 8600-F

8600 FAN BLADE ASSY. continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
		CYL.	C. I. D.						
- S -									
68/69	S-Std.	8	429		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	S-w/A/C	8	429		7	18"	2 3/8"	1	C8SZ 8600-C
70/71	S-Std.	8	429		4	19"	5/8"	1	D0AZ 8600-B
	S-w/A/C	8	429	Marked D0SE-A	7	19"	2 3/8"	1	D0SZ 8600-A
72	S	8	400	Marked D2VE-AB, AC	7	17 1/2"	5/8"	1	D2VY 8600-A (YA-19)
	S-Std.cooling	8	429		4	19"	5/8"	1	D0AZ 8600-B
	S-w/A/C	8	429,460	Marked D0SE-A	7	19"	2 3/8"	1	D0SZ 8600-A
- U -									
66	U-Std. (w/o T/E)	6	170		6	15 1/16"	5/8"	1	C9DZ 8600-A
	U-with T/E or X/C	6	170					1	
	U-Std. (w/o T/E)	8	289		4	18"	5/8"	1	C1TZ 8600-J
	U-with T/E	8	289		5	18"	5/8"	1	B7Y 8600-A
67	U-Std. (w/o T/E)	6	170		6	15 1/16"	5/8"	1	C9DZ 8600-A
	U-X/C or T/E	6	170	Replaces 6 blade fan	4	15"	5/8"	1	C9TZ 8600-A
	U-w/ or w/o T/E	8	289	Marked C6TA-U or C7TA-M	7	18"	5/8"	1	D0TZ 8600-B
68	U-Std.	6	170		6	15 1/16"	5/8"	1	C9DZ 8600-A
	U-X/C or T/E	6	170	Replaces 6 blade fan	4	15"	5/8"	1	C9TZ 8600-A
	U	8	289		7	18"	5/8"	1	D0TZ 8600-B
69	U	6	170	Replaces 6 blade fan	4	15"	5/8"	1	C9TZ 8600-A
	U	8	302	Marked C6TA-U or C7TA-M	7	18"	5/8"	1	D0TZ 8600-B
70/	U	6	170		6	15"	5/8"	1	D0TZ 8600-A
	U	8	302	Marked C6TA-U or C7TA-M	7	18"	5/8"	1	D0TZ 8600-B
- X -									
65	X-Std. or X/C	6	170		4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Hang-on A/C or P/S	6	170, 200		6	15"	1"	1	C5GY 8600-C
	X-Std. Trans.	6	200	Std. or extra cooling	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Auto. Trans.	6	200	Std. cooling	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Auto. Trans.-X/C	6	200		6	15"	1"	1	C5GY 8600-C
	X-Std. trans. -Std. & extra cooling	8	289		4	17"	5/8"	1	C2OA 8600-B
	X-Auto. Trans. - Std. cooling	8	289		4	17"	5/8"	1	C2OA 8600-B
	X-Auto. Trans.-X/C	8	289	Replaces 6 blade fan	5	17"	5/8"	1"	C5AZ 8600-A
	X-Hang-on A/C	8	289	Replaces 6 blade fan	5	17"	5/8"	1	C5AZ 8600-A
66	X-Std. (exc. Integral A/C or dlr. P/S)	6	170, 200	Without T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Std., X/C, P/S, (except A/C)	6	170, 200	With T/E-w/o fan clutch-marked C5DE-A-replaces fan marked C2OA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-P/S-dlr. inst.	6	170, 200	Without T/E	6	15"	1"	1	C5GY 8600-C
	X-Integral A/C	6	170, 200	With or without T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-Hang-on A/C	6	170, 200	With T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-Std. (exc. X/C or A/C)	8	289	With or without T/E-marked C6OE-B, C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	X-X/C	8	289	With or without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	X-Hang-on A/C	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	X-Integral A/C	8	289	With or without T/E-marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D

8600 FAN BLADE ASSY. continued

YEAR	MODEL	ENGINE		DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY	PART NUMBER
		CYL	C.I.D.						
- X -									
67	X-auto.trans.(exc. X/C or A/C)-with Imco- "From 11/14/66"	6	170	With T/E-marked C5GE-C	4	14 1/2"	5/8"	1	C0DZ 8600-A
	X-Std.(exc.X/C, A/C) - "Before 11/14/66"	6	170	With or w/o T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-S/T(exc.X/C, A/C) - "From 11/14/66"	6	170	With or w/o T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-X/C	6	170,200	With or without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	X-Hang-on A/C	6	170,200	With or w/o T/E	6	15 1/16"	5/8"	1	C9DZ 8600-A
	X-Integral A/C	6	170,200	Without T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-Integral A/C	6	170,200	With T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-Std.(exc.X/C, A/C)	6	200	Without T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-std.(exc.X.C, A/C)- "Before 11/14/66"	6	200	With T/E-marked C7DE-A	4	17"	5/8"	1	C7DZ 8600-A
	X-Std.trans. exc. A/C or X/C- "From 11/14/66"	6	200	With T/E-marked C7DE-A	4	17"	5/8"	1	C7DZ 8600-A
	X-auto.trans. exc. A/C-with Imco- "From 11/14/66"	6	200	With T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Std.(exc. X/C, Integral A/C	8	289	W/o T/E-marked C1VV-D or C6AE-E	4	17 1/2"	5/8"	1	C6OZ 8600-A
	X-std.(exc.X/C, A/C)	8	289	With T/E-marked C7OE-A	4	17 3/4"	5/8"	1	C7OZ 8600-A
	X-X/C	8	289	With or w/oT/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	X-Hang-on A/C	8	289	With or w/o T/E-marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	X-Integral A/C	8	289	With or w/o T/E-marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	68	X	6	170		4	15 1/2"	5/8"	1
X-Std. w/o A/C		6	200					1	
X-w/A/C		6	200	Marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
X-w/X/C, W/T/E w/o A/C		6	200	Marked C7DE-A	4	17"	5/8"	1	C7DZ 8600-A
X-w/A/C		8	289,302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
X-Std.		8	All		4	17 1/2"	5/8"	1	C6OZ 8600-A
69/70	X	6	170	Marked C9ZE-D	4	16"	5/8"	1	C9ZZ 8600-A
	X-X/C	6	200						
	X-Std.	6	200		5	16 1/2"	5/8"	1	C8YZ 8600-A
	X-X/C-w/Hang-on A/C	6	170,200	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	X-w/A/C	6	200	Marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-w/A/C	8	302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	X-Std. or X/C	8	302		4	17 9/16"	5/8"	1	C9OZ 8600-B
	X-X/C-w/Hang-on A/C	8	302		5	18"	5/8"	1	C5AZ 8600-K (YA-15)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
65	A	8	289	Bolt(fan, spacer & pulley to pump)-5/16"-24 x 4 3/4"	4	300947-S7-8(B166F)
65/66	A	8	352	Bolt (fan to pulley to water pump)-5/16"-24 7/8"	4	355480-S8(BB525)
65/71	A, B, F, X, U	6&8	All	Lockwasher 5/16"	AR	34806-S7(X64)
68	F	8	390,427		AR	

8600 FAN BLADE ASSY. continued

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
65/71	A, F, X, U	6	All	Bolt (fan to water pump)-5/16"-24 x 5/8"	4	350400-S(BB208)
65/71	A, S-w/A/C(352, 390, 429)	8		Bolt(fan blade to clutch assy.)-5/16"-18 x 5/8"	4	20326-S7(B49)
65/71	A-with slip fan (352, 390, 406, 428)	8			4	
68	B, X-w/o A/C or power fan	6	200		4	
68	B	8	302		4	
66/69	B, F	8	390		4	
66/69	B, F	8	427		4	
68	A	8	427		4	
65/71	A	8	352, 390	Bolt (fan to pulley to pump)-5/16"-24 x 2"	4	20521-S8(B162)
65/66	S	8	All	Bolt (fan, spacer, pulley to pump)	4	
66	A	6	240	Bolt(fan & pulley to pump)-5/16"-24 x 1 1/2"	4	20467-S7(B160)
68	A	6	240	Bolt (fan & pulley to pump)	4	
67	A-Police & Taxi-std. cooling	6	240	Screw & washer(fan, spacer & pulley to pump)-5/16"-24 x 1 3/4"-hex. head	4	379439-S2 (BB570T)
69/	U	8	302	(fan, spacer to water pump)	4	
67	A-X/C with Imco	8	390, 428	Screw(fan, spacer & pulley to pump)5/16"-24 x 2 3/4"	4	*379206-S2
67/71	A	8	390, 428	Bolt (fan, spacer & pulley to pump)-5/16"-24 x 3"	4	45533-S8(B166)
66/67	B-S/T w/std. cooling (w/o A/C)	8	390	Bolt (fan thru spacer & pulley to water pump)	4	
66/67	B-auto. trans. w/std. cooling(w/o A/C)	8	390	Screw (fan, spacer & pulley to water pump)-5/16"-24 x 2 3/8"	4	45521-S7-8 (B164A)
68/69	F-std. cooling	8	289, 302	Screw(fan, spacer & pulley to water pump)	4	
68	X-std. cooling w/T/E	6	170	Screw(fan, spacer & pulley to water pump)	4	
68	B	8	289, 390, 429	Bolt (fan, spacer & pulley to pump)-5/16"-24 x 3 1/4"	4	45539-S7(B167)
68	F	8	289-4V	Bolt(fan, spacer & pulley to pump)	4	
68	A	8	390	Bolt(fan, spacer & pulley to pump)	4	
68	S-std. cooling	8	390, 428		4	
68/69	B, X-w/A/C	8	289, 302	Bolt (fan, spacer & pulley to pump)-5/16"-24 x 3 3/4"	4	379192-S7-8 (BB570 Y)
71/	A-All	8	400		4	
	A(exc. P/C)-w/A/C	8	351W		4	
	A(P/C)-All	8	351W		4	
65	F	6	170	Bolt(fan & pulley to pump)-5/16"-24 x 2 1/8"	4	379031-S7-8 (BB211B)
68	A	6	240	Screw & washer(fan, spacer & pulley to water pump)	4	
68	A-Police & Taxi-std. cooling	6	240	Screw & washer(fan, spacer & pulley to water pump)	4	
66/	U	6	170		4	
65	F	8	260, 289	Bolt (fan, spacer & pulley to pump)-5/16"-24 x 3 3/4"	4	377888-S(BB211F)
68	F	8	289, 302	Use with X/C	4	300891-S2(B166A)
71/	L	4	98	Screw & washer assy.-M8 x 1.25 x 35M (fan to	4	N-602552-S51M (AB64M)
71/	L	4	122	Screw & washer-M8 x 45(fan & pulley to pump)	4	N-602554-S51M (AB66M)
66/68	U	8	289	Bolt(fan, spacer & pulley to pump)-5/16"-18 x 1 1/4"	4	20426-S8(B55)
65/70	X-with A/C	6	All	Bolt (fan to pulley to pump)-5/16"-24 x 1"	4	20387-S8(B157)
8A611 GUARD-FAN						
68	A	8	390, 428		1	C8AZ 8A611-B
69	A	6	240		1	C9AZ 8A611-A
70/	A	6	240		1	D1AZ 8A611-A
72	F-without A/C	6	250		1	
70/71	B, F without A/C	6	250		1	
72	B-Std. cooling	6	250		1	D2OZ 8A611-A
70	B	6	250	Screw (fan guard to rad. support) 1/4"-20	1	55914-S2(U254F)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8A613 SPACER - IDLER PULLEY							
70	A-with A/C without P/S	8	302,351	29/64" I.D. - 7/8" O.D. - 1/2" thick		1	D0AZ 8A613-A
	A	8	429			1	
	A-without P/S	8	exc.P/C 429 P/C			1	
	B-with A/C without P/S	8	302,351			1	
	B-without P/S & A/C	8	429			1	
	F-with A/C without P/S	8	302,351			1	
71/	A,B,F,P-use w/adj. idler pulley	8	302, 351, 429			1	
8A615 BELT KIT - DRIVE - Refer to Group 86.1							
8A616 CLUTCH ASSY. - FAN							
- A -							
65	A-with Integral or Hang-on A/C	6	240	Brown paint on shaft	YB-95	1	C5AZ 8A616-B
	A-with Integral or factory installed	8	289	"From 6/1/65", refer to Group 8546	YB-96	1	C6OZ 8A616-D
	Hang-on A/C "Before 6/1/65"						
	A-with Integral A/C	8	352,390 exc.P/C	3.17" depth-marked C7AE-C	YB-94	1	C4SZ 8A616-B
	A-with Hang-on A/C-factory installed	8	352,390 exc.P/C	For units w/o fan clutch refer group 8546		1	
	A-Hang-on or Integral A/C	8	390 P/C			1	
	A "From 1/25/65"	8	427	"Before 1/25/65" Refer to group 8546		1	
66/67	A-Integral A/C or Super X/C-w/ or w/o T/E	6	240	Use with C5AZ 8600-D	YB-95	1	C5AZ 8A616-B
	A-Integral A/C "Before 11/30/65"	8	289	"From 11/30/65", refer to group 8546	YB-96	1	C6OZ 8A616-D
	A-Integral A/C	8	352,390 428	3.17" depth-marked C7AE-C	YB-94	1	C4SZ 8A616-B
	A-Super X/C (1967)	8	390,428			1	
	A-std. cooling - (1966/67)	8	427			1	
	A-Police-Std. w/A/C	8	390,428 exc.P/1	3.17" depth-marked C7AE 8A616-B	YB-120	1	C7AZ 8A616-B
	A-Std. cooling & Integral A/C(1967)	8	428 P/1	3.17" depth-marked C7AE-B	YB-120	1	C7AZ 8A616-B
68	A-w/A/C or X/C	8	240	Marked C5AE-B	YB-95	1	C5AZ 8A616-B
	A-w/A/C or X/C	8	390,428	3.17" depth-marked C7AE-C	YB-94	1	C4SZ 8A616-B
	A-Std.	8	427	3.17" depth-marked C7AE-B	YB-120	1	C7AZ 8A616-B
69	A-w/A/C	8	351		YB-100	1	C9AZ 8A616-C
	A-w/A/C & 3.25/1 axle ratio	8	390			1	
	A-w/trailer towing package	8	390			1	
	A-w/A/C	8	390	3.17" depth-marked C7AE-A or C, C9AE-B	YB-94	1	C4SZ 8A616-B
	A-w/trailer towing package	8	429	Marked C8SE-B or C9SE-B	YB-98	1	C8SZ 8A616-B
	A-w/A/C	8	429		YB-99	1	C9AZ 8A616-B
70	A-w/A/C	8	351		YB-100	1	C9AZ 8A616-C
	A-w/A/C	8	390		YB-94	1	C4SZ 8A616-B
	A-w/A/C	8	429		YB-99	1	C9AZ 8A616-B
71	A-w/A/C	8	390		YB-94	1	C4SZ 8A616-B
	A	8	429 exc. P/C		YB-99	1	C9AZ 8A616-B
72	A-w/A/C	8	429			1	
- B -							
65	B-w/Deluxe Hang-on A/C	6	170,200	2 5/8" depth-2.31" diam. hub	YB-103	1	C3OZ 8A616-B
	B-w/Deluxe Hang-on A/C,X/C	8	289	3 5/8" depth-marked C6OE-G	YB-96	1	C6OZ 8A616-D

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8A616 CLUTCH ASSY. - FAN - continued							
- B -							
66/67	B-Integral A/C, power fan	6	200	2 5/8" depth-marked C3OA-C, C6DE-A	YB-103	1	C3OZ 8A616-B
	B-Integral A/C or power fan	8	289,302	3 5/8" depth-marked C6OE-G	YB-96	1	C6OZ 8A616-D
	B-Integral A/C	8	390		YB-106	1	C7OZ 8A616-A
	B-GT, power fan, X/C-w/o A/C	8	390	2.91" depth-marked C7ZE-B	YB-107	1	C7OZ 8A616-C
	B	8	427			1	
68	B-w/A/C	6	200	Marked C3OA-C or C6DE-A	YB-103	1	C3OZ 8A616-B
	B-w/P/F	8	289,302		YB-106	1	C7OZ 8A616-C
	B-w/A/C	8	289,302	Refer to 8546			
	B-w/P/F & Imco or T/E	8	390	Marked C8OE-Bor C		1	C8OZ 8A616-B
	B-w/X/C	8	390	Marked C8OE-B or C		1	C8OZ 8A616-B
	B-w/A/C	8	390-2V	Marked C8OE-A or D	YB-109	1	C8OZ 8A616-A
	B-w/T/E	8	390-4V	Marked C8OE-A or D	YB-109	1	C8OZ 8A616-A
	B	8	427	Marked C8OE-B or C		1	C8OZ 8A616-B
	B	8	428CJ			1	
69	B-w/A/C	6	250	Marked C9DE-A or C9ZE-C	YB-111	1	C9DZ 8A616-A
	B-w/A/C	8	390 GT	Marked C8OE-A	YB-109	1	C8OZ 8A616-A
	B-w/A/C	8	428CJ, 428 S/CJ	Marked C9ZE-B	YB-112	1	C9ZZ 8A616-A
70	B-w/A/C	6	250	Marked D0DE-A	YB-113	1	D0DZ 8A616-A
	B-w/A/C	8	429	Marked D0OE-A	YB-114	1	D0OZ 8A616-A
72	B-w/A/C	8	429	Marked C9SE-B	YB-98	1	C8SZ 8A616-B
- F -							
65	F-with factory installed A/C	8	260,289		YB-96	1	C6OZ 8A616-D
66	F-w/Hang-on A/C-with or w/o T/E	8	289	3 3/16" depth-marked C6ZE-A-use with C6ZZ 8005-A (2 1/4" core)	YB-105	1	C6ZZ 8A616-A
	"Before 1/5/66"	8	289	Use with C3DZ 8005-K (1 1/4" core)	YB-96	1	C6OZ 8A616-D
	"From 1/5/66"	8	289		YB-96	1	C6OZ 8A616-D
	F-Integral A/C-with or w/o T/E	8	289		YB-96	1	C6OZ 8A616-D
67	F-except Hang-on A/C	8	289,390	2.91" depth-marked C7ZE-B	YB-107	1	C7OZ 8A616-C
	F-Hang-on A/C	8	289	3 3/16" depth-marked C6ZE-A	YB-105	1	C6ZZ 8A616-A
	F(GT350,500)	8	428	Not replaced		1	★ 8A616
68	F-w/T/E	8	390 GT	Marked C8OE-A	YB-109	1	C8OZ 8A616-A
	F-w/o A/C	8	20Q,289, 302,427, 428 CJ	Marked C8OE-B or C		1	C8OZ 8A616-B
	F(GT350)	8	428	Not replaced		1	★ 8A616
	F(GT500)	8	428		YB-124	1	C8ZX 8A616-A
69	F	6	250	Marked C9DE-A or C9ZE-C	YB-111	1	C9DZ 8A616-A
	F-w/A/C	8	390 GT	Marked C8OE-A	YB-109	1	C8OZ 8A616-A
	F-Std.	8	390 GT	Marked C8OE-B or C		1	C8OZ 8A616-B
69	F	8	428CJ, 428 S/CJ	Marked C9ZE-B	YB-112	1	C9ZZ 8A616-A
70	F-w/A/C	6	250	Marked C9DE-A or C9ZE-A	YB-111	1	C9DZ 8A616-A
	F-w/A/C "Before 9/1/69"	8	428CJ	Marked C9ZE-B	YB-112	1	C9ZZ 8A616-A
	F "Before 9/1/69"	8	428 S/CJ	Not used "From 9/1/69" S/CJ		1	
	F-w/A/C "From 9/1/69"	8	428CJ		YB-122	1	D0ZZ 8A616-A

8A616 CLUTCH ASSY. - FAN - continued

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
- S -							
65	S-with A/C	8	390	3 11/64" depth-marked C7AE -C	YB-94	1	C4SZ 8A616-B
66	S-with A/C(C6 trans.)	8	390,428	3 11/64" depth marked C7AE-C	YB-94	1	C4SZ 8A616-B
	S-with A/C(C/M) w/o T/E	8	390	2 7/8" depth-#C9WE-A replaces C6OE-A and C6SE-A	YB-104	1	C6OZ 8A616-E
	S-with A/C (C/M) with T/E	8	390	3 11/64" depth marked C7AE-C	YB-94	1	C4SZ 8A616-B
67	S with or w/o T/E	8	390,428	2.91" depth-marked C7SE-A	YB-108	1	C7SZ 8A616-A
68/	S-with A/C without X/C	8	429,460	Marked C8SE-A,B or C9SE-B	YB-98	1	C8SZ 8A616-B

- X -

66/70	X	6	170,200	Marked C30A-C or C6DE-A	YB-103	1	C3OZ 8A616-B
66/68	X	8	289,302	3 5/8" depth-marked C6OE-G	YB-96	1	C6OZ 8A616-D

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
65/66	A, S-with A/C	8	All	Bolt (clutch to water pump)-5/16"-24 x 1"	4	20387-S8(B157)
65/70	B-with A/C	8	289	Bolt (clutch to water pump)-5/16"-24 x 1 1/4"	4	20427-S8(B158)
67	S	8	390,428	Bolt (clutch to water pump)-5/16"-24 x 1"	4	377937-S(BB210B)
68	A-with A/C	8	390,428		4	
68	A-std. cooling	8	427		4	
68	B	8	302		4	
68	F-std. cooling	8	390,427		4	
68	S-X/C	8	429		4	

8620 BELT - DRIVE- Refer to Section 86.1**8A626 STRAP - FAN SHROUD**

65	S-with A/C	8	390	Included in C4SZ 8147-A-if needed loose, improvise from steel .048" x 2" x 3.52"	1	*C4SA 8A626-A
----	------------	---	-----	--	---	---------------

8A644 INSULATOR - FAN SHROUD - Rubber - Improvise**8A648 SHAFT - IDLER PULLEY**

65	B-with A/C	6	170,200	Use C3OZ 8678-A for service	1	*C2OE 8A648-A
----	------------	---	---------	-----------------------------	---	---------------

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
------	-------	------	--------	-------------	-------------------	------	-------------

8A652 SPACER - IDLER PULLEY BRACKET

65/66	A, B, F, X - with A/C	8	289	Steel-13/16" O.D. x 5/16" I.D. x 7/16" thick -not replaced	YS-60	1	*C5AZ 8A652-A
67	A, B, X-with Selectaire A/C	8	289			1	
65/66	A-with A/C	6	240	Steel-11/16" O.D. x 3/8" I.D. x 7/32" thick	YS-61	1	C5AZ 8A652-B
67	A-with Selectaire A/C	8	289	Steel-11/16" O.D. x 3/8" I.D. x 3/16" thick	YS-62	1	C7AZ 8A652-A
68		6	240			AR	
70/71	A-w/o P/S or A/C	8	429	4 13/16" long 1" O.D. -7/16" I.D.	YS-30	1	D1AZ 8A652-A
70	B-55 amp. alt. -w/o P/S & A/C	8	351,429			1	
70	X-A/C w/o P/S	8	302			1	
71	P-w/ A/C	8	302	Cut to fit		1	
71	B, F-55 amp.alt.-w/o A/C	8	429CJ & S/CJ			1	
71	A	8	351C	Cut to fit		1	
72	A, B, F, P	8	302,351, 429	Cut to fit		1	
70/71	A-w/55 amp.alt. w/o A/C & P/S	8	302,351	3 19/32" long-1" O.D.	YS-63	1	D0AZ 8A652-A
70/71	A, B, F-w/A/C w/o P/S	8	302,351			1	
71	B-w/55 amp.alt.-w/o P/S	8	302,351			1	
71	F-w/42 amp.alt.w/A/C	8	302			1	
71	F-w/55 amp.alt.-w/o P/S	8	351			1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8653 DECALCOMANIA - FAN WARNING						
65/71	S	8	390, 428, 429	4 3/4" long "Caution-Fan"	1	C0AZ 8653-A
69/71	U	8	302		1	
	A	8	All		1	
8A653-4 SUPPORT - IDLER PULLEY BRACKET						
65/68	A-with A/C	8	289	R.H. -Cast iron-"S" shape-2 holes	1	★ 8A654
		8	289	L.H. -Flat steel-"L" shape-3 holes-used without P/S	1	★ 8A653
66/68	B, X-with A/C	8	289	L.H. -Flat steel-"L" shape-used without P/S	1	★ 8A653
70	A(P/C)-w/42, 55 & 65 amp. alt.	8	429	Marked-D0AE-A	1	D0AZ 8A653-A
70	B-w/42, 55 & 65 amp. alt.	8	429		1	
71	A-w/o P/S & A/C	8	429		1	
71	B, F-w/55 amp.alt.w/o A/C	8	429		1	
72	A, B-std.cooling	8	429		1	
70	A, B, F-w/A/C w/o P/S	8	302, 351		1	D0AZ 8A653-C
70	X	8	302		1	
70/72	A, B, F-w/55 amp. alt. w/o A/C	8	302, 351	Includes (1) 384630-S2 bolt	1	D1AZ 8A653-B
72	F-w/o A/C	8	302		1	
72	B(P/C)-w/61 amp. alt. w/o A/C	8	302, 351		1	
71/72	A, B, F, P-w/A/C	8	302, 351	Marked D2OE 8A620-AA-includes (1) 384630-S2 bolt	1	D2OZ 8A653-A
72	A-w/hang on A/C	6	240	Use w/single sheave c/shaft pulley	1	D2AZ 8A653-A
70	A, B, F, P-w/A/C & w/o P/S	8	302, 351	Stud (attaches bracket to cyl.head)-7/16"-14-14 x 5 7/8"	1	383912-S2 (WW50G)
71	A, B, F	6&8	All	Bolt (attach bracket to cyl.head)-7/16"-14 x 6" UBS	1	56177-S2(B321U)
71	A, B, F, P	8	302, 351	Bolt (attach bracket to cyl.head)-7/16"-14 x 5 1/4" hex.washer	1	384630-S2 (BB546BU)

8678 PULLEY ASSY. - BELT IDLER

YEAR	MODEL	ENGINE		TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678)				PULLEY & BRKT. ASSY. - COMPLETE 8678
		CYL.	C.I.D.			BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	
- A -										
65/66	A "Before 12/1/65"	6	240	F, S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A "From 12/1/65 to 2/15/66"	6	240	F, S	R	Use 8678	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A "From 2/15/66"	6	240	F, S	R	Use 8678	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A	6	240	F, S	L	C3OZ 2873-A, B8QH 2876-A	B8QH 2894-A	Use 8678	C3OZ 8679-A	C5AZ 8678-E
	A "Before 12/1/65"	8	289	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6AZ 8678-E
	A "From 12/1/65"	8	289	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6AZ 8678-E
	A	8	289	F, S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-D
	A	8	352, 390, 428	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	A	8	352, 390, 428	F, S	L	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-C

F - Hang-on A/C

S - Integral A/C

R - Right Hand

L - Left Hand

8678 PULLEY ASSY. - BELT IDLER - continued

YEAR	MODEL	ENGINE		TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678)				PULLEY & BRKT. ASSY. COMPLETE 8678
		CYL.	C.I.D.			BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	
- A -										
67	A	6	240	F, S	R	Use 8678	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A	6	240	F, S	L	C3OZ 2873-A, B8QH 2876-A	B8QH 2894-A	Use 8678	C3OZ 8679-A	C5AZ 8678-E
	A	8	289	F		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-A
	A "Before 1/3/67"	8	289	S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6AZ 8678-E
	A "From 1/3/67"	8	289	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-B
	A "Before 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-D
	A "From 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-C
	A	8	390,428	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-A
	A	8	390,428	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6AZ 8678-A
	A	8	39Q428 Exc. P/I	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-B
	A	8	428 P/I	S	L	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-C
68	A "Before 3/1/68"	8	302	F, S		C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	*C7AZ 8678-B
	A "Before 3/1/68"	8	302	F, S		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C7AZ 8678-C
	A "From 3/1/68"	8	302	F, S			C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-C
	A	8	390,428	F, S						*D0AZ 8678-C
	A "From 3/1/68"	8	302							
	A	8	390,428	F, S			C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-B
69	A	6	240	F		Use 8678	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A	8	302	F, S			C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-C
	A	8	351							
	A	8	390,428,	F, S						*D0AZ 8678-C
	A	8	302,351							
	A	8	390,428	F, S			C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-B
70	A	8	429			C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	C6AZ 8679-A (YS-31)	C8VZ 8678-A
	A	8	302,351	S	L					@D0AZ 8678-A
	A	8	302,351	S	R					*D0AZ 8678-C
	A	8	390,428	S	L					@D0AZ 8678-D
	A	8	390,428	S	R					*D0AZ 8678-C
	A	8	429	S	L					@D0AZ 8678-B
	A	8	429	S	R					*D0AZ 8678-C
	A	8	429	F						*D0AZ 8678-E
	A-w/o P/S	8	302,351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
A-w/o P/S	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)		

F - Hang-on A/C
* - Adjustable

S - Integral A/C
@ - Fixed

R - Right Hand L - Left Hand
♦ - Fixed (used as adj. pulley w/A/C)

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8678 PULLEY ASSY. - BELT IDLER - continued

YEAR	MODEL	ENGINE		TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678)				PULLEY & BRKT. ASSY. - COMPLETE 8678
		CYL.	C.I.D.			BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	
- A -										
71	A	8	302,351	S	L					@D0AZ 8678-A
	A	8	302,351	S	R					*D0AZ 8678-C
	A	8	390	S	L					@D0AZ 8678-D
	A	8	390	S	R					*D0AZ 8678-C
	A	8	400	S	L			D1AZ 2888-B		Use 2888
	A	8	400	S	R					*D0AZ 8678-C
	A	8	429	S	L					@D0AZ 8678-B
	A	8	429	S	R					*D0AZ 8678-C
	A-adj.idler pulley- w/o P/S	8	302,351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
A-adj.idler pulley- w/o P/S	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)		
72	A-adj.idler pulley- w/o A/C	8	302		L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	A-adj.idler pulley	8	351		L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	A-adj.idler pulley	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	
	A	8	351,400, 429	S	R					*D0AZ 8678-C
	A	8	351,400	S	L			Use 2888		
	A	8	429	S	L					@D0AZ 8678-B
	A-w/o P/S	6	240	F				D2AZ 8680-B (YS-50)	C9RZ 8678-A (YS-82)	
	A-w/P/S	6	240	F				D2AZ 8680-C (YS-51)	C9RZ 8678-A (YS-82)	
	A	6	240	F				D2AZ 8680-A (YS-49)		
	A	8	302,351	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
	A	8	429	F	A			D2AZ 8680-D (YS-52)	C9RZ 8678-A (YS-82)	
	A	8	429	F	B			D2AZ 8680-E (YS-53)	C9RZ 8678-A (YS-82)	
- B -										
65/66	B	6	170, 200	F, D		C3OZ 2873-A, ★C2OE 8A648-A	B8QH 2894-A	C3OZ 8680-A	C3OZ 8679-A	★C3OZ 8678-A
	B	8	289	F, DR		C4AZ 2990-A	C4AZ 8687-A (YS-57)	C5AZ 8680-A (YS-39)	Use 8678	C6OZ 8678-B
	B (1966)	8	289	F, S L		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	C5AZ 8678-C	C5AZ 8678-D
	B "Before 12/1/65"	8	390	F, S R		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	B "From 12/1/65"	8	390	F, S R		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	B (1966)	8	390	F, S L		C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-C
67	B	6	200	F, S				C3OZ 8679-A		
	B "Before 1/3/67"	8	289	S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6OZ 8678-B
	B "From 1/3/67"	8	289	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-B
	B "Before 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	C5AZ 8678-C	C5AZ 8678-D

* Adjustable @ Fixed
D - Deluxe hang-on A/C

F - Hang-on A/C
A - Upper

S - Integral A/C
B - Lower

R - Right Hand L - Left Hand
• Support for idler pulley bracket

8678 PULLEY ASSY. - BELT IDLER - continued

YEAR	MODEL	ENGINE		TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678)				PULLEY & BRKT. ASSY. - COMPLETE 8678
		CYL	C. I. D.			BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	
- B -										
67	B-"From 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-C
	B	8	289	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-A
	B	8	390	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	B	8	390	F, S	L	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-C
68	B "Before 3/1/68"	8	289, 302	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C7AZ 8678-C
	B "Before 3/1/68"	8	289, 302	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	*C7AZ 8678-B
	B "From 3/1/68"	8	289, 302	S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-C
	B	8	390	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	B	8	390, 427	F, S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-B
	B	8	428 CJ	S	R					*D0AZ 8678-C
	B "From 3/1/68"	8	289, 302	S	R					
	B-CJ	8	428	S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-B
69	B	8	302, 351	S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-C
	B	8	390 GT, 427, 428 CJ	S						*D0AZ 8678-C
	B		302, 351		R					
	B	8	390 GT, 427, 428 CJ	S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-B
70	B	8	302, 351	S	L					@D0AZ 8678-A
	B	8	302, 351	S	R					*D0AZ 8678-C
	B-w/A/C	8	429	S	R					*D0AZ 8678-C
	B-w/A/C	8	429	S	L					@D0AZ 8678-B
	B-w/o P/S	8	302, 351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	B-w/o P/S or A/C	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	
71	B-"Before 11/23/70"	8	302, 351	S	L					@D0AZ 8678-A
	B-"From 11/23/70 to 4/27/71"- "From 4/27/71"	8	302, 351	S	L			D1ZZ 8680-B (YS-48) Use 2888		
	B	8	302, 351	S	R					*D0AZ 8678-C
	B	8	429CJ	S	L					@D0AZ 8678-B
	B	8	429CJ	S	R					*D0AZ 8678-C
	B-adj. idler pulley- w/o P/S	8	302, 351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	B-adj. idler pulley- w/o P/S or A/C	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	

* Adjustable
May, 1975

@ Fixed

F - Hang-on A/C

COPYRIGHT © 1975 -

S - Integral A/C

FORD MOTOR
COMPANY

R - Right Hand

- DEARBORN, MICHIGAN

L - Left Hand

FINAL ISSUE

8678 PULLEY ASSY. - BELT IDLER - continued

YEAR	MODEL	ENGINE		TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678)				PULLEY & BRKT. ASSY. - COMPLETE 8678
		CYL.	C.I.D.			BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	
- B -										
72	B-adj. idler pulley- w/o P/S	8	302,351		L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	B-adj. idler pulley- w/o P/S	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	
	B	8	302,351, 400,429	S	R					*D0AZ 8678-C
	B	8	302,351, 400	S	L			Use 2888		
	B	8	429	S	L					@D0AZ 8678-B
	B	8	302,351	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
	B	8	429	F	A			D2AZ 8680-D (YS-52)	C9RZ 8678-A (YS-82)	
	B	8	429	F	B			D2AZ 8680-E (YS-53)	C9RZ 8678-A (YS-82)	
- F -										
65	F-w/generators	8	260,289	F		A8AZ 10094-B	EAD 8687-A (YS-59)	Use 8678	C0AZ 8679-A (YS-33)	C3AZ 8678-B
	F-w/alternators	8	289	F		C4AZ 2990-A	C4AZ 8687-A (YS-57)	C5AZ 8680-A (YS-39)	Use 8678	C6AZ 8678-E
66	F	8	289	F		C4AZ 2990-A	C4AZ 8687-A (YS-57)	C5AZ 8680-A (YS-39)	Use 8678	C6OZ 8678-B
67	F "Before 1/3/67"	8	289	S		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6OZ 8678-B
	F "From 1/3/67"	8	289	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-B
	F	8	289	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-A
	F	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-C
	F-w/o T/E	8	390	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-A
	F-with or w/o T/E	8	390	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-B
	F	8	390	F		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
68	F "Before 3/1/68"	8	289,302	S		C4AZ 2990-A	C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C7AZ 8678-C
	F-w/o T/E- "Before 3/1/68"	8	289,302	F,S		C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	*C7AZ 8678-B
	F "From 3/1/68"	8	289,302	S		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C8AZ 8678-C
	F	8	390	F,S						*D0AZ 8678-C
	F "From 3/1/68"	8	289,302	F,S						
	F-CJ	8	428	S	R					
69	F-CJ	8	428	S	L		C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-B
	F	8	302,351	S	L		C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-C
	F	8	302,351	S	R					*D0AZ 8678-C
	F	8	390 GT, 428 CJ	F,S						*D0AZ 8678-C
70	F	8	390 GT, 428 CJ	S			C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-B
	F	8	302,351	S	L					@D0AZ 8678-A
	F	8	302,351	S	R					*D0AZ 8678-C
	F	8	428 CJ	S	L					@D0AZ 8678-D
	F	8	428 CJ	S	R					*D0AZ 8678-C
	F-w/o P/S	8	351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	

* Adjustable @ Fixed F - Hang-on A/C

S - Integral A/C

+ Includes EAD 8687-A Dust Cap

A - Upper

B - Lower

R - Right Hand

L - Left Hand

YEAR	MODEL	ENGINE		TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678)				PULLEY & BRKT. ASSY. - COMPLETE 8678
			C.I.D.			BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	
8678 PULLEY ASSY. - BELT IDLER - continued										
- F -										
71	F	8	302,351	S	R					*D0AZ 8678-C
	F "Before 11/2/70"	8	302,351	S	L			D1ZZ 8680-A (YS-47)		
	F "From 11/2/70 to 4/27/71"- "From 4/27/71"	8	302,351	S	L			D1ZZ 8680-B (YS-48) Use 2888		
	F-w/o P/S	8	302,351	S	L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	
	F	8	429CJ& S/CJ	S						@D0AZ 8678-B
	F	8	429CJ& S/CJ	S						*D0AZ 8678-C
	F-adj. idler pulley- w/o P/S	8	429CJ& S/CJ					D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
72	F	8	302,351	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
	F-adj. idler pulley	8	302,351					D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	F	8	302,351	S S	R L			Use 2888		*D0AZ 8678-C
- L -										
71	L-w/A/C	4	122	S						*D0AZ 8678-C
	L-w/ A/C	4	122	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
72	L-w/A/C - "Before 1/10/72"	4	122	S						*D0AZ 8678-C
	L-w/A/C	4	122	F				D2FZ 8680-A (YS-54)	C9RZ 8678-A (YS-82)	
	L-w/A/C	4	98	F				D2FZ 8680-B (YS-55)	C9RZ 8678-A (YS-82)	
	L-w/A/C - "From 1/10/72"	4	122	S						*D2FZ 8678-B
- P -										
71	P "Before 4/27/71"	8	302	S				D1ZZ 8680-B (YS-48) Use 2888		
	"From 4/27/71"									
	P-adj. idler pulley- w/o P/S	8	302					D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
72	P	8	302	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
	P-adj. idler pulley	8	302					D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	P	8	302	S S	R L			Use 2888		*D0AZ 8678-C
- S -										
65/66	S	8	390,428	S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	S	8	390,428	S	L	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 3A732	Use 8678	Use 3A732
67	S-with or w/o T/E	8	390,428	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-A
	S-with or w/o T/E	8	390,428	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-B
68	S	8	429	S		C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C8VZ 8678-A

* Adjustable

@ Fixed

R - Right Hand

L - Left Hand

F - Hang-on A/C

S - Integral A/C

May, 1975

COPYRIGHT © 1975 -

 FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678)				PULLEY & BRKT. ASSY. - COMPLETE 8678
		CYL.	C.I.D.			BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	
8678 PULLEY ASSY. - BELT IDLER - continued										
- S -										
69	S	8	429-2/B							D0AZ 8678-C
	S	8	429-4/B			C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C8VZ 8678-A
70/71	S	8	429	S	L					@D0AZ 8678-B
	S	8	429	S	R					* D0AZ 8678-C
72	S "From 7/12/71 to 10/4/71"	8	429	S						* D2VY 8678-A

- X -										
65/66	X	8	289	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	C5AZ 8680-A (YS-39)	Use 8678	C6OZ 8678-B
	X (1966)	8	289	F, S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-D
67	X "Before 1/3/67"	8	289	S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6OZ 8678-B
	X "From 1/3/67"	8	289	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-B
	X "Before 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-D
	X "From 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-C
	X	8	289	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-A
	X "Before 3/1/68"	8	289, 302	F, S		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C7AZ 8678-C
68	X "Before 3/1/68"	8	289, 302	F, S		Use 8678	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	*C7AZ 8678-B
	X "From 3/1/68"	8	289, 302	F, S						D0AZ 8678-C
	X "From 3/1/68"	8	289, 302	F, S			C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-C
	X "From 3/1/68"	8	289, 302	F, S			C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-C
69/70	X	8	302	F, S	L					@C8AZ 8678-C
69/70	X	8	302	F, S	R					*D0AZ 8678-C

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION		QTY.	PART NUMBER
65/71	A, S-with A/C	8	352,390	Lockwasher (pulley to alternator frt. bracket)		1	34807-S8(X66)
65/71	A			Flat washer-3/8"		AR	44727-S8(X24)
65/71	A, S-with A/C	8	352,390	Flatwasher (pulley to bracket)		1	382585-S100 (XX143A)
67	F-with A/C-w/o P/S	8	289	Used as spacer between idler pulley & water pump		1	351415-S(XX128)
70	A	8	390,428	Used as spacer between idler pulley & water pump		2	
67	F-with A/C	8	289	Bolt(pulley to water pump)- 5/16"-18 x 4 1/8"		1	370807-S(BB414)
68/71	A, F, S	8	390,428	Stud (pulley to water pump)-3/8"-16 x 2"		1	377278-S7-8 (WW6-E)
68	A, F	8	390,428	Screw (pulley to bracket)-3/8"-16 x 1 1/8"		1	373162-S(BB563A)
68/	S	8	390,429	Screw (pulley to brkt.)-3/8"-16 x 1 1/8" hex. washer head		1	373162-S(BB563A)
70	A, F	8	All	Pulley assy. to brace, bracket & compressor		AR	
70	A	8	429	Screw (pulley assy. to compressor bracket)- 3/8"-16 x 1 1/4"		1	377379-S2 (BB563B)

8679 PULLEY - BELT IDLER - Refer to group 8678

67	F-with A/C	8	289	Screw(pulley to compressor brkt.)- 3/8"-16 x 1 1/4"-hex, washer head		1	377379-S2 (BB563B)
----	------------	---	-----	---	--	---	-----------------------

8680 BRACKET-BELT IDLER PULLEY - Refer to group 8678

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
8687 SHIELD - IDLER PULLEY BEARING DUST - Also supplied in basic 8678-refer to group 8678 for Model Usage							
				Steel disc-1.59" dia. x .042" thick	YS-59	1	EAD 8687-A
				Steel disc-1.25" dia. x .075" thick	YS-57	1	C4AZ 8687-A

* Adjustable @ Fixed R - Right Hand L - Left Hand F - Hang-on A/C S - Integral A/C

DRIVE BELTS

HOW TO IDENTIFY FAN BELTS

1. By size and length-the Motorcraft Part Number allows you to determine belt size as explained below:

FIRST LETTER PREFIX: J - Designates the V-belt line in all cases

SECOND LETTER PREFIX:

A -	Designates 13/32" top width of belt
B -	15/32"
C -	1/2"
D -	5/8"
E -	11/16"
F -	3/4"
G -	7/8"
H -	1/4"
M -	19/32"
P -	23/32"
R -	17/32"

NUMBERS: (There must always be a three digit numeral)
First two digits designate the amount of whole inches of outside circumference of the belt.

Third digit designates the remaining fraction of an inch (expressed in eights of an inch) of outside circumference of the belt.

LETTERS SUFFIXES: Suffixes will designate special types of V-belts:
C - for cog belts, L - for laminated belts, R - for racing belts

EXAMPLES:

JA-451-R - Racing V-belt with 13/32" top width and 45 1/8" outside circumference.

JB-493-L - Laminated belt with 15/32" top width and 49 3/8" outside circumference.

JF-535-C - Cog belt with 3/4" top width and 53 5/8" outside circumference.

2. By identification marking - refer to chart beginning on page 2 of this section.
3. By year, model and application - refer to Listing beginning on page 13 of this section.

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

Following the guide chart, belt part numbers are listed by model year to help find service part numbers when the belt marking is not known. The names Ford, Motorcraft, Bosch, Delco and Leece-Neville identify the type of generator or alternator with which a particular belt is used.

Identification number is same as Motorcraft Sales Number

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER
#JC 517	D0VZ 8620-B	#JE 375-C	C9PZ 8620-DU	•EDB 2890-D	C9PZ 8620-GB
#JC 521	C9PZ 8620-CM	#JE 383-C	C9PZ 8620-DV	•EDC 2890-D	D1PZ 8620-B
#JC 524	C9PZ 8620-CM	#JE 392	C9PZ 8620-DY	•EDD 2890-A	B8E 8620-D
#JC 525	C9PZ 8620-CM	#JE 412-C	C9PZ 8620-DZ	•EDD 2890-B	CC3AZ 8620-F
#JC 527	D0AZ 8620-E	#JE 415-C	C9PZ 8620-EA	EDD 2890-D	C9PZ 8620-AU
#JC 527-L	D0AZ 8620-E	#JE 426	C9PZ 8620-EK		
#JC 530-L	C9PZ 8620-GB	#JE 437	C9PZ 8620-EB	*EDG 2890-A	C9PZ 8620-J
#JC 531	D0AZ 8620-E	#JE 453	C9PZ 8620-ED	•EDG 2890-A	†C2AE 8A615-G
#JC 534	C9PZ 8620-CP	#JE 474-C	C9PZ 8620-EE		
#JC 537	C9PZ 8620-CR	#JE 500	C9PZ 8620-EL	EDJ 2890-A	C9PZ 8620-AE
#JC 544	C9PZ 8620-CS	#JE 524-C	C9PZ 8620-EF	*EDJ 2890-B	C9PZ 8620-AD
#JC 550	D1AZ 8620-A	#JE 534	C9PZ 8620-EM	•EDJ 2890-B	CC3AZ 8620-D
#JC 551	C9PZ 8620-GC	#JE 553	C9PZ 8620-EP	•EDJ 2890-B	D1PZ 8620-B
#JC 552	C9PZ 8620-GC	#JE 555	C9PZ 8620-EG		
#JC 552-L	C9PZ 8620-GC	#JE 560	C9PZ 8620-EN	•EDL 2890-A	C9PZ 8620-BU
#JC 554	C9PZ 8620-GN	#JE 573-C	B8QH 8620-D		
#JC 555	C9PZ 8620-GN	#JE 576-C	C9PZ 8620-EH	*EAG 8577-A	C9PZ 8620-FT
#JC 557	C9PZ 8620-GA	#JE 586	C9PZ 8620-ER	•EAG 8577-A	CC0AZ 8620-B
#JC 557-L	C9PZ 8620-GA	#JE 604	C9PZ 8620-ES	•EAG 8577-A	(2)C9PZ 8620-L
#JC 561-L	C9PZ 8620-GA	#JE 627-C	C9PZ 8620-ET	EAT 8577-A	C9PZ 8620-GP
#JC 563	C3AZ 8620-F	#JE 636-C	C9PZ 8620-EU		
#JC 564	C9PZ 8620-CV	#JE 670	C9PZ 8620-EJ	*EBP 8577-A	C9PZ 8620-GY
#JC 574	C9PZ 8620-CY			•EBP 8577-A	B7A 8620-AX
#JC 577	C9PZ 8620-CZ	#JF 366	C9PZ 8620-FD	EBY 8577-A	C9PZ 8620-J
		#JF 381	C9PZ 8620-GR		
#JC 585	C9PZ 8620-DA	#JF 405-C	C9PZ 8620-EV	ECE 8577-A	C9PZ 8620-BH
#JC 585-L	D1VY 8620-A	#JF 445-C	C9PZ 8620-EC	ECG 8577-A	C9PZ 8620-BH
#JC 591	C9PZ 8620-DB	#JF 461-C	C9PZ 8620-FY	ECJ 8577-A	C9PZ 8620-FS
#JC 594	C9PZ 8620-DB	#JF 535-C	C9PZ 8620-FA		
#JC 600	C9PZ 8620-DC	#JF 614-C	C9PZ 8620-FB	•B6AE 8620-A	CC2TZ 8620-F
#JC 603-L	C9PZ 8620-GT			•B6AE 8620-A	†C1TE 8A615-L
#JC 604	C9PZ 8620-GT	#JG 347-C	C9PZ 8620-FC		
#JC 604-L	C9PZ 8620-GT	#JG 375-C	C9PZ 8620-FE	*B9AE 8620-A	C9PZ 8620-D
#JC 607	C9PZ 8620-DE	#JG 400	C9PZ 8620-GP	•B9AE 8620-A	C3DZ 8620-BX
#JC 610	C9PZ 8620-GG	#JG 413	C9PZ 8620-FF	•B9AE 8620-A	†CC0AZ 8A615-C
#JC 611-R	★C6ZZ 8620-C	#JG 427	C9PZ 8620-FG	•B9AE 8620-B	C3OZ 8620-D
#JC 613	C9PZ 8620-GG	#JG 433	C9PZ 8620-FH		
#JC 614	C9PZ 8620-GG	#JG 453	C9PZ 8620-FJ	•B9JE 8620-B	CC2TZ 8620-B
		#JG 462-C	C9PZ 8620-EZ	•B9JE 8620-B	†CC2TZ 8A615-P
#JC 616	C9PZ 8620-DF	#JG 484	C9PZ 8620-FK		
#JC 624	C9PZ 8620-DG	#JG 567	C9PZ 8620-FL	•B9LE 8620-A	C9PZ 8620-GM
#JC 626	C9PZ 8620-GH			•B9LE 8620-A	(2)C9PZ 8620-T
#JC 626-L	C9PZ 8620-GH	#JH 361	D0OZ 8620-A	•B9LE 8620-B	CC5TZ 8620-J
#JC 631-L	C9PZ 8620-GH	#JJ 311	C9PZ 8620-B	•B9LE 8620-B	†C2TZ 8A615-L
#JC 634	C9PZ 8620-GV	#JJ 313	C9PZ 8620-B	•B9LE 8620-C	CC5TZ 8620-J
#JC 634-L	C9PZ 8620-GV	#JJ 371	C9PZ 8620-FV	•B9LE 8620-C	†C2TZ 8A615-L
#JC 637-L	C9PZ 8620-FZ	#JJ 373	C9PZ 8620-FV	B9LE 8620-F	C9PZ 8620-T
#JC 640	C9PZ 8620-FZ	#JJ 381-L	C9PZ 8620-GF	*B9LE 8620-G	C9PZ 8620-BY
#JC 640-L	C9PZ 8620-FZ			•B9LE 8620-G	†CC5TZ 8A615-H
#JC 650	C9PZ 8620-DL	#JJ 435-L	C9PZ 8620-GJ		
#JC 654	C9PZ 8620-DM	#JJ 482	C9PZ 8620-FU	*B9ME 8620-B	C9PZ 8620-V
#JC 655	C9PZ 8620-DN	#JJ 487	C9PZ 8620-FU	•B9ME 8620-B	CC3AZ 8620-B
#JC 667	C9PZ 8620-DP	#JM 406	C9VY 8620-A	B9ME 8620-D	C9PZ 8620-BJ
#JC 684	C9PZ 8620-DR	#JN 387	C8VY 8620-B	B9ME 8620-E	C9PZ 8620-AC
#JC 694	C9PZ 8620-GZ			•B9ME 8620-F	C9PZ 8620-BJ
#JC 694-L	C9PZ 8620-GZ	#JR 376	C8HZ 8620-C	•B9ME 8620-G	CC5TZ 8620-J
#JC 707	C7AZ 8620-B			•B9ME 8620-G	†C1TE 8A615-L
#JC 734	C9PZ 8620-DT	EBZ 2890-A	C9PZ 8620-GR		
#JD 656-C	C0TZ 8620-B			•B9TE 8620-A	B9TE 8620-A
#JD 657-C	C9PZ 8620-GE	•ECR 2890-A	†CB7AZ 8A615-A		
#JD 675-C	C0TE 8620-A	•ECS 2890-SA	CC2TZ 8620-R		

Identification number is same as Motorcraft Sales Number

† Kit - consists of (2) or more belts.

★ U.S. only

• Canada only

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER
COAE 8620-A	C9PZ 8620-M	*C1AE 8620-J	C9PZ 8620-AC	*C1TT 8620-E	C9PZ 8620-FE
*COAE 8620-B	C9PZ 8620-D	*C1AE 8620-J	C1AZ 8620-J	*C1TT 8620-F	C1TT 8620-F
*COAE 8620-B	CC0AZ 8620-A	*C1AE 8620-K	C9PZ 8620-GJ	*C1TT 8620-J	C9PZ 8620-BD
*COAE 8620-B	†CC0AZ 8A615-C	*C1AE 8620-K	C9PZ 8620-AA	*C1TT 8620-K	C1TT 8620-K
		*C1AE 8620-K	†CB8AZ 8A615-A	*C1TT 8620-L	C1TT 8620-L
*COAE 8620-C	C9PZ 8620-BY			*C1TT 8620-N	C9PZ 8620-CE
*COAE 8620-C	CC5TZ 8A615-E	C1DE 8620-A	C9PZ 8620-J	*C1TT 8620-R	C2TZ 8620-B
*COAE 8620-C	†CC5TZ 8A615-H	C1DE 8620-B	C9PZ 8620-F	*C1TT 8620-S	C2TZ 8620-A
COAE 8620-D	C9PZ 8620-BH				
		C1SE 8620-B	C9PZ 8620-FS	*C1VE 8620-A	CC3AZ 8620-B
*COAE 8620-E	C9PZ 8620-BL	C1SE 8620-C	C9PZ 8620-GU	*C1VE 8620-A	C9PZ 8620-V
*COAE 8620-E	COAE 8620-T				
		*C1TE 8620-A	CC2TZ 8620-B		
*COAE 8620-G	C9PZ 8620-GL	*C1TE 8620-A	†CC2TZ 8A615-P	C2AE 8620-B	C9PZ 8620-CL
*COAE 8620-G	CC5TZ 8620-D	*C1TE 8620-E	CC3TZ 8620-F	*C2AE 8620-C	C9PZ 8620-BL
*COAE 8620-G	†CC5TZ 8A615-C	*C1TE 8620-E	†C2TE 8A615-T	*C2AE 8620-C	B5AZ 8620-B
*COAE 8620-H	C9PZ 8620-K	*C1TE 8620-G	C2TZ 8620-T	*C2AE 8620-D	C9PZ 8620-AD
*COAE 8620-H	CC0AZ 8620-B			*C2AE 8620-D	CC3AZ 8620-D
*COAE 8620-H	(2)C9PZ 8620-FT	*C1TE 8620-H	C9PZ 8620-AE	*C2AE 8620-D	D1PZ 8620-B
		*C1TE 8620-H	CC2TZ 8620-B	*C2AE 8620-E	C9PZ 8620-GJ
COAE 8620-J	C9PZ 8620-AC	*C1TE 8620-H	†CC2TZ 8A615-P	*C2AE 8620-E	CC5TZ 8620-D
COAE 8620-S	C9PZ 8620-CL			*C2AE 8620-E	†CC5TZ 8A615-C
*COAE 8620-T	C9PZ 8620-BL	*C1TE 8620-J	CC1TZ 8620-A	*C2AE 8620-F	C9PZ 8620-AC
*COAE 8620-T	COAZ 8620-T	*C1TE 8620-J	C1TE 8A615-B	*C2AE 8620-F	C1AE 8620-J
*COAE 8620-Y	C9PZ 8620-J				
*COAE 8620-Y	†C2AE 8A615-G	*C1TE 8620-K	CC2TZ 8620-V	*C2AE 8620-G	C9PZ 8620-AC
		*C1TE 8620-K	C9PZ 8620-FR	*C2AE 8620-G	C9PZ 8620-AA
*CODE 8620-A	C9PZ 8620-D	*C1TE 8620-L	C9PZ 8620-S	*C2AE 8620-G	†CB8AZ 8A615-A
*CODE 8620-A	CC0AZ 8620-A	*C1TE 8620-L	†CC4TZ 8620-R	*C2AE 8620-H	C9PZ 8620-S
*CODE 8620-A	†CC0AZ 8A615-C			*C2AE 8620-H	C2R 8620-L
*CODE 8620-B	C9PZ 8620-D	*C1TE 8620-M	C9PZ 8620-CE	*C2AE 8620-H	†C2AE 8A615-B
*CODE 8620-B	CC0AZ 8620-A	*C1TE 8620-N	C9PZ 8620-CE	*C2AE 8620-J	C9PZ 8620-S
*CODE 8620-B	†CC0AZ 8A615-C	*C1TE 8620-R	C9PZ 8620-BP	*C2AE 8620-J	C2R 8620-L
CODE 8620-C	C9PZ 8620-G	*C1TE 8620-R	C2TZ 8620-L	*C2AE 8620-J	†CC4TZ 8A615-R
CODE 8620-E	C9PZ 8620-FP	*C1TE 8620-S	CC2TZ 8620-R	*C2AE 8620-K	C9PZ 8620-V
*CODE 8620-F	C9PZ 8620-K	*C1TE 8620-T	C9PZ 8620-CE	*C2AE 8620-K	CC3AZ 8620-B
*CODE 8620-F	CIUZ 8620-A				
		*C1TE 8620-V	C9PZ 8620-BY	*C2AE 8620-L	C9PZ 8620-FS
COTE 8620-A	COTE 8620-A	*C1TE 8620-V	†CC5TZ 8A615-H	*C2AE 8620-L	CB6SZ 8620-A
*COTE 8620-E	CC0TZ 8620-A	*C1TE 8620-Y	CC2TZ 8620-G	C2AE 8620-M	C9PZ 8620-N
*COTE 8620-E	†COTE 8A615-A	*C1TE 8620-Y	†C2TZ 8A615-V	*C2AE 8620-N	C9PZ 8620-AE
COTE 8620-H	COTZ 8620-B	*C1TE 8620-Z	CC2TZ 8620-B	*C2AE 8620-N	B8Q 8620-D
		*C1TE 8620-Z	†CC2TZ 8A615-P	*C2AE 8620-N	D1PZ 8620-B
*C1AE 8620-A	C9PZ 8620-BC				
*C1AE 8620-A	CC2AZ 8620-D	*C1TE 8620-AA	CC2TZ 8620-B	*C2AE 8620-R	C9PZ 8620-G
*C1AE 8620-B	C9PZ 8620-BP	*C1TE 8620-AA	†CC2TZ 8A615-P	*C2AE 8620-R	B7A 8620-AX
*C1AE 8620-B	C2TZ 8620-L	*C1TE 8620-AB	C9PZ 8620-CE	*C2AE 8620-S	C9PZ 8620-K
C1AE 8620-C	C9PZ 8620-BL			*C2AE 8620-S	CC0AZ 8620-B
C1AE 8620-D	C9PZ 8620-T	*C1TE 8620-AD	CC2TZ 8620-G	*C2AE 8620-S	(2)C9PZ 8620-FT
		*C1TE 8620-AD	†CC2TE 8A615-L		

† Kit - consists of (2) or more belts.

☆ U.S. only.

• Canada only.

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

● Canada only

-- DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER
★C3AE 8620-A	C9PZ 8620-AR	★C3TE 8620-A	CC3TZ 8620-C	★C4TA 8620-A	CC4TZ 8620-A
★C3AE 8620-A	C9PZ 8620-AP	★C3TE 8620-B	C9PZ 8620-BD	★C4TA 8620-B	B8TZ 8620-D
★C3AE 8620-B	C9PZ 8620-N	★C3TE 8620-C	C9PZ 8620-U	★C4TA 8620-C	C4TZ 8620-C
★C3AE 8620-B	C9PZ 8620-BM	★C3TE 8620-C (2)	C9PZ 8620-T	★C4TA 8620-D	C9PZ 8620-BV
★C3AE 8620-C	C9PZ 8620-BM	★C3TE 8620-D	C1AE 8620-J	★C4TA 8620-E	C9PZ 8620-EL
★C3AE 8620-C	CC0AZ 8620-E	★C3TE 8620-D	D1PZ 8620-B	★C4TA 8620-H	C9PZ 8620-DV
★C3AE 8620-D	C9PZ 8620-AR			★C4TA 8620-K	C9PZ 8620-BJ
★C3AE 8620-D	C9PZ 8620-AP	★C3TE 8620-G	CC2TZ 8620-C		
★C3AE 8620-E	CC3AZ 8620-F	★C3TE 8620-G	C9PZ 8620-FR		
C3AE 8620-F	C9PZ 8620-FR	★C3TE 8620-L	C9PZ 8620-V	★C4TE 8620-A	C9PZ 8620-FU
		★C3TE 8620-L	CC3AZ 8620-B	★C4TE 8620-B	C9PZ 8620-CE
★C3DE 8620-A	C9PZ 8620-AM	★C3TE 8620-N	C9PZ 8620-BM	★C4TE 8620-C	C9PZ 8620-CE
★C3DE 8620-A	CC5DZ 8620-E	★C3TE 8620-N	B8TZ 8620-FX	★C4TE 8620-D	C4TZ 8620-D
★C3DE 8620-B	C9PZ 8620-D			★C4TE 8620-E	C4TZ 8620-E
★C3DE 8620-B	C3DZ 8620-BX				
★C3DE 8620-B	†CC0AZ 8A615-C	C3UE 8620-C	C9PZ 8620-E	★C4TE 8620-F	C9PZ 8620-CT
				★C4TE 8620-G	B8Q 8620-D
★C3ME 8620-A	C9PZ 8620-GJ			★C4TE 8620-H	C2TZ 8620-T
★C3ME 8620-A	C9PZ 8620-AA	★C3VE 8620-A	C9PZ 8620-GK	★C4TE 8620-J	CC3TZ 8620-F
★C3ME 8620-A	†CB8AZ 8A615-A	★C3VE 8620-A	†CC5TZ 8A615-C	★C4TE 8620-J	†C2TE 8A615-T
★C3ME 8620-B	C9PZ 8620-GM				
				★C4TE 8620-K	C9PZ 8620-S
★C3OE 8620-A	CC5DZ 8620-E	★C4AE 8620-A	C9PZ 8620-R	★C4TE 8620-K	†CC4TZ 8A615-KX
★C3OE 8620-B	C9PZ 8620-BM	★C4AE 8620-A	C2R 8620-L	★C4TE 8620-L	CC3AZ 8620-B
★C3OE 8620-B	C3OZ 8620-A	C4AE 8620-B	C9PZ 8620-P	★C4TE 8620-L	C9PZ 8620-T
★C3OE 8620-C	C9PZ 8620-CS	★C4AE 8620-B	†CC4AZ 8A615-BX		
★C3OE 8620-C	C3OZ 8620-C			C4TE 8620-M	C9PZ 8620-T
★C3OE 8620-E	C9PZ 8620-CV	★C4AE 8620-C	C9PZ 8620-AM	★C4TE 8620-N	C9PZ 8620-S
★C3OE 8620-F	C9PZ 8620-F	★C4AE 8620-C	CC4AZ 8620-A	★C4TE 8620-N	C4TZ 8620-LX
★C3OE 8620-F	C2R 8620-E	★C4AE 8620-C (2)	C9PZ 8620-GL	★C4TE 8620-N	†CC4TZ 8A615-R
★C3OE 8620-G	C9PZ 8620-FU			★C4TE 8620-R	C9PZ 8620-CF
C3OE 8620-H	C9PZ 8620-CV	★C4AE 8620-D	C9PZ 8620-AB	★C4TE 8620-R	C9PZ 8620-CE
		★C4AE 8620-D	C1AE 8620-J		
★C3OE 8620-J	C9PZ 8620-C	★C4AE 8620-D	†CB8AZ 8A615-A	★C4TE 8620-R	†CC4TZ 8A615-JX
★C3OE 8620-J	C3OZ 8620-D			★C4TE 8620-S	C9PZ 8620-S
★C3OE 8620-K	CC2TZ 8620-C	★C4AE 8620-F	C9PZ 8620-CY	★C4TE 8620-S	†CC4TZ 8A615-KX
★C3OE 8620-K	C9PZ 8620-FR	★C4AE 8620-F	CC3OZ 8620-E	★C4TE 8620-T	CC0AZ 8620-B
★C3OE 8620-L	C9PZ 8620-CY			★C4TE 8620-T (2)	C9PZ 8620-FT
★C3OE 8620-L	CC3OZ 8620-E	C4AE 8620-G	C9PZ 8620-BM		
		C4AE 8620-H	C9PZ 8620-GK	★C4TE 8620-U	C9PZ 8620-FU
★C3OE 8620-M	C9PZ 8620-BM	C4AE 8620-J	C9PZ 8620-GJ	★C4TE 8620-V	C9PZ 8620-CE
★C3OE 8620-M	CC0AZ 8620-A	★C4AE 8620-K	C9PZ 8620-GJ	★C4TE 8620-Y	C9PZ 8620-CM
★C3OE 8620-M	†CC0AZ 8A615-C	★C4AE 8620-K	C9PZ 8620-AA	★C4TE 8620-Y	C4TZ 8620-D
C3OE 8620-N	C9PZ 8620-F	★C4AE 8620-K	†CB8AZ 8A615-A	★C4TE 8620-Z	C4TZ 8620-E
★C3OE 8620-R	C9PZ 8620-S				
★C3OE 8620-R	†CC4TZ 8A615-R			★C4TE 8620-AA	C9PZ 8620-CT
		C4DE 8620-A	C9PZ 8620-J	★C4TE 8620-AB	C9PZ 8620-AA
★C3SE 8620-A	C9PZ 8620-R			★C4TE 8620-AB	†CB8AZ 8A615-A
★C3SE 8620-A	C2R 8620-L			★C4TE 8620-AC	C9PZ 8620-S
★C3SE 8620-A	†C2AE 8A615-B			★C4TE 8620-AC	†CC4TZ 8A615-KX
		C4RA 8620-AH	C9PZ 8620-K	★C4TE 8620-AD	C9PZ 8620-AE
				★C4TE 8620-AD	B8Q 8620-D
★C3TA 8620-A	CC3TZ 8620-G				
★C3TA 8620-C	7RA 8620-C	C4SE 8620-A	C9PZ 8620-GK	★C4TE 8620-AE	C9PZ 8620-AD
★C3TA 8620-D	CC3TZ 8620-C	C4SE 8620-B	C9PZ 8620-DA	★C4TE 8620-AE	B8A 8620-CX
★C3TA 8620-E	C9PZ 8620-DV	★C4SE 8620-C	C9PZ 8620-AK	★C4TE 8620-AF	C9PZ 8620-FY
★C3TA 8620-F	CC3TZ 8620-C	★C4SE 8620-C	CC2OZ 8620-C	★C4TE 8620-AF	CC2TZ 8620-B
★C3TA 8620-G	CC3TZ 8620-B	★C4SE 8620-C	†C2OE 8A615-G	★C4TE 8620-AF	†CC2TZ 8A615-P
★C3TA 8620-H	C3TZ 8620-C	★C4SE 8620-H	C9PZ 8620-S		

† Kit - consists of (2) or more belts

☆ U.S. only

• Canada only

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER
★C4VE 8620-A	C9PZ 8620-AD	♣C5DE 8620-A	CC5DZ 8620-A	★C5TE 8620-K	C9PZ 8620-BP
♣C4VE 8620-A	C1AE 8620-J	★C5DE 8620-A	C9PZ 8620-FU	♣C5TE 8620-K	C2TZ 8620-L
♣C4VE 8620-A	†CC5TZ 8A615-B			C5TE 8620-L	C9PZ 8620-BG
★C4VE 8620-B	C9PZ 8620-CA	★C5DE 8620-B	C9PZ 8620-FU	★C5TE 8620-N	C9PZ 8620-GU
♣C4VE 8620-B	CC4VZ 8620-B	♣C5DE 8620-B	CC5DZ 8620-A	♣C5TE 8620-N	CC5TZ 8620-N
♣C4VE 8620-B	†C1TE 8A615-L			♣C5TE 8620-R	C9PZ 8620-BV
		★C5DE 8620-C	C9PZ 8620-E	♣C5TE 8620-R	†CC5TZ 8A615-H
		♣C5DE 8620-C	†CC3UZ 8A615-CX	C5TE 8620-U	C9PZ 8620-ET
★C4ZE 8620-B	C9PZ 8620-CS				
♣C4ZE 8620-B	C3OZ 8620-C	★C5DE 8620-D	C9PZ 8620-D		
★C4ZE 8620-C	C9PZ 8620-AH	♣C5DE 8620-D	C3DZ 8620-BX	♣C5TS 8620-E	C9PZ 8620-K
♣C4ZE 8620-C	CC1TZ 8620-A			♣C5TS 8620-M	C9PZ 8620-BF
		★C5DE 8620-E	C9PZ 8620-AM	♣C5TS 8620-N	B6TZ 8620-B
★C5AE 8620-A	C9PZ 8620-AU	♣C5DE 8620-E	CC5DZ 8620-E	♣C5TS 8620-R	†C5TS 8A615-J
♣C5AE 8620-A	C5AZ 8620-P	♣C5DE 8620-E	(2)C9PZ 8620-GL	♣C5TS 8620-S	C9PZ 8620-AZ
★C5AE 8620-B	C9PZ 8620-DC				
♣C5AE 8620-B	†CC3TZ 8A615-C				
★C5AE 8620-C	C9PZ 8620-CC	C5OE 8620-A	C9PZ 8620-F	★C5UE 8620-A	D1PZ 8620-B
♣C5AE 8620-C	CC2TZ 8620-H	★C5OE 8620-B	C9PZ 8620-GY	♣C5UE 8620-A	B8A 8620-CX
		♣C5OE 8620-B	B7A 8620-AX		
★C5AE 8620-D	C9PZ 8620-AE				
♣C5AE 8620-D	C9PZ 8620-FY	C5OE 8620-C	C9PZ 8620-GM	★C6AE 8620-A	C9PZ 8620-GB
★C5AE 8620-E	C9PZ 8620-AN	C5OE 8620-D	C9PZ 8620-AM	♣C6AE 8620-A	CC6AZ 8620-A
♣C5AE 8620-E	†CB7AZ 8A615-A			C6AE 8620-B	C9PZ 8620-GB
★C5AE 8620-F	C9PZ 8620-CB	★C5OE 8620-E	C9PZ 8620-FR		
♣C5AE 8620-F	CC2TZ 8620-H	♣C5OE 8620-E	CC2TZ 8620-C	★C6AE 8620-C	C9PZ 8620-CC
				♣C6AE 8620-C	CC2TZ 8620-H
C5AE 8620-G	C9PZ 8620-GC	C5OE 8620-G	C9PZ 8620-BM	♣C6AE 8620-C	†C2TE 8A615-M
★C5AE 8620-H	C9PZ 8620-CA	C5OE 8620-H	C9PZ 8620-CE		
♣C5AE 8620-H	CC5TZ 8620-H	C5OE 8620-J	C9PZ 8620-A	★C6AE 8620-D	C9PZ 8620-BZ
★C5AE 8620-J	C9PZ 8620-BZ	C5OE 8620-K	C9PZ 8620-GM	♣C6AE 8620-D	C9PZ 8620-BY
♣C5AE 8620-J	C9PZ 8620-BY			♣C6AE 8620-D	†CC5TZ 8A615-H
★C5AE 8620-K	C9PZ 8620-CZ				
♣C5AE 8620-K	CC5AZ 8620-K	C5SE 8620-A	C9PZ 8620-GU	★C6AE 8620-E	C9PZ 8620-AC
				♣C6AE 8620-E	C1AE 8620-J
★C5AE 8620-L	C9PZ 8620-BY				
♣C5AE 8620-L	†CC5TZ 8A615-H	★C5TE 8620-A	C9PZ 8620-CC	C6AE 8620-F	C9PZ 8620-CA
★C5AE 8620-M	C9PZ 8620-DB	♣C5TE 8620-A	C4TZ 8620-RX	C6AE 8620-G	C9PZ 8620-AU
♣C5AE 8620-M	CC5AZ 8620-M	★C5TE 8620-B	C9PZ 8620-F	★C6AE 8620-H	C9PZ 8620-V
C5AE 8620-N	C9PZ 8620-GB	♣C5TE 8620-B	C9PZ 8620-E	♣C6AE 8620-H	CC3AZ 8620-B
		★C5TE 8620-C	C9PZ 8620-AC		
C5AE 8620-R	C9PZ 8620-GJ	♣C5TE 8620-C	C1AE 8620-J	★C6AE 8620-J	C9PZ 8620-BL
♣C5AE 8620-R	†CC5TZ 8A615-C			♣C6AE 8620-J	C0AE 8620-T
		★C5TE 8620-D	D1PZ 8620-A	C6AE 8620-K	C9PZ 8620-GZ
★C5AE 8620-S	C9PZ 8620-AB	♣C5TE 8620-D	CC5TZ 8620-D	C6AE 8620-L	C9PZ 8620-GM
♣C5AE 8620-S	C9PZ 8620-AA	♣C5TE 8620-D	†CC5TZ 8A615-C		
♣C5AE 8620-S	†CB8AZ 8A615-A			★C6AE 8620-M	C9PZ 8620-T
C5AE 8620-T	C9PZ 8620-GB	♣C5TE 8620-E	C9PZ 8620-BV	♣C6AE 8620-M	C9PZ 8620-GM
		♣C5TE 8620-F	C9PZ 8620-BV	C6AE 8620-N	C9PZ 8620-DP
★C5AE 8620-U	C9PZ 8620-CB	♣C5TE 8620-G	CC2TZ 8620-F	★C6AE 8620-R	C9PZ 8620-BE
♣C5AE 8620-U	CC2TZ 8620-G	♣C5TE 8620-G	†CC5TZ 8A615-H	♣C6AE 8620-R	CC3TZ 8620-B
♣C5AE 8620-U	†C2TE 8A615-L				
C5AE 8620-V	C9PZ 8620-BM	★C5TE 8620-H	C9PZ 8620-CE	C6AE 8620-S	C9PZ 8620-DN
C5AE 8620-Z	C9PZ 8620-GJ	♣C5TE 8620-H	CC5TZ 8620-J	C6AE 8620-T	C9PZ 8620-AR
		♣C5TE 8620-H	(2)C9PZ 8620-CE	C6AE 8620-U	C9PZ 8620-GZ
★C5AE 8620-AA	C9PZ 8620-AE			★C6AE 8620-V	C9PZ 8620-V
♣C5AE 8620-AA	C9PZ 8620-FY	♣C5TE 8620-J	CC5TZ 8620-J	♣C6AE 8620-V	CC3AZ 8620-B
♣C5AE 8620-AA	†CC2TZ 8A615-P	♣C5TE 8620-J	†CC5TZ 8A615-J	C6AE 8620-Y	C9PZ 8620-DN

† Kit - consists of (2) or more belts

★ U.S. only

♣ Canada only

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

● Canada only

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING		SERVICE PART NUMBER		IDENTIFICATION MARKING		SERVICE PART NUMBER		IDENTIFICATION MARKING		SERVICE PART NUMBER	
D2AE 8620-BU1A		C9PZ 8620-CK		D2DE 8620-B1A		C9PZ 8620-G		D2OE 8620-F2A		C9PZ 8620-DP	
D2AE 8620-BY1A		C9PZ 8620-CC		D2DE 8620-B3A		C9PZ 8620-G		D2OE 8620-G2A		C9PZ 8620-DM	
D2AE 8620-BZ1A		C9PZ 8620-CA		D2DE 8620-B4A		C9PZ 8620-G		D2OE 8620-H2A		C9PZ 8620-DL	
				D2DE 8620-C1A		C9PZ 8620-GM		D2OE 8620-J2A		C9PZ 8620-DG	
D2AE 8620-CA1A		C9PZ 8620-BZ		D2DE 8620-C2A		C9PZ 8620-GM		D2OE 8620-L2A		C9PZ 8620-DG	
D2AE 8620-CA2A		C9PZ 8620-BZ		D2DE 8620-C3A		C9PZ 8620-GM		D2OE 8620-N2A		C9PZ 8620-AE	
D2AE 8620-CA3A		C9PZ 8620-BZ		D2DE 8620-C4A		C9PZ 8620-GM		D2OE 8620-R2A		C9PZ 8620-BS	
D2AE 8620-CA4A		C9PZ 8620-BZ		D2DE 8620-D1A		C9PZ 8620-AN		D2OE 8620-S1A		C9PZ 8620-B	
D2AE 8620-CB1A		C9PZ 8620-GU						D2OE 8620-S3A		C9PZ 8620-B	
D2AE 8620-CB2A		C9PZ 8620-GU									
				D2DE 8620-E1A		C9PZ 8620-FR					
D2AE 8620-CC1A		C9PZ 8620-BU		D2DE 8620-E2A		C9PZ 8620-FR		D2OE 8620-T1A		C9PZ 8620-AK	
D2AE 8620-CC2A		C9PZ 8620-BU		D2DE 8620-F1A		C9PZ 8620-CS		D2OE 8620-U1A		C9PZ 8620-GL	
D2AE 8620-CC3A		C9PZ 8620-BU		D2DE 8620-F2A		C9PZ 8620-CS		D2OE 8620-U2A		C9PZ 8620-GL	
D2AE 8620-CC4A		C9PZ 8620-BU		D2DE 8620-F3A		C9PZ 8620-CS		D2OE 8620-V1A		C9PZ 8620-AL	
D2AE 8620-CF1A		C9PZ 8620-FR		D2DE 8620-F4A		C9PZ 8620-CS		D2OE 8620-V2A		C9PZ 8620-AL	
D2AE 8620-CF3A		C9PZ 8620-FR		D2DE 8620-G1A		C9PZ 8620-CB		D2OE 8620-Y1A		C9PZ 8620-FR	
D2AE 8620-CF4A		C9PZ 8620-FR						D2OE 8620-Z1A		C9PZ 8620-CS	
				D2DE 8620-H1A		C9PZ 8620-FY		D2OE 8620-Z2A		C9PZ 8620-CS	
D2AE 8620-CG1A		C9PZ 8620-AM		D2DE 8620-H3A		C9PZ 8620-FY					
D2AE 8620-CJ1A		C9PZ 8620-GB		D2DE 8620-H4A		C9PZ 8620-FY					
D2AE 8620-CL1A		C9PZ 8620-AB		D2DE 8620-K1A		C9PZ 8620-FU		D2OE 8620-AB1A		D0OZ 8620-A	
D2AE 8620-CL2A		C9PZ 8620-AB		D2DE 8620-K3A		C9PZ 8620-FU		D2OE 8620-AB2A		D0OZ 8620-A	
D2AE 8620-CL3A		C9PZ 8620-AB		D2DE 8620-K4A		C9PZ 8620-FU		D2OE 8620-AB3A		D0OZ 8620-A	
D2AE 8620-CL4A		C9PZ 8620-AB		D2DE 8620-L1A		C9PZ 8620-FU		D2OE 8620-AB4A		D0OZ 8620-A	
				D2DE 8620-L4A		C9PZ 8620-FU		D2OE 8620-AC1A		C9PZ 8620-CK	
								D2OE 8620-AC2A		C9PZ 8620-CK	
D2AE 8620-CM1A		C9PZ 8620-AB		D2DE 8620-M1A		C9PZ 8620-AM		D2OE 8620-AC3A		C9PZ 8620-CK	
D2AE 8620-CM3A		C9PZ 8620-AB		D2DE 8620-N1A		C9PZ 8620-E		D2OE 8620-AC4A		C9PZ 8620-CK	
D2AE 8620-CM4A		C9PZ 8620-AB		D2DE 8620-N3A		C9PZ 8620-E					
D2AE 8620-CR1A		C9PZ 8620-M		D2DE 8620-N4A		C9PZ 8620-E		D2OE 8620-AD1A		C9PZ 8620-GN	
D2AE 8620-CS1A		C9PZ 8620-P		D2DE 8620-R1A		C9PZ 8620-GY		D2OE 8620-AD2A		C9PZ 8620-GN	
D2AE 8620-CS3A		C9PZ 8620-P		D2DE 8620-R3A		C9PZ 8620-GY		D2OE 8620-AF1A		C9PZ 8620-CP	
D2AE 8620-CS4A		C9PZ 8620-P		D2DE 8620-S1A		C9PZ 8620-K		D2OE 8620-AF2A		C9PZ 8620-CP	
				D2DE 8620-S4A		C9PZ 8620-K		D2OE 8620-AF3A		C9PZ 8620-CP	
D2AE 8620-CT1A		C9PZ 8620-R						D2OE 8620-AF4A		C9PZ 8620-CP	
D2AE 8620-CT2A		C9PZ 8620-R		D2DE 8620-T1A		C9PZ 8620-K		D2OE 8620-AG1A		C9PZ 8620-CM	
D2AE 8620-CU1A		C9PZ 8620-GM		D2DE 8620-U1A		C9PZ 8620-M		D2OE 8620-AG2A		C9PZ 8620-CM	
D2AE 8620-CU3A		C9PZ 8620-GM		D2DE 8620-V1A		C9PZ 8620-D		D2OE 8620-AG3A		C9PZ 8620-CM	
D2AE 8620-CU4A		C9PZ 8620-GM		D2DE 8620-V3A		C9PZ 8620-D		D2OE 8620-AG4A		C9PZ 8620-CM	
				D2DE 8620-V4A		C9PZ 8620-D					
D2AE 8620-CV1A		C9PZ 8620-T		D2DE 8620-Y1A		C9PZ 8620-D		D2OE 8620-AH1A		D0TZ 8620-B	
D2AE 8620-CV3A		C9PZ 8620-T		D2DE 8620-Y3A		C9PZ 8620-D		D2OE 8620-AJ1A		C9PZ 8620-FN	
D2AE 8620-CV4A		C9PZ 8620-T		D2DE 8620-Y4A		C9PZ 8620-D		D2OE 8620-AJ2A		C9PZ 8620-FN	
D2AE 8620-CY1A		C9PZ 8620-V						D2OE 8620-AJ3A		C9PZ 8620-FN	
D2AE 8620-CY2A		C9PZ 8620-V		D2HE 8620-AA2A		C9PZ 8620-CA		D2OE 8620-AJ4A		C9PZ 8620-FN	
D2AE 8620-CZ1A		C9PZ 8620-V						D2OE 8620-AK1A		C9PZ 8620-BS	
D2AE 8620-CZ3A		C9PZ 8620-V		D2ME 8620-B1A		C9PZ 8620-GK		D2OE 8620-AL1A		C9PZ 8620-FR	
D2AE 8620-CZ4A		C9PZ 8620-V		D2ME 8620-B2A		C9PZ 8620-GK		D2OE 8620-AM1A		C9PZ 8620-AM	
D2AE 8620-DB1A		C9PZ 8620-GJ		D2OE 8620-B		D0VZ 8620-B		D2OE 8620-AR1A		C9PZ 8620-F	
D2AE 8620-DB3A		C9PZ 8620-GJ		D2OE 8620-A1A		C9PZ 8620-CK		D2OE 8620-AS1A		C9PZ 8620-F	
D2AE 8620-DB4A		C9PZ 8620-GJ		D2OE 8620-A2A		C9PZ 8620-CK		D2OE 8620-AS3A		C9PZ 8620-F	
D2AE 8620-DC1A		C9PZ 8620-GJ		D2OE 8620-A3A		C9PZ 8620-CK		D2OE 8620-AS4A		C9PZ 8620-F	
D2AE 8620-DD1A		D0AZ 8620-G		D2OE 8620-A4A		C9PZ 8620-CK		D2OE 8620-AT1A		C9PZ 8620-F	
				D2OE 8620-B1A		C9PZ 8620-AD		D2OE 8620-AT3A		C9PZ 8620-F	
				D2OE 8620-C1A		C9PZ 8620-GM		D2OE 8620-AT4A		C9PZ 8620-F	
D2DE 8620-A1A		C9PZ 8620-F		D2OE 8620-D1A		C9PZ 8620-F		D2OE 8620-AU1A		C9PZ 8620-J	
D2DE 8620-A3A		C9PZ 8620-F		D2OE 8620-D3A		C9PZ 8620-F		D2OE 8620-AU3A		C9PZ 8620-J	
D2DE 8620-A4A		C9PZ 8620-F		D2OE 8620-D4A		C9PZ 8620-F		D2OE 8620-AU4A		C9PZ 8620-J	

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER
D2OE 8620-AV1A	C9PZ 8620-GJ	D2TE 8620-BE1A	C9PZ 8620-DB	D2VE 8620-L1A	C9PZ 8620-CM
D2OE 8620-AV3A	C9PZ 8620-GJ	D2TE 8620-BE2A	C9PZ 8620-DB	D2VE 8620-L2A	C9PZ 8620-CM
D2OE 8620-AV4A	C9PZ 8620-GJ	D2TE 8620-BE3A	C9PZ 8620-DB	D2VE 8620-L3A	C9PZ 8620-CM
D2OE 8620-AY2A	C9PZ 8620-CM	D2TE 8620-BE4A	C9PZ 8620-DB	D2VE 8620-L4A	C9PZ 8620-CM
		D2TE 8620-BG1A	D0TZ 8620-B	D2VE 8620-M1A	D0VZ 8620-B
D2SE 8620-A1A	C9PZ 8620-DB	D2TE 8620-BH1A	C9PZ 8620-GD	D2VE 8620-N1A	C9PZ 8620-AD
D2SE 8620-A2A	C9PZ 8620-DB	D2TE 8620-BH2A	C9PZ 8620-GD	D2VE 8620-N3A	C9PZ 8620-AD
D2SE 8620-A3A	C9PZ 8620-DB	D2TE 8620-BT1A	C9PZ 8620-BP	D2VE 8620-N4A	C9PZ 8620-AD
D2SE 8620-A4A	C9PZ 8620-DB	D2TE 8620-BU1A	D1PZ 8620-B	D2VE 8620-R1A	C9PZ 8620-G
D2SE 8620-A1B	C9PZ 8620-DB	D2TE 8620-BU3A	D1PZ 8620-B	D2VE 8620-R3A	C9PZ 8620-G
D2SE 8620-A2B	C9PZ 8620-DB	D2TE 8620-BU4A	D1PZ 8620-B	D2VE 8620-R4A	C9PZ 8620-G
D2SE 8620-A3B	C9PZ 8620-DB				
D2SE 8620-A4B	C9PZ 8620-DB	D2TE 8620-BV1A	C9PZ 8620-AN	D2ZE 8620-A1A	C9PZ 8620-FY
D2SE 8620-C2A	C9PZ 8620-DA	D2TE 8620-BY1A	C9PZ 8620-AC	D2ZE 8620-B1A	C9PZ 8620-B
D2SE 8620-D2A	C9PZ 8620-GC	D2TE 8620-BY3A	C9PZ 8620-AC	D2ZE 8620-C1A	C9PZ 8620-V
D2SE 8620-G2A	C9PZ 8620-BU	D2TE 8620-BY4A	C9PZ 8620-AC	D2ZE 8620-D1A	C9PZ 8620-J
D2SE 8620-H2A	C9PZ 8620-GU	D2TE 8620-BZ1A	C9PZ 8620-AE	D2ZE 8620-E1A	C9PZ 8620-E
D2SE 8620-J2A	C9PZ 8620-BK	D2TE 8620-BZ3A	C9PZ 8620-AE	D2ZE 8620-E3A	C9PZ 8620-E
D2SE 8620-J3A	C9PZ 8620-BK	D2TE 8620-BZ4A	C9PZ 8620-AE	D2ZE 8620-E4A	C9PZ 8620-E
				D2ZE 8620-F2A	C9PZ 8620-DM
D2SE 8620-K2A	C9PZ 8620-BK	D2TE 8620-CA1A	C9PZ 8620-FY	D2ZE 8620-G2A	C9PZ 8620-GV
D2SE 8620-L1A	C9PZ 8620-BV	D2TE 8620-CA3A	C9PZ 8620-FY	D2ZE 8620-H2A	C9PZ 8620-GH
D2SE 8620-N1A	C9PZ 8620-FS	D2TE 8620-CA4A	C9PZ 8620-FY	D2ZE 8620-H3A	C9PZ 8620-GH
D2SE 8620-N2A	C9PZ 8620-FS	D2TE 8620-CB1A	C9PZ 8620-AG	D2ZE 8620-J2A	C9PZ 8620-DF
D2SE 8620-N3A	C9PZ 8620-FS	D2TE 8620-CB3A	C9PZ 8620-AG	D2ZE 8620-K2A	C9PZ 8620-DE
D2SE 8620-N4A	C9PZ 8620-FS	D2TE 8620-CB4A	C9PZ 8620-AG	D2ZE 8620-M2A	C9PZ 8620-CS
D2SE 8620-R1A	C9PZ 8620-AK	D2TE 8620-CE1A	C9PZ 8620-AE	D2ZE 8620-N2A	C9PZ 8620-CS
D2SE 8620-S1A	C9PZ 8620-GK	D2TE 8620-CE3A	C9PZ 8620-AE	D2ZE 8620-R2A	C9PZ 8620-CP
D2SE 8620-S3A	C9PZ 8620-GK	D2TE 8620-CE4A	C9PZ 8620-AE	D2ZE 8620-S2A	C9PZ 8620-CP
D2SE 8620-S4A	C9PZ 8620-GK	D2TE 8620-CF1A	C9PZ 8620-F	D2ZE 8620-T1A	C9PZ 8620-FY
		D2TE 8620-CF3A	C9PZ 8620-F	D2ZE 8620-T2A	C9PZ 8620-FY
D2TE 8620-A2A	C9PZ 8620-FZ	D2TE 8620-CF4A	C9PZ 8620-F	D2ZE 8620-T3A	C9PZ 8620-FY
D2TE 8620-A3A	C9PZ 8620-FZ	D2TE 8620-CG1A	C9PZ 8620-P	D2ZE 8620-T4A	C9PZ 8620-FY
D2TE 8620-E1A	C9PZ 8620-AT	D2TE 8620-CG3A	C9PZ 8620-P	D2ZE 8620-U1A	C9PZ 8620-AD
D2TE 8620-E1A	C9PZ 8620-AT	D2TE 8620-CG4A	C9PZ 8620-P	D2ZE 8620-U2A	C9PZ 8620-AD
D2TE 8620-E2A	C9PZ 8620-AT	D2TE 8620-CJ1A	C9PZ 8620-S	D2ZE 8620-V1A	C9PZ 8620-GC
D2TE 8620-E3A	C9PZ 8620-AT	D2TE 8620-CJ3A	C9PZ 8620-S	D2ZE 8620-V2A	C9PZ 8620-GC
D2TE 8620-E4A	C9PZ 8620-AT	D2TE 8620-CJ4A	C9PZ 8620-S		
D2TE 8620-J1A	C9PZ 8620-ET	D2TE 8620-CK1A	C9PZ 8620-S	D2ZE 8620-AA1A	★C9DZ 8620-A
D2TE 8620-K1A	C9PZ 8620-EU	D2TE 8620-CK3A	C9PZ 8620-S	D2ZE 8620-AB1A	C9SZ 8620-B
D2TE 8620-Z1A	C9PZ 8620-BU	D2TE 8620-CK4A	C9PZ 8620-S	D2SZ 8620-AD1A	C9PZ 8620-GH
D2TE 8620-AG1A	C9PZ 8620-CC	D2TE 8620-CL1A	C9PZ 8620-S	D2ZE 8620-AD2A	C9PZ 8620-GH
D2TE 8620-AG3A	C9PZ 8620-CC	D2TE 8620-CL2A	C9PZ 8620-S	D2ZE 8620-AD3A	C9PZ 8620-GH
D2TE 8620-AG4A	C9PZ 8620-CC	D2TE 8620-CM1A	C9PZ 8620-T	D2ZE 8620-AD4A	C9PZ 8620-GH
D2TE 8620-AK1A	C9PZ 8620-CE	D2TE 8620-CM3A	C9PZ 8620-T	D2ZE 8620-AF1A	C9PZ 8620-CR
D2TE 8620-AK3A	C9PZ 8620-CE	D2TE 8620-CM4A	C9PZ 8620-T	D2ZE 8620-AF2A	C9PZ 8620-CR
D2TE 8620-AK4A	C9PZ 8620-CE	D2TE 8620-CN1A	D1PZ 8620-A	D2ZE 8620-AH1A	D0AZ 8620-E
		D2TE 8620-CN3A	D1PZ 8620-A	D2ZE 8620-AJ1A	C9PZ 8620-CL
D2TE 8620-AL1A	C9PZ 8620-CF	D2TE 8620-CN4A	D1PZ 8620-A	D2ZE 8620-AJ2A	C9PZ 8620-CL
D2TE 8620-AL2A	C9PZ 8620-CF	D2TE 8620-DA1A	C9PZ 8620-GK	D2ZE 8620-AJ3A	C9PZ 8620-CL
D2TE 8620-AL3A	C9PZ 8620-CF	D2TE 8620-DA3A	C9PZ 8620-GK	D2ZE 8620-AJ4A	C9PZ 8620-CL
D2TE 8620-AL4A	C9PZ 8620-CF	D2TE 8620-DA4A	C9PZ 8620-GK	D2ZE 8620-AK1A	C9PZ 8620-AH
D2TE 8620-AM1A	C9PZ 8620-CF			D2ZE 8620-AL1A	C9PZ 8620-J
D2TE 8620-AM3A	C9PZ 8620-CF	D2VE 8620-B2A	C9PZ 8620-CF	D2ZE 8620-AL3A	C9PZ 8620-J
D2TE 8620-AM4A	C9PZ 8620-CF	D2VE 8620-C2A	C9PZ 8620-CC	D2ZE 8620-AM1A	C9PZ 8620-C
D2TE 8620-AT1A	C9PZ 8620-CM	D2VE 8620-D2A	C9PZ 8620-CA	D2ZE 8620-AM3A	C9PZ 8620-C
		D2VE 8620-G1A	C9VY 8620-A		
D2TE 8620-BA1A	C9PZ 8620-GE	D2VE 8620-H2A	C9PZ 8620-J	D2ZE 8620-A1A	C9PZ 8620-GL
D2TE 8620-BB1A	C9PZ 8620-BG	D2VE 8620-J1A	D1VY 8620-A	D2ZE 8620-A2A	C9PZ 8620-GL
D2TE 8620-BD1A	C9PZ 8620-GT	D2VE 8620-J2A	D1VY 8620-A	D2ZE 8620-A3A	C9PZ 8620-GL
D2TE 8620-BD2A	C9PZ 8620-GT	D2VE 8620-J3A	D1VY 8620-A	D2ZE 8620-A4A	C9PZ 8620-GL
		D2VE 8620-J4A	D1VY 8620-A		

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER	IDENTIFICATION MARKING	SERVICE PART NUMBER
D22E 8620-B1A	C9PZ 8620-GY	♦ ECR 8620-C	CC2TZ 8620-C	0HA 8620-B	C9PZ 8620-GJ
D22E 8620-B2A	C9PZ 8620-GY	♦ ECR 8620-C	C9PZ 8620-FR	0HA 8620-C	C9PZ 8620-AC
D22E 8620-B3A	C9PZ 8620-GY	♦ ECR 8620-D	CC2TZ 8620-B		
D22E 8620-B4A	C9PZ 8620-GY	♦ ECR 8620-D	†CC2TZ 8A615-P	★EDG 22906-A	C9PZ 8620-GJ
D22E 8620-C1A	C9PZ 8620-C	♦ ECR 8620-E	CC2TZ 8620-B	♦ EDG 22906-A	C9PZ 8620-AA
D22E 8620-C2A	C9PZ 8620-C	♦ ECR 8620-E	†CC2TZ 8A615-P	♦ EDG 22906-A	†CB8AZ 8A615-A
D22E 8620-C3A	C9PZ 8620-C	♦ ECR 8620-SA	CC2TZ 8620-C		
D22E 8620-C4A	C9PZ 8620-C	♦ ECR 8620-SA	C9PZ 8620-FR	EBP 33558-A	C9PZ 8620-D
				EBP 33558-B	C9PZ 8620-J
D22E 8620-D1A	C9PZ 8620-CE	♦ ECS 8620-D	CC2TZ 8620-C	★EBP 33558-C	C9PZ 8620-D
D22E 8620-D2A	C9PZ 8620-CE	♦ ECS 8620-D	C9PZ 8620-FR	♦ EBP 33558-C	CC0AZ 8620-A
D22E 8620-D3A	C9PZ 8620-CE	♦ ECS 8620-SA	CC2TZ 8620-C	♦ EBP 33558-C	†CC0AZ 8A615-C
D22E 8620-D4A	C9PZ 8620-CE	♦ ECS 8620-SA	C9PZ 8620-FR		
D22E 8620-E1A	C9PZ 8620-FU			EBU 33558-A	C9PZ 8620-D
D22E 8620-E2A	C9PZ 8620-FU	♦ ECT 8620-A	CC1TZ 8620-A		
D22E 8620-E3A	C9PZ 8620-FU	♦ ECT 8620-A	†C1TE 8A615-B	ECD 33558-A	C9PZ 8620-FS
				ECE 33558-A	C9PZ 8620-BY
EAA 8620-A	C9PZ 8620-J	♦ ECU 8620-B	CC3AZ 8620-D	ECG 33558-A	C9PZ 8620-BL
EAA 8620-B	C9PZ 8620-J	♦ ECU 8620-B	D1PZ 8620-B	ECG 33558-B	C9PZ 8620-BY
♦ EAA 8620-C	C2R 8620-L			ECG 33558-C	C9PZ 8620-BL
♦ EAA 8620-C	†C2AE 8A615-B	♦ ECU 8620-A	CC2TZ 8620-H	ECG 33558-F	C9PZ 8620-BP
EAA 8620-D	C9PZ 8620-N	♦ ECU 8620-A	†C2TE 8A615-M		
				ECJ 33558-A	C9PZ 8620-FS
♦ EBJ 8620-A	CC2TZ 8620-H	ECZ 8620-B	C9PZ 8620-AD		
♦ EBJ 8620-A	†C2TE 8A615-M	♦ ECZ 8620-C	C9PZ 8620-AA	♦ ECS 33558-A	C0AE 8620-T
		♦ ECZ 8620-C	†CB8AZ 8A615-A		
★EBP 8620-D	C9PZ 8620-D	♦ ECZ 8620-D	B8Q 8620-D	♦ ECU 33558-B	CC2TZ 8620-F
♦ EBP 8620-D	C9PZ 8620-J	♦ ECZ 8620-D	D1PZ 8620-B	♦ ECU 33558-B	†C1TE 8A615-L
♦ EBP 8620-D	†C2AE 8A615-G			♦ ECU 33558-D	B8TZ 8620-D
★EBP 8620-E	C9PZ 8620-G	★EDC 8620-A	C9PZ 8620-AD		
♦ EBP 8620-E	C9PZ 8620-G	♦ EDC 8620-A	CC3AZ 8620-D	♦ ECU 33558-B	CC2TZ 8620-F
♦ EBP 8620-E	CC2AZ 8620-A	♦ EDC 8620-A	†CB7AZ 8A615-D	♦ ECU 33558-D	B8TZ 8620-D
EBP 8620-F	C9PZ 8620-K	EDC 8620-B	C9PZ 8620-AB		
EBP 8620-G	C9PZ 8620-K	★EDC 8620-E	C9PZ 8620-GJ	♦ ECU 33558-B	CC2TZ 8620-F
		♦ EDC 8620-E	C9PZ 8620-AA	♦ ECU 33558-B	†C1TE 8A615-L
★EBP 8620-H	C9PZ 8620-J	EDC 8620-F	C9PZ 8620-AE	♦ ECU 33558-D	B8TZ 8620-D
♦ EBP 8620-H	†C2AE 8A615-G	★EDC 8620-G	C9PZ 8620-AE		
EBP 8620-J	C9PZ 8620-GY	♦ EDC 8620-G	B8Q 8620-D	♦ ECU 33558-B	CC2TZ 8620-F
★EBP 8620-L	C9PZ 8620-K	♦ EDC 8620-G	D1PZ 8620-B	♦ ECU 33558-D	B8TZ 8620-D
♦ EBP 8620-L	CC0AZ 8620-B				
♦ EBP 8620-L	(2)C9PZ 8620-L	★EDG 8620-A	C9PZ 8620-AB	♦ ECU 33558-B	CC2TZ 8620-F
		♦ EDG 8620-A	C1AE 8620-J	♦ ECU 33558-B	†C1TE 8A615-L
EBR 8620-F	C9PZ 8620-N	♦ EDG 8620-A	C1AE 8620-J	♦ ECU 33558-D	B8TZ 8620-D
		♦ EDG 8620-A	†CB8AZ 8A615-A		
♦ EBU 8620-E	C1TT 8620-F	EDG 8620-D	C9PZ 8620-GK	♦ ECU 33558-B	CC2TZ 8620-F
		EDG 8620-E	C9PZ 8620-GJ	♦ ECU 33558-B	†C1TE 8A615-L
ECD 8620-A	C9PZ 8620-BP			♦ ECU 33558-D	B8TZ 8620-D
ECE 8620-A	C9PZ 8620-FP				
♦ ECE 8620-A	†CB7AZ 8A615-A	★EDJ 8620-A	C9PZ 8620-GJ	♦ ECU 33558-B	CC2TZ 8620-F
		♦ EDJ 8620-A	CC5TZ 8620-D	♦ ECU 33558-B	†C1TE 8A615-L
ECG 8620-A	C9PZ 8620-BY	♦ EDJ 8620-A	†CC5TZ 8A615-C	♦ ECU 33558-D	B8TZ 8620-D
★ECG 8620-B	C9PZ 8620-BY	♦ EDJ 8620-B	C1AE 8620-J		
♦ ECG 8620-B	C9PZ 8620-BV	♦ EDJ 8620-B	D1PZ 8620-B	♦ ECU 33558-B	CC2TZ 8620-F
♦ ECG 8620-B	†CC5TZ 8620-H	♦ EDJ 8620-C	C9PZ 8620-AA	♦ ECU 33558-B	†C1TE 8A615-L
♦ ECG 8620-G	C9PZ 8620-BV	♦ EDJ 8620-C	†CB8AZ 8A615-A	♦ ECU 33558-D	B8TZ 8620-D
ECG 8620-H	C9PZ 8620-AE				
ECG 8620-K	C9PZ 8620-AC	♦ EDL 8620-A	C9PZ 8620-ER	EDC 33558-A	C9PZ 8620-M
		♦ EDL 8620-A	†CB8TZ 8A615-C	EDD 33558-A	C9PZ 8620-M
♦ ECR 8620-B	B8Q 8620-D	★EDL 8620-D	B8QH 8620-D	EDJ 33558-A	C9PZ 8620-BJ
♦ ECR 8620-B	D1PZ 8620-B	♦ EDL 8620-D	CC3TZ 8620-D		
		♦ EDL 8620-D	†CB8TZ 8620-D	ECG 86204-A	C9PZ 8620-BY
				EBP 88620-A	C9PZ 8620-J
				EBP 88620-B	C9PZ 8620-K
				70TF 8620-DA	C9PZ 8620-CF
				71TF 8620-AA	C9PZ 8620-N
				5750904	C9PZ 8620-AC
				5751168	C9PZ 8620-GJ
				5751169	C9PZ 8620-GJ
				5751396	C9PZ 8620-AB
				5751413	C9PZ 8620-GM
				5751461	C9PZ 8620-FT
				5751467	C9PZ 8620-AE
				5751952	C9PZ 8620-D
				5751991	C9PZ 8620-M
				5752164	C9PZ 8620-GK

† Kit - consists of (2) or more belts.

★ U.S. only.

♦ Canada only.

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1965							
A (Ford)		6 CYL. 240					
65	Alternator-42, 45, 55 amp.	1or2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-53 amp.	2				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	P/S-without A/C		1			C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	P/S and A/C		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	A/C				1	C9PZ 8620-DB	(JC-594) 1/2" x 59 1/2"
A (Ford)		8 CYL. 289					
65	Alternator-42, 45, 55 amp. - without A/C	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-53 amp. - without A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-60, 65, 70 amp. - without A/C	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with integral A/C	2				* C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with integral A/C	2				♦ C9PZ 8620-BY	(JC-445) 1/2" x 44 5/8"
	Alternator-with hang-on A/C	2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	P/S (Ford pump)-with 42, 45 amp. alternator-without A/C		1			C9PZ 8620-CB	(JC-460) 1/2" x 46"
	P/S (Ford pump)-with 53, 55, 60, 65, 70 amp. alternator-without A/C		1			C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-BM	(JC-403) 1/2" x 40 3/8"
	P/S with A/C		1			C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A (Ford)		8 CYL. 352, 390				
65	Alternator-42, 45 amp. - without P/S or A/C-(exc. P/C)	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-55 amp. -without P/S or A/C	2				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42, 45 amp. - without P/S or A/C-(P/C)	1or2					
	Alternator-53, 60, 65, 70 amp. -without A/C	2				* C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-53, 55 amp. - without A/C or P/S	2				♦ D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with A/C-without P/S	1or2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with A/C and P/S	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S (Ford pump)-with 42, 45 amp. alternator-without A/C		1			C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	P/S (Ford pump)-with 53, 55, 60, 65, 70 amp. alternator-without A/C		1			C9PZ 8620-BZ	(JC-450) 1/2" x 45"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-BM	(JC-403) 1/2" x 40 3/8"
	P/S with A/C		1			C9PZ 8620-AU	(JB-546) 15/32" x 54 3/4"
	A/C-(exc. P/C)				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
	A/C-(P/C)				1	C9PZ 8620-CZ	(JC-577) 1/2" x 57 7/8"

* U.S. only ♦ Canada only

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1965 - continued							
A (Ford)		8 CYL. 427					
65	Alternator	1				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
B (Fairlane)		6 CYL. 200					
65	Alternator-38, 42, 45 amp. - with S/C-without A/C	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	Alternator-55 amp. - without A/C	2					
	Alternator-38, 42, 45 amp. - with X/C-without A/C	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-53 amp. -without A/C	2				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-with A/C	1				C9PZ 8620-GY	(JB-366-L) 15/32" x 36 3/4"
	P/S (Ford pump)		1			C9PZ 8620-AM	(JB-482) 15/32" x 48 1/4"
	P/S (Eaton pump)-with S/C		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S (Eaton pump)-with X/C		1			C9PZ 8620-AH	(JB-470) 15/32" x 47"
	A/C				1	C9PZ 8620-CS	(JC-544) 1/2" x 54 1/2"
B (Fairlane)		8 CYL. 289 and 289 Special					
65	Alternator-38, 42, 45, 55 amp. -(exc. special)	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-(special)	1				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-53 amp. - (exc. special)	2				C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S (Ford pump)-with 38, 42, 45 amp. alternator-without A/C		1			*C9PZ 8620-CB	(JC-460) 1/2" x 46"
	P/S (Ford pump)-with 53, 55 amp. alternator-without A/C		1			C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	P/S-with 38, 42 amp. alternator-without A/C		1			♣CC2TZ 8620-H	1/2" x 45 3/4"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-BM	(JC-403) 1/2" x 40 3/8"
	P/S with A/C		1			C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	P/S-with 53, 55 amp. alternator-without A/C		1			♣C9PZ 8620-CG	(JC-490) 1/2" x 49"
	A/C				1	C9PZ 8620-CS	(JC-544) 1/2" x 54 1/2"
	F (Mustang)		6 CYL. 170, 200				
65	Alternator or generator-without A/C	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	Alternator or generator-with A/C-without P/S	1				C9PZ 8620-J	(JB-371) 15/32" x 37 1/8"
	Alternator or generator-with A/C and P/S	1				C9PZ 8620-C	(JB-332) 15/32" x 33 1/4"
	P/S (Ford pump)-without A/C		1			C9PZ 8620-AM	(JB-482) 15/32" x 48 1/4"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S-with A/C		1			C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	A/C				1	C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
F (Mustang)		8 CYL. 260, 289, 289 Special					
65	Alternator-(exc. special)	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Generator-(exc. special)	1or2				C9PZ 8620-AK	(JB-501) 15/32" x 50 1/8"
	Alternator-(special)	1				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Generator-(special)	2				C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
* U.S. only ♣ Canada only							

* U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1965 - continued							
F (Mustang)				8 CYL. 260, 289, 289 Special			
65	P/S-with generator		1			C9PZ 8620-BM	(JC-403) 1/2" x 40 3/8"
	P/S (Eaton pump)-with alternator-without A/C		1				
	P/S (Ford pump)-with alternator-without A/C		1			*C9PZ 8620-CB	(JC-460) 1/2" x 46"
	P/S-with alternator-with A/C		1			C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	P/S-with alternator-without A/C		1			♣CC2TZ 8620-H	1/2" x 45 3/4"
	A/C				1	C9PZ 8620-CS	(JC-544) 1/2" x 54 1/2"
S (Thunderbird)				8 CYL. 390			
65	Alternator-without A/C	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with A/C	1				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	P/S (Ford pump)-without A/C		1			C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S with A/C		1			C9PZ 8620-AU	(JB-546) 15/32" x 54 3/4"
	A/C				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
X (Falcon)				6 CYL. 170, 200			
65	Alternator-without P/S or A/C-(170)	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with P/S-without A/C	1					
	Alternator-without P/S or A/C-(200)	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	Alternator-with A/C-without P/S	1				C9PZ 8620-J	(JB-371) 15/32" x 37 1/8"
	Alternator-with A/C and P/S	1				C9PZ 8620-C	(JB-332) 15/32" x 33 1/4"
	P/S (Ford pump)-without A/C		1			C9PZ 8620-AM	(JB-482) 15/32" x 48 1/4"
	P/S (Eaton pump)-without A/C-(170)		1			C9PZ 8620-AH	(JB-470) 15/32" x 47"
	P/S (Eaton pump)-without A/C-(200)		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S and A/C		1			C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	A/C				1	C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
X (Falcon)				8 CYL. 289			
65	Alternator	1 or 2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	P/S (Ford pump)-with S/C-without A/C		1			*C9PZ 8620-CB	(JC-460) 1/2" x 46"
	P/S (Ford pump)-with X/C-without A/C		1			*C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	P/S and A/C		1			C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-BM	(JC-403) 1/2" x 40 3/8"
	P/S-without A/C		1			♣CC2TZ 8620-H	1/2" x 45 3/4"
	A/C				1	C9PZ 8620-CS	(JC-544) 1/2" x 54 1/2"

* U.S. only ♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1966							
A (Ford)		6 CYL. 240					
66	Alternator-42, 55 amp. - without A/C	1or2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-53 amp. - without A/C	2				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with A/C- without T/E	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C- with T/E	2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	P/S-with 42 amp. alternator-without A/C- without T/E		1			C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	P/S-with 53, 55 amp. alternator-without A/C- without T/E		1			C9PZ 8620-BZ	(JC-450) 1/2" x 45"
	P/S-without A/C-with T/E		1				
	P/S and A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	A/C-without T/E				1	C9PZ 8620-DB	(JC-594) 1/2" x 59 1/2"
	A/C-with T/E				1	C9PZ 8620-GZ	(JC-694-L) 1/2" x 69 1/2"
	T/E pump-without A/C			1		C9PZ 8620-BJ	(JC-377-C) 1/2" x 37 7/8"
	T/E pump-with A/C			1		C9PZ 8620-GZ	(JC-694-L) 1/2" x 69 1/2"
A (Ford)		8 CYL. 289					
66	Alternator-42, 55 amp. - without A/C-without T/E	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-with T/E	1or2					
	Alternator-with hang-on A/C	1or2					
	Alternator-53 amp. - without A/C-without T/E	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-60, 65, 70 amp. - without A/C-without T/E	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with integral A/C-without T/E	1or2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	P/S-with 42 amp. alternator-without A/C- without T/E		1			C9PZ 8620-CB	(JC-460) 1/2" x 46"
	P/S-with 53, 55, 60, 65, 70 amp. alternator-without A/C-without T/E		1			C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	P/S and A/C-without T/E		1				
	P/S and A/C-with T/E		1			C9PZ 8620-AK	(JB-501) 15/32" x 50 1/8"
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	T/E pump-without A/C			1		C9PZ 8620-B	(JB-315) 15/32" x 31 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1966 - continued

A (Ford)		8 CYL. 352, 390, 428 Except P/C					
66	Alternator-42 amp. -without T/E-without P/S or A/C	1				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-55 amp. -without A/C	2				*C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42 amp. -without T/E-with P/S-without A/C	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-42, 55 amp. -with T/E-without P/S or A/C	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-42, 55 amp. -with T/E-with P/S-without A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-53, 60, 65, 70 amp. -without T/E-without A/C	2				*C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-55 amp. -without A/C	1				♣CB8AZ 8A615-A	15/32" x 43 3/4"
	Alternator-53, 60, 65, 70 amp. -without A/C	1				♣D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-53, 60, 65, 70 amp. -with T/E-without A/C	2				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with integral A/C	1or2				*C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with A/C	1or2				♣CC3AZ 8620-B	15/32" x 41 3/4"
	Alternator-with hang-on A/C	2				*C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S-with 42 amp. alternator-without T/E-without A/C		1			*C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	P/S-with 53, 55, 60, 65, 70 amp. alternator-without T/E-without A/C		1			C9PZ 8620-BZ	(JC-450) 1/2" x 45"
	P/S-with T/E-without A/C		1				
	P/S and A/C		1			C9PZ 8620-AU	(JB-546) 15/32" x 54 3/4"
	A/C-without T/E				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
	A/C-with T/E				1	C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"
	T/E pump-without A/C			1		C9PZ 8620-BD	(JC-345-C) 1/2" x 34 5/8"
	P/S-with 42 amp. alternator-without A/C		1			♣CC2TZ 8620-H	1/2" x 45 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"

A (Ford)		8 CYL. 427					
66	Alternator	1				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"

A (Ford)		8 CYL. 428 P/C					
66	Alternator-55 amp. -without T/E-without A/C	2				*C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-55 amp. -without T/E-without A/C	1				♣CB8AZ 8A615-A	15/32" x 43 3/4"
	Alternator-53 amp. -without T/E-without A/C- "Before 2/14/66"	2				*C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-60, 65, 70 amp. -without T/E-without A/C	2					
	Alternator-53 amp. -without T/E-without A/C- "From 2/14/66"	2				*C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"

* U.S. only ♣ Canada only

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION	
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A.C. COMP.			
1966 - continued								
A (Ford) cont'd.						8 CYL. 428 P/C cont'd.		
66	Alternator-53, 60, 65, 70 amp. -with T/E-without A/C	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-55 amp. -with T/E-without A/C	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-53, 60, 65, 70 amp. -without T/E- without A/C	1				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-without T/E-with A/C-"Before 2/14/66"	1or2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with T/E-with A/C-"Before 2/14/66"	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with A/C- "From 2/14/66"	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S (Ford pump)-without A/C		1			C9PZ 8620-BZ	(JC-450)	1/2" x 45"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	P/S and A/C		1			C9PZ 8620-AU	(JB-546)	15/32" x 54 3/4"
	A/C-without T/E				1	*C9PZ 8620-CZ	(JC-577)	1/2" x 57 7/8"
	A/C-without T/E				1	♦CC5AZ 8620-K		1/2" x 57 1/2"
	A/C-with T/E				1	C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C)	1/2" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
B (Fairlane)						6 CYL. 200		
66	Alternator-38, 42 amp. - without A/C	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-55 amp. - without A/C	2				*C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-55 amp. - without A/C	1				♦CC3UX 8A615-CX		15/32" x 34"
	Alternator-53 amp. - without A/C	2				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-with A/C- without P/S	1				C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	Alternator-with A/C and P/S	1				C9PZ 8620-A	(JB-286-C)	15/32" x 28 3/4"
	P/S		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	A/C				1	C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	T/E pump-with 38, 42 amp. alternator-without A/C or P/S			1		C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	T/E pump-with 53, 55 amp. alternator-without A/C or P/S			1		C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	T/E pump-with P/S- without A/C			1				
	T/E pump-with A/C and P/S			1				
	T/E pump-with A/C- without P/S			1		C9PZ 8620-M	(JB-390)	15/32" x 39"

☆ U.S. only

♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION	
		ALT. OR GRN.	IDLER OR P/S	AIR PUMP	A/C COMP.			
1966 - continued								
B (Fairlane)						8 CYL. 289		
66	Alternator-without A/C	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with A/C	1or2				*C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with A/C	1				▲CC4TZ 8A615-R		15/32" x 40 1/4"
	P/S-with 42 amp. alternator-without T/E- without A/C		1			*C9PZ 8620-CB	(JC-460)	1/2" x 46"
	P/S-with 42 amp. alternator-without T/E- without A/C		1			▲CC2TZ 8620-G		1/2" x 45 1/2"
	P/S-with 55 amp. alternator-without T/E- without A/C		1			*C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	P/S-with 55 amp. alternator-without T/E- without A/C		1			▲CC4VZ 8620-B		1/2" x 45"
	P/S and A/C-without T/E		1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	P/S-with T/E		1					
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-without A/C			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
B (Fairlane)						8 CYL. 390		
66	Alternator-38, 42, 55 amp. -without P/S or A/C- without T/E- "Before 4/27/66"	1or2				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-38, 42 amp. - without P/S or A/C-without T/E-"From 4/27/66"	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with P/S-without A/C-without T/E	1or2						
	Alternator-55 amp. -without P/S or A/C-without T/E- "From 4/27/66"	2				*C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-53 amp. -without P/S or A/C-"From 4/27/66"	2						
	Alternator-53 amp. -without P/S or A/C- "Before 4/27/66"	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-38, 42, 55 amp. - with T/E-without P/S or A/C-"Before 4/27/66"	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-38, 42, 55 amp. - with T/E-without P/S or A/C-"From 4/27/66"	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with A/C-without T/E	1or2				*C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C-with T/E	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"

* U.S. only ▲ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1966 - continued

B (Fairlane) cont'd.						8 CYL. 390 cont'd.	
66	Alternator-55 amp. -without P/S or A/C-without T/E	1				♣CB8AZ 8A615-A	15/32" x 43 3/4"
	Alternator-with A/C-without T/E	1or2				♣CC3AZ 8620-B	15/32" x 41 3/4"
	P/S-with 38, 42 amp. alternator-without A/C-without T/E		1			*C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	P/S-with 38, 42 amp. alternator-without A/C-without T/E		1			♣CC2TZ 8620-H	1/2" x 45 3/4"
	P/S-with 53, 55 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BZ	(JC-450) 1/2" x 45"
	P/S-with T/E-without A/C		1				
	P/S and A/C		1			C9PZ 8620-AU	(JB-546) 15/32" x 54 3/4"
	T/E pump-without A/C-"Before 4/27/66"			1		C9PZ 8620-BE	(JC-355) 1/2" x 35 5/8"
	T/E pump-without A/C-"From 4/27/66"			1		C9PZ 8620-BD	(JC-345-C) 1/2" x 34 5/8"
	T/E pump-with A/C-(exc. GT)			1		C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"
	T/E pump-with A/C-(GT)			1		C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	A/C-without T/E				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
	A/C with T/E-(exc. GT)				1	C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"
	A/C with T/E-(GT)				1	C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
F (Mustang)						6 CYL. 200	
66	Alternator-without A/C or P/S	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with P/S-without A/C	1					
	Alternator-with A/C-without P/S	1				C9PZ 8620-J	(JB-371) 15/32" x 37 1/8"
	Alternator-without T/E-with A/C and P/S	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-with T/E-with A/C and P/S	1				C9PZ 8620-C	(JB-332) 15/32" x 33 1/4"
	P/S		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	T/E pump-without A/C or P/S			1		C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	T/E pump-without A/C-with P/S			1		C9PZ 8620-K	(JB-382) 15/32" x 38 1/4"
	T/E pump-with A/C			1		C9PZ 8620-M	(JB-390) 15/32" x 39"
	A/C				1	*C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	A/C				1	♣CC4VZ 8620-B	1/2" x 45"
F (Mustang)						8 CYL. 289	
66	Alternator-without T/E-without A/C-(exc. special)	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-with T/E	1or2				*C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-without T/E-without A/C-(special)	1				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-without T/E-with A/C	1or2				C9PZ 8620-R	(JB-404) 15/32" x 40 1/2"
	Alternator-with T/E	1				♣CC4TZ 8A615-R	15/32" x 40 1/4"

*U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1966 - continued							
F (Mustang) cont'd.						8 CYL. 289 cont'd.	
66	P/S-without T/E-without A/C		1			*C9PZ 8620-CB	(JC-460) 1/2" x 46"
	P/S-with T/E-without A/C		1			C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	P/S-without T/E-without A/C		1			♣CC2TZ 8620-G	1/2" x 45 1/2"
	P/S and A/C		1			C9PZ 8620-AK	(JB-501) 15/32" x 50 1/8"
	T/E pump-without A/C			1		C9PZ 8620-B	(JB-315) 15/32" x 31 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DE	(JC-607) 1/2" x 60 7/8"
	A/C-without T/E				1	C9PZ 8620-CS	(JC-544) 1/2" x 54 1/2"
	A/C with T/E				1	C9PZ 8620-DE	(JC-607) 1/2" x 60 7/8"
S (Thunderbird)						8 CYL. 390, 428	
66	Alternator-without T/E-without A/C	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-without T/E-with A/C	1				*C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-without T/E-with A/C	1				♣CC3AZ 8620-B	15/32" x 41 3/4"
	Alternator-with T/E	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-without T/E-without A/C		1			C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	P/S-with T/E-without A/C		1			C9PZ 8620-BZ	(JC-450) 1/2" x 45"
	P/S and A/C		1			C9PZ 8620-AU	(JB-546) 15/32" x 54 3/4"
	T/E pump-without A/C			1		C9PZ 8620-BD	(JC-345-C) 1/2" x 34 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"
	A/C-without T/E				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
	A/C-with T/E				1	C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"
U (Bronco)						6 CYL. 170	
66	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	T/E pump			1		C9PZ 8620-AH	(JB-470) 15/32" x 47"
U (Bronco)						8 CYL. 289	
66	Alternator	2				*C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator	1				♣CC4TZ 8A615-R	15/32" x 40 1/4"
	T/E pump			1		C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
X (Falcon)						6 CYL. 170, 200	
66	Alternator-without P/S or A/C	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with P/S-without A/C	1					
	Alternator-with A/C-without P/S	1				C9PZ 8620-GY	(JB-366-L) 15/32" x 36 3/4"
	Alternator-with A/C and P/S	1				C9PZ 8620-A	(JB-286-C) 15/32" x 28 3/4"
	P/S		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"

* U.S. only ♣ Canada only

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1966 - continued

X (Falcon) cont'd.						6 CYL. 170, 200 cont'd.	
66	T/E pump-without P/S or A/C			1		C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	T/E pump-with P/S-without A/C			1		C9PZ 8620-K	(JB-382) 15/32" x 38 1/4"
	T/E pump-with A/C-without P/S			1		C9PZ 8620-M	(JB-390) 15/32" x 39"
	T/E pump-with A/C and P/S			1		B7AZ 8620-B	(C6DE 8620-J) 15/32" x 38 7/32"
	A/C				1	C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"

X (Falcon)						8 CYL. 289	
66	Alternator	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	P/S-without A/C-without T/E		1			C9PZ 8620-CB	(JC-460) 1/2" x 46"
	P/S and A/C-without T/E		1			C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	P/S-with T/E		1				
	T/E pump-without A/C			1		C9PZ 8620-B	(JB-315) 15/32" x 31 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"

1967

A (Ford)						6 CYL. 240	
67	Alternator-with S/C or X/C-without A/C-without T/E	1				★C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-42, 55 amp. -with S/C or X/C-without A/C-with T/E	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-42, 55 amp. -with S/X/C-without A/C	2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-53 amp. -with S/X/C-without A/C	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-53 amp. -with S/C or S/C-without A/C-with T/E	2				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with A/C-without T/E	1or2				★C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C-with T/E	2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-with S/C or X/C-without A/C-without T/E	1				♣CB8AZ 8A615-A	15/32" x 43 3/4"
	Alternator-with A/C-without T/E	1or2				♣CC3AZ 8620-B	15/32" x 41 3/4"

* U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1967 - continued

A (Ford) cont'd.						6 CYL. 240 cont'd.	
67	P/S (factory installed)-with S/C or X/C-without A/C-without T/E		1			☆ C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	P/S (factory installed)-with S/C or X/C-without A/C-without T/E		1			♣ CC5TZ 8620-D	15/32" x 42 1/2"
	P/S (factory installed)-with S/X/C-without A/C-without T/E		1			C9PZ 8620-BU	(JC-433) 1/2" x 43 3/8"
	P/S-without A/C-with T/E		1				
	P/S (dealer installed)-without A/C-without T/E		1			C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	P/S (factory installed)-with A/C		1			C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	P/S (dealer installed)-with A/C-without T/E		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	P/S (dealer installed)-with A/C-with T/E		1			C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	T/E pump-without A/C			1		C9PZ 8620-BJ	(JC-377-C) 1/2" x 37 7/8"
	T/E pump-with integral A/C			1		C9PZ 8620-GZ	(JC-694-L) 1/2" x 69 1/2"
	T/E pump-with hang-on A/C			1		C7AZ 8620-B	(JC-707) 1/2" x 70 7/8"
	A/C (integral)-without T/E				1	C9PZ 8620-DA	(JC-585) 1/2" x 58 5/8"
	A/C (hang-on)-without T/E				1	C9PZ 8620-DE	(JC-607) 1/2" x 60 7/8"
	A/C (integral)-with T/E				1	C9PZ 8620-GZ	(JC-694-L) 1/2" x 69 1/2"
	A/C (hang-on)-with T/E				1	C7AZ 8620-B	(JC-707) 1/2" x 70 7/8"

A (Ford)						8 CYL. 289	
67	Alternator-42 amp.-without T/E	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-with T/E	1or2					
	Alternator-55 amp.-without A/C-without T/E	1or2				☆ C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-53 amp.-without A/C-without T/E	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-60 amp.-without A/C-without T/E	2				☆ C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65 amp.-without A/C-without T/E	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C-without T/E-"Before 1/3/67"	1or2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	P/S (factory installed)-with 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BS	(JC-423) 1/2" x 42 3/8"
	P/S (factory installed)-with 53, 55, 60, 65 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BY	(JC-445) 1/2" x 44 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S (factory installed)-with A/C		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"

☆ U.S. only

♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1967 - continued							
A (Ford) cont'd.						8 CYL. 289 cont'd.	
67	Alternator-55 amp. -without A/C-without T/E	1				♣CC4TZ 8A615-R	15/32" x 40 1/4"
	Alternator-60 amp. -without A/C-without T/E	2				♣D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with A/C- without T/E- "From 1/3/67"	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	P/S (dealer installed)-with A/C		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S (dealer installed)- without A/C		1			C9PZ 8620-CB	(JC-460) 1/2" x 46"
	T/E pump-with S/C- without A/C- "Before 11/14/66"			1		C9PZ 8620-B	(JB-315) 15/32" x 31 5/8"
	T/E pump-with S/C and M/T-without A/C- "From 11/14/66"			1			
	T/E pump-with X/C or S/X/C-without A/C			1			
	T/E pump-with S/C and A/T-without A/C- "From 11/14/66"			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-with A/C- "Before 1/3/67"			1		C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	T/E pump-with A/C- "From 1/3/67"			1		C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
	A/C-without T/E- "Before 1/3/67"				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-without T/E- "From 1/3/67"				1	C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	A/C-with T/E- "Before 1/3/67"				1	C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	A/C-with T/E- "From 1/3/67"				1	C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
A (Ford)						8 CYL. 390, 428 Except P/C	
67	Alternator-42 amp. -without A/C-without T/E	1or2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-55 amp. -without A/C-without T/E	2				☆C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-55 amp. -without A/C-without T/E	1				♣CC5AZ 8A615-C	15/32" x 43 3/4"
	Alternator-42, 55 amp. - without A/C-with T/E	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-53, 60, 65, 70 amp. -without A/C-without T/E	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-53, 60, 65, 70 amp. -with S/C or X/C- without A/C-with T/E	2				C9PZ 8620-GJ	(JB-436 L) 15/32" x 43 3/4"
	Alternator-53, 60, 65, 70 amp. -with S/X/C-without A/C-with T/E	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"

* U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1967 - continued

A (Ford) cont'd.		8 CYL. 390, 428 Except P/C cont'd.					
67	Alternator-with integral A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with hang-on A/C	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S (factory installed)-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S (dealer installed)-without A/C		1			C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	P/S (factory installed)-with A/C		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	P/S (dealer installed)-with A/C		1			C9PZ 8620-AU	(JB-546) 15/32" x 54 3/4"
	T/E pump-with S/C or X/C-without A/C			1		C9PZ 8620-BD	(JC-345-C) 1/2" x 34 5/8"
	T/E pump-with S/X/C-without A/C			1		C9PZ 8620-BG	(JC-366-C) 1/2" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
	A/C (integral)-without T/E				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C (hang-on)-without T/E				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
	A/C-with T/E				1	C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"

A (Ford)		8 CYL. 427					
67	Alternator	1				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"

A (Ford)		8 CYL. 428 P/C					
67	Alternator-42, 55 amp. - without A/C-without T/E	2				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42, 55 amp. - without A/C-with T/E	2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-53 amp. - without A/C-without T/E	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-53, 60 amp. - without A/C-with T/E	2					
	Alternator-60, 65, 70 amp. - without A/C-without T/E	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65, 70 amp. - without A/C-with T/E	2					
	Alternator-with A/C	1 or 2					
	P/S-without A/C		1			C9PZ 8620-BV	(JC-441) 1/2" x 44 1/8"
	P/S-with A/C-"Before 12/15/66"		1			C9PZ 8620-AU	(JB-546) 15/32" x 54 3/4"
	P/S-with A/C-"From 12/15/66"		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C) 1/2" x 36 3/4"
	T/E pump-with integral A/C-"Before 12/15/66"			1		C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	T/E pump-with integral A/C-"From 12/15/66"			1		C9PZ 8620-GV	(JC-634-L) 1/2" x 63 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
	A/C-without T/E-"Before 12/15/66"				1	C9PZ 8620-CZ	(JC-577) 1/2" x 57 7/8"
	A/C-without T/E-"From 12/15/66"				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1967 - continued							
A (Ford) cont'd.				8 CYL. 428 P/C cont'd.			
67	A/C (integral)-with T/E- "Before 12/15/66"				1	C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	A/C (integral)-with T/E- "From 12/15/66"				1	C9PZ 8620-GV	(JC-634-L) 1/2" x 63 1/2"
	A/C (hang-on)-with T/E-				1	C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
B (Fairlane)				6 CYL. 200			
67	Alternator-38, 42, 55 amp. - without P/S or A/C	1 or 2				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-53 amp. -without P/S or A/C	2				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-with P/S-without A/C	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with integral A/C-without P/S	1				C9PZ 8620-GY	(JB-366-L) 15/32" x 36 3/4"
	Alternator-with integral A/C and P/S	1				C9PZ 8620-A	(JB-286-C) 15/32" x 28 3/4"
	Alternator-with hang-on A/C-without P/S	1				C9PZ 8620-J	(JB-371) 15/32" x 37 1/8"
	Alternator-with hang-on A/C and P/S	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	P/S		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	T/E pump-with 38, 42 amp. alternator-without P/S or A/C			1		C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	T/E pump-with 53, 55 amp. alternator-without P/S or A/C			1		C9PZ 8620-GY	(JB-366-L) 15/32" x 36 3/4"
	T/E pump-with P/S-without A/C			1			
	T/E pump-with A/C			1		C9PZ 8620-K	(JB-382) 15/32" x 38 1/4"
	A/C (integral)				1	C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C (hang-on)				1	C9PZ 8620-CB	(JC-460) 1/2" x 46"
B (Fairlane)				8 CYL. 289			
67	Alternator	1 or 2				☆ C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator	1				♣ CC4TZ 8A615-R	15/32" x 40 1/4"
	P/S-with 38, 42 amp. alternator-without A/C- without T/E		1			C9PZ 8620-BS	(JC-423) 1/2" x 42 3/8"
	P/S-with 55 amp. alternator-without A/C- without T/E		1			C9PZ 8620-BY	(JC-445) 1/2" x 44 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S (factory installed)-with A/C		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	P/S (dealer installed)-with A/C		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"

☆ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1967 - continued

B (Fairlane) cont'd.						8 CYL. 289 cont'd.	
67	T/E pump-with S/C-without A/C "Before 11/14/66"			1		C9PZ 8620-B	(JB-315) 15/32" x 31 5/8"
	T/E pump-with S/C and M/T-without A/C- "From 11/14/66"			1			
	T/E pump-with X/C-without A/C			1			
	T/E pump-with S/C and A/T-without A/C- "From 11/14/66"			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-with A/C- "Before 1/3/67"			1		C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	T/E pump-with A/C- "From 1/3/67"			1		C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
	A/C-without T/E- "Before 1/3/67"			1		C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-without T/E- "From 1/3/67"			1		C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	A/C-with T/E- "Before 1/3/67"			1		C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	A/C-with T/E- "From 1/3/67"			1		C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"

B (Fairlane)						8 CYL. 390 (Except GT)	
67	Alternator-38, 42, 55 amp. - with S/C-without A/C-without T/E	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-38, 42 amp. - with X/C-without A/C-without T/E	1				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-38, 42, 55 amp. - with S/C-without A/C-with T/E	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-38, 42, 55 amp. - with X/C-without A/C-with T/E	2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-55 amp. -with X/C-without A/C-without T/E	2				*C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-55 amp. -with X/C-without A/C-without T/E	1				♣CC5AZ 8A615-C	15/32" x 43 3/4"
	Alternator-53 amp. - A/C-without T/E	2				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-53 amp. -with S/C-without A/C-with T/E	2					
	Alternator-53 amp. -with X/C-without A/C-with T/E	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"

* U.S. only

♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1967 - continued

B (Fairlane) cont'd.						8 CYL. 390 (Except GT) cont'd.	
67	P/S-with 38, 42 amp. alternator-without A/C- without T/E		1			C9PZ 8620-BY	(JC-445) 1/2" x 44 5/8"
	P/S-with 53, 55 amp. alternator-without A/C- without T/E		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-without A/C-with T/E		1				
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	T/E pump-with S/C-without A/C			1		C9PZ 8620-BD	(JC-345-C) 1/2" x 34 5/8"
	T/E pump-with X/C-without A/C			1		C9PZ 8620-BE	(JC-355) 1/2" x 35 5/8"
	T/E pump-with integral A/C			1		C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"
	T/E pump-with hang-on A/C-"Before 12/15/66"			1		C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	T/E pump-with hang-on A/C-"From 12/15/66"			1		C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
	A/C-without T/E				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
	A/C (integral)-with T/E				1	C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"
	A/C (hang-on)-with T/E- "Before 12/15/66"				1	C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	A/C (hang-on)-with T/E- "From 12/15/66"				1	C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
B (Fairlane)						8 CYL. 390 (GT)	
67	Alternator-38, 42 amp. - without A/C-without T/E	1				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-55 amp. -without A/C-without T/E	2				*C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-55 amp. -without A/C-without T/E	1				♣CC5AZ 8A615-C	15/32" x 43 3/4"
	Alternator-38, 42, 55 amp. - without A/C-with T/E	2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-53 amp. -without A/C	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C- without T/E- "Before 1/9/67"	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with A/C-with T/E	1or2					
	Alternator-with A/C- without T/E "From 1/9/67"	1or2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	P/S-with 38, 42 amp. alternator-without A/C- without T/E		1			C9PZ 8620-BY	(JC-445) 1/2" x 44 5/8"
	P/S-with 53, 55 amp. alternator-without A/C- without T/E		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-without A/C-with T/E		1				
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"

☆ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1967 - continued							
B (Fairlane) cont'd.						8 CYL. 390 (GT) cont'd.	
67	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C) 1/2" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	A/C-without T/E				1	C9PZ 8620-CZ	(JC-577) 1/2" x 57 7/8"
	A/C-with T/E				1	C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
B (Fairlane)						8 CYL. 427	
67	Alternator	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
F (Mustang)						6 CYL. 200	
67	Alternator-without P/S or A/C	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with P/S-without A/C						
	Alternator-with integral A/C-without P/S	1				C9PZ 8620-J	(JB-371) 15/32" x 37 1/8"
	Alternator-with integral A/C-with factory installed P/S	1				C9PZ 8620-C	(JB-332) 15/32" x 33 1/4"
	Alternator-with integral A/C-with dealer installed P/S	1				C9PZ 8620-A	(JB-286-C) 15/32" x 28 3/4"
	Alternator-with hang-on A/C	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	P/S		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	T/E pump-without P/S or A/C			1		C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	T/E pump-with P/S-without A/C			1		C9PZ 8620-GY	(JB-366-L) 15/32" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-K	(JB-382) 15/32" x 38 1/4"
	A/C (integral)				1	*C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	A/C (hang-on)				1	C9PZ 8620-CB	(JC-460) 1/2" x 46"
	A/C (integral)				1	♣CC4VZ 8620-B	1/2" x 45"
F (Mustang)						8 CYL. 289, 289 Special	
67	Alternator-without A/C-without T/E-(exc. special)	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-without A/C-without T/E-(special)	1				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-without A/C-with T/E-(exc. special)	2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-without A/C-with T/E-(special)	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C-without T/E	1or2				C9PZ 8620-R	(JB-404) 15/32" x 40 1/2"
	Alternator-with integral A/C-with T/E	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-with hang-on A/C-with T/E	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"

* U.S. only

♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1967 - continued							
F (Mustang) cont'd.				8 CYL. 289, 289 Special cont'd.			
67	P/S-without A/C-without T/E		1			C9PZ 8620-BS (JC-423)	1/2" x 42 3/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-FR (JB-472)	15/32" x 47 1/4"
	P/S-with A/C		1			C9PZ 8620-AL (JB-480)	15/32" x 48"
	T/E pump-with S/C-without A/C-(exc. special)- "Before 11/14/66"			1		C9PZ 8620-B (JB-315)	15/32" x 31 5/8"
	T/E pump-with S/C and M/T-without A/C-(exc. special)-"From 11/14/66"			1			
	T/E pump-with X/C-without A/C-(exc. special)			1		C9PZ 8620-B (JB-315)	15/32" x 31 5/8"
	T/E pump-without A/C-(special)			1			
	T/E pump-with S/C and A/T-without A/C-(exc. special)-"From 11/14/66"			1		C9PZ 8620-F (JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C-"Before 10/23/66"			1		C9PZ 8620-DG (JC-624)	1/2" x 62 1/2"
	T/E pump-with A/C-"From 10/23/66"			1		C9PZ 8620-DF (JC-616)	1/2" x 61 3/4"
	A/C (integral)-without T/E-"Before 1/3/67"				1	C9PZ 8620-CS (JC-544)	1/2" x 54 1/2"
	A/C (integral)-without T/E-"From 1/3/67"				1	C9PZ 8620-CM (JC-524)	1/2" x 52 1/2"
	A/C (hang-on)-without P/S-without T/E				1		
	A/C (hang-on)-with P/S-without T/E				1	C9PZ 8620-AN (JB-505)	15/32" x 50 5/8"
	A/C-with T/E-"Before 10/23/66"				1	C9PZ 8620-DG (JC-624)	1/2" x 62 1/2"
	A/C-with T/E-"From 10/23/66"				1	C9PZ 8620-DF (JC-616)	1/2" x 61 3/4"
	Super charger (GT350)	1				S7MS 8620-A	
F (Mustang)				8 CYL. 390			
67	Alternator-without A/C-without T/E	1				C9PZ 8620-AB (JB-443)	15/32" x 44 3/8"
	Alternator-without A/C-with T/E	2				C9PZ 8620-S (JB-412)	15/32" x 41 1/4"
	Alternator-with integral A/C-without T/E-"Before 1/9/67"	1or2				C9PZ 8620-T (JB-420)	15/32" x 42"
	Alternator-with A/C-with T/E	1or2					
	Alternator-with integral A/C-without T/E-"From 1/9/67"	1or2				C9PZ 8620-GK (JB-430-LA)	15/32" x 43"
	Alternator-38, 42 amp. - with hang-on A/C	1				C9PZ 8620-V (JB-423)	15/32" x 42 3/8"
	Alternator-55 amp. -with hang-on A/C	1or2				C9PZ 8620-T (JB-420)	15/32" x 42"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1967 - continued

F (Mustang) cont'd.						8 CYL. 390 cont'd.	
67	P/S-without A/C-without T/E		1			C9PZ 8620-BY	(JC-445) 1/2" x 44 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C) 1/2" x 36 3/4"
	T/E pump-with integral A/C			1		C9PZ 8620-GV	(JC-634-L) 1/2" x 63 1/2"
	T/E pump-with hang-on A/C-"Before 12/15/66"			1		C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	T/E pump-with hang-on A/C-"From 12/15/66"			1		C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
	A/C (integral)-without T/E				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	A/C (hang-on)-without T/E				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
	A/C (integral)-with T/E				1	C9PZ 8620-GV	(JC-634-L) 1/2" x 63 1/2"
	A/C (hang-on)-with T/E-"Before 12/15/66"				1	C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	A/C (hang-on)-with T/E-"From 12/15/66"				1	C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"

S (Thunderbird)						8 CYL. 390, 428	
67	Alternator-without A/C-without T/E	1				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-with A/C-without T/E	1				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with T/E	1 or 2					
	P/S-without T/E		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	P/S-with A/C-with T/E		1				
	P/S-without A/C-with T/E		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C) 1/2" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"

U (Bronco)						6 CYL. 170	
67	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	T/E pump			1		C9PZ 8620-AH	(JB-470) 15/32" x 47"

U (Bronco)						8 CYL. 289	
67	Alternator	1				★C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator	1				◆CC4TZ 8A615-R	15/32" x 40 1/4"
	T/E pump			1		C9PZ 8620-AK	(JB-501) 15/32" x 50 1/8"

★U.S. only

◆ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION	
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.			
1967 - continued								
X (Falcon)		6 CYL. 170, 200						
67	Alternator-without A/C or P/S	1or2				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with integral A/C-without P/S	1				C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	Alternator-with integral A/C and P/S	1				C9PZ 8620-A	(JB-286-C)	15/32" x 28 3/4"
	Alternator-with hang-on A/C-without P/S	1				C9PZ 8620-J	(JB-371)	15/32" x 37 1/8"
	Alternator-with hang-on A/C and P/S	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	P/S		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-without P/S or A/C			1		C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	T/E pump-with P/S-without A/C			1		C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	A/C (integral)				1	C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C (hang-on)				1	C9PZ 8620-CB	(JC-460)	1/2" x 46"
X (Falcon)		8 CYL. 289						
67	Alternator	1or2				* C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator	1				♣ CC4TZ 8A615-R		15/32" x 40 1/4"
	P/S-with 38, 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BS	(JC-423)	1/2" x 42 3/8"
	P/S-with 55 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BY	(JC-445)	1/2" x 44 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S (factory installed)-with A/C		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	P/S (dealer installed)-with A/C		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	T/E pump-with S/C-without A/C-"Before 11/14/66"			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-with S/C and M/T-without A/C-"From 11/14/66"			1				
	T/E pump-with X/C-without A/C			1				
	T/E pump-with S/C and A/T-without A/C-"From 11/14/66"			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C-"Before 1/3/67"			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-with A/C-"From 1/3/67"			1		C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
* U.S. only ♣ Canada only								

* U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1967 - continued							
X (Falcon) cont'd.		8 CYL. 289 cont'd.					
67	A/C-without T/E- "Before 1/3/67"				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-without T/E- "From 1/3/67"				1	C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	A/C-with T/E- "Before 1/3/67"				1	C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	A/C-with T/E- "From 1/3/67"				1	C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"

1968

	A (Ford)					6 CYL. 240	
68	Alternator-with S/C or X/C-without A/C	1or2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-42, 55 amp. - with S/X/C-without A/C	2				*C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-53 amp. -with S/X/C-without A/C	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-42, 55 amp. - with S/X/C-without A/C	1				*CC4TZ 8A615-R	15/32" x 40 1/4"
	Alternator-with A/C	1or2				*C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C	1or2				*CC3AZ 8620-B	15/32" x 41 3/4"
	P/S (factory installed)- with 42 amp. alternator- without A/C-without T/E	1				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	P/S (dealer installed)- without A/C	1					
	P/S (factory installed)- with 55 amp. alternator- without A/C-without T/E	1				C9PZ 8620-BU	(JC-433) 1/2" x 43 3/8"
	P/S (factory installed)- without A/C-with T/E	1					
	P/S-with A/C	1				C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	T/E pump			1		C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	A/C				1	C9PZ 8620-DA	(JC-585) 1/2" x 58 5/8"

	A (Ford)					8 CYL. 302	
68	Alternator-42, 55 amp. - without A/C	1or2				*C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-42, 55 amp. - without A/C	1				*CC4TZ 8A615-R	15/32" x 40 1/4"
	Alternator-65, 70 amp. (Ford)-without A/C	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-65, 70 amp. (L/N)-without A/C	2				*C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with A/C	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-65, 70 amp. (L/N)-without A/C	2				*DIPZ 8620-A	(JB-432) 15/32" x 43 1/4"

*U.S. only

♦ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1968 - continued							
A (Ford) cont'd.						8 CYL. 302 cont'd.	
68	P/S(factory installed)-with 42 amp. alt.-without A/C- without T/E		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-without A/C-with T/E		1				
	P/S(factory installed)-with 55 amp. alt.-without A/C- without T/E		1			★C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S(factory installed)-with 65, 70 amp. alt.-without A/C		1			★C9PZ 8620-BY	(JC-445) 1/2" x 44 5/8"
	P/S-without A/C-without T/E		1			♣CB6SZ 8620-A	1/2" x 41 1/2"
	P/S(dealer installed)		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S(factory installed)-with A/C		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	T/E pump-without A/C			1		C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	T/E pump-with A/C			1		★C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	T/E pump-with A/C			1		♣C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
	A/C-without T/E- "Before 3/1/68"				1	C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	A/C-without T/E- "From 3/1/68"				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	A/C-with T/E				1	★C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	A/C-with T/E				1	♣C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
A (Ford)						8 CYL. 390, 428 Except P/C	
68	Alternator-42 amp.-without A/C-without T/E	1				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-55 amp.-without A/C-without T/E	2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-42, 55 amp.- without A/C-with T/E	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65, 70 amp.- (L/N)-without A/C	2				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-65, 70 amp.- (Ford)-without A/C	2				★C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65, 70 amp.- (Ford)-without A/C	2				♣D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with A/C-without P/S-(390)-"Before 11/20/67"	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-with A/C- without P/S-(390)- "From 11/20/67"	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with A/C- without P/S-(428)- "Before 11/20/67"	2				C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	Alternator-with A/C- without P/S-(428)- "From 11/20/67"	2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with A/C and P/S	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
★ U.S. only ♣ Canada only							

☆ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1968 - continued							
A (Ford) cont'd.				8 CYL. 390, 428 Except P/C cont'd.			
68	P/S(factory installed)- with A/C		1			C9PZ 8620-AP	(JB-516) 15/32" x 51 3/4"
	P/S(dealer installed)- with A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-with A/C			1		C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
A (Ford)				8 CYL. 427			
68	Alternator	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	P/S		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	T/E pump			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
A (Ford)				8 CYL. 428 P/C			
68	Alternator-42, 55 amp.- without A/C-without T/E	2				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42, 55 amp.- without A/C-with T/E	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-65, 70 amp.- (L/N)-without A/C	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65, 70 amp.- (Ford)-without A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with A/C- without T/E	1or2				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-with A/C- with T/E	1or2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	T/E-without A/C			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E-with A/C			1		C9PZ 8620-FZ	(JC-640-L) 1/2" x 64"
	A/C-without T/E				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	A/C-with T/E				1	C9PZ 8620-FZ	(JC-640-L) 1/2" x 64"
B (Fairlane)				6 CYL. 200			
68	Alternator-without A/C	1or2				☆C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-without A/C	1or2				♣CC3UZ 8A615-CX	15/32" x 34"
	Alternator-w/integral A/C	2				☆C9PZ 8620-AG	(JB-464) 15/32" x 46 1/2"
	Alternator-w/integral A/C	2				♣CC6TZ 8620-S	15/32" x 46"
	Alternator-w/hang-on A/C	2				C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	T/E pump-with 42 amp. alternator-without A/C			1		C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	T/E pump-with 55 amp. alternator-without A/C			1		C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	T/E pump-with A/C			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	A/C (integral)				2	☆C9PZ 8620-AG	(JB-464) 15/32" x 46 1/2"
	A/C (integral)				2	♣CC6TZ 8A615-S	15/32" x 46"
	A/C (hang-on)				2	C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"

☆ U.S. only

♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1968 - continued							
B (Fairlane)		8 CYL. 289, 302					
68	Alternator-42, 55 amp.- without A/C	1or2				★C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-42, 55 amp.- without A/C	1or2				★CC4TZ8A615-R	15/32" x 40 1/4"
	Alternator-with integral A/C	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-with hang-on A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-65, 70 amp.- without A/C	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S-with 42 amp. alternator- without A/C-without T/E		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-without A/C-with T/E		1				
	P/S-with 55, 65, 70 amp. alternator-without A/C- without T/E		1			C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S and A/C		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	T/E pump-without A/C			1		C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	T/E pump-with integral A/C			1		C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
	A/C-without T/E- "Before 3/1/68"				1	C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	A/C-without T/E- "From 3/1/68"				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	A/C (integral)-with T/E				1	C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	A/C (hang-on)-with T/E				1	C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
B (Fairlane)		8 CYL. 390 Except GT					
68	Alternator-42 amp.-without A/C-without T/E	1				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-55 amp.-without A/C-without T/E	2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-without A/C- with T/E	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-with integral A/C-without P/S- without T/E	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with integral A/C-without P/S with T/E-"Before 11/20/67"	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-with integral A/C-without P/S-with T/E- "From 11/20/67"	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with integral A/C-with P/S-without T/E- "Before 12/15/67"	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with integral A/C-with P/S-without T/E- "From 12/15/67"	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with integral A/C-with P/S-with T/E	1				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with hang-on A/C-without P/S- without T/E	2				C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"

* U.S. only

*Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR. GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1968 - continued

B (Fairlane) cont'd.						8 CYL. 390 Except GT cont'd.	
68	Alternator-with hang-on A/C-with P/S-without T/E	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with hang-on A/C-with T/E	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AP	(JB-516) 15/32 x 51 3/4"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-with integral A/C-"Before 12/15/67"			1		C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"
	T/E pump-with integral A/C-"From 12/15/67"			1		C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"
	A/C-without T/E- "Before 12/15/67"				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
	A/C-without T/E- "From 12/15/67"				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C (integral)-with T/E- "Before 12/15/67"				1	C9PZ 8620-DP	(JC-667) 1/2" x 66 7/8"
	A/C (integral)-with T/E "From 12/15/67"				1	C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
	A/C (hang-on)-with T/E				1	C9PZ 8620-DN	(JC-655) 1/2" x 65 5/8"

B (Fairlane)						8 CYL. 390 GT	
68	Alternator-without A/C- without T/E	1or2				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-without A/C- with T/E	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with integral A/C-without P/S- without T/E	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with integral A/C-without P/S-with T/E- "Before 11/20/67"	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-with integral A/C-without P/S-with T/E- "From 11/20/67"	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with integral A/C-with P/S-without T/E- "Before 12/15/67"	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with integral A/C-with P/S-without T/E- "From 12/15/67"	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with integral A/C-with P/S-with T/E	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with hang-on A/C-without P/S- without T/E	2				C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	Alternator-with hang-on A/C-with P/S-without T/E	1				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with hang-on A/C-with T/E	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1968 - continued							
B (Fairlane) cont'd.						8 CYL. 390 GT cont'd.	
68	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-with integral A/C-"Before 12/15/67"			1		★C9PZ 8620-DL	(JC-650) 1/2" x 65"
	T/E pump-with integral A/C-"From 12/15/67"			1		★C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
	T/E pump-with integral A/C			1		♣CC8OZ 8620-B	1/2" x 64 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-FZ	(JC-640-L) 1/2" x 64"
	A/C-without T/E-"Before 12/15/67"				1	C9PZ 8620-DC	(JC-600) 1/2" x 60"
	A/C-without T/E-"From 12/15/67"				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C (integral)-with T/E-"Before 12/15/67"				1	★C9PZ 8620-DL	(JC-650) 1/2" x 65"
	A/C (integral)-with T/E-"From 12/15/67"				1	★C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
	A/C (hang-on)-with T/E				1	C9PZ 8620-FZ	(JC-640-L) 1/2" x 64"
	A/C (integral)-with T/E				1	♣CC8OZ 8620-B	1/2" x 64 1/2"
B (Fairlane)						8 CYL. 427, 428	
68	Alternator	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	P/S		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	T/E pump			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
F (Mustang)						6 CYL. 200	
68	Alternator-without A/C	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with A/C	2				★C9PZ 8620-AG	(JB-464) 15/32" x 46 1/2"
	Alternator-with A/C	2				♣CC6TZ 8A615-S	15/32" x 46"
	P/S		1			C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	T/E pump-without A/C			1		C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	T/E pump-with A/C			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	A/C				2	★C9PZ 8620-AG	(JB-464) 15/32" x 46 1/2"
	A/C				2	♣CC6TZ 8A615-S	15/32" x 46"
F (Mustang)						8 CYL. 289, 302	
68	Alternator-(exc. spec.)	1or2				★C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-(exc. spec.)	1or2				♣CC4TZ 8A615-R	15/32" x 40 1/4"
	Alternator (spec.)	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S-without A/C		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-with A/C		1			★C9PZ 8620-AL	(JB-480) 15/32" x 48"
	P/S-with A/C-(289)		1			♣C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-with A/C-(302)		1			♣C9PZ 8620-AL	(JB-480) 15/32" x 48"
	T/E pump-without A/C-(exc. spec.)			1		C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	T/E pump-(spec.)			1		C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	T/E pump-with A/C-(exc. spec.)			1		★C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	T/E pump-with A/C-(exc. spec.)			1		♣C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
	★ U.S. only ♣ Canada only						

★ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1968 - continued							
F (Mustang) cont'd.						8 CYL. 289, 302 cont'd.	
68	A/C-without T/E- "Before 3/1/68"				1	C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	A/C-without T/E- "From 3/1/68"				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	A/C-with T/E				1	☆ C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	A/C-with T/E				1	♣ C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
	Supercharger (GT-350)	1				S7MS 8620-A	
F (Mustang)						8 Cyl. 390	
68	Alternator-without A/C- without T/E	1				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-without A/C- with T/E	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-with A/C- without T/E "Before 11/20/67"	1or2				C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	Alternator-with A/C- without T/E- "From 11/20/67"	1or2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator 38, 42 amp.- with A/C-with T/E	1or2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-55 amp.- with A/C- with T/E-"Before 11/20/67"	1or2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-55 amp. with A/C-with T/E- "From 11/20/67"	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-with A/C-(GT)		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	P/S-w/A/C-(exc. GT)		1			C9PZ 8620-AP	(JB-516) 15/32" x 51 3/4"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-with A/C-(GT)			1		C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
	T/E pump-with A/C- (exc. GT)			1		C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
	A/C-without T/E-(GT)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	A/C-with T/E-(GT)				1	C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
	A/C-without T/E-(exc. GT)				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-with T/E-(exc. GT)				1	C9PZ 8620-DM	(JC-654) 1/2" x 65 1/2"
F (Mustang)						8 CYL. 427, 428	
68	Alternator	1or2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	P/S		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	T/E pump			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
S (Thunderbird)						8 CYL. 429	
68	Alternator-without A/C	2				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with A/C	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	P/S-without A/C		1			C9PZ 8620-BU	(JC-433) 1/2" x 43 3/8"
	P/S-with A/C		1			☆ C9PZ 8620-BU	(JC-433) 1/2" x 43 3/8"
	P/S-with A/C		1			♣ C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	A/C				1	C9PZ 8620-BK	(JC-387) 1/2" x 38 7/8"

☆ U.S. only ♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1968 - continued							
U (Bronco)		6 CYL. 170					
68	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	T/E pump			1		C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
U (Bronco)		8 CYL. 289					
68	Alternator	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	T/E pump			1		C9PZ 8620-AK	(JB-501) 15/32" x 50 1/8"
X (Falcon)		6 CYL. 170,200					
68	Alternator-without A/C	1or2				☆C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-without A/C	1or2				♣CC3UZ 8A615-CX	15/32" x 34"
	Alternator-with integral A/C	2				☆C9PZ 8620-AG	(JB-464) 15/32" x 46 1/2"
	Alternator-with integral A/C	2				♣CC6TZ 8620-S	15/32" x 46"
	Alternator-w/hang-on A/C	2				C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	T/E pump-without A/C-(170)			1		C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	T/E pump-with 38, 42 amp. alternator-without A/C-(200)			1		C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	T/E pump-with 55 amp. alternator-without A/C-(200)			1		C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	T/E pump-with A/C-(170)			1		C9PZ 8620-J	(JB-371) 15/32" x 37 1/8"
	T/E pump-with A/C-(200)			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	A/C (integral)				2	☆C9PZ 8620-AG	(JB-464) 15/32" x 46 1/2"
	A/C (integral)				2	♣CC6TZ 8620-S	15/32" x 46"
	A/C (hang-on)				2	C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
X (Falcon)		8 CYL. 289,302					
68	Alternator-without A/C	1or2				☆C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-without A/C	1or2				♣CC4TZ 8A615-R	15/32" x 40 1/4"
	Alternator-with integral A/C	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-with hang-on A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-without A/C		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-with A/C		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	T/E pump-without A/C			1		C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	T/E pump-with integral A/C			1		C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"
	A/C-without T/E- "Before 3/1/68"				1	C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	A/C-without T/E- "From 3/1/68"				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	A/C (integral)-with T/E				1	C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	A/C (hang-on)-with T/E				1	C9PZ 8620-DF	(JC-616) 1/2" x 61 3/4"

☆ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1969							
A (Ford)		6 CYL. 240					
69	Alternator	1or2				☆C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator	1or2				♣CC3AZ 8620-B	15/32" x 41 3/4"
	P/S		1			C9PZ 8620-BU	(JC-433) 1/2" x 43 3/8"
	A/C				1	C9PZ 8620-DA	(JC-585) 1/2" x 58 5/8"
A (Ford)		8 CYL. 302					
69	Alternator-42, 55 amp.	1or2				☆C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-42, 55 amp.	1or2				♣CC4TZ 8A615-R	15/32" x 40 1/4"
	Alternator-65, 70 amp.	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S-with 42, 55 amp. alternator-without A/C		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-with 65, 70 amp. alternator-without A/C		1			C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-with A/C		1			☆C9PZ 8620-AL	(JB-480) 15/32" x 48"
	P/S-with A/C		1			♣C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	A/C				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
A (Ford)		8 CYL. 351W					
69	Alternator-without A/C	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-with A/C	1or2				C9PZ 8620-R	(JB-404) 15/32" x 40 1/2"
	P/S-with 42 amp. alternator		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-with 55 amp. alternator- without A/C		1			C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-w/55 amp. alternator- with A/C		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	A/C				1	C9PZ 8620-CV	(JC-564) 1/2" x 56 1/2"
A (Ford)		8 CYL. 390 Except P/C					
69	Alternator-42 amp. -without A/C	1				☆C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-42 amp. -without A/C	1				♣D1PZ 8620-B	(JB-455) 15/32" x 45 5/8"
	Alternator-55 amp. -without A/C	2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-65, 70 amp. (L/N)- without A/C	2				☆C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-65, 70 amp. (L/N)- without A/C	2				♣CB8AZ 8A615-A	15/32" x 43 3/8"
	Alternator-65, 70 amp. (Ford) -without A/C	2				☆C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65, 70 amp. (Ford) -without A/C	2				♣D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with A/C	1or2				☆C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with A/C	1or2				♣C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"

☆ U.S. only ♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1969 - continued							
A (Ford) cont'd.				8 CYL. 390 Except P/C cont'd.			
69	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43
	P/S-with A/C		1			C9PZ 8620-AP	(JB-516) 15/32" x 51 3/4"
	A/C				1	C9PZ 8620-CV	(JC-564) 1/2" x 56 1/2"
A (Ford)				8 CYL. 390 P/C			
69	Alternator-42,55 amp.- without A/C	2				☆C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42,55 amp.- without A/C	2				♣CC5AZ 8A615-C	15/32" x 43 1/2"
	Alternator-65,70 amp.(L/N)- without A/C	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65,70 amp.(Ford) -without A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with A/C	1or2				☆C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-with A/C	1or2				♣D1PZ 8620-B	(JB-455) 15/32" x 45 5/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
A (Ford)				8 CYL. 428 P/C			
69	Alternator-42,55 amp.- without A/C	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-65,70 amp.(L/N)- without A/C	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65,70 amp.(Ford) -without A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with A/C- without P/S	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with A/C and P/S	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	T/E pump-without A/C			1		☆C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-without A/C			1		♣C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	T/E pump-with A/C			1		☆C9PZ 8620-FZ	(JC-640-L) 1/2" x 64"
	T/E pump-with A/C			1		♣CC8AZ 8620-B	1/2" x 63 1/2"
	A/C				1	☆C9PZ 8620-FZ	(JC-640-L) 1/2" x 64"
	A/C				1	♣CC8AZ 8620-B	1/2" x 63 1/2"
A (Ford)				8 CYL. 429			
69	Alternator-42 amp.-without A/C-(exc. P/C)	1				☆C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	Alternator-55 amp.-without A/C-(exc. P/C)	2				☆C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42,55 amp.- without A/C-(P/C)	2				☆C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-42 amp.-without A/C	1				♣D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-55 amp.-with X/C -without A/C	2					
	Alternator-55 amp.-with S/C without A/C	2				♣CC5AZ 8A615-C	15/32" x 43 1/2"

☆ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1969 - continued							
A (Ford) cont'd.		8 CYL. 429 cont'd.					
69	Alternator-65,70 amp.(Ford) -without A/C-(exc. P/C)	2				C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	Alternator-65,70 amp.(L/N)- without A/C-(exc. P/C)	2				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-65,70 amp.(Ford) -without A/C-(P/C)	2				C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	Alternator-65,70 amp.(L/N)- without A/C-(P/C)	2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with A/C- (exc. P/C)	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with A/C-(P/C)	2				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	P/S		1			C9PZ 8620-BU	(JC-433) 1/2" x 43 3/8"
	A/C-(exc. P/C)				1	☆C9PZ 8620-BL	(JC-393) 1/2" x 39 3/8"
	A/C-(P/C)				1	☆C8VY 8620-B	(JN-387) 21/32" x 38 7/8"
	A/C				1	♣CC0AZ 8620-E	1/2" x 39"
B (Fairlane)		6 CYL. 250					
69	Alternator-without A/C	1				☆C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-without A/C	1				♣CC5TZ 8620-D	15/32" x 42 1/2"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	P/S		1			☆C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	P/S		1			♣C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	A/C				2	C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
B (Fairlane)		8 CYL. 302, 351W					
69	Alternator	1 or 2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	P/S-with 42 amp. alternator- without A/C - "Before 10/24/68"		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-with 42 amp. alternator- without A/C - "From 10/24/68"		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	P/S-with A/C - "Before 10/24/68"		1				
	P/S-with 55 amp. alternator- without A/C - "Before 10/24/68"		1			C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-with 55 amp. alternator- without A/C - "From 10/24/68"		1			C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	P/S-with A/C - "From 10/24/68"		1			C9PZ 8620-GL	(JB-486-LA) 15/32" x 48 3/4"
	A/C-(302)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	A/C-(351)				1	C9PZ 8620-CS	(JC-544) 1/2" x 54 1/2"

☆ U.S. only ♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1969 - continued							
B (Fairlane)		8 CYL. 390					
69	Alternator-42 amp.-without A/C-(exc. GT)	1				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-42 amp.-without A/C-(GT)- "From 1/6/69"	1					
	Alternator-42 amp.-without A/C-(GT)- "Before 1/6/69"	1				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-55,65,70 amp.-without A/C	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-42 amp.-with A/C	1 or 2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-55,65,70 amp.-with A/C	1 or 2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	P/S-without A/C- "Before 10/21/68"		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-without A/C- "From 10/21/68"		1			C9PZ 8620-FN	(JC-443) 1/2" x 44 3/8"
	P/S-with A/C-(exc. GT)		1			C9PZ 8620-AP	(JB-516) 15/32" x 51 3/4"
	P/S-with A/C-(GT)		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
B (Fairlane)		8 CYL. 428 CJ and S/CJ					
69	Alternator-without A/C-(CJ)-"Before 2/17/69"	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-without A/C-(CJ)-"From 2/17/69"	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43
	Alternator-without A/C-(S/CJ)	2				☆ C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-without A/C-(S/CJ)	2				♣ C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C	1 or 2				☆ C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with A/C	1 or 2				♣ C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	P/S-without A/C- "Before 10/21/68"		1			☆ C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-without A/C- "From 10/21/68"		1			☆ C9PZ 8620-FN	(JC-443) 1/2" x 44 3/8"
	P/S-without A/C		1			♣ C9PZ 8620-BV	(JC-441) 1/2" x 44 1/8"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	T/E pump-without A/C			1		☆ C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-without A/C-(CJ)			1		♣ C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	T/E pump-without A/C-(S/CJ)			1		♣ C2R 8620-E	3/8" x 35 1/4"
	T/E pump-with A/C			1		C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
	A/C				1	C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
F (Mustang)		6 CYL. 200					
69	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	P/S		1			C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"

☆ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. IDLER OR GEN. P/S	AIR PUMP	A/C COMP.			
1969 - continued							
F (Mustang)						6 CYL. 250	
69	Alternator-without A/C	1				☆C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-without A/C	1				♣CC5TZ 8620-D	15/32" x 42 1/2"
	Alternator-with A/C	2				☆C9PZ 8620-AJ	(JB-493) 15/32" x 49 3/8"
	Alternator-with A/C	2				♣C9PZ 8620-AM	(JB-486) 15/32" x 48 3/4"
	P/S		1			☆C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	P/S		1			♣C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	A/C				2	☆C9PZ 8620-AJ	(JB-493) 15/32" x 49 3/8"
A/C				2	♣C9PZ 8620-AM	(JB-486) 15/32" x 48 3/4"	
F (Mustang)						8 CYL. 302-2V	
69	Alternator	1or2				☆C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator	1or2				♣CC4TZ 8A615-R	15/32" x 40 1/4"
	P/S-without A/C- "Before 10/24/68"		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-without A/C- "From 10/24/68"		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	P/S-with A/C- "Before 10/24/68"		1				
	P/S-with A/C- "From 10/24/68"		1			C9PZ 8620-GL	(JB-486-LA) 15/32" x 48 3/4"
	A/C				1	☆C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
A/C				1	♣D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"	
F (Mustang)						8 CYL. 302 Special	
69	Alternator	1				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	P/S		1			C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	T/E pump			1		C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
F (Mustang)						8 CYL. 351-W	
69	Alternator	1or2				☆C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator	1or2				♣CC4TZ 8A615-R	15/32" x 40 1/4"
	P/S-without A/C- "Before 10/24/68"		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-without A/C- "From 10/24/68"		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	P/S-with A/C- "Before 10/24/68"		1				
	P/S-with A/C- "From 10/24/68"		1			C9PZ 8620-GL	(JB-486-LA) 15/32" x 48 3/4"
	A/C				1	C9PZ 8620-CS	(JC-544) 1/2" x 54 1/2"
F (Mustang)						8 CYL. 390 GT	
69	Alternator-38,42 amp.- without A/C- "Before 2/17/69"	1				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-38,42 amp.- without A/C- "From 2/17/69"	1				C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator -55,65,70 amp.- without A/C	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
☆ U.S. only ♣ Canada only							

☆ U.S. only ♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1969 - continued							
F (Mustang)		8 CYL. 390 cont'd.					
69	Alternator-38,42 amp.-with A/C	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-55,65,70 amp.-with A/C	1or2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	P/S-without A/C-"Before 10/21/68"		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-without A/C-"From 10/21/68"		1			C9PZ 8620-FN	(JC-443) 1/2" x 44 3/8"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
F (Mustang)		8 CYL. 428 CJ and S/CJ					
69	Alternator-without A/C-(CJ) "Before 2/17/69"	2				C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-without A/C-(CJ) "From 2/17/69"	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-without A/C-(S/CJ)	2					
	Alternator-with A/C	1or2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-without A/C-"Before 10/21/68"		1			★C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-without A/C-"From 10/21/68"		1			★C9PZ 8620-FN	(JC-443) 1/2" x 44 3/8"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	P/S-without A/C		1			♣C9PZ 8620-BV	(JC-441) 1/2" x 44 1/8"
	T/E pump-without A/C			1		★C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-without A/C-(CJ)			1		♣C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	T/E pump-without A/C-(S/CJ)			1		♣C2R 8620-E	3/8" x 35 1/4"
	T/E pump-with A/C			1		C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
	A/C				1	C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
F (Mustang)		8 CYL. 429 Special					
69	Alternator	1				C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S		1			C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	T/E pump			1		C9PZ 8620-FV	(JB-375) 15/32" x 37 5/8"
S (Thunderbird)		8 CYL. 429					
69	Alternator-55 amp.-without A/C	2				★C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-65,70 amp.-without A/C	2				★C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	Alternator-without rear window defroster-without A/C	2				♣CC5TZ8A615-C	15/32" x 42 1/2"
	Alternator-with rear window defroster-without A/C	2				♣C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	Alternator-55 amp.-with A/C	2				★C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-65,70 amp.-with A/C	2				★C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"

★ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	DLE OR P/S	AIR PUMP	A/C COMP.		
1969 - continued							
S (Thunderbird) cont'd.						8 CYL. 429 cont'd.	
69	Alternator-without rear window defogger-with A/C	2				★C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with rear window defogger-with A/C	2				★C9PZ 8620-Z	(JB-436) 15/32" x 43 3/4"
	P/S		1			★C9PZ 8620-BU	(JC-433) 1/2" x 43 3/8"
	P/S		1			★C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	A/C				1	C9PZ 8620-BK	(JC-387) 1/2" x 38 7/8"
U (Bronco)						6 CYL. 170	
69	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
U (Bronco)						8 CYL. 302	
69	Alternator	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
X (Falcon)						6 CYL. 170,200	
69	Alternator-without A/C	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with A/C	2				★C9PZ 8620-AG	(JB-464) 15/32" x 46 1/2"
	Alternator-with A/C	2				★CC6TZ 8A615-S	15/32" x 46"
	P/S		1			C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	A/C				2	★C9PZ 8620-AG	(JB-464) 15/32" x 46 1/2"
	A/C				2	★CC6TZ 8A615-S	15/32" x 46"
X (Falcon)						8 CYL. 302	
69	Alternator	1 or 2				★C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator	1 or 2				★CC4TZ 8A615-R	15/32" x 40 1/4"
	P/S-with 38, 42 amp. alternator-without A/C-"Before 10/24/68"		1			C9PZ 8620-FR	(JB-472) 15/32" x 47 1/4"
	P/S-with 38, 42 amp. alternator-without A/C-"From 10/24/68"		1			C9PZ 8620-AL	(JB-480) 15/32" x 48"
	P/S-with A/C-"Before 10/24/68"		1				
	P/S-w/55 amp. alternator-without A/C-"Before 10/24/68"		1			C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-with 55 amp. alternator-without A/C-"From 10/24/68"		1			C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	P/S-with A/C-"From 10/24/68"		1			C9PZ 8620-GL	(JB-486-LA) 15/32" x 48 3/4"
	A/C				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
		</					

☆ U.S. only

★ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER P/S	AIR PUMP	A/C COMP.		
1970							
A (Ford) 6 CYL. 240							
70	Alternator	1or2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S		1			C9PZ 8620-BU	(JC-433) 1/2" x 43 3/8"
A (Ford) 8 CYL. 302							
70	Alternator-42 amp.-without P/S or A/C	1				☆C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-42 amp.-without P/S or A/C	1				♣CC5TZ 8620-D	15/32" x 42 1/2"
	Alternator-42 amp.-with P/S-without A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-55 amp.-with P/S or Idler-without A/C	1					
	Alternator-with A/C	1					
	P/S-without A/C		1			☆D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	P/S-without A/C		1			♣C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	P/S-with A/C		1			C9PZ 8620-GD	(JC-501-L) 1/2" x 50 1/8"
	Idler pulley-without A/C		1			☆C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	Idler pulley-without A/C		1			♣CC6VY 8620-B	1/2" x 47 1/2"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"
A (Ford) 8 CYL. 351-W							
70	Alternator-without P/S or A/C	1				☆C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-without P/S or A/C	1				♣CC5TZ 8620-D	15/32" x 42 1/2"
	Alternator-with P/S or idler-without A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-with A/C	1					
	P/S-with 42 amp. alternator-without A/C		1			C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	P/S-with 55 amp. alternator-without A/C		1			D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"
	P/S-with A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	Idler pulley-without A/C		1			☆C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	Idler pulley-without A/C		1			♣CC6VY 8620-B	1/2" x 47 1/2"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"
A (Ford) 8 CYL. 390 Except P/C							
70	Alternator-42 amp.-without A/C	1				☆C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-55 amp.-without A/C	2				☆C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-42,55 amp.-without A/C	1or2				♣D1PZ 8620-B	(JB-455) 15/32" x 45 5/8"
	Alternator-65,70 amp.- (Ford)-without A/C	2				☆C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65,70 amp.- (Ford)-without A/C	2				♣CC5TZ 8A615-C	15/32" x 42 1/2"
	Alternator-65,70 amp.- (L/N)-without A/C	2				☆C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"

☆ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1970 - continued							
A (Ford) cont'd.						8 CYL. 390 Except P/C cont'd.	
70	Alternator-65,70 amp.- (L/N)-without A/C	2				♣CB8AZ 8A615-A	15/32" x 43 3/8"
	Alternator-with A/C- without P/S	2				☆C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with A/C & P/S	1				☆C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-with A/C	1or2				♣D1PZ 8620-B	(JB-455) 15/32" x 45 5/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2"x43 "
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	A/C				1	C9PZ 8620-CV	(JC-564) 1/2" x 56 1/2"
A (Ford)						8 CYL. 390 P/C	
70	Alternator-42,55 amp.- without A/C	2				☆C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42,55 amp.- without A/C	2				♣C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	Alternator-65,70 amp.- (Ford)-without A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-65,70 amp.- (L/N)-without A/C	2				☆C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65,70 amp.- (L/N)-without A/C	2				♣C9PZ 8620-Y	(JB-430) 15/32" x 43"
	Alternator-with A/C- without P/S	2				☆C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	Alternator-with A/C & P/S	1				☆C9PZ 8620-AE	(JB-456) 15/32" x 45 3/4"
	Alternator-with A/C	1or2				♣D1PZ 8620-B	(JB-455) 15/32" x 45 5/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	A/C				1	C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
A (Ford)						8 CYL. 428 P/C	
70	Alternator-42,55 amp.- without A/C	2				☆C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-42,55 amp.- without A/C	2				♣CC3TZ 8A615-D	15/32" x 40 3/4"
	Alternator-65,70 amp.- without A/C	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-with A/C	1or2				☆C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C	1or2				♣CC3AZ 8620-B	15/32" x 41 3/4"
	P/S-without A/C		1			☆C9PZ 8620-FN	(JC-443) 1/2" x 44 3/8"
	P/S-without A/C		1			♣C9PZ 8620-BV	(JC-441) 1/2" x 44 1/8"
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-with A/C			1		C9PZ 8620-FZ	(JC-640-L) 1/2" x 64"
	A/C				1	C9PZ 8620-FZ	(JC-640-L) 1/2" x 64"

☆ U.S. only ♣ Canada only

May, 1975

COPYRIGHT © 1975 --

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1970 - continued							
A (Ford)		8 CYL. 429					
70	Alternator-42,55 amp.- (exc. P/C)	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-65,70 amp.- (exc. P/C)	1				C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	Alternator-42,55 amp.- without P/S-(P/C)	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	Alternator-42,55 amp.- with P/S-(P/C)	1				D0AZ 8620-G	(JB-336) 15/32" x 33 3/4"
	Alternator-65,70 amp.- (P/C)	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	P/S-without A/C-(exc. P/C)	1				*C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-without A/C-(exc. P/C)	1				*D0OZ 8620-B	(JC-525) 1/2" x 52 5/8"
	P/S-without A/C-(P/C)	1				C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	P/S-with A/C	1				D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"
	Idler pulley-(exc. P/C)	1				*C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	Idler pulley-(exc. P/C)	1				*CC2TZ 8620-H	1/2" x 46"
	Idler pulley-(P/C)	1				*C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	Idler pulley-(P/C)	1				*CC4VZ 8620-B	1/2" x 45"
	A/C-(exc. P/C)				1	C9PZ 8620-CV	(JC-564) 1/2" x 56 1/2"
	A/C-(P/C)				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
B (Fairlane)		6 CYL. 250					
70	Alternator-without A/C	1				*C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-without A/C	1				*CC5TZ 8620-D	15/32" x 42 1/2"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	A/C				2	C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
B (Fairlane)		8 CYL. 302					
70	Alternator-42 amp.- without P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-42 amp.- with P/S-without A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-55 amp.-with P/S or idler-without A/C	1					
	Alternator-with A/C	1					
	P/S-without A/C		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"
B (Fairlane)		8 CYL. 351-C					
70	Alternator-42 amp.- without P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-42 amp.- with P/S-without A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-55 amp.- with P/S or idler-without A/C	1					
	Alternator-with A/C	1					

★ U.S. only

♣ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION		
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.				
1970 - continued									
B (Fairlane) cont'd.					8 CYL. 351-C cont'd.				
70	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"	
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"	
	Idler-without A/C		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"	
	Idler-with A/C		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"	
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"	
B (Fairlane)					8 CYL. 429				
70	Alternator	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"	
	P/S-without A/C- "Before 5/11/70"		1			C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"	
	P/S-without A/C- "From 5/11/70"		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"	
	P/S-with A/C-(4/B-exc.CJ)- "Before 5/11/70"		1			C9PZ 8620-CR	(JC-537)	1/2" x 53 7/8"	
	P/S-with A/C-(4/B CJ)- "Before 5/11/70"		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"	
	P/S-with A/C-(4/B & 4/B CJ)-"From 5/11/70"		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"	
	P/S-with A/C-(4/B S/CJ)		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"	
	Idler pulley- "Before 5/11/70"		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"	
	Idler pulley-"From 5/11/70"		1			C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"	
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"	
	T/E pump-with A/C			1		D0OZ 8620-A	(JH-361)	1/4" x 36 1/8"	
	A/C-(4/B-exc. CJ or S/CJ)				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"	
	A/C-(4/B CJ & S/CJ)				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"	
	F (Mustang)					6 CYL. 200			
70	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"	
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"	
F (Mustang)					6 CYL. 250				
70	Alternator-without A/C	1				*C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"	
	Alternator-without A/C	1				♣CC5TZ 8620-D		15/32" x 42 1/2"	
	Alternator-with A/C	2				*C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"	
	Alternator-with A/C	2				♣C9PZ 8620-GL	(JB-486-LA)	15/32" x 48 3/4"	
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"	
	A/C				2	*C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"	
	A/C				2	♣C9PZ 8620-GL	(JB-486-LA)	15/32" x 48 3/4"	
F (Mustang)					8 CYL. 302-2V				
70	Alternator-without P/S or A/C	1				*C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"	
	Alternator-without P/S or A/C	1				♣CC5TZ 8620-D		15/32" x 42 1/2"	
	Alternator-with P/S- without A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"	
	Alternator-with A/C	1							
	P/S-without A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"	
	P/S-with A/C		1			*D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"	
	P/S-with A/C		1			♣C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"	
	Idler pulley		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"	
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"	

☆ U.S. only

♣ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1970 - continued							
F (Mustang)		8 CYL. 302 (BOSS) - Special					
70	Alternator-without P/S	1				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with P/S	1				C9PZ 8620-GF	(JB-385-L) 15/32" x 38 5/8"
	P/S		1			D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"
	T/E pump				1	C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
F (Mustang)		8 CYL. 351C					
70	Alternator-without idler , P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with idler , P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"
F (Mustang)		8 CYL. 351-W					
70	Alternator-without P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with P/S- without A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-with A/C	1					
	P/S-without A/C		1			C9PZ 8620-CR	(JC-537) 1/2" x 53 7/8"
	P/S-with A/C		1			D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"
	Idler pulley		1			C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"
F (Mustang)		8 CYL. 428CJ, S/CJ					
70	Alternator-without A/C-(CJ)	2				*C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	Alternator-without A/C-(CJ)	2				*CC3TZ 8A615-D	15/32" x 40 3/4"
	Alternator-without A/C- (S/CJ)	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with A/C	1 or 2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-without A/C		1			*C9PZ 8620-FN	(JC-443) 1/2" x 44 3/8"
	P/S-without A/C		1			*C9PZ 8620-BV	(JC-441) 1/2" x 44 1/8"
	P/S-with A/C		1			*C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	P/S-with A/C		1			*C9PZ 8620-AP	(JB-516) 15/32" x 51 3/4"
	T/E pump-without A/C-(CJ)			1		C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	T/E pump-without A/C- (S/CJ)			1		*C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	T/E pump-without A/C- (S/CJ)			1		* C2R 8620-E	3/8" x 35 1/4"
	T/E pump-with A/C			1		C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
	A/C				1	C9PZ 8620-GH	(JC-626-L) 1/2" x 62 3/4"
F (Mustang)		8 CYL. 429 (BOSS) - Special					
70	Alternator	1				C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S		1			C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	T/E pump			1		*C9PZ 8620-FV	(JB-375) 15/32" x 37 5/8"
	T/E pump			1		*C9AZ 8620-D	(JJ-373) 3/8" x 37 3/8"

☆ U.S. only

● Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1970 - continued							
P (Maverick)		6 CYL. 170, 200					
70	Alternator-without A/C-(200)	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-without A/C-(170 A/T)	1					
	Alternator-without A/C-(170 M/T)	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	Alternator-with A/C	2				C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	A/C				2	C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
P (Maverick)		6 CYL. 250					
70	Alternator-without A/C	1				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	A/C				2	C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
S (THUNDERBIRD)		8 CYL. 429					
70	Alternator-55 amp.	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-65, 70 amp.	1				C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"
	A/C				1	C9PZ 8620-CV	(JC-564) 1/2" x 56 1/2"
U (Bronco)		6 CYL. 170					
70	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
U (Bronco)		8 CYL. 302					
70	Alternator	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
X (Falcon)		6 CYL. 200					
70	Alternator-without A/C	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with A/C	2				C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	A/C				2	C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
X (Falcon)		8 CYL. 302					
70	Alternator-without P/S or A/C	1				*C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-without P/S or A/C	1				*CC5TZ 8620-D	15/32" x 42 1/2"
	Alternator-with P/S-without A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-with A/C	1					
	P/S-without A/C		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	P/S-with A/C		1			*D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	P/S-with A/C		1			*C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"

☆ U.S. only

* Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1971							
A (Ford)		6 CYL. 240					
71	Alternator	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S		1			C9PZ 8620-BU	(JB-433) 15/32" x 43 3/8"
A (Ford)		8 CYL. 302					
71	Alternator-without idler or P/S	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler or P/S	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
A (Ford)		8 CYL. 351C and 351W					
71	Alternator-without P/S, idler or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with P/S, idler or A/C	1				*C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-with P/S, idler or A/C	1				*C9PZ 8620-N	(JB-394) 15/32" x 39 1/2"
	P/S-without A/C		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
A (Ford)		8 CYL. 390					
71	Alternator-42,55 amp.-without A/C-(exc. P/C)	1or2				D1PZ 8620-B	(JB-455) 15/32" x 45 5/8"
	Alternator-with A/C	1or2					
	Alternator-42,55 amp.-without A/C-(P/C)	2				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-65,70 amp.-without A/C-(exc. P/C)	2				*C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-65,70 amp.-without A/C-(exc. P/C)	2				*D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-65,70 amp.-without A/C-(P/C)	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L) 1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L) 15/32" x 52 7/8"
	A/C-(exc. P/C)				1	C9PZ 8620-CV	(JC-564) 1/2" x 56 1/2"
	A/C-(P/C)				1	C9PZ 8620-CM	(JC-564) 1/2" x 52 1/2"
A (Ford)		8 CYL. 400					
71	Alternator-without P/S or A/C	1				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42,55 amp.-with P/S or A/C	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-65,70 amp.-with P/S or A/C	1				*C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-65,70 amp.-with P/S or A/C	1				*C9PZ 8620-N	(JB-394) 15/32" x 39 1/2"

* U.S. only

* Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		

1971 - continued

A (Ford) cont'd.		8 CYL. 400 cont'd.					
71	P/S-without A/C	1				D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	P/S-with A/C	1				D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"

A (Ford)		8 CYL. 429					
71	Alternator-42,55 amp.- (exc. P/C)	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-42,55 amp.- (P/C)	1				D0AZ 8620-G	(JB-336) 15/32" x 33 3/4"
	Alternator-65,70 amp.- (exc. P/C)	1				C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	Alternator-65,70 amp.- (P/C)	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	P/S-without A/C-(exc. P/C)		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-(P/C)		1				
	P/S-with A/C-(exc. P/C)		1			D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"
	Idler pulley-(exc. P/C)		1			C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	Idler pulley-(P/C)		1			C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	A/C-(exc. P/C)				1	C3AZ 8620-F	(JC-563) 1/2" x 56 3/8"
	A/C-(P/C)				1	D1AZ 8620-A	(JC-550) 1/2" x 55"

B (Fairlane)		6 CYL. 250					
71	Alternator-without A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with A/C	2				*C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	Alternator-with A/C	2				*C9PZ 8620-AJ	(JB-493) 15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	A/C				2	*C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	A/C				2	*C9PZ 8620-AJ	(JB-493) 15/32" x 49 3/8"

B (Fairlane)		8 CYL. 302					
71	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S-without A/C- "Before 11/23/70"		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	P/S-without A/C- "From 11/23/70"		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	P/S-with A/C- "Before 11/23/70"		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	P/S-with A/C- "From 11/23/70"		1			C9PZ 8620-CK	(JC-504) 1/2" x 50 1/2"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	Idler pulley-with A/C- "From 11/23/70"		1				
	Idler pulley-with A/C- "Before 11/23/70"		1			C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C-"Before 11/23/70"				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"
	A/C-"From 11/23/70 to 4/27/71"				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"

☆ U.S. only

★ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1971 - continued							
71	B (Fairlane)					8 CYL. 351-C	
	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				*C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-with idler, P/S or A/C	1				*C9PZ 8620-N	(JB-394) 15/32" x 39 1/2"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	Idler pulley-with A/C-"From 11/23/70"		1				
	Idler pulley-with A/C-"Before 11/23/70"		1			C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C-"Before 11/23/70"				1	C9PZ 8620-GA	(JC-557-L) 1/2" x 55 7/8"
A/C-"From 11/23/70 to 4/27/71"				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"	
A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"	
71	B (Fairlane)					8 CYL. 429CJ	
	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	A/C				1	D1AZ 8620-A	(JC-550) 1/2" x 55"
71	F (Mustang)					6 CYL. 250	
	Alternator-without A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	A/C				2	C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
71	F (Mustang)					8 CYL. 302-2/B	
	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	P/S-with A/C		1			*D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	P/S-with A/C		1			*C9PZ 8620-CK	(JC-504) 1/2" x 50 1/2"
	Idler pulley		1			*C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	Idler pulley		1			*C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
71	F (Mustang)					8 CYL. 302 (BOSS) - Special	
	Alternator-without P/S	1				*C9SZ 8620-B	(JA-431-R) 13/32" x 43 1/8"-not repl.
	Alternator-with P/S	1				*C9DZ 8620-A	(JA-380-R) 13/32" x 38"-not repl.
	P/S		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	T/E pump			1		C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"

* U.S. only

* Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1971 - continued							
	F (Mustang)					8 CYL. 351C-2/B, 4/B (Except CJ)	
71	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	Idler pulley		1			*C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	Idler pulley		1			*C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
	F (Mustang)					8 CYL. 351C-4/B (CJ)	
71	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-K	(JB-382) 15/32" x 38 1/4"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C				1	C9PZ 8620-CR	(JC-537) 1/2" x 53 7/8"
	F (Mustang)					8 CYL. 351 (BOSS)-SPECIAL	
71	Alternator-without P/S	1				*C9SZ 8620-B	(JA-431-R) 13/32" x 43 1/8"-not repl.
	Alternator-with P/S	1				*C9DZ 8620-A	(JA-380-R) 13/32" x 38"-not repl.
	P/S		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	F (Mustang)					8 CYL. 429CJ and 429S/CJ	
71	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	T/E pump			1		C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	A/C				1	D1AZ 8620-A	(JC-550) 1/2" x 55"
	L (Pinto)					4 CYL. 98	
71	Alternator	1				C9PZ 8620-C	(JB-332) 15/32" x 33 1/4"
	L (Pinto)					4 CYL. 122	
71	Alternator-without A/C	1				*C9PZ 8620-GY	(JB-366-L) 15/32" x 36 3/4"
	Alternator-without A/C	1				*C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	Alternator-with A/C	1				C9PZ 8620-GL	(JB-486-LA) 15/32" x 48 3/4"
	A/C				1	C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	P (Maverick)					6 CYL. 170,200	
71	Alternator-(170)	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	Alternator-without A/C-(200)	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with A/C-(200)	2				C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	A/C				2	C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"

* U.S. only

♦ Canada only

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. IDLER OR GEN. P/S	AIR PUMP	A/C COMP.			
1971 - continued							
P (Maverick)		6 CYL. 250					
71	Alternator-without A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with A/C	2				*C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	Alternator-with A/C	2				*C9PZ 8620-AJ	(JB-493) 15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	A/C				2	*C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	A/C				2	*C9PZ 8620-AJ	(JB-493) 15/32" x 49 3/8"
P (Maverick)		8 CYL. 302					
71	Alternator-without idler , P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler ,P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CK	(JC-504) 1/2" x 50 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-CS	(JC-544) 1/2" x 54 1/2"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
S (Thunderbird)		8 CYL. 429					
71	Alternator-55 amp.	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-65,70 amp.	1				C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"
	A/C				1	C3AZ 8620-F	(JC-563) 1/2" x 56 3/8"
U (Bronco)		6 CYL. 170					
71	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
U (Bronco)		8 CYL. 302					
71	Alternator	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
1972							
A (Ford)		6 CYL. 240					
72	Alternator	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S		1			C9PZ 8620-BU	(JC-433) 1/2" x 43 3/8"
	A/C-(hang-on)				1	C9PZ 8620-CV	(JC-564) 1/2" x 56 1/2"
A (Ford)		8 CYL. 302					
72	Alternator-without idler or P/S	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler or P/S	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C-(hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
A (Ford)		8 CYL. 351C and 351W					
72	Alternator-42 amp.-without idler , P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-42,55,61 amp.- with idler P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-65,70 amp.	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"

☆ U.S. only

◆ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR OR PUMP	A/C COMP.		
1972 - continued							
A (Ford) cont'd.						8 CYL. 351C and 351W cont'd.	
72	P/S-without A/C		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
A (Ford)						8 CYL. 400	
72	Alternator-42 amp.-without P/S or A/C	1				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42,55,61 amp.-	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-65,70 amp.	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S-without A/C		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
A (Ford)						8 CYL. 429	
72	Alternator-42,55,61 amp.- (exc. P/C)	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-42,55,61 amp.- (P/C)	1				D0AZ 8620-G	(JB-336) 15/32" x 33 3/4"
	Alternator-65,70 amp.- (exc. P/C)	1				C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	Alternator-65,70 amp.- (P/C)	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	P/S-without A/C-(exc. P/C)		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-(P/C)		1				
	P/S-with A/C-(exc. P/C)		1			D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"
	Idler pulley		1			C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	A/C (integral)-(exc. P/C)				1	C9PZ 8620-CV	(JC-564) 1/2" x 56 1/2"
	A/C (integral)-(P/C)				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C (hang-on)				1	C9PZ 8620-CY	(JC-574) 1/2" x 57 1/2"
B (Torino)						6 CYL. 250	
72	Alternator-without A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	A/C (integral)				2	C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	A/C (hang-on)				2	C9PZ 8620-AM	(JB-482) 15/32" x 48 1/4"
B (Torino)						8 CYL. 302	
72	Alternator-38,42 amp.- without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-42,55,61 amp.- w/idler, P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-65,70 amp.	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	P/S-without A/C		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	P/S-with A/C		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.		
1972 - continued							
B (Torino)		8 CYL. 351-2/B					
72	Alternator-38,42 amp.- without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-42,55,61 amp.- with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	Alternator-65,70 amp. P/S-without A/C	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	P/S-with A/C		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	Idler pulley		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	A/C (integral)				1	C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C (hang-on)				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
						C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
B (Torino)		8 CYL. 351-4/B CJ					
72	Alternator-42,55,61 amp.- without idler, P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-42,55,61 amp.- with idler, P/S or A/C- "Before 1/10/72"	1				C9PZ 8620-K	(JB-382) 15/32" x 38 1/4"
	Alternator-42,55,61 amp.- with idler, P/S or A/C- "From 1/10/72"	1				C9PZ 8620-M	(JB-390) 15/32" x 39"
	Alternator-65,70 amp. P/S-without A/C	1				C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-CR	(JC-537) 1/2" x 53 7/8"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
B (Torino)		8 CYL. 400					
72	Alternator-without P/S or A/C	1				C9PZ 8620-AB	(JB-443) 15/32" x 44 3/8"
	Alternator-42,55,61 amp.- with P/S or A/C	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-65,70 amp.- with P/S or A/C	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	A/C				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
B (Torino)		8 CYL. 429					
72	Alternator-42,51,61 amp.- (exc. P/C)	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-42,51,61 amp.- (P/C)	1				D0AZ 8620-G	(JB-336) 15/32" x 33 3/4"
	Alternator-65,70 amp.- (exc. P/C)	1				C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	Alternator-65,70 amp.- (P/C)	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	P/S-without A/C-(exc. P/C)		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-(P/C)		1				
	P/S-with A/C-(exc. P/C)		1			D0AZ 8620-E	(JC-527-L) 1/2" x 52 7/8"
	Idler pulley		1			C9PZ 8620-CC	(JC-465) 1/2" x 46 5/8"
	A/C (integral)-(exc. P/C)				1	C9PZ 8620-CV	(JC-564) 1/2" x 56 1/2"
	A/C (integral)-(P/C)				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C (hang-on)				1	C9PZ 8620-CY	(JC-574) 1/2" x 57 1/2"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR OR PUMP	A/C COMP.		
1972 - continued							
72	F (Mustang)					6 CYL. 250	
	Alternator	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	P/S		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	A/C (hang-on)				2	C9PZ 8620-AM	(JB-482) 15/32" x 48 1/4"
72	F (Mustang)					8 CYL. 302	
	Alternator-without idler , P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler , P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	P/S-with A/C		1			C9PZ 8620-CK	(JC-504) 1/2" x 50 1/2"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
72	F (Mustang)					8 CYL. 351-2/B	
	Alternator-without idler , P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler , P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
72	F (Mustang)					8 CYL. 351-4/B CJ	
	Alternator-without idler , P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with idler , P/S or A/C	1				C9PZ 8620-K	(JB-382) 15/32" x 38 1/4"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			D0VZ 8620-B	(JC-517) 1/2" x 51 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-CR	(JC-537) 1/2" x 53 7/8"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
72	F (Mustang)					8 CYL. 351-4/B Special	
	Alternator-without P/S	1				★C9SZ 8620-B	(JA-431-R) 13/32" x 43 1/8"-not repl.
	Alternator-with P/S	1				C9PZ 8620-K	(JB-382) 15/32" x 38 1/4"
	P/S		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
72	L (Pinto)					4 CYL. 98	
	Alternator-without A/C	1				C9PZ 8620-C	(JB-332) 15/32" x 33 1/4"
	Alternator-with hang-on A/C	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	A/C (hang-on)				1	C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
72	L (Pinto)					4 CYL. 122	
	Alternator-without A/C	1				C9PZ 8620-GY	(JB-366-L) 15/32" x 36 3/4"
	Alternator-with integral A/C	1				C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	Alternator-with hang-on A/C	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY				PART NUMBER	DESCRIPTION
		ALT. OR GEN.	IDLER OR P/S	AIR OR PUMP	A/C COMP.		
1972 - continued							
	L (Pinto) cont'd.					4 CYL. 122 cont'd.	
72	A/C (integral)-without trailer towing package				1	C9PZ 8620-CE	(JC-473) 1/2" x 47 3/8"
	A/C (integral)-with trailer towing package				1	C9PZ 8620-FS	(JC-420) 1/2" x 42"
	A/C (hang-on)				1	C9PZ 8620-GD	(JC-501-L) 1/2" x 50 1/8"
	P (Maverick)					6 CYL. 170,200	
72	Alternator-without A/C-(170)	1				C9PZ 8620-D	(JB-341) 15/32" x 34 1/8"
	Alternator-without A/C-(200)	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	Alternator-with integral A/C	2				C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	Alternator-with hang-on A/C	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	P/S		1			C9PZ 8620-GM	(JB-414-L) 15/32" x 41 1/2"
	A/C (integral)				2	C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	A/C (hang-on)				1	D1PZ 8620-B	(JB-455) 15/32" x 45 5/8"
	P (Maverick)					6 CYL. 250	
72	Alternator-without A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with integral A/C	2				C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	Alternator-with hang-on A/C	2				C9PZ 8620-AM	(JB-482) 15/32" x 48 1/4"
	P/S		1			C9PZ 8620-FY	(JB-461-L) 15/32" x 46 1/8"
	A/C (integral)				2	C9PZ 8620-FU	(JB-493-L) 15/32" x 49 3/8"
	A/C (hang-on)				2	C9PZ 8620-AM	(JB-482) 15/32" x 48 1/4"
	P (Maverick)					8 CYL. 302	
72	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432) 15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401) 15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CL	(JC-514) 1/2" x 51 1/2"
	P/S-with A/C		1			C9PZ 8620-CK	(JC-504) 1/2" x 50 1/2"
	Idler pulley		1			C9PZ 8620-CF	(JC-477) 1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554) 1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534) 1/2" x 53 1/2"
	S (Thunderbird)					8 CYL. 400	
72	Alternator-55 amp.	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-65 amp.	1				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	P/S		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	S (Thunderbird)					8 CYL. 429	
72	Alternator-55 amp.	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	Alternator-65 amp.	1				C9PZ 8620-G	(JB-363) 15/32" x 36 3/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524) 1/2" x 52 1/2"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	A/C				1	C9PZ 8620-DB	(JC-594) 1/2" x 59 1/2"
	S (Thunderbird)					8 CYL. 460	
72	Alternator	1				C9PZ 8620-F	(JB-354) 15/32" x 35 1/2"
	P/S		1			D0TZ 8620-B	(JC-507) 1/2" x 50 7/8"
	A/C				1	C9PZ 8620-DB	(JC-594) 1/2" x 59 1/2"
	U (Bronco)					6 CYL. 170	
72	Alternator	1				C9PZ 8620-E	(JB-346) 15/32" x 34 3/4"
	U (Bronco)					8 CYL. 302	
72	Alternator	1				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"