

INDEX

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
A		B - cont'd.	
Actuator (instrument cluster warning indicator switch)	10B998	Bezel & lens (instrument panel emergency flasher warning lamp)	10B920
Actuator & lens assy. (warning lamp indicator panel emergency flasher)	10B998	Bezel & lens (instrument panel warning lamp)	10C876
Actuator & lens assy. (warning lamp indicator panel seat belt switch)	10C850	Bezel & lens (roof console panel warning indicator)	10C876
Adapter (alternator mounting bracket)	10A336	Bezel & lens (warning indicator panel lamp)	10C876
Adapter (instrument cluster control pod back plate)	10B912	Bezel & lens assy. (instrument panel parking brake warning lamp)	10A840
Adapter (water temperature indicator sender engine unit)	10911		
		Block (terminal)	10564
Alternator (mounting)	10A313	Board (alternator printed circuit)	10B301
Alternator assy.	10346	Bobbin (alternator rotor coil)	10B303
Alternator terminal kit (battery insulator)	10A383	Bolt (alternator through)	10120, 10A396
Ammeter (instrument cluster)	10850	Bolt (battery clamp)	10756
		Bolt (generator through)	10120
Arm (alternator belt adjustment)	10145	Bolt (starter motor through)	10120, 11091
Arm (generator belt adjustment)	10145	Brace (alternator mounting)	10B315
Arm (generator brush)	10040	Brace (battery hold down clamp)	10741
Armature (voltage regulator relay)	10A517		
Armature assy. (generator)	10005	Bracket (alternator mounting)	10A313
Armature assy. (voltage regulator)	10551	Bracket (alternator mounting front)	10156
		Bracket (alternator regulator mounting)	10337
		Bracket (alternator to cylinder block mounting)	10151
		Bracket (battery holddown clamp to apron)	10A705
		Bracket (battery support)	10769
		Bracket (battery tray inner)	10729
		Bracket (generator mounting)	10039, 10151
		Bracket (generator mounting front)	10156
		Bracket (generator mounting top)	10153
		Bracket (generator splash shield)	10180
		Bracket (generator to cylinder block mounting)	10151
		Bracket (instrument cluster)	10A919
		Bracket (instrument cluster ammeter mounting)	10847
		Bracket (instrument cluster mounting)	10845
		Bracket (instrument cluster warning indicator panel)	10C894
		Bracket (instrument panel control)	10C935
		Bracket (instrument panel seat belt warning lamp mounting)	10C893
		Bracket (warning lamp indicator panel)	10C894
		Brush & terminal (alternator)	10347
		Brush set (generator)	10069
		Bushing (alternator rectifier insulator)	10A381
		Bushing (alternator terminal)	10390
		Bushing (generator frame field terminal screw insulating)	10206
		Bushing (generator terminal screw insulating)	10202
		Button (instrument cluster clock stem opening hole plug)	10C864

B

Baffle (instrument cluster lamp)	10891-2
Base (instrument panel tachometer)	10C842
Battery (dry charged)	10657
Battery (mounting parts)	10732
Battery chart	10653-5
Bearing (alternator)	10095
Bearing (alternator front drive end)	10A303
Bearing (alternator rear)	10A304
Bearing (generator)	10095
Bearing (generator end plate)	10094
Bearing (generator rear)	10095
Bezel (console panel seat belt warning indicator lamp switch)	10B928
Bezel (instrument cluster)	10876
Bezel (instrument cluster control)	10852
Bezel (instrument cluster control housing)	10B903
Bezel (instrument cluster control outer)	10853
Bezel (instrument cluster emergency warning indicator lamp)	10B920
Bezel (instrument cluster low fuel level warning lamp)	10A838
Bezel (instrument panel parking brake warning lamp)	10A840
Bezel (roof console panel door opening warning switch)	10C863
Bezel (warning lamp indicator panel door opening lamp)	10A845

INDEX

PART NAME	GROUP NUMBER
C	
Cap (battery filler)	10720
Capacitor (alternator)	10A380
Carrier or tray (battery)	10732
Chassis (instrument cluster warning indicator panel)	10C901
Circuit assy. (instrument cluster printed)	10K843
Clamp (battery hold down)	10718
Clip (instrument cluster bezel)	10920
Cluster kit (aux. instrument)	10B960
Cluster kit (gauge eng.)	10B944
Coil (generator field)	10175
Coil (voltage regulator voltage limiter shunt)	10517
Coil assy. (voltage regulator voltage limiter shunt)	10517
Connector (voltage regulator)	10A730
Cover (alternator brush spring)	10A340
Cover (alternator terminal)	10A375
Cover (generator regulator terminal)	10A555
Cover (instrument cluster heater blower switch opening)	10874
Cover (instrument cluster housing)	10A855
Cover (instrument cluster opening)	10A862
Cover assy. (instrument cluster trim)	10B883
Cover kit (battery filler channel)	10A820
Cup (distributor oil)	10141
Cup (generator rear end plate oil)	10141

D

Dial (instrument cluster indicator)	10B966
Dial (instrument cluster main)	10887, 10B917
Dial (instrument cluster warning lamp)	10960
Diode (alternator negative)	10378
Diode (alternator positive)	10374
Diode assy. (alternator light)	10374
Diode assy. (lamp fail indicator)	10C912
Dowel (generator end plate locating)	10088

F

Electrolyte (battery)	10656
Escutcheon (instrument cluster control housing)	10B906

F

Fan (alternator)	10A310
Filter (instrument cluster light)	10B870

PART NAME	GROUP NUMBER
G	
Gasket (instrument cluster)	10A948
Gasket (instrument cluster warning lamp)	10A995
Gasket (voltage regulator cover to base)	10623
Gauge (ammeter)	10850
Gauge (instrument cluster temperature)	10883
Gauge (oil pressure)	10B921, 10B971
Gauge assy. (ammeter console)	10B850
Generator mounting brackets	10039
Generator assy.	10002
Glass (instrument cluster)	10880
Guide assy. (tail lamp monitor)	10C944

H

Holder assy. (alternator brush)	10320, 10351
Holder & stud assy. (alternator brush)	10320
Housing (alternator front)	10333
Housing (alternator rear)	10334
Housing (ignition switch)	10A885
Housing (instrument cluster)	10838
Housing (instrument cluster control)	10A858
Housing (instrument panel rally pac)	10B945
Housing (instrument panel tachometer)	10B945
Housing (seat belt warning lamp)	10C876
Housing (tachometer on instrument panel)	10B945
Housing (warning indicator panel)	10C854
Housing assy. (alternator brush end)	10334
Housing assy. (alternator drive end)	10333
Hub (instrument cluster dial)	10C942
Hub (instrument cluster lens)	10C839
Hub assy. (fuel & temperature indicator)	10C867

I

Indicator assy. (emergency warning lamp)	10A934
Indicator assy. (tail lamp monitor)	10C955
Insulator (alternator diode plate)	10A383
Insulator (alternator stator end)	10A361
Insulator (alternator terminal)	10329
Insulator (ammeter)	10C914
Insulator (ammeter indicator)	10C914
Insulator (generator brush holder rivet)	10048
Insulator (instrument cluster ammeter)	10A758
Insulator & post (voltage regulator voltage limiter)	10A519

INDEX

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
R - cont'd.		S - cont'd.	
Retainer (alternator front bearing)	10A355	Spring (voltage regulator armature tension)	10557
Retainer (generator bearing gasket)	10213	Spring (warning lamp indicator panel switch actuating)	10B996
Retainer (generator drive end packing)	10200		
Retainer (instrument cluster indicator panel warning lamp)	10918	Stator assy. (alternator)	10336
Retainer (instrument cluster jewel)	10D838	Stop (alternator rotor)	10A360
Retainer (instrument cluster pod)	10836	Stud (generator mounting bracket)	10282
Retainer (roof console panel warning lamp indicator)	10C860	Support (battery hold down clamp bracket)	10A691
Retainer (tail lamp monitor housing)	10C954		
Retainer (warning indicator panel lamp)	10918	Switch assy. (console panel seat belt warning indicator lamp)	10B924
Retainer (warning lamp indicator panel lens)	10C886	Switch assy. (oil temperature warning)	10B921
Ring (alternator rotor slip)	10328	Switch assy. (warning lamp indicator panel door unlock warning)	10C843-4
Ring (alternator rotor stop)	10370	Switch assy. (warning lamp indicator panel seat belt lamp)	10B924
Ring (generator front end plate bearing stop)	10163		
Rotor assy. (alternator)	10335		
S		T	
Screw (generator pole piece)	10044	Terminal (alternator field)	10383
Screw (generator terminal)	10211	Terminal (instrument cluster fuel level indicator)	10927
Screw (starter motor pole piece)	10044, 11415	Terminal (instrument cluster oil pressure gauge)	10927
Seal (instrument cluster dust)	10A939	Terminal & brush assy. (alternator)	10347
Sender (water temperature indicator eng. unit)	10884	Tray (battery)	10764
		Trim (aux. instrument cluster rally pac)	10C858
Shaft (alternator rotor)	10330	Trim (instrument cluster housing)	10A861
Shield (alternator bracket)	10K347		
Shield (alternator splash)	10317		
Shield (battery)	10757	V	
Shield (battery heat)	10A682	Vent kit (battery)	10A824
Shield (generator splash)	10170		
Shield (voltage regulator)	10A506		
Socket & wiring assy. (console panel seat belt warning indicator lamp)	10B925	W	
Socket & wiring assy. (instrument panel seat belt warning indicator lamp)	10B925	Washer (battery terminal corrosion arrestor)	10A717
Socket & wiring assy. (roof console warning indicator lamp)	10B925	Washer (generator terminal screw insulating inner)	10208
Socket & wiring assy. (warning lamp indicator panel seat belt lamp)	10B925		
		Wire (constant voltage regulator to gauge)	10C931
Spacer (alternator fan or pulley)	10A344	Wire (constant voltage regulator to ignition)	10C932
Spacer (alternator rectifier mounting)	10A382	Wire assy. (ignition switch to alternator regulator)	10A339
Spacer (alternator to mounting bracket)	8A652, 10A370	Wire assy. (voltage regulator extension)	10A545
Spacer (instrument cluster housing)	10886	Wire & socket (instrument cluster control lamp)	10D839
Spring (alternator brush)	10349		
Spring (generator brush)	10057	Wiring (instrument cluster)	10B942
Spring (instrument cluster windshield wiper switch bezel)	10867	Wiring (roof console warning lamp indicator panel)	10B923
Spring (instrument panel parking brake warning lamp retaining)	10A848	Wiring (warning lamp indicator panel)	10B923
		Wiring assy. (charge indicator)	10A665
		Wiring assy. (instrument cluster feed)	10817
		Wiring assy. (instrument cluster warning indicator panel extension)	10C877
		Wiring assy. (seat belt warning)	10B925

10002 GENERATOR ASSY.

HOW TO FIND GENERATORS and COMPONENTS

By IDENTIFICATION:

1. Refer to Identification Chart below.
2. Check marking (on generator housing) against Identification numbers to determine part numbers of service generator and pulley.

By MODEL APPLICATION:

1. Refer to Model Application Chart below
2. Refer to appropriate Year, Model and Engine.
3. Select and refer to Parts List A or B on Page 4 of this Section.
4. If basic number is not known refer to Illustration Section 100, Page 1 of the Ford Car Master Illustration Catalog (Form FP 7635-B) or to the alphabetical index at beginning of this section.
5. Select part number shown for affected Parts List. If more than one part number is shown refer to Description and Restrictions for clarification.
6. Quantity of parts shown in columns A or B.
7. Parts are listed numerically.

Identification Example: C3DF 10000-A is listed in Parts List 100, column B.

Model Application Example: 1965 Mustang (6 cyl.) uses 25 amp. generator (C1DZ 10002-A).
Internal parts for this generator are listed in Parts List 100, column B.

GENERATOR IDENTIFICATION	PARTS LIST 100-COLUMN	SERVICE GENERATOR	PULLEY	GENERATOR IDENTIFICATION	PARTS LIST 100-COLUMN	SERVICE GENERATOR	PULLEY
IDENTIFICATION CHART							
C3DF 10000-A	B	C1DZ 10002-A	C2OZ 10130-C	C3OF 10000-B	A	C1TZ 10002-A	C3OZ 10130-B
C3DF 10000-B	A	C1TZ 10002-A	C2OF 10130-A	C4OF 10000-A	A	C1TZ 10002-A	C2OF 10130-A
C3DF 10000-C	A	C1TZ 10002-A	C2OZ 10130-B	C4OF 10000-B	A	C1TZ 10002-A	C2OZ 10130-B
C3DF 10000-D	B	C1DZ 10002-A	C3DZ 10130-A	C4OF 10000-C	A	C1TZ 10002-A	C3OZ 10130-B



APPLICATION CHART

MODEL	ENGINE		△ M A K E	AMP.	IDENTIFICATION	PARTS LIST 100- COLUMN	SERVICE GENERATOR	VOLTAGE REGULATOR
	CYL.	C.I.D.						
1965								
F (exc. A/C)	6	170	F	25	C3DF 10000-A	B	C1DZ 10002-A (GA-487)	C3DZ 10505-A (GR-267)
F (w/A/C)	6	170	F	30	C2OF 10000-J, C3DF 10000-D	B	C1DZ 10002-A (GA-487)	C3TZ 10505-B (GR-268)
F	8	26Q289	F	30	C2OF 10000-G, H, C3OF 10000-B, C4OF 10000-A, B, C	A	C1TZ 10002-A (GA-427)	C3TZ 10505-B (GR-268)

10039 GENERATOR MOUNTING BRACKETS

Generator mounting parts are listed in chart form following the illustration below. Refer to the illustration to determine the name of the part required. Refer to the chart to select the appropriate part number. The chart is listed by year, model, engine and generator make and amperage.

Attaching parts such as bolts, nuts, etc. are listed by code number. A listing of the code numbers and their corresponding part numbers and descriptions appears at the end of the chart.



P.4512

10039 GENERATOR MOUNTING PARTS

MODEL	GENERATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT	SIDE		
					PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1965								
6 CYL. 170								
F(exc. A/C)	F	25,30	C2DZ 10145-B	1,2			C1DE 10039-A	6,7
F(A/C)	F	25,30	C4DZ 2882-A	6,7,20			C1DE 10039-A	6,7
8 CYL. 260,289								
F(exc. A/C)	F	30	C4OZ 10145-A	1,2,15			C2OZ 10151-A	16
F(A/C)	F	30	C3OZ 10145-C	1,2,17			C2OZ 10151-A	16

Δ F - Ford


* Refer to Hardware listing at end of chart for number shown in this column

10039 GENERATOR MOUNTING PARTS - NUTS, BOLTS, ETC. (QUANTITY AS REQUIRED)

CODE	PART NUMBER	DESCRIPTION	CODE	PART NUMBER	DESCRIPTION
1	373293-S8(BB563)	Screw & washer-hex.hd.-3/8"-16 x 1"	15	20366-S8(B52)	Bolt-hex. head-5/16"-18 x 7/8"
2	382585-S100 (XX143A)	Washer-flat-3/8"	16	20488-S8(B86)	Bolt-hex. head-3/8"-16 x 1 5/8"
6	20388-S8(B80)	Bolt-hex. head-3/8"-16 x 1"	17	357235-S(BB136)	Bolt-hex. head-5/16"-18 x 7/8"
7	34807-S7(X66)	Lockwasher-spring-3/8"	20	33799-S7(M52)	Nut-hex.-3/8"-16

10130 PULLEY - GENERATOR

MODEL	IDENTIFICATION	T Y P E	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
1965												
6 CYL. 170												
F	C2OF 10130-G	1	2.67	.670	.38	5.57	1.62			F	25	C2OZ 10130-C (GP-376)
8 CYL. 260,289												
F(exc. A/C & Premium Fuel)	C2OF 10130-A	1	2.67	.669	.38	5.57	1.92			F	30	C2OF 10130-A (GP-384)
F(A/C exc. Premium Fuel)	C2OF 10130-B	2	2.67	.670	.38	5.57	2.22	.64		F	30	C2OZ 10130-B
F(Premium Fuel)	C3OF 10130-B	1	4.32	.670	.38	5.57	1.94			F	30	C3OZ 10130-B (GP-397)



YEAR	MODEL	C Y L.	C.I.D.	DESCRIPTION	△ MAKE	AMP.	QTY.	PART NUMBER
65	F	6&8	All	Nut(generator pulley)-21/32"-20			1	351124-S(MM42)
65	F	6&8	All	Lockwasher(generator pulley)-			1	351496-S(XX306)
65	F	6&8	All	Key(generator pulley)-			1	74175-S(L7)
10145 ARM - ALTERNATOR ADJUSTMENT - Refer to Group 10A313								
10151 BRACKET - GENERATOR MOUNTING - Refer to Group 10039								
10151 BRACKET - ALTERNATOR MOUNTING REAR - Refer to Group 10A313								
10156 BRACKET - ALTERNATOR MOUNTING FRONT - Refer to Group 10A313								
10170 SHIELD - GENERATOR SPLASH - Also refer to Group 10317								
65	F(A/C exc. Premium Fuel)	8	260,289		F	30	1	C3OZ 10170-C (GY-777)
65	F(exc. A/C & extra cooling)	8	260,289	Outer	F	30	1	C4OZ 10170-C (GY-775)
65	F(exc. A/C & extra cooling)	8	260,289	Inner	F	30	1	C4OZ 10170-D (GY-769)
10282 STUD - GENERATOR MOUNTING BRACKET								
65	F(with A/C)	8	260,289	Not replaced			1	★C3OZ 10282-B

△ F - Ford
May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

—DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 100
(1965 MOTORCRAFT 25,30 AMP. GENERATOR)
FORD CAR PARTS

DESCRIPTION AND RESTRICTIONS	PART NUMBER	GENERATOR PARTS LISTS A and B	
		A	B
ARMATURE ASSY. - GENERATOR	C1TZ 10005-A (GM-20)	A	B
ARM - GENERATOR BRUSH	C1DZ 10040-A (GY-676)	A	B
SCREW - GENERATOR POLE PIECE - 7/16"-14 x 21/32"	68 10044	A	
INSULATOR - GENERATOR BRUSH HOLDER RIVET	8BA 10048-B (GY-820)	2	2
PLATE and BRUSH ASSY. - GENERATOR REAR END	C3AZ 10050-A (GH-18)	A	B
SPRING - GENERATOR BRUSH	C1VF 10057-A (MS-454)	A	B
BRUSH SET - GENERATOR	C1AZ 10069-A (GB-11)	A	B
DOWEL - GENERATOR END PLATE LOCATING	18 10088	A	B
BEARING - GENERATOR END PLATE	A8AZ 10094-B	A	B
BEARING - GENERATOR REAR	B6A 10095-B (GE-4)	A	B
BOLT - GENERATOR THRU	C3AZ 10120-A	A	B
PLATE ASSY. - GENERATOR FRONT END	B6A 10139-B C1DZ 10139-A	A	B
RING - GENERATOR FRONT END PLATE BEARING STOP	01A 10163	A	B
COIL ASSY. - GENERATOR FIELD	C0DF 10175-A (GC-17) B6AZ 10175-D (GC-297)	A	B
BUSHING - GENERATOR TERMINAL SCREW INSULATING	C2SZ 10202-A	A	B
BUSHING - GENERATOR FRAME FIELD TERMINAL SCREW INSULATING	81A 10206	A	B
WASHER - GENERATOR TERMINAL SCREW INSULATING - INNER	81A 10208	A	B
SCREW - GENERATOR TERMINAL	01A 10211	A	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

10300 ALTERNATOR

HOW TO FIND ALTERNATORS and COMPONENTS

By IDENTIFICATION:

1. Refer to Identification Chart below.
2. Check marking (on alternator housing) against Identification numbers to determine part numbers of service alternator, pulley, fan & spacer.
3. Select and refer to appropriate Parts List Section and Number.
4. If basic number is not known refer to Illustration Page shown in the Ford Car Master Illustration Catalog (Form FP 7635-B) or to the index at the beginning of Section 100.
5. Select part number shown for affected Parts List. If more than one part number is shown refer to Description and Restrictions for clarification.
6. Quantity of parts shown in columns A, B or C etc.
7. Parts are listed numerically.

By MODEL APPLICATION:

1. Refer to Model Application Chart beginning on page 34
2. Refer to appropriate Year, Model and Engine.

IDENTIFICATION EXAMPLE: C6DF 10300-A is listed in Parts List Section 103.4, Column 4J.
MODEL APPLICATION EXAMPLE: 1966 Falcon (8 cyl.) uses 38 amp. alternator (D0AZ 10346-E).
 Internal parts for this alternator are listed in Parts List Section 103.4, Column 4J.

IDENTIFICATION CHART (Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38)

IDENTIFICATION	PARTS LIST SECTION & NO.	△ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
A001 6240-AA	103.2B	L/N	53	C5AZ 10346-C		C2AZ 10A310-A	C2AZ 10A344-A	3
A001 6242-AA	103.2A	L/N	53	★C5AZ 10346-B		C2AZ 10A310-A	C2AZ 10A344-A	3
A001 6258-AA	103.2E	L/N	53	C5AZ 10346-D				3
A001 7024-AA	103.2D	L/N	60, 65	C5TZ 10346-D		C2AZ 10A310-A	C5TZ 10A344-A	2
A001 7026-AA	103.2C	L/N	60, 65	C5TZ 10346-C (GL-84)		C2AZ 10A310-A	C5TZ 10A344-A	2
A0010 90302	103.2A	L/N	53	★C5SZ 10346-B	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
A0010 90303	103.2B	L/N	53	C5AZ 10346-C	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
A0010 90304	103.2C	L/N	60, 65	C5TZ 10346-C (GL-84)	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
A0010 90305	103.2D	L/N	60, 65	C5TZ 10346-D	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
A0010 90325	103.2D	L/N	60, 65	C5TZ 10346-D	C5TZ 10344-G	C2AZ 10A310-A	C5TZ 10A344-A	2
A0010 90332	103.2E	L/N	53	C5AZ 10346-D	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
C5AF 10300-A	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-B	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-C	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-D	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-H (GP-580)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-E	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-F	103.4C	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5AF 10300-G	103.4C	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5AF 10300-H	103.2A	L/N	53	C5AZ 10346-B	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
C5AF 10300-J	103.2B	L/N	53	C5AZ 10346-C	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
C5DF 10300-A	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473)	C5AZ 10A344-A (GY-700)	5
C5DF 10300-B	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5

△ M - Motorcraft
May, 1975

L/N - Leece Neville

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 33 thru 37 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	Δ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
C5OF 10300-A	103.2E	L/N	53	C5AZ 10346-D	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
C5TF 10300-A	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-B	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-C	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-D	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-E	103.4C	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-F	103.4C	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-H	103.4C	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-J	103.4C	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-K	103.2D	L/N	60, 65	C5TZ 10346-D (GL-82)	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
C5TF 10300-L	103.2C	L/N	60, 65	C5TZ 10346-C (GL-84)	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
C5TF 10300-M	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-H	B7AZ 10A310-A		2
C5TF 10300-N	*	L/N	60, 65	C5TZ 10346-D (GL-82)	C5AZ 10344-E	B7AZ 10A310-A		2
C5TF 10300-R	*	L/N	60, 65	C5TZ 10346-D (GL-82)	C5TZ 10344-G	B7AZ 10A310-A		2
C5TF 10300-S	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-G	B7AZ 10A310-A		2
C5TF 10300-T	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-M	B7AZ 10A310-A		2
C5TF 10300-U	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-E	B7AZ 10A310-A		2
C5TF 10300-V	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-L	B7AZ 10A310-A		2
C5TF 10300-Y	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-K	B7AZ 10A310-A		2
C5TF 10300-Z	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AA	103.4C	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AB	103.2C	L/N	60, 65	C5TZ 10346-D (GL-82)	C5TZ 10344-G	C2AZ 10A310-A	C5TZ 10A344-A	2
C5TF 10300-AN	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AS	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AT	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AU	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5

Δ M - Motorcraft L/N - Leece Neville

* Refer to Form 7636A for Parts List and Illustration Information

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	△ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
C5TF 10300-AV	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C6AF 10300-A	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-B	103.4F	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-C	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-D	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-H (GP-580)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-E	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-F	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-G	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6DF 10300-A	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6DF 10300-B	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6GF 10300-A	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6GF 10300-B	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-A	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-B	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-C	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-D	103.4J	M	38	D3AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-E	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-F	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-G	103.4G	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-H	103.4G	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-J	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-K	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-L	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-M	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5

△ M - Motorcraft L/N - Leece Neville

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 33 thru 37 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	△ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
C6TF 10300-AF	*	L/N	105	C6TZ 10346-A	C6TZ 10344-C (GP-487)	C6TZ 10A310-A	C6TZ 10A344-A	*
C6TF 10300-AG	*	L/N	105	C6TZ 10346-A	C6TZ 10344-B	C6TZ 10A310-A	C6TZ 10A344-A	*
C6TF 10300-AH	103.4H	M	60	D0TZ 10346-B (GL-91)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-AJ	103.4H	M	60	D0TZ 10346-B (GL-91)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-AK	103.4H	M	60	D0TZ 10346-B (GL-91)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-AL	103.4H	M	60	D0TZ 10346-B (GL-91)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7AF 10300-A	103.5B	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C7SF 10300-A	103.4G	M	55	D0AZ 10346-F (GL-88)	*C7SZ 10344-A	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7SF 10300-B	103.4H	M	60	D0TZ 10346-B (GL-91)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7TF 10300-A	103.5A	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C7TF 10300-B	103.5A	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-A	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C7TF 10300-C	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7TF 10300-D	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7TF 10300-E	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5TZ 10344-J	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7ZF 10300-A	103.4E	M	42	D0AZ 10346-E (GL-89)	C7ZZ 10344-A (GP-486)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C8LF 10300-B	103.4K	M	55	D0SZ 10346-A (GL-90)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	7
C9AF 10300-A	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9AF 10300-B	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9AF 10300-C		M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9AF 10300-D	103.5D	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C9SF 10300-A	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9SF 10300-B	103.4K	M	55	C8SZ 10346-A (GL-79)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	7
C9SF 10300-C	103.5C	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C9ZF 10300-A	103.4E	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9ZF 10300-B	103.4L	M	55	D0ZZ 10346-B (GL-92)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9ZF 10300-C	103.4L	M	55	D0ZZ 10346-B (GL-92)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5

△ M - Motorcraft L/N - Leece Neville

* Refer to Form 7636A for Parts List and Illustration Information

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	△ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
D0AF 10300-A	103.5E	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B (GP-485)	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
D0AF 10300-C	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0AF 10300-E	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0AF 10300-F	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0AF 10300-G	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0AF 10300-H	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0LF 10300-A	103.4M	M	55	D0SZ 10346-A (GL-90)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0SF 10300-A	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0ZF 10300-A	103.4Q	M	55	D0ZZ 10346-B (GL-92)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0ZF 10300-B	103.4N	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0ZF 10300-C	103.4Q	M	55	D0ZZ 10346-B (GL-92)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D1AF 10300-AA	103.4R	M	61	D0TZ 10346-C (GL-95)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D1AF 10300-BA	103.5F	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B (GP-485)	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
D1AF 10300-CA	103.5F	M	70	D1AZ 10346-A (GL-93A)	D1AZ 10344-A (GP-508)	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
D1ZF 10300-AA	103.4Q	M	55	D0ZZ 10346-B (GL-92)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-AA	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-AB	103.4W	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-BA	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-BB	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-CA	103.4R	M	61	D0TZ 10346-C (GL-95)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-CB	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-DA	103.5F	M	70	D1AZ 10346-A (GL-93A)	D1AZ 10344-A (GP-508)	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
D2BF 10300-AA	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2DF 10300-AB	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2DF 10300-AC	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-AA	103.5G	M	70	D2OZ 10346-B (GL-101)	D2OZ 10344-A (GP-511)	D2OZ 10A310-A (GP-510)	D2OZ 10A344-A	6
D2OF 10300-BA	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-BB	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-CA	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5

△ M - Motorcraft L/N - Leece Neville

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	△ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
D2OF 10300-CB	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-DA	103.4W	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-DB	103.4W	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-EA	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-EB	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-FA	103.4X	M	55	D2ZZ 10346-B (GL-92A)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-FB	103.4X	M	55	D2ZZ 10346-B (GL-92A)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2SF 10300-AA	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2SF 10300-AB	103.4U	M	55	D2AZ 10346-D (GL-88A)		D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2UF 10300-AB	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-AA	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-AB	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-AC	103.4W	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-BA	103.4Q	M	55	D0ZZ 10346-B (GL-92)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-BB	103.4T	M	55	D2ZZ 10346-B (GL-92A)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D22F 10300-AA	103.5G	M	70	D2FZ 10346-A (GL-107)	D2OZ 10344-A (GP-511)	D2OZ 10A310-A (GP-510)	D2OZ 10A344-A	6
D22F 10300-AB	103.5G	M	70	D2FZ 10346-B (GL-107A) r/b D2OZ 10346-B	D2OZ 10344-A (GP-511)	D2OZ 10A310-A (GP-510)	D2OZ 10A344-A	6
D22F 10300-BA	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473-A)	C5AZ 10A344-B (GY-808)	5
C5AF 10346-A	103.4D	M	42	D2AZ 10346-C (GL-89A)				5
C5AF 10346-D	103.2E	L/N	53	C5AZ 10346-D				
C5DF 10346-A	103.4A	M	38	D2AZ 10346-C (GL-89A)				5
C5DF 10346-B	103.4A	M	38	D2AZ 10346-C (GL-89A)				5
C5TF 10346-A	103.4B	M	45	D2AZ 10346-C (GL-89A)				5
C5TF 10346-B	103.4C	M	55	D0AZ 10346-F (GL-88)				5
C5TF 10346-C	103.2C	L/N	60, 65	C5TZ 10346-C				
C5TF 10346-D	103.2D	L/N	70	C5TZ 10346-D				
C5TF 10346-G	103.4B	M	45	D2AZ 10346-C (GL-89A)				5
C5TF 10346-H	103.4C	M	55	D0AZ 10346-F (GL-88)				5
C6AF 10346-A	103.4E	M	42	D2AZ 10346-C (GL-89A)				5
C6AF 10346-B	103.4E	M	42	D2AZ 10346-C (GL-89A)				5

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	△ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
C6DF 10346-A	103.4E	M	42	D2AZ 10346-C (GL-89A)				5
C6TF 10346-A	103.4F	M	45	D2AZ 10346-C (GL-89A)				5
C6TF 10346-B	103.4G	M	55	D0AZ 10346-F (GL-88)				5
C6TF 10346-C	103.4G	M	55	D0AZ 10346-F (GL-88)				5
C6TF 10346-D	103.4F	M	45	D2AZ 10346-C (GL-89A)				5
C6VF 10346-A	103.4H	M	60	D0TZ 10346-B (GL-91)				5
C6VF 10346-B	103.4H	M	60	D0TZ 10346-B (GL-91)				5
C7AF 10346-A	103.5B	M	65	D1AZ 10346-A (GL-93A)				6
C7AF 10346-B	103.5B	M	65	D1AZ 10346-A (GL-93A)				6
C7TF 10346-A	103.5A	M	65	D1AZ 10346-A (GL-93A)				6
C8SF 10346-B	103.4K	M	55	C8SZ 10346-A (GL-79)				7
C9AF 10346-B	103.5D	M	65	D1AZ 10346-A (GL-93A)				6
C9SF 10346-B	103.5C	M	65	D1AZ 10346-A (GL-93A)				6
C9ZF 10346-B	103.4L	M	55	D0ZZ 10346-B (GL-92)				5
D0AF 10346-B	103.5E	M	70	D1AZ 10346-A (GL-93A)				6
D0AF 10346-E	103.4N	M	42	D2AZ 10346-C (GL-89A)				5
D0AF 10346-F	103.4P	M	55	D0AZ 10346-F (GL-88)				5
D0SF 10346-A	103.4M	M	55	D0SZ 10346-A (GL-90)				5
D0TF 10346-B	103.4S	M	60	D0TZ 10346-B (GL-91)				5
D0TF 10346-C	103.4R	M	61	D0TZ 10346-C (GL-95)				5
D0ZF 10346-B	103.4Q	M	55	D0ZZ 10346-B (GL-92)				5
D1AF 10346-BA	103.5F	M	70	D1AZ 10346-A (GL-93A)				6
D2AF 10346-CA	103.4N	M	42	D2AZ 10346-C (GL-89A)				5
D2AF 10346-DA	103.4P	M	55	D2AZ 10346-D (GL-88A)				5
D2OF 10346-BA	103.5G	M	70	D2OZ 10346-B (GL-101)				6
D2OF 10346-CA	103.4V	M	61	D2TZ 10346-B (GL-95A)				5
D2OF 10346-DA	103.4W	M	42	D2AZ 10346-C (GL-89A)				5
D2OF 10346-EA	103.4U	M	55	D2AZ 10346-D (GL-88A)				5
D2OF 10346-FA	103.4X	M	55	D2ZZ 10346-B (GL-92A)				5

△ M - Motorcraft

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	△ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
D2OF 10346-GA	103.4W	M	42	D2AZ 10346-C (GL-89A)				5
D2OF 10346-HA	103.4U	M	55	D2AZ 10346-D (GL-88A)				5
D2OF 10346-JA	103.4X	M	55	D2ZZ 10346-B (GL-92A)				5
D2OF 10346-KA	103.4V	M	61	D2TZ 10346-B (GL-95-A)				5
D2TF 10346-BA	103.4V	M	61	D2TZ 10346-B (GL-95A)				5
D2ZF 10346-BA	103.4T	M	55	D2ZZ 10346-B (GL-92A)				5
D22F 10346-AA	103.5G	M	70	D2FZ 10346-A (GL-107)				6
D22F 10346-BB	103.5G	M	70	D2FZ 10346-B (GL-107A) r/b D2OZ 10346-B				6
90292	*	L/N	60, 65	C5TZ 10346-D (GL-82)	C5AZ 10344-E	B7AZ 10A310-A		2
90293	*	L/N	60, 65	C5TZ 10346-D (GL-82)	C5TZ 10344-G	B7AZ 10A310-A		2
90294	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-E	B7AZ 10A310-A		2
90295	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-K	B7AZ 10A310-A		2
90296	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-L	B7AZ 10A310-A		2
90297	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-G	B7AZ 10A310-A		2
90298	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-M	B7AZ 10A310-A		2
90299	*	L/N	60, 65	C5TZ 10346-F (GL-78)	C4TZ 10344-H	B7AZ 10A310-A		2
90302	103. 2A	L/N	53	C5AZ 10346-B	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
90303	103. 2A	L/N	53	C5AZ 10346-B	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
90304	103. 2C	L/N	60, 65	C5TZ 10346-C	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
90305	103. 2D	L/N	60, 65	C5TZ 10346-D	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
90325	103. 2D	L/N	60, 65	C5TZ 10346-D	C5TZ 10344-G	C2AZ 10A310-A	C5TZ 10A344-A	2
90332	103. 2E	L/N	53	C5AZ 10346-D	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3

YEAR	MODEL	C Y L.	C.I.D.	DESCRIPTION	△ MAKE	AMP.	QTY.	PART NUMBER
	10B301-10			Refer to Alternator parts list				Section 103, page 1
	10A310			FAN - ALTERNATOR				
65	A, B	6&8	All	11/16" I.D. x 6 1/2" O.D.	L/N	53,60,65	1	C2AZ 10A310-A
65/ 71/	A, B, F, P, S, X L	6&8 4	All	11/16" I.D. x 5 1/2" O.D. includes spacer	M	38,42,45, 55,60,61	1 1	D0AZ 10A310-B (GP-473A)
67/71	A, S	6&8	All	7/8" I.D. x 6 5/16" O.D.	M	65, 70	1	D0AZ 10A310-A (GP-496)
72	A, B, S	6&8	All		M	65, 70	1	D2OZ 10A310-A (GP-510)


Δ M - Motorcraft L/N - Leece Neville

* Refer to Form 7636A for Parts List and Illustration Information

10A313 ALTERNATOR MOUNTING PARTS

Alternator mounting parts are listed in chart form following the illustration below. Refer to the illustration to determine the name of the part required. Refer to the chart to select the appropriate part number. The chart is listed by year, model, engine and alternator make and amperage.

Attaching parts such as bolts, nuts, etc. are listed by code number. A listing of the code numbers and their corresponding part numbers and descriptions appears at the end of the chart.



P.4513

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT		SIDE	
					PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.

1965

6 CYL. 170,200

B, F, X(exc. A/C)	M	38,42, 55	C5TZ 10145-H	1,4,6,7			C5TZ 10A313-D	25
B(with A/C)	M	38,42, 55	★C5OZ 2882-A	10,16,49			C5OZ 10A313-B	3,16,49
F, X(with A/C)	M	38,42	C5DZ 2882-B	25			★C5DZ 10A313-A	25
B	L/N	53	★C5OZ 10145-A Not replaced	1,4,8,9			C5TZ 10A313-D	25

6 CYL. 240

A(exc. A/C)	M	42,45, 55	C5TZ 10145-G	2,7,25			†C5AZ 10A313-E	53
A(with A/C)	M	42,45, 55	C5AZ 10145-A	2,38,42	C5AZ 10B315-A (4 5/8" long) & C5AZ 10B315-B (15" long)	10,47, 48,52 1,8,10, 56	C5AZ 10A313-B & C5AZ 2887-A (Spacer)	53
A	L/N	53	C5AZ 10145-E				†C5AZ 10A313-E	53

8 CYL. 289

A(exc. Integral A/C), B, F, X	M	38,42, 45,55	C9OZ 10145-A	6,7	D1TZ 10156-A & (GY-1014) †D1AZ 8A652-A (Spacer)	24,26,44		
A(with Integral A/C)	M	42,45, 55	C5AZ 10145-B	6,7	D1TZ 10156-A & (GY-1014) †D1AZ 8A652-A (Spacer)	24,26,44		
A	L/N	53,60, 65	C9OZ 10145-A	1,6,7,8, 18,46	D1TZ 10156-A & (GY-1014) †D1AZ 8A652-A (Spacer)	26,44,45		
B	L/N	53	C9OZ 10145-A	1,6,7,8, 18,46,53	C5OZ 10156-A	55	★C5OZ 10151-A & C5OZ 10A370-A (Spacer)	54

8 CYL. 352,390,427

A, S(exc. A/C)	M	42,45, 55	C6AZ 10145-B	1,6,7,25	C5TZ 10156-A & †D1AZ 8A652-A (Spacer)	5,25,26		
A, S(with A/C)	M	42,45, 55	★C4MY 10145-A Not replaced	1,6,7,28			C9TZ 10A313-A (GY-933)	28,30, 50
A	L/N	53,60, 65	★C5TZ 10145-D	1,7,8,9, 25	C3SZ 10156-C & †D1AZ 8A652-A (Spacer)	5,25,26		

1966

6 CYL. 170, 200

B, F, U, X(less A/C)	M	38,42,	C5TZ 10145-H	1,4,6,7			C5TZ 10A313-D	25
B(w/A/C), X(w/A/C) - "Before 4/1/66"	M	38,42, 45,55	★C6DZ 10145-A Not replaced	1,6,8,9, 25,27			★C5OZ 10A313-B	1,4,9, 42,53,58
B(w/A/C), X(w/A/C) - "From 4/1/66"	M	38,42, 45,55	C6DZ 2A881-B	1,6,8,9, 25,27			★C5OZ 10A313-B	1,4,9, 42,53,58
F(w/A/C)	M	38,42	C6ZZ 2882-A	1,4,8,25, 58			★C5DZ 10A313-A	1,8,25
B	L/N	53	★C5OZ 10145-A Not replaced	1,4,6,7			C5TZ 10A313-D	25

△ M - Motorcraft L/N - Leece Neville

* Refer to Hardware listing at end of chart for number shown in this column

† Improve spacer from flat washer or steel tubing

‡ Cut to length

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT PART NUMBER	* NUTS, BOLTS, ETC.	SIDE PART NUMBER	* NUTS, BOLTS, ETC.
1966 - continued								
6 CYL. 240								
A(less A/C & T/E)	M	42, 55	#C5TZ 10145-G	7, 16, 59			C5AZ 10A313-E	53
A(w/T/E)	M	42, 55	#C5TZ 10145-G	7, 16, 59			C6AZ 9B450-A	18
A(w/A/C less T/E)	M	42, 55	C5AZ 10145-A	2, 9, 38	C5AZ 10B315-A (4 5/8" long) & C5AZ 10B315-B (15" long)	9, 38, 47, 48 1, 8, 10, 56	C5AZ 10A313-B & C5AZ 2887-A (Spacer)	53
A(less A/C & T/E)	L/N	53	C5AZ 10145-E	1, 7, 8, 60			C5AZ 10A313-E	53
A(w/T/E)	L/N	53	C5AZ 10145-E	1, 7, 8, 60			C6AZ 9B450-A	18
8 CYL. 289								
A,B,F,U,X(less A/C & T/E)	M	38, 42, 45, 55	C9OZ 10145-A	6, 7	D1TZ 10156-A & (GY-1014) †D1AZ 8A652-A (Spacer)	5, 26, 43, 44		
A(w/Hang-on A/C less T/E)	M	42, 55	C9OZ 10145-A	6, 7	D1TZ 10156-A & (GY-1014) †D1AZ 8A652-A (Spacer)	5, 26, 43, 44		
A(w/T/E less A/C)	M	42, 55	C6OZ 10145-A	6, 7			†C6OZ 9B450-B	5, 36, 44, 61
A(w/T/E & Hang-on A/C)	M	42, 55						
B, F, U, X(w/T/E)	M	38, 42, 45, 55						
A(w/Integral A/C less T/E)	M	42, 55	C5AZ 10145-B	6, 7	D1TZ 10156-A & (GY-1014) †D1AZ 8A652-A (Spacer)	5, 26, 43, 44		
A(w/T/E & Integral A/C)	M	42, 55	C5AZ 10145-B	6, 7			†C6OZ 9B450-B	5, 36, 44, 61
A(less A/C & T/E)	L/N	53, 60, 65	C9OZ 10145-A	1, 6, 7, 8, 18, 46	D1TZ 10156-A (GY-1014)	5, 26, 43, 44		
B(less T/E)	L/N	53, 60, 65						
A, B(w/T/E)	L/N	53, 60, 65	C6OZ 10145-A	1, 6, 7, 8,			†C6OZ 9B450-B	5, 36, 44, 61
8 CYL. 352, 390								
A, S(w/A/C less T/E)	M	42, 55	★C4MY 10145-A	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28, 30, 50
B(w/A/C less T/E)- "Before 4/1/66"	M	42, 55	Not replaced					
B(w/A/C less T/E)- "From 4/1/66"	M	42, 55	C6AZ 10145-D	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28, 30, 50
A, B, S(less A/C & T/E)	M	42, 55	C6AZ 10145-B	1, 6, 7, 25	C5TZ 10156-A & †D1AZ 8A652-A (Spacer)	5, 25, 26		
A, B, S(w/T/E)	M	42, 55	C6AZ 10145-A	1, 6, 7, 8, 18, 55, 62	C6AZ 10156-A	5, 26, 53, 55		
A, B(w/T/E)	L/N	53, 60, 65						
A, B(less A/C & T/E)	L/N	53, 60, 65	C6AZ 10145-A	1, 7, 8, 9, 25	C3SZ 10156-C & †D1AZ 8A652-A (Spacer)	5, 25, 26		

Δ M - Motorcraft L/N - Leece Neville

* Refer to Hardware listing at end of chart for number shown in this column

Includes spacer 351368-S2 to be used on engine front cover stamped C5AE 6059-A

† Cut to length

† Improve spacer from flatwasher or steel tubing

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT PART NUMBER	* NUTS, BOLTS, ETC.	SIDE PART NUMBER	* NUTS, BOLTS, ETC.

1966 - continued

8 CYL. 427								
A, B(8V-w/A/C less T/E)	M	42	★C4MY 10145-A Not replaced	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28,30, 50
A, B(8V-less A/C & T/E)	M	42	C6AZ 10145-B	1, 6, 7, 25	C5TZ 10156-A & †D1AZ 8A652-A (Spacer)	5, 25, 26		
A, B(8V-w/T/E)	M	42	C6AZ 10145-A	1, 6, 7, 8, 18, 55, 62	C6AZ 10156-A	5, 26, 53, 55		
A, B(4V-w/A/C less T/E)	M	42	C6AZ 10145-B	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28,30, 50
A, B(4V-less A/C & T/E)	M	42	C6AZ 10145-B	1, 6, 7, 28	C5TZ 10156-A & †D1AZ 8A652-A (Spacer)	5, 25, 26		
A, B(4V-w/T/E)	M	42	C6AZ 10145-B	1, 6, 7, 8, 18, 55, 62	C6AZ 10156-A	5, 26, 53, 55		

8 CYL. 428								
A, S(w/A/C less T/E) - Except P/C - "Before 4/1/66"	M	42, 55	★C4MY 10145-A Not replaced	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28,30, 50
A(w/A/C less T/E) - P/C "From 4/1/66"	M	42, 55	C6AZ 10145-D	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28,30, 50
A, S(w/T/E less A/C) - Except P/C	M	42, 55	C6AZ 10145-A	1, 6, 7, 8, 18, 55, 62	C6AZ 10156-A	5, 26, 53, 55		
A(w/T/E less A/C) - P/C	M	42, 55	★C6AZ 10145-C Not replaced	1, 6, 7, 8, 18, 55, 62	C6AZ 10156-A	5, 26, 53, 55		
A, S(less A/C & T/E)	M	42, 55	C6AZ 10145-B	1, 6, 7, 25	C5TZ 10156-A & †D1AZ 8A652-A (Spacer)	5, 25, 26		
A(less A/C & T/E) - Except P/C	L/N	53, 60, 65	C6AZ 10145-A	1, 7, 8, 9, 25	C3SZ 10156-C & †D1AZ 8A652-A (Spacer)	5, 25, 26		
A(less A/C) - P/C	L/N	53, 60, 65	★C6AZ 10145-C Not replaced	1, 7, 8, 9, 25, 63	C3SZ 10156-C & †D1AZ 8A652-A (Spacer)	5, 25, 26		

1967

6 CYL. 170, 200								
B, F, U, X(less A/C)	M	38, 42, 55	C5TZ 10145-H	1, 4, 6, 7			C5TZ 10A313-D	25
B(w/A/C), X(w/A/C)	M	55	C6DZ 2A881-B	1, 6, 25, 55, 57			★C5OZ 10A313-B	1, 9, 53, 55
F(w/A/C)	M	38, 42	C6ZZ 2882-A	25, 55			★C5DZ 10A313-A	1, 8, 25
B	L/N	53	★C5OZ 10145-A Not replaced	1, 4, 7, 8, 9			C5TZ 10A313-D	25
6 CYL. 240								
A(less A/C & T/E)	M	42, 55	★C5TZ 10145-G	7, 16, 59			C5AZ 10A313-E	53
A(w/T/E)	M	42, 55	★C5TZ 10145-G	7, 16, 59			C6AZ 9B450-A	18
A(w/A/C less T/E)	M	42, 55	C5AZ 10145-A	2, 7, 9, 38	C5AZ 10B315-A (4 5/8" long) & C5AZ 10B315-B (15" long)	9, 38, 47, 48 1, 8, 10, 56	C5AZ 10A313-B & C5AZ 2887-A (Spacer)	53
A(less A/C & T/E)	L/N	53	C5AZ 10145-E	7, 59, 60			C5AZ 10A313-E	53
A(w/T/E)	L/N	53	C5AZ 10145-E	1, 6, 7, 8, 60			C6AZ 9B450-A	18

△ M - Motorcraft L/N - Leece Neville # Includes spacer 351368-S2 to be used on engine front cover stamped C5AE 6059-A

* Refer to Hardware listing at end of chart for number shown in this column

† Cut to length

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT		SIDE	
					PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.

1967 - continued

8 CYL. 289

A(less T/E)-"Before 11/1/66"	M	38, 42, 45, 55	C5AZ 10145-B (curved w/4" slot)	6, 7	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26, 44, 45		
A(less T/E)-"From 11/1/66"	M	38, 42, 45, 55	C9OZ 10145-A (bent w/3 3/8" slot)	6, 7, 18, 46	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26, 44		
B, F, X(less T/E)	M	38, 42, 45, 55						
F(w/T/E) "Before 12/15/66"	M	38, 42, 55						
A(less T/E)	L/N	53, 60, 65						
A, B, U, X(w/T/E)	M	38, 42, 45, 55	C6OZ 10145-A (curved w/3" slot)	6, 7, 71			C7OZ 9B450-A	5, 36, 44 61, 66
F(w/T/E) "From 12/15/66"	M	38, 42, 55						
A(w/T/E)	L/N	53, 60, 65						
A	M	65	★C7AZ 10145-C Not replaced		D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)			
U(less T/E)	M	38, 45, 55	C9OZ 10145-A	6, 7	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26, 44		

8 CYL. 390

A, B, F, S(less A/C & T/E)	M	38, 42, 45, 55, 60	C6AZ 10145-B	1, 6, 7, 25	C5TZ 10156-A & D1AZ 8A652-A (Spacer)	5, 25, 26		
S(w/T/E & IMCO less A/C)	M	55, 60						
A, B, F (w/T/E less A/C) - "Before 12/15/66"	M	38, 42, 45, 55	C6AZ 10145-A	1, 6, 7, 55	C5TZ 10156-A & D1AZ 8A652-A (Spacer)	5, 25, 26		
A, B, F(w/T/E less A/C)- "From 12/15/66"	M	38, 42, 45, 55, 60	C6AZ 10145-A	1, 6, 7, 55	C6AZ 10156-A & D1AZ 8A652-A (Spacer)	53, 55		
A, B, F(w/A/C less T/E)- Except P/C	M	38, 42, 55	C6AZ 10145-A	1, 6, 7, 25, 28	C6AZ 10156-A	53, 55		
A, B(w/A/C less T/E) - P/C	M	42, 55	C6AZ 10145-D	1, 6, 7, 25, 28	C6AZ 10156-A	53, 55		
A - Except P/C	M	65	★C7AZ 10145-A Not replaced		C6AZ 10156-A			
A - P/C	M	65	★C7AZ 10145-B Not replaced		C6AZ 10156-A			
A, B	L/N	53	C6AZ 10145-B	1, 7, 8, 9, 25, 62	C3SZ 10156-C & D1AZ 8A652-A (Spacer)	5, 25, 26		
A(A/C with Imco) S(w/A/C less T/E)	L/N	53, 65						
	M	55, 60	C7SZ 10145-A	1, 6, 7, 55	★C7SZ 10156-A & D1AZ 8A652-A (Spacer)	5, 26, 53, 55	★C7SZ 10B315-A	68, 69, 70

Δ M - Motorcraft L/N - Leece Neville

* Refer to Hardware listing at end of chart for number shown in this column

† Cut to length

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT PART NUMBER	* NUTS, BOLTS, ETC.	SIDE PART NUMBER	* NUTS, BOLTS, ETC.
1967 - continued								
8 CYL. 427								
A, B	M	42	C6AZ 10145-B	1, 6, 7, 25, 60	C5TZ 10156-A & D1AZ 8A652-A (Spacer)	5, 25, 26		
8 CYL. 428								
A, S(less A/C & T/E)	M	42, 55 60	C6AZ 10145-B	1, 6, 7, 25	C5TZ 10156-A & D1AZ 8A652-A (Spacer)	5, 25, 26		
S(w/T/E less A/C)	M	55, 60						
A(w/T/E less A/C)	M	42, 55	★C6AZ 10145-C Not replaced	1, 6, 7, 55	C6AZ 10156-A	53, 55		
A(w/A/C less T/E)- Except P/C	M	42, 55	C8AZ 10145-A	1, 6, 7, 25, 28	C8AZ 10156-A	53, 55		
A(w/A/C less T/E) - P/C - "Before 3/15/67"	M	42, 55	C6AZ 10145-D (2 3/4" slot)	1, 6, 7, 25, 28	C8AZ 10156-A	53, 55		
A(w/A/C less T/E) - P/C - "From 3/15/67"	M	42, 55	★C6AZ 10145-C (3" slot) Not replaced	1, 6, 7, 25, 28	C6AZ 10156-A	53, 55		
A - Except P/C	M	65	★C7AZ 10145-A Not replaced					
A - P/C	M	65	★C7AZ 10145-B Not replaced					
A(less A/C) - P/C	L/N	53, 60, 65	★C6AZ 10145-C Not replaced	1, 7, 8, 9, 63	C3SZ 10156-C	5, 25, 26		
A(less A/C) - Except P/C	L/N	53, 60, 65	C6AZ 10145-A	1, 7, 8, 9, 62	C3SZ 10156-C	5, 25, 56		
S(w/A/C less T/E)	M	55, 60	C7SZ 10145-A	1, 6, 7, 55	C7SZ 10156-A & D1AZ 8A652-A (Spacer)	5, 26 53, 55	★C7SZ 10B315-A Not replaced	68, 69, 70

1968

6 CYL. 170, 200								
B, F, X, U (with T/E)	M	42, 55	C5TZ 10145-H	4, 60, 72			C5TZ 10A313-D	10, 25, 32
6 CYL. 240								
A(less A/C & T/E)	M	42, 55	C5TZ 10145-G	59, 72			C5AZ 10A313-E	10, 52, 53
A(less A/C with T/E)	M	42, 55	C5TZ 10145-G	59, 72			C8AZ 9B450-A	10, 52, 53
A(w/A/C - w/o T/E)	M	42, 55	C5AZ 10145-A	49, 59, 72	C5AZ 10B315-A & C5AZ 10B315-B	9, 38, 47, 48 1, 8, 10, 56	C5AZ 10A313-B & C5AZ 2887-A	10, 52, 53
A(less A/C & T/E)	L/N	53	C5AZ 10145-E	1, 7, 8, 59, 60			C5AZ 10A313-E	10, 52, 53
8 CYL. 289								
B, F, X(with S/T & Imco)	M	38, 42, 55	C9OZ 10145-A	72, 74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26, 44, 65, 74		
8 CYL. 302								
A, B, F, X(with Imco)	M	38, 42, 55	C9OZ 10145-A	72, 74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26, 44, 65, 74		
A, B, F, X(with T/E)	M	38, 42, 55	C6OZ 10145-A	72, 74			C8AZ 9B450-B	5, 36, 38, 44, 73

△ M - Motorcraft L/N - Leece Neville

* Refer to Hardware listing at end of chart for number shown in this column

† Cut to length

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT		SIDE	
					PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.

1968 - continued

8 CYL. 302 - continued

A(less T/E)	M	65	*C7AZ 10145-C Not replaced	72,74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5,44,65, 74		
U	M	38,42, 45,55	C9OZ 10145-A	7,60,74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5,26,43, 44		
A(less T/E)	L/N	53,65	C9OZ 10145-A	1,7,8,18, 46	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5,44,65, 74		

8 CYL. 390

A, F, S(less T/E)	M	42,55	C8AZ 10145-A	45,72	C8AZ 10156-B & D1AZ 8A652-A (Spacer)	14,26, C5AZ 10A370-C		
A, B, F(with T/E)	M	42,55	C8AZ 10145-B	55,72	C8AZ 10156-A & D1AZ 8A652-A (Spacer)	26,53,55, 53,75		
B(less A/C & T/E)	M	42,55	C8AZ 10145-A	45,72	C8AZ 10156-B & D1AZ 8A652-A (Spacer)	5,26,43, 44		
B(66)(A/C & Imco Less P/S)				25,72		26,53		
B(66)GT	M	42,55	C8OZ 10145-A (GY-864)		C3SZ 10156-C & D1AZ 8A652-A (Spacer)			

8 CYL. 427

A, B, F(with T/E)-4V	M	42,55	C8AZ 10145-B	55,72	C8AZ 10156-A & D1AZ 8A652-A (Spacer)	26,53,55		
----------------------	---	-------	--------------	-------	--	----------	--	--

8 CYL. 428

A, B, F(less T/E)	M	42,55	C8AZ 10145-A	45,72	C8AZ 10156-B & D1AZ 8A652-A (Spacer)	14,26,53		
A, B, F(with T/E)	M	42,55	C8AZ 10145-B	55,72	C8AZ 10156-A & D1AZ 8A652-A (Spacer)	26,53,55		
A	M	65	C8AZ 10145-B	55,72	C3SZ 10156-C & D1AZ 8A652-A (Spacer)	5,25,26		

8 CYL. 429

S(with Imco)	M	55	C8SZ 10145-A	52,78, 81	C8SZ 10156-A & D0VY 10A370-A (GY-947) (Spacer)	78,81		
--------------	---	----	--------------	--------------	--	-------	--	--

1969

6 CYL. 170, 200

F, U, X(less T/E)	M	42,55	C5TZ 10145-H	4,60,72			C5TZ 10A313-D	10,25,32, 52
-------------------	---	-------	--------------	---------	--	--	---------------	-----------------

6 CYL. 240

A(less T/E)	M	42,55	C9AZ 10145-C (GY-922)	72,78			C9AZ 10A313-A (GY-925)	45,72
A(w/A/C-w/o T/E)	M	42	C5AZ 10145-A	2,7,9,38	C5AZ 10B315-A & C5AZ 10B315-B	9,38,47, 48 1,8,10, 56	C5AZ 10A313-B	10,52,53

△ M - Motorcraft L/N - Leece Neville

† Cut to length

May, 1975

* Refer to Hardware listing at end of chart for number shown in this column

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT	SIDE		
					PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1969 - continued								
6 CYL. 250								
B, F(less T/E)	M	42,55	C9ZZ 10145-A (GY-917)	53, 72			C9ZZ 10A313-A (GY-918)	52, 53
8 CYL. 302								
A, B, F, X U	M	38, 42, 55	C9OZ 10145-A (GY-934)	7, 60, 74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26		
F(Boss)	M	38, 42, 55	C6OZ 10145-A	25, 72	C9ZZ 9B450-B	28, 36, 44, 71, 77, 79		
8 CYL. 351								
A, B, F	M	38, 42, 55	C9OZ 10145-A (GY-934)	7, 60, 74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	26, 49	C9ZZ 10A336-A	55, 79, 83
8 CYL. 390								
A, B, F(less T/E)	M	42, 55	C8AZ 10145-A	25, 72	C8AZ 10156-B & †D1AZ 8A652-A (Spacer)	25, 26, 53		
A, B, F(with T/E)	M	42, 55	C8AZ 10145-B	55, 72	C8AZ 10156-A & †D1AZ 8A652-A (Spacer)	26, 53, 55, 75		
A(less T/E)	M	65	C8AZ 10145-B	55, 72	C3SZ 10156-C & †D1AZ 8A652-A (Spacer)	25, 26, 55		
8 CYL. 428								
A(with T/E)	M	42, 55	C8AZ 10145-B	45, 72	C8AZ 10156-A & †D1AZ 8A652-A (Spacer)	26, 53 55, 75		
B, F (CJ)-with T/E	M	55						
8 CYL. 429								
A, P/C	M	42, 55	C9MY 10145-A (GY-923)	52, 72	C8SZ 10156-A & D0VY 10A370-A (GY-947) (Spacer)	52, 77	C9MY 10B315-A (GY-926)	53, 79
A, P/C	M	65	C9AZ 10145-B (GY-916)	72	C8SZ 10156-A & D0VY 10A370-A (GY-947) (Spacer)	52, 77		
F(4/B Special)	M	55	C9MY 10145-A (GY-923)	81	C8SZ 10156-A & D0VY 10B370-A (GY-947) (Spacer)	81, 82		
S	M	65, 70	C9VY 10145-A (GY-927)	72	C9VY 10156-A & D0VY 10B370-A (GY-947) (Spacer)	52, 81		
A, P/C	L/N	85	C9AZ 10145-A (GY-915)	34, 80	C8SZ 10156-A & D0VY 10A370-A (GY-947) (Spacer)	52, 77		
S	M	55	C8SZ 10145-A	52, 72, 78, 81	C8SZ 10156-A & D0VY 10A370-A (GY-947) (Spacer)	52, 88, 81		

△ M - Motorcraft L/N - Leece Neville

* Refer to Hardware listing at end of chart for number shown in this column

† Cut to length

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT		SIDE	
					PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1970								
6 CYL. 170, 200								
F,U,X P	M	42,55	C5TZ 10145-H	4,60,72			C5TZ 10A313-D	10,25, 32,52
6 CYL. 240								
A	M	42,55	C9AZ 10145-C (GY-922)	72,78			C9AZ 10A313-A (GY-925)	45,72
6 CYL. 250								
B,F,P	M	42,55	C9ZZ 10145-A (GY-917)	53,72			C9ZZ 10A313-A (GY-918)	52,53
8 CYL. 302								
A,B,F,X	M	38,42, 55	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30,43,44 119	D0OZ 10A336-A (Adapter)	
F(Boss)-S/T	M	38,42 55	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30,43,44 119	D0ZZ 10A336-A	
U	M	38,42, 55	C9OZ 10145-A	25,72	D1TZ 10156-A & D1AZ 8A652-A	44,26		
8 CYL. 351 (W)								
A,F	M	38,42, 55	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30,43,44 119	D1OZ 10A336-A	
8 CYL. 351 (C)								
B,F	M	42,55	D0OZ 10145-A (GY-938)	43,72	D2OZ 10156-B & D2SZ 10A370-A (Spacer)	43,104		
8 CYL. 390								
A	M	42,55	C8AZ 10145-A	25,72	C8AZ 10156-B & ‡D1AZ 8A652-A (Spacer)	26,53		
A	M	65	C8AZ 10145-B	55,72	C3SZ 10156-C & ‡D1AZ 8A652-A (Spacer)	25,26,55		
8 CYL. 428								
A(P/C) F(CJ)	M	55,65	C8AZ 10145-B	1,7,8,55, 63,72	C8AZ 10156-A & ‡D1AZ 8A652-A (Spacer)	26,53, 55,75		
8 CYL. 429								
A,B,S	M	42,55	D0SZ 10145-A (GY-939)	84,85	D0SZ 10156-A & (GY-943) D2SZ 10A370-A (Spacer)	84,85, 113		
A	M	65	D0VY 10145-A (GY-941)	72,85	D0SZ 10156-A & (GY-943) D2SZ 10A370-A (Spacer)	84,85, 113		

△ M - Motorcraft

* Refer to Hardware listing at end of chart for number shown in this column

‡ Cut to length

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT PART NUMBER	* NUTS, BOLTS, ETC.	SIDE PART NUMBER	* NUTS, BOLTS, ETC.

1970 - continued

8 CYL. 429 - continued

B(CJ)	M	42,55	D00Z 10145-B (GY-969)	84,85	D0SZ 10156-A & (GY-943) D2SZ 10A370-A	84,85, 113		
S(with T/E)-California B(with T/E)	M	55	D0SZ 10145-A (GY-939)	72,87			D0VY 9B450-A & D0VY 10A370-A (GY-947)	84,85, 86,87
S	M	65	D0SZ 10145-B (GY-940)	72,85	D0SZ 10156-A & (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84,85, 113		
A	L/N	65	D0AZ 10145-A (GY-948)					

1971

4 CYL. 98 (1600 cc)

L	M	38	D1FZ 10145-B	54, 84			D1FZ 10A313-A	52, 96, 108

4 CYL. 122 (2000 cc)

L(less A/C)	M	38	D2FZ 10145-B	72			D1FZ 10156-A	52, 94
L(with A/C)	M	65	D3FZ 10145-B	72, 94, 95			D3FZ 10A313-B	96, 101, 102

6 CYL. 170, 200

F, P, U	M	42, 55	C5TZ 10145-H	4, 60, 72			C5TZ 10A313-D	10, 25, 35, 52, 96

6 CYL. 240

A	M	42, 55	C9AZ 10145-C (GY-922)	72, 78			C9AZ 10A313-A (GY-925)	45, 72

6 CYL. 250

B, F, P	M	42, 55	C9ZZ 10145-A (GY-917)	53, 72			C9ZZ 10A313-A (GY-918)	52, 53

8 CYL. 302

A, B, F, P "Before 7/16/71"	M	42, 55	D00Z 10145-A (GY-938)	44, 72	D2OZ 10156-B & D1AZ 8A652-A	30, 43, 44, 104, 119	D1OZ 10A336-A	
A, B, F, P "From 7/16/71"	M	42, 55, 61	D00Z 10145-A (GY-938)	44, 72	D2OZ 10156-B & D2SZ 10A370-A	30, 43, 44, 104, 119	D1OZ 10A336-B	
F(Boss)	M	38, 42, 55, 61	D00Z 10145-A (GY-938)	44, 72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30, 43, 44, 104, 119	D1ZZ 10A336-A	
U	M	38, 42 55	C9OZ 10145-A (GY-934)	7, 60, 74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 30, 119		

△ M - Motorcraft L/N - Leece Neville

* Refer to Hardware listing at end of chart for number shown in this column

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT	* NUTS, BOLTS, ETC.	SIDE	* NUTS, BOLTS, ETC.
<i>1971 - continued</i>								
8 CYL. 351(C)								
A	M	42, 55 61	D00Z 10145-A (GY-938)	44, 72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30, 43, 44, 119		
B, F	M	42, 55, 61	D00Z 10145-A (GY-938)	43, 72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30, 43, 89, 104, 119		
8 CYL. 351(W)								
A "Before 7/16/71"	M	42, 55	D00Z 10145-A (GY-938)	44, 72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30, 43, 44, 104, 119	D1OZ 10A336-A	
A "From 7/16/71"	M	42, 55, 61	D00Z 10145-A (GY-938)	44, 72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30, 43, 44, 104, 119	D1OZ 10A336-B	
8 CYL. 390								
A	M	42, 55	C8AZ 10145-A	25, 72	C8AZ 10156-B & †D1AZ 8A652-A (Spacer)			
A	M	70	C8AZ 10145-B	55, 72	C3SZ 10156-C & †D1AZ 8A652-A (Spacer)			
8 CYL. 400								
A	M	42, 55, 61	D3AZ 10145-D (GY-992)	43, 72	D1AZ 10156-A & (GY-993) D2SZ 10A370-A (GY-946-B) (Spacer)	30, 43, 104, 119		
A	M	70	D1AZ 10145-B (GY-995)	72, 91	D1AZ 10156-B & (GY-997) D2SZ 10A370-A (GY-946-B) (Spacer)	89, 91		
8 CYL. 429								
A, B, S	M	42, 55	D0SZ 10145-A (GY-939)	72, 85	D0SZ 10156-A & (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84, 85, 113		
A	M	70	D0VY 10145-A (GY-941)	72, 85	D0SZ 10156-A & (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84, 85, 113		
B(CJ), F(CJ, S/CJ)	M	42, 55	D0OZ 10145-B (GY-969)	84, 85	D0SZ 10156-A (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84, 85, 113		
S	M	70	D0SZ 10145-B (GY-940)	72, 85	D0SZ 10156-A & (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84, 85, 113		

△ M - Motorcraft L/N - Leece Neville

† Cut to length

May, 1975

* Refer to Hardware listing at end of chart for number shown in this column

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT		SIDE	
					PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1972								
4 CYL. 98 (1600 cc)								
L (exc. A/C)	M	38	D1FZ 10145-B (GY-1002)	72,84			D1FZ 10A313-C	52,108
L (with A/C)	M	All	D2FZ 10145-A				D2FZ 10337-A	
4 CYL. 122 (2000 cc)								
L (w/o A/C)	M	38,55, 61	D2FZ 10145-B	72	D1FZ 10156-A (GY-998)	52,93		
L (with A/C)	M	42	D3FZ 10145-B (GY-994)	72,94, 95			D3FZ 10A313-B	89,96, 101,102
L (with A/C & heated backlite)	M	70	D2FZ 10145-C				D2FZ 10A313-A	96,116, 117
6 CYL. 170, 200								
P,U	M	42,55	C5TZ 10145-H	4,60,72			C5TZ 10A313-D	10,25, 32,52, 96
6 CYL. 240								
A	M	42,55	C9AZ 10145-C (GY-922)	72,78			C9AZ 10A313-A (GY-925)	45,72
6 CYL. 250								
B,F,P	M	42,55	C9ZZ 10145-A (GY-917)	53,72			C9ZZ 10A313-A (GY-918)	52,53
B	M	70	D2DZ 10145-A					
8 CYL. 302								
A,B,F,P	M	42,55, 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B D1AZ 8A652-A (Spacer)	30,43, 44,104, 119	D1OZ 10A336-B	
B	M	70	D2OZ 10145-B	72,98	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,97, 98,119	D1OZ 10A336-B	103
U	M	38,42, 55	C9OZ 10145-A (GY-934)	7,60,74	D1TZ 10156-A (GY-942) & D1AZ 8A652-A (Spacer)	5,30, 104,119		
8 CYL. 351(C)								
A	M	42,55, 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	43,44 104,119		
B,F B(CJ)	M	42,55, 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,43, 44,104, 119		
A(P/C) B	M	70	D2OZ 10145-B	72,98	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,97, 98,119		
F(CJ)	M	70						

△ M - Motorcraft

* Refer to Hardware listing at end of chart for number shown in this column

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	FRONT	* NUTS, BOLTS, ETC.	SIDE	* NUTS, BOLTS, ETC.
					PART NUMBER		PART NUMBER	
1972 - continued								
8 CYL. 351(W)								
A, B	M	42, 55, 61	D00Z 10145-A (GY-938)	44, 72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30, 43, 44, 104, 119	D1OZ 10A336-B	103
8 CYL. 400								
A, B	M	42, 55, 61	D3AZ 10145-D (GY-992)	72, 91	D1AZ 10156-A & (GY-993) D2SZ 10A370-A (GY-946-B) (Spacer)	97, 104		
A, B	M	70	D2OZ 10145-A	72, 97	D2OZ 10156-A & D2SZ 10A370-A (GY-946-B) (Spacer)	97, 118		
A(P/C)	M	70	D2OZ 10145-B	72, 98	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	76, 97, 98		
S	M	55	D2SZ 10145-B	71, 72	D2SZ 10156-A & D2SZ 10A370-A (GY-946-B) (Spacer)	71, 100		
S	M	70	D2SZ 10145-C	71, 72	D2OZ 10156-A & D2SZ 10A370-A (GY-946-B) (Spacer)	71, 100		
8 CYL. 429								
A, B, S	M	42, 55, 61	D0SZ 10145-A (GY-939)	72, 85	D0SZ 10156-A (GY-943) & D2SZ 10A370-A (GY-946-B) (Spacer)	84, 85, 113		
A, B, S	M	70	D2SZ 10145-A	72, 85	D0SZ 10156-A (GY-943) & D0VY 10A370-A (GY-946-B) (Spacer)	84, 85, 113		
8 CYL. 460								
S	M	55, 61	D0SZ 10145-A (GY-989)	72, 85	D0SZ 10156-A (GY-943) & D0VY 10A370-A (GY-947) (Spacer)	84, 85, 113		
S	M	70	D2SZ 10145-A	72, 85	D0SZ 10156-A (GY-943) & D0VY 10A370-A (GY-947) (Spacer)	84, 85, 113		

△ M - Motorcraft
May, 1975


* Refer to Hardware listing at end of chart for number shown in this column
COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE


10A313 ALTERNATOR MOUNTING PARTS - NUTS, BOLTS, ETC. (Quantity As Required)

CODE	PART NUMBER	DESCRIPTION	CODE	PART NUMBER	DESCRIPTION
1	34807-S8(X66)	Lockwasher-spring-3/8"	63	356321-S8(XX311)	Spacer-13/32" I. D. x 7/8" O. D. x 5/32" thick
2	354135-S7-8(BB155A)	Bolt-hex, head-3/8"-16 x 1 1/8"	65	378365-S8(BB562G)	Bolt hex,hd.-5/16"-18 x 2 5/8"
3	45504-S7-8(B43EC)	Bolt-hex, head-1/4"-20 x 2"	66	356214-S8(XX162)	Washer-flat-3/8"
4	20520-S8(B63)	Bolt-hex, head-5/16"-18 x 2"	68	43089-S7-8(B228H)	Bolt-hex, head-1/2"-13 x 1"
5	34806-S7(X64)	Lockwasher-spring-5/16"	69	20345-S7-8(B150A)	Bolt-hex, head-1/4"-28 x 3/4"
6	20428-S7-8(B82)	Bolt-hex, head-3/8"-16 x 1 1/4"	70	351487-S(XX291)	Lockwasher-external tooth-3/8"
7	382585-S100(XX143A)	Washer-flat-3/8"	71	46069-S7-8(B263E)	Bolt-hex, head locking)-7/16"-14 x 3 3/4"
8	33799-S7(M52)	Nut-hex, -3/8"-16	72	373162-S(BB563A)	Bolt-hex, head-3/8"-16 x 1 1/8"
9	20448-S8(B83)	Bolt-hex, head-3/8"-16 x 1 3/8"	73	43514-S8(U17)	Screw & washer-hex,hd. -3/8"-16 x 1"
10	34808-S8(X67)	Lockwasher-spring-7/16"	74	359088-S100(BB416C)	Bolt-hex, hd. -3/8"-16 x 1 1/4"
12	373293-S8(BB563)	Bolt-hex, head-3/8"-16 x 1"	75	45644-S8(B97H)	Bolt-hex, hd. -3/8"-16 x 6"
14	43002-S(B257)	Bolt-hex, head-3/8"-16 x 1 1/2"	76	375527-S(BB429E)	Bolt-7/16"-14 x 7/8"
15	20430-S8(B104)	Bolt-hex, head-7/16"-14 x 1 1/4"	77	356684-S8(B169)	Bolt-3/8"-16 x 3 3/4"
16	42999-S(B253)	Bolt-hex, head-3/8"-16 x 1 1/8"	78	373564-S(BB562D)	Screw-5/16 -18 x 1 7/8"
18	20488-S8(B86)	Bolt-hex, head-3/8"-16 x 1 5/8"	79	56160-S4(B320T)	Bolt-7/16 -14 x 1"
24	20348-S8(B77)	Bolt-hex, head-3/8"-16 x 3/4"	80	33771-S4(M89L)	Nut-3/8"-16 lock
25	20388-S8(B80)	Bolt-hex, head-3/8"-16 x 1"	81	371502-S(BB419)	Bolt-3/8"-16 x 3/4"
26	375860-S2(BB405CE)	Bolt-hex, head-7/16"-14 x 5 1/4"	82	383570-S(WW49K)	Stud-7/16"-14-14 x 7"
28	20368-S8(B79)	Bolt-hex, head-3/8"-16 x 7/8"	83	56172-S4(B326)	Bolt-7/16"-14 x 4"
30	34848-S8(X75)	Lockwasher-spring-7/16"	84	56138-S4(B319V)	Bolt-3/8"-16 x 3/4"
32	20534-S8(B90)	Bolt-hex, head-3/8"-16 x 2 1/4"	85	370584-S(BB420)	Bolt-3/8"-16 x 4"
34	20468-S8(B85)	Bolt-hex, head-3/8"-16 x 1 1/2"	87	56356-S4(B318G)	Bolt-3/8"-16 x 5 11/16"
36	45562-S8(B69)	Bolt-hex, head-5/16"-18 x 4"	88	56161-S4(B320U)	Bolt-7/16"-14 x 1 1/4"
38	44727-S8(X24)	Washer-flat-3/8"	89	384533-S36(BB191C)	Bolt-7/16"-14 x 7"
42	20408-S7(B81)	Bolt-hex, head-3/8"-16 x 1 1/8"	91	56123-S36(B319L)	Bolt-5/16"-18 x 1 1/4"
43	45532-S7-8(B65)	Bolt-hex, head-5/16"-18 x 3"	92	383107-S36(BB545EY)	Bolt-3/8"-16 x 1"
44	355432-S(BB149)	Bolt-hex, head-5/16"-18 x 5 1/2"	93	N602570-S51(AB70)	Bolt-M10 x 25MM (Metric)
45	45520-S7-8(B63B)	Bolt-hex, head-5/16"-18 x 2 1/2"	94	N602549-S51(AB61)	Screw & washer-8M x 20MM-metric coarse
46	351428-S7(XX166)	Washer-flat-7/16"	95	N602569-S51(AB69)	Screw & washer-10MM x 20MM-metric coarse
47	★350224-S	Bolt-hex, head-7/16"-14 x 7/8"	96	382469-S(UU52AN)	Screw-7/16"-14 x 4 1/8"
48	352153-S(XX173)	Washer-flat-7/16"	97	300890-S(BB66)	Bolt-5/16"-18 x 3"
49	45566-S7-8(B117)	Bolt-hex, head-7/16"-14 x 4"	98	383969-S(BB545DD)	Bolt-5/16"-18 x 5 1/16"
50	371829-S100(BB191)	Bolt-hex, head-7/16"-14 x 6"	99	383722-S(BB518K)	Bolt-7/16"-14 x 6 3/16"
52	351989-S8(BB188)	Bolt-hex, head-7/16"-14 x 4 5/8"	100	★384861-S	Bolt-7/16"-14 x 7 3/4"
53	42996-S7-8(B251F)	Bolt-hex, head-3/8"-16 x 3/4"	101	N800013-S51M(AB118)	Bolt-hex,hd.-M8 x 19.0MM(Metric)
54	42998-S8(B252A)	Bolt-hex, head-3/8"-16 x 1"	102	N800014-S51M(AB119)	Bolt-hex,hd.-M10 x 22.2MM(Metric)
55	C2OZ 6065-B	Bolt-hex, head-7/16"-14 x 3 7/8"	103	384185-S100(BB545W)	Bolt-hex, washer hd.-7/16"-14 x 1"
56	20508-S8(B110)	Bolt-hex, head-7/16"-14 x 1 3/4"	104	384631-S36(BB191A)	Bolt-7/16"-14 x 6 1/4" hex,hd.
57	351405-S7(XX147)	Washer-flat-3/8"	108	E600212-S72	Bolt-M8 x 35M (Metric Coarse)
58	356309-S7(XX299)	L/washer-int. & ext. tooth-5/16"	113	382925-S2(BB891)	Bolt-7/16"-14 x 5 3/16"
59	20466-S8(B61)	Bolt-hex, head-5/16"-18 x 1 1/2"	115	N800019-S51	Stud-10MM x 35MM(Metric)
60	359266-S8(BB157)	Bolt-hex, head-3/8"-16 x 1 1/4"	116	N601314-S51	Bolt-10MM x 45MM x 26MM(Metric)
61	20390-S8(B102)	Bolt-hex, head-7/16"-14 x 1"	117	N620014-S51	Nut-10MM(Metric)
62	354193-S(XX141)	Washer-flat-3/8"	118	383721-S(BB518J)	Bolt-7/16"-14 x 6 1/8"
			119	302569-S(BB188E)	Bolt-7/16"-14 x 5 1/2"


YEAR	MODEL	C Y L.	C.I.D.	DESCRIPTION	REGULATOR CATALOG SYMBOL	QTY.	PART NUMBER
10B315 BRACE - ALTERNATOR MOUNTING - Refer to Group 10A313							
10316 REGULATOR ASSY. - ALTERNATOR - For Generator Regulator refer to Group 10505							
65	A, B	6&8	Exc 427	14 volt, negative ground, 4 terminals-ident. 3727RA, C5AF 10316-B-use w/alternator C5AZ 10346-B, C, D	41 (Leece Neville)	1	★C5AZ 10316-B r/b C5AZ 10316-C
65/67	A, B	6&8	All	14 volt, negative ground, 5 terminals-ident. 3727RA, C5AF 10316-E-includes instruction sheet No. 1837-use with alternator C5AZ 10346-B, C, D	44 (Leece Neville)	1	C5AZ 10316-C (GR-373)
65/69	A, B	8	Exc 427	14 volt, negative ground, 3 terminals-ident. 3737RA, 3777RA, C5TF 10316-B, D-includes instruction sheet No. 1829-use w/alternator C5TZ 10346-C, D	42 (Leece Neville)	1	C5TZ 10316-B (GR-362)
70	A	8	390, 428,429			1	
65/72	A, B, F, P, U, L, X "Before 5/22/72"	4, 6 & 8	All	15 volt, negative ground, 4 terminals-ident. C4TF 10316-B, D, C4UF 10316-A, B, C5AF 10316-A, C5TF 10316-A, C8AF 10316-A, C8TF 10316-A, D0AF 10316-A, D2AF 10316-AA, D2TF 10316-AA	T10 (Motorcraft)	1	★C3SZ 10316-B (GR-341) r/b D4TZ 10316-A(2-75)
65/68	S	8	All			1	
69/70	S(with heated back lite)	8	All			1	
70	S(exc. with heated back lite)- "From 9/15/69"	8	All			1	
71/72	S "Before 5/22/72"	8	All			1	
72	A, B, F, L, P, S, U "From 5/22/72"	4, 6 & 8	All	15 Volt-#D3TF 10316-AA	(Motorcraft)	1	D3TZ 10316-A (GR-341-A)
66/67	F, S, U, X	6&8	All	Transistorized-14 volt, negative ground, 3 terminals-ident. C6AF 10316-A, C6TF 10316-A, D2HF 10316-AA-use with alternator C5AZ 10346-B, C, C5DZ 10346-B, C5TZ 10346-C, D, G	43 (Motorcraft)	1	★C6AZ 10316-A (GR-374) r/b D3TZ 10316-B(9-74)
66/68	A, B	8	All	Use w/C7AF 10300-A, C7AF 10346-A, B, D0AF 10300-A		1	
69	S (exc. with heated back lite)	8	All	Ident. C8SF 10316-A		1	C8SZ 10316-A (GR-383)
70	S (exc. with heated back lite)- "Before 9/15/69"			Use w/alternator C8SZ 10346-A, D0SZ 10346-A			
65/67	A, B, F, S, X	6&8	All	Screw-hex., washer head-No. 14-10 x 3/4"		4	42143-S8(U255)
		6&8	All	Screw-hex. washer head-No. 14-10 x 1/2"		1	31497-S8(U254)
68/	A, B, F, S, U, X	6&8	All	Screw (attach regulator to fender shield)-1/4-14 x 5/8"		2	381922-S2(UU52A)
10316 ALTERNATOR REGULATOR KIT							
66/68	A, B	8	All	Tranistorized-14 volt negative		1	D3TZ 10316-B
66/67	F, S, U, X	6&8	All	ground, 3 terminals		1	(GR-504)
Consists of							
(1) D4HZ 10316-A		(1) D3TZ 10A609-A		(1) I. Sheet			
10317 SHIELD - ALTERNATOR SPLASH - If not Listed Improvise							
71/	A	6&8	240,429, 460	Rubber		1	D1AZ 10317-A
71	F "Before 5/1/71"	6	200,250	Rubber		1	D1OZ 10317-A (GY-1015)
		8	429				
71/	F "From 5/1/71"	6&8	200,250			1	D1ZZ 10317-A
71/	P	6	All	Rubber		1	D1DZ 10317-A (GY-1016)
72	S	8	All	Rubber		1	D2SZ 10317-A
10320-36 Refer to Alternator Parts List - Section 103, Page 1							
10A336 ADAPTER - ALTERNATOR MOUNTING BRACKET - Refer to Group 10A313							




TYPE 1






TYPE 2




TYPE 3




TYPE 4



TYPE 5



TYPE 6



P-2915

YEAR	MODEL	C Y L	C.I.D.	DESCRIPTION	△ MAKE	AMP.	QTY.	PART NUMBER
10337 BRACKET - ALTERNATOR and COMPRESSOR MOUNTING - Refer to Group 10A313								
10A340-43 Refer to Alternator Parts List Section 103, Page 1								

10344 PULLEY - ALTERNATOR

MODEL	IDENTIFICATION	T Y P E	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
-------	----------------	------------------	---	---	---	---	---	---	---	-----------	------	-------------

1965

6 CYL. 170, 200

B, F, X	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38,42, 45	C5AZ 10344-K (GP-493)
B	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42,45, 55	C5AZ 10344-L (GP-494)
B(w/A/C)										M	38	
B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E

6 CYL. 240

A(exc. A/C)	C5AF 10A352-A, B, F, G, K, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	42,45, 55	C5AZ 10344-K (GP-493)
A(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42,45, 55	C5AZ 10344-L (GP-494)
A	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	C5AF 10A352-H	5	3.90	.670	.38		.88			M	42	C5AZ 10344-H (GP-580)

8 CYL. 289

A, B, F, X(exc. A/C)	C5AF 10A352-B,G,K, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	All	C5AZ 10344-K (GP-493)
A, B, F, X(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	All	C5AZ 10344-L (GP-494)
A, B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60,65	C5AZ 10344-E
B, F	C5AF 10A352-C, H D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 45, 55	D1ZZ 10344-A (GP-465A)
A, B, F, X	C5AF 10A352-H	5	3.90	.670	.38		.88			M	42	C5AZ 10344-H (GP-580)

8 CYL. 352, 390

A, S	C5AF 10A352-A, D, F, J, L, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42,45, 55	C5AZ 10344-L (GP-494)
A	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60,65	C5AZ 10344-E
A	C5AF 10A352-H	5	3.90	.670	.38		.88			M	42	C5AZ 10344-H (GP-580)

8 CYL. 427

A	C5AF 10A352-C, D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 45	D1ZZ 10344-A (GP-465A)
A	C5AF 10A352-H	5	3.90	.670	.38		.88			M	42	C5AZ 10344-H (GP-580)

△ M - Motorcraft L/N - Leece Neville

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

MODEL	IDENTIFICATION	T Y P E	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
-------	----------------	------------------	---	---	---	---	---	---	---	-----------	------	-------------

10344 PULLEY - ALTERNATOR - continued

1966

6 CYL. 170, 200												
B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
B, F, U, X(exc. A/C)	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	38,42, 55	C5AZ 10344-K (GP-493)
B, X(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38,42, 55	C5AZ 10344-L (GP-494)

6 CYL. 240

A	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A(w/T/E)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38,42, 55	C5AZ 10344-L (GP-494)
A(w/A/C exc. P/S)										M		
A(w/A/C & P/S)-exc. T/E	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K (GP-493)

8 CYL. 289

A	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60,65	C5AZ 10344-E
A, B, F, U, X	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	38,42, 55	C5AZ 10344-K (GP-493)
U, X										M	45	
A(w/T/E), B, F, U, X	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38,42, 45	C5AZ 10344-L (GP-494)
A, B, U, X										M	55	
F	C5AF 10A352-H D1ZF 10A352-A	5	3.05	.670	.38		.91			M	38,42, 55	D1ZZ 10344-A (GP-465A)

8 CYL. 352, 390, 428

A, B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60,65	C5AZ 10344-E
A, B, S	C5AF 10A352-B, F, G, K, L	5	2.84	.670	.38		1.015			M	38,42, 55	C5AZ 10344-K (GP-493)
S										M	45	
A(w/T/E), B, S(w/T/E)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38,42, 45,55	C5AZ 10344-L (GP-494)
A(w/A/C)												

8 CYL. 427

A, B	C5AF 10A352-H D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42	D1ZZ 10344-A (GP-465A)
------	--------------------------------	---	------	------	-----	--	-----	--	--	---	----	---------------------------

1967

6 CYL. 170, 200												
B, F, U, X(exc. A/C)	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	38,42, 55	C5AZ 10344-K (GP-493)
B, X(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E

6 CYL. 240												
A(w/T/E)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L (GP-494)
A(exc. T/E)										M	42	
A(w/A/C exc. P/S)										M	55	

△ M - Motorcraft L/N - Leece Neville

MODEL	IDENTIFICATION	T Y P E	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
-------	----------------	------------------	---	---	---	---	---	---	---	-----------	------	-------------

10344 PULLEY - ALTERNATOR - continued*1967 - continued***6 CYL. 240 - continued**

A(w/A/C & P/S)-exc.T/E	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K (GP-493)
A	74146	6	2.63	.670	.38		.86			L/N	53	C5TZ 10344-E

8 CYL. 289

B, F, X(exc. A/C or P/S), U A(exc. T/E) "From 10/1/66" X A, B(w/A/C), F, U, X(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M M M M	38 42 42 55	C5AZ 10344-L (GP-494)
B, F, U, X A "Before 10/1/66" A(w/T/E) "From 10/1/66" B, X U X(w/A/C) A, B, F, X(w/A/C & P/S)	C5AF 10A352-B, G, K, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M M M M M M	38 42 42 42 42, 45, 55 55	C5AZ 10344-K (GP-493)
F	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 55	D1ZZ 10344-A (GP-465-A)
F	C7ZF 10A352-A	6	3.62	.670	.38		1.49	.64		M	42	C7ZZ 10344-A (GP-486)

8 CYL. 390, 428

A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
A, B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60, 65	C5AZ 10344-E
B, F A B A, B, F S(exc. A/C) S B F(w/T/E) A, B A, B, F A, S(w/A/C)	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	5	2.84	.670	.38		1.015			M M M M M M	38 42 42 55 55 60	C5AZ 10344-K (GP-493)
	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M M M M M	38 38 42 55 55	C5AZ 10344-L (GP-494)

8 CYL. 427

A, B	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 55	D1ZZ 10344-A (GP-465-A)
------	---------------	---	------	------	-----	--	-----	--	--	---	--------	----------------------------

*1968***6 CYL. 170, 200**

B, F, X	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
F, X U B	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M M M	38 38 42	C5AZ 10344-K (GP-493)

△ M - Motorcraft L/N - Leece Neville

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
1968 - continued												
10344 PULLEY - ALTERNATOR - continued												
6 CYL. 240												
A(exc. T/E)	C5AF10A352-B, F, G, K, L, C9AF10A352-A, B	5	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A(w/T/E) A	C5AF10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M M	42 55	C5AZ 10344-L (GP-494)
8 CYL. 289												
F, X, U U B(less P/S) F, U, X(A/C w/P/S) F	C5AF10A352-B, J, K, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M M M M	38 42 38 55	C5AZ 10344-K (GP-493)
F, X(A/C exc. P/S)	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 55	D1ZZ 10344-A (GP-465-A)
	C5AF10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 302												
A(exc. P/S) A, F, X(A/C exc. P/S) A F, X A, B(w/P/S) A, F, X(A/C w/P/S) B	C5AF10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M M	42 55	C5AZ 10344-L (GP-494)
	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
	C5AF10A352-B, G, K, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M M M M	38 42 55 55	C5AZ 10344-K (GP-493)
8 CYL. 390												
A, B(exc. T/E) A(A/C w/P/S) B, S F(GT) (A/C w/P/S) A F(GT) A, B(w/T/E) A(A/C exc. P/S) B F(GT) (A/C exc. P/S)	C5AF10A352-B, F, G, K, L, C9AF10A352-A, B	5	2.84	.670	.38		1.015			M M M M	42 55 55 55	C5AZ 10344-K (GP-493)
	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
	C5AF10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M M M M	38 42 55 55	C5AZ 10344-L (GP-494)
8 CYL. 427												
F	C5AF10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L (GP-494)
8 CYL. 428												
A(exc. T/E) A(P/C w/A/C & P/S) A(A/C w/P/S) A(w/T/E) A(P/C) A(A/C exc. P/S) A(P/C)(exc. A/C) A(P/C w/A/C exc. P/S) A	C5AF10A352-B, F, G, K, L, C9AF10A352-A, B	5	2.84	.670	.38		1.015			M M M	42 55 55	C5AZ 10344-K (GP-493)
	C5AF10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M M M M	42 42 55 55	C5AZ 10344-L (GP-494)
	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B

MODEL	IDENTIFICATION	T Y P E	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
1968 - continued												
8 CYL. 429												
S	C5AF10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
1969												
6 CYL. 170,200												
F,U,X	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
F										M	42	
X										M	55	
X	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
6 CYL. 240												
A(w/T/E)	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A(exc. T/E)	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
6 CYL. 250												
B	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
F										M	38	
8 CYL. 302												
A,X	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
F,X,U	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
A,B,F(w/P/S)										M	42	
X										M	55	
8 CYL. 351												
B,F	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
8 CYL. 390												
A	74187	6	3.01	.670	.38		1.56	.65		L/N	65	C5AZ 10344-E
A	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
F(GT)										M	38,55	
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
B(A/C less P/S)	C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
F(GT)										M	55	
B(GT)										M	42	
A										M	55	
S										M	55	
8 CYL. 427												
B,F	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L (GP-494)

MODEL	IDENTIFICATION	T Y P E	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
<i>1969 - continued</i>												
8 CYL. 428												
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
A(P/C)	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K (GP-493)
A(P/C)	74187	6	3.01	.670	.38		1.56	.65		L/N	65	C5AZ 10344-E
B(CJ)	C5AF 10A352-D,J	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L
A(P/C)	C5TF 10A352-B,K, C9AF 10A352-C									M	42	(GP-494)
A										M	55	
F(CJ)										M	55	
8 CYL. 429												
A	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A,S	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K (GP-493)
F-Boss										M	55	
S-with heated back window	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
A										M	65	
<i>1970</i>												
6 CYL. 170, 200												
F,P	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
U,X										M	55	
P	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
6 CYL. 240												
A-with heated backlite	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42,55	C5AZ 10344-K (GP-493)
6 CYL. 250												
B,F	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
B										M	55	
B,F-w/A/C	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 302												
B,F,U,X	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38,42	C5AZ 10344-K (GP-493)
A,B,F-with A/C										M	55	
F-Boss	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
X	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 351												
A,B,F	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38,42, 55	C5AZ 10344-K (GP-493)

MODEL	IDENTIFICATION	T Y P E	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
<i>1970 - continued</i>												
8 CYL. 390												
A-with heated backlite w/o A/C A	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M M	55 42	C5AZ 10344-L (GP-494)
A-with heated backlite w/A/C A	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M M	38 42	C5AZ 10344-K (GP-493)
8 CYL. 428												
A F(CJ)	C5AF 10A352-D,J, C5TF 10A352-B,K C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M M M	42 55 55	C5AZ 10344-L (GP-494)
A-with heated backlite w/o A/C												
A-with heated backlite w/A/C	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K (GP-493)
8 CYL. 429												
A-with heated backlite w/o A/C B S	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M M M	55 38,55 55	C5AZ 10344-K (GP-493)
B(CJ) B,F	C5AF 10A352-H D1ZF 10A352-A	5	3.05	.670	.38		.91			M M	55 55	D1ZZ 10344-A (GP-465A)
S	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B (GP-485)
<i>1971</i>												
4 CYL. 98, 122 (1600, 2000 cc)												
L	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38,65	C5AZ 10344-K (GP-493)
6 CYL. 170, 200												
P,U	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
P	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
6 CYL. 240												
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
6 CYL. 250												
B,F	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
B,F,P	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 302												
A,B,F,P,U	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
F-4V	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
A	D1AF 10A352-A	3	3.12	.88	.38		.85			M	65	D1AZ 10344-A (GP-508)
8 CYL. 351												
A,B,F	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A	D1AF 10A352-A	3	3.12	.88	.38		.85			M	65	D1AZ 10344-A (GP-508)

△ M - Motorcraft L/N - Leece Neville

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

MODEL	IDENTIFICATION	T Y P E	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
<i>1971 - continued</i>												
8 CYL. 390												
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 400												
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B (GP-485)
A	D1AF 10A352-A	3	3.12	.88	.38		.85			M	65	D1AZ 10344-A (GP-508)
8 CYL. 429												
A,B	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
S										M	55	
A,S	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B (GP-485)
B,F	D1ZF 10A352-AA	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
A,S	D1AF 10A352-AA	3	3.12	.88	.38		.85			M	65	D1AZ 10344-A (GP-508)
<i>1972</i>												
4 CYL. 98, 122 (1600, 2000 cc)												
L	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
6 CYL. 170, 200												
P,U	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38,42	C5AZ 10344-K (GP-493)
P	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
P	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	61	C5AZ 10344-K (GP-493)
P-with hang-on A/C												D2OZ 10344-B (GP-573)
6 CYL. 240												
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
6 CYL. 250												
B,F	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
B,F,P	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
B,F,P-with hang-on A/C												D2OZ 10344-B (GP-573)
8 CYL. 302												
A,B,F,P,U	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42,61	C5AZ 10344-K (GP-493)
F	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
A,B,S	D2OF 10A352-AA	3	3.15	.670	.38		.91			M	65	D2OZ 10344-A (GP-511)

MODEL	IDENTIFICATION	T Y P E	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
-------	----------------	------------------	---	---	---	---	---	---	---	-----------	------	-------------

10344 PULLEY - ALTERNATOR - continued

1972 - continued

8 CYL. 351

A, B, F	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A, F										M	61	
A, B, S	D2OF 10A352-AA	3	3.15	.670	.38		.91			M	70	D2OZ 10344-A (GP-511)

8 CYL. 400

A, B, S	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A, B, S	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	61	C5AZ 10344-K (GP-493)
A, B, S	D2OF 10A352-AA	3	3.15	.670	.38		.91			M	70	D2OZ 10344-A (GP-511)
A, C	D2AF 10A352-AA	6	3.15	.670	.38		1.49	.64		M	70	D2AZ 10344-A (GP-578)

8 CYL. 429

A, B, S	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
B	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	61	C5AZ 10344-K (GP-493)
A, B, S	D2OF 10A352-AA	3	3.15	.670	.38		.91			M	70	D2OZ 10344-A (GP-511)
A, C	D2AF 10A352-AA	6	3.15	.670	.38		1.49	.64		M	70	D2AZ 10344-A (GP-578)

8 CYL. 460

S	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	55, 61	C5AZ 10344-K (GP-493)
S	D2OF 10A352-AA	3	3.15	.670	.38		.91			M	70	D2OZ 10344-A (GP-511)

YEAR	MODEL	C Y L	C.I.D.	DESCRIPTION	△ MAKE	AMP.	QTY.	PART NUMBER
65/	A, B	6&8	All	Nut-hex, -1/2"-20	L/N	All	1	33943-S8(M36)
65/	A, B			Lockwasher-spring-1/2"	L/N	All	1	34809-S8(X68)
65/	A, B	6&8	All	Key-5/8" x 5/32"	L/N	All	1	74175-S(L7)
65/	A, B, F, S, U, X	6&8	All	Lockwasher-spring-21/32"	M	All	1	351496-S(XX306)
				Nut-hex, -21/32"-20	M	All	1	351124-S(MM42)

10A344 SPACER - ALTERNATOR FAN or PULLEY

65	A, B, F, S, X	"Before 4/1/65"	6&8	All	21/32" I.D. x 7/8" O.D. x 1/4"	M	All	1	C5AZ 10A344-A (GY-700)
65/	A, B, F, P, S, U, X	"From 4/1/65"	6&8	All	11/16" I.D. x 7/8" O.D. x 5/32" thick	M	All	1	C5AZ 10A344-B (GY-808)
65/67	A, B		6&8	All	11/16" I.D. x 1" O.D. x 5/16"	L/N	40, 53	1	★C2AZ 10A344-A Not replaced
67/69	A		6&8	All	13/16" I.D. x 1 1/4" O.D. x 5/32"	M	65	1	D0AZ 10A344-A (GY-974)
70/71	A, P, S		8	All		M	65, 70	1	
65/67	A		8	Exc 427	11/16" I.D. x 1 3/16" O.D. x 1/4"	L/N	60, 65	1	C5TZ 10A344-A
72	A, B, S		6&8	All	43/64" I.D. x 7/8" O.D. x 5/16"	M	65, 70	1	D2OZ 10A344-A

△ M - Motorcraft L/N - Leece Neville

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

10346 ALTERNATOR APPLICATION CHART

Determine year, model, engine, make of alternator and amperage or identification.
Find service Alternator as well as Voltage Regulator in adjacent column.
Parts are listed in order of Make and Amperage.

(Also see Page 1 of this section for PARTS LISTS instructions and ALTERNATOR IDENTIFICATION CHART)

MODEL	ENGINE		△ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
	CYL.	C.I.D.							
1965									
A, B, F, S, X	6&8	All	M	38, 42, 45		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
A, B S (w/A/C & trans. ign.)	6&8 8	Exc.427 390	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A, B S(w/A/C & trans. ign.)	6&8 8	Exc.427 390	M	55		103.4D	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A, B	6	200,240	L/N	53		103.2B	C5AZ 10346-C	C5AZ 10316-B Repl. by C5AZ 10316-C	3
A B	6&8 8	Exc.427 289	L/N	53		103.2A	★C5AZ 10346-B Not replaced	C5AZ 10316-B Repl. by C5AZ 10316-C	3
A	8	Exc.427	L/N	60, 65		103.2C	C5TZ 10346-C (GL-84)	C5TZ 10316-B (GR-362)	2
A	8	Exc.427	L/N	60, 70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)	2
B	8	289	L/N	53		103.2E	★C5AZ 10346-D Not replaced	C5AZ 10316-B Repl. by C5AZ 10316-C	3

1966

B, F, U, X	6&8	Exc.427	M	38		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
A, B, F, S, U, X	6&8	All	M	42				(GR-341) (Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B (5-74)	
S, U, X	6&8	All	M	45					
A, B, U, X S(w/A/C & trans. ign.)	6&8 8	Exc.427 390,428	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341) (Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B (5-74)	5
A B	6&8 8	Exc.427 390	L/N	53		103.2A	★C5AZ 10346-B Not replaced	C5AZ 10316-C (GR-373) (Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10416-B (5-74)	3

△ M - Motorcraft L/N - Leece Neville

% Replaced by D4TZ 10316-A (2-75)

MODEL	ENGINE		△ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
	CYL.	C.I.D.							

10346 ALTERNATOR APPLICATION CHART - continued

1966 - continued

A	8	Exc 427	L/N	60, 65		103.2C	C5TZ 10346-C (GL-84)	C5TZ 10316-B (GR-362)(Non- transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	2
A	8	Exc 427	L/N	60, 70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)(Non- transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	2
B	6	200	L/N	53		103.2B	C5AZ 10346-C	C5AZ 10316-C (GR-373)(Non- transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	3

1967

A, B, F, U, X	6&8	All	M	38, 42, 45		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)(Non- transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	5
A	6&8	240, 289, 390, 428	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)(Non- transistorized) or ★C6AZ 10316-B (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	5
B, F	6&8	200, 289, 390							
S	8	390, 428							
U	6&8	170, 289							
X	6&8	170, 200, 289							
A	8	390, 428	M	65		103.5F	D1AZ 10346-A (GL-87)	%C3SZ 10316-B (GR-341)(Non- transistorized)	6
A	6&8	240, 390, 428	L/N	53		103.2A	★C5AZ 10346-B Not replaced	C5AZ 10316-C (GR-373)(Non- transistorized) or ★C6AZ 10316-B (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	3
B	8	390							

Δ M - Motorcraft
May, 1975

L/N - Leece Neville

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

MODEL	ENGINE		△ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
	CYL.	C.I.D.							

10346 ALTERNATOR APPLICATION CHART - continued

1967 - continued

B	6	200	L/N	53		103.2B	C5AZ 10346-C	C5AZ 10316-C (GR-373)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	3
A	8	390, 428	L/N	60, 65		103.2C	C5TZ 10346-C (GL-84)	C5TZ 10316-B (GR-362)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	2
A	8	390, 428	L/N	60, 70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (Transistorized) r/b D3TZ 10316-B(5-74)	2
S	8	428	M	60		103.4S	D0TZ 10346-B (GL-91)	%C3SZ 10316-B (GR-341)(Non-transistorized)	5

1968

A, B, F, U, X	6&8 6&8	All All	M	38, 42		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
A, B, F, S, U, X	6&8	All	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A, B	8	All	M	65, 70		103.5F	D1AZ 10346-A (GL-93A)	%C3SZ 10316-B (GR-341)	6

1969

A, B, F, X, U	6&8	All	M	38, 42		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
A, B, X	6&8	All	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A, B, F	8	All							
B	6	All							
U	6	All							
B, F(GT)	8	All							
A, B, F(GT)(CJ)	8	All							
A, B	8	All							
B(CJ)	8	428	M	55		103.4L, 4Q	D0ZZ 10346-B (GL-92)	%C3SZ 10316-B (GR-341)	5
F(CJ)	8	428							
F-Boss	8	429 Spec.							
B	8	429							
S -without heated backlite	8	429	M	55	W/integral voltage regulator	103.4K	D0SZ 10346-A (GL-90)	C8SZ 10316-A (GR-383)	7
S-with heated backlite	8	429	M	65, 70		103.5F	D1AZ 10346-A (GL-93A)	%C3SZ 10316-B (GR-341)	6

△ M - Motorcraft L/N - Leece Neville

% Replaced by D4TZ 10316-A (2-75)

MODEL	ENGINE		△ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
	CYL.	C.I.D.							

10346 ALTERNATOR APPLICATION CHART - continued

1969 - continued

A, B, F	8	All	M	70		103.5F	D1AZ 10346-A (GL-93A)	%C3SZ 10316-B (GR-341)	6
A, P/C	8		L/N	70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)	2

1970

A, B, F, P, U, X	6&8	All	M	38, 42		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
B(CJ)	8	429	M	55		103.4Q	D0ZZ 10346-B (GL-92)	%C3SZ 10316-B (GR-341)	5
F(Boss)	8	302							
F(CJ)	8	428							
F-with A/C	6	250	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
P	6	200							
S-exc. heated backlite- "Before 9/15/69"	8	429	M	55	W/integral voltage regulator	103.4M	D0SZ 10346-A (GL-90)	C8SZ 10316-B (GR-383)	7
A, B, F, X	6&8	All	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A	6	240							
P-with A/C	6	250							
U	6&8	All							
S-exc. heated backlite- "From 9/15/69"	8	429							
A	8	390,429	M	70		103.5F	D1AZ 10346-A (GL-93A)	%C3SZ 10316-B (GR-341)	6
S-with heated backlite	8	All							
A	8	All	L/N	70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)	2

1971

B, F(exc. A/C)	6	250	M	38		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
F	8	302-2V							
F	8	351							
B(exc. CJ)	8	429							
L(1600 cc)	4	98							
P, U	6&8	All							
A	6	240	M	42					
A, B, F	8	302-2V							
A, B, F	8	351							
A	8	390							
A	8	400							
A	8	429							
L	4	122							
P(62D)	6	170,200							
B, F(with A/C)	6	250	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
P(with A/C)	6	170,200							
P(with A/C)	6	250							
A	8	390							
A, B, F, P, U	8	All							
F	6	250							
F	8	302-4V	M	55		103.4Q	D0ZZ 10346-B (GL-92)	%C3SZ 10316-B (GR-341)	58
F	8	351							
B, F(CJ)	8	429							
A(with A/C and/or heated backlite)	8	302,351, 400,429	M	61		103.4R	D0TZ 10346-C (GL-95)	%C3SZ 10316-B (GR-341)	5
P(with A/C)	6	170							
B(with A/C and heated backlite)	8	302,351							
F(with A/C and heated backlite)	8	302,351							
P(with A/C)	6	200							

△ M - Motorcraft L/N - Leece Neville

% Replaced by D4TZ 10316-A (2-75)

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

MODEL	ENGINE		△ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
	CYL.	C.I.D.							
10346 ALTERNATOR APPLICATION CHART - continued									
1971 - continued									
A,S	8	390,400, 429	M	70		103.5F	D1AZ 10346-A	%C3SZ 10316-B	6
1972									
L P(except A/C), U B, F, P (except A/C) F (except A/C) P, U A A, B, F, P A, B	4 6 6 8 6 6 8 8	All 170,200 250 302,351 170,200 240 302,351 400,429	M	38 42		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
L (with A/C and heated backlite)	4	All	M	70		103.5G	D2FZ 10346-A (GL-107) r/b D2OZ 10346-B	%C3SZ 10316-B (GR-341)	
L(with A/C and heated backlite)	4	All	M	70		103.5G	D2OZ 10346-B (GL-101)	%C3SZ 10316-B (GR-341)	
A (with A/C) A, B, F, P, S, U B, F (with A/C) P (with A/C)	6 8 6 6	240 All 250 200	M	55	"Before 12/1/71"	103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A (with A/C) A, B, F, P, S, U B, F (with A/C) P (with A/C)	6 8 6 6	240 All 250 200	M	55	"From 12/1/71"	103.4U	D2AZ 10346-D (GL-88A)	%C3SZ 10316-B (GR-341)	5
F (CJ) B (CJ)	8 8	351 429	M	55	"Before 12/1/71"	103.4Q	D0ZZ 10346-B	%C3SZ 10316-B (GR-341)	5
F (CJ) B (CJ)	8 8	351 429	M	55	"From 12/1/71"	103.4X	D2ZZ 10346-B (GL-92A)	%C3SZ 10316-B (GR-341)	5
P (with A/C) A, B, F (with A/C) B, F (with A/C) A, B (with A/C and/or rear window defroster) B (P/C)	6 8 8 8 6	200 351,400 302 429 250	M	61	"Before 12/1/71"	103.4R	D0TZ 10346-C	%C3SZ 10316-B (GR-341)	5
F (with A/C) A, B, F (with A/C) A (with A/C) A, B (with A/C and/or rear window defroster) P (with A/C) L-(w/o A/C with heated backlite) B (P/C)	8 8 8 8 6 4 6&8	302 351 400 429 200 All 250,302	M	61	"From 12/1/71"	103.4V	D2TZ 10346-B (GL-95A)	%C3SZ 10316-B (GR-341)	5
A, B A(P/I), B(P/I) A B (CJ) S (w/rear window defroster)	8 8 8 8 8	400 302,351, 400,429 429 429 429	M	70		103.5G	D2OZ 10346-B (GL-101)	%C3SZ 10316-B (GR-341)	6

△ M - Motorcraft L/N - Leece Neville

% Replaced by D4TZ 10316-A (2-75)

YEAR	MODEL	C Y L	C.I.D.	DESCRIPTION	△ MAKE	AMP.	QTY.	PART NUMBER
10A347 Refer to Alternator Parts List, Section 103 Page 1								
10K347 SHIELD - ALTERNATOR BRACKET								
71	L-with A/C	4	122-2V	Protects 12259 wiring			1	D1FZ 10K347-A
10349-70 Refer to Alternator Parts List, Section 103 Page 1								
10A370 SPACER - Refer to Alternator Mounting Parts Chart 10A313								
10B371-74 Refer to Alternator Parts List, Section 103 Page 1								
10374 DIODE ASSY. - ALTERNATOR								
71/72	A,B,F,P,S,U,X			6 1/2" long-used with alt. indicator light-#D1AB 10374-AA, D12B 10374-AA -located at alternator regulator connector			1	D1FZ 10374-A (DY-1023)
10A375 COVER - ALTERNATOR TERMINAL								
67/70	A, B, F, S, X	6&8	All	Plastic-7/8" O.D.	M	38,42,45, 55, 60	3	C7AZ 10A375-A
69/70	F(Boss)	8	429				3	
70	P	6&8	All		M		3	
10A376 RELAY - ALTERNATOR REGULATOR FIELD								
66/70	A, B (P/C)	6&8	All	Ident. C6AF 10A376-A-use with transistorized regulator	M	42, 45	1	C6AZ 10A376-A (GR-376)
66/70	A, B (P/C)			Screw-hex. washer head No. 14"-10 x 3/4"	L/N	53,60,65	2	42143-S8(U255)
66/67								
68	A			Screw-hex. washer head 1/4" -14 x 1/2"			2	55981-S2(U254E)
10377-96 Refer to Alternator Parts List, Section 103 Page 1								
YEAR	MODEL	C Y L	C.I.D.	DESCRIPTION	• REGULATOR CATALOG SYMBOL		QTY.	PART NUMBER
10505 REGULATOR ASSY. - GENERATOR - For Alternator Regulator refer to Group 10316								
65	F	6	170	15 volt,25 amp.-3 terminals-Ident. C2DF 10505-A-use with generator C1DZ 10002-A	35 (Ford)		1	C3DZ 10505-A (GR-267)
65	F	6&8	All	15 volt,30 amp.-3 terminals-Ident. C2AF 10505-A, C2TF 10505-B-use with generator C1DZ 10002-A, C1TZ 10002-A	39 (Ford)		1	C3TZ 10505-B (GR-268)
10A506 SHIELD - VOLTAGE REGULATOR								
66	B(w/A/C), X(w/A/C)	6&8	200,289				1	C1VF 10A506-B
66	B(w/o/A/C)	8	390				1	
68/70	B	8	390	(Prem. fuel)			1	
69	B (Boss Special)	8	428				1	
69/70	F	6&8					1	C9ZZ 10A506-A
70	B, F (302 Spec., 428CJ, 429CJ)			Used to cover 12450 governor			1	
68	B	8		Screw 1/4" -14 x 5/8"			2	381922-S2(UU52A)
70	B, F	8	302,429	Screw 1/4" -14 x 3/4"			2	55914-S(U254F)

△ M - Motorcraft L/N - Leece Neville

• Refer to Groups 10316 and 10505 for complete Regulator Identification

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	C Y L	C.I.D.	DESCRIPTION	• REGULATOR CATALOG SYMBOL	QTY.	PART NUMBER
10A519 INSULATOR and POST - VOLTAGE REGULATOR VOLTAGE LIMITER							
65/	A, B, F, S, U, X	6&8	All		T10	2	C3SZ 10A519-B
10A545 WIRE - VOLTAGE REGULATOR EXTENSION							
66/67	A	6&8	All	Ident. C6TB 10A545-C-use with 60, 65 amp. L/N alternator and transistorized regulator		1	C6TZ 10A545-C
66/67	A	6&8	All	Ident. C6AB 10A545-A-use with 53 amp. L/N alternator and transistorized regulator		1	★C6AZ 10A545-A Not replaced
66/67	A, B	6&8	All	Ident. C6TB 10A545-E, C8TB 10A545-A-use with 42 or 55 amp. Ford alternator and transistorized regulator		1	C6TZ 10A545-E
67	A	8	289	Ident. C6TB 10A545-A-use with 65 amp. Ford alternator		1	C6TZ 10A545-A
69	A			Ident. C9MB 10A545-A-use with 65 amp. L/N alternator		1	C9AZ 10A545-A
69	A			Ident. C9MB 10A545-B-use with 65 amp. L/N alternator		1	C9MY 10A545-A
70	A			Ident. D0AB 10A545-B-use with 65 amp. L/N alternator		1	D0AZ 10A545-A
70	A			Ident. D0AB 10A545-C-use with 65 amp. L/N alternator		1	D0AZ 10A545-B
10A555 COVER - GENERATOR REGULATOR TERMINAL							
65	F	6&8	All	Plastic-use with Ford regulators		1	C3AZ 10A555-A
10557 SPRING - VOLTAGE REGULATOR ARMATURE TENSION							
65/	A, B, F, S, U, X	6&8	All	5 1/2 coils	T10	1	C3SZ 10557-A
65/	A, B, F, S, U, X	6&8	All	10 1/2 coils	T10	1	C3SZ 10557-B
10565 POST - VOLTAGE REGULATOR LIMITER CONTACT UPPER							
65/	A, B, F, S, U, X	6&8	All		T10	1	C3TZ 10565-A
10570 RESISTOR - VOLTAGE REGULATOR UNIT FIELD							
65/	A, B, F, S, U, X	6&8	All		T10	1	C3SZ 10570-A
10594 RESISTOR - VOLTAGE REGULATOR ABSORBING							
65/	A, B, F, S, U, X	6&8	All		T10	1	C3SZ 10594-A

• Refer to Groups 10316 and 10505 for complete Regulator Identification

FORD CAR PARTS

SECTION 103.2
(1965/ LEECE NEVILLE 50,
50 H/D, 60, 65 AMP. ALTERNATOR)

1

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 2 A THRU 2 M												
		A	B	C	D	E	F	G	H	J	K	L	M	
BEARING - FRONT	10A303													
25/32" I.D. x 2 1/32" O.D. x 19/32" wide-ident. 99604 (New Departure) or 304-SZZ (Marlin Rockwell) or 304-NPP (Fafnir)	B9AZ 10A303-A (GE-8)			C	D									
21/32" I.D. x 1 9/16" O.D. x 15/32" wide-ident. 1203-RR (Federal) or 203-CC (B.C.A.) or 203-KDD (Fafnir)	★A8AZ 10094-B (GE-16) r/b C9ZZ 10094-A(5-75)	A	B			E								
RECTIFIER ASSY.	C5AZ 10304-C (GY-699)	A	B	C	D	E								
BEARING - REAR	10A304													
21/32" I.D. x 15/16" O.D. x 5/8" wide	C3SZ 10A304-A (GE-20)	A	B			E								
21/32" I.D. x 1 9/16" O.D. x 15/32" wide-ident. 1203-RR (Federal) or 203-CC (B.C.A.) or 203-KDD (Fafnir)	A8AZ 10094-B (GE-16)			C	D									
HOLDER and STUD - BRUSH	C2AZ 10320-A	A	B			E								
Screw-pan head, cross recess-No. 8-32 x 1/2"	51764-S8(U366)	2	2			2								
Nut-hex., -No. 8-32	34052-S7(M155)	A	B			E								
Lockwasher-spring-No. 8	34802-S7(X59)	A	B			E								
Washer-flat-3/16"	351270-BS(XX72)	A	B			E								
RETAINER - FRONT BEARING - refer to Group 10A355	10323													
RING - ROTOR SLIP	C1AF 10328-A			C	D									
	C2AZ 10328-A	A	B			E								
INSULATOR - TERMINAL	C4TZ 10329-A			C	D									
HOUSING - FRONT	★C5AZ 10333-C (GD-303) Not replaced	A				E								
	★C5AZ 10333-B (GD-308) Not replaced		B											
	C5TZ 10333-A (GD-304)			C										
	C5TZ 10333-C (GD-306)				D									
HOUSING - REAR	★C5AZ 10334-B (GH-291) Not replaced	A	B			E								
	C5TZ 10334-B (GH-293)			C	D									
ROTOR ASSY.	C5AZ 10335-C (GM-327)	A	B			E								
	C5TZ 10335-B (GM-329)			C	D									
STATOR ASSY.	C5AZ 10336-B (GC-286)	A	B			E								
Kit	B8TZ 10336-D (GC-302)			C	D									

SECTION 103.2
(1965/ LEECE NEVILLE 50,
50 H/D, 60, 65 AMP. ALTERNATOR)

FORD CAR PARTS

See SECTION 103, PAGE 1, for
 PARTS LISTS INSTRUCTIONS

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 2 A THRU 2 M												
		A	B	C	D	E	F	G	H	J	K	L	M	
COVER - BRUSH SPRING	C1AF 10A340-A			C	D									
JUMPER - BRUSH SPRING TO FIELD TERMINAL	C1AF 10A342-A			2	2									
BRUSH and TERMINAL SET - consists of (2) C2AF 10332-A brushes	C2AZ 10347-A (GB-95)	A	B			E								
Consists of (2) 2701918 brush	B8TZ 10347-A (GB-5)			C	D									
HOLDER - BRUSH	C2TZ 10351-A			C	D									
RETAINER - FRONT BEARING -not replaced	★C5TZ 10A355-B	A	B			E								
	C5TZ 10A355-A			C	D									
PLATE and DIODE ASSY. - POSITIVE	C5TZ 10373-A (GY-701)	A	B	C	D	E								
LEAD - GROUND	C2TZ 10A374-A			C	D									
PLATE and DIODE ASSY. - NEGATIVE	C5TZ 10377-A (GY-689)	A	B	C	D	E								
CAPACITOR	C5AZ 10A380-A	A	B			E								
	C5TZ 10A380-A			C	D									
BUSHING - RECTIFIER INSULATOR	10A381													
Positive and Negative- 1/4" I.D. x 3/8" O.D. x 1 9/32" long	C2AZ 10A381-A	2	2			2								
1/4" I.D. x 13/16" O.D. x 7/32" thick	C5TZ 10A381-A			2	2									
5/16" I.D. x 13/16" O.D. x 7/32" thick	C5TZ 10A381-B			2	2									
INSULATOR - DIODE PLATE	C5TZ 10A383-A (GY-876)			2	2									
BUSHING - TERMINAL	★C2AZ 10390-A Not replaced	A	B			E								
Nut-hex, -No. 8-32	34052-S7(M155)	A	B			E								
Lockwasher-spring-No. 8	34802-S7(X59)	A	B			E								
Washer-flat-3/16"	351270-BS(XX72)	A	B			E								
BOLT - THRU	10A396													
Bolt-hex, head-No. 10-32 x 3"	371790-S2(BB205)	4	4			4								
Bolt-hex, head-No. 10-32 x 3 7/8"	372212-S8(BB205C)			3	3									
Nut-hex, -No. 10-32	373235-S7(MM169)	4	4	3	3	4								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

FORD CAR PARTS

SECTION 103.4
(1965/ MOTORCRAFT 38,42,
45,55,60 AMP. ALTERNATOR)

1

DESCRIPTION AND RESTRICTIONS		PART NUMBER	ALTERNATOR PARTS LISTS 4A THRU 4M												
BOARD KIT - PRINTED CIRCUIT		D0AZ 10B301-A (GY-900-A)	A	B	C	D	E	F	G	H	J	K	L	M	
			A	B	C	D	E	F	G	H	J	K	L	M	

Consists of
 1-C8AF 10B301-A Board 2-383255-S Nut-No.24
 9-C9AF 10B306-A Ring 2-383758-S Screw-No.10-24
 2-374412-S100 Washer-1/4"

Washer-flat-No, 10	★378658-S	A	B	C	D	E	F	G	H	J			
--------------------	-----------	---	---	---	---	---	---	---	---	---	--	--	--

BEARING - FRONT	10A303												
21/32" I.D. x 1 9/16" O.D. x 15/32" wide-ident. 1203-RR (Federal) or 203-CC (B. C. A.) or 203-KDD (Fafnir)	★A8AZ 10094-B (GE-16) r/b C9ZZ 10094-A(5-75)	A	B	C	D	E	F	G	H		K		M

	C9ZZ 10094-A (GE-21)											L	
--	-------------------------	--	--	--	--	--	--	--	--	--	--	---	--

BOBBIN - ROTOR COIL	★C5TZ 10B303-A Not replaced	A	B	C	D	E	F	G	H	J	K	L	M
---------------------	--------------------------------	---	---	---	---	---	---	---	---	---	---	---	---

RECTIFIER KIT	D0AZ 10304-A (GY-959)	A	B	C	D	E	F	G	H	J	K		M
---------------	--------------------------	---	---	---	---	---	---	---	---	---	---	--	---

Consists of
 1-D0AF 10304-C Rectifier Assy. 3-383255-S Nut-No.10-24
 1-C9SF 10A383-A Insulator 1-383256-S Nut-No.10-24
 3-34053-S Nut-No.10-24 1-383558-S Washer-No.10
 1-34055-S Nut-1/4-20 1-383756-S Screw-No.10-24 x 1"

Rectifier assy.	D0ZZ 10304-A (GY-980)											L	
-----------------	--------------------------	--	--	--	--	--	--	--	--	--	--	---	--

Consists of
 1-D0ZF 10304-A Rectifier 1-383255-S8 Nut & washer-No.10-24
 1-383256-S8 Nut & washer-1/4"-20

BEARING - REAR - 21/32" I.D. x 15/16" O.D. x 11/16" wide	★C5AZ 10A304-A (GE-13) r/b D2ZZ 10A304-A(5-75)	A	B	C	D	E	F	G	H	J	K		M
---	--	---	---	---	---	---	---	---	---	---	---	--	---

	C9ZZ 10A304-A (GE-22)											L	
--	--------------------------	--	--	--	--	--	--	--	--	--	--	---	--

HOLDER ASSEMBLY - BRUSH	C8SZ 10320-A (GY-868)										K		M
-------------------------	--------------------------	--	--	--	--	--	--	--	--	--	---	--	---

RING - ROTOR SLIP	C3SZ 10328-A	A	B	C	D	E	F	G	H	J	K	L	
-------------------	--------------	---	---	---	---	---	---	---	---	---	---	---	--

[illegible]

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

FORD CAR PARTS

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 4A THRU 4M											
		A	B	C	D	E	F	G	H	J	K	L	M
BRUSH and TERMINAL - consists of (2) C5AF 10A367-B	★C5AZ 10347-A (GB-102) r/b C6VY 10347-A (6-74)	A	B	C	D	E				J			
Bolt-square head-No. 10-32 x 5/8"	379251-S8B (BB834C)	2	2	2	2	2	2	2		2			
BRUSH and TERMINAL SET	C6VY 10347-A (GB-111)						F	G	H			L	
Consists of: 1-C6VF 10A367-A Brush and Terminal 1-C6VF 10A367-B Brush and Terminal													
	C8SZ 10347-A (GB-117)										K		M
Consists of: 1-C8SF 10A367-A Brush and Terminal 1-C6VF 10A367-B Brush and Terminal													
Bolt-square head-No. 10-32 x 5/8"	379251-S8B (BB834C)								2				
SPRING - BRUSH	C5AZ 10349-A (GY-913)	2	2	2	2	2	2	2	2	2	2	2	2
HOLDER - BRUSH	C5AZ 10351-A (GY-1011)	A	B	C	D	E	F	G	H	J		L	
Bolt-square head-No. 10-32 x 5/8"	379251-S8B (BB834C)	A	B	C	D	E	F	G	H	J		L	
Nut & washer-hex. -No. 10-32	379618-S8 (MM291E)	A	B	C	D	E	F	G	H	J		L	
RETAINER - FRONT BEARING	C5AZ 10A355-A (GY-693)	A	B	C	D	E	F	G	H	J	K	L	M
Screw-hex, head-No. 10-32 x 3/8"	379201-S100 (UU52E)	3	3	3	3	3	3	3	3	3	3	3	
STOP - ROTOR	C5AZ 10A360-A	A	B	C	D	E	F	G	H	J	K	L	M
INSULATOR - STATOR END	C3SZ 10A361-A	2	2	2	2	2	2	2	2	2	2	2	2
RING - ROTOR STOP	C3SZ 10370-A (GY-612)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE and DIODE ASSY. - POSITIVE - serviced in assy. -refer to Group 10304	10373												

FORD CAR PARTS

See SECTION 103, PAGE 1, for
 PARTS LISTS INSTRUCTIONS

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 4A THRU 4M												
		A	B	C	D	E	F	G	H	J	K	L	M	
PLATE and DIODE ASSY. - NEGATIVE - serviced in assy. -refer to Group 10304	10377													
PLATE ASSY. - DIODE POSITIVE	C5AZ 10A377-A	A	B	C	D	E	F	G	H	J	K	L		
	C9ZZ 10A377-A											L		
Bolt-swage-1/4"-28 x 15/16"	378463-S8B (BB839)	A	B	C	D	E	F	G	H	J		L		
Nut-hex, -1/4"-28	371697-S8(MM52)	A	B	C	D	E	F	G	H	J		L		
PLATE ASSY. - DIODE NEGATIVE	C5AZ 10A378-A	A	B	C	D	E	F	G	H	J	K			
	C9ZZ 10A378-A											L		
Bolt-swage-No. 10-32 x 29/32"	380056-S8B (BB388F)	A	B	C	D	E	F	G	H	J		L		
INSULATOR - DIODE PLATE	10A383													
9/32" I.D. x 5/8" O.D. x 7/32" thick (battery)	C6AZ 10A383-A (GY-816)	A	B	C	D	E	F	G	H	J		L		
KIT - TERMINAL INSULATOR	C9SZ 10A383-A (GY-937)	A	B	C	D	E	F	G	H	J	K	L	M	

Consists of

1-C7AF 10A383-A Insulator

1-C7AF 10329-D Insulator

1-C9SF 10A383-A Insulator

BOLT - THRU

Bolt-hex, head-No. 10-24 x 2 1/8"

10A396

378466-S8B (BB550D)

3 3 3 3 3 3 3 3 3 3 3 3 3

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS															
		N	P	Q	R	S	T	U	V	W	X	Y	Z	4N	THRU	4Z	
BOARD KIT - PRINTED CIRCUIT	D0AZ 10B301-A (GY-900-A)	N	P	Q	R	S	T	U	V	W	X						
Consists of 1-C8AF 10B301-A Board 2-383255-S No. 24 Nut 9-C9AF 10B306-A Ring 2-383758-S #10-24 Screw 2-374412-S100 1/4" Washer																	
BEARING - FRONT	10A303																
21/32" I.D. x 1 9/16" O.D. x 15/32" wide-ident.	A8AZ 10094-B (GE-16) r/b C9ZZ 10094-A (7-74)	N	P		R	S		U	V	W							
1203-RR (Federal) or 203-CC (B.C.A.) or 203-KDD (Fafnir)	C9ZZ 10094-A (GE-21)			Q			T				X						
BOBBIN - ROTOR COIL	*C5TZ 10B303-A Not replaced	N	P	Q	R	S	T	U	V	W	X						
RECTIFIER KIT	D0AZ 10304-A (GY-959)	N	P			S		U		W							
Consists of 1-D0AF 10304-B Rectifier Assy. 3-383255-S #10-24 Nut 1-C9SZ 10A383-A Insulator 1-383256-S 1/4-20 Nut 3-34053-S #10-24 Nut 1-383558-S #10 Washer 1-34055-S 1/4-20 Nut 1-383756-S #10-24 x 1" Screw																	
	D0ZZ 10304-A (GY-980)			Q			T				X						
Consists of 1-D0ZF 10304-A Rectifier assy. 1-383255-S8 Nut & washer-No.10-24 1-383256-S8 Nut & washer-1/4-20"																	
	D0AZ 10304-B (GY-991)				R				V								
Consists of 1-D0AF 10304-D Rectifier assy. 3-383255-S8 Nut & washer-No.10-24 1-D0TZ 10A383-A Insulator 1-383256-S8 Nut & washer-1/4"-20 1-384276-S8B Bolt-No.10-24 x 1 11/32" swage																	
Screw-No.10-24 x 1 1/2" oval head	383758-S (BB817CE)	2	2			2		2	2	2	2						
Screw-No.10-24 x 29/32"	383759-S (BB390JY)	N	P			S		U	V	W	X						
Bolt-1/4" -20 x 6 1/64" -swage	383760-S (BB390JZ)	N	P			S		U	V	W	X						
BEARING - REAR	C9ZZ 10A304-A (GE-22)			Q			T				X						
	*C5AZ 10A304-A (GE-13) r/b D20Z 10A304-A(5-75)	N	P		R	S		U	V	W							
RING - ROTOR SLIP	C3SZ 10328-A				R	S	T	U	V	W	X						
INSULATOR - TERMINAL	10329																
Red	D0AZ 10329-A	N	P	Q	R	S											
Approx. 1/16" x 3/4" x 1"	C5AZ 10329-C (GY-911)	N	P	Q	R	S	T	U	V	W	X						
White-9/32" I.D. x 5/8" O.D. x 1/4" thick	C5AZ 10329-D (GY-912)	N	P	Q	R	S	T	U	V	W	X						
SHAFT - ROTOR	C5AZ 10330-A				R	S	T	U	V	W	X						
HOUSING and BEARING - FRONT	C5AZ 10333-A (GD-309)	N	P	Q	R	S	T										
	D20Z 10333-B (GD-324)							U	V	W	X						
HOUSING - REAR	10334																
	C9ZZ 10334-A (GH-307)	N	P	Q	R	S	T	U	V	W	X						
Bolt-hex.hd.-No.10-24 x 2 1/8"	378466-S(BB550D)	3	3	3	3	3	3	3	3	3	3						

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LIST 4N THRU 4Z															
		N	P	Q	R	S	T	U	V	W	X	Y	Z				
ROTOR ASSY.	10335																
Includes stop ring	C5AZ 10335-D (GM-335)		P	Q	R		T	U	V		X						
Includes stop ring	C5DZ 10335-C (GM-338)	N								W							
	D0TZ 10335-A (GM-339A)					S											
STATOR ASSY.	10336																
Includes coil	C5AZ 10336-A (GC-289)	N								W							
Includes coil	C6AZ 10336-B (GC-299)			Q	R	S	T		V		X						
Less coil	★C6AZ 10336-A r/b D2OZ 10A304-A(5-75)			Q		S	T	U			X						
Includes coil	C9AZ 10336-A (GC-309)		P					U									
Includes coil	C4SZ 10336-A (GC-281)								V								
BRUSH and TERMINAL SET	C6VY 10347-A (GB-111)	N	P	Q	R	S	T	U	V	W	X						
Consists of:	1-C6VF 10A367-A Brush and Terminal	1-C6VF 10A367-B Brush and Terminal															
Screw-No.10-24 x 5/8"	383757-S (BB841A)	N	P					U	V								
Bolt-No.10-24 x 1"	383704-S (BB705A)	N	P														
SPRING - BRUSH	C5AZ 10349-A (GY-913)	2	2	2	2	2	2	2	2	2	2						
HOLDER - BRUSH	C5AZ 10351-A (GY-1011)	N	P	Q	R	S	T	U	V	W	X						
RETAINER - FRONT BEARING	C5AZ 10A355-A (GY-693)	N	P	Q	R	S	T										
Screw-hex.hd.-No.10-32 x 3/8"	D2OZ 10A355-A 379201-S100 (UU52E)	3	3	3	3	3	3	3	3	3	3						
STOP - ROTOR	C5AZ 10A360-A	N	P	Q	R	S	T	U	V	W	X						
INSULATOR - STATOR END	C3SZ 10A361-A	2	2	2	2	2	2	2	2	2	2						
RING - ROTOR STOP	C3SZ 10370-A (GY-612)	N	P	Q													
SPACER - RECTIFIER MOUNTING - 19/64" I.D. x 1/2" O.D. x 17/64" thick	D0TZ 10A382-A (GY-989)				R				V								
KIT - TERMINAL INSULATOR	C9SZ 10A383-A (GY-937)	N	P	Q	R	S	T	U	V	W	X						
Consists of	1-C7AF 10A383-A Insulator	1-C7AF 10329-D Insulator															
INSULATOR - DIODE PLATE - 9/32" I.D. x 5/8" O.D. x 7/32" thick	C6AZ 10A383-A (GY-816)	N	P	Q													
	D0TZ 10A383-A (GY-990)				R				V								
	DIAZ 10A383-A				R	S	T										
Consists of	1-D0AZ 10329-A Insulator	1-D0AZ 10A383-A Insulator															
CAPACITOR RADIO	18827																
Inside	C6AZ 18827-A (GY-915)				R	S	T	U	V	W	X						
Outside	D2OZ 18827-A (GY-1028)								V								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

FORD CAR PARTS

SECTION 103.5
(1967/ MOTORCRAFT 65,
70 AMP. ALTERNATOR)

1

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 5 A THRU 5 M												
		A	B	C	D	E	F	G	H	J	K	L	M	
BOARD ASSY. - ALTERNATOR CIRCUIT	D2OZ 10B301-A (GY-1025)							G						
Pin 3/32" x 7/16"	384758-S (NN124ZA)							2						
BEARING - FRONT -(63/64" I.D. x 2 7/16" O.D. x 21/32" wide	C7TZ 10A303-A (GE-19)	A	B	C	D	E	F							
	C9ZZ 10094-A (GE-21)							G						
KIT - RECTIFIER ASSEMBLY	C9AZ 10304-A (GY-935)	A	B	C	D	E								
Consists of														
1-C9AF 10304-A Rectifier	1-C7TF 10A350-D Sleeve Insulator	1-Instruction Sheet												
1-C7AZ 10329-A Insulator	1-Wire 4" long													
	D1AZ 10304-A (GY-935A)						F							
Consists of														
1-D1AF 10304-AA Rectifier	1-D3TF 10A350-AA Sleeve	1-Instruction Sheet												
1-C7AZ 10329-A Insulator	1-Wire 4" long													
RECTIFIER ASSEMBLY	D2OZ 10304-A (GY-1026)							G						
Screw and washer No.8-32 x 7/8" - attach rectifier to rear housing	384756-S2 (UU52AR)							4						
Bolt-swage No.10-24 x 11/16"	384753-S8B (BB390JX)							G						
BEARING - REAR	★C5AZ 10A304-A (GE-13) r/b D2OZ 10A304-A D2OZ 10A304-A (GE-31)	A	B	C	D	E	F							
								G						
WIRE ASSY. ALTERNATOR - 2 1/2" LONG	D2OZ 10C307-A							G						
INSULATOR - RECTIFIER	★ C7TZ 10310-A	2	2	2	2	2	2							
Screw and washer-panhead, cross recess-No. 8-32 x 3/8"	★50744-S8	4	4	4	4	4	4							
RING - ROTOR SLIP	C7TZ 10328-A D2OZ 10328-A	A	B	C	D	E	F							
								G						

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 5A THRU 5M												
		A	B	C	D	E	F	G	H	J	K	L	M	
INSULATOR - TERMINAL	10329													
Red (battery (battery)	D0AZ 10329-A	A	B	C	D		2							
Purple-3/16" I. D. x 5/8" O. D. x 1/4" thick	C7AZ 10329-A		B		D	E	F							
Red-3/16" square hole x 21/32" O. D. x 1/8" thick	★C7TZ 10329-A Not replaced	A	B	C	D									
White-3/16" I. D. x 5/8" O. D. x 7/32" thick	C7TZ 10329-B	A		C		E	F							
Washer-flat-No. 10	351256-S7(XX54)	A	B	C										
Nut-hex. -No. 10-24	★374651-S8	A	B	C										
Nut-hex. -1/4"-20	34055-S8(M158)	A	B	C										
Lockwasher-spring-1/4"	34805-S8(X62)	A	B	C										
Washer-flat-1/4"	★356279-S8	A	B	C										
Nut-hex. -1/4"-20	383256-S (MM296AE)				D	E								
SHAFT - ROTOR	★C7TZ 10330-A	A	B	C	D	E	F							
PLATE - POSITIVE CONDUCTOR	★C7TZ 10B330-A	A	B											
	C9AZ 10B330-A			C	D									
	D1AZ 10B330-A					E	F							
Rivet-semi tubular-3/32" x 11/32"	★63315-S8	4	4	4										
HOUSING - FRONT	C7TZ 10333-A (GD-316)	A	B	C	D	E	F							
	D2OZ 10333-A (GD-323)							G						
HOUSING - REAR	C7AZ 10334-A (GH-304)	A	B	C	D	E	F							
	D2OZ 10334-B (GH-312)							G						
Bolt-#10-24 x 59/64" square head	383288-S(BB390FE)				2	2	2							
Nut-#10-24	383255-S (MM296AC)				5	5	5							
ROTOR ASSEMBLY	C7TZ 10335-A (GM-342)	A	B	C	D	E	F							
	D2OZ 10335-A (GM-443)							G						
STATOR and COIL ASSEMBLY	C7TZ 10336-A (GC-300)	A	B	C	D	E	F							
	D2OZ 10336-A (GC-311)							G						

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

FORD CAR PARTS

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 5 A THRU 5 M												
		A	B	C	D	E	F	G	H	J	K	L	M	
BRUSH SET	C7TZ 10347-C (GB-119)	A	B	C	D									
Consists of 1-C9HF 10347-A Brush 1-C9HF 10347-B Brush 1-C7TF 10B368-A Gasket														
BRUSH SET	D0AZ 10347-B					E	F							
Consists of 2-D2TF 10A367-AA Brush assy.														
"Before 12/1/71"	D2OZ 10347-A (GB-128)							G						
Consists of 1-D2OF 10A367-AA Terminal and Brush Assy. 1-D2OF 10A367-BA Terminal and Brush Assy.														
"From 12/1/71"	D2OZ 10347-B (GB-128A)							G						
Consists of 1-D2OF 10260-AA Holder 2-C5AZ 10349-A Spring 2-D2OF 10A367-BB Terminal & brush														
Bolt-round hd., square neck-No. 10-24 x 3/4"	★374549-S8B	A	B											
SPRING - BRUSH	★C7TZ 10349-A (GY-914) r/b D0AZ 10B363-A	2	2	2	2									
	C5AZ 10349-A (GY-913)					2	2	2						
HOLDER - BRUSH	C7TZ 10351-A	2	2	2	2									
	D0AZ 10351-A (GY-975)					E	F							
Includes 10C307 wire	D2OZ 10351-A							G						
Screw No. 8-32 x 5/8" - attach holder to rear housing	384755-S2 (UU51DA)							2						
RETAINER - FRONT BEARING	C7TZ 10A355-A (GY-840)	A	B	C	D	E	F							
Bolt-hex. head-No. 10-32 x 3/8"	379201-S100(UU52E)	3	3	3	3	3	3							
STOP - ROTOR	C5AZ 10A360-A							G						
COVER and BRUSH ASSY.	D0AZ 10B363-A (GB-123)	A	B	C	D	E	F							
Screw-hex. washer hd. -No. 8-32 x 1/2"	40917-S8(U257)			3	3	3	3							
COVER - BRUSH	★C7TZ 10B367-A r/b D0AZ 10B363-A	A	B	C	D									
	D0AZ 10B367-A (GY-976)					E	F							
Screw-No. 10-24 x 3/8"	383757-S(BB841A)					2								

FORD CAR PARTS

SECTION 106

1

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	REGULATOR CATALOG SYMBOL	QTY.	PART NUMBER
10623 GASKET - VOLTAGE REGULATOR COVER TO BASE							
65/	A, B, F, S, U, X	6&8	All		T10	1	C3SZ 10623-A
10632 RESISTOR - VOLTAGE REGULATOR BALLAST							
65/70	A, B, F, S, U, X	6&8	All		T10	1	C3SZ 10632-B
10632 RESISTOR ASSY. - ALTERNATOR VOLTAGE BALLAST							
70	S			68 ohms-located on rear of inst.		1	D0SZ 10632-A
72	S			cluster at 18A952 choke		1	

10653-5 BATTERY CHART - Also refer to Group 10657

YEAR	MODEL	ENGINE		MOTOR-CRAFT GROUP NO.	CASE SIZE (INCHES)			TYPE	AMP.	PLATES	MOTORCRAFT SALES NUMBER
		CYL.	C. I. D.		WIDTH	LENGTH AT TOP	HEIGHT				
65/	A, B, F, L, P, S, U, X	All	All	22FC	6 13/16	9 27/64	8 5/16	Premium--dry	49	54	R-22FC
								Standard--dry	42	54	GN-22FC
				22HF	6 3/4	9	8	Premium--dry	45	54	R-22HF
								Premium--dry	54	66	R-22HF-54
				24F	6 13/16	10 3/4	8 61/64	Premium--H.D. --dry	81	78	G-24F
								Premium--dry	55	66	R-24F
								Standard--dry	41	42	GN-24F
				27F	6 13/16	12 1/2	9 9/64	Premium--dry	70	78	R-27F
								Premium--H/D --dry	94	90	G-27F
								Premium--dry	77	78	R-27FA
72	B	6&8	All	24R	6 13/16	10 19/64	8 5/16	Premium	73	78	R-24R-73

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10656 ELECTROLYTE - BATTERY				
65/	A, B, F, L, P, S, U, X	5 gallons in plastic lined container with hose	1	BB 14
65/	A, B, F, L, P, S, U, X	6 quart container with hose	1	BB 16
10657 BATTERY ASSY. - DRY CHARGED - Also refer to 10653-5 Battery Chart				
65/67	A, B, F, X, U	12 volt-54 plates-45 amp.	1	4C5R-10657GA
65/67	A, B, F, X, U	12 volt-66 plates-55 amp.	1	4C5R-10657HA
65/67	A	12 volt-66 plates-70 amp.	1	4C5R-10657SA

• Refer to Groups 10316 and 10505 for complete Regulator identification

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR COMPANY

— DEARBORN, MICHIGAN

• Canada only

FINAL ISSUE


YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10A665 WIRING ASSY. - CHARGE INDICATOR				
65/	A,B,F,P,S	Ident. C3AB 10A665-C-26 gauge wire 60" long-	1	C3AZ 10A665-C
65	X	used with Ford alternator & indicator light	1	
65/66	A	"Before 2/1/66" Ident. C5AB 10A665-A-used with 60, 65 amp. Leece Neville alternator	1	C5AZ 10A665-A
66	A	"From 2/1/66" Ident. C6AB 10A665-A-used with 60, 65 amp. Leece Neville alternator	1	★C6AZ 10A665-A
67	A	Ident. C7AB 10A665-A-used with 60, 65 amp. Leece Neville alternator	1	★C6AZ 10A665-B
68	A	Use with 65 amp. Ford alternator	1	★C8AZ 10A665-A
69/70	A	"Before 4/1/70" Ident. C9AB 10A665-C-used with 65 amp. Leece Neville alternator	1	C9AZ 10A665-A
70	A	"From 4/1/70" Ident. D0AB 10A665-A-used with 65 amp. Leece Neville alternator	1	D0AZ 10A665-A
67	F(GT 350/500)		1	★S7MS 10A665-A
65/68	A	Nut-hex. -No. 10-32	2	34079-S7-8(M163)
		Lockwasher-external tooth-No. 10	2	34939-S8(X86)
67	A	Strap-retaining	2	★351053-S
10A674 REINFORCEMENT - BATTERY SUPPORT BRACKET - Refer to Group 10732				
10A682 SHIELD - BATTERY HEAT				
67	B (390-with A/C)	Cut to fit	1	C7OZ 10A682-B
67/68	F(with A/C)	Cut to fit	1	
68/69	B(351, 390-with A/C), F(351, 390-with A/C)			
68	B, F(428-4V-CJ)			
70/71	B		1	D0OZ 10A682-A
70/	F		1	
71/	L(122)	Steel	1	D1FZ 10A682-A
72	B,S	Plastic	1	D2VY 10A682-A
66	S	"Before 12/1/65" Refer to Group 8310-1		
66	S(without A/C)	"From 12/1/65"	1	C6SZ 10A682-A
66	S(with A/C)	"From 12/1/65"	1	C6SZ 10A682-B
68/70	S		1	C8SZ 10A682-B
10A691 SUPPORT - BATTERY HOLD DOWN CLAMP BRACKET - Refer to Group 10732				
10A705 BRACKET - BATTERY HOLD DOWN CLAMP TO APRON - Refer to Group 10732				
10A710 REINFORCEMENT - BATTERY SUPPORT BRACKET - Refer to Group 10732				
10A717 WASHER - BATTERY TERMINAL CORROSION ARRESTOR				
65/	A,B,F,S,U,X	11/16" I. D. -oil impregnated felt	2	C1AZ 10A717-A
10718 CLAMP - BATTERY HOLD DOWN - Also refer to Group 10732				
65/	A,B, F, L, P, S, U, X	Adjustable-from 5 1/2"x 9" to 7 1/4" x 14 1/4"	1	A0A 10718-B
Consists of				
2-C5RA 10716-A		Clamp	2-C2RA 10755-A	Bracket
2-C5RA 10716-B		Clamp	4-379179-S2	Fastener-stud
1-Instruction sheet No. 2077				
10720 CAP - BATTERY FILLER				
65/	All	Red	6	★CC5AF 10720-B
10A723 SPACER (BATTERY)				
72	S		1	D3SZ 10A723-A
10729 BRACKET - BATTERY TRAY INNER - Refer to Group 10718				
10A730 CONNECTOR - VOLTAGE REGULATOR				
65/70	A,B,S	Nylon	AR	C4TZ 10A730-A
65/70	X		AR	
65/	F		AR	
71/	A,B,F,P,L		1	

★ Canada only

10732 BATTERY MOUNTING PARTS

Battery mounting parts are listed in chart form following the illustration below. Refer to the illustration to determine the name of the part required. Refer to the chart to select appropriate part number. The chart is listed by year, model and amperage of battery.

Attaching parts such as bolts, nuts, etc., are listed by code number. A listing of the code numbers and their corresponding part numbers and descriptions appears at the end of the chart.



P-4609

1965/ TYPICAL BATTERY SUPPORT and CARRIER INSTALLATIONS

10732 BATTERY MOUNTING PARTS - continued

MODEL	AMP. HRS.	CLAMP—HOLD DOWN		CARRIER or TRAY		BOLT—CLAMP		BRACE or BRACKET	
		PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.
1965									
A	All	C5AZ 10718-A	27,29	C5AZ 10764-D	24,26, 27	C5AZ 10756-A	27,29	C5AZ 10741-A	25,31
B	45	C2DZ 10718-A	4,8,23	C3AZ 10764-C	4,26,27			C2OZ 10732-A	26,27
B	55	C5DZ 10718-A	4,22	C3AZ 10764-C	4,26,27			C2OZ 10732-A	26,27
F	40,45	C2DZ 10718-A	4,8,23	C5ZZ 10732-C	4,22, 24,30				
F	55,65	C5DZ 10718-A	4,8,23	C5ZZ 10732-C	4,22, 24,30				
S	55	*C5SZ 10718-B Not replaced	4,22	C5SZ 10764-A	8,11, 21,22, 27,29				
S	70,80	C5DZ 10718-A	4,22	C5SZ 10764-A	8,11, 21,22, 27,29				
X(exc. A/C)	45	C2DZ 10718-A	4,23	C3DZ 10732-G	4,13, 20,21				
X(with A/C)	45	C2DZ 10718-A	4,23	C3AZ 10764-C	4,13, 20,21			*C3DZ 10769-D	4,13,21
X(exc. A/C)	55	C5DZ 10718-A	4,23	C3DZ 10732-G	4,13, 20,21				
X(with A/C)	55	C5DZ 10718-A	4,23	C3AZ 10764-C	4,13, 20,21			*C3DZ 10769-D	4,13,21

1966

A	All	C5AZ 10718-A	27,29	C5AZ 10764-D	24,26, 27	%D0AZ 10756-A	27,29	C5AZ 10741-A	27,29,31
B(200, 289), X- Top hold down- From 1/3/66	45	C5AZ 10718-A	27,29	C6OZ 10732-D	4,22, 24,30	%D0AZ 10756-A	15,35		
B(200, 289), X Bottom hold down- Before 1/3/66	55	C5DZ 10718-A	4,32	C6OZ 10732-D	4,22, 24,30				
B(200, 289), X- Top hold down- From 1/3/66	55	C5AZ 10718-A	27,29	C7OZ 10732-B	4,22, 24,30	%D0AZ 10756-A	15,35		
B(200, 289- with A/C)	70	C5AZ 10718-A	27,29	C5AZ 10764-D	4,30	%D0AZ 10756-A	27,29	C6GY 10769-A (lower) & C6OZ 10741-A (upper)	4,24,30 27,29
B(390, 427)	All								
F	45	C2DZ 10718-A	4,31	C5ZZ 10732-C	4,22,30				
F	55	C5DZ 10718-A	4,32	C5ZZ 10732-C	4,22,30				
S -Bottom hold down- Before 12/1/65	55	*C5SZ 10718-B Not replaced	4,23	C5SZ 10764-A	8,21, 22,27, 29,33				
S -Bottom hold down- Before 12/1/65	80	C5DZ 10718-A	4,22	C5SZ 10764-A	8,21, 22,27, 29,33				
S-Top hold down- From 12/1/65	All	C5AZ 10718-A	27,29	C5AZ 10764-D	21,33	%D0AZ 10756-A	27,29		

* Refer to hardware listing at end of chart for number shown in this column

% Not serviced R/B D4SZ 10756-A (3-74)

10732 BATTERY MOUNTING PARTS - continued

MODEL	AMP. HRS.	CLAMP—HOLD DOWN		CARRIER or TRAY		BOLT—CLAMP		BRACE or BRACKET	
		PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER (u)-Upper (l)-Lower	*NUTS, BOLTS, ETC.
1966 - continued									
U- Before Ser.760001	All	C5AZ 10718-A	15,35	C5AZ 10764-D (less support)	13,34	%D0AZ 10756-A	15,35	C6TZ 10A691-B	15,34, 35
U- From Ser.760,001	All	C5AZ 10718-A	15,35	C6TZ 10732-F (includes support)	13,34	%D0AZ 10756-A	15,35	C6TZ 10729-A (lower) & C6TZ 10A691-B (upper)	15,34, 35 15,34, 35
1967									
A	All	C5AZ 10718-A	9, 27	C5AZ 10764-D	24,31	%D0AZ 10756-A	9, 27	C5AZ 10741-A	9,25, 27, 31
B(200, 289), X	45	C5AZ 10718-A	27, 29	C6OZ 10732-D	4,24,31	%D0AZ 10756-A	27, 29		
B(200, 289), X	55	C5AZ 10718-A	27, 29	C7OZ 10732-B	4,24,31	%D0AZ 10756-A	27, 29		
B(390, 427)	All	C5AZ 10718-A	27, 29	C5AZ 10764-D	4, 31	%D0AZ 10756-A		(u)C6OZ 10741-A (l) C6GY 10769-A	27,29 4,24,31
F	45	C5AZ 10718-A	27, 29	C7ZZ 10732-C	24, 30	%D0AZ 10756-A	27, 29	(l) C7ZZ 10753-A	27, 29
F	55	C5AZ 10718-A	27, 29	C7ZZ 10732-D	24, 30	%D0AZ 10756-A	27, 29	(l) C7ZZ 10753-A	27, 29
S	All	C5AZ 10718-A	27, 29	C5AZ 10764-D	31, 37	%D0AZ 10756-A	27, 29	★C7SZ 10741-A Not replaced	27, 29, 31, 37
U	All	C5AZ 10718-A	15, 35	C6TZ 10732-F	13, 34	%D0AZ 10756-A	15, 35	C6TZ 10A691-B	15, 34, 35
1968									
A	All	C5AZ 10718-A		C5AZ 10764-D		%D0AZ 10756-A	27, 29	C8AZ 10741-A	19,38
B(200, 289), X	45	C5AZ 10718-A		C6OZ 10732-D	4,19,24	%D0AZ 10756-A	27, 29		
B(200, 289), X	55	C5AZ 10718-A		C7OZ 10732-B	4,19,24	%D0AZ 10756-A	27, 29		
B, 289	70	C5AZ 10718-A		C5AZ 10764-D		%D0AZ 10756-A	27, 29		
B(390)(427)	70	C5AZ 10718-A		C5AZ 10764-D	4,19,24	%D0AZ 10756-A	27, 29	(u)C6OZ 10741-A (l)C6GY 10769-A	4,19,24 4,19,24
F	45	C5AZ 10718-A	27,29	C7ZZ 10732-C	24,30	%D0AZ 10756-A	27,29	(l) C7ZZ 10753-A	27,29
F	55	C5AZ 10718-A	27,29	C7ZZ 10732-D	24,30	%D0AZ 10756-A	27,29	(l) C7ZZ 10753-A	27,29
S	All	C5AZ 10718-A		C5AZ 10764-D		%D0AZ 10756-A	27,29	C8SZ 10741-A	
U	All	C5AZ 10718-A	15,35	C6TZ 10732-F	13, 34	%D0AZ 10756-A	15, 35	C6TZ 10A691-B	15, 34, 35
1969									
A	All	C5AZ 10718-A	27, 29	C9AZ 10764-A	21, 24	%D0AZ 10756-A	27, 29	C9AZ 10741-A	21, 24, 27, 29
B(250, 302)	55	C5AZ 10718-A	27, 29	C7OZ 10732-B	4,19,24	%D0AZ 10756-A	27, 29		
B(351)-w/o A/C	55								
B(250, 302)	45	C5AZ 10718-A	27, 29	C6OZ 10732-D	4,19,24	%D0AZ 10756-A	27, 29		
B(351)-w/o A/C									
B(351)-with A/C	45,70	C5AZ 10718-A	27, 29	C9OZ 10764-A	4,19,24	%D0AZ 10756-A	27, 29	(u)C6OZ 10741-A (l) C6GY 10769-A	
B(351)-with A/C	55	C5AZ 10718-A	27, 29	C9OZ 10764-B	4,19,24	%D0AZ 10756-A	27, 29	(u)C6OZ 10741-A (l) C6GY 10769-A	
B(351)-with A/C	70,80	C5AZ 10718-A	27, 29	C5AZ 10764-D	4,19,24	%D0AZ 10756-A	27, 29	(u)C6OZ 10741-A (l) C6GY 10769-A	
B(390,427,428)	All	C5AZ 10718-A	27, 29	C5AZ 10764-D	4,19,24	%D0AZ 10756-A	27, 29	(u)C6OZ 10741-A (l) C6GY 10769-A	4,19,24 4,19,24
B(63,65)- trunk mounted battery	85	C5AZ 10718-A	27, 29	C9OZ 10732-B	39	%D0AZ 10756-A	40		
F	45	C5AZ 10718-A	27,29	C7ZZ 10732-C	24,30	%D0AZ 10756-A	27,29	(l) C7ZZ 10753-A	27,29
F	55	C5AZ 10718-A	27,29	C7ZZ 10732-D	24,30	%D0AZ 10756-A	27,29	(l) C7ZZ 10753-A	27,29

* Refer to hardware listing at end of chart for number shown in this column

% Not serviced R/B D4SZ 10756-A (3-74)

10732 BATTERY MOUNTING PARTS - continued

MODEL	AMP. HRS.	CLAMP—HOLD DOWN		CARRIER or TRAY		BOLT—CLAMP		BRACE or BRACKET	
		PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.
1969 - continued									
F(65)-trunk mounted battery	85	C5AZ 10718-A	27, 29	C9ZZ 10732-B	39	%D0AZ 10756-A	40	C9ZZ 10679-B C9ZZ 10A674-B C9ZZ 10A710-B	
S	A11	C5AZ 10718-A		C9AZ 10764-A		%D0AZ 10756-A	27, 29	C8SZ 10741-A	
U	A11	C5AZ 10718-A	15, 35	C6TZ 10732-F	13, 34	%D0AZ 10756-A	15, 35	C6TZ 10A691-B	15, 34, 35
X	A11	C5AZ 10718-A	27, 29	C6OZ 10732-D	4, 19, 24	%D0AZ 10756-A	27, 29		

1970

A	All	D0DZ 10718-A	40	C9AZ 10764-A	21, 24	%D0AZ 10756-A	40	D0AZ 10741-A	21, 38
B	45, 55	D0OZ 10718-A	27, 29	D0OZ 10732-A	19, 24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
B	70, 80	D0OZ 10718-A	27, 29	D0OZ 10732-B	19, 24	%D0AZ 10756-A	40		
F(ex Boss)	45	D0OZ 10718-A	27, 29	C7ZZ 10732-C	19, 24	%D0AZ 10756-A	40	C9ZZ 10A705-A	41
F(ex Boss)	55	D0OZ 10718-A	27, 29	C7ZZ 10732-D	19, 24	%D0AZ 10756-A	40	C9ZZ 10A705-A	41
F(ex Boss)	70	D0OZ 10718-A	27, 29	C9ZZ 10732-A	19, 24	%D0AZ 10756-A	40	C9ZZ 10A705-A	41
F(Boss)	All	D0OZ 10718-A	27, 29	C9ZZ 10732-B	19, 24	%D0AZ 10756-A	40	C9ZZ 10679-B C9ZZ 10A674-B C9ZZ 10A710-B	
P- "Before 7/1/69"	45	D0DZ 10718-A	40	D0DZ 10732-A	24, 42	%D0AZ 10756-A	40	D0DZ 10A705-A	
P- "From 7/1/69"	45	D0DZ 10718-A	40	D0DZ 10732-A	24, 42	%D0AZ 10756-A	40	D0DZ 10A705-B	
S- "Before 11/3/69"	All	D0DZ 10718-A	40	D0SZ 10732-A	21	%D0AZ 10756-A	40	D0SZ 10741-A	21
S- "From 11/3/69"	All	D0DZ 10718-A	40	D0SZ 10732-A	21	%D0AZ 10756-A	40	D0SZ 10741-B	21
U	All	D0DZ 10718-A	15, 35	C6TZ 10732-F	13, 34	%D0AZ 10756-A	15, 35	C6TZ 10A691-B	15, 34, 35
X	All	C5AZ 10718-A	27, 29	C6OZ 10732-D	4, 19, 24	%D0AZ 10756-A	27, 29		

1971

A	All	D0DZ 10718-A	40	C9AZ 10764-A	24, 42	%D0AZ 10756-A	40	D0AZ 10741-A	38, 42
B	45, 55	D0OZ 10718-A	27, 29	D0OZ 10732-A	19, 24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
B	70	D0OZ 10718-A	27, 29	D0OZ 10732-B	17, 24	%D0AZ 10756-A	40		
F	45, 55	D0OZ 10718-A	27, 29	D0OZ 10732-A	19, 24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
F	70, 80	D0OZ 10718-A	27, 29	D0OZ 10732-B	19, 24	%D0AZ 10756-A	40		
L-98(1600 cc)	All	D1FZ 10718-A	19	D1FZ 10764-A		D1FZ 10756-A	40		
L-122 (2000 cc)	All	D1FZ 10718-A	19	D1FZ 10764-A		D1FZ 10756-B	40		
P	All	D0DZ 10718-A	40	D0DZ 10732-A	24, 42	%D0AZ 10756-A	40	D0DZ 10A705-B	
S	All	D0DZ 10718-A	40	D0SZ 10732-A	21	%D0AZ 10756-A	40	D0SZ 10741-B	21
U	All	D0DZ 10718-A	15, 35	C6TZ 10732-F	13, 34	%D0AZ 10756-A	15, 35	C6TZ 10A691-B	15, 34, 35

1972

A	All	D0DZ 10718-A	40	C9AZ 10764-A	24, 42	%D0AZ 10756-A	40	D0AZ 10741-A	38, 42
B	All	D0OZ 10718-A	43	D2OZ 10732-A	42	%D0AZ 10756-A	43	D2OZ 10741-A & D2OZ 10757-A	42, 44, 45
F	45, 55	D0OZ 10718-A	27, 29	D0OZ 10732-A	19, 24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
F	70	D0OZ 10718-A	27, 29	D0OZ 10732-B	19, 24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
L-98 (1600 cc)	All	D1FZ 10718-A	19	D1FZ 10764-A	42	D1FZ 10756-A	43		
L-122 (2000 cc)	All	D1FZ 10718-A	19	D1FZ 10764-A	42	D1FZ 10756-B	43	D1FZ 10A682-A	
P- "Before 5/15/72"	All	D0DZ 10718-A	40	D0DZ 10732-A	24, 42	%D0AZ 10756-A	40	D0DZ 10A705-B	41
P- "From 5/15/72"	All	D0DZ 10718-A	40	D3DZ 10732-A	24, 42	%D0AZ 10756-A	40	D0DZ 10A705-B	41
S	All	D0VY 10718-B (upper) D2SZ 10718-A (lower)	40	#		%D0AZ 10756-A	40	D0SZ 10741-B	21
U	All	D0DZ 10718-A	15, 35	C6TZ 10732-F	13, 34	%D0AZ 10756-A	15, 35	C6TZ 10A691-B	15, 34, 35

Part of Basic 16054 shield

* Refer to hardware listing at end of chart for number shown in this column

% Not serviced R/B D4SZ 10756-A (3-74)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER	
10732 BATTERY MOUNTING PARTS - NUTS, BOLTS, Etc. (Quantity As Required)					
CODE NO.	PART NUMBER	DESCRIPTION	CODE NO.	PART NUMBER	
1	23409-S7(B26)	Bolt-carriage-5/16"-24 x 1"	23	23950-S8(B292)	Bolt-carriage-5/16"-18 x 1 3/4"
2	44725-S8(X22)	Washer-flat-5/16"	24	378680-S (MM192AA)	Nut & retainer-5/16"-18
3	45208-S7(M171)	Nut-hex. -5/16"-18	26	20386-S8(B53)	Bolt-hex. head-5/16"-18 x 1"
4	34392-S7(M93)	Nut-hex. -5/16"-18	27	34956-S7-8(X82)	Lockwasher-external tooth-5/16"
5	34393-S7(M98)	Nut-hex. 5/16"-24	28	33923-S7(M32)	Nut-hex. 5/16"-24
6	352233-S2(BB650)	Bolt-carriage-5/16"-24 x 1 3/4"	29	33922-S8(M27)	Nut-hex. 5/16"-18
7	353483-S2(BB588)	Bolt & lockwasher-hex. head-5/16"-24 x 1 1/8"	30	378291-S(BB580L)	Bolt & lockwasher-5/16"-18 x 7/8"
8	353766-S(MM269)	Nut-spring-5/16"	31	380582-S2(BB643F)	Clip-5/16"-18
9	354299-S2(MM156)	Nut-hex. 5/16"-24	32	379924-S2(BB64E)	Clip-5/16"-18
10	355471-S8(BB651)	Bolt-carriage-5/16"-24 x 3/4"	33	359613-S2(MM205)	Nut retainer-5/16"-18
11	359218-S2(MM210)	Nut & retainer-5/16"-24	34	★55615-S8	Screw & washer-hex. head-5/16"-18 x 3/4"
12	359952-S2(MM198)	Nut & retainer-5/16"-24	35	33797-S8(M50)	Nut-hex. 5/16"-18
13	370328-S2(MM188)	Nut & retainer-5/16"-18	36	380582-S2(BB643F)	Clip-5/16"-18
14	33798-S8(M62)	Nut-hex. -5/16"-24	37	379831-S2(MM192M)	Nut & retainer-5/16"-18
15	44722-S8(X19)	Washer-flat-5/16"	38	379156-S2(MM192AE)	Nut & retainer-5/16"-18
16	★372823-S8	Bolt-round hd., shoulder-1/4"-20 x 1"	39	33770-S4(M89K)	Nut-hex. lock-5/16"-18
17	20387-S8(B157)	Bolt-hex. head-5/16"-24 x 1"	40	376838-S2(MM296AF)	Nut and washer-5/16"-18
18	34906-S8(X98)	Lockwasher-spring-5/16"	41	55981-S2(U254E)	Screw & washer 1/4"-14 x 1/2"
19	372590-S(BB581)	Bolt & lockwasher-5/16"-18 x 1 1/8"	42	57140-S(B340H)	Screw & washer-5/16"-18 x 1"
20	376337-S100(BB647D)	Bolt-carriage-5/16"-18 x 3/4"	43	55736-S(M96F)	Nut-5/16" x 18
21	359662-S7-8(BB575A)	Bolt & lockwasher-5/16"-18 x 3/4"	44	383142-S(SS45A)	Rivet-1/4" x 1 1/8"
22	23438-S8(B4)	Bolt-carriage-5/16"-18 x 1 1/4"	45	384930-S	Screw & washer 5/16"-18 x 61/64"

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10741 BRACE - BATTERY HOLD DOWN CLAMP - Refer to Group 10732				
10756 BOLT - BATTERY CLAMP - Refer to Group 10732				
10757 SHIELD - BATTERY				
69/70	A	Plastic	1	C9AZ 10757-A
10A758 INSULATOR - INSTRUMENT CLUSTER AMMETER				
85	S		1	C4SZ 10A758-B
10764 TRAY - BATTERY - Refer to Group 10732				
10769 BRACKET - BATTERY SUPPORT - Refer to Group 10732				
10804 REGULATOR - INSTRUMENT CLUSTER VOLTAGE				
71/	A, L		1	DIAZ 10804-A
72	B(w/o Rallye instrument group)		1	
72	S		1	
65	B, X		1	B9MZ 10804-C
65/66	A, S		1	
65/66	F		1	
66/	U		1	
69/	F		1	C9AZ 10804-A
69/71	B(without tachometer)		1	
70/	P		1	
69/70	A, X		1	
72	B(w/Rallye instrument group)		1	
67/71	S		1	C7SZ 10804-A
		Screw-hex. washer head, tapping-No. 6-20 x 3/8"	1	★373860-S8
		Washer-wave-1/8"	1	★375727-S100
66/68	X		1	C6DZ 10804-A
67/68	A, F		1	
66/68	B		1	
69	B(with tachometer)		1	
		Screw-hex. head, tapping-No. 8-18 x 1/2"	1	★42366-S8
10817 WIRING ASSY. - INSTRUMENT CLUSTER FEED				
72	B (with tachometer)	Ident. D2OB 10817-AB, AC	1	D2OZ 10817-A
66	U	Ident. C3TB 10817-A-cut 3 1/2" from bulk wire (B6A 14296-C) and add terminals	1	★

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10838 HOUSING - INSTRUMENT CLUSTER				
- B -				
67	B(less A/C)		1	C70Z 10838-A
67	B(with A/C)		1	C70Z 10838-B
70/71	B(less A/C)		1	D00Z 10838-A
70/71	B(with A/C)		1	D00Z 10838-B
65/67	B	Screw-pan head, cross recess-No. 6-20 x 1/2"	7	375557-S8(UU82)
70	B	Nut-spring-No. 8-18-attach housing to inst. panel	AR	376130-S (MM268B)
- F -				
65	F	Used only on instrument clusters with charge indicator warning light and oil pressure warning light	1	C5ZZ 10838-A
65	F	Black camera case finish-used only on clusters with ammeter and oil pressure gauge	1	C5ZZ 10838-C
65/66	F	Wood grain finish-used only on clusters with ammeter and oil pressure gauge	1	C5ZZ 10838-B
66	F	Black camera case finish-use only on clusters with ammeter and oil pressure gauge	1	C6ZZ 10838-A
67	F(63A, 65A, 65C, 76A, 76C)	Black camera case finish-includes lenses	1	C7ZZ 10838-C
67	F(63B, 65B, 76B)	Brushed aluminum-includes lenses	1	C7ZZ 10838-B
68	F	Camera case	1	C8ZZ 10838-A
68	F	Wood grain	1	C8ZZ 10838-B
69	F(exc. 63C, 65E)	Black Leathergrain	1	C9ZZ 10838-A
69	F(63C, 65E)	Light Teakwood-not replaced	1	★C9ZZ 10838-B
69	F(63C, 65E)	Dark Teakwood	1	C9ZZ 10838-C
70	F(except 63C, 65E)		1	D0ZZ 10838-A
70	F(63C, 65E)	Dark Teakwood	1	D0ZZ 10838-B
71/	F		1	D1ZZ 10838-A
65/66	F	Nut-(spring)-No. 8-15 (lower)	2	45132-S32(M125)
		Nut-(spring)-No. 8-15 (upper)	2	379130-S32 (MM268A)
67	F	Screw-pan head, cross recess-No. 6-20 x 1/2"	9	375557-S8(UU82)
68	F	Nut-spring-No. 8-15	6	353464-S8(MM248)
68	F	Screw-pan head tapping-No. 8-18 x 3/4"	6	376389-S101 (UU82D)
71/	F	Spring nut-No. 8-18 (attach housing to instr. cluster)	4	45174-S(M138)
- L -				
71/	L(except Decor group)		1	D1FZ 10838-A
71/	L(Decor group)		1	D1FZ 10838-B
71/	L	Screw (attach housing to instrument panel)-No. 8-18 x 3/4"	AR	55928-S(U380-A)
- P -				
70/	P	Black	1	D3DZ 10838-A
70/	P	Dark Red	1	D0DZ 10838-B
72	P	GINGER	1	D2DZ 10838-A
72	P	BEIGE	1	D2DZ 10838-B
72	P	DARK BEIGE	1	D2DZ 10838-C
72	P	TAN	1	D2DZ 10838-D
70/	P	Spring-nut-No. 8-15	2	45174-S8(M138)
70/	P	Screw-No. 8-15 x 3/4"	2	52022-S(U204)
- X -				
65	X	Not replaced	1	★C5DZ 10838-B
66	X(less A/C)	Includes finish plate-Group 18A668	1	C6DZ 10838-A
66	X(with A/C)	Change finish plate-refer to Group 18A668	1	
67	X		1	C7DZ 10838-B
68	X(without A/C)		1	★C8DZ 10838-A
68/70	X(with A/C)		1	C9DZ 10838-B
69/70	X(without A/C)		1	C9DZ 10838-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10A838 BEZEL - INSTRUMENT CLUSTER LOW FUEL LEVEL WARNING LAMP				
65	S	Low Fuel	1	C4SZ 10A838-A
66	S(63A, 76)		1	
10C838 RELAY ASSY. - WARNING LAMP INDICATOR				
69	A	(Lights On) #C9AB 10C838-A	1	C9AZ 10C838-A
70	F		1	
70	S(65A, C)		1	
70	A, F - with safety convenience panel	(Lights On) #D0AB 10C838-A	1	D0AZ 10C838-A
70/71	B - with safety convenience panel		1	
71/	F - with safety convenience group		1	DIAZ 10C838-A
72	B - with safety convenience group		1	
66	S(63C, 63D)	Controls rear lamps & left front parking lamp- #C6SB 10C838-A	1	C6SZ 10C838-A
		Controls right front parking lamp- #C6SB 10C838-B	1	C6SZ 10C838-B
67	S	Controls front parking lamps-#C7SB 10C838-A,	2	C7SZ 10C838-B
67	S(w/warning indicator panel)	B, D	1	
68/69	S	Used with electro mechanical system - #C8SB 10C838-A	1	C8SZ 10C838-A
70	S	"Before 12/1/69" (Lights On) #D0SB 10C838-A	1	D0SZ 10C838-A
70/71	S	"From 12/1/69" (Lights On) #D0SB 10C838-C	1	D0SZ 10C838-C
72	S	Lights # D2SB 10C838-A	1	D2SZ 10C838-A
69	A	Screw-pan hd. -No. 8-32 x 3/4"- attach relay to instrument panel	2	376389-S(UU82D)
66	S	Screw-hex. hd. -No. 10-12 x 1/2"	AR	42127-S(U248C)
67/71	S	Screw-No. 14 -14 x 1/2"	AR	31497-S(U254)
		Lockwasher 1/4" -Attach relay to relay panel	AR	34940-S(X88)
70	S	Screw-No. 8-15 x 1/2" flat head-(attach relay to luggage compartment stop)	AR	52012-S(U202)
71/	F	Screw-1/4"-14 x 1/2" (attach relay to relay panel)	AR	55981-S(U254E)
10D838 RETAINER - INSTRUMENT CLUSTER JEWEL				
72	B(w/Rallye instrument group)	(Fuel)	1	D2GY 10D838-A
		(Temp.)	1	D2GY 10D838-B
		(Oil and amps.)	1	D2GY 10D838-C
10C839 HUB - INSTRUMENT CLUSTER LENS				
68/71	S	Front	4	C8SZ 10C839-B
68/71	S	Rear	4	C8SZ 10C839-C
68/71	S	Screw	AR	★382065-S
10D839 WIRE AND SOCKET ASSY. - INSTRUMENT CLUSTER CONTROL LAMP.				
72	B	"Headlamp"-includes bulb #D2OB 10D839-AD	1	D2OZ 10D839-A
		"Wiper"-includes bulb #D2OB 10D839-BD	1	D2OZ 10D839-B
72	S	"Lights"- #D2SB 17D432-AB	1	D2SZ 10D839-A
		"Wiper switch"-#D2SB 17D432-BA	3	D2SZ 10D839-B
		"Lighter"-#D2SB 15080-AA	1	D2SZ 10D839-C
10A840 BEZEL and LENS - PARKING BRAKE WARNING LAMP				
66	A	Instrument panel lettered "Brake"-includes instruction sheet	1	C0AZ 10A840-A
67/	U	Also used with brake failure warning system	1	
67/69	A(without warning indicator panel)	Instrument panel lettered "Park"--Red	1	C7AZ 10A840-A
67	A(with warning indicator panel)	Warning indicator panel-lens only-lettered "Ajar", "Belts", "Lo Fuel", "Park"--Red	1	C7AZ 10A840-B
65/66	F	Instrument panel lettered "Brake"--Red	1	C3AZ 10A840-A
66/67	B		1	
65/67	X		1	
67/69	F(with warning indicator panel)	Warning indicator panel lettered "Park"--Red	1	C7ZZ 10A840-B
70	F(with warning indicator panel)	Warning indicator panel lettered "Park"--Yellow	1	D0ZZ 10A840-A
71/	F	Instrument panel lettered "Park"-- Yellow	1	D1ZZ 10A840-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10B840 RELAY - OIL TEMPERATURE INDICATOR WARNING LAMP				
65	A (8 cyl. 427)		1	C1TF 10B840-A
		Screw-hex. washer head, tapping-No. 10-12 x 1/2"	2	42127-S8(U248C)
10A841 LAMP and WIRING ASSY. - INSTRUMENT PANEL PARKING BRAKE WARNING				
65	A	Includes bezel-24" long excluding lamp assy. - ident. C5AB 10A841-A, B, C	1	C5AZ 10A841-B
66	A	"Before 11/1/65"	1	
66	A	"From 11/1/65 to 1/3/66"	1	★C6AZ 10A841-C
66	A	Ident. C6AB 10A841-A, C-parking brake warning lamp-use on vehicles with or without warning indicator panel - not replaced	1	
66	A	"From 11/1/65 to 1/3/66"	1	★C6AZ 10A841-B
66	A	Ident. C6AB 10A841-B-parking brake warning lamp and seat belt warning lamp-use on vehicles w/o warning indicator panel - not replaced	1	
66	A	"From 1/3/66"	1	C5AZ 10A841-B
66	A	Ident. C5AB 10A841-A, B, C, C6AB 10A841-E - parking brake warning lamp-use on vehicles with or without warning indicator panel - "BRAKES"	1	
66	A	Seat belt warning lamp-used on vehicles without warning indicator panel-refer to Group 10C859		
67	A	Refer to Group 15883		
68	A	Includes bezel-ident. C8AB 10A841-A with lettering "PARK"	1	C8AZ 10A841-A
68/70	B	Includes bezel-with lettering "PARK"	1	C8OZ 10A841-A
69	E	Dealer installation-lettering "PARK"	1	C9OZ 10A841-A
65/66	F	Includes bezel (10A840)-25" long excluding lamp assy. -ident. C4DA 10A841-A	1	C4DZ 10A841-A
67/68	F	Ident. C7WB 10A841-A - not replaced	1	★C7ZZ 10A841-A
69	F	"Before 12/2/68"	1	C9ZZ 10A841-A
69/70	F	"From 12/2/68"	1	C9ZZ 10A841-B
69	F	Dealer installation-lettering "PARK"	1	C9OZ 10A841-A
67	S(less warning indicator panel)	Ident. C7SB 2B249-A-includes "BRAKES" and "BELTS" lettering-used with brake failure warning lamp	1	C7SZ 10A841-A
67	S(w/warning indicator panel)	Ident. C7SB 2B249-B-includes "BRAKES" lettering-used with brake failure warning lamp	1	C7SZ 10A841-B
65/69	X	Includes bezel (10A840)-25" long excluding lamp assy. -ident. C4DA 10A841-A	1	C4DZ 10A841-A
10K843 CIRCUIT ASSY. - INSTRUMENT CLUSTER - PRINTED				
69	A	#C9AF 10C956-B	1	C9AZ 10K843-A
70	A	#D0AF 10C956-B	1	D0AZ 10K843-A
71/	A	#D1AF 10C956-AA	1	D1AZ 10K843-A
68	B(without tachometer)	#C8OF 10K843-C, E	1	C8OZ 10K843-A
69	B(without tachometer)	#C9OF 10C956-A, B	1	C9OZ 10K843-B
68/69	B(with tachometer)	"Before 12/16/68"	1	C8OZ 10K843-B
69	B(with tachometer)	"From 12/16/68"	1	C9OZ 10K843-C
70/71	B	#D0OF 10C956-A	1	D0OZ 10K843-A
72	B(w/o Rallye instrument group)		1	D2GY 10K843-A
72	B(w/Rallye instrument group)		1	D2GY 10K843-B
69/70	F(without tachometer)	#C9ZF 10C956-B	1	C9ZZ 10K843-A
69/70	F(with tachometer)	#C9ZF 10C956-C	1	C9ZZ 10K843-B
71/	F(with tachometer)	#D1ZF 10C956-BA	1	D1ZZ 10K843-B
71/	F(without tachometer)	#D1ZF 10C956-CA	1	D1ZZ 10K843-C
71/	L	#D1ZF 10C956-AA	1	D1FZ 10K843-A
70/	P	#D0DF 10C956-A	1	D0DZ 10K843-A
67	S		1	C7SZ 10K843-A
68	S	"Before 11/15/67"	1	C8SZ 10K843-A
68/71	S	"From 11/15/67"	1	C8SZ 10K843-B
72	S		1	D2SZ 10K843-A
68	X		1	C8DZ 10K843-A
69/70	X	#C9DF 10C956-A	1	C9DZ 10K843-A
69	A	Nut-No. 8-32 (attach 10927 to circuit board)	1	45253-S
67	S	Screw-hex. washer head, tapping-No. 6-20 x 3/8"	2	★373860-S8

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10845 BRACKET - INSTRUMENT CLUSTER MOUNTING				
71/	L		2	D1FZ 10845-A
70/	P		2	D0DZ 10845-A
10A845 BEZEL - WARNING LAMP INDICATOR PANEL DOOR OPENING LAMP				
65	S(w/warning indicator panel)	Door Ajar	1	C4SZ 10A845-A
66	S(63A, 70)(w/warning indicator panel)		1	
10A845 LENS - ROOF CONSOLE PANEL DOOR OPENING WARNING LAMP				
66	S(63C, 63D)	Door Ajar-serviced in assy. -refer to Group 10C876		
10847 BRACKET - INSTRUMENT CLUSTER AMMETER MOUNTING				
65/66	A	Includes 2 nylon bushings - Use with 60, 65 amp. alternator	1	C2AZ 10847-A
68/70	A	Use with L/N alternator	1	
		Lockwasher-spring-No. 10	2	34803-S7(X60)
		Nut-hex. -No. 10-32	2	34079-S7-8(M163)
65/70	A	Hang on Ammeter	1	B6AZ 10847-A
		Screw-pan head, slotted-No. 8-32 x 1/2"	1	39040-S8(U136)
		Nut-hex. -No. 8-32	1	34052-S7(M155)
		Lockwasher-external tooth-No. 8	1	34938-S8(X85)
69/70	A	Includes 2 brass bushings - Use with 65 amp. L/N alternator	1	B9A 10847-A
10848 PLATE - INSTRUMENT CLUSTER BACK				
69/70	A		1	D0AZ 10848-A
71/	A		1	D1AZ 10848-B
68	B(without tachometer)		1	★C8OZ 10848-A
68	B(with tachometer)		1	★C8OZ 10848-B
69	B(without tachometer)		1	C9OZ 10848-A
69	B(with tachometer)	Not replaced	1	★C9OZ 10848-B
70/71	B		1	D0OZ 10848-B
72	B(w/o Rallye instrument group)		1	D3GY 10848-A
72	B(w/Rallye instrument group)		1	D3GY 10848-B
69	F(without tachometer)		1	C9ZZ 10848-A
69/70	F(oil pressure gauge, fuel gauge)		2	C9ZZ 10848-B
69/70	F(charge indicator, temperature gauge)		2	C9ZZ 10848-C
69/70	F(with tachometer)	Center	1	D0ZZ 10848-B
70	F(without tachometer)		1	D0ZZ 10848-A
71/	F(with standard clock & with warning lights)		1	D1ZZ 10848-D
71	F(with rally clock)		1	D1ZZ 10848-F
71/	F(w/o warning lights, clock, tachometer or tripodometer)		1	D1ZZ 10848-A
71/	F(with warning lights, without clock)		1	D1ZZ 10848-B
71/	F(with tachometer and tripodometer)		1	D1ZZ 10848-C
71/	F(with tachometer without tripodometer)		1	D1ZZ 10848-E
71/	L		1	D1FZ 10848-A
70	P		1	D0DZ 10848-A
71/	P		1	D1DZ 10848-A
68/70	S		1	D0SZ 10848-A
68/71	S	For control pod	1	C8SZ 10848-B
71	S		1	C9LY 10848-A
72	S		1	D2SZ 10848-A
66/	U	Less filters-includes holes for ammeter & oil pressure gauge	1	C1TF 10848-B
69/70	X		1	C9DZ 10848-A
71/	L, P	Screw No. 6-12 x 1/2" attach 10848 to 10838	2	383367-S (MM291EA)
68/	S	Screw-No. 8-15 x 1" attach plate to inst. panel	AR	42151-S(U247)
10A848 SPRING - INSTRUMENT PANEL PARKING BRAKE WARNING LAMP RETAINING				
65/67	S, X		1	B9FM 10A848-A
65/70	A, B, F		1	
66/	U		1	

SECTION 106

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10850 AMMETER - INSTRUMENT CLUSTER				
65/70	A	Use with 60, 65 amp. alternator	1	B9A 10850-A
72	B(w/Rallye instrument group)		1	D2GY 10850-A
71/	B, F	Nut No. 10-32 attach 10850 to 10848	2	383367-S (MM291AE)
65	F		1	C5ZZ 10850-A
66	F		1	C6ZZ 10850-A
67	F(GT 350/500)	Not replaced	1	★S7MS 10850-A
67/68	F(less tachometer)-except GT 350/500)		1	C7ZZ 10850-A
		Nut	2	★45231-S8
67/68	F(with tachometer)	Refer to Group 10A936-7 for charge indicator warning light and oil pressure warning light		
69/70	F(GT 350/500)		1	C9ZZ 10850-C
69/70	F(except 65E & GT 350/500)	Black	1	C9ZZ 10850-A
69/70	F(65E)-except GT 350/500)	Grey	1	C9ZZ 10850-B
71/	F(with auxiliary cluster)		1	D1ZZ 10850-A
65	S	40 amp.	1	C4SZ 10850-A
66	S		1	C6SZ 10850-A
67/71	S	Serviced in assembly-refer to Group 10883		
66/	U		1	C5TZ 10850-B
108850 GAUGE ASSY. - AMMETER - CONSOLE				
68	F(GT 350/500)	In console-not replaced	1	★S8MS 10B850-A
10852 BEZEL - INSTRUMENT CLUSTER CONTROL - Also refer to Group 10A883				
- A -				
65/66	A		1	C5AZ 10852-A
65/66	A	Use with electric tail gate window	1	
65/66	A	Use with overdrive transmission	1	
65/66	A(71A, 71C)	Use with auxiliary seat heater	1	
65/66	A(57)	Use with uniflow ventilation system	1	
68	A(71)	Rear window	1	C8MY 10852-D
68/	A	Defogger (rear window)	1	C8AZ 10852-A
69/70	A	Lighter	1	C9AZ 10852-C
69/70	A	Light switch	1	C9AZ 10852-B
71/72	A	"Before 1/17/72" Light switch-wiper switch	2	D1AZ 10852-A
72	A	"From 1/17/72" Light switch-wiper switch	2	D2AZ 10852-A
- B -				
65	B	Air-R. H.	1	C5AZ 10852-A
68/69	B	Light switch (no lettering)	1	C8OZ 10852-A
69	B	Wipers-exc. intermittent	1	
68/69	B(with A/C)	With lettering "LIGHTS - WIPER - WASHER - OFF 1, 2, 3 - COOL TEMP. - WARM - MAX. A/C FRESH - OFF - HEAT - DEFROST"	1	C8OZ 10852-F
68/69	B(except A/C)	With lettering "LIGHTS - WIPER - WASHER - OFF 1, 2, 3 - LOW - MEDIUM - HIGH - OFF - HEAT - DEFROST"	1	C8OZ 10852-E
68/	B	Defogger (rear window)	1	C8AZ 10852-A
69	B(with A/C)	Wipers-intermittent	1	C8GY 10852-A
69	B(except A/C)	Wipers-intermittent	1	C9OZ 10852-A
70/71	B	Wiper-Washer	1	D0OZ 10852-A
70/71	B	Lights	1	D0OZ 10852-B
72	B	Lights	1	D2OZ 10852-A
72	B	Wiper	1	D2OZ 10852-B
68	B	Nut-self thread-No. 8-32	4	377523-S100 (MM291C)
68	B	Nut-spring -5/32"	AR	381803-S2 (MM262E)
- F -				
65/66	F	Lights	1	C4DZ 10852-B
		Wiper	1	C4DZ 10852-A
		"UP-ON"-for top or back window control-ident. C4DB 15677-B	1	C4DZ 10852-D
		Nut-hex, self threading -1/8"	2	★371583-S8

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10852 BEZEL - INSTRUMENT CLUSTER CONTROL - continued - Also refer to Group 10A883				
- F -				
67/68	F(76)	For top control switch	1	C4VY 10852-F
67/68	F	"LIGHTS"-ident, C7ZB 10852-A	1	C7ZZ 10852-A
68/70	F	Defogger (rear window)	1	C8AZ 10852-A
69/70	F	"LIGHTS"	1	C9ZZ 10852-A
69/70	F	"WIPER-WASHER"	1	C9ZZ 10852-B
70	F	Lighter	1	D0ZZ 10852-A
71/	F	Lighter	1	D1ZZ 10852-A
71/	F	Wiper-washer	1	D3ZZ 10852-B
71/	F(76)	Top (Up-Down)	1	D1ZZ 10852-C
71/	F	Lights	1	D1ZZ 10852-D
72	F	Seat belt	1	D2ZZ 10852-A
- L -				
72	L	Defogger	1	C8AZ 10852-A
- P -				
70	P	Wipers-RED	1	D0DZ 10852-A1D
		Wipers-NUGGET	1	D0DZ 10852-A1Y
		Lights-RED	1	D0DZ 10852-B1D
		Lights-NUGGET	1	D0DZ 10852-B1Y
70/	P	Wipers-BLACK	1	D0DZ 10852-A1A
		Wipers-BLUE	1	D0DZ 10852-A1E
		Lights-BLACK	1	D0DZ 10852-B1A
		Lights-BLUE	1	D0DZ 10852-B1B
71/	P	Wipers-GREY	1	D0DZ 10852-A1F
		Lights-GREY	1	D0DZ 10852-B1F
72	P	Wipers-BEIGE	1	D2DZ 10852-A
		Wipers-GINGER	1	D2DZ 10852-B
		Lights-BEIGE	1	D2DZ 10852-C
		Lights-GINGER	1	D2DZ 10852-D
70/	P	Defogger	1	C8AZ 10852-A
72	P	Lights-TAN	1	D2DZ 10852-E
71/	P(54A,62A,D)	Sport lamp (On-Off) (attaches to utility shelf)	1	D1DZ 10852-A
- S -				
68	S	"Before 5/1/68"	1	★C8SZ 10852-E
68	S	"From 5/1/68"	1	★C8SZ 10852-F
68/71	S	Lights-without auto/headlamp dimmer	1	C8SZ 10852-C
69/71	S	Instrument cluster-wood grain texture	1	C9SZ 10852-A
72	S	Lights-wipers	2	D2SZ 10852-A
- U -				
66/72	U	Lights	1	D3TZ 10852-D
68/72	U	Emergency flasher	1	C8TZ 10852-M
68/	U	Fuel tank - main auxiliary	1	C8TZ 10852-B
69	U	Wipers	1	C1TF 10852-D
70/72	U	"Before Ser. P40,001"	1	D0TZ 10852-A
72	U	"From Ser. P40,001"	1	D3UZ 10852-A
- X -				
65	X	Wipers	1	C4DZ 10852-A
65	X	"Up-On" for top or back window control-ident. C4DB 15677-B	1	C4DZ 10852-D
65/67	X	Lights	1	C4DZ 10852-B
68/70	X	Defogger (rear window)	1	C8AZ 10852-A
68/70	X	Lights	1	C8DZ 10852-A
68/70	X	Wipers	1	C8DZ 10852-B
69/	S	Nut-No.8-18-spring (attach bezel to pad & retainer)	AR	376130-S (MM268B)
68/	S	Screw	AR	★55931-S
10853 BEZEL - INSTRUMENT CLUSTER CONTROL OUTER				
65/66	S	Lights-chrome plated-1 1/4" O.D. -not replaced	1	★C4SZ 10853-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10A855 COVER - INSTRUMENT CLUSTER HOUSING				
65/66	S		1	C4SZ 10A855-A
10A858 HOUSING - INSTRUMENT PANEL CONTROL				
65	S	Ident. C5SB 10A858-AP, DP-not used with safety	1	★C5SZ 10A858-D
66	S(63C, 63D)	package - not replaced	1	
65	S	Ident. C5SB 10A858-BP, CP, EP-Includes holes	1	C5SZ 10A858-E
66	S(63A, 76)	for door opening warning & emergency	1	
		warning equipment-used with safety package		
66	S(63A, 76)	Ident. C6SB 10A858-AW-includes holes for door	1	C6SZ 10A858-A
		opening warning & emergency warning		
		equipment-used with safety package		
10C858 TRIM - AUXILIARY INSTRUMENT CLUSTER - RALLY PAC				
65/66	F	Used on vehicles having ammeter & oil	2	C5ZZ 10C858-A
		pressure gauge		
10C859 LAMP ASSY. - INSTRUMENT PANEL SEAT BELT WARNING INDICATOR - Also refer to Group 10C876				
67	A(54, 57, 62, 63B, 63J, 71, 76A) (less warning	"BELTS"	1	C7AZ 10C859-A
	indicator panel)			
67	F(less warning indicator panel)	Not replaced	1	★C7ZZ 10C859-A
69	F(less warning indicator panel)-		1	C9ZZ 10C859-A
	"Before 12/2/68"			
69/70	F(less warning indicator panel)-		1	C9ZZ 10C859-B
	"From 12/2/68 to 12/31/69"			
70	F(less warning indicator panel)-		1	D0ZZ 10C859-A
	"From 12/31/69"			
10A860 PLATE - INSTRUMENT CLUSTER CONTROL MOUNTING - Also refer to Group 10A886				
68	A(with radio and stereo)		1	C8AZ 10A860-A
72	B (with radio)		1	D2OZ 10A860-A
69/70	F(with AM/FM multiplex, AM/stereo radio)		1	C9ZZ 10A860-A
71/	F(with auxiliary cluster)		1	D1ZZ 10A860-A
65/66	S	Approx. 2 3/4" x 10 3/4"	1	C4SZ 10A860-C
68/70	X	Use to mount windshield wiper switch	1	C6DZ 10A860-B
72	B(Taxi)(clock cover)		1	D2OZ 10A860-B
10A860 PLATE - INSTRUMENT CLUSTER IGNITION SWITCH MOUNTING				
70	P(non-locking column)		1	D0DZ 10A860-A
		Screw-flat head, cross recess-No. 10-12 x 1/2"	2	52013-S8(U209)
		Nut-spring-No. 10-12	2	45187-S8(M141)
		Screw-hex, washer head-No. 8-32 x 3/8"	1	40917-S8(U257)
65/66	S		1	C5SZ 10A860-C
		Screw-fillister head, slotted-No. 8-32 x 1/2"	1	31061-S8(U50)
		Lockwasher-external tooth -No. 8	1	34938-S8(X85)
68/69	S(57C, 65C, 65D)	Ignition switch	1	C8SZ 10A860-A
68/69	S(57B, 65A, B)	Ignition switch	1	C8SZ 10A860-C
10C860 RETAINER - ROOF CONSOLE PANEL WARNING LAMP INDICATOR				
66	S(63C, 63D)		1	C6SZ 10C860-A
10A861 PLATE - INSTRUMENT CLUSTER TRIM				
65	A	Blue	1	C5AZ 10A861-D
		Red	1	C5AZ 10A861-E
66	A	Blue	1	C5AZ 10A861-D
67	F(63B, 65B, 76B)	Brushed aluminum	1	C7ZZ 10A861-A
10A862 COVER - INSTRUMENT CLUSTER OPENING				
69/70	A(without radio and stereo)	"FORD" radio	1	C9AZ 10A862-A
69/70	A(S/T)	Transmission (bucket seats with A/T)	1	C9AZ 10A862-B
69/70	A(A/T)	Transmission clear plastic	1	C9AZ 10A862-D
70/71	B	Accessory	1	D0OZ 10A862-A
10C863 BEZEL - ROOF CONSOLE PANEL DOOR OPENING WARNING SWITCH				
66	S(63C, 63D)	Ident. C6SB 10C863-A	1	C6SZ 10C863-A
		Nut-self threading-1/8"	2	★371583-S8
10C864 BUTTON - INSTRUMENT CLUSTER CLOCK STEM OPENING HOLE PLUG				
72	S		1	D2SZ 10C864-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10C867 HUB ASSY.- FUEL AND TEMPERATURE INDICATOR				
69/70	F	(1) Fuel and temperature (1) Charge indicator (1) Oil pressure	AR	C9ZZ 10C867-A
71/	F	Without clock	1	D1ZZ 10C867-A
10B870 FILTER - INSTRUMENT CLUSTER LIGHT				
65/70	A, B, X		4	C4VY 10B870-A
67/	F		7	
68/71	S		5	
71/	A	Blue	4	D1AZ 10B870-A
72	B, S		4	
67/68	S	For ignition switch	1	C7SZ 10B870-A
65/	A	Screw-pan head, cross recess-No. 8-32 x 3/8"	8	51763-S8(U362)
67/70	X			
67	A	Screw-hex. washer head-No. 6-20 x 1/2"	2	★375049-S2
65/66	B, F, X	Serviced in assy. -refer to Group 10848		
67	F	Screw-hex. washer head-No. 6-20 x 3/8"	AR	373860-S
71/	F		AR	(UU52W)
10874 COVER - INSTRUMENT CLUSTER HEATER BLOWER SWITCH OPENING				
69/70	A(w/o heater)		1	C9AZ 10874-A
10876 BEZEL - INSTRUMENT CLUSTER - Also refer to Group 15009				
66/72	U	"Before Ser. P40, 001"	1	C6TZ 10876-A
72	U	"From Ser. P40, 001"	1	D2BZ 10876-A
66/	U	Screw-No. 10-16 x 3/8"	4	52721-S8(U382B)
10C876 BEZEL and LENS - INSTRUMENT PANEL WARNING LAMP - Also refer to Group 10C859				
66	B, F, X	Seat belt-ident. C6OB 10B914-A	1	C6OZ 10C876-A
67	B, X		1	
66/70	B(54A)	Door open-ident. C6OB 10A916-A	1	C6OZ 10C876-B
67	F(less warning indicator panel)	"SEAT BELT" - not replaced	1	★C7ZZ 10C876-D
10C876 BEZEL and LENS - WARNING INDICATOR PANEL LAMP				
67	F(w/warning indicator panel) - "Before 12/1/66"	"Door" -blue	1	C7ZZ 10C876-G
67/68	F(w/warning indicator panel) "From 12/1/66"	"DOOR" -red	1	C7ZZ 10C876-K
67	F(w/warning indicator panel) - "Before 5/15/67"	"FUEL" -blue	1	C7ZZ 10C876-F
67/68	F(w/warning indicator panel) - "From 5/15/67"	"FUEL" -red	1	C7ZZ 10C876-J
67/70	F(w/warning indicator panel) - "Before 12/31/69"	"BELT" -red	1	C7ZZ 10C876-H
70	F(with warning indicator panel) "From 12/31/69"	"BELTS" -red	1	D0ZZ 10C876-A
71/	F	"BELTS" -red	1	D1ZZ 10C876-A
10C876 BEZEL and LENS ASSY. - ROOF CONSOLE PANEL WARNING INDICATOR				
67/68	A	" DOOR"	1	C7SZ 10C876-B
68/71	S	" DOOR"	1	
67/71	A, S	" FUEL"	1	C7SZ 10C876-C
66	S(63C, 63D)	"SEAT BELT"	1	C6SZ 10C876-F
		"DOOR AJAR"	1	C6SZ 10C876-E
		"LOW FUEL"	1	C6SZ 10C876-G
		"FLASHER"	1	C6SZ 10C876-H
67/69	S	"FLASHER"	1	C7SZ 10C876-A
67/71	S	"BELTS"	1	C9SZ 10C876-B
69/71	S	"LIGHTS"	1	C9SZ 10C876-A
67/68	A	"BELTS"	1	
10C876 HOUSING - SEAT BELT WARNING LAMP				
72	S	Belts	1	D2SZ 10C876-A
72	P	Belts	1	D2DZ 10C876-A
10C877 WIRING ASSY. - WARNING INDICATOR PANEL EXTENSION				
72	S(with sure track and/or stereo, rear seat speakers and/or, heated back lite)	#D2LB 10C877-AC	1	D2LY 10C877-A
72	S	Clip-wiring	AR	383207-S (GG271)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10C878 LENS KIT - WARNING LAMP INDICATOR PANEL				
65/66	A(with warning indicator panel)-	Not Replaced	1	★C5AZ 10C878-B
Consists of				
	1-Lens - Door ajar	1-Lens - Flasher		1-Lens - Seat Belts
	1-Lens - Door lock	1-Lens - Low Fuel		
10880 GLASS - INSTRUMENT CLUSTER				
66/	U		1	C1TF 10880-A
10880 LENS - INSTRUMENT CLUSTER MAIN - Also refer to Group 10887				
69/70	A-w/o radio	Radio	1	C9AZ 10880-A
69/70	A-w/o clock	Clock	1	C9AZ 10880-B
69	A	Fastener (attaches lens to mask)	AR	379663-S(HH8R)
69/70	F-with tripodometer and tachometer	Center (includes reset button)	1	C9ZZ 10880-A
68/71	S	R. H. - clock, alternator and temperature gauges	1	C8SZ 10880-B
68/71	S	L. H. - speedometer, oil pressure and fuel gauges	1	C8SZ 10880-A
68/71	S	Control pod	1	C8SZ 10880-C
68/71	S	Fastener (attaches lens to mask)	AR	379663-S(HH8R)
10883 GAUGE - INSTRUMENT CLUSTER TEMPERATURE				
65/	A	Refer to Group 10A936-7		
65	B		1	C5OZ 10883-A
70/71	B	Used with gauges	1	D0OZ 10883-A
72	B(w/o Rallye instrument group)		1	D2GY 10883-A
72	B(w/Rallye instrument group)		1	D2GY 10883-B
65	F		1	C5DZ 10883-A
65/66	F	Used only on clusters with charge indicator	1	C5ZZ 10883-B
67/68	F	Temperature indicator	1	C7ZZ 10883-B
69/70	F(exc. 65E)-except tachometer	"TEMP" - "C" & "H" -Black dial	1	C9ZZ 10883-A
69/70	F(65E)-except tachometer	"TEMP" - "C" & "H" -Gray-Blue dial	1	C9ZZ 10883-D
69/70	F(exc. 63C)-with tachometer	"TEMP" - "C" & "H" -Black dial	1	C9ZZ 10883-B
69/70	F(63C)-with tachometer	"TEMP" - "C" & "H" -Gray-Blue dial	1	C9ZZ 10883-C
71/	F(with auxiliary instrument cluster)		1	D1ZZ 10883-A
65/66	S		1	C4SZ 10883-A
67	S	Temperature and ammeter gauge	1	C7SZ 10883-A
68/	S	Temperature and alternator gauge	1	C8SZ 10883-A
66/	U		1	C6TZ 10883-A
65	X		1	C5DZ 10883-A
66/67	X		1	C6DZ 10883-A
71/	B, F	Nut No.10-32 attach 10883 to 10848	AR	383367-S (MM291AE)
10B883 COVER ASSY. - INSTRUMENT CLUSTER TRIM				
67	A(less radio, top or back window switch control and stereo tape)		1	★C7AZ 10B883-A
67	A(with radio, less top or back window switch control and stereo tape)		1	C7AZ 10B883-B
67	A(with top or back window switch control, less radio and stereo tape)		1	★C7AZ 10B883-C
67	A(with radio and top or back window switch control, less stereo tape)		1	C7AZ 10B883-D
67	A(with radio and stereo tape, less top or back window switch control)		1	★C7AZ 10B883-E
67	A(with radio, stereo tape and top or back window switch control)		1	★C7AZ 10B883-F
69	A(less interval wiper without A/C)- "Before 10/1/68"		1	★C9AZ 10B883-A
69	A(less interval wiper without A/C)- "From 10/1/68"		1	★C9AZ 10B883-F
69	A(with interval wiper without A/C)	Woodgrain	1	★C9AZ 10B883-B
69	A(with interval wiper with A/C)	Woodgrain	1	★C9AZ 10B883-D
69	A(less interval wiper without A/C)	Woodgrain	1	★C9AZ 10B883-C
69	A(less interval wiper with A/C)	Woodgrain	1	★C9AZ 10B883-E
70	A(less interval wiper without A/C)	Standard trim	1	D0AZ 10B883-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10B883 COVER ASSY. - INSTRUMENT CLUSTER TRIM - continued				
70	A(less interval wiper without A/C)	Woodgrain trim	1	D0AZ 10B883-C
70	A(less interval wiper with A/C)	Woodgrain trim	1	D0AZ 10B883-E
65/66	A	Screw-pan head, cross recess-No.10-32 x 1/4"	12	*51753-S13
67	A	Screw-pan head, No.6-20 x 1"-cover to cluster	5	52812-S2(U361H)
69	A	Screw-No.6-20 x 1 1/4" (attach 10B883 to instrument cluster back)	10	382663-S100 (UU81CR)
69	A	Nut-spring-No.6-20-cover to cluster	10	45256-S2(M134X)
71/	B, F	Nut-spring-No.8-15-cover to cluster	AR	45174-S(M138)
71/	B, F	Screw-No.8-15 x 1"-cover to cluster	AR	372141-S (UU81DF)
70	A(with interval wiper without A/C)	Woodgrain trim	1	D0AZ 10B883-B
70	A(with interval wiper and A/C)	Woodgrain trim	1	D0AZ 10B883-D
72	B(w/Rallye instrument group)	8 openings	1	D2GY 10B883-C
72	B(w/o Rallye instrument group)	5 openings-camera case finish	1	D2GY 10B883-A
72	B(w/o Rallye instrument group)	5 openings-woodgrain finish	1	D2GY 10B883-B
71/	F(except 63R)	Black	1	D1ZZ 10B883-A
71/	F(63R)	Textured (paint to match)	1	D1ZZ 10B883-B06A
10884 SENDER - WATER TEMPERATURE INDICATOR - ENGINE UNIT				
- A -				
65/68	A(6 & 8 cyl.)	With warning lights	1	C5AZ 10884-B
71/	A(with A.T.C.)		1	(SW-626)
65/68	A(8 cyl.)	With gauges	1	C6DZ 10884-B
69/70	A, Taxi, P/C (6 & 8 cyl.)	With warning light (cold)	1	C8GY 10884-A
71/	A(without A.T.C.)		1	(SW-663)
- B -				
65/66	B(6 cyl.)	"Before 9/1/65"	1	C3AZ 10384-A
65	B(8 cyl.)		1	(SW-344)
66/68	B(6 cyl.)	"From 9/1/65"	1	C6DZ 10884-B
70/71	B(6 cyl.)		1	(SW-552)
66/67	B(8 cyl.)		1	D0ZZ 10884-A
68	B(8 cyl.-exc. 427)		1	(SW-925)
68	B(8 cyl.-427)		1	C5AZ 10884-B
69	B(6 & 8 cyl.)		1	(SW-623)
70	B(8 cyl.)	With warning lights	1	C8GY 10884-A
70/	B(302)	With gauges	1	(SW-663)
70/	B(351, 429)		1	D0ZZ 10884-A
72	B(250, 400)		1	(SW-925)
- F -				
65/66	F(6 cyl.)	"Before 9/1/65"	1	D0WY 10884-A
66/69	F(6 cyl.)	"From 9/1/65"	1	(SW-344)
65/66	F(8 cyl.)	"Before 9/1/65"	1	C6DZ 10884-B
66/68	F(8 cyl.)	"From 9/1/65"	1	(SW-552)
69	F(8 cyl.-exc.302,351)		1	C5DZ 10884-A
69	F(8 cyl.-302,351)		1	(SW-427)
70/	F(8 cyl.-302 exc. Boss)	With gauges	1	C6DZ 10884-B
70/71	F(8 cyl.-428, 429)	With gauges	1	(SW-552)
70/	F(6 cyl.)	With gauges	1	C9WY 10884-A
			1	(SW-888)
			1	D0ZZ 10884-A
			1	(SW-925)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10884 SENDER - WATER TEMPERATURE INDICATOR - ENGINE UNIT - continued				
- F -				
70/	F(8 cyl.-351)	With warning lights	1	C8GY 10884-A
71/	F(6 cyl.)	With warning lights	1	(SW-663)
71	F(8 cyl.-429)	With warning lights	1	
70/	F(8 cyl.-351)	With gauges	1	D0WY 10884-A
70/71	F(8 cyl.-302 Boss)		1	(SW-924)
- L -				
71/	L(4 cyl.-98-1600 cc.)		1	D1FZ 10884-A
				(SW-983)
71/	L(4 cyl.-122-2000 cc.) -with A/C		1	D1FZ 10884-B
				(SW-1012)
71/	L(4 cyl.-122-2000 cc.)-exc. A/C		1	C8GY 10884-A
				(SW-663)
- P -				
70/	P(6 & 8 cyl.)		1	C8GY 10884-A
				(SW-663)
- S -				
65/66	S	"Before 9/1/65"	1	C5DZ 10884-A
				(SW-427)
66/69	S	"From 9/1/65"	1	C6DZ 10884-B
				(SW-552)
70/71	S-exc. A.T.C.		1	D0WY 10884-A
				(SW-924)
70/71	S-with A.T.C.		1	C9SZ 10884-A
				(SW-889)
72	S-exc. A.T.C.		1	C8GY 10884-A
				(SW-663)
72	S-with A.T.C.		1	C5AZ 10884-B
				(SW-626)
- U -				
66	U	"Before Ser.751,001"	1	C3AZ 10884-A
				(SW-344)
66/69	U	"From Ser.751,001"	1	C6DZ 10884-B
				(SW-552)
70/	U		1	D0ZZ 10884-A
				(SW-925)
- X -				
65/66	X(6 cyl.)	"Before 9/1/65"	1	C3AZ 10884-A
				(SW-344)
66/67	X(6 cyl.)	"From 9/1/65"	1	C6DZ 10884-B
				(SW-552)
65	X(8 cyl.)		1	C5DZ 10884-A
				(SW-427)
66/67	X(8 cyl.)		1	C6DZ 10884-B
				(SW-552)
68/70	X(6 & 8 cyl.)		1	C8GY 10884-A
				(SW-663)
10A885-6 PLATE - INSTRUMENT CLUSTER CONTROL MOUNTING - Also refer to Group 10A860				
65	B	1 5/16" O. D. -Ignition	1	C0DF 10A885-A
68/69	B	Ignition switch	1	C8OZ 10A885-A
65/66	F		1	C4DZ 10A885-A
67	F	"Before 4/3/67"	1	C7ZZ 10A885-A
67/68	F	"From 4/3/67"	1	C7ZZ 10A885-B
69	F	Ignition switch	1	C9ZZ 10A885-A
68/69	S(57A, B, 65A, B)	Ignition switch	1	C8SZ 10A885-F
68/69	S(57C, 65C, D)	Ignition switch	1	C8SZ 10A885-A
66/	U	Includes hole for ignition switch	1	C1TF 10A885-A
67	U	For choke and throttle controls	2	C0AF 10A885-A
68/	U	Choke	1	
65	X		1	C4DZ 10A885-A
68/70	X	Ignition switch	1	C8OZ 10A885-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10A885 HOUSING - IGNITION SWITCH				
70	P (non-locking column)	Ignition switch	1	D0DZ 10A885-A
10886 SPACER - INSTRUMENT CLUSTER HOUSING				
69/	F	Rubber	12	C9ZZ 10886-A
70/	L, P	Improvise	4	*D0DF 10886-A
10887 DIAL - INSTRUMENT CLUSTER MAIN - Also refer to Group 10B917				
68	A(with forced air vent)	R. H. - woodgrain-includes "HOT", "COLD", "ALT" and heater with forced air vent control lens	1	*C8AZ 10887-N Not replaced
68	A(with A/C)	R. H. - woodgrain - includes "HOT", "COLD", "ALT" and A/C control lens	1	C8AZ 10887-M
68	A(with A/C and forced air vent)	L. H. - woodgrain - includes "OIL", "LIGHTS", "WIPERS" and "WASHER" lens	1	*C8AZ 10887-R Not replaced
68	A(with heater)	R. H. - diamond textured - includes "HOT", "COLD", "ALT.", and heater temp. control lens	1	*C8AZ 10887-D Not replaced
		L. H. - diamond textured - includes "OIL", "LIGHTS", "WIPERS", and "WASHER" lens	1	*C8AZ 10887-H Not replaced
68	A (with heater)	R. H. - woodgrain-includes "HOT", "COLD", "ALT" and heater control lens	1	*C8AZ 10887-L Not replaced
68	A(with heater)	L. H. - woodgrain-includes "OIL", "LIGHTS", "WIPERS" and "WASHER" lens	1	*C8AZ 10887-P Not replaced
66	B(less radio)	Not replaced	1	*C6OZ 10887-B
66	B(with radio)	Not replaced	1	*C6OZ 10887-A
65	F	"Before 8/17/64"	2	C4DZ 10887-A
65	F	"From 8/17/64"	1	C5DZ 10887-A
65/66	F	Used only on clusters with ammeter and oil pressure gauge	1	C5GY 10887-A
67/68	F(less trip odometer)	Speedometer	1	C7ZZ 10887-A
67/68	F	Ammeter and oil pressure gauge	1	
67/68	F	Tachometer	1	
67/68	F(with trip odometer)	Speedometer	1	C7ZZ 10887-B
67/68	F	Fuel and temperature gauges	2	C7ZZ 10887-C
65	X	Clock	1	C7ZZ 10887-D
		Used only on clusters with charge indicator warning light and oil pressure warning light	1	C5DZ 10887-A
68/	A, F	Fastener - 3/8"	AR	375048-S(HH8RA)
10887 LENS - INSTRUMENT CLUSTER MAIN - Also refer to Group 10880				
65/66	A (with radio)		1	C5AZ 10887-A
65/66	A(less radio)	Not replaced	1	*C5AZ 10887-B
65/66	A	Clip	8	379663-S8(HH8R)
67	A	"FUEL", "OIL", "TEMP", "ALT"	1	C7AZ 10887-A
		Screw	5	*377333-S2
		Speedometer	1	C7AZ 10887-B
		Clip	8	379663-S8(HH8R)
68	A(with radio)		1	C8AZ 10887-A
68	A(with stereo)		1	C8AZ 10887-C
68	A(without radio and stereo)	Not replaced	1	*C8AZ 10887-B
71	A	"Wiper-washer"	1	D1AZ 10887-C
71	A	"Lights"	1	D1AZ 10887-D
71/	A(less clock)	Main	1	D1AZ 10887-A
71/	A(with clock)	Main	1	D1AZ 10887-E
67	B(less radio)	Not replaced	1	*C7OZ 10887-A
67	B(with radio)		1	C7OZ 10887-B
68/69	B		1	C8OZ 10887-A
70/71	B	Main	1	D0OZ 10887-A
72	B(w/o Rallye instrument group)	(1 piece 3 lens)	1	D2GY 10887-A
72	B(w/Rallye instrument group)	(1 piece 2 lens) (includes reset knob)	1	D2GY 10887-B
72	B(w/Rallye instrument group)	(1 piece 5 lens)	1	D2GY 10887-C
69	F(with trip odometer)	Center - Refer to Group 10880		
69/70	F(without trip odometer)	Center	1	C9ZZ 10887-A
69/70	F	R. H. & L. H. Outer	2	C9ZZ 10887-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10887 LENS - INSTRUMENT CLUSTER MAIN - continued - Also refer to Group 10880				
71/	F(with clock)		1	D1ZZ 10887-B
71/	F(with tripodometer)	Includes reset knob	1	D1ZZ 10887-E
71/	F(less clock or tripodometer)	With warning lights	1	D1ZZ 10887-A
71/	F(with auxiliary instrument cluster)		3	D1ZZ 10887-D
71/	L		1	D1FZ 10887-A
70/	P	Center	1	C9ZZ 10887-A
72	S(without tripodometer)		1	D2SZ 10887-B
72	S(with tripodometer)	Includes reset knob	1	D2SZ 10887-A
68/70	X		1	C8DZ 10887-A
68/	A,F	Fastener 3/8"	AR	375048-S(HH8RA)
10890 MASK - INSTRUMENT CLUSTER - Also refer to Group 10894				
- A -				
65/66	A(with radio)		1	C5AZ 10890-A
68	A(with radio & without stereo)		1	C8AZ 10890-A
68	A(without radio)		1	★C8AZ 10890-B
68	A(with stereo)		1	C8AZ 10890-C
69/70	A		1	C9AZ 10890-A
71	A(less wood grain)	Inner & outer	1	D1AZ 10890-A
72	A(less wood grain)	Inner and outer	1	D2AZ 10890-A
71	A(with wood grain)	Inner	1	D1AZ 10890-B
72	A(with wood grain)	Inner	1	D2AZ 10890-B
71/	A(with wood grain)	Outer	1	D1AZ 10890-C
- B -				
68	B	Main	1	★C8OZ 10890-A
69	B	Main	1	C9OZ 10890-A
70/71	B		1	D0OZ 10890-A
72	B(w/o Rallye instrument group)		1	D2GY 10890-A
72	B(w/Rallye instrument group)		1	D2GY 10890-B
67	B	Screw- pan head, cross recess-No. 6-20 x 1/2"	9	375557-S7-8(UU82)
- F -				
69/70	F(except 63C, 65E)	Center	1	C9ZZ 10890-A
69/70	F(63C, 65E)	Center	1	C9ZZ 10890-D
69/70	F(except 63C, 65E)	R. H. Outer	1	C9ZZ 10890-C
69/70	F(except 63C, 65E)	L. H. Outer	1	C9ZZ 10890-B
69/70	F(63C, 65E)	R. H. Outer	1	C9ZZ 10890-F
69/70	F(63C, 65E)	L. H. Outer	1	C9ZZ 10890-E
71/	F	R. H. -speedometer	1	D1ZZ 10890-A
71/	F	L. H. -warning light, clock or tachometer	1	D1ZZ 10890-B
71/	F	Fuel gauge	1	D1ZZ 10890-C
71/	F(with auxiliary instrument cluster)		3	D1ZZ 10890-D
- L -				
71/	L		1	D1FZ 10890-A
- P -				
70/	P		1	D0DZ 10890-A
- S -				
68/71	S	Main	1	C8SZ 10890-A
68/71	S	Control pod	1	C8SZ 10890-B
72	S		1	D2SZ 10890-A
- X -				
68/70	X		1	C8DZ 10890-A
10891-2 BAFFLE - INSTRUMENT CLUSTER LAMP				
- A -				
69/70	A	High beam	1	C9AZ 10891-B
70	A	Turn signal and warning lamp	2	D0AZ 10891-A
- B -				
68	B	R. H. -turn signal - not replaced	1	★C8OZ 10891-B
68/69	B	High beam	1	C8OZ 10891-A
68/69	B(without tachometer)	Oil - amp.	2	C8OZ 10891-C
68/69	B(with tachometer)	Oil - amp.	1	C8OZ 10891-D

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10891-2 BAFFLE - INSTRUMENT CLUSTER LAMP - continued				
- F -				
69/70	F	High beam	1	C9ZZ 10891-A
69/70	F	Tachometer	1	C9ZZ 10891-C
69/	F	Belts-Brakes	1	C9ZZ 10891-B
71/	F(less tripodometer)	High beam	1	D1ZZ 10891-A
- X -				
68/70	X	High beam	1	C8DZ 10891-B
68/70	X	Warning lamp	1	C8DZ 10891-C
10C893 BRACKET - INSTRUMENT PANEL SEAT BELT WARNING LAMP MOUNTING				
67	F(less warning indicator panel)	Not replaced	1	★C7ZZ 10C893-A
		Screw-pan head, cross recess-No. 10-24 x 1/2"	1	★54505-S2
		Lockwasher-internal tooth-No. 10	1	34903-S8(X96)
		Nut-hex, -No. 10-24	1	34053-S8(M156)
10894 MASK - INSTRUMENT CLUSTER - Also refer to Group 10890				
66/	U		1	C1TZ 10894-C
10C897 PLATE - INSTRUMENT PANEL WIRING CONNECTOR MOUNTING				
72	B		1	D2OZ 10C897-A
72	S		1	D2SZ 10C897-A
10B903 BEZEL - INSTRUMENT CLUSTER CONTROL HOUSING				
65	S	Chrome plated-Ident, C4SB 10B903-A	1	C4SZ 10B903-A
66	S(63A, 76)		1	
10B906 ESCUTCHEON - INSTRUMENT CLUSTER CONTROL HOUSING				
65	S	Chrome plated-Ident, C4SB 10B906-A	1	C4SZ 10B906-A
66	S(63A, 76)		1	
		Nut-self threading-5/32"	4	378205-S35 (MM288DB)
10B908 LENS - INSTRUMENT CLUSTER CONTROL HOUSING				
65	S	Plastic	2	C4SZ 10B908-A
66	S(63A, 76)		2	
10911 ADAPTER - WATER TEMPERATURE INDICATOR SENDER - ENGINE UNIT				
65	B, F, S, X (8 cyl.)	Screw in type-3/8"-18 external pipe thread x 1/8"-27 internal pipe thread x 1/2" long-use with senders (10884) having 1/8"-27 male ends	1	C5DZ 10911-C (SW-757)
10B912 ADAPTER - INSTRUMENT CLUSTER CONTROL POD BACK PLATE				
70/71	S	Control Pod	1	D0SZ 10B912-A
10C912 DIODE ASSY. - LAMP FAIL INDICATOR				
67/70	S	Ident. C7SB 10C912-A -2 1/2" long	AR	C7SZ 10C912-A
68/70	S	With cornering lamps	2	
70	B	Used with Automatic seat back release	1	
70	B, X	Used with seat belt lamp	1	
70/	S	Used with Automatic seat back latch	AR	
10C914 INSULATOR - AMMETER				
70/	P		1	C9ZZ 10C914-A
71	F		1	
10C915 LAMP ASSY. - WARNING INDICATOR				
72	U	"LIGHTS-HAZARD-WIPE-WASH"	1	D3BZ 10C915-A
10918 RETAINER - WARNING INDICATOR PANEL LAMP				
72	S	R.H. -9" long	1	D2SZ 10918-A
72	S	L.H. -9" long	1	D2SZ 10918-B
72	S	2 1/2" square	1	D2SZ 10918-C
72	S	Seat belt warning indicator housing	1	D2SZ 10918-D
10918 RETAINER - ROOF CONSOLE INDICATOR PANEL WARNING LAMP				
67/68	S(with roof console)	"From 10/1/67"	1	C7SZ 10918-D
70/71	S		2	
10A919 BRACKET - INSTRUMENT CLUSTER				
71/	A		2	D1AZ 10A919-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10B920 BEZEL and LENS - INSTRUMENT PANEL EMERGENCY FLASHER WARNING LAMP				
66	X	"FLASHER"	1	C6DZ 10B920-A
65	S	Flasher	1	C4SZ 10B920-A
66	S(63A, 76)		1	
10B920 LENS - ROOF CONSOLE PANEL EMERGENCY FLASHER WARNING LAMP				
66	S(63C, 63D)	Serviced in assy. -refer to Group 10C876		
10B921 SWITCH - OIL TEMPERATURE WARNING				
65/67	A(427)	On oil filter adapter-ident. AC 308-322-incl. instruction sheet No. 1397	1	C3AZ 10B921-B
10B921 GAUGE - OIL PRESSURE - Also Refer to Group 9278				
67	F(GT 350/500)	Not replaced	1	*S7MS 10B921-A
68	F(GT 350/500)	In console -not replaced	1	*S8MS 10B971-A
10B923 WIRING - WARNING LAMP INDICATOR PANEL - Also refer to Group 10C877				
69	A(with safety convenience panel)- "Before 3/3/69"	#C9AB 10B923-B	1	C9AZ 10B923-A
69	A(with safety convenience panel)- "From 3/3/69"	#C9AB 10B923-C	1	C9AZ 10B923-C
70	A-with safety convenience panel- "Before 11/1/69"	#D0AB 10B923-A	1	D0AZ 10B923-A
70	A-with safety convenience panel- "From 11/1/69"	#D0AB 10B923-B	1	D0AZ 10B923-B
71/	F(63,D,R)-with instrument package or sports interior package	#D1ZB 10B923-AA	1	D1ZZ 10B923-A
71/	F(65D, F, 76D)(with instrument package)		1	
68/69	S(57)with safety convenience panel	Ident. C8SB 10B923-B, D, C9SB 10B923-C	1	C9SZ 10B923-B
69	S(65)with safety convenience panel	Ident. C9SB 10B923-D-not replaced	1	*C9SZ 10B923-A
70/71	S(57) with safety convenience panel	#D0SB 10B923-E, G, DISB 10B923-BA, BB	1	D0SZ 10B923-E
70/71	S(65) with safety convenience panel	#D0SB 10B923-D, F, K, DISB 10B923-AA, AB	1	D0SZ 10B923-A
71	S	Clip wiring (attach wiring to roof panel)	4	376188-S(GG147M)
68/	S	Washer-No. 8	AR	34938-S(X85)
		Screw-No. 8-15 x 1/2"-pan head	AR	52726-S(U381)
		Clip	AR	*377751-S
		Clip	AR	377793-S
		Screw-hex. hd. -No. 10-12 x 1/2"-	AR	42127-S(U248C)
70/	S	Attach wiring to roof panel		
		Screw-No.8-15 x 1/2"-flat head-(attach wiring to windshield header and front body pillar or roof panel)	AR	52012-S(U202)
71	S	Clip (attach wiring to roof rail)	AR	379042-S(GG143A)
10B923 WIRING - ROOF CONSOLE WARNING LAMP INDICATOR PANEL				
67	S	Ident. C7SB 10B923- A, B, C -not replaced	1	*C7SZ 10B923-C
66/67	S	Screw-hex.hd.-No.10-12 x 1/2"	AR	42127-S(U248C)
66/67	S	Attach wiring to roof panel		
66/67	S	Clip	AR	*380171-S
67	S	Clip	AR	*377766-S
		Washer-No. 8	AR	34938-S(X85)
		Screw-No. 8-15 x 1/2"	AR	52726-S(U381)
		Clip	AR	*377751-S
		Clip	AR	*377793-S
10B924 RELAY - INSTRUMENT PANEL SEAT BELT WARNING INDICATOR LAMP				
66	A	Ident. C6AB 10B924-A, C, Tung Sol relay No. 673	1	C6AZ 10B924-A
66	B, F, X		1	
66	S	Not used on vehicles with seat belt warning switch in retractor	1	
67/70	X	Ident. C7AB 10B924-A, B, D2AB 10B924-AA	1	D1AZ 10B924-A
67/71	S		1	(SW-1094)
70/	P, L		1	
67/	A, B, F		1	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10B924 RELAY - INSTRUMENT PANEL SEAT BELT WARNING INDICATOR LAMP - continued				
70	S	#D0SB 10B924-A	1	D0SZ 10B924-A
67/69	A, B, F, P, S, X	Screw-No. 10-12 x 1/2"	AR	42127-S(U248C)
69	A	Screw-No. 8-32 x 3/4"	2	376389-S(UU82D)
71	S	Washer (attach relay to brake pedal support)- No. 8	1	34938-S(X85)
71	S	Screw-No. 8-15 x 5/8" (attach relay to instrument panel)	1	52554-S(U230)
72	L, P		1	
72	F	Screw-1/4"-14 x 1/2" (attach relay to relay panel)	1	55981-S(U245E)
10B925 SOCKET and WIRING - CONSOLE PANEL SEAT BELT WARNING INDICATOR LAMP				
65	S	Ident. C5SB 10B925-B-switch located in seat	1	C5SZ 10B925-A
66	S(63A, 76)	belt retractor-also serviced in assy. (10B924)	1	
10B925 SOCKET and WIRE - WARNING LAMP INDICATOR PANEL - SEAT BELT LAMP				
69	B, X(with warning indicator panel)	Ident. C9OB 10B925-A	1	C9OZ 10B925-A
70	B-with visibility package	#D0OB 10B925-B, D1OB 10B925-AA	1	D0OZ 10B925-A
69	F(with warning indicator panel) - "Before 12/2/68"	Ident. C9ZB 10B925-C	1	C9ZZ 10B925-A
69/70	F(with warning indicator panel)- "From 12/2/68"	Ident. C9ZB 10B925-E	1	C9ZZ 10B925-B
10B925 SOCKET and WIRE - INSTRUMENT PANEL SEAT BELT WARNING INDICATOR LAMP				
71	B	#D1OB 10B925-AB	1	D1OZ 10B925-A
72	B	#D2OB 10B925-AA	1	D2OZ 10B925-A
71/72	F	#D1ZB 10B925-AB	1	D1ZZ 10B925-A
71/72	P	Ident. D0DB 10B925-A, D1DB 10B925-AA	1	D0DZ 10B925-B
10B925 WIRING ASSY.- SEAT BELT WARNING				
69/70	A(without safety convenience panel)	#C9AB 14A440-B	1	C9AZ 10B925-A
71/	A	#D1AB 14A440-AB	1	D1AZ 10B925-A
10B925 LAMP ASSY. - SEAT BELT WARNING				
72	A, B, P	#D2AB 10C859-AA, AB-"FASTEN SEAT BELT"	1	D2AZ 10B925-A
72	L--w/o ignition restraint system		1	
72	S	#D2SB 10C859-AC, AD-"FASTEN SEAT BELT"	1	D2SZ 10B925-A
72	F	#D2ZB 10C859-AA-"FASTEN SEAT BELT"	1	D3ZZ 10B925-A
72	L--w/ignition restraint system		1	
10B926 RELAY - CONSOLE PANEL SEAT BELT WARNING INDICATOR LAMP				
65	S	"Before 9/30/64" Ident C4SB 10B926-A	1	C4SZ 10B926-A
		Screw-hex. washer head-No. 14-10 x 1/2"	2	31497-S8(U254)
10B926 RELAY - CORNERING LAMP				
68	S	Ident. C7WB 10C838-B	1	C7WY 10B926-A
68	S	Use with Safety Convenience Panel - Ident. C7WB 10C838-C	1	C7WY 10B926-B
69	S	Refer to Basic 15A217 for 1969		
10B926 RELAY - WARNING LAMP INDICATOR PANEL SEAT BELT				
65/66	A		1	C5AZ 10B926-A
		Screw-pan head, cross recess-No. 10-16 x 3/8"	1	*52781-S2
10B926 RELAY - INSTRUMENT PANEL BRAKE SYSTEM				
67	A, B(with brake failure warning lamp)	Ident. C7AB 2B244-A	1	C7AZ 10B926-A
67	S(with brake failure warning lamp)	Ident. C7VB 2B244-A	1	C7SZ 10B926-A
10B926 RELAY - INSTRUMENT PANEL STEERING COLUMN LOCK CONTROL				
67	F(with tilt steering wheel)	Ident. C7ZA 3E553-A	1	C7ZZ 10B926-A
68/69	F(with tilt steering wheel)	Ident. C8ZA 3E553-A	1	C8ZZ 10B926-A
10927 TERMINAL - INSTRUMENT CLUSTER FUEL LEVEL INDICATOR				
69/70	A	Stud-No. 8-32	2	C9AZ 10927-B
69/70	A	Bus-Bar fuel gauge	2	C9AZ 10927-C
68/71	S	Copper - voltage regulator	AR	C8SZ 10927-A
68/71	S	Brass - fuel level indicator	AR	C8SZ 10927-B

Identification marking
May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10B927 LENS - CONSOLE PANEL SEAT BELT WARNING INDICATOR LAMP				
65	S	"FASTEN SEAT BELTS"	1	C4SZ 10B927-A
66	S(63A, 76)		1	
66	S(63C, 63D)	Serviced in assy. -refer to Group 10C876		
10B928 BEZEL - CONSOLE PANEL SEAT BELT WARNING INDICATOR LAMP SWITCH				
65	S	Ident. C4SB 10B928-A-used with seat belts	1	C4SZ 10B928-A
66	S(63A, 76)		1	
		Nut-self threading-1/8"	2	370713-S100 (MM292)
10C931 WIRE - CONSTANT VOLTAGE REGULATOR TO GAUGE				
68/70	B, X	9" long	1	C8GY 10C931-B
10C932 WIRE - CONSTANT VOLTAGE REGULATOR TO IGNITION				
68/70	B, X	7" long	1	C8GY 10C932-B
10A934 INDICATOR ASSY. - EMERGENCY WARNING LAMP				
66	U	Ident. C3TB 10A934-A	1	C3TZ 10A934-A
55	X	Ident. C2UB 10A934-A	1	C3UZ 10A934-A
10C935 BRACKET - INSTRUMENT PANEL CONTROL				
67	A(54) New York Taxi	Roof lamp switch	1	C7AZ 10C935-A
69/70	A(P/C), New York Taxi		1	
71/	A (Taxi, P/C)		1	D1AZ 10C935-A
71/	A	Nut-1/4"-20	1	33795-S(M49)
		Screw- 1/4"-20 x 1/2"	1	42742-S(U2A)
		Screw-No. 10-12 x 5/8"-attach bracket to instrument panel	1	42014-S(U240)
10A936-7 LENS - INSTRUMENT CLUSTER WARNING LAMP				
- A -				
69	A	"BRAKES", "BELTS"	1	C9AZ 10A936-A
69	A	"HOT", "PARK"	1	C9AZ 10A936-B
69	A	"OIL"	1	C9AZ 10A936-C
69	A	"ALT"	1	C9AZ 10A936-D
69	A	Turn signal R. H. & L. H.	2	C9AZ 10A936-E
70	A	"OIL"	1	D0AZ 10A936-C
70	A	"ALT"	1	D0AZ 10A936-D
71	A	"Before 3/15/71" "OIL and HOT"	1	D1AZ 10A936-A
71/	A	"From 3/15/71" "OIL and HOT"	1	D1AZ 10A936-D
71	A	"Before 3/15/71" "BRAKES and ALT"	1	D1AZ 10A936-B
71/	A	"From 3/15/71" "BRAKES and ALT"	1	D1AZ 10A936-E
71/	A	"HIGH BEAM"	1	D2AZ 10A936-A
71/72	A	" Before 10/1/71" " PARK and BELTS"	1	D1AZ 10A936-C
72	A	" From 10/1/71" " PARK"	1	D2AZ 10A936-B
- B -				
70/71	B	L. H.- OIL, BRAKE SYSTEM, ALT.	1	D0OZ 10A936-C
		R. H.- SEAT BELTS, PARKING BRAKE, LIGHTS-ON	1	D0OZ 10A936-D
72	B(w/o Rallye instrument group)	"ALTERNATOR-HI-BEAM"	1	D2GY 10A936-D
		"BRAKES-OIL"	1	D2GY 10A936-E
		"TURN-SIGNAL"	2	D2GY 10A936-F
		"PARK"	1	D2GY 10A936-G
		"BELTS"	1	D2GY 10A936-H
72	B(w/Rallye instrument group)	"FUEL"	1	D2GY 10A936-A
		"TEMPERATURE"	1	D2GY 10A936-B
		"OIL-AMPS."	1	D2GY 10A936-C
72	B(w/Rallye instrument group)- "Before 10/1/71"	"PARK-BELTS"	1	D2GY 10A936-J
72	B(w/Rallye instrument group)- "From 10/1/71"	"PARK"	1	D2GY 10A936-K
- F -				
69/70	F(exc. 63C)	"HIGH BEAM"	1	C9ZZ 10A936-A
69/70	F	Turn signal	2	C9ZZ 10A936-B
69/70	F(w/o tachometer)	"BRAKE SYSTEM"	1	C9ZZ 10A936-D
69/70	F(with tachometer)	"BRAKE SYSTEM, ALT. & OIL"	1	C9ZZ 10A936-E

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10A936-7 LENS - INSTRUMENT CLUSTER WARNING LAMP - continued				
- F -				
69/71	F	"SEAT BELTS"	1	C9ZZ 10A936-C
70	F(with tachometer)	"BRAKE SYSTEM, ALT. & OIL"	1	D0ZZ 10A936-A
71/	F(with clock)	"TEMP -BRAKES"	1	D1ZZ 10A936-D
71/	F(with clock)	"OIL-ALTERNATOR"	1	D1ZZ 10A936-E
71/	F(except clock)	"OIL, ALTERNATOR, BRAKES"	1	D1ZZ 10A936-C
71/	F(less tripodometer)	"HIGH BEAM"	1	D1ZZ 10A936-A
71/	F(with tripodometer)	"HIGH BEAM"	1	D1ZZ 10A936-G
71/	F	Turn signal	2	D1ZZ 10A936-B
71/	F(with tachometer)	"BRAKES"	1	D1ZZ 10A936-F
- L -				
71/	L	Warning lamp	1	D1FZ 10A936-A
71/	L	Turn signals (green)	2	D1FZ 10A936-B
71/	L	High beam (red)	1	D1FZ 10A936-C
- P -				
70/	P	"HIGH BEAM" - "RED"	1	D0DZ 10A936-C
70/72	P	"Before 2/15/72" Temperature-oil-fasten seat belts-alt., -brakes	1	D0DZ 10A936-B
72	P	"From 2/15/72" Temperature-oil-fasten seat belts-alt., -brakes	1	D2DZ 10A936-A
- S -				
69/71	S	Turn signal	1	C9SZ 10A936-A
72	S	R. H. - (temp. -alt. -oil and R. H. turn indicator)	1	D2SZ 10A936-A
72	S	" Before 11/1/71" L. H. - (brakes-Hi-beam-belts and L. H. turn indicator)	1	D2SZ 10A936-B
72	S	" From 11/1/71" L. H. - (brakes-Hi-beam-trunk and L. H. turn indicator)	1	D2SZ 10A936-G
72	S	Low fuel-door ajar-R-def, on-lights on	1	D2SZ 10A936-C
72	S	Lights	1	D2SZ 10A936-D
72	S	Lighter	1	D2SZ 10A936-E
72	S	Wipers-washers	1	D2SZ 10A936-F
- X -				
68/70	X	"ALT." - "BRAKES" - red	1	C8DZ 10A936-C
68/70	X	"DOOR", "BELTS", "PARK", "FUEL"	1	C8DZ 10A936-D
68/70	X	Dial and jewel "HOT", "OIL"	1	C8DZ 10A936-E
10A939 SEAL - INSTRUMENT CLUSTER DUST				
66/	U		1	C6TZ 10A939-A
10B942 WIRING - INSTRUMENT CLUSTER				
72	B(w/Rallye instrument group)	# D2OB 10B942-AC	1	D2OZ 10B942-A
67/69	F(without tachometer)	Ident. C7ZB 10B942-A, C, E, G-use with alternator and oil gauge mounted together	1	C7ZZ 10B942-A
10C942 HUB ASSY. - INSTRUMENT CLUSTER DIAL				
68/69	B		1	C8OZ 10C942-A
72	B(w/o Rallye instrument group)	Fuel & temperature guage	2	D2GY 10C942A
70/	P		1	D0DZ 10C942-A
10B944 GAUGE (ENGINE VACUUM)				
72	B	Kit - consists of (1) C7AZ 14487-A Connector (1) D4AJ 19D529-AA Gauge (2) Instruction Sheets	1	\$ D4AZ 10B944-B
10C944 GUIDE ASSY. - TAIL LAMP MONITOR				
68	S	136" long - not replaced	2	*C8SZ 10C944-A
68/69	S	137" long (to repair broken units)	AR	C8SZ 10C944-B
69	S	129" long	2	C9SZ 10C944-A
10A945 HOUSING - INSTRUMENT CLUSTER SPEEDOMETER				
65/66	S		1	C4SZ 10A945-A
10B945 HOUSING - AUXILIARY INSTRUMENT CLUSTER RALLY PAC				
71/	F(with axuiliary instrument cluster)		1	D1ZZ 10B945-A
71/	F	Screw-No. 8-12 x 1/2"-hex.head-attach housing to instrument panel	AR	383938-S(UU52V)
10A948 GASKET - INSTRUMENT CLUSTER				
65/66	S	Improvise from foam rubber	1	*
10952 MEDALLION - INSTRUMENT CLUSTER				
66/68	A(63C, 76B)	Without clock	1	C6AZ 10952-A
69/70	A(S/T)		1	
# Identification marking				

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
10C954 RETAINER - TAIL LAMP MONITOR HOUSING				
68/69	S		1	C8SZ 10C954-A
10C955 INDICATOR ASSY. - TAIL LAMP MONITOR				
69	S		1	C9SZ 10C955-A
10960 DIAL - INSTRUMENT CLUSTER WARNING LAMP				
69	B	"OIL", "ALT."	1	C9OZ 10960-A
10B966 DIAL - INSTRUMENT CLUSTER INDICATOR				
72	B(w/o Rallye instrument group)	Fuel (plastic)	1	D2GY 10B966-A
		Temperature (plastic)	1	D2GY 10B966-B
72	B(w/Rallye instrument group)	Fuel (steel)	1	D2GY 10B966-C
		Temperature (steel)	1	D2GY 10B966-D
		Oil-amps. (steel)	1	D2GY 10B966-E
67	F(less tachometer) "Before 6/1/67"	"ALTERNATOR", "OIL PRESSURE"-not replaced	1	★C7ZZ 10B966-A
67/69	F(less tachometer) "From 6/1/67"	"ALTERNATOR", "FUEL"	1	C7ZZ 10B966-C
69/70	F(exc. 65E)	"FUEL" and "TEMP."	1	C9ZZ 10B966-A
69/70	F(65E)	"FUEL" and "TEMP."	1	C9ZZ 10B966-B
71/	F(without clock)	"OIL", "TEMP", "ALT." and "BRAKES"	1	D1ZZ 10B966-A
70/	P	Fuel, Temperature, Oil, Alternator, Brakes	1	D0DZ 10B966-A
70/	P	Screw No. 6-18 x 3/4" attach dial to 10848	4	42138-S(U245A)
10B966 DIAL AND JEWEL ASSY. - INSTRUMENT CLUSTER POD				
68/69	S	"BRAKES", "BELTS"	1	C9SZ 10B966-A
70	S(without intermittent wipers)	"BRAKES", "BELTS"	1	D0SZ 10B966-A
70/71	S(with intermittent wipers)	"BRAKES", "BELTS"	1	D0SZ 10B966-B
70/71	S(with hydrowipers)	"BRAKES", "BELTS", "WIPERS" and "WASHERS"	1	D0SZ 10B966-C
10A968 RELAY - WARNING LAMP INDICATOR PANEL LOW FUEL LEVEL				
65/66	A	Ident. C6AF 10A968-A	1	C5AZ 10A968-C
68/69	A		1	
67/68	F		1	
68/69	B, X		1	
67	A	Ident. C6VF 10A968-B	1	C6VY 10A968-A
71/	S	Refer to Group 9F326		
65/67	S	Ident. C4VF 10A968-B, C5VF 10A968-A, B, C6SF 10A968-A-low fuel level warning	1	C7SZ 10A968-A
68/71	S	Ident. C8SF 10A968-A	1	C8SZ 10A968-A
65/66	A	Screw-No. 10-16 x 3/8"-Attach relay to bracket	2	52721-S(U382B)
67/68	A	Screw-No. 10-12 x 1/2"-Attach relay to bracket	2	42127-S(U248C)
69	A	Screw-No. 8-15 x 5/8"-Attach relay to bracket	2	52554-S(U230)
68/	B, X	Screw-No. 8-18 x 3/8"-Attach relay to bracket	2	42119-S(U246)
65/71	S	Screw-No. 14 x 1/2"	AR	31497-S(U254)
		Washer 1/4"-Attach relay to relay panel	AR	34940-S(X88)
10B971 GAUGE ASSY. - OIL PRESSURE - Refer to Group 10B921				
10B978 PLATE - INDICATOR MOUNTING INSTRUMENT CLUSTER				
71/	F	Fuel	1	D1ZZ 10B978-A
10A995 GASKET - INSTRUMENT CLUSTER WARNING LAMP				
71	A	"Before 3/15/71" (1) for oil & hot indicator-(1) for brakes & alternator indicator	2	D1AZ 10A995-A
71/	A	"From 3/15/71" (1) for oil & hot indicator-(1) for brakes & alternator indicator	2	D1AZ 10A995-D
71/	A	For parking lamp & seat belt	1	D1AZ 10A995-B
71/	A	High Beam	1	D1AZ 10A995-C
66	B		1	C6OZ 10A995-B
67	B	Not replaced	1	★C7OZ 10A995-A
70	B	Turn signal	2	D0OZ 10A995-A
72	B(w/o Rallye instrument group)	Hi-beam-brakes-oil	2	D2GY 10A995-A
72	B(w/Rallye instrument group)	Park-belts	1	D2GY 10A995-B
		Brakes-turn signal	1	D2GY 10A995-D
71/	F	Turn signal	1	D1ZZ 10A995-B
71/	F		AR	D1ZZ 10A995-C
71/	L	Turn signal	2	D1FZ 10A995-B
68/70	X		1	C8DZ 10A995-A