

INDEX

PART NAME	GROUP NUMBER
A	
Actuator (overdrive kick down switch)	7A770
Adapter (clutch pedal rod)	7B535
Adapter (overdrive housing to trans. case)	7660
Adapter assy. (trans. gearshift interlock rod)	7D425
Arm (trans. gearshift selector)	7346
Arm assy. (trans. gearshift selector)	7302-3
Arm assy. (trans. intermediate & high gearshift control column mounted)	7302
Arm assy. (trans. low & reverse gearshift control column mounted)	7303
B	
Baffle (overdrive output shaft bearing oil)	7668
Baffle (trans. input shaft bearing oil)	7040
Ball (clutch release equalizer shaft)	7543
Ball (clutch release equalizer shaft inner)	7A535
Ball (transfer case shift assy.)	7213
Bar assy. (clutch release equalizer)	7528
Bearing (clutch pilot)	7600
Bearing (clutch release)	7580
Bearing (trans. control selector tube)	7347
Bearing (trans. counter shaft gear needle)	7121
Bearing (trans. gearshift lever opening plate)	7D440
Bearing (trans. gearshift tube)	7347
Bearing (trans. input & output shaft)	7025-65
Bearing (trans. input shaft pilot)	7118 7120
Bearing (trans. second & third speed gear)	7120
Bearing (trans. steering column tube)	7347
Bearing assy. (clutch release)	7580
Bellcrank (transfer case control)	7A188
Bellcrank (trans. accelerator)	7A185
Bellcrank (trans. column shift selector)	7A185
Bezel (trans. gearshift lever boot)	7E391
Boot (clutch pedal rod)	7A582
Boot (trans. floor mounted gearshift control linkage lower)	7E138
Boot (trans. gearshift lever)	7277
Boot (trans. shift selector linkage)	7277
Bracket (clutch pedal lever assist spring)	7535
Bracket (clutch pedal retracting spring)	7535
Bracket (clutch release equalizer)	7A572
Bracket (clutch release lever)	7522
Bracket (clutch release lever retracting spring)	7542
Bracket (overdrive manual control handle)	7A215
Bracket (trans. gearshift tube steering column)	7317
Bracket (trans. overdrive control)	7A653
Bumper (clutch & brake pedal)	7583
Bushing (clutch pedal clevis)	7B605
Bushing (clutch release equalizer shaft)	7517
Bushing (clutch release idler lever rod)	7526
Bushing (transfer case gearshift lever shaft)	7A133
Bushing (trans. accelerator rod)	7A440
C	
Cable (clutch)	7K581
Cable assy. (overdrive manual control)	7A650
Cam & shaft (trans. first & second speed shifter fork)	7282
Cam & shaft (trans. high & intermediate shifter fork)	7280
Cam & shaft (trans. low & reverse shifter fork)	7282
Cam & shaft (trans. third & fourth speed shifter fork)	7280
Case (transfer & trans.)	7005-6
Clevis (transfer case shift rod)	7354
Clutch (disc, plate & cover)	7550, 7563
Clutch pressure plate & disc kit	7A537
Cone & roller (transfer case front wheel outer bearing)	1216
Control (trans. floor mounted gearshift)	7400
Counter shaft (trans.)	7111
Cover (clutch pedal pad)	7B544
Cover (instrument panel trans. selector)	7B100
Cover (trans. case access)	7222
Cover (trans. gearshift lever opening)	7D362
Cover (trans. gearshift sleeve)	7E405
Cover assy. (trans. case)	7201
Cup (transfer case)	1202
Cup (transfer case rear output shaft bearing)	7169
D	
Dowel (transfer case input bearing cap)	7B362
E	
Extension (trans. column shift selector lever socket lower)	7228
Extension (trans. gearshift arm)	7E409
Extension (trans. selector socket cover)	7228

INDEX

PART NAME	GROUP NUMBER
F	
Flange (transfer case output shaft)	7B214
Finger (trans. shift control)	7C124
Fork (transfer case gearshift)	7289
Fork (trans. gear shifter)	7230-1
Fork & rail (trans. overdrive shift)	7680

G

Gasket (overdrive housing to adapter)	7661
Gasket set (transfer case)	7153
Gasket set (trans.)	7153
Gasket (transfer case)	7181
Gasket (transfer case cover)	7223
Gasket (trans. & transfer case extension housing)	7086
Gasket (trans. extension housing)	7086
Gasket (trans. gearshift housing)	7223
Gasket (trans. input shaft bearing retainer)	7051
Gear (overdrive ring)	7653
Gear (transfer case input shaft)	7C116
Gear (transfer case intermediate)	7113
Gear (transfer case output shaft)	7100
Gear (trans. countershaft cluster)	7113
Gear (trans. first speed)	7A029, 7100
Gate (trans. gearshift)	7K131
Gear (trans. intermediate)	7102
Gear (trans. low & reverse sliding)	7100
Gear (trans. low constant mesh)	7A029
Gear (trans. overdrive governor driven)	6922
Gear (trans. overdrive sun)	7670
Gear (trans. reverse idler sliding)	7D223
Gear (trans. second speed)	7102-3
Gear (trans. third speed)	7B340
Gear assy. (overdrive planetary)	7673
Gear & bushing (trans. reverse idler)	7141
Governor assy. (trans. overdrive less gear)	6919
Grommet (clutch rod)	7621
Guide (overdrive shift rail)	7730

H

Housing (transfer case control selector)	7E174
Housing (trans. clutch)	7505
Housing (trans. extension)	7A039, 7A040
Housing assy. (trans. gear shift)	7222
Hub (trans. third & fourth speed synchronizer clutch)	7105
Hub assy. (clutch release)	7561
Hub & bearing (clutch release)	7548

PART NAME	GROUP NUMBER
I	
Insert (trans. control selector housing)	7E362
Insert (trans. gearshift lever)	7E133
Insulator (clutch pedal assist spring)	7A630
Insulator (clutch release idler lever)	7A641
Insulator (trans. control selector arm)	7341
Insulator (trans. gearshift lever)	7246, 7341
Insulator (trans. gearshift relay lever rod pin)	7D395
Insulator (trans. gearshift selector arm)	7341

K

KIT - refer to appropriate noun name	
For example	
Rail & pin kit (trans. shift)	7240
Knob (overdrive manual control)	7D131, 7A650
Knob (transfer case shift lever)	7213
Knob (trans. column shift selector lever)	7213
Knob (trans. shift lever)	7213

L

Lever (transfer case shift)	7210
Lens (trans. column shift selector dial)	7B037
Lever (trans. backup lamp switch actuating)	7B097
Lever (trans. column mounted gearshift)	7210
Lever (trans. console shift selector)	7D282
Lever (trans. first & second gearshift upper)	7315
Lever (trans. first & second shifter fork cam & shaft)	7290
Lever (trans. floor mounted gearshift)	7210
Lever (trans. gearshift control)	7C312
Lever (trans. high & intermediate gearshifter)	7285, 7302
Lever (trans. intermediate & high gearshift)	7285
Lever (trans. low & reverse gearshift)	7290, 7C173
Lever (trans. reverse shifter fork cam & shaft)	7290
Lever (trans. third & fourth gearshift control)	7C313
Lever (trans. third & fourth shifter fork cam & shaft)	7285
Lever assy. (clutch release)	7515
Lever & shaft (trans. reverse gearshift)	7290
Link (clutch pedal retracting spring)	7592
Link (transfer case front & rear shift rod)	7B106

M

Mounting (trans. clutch release equalizer bar)	7507
--	------

N

Nut (trans. gear shift lever ball lock)	7C404
---	-------

INDEX

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
P		R - cont'd.	
Pad (clutch pedal plate)	7A624	Retainer (trans. gearshift lever)	7348
Pawl (overdrive balk ring & gear sliding)	7690	Retainer (trans. gearshift lever boot)	7262
Pedal (clutch)	7519	Retainer (trans. input shaft bearing)	7050
Pin (transfer case gear shift interlock)	7229	Retainer (trans. "O" ring)	7051
Pin (trans. gear shifter interlock)	7235	Retainer (trans. output shaft bearing)	7085
Pin (trans. gearshift interlock rod)	7C316	Ring (trans. gearshift lever boot)	7D152
Pin (trans. gearshift lever)	7A111	Ring & gear (trans. overdrive balk)	7662
Pin (trans. gearshift lever pilot)	7D439	Rod (clutch pedal to equalizer bar)	7521
Pin (trans. gearshift lever socket retaining)	7C402	Rod (equalizer bar to clutch release lever)	7521
Pin (trans. gearshift relay lever rod)	7K051	Rod (transfer case bellcrank connecting)	7433
Pin (trans. shifter fork cam & shaft lock plunger)	7235	Rod (transfer case control)	7A315
Plate (clutch equalizer bar mounting)	7E588	Rod (transfer case shift)	7E072
Plate (transfer case intermediate lock)	7155	Rod (trans. floor shift selector lock control)	7E330
Plate (transfer case shift pawl)	7E071	Rod (trans. gearshift)	7326, 7328
Plate (transfer case skid)	7E063	Rod (trans. gearshift lever retainer)	7E257
Plate (trans. countershaft & reverse idler shaft lock)	7155	Rod (trans. manual control selector connecting)	7326
Plate (trans. column shift mounting)	7E046	Rod (trans. reverse gearshift)	7B112
Plate (trans. eng. rear)	7007	Roller (transfer case)	7065
Plate (trans. floor pan gearshift lever opening cover)	7B233	Roller (trans. countershaft gear pilot bearing)	7121
Plate (trans. gearshift lever opening console trim)	7D358		
Plate (trans. gearshift lever opening trim rear)	7D444	S	
Plate (trans. gearshift pattern)	7B052	Screw (transfer case shift fork set)	7B360
Plate (trans. gearshift tube bracket)	7E417	Seal (clutch equalizer bar)	7K530
Plate (trans. selector lever opening)	7B233	Seal (clutch pedal rod)	7A533
Plate (trans. selector lever opening cover finish)	7C309	Seal (overdrive governor to housing)	6927
Plate (trans. shift control mounting)	7E046	Seal (overdrive manual control lever shaft oil)	7288
Plate assy. (trans. floor pan gear shift lever opening cover)	7C309	Seal (overdrive solenoid oil)	7693
Plate & cover assy. (clutch pressure)	7563	Seal (transfer case control)	7E182
Plate & trough assy. (overdrive balk ring & gear)	7665	Seal (transfer case front & rear shift rod oil)	7288
Plug (trans. extension housing)	7K381	Seal (transfer case oil)	7B215
Plug (trans. parking plate shaft)	6572	Seal (trans. control selector tube)	7C102
Plunger (transfer case control selector lever)	7361	Seal (trans. extension housing oil)	7052
Plunger (trans. column shift selector lever)	7361	Seal (trans. extension oil)	7052
Plunger (trans. reverse gearshift interlock)	7233	Seal (trans. gearshift rail)	7288
Pivot (clutch release equalizer shaft ball inner)	7A531	Seal (trans. input & output shaft oil)	7A011
		Seal (trans. input shaft oil)	7A283
R		Seal (trans. output shaft oil)	7A011
Rail (trans. third & fourth speed shifter)	7241	Seal (trans. overdrive governor to housing)	6927
Rail & pin kit (trans. shift)	7240	Seal (trans. selector tube)	7C102
Reinforcement (trans. shift shaft)	7E403	Seal (trans. shifter fork cam & shaft oil)	7288
Relay assy. (overdrive)	7A651	Shaft (clutch & brake pedal pivot)	7506
Retainer (clutch cable to pedal)	7D582	Shaft (transfer case gearshift fork)	7240
Retainer (clutch release equalizer bar)	7E545	Shaft (transfer case intermediate gear)	7111
Retainer (clutch release equalizer shaft bearing)	7A629	Shaft (trans. & transfer case output)	7061
Retainer (clutch pedal retracting spring)	7540	Shaft (trans. gearshift)	7358, 7K423
Retainer (clutch pedal rod seal)	7E507	Shaft (trans. gear shifter fork)	7240-1
Retainer (overdrive free wheel unit front)	7674	Shaft assy. (trans. & transfer case input)	7017
Retainer (overdrive free wheel unit rear)	7676	Shaft assy. (trans. gearshift lever support)	7378
Retainer (overdrive kickdown switch actuator)	7A773	Shaft & lever assy. (trans. overdrive manual control)	7A658, 7-7685
Retainer (transfer case bearing)	7050, 7085	Shaft & gear (trans. overdrive main)	7749
		Shield (clutch release lever dust)	7513

INDEX

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
S - cont'd.		S - cont'd.	
Shim (transfer case)	7029	Spring (trans. gearshift lever inner)	7E259
Silencer (clutch pedal lever assist spring)	7A575	Spring (trans. gearshift lever support shaft)	7227
Sleeve (clutch release idler lever swivel)	7B515	Spring (trans. gearshift tube retracting)	7227
Sleeve (trans. intermediate & high clutch hub)	7106	Spring (trans. meshlock)	7234
Sleeve (trans. control selector lever impact)	7335	Spring (trans. shifter fork cam & shaft lock plunger)	7234
Sleeve (trans. gearshift connecting rod adjustment)	7353	Spring (trans. synchronizer)	7D176
Sleeve (trans. gearshift lever impact)	7335	Spring (trans. synchronizer blocking)	7109
Sleeve (trans. selector shift rod adjustment)	7353	Spring (trans. synchronizer retracting)	7D049
Sleeve (trans. shifter fork cam & shaft interlock)	7233	Spring & silencer (clutch pedal lever assist)	7A574
Slide assy. (trans. low & reverse gearshift interlock)	7C400	Spring & insert kit (trans. low & reverse synchronizer)	7109
Small parts repair kit (trans.)	7B331	Stud (clutch release lever)	7B602
Snap ring (trans. & transfer case)	7026, 7030, 7059, 7064, 7070, 7109, 7C122, 7D176, 7654, 7656, 7666-7, 7672	Stud (trans. low & reverse gearshift)	7C174
Snap ring (trans. synchronizer blocking)	7107	Stud (trans. gearshift connecting rod adjustment)	7B415
Snap ring kit (trans. input bearing)	7160	Support (trans. gearshift lever)	7398
Socket (clutch shaft ball)	7543	Support (trans. gearshift lever inner)	7E291
Socket (trans. gearshift lever)	7228	Switch (overdrive accelerator kick down)	7A652
Solenoid assy. (overdrive gear shifter)	6916	Switch assy. (trans. spark control)	7E440
Spacer (clutch pedal rod to equalizer bar adjusting)	7B539	Swivel (clutch release idler lever adjusting)	7A528
Spacer (transfer case control lever)	7A148	Synchronizer assy. (trans.)	7124
Spacer (trans. countershaft gear)	7149	T	
Spacer (trans. countershaft gear bearing roller)	7125	Thimble (transfer case rail shift)	7A107
Spacer (trans. countershaft gear pilot)	7115	Transmission	7003
Spacer (trans. gearshift lever)	7E097	Trunnion (trans. gearshift lever)	7B125
Spacer (trans. gearshift lever inner)	7E260	Tube (trans. column mounted gearshift)	7212
Spacer (trans. gearshift lever support)	7C383	Tube assy. (trans. steering column inner floor shift)	7212
Spacer (trans. shift bellcrank)	7E040	Tube assy. (trans. column shift selector)	7212
Spring clip (trans. shift lever stop)	7E444	U	
Spring (clutch equalizer bar assist)	7534	Unit assy. (overdrive free wheel)	7675
Spring (clutch pedal lever assist)	7534	V	
Spring (clutch pedal lever retracting)	7534	Vent assy. (trans. case)	7034
Spring (clutch release lever anti-rattle)	7562	Vent assy. (transfer case breather)	7034
Spring (clutch release lever retracting)	7591	W	
Spring (clutch release lever rod retracting)	7523	Washer (transfer case gear thrust)	7067
Spring (overdrive shift fork & rail retractor)	7685	Washer (trans. constant mesh low gear thrust)	7071
Spring (transfer case control selector lever retainer)	7B071	Washer (trans. counter shaft thrust)	7029, 7119
Spring (transfer case control selector push button)	7082	Washer (trans. first speed gear thrust)	7071
Spring (transfer case shift rod poppet)	7219	Washer (trans. gearshift arm thrust)	7D363
Spring (trans. gearshift control anti-rattle)	7C307	Washer (trans. gearshift tube thrust)	7D460
Spring (trans. gearshift detent)	7C349	Washer (trans. output shaft first gear thrust)	7071
Spring (trans. gearshift lever)	7208, 7E273	Washer (trans. reverse idler gear thrust)	7029, 7149
		Wedge (trans. low & reverse gear interlock)	7C175
		Wire assy. (ignition circuit to overdrive relay)	7A199
		Wire assy. (overdrive relay extension)	7E047
		Wiring assy. (overdrive solenoid to relay)	7A203

HOW TO IDENTIFY MANUAL TRANSMISSIONS and RELATED PARTS

Eight types of manual transmissions and one transfer case have been used as optional equipment for 1965 and subsequent model years.

PARTS DIRECTLY RELATED TO THE OPERATION OF THE TRANSMISSION ASSEMBLY, SUCH AS CASE, GEARS, SHAFTS, EXTENSIONS, ETC., ARE LISTED IN PARTS LISTS SECTIONS FOR EACH BASIC TRANSMISSION TYPE AS INDICATED BELOW.

PARTS NOT DIRECTLY RELATED TO THE TRANSMISSION ASSEMBLY, SUCH AS GEAR SHIFT OR CLUTCH MECHANISM, ARE LISTED IN SECTIONS 71 THRU 75.

Description and Type	Catalog Identification	Parts List Section	Years
3 Speed-2.77	2.77	70.1	65/67
4 Speed-English	E/4/S	70.2	71/
4 Speed-German	G/4/S	70.2	71/
3 Speed-Overdrive	O/D	70.3	65/67
3 Speed-3.03	3.03	70.4	65/
4 Speed-Dagenham	D/4/S	70.5	65/66
4 Speed-Ford	F/4/S	70.6	65/
4 Speed-Warner	W/4/S	70.7	65/66
Transfer Case & Details		70.8	66/

Each transmission is identified by a number stamped directly on the transmission case or appearing on a metal tag or plate attached to the case. Refer to page 2 of this section for the locations of the identification numbers.





Each basic transmission type and transfer case is identified by several numbers which reflect the different model years or the significant changes made within the same model years.

A guide listing the transmission identification numbers in numerical and alphabetical sequence appears on pages 3 and 4 of this section. When the transmission identification number is known, simply refer to this guide for the appropriate transmission type, year, parts list section and illustration section and page number.


Manual transmissions and their related parts can also be identified by year, model, engine, etc. on page 5 and up of this section.

Manual transmission illustrations are shown in Illustration Sections 70 thru 75 of the Illustrations Catalog, Form AF 7635-B.

MANUAL TRANSMISSION IDENTIFICATION

3 SPEED TRANSMISSION-2.77
(MODEL HED)4 SPEED TRANSMISSION-WARNER
3 SPEED TRANSMISSION-OVERDRIVE
(TYPICAL)3 SPEED TRANSMISSION-3.03
(MODELS HEE, HEF, HEG)
4 SPEED TRANSMISSION-FORD
(MODEL HEH)

P-4480



4 SPEED TRANSMISSION - DAGENHAM

P-5125

MANUAL TRANSMISSION TAG or STAMPING IDENTIFICATION GUIDE

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SECT. 70 PAGE	IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SECT. 70 PAGE
CHED-AV or C4Z-3-A	2.77	65	70.1	4	HEK-V	W/4 /S	65	70.7	7
CHED-AX or C4D-3-4	2.77	65	70.1	4	HEK-W	O/D	65	70.3	2&3
CHED-BC or C5O-3-A	2.77	65	70.1	4	HEK-X	O/D	65/67	70.3	2&3
CHED-BD or C5Z-3-A	2.77	65	70.1	4	HEK-Y	O/D	65	70.3	2&3
					HEK-AD	W/4 /S	66	70.7	7
					HEK-AF	O/D	67	70.3	2&3
					HEK-AH	O/D	67	70.3	2&3
					HEK-AK	O/D	67	70.3	2&3
HED-AV	2.77	65	70.1	4	RAC-K	3.03	71/	70.4	5
HED-AX	2.77	65	70.1	4					
HED-BB,BC,BD	2.77	65	70.1	4					
HED-BF,BG,BH	2.77	66	70.1	4					
HEE-E	3.03	65	70.4	5	RAN-A, A1	3.03	67/68	70.4	5
					RAN-A2	3.03	69	70.4	5
					RAN-C, C1	3.03	67/68	70.4	5
					RAN-D, D1	3.03	67/68	70.4	5
					\$ RAN-N, N1, N2	3.03	67/70	70.4	5
					\$ RAN-N3, N4	3.03	70/71	70.4	5
					\$ RAN-R, R1, R2	3.03	67/68	70.4	5
HEF-BB	3.03	65	70.4	5	RAN-S, S1	3.03	67/68	70.4	5
HEF-BF	3.03	65/66	70.4	5	RAN-T, T1	3.03	67/68	70.4	5
HEF-BG	3.03	65/66	70.4	5	RAN-Y	3.03	67/68	70.4	5
HEF-BH, BJ, BK, BT	3.03	65	70.4	5	RAN-AL	3.03	69	70.4	5
HEF-CN, CR, CS, CY	3.03	65	70.4	5	RAN-AM	3.03	69	70.4	5
HEF-CT	3.03	65/66	70.4	5	RAN-AN	3.03	69	70.4	5
HEF-CU	3.03	65	70.4	5	RAN-AR	3.03	70	70.4	5
HEF-CV	3.03	65/66	70.4	5	RAN-AS	3.03	69	70.4	5
HEF-CW, CX	3.03	66	70.4	5	RAN-AT	3.03	70	70.4	5
\$ HEF-DA, DB	3.03	66	70.4	5	RAN-AU	3.03	70	70.4	5
					RAN-AV	3.03	70	70.4	5
					RAN-AV1	3.03	70/71	70.4	5
					RAN-AW	3.03	70	70.4	5
					RAN-AW1	3.03	70/71	70.4	5
HEG-K, L	3.03	65	70.4	5	RAN-AX, AZ	3.03	70	70.4	5
HEG-V	3.03	65/66	70.4	5	RAN-BA	3.03	70	70.4	5
HEG-W, X	3.03	66	70.4	5	RAN-BA1, BA2	3.03	70/71	70.4	5
					RAN-BB	3.03	70	70.4	5
HEH-G	F/4/S	65	70.6	8	RAN-BB1	3.03	70/71	70.4	5
HEH-J	F/4/S	65	70.6	8	RAN-BC	3.03	70	70.4	5
HEH-L, M, N, P	F/4/S	65	70.6	8	RAN-BL	3.03	71	70.4	5
HEH-R, S, T	F/4/S	65	70.6	8	RAN-BM	3.03	71	70.4	5
HEH-AM, AR	F/4/S	66	70.6	8	RAN-BN	3.03	71	70.4	5
HEH-BL, BN	F/4/S	65	70.6	8	RAN-BT, BT1	3.03	72	70.4	5
HEH-BP, BR	F/4/S	65	70.6	8	RAN-BU, BU1	3.03	72	70.4	5
HEH-BS, BT	F/4/S	65	70.6	8	RAN-BW	3.03	71/72	70.4	5
HEH-BV, BW	F/4/S	66	70.6	8	RAN-BW1	3.03	72	70.4	5
HEH-BX	F/4/S	65/66	70.6	8	RAN-BX	3.03	71/72	70.4	5
HEH-CB	F/4/S	65	70.6	8	RAN-BX1	3.03	72	70.4	5
HEH-CC	F/4/S	65/66	70.6	8	RAN-BY	3.03	71/72	70.4	5
HEH-CG, CL	F/4/S	66	70.6	8	RAN-BY1	3.03	72	70.4	5
HEH-CJ	F/4/S	67	70.6	8	RAN-BZ	3.03	71/72	70.4	5
					RAN-BZ1	3.03	72	70.4	5
					RAN-CA	3.03	71/72	70.4	5
HEJ-B	D/4/S	65	70.5	6	RAN-CA1	3.03	72	70.4	5
HEJ-D	D/4/S	65	70.5	6	RAN-CF	3.03	72	70.4	5
HEJ-E	D/4/S	65/66	70.5	6					
HEK-E, F, G, H	O/D	65	70.3	1&3	RAT-A, A1	3.03	67/68	70.4	5
HEK-J, K, L, M	W/4 /S	65	70.7	7	RAT-A2	3.03	69	70.4	5
HEK-N	O/D	65	70.3	1&3	RAT-B, B1	3.03	67/68	70.4	5
HEK-P	W/4 /S	65	70.7	7	RAT-B2	3.03	69	70.4	5
HEK-R	W/4 /S	65	70.7	7					
HEK-S	W/4 /S	65	70.7	7					
HEK-T	O/D	65/66	70.3	2&3					
HEK-U	W/4 /S	65	70.7	7					

\$ For Bronco transfer case and adapter assembly identification (basic 7E028) refer to application chart

MANUAL TRANSMISSION TAG or STAMPING IDENTIFICATION GUIDE - continued

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SECT. 70 PAGE	IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SECT. 70 PAGE
RAT-C, C1	3.03	67/68	70.4	5	RUG-J, J1, J2	F/4/S	67/69	70.6	8
RAT-C2	3.03	69	70.4	5	RUG-L, L1, L2	F/4/S	67	70.6	8
RAT-N, N1	3.03	67/68	70.4	5	RUG-M, M1, M2	F/4/S	67/68	70.6	8
RAT-S	3.03	68	70.4	5	RUG-M3	F/4/S	69	70.6	8
RAT-S1	3.03	69	70.4	5	RUG-N, N1, N2	F/4/S	67/68	70.6	8
RAT-T	3.03	68/69	70.4	5	RUG-T	F/4/S	68	70.6	8
RAT-U	3.03	68	70.4	5	RUG-T1	F/4/S	69	70.6	8
RAT-U1	3.03	69	70.4	5	RUG-U	F/4/S	68	70.6	8
\$RAT-AH, AH1	3.03	69/70	70.4	5	RUG-V	F/4/S	68	70.6	8
\$ RAT-AH2	3.03	70/	70.4	5	RUG-V1	F/4/S	69	70.6	8
RAT-AJ	3.03	69	70.4	5	RUG-AD	F/4/S	68	70.6	8
RAT-AM	3.03	69	70.4	5	RUG-AD1	F/4/S	69	70.6	8
RAT-AS	3.03	69	70.4	5	RUG-AE, AE1	F/4/S	68	70.6	8
RAT-AV	3.03	70	70.4	5	RUG-AE2	F/4/S	69	70.6	8
RAT-AW	3.03	70	70.4	5	RUG-AG	F/4/S	69	70.6	8
RAT-AW1	3.03	70	70.4	5	RUG-AH, AJ	F/4/S	69	70.6	8
RAT-AX	3.03	70	70.4	5	RUG-AK, AL	F/4/S	69	70.6	8
RAT-AX1	3.03	70	70.4	5	RUG-AN	F/4/S	70	70.6	8
RAT-AY	3.03	70	70.4	5	RUG-AR	F/4/S	70	70.6	8
RAT-AY1	3.03	70	70.4	5	RUG-AR1	F/4/S	70/	70.6	8
RAT-AZ	3.03	70	70.4	5	RUG-AS	F/4/S	70	70.6	8
RAT-AZ1	3.03	70	70.4	5	RUG-AS1	F/4/S	70	70.6	8
RAT-BA	3.03	70	70.4	5	RUG-AT	F/4/S	70	70.6	8
RAT-BA1	3.03	70/	70.4	5	RUG-AT1	F/4/S	70	70.6	8
RAT-BB	3.03	70	70.4	5	RUG-AU	F/4/S	70	70.6	8
RAT-BB1, BB2	3.03	70/	70.4	5	RUG-AU1	F/4/S	70/	70.6	8
RAT-BF	3.03	70	70.4	5	RUG-AV	F/4/S	70	70.6	8
RAT-BF1	3.03	70	70.4	5	RUG-AV1	F/4/S	70/	70.6	8
RAT-BK	3.03	70	70.4	5	RUG-AW	F/4/S	70	70.6	8
RAT-BK1	3.03	70	70.4	5	RUG-AW1	F/4/S	70/	70.6	8
RAT-BL	3.03	70	70.4	5	RUG-AZ	F/4/S	70	70.6	8
RAT-BL1	3.03	70	70.4	5	RUG-AZ1	F/4/S	70/71	70.6	8
RAT-BU, BV	3.03	71	70.4	5	RUG-BA	F/4/S	70	70.6	8
RAT-BZ, BZ1	3.03	72	70.4	5	RUG-BA1	F/4/S	70/71	70.6	8
RAT-CB	3.03	71	70.4	5	RUG-BF, BF1	F/4/S	72	70.6	8
RAT-CE	3.03	71/	70.4	5	RUG-BG, BG1	F/4/S	72	70.6	8
					RUG-BJ	F/4/S	71/72	70.6	8
					RUG-BJ1	F/4/S	72	70.6	8
RED-A	2.77	67	70.1	4	71WG-AB	G/4/S	71	70.2	11
RED-B	2.77	67	70.1	4	71WG-AC	G/4/S	71	70.2	11
RED-C	2.77	67	70.1	4	71WG-AD	G/4/S	71/72	70.2	11
					71WG-BA	E/4/S	71	70.2	10
					71WG-BC	E/4/S	71/72	70.2	10
RUG-A, A1, A2	F/4/S	67	70.6	8	72WG-AA	G/4/S	72	70.2	11
RUG-B, B1, B2	F/4/S	67	70.6	8	72WG-BA	E/4/S	72	70.2	10
RUG-C, C1, C2	F/4/S	67/69	70.6	8	72WG-AC	G/4/S	72	70.2	11
RUG-D, D1, D2	F/4/S	67/69	70.6	8	72WG-AE	G/4/S	72	70.2	11
RUG-E, E1, E2	F/4/S	67/68	70.6	8					
RUG-E3	F/4/S	69	70.6	8					
RUG-G, G1, G2	F/4/S	67	70.6	8					

\$ For Bronco transfer case and adapter assembly identification (basic 7E028) refer to application chart

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				

1965

- A -								
A	6	240	HEE-E	3.03	70.4	5	★C5AZ 7003-A	Service details
A	6	240	HEK-F	O/D	70.3	2&3	★C5AR 7003-J	Service details
A	6&8	240, 289	HEF-BF	3.03	70.4	5	★C5AR 7003-B	Service details
A	6&8	240, 289	HEF-BG	3.03	70.4	5	★C5AZ 7003-C	Service details
A	6&8	240, 289	HEK-T	O/D	70.3	2&3	★C5AR 7003-U	Service details
A	8	289	HEK-G	O/D	70.3	2&3	★C5AR 7003-K	Service details
A	8	352, 390	HEG-K	3.03	70.4	5	★C5AZ 7003-D	Service details
A	8	390	HEG-L	3.03	70.4	5	★C5AR 7003-E	Service details
A	8	390	HEG-V	3.03	70.4	5	★C6AZ 7003-A	Service details
A	8	390	HEK-E	O/D	70.3	1&3	★C5AR 7003-H	Service details
A	8	390	▲ED-HEK-E	O/D	70.3	1&3	★ED-C5AR 7003-H	Service details
A	8	390	HEK-N	O/D	70.3	1&3	★C5AR 7003-S	Service details
A	8	390	HEK-Y	O/D	70.3	1&3	★C5AR 7003-Z	Service details
A	8	390	HEH-J	F/4/S	70.6	8	★C5AZ 7003-F	C5AZ 7003-J
A	8	390	HEH-BL	F/4/S	70.6	8	★C5AZ 7003-H	C5AZ 7003-J
A	8	390	HEH-CC	F/4/S	70.6	8	C5AZ 7003-J	
A	8	427	HEH-R	F/4/S	70.6	8	★C5AZ 7003-G	C6AZ 7003-B
A	8	427	HEH-CB	F/4/S	70.6	8	★C5AZ 7003-K	C6AZ 7003-B & C7SZ 4841-A
- B -								
B	6	200	HED-BC	2.77	70.1	4	★C5OZ 7003-D	Service details
B	6	200	CHED-BC or C50-3-A	2.77	70.1	4	★CC5OR 7003-A	Service details
B	"Before 12/1/64"	6&8 200, 289	HEF-BH	3.03	70.4	5	★C5OZ 7003-A	Service details
B	"From 12/1/64"	6&8 200, 289	HEF-CN	3.03	70.4	5	★C5OZ 7003-E	Service details
B		6&8 200, 289	HEF-CT	3.03	70.4	5	C5OZ 7003-G	
B	"Before 1/18/65"	8 289	HEK-H	O/D	70.3	2&3	★C5OR 7003-E	Service details
B	"From 1/18/65 to 3/1/65"	8 289	HEK-W	O/D	70.3	2&3	★C5OR 7003-M	Service details
B	"From 3/1/65"	8 289	HEK-X	O/D	70.3	2&3	★C5OR 7003-N	Service details
B(Special)		8 289	HEH-N	F/4/S	70.6	8	★C5OZ 7003-C	Service details
B	"Before 12/1/64"	8 289	HEH-L	F/4/S	70.6	8	★C5OZ 7003-B	C5OZ 7003-F & C8OZ 17285-B
B	"From 12/1/64"	8 289	HEH-BN	F/4/S	70.6	8	★C5OZ 7003-F	Service details
B	"Before 11/23/64"	8 289	HEK-J	W/4/S	70.7	7	★C3OZ 7003-J	C3OZ 7003-L
B	"From 11/23/64"	8 289	HEK-S	W/4/S	70.7	7	★C3OZ 7003-L	Service details
B(Special)		8 289	HEK-K	W/4/S	70.7	7	C3OZ 7003-K	
- F -								
F	6	170	HED-AV	2.77	70.1	4	C5ZZ 7003-C	Service details
F	6	170	CHED-AV or C4Z-3-A	2.77	70.1	4	★CC4ZR 7003-A	Service details
F	6	170	HEJ-B	D/4/S	70.5	6	★C5ZZ 7003-D	★C5ZZ 7003-U
F	6	200	HED-BD	2.77	70.1	4	★C5ZZ 7003-K	Service details
F	6	200	CHED-BD or C5Z-3-A	2.77	70.1	4	★CC5ZR 7003-A	Service details
F	"Before 7/1/65"	6 200	HEJ-D	D/4/S	70.5	6	★C5ZZ 7003-F	★C5ZZ 7003-U
F	"From 7/1/65"	6 200	HEJ-E	D/4/S	70.5	6	★C5ZZ 7003-U	Service details

▲ Use with C3OZ 17285-C speedometer gear

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				

1965 - continued

- F -

F	8	260	HEF-BB	3.03	70.4	5	★C5ZZ 7003-B	Service details
F	8	289	HEF-BK	3.03	70.4	5	★C5ZZ 7003-J	Service details
F	8	289	HEF-CS	3.03	70.4	5	★C5ZZ 7003-P	Service details
F	8	289	HEF-CV	3.03	70.4	5	★C5ZZ 7003-S	Service details
F "Before 8/20/64"	8	260, 289	HEH-G	F/4/S	70.6	8	★C5ZZ 7003-A	Service details
F "From 8/20/64 to 12/30/64"	8	260, 289	HEH-P	F/4/S	70.6	8	★C5ZZ 7003-G	Service details
F "From 12/30/64 to 2/1/65"	8	260, 289	HEH-BR	F/4/S	70.6	8	★C5ZZ 7003-M	Service details
F "From 2/1/65"	8	289	HEH-BT	F/4/S	70.6	8	★C5ZZ 7003-R	Service details
F(Special) "Before 8/20/64"	8	289	HEH-S	F/4/S	70.6	8	★C5ZZ 7003-E	C5ZZ 7003-Y
F(Special) "From 8/20/64 to 10/1/64"	8	289	HEH-T	F/4/S	70.6	8	★C5ZZ 7003-H	C5ZZ 7003-Y
F(Special) "From 10/1/64"	8	289	HEH-BX	F/4/S	70.6	8	★C5ZZ 7003-W	C5ZZ 7003-Y
F "Before 11/23/64"	8	289	HEK-M	W/4/S	70.7	7	★C5ZZ 7003-L	@
F "From 11/23/64"	8	289	HEK-V	W/4/S	70.7	7	C5ZZ 7003-T	
F	8	289	HEK-R	W/4/S	70.7	7	★C5ZZ 7003-N	Service details

- X -

X	6	170	HED-AX	2.77	70.1	4	★C4DZ 7003-D	Service details
X	6	170	CHED-AX or C4D-3-A	2.77	70.1	4	★CC4DR 7003-A	Service details
X	6	200	HED-BB	2.77	70.1	4	★C5DZ 7003-D	Service details
X "Before 12/1/64"	8	289	HEF-BT	3.03	70.4	5	★C5DZ 7003-A	@
X "From 12/1/64 to 2/1/65"	8	289	HEF-CR	3.03	70.4	5	★C5DZ 7003-F	@
X "From 2/1/65"	8	289	HEF-CU	3.03	70.4	5	★C5DZ 7003-H	Service details
X	8	289	HEF-BJ	3.03	70.4	5	★C5DZ 7003-A	Service details
X	8	289	HEF-CY	3.03	70.4	5	★C5DZ 7003-J	Service details
X "Before 11/23/64"	8	289	HEK-L	W/4/S	70.7	7	★C3DZ 7003-E	Service details
X "From 11/23/64 to 1/18/65"	8	289	HEK-P	W/4/S	70.7	7	★C3DZ 7003-F	Service details
X "From 1/18/65"	8	289	HEK-U	W/4/S	70.7	7	C3DZ 7003-G	
X "Before 10/1/64"	8	289	HEH-M	F/4/S	70.6	8	★C5DZ 7003-B	Service details
X "From 10/1/64 to 2/1/65"	8	289	HEH-BP	F/4/S	70.6	8	★C5DZ 7003-E	Service details
X "From 2/1/65"	8	289	HEH-BS	F/4/S	70.6	8	★C5DZ 7003-G	Service details

1966

- A -

A	6&8	240, 289	HEF-BG	3.03	70.4	5	★C5AZ 7003-C	Service details
A	6&8	240, 289	HEK-T	O/D	70.3	2&3	★C5AR 7003-U	Service details
A	8	390	HEG-V	3.03	70.4	5	★C6AZ 7003-C	Service details
A	8	390	HEH-CC	F/4/S	70.6	8	C5AZ 7003-J	
A(Special)	8	427	HEH-AM	F/4/S	70.6	8	★C6AR 7003-B	C6AZ 7003-B & C30Z 17285-C
A	8	428	HEH-CG	F/4/S	70.6	8	C6AZ 7003-B	

- B -

B	6	200	HED-BF	2.77	70.1	4	★C6OZ 7003-A	Service details
B "Before 11/1/65"	6&8	200, 289	HEF-CT	3.03	70.4	5	C5OZ 7003-G	
B "From 11/1/65"	6&8	200, 289	HEF-CX	3.03	70.4	5	★C5OZ 7003-H	C5OZ 7003-J
B	8	289	HEK-X	O/D	70.3	2&3	★C5OR 7003-N	Service details
B	8	289	HEH-BV	F/4/S	70.6	8	C6OZ 7003-D	

@ To replace these 25 spline output shaft trans. assy. with 28 spline, yoke (4841) also must be changed to 28 spline.

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				

1966 - continued

- B -

B(floor shift)	8	390	HEG-W	3.03	70.4	5	★C6OR 7003-A	●C6OZ 7003-B
B(column shift)	8	390	HEG-X	3.03	70.4	5	C6OZ 7003-B	
B(except GT)	8	390	HEH-AR	F/4/S	70.6	8	★C6OZ 7003-C	C6OZ 7003-F
B(GT)	8	390	HEH-CL	F/4/S	70.6	8	★C6OZ 7003-E	C6OZ 7003-H

- F -

F	6	200	HEJ-E	D/4/S	70.5	6	★C5ZZ 7003-U	Service details
F	6	200	HED-BG, RED-B	2.77	70.1	4	★C6ZZ 7003-A	Service details
F "Before 11/1/65"	8	289	HEF-CV	3.03	70.4	5	★C5ZZ 7003-S	Service details
F "From 11/1/65"	8	289	HEF-CW	3.03	70.4	5	★C5ZZ 7003-V	Service details
F	8	289	HEK-AD	W/4/S	70.7	7	★C6ZZ 7003-C	Service details
F	8	289	HEH-BW	F/4/S	70.6	8	★C6ZZ 7003-B	Service details
F(Special)	8	289	HEH-BX	F/4/S	70.6	8	★C5ZZ 7003-W	C5ZZ 7003-Y

- U -

U	6	170	HEF-DA	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	All	300529-1, -2,-3,-4, -5,-7	*	70.8	9	★C6TA 7E028-F	BD0TA 7E028-D
U	8	289	HEF-DB	3.03	70.4	5	★C6TZ 7003-F	C6TZ 7003-K
U(with 6 tooth 17285 gear)	8	289	300687-1,-3 300777-1, -3,-5,-7	*	70.8	9	★C6TA 7E028-G	BD0TA 7E028-E
U(with 7 tooth 17285 gear)	8	289	300687-2,-4 300777-2, -4,-6,-8	*	70.8	9	★C6TA 7E028-H	BD0TA 7E028-F

- X -

X	6	170	HED-BH	2.77	70.1	4	★C6DZ 7003-A	Service details
X	6	200	HED-BF	2.77	70.1	4	★C6OZ 7003-A	Service details
X "Before 11/1/65"	8	289	HEF-CT	3.03	70.4	5	C5OZ 7003-G	
X "From 11/1/65"	8	289	HEF-CX	3.03	70.4	5	★C5OZ 7003-H	C5OZ 7003-J
X	8	289	HEH-BV	F/4/S	70.6	8	C6OZ 7003-D	

1967

- A -

A	6&8	240, 289	RAN-A, A1	3.03	70.4	5	★C5AZ 7003-C	Service details
A "Before 11/1/66"	6&8	240, 289	HEK-AF	O/D	70.3	2&3	★C7AR 7003-A	Service details
A "From 11/1/66"	6&8	240, 289	HEK-AH	O/D	70.3	2&3	★C7AR 7003-B	Service details
A	8	390	RAT-A, A1	3.03	70.4	5	★C6AZ 7003-C	Service details
A	8	390	RUG-A, A1, A2	F/4/S	70.6	8	C5AZ 7003-J	
A(Special)	8	427	RUG-B, B1, B2	F/4/S	70.6	8	★C6AR 7003-B	C6AZ 7003-B
A	8	428	RUG-G, G1, G2	F/4/S	70.6	8	C6AZ 7003-B	

- B -

B	6	200	RAN-T, T1	3.03	70.4	5	C7OZ 7003-B	
B	8	289	RAN-C, C1	3.03	70.4	5	C5OZ 7003-J	
B "Before 11/1/66"	8	289	HEK-X	O/D	70.3	2&3	★C5OR 7003-N	Service details
B "From 11/1/66"	8	289	HEK-AK	O/D	70.3	2&3	★C6OR 7003-H	Service details

● Use 7285 and 7290 levers from replaced transmission

* Transfer case & adapter assembly

□ Use 7B214 flange from replaced transfer case

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				

1967 - continued

- B -

B	8	289	RUG-D, D1, D2	F/4/S	70.6	8	C6OZ 7003-D	
B(floor shift)	8	390	RAT-B, B1	3.03	70.4	5	★C6OR 7003-A	●C6OZ 7003-B
B(column shift)	8	390	RAT-C	3.03	70.4	5	C6OZ 7003-B	
B(except GT)	8	390	RUG-C, C1, C2	F/4/S	70.6	8	★C6OZ 7003-C	C6OZ 7003-F
B(GT)	8	390	RUG-J, J1, J2	F/4/S	70.6	8	★C6OZ 7003-E	C6OZ 7003-H
B(Special)	8	427	RUG-L, HEH-CJ	F/4/S	70.6	8	★C7OZ 7003-A	Service details

- F -

F	6	200	RAN-S, S1	3.03	70.4	5	C7ZZ 7003-A	
F	8	289	RAN-D, D1	3.03	70.4	5	★C5ZZ 7003-V	Service details
F(except Special)	8	289	RUG-E, E1, E2	F/4/S	70.6	8	★C6ZZ 7003-B	Service details
F(Special)	8	289	RUG-N, N1, N2	F/4/S	70.6	8	★C5ZZ 7003-W	C5ZZ 7003-Y
F	8	390	RAT-N, N1	3.03	70.4	5	★C7ZR 7003-A	●C6OZ 7003-B
F	8	390	RUG-M, M1, M2	F/4/S	70.6	8	★C7ZZ 7003-B	C7ZZ 7003-C

- U -

U	6	170	RAN-N, N1	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	All	300529-1, -2, -3, -5, -7	*	70.8	9	★C6TA 7E028-F	BD0TA 7E028-D
U	8	289	RAN-R, R1	3.03	70.4	5	★C6TZ 7003-F	C6TZ 7003-K
U(with 6 tooth 17285 gear)	8	289	300687-1, -3 300777-1, -3, -5, -7	*	70.8	9	★C6TA 7E028-G	BD0TA 7E028-E
U(with 7 tooth 17285 gear)	8	289	300687-2, -4 300777-2, -4, -6, -8	*	70.8	9	★C6TA 7E028-H	BD0TA 7E028-F

- X -

X	6	170	RAN-Y	3.03	70.4	5	C7DZ 7003-A	
X	6	170	RED-C	2.77	70.1	4	★C6DZ 7003-A	Service details
X	6	200	RED-A	2.77	70.1	4	★C6OZ 7003-A	Service details
X	6	200	RAN-T, T1	3.03	70.4	5	C7OZ 7003-B	
X	8	289	RAN-C, C1	3.03	70.4	5	C5OZ 7003-J	
X	8	289	RUG-D, D1, D2	F/4/S	70.6	8	C6OZ 7003-D	

1968

- A -

A	6	240	RAN-A1	3.03	70.4	5	★C8AR 7003-L	Service details
A	8	302	RAT-S	3.03	70.4	5	★C5AZ 7003-L	Service details
A	8	390	RAT-A1	3.03	70.4	5	★C6AZ 7003-C	Service details
A	8	390	RUG-T	F/4/S	70.6	8	C8AZ 7003-B	
A	8	428	RUG-V	F/4/S	70.6	8	C8AZ 7003-A	

● Use 7285 and 7290 levers from replaced transmission

* Transfer case & adapter assembly

⊞ Use 7B214 flange from replaced transfer case

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				
1968 - continued								
- B -								
B	6	200	RAN-T1	3.03	70.4	5	★C7OZ 7003-D	Service details
B	8	289	RAN-C1	3.03	70.4	5	★C8OR 7003-E	Service details
B	8	289,302	RAT-T	3.03	70.4	5	★C5OZ 7003-K	Service details
B	8	289,302	RUG-D2	F/4/S	70.6	8	★C6OZ 7003-G	Service details
B(column shift)	8	390	RAT-C1	3.03	70.4	5	★C6OZ 7003-J	C6OZ 7003-K
B(console shift)	8	390	RAT-B1	3.03	70.4	5	★C8OR 7003-G	Service details
B(W/2.32:1 low gear ratio)	8	390	RUG-C2	F/4/S	70.6	8	C6OZ 7003-F	
B(W/2.78:1 low gear ratio)	8	390(GT)	RUG-J2	F/4/S	70.6	8	C6OZ 7003-H	
- F -								
F	6	200	RAN-S1	3.03	70.4	5	★C7ZZ 7003-D	C9ZZ 7003-C
F	8	289	RAN-D1	3.03	70.4	5	★C8ZR 7003-C	Service details
F	8	289,302	RUG-E2	F/4/S	70.6	8	★C6ZZ 7003-E	Service details
F	8	302	RAT-U	3.03	70.4	5	★C5ZZ 7003-Z	Service details
F	8	390(GT)	RAT-N1	3.03	70.4	5	★C8ZR 7003-F	C6OZ 7003-K
F(W/2.78:1 low gear ratio)	8	390(GT)	RUG-M2	F/4/S	70.6	8	C7ZZ 7003-C	
F(W/2.32:1 low gear ratio)	8	390(GT)	RUG-AD	F/4/S	70.6	8	★C8ZZ 7003-A	Service details
F	8	428	RUG-S, AE, AE1	F/4/S	70.6	8	★C8ZZ 7003-B	★C8ZZ 7003-D
- U -								
U	6	170	RAN-N1	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	All	300529-1, -2,-3,-5,-7	*	70.8	9	★C6TA 7E028-F	BD0TA 7E028-D
U "Before Ser. C42,001"	8	289	RAN-R1	3.03	70.4	5	C6TZ 7003-K	
U "From Ser. C42,001"	8	289	RAN-R2	3.03	70.4	5	★C6TZ 7003-L	Service details
U(with 6 tooth 17285 gear)	8	289	300687-1,-3, 300777-1, -3,-5,-7	*	70.8	9	★C6TA 7E028-G	BD0TA 7E028-E
U(with 7 tooth 17285 gear)	8	289	300687-2,-4, 300777-2, -4,-6,-8	*	70.8	9	★C6TA 7E028-H	BD0TA 7E028-F
- X -								
X	6	170	RAN-Y	3.03	70.4	5	★C7DZ 7003-B	Service details
X	6	200	RAN-T1	3.03	70.4	5	★C7OZ 7003-D	Service details
X	8	289	RAN-C1	3.03	70.4	5	★C8OR 7003-E	Service details
X	8	289	RUG-D2	F/4/S	70.6	8	★C6OZ 7003-G	Service details
X	8	302	RAT-T	3.03	70.4	5	★C5OZ 7003-K	Service details
X	8	302	RUG-D2	F/4/S	70.6	8	★C6OZ 7003-G	Service details

* Transfer case & adapter assembly

B Use 7B214 flange from replaced transfer case

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN —

FINAL ISSUE

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				
1969								
- A -								
A	6	240	RAN-A2	3.03	70.4	5	★C9AR 7003-C	Service details
A	8	302	RAT-S1	3.03	70.4	5	★C5AZ 7003-M	Service details
A	8	390	RAT-A2	3.03	70.4	5	C6AZ 7003-D	
A	8	429	RUG-V1	F/4/S	70.6	8	C9AZ 7003-B	
- B -								
B	6	250	RAN-AL	3.03	70.4	5	C9OZ 7003-G	
B	8	302	RAT-T	3.03	70.4	5	C5OZ 7003-K	
B(2.42 trans. ratio)	8	351	RAT-AJ	3.03	70.4	5	C9OZ 7003-C	
B(2.99 trans. ratio)	8	351	RAT-AS	3.03	70.4	5	C9OZ 7003-H	
B(2.32 trans. ratio-w/28 spline output shaft)	8	351	RUG-AH	F/4/S	70.6	8	C9OZ 7003-A	
B(2.32 trans. ratio-w/31 spline output shaft)	8	351	RUG-AK	F/4/S	70.6	8	★C9OZ 7003-E	Service details
B(2.78 trans. ratio)	8	351	RUG-D2	F/4/S	70.6	8	★C6OZ 7003-G	Service details
B(column shift)	8	390	RAT-B2	3.03	70.4	5	★C9OR 7003-A	●C6OZ 7003-K
B(floor or console shift)	8	390	RAT-C2	3.03	70.4	5	C6OZ 7003-K	
B(2.32 trans. ratio-w/28 spline output shaft)	8	390	RUG-C2	F/4/S	70.6	8	C6OZ 7003-F	
B(2.32 trans. ratio-w/31 spline output shaft)	8	390	RUG-AL	F/4/S	70.6	8	C9OZ 7003-F	
B(2.78 trans. ratio)	8	390	RUG-J2	F/4/S	70.6	8	C6OZ 7003-H	
B	8	428	RUG-AJ	F/4/S	70.6	8	★C9OZ 7003-D	Service details
- F -								
F	6	200, 250	RAN-AM	3.03	70.4	5	C9ZZ 7003-C	
F	8	302	RAT-U1	3.03	70.4	5	★C5ZZ 7003-AA	Service details
F	8	351	RAT-AM	3.03	70.4	5	★C9ZZ 7003-B	Service details
F(2.32 trans. ratio)	8	302, 351	RUG-AG	F/4/S	70.6	8	★C9ZZ 7003-A	Service details
F(2.78 trans. ratio)	8	302, 351	RUG-E3	F/4/S	70.6	8	★C6ZZ 7003-F	Service details
F(2.32 trans. ratio)	8	390	RUG-AD1	F/4/S	70.6	8	C8ZZ 7003-C	
F(2.78 trans. ratio)	8	390	RUG-M3	F/4/S	70.6	8	C7ZZ 7003-E	
F	8	428, 429	RUG-AE2	F/4/S	70.6	8	★C8ZZ 7003-D	
- U -								
U	6	170	RAN-N1	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U-w/Mechanics drive shaft "Before Ser. G70,001"	6	170	300529-4-5	*	70.8	9	★C6TA 7E028-F	BD0TA 7E028-D
U-w/Dana drive shaft "From Ser. G70,001"	6	170	300529-6	*	70.8	9	★C9TZ 7E028-A	D0TA 7E028-D
U	8	302	RAT-AH	3.03	70.4	5	C9TZ 7003-A	

● Use 7285 and 7290 levers from replaced transmission

* Transfer case & adapter assembly

B Use 7B214 flange from replaced transfer case

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				

1969 - continued

- U -

U(w/6 tooth 17285 gear - w/Mechanics drive shaft) "Before Ser. G70,001"	8	302	300777-1	*	70.8	9	★C9TA 7E028-A	BD0TA 7E028-E
U(w/6 tooth 17285 gear - w/Dana drive shaft) "From Ser. G70,001"	8	302	300777-5	*	70.8	9	★C9TZ 7E028-B	D0TA 7E028-E
U(w/7 tooth 17285 gear - w/Mechanics drive shaft) "Before Ser. G70,001"	8	302	300777-2	*	70.8	9	★C9TA 7E028-B	BD0TA 7E028-F
U(w/7 tooth 17285 gear - w/Dana drive shaft) "From Ser. G70,001"	8	302	300777-6	*	70.8	9	★C9TZ 7E028-C	D0TA 7E028-F

- X -

X	6	170	RAN-AN	3.03	70.4	5	C9DZ 7003-A	
X	6	200	RAN-AL	3.03	70.4	5	C9OZ 7003-G	
X	8	302	RAT-T	3.03	70.4	5	★C5OZ 7003-K	Service Details

1970

- A -

A	6	240	RAN-AU	3.03	70.4	5	★D0AR 7003-A	D1AZ 7003-B
A	8	302	RAT-AW, RAT-AW1	3.03	70.4	5	★D0AZ 7003-D	D1AZ 7003-B
A	8	351	RAT-BL, RAT-BL1	3.03	70.4	5	★D0AZ 7003-C	Service details
A	8	390	RAT-AX, RAT-AX1	3.03	70.4	5	D0AZ 7003-B	

- B -

B (exc. P/C)	6	250	RAN-AW, RAN-AW1	3.03	70.4	5	★D0OZ 7003-C	D2OZ 7003-F
B (exc. P/C)	8	302	RAT-AY, RAT-AY1	3.03	70.4	5	D0OZ 7003-B	
B (2.42 ratio)	8	351	RAT-AZ, RAT-AZ1	3.03	70.4	5	D0OZ 7003-A	
B (2.99 ratio)	8	351	RAT-BF, RAT-BF1	3.03	70.4	5	D0OZ 7003-H	
B (P/C)	6&8	250,302						
B (2.78 trans. ratio-w/28 spline output shaft)	8	351	RUG-AR, RUG-AR1	F/4/S	70.6	8	D0OZ 7003-D	
B (2.78 trans. ratio-w/31 spline output shaft)	8	351	RUG-BA, RUG-BA1	F/4/S	70.6	8	D0OZ 7003-J	
B (2.32 trans. ratio-w/28 spline output shaft)	8	351	RUG-AT, RUG-AT1	F/4/S	70.6	8	D0OZ 7003-F	
B (2.32 trans. ratio-w/31 spline output shaft)	8	351	RUG-AS, RUG-AS1	F/4/S	70.6	8	D0OZ 7003-E	
B	8	429	RUG-AU, RUG-AU1	F/4/S	70.6	8	D0OZ 7003-G	

- F -

F	6	200,250	RAN-AV, RAN-AV1	3.03	70.4	5	D0ZZ 7003-A	
F	8	302	RAT-BA, RAT-BA1	3.03	70.4	5	★D0ZZ 7003-B	Service details
F	8	351	RAT-BB, RAT-BB1, RAT-BB2	3.03	70.4	5	D0ZZ 7003-C	

* Transfer case & adaptor assembly

† Use 7B214 flange from replaced transfer case

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				

1970 - continued

- F - continued

F (2.78 ratio)	8	302,351	RUG-AV, RUG-AV1	F/4/S	70.6	8	★D0ZZ 7003-D	D2ZZ 7003-D
F (2.32 ratio)	8	302,351	RUG-AW, RUG-AW1	F/4/S	70.6	8	D0ZZ 7003-E	
F		428, 429	RUG-AZ, RUG-AZ1	F/4/S	70.6	8	D0ZZ 7003-H	

- P -

P "Before 7/14/69"	6	170	RAN-AR, AZ	3.03	70.4	5	D0DZ 7003-A	
P "From 7/14/69"	6	170	RAN-BA, RAN-BA1, RAN-BA2	3.03	70.4	5	D0DZ 7003-D	
P "Before 7/14/69"	6	200	RAN-AT, AX	3.03	70.4	5	D0DZ 7003-B	
P "From 7/14/69"	6	200	RAN-BB, RAN-BB1	3.03	70.4	5	★D0DZ 7003-E	D2DZ 7003-B

- U -

U	6	170	RAN-N2, RAN-N3, RAN-N4	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	170	300529-8	*	70.8	8	D0TA 7E028-D	
U	8	302	RAT-AH1, RAT-AH2	3.03	70.4	5	C9TZ 7003-A	
U(w/6 tooth 17285 gear)	8	302	300777-9	*	70.8	8	D0TA 7E028-E	
U(w/7 tooth 17285 gear)	8	302	300777-10	*	70.8	8	D0TA 7E028-F	

- X -

X	6	200	RAN-BC	3.03	70.4	5	★C9DZ 7003-C	Service details
X	8	302	RAT-BK, RAT-BK1	3.03	70.4	5	★C9DZ 7003-B	Service details

1971

- A -

A "Before 10/1/70"	6	240	RAN-AU1	3.03	70.4	5	★D0AZ 7003-D	D1AZ 7003-B
A "Before 10/1/70"	8	302	RAT-AW1	3.03	70.4	5	★D0AZ 7003-D	D1AZ 7003-B
A "From 10/1/70"	6&8	240, 302	RAN-AU1	3.03	70.4	5	★D1AZ 7003-B	Service details
A "Before 7/1/71"	8	351	RAT-BU, BV	3.03	70.4	5	D1AZ 7003-A	
A "From 7/1/71"	8	351	RAT-CB	3.03	70.4	5	D2AZ 7003-A	

- B -

B	6	250	RAN-AW1	3.03	70.4	5	★D0OZ 7003-C	D2OZ 7003-F
B(P/C & fleet)	8	250, 302	RAT-BF1	3.03	70.4	5	D0OZ 7003-H	
B	8	302	RAN-BN	3.03	70.4	5	D1OZ 7003-A	
B(2.33 trans. ratio)	8	351	RUG-AR1	F/4/S	70.6	8	D0OZ 7003-D	
B(2.78 trans. ratio)	8	351	RUG-BA1	F/4/S	70.6	8	D0OZ 7003-J	
B	8	429	RUG-AU1	F/4/S	70.6	8	D0OZ 7003-G	

- F -

F	6	250	RAN-AV1	3.03	70.4	5	D0ZZ 7003-A	
F	6	250	RAN-BW	3.03	70.4	5	D2ZZ 7003-A	
F	8	302-2B	RAT-BA1	3.03	70.4	5	★D0ZZ 7003-B	Service details
F	8	302	RAN-CA	3.03	70.4	5	D2ZZ 7003-B	
F	8	302-2B	RAN-BM	3.03	70.4	5	D1ZZ 7003-A	
F(2.78 ratio)	8	302 Special, 351-4B, 351 Spl.	RUG-AV1	F/4/S	70.6	8	★D0ZZ 7003-D	D2ZZ 7003-D

* Transfer case & adaptor assembly

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				

1971 - continued

- F - continued

F(2.32 ratio)	8	302 Special, 351-4B	RUG-AW1	F/4/S	70.6	8	D0ZZ 7003-E	
F	8	351CJ, Boss	RUG-BJ	F/4/S	70.6	8	D2ZZ 7003-D	
F	8	351-2B	RAT-BB1, RAT-BB2	3.03	70.4	5	D0ZZ 7003-C	
F	8	351-2B	RAT-BZ	3.03	70.4	5	D2ZZ 7003-C	
F	8	429-4B	RUG-AZ1	F/4/S	70.6	8	D0ZZ 7003-H	

- L -

L	4	A11	71WG-AB	G/4/S	70.2	11	D1FZ 7003-A	
L	4	A11	71WG-AC, AD	G/4/S	70.2	11	★D1FZ 7003-D	D2FZ 7003-C
L	4	98	71WG-BA	E/4/S	70.2	10	★D1FZ 7003-C	D2FZ 7003-B
L	4	98	71WG-BC	E/4/S	70.2	10	★D1FZ 7003-E	D2FZ 7003-B

- P -

P(column shift)	6	170	RAN-BA1, RAN-BA2	3.03	70.4	5	D0DZ 7003-D	
P(column shift)	6	170	RAN-BX	3.03	70.4	5	★D2DZ 7003-A	D2DZ 7003-D
P(column shift)	6	200	RAN-BB1	3.03	70.4	5	★D0DZ 7003-E	D2DZ 7003-B
P(column shift)	6	200	RAN-BY	3.03	70.4	5	D2DZ 7003-B	
P(console shift)	6	200	RAN-AV1	3.03	70.4	5	D0ZZ 7003-A	
P(console shift)	6	200	RAN-BW	3.03	70.4	5	D2ZZ 7003-A	
P(column shift)	8	302	RAN-BL	3.03	70.4	5	★D1DZ 7003-A	D2DZ 7003-C
P(column shift)	8	302	RAN-BZ	3.03	70.4	5	D2DZ 7003-C	
P(console shift)	8	302	RAN-BM	3.03	70.4	5	D1ZZ 7003-A	
P(console shift)	8	302	RAN-CA	3.03	70.4	5	D2ZZ 7003-B	

- U -

U	6	170	RAN-N3, RAN-N4	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	170	RAN-CF	3.03	70.4	5	D2TZ 7003-C	
U	6	170	300529-8	*	70.8	8	D0TA 7E028-D	
U	8	302	RAT-AH2	3.03	70.4	5	C9TZ 7003-A	
U	8	302	RAT-CE, RAC-K	3.03	70.4	5	★D2TZ 7003-E	Service details
U(with 4.11 ratio rear axle)	8	302	300777-9	*	70.8	8	D0TA 7E028-E	
U(with 3.50 ratio rear axle)	8	302	300777-10	*	70.8	8	D0TA 7E028-F	

1972

- B -

B "Before 12/1/71"	6	250	RAN-BU	3.03	70.4	5	★D2OZ 7003-B	D2OZ 7003-F
B "From 12/1/71"	6	250	RAN-BU1	3.03	70.4	5	D2OZ 7003-F	
B "Before 12/1/71"	8	302	RAN-BT	3.03	70.4	5	D2OZ 7003-A	
B "From 12/1/71"	8	302	RAN-BT1	3.03	70.4	5	★D2OZ 7003-E	D4OZ 7003-A
B(with 28 spline output shaft)- "Before 12/1/71"	8	351	RUG-BF	F/4/S	70.6	8	D2OZ 7003-C	
B(with 28 spline output shaft)- "From 12/1/71"	8	351	RUG-BF1	F/4/S	70.6	8	D2OZ 7003-G	
B(with 31 spline output shaft)- "Before 12/1/71"	8	351	RUG-BG	F/4/S	70.6	8	D2OZ 7003-D	
B(with 31 spline output shaft)- "From 12/1/71"	8	351	RUG-BG1	F/4/S	70.6	8	D2OZ 7003-H	

* Transfer case & adaptor assembly ▲ When using on vehicles built prior to 12/16/71 (1) D2OZ 7E440-A switch must be used

TRANSMISSION APPLICATION CHART

MODEL	ENGINE		TRANSMISSION		PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
	CYL.	C.I.D.	IDENT.	TYPE				
1972 - continued								
- F -								
F "Before 12/1/71"	6	250	RAN-BW	3.03	70.4	5	D2ZZ 7003-A	
F "From 12/1/71"	6	250	RAN-BW1	3.03	70.4	5	♣D2ZZ 7003-E	
F "Before 12/1/71"	8	302	RAN-CA	3.03	70.4	5	D2ZZ 7003-B	
F "From 12/1/71"	8	302	RAN-CA1	3.03	70.4	5	▲D2ZZ 7003-F	
F "Before 12/1/71"	8	351-2B	RAT-BZ	3.03	70.4	5	D2ZZ 7003-C	
F "From 12/1/71"	8	351-2B	RAT-BZ1	3.03	70.4	5	D2ZZ 7003-G	
F "Before 12/1/71"	8	351CJ, 351 Boss	RUG-BJ	F/4/S	70.6	8	D2ZZ 7003-D	
F "From 12/1/71"	8	351CJ, 351 Boss	RUG-BJ1	F/4/S	70.6	8	D2ZZ 7003-H	
- L -								
L "Before 12/1/71"	4	98	71WG-BC	E/4/S	70.2	10	★D1FZ 7003-E	D2FZ 7003-B
L "From 12/1/71"	4	98	72WG-BA	E/4/S	70.2	10	★D2FZ 7003-B	D3FZ 7003-A
L "Before 12/1/71"	4	All	71WG-AD	G/4/S	70.2	11	★D1FZ 7003-D	D2FZ 7003-C r/b D2FZ 7003-D
L "From 12/1/71 to 2/22/72"	4	All	72WG-AA	G/4/S	70.2	11	★D2FZ 7003-A	D2FZ 7003-C r/b D2FZ 7003-D
L "From 2/22/72 to 7/27/72"	4	All	72WG-AC	G/4/S	70.2	11	★D2FZ 7003-C	D2FZ 7003-D
L "From 7/27/72"	4	All	72WG-AE	G/4/S	70.2	11	D2FZ 7003-D	
- P -								
P "Before 12/1/71"	6	170	RAN-BX	3.03	70.4	5	★D2DZ 7003-A	D2DZ 7003-D
P "From 12/1/71"	6	170	RAN-BX1	3.03	70.4	5	D2DZ 7003-D	
P(console shift) - "Before 12/1/71"	6	200	RAN-BW	3.03	70.4	5	D2ZZ 7003-A	
P(console shift) - "From 12/1/71"	6	200	RAN-BW1	3.03	70.4	5	♣D2ZZ 7003-E	
P(column shift) - "Before 12/1/71"	6	200	RAN-BY	3.03	70.4	5	D2DZ 7003-B	
P(column shift) - "From 12/1/71"	6	200	RAN-BY1	3.03	70.4	5	♣D2DZ 7003-E	
P(column shift) - "Before 12/1/71"	8	302	RAN-BZ	3.03	70.4	5	D2DZ 7003-C	
P(column shift) - "From 12/1/71"	8	302	RAN-BZ1	3.03	70.4	5	▲D2DZ 7003-F	
P(console shift) - "Before 12/1/71"	8	302	RAN-CA	3.03	70.4	5	D2ZZ 7003-B	
P(console shift) - "From 12/1/71"	8	302	RAN-CA1	3.03	70.4	5	D2ZZ 7003-F	
- U -								
U "Before Ser. P80,001"	6	170	RAN-CF	3.03	70.4	5	D2TZ 7003-C	
U "From Ser. P80,001"	6	170,200	RAN-CF1	3.03	70.4	5	D3TZ 7003-B	
U "Before Ser. N40,001"	6	170	300529-8	*	70.8	8	D0TA 7E028-D	
U "From Ser. N40,001"	6	170	300529-9	*	70.8	8	★D2TA 7E028-FA	Service details
U "Before Ser. P80,001"	8	302	RAT-CE, RAC-K	3.03	70.4	5	D2TZ 7003-E	
U "From Ser. P80,001"	8	302	RAT-CE1	3.03	70.4	5	D3TZ 7003-D	
U(with 4.11 ratio rear axle) "Before Ser. N40,001"	8	302	300777-9	*	70.8	8	D0TA 7E028-E	
U(with 4.11 ratio rear axle) "From Ser. N40,001"	8	302	300777-11	*	70.8	8	★D2TA 7E028-GA	Service details
U(with 3.50 ratio rear axle) "Before Ser. N40,001"	8	302	300777-10	*	70.8	8	D0TA 7E028-F	
U(with 3.50 ratio rear axle) "From Ser. N40,001"	8	302	300777-12	*	70.8	8	★D2TA 7E028-HA	Service details

* Transfer case and adapter assy. ▲ When using on vehicles built prior to 12/16/71 (1) D2OZ 7E440-A switch must be used

♣ When using on 1972 and prior vehicles remove D2OZ 7E440-A switch and install (1) 384727-S bolt.

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7006		CASE
65/66	B, F	6	170,200	C2OZ 7006-B	1	#C4OR 7006-A - includes (2) 73775-S pins
65/67	X	6	200		1	
65/67	X	6	170	C0DR 7006-A	1	Includes (2) 73775-S pins
65/67	B, F, X	6	All	20450-S(B106)	4	Bolt 7/16"-14 x 1 3/8" (case to flywheel housing)
				34808-S8(X67)	4	Lockwasher 7/16"
				353081-S(AA10)	2	Plug - filler and drain (transmission case)
65/67	X	6	All	C0DP 7A011-A	1	SEAL - OUTPUT SHAFT OIL - 15/16" I.D.
65/66	B, F	6	All		1	
				372338-S(QQ64)	1	Snap ring - 31/32" I.D. (oil seal retaining)
				7017		SHAFT - INPUT
65	B, F, X	6	200	C5OZ 7017-A	1	17-24 teeth, 10 splines, 7 13/16" long
66	B, F	6	200	C6OZ 7017-A	1	17-24 teeth, 10 splines, 8 3/4" long
66/67	X	6	200		1	
65/67	X	6	170	C2DZ 7017-B	1	16-24 teeth, 10 splines, 7 25/32" long
65	F	6	170		1	
				7025		BEARING - INPUT SHAFT
65/66	B, F	6	All	C3AZ 7025-B	1	#207-L, LO - 1 3/8" I.D. - 2 7/8" O.D. - 11/16"
65/67	X	6	All		1	wide
				7025		BEARING - OUTPUT SHAFT
65/66	B, F	6	All	C0DZ 7065-A	1	#206-L - 1 3/16" I.D. - 2 7/16" O.D. - 5/8" wide
65/67	X	6	All		1	
				7026		Refer to Group 7064
				7030		Refer to Group 7064
				7A034		BUSHING - EXTENSION HOUSING
65/66	B	6	200	B3TZ 7A034-A	1	1 1/2" I.D. - 1 5/8" O.D. - 1 1/8" long - use with
65/67	X	6	200		1	extension housing stamped #C2OR 7A040-C only
65/67	X	6	170	C0DP 7A034-B	1	1 3/8" I.D. - 1 1/2" O.D. - 1 1/2" long
65/66	F	6	All		1	
				7A039		EXTENSION HOUSING ASSY.
65/66	B	6	All	C2OZ 7A039-B	1	Includes 7A034 bushing - #C2OR 7A040-C
66/67	X	6	200		1	
65	F	6	170,200	C5ZZ 7A039-G	1	Use w/C7ZZ 7E046-B mounting plate Discard existing mounting plate C6ZZ 7E046-B with this housing assy.
66	F	6	200		1	
65	X	6	All	C1DR 7A039-A	1	15 29/32" long-includes 7A034 bushing
66/67	X(exc. 66)	6	170		1	#C1DR 7A040-A
66	X(66)	6	170	C4GY 7A039-A	1	17 3/4" long-includes 7A034 bushing #C4GR 7A040-A
65/66	B, F	6	All	20410-S8(B103)	5	Bolt-7/16"-14 x 1 1/8"(housing to case)
65/67	X	6	200		5	
65/67	X	6	170	20390-S8(B102)	5	Bolt-7/16"-14 x 1"(housing to case)
65/67	B, F, X	6	All	34808-S8(X67)	5	Lockwasher-5/16"
65/66	B, F	6	All	8A 7040	1	BAFFLE - INPUT SHAFT BEARING OIL -
65/67	X	6	All		1	2 11/16" O.D. - 1 3/8" I.D.
65/66	B, F	6	All	C0DR 7A044-A	3	INSERT - SYNCHRONIZER HUB
65/67	X	6	All		3	

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7050		RETAINER - INPUT SHAFT BEARING
65	B, F	6	All	C0DR 7050-B	1	3 11/16" overall length-3 5/32" flange O. D.
65/67	X	6	170		1	
65	X	6	200		1	
66	B, F	6	200	C6OZ 7050-A	1	3 7/8" overall length-4 1/2" flange O. D.
66/67	X	6	200		1	
						1 3/16" hub O.D. -#C6OR 7050-A
65/67	B, F, X	6	All	350673-S(BB544)	3 or 4	Bolt-5/16" 18 x 3/4"(retainer to case)
65/67	B, F, X	6	All	C0DZ 7051-A	1	GASKET - INPUT SHAFT BEARING RETAINER - 3 5/32" I.D. -4 1/4" O.D. -1/32" thick
				7052		SEAL - EXTENSION OIL
65/66	B	6	200	A2TZ 7052-A	1	2 3/8" O. D. -1 1/2" I. D. -5/8" thick
65/67	X	6	200		1	
65/66	F	6	170, 200	C0DR 7052-A	1	1 3/8" I. D. -2 1/4" O. D. -5/8" thick
65/67	B, X	6	170		1	
				7061		SHAFT - OUTPUT
65/66	B, F	6	170, 200	C2OZ 7061-B	1	26-25 straight-26 helical splines 24 13/16" long
65/67	X	6	200		1	
65/67	X	6	170	C0DR 7061-A	1	26-25 straight-26 helical splines 22 13/16" long
				7064		SNAP RING
65/66	B, F	6	All	8A 7064	1	Input shaft bearing to shaft 1 7/32" I. D. -1 9/16" O. D. - 3/32" thick
65/67	X	6	All		1	
				8A 7026	1	Input shaft bearing to case 2 11/16" I. D. -3 1/16" O. D. -1/16" thick
					1	
				C0DR 7030-A	1	Output shaft bearing to case 2 5/16" I. D. -2 5/8" O. D. -1/16" thick
					1	
				372511-S(QQ15)	@ 2 @ 2	Output shaft bearing to shaft and speedometer gear(17285)to shaft-1 1/16" I. D. -5/64" thick
				7065		Refer to Group 7025
				7086		GASKET - EXTENSION HOUSING TO CASE
65/66	B, F	6	All	C2OZ 7086-A	1	
65/67	X	6	200		1	
65/67	X	6	170	C0DR 7086-A	1	
65/66	B, F	6	All	C1DR 7100-A	1	GEAR - LOW AND REVERSE SLIDING - 26-27 teeth-1 1/32" wide
65/67	X	6	All		1	
				7102		GEAR ASSY. - INTERMEDIATE
65/66	B, F	6	200	C5OZ 7102-A	1	20-24 teeth, 1 5/16" wide, 2 13/16" O. D.
65/67	X	6	200		1	
65/67	B, F, X	6	170	C1DZ 7102-B	1	19-24 teeth, 1 5/16" wide, 2 11/16" O. D.
65/66	B, F	6	All	C2DZ 7107-C	2	RING - SYNCHRONIZER BLOCKING
65/67	X	6	All		2	
65/66	B, F	6	All	C2DZ 7109-A	2	SNAP RING - SYNCHRONIZER HUB RETAINING
65/67	X	6	All		2	
65/66	B, F	6	All	C0DR 7111-A	1	COUNTERSHAFT
65/67	X	6	All		1	

@ (1) Required for each function

Identification marking

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7113		GEAR - COUNTERSHAFT CLUSTER
65	B	6	170	C1DR 7113-A	1	14-19-24-37 teeth, 5 11/16" long
65	F	6	170		1	
65/67	X	6	170		1	
65/67	B, F, X	6	200	C5OZ 7113-A	1	14-19-23-33 teeth, 5 11/16" long
65/66	B, F	6	All	C0DR 7115-B	1	SPACER - COUNTERSHAFT GEAR PILOT
65/67	X	6	All		1	BEARING - 3 15/16" long-11/16" O.D.
65/66	B, F	6	All	7119		WASHER - COUNTERSHAFT GEAR THRUST
65/67	X	6	All	C0DR 7119-A	1	11/16" I. D. -2 1/8" O. D. -1/16" thick -front-
					1	#(1) tong
				C0DZ 7119-A	1	Rear inner-#(2) tongs
				C0DZ 7119-B	1	Rear outer-#(1) external tab
65/66	B, F	6	All	C0DR 7120-A	13	ROLLER - INPUT SHAFT PILOT BEARING-
65/67	X	6	All		13	1/2" long
65/66	B, F	6	All	C0DZ 7121-A	1 SET	ROLLER - COUNTERSHAFT GEAR PILOT
65/67	X	6	All		1 SET	BEARING - #C407-Q - 3/4" long (set consists of
				372509-S(XX225)	2	44 - repairs both ends)
						Washer-flat 11/16" (retain roller brg. in
						countershaft)
65/66	B, F	6	All	C2DZ 7124-A	1	SYNCHRONIZER ASSY.
65/67	X	6	All		1	
65/66	B, F	6	All	C0DR 7140-A	1	SHAFT - REVERSE IDLER GEAR-2 1/2" long-
65/67	X	6	All		1	5/8" O.D.
65/66	B, F	6	All	C1DR 7141-A	1	GEAR and BUSHING ASSY. - REVERSE IDLER-
65/67	X	6	All		1	15 teeth-2" O.D.-1 3/32" wide
65/66	B, F	6	All	C0AZ 7153-H	1	GASKET KIT
65/67	X	6	All		1	

Consists of

1-C0DZ 7051-A Gasket (retainer)
1-C0DR 7086-A Gasket (extension)

1-C2OZ 7086-A Gasket (extension)
1-C0DZ 7223-A Gasket (case access.)

65/66	B, F	6	All	C0DR 7155-A	1	PLATE - COUNTERSHAFT and REVERSE IDLER
65/67	X	6	All		1	SHAFT LOCK
65/66	B, F	6	All	C0DZ 7222-A	1	COVER - CASE ACCESS - 6 3/4" x 5 1/4"
65/67	X	6	All		1	
				372110-S(BB547)	1	Bolt-5/16"-18 x 5/8"(cover to case)
65/66	B, F	6	All	C0DZ 7223-A	1	GASKET - CASE ACCESS COVER - 6 5/8" x 5"
65/67	X	6	All		1	
65/66	B, F	6	All	C0DR 7230-A	1	FORK - HIGH and INTERMEDIATE GEAR
65/67	X	6	All		1	SHIFTER
65/66	B, F	6	All	C0DR 7231-A	1	FORK - LOW and REVERSE GEAR SHIFTER
65/67	X	6	All		1	

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
65/66	B, F	6	All	C0DR 7233-C	1	SLEEVE - SHIFTER FORK CAM and SHAFT
65/67	X	6	All		1	INTERLOCK - 5/16" I.D. - 1 5/16" long
65/66	B, F	6	All	C0DR 7234-B	1	SPRING - SHIFTER FORK CAM and SHAFT
65/67	X	6	All		1	LOCK PLUNGER - 1 7/32" long-15 coils
				353081-S(AA10)	2	Ball-5/16"(shifter cam lockout)
				7235		PIN - SHIFTER CAM and LOCK PLUNGER
65/66	B, F	6	All	C0DR 7235-B	1	3/16" O. D. - 11/16" long
65/67	X	6	All		1	
65/66	B, F	6	All	C2DZ 7280-A	1	CAM and SHAFT ASSY. - HIGH and
65/67	X	6	All		1	INTERMEDIATE
				73775-S(N96)	1	Pin-No. 0 x 1 1/4" long (cam to case)
65/66	B, F	6	All	C2DZ 7282-A	1	CAM and SHAFT ASSY. - LOW and REVERSE
65/67	X	6	All		1	
				73775-S(N96)	1	Pin-No. 0 x 1 1/4" long (cam to case)
65/66	B, F	6	All	C0DR 7A283-A	1	OIL SEAL - INPUT SHAFT - 1 1/16" I. D. -
65/67	X	6	All		1	1 1/2" O. D.
				7285		LEVER - HIGH and INTERMEDIATE GEAR SHIFTER
66	B	6	All	C6OZ 7285-C	1	
65/66	F	6	All	C5ZZ 7285-E	1	
65	X	6	All	C2DZ 7285-A	1	
66/67	X	6	All	C6OZ 7285-C	1	
65/66	B, F	6	All	33797-S(M51)	1	Nut-5/16"-18 x 1/2"(lever to cam shaft)
65/67	X	6	All		1	
				44722-S8(X19)	1	Washer-flat 5/16"
				34806-S7(X64)	1	Washer-lock 5/16"
65/66	B, F	6	All	C0DR 7288-A	2	OIL SEAL - SHIFTER CAM and SHAFT
65/67	X	6	All		2	
				7290		LEVER - LOW and REVERSE GEAR SHIFTER
65/66	B	6	All	C2OZ 7290-B	1	
65/66	F	6	All	C5ZZ 7290-E	1	
65/67	X	6	All	C2OZ 7290-B	1	
65/66	B, F	6	All	33797-S(M51)	1	Nut-5/16"-18 x 1/2"(lever to cam shaft)
65/67	X	6	All		1	
				44722-S8(X19)	1	Washer-flat 5/16"
				34806-S7(X64)	1	Washer-lock 5/16"
65/66	B, F	6	All	C0DZ 7B331-A	1	SMALL PARTS REPAIR KIT
65/67	X	6	All		1	

Consists of

1-8A 7026

Snap Ring

1-C0DR 7030-A

Snap ring

1-8A 7064

Snap ring

1-372510-S

Snap ring

2-372511-S

Snap ring

1-8A 7040

Baffle

4-372509-S

Washer

1-C0DR 7119-A

Washer

1-C0DZ 7119-A

Washer

1-C0DZ 7119-B

Washer

YEAR	MODEL	ENGINE		QUANTITY			PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	E/4/S	G/4/S			
71/	L	4	All		1		D1FZ 7K002-A	LEVER - REVERSE GEAR SHIFT
					1		68309-GS(AX25)	Retaining ring
71/	L	4	All		1		7005	CASE ASSY.
					1		D1FZ 7005-C	Use w/71WG-AB, AC, AD, 72WG-AA, AC, AE
					1		D1FZ 7005-B	#71BG 7006-JA -use w/#71WG-BA
					4		D1FZ 7005-D	Use w/#71WG-BC, 72WG-BA
							384524-S100 (BB545FD)	Screw & washer assy.-hex.head (case to flywheel housing)
					2		353051-S(PP32)	Plug-3/4" pipe-(1) required as drain plug (1) required as filler plug
					4		E450100-S(AP15)	Plug-1/2" x 1/4"-used as filler plug
		4	All		1	1	N800016-S51(AP13)	Plug-M18 x 1 1/2" x 13/32" long- required to plug threaded hole in case
71/	L	4	All	1	1		D1FZ 7A011-A	SEAL - INPUT SHAFT REAR -OIL
							7017	SHAFT - INPUT
71/	L	4	All		1		D1FZ 7017-A	
		4	98	1			D1FZ 7017-B	30 clutch, 17 helical teeth
71/	L	4	All		1		D1FZ 7K024-A	PIN - REVERSE GEARSHIFT RELAY LEVER - 1 9/32" long-9/16" large dia. - 3/8" shank dia.
					1		115459-ES(AP5)	Cup-expansion plug-13/32" dia.
71/	L	4	All		1		7025	BEARING ASSY. - MAIN DRIVE GEAR
		4	98	1			D1FZ 7025-A	1 3/8" I.D.-2 27/32" O.D.-11/16" wide- 9 balls
							D1FZ 7025-B	#361580-A
71/	L	4	All		1		7026	SNAP RING - MAIN DRIVE GEAR BEARING
		4	98	1			D1FZ 7026-A	2 11/16" I.D.-3 1/16" O.D.-5/64" wide
							DORY 7026-A	
71/	L	4	All		1		7030	SNAP RING - BEARING OUTER (Selective fit)
					1		D1FZ 7030-A	2 25/32" O.D.-.067" thick-#Copper
					1		DORY 7030-G	-.0655"-#Plain
					1		DORY 7030-F	-.0667"-#Magenta
					1		DORY 7030-E	-.0679"-#Green
					1		D1FZ 7030-B	-.069" thick
					1		DORY 7030-D	-.0691"-#Violet
					1		D1FZ 7030-C	-.070" thick
					1		DORY 7030-C	-.0703"-#Blue
					1		D1FZ 7030-D	-.071" thick
					1		DORY 7030-B	-.0715"-#Red
					1		D1FZ 7030-E	-.072" thick
					1		DORY 7030-A	-.0726"-#Yellow
					1		D1FZ 7030-F	-.073" thick-#Blue
					1		D1FZ 7030-G	-.074" thick-#Black
					1		D1FZ 7030-H	-.075" thick
71/	L	4	98	1			DORY 7034-A	VENT - EXTENSION HOUSING

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 70.2
E/4/S & G/4/S
FORD CAR PARTS
4 SPEED MANUAL TRANS. -
ENGLISH & GERMAN TYPE

YEAR	MODEL	ENGINE		QUANTITY			PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	E/4/S	G/4/S			
7A034 BUSHING - EXTENSION HOUSING								
71/	L	4	All		1		D1FZ 7A034-A	#69EG 7A034-A
		4	98	1			D2RY 7041-A	#71WG 7041-BA
7A039 HOUSING ASSY. - EXTENSION								
71/72	L	4	All		1		D2FZ 7A039-D	Includes (1) N-800015-S plug
71/72	L	4	98	1			D2FZ 7A039-B	Includes (1) N-800015-S plug
71/	L	4	98	5			34847-S8(X74)	Washer
		4	98	5			359266-S8(BB157)	Bolt-3/8"-16 hex.hd.(housing to case)
		4	All		4		E600312-S82 (AB33)	Bolt-hex. hd.-M10 x 35- (housing to case)
		4	All	1	1		N800015-S(AP13A)	Plug-M16 x 1 1/2" hex.(to plug sensor switch hole)
7041 BUSHING - EXTENSION HOUSING - refer to group 7A034								
7A044 INSERT - SYNCHRONIZER HUB								
71/	L	4	All		3		D1FZ 7A044-A	1st & 2nd speed-1" long-7/16" high-3/16" thick
		4	All		3		D1FZ 7A044-B	3rd & 4th speed-3/4" long-3/16" high-1/4" thick
		4	98	3			D0RY 7A044-C	1st & 2nd speed
		4	98	3			D0RY 7A044-D	3rd & 4th speed
7050 RETAINER - MAIN DRIVE GEAR BEARING								
71/	L	4	All		1		D1FZ 7050-A	
		4	98	1			D1FZ 7050-B	#71BG 7050-EA
		4	98	3			20346-S8(B50)	Bolt-5/16" x 18 hex.hd. (retainer to case)
		4	98	3			34806-S7(X64)	Washer-spring lock (retainer to case)
		4	All		4		E602529-S76 (AB53)	Screw & washer-hex.hd.(retainer to case)
7051 RETAINER - "O" RING								
71/	L	4	All		1		D1FZ 7051-A	3 13/32" dia.-rubber
		4	98	1			D0RY 7051-A	
7052 OIL SEAL - EXTENSION ASSY.								
71/	L	4	All		1		D1FZ 7052-A	1 15/16" dia.-1/2" wide-spring type
		4	98	1			D2RY 7052-A	
7059 SNAP RING - SYNCHRONIZER HUB								
71/	L	4	All		1		D1FZ 7059-A	1" I.D.-1 3/16" O.D.-1/16" thick-open end
		4	98	2			D0RY 7059-A	(1) required as synchronizer hub snap ring (1) required to retain speedo drive gear to output shaft
		4	98	1			D0RY 7059-C	1st & 2nd speed
7061 SHAFT ASSY. - OUTPUT								
71/	L	4	All		1		D1FZ 7061-A	Includes 1st & 2nd speed synchronizer - 25 spline-23 3/8" long
71/	L	4	98	1			D0RY 7061-B	20 spline-23 1/4" long
72	L	4	98	1			371350-S(AA4)	Ball-3/16"-retains speedo gear on output shaft
7064 SNAP RING								
71/	L	4	All					INPUT SHAFT BEARING TO SHAFT - SELECTIVE FIT
					1		D1FZ 7064-C	.087" thick
					1		D1FZ 7064-D	.090" thick-#Copper
					1		D1FZ 7064-E	.092" thick-#Blue
					1		D1FZ 7064-F	.095" thick-#Black
					1		D1FZ 7064-G	.098" thick-#Brown

Identification marking

YEAR	MODEL	ENGINE		QUANTITY			PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	E/4/S	G/4/S			
							7064	SNAP RING - continued
71/	L	4	All					OUTPUT SHAFT BEARING TO SHAFT - SELECTIVE FIT
				1			D0RY 7064-A	.071" thick
				1			D0RY 7064-B	.073" thick
				1			D0RY 7064-C	.077" thick
					1		D1FZ 7064-H	.067" thick
					1		D1FZ 7064-J	.070" thick-#Blue
					1		D1FZ 7064-K	.073" thick-#Black
					1		D1FZ 7064-L	.075" thick-#Brown
					1		D1FZ 7064-M	.078" thick-#Copper
								SECOND SPEED GEAR RETAINING
					1		D1FZ 7064-A	Outer
					1		D1FZ 7064-B	Inner-1 1/4" I.D.
							7065	BEARING ASSY. - OUTPUT SHAFT
71/	L	4	All		1		D1FZ 7065-A	2 1/4" dia.-45/64" wide-7 balls
		4	98	1			D0RY 7065-A	
							7071	WASHER-OUTPUT SHAFT FIRST GEAR THRUST
71	L	4	All		1		D1FZ 7071-A	Approx. 2" dia.
71/	L	4	98	1			D0RY 7071-A	
72	L	4	All		1		D2RY 7071-A	Use w/D2FZ 7061-A shaft only
							7086	GASKET - EXTENSION HOUSING
71/	L	4	All		1		D1FZ 7086-B	4" I.D.-4 7/8" x 4" bolt spacing
		4	98	1			★D0RY 7086-B	Repl.by D3FZ 7086-A (10-74)
							7100	GEAR - FIRST SPEED
71/72	L	"Before 3/13/72"	4	All		1	D1FZ 7100-A	
72	L		4	98	1		D0RY 7100-A	30 clutch, 32 helical teeth
72	L	"From 3/13/72"	4	All		1	★D2FZ 7100-A	Repl.by D1FZ 7100-A (9-74)
71/	L		4	98	1		D0RY 7102-A	GEAR - SECOND SPEED- 30 clutch, 28 helical teeth
71/	L		4	All		1	D1FZ 7103-A	GEAR - SECOND SPEED
71/	L		4	All		1	D1FZ 7105-A	HUB - THIRD and FOURTH SPEED - SYNCHRONIZER - 2 11/32" dia. -3/4" wide-27 teeth-also serviced in 7124 assy.
							7107	RING - SYNCHRONIZER BLOCKING
71/	L		4	All		2	D1FZ 7107-A	3rd & 4th speed-2 5/16" dia. -18 or 27 teeth
			4	All		2	D1FZ 7107-B	1st & 2nd speed-2 3/4" dia. -18 or 27 teeth
			4	98	2		D0RY 7107-C	1st & 2nd speed-18 or 27 teeth
			4	98	2		D0RY 7107-D	3rd & 4th speed-18 or 27 teeth
							7109	SPRING - SYNCHRONIZER BLOCKING
71/	L		4	All		2	D1FZ 7109-A	1st & 2nd speed-2 11/32" I.D. -2 1/2" O.D.
			4	All		2	D1FZ 7109-B	3rd & 4th speed-2 1/8" dia.

Identification marking
May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		QUANTITY			PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	E/4/S	G/4/S			
71/	L	4	All		1		7111	COUNTERSHAFT
		4	98	1			D1FZ 7111-A	8 7/16" long-11/16" dia.-#1BBA on end
		4	All	4	2		D0RY 7111-A 119686-ES-18 (AX15)	Flat washer - 11/16" O.D. 7/8" I.D. to retain countershaft & needle bearing
71/	L	4	All		1		7113	GEAR - COUNTERSHAFT CLUSTER
		4	98	1			D1FZ 7113-A	34-29-24-16-15 teeth
							C9RZ 7113-A	
71/	L	4	All		1		D1FZ 7115-A	SPACER - TUBE - 11/16" dia.-4 7/8" long
71/	L	4	All		2		7119	WASHER - COUNTERSHAFT CLUSTER GEAR
		4	All		1		D1FZ 7119-A	1 9/16" dia.-1/16" thick-steel backed bronze
		4	98	1			D1FZ 7119-B	2nd gear-1 3/8" I.D.-1 27/32" O.D.-3/32" thick
		4	98	1			D0RY 7119-A	Rear
71/	L	4	All		1		D0RY 7119-B	Front
71/	L	4	All		1		7120	BEARING - INPUT SHAFT - PILOT
		4	98	1			D1FZ 7120-B	1" dia.-9/16" wide-11 needle bearings
							D0RY 7120-B	
71/	L	4	All		1 SET		7121	BEARING - COUNTERSHAFT GEAR
					1 SET		D1FZ 7121-A	3/4" long-1/8" dia.-tapered-needle (set consists of 19)
					1 SET		D1FZ 7121-B	1" long-1/8" dia.-tapered-needle (set consists of 19)
		4	98	1 SET			D0RY 7121-A	Roller (set consists of 40 - repairs both ends)
71/	L	4	All		1		7124	SYNCHRONIZER ASSY.
		4	All		1		7124	1st & 2nd speed-serviced in 7061 assy.
		4	98	1			D1FZ 7124-A	3rd & 4th speed
		4	98	1			D0RY 7124-D	1st & 2nd speed-40 teeth
71/	L						D0RY 7124-C	3rd & 4th speed
71/	L	4	98	1			D1FZ 7K131-A	GATE - 3rd & 4th GEAR SHIFT
				1			E-646513-S (AN5)	Pin-3/32" x 3/4" rolled spring
71/	L	4	All		1		7140	SHAFT - REVERSE IDLER GEAR
		4	98	1			D1FZ 7140-A	
							D0RY 7140-A	
71/	L	4	All		1		7141	GEAR ASSY. - REVERSE IDLER
		4	98	1			D1FZ 7141-A	22 teeth
							D0RY 7141-A	

YEAR	MODEL	ENGINE		QUANTITY			PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	E/4/S	G/4/S			
							7149	SPACER - COUNTERSHAFT GEAR
71/	L	4	All		2		D1FZ 7149-A	15/16" dia. -23/32" I.D. -1/8" thick
71/	L	4	All	4	2		119686-ES18 (AX15)	
							7153	SEAL & GASKET KIT
71/	L	4	All		1		D1FZ 7153-A	
	Consists of							
	(1) D1FZ 7A011-A	seal-input shaft rear	(1) D1FZ 7223-A	gasket-case cover				
	(1) D1FZ 7051-A	retainer-"o" ring	(1) D1FZ 7288-A	seal-gearshift rail				
	(1) D1FZ 7086-A	gasket-extension to housing	(1) D1FZ 17298-A	oil seal-speedometer shaft				
71/	L	4	98	1			D1FZ 7153-B	
	Consists of							
	(1) D1FZ 7A011-A	seal-input shaft rear	(1) D0RY 7233-B	gasket-case cover				
	(1) D0RY 7051-A	retainer-"o" ring	(1) D0RY 7288-A	seal-gearshift rail				
	(1) D0RY 7086-B	gasket-extension to housing	(1) D0RY 17298-A	oil seal-speedometer shaft				
71/	L	4	98	1			D1FZ 7160-A	SNAP RING KIT - INPUT BEARING - selective fit
	Consists of							
	(1) 2822E 7160-A	snap ring	(1) 2822 7160-C	snap ring				
	(1) 2822E 7160-B	snap ring	(1) 2822 7160-D	snap ring				
							7D176	SPRING - SYNCHRONIZER
71/	L	4	98	2			D0RY 7D176-A	1st & 2nd speed
		4	98	2			D0RY 7D176-B	3rd & 4th speed
71/	L	4	98	1			C9RZ 7201-A	COVER ASSY. - CASE #2824E 7201-A
		4	98	4			20346-S8(B50)	BOLT - 5/16" x 18 hex.hd. (attach housing to case)
		4	98	4			34806-S7(X64)	WASHER - spring lock (attach housing to case)
							7K201	PLATE - GEAR SELECT INTERLOCK
71/	L	4	All		1		D1FZ 7K201-A	
		4	98	1			D0RY 7K201-A	
		4	All		1		71919-GS(AW8)	Pin-M8 x 24 (attach plate to case)
71/	L	4	All		1		D1FZ 7K205-A	SPRING - GEARSHIFT LEVER RETURN
71/	L	4	98	1			D0RY 7K218-A	PIN - used as pin low & reverse gear shift lever
71/	L	4	All		1		D1FZ 7222-A	COVER - CASE
		4	All		10		388294-GS40 (AB50)	Screw & washer-hex.hd.
							7223	GASKET - CASE COVER
71/	L	4	All		1		D1FZ 7223-A	Approx. 5" x 7"
		4	98	1			D0RY 7223-B	
							7230	FORK - FORWARD SPEED GEAR SHIFTER
71/	L	4	All		1		D1FZ 7230-A	1st & 2nd speed
		4	All		1		D1FZ 7230-B	3rd & 4th speed-use w/#71WG-AB
		4	All		1		D1FZ 7230-D	Use w/#71WG-AD, 72WG-AA, AC
		4	98	1			D1FZ 7230-C	3rd & 4th speed - #71WG 7230-AA-use w/#71WG-BA
		4	98	1			D1FZ 7230-E	Use w/#71WG-BC, 72WG-BA
							7231	FORK - REVERSE GEAR SHIFTER
71/	L	4	All		1		D1FZ 7231-A	
		4	98	1			D0RY 7231-C	#69BC 7231-AA
71/	L	4	98	1			D0RY 7231-A	FORK - FIRST & SECOND GEAR SHIFTER
71/	L	4	All		1		D1FZ 7233-A	PLUNGER - MESHLOCK - 1 13/32" o/all length-3/16" shank-5/16" dia. bell end

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

—DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		QUANTITY			PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	E/4/5	G/4/5			
7234 SPRING - MESHLOCK								
71/	L	4	All		1		D2FZ 7234-A	
71/	L	4	98	1			D0RY 7234-A	
71/	L	4	All		1		230001-ES(AU1)	Set screw-headless
		4	98	1			353081-S(AA10)	Ball-5/16"-used as meshlock detent ball
		4	98	1			31066-S2(U62E)	Set screw
7288 SEAL - GEAR SHIFT RAIL								
71/72	L	4	All		1		D1FZ 7288-A	1" dia.-1/8" thick
		4	98	1			D0RY 7288-A	
7302 ARM ASSY. - GEAR SHIFT SELECTOR								
71	L	4	All		1		D1FZ 7302-B	
72	L	4	All		1		D3FZ 7302-A	
		4	All		1		71919-GS(AN8)	Pin (arm assy.)
7B331 SMALL PARTS REPAIR KIT								
71/	L	4	All		1		D3FZ 7B331-A	
Consists of								
(1) D1FZ 7026-A				snap ring		(1) D2RY 7071-A	spacer	
(1) D1FZ 7030-A, B, C, D, E, F, G, H				snap ring		(2) D1FZ 7119-A	washer	
(1) D1FZ 7059-A				snap ring		(1) D1FZ 7119-B	washer	
(1) D1FZ 7064-A, B, C, D, E, F, G, H, J, K, L, M				snap ring		(2) D1FZ 7149-A	spacer	
(1) D1FZ 7071-A				spacer		(2) 119686-ES18	spacer	
71/	L	4	All	1			D3FZ 7B331-B	
Consists of								
(1) D0RY 7026-A				snap ring		(1) D0RY 7071-A	spacer	
(1) D0RY 7030-A, B, C, D, E, F, G				snap ring		(1) D2RY 7071-A	spacer	
(2) D0RY 7059-A				snap ring		(1) D0RY 7119-A, B	washer	
(1) D0RY 7059-C				snap ring		(4) 119686-ES18	spacer	
(1) D0RY 7064-A, B, C				snap ring		(1) 371350-S	ball	
(1) D0RY 7071-A				spacer				
7B340 GEAR - THIRD SPEED								
71/	L	4	98	1			D1RY 7B340-A	30 clutch, 21 helical teeth
71/72	L	4	All		1		D1FZ 7B340-A	
7341 BUSHING - EXTENSION HOUSING								
71/	L	4	All		1		D1FZ 7341-A	13/16" long-3/4" large dia.-6 slots
71/	L	4	98	1			D0RY 7346-A	ARM - GEAR SHIFT SELECTOR
		4	98	1			E646569-S71(AN5E)	Pin-spring-retain selector to shift
7358 SHAFT - GEAR SHIFT								
71/	L	4	98	1			D2FZ 7358-A	
71/	L	4	All		1		D3FZ 7358-B	
71/	L	4	All		1		D2FZ 7378-A	SHAFT ASSY. - GEAR SHIFT
7K381 PLUG - EXTENSION								
71/	L	4	All		1		D1FZ 7K381-B	2 7/32" dia.
		4	98	1			D1FZ 7K381-C	
1/	L	4	All		1		D1FZ 7E427-A	SEAL - CASE VENT CAP
1/	L	4	All		1		D1FZ 7E444-A	SPRING CLIP - SHIFT LEVER STOP
2	L	4	All	1	1		D2FZ 7E449-A	SWITCH - SEAT BELT WARNING SENSOR- #D2AR 7E449-AA
7K453 BUSHING - GEAR SHIFT SHAFT								
1/72	L	4	All		1		D1FZ 7K453-A	25/32" long-9/32" I.D.-9/16" x 11/16" sq.type
1/72	L	4	All	1			D1FZ 7K453-B	1 3/8" long

YEAR	MODEL	ENGINE		PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
65/66	A	8	390	B6A 6916-A	1	SOLENOID ASSY. - OVERDRIVE GEAR SHIFTER
65/67	A, B	6&8	240, 289	C2OZ 6916-B	1	
65/67	A, B	6&8	All	20346-S8(B50)	2	Bolt-5/16"-18 x 3/4" (solenoid to adaptor)
				★34941-S7	2	Lockwasher-5/16"
				358350-S(GG172)	1	Clip (wire to solenoid)
65	B "From 9/1/65"	8	All	B8A 6919-A	1	GOVERNOR ASSY. - OVERDRIVE - less gear
65/67	A	6&8	All	C2OZ 6919-A	1	
65	B "Before 9/1/65"	8	All		1	
66/67	B	8	All		1	
6922						GEAR - OVERDRIVE GOVERNOR DRIVEN
65/67	A, B	6&8	All	C2OZ 6922-A	1	16 teeth
65/67	A, B	6&8	All	B7A 6927-A	1	SEAL - OVERDRIVE GOVERNOR TO HOUSING - "O" ring type-1 3/64" I.D.
7006						CASE - OVERDRIVE
65/67	A, B	6&8	240, 289	C2AZ 7006-D	1	3 5/32" input shaft bearing opening, (#T86K-1, #T86W-1, #T86AA-1A)
65	A	8	390	C5AZ 7006-A	1	Includes (1) C2AZ 7119-C thrust washer, (#T85N-1A, #T85D-1 or # white paint below gear shift housing opening)
65/67	A, B	6&8	All	20430-S8(B104)	AR	Bolt-7/16"-14 x 1 1/4" (case to flywheel housing)
				34808-S8(X67)	AR	Lockwasher-7/16"
				358035-S(PP31)	1	Plug-1/2" pipe-sq. hd.-filler drain
7A011						OIL SEAL - OUTPUT SHAFT
65/67	A, B	6&8	240, 289	B9AP 7A011-A	1	1" I.D.-7/8" wide
				372401-S(QQ68)	1	Snap ring-1" I.D.(oil seal retaining)
65	A	8	390	B8AZ 7A011-A	1	1 7/8" I.D.-1 1/4" wide
				372292-S(QQ69)	1	Snap ring-1 1/4" I.D.
7017						SHAFT - INPUT
65	A "Before 11/23/64"	6&8	240, 289	C4AZ 7017-B	1	18 helical-33 clutch teeth-10 splines-8 3/4" long
65	B "Before 3/1/65"	8	289		1	(# T86P-16C)
65/67	A "From 11/23/64"	6&8	240, 289	C5AZ 7017-C	1	18 helical-33 clutch teeth, 10 splines-8 3/4" long
65/67	B "From 3/1/65"	8	289		1	(# T86AA-16)
65	A "Before 12/11/64"	8	390	★C3AZ 7017-J	1	19 helical-36 clutch teeth-10 splines-8 3/4" long
						(# T85D-16D)
65	A "From 12/11/64"	8	390	★C5AZ 7017-D	1	18 helical-36 clutch teeth-10 splines-8 3/4" long
						(# T86AA-16A)
7025						BEARING - MAINSHAFT
65/67	A	6&8	240, 289	B5S 7025-A	1	Input-#208-SL-1 9/16" L.D.-3 9/64" O.D. -
65/67	B	8	All		1	23/32" wide
65	A	8	390	8D 7065	1	Input-#307-L-1 3/8" I.D.-3 39/64" O.D.-
						1 3/16" wide
65	A "Before 11/23/64"	6&8	240, 289	C3AZ 7025-B	1	Output-#207-L, LO-1 3/8" I.D. -2 7/8" O.D. -
65	B "Before 3/1/65"	8	All		1	11/16" wide
65/67	A "From 11/23/64"	6&8	240, 289	8D 7065	1	Output-#307-L-1 3/8" L.D.-3 1/8" O.D. -7/8"
65/67	B "From 3/1/65"	8	289		1	wide
65	A	8	390		1	
65/67	A, B	6&8	All	C3AZ 7025-B	1	BEARING - OVERDRIVE MAINSHAFT AND ADAPTOR-#207-L, LO-1 3/8" L.D. -2 28/32" O.D. -11/16"
7026						SNAP RING - INPUT SHAFT BEARING -
7030						Refer to Group 7064
7030						Refer to Group 7064
65	A	8	390	C5AZ 7034-A	1	VENT ASSY. - EXTENSION HOUSING
7A034						BUSHING - EXTENSION
65/67	A, B	6&8	240, 289	B3TZ 7A034-A	1	1 1/2" I.D.-1 5/8" O.D.-1 1/2" long
65	A	8	390	B5AZ 7A034-A	1	1 13/16" O.D.-2 1/8" long

Identification marking
May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION	
		CYL.	C.I.D.				
7A039						HOUSING ASSY. - EXTENSION OVERDRIVE	
65/67	A, B	6&8	240, 289	C2OZ 7A039-E	1	#ARI0L-1A	
65/67	A, B	6&8	All	20554-S8(B115)	3	Bolt-7/16"-14 x 3" (housing to case)	
				376275-S8(BB181A)	1	Bolt-7/16"-14 x 2 1/2"	
				34808-S8(X67)	AR	Washer-7/16"	
				358035-S(PP31)	1	Plug-1/2"-14 pipe (housing filler)	
					1	(housing drain)	
				353096-S(PP61)	1	Plug-3/8" (overdrive shift rail hole)	
				74125-S(P11)	1	Plug-1 1/2" expansion	
7040						BAFFLE - INPUT SHAFT BEARING OIL	
65	A	6	240	@B5A 7040-A	1	2 3/4" O.D.	
65	B	8	289		1		
65	A	8	390	@8L 7040	1	2 5/8" O.D.	
7A040						HOUSING - OVERDRIVE - Refer to Group 7A039	
7A044						INSERT - SYNCHRONIZER HUB	
65/66	A, B	6&8	240, 289	B5AZ 7A044-C	3		
67	A, B	6&8	240, 289	C7AZ 7A044-A	3	Use with #HEK-X and AF only	
67	A, B	6&8	240, 289	C7AZ 7A044-B	3	Use with #HEK-AH and AK only	
65	A	8	390	B5AZ 7A044-A	3		
7E047						WIRE ASSY. - OVERDRIVE RELAY EXTENSION	
						-Serviced only in 7A200 Assy.	
7050						RETAINER - INPUT SHAFT BEARING	
65/67	A, B	6&8	240, 289	C5AZ 7050-C	1	3 13/16" long-4 7/8" flange O.D.	
65	A	8	390	C5AZ 7050-D	1	3 13/16" long-4 7/8" flange O.D.	
65/67	A, B	6&8	All	350673-S(BB544)	3or4	Bolt-5/16"-18 x 3/4" (retainer to case)	
				34806-S7(X64)	3or4	Washer-5/16"	
7051						GASKET - INPUT SHAFT BEARING RETAINER	
65/67	A, B	6&8	240, 289	★B6A 7051-A	1	3 13/32" I.D.-4 1/2" O.D.	
65	A	8	390	B6C 7051-A	1	3 29/64" I.D.-4 19/32" O.D.	
7052						SEAL - EXTENSION HOUSING OIL	
65/	A, B	6&8	240, 289	A2TZ 7052-A	1	2 3/8" O.D.-1 9/16" I.D.	
65	A	8	390	B5AZ 7052-A	1	2 1/2" O.D.-1 11/16" I.D.	
7059						SNAP RING - Refer to Group 7064	
7061						SHAFT OUTPUT	
65	A	"Before 11/23/64"	6&8	240, 289	B5A 7061-G	1	13 9/16" long-6 helical-6 & 10 straight splines
65	B	"Before 3/1/65"	8	289		1	
65/67	A	"From 11/23/64"	6&8	240, 289	C5AZ 7061-C	1	13 9/16" long-6 helical-6 & 10 straight splines
65/67	B	"From 3/1/65"	8	289		1	
65	A	"Before 12/11/64"	8	390	B5A 7061-F	1	14 9/16" long
65	A	"From 12/11/64"	8	390	★C5AZ 7061-E	1	14 9/16" long
7064						SNAP RING - Also refer to Group 7B331	
						INPUT SHAFT BEARING TO CASE	
65	A	8	390	8L 7026	1	3 1/32" I.D.-3 11/32" O.D.	
67	A, B	6&8	240, 289		1		
						INPUT SHAFT BEARING TO SHAFT - Also refer to Group 7B331 kits	
65/67	A, B	6&8	240, 289	★@8MTH 7064-A	AR	Selective fit-1 7/16" I.D.-.087" thick	
				★@8MTH 7064-B	AR	.090" thick	
65	A	8	390	8L 7064-A	AR	Selective fit-1 1/4" I.D.-.087" thick	
				B5A 7064-A	AR	Selective fit-1 1/4" I.D.-.1" thick	
				B5A 7064-B	AR	.103" thick	

Identification marking

@ Also supplied in 7B331 kit

YEAR	MODEL	ENGINE		PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
7064						SNAP RING - continued - Also refer to Group 7B331
						SYNCHRONIZER TO SHAFT
65/67	A, B	6&8	All	8L 7064-A	1	1 1/4" I.D.-1 9/16" O.D.-.085" thick
				8L 7064-A	AR	OUTPUT SHAFT BEARING TO SHAFT
				8A 7667-A	AR	Selective fit-1 1/4" I.D.-.087" thick
				B5A 7667-A	AR	.090" thick
						.101" thick
						OUTPUT SHAFT BEARING TO CASE - Refer to 7B331 kits
				8L 7064-A	AR	SPEEDOMETER GEAR TO OVERDRIVE MAIN SHAFT
						Selective fit
						OVERDRIVE PLANETARY GEAR ASSY. TO ADAPTOR - Refer to group 7B331 kits
				8L 7064-A	AR	OVERDRIVE MAIN BEARING TO SHAFT
						For selective fit- Refer to Group 7B331 kits
65	A	8	390	@ 8L 7672-A	AR	OVERDRIVE FREE WHEEL UNIT TO MAIN SHAFT
				@ 8L 7672-B	AR	Selective fit-.062" thick
				@ 8L 7672-C	AR	.068" thick
						.072" thick
				8L 7672-A	1	OVERDRIVE PLANETARY GEAR ASSY. TO MAIN SHAFT
7065						BEARING - OUTPUT SHAFT
						- Refer to Group 7025
7086						GASKET - OVERDRIVE ADAPTOR TO CASE
65	A, B	"Before 7/1/65"	6&8	240, 289	C2OZ 7086-A	1
65/67	A, B	"From 7/1/65"	6&8	240, 289	★C2OZ 7086-B	1
65	A		8	390	B7A 7086-A	1
7100						GEAR - LOW AND REVERSE SLIDING
65	A	"Before 11/23/64"	6&8	240, 289	B6A 7100-A	1
65	B	"Before 3/1/65"	8	289		1
65/67	A	"From 11/23/64"	6&8	240, 289	B7C 7100-A	1
65/67	B	"From 3/1/65"	8	289		1
65	A	"Before 12/11/64"	8	390	B5A 7100-B	1
65	A	"From 12/11/64"	8	390	★C5AZ 7100-A	1
7102						GEAR - INTERMEDIATE
65	A	"Before 11/23/64"	6&8	240, 289	C2AZ 7102-B	1
65	B	"Before 3/1/65"	8	289		1
65/67	A	"From 11/23/64"	6&8	240, 289	C5AZ 7102-C	1
65/67	B	"From 3/1/65"	8	289		1
65	A	"Before 12/11/64"	8	390	B5A 7102-D	1
65	A	"From 12/11/64"	8	390	C5AZ 7102-D	1
65	A		8	390	8L 7105	1
65	A		8	390	C1AA 7106-A	1
7107						RING - SYNCHRONIZER BLOCKING
65/67	A, B		6&8	240, 289	C4AZ 7107-E	2
65	A		8	390	8L 7107	2
7109						SNAP RING - SYNCHRONIZER HUB INSERT
						RETAINING
65/67	A, B		6&8	240, 289	C7AZ 7109-A	2
65	A		8	390	C5TZ 7109-A	2
7111						COUNTERSHAFT
65/67	A, B		6&8	240, 289	B7A 7111-A	1
				★74174-S	1	8 3/16" long
65	A		8	390	8L 7111	1
						Key woodruff-No. 5

@ Also supplied in 7B331 kit

May, 1975


COPYRIGHT © 1975 -

FORD MOTOR
COMPANY


- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			



TYPE 1



TYPE 2

A = Length

B, C, D, E = Number of Teeth

7113 GEAR - COUNTERSHAFT CLUSTER

							Type	A	B	C	D	E
65	A	"Before 11/23/64"	6&8	240,289	C0AA 7113-A	1	2	6 57/64"	33	25	19	14
65	B	"Before 3/1/65"	8	289		1						
65/67	A	"From 11/23/64"	6&8	240,289	B7C 7113-A	1	1	6 7/8"	33	25	19	14
65/67	B	"From 3/1/65"	8	289		1						
65	A	"Before 12/11/64"	8	352,390	B5A 7113-D	1	1	7 57/64"	29	25	19	15
65	A	"From 12/11/64"	8	390	C5AZ 7113-D	1	1	7 31/32"	30	26	18	14

7115

SPACER - COUNTERSHAFT GEAR PILOT BEARING

65/67	A, B		6&8	240, 289	B5A 7115-B	1	5" long-13/16" I.D.
65	A	"Before 12/11/64"	8	390	8L 7115	1	4 5/8" long-7/8" I.D.
65	A	"From 12/11/64"	8	390	★C5AZ 7115-A	1	4 1/16" long

7118

ROLLER - INPUT SHAFT PILOT BEARING

65	A	"Before 11/24/64"	6&8	240, 289	C3AZ 7118-A	1SET	#C417-Q-17/32" long-7/32" diam. (set consists of 15)
65	B	"Before 3/1/65"	8	289		1SET	
65/67	A	"From 11/24/64"	6&8	240, 289	C5AZ 7118-A	1SET	21/32" long-5/32" diam. (set consists of 21)
65/67	B	"From 3/1/65"	8	289		1SET	
65	A	"Before 12/11/64"	8	390	MC 7120-B	14	#W1518-Q-11/16" long-9/32" diam.
65	A	"From 12/11/64"	8	390	C5AZ 7120-A	16	11/16" long-1/4" diam.
					354639-S(XX261)	1	Spacer (retains rollers in shaft)

7119

WASHER - COUNTERSHAFT GEAR THRUST

65	A	"Before 11/23/64"	6&8	240, 289	@B5A 7119-C	1	Front-3/4" I.D.-2 5/8" O.D.
65	B	"Before 3/1/65"	8	289		1	
					@B5TZ 7119-C	1	Rear inner-3/4" I.D.-1 15/16" O.D.
65/67	A	"From 11/23/64"	6&8	240, 289	@C5AZ 7119-A	1	Front-3/4" I.D.-1 15/16" O.D.
65/67	B	"From 3/1/65"	8	289		1	
					@C5AZ 7119-B	1	Rear inner-3/4" I.D.-1 15/16" O.D.
65/67	A, B		6&8	240, 289	@B5AZ 7119-B	1	Rear outer-3/4" I.D.-1 29/32" O.D.
65	A	"Before 12/11/64"	8	390	8L 7119	1	Front-7/8" I.D.-2 5/8" O.D.
					C5AZ 7119-D	1	Rear inner-7/8" I.D.-2 1/8" O.D.
65	A	"From 12/11/64"	8	390	C5AZ 7119-C	1	Front-7/8" I.D.-1 3/4" O.D.
					C5AZ 7119-D	1	Rear inner-7/8" I.D.-2 1/8" O.D.
65	A		8	390	B5AZ 7119-A	1	Rear outer-7/8" I.D.-2 1/8" O.D.

7120

Refer to Group 7118

7121

ROLLER - COUNTERSHAFT GEAR PILOT BEARING

65/67	A, B		6&8	240, 289	C0DZ 7121-A	1SET	#C-407-Q (set consists of 44 - repairs both ends)
					354655-S(XX231)	4	Washer-15/16" O.D.(to retain rollers)
65	A	"Before 12/11/64"	8	390	8L 7121	4SETS	#S443-Q-5/32" O.D.-3/4" long (set consists of 20 - repairs both ends)
65	A	"From 12/11/64"	8	390	★C5AZ 7121-A	2SETS	#S443-Q-5/32" O.D.-27/32" long (set consists of 40 - repairs both ends)

7124

SYNCHRONIZER ASSY.

65/67	A, B		6&8	240, 289	C2AZ 7124-K	1	2 1/4" diam. -includes 7107 rings
65	A		8	390	C5AZ 7124-B	1	2 1/2" diam. - does not include 7107 ring
65	A	"Before 12/11/64"	8	390	8L 7125	4	SPACER - COUNTERSHAFT GEAR ROLLER -
65	A	"From 12/11/64"				6	1 5/32" O.D.-7/8" I.D.

7D131

Refer to Group 7A650 knob assy.

YEAR	MODEL	ENGINE		PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
7140						SHAFT - REVERSE IDLER GEAR
65/67	A, B	6&8	240, 289	B5A 7140-A	1	2 7/16" long-3/4" diam.
65	A	8	390	8L 7140	1	2 11/32" long-7/8" diam.
7141						GEAR - REVERSE IDLER
65	A	"Before 11/23/64"	6&8	240, 289	B6A 7141-A	1 15 L.H. helix teeth-2 7/32" O.D.-also replaces
65	B	"Before 3/1/65"	8	289		1 16-tooth gear
65/67	A	"From 11/23/64"	6&8	240, 289	B7C 7141-A	1 15 R.H. helix teeth-2 7/32" O.D.-also replaces
65/67	B	"From 3/1/65"	8	289		1 16-tooth gear
65	A	"Before 12/11/64"	8	390	★B5A 7141-C	1 18 helical teeth-2 5/8" O.D.
65	A	"From 12/11/64"	8	390	★C5AZ 7141-D	1 17 helical teeth-2 5/8" O.D.
7153						GASKET KIT
65/67	A, B	6&8	240, 289	C2OZ 7153-B	1	
Consists of the following						
4-B8C 7051-A Gasket (input shaft bearing retainer)				1-B5A 7223-A	Gasket (case access cover)	
1-C2OZ 7086-B Gasket (transmission extension)				1-C2OZ 7661-A	Gasket (overdrive housing to adaptor)	
65	A	8	390	B6A 7153-D	1	
Consists of the following						
3-B6C 7051-A Gasket (input shaft bearing retainer)				1-8D 7086	Gasket (output shaft bearing retainer)	
1-8D 7051 Gasket (input shaft bearing retainer)				1-8L 7223-A	Gasket (gear shift housing)	
1-B7A 7086-A Gasket (adaptor to transmission)				1-8D 7223	Gasket (gear shift housing)	
1-8L 7086-A Gasket (adaptor to transmission)				1-B7A 7661-A	Gasket (overdrive housing to adaptor)	
65/67	A	6&8	240, 289	@B5A 7155-A	1	PLATE - COUNTERSHAFT AND REVERSE IDLER SHAFT LOCK - 1 11/32" x 5/8" x 1/16"
★7C173						LEVER - LOW AND REVERSE GEAR SHIFT INTERLOCK
65/67	A	6&8	All	356383-S7(XX362)	1	Spring washer (lever to stud)
				356590-S(XX171)	1	Washer-flat-7/16"
				72034-S(N45)	1	Pin
7C174						STUD - LOW AND REVERSE GEAR SHIFT INTERLOCK
65/67	A	6&8	240, 289	C2AZ 7C174-E	1	1 3/4" long
62/67	A	6&8	All	34806-S(X64)	1	Washer-flat-7/16" (stud to case)
★7C175						WEDGE - LOW AND REVERSE GEAR INTERLOCK
65	A	6&8	All	20347-S8(B156)	2	Bolt-5/16"-24 x 3/4" (wedge to lever)
66/67	A	6&8	240, 289	371578-S2(BB594)	2	Bolt-5/16"-24 x 11/16"
★7A199						WIRE ASSY. - IGNITION CIRCUIT TO OVERDRIVE RELAY - use bulk stock B6A 14296-B and cut to required length
7A200						WIRING ASSY. - OVERDRIVE SOLENOID TO RELAY
65/66	A	6&8	240, 289	C5AZ 7A200-B	1	
65/67	A, B	6&8	All	358350-S(GG172)	1	Clip (wire to case)
					1	Clip (wire to extension)
				353547-S2(GG173)	2	Clip (wire to clutch housing)
				372046-S100(GG186)	1	Clip (wire to gear shift housing)
				353350-S7(GG159)	1	Clip (wire to solenoid)
				31498-S8(U253B)	1	Screw (clip to fire wall)
65	A	8	390	B6C 7222-A	1	HOUSING - GEAR SHIFT
				20346-S8(B50)	9	Bolt-5/16"-18 x 3/4" hex.hd.(housing to case)
				34806-S7(X64)	9	Lockwasher-5/16"
65/67	A, B	6&8	240, 289	B5AZ 7222-B	1	COVER - CASE ACCESS - 7 7/8" long-4" wide front end-5 1/2" wide back end
				34806-S7(X64)	6	Lockwasher-5/16"
65/67	A, B	6&8	240, 289	B5A 7223-A	1	GASKET - CASE ACCESS COVER
65	A	8	390	8L 7223-A	1	GASKET - GEAR SHIFT HOUSING
7230						FORK - INTERMEDIATE AND HIGH GEAR SHIFTER
65/67	A, B	6&8	240, 289	C2AZ 7230-B	1	Must use with 2 1/4" diam.synchronizer
65	A	8	390	C2AZ 7230-A	1	Must use with 2 1/2" diam.synchronizer

@ Also supplied in 7B331 kits

May, 1975

COPYRIGHT © 1975 -

Identification marking

FORD MOTOR COMPANY - DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
7231						FORK - LOW AND REVERSE GEAR SHIFTER
65/67	A, B	6&8	240, 289	B5A 7231-B	1	
65	A	"Before 12/11/64"	8	8L 7231	1	
65	A	"From 12/11/64"	8	★C5AZ 7231-A	1	
7233						SLEEVE - SHIFTER FORK CAM AND SHAFT INTERLOCK
65/67	A, B	6&8	240, 289	B5A 7233-E		5/16" I.D. - 1 5/16" long
65	A	8	390	8L 7233-A	AR	Selective fit-3/8" I.D. - 1.008" long- # B
				8L 7233-B	AR	1.012" long- # A
				8L 7233-C		1.019" long- # None
7234						SPRING - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER
65/67	A, B	6&8	240, 289	B5A 7234-A	1	1 3/16" free length
				353081-S(AA10)	2	Ball-5/16" diam. (cam and shaft lock plunger)
65	A	8	390	8L 7234	1	13/16" free length
				372720-S(AA11)	2	Ball-3/8" diam. (cam and shaft lock plunger)
7235						PIN - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER
65/67	A, B	6&8	240, 289	B5A 7235-A	1	3/16" O.D. - 3/4" long
65	A	8	390	8L 7235	1	1/4" O.D. - 11/32" long
7280						CAM AND SHAFT - HIGH AND INTERMEDIATE SHIFTER FORK
65/67	A, B	6&8	240, 289	C2AZ 7280-D	1	Use with 2 1/4" diam. synchronizer
65/67	A, B	6&8	All	73757-S(N95)	1	Pin-No. 0 x 1 1/4" long (retain cam and shaft in case)
7282						CAM AND SHAFT - LOW AND REVERSE SHIFTER FORK
65	A	8	390	C2AZ 7282-C	1	Without interlock linkage
65/67	B	8	289	C2AZ 7282-D	1	Without interlock linkage
65/67	A, B	6&8	All	B7AZ 7A283-B	1	SEAL - INPUT SHAFT OIL - 1 1/8" I.D. - 1 5/8" O.D.
7285						LEVER ASSY. - HIGH AND INTERMEDIATE SHIFTER FORK CAM AND SHAFT SHIFT
65/67	A	6&8	240, 289	★7285		Serviced in 7A185 bellcrank assy.
65/67	A, B	6&8	All	33798-S7(M62)	1	Nut-5/16"-24 (lever to fork shifter cam & shaft)
				34806-S7(X64)	1	Lockwasher-5/16"
				44722-S8(X19)	1	Washer-flat-5/16"
7288						SEAL - SHIFTER FORK CAM AND SHAFT LEVER OIL
65/67	A, B	6&8	240, 289	A9AZ 7288-A	2	15/16" O.D. - 5/8" I.D. - 3/16" thick
65	A	8	390	1A 7288-A	2	
65/67	A, B	6&8	All	C0DR 7288-A	1	SEAL - OVERDRIVE MANUAL CONTROL LEVER SHAFT OIL
★7290						LEVER ASSY. - LOW AND REVERSE SHIFTER FORK CAM AND SHAFT SHIFT -
						Also Refer to Group 7C173
65/67	A, B	6&8	All	33798-S7(M62)	1	Nut-5/16"-24 (lever to fork shifter cam & shaft)
				34806-S7(X64)	1	Lockwasher-5/16"
				44722-S8(X19)	1	Washer-flat-5/16"
7B331						SMALL PARTS REPAIR KIT
65/67	A, B	6&8	240, 289	C5AZ 7B331-A	1	Consists of the following

SNAP RING

WASHER

1-8L 7026	1-8L 7064-C	1-B5AZ 7119-B
1-8L 7030-A	1-8L 7064-D	1-B5TZ 7119-C
1-8L 7030-B	1-8L 7064-E	1-C5AZ 7119-A
1-8L 7030-C	1-8L 7064-F	1-C5AZ 7119-B
1-8L 7030-D	1-8MTH 7064-A	
1-8L 7030-E	1-8MTH 7064-B	
1-8M 7030-A	1-8MTH 7064-C	
5-8L 7064-A	1-16H 7654	
1-8L 7064-B	1-8M 7656	

YEAR	MODEL	ENGINE		PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
7B331						SMALL PARTS REPAIR KIT - continued
65	A	"Before 12/11/64"	8	390	B6AZ 7B331-C	1 Consists of the following
			SNAP RING		WASHER	
					BAFFLE	
	1-8L	7026	1-8L	7064-B	1-16H	7666-C
	1-8L	7030-A	1-8L	7064-C	1-16H	7667-A
	1-8L	7030-B	1-8L	7064-D	1-16H	7667-B
	1-8L	7030-C	1-8L	7654-A	1-16H	7667-C
	1-8L	7030-D	1-8L	7654-B	1-16H	7667-D
	1-8L	7030-E	1-8L	7654-C	1-16H	7667-E
	1-B5A	7064-A	1-8M	7656	1-8L	7672-A
	1-B5A	7064-B	1-16H	7666-A	1-8L	7672-B
	1-8L	7064-A	1-16H	7666-B	1-8L	7672-C
						1-B5AZ 7119-A
						1-B5AZ 7119-C
						1-8L 7119
						1-8L 7040
65	A	"From 12/11/64"	8	390	★C5AZ 7B331-B	1 Consists of the following
			SNAP RING		WASHER	
	1-8L	7026	1-8L	7064-D	1-8M	7656
	3-8L	7064-A	1-8L	7064-E	1-16H	7666-A
	2-8L	7064-B	1-8L	7064-F	2-8L	7672
	2-8L	7064-C	1-8L	7654-A		
						1-B5AZ 7119-A
						1-C5AZ 7119-C
						1-C5AZ 7119-D
7A650						CABLE ASSY. - OVERDRIVE MANUAL CONTROL
65/67	A		6&8	240, 289	C5AZ 7A650-C	1
65/67	B		8	All	C2OZ 7A650-A	1
65/67	A, B		6&8	All	351056-S8(MM26)	1
					34809-S8(X68)	1
					★353350-S8	1
						Approx. 40" long
						Nut-1/2"-20 (knob & cable to bracket)
						Lockwasher-1/2"
						Clip (cable to trans. case)
7A650						KNOB - OVERDRIVE MANUAL CONTROL
65/67	A		6&8	All	C2OZ 7D131-A	1
65/67	B		8	All	C2OZ 7D131-A	1
65/67	A, B		6&8	All	375504-S8(UU28A)	1
						Screw-set-No. 8-32 x 1/4" (attach knob to cable)
7A651						RELAY - OVERDRIVE
65/67	A		6&8	All	C5AZ 7A651-A	1
65/67	B		8	All	C2OZ 7A651-A	1
7A652						SWITCH - OVERDRIVE ACCELERATOR KICKDOWN
65/67	A		6&8	All	C5AZ 7A652-A	1
65	B		8	All	C2OZ 7A652-A	1
66/67	B		8	289	C6OZ 7A652-A	1
7653						GEAR - OVERDRIVE RING
65/67	A, B		6&8	240, 289	16H 7653	1
65	A		8	390	8L 7653	1
						42 internal helical teeth-4 1/4" O.D.
						52 internal helical teeth-5 5/32" O.D.
7654						SNAP RING - OVERDRIVE RING GEAR - Also refer to Group 7B331 kits
65	A		8	390	8L 7654-A	AR
						Selective fit-4 3/4" O.D.-.055" thick
7656						SNAP RING - OVERDRIVE MAIN SHAFT BEARING - Refer to Group 7064
7A658						SHAFT AND LEVER ASSY. - OVERDRIVE MANUAL CONTROL
65	A		8	390	B7A 77685-A	1
65/67	A, B		6&8	All	73757-S(N95)	1
					355480-S8(BB525)	1
					356288-S8(VV4)	1
					★34941-S7	1
					44722-S8(X19)	1
					33798-S8(M62)	1
						Pin-5/32" x 1 1/4" (lever retaining)
						Bolt-5/16"-24 x 7/8" (control cable to lever)
						Spacer-5/16"
						Lockwasher-5/16"
						Washer-flat-5/16"
						Nut-5/16"-24

YEAR	MODEL		ENGINE		PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
			CYL.	C.I.D.			
					7660	ADAPTER - OVERDRIVE HOUSING TO CASE	
65	A	"Before 11/23/64"	6&8	240, 289	C2OA 7660-A	1	
65	B	"Before 3/1/65"	8	All		1	
65/67	A	"From 11/23/64"	6&8	240, 289	C5AZ 7660-A	1	
65/67	B	"From 3/1/65"	8	289		1	
65	A		8	390	B7A 7660-A	1	
					7661	GASKET - OVERDRIVE HOUSING TO ADAPTER	
65/67	A		6&8	240, 289	C2OZ 7661-A	1	
65/67	B		8	289		1	
65	A		8	390	B7A 7661-A	1	
					7662	RING and GEAR - OVERDRIVE BALK	
65/67	A, B		6&8	240, 289	56H 7662	1	
65	A		8	390	8L 7662	1	
					7665	PLATE and TROUGH - OVERDRIVE BALK RING and GEAR	
65/67	A, B		6&8	240, 289	AB 7665-A	1	
65	A		8	390	B7A 7665-A	1	
					7666	Refer to group 7064	
					7667	Refer to group 7064	
					7668	BAFFLE - OVERDRIVE OUTPUT SHAFT BEARING OIL	
65	A	"Before 11/23/64"	6&8	240, 289	8A 7668	1	
65	B	"Before 3/1/65"	8	All		1	
65/67	A	"From 11/23/64"	6&8	240, 289	8L 7668	1	
65/67	B	"From 3/1/65"	8	289		1	
65/65	A		8	390		1	
					7670	GEAR - OVERDRIVE SUN	
65/67	A, B		6&8	240, 289	56H 7670	1	
65	A		8	390	8L 7670	1	
					7672	Refer to group 7064	
					7673	GEAR ASSY.- OVERDRIVE PLANETARY	
65/67	A, B		6&8	240, 289	56H 7673	1	
65	A		8	390	C5AZ 7673-A	1	
					7675	UNIT ASSY. - OVERDRIVE FREE WHEEL	
65/67	A, B		6&8	240, 289	16H 7675	1	
65	A		8	390	C5AZ 7675-A	1	
65/67	A, B		6&8	240, 289	16H 7676	1	RETAINER - FREE WHEEL UNIT - REAR
65/67	A, B		6&8	240, 289	16H 7679	12	ROLLER - FREE WHEEL UNIT - #W585-Q
					7680	FORK and RAIL - OVERDRIVE SHIFT	
65/67	A, B		6&8	240, 289	B5A 7680-B	1	
65	A		8	390	B7A 7680-A	1	
65/67	A, B		6&8	All	16H 7685	1	SPRING - OVERDRIVE SHIFT FORK AND RAIL RETRACTOR - 19 coils-2 3/4" long
					77685	Refer to group 7A658	
					7690	PAWL - OVERDRIVE BALK RING and GEAR SLIDING	
65/67	A, B		6&8	240, 289	C2OA 7690-A	1	
65	A		8	390	B7A 7690-A	1	
65/67	A, B		6&8	All	26H 7693	1	SEAL - OVERDRIVE SOLENOID OIL
65/67	A		6&8	240, 289	C2AZ 7713-C	1	CLIP - CABLE
65/67	A, B		6&8	240, 289	B5A 7730-A	1	GUIDE - OVERDRIVE SHIFT RAIL
					7749	SHAFT and GEAR - OVERDRIVE MAIN	
65/67	A		6&8	240, 289	C4AZ 7749-A	1	
65	A		8	390	C1AA 7749-A	1	
65	B	"Before 3/1/65"	8	All	★C2OA 7749-A	1	
65/67	B	"From 3/1/65"	8	All	C5OZ 7749-A	1	

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
65	A	6	240	1				7005-6	CASE - TRANSMISSION
65/71	A, B, F, P, X "Before 7/1/71"	8	All		1			C3AZ 7006-D	(#RF C5AR 7006-A)
66/71	U "Before 7/1/71"	6&8	All		1			C8AZ 7005-B	Includes (1) C8AZ 7234-A & (1) I.S. #2723- (#RF C5AR 7006-B) 55/64" dia. countershaft hole
65/71	A	6	All		1				
65/66	B, X	6	All		1				
67/71	B, F, P, X "Before 7/1/71"	6	All		1			*C7ZZ 7005-B	Includes (1) C8AZ 7234-A & (1) I.S. #2723- 57/64" dia. countershaft hole- repl. by D2OZ 7005-A (10-74)
71/72	B, F, P "From 7/1/71 to 12/1/71"	6	All		1			D2OZ 7005-A	Includes (1) C8AZ 7234-A & (1) I.S. #2723
72	B, F, P "From 12/1/71"	6	All		1			D2OZ 7005-F	Includes (1) C8AZ 7234-A & (1) I.S. #2723, #4249
71/	B, F, P "From 7/1/71"	8	All		1			D2OZ 7005-G	Includes (1) C8AZ 7234-A & (1) I.S. #2723
71/72	U "From 7/1/71 to 8/15/72"	6	All		1				
72	U "From 8/15/72"	6	All		1			D3TZ 7005-D	
65/71	A, B, F, U, X "Before 7/1/71"	8	All		1			*C8AZ 7005-C	(#RF C5AR 7006-C), (#C8AR 7006-C)
70/71	B	6	250		1				Includes (1) C8AZ 7234-A & (1) I.S. #2723- repl. by D2AZ 7005-A (3-74)
71/72	A, F, U "From 7/1/71 to 12/1/71"	6&8	All		1			D2AZ 7005-A	Includes (1) C8AZ 7234-A & (1) I.S. #2723
72	F, U "From 12/1/71"	8	All		1			D2ZZ 7005-B	Includes (1) C8AZ 7234-A & (1) I.S. #2723, #4249
65/	A, B, F, P, X	6&8	All	1	1	1		358035-S(PP31)	Plug-1/2" pipe-square head (case filler)
				1	1	1		373719-S(PP54D)	Plug-1/2" -14 magnetic (case drain)
				1	1	1		74112-S(P1A)	Plug-11/16" dia. -expansion-(to seal shifter rail hole in case)
				1	1	1		20430-S8(B104)	Bolt-7/16" -14 x 1 1/4" (case to flywheel housing)
				1	1	1		34808-S8(X67)	Lockwasher-7/16"
				1	1	1		384727-S (BB262T)	Bolt-9/16" - 18 x 3/8" (to fill retarded spark hole in case)
					1				Required to plug TR5 hole in case
67/	B, F, P, X	6	All		1			74118-S(P6)	Plug-1 1/16" dia. -welch type (to seal countershaft hole in case)
65/67	A, B, F, X	6&8	All	1	1	1		B9AP 7A011-A	SEAL - OUTPUT SHAFT OIL
65/67	A, B, F, X	6&8	All	1	1	1		372401-S(QQ68)	Snap ring-1" I.D. (oil seal retaining)
65	A	6	240	1				7017	SHAFT - INPUT
65	B, F, X "Before 4/23/65"	6&8	All		1			*C5AZ 7017-A	23-28 teeth, 10 splines, 8 5/8" long
65/71	A	6&8	All		1			C4AZ 7017-F	24-33 teeth, 10 splines, 8 3/4" long
65/68	B, F, X "From 4/23/65"	8	All		1			C5AZ 7017-B	20-33 teeth, 10 splines, 8 3/4" long
65/	B, F "From 4/23/65"	6	All		1				
66/68	U	8	289		1				
67/70	X	6	200		1				
70/	P	6	200		1				
71/	B, F, P	8	302		1				
66/67	U "Before Ser. B26,001"	6	170		1			C5UZ 7017-A	21-33 teeth, 10 splines, 8 3/4" long
67/	U "From Ser. B26,001"	6	170		1			C5UZ 7017-B	21-33 teeth, 10 splines, 8 3/4" long
67/69	X	6	170		1				
70/	P	6	170		1				
65/70	A, B, F	8	352,390		1			C4AZ 7017-E	22-36 teeth, 10 splines, 8 7/16" long
68/71	A, B(exc. P/C), F, X	8	302		1			C8AZ 7017-A	20-33 teeth, 10 splines, 8 15/16" long
70/71	A	8	351		1			C8AZ 7017-B	22-36 teeth, 8 15/16" long
69/70	B	8	351		1				Use w/#RAT-AJ, AZ (2.42 ratio)
69/	F	8	351		1				
69/	U	8	302		1			C5TZ 7017-A	20-36 teeth, 8 15/16" long
69/70	B	8	351		1				Use w/#RAT-AS, BF (2.99 ratio)
70/71	B (P/C)	6&8	250,302		1				

Identification marking
May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
7025 BEARING - INPUT SHAFT									
65	A	6&8	All	1				C3AZ 7025-B	#207-L, LO - 1 3/8" I.D.-2 7/8" O.D.-11/16" wide
65/	A, B, F, P, U, X	6&8	All		1	1		C3AZ 7025-C	1 9/16" I.D. -3 5/32" O.D. -11/16" wide
7025 BEARING - OUTPUT SHAFT									
65/	A, B, F, P, U, X	6&8	All	1	1	1		C3AZ 7025-B	#207-L, LO - 1 3/8" I.D.-2 7/8" O.D.-11/16" wide
7026 Refer to group 7064									
7029 WASHER - REVERSE IDLER GEAR THRUST									
65	A	6&8	All	1				C4AZ 7149-A	Front
65/	A, B, F, P, U, X	6&8	All		2	2		C3AZ 7029-A	Front & rear
65	A	6&8	All	1					Rear
7A029 GEAR - LOW CONSTANT MESH									
65	A	6	All	1				C4AZ 7A029-A	37-33 teeth-4 3/8" diam.
65/71	A	6&8	All		1			C5AZ 7A029-C	32-36 teeth-4 5/16" diam.
65/	B, F, X, U "From 4/23/65"	6&8	All-exc. 170		1				
70/	P	6&8	200,302		1				
65	B, F, X "Before 4/23/65"	6&8	All		1			C4AZ 7A029-E	37-36 teeth-4 3/8" diam.
66/	U, X	6	170		1				
70/	P	6	170		1				
65/	A, B, F	8	All			1		C5AZ 7A029-B	32-36 teeth-4 5/16" diam.
70/71	B	6	250			1			
69/	U, X	8	All			1			
65/	A, B, F, P, X	6&8	All	1	1	1		B3TZ 7A034-A	BUSHING - EXTENSION HOUSING - 1 5/8" O. D. - 1 1/2" I. D. - 1 1/2" wide
7A039 HOUSING EXTENSION									
65/71	A	6&8	All		1			C5AZ 7A039-B	#C5AR 7A040-B
72	B	6&8	All		1				
65/71	B	6&8	All		1			C3OZ 7A039-E	#C3OR 7A040-D, #C7OR 7A040-B
70/	P(column shift)	6&8	All		1				
66/70	X	6&8	All		1				
65/	F	6&8	All		1			C5ZZ 7A039-B	#C4DR 7A040-B
71/	P(console shift)	6&8	All		1				
65	X	8	All		1			*C4DZ 7A039-B	#C4DR 7A040-B
65/70	A	8	390			1		C3AZ 7A039-B	#C3AR 7A040-F
70/71	A	8	351			1			
68/71	A	8	302			1		C8AZ 7A039-C	#C8AR 7A040-A
70	B	8	351			1			Use w/#RAT-AZ
66/69	B, F	8	390			1		C6OZ 7A039-A	#C6OR 7A040-B
68/71	B, X	8	302			1		C8OZ 7A039-A	#C8OR 7A040-A
69/71	B	6&8	250,351			1			Use w/#RAT-AJ, AS, BF
68/	F	8	302,351			1		C8ZZ 7A039-A	#C8ZR 7A040-A
65/	A, B, F, P, X	6&8	All	5	5	5		20430-S8(B104)	Bolt-7/16"-14 x 1 1/4" (housing to case)
				5	5	5		34808-S8(X67)	Lockwasher-7/16"
7A044 INSERT - SYNCHRONIZER HUB - Also refer to Group 7109 kit									
65/	A, B, F, P, X, U	6&8	All	3	3	3		C3AZ 7A044-A	Intermediate & high gear

Identification marking

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
7050									RETAINER - INPUT SHAFT BEARING
65	A	6	240	1				C5AZ 7050-F	#C5AR 7050-B
65/	A,B,F,P,U,X	6&8	All		1	1		C5AZ 7050-E	#C5AR 7050-A
65/	A,B,F,U,X	6&8	All	4	4	4		350673-S(BB544)	Bolt-5/16"-18 x 3/4" (retainer to case)
65/	A,B,F, P,U,X	6&8	All	1	1	1		C2AZ 7051-B	GASKET - INPUT SHAFT BEARING RETAINER
7052									SEAL - EXTENSION HOUSING OIL
65/71	A,B,F,P,X-"Before 7/1/71"	6&8	All	1	1	1		A2TZ 7052-A	2 3/8" O.D.-1 1/2" I.D.-5/8" wide
71/	A,B,F,P "From 7/1/71"	6&8	All		1	1		C4TZ 7052-A	2 3/8" O.D.-1 1/2" I.D.-1/2" wide
7059									Refer to Group 7064
7061									SHAFT - OUTPUT
65	A	6	240	1				C5AZ 7061-K	23 13/16" long, 32-34-28 spline teeth, use C3AZ 7071-D washer
65/71	A	6&8	All		1			•D0AZ 7061-A	23 11/16" long, 32-37-28 spline teeth
72	B	6&8			1				
65	B,F,X "Before 2/1/65"	6&8	All		1			C3OZ 7061-H	23 11/16" long, 32-37-25 spline teeth
65/71	B,F,P,X "From 2/1/65"	6&8	All		1			•D0DZ 7061-A	23 11/16" long, 32-37-28 spline teeth
72	F,P	6&8	All		1				
66/69	U	6	170		1			C3UZ 7061-E	13 9/16" long, 32-37-28 spline teeth, drilled hole for C3AZ 7071-D washer
70/	U	6	170		1			•C5UZ 7061-A	13 9/16" long, 32-37-28 spline teeth
66/68	U	8	289		1			D0TZ 7061-A	16 9/32" long, 32-37-28 spline teeth
66/69	A	8	390			1		C3AZ 7061-J	27 5/16" long, 32-37-28 spline teeth,
65	A	8	All			1			
70/71	A	8	351,390			1		•D0AZ 7061-B	27 5/16" long, 32-37-28 spline teeth
68/69	A	8	302			1		C8AZ 7061-C	23 1/2" long, 32-37-28 spline teeth
70/71	A	8	302			1		•D0AZ 7061-C	23 1/2" long, 32-37-28 spline teeth
70	B	8	351			1			Use w/#RAT-AZ
66/69	B, F	8	390			1		C6OZ 7061-C	23 7/8" long, 32-37-28 spline teeth, drilled hole for C3AZ 7071-D washer
68/71	B, F, X	8	302			1		•D0OZ 7061-A	23 1/2" long, 32-37-28 spline teeth
69/71	B	6&8	250,351			1			Use w/#RAT-AJ,AS,BF
69/	F	8	351			1			
69/	U	8	302			1		•D0TZ 7061-C	16 9/16" long, 32-37-28 spline teeth
7064									SNAP RING
65	A	6&8	All	1				8A 7026	INPUT SHAFT BEARING TO CASE
65/	A,B,F,P,U,X	6&8	All		1	1		51A 7026	3 1/16" O. D. -2 11/16" I. D. -1/16" thick
									3 3/8" O. D. -3" I. D. -1/16" thick
65	A	6&8	All	1				8A 7064	INPUT SHAFT BEARING TO SHAFT
65/	A,B,F,P,U,X	6&8	All		1	1		B 7064	1 7/32" I. D.
									1 7/16" I. D.
65/	A,B,F,P,U,X	6&8	All	1	1	1		8A 7026	OUTPUT SHAFT BEARING TO CASE
									3 1/16" O. D. -2 11/16" I. D. -1/16" thick
65/	A,B,F,P,U,X	6&8	All	1	1	1		8A 7064	OUTPUT SHAFT BEARING TO SHAFT
									1 7/32" I. D.
65/	A,B,F,P,U,X	6&8	All	1	1	1		8A 7064	SECOND & THIRD SPEED SYNCHRONIZER HUB TO SHAFT
									1 7/32" I. D.
									FIRST & REVERSE SPEED SYNCHRONIZER HUB TO SHAFT
65	A	6&8	All	1				377883-S(QQ67C)	1 5/8" I. D. -1 13/16" O. D.
65/	A,B,F,P,U,X	6&8	All		1	1		377884-S(QQ67D)	1 3/4" I. D. -1 15/16" O. D.
65	A	6&8	All	AR				B7A 7059-A	SPEEDOMETER DRIVE GEAR TO SHAFT
65/	A,B,F,P,U,X	6&8	All		AR	AR		8A 7064	1 1/4" I. D. -1 1/2" O. D. -1/16" thick
									7/32" O. D. -1 5/16" I. D. -3/32" thick

Identification marking
May, 1975

COPYRIGHT © 1975 —


• Includes D0AZ 7064-A and C3AZ 7071-D
FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
								7071	WASHER - CONSTANT MESH LOW GEAR THRUST
65	A	6&8	All	1				★C3AZ 7071-B	Use with output shaft slotted for washer's tong
65	A	6&8	All	1				★C3AZ 7071-C	Use with output shaft drilled hole for
				1				376342-S(QQ16B)	Snap ring-1 9/16" O. D. -1 7/16" I. D. - (attach washer & gear (7102) to shaft) washer's tong
65/	A, B, F, P, U, X	6&8	All		1	1		C3AZ 7071-D	2 1/16" O. D. -1 5/8" I. D. -3/32" thick
65/69	A, B, F, U, X	6&8	All		1	1		376305-S(QQ16C)	Snap ring-1 5/8" O. D. -1 1/2" I. D. (washer to shaft)
70/	A, B, F, P, U, X	6&8	All		1	1		D0AZ 7064-A	Snap ring-washer to shaft
65/	A, B, F, P, U, X	6&8	All	1	1	1		C4AZ 7086-B	GASKET - EXTENSION HOUSING TO CASE
								7102	GEAR & BUSHING ASSY.-INTERMEDIATE
65	A	6	240	1				C5AZ 7102-A	29 helical-30 clutch teeth-3 23/32" O. D.
65	A, B, F, X "Before 4/23/65"	6&8	All		1			C4AZ 7102-F	31 helical-33 clutch teeth-3 3/4" O. D.
65/68	A, B, F, U, X- "From 4/23/65"	6&8	All- exc. 170		1			C5AZ 7102-F	25 helical-31 clutch teeth-3 5/8" O. D.
69/	A, B, F, X	6	200,240, 250		1				
70/	P	6	200		1				
71/	A, B, F, P	8	302		1				
66/	U	6	170		1			C4UZ 7102-B	29 helical-33 clutch teeth
70/	P	6	170		1				
67/69	X	6	170		1				
68/70	A, B, F	8	390			1		C4AZ 7102-G	27 helical-36 clutch teeth-3 3/4" O. D.
65/67	A, B, F	8	All			1			
70/71	A	8	351			1			
69/70	B	8	351			1			Use w/#RAT-AJ, AZ (2.42 ratio)
69/	F	8	351			1			
68/71	A, B(exc. P/C), F, X	8	302			1		C8AZ 7102-A	25 helical-33 clutch teeth-3 5/8" O. D.
69/	U	8	302			1		C5TZ 7102-D	25 helical-36 clutch teeth
69/70	B	8	351			1			Use w/#RAT-AS, BF (2.99 ratio)
70/71	B (P/C)	6&8	250,302			1			
								7107	RING - SYNCHRONIZER BLOCKING
									LOW & REVERSE GEAR
65	A	6	All	1				C4AZ 7107-C	
65/	A, B, F, P, U, X	6&8	All		1	1		C4AZ 7107-D	
									INTERMEDIATE & HIGH GEAR
65/	A, B, F, P, U, X	6&8	All		2			C4AZ 7107-C	
68/71	A, B(exc. P/C), F, X	8	302			2			
65/	A, B, F	8	All- exc. 302			2		C4AZ 7107-D	
70/71	B (P/C)	6&8	250,302			2			
69/	U	8	302			2			
65	A	6	All	1				C4AZ 7107-B	
								7109	SNAP RING - INTERMEDIATE & HIGH CLUTCH HUB INSERT
65	A, B	6&8	All	2				C2AZ 7109-B	
65/	A, B, F, P, U, X	6&8	All		2			B8AZ 7109-B	
68/71	A, B, F, X	8	302			2			
65/	A, B, F	8	289,351, 352,390			2		C3AZ 7109-D	
70/71	B	6	250			2			
69/	U	8	302			2			
68/69	A, B, F, U, X	6&8	All		2	2			Use as low & reverse synchro, insert ret.
65/67	A, B, F, U, X	6&8	All		2	2		C3AZ 7D176-E	Use as low and reverse clutch hub insert-(front and rear)
								7109	SPRING and INSERT KIT - LOW and REVERSE SYNCHRONIZER
65/	A, B, F, P, X	6&8	All		1	1		C9AZ 7109-A	Includes (1) spring & (3) inserts

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
7111 COUNTERSHAFT									
65	A	6&8	240	1				C3AZ 7111-A	6" long
65/69	A, B, F, U, X	6&8	240,260, 289		1			C3AZ 7111-B	6 1/2" long
70	A, B, F, U, X	6&8	240,289		1				
71	A	6	All		1				
65/66	B	6	17Q,200		1				
66/	U	6	170		1				
71/	A, B, F, P	8	302		1				
67/68	B, F, P, X	6	17Q,200		1			C7ZZ 7111-A	6 9/32" long
72	U	6	170		1				
69/	B, F, P	6	All		1				
65/	A, B, F, U	8	All			1		C3AZ 7111-C	6 63/64" long
70/71	B	6	250			1			
65/	A, B, F, P, U, X	6&8	All	1	1	1		353647-S(NN114)	Pin-1/4" x 1 1/4"(retains shaft to case)

7113 GEAR - COUNTERSHAFT CLUSTER



A = Length

B, C, D = Number of Teeth

									A	B	C	D	REMARKS
65	A	6	240	1				C5AZ 7113-A	4 23/32"	30	21	16	
65	B, F, X	6&8	All		1			C3AZ 7113-A	5 3/32"	29	22	16	
66	U	8	289		1								
65/71	A	6&8	All		1			C5AZ 7113-G	5 3/32"	28	20	15	tapered brg. ends
65/	B, F, P, U, X - "From 4/23/65"	6&8	All exc. 170		1								
66/	U	6	170		1			C3UZ 7113-C	5 1/16"	31	23	16	tapered brg. ends
67/69	X	6	170		1								
70/	P	6	170		1								
65/70	A, B, F	8	289,352 390			1		C3AZ 7113-N	5 5/8"	25	19	15	tapered brg. ends
70/71	A	8	351			1							
69/70	B	8	351			1							Use w/#RAT-AT, AZ(2.42 ratio)
69/	F	8	351			1							
68/71	A, B, F, X	8	302			1		C5TZ 7113-H	5 19/32"	28	20	15	tapered brg. ends
69/70	B	8	351			1							Use w/#RAT-AS, BF (2.99 ratio)
70/71	B (P/C)	6	250			1							
69/	U	8	302			1							
65/	A, B, F, P, U, X	6&8	All	1 SET	1 SET	1 SET		C3AZ 7118-A	ROLLER - INPUT SHAFT PILOT BEARING #C417-Q (set consists of 15)				
65/	A, B, F, P, U, X	6&8	All	2	2	2		C3AZ 7119-A	WASHER - COUNTERSHAFT GEAR THRUST - front & rear				
65/	A, B, F, P, U, X	6&8	All	2 SETS	2 SETS	2 SETS		C3AZ 7121-A	ROLLER - COUNTERSHAFT PILOT BEARING - #C1086-Q (set consists of 25 - repairs both ends)				
				2	2	2		354398-S(XX254)	Washer-7/8" (retains rollers in counter- shaft gear)				

Identification marking
May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

-DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
								7124	SYNCHRONIZER ASSY.
									LOW & REVERSE GEAR
65	A	6	All	1				C4AZ 7124-D	
65/	A, B, P, U, X	6&8	240 250,289, 302		1	1		C6AZ 7124-B	4 13/16" sliding gear O.D.
66/	F	6&8	250,289,		1				
66/70	B, F, X	6	200		1				
69/71	B	6&8	250,351			1			Use w/#RAT-AS, BF (2.99 ratio)
70/	P	6&8	200,302		1				
71	A	8	351			1			
71	F	8	351			1			Use w/#RAT-BB2
71/	P, U	6	170		1				Use w/#RAN-BA2, RAN-N4
72	F	8	351			1			
65/70	A, B,	8	352,390			1		C6TZ 7124-E	4 11/16" sliding gear O.D.
65	F	8	All		1				
70	A	8	351			1			
69/70	B	8	351			1			Use w/#RAT-AJ, AZ (2.42 ratio)
69/70	F	8	351			1			
65	B, F, X	6&8	200,260		1				
66/70	P, U, X	6	170		1				
71	F	8	351			1			Use w/#RAT-BB1
71	P, U	6	170		1				Use w/#RAN-BA1, RAN-N3
									INTERMEDIATE & HIGH GEAR
65	A	6	All	1				★C4AZ 7124-A	
65/71	A, B, X	6&8	All		1			C8TZ 7124-G	3 9/16" sliding sleeve O.D.
65/	F, P, U	6&8	All		1				
68/71	A, B(exc. P/C), F, X	8	302			1			
65/	A, B, F	8	351,352, 390			1		C8TZ 7124-H	3 15/16" sliding sleeve O.D.
69/	U	8	302			1			
70/71	B (P/C)	6&8	250,302			1			
72	B	6&8	All		1			D3OZ 7124-A	
65/	A, B, F, P, U, X	6&8	All	2	2	2		C3AZ 7C124-A	FINGER ASSY. - SHIFT CONTROL
65/	A, B, F, P, U, X	6&8	All	1	1	1		C3AZ 7140-A	SHAFT - REVERSE IDLER GEAR
				1	1	1		305080-S(NN113)	Pin-spring-1/4" x 1" (retains shaft in case)
								7141	GEAR AND BUSHING - REVERSE IDLER
65	A	6&8	All	1				C5AZ 7141-A	21 helical-21 spur teeth
65	B, F, X "Before 4/23/65"	6&8	All		1			C5OZ 7141-A	21 helical-21 spur teeth
66/70	U	6	170		1				
66/70	X	6	170		1				
70	P	6	170		1				
71	P, U	6	170		1				Use w/#RAN-BA1, RAN-N3
71	P, U	6	170		1			D1DZ 7141-A	Use w/#RAN-BA2, RAN-N4
72	P, U	6	170		1				
65/71	A	6&8	All		1			C5AZ 7141-C	17 helical-19 spur teeth
65/	B, F, P, X "From 4/23/65"	6&8	200,250, 289,302		1				
66/68	U	8	289		1				
68/71	A, B, F, X	8	289, 302			1			
69/	U	8	302			1			
69/71	B	6&8	250,351			1			Use w/#RAT-AS, BF (2.99 ratio)
71	A	8	351			1			
71	F	8	351			1			Use with w/#RAT-BB2
72	F	8	351			1			
65/70	A, B, F	8	352 390			1		C5AZ 7141-B	17 helical-21 spur teeth
70	A	8	351			1			
69/70	B	8	351			1			Use w/#RAT-AJ, AZ (2.42" ratio)
69/70	F	8	351			1			
71	F	8	351			1			Use w/#RAT-BB1

Identification marking

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
								7149	WASHER - REVERSE IDLER GEAR THRUST - Refer to Group 7029
65/	A,B,F,P,U,X	6&8	All	1	1	1		C3AZ 7153-F	GASKET KIT Consists of the following gaskets (1) C2AZ 7051-B (1) C3AZ 7223-A (1) C4AZ 7086-B (1) C3AZ 7223-B (1) C3AZ 7223-C
								7D176	Refer to Group 7109
								7222	COVER - CASE ACCESS
65/	A,B,F,P,U,X	6&8	All		1			C3AZ 7222-B	
65/	A,B,F,U,X	8	All			1		C3AZ 7222-C	
70/71	B (P/C)	6	250			1			
65/	A,B,F,U,X	6&8	All	2	2	2		20386-S8(B53)	Bolt-5/16"-18 x 1" (cover to case)
				2	2	2		34906-S8(X98)	Lockwasher-5/16"
				7	7	7		372110-S(BB547)	Bolt & washer assy. -5/16"-18 x 5/8"
								7223	GASKET - CASE ACCESS COVER
65/	A,B,F,P,U,X	6&8	All		1			C3AZ 7223-B	
65/	A,B,F,U,X	8	All			1		C3AZ 7223-C	
70/71	B (P/C)	6	250			1			
								7230	FORK INTERMEDIATE & HIGH GEAR SHIFTER
65	A	6&8	All	1				C3AZ 7230-A	
65/	A,B,F,P,U,X	6&8	All		1			C3AZ 7230-B	#C4AR 7230-C
65/	A,B,F	8	289,351, 352,390			1		C3AZ 7230-C	#C4AR 7230-D
70/71	B (P/C)	6&8	250,302			1			
69/	U	8	302			1			
68/71	A,B(exc. P/C), F	8	302			1		C8OZ 7230-A	#C8OR 7230 A
68/70	X	8	302			1			
65/	A,B,F,P,U,X	6&8	All	1	1	1		377886-S(UU26)	Screw-5/16"-24 x 7/8" (attach fork to shift rail)
								7231	FORK - LOW & REVERSE GEAR SHIFTER
65	A	6&8	All	1				C3AZ 7231-B	
65/	A,B,F,P,U,X	6&8	All		1			C3AZ 7231-A	#C4AR 7231-C
65/	A,B,F,U,X	8	All			1		C3AZ 7231-D	#C5AR 7231-A
70/71	B (P/C)	6	250			1			
65/	A,B,F,P,U,X	6&8	All	1	AR	AR		377886-S(UU26)	Screw-5/16"-24 x 7/8" (attach fork to shift rail)
								7234	SPRING - GEAR SHIFTER FORK INTERLOCK
65/67	A,B,F,X "Before 11/30/66"	6&8	All	2	2	2		C3AZ 7234-A	1" free length-13 coils
66/67	U "Before Ser. 56,001"	6&8	All		2				
67	A,B,F,X "From 11/30/66"	6&8	All	2	2	2		C7AZ 7234-A	15/16" free length-10 1/2 coils-use with a all models with (1) or higher number in trans. identification suffix
67	U "From Ser. 56,001"	6&8	All		2				
68/	A,B,F,P,U,X	6&8	All		1	1			
68/	A,B,F,P,U,X	6&8	All		1	1		C8AZ 7234-A	1 5/8"-free length
								7235	PIN - GEAR SHIFT INTERLOCK
72	B,F,P,U "Before 12/1/71"	6&8	All					7235	Not required
72	B,F,P "From 12/1/71"	6&8	All		1	1		D0AZ 7235-B	27/64" long-11/64" dia.

Identification marking
May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
7240									GEAR SHIFTER SHAFT - LOW & REVERSE
67/69	A, B, F, U, X	6&8	All		1			C9AZ 7240-A	Includes I.S. #2612 & 7C316 pin
70	A, B, F, P, U, X	6	All		1			D0AZ 7240-D	5 9/16" long-use with #RAN models with
71/	A, B, F, P, U	6&8	All		1				(1) or higher number in trans. ident. suffix
65/69	A, B, F, U, X	8	All			1		C9AZ 7240-B	Includes I.S. #2612 & 7C316 pin
70	A, B, F, U, X	6&8	All			1		D0AZ 7240-E	6 3/64" long-use with #RAT models with (1)
71/	A, B, F, U	6&8	All			1			or higher number in trans. ident. suffix
7240									KIT - SHIFTER RAILS AND PINS
70	A, B, F, P, U, X	6	All		1			D0AZ 7240-G	Use with #RAN models except with (1) or higher number in trans. ident. suffix - consists of (1) D0AZ 7240-D rail (1) D0AZ 7241-C rail (3) D0AZ 7C316-A pin
70	A, B, F, U, X	6&8	All			1		D0AZ 7240-H	Use with #RAT models except with (1) or higher number in trans. ident. suffix - consists of (1) D0AZ 7240-E rail (1) D0AZ 7241-C rail (3) D0AZ 7C316-A pin
7241									INTERMEDIATE & HIGH GEAR SHIFTER SHAFT KIT - TRANSMISSION
70/71	U	6&8	All		1			D2TZ 7241-C	Consists of (1) D2AR 7234-AA spring (1) D2AR 7241-DA rail (1) D2AR 7C316-AA pin
7241									GEAR SHIFTER SHAFT - INTERMEDIATE & HIGH
65/68	A, B, F, X	6&8	All	1	1	1		C9AZ 7241-A	Includes I.S. #2612 & 7C316 pin
66/67	U	6&8	All		1				
68	U	6&8	All		1	1			
69	A, B, F, P, U, X	6&8	All		1	1			
70	A, B, F, P, U, X	6&8	All		1	1			Refer to 7240 kit for all models except with (1) or higher number in trans. ident. suffix
70	A, B, F, P, U	6&8	All		1	1		D0AZ 7241-C	4 23/32" long-use with all models with (1) or higher number in trans. ident. suffix
71/72	A, B, F, P, U - " Before 12/1/71"	6&8	All		1	1		D2AZ 7241-A	4 23/32" long
72	B, F, P, U "From 12/1/71"	6&8	All		1	1		D2OZ 7241-A	4 23/32" long
65/	A, B, F, P, U, X	6&8	All	1	1	1		74112-S(P1A)	Plug-11/16" diam. -welsh type to seal shaft hole in case)
7A283									SEAL - INPUT SHAFT OIL
65/69	A, B, F, U, X	6&8	All	1	1	1		B7AZ 7A283-B	1 1/8" I.D.-1 5/8" O.D.
70/	A, B, F, P, U, X	6&8	All		1	1		C9AZ 7A283-A	1 5/8" O.D. -1 1/8" I.D. -1/4" thick

Identification marking

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
								7285	LEVER - INTERMEDIATE & HIGH GEAR SHIFTER FORK - Also refer to Group 7A185
65/71	A	6&8	All						Serviced in 7A185 gear shift bellcrank assy.
65/69	B	6&8	All exc. 390		1	1		C3OZ 7285-A	
70/71	B	6&8	All		1	1		D0OZ 7285-C	
72	B	6&8	All		1			D2OZ 7285-A	Includes 7341 bushing
65/68	F	6&8	All		1	1		C5ZZ 7285-D	
69	F	6&8	All		1	1		C9ZZ 7285-B	
70/	F	6&8	All		1	1		D0ZZ 7285-B	
71/	P(console shift)	6&8	All		1				
70/	P(column shift)	6&8	All		1			D0DZ 7285-A	#D0DR 7285-A, includes 7341 bearing
66/	U	6	All		1			C6TZ 7302-A	
66/68	U "Before Ser. C42, 001"	8	All		1				
68/	U "From Ser. C42, 001"	8	All			1		C8TZ 7302-A	
66/70	X	6&8	All		1	1		C3OZ 7285-A	
65/	A, B, F, P, U, X	6&8	All	1	1	1		33800-S(M63)	Nut-3/8"-24 (lever to finger assy.)
				1	1	1		44727-S8(X24)	Washer-flat-3/8"
				1	1	1		34847-S8(X74)	Lockwasher-3/8"
65/	A, B, F, P, U, X	6&8	All	2	2	2		1A 7288-A	SEAL - SHIFTER FORK SHAFT LEVER OIL
								7290	LEVER - LOW & REVERSE GEAR SHIFTER FORK
65/68	A	6&8	All	1	1	1		C5AZ 7290-A	
69	A	6&8	All		1	1		C9AZ 7290-C	
70/71	A	6&8	All		1	1		D0AZ 7290-B	
65/69	B	6&8	All exc. 390		1	1		C3OZ 7290-A	
66/69	B(column shift)	8	390			1		C6OZ 7290-B	
69	B(floor shift)	8	390			1		C9OZ 7290-A	
70/71	B	6&8	All		1	1		D0OZ 7290-B	
72	B	6&8	All		1			D2OZ 7290-A	Includes 7341 bushing
65/68	F	6&8	All		1	1		C5ZZ 7290-D	
69	F	6&8	All		1	1		C9ZZ 7290-C	
70/	F	6&8	All		1	1		D0ZZ 7290-B	
71/	P(console shift)	6&8	All		1				
70/	P(column shift)	6&8	All		1			D0DZ 7290-A	#D0DR 7290-A, includes 7341 bearing
66/	U	6&8	All		1	1		C6TZ 7303-A	
66/70	X	6&8	All		1	1		C3OZ 7290-A	
65/	A, B, F, P, U, X	6&8	All	1	1	1		33800-S(M63)	Nut-3/8"-24 (lever to finger assy.)
				1	1	1		44727-S8(XX24)	Washer-flat-3/8"
				1	1	1		34807-S8(X66)	Lockwasher-3/8"
								7302	LEVER - INTERMEDIATE & HIGH GEAR SHIFTER FORK - Refer to Group 7285
								7303	LEVER - LOW & REVERSE GEAR SHIFTER FORK - Refer to Group 7290

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.	HEE	HEF, RAN	HEG, RAC, RAT			
								7C316	PIN - GEAR SHIFT INTERLOCK ROD
65/67	A, B, F, X "Before 11/30/66"	6&8	All	3	3	3		C3AZ 7C316-B	
66/67	U "Before Ser. 56,001"	6&8	All		3				
67/69	A, B, F, U, X "From 11/30/66"	6&8	All	3	3	3		C9AZ 7C316-A	27/64" long-5/16" diam.-pointed ends
67/68	U "From Ser. 56,001"	6&8	All		3	3			
70	A, B, F, P, U, X	6&8	All						All models except with (1) or higher number in trans. ident. suffix refer to 7240 kit
70/	A, B, F, P, U, X	6&8	All		3	3		D0AZ 7C316-A	15/32" long-5/16" diam. -pointed ends-use with all shifter rails for all models with (1) or higher number in trans. ident. suffix
65/	A, B, F, P, U, X	6&8	All	1	1	1		377885-S (UU26C)	Screw-3/8"-16 x 7/8" set-(retains pin to shaft)
								7B331	SMALL PARTS REPAIR KIT
65	A	6&8	All	1				C3AZ 7B331-B	Consists of the following
SNAP RING									WASHER
2-8A 7026		1-376342-S		2-C3AZ 7119-B		1-C3AZ 7029-A			
4-8A 7064		1-377883-S		1-C3AZ 7071-C					
PIN									
1-353647-S8									
65/	A, B, F, P, U, X	6&8	All		1	1		C3AZ 7B331-D	Consists of the following
SNAP RING		WASHER		PIN		RETAINER			
1-8A 7026		2-C3AZ 7029-A		1-305080-S		1-377884-S			
1-51A 7026		1-C3AZ 7071-D							
1-B 7064		2-C3AZ 7119-A							
3-8A 7064									
1-D0AZ 7064-A									
								7341	INSULATOR - GEAR SHIFT LEVER SELECTOR ARM
69/71	A	6&8	All		1	1		C8OZ 7341-A	
70/	B, P	6&8	All		1	1			
70	F	6&8			1	1			
71/	F, P(console shift)	6&8	All		1	1		C7SZ 7341-A	5/16" I.D. - 11/32" long
72	B, F, P	6&8	All		1	1		D2OZ 7E449-A	SWITCH - SEAT BELT WARNING SENSOR- #D2AR 7E449-BA
72	B, F, P	6&8	All		1	1		D2OZ 7E454-A	PIN - SEAT BELT SWITCH ACTUATOR - 23/32" long-5/16" O.D.-includes (1) D2AR 7E455-AA spring
72	B, F, P	6&8	All		1	1		D2OZ 7E460-A	CLAMP - SEAT BELT WARNING SENSOR SWITCH
72	B, F, P, U	6&8	All		1	1		D2OZ 7E461-A	PLUG - SEAT BELT WARNING SWITCH OPENING - used on vehicles built "Before 12/1/71"-used as plug for sensor switch opening
72	B, F, P	6&8	All		1	1		1P 77868-A	SEAL - SENSOR SWITCH - 1/2" I.D.

Identification marking

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
65/66	F	6	All	C2DZ 7005-A	1	CASE
				353051-S(PP32)	1	Plug-3/4"-14 x 5/8" (trans.filler)
				★20350-S	1	Bolt-7/16"-14 x 3/4" (trans.drain)
				34848-S(X75)	1	Washer-7/16"
65/66	F	6	All	★C2DZ 7A011-A	1	SEAL - INPUT SHAFT OIL -R/B DORY 7052-E (2/73)
65/66	F	6	All	C2DZ 7017-C	1	SHAFT - INPUT - 21-30 teeth-10 splines-8" long
65/66	F	6	All	7025		BEARING
				8D 7065	1	Input shaft - #307-L - 1 3/8" I.D.-3 1/8" O.D.- 7/8" wide
65/66	F	6	All	C2DZ 7065-A	1	Output shaft- #175-12 - 1 3/8" I.D.-3 1/8" O.D.- 7/8" wide
				7026		Refer to Group 7064
65/66	F	6	All	C2DZ 7033-A	1	DOWEL - GEAR SHIFT HOUSING TO CASE
65/66	F	6	All	C2DZ 7034-A	1	VENT ASSY. - EXTENSION HOUSING
65/66	F	6	All	C0DP 7A034-B	1	BUSHING - EXTENSION HOUSING - 1 1/2" O.D.- 1 3/8" I.D.
65/66	F	6	All	C2DZ 7A039-B	1	HOUSING - EXTENSION - includes bushing
				20410-S(B103)	4	Bolt-7/16"-14 x 1 1/8" (housing to case)
				34848-S(X75)	4	Washer-7/16"
65/66	F	6	All	7A044		INSERT - SYNCHRONIZER HUB
				C2DZ 7A044-A	3	First and second speed synchronizer
				C2DZ 7A044-B	3	Third and fourth speed synchronizer
65/66	F	6	All	C2DZ 7050-A	1	RETAINER - INPUT SHAFT BEARING - 3 11/16" long-4 11/16" flange O.D.
				20366-S8(B52)	3	Bolt-5/16"-18 x 7/8" (retainer to case)
				34806-S7(X64)	3	Lockwasher-5/16"
				7051		GASKET - INPUT SHAFT BEARING RETAINER - Serviced in 7153 kit
65/66	F	6	All	C0DR 7052-A	1	SEAL - EXTENSION HOUSING OIL - 1 3/8" I.D. - 2 1/4" O.D.-5/8" wide
				7059		SNAP RING - Refer to Group 7064
65/66	F	6	All	C2DZ 7061-B	1	SHAFT - OUTPUT - Also Refer to Group 7063

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
65/66	F	6	All	C2DZ 7063-B	1	SLEEVE - OUTPUT SHAFT FIRST SPEED GEAR
				371350-S(AA4)	1	Ball-3/16" diam.(retain sleeve to shaft)
65/66	F	6	All	7064		SNAP RING
				C2DZ 7026-A	1	Input shaft bearing to case-3" I.D.-3 5/32" O.D.-1/16" thick
				C2DZ 7064-A	1	Input shaft bearing to shaft-1 5/8" I.D.-2" O.D.-3/32" thick
65/66	F			C2DZ 7059-A	1	Synchronizer assy.to shaft (third & fourth speed)
65/66	F	6	All	7065		BEARING - INPUT AND OUTPUT SHAFT - Refer to Group 7025
				C2DZ 7085-A	1	RETAINER - OUTPUT SHAFT BEARING
				305080-S(NN113)	1	Pin-wall-1/4" x 1" (retainer to extension housing)
65/66	F	6	All	7086		GASKET - EXTENSION HOUSING TO CASE - Serviced in 7153 kit only
				C2DZ 7100-A	1	GEAR - FIRST SPEED - 30 helical-36 clutch teeth
				C2DZ 7103-A	1	GEAR - SECOND SPEED - 27 helical-36 clutch teeth
65/66	F	6	All	7107		RING - SYNCHRONIZER BLOCKING
				C2DZ 7107-A	2	First & second speed
				C2DZ 7107-B	2	Third & fourth speed
65/66	F	6	All	7109		SNAP RING - SYNCHRONIZER HUB INSERT RETAINING
				C2DZ 7109-B	2	First & second speed
				D1FZ 7109-B	2	Third & fourth speed
65/66	F			C2DZ 7111-B	1	COUNTERSHAFT
65/66	F			C2DZ 7113-A	1	GEAR - COUNTERSHAFT CLUSTER - 31-23-18- 15-14 teeth, 7 5/8" long
65/66	F			C2DZ 7118-B	1	BEARING - INPUT SHAFT PILOT - bearing assy.-1 3/16" O.D.-27/32" I.D.-5/8" wide
65/66	F	6	All	7119		WASHER - COUNTERSHAFT GEAR THRUST
				C2DZ 7119-B	1	Front
				C2DZ 7119-A	1	Rear inner
				C2DZ 7119-C	1	Rear outer

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
65/66	F	6	All	C2DZ 7121-A	1 SET	ROLLER - COUNTERSHAFT GEAR PILOT BEARING - #QA22148 (set consists of 44 - repairs both ends)
				354655-S(XX231)	4	Washer-15/16" O.D.-flat (retains 7121 rollers in countershaft)
				7124		SYNCHRONIZER ASSY.
65/66	F	6	All	C2DZ 7124-B	1	First & second speed
				C2DZ 7124-C	1	Third & fourth speed
65/66	F	6	All	C2DZ 7140-A	1	SHAFT - REVERSE IDLER GEAR
65/66	F	6	All	C2DZ 7141-A	1	GEAR AND BUSHING - REVERSE IDLER
65/66	F	6	All	C2DZ 7153-B	1	GASKET KIT
Consists of the following						
1-C4DR 7051 Gasket (retainer) 1-C4DR 7086-A Gasket (ext.housing) 1-C4DR 7223-A Gasket (gear shift housing)						
65/66	F	6	All	C2DZ 7222-A	1	HOUSING ASSY. - GEAR SHIFT
				20346-S8(B50)	8	Bolt-5/16"-18 x 3/4" (gear shift housing to case)
				34806-S7(X64)	8	Lockwasher-5/16"
				7223		GASKET - GEAR SHIFT HOUSING - Serviced in 7153 kit only
				7230		FORK - GEAR SHIFTER
65/66	F	6	All	C2DZ 7230-B	1	First & second speed
				C2DZ 7230-A	1	Third & fourth speed
65/66	F	6	All	C2DZ 7231-B	1	FORK - REVERSE GEAR SHIFTER - when used on trans. with no stamp or stamped prior to 3/4/63 must use with C2DZ 7280-C, C2DZ 7282-C & C2DZ 7290-E---#212 7243-C
65/66	F	6	All	C2DZ 7233-A	2	PLUNGER - REVERSE GEAR SHIFT INTERLOCK
				7233		SLEEVE - GEAR SHIFT INTERLOCK
65/66	F	6	All	C2DZ 7233-B	1	Selective fit - 1.287" long
				C2DZ 7233-C	1	1.291" long
				C2DZ 7233-D	1	1.293" long
				C2DZ 7233-E	1	1.296" long
				C2DZ 7233-F	1	1.299" long
				C2DZ 7233-G	1	1.310" long
				7234		SPRING - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER
65/66	F	6	All	C2DZ 7234-A	1	Forward gears
				C2DZ 7234-B	1	Reverse gear
				372720-S(AA11)	3	Ball-3/8" diam.(cam & shaft lock plunger)

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

FORD CAR PARTS**4-SPEED MANUAL TRANS.-
DAGENHAM TYPE**

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
65/66	F	6	All	C2DZ 7240-A	1	RAIL - LOW AND REVERSE GEAR SHIFTER FORK
65/66	F	6	All	C2DZ 7280-C	1	CAM AND SHAFT - THIRD AND FOURTH SPEED SHIFTER FORK - when used on trans. with no date stamp or stamped prior to 3/4/63-use with C2DZ 7231-B, C2DZ 7282-C & C2DZ 7290-E - #212E 7282-D
65/66	F	6	All	C2DZ 7282-C	1	CAM AND SHAFT ASSY. - FIRST AND SECOND SPEED SHIFTER FORK - when used on trans. with no date or stamped prior to 3/4/63-must use with C2DZ 7231-B, C2DZ 7280-C & C2DZ 7290-E
65/66	F	6	All	C5ZZ 7285-A	1	LEVER - THIRD AND FOURTH SPEED SHIFTER FORK CAM
65/66	F	6	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
65/66	F	6	All	C0DR 7288-A	3	SEAL - SHIFTER FORK CAM AND SHAFT SHIFT LEVER OIL - 5/8" I.D. -15/16" O.D. -3/16" thick
65/66	F	6	All	C2DZ 7290-E	1	LEVER AND SHAFT - REVERSE GEAR SHIFT - when used on trans. with no date stamped or stamped prior to 3/4/63-must use with C2DZ 7231-B, C2DZ 7280-C & C2DZ 7282-C
65/66	F	6	All	C5ZZ 7290-A	1	LEVER - FIRST AND SECOND SPEED SHIFTER FORK CAM AND SHAFT
65/66	F	6	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
65/66	F	6	All	C5ZZ 7290-B	1	LEVER - REVERSE SHIFTER FORK CAM AND SHAFT - on transmission
65/66	F	6	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
65/66	F	6	All	C2DZ 7B340-A	1	GEAR - THIRD SPEED - 22 helical-30 clutch teeth

Identification marking

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
7005 CASE						
65/71	A, B, F, X "Before 7/1/71"	8	All	*C4AZ 7005-F	1	#C8AR 7006-D - includes I.S. No.2723-repl. by D2OZ 7005-C (2-74)
71/72	B, F-"From 7/1/71 to 12/1/71"	8	All	D2OZ 7005-C	1	Includes (1) C8AZ 7234-A & (1) I.S. No. 2723
72	B, F "From 12/1/71"	8	All	D2OZ 7005-H	1	Includes (1) C8AZ 7234-A & (1) I.S.2723, 4249
65/	A, B, F, X	8	All	358035-S(PP31)	1	Plug-1/2" pipe-squared head (case filler)
				20430-S8(B104)	4	Bolt-7/16"-14 x 1 1/4"(attach case to flywheel housing)
				34808-S8(X67)	4	Lockwasher-7/16"
				74112-S(PIA)	1	Plug-11/16" expansion (to seal shift rail hole in case)
				384751-S (BB266U)	1	Bolt-5/8-18 x 3/8" (to fill retarded spark hole in case)
65/68	A, B, F, X	8	All	373719-S(PP54D)	1	Plug-1/2"-14-magnetic (case drain)
65/67	A, B, F, X	8	All	B9AP 7A011-A	1	OIL SEAL-OUTPUT SHAFT - 1" I.D.-13/16" long
				372401-S(QQ68)	1	Snap ring-1" I.D. (oil seal retaining)
7017 SHAFT - INPUT						
65/69	A	8	390	C4AZ 7017-G	1	23-36 teeth, 10 splines, 8 5/16" long
66/67	B	8	390 exc.GT		1	
68/69	B, F	8	390		1	Use w/#RUG-C, AD, AL (2.32:1 gear ratio)
65/71	A, B, F	8	427,428, 429	C4AZ 7017-H	1	23-36 teeth, 10 splines, 8 7/16" long-use w/#RUG-AE
66/67	B, F	8	390(GT)	C4MY 7017-A	1	23-36 teeth, 10 splines, 8 3/8" long
68/69	B, F	8	390(GT)		1	Use w/#RUG-J, M(2.78:1 gear ratio)
65/68	B, F, X(exc.Special)	8	260,289, 302	C4DZ 7017-A	1	23-36 teeth, 10 splines, 8 15/16" long
69/71	B, F	8	302,351		1	Use w/#RUG-D, E, AR, AV, BA(2.78:1 gear ratio)
72	B, F	8	351		1	
65/67	B, F(Special)	8	289	C4OZ 7017-A	1	23-36 teeth, 10 splines, 8 15/16" long
69/71	B, F	8	302,351		1	Use w/#RUG-AG, AH, AK, AS, AT, AW (2.32:1 gear ratio)
7025 BEARING						
65/	A, B, F, X	8	All	8D 7025	1	Input shaft- #209-L - 1 3/4" I.D. x 3 1/8" O.D.-7/8" thick
				8D 7065	1	Output shaft- #307-L - 1 3/8" I.D.-3 9/64" O.D.
7026 SNAP RING - Refer to Group 7064						
65/	A, B, F, X	8	All	C4AZ 7A029-D	1	GEAR - FIRST SPEED - 32 helical, 36 clutch teeth
				379233-S(QQ16D)	1	Snap ring-1 7/16" (to retain gear to shaft)
7A034 BUSHING - EXTENSION HOUSING						
65/68	A, B, F, X	8	260,289, 390	B3TZ 7A034-A	1	1 1/2" I.D.-1 5/8" O.D.-1 1/2" long
69/	A, F	8	302,351, 390		1	
69/	B	8	351,390		1	Use w/#RUG-C, D, J, AH, AR, AT, BA, BF models
65/68	A, B, F	8	427,428	C6AZ 7A034-A	1	1 9/16" I.D.-1 7/8" O.D.-1 1/4" long
69/71	A, B, F	8	428,429		1	
69/	B	8	351,390		1	Use w/#RUG-AK, AL, AS, BG models
7A039 HOUSING ASSY. - EXTENSION						
65/67	A	8	390	C4AZ 7A039-B	1	#RF-C4AR 7A040-A
68/69	A	8	390	C8AZ 7A039-A	1	#C8AR 7A040-C
65/67	A	8	427,428	C6AZ 7A039-B	1	#RF-C6AR 7A040-B
69	A	8	429	C9AZ 7A039-B	1	#C9AR 7A040-A
67/68	B	8	427	C7OZ 7A039-A	1	#RF-C6OR 7A040-D

Identification Marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

—DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7A039	HOUSING ASSY. - EXTENSION - continued	
66/68	B, X	8	289,302	C6OZ 7A039-C	1	#RF-C6OR 7A040-C, #RF-C7OR 7A040-A ,
67/68	B, F	8	390		1	#D0ZR 7A040-A
69/	B	8	351		1	Use w/#RUG-D, AH, AR, AT, BF models
69	B, F	8	390		1	Use w/#RUG-C, J, M, AD models
69/	B	8	351,390, 428,429	C9OZ 7A039-A	1	Use w/#RUG-AJ, AK, AL, AU, AS, BA, BG models #RF-C9OR 7A040-A
65/	F	8	289,302 351	C5ZZ 7A039-D	1	#RF-C4ZR 7A040-A, #RF-C6OR 7A040-C
68/71	F	8	428,429	D0ZZ 7A039-B	1	#RF-D0ZR 7A040-A, #RF-C7OR 7A040-A
65	X	8	All	C4DZ 7A039-A	1	#C4DR 7A040-A
65/	A, B, F, X	8	All	20430-S8(B104)	5	Bolt-7/16"-14 x 1 1/8" (housing to case)
				34808-S8(X67)	5	Lockwasher
				7A044	INSERT - SYNCHRONIZER HUB	
65/	A, B, F, X	8	All	C4AZ 7A044-A	3	First & second speed
				C3AZ 7A044-A	3	Third & fourth speed
				7050	RETAINER - INPUT SHAFT BEARING	
65	F	8	260	C4AZ 7050-A	1	3 13/16" overall length-4 11/16" flange O.D. - #RF-C0AR 7050-A
65/	A, B, F, X	8	289,302, 351,390	C5AZ 7050-J	1	3 13/16" overall length-4 7/8" flange O.D. - #RF-C6AR 7050-F
65/71	A, B, F	8	427,428, 429	C5AZ 7050-K	1	3 13/16" overall length-1 3/4" hub O.D. - #RF-C6AR 7050-G or RF-C5AR 7050-D
65/	A, B, F, X	8	All	350673-S(BB544)	4	Bolt-5/16"-18 x 3/4" (attach retainer to case)
65/	A, B, F, X	8	All	C4AZ 7051-A	1	GASKET - INPUT SHAFT BEARING RETAINER
				7052	SEAL - EXTENSION HOUSING OIL	
65/68	A, B, F, X	8	All exc. 427,428	A2TZ 7052-A	1	2 3/8" O.D.-1 1/2" I.D.-5/8" wide
69/71	A, F	8	302,351, 390		1	
69/71	B	8	351,390		1	Use w/#RUG-C, D, J, AH, AR, AT models
65/68	A, B, F	8	427,428	B5AZ 7052-A	1	2 1/2" O.D. -1 5/8" I.D. -5/8" wide
69/71	A, B, F	8	428,429		1	
69/	B	8	351,390		1	Use w/#RUG-AK, AL, AS, BA ,BG models
72	F	8	351	C4TZ 7052-A	1	2 3/8" O.D.-1 1/2" I.D.-1/2" wide
72	B	8	351		1	Use w/RUG-BF
				7061	SHAFT OUTPUT	
65/67	A	8	390	C4AZ 7061-F	1	27 7/32" long, 32-37-28 splines drilled hole for
65	A	8	427		1	7071 washer
66	A	8	427,428	C6AZ 7061-A	1	27 7/32" long, 32-37-31 splines slot for 7071 washer
66/67	A	8	427,428	C6AZ 7061-B	1	27 7/32" long, 32-37-31 splines, drilled hole for C3AZ 7071-D washer
68	A	8	390	C8AZ 7061-B	1	27 7/32" long, 32-37-28 splines
68/69	A	8	428,429	C8AZ 7061-A	1	27 7/32" long, 32-37-31 splines
69/	B	8	351, 390		1	Use w/#RUG-AK, AL, AU, AS, BA, BG models
69/71	B	8	428,429		1	
65	B	8	260,289	C4OZ 7061-C	1	25 1/4" long, 32-37-28 splines, drilled hole for C3AZ 7071-D washer
66/68	B	8	289,302, 390	C5ZZ 7061-C	1	23 13/16" long, 32-37-28 splines, drilled hole for
65/68	F, X	8	289,302, 390		1	C3AZ 7071-D washer
69/	B	8	351,390		1	Use w/#RUG-C, D, J, AH, AR, A1 ,BF models
69/	F	8	302,351, 390		1	

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7061		SHAFT OUTPUT - continued
67/68	B, F	8	427,428	C7OZ 7061-A	1	23 13/16" long, 32-37-31 splines includes
69/71	F	8	428,429		1	C3AZ 7071-D washer
65	F, X	8	260,289	C4DZ 7061-B	1	23 3/8" long, 32-37-25 splines includes
						C3AZ 7071-D washer
				7064		SNAP RING
						INPUT SHAFT BEARING RETAINING
65/	A, B, F, X	8	All	C4AZ 7026-A	1	3 1/2" O.D. - 3 3/16" I.D. - 1/16" thick
				C4AZ 7064-A	1	INPUT SHAFT BEARING TO SHAFT
						2" O.D. - 1 1/2" I.D. - 3/32" thick
				51A 7026	1	OUTPUT SHAFT BEARING RETAINING
						3 3/8" O.D. - 3" I.D. - 1/16" thick
				8A 7064	1	OUTPUT SHAFT BEARING TO SHAFT
						1 9/16" O.D. - 1 7/32" I.D. - 3/32" thick
						FIRST & SECOND SPEED SYNCHRONIZER TO SHAFT
				C4AZ 7064-B	1	2" O.D. - 1 11/16" I.D. - 3/32" thick
				8A 7064	1	THIRD & FOURTH SPEED SYNCHRONIZER TO SHAFT
						SPEEDOMETER GEAR (17285) TO SHAFT
				8A 7064	1	
				7065		BEARING - OUTPUT SHAFT - Refer to Group 7025
				7071		WASHER - CONSTANT MESH LOW GEAR THRUST
65/	A, B, F, X	8	All	C3AZ 7071-D	1	2" O.D. - 1 11/16" I.D. - 3/32" thick
65/	A, B, F, X	8	All	C4AZ 7086-B	1	GASKET - EXTENSION HOUSING
				7102		GEAR - SECOND SPEED
65/69	A	8	All	C4AZ 7102-D	1	28 helical-36 clutch teeth-4 3/16" diam.
65/67	B, F(Special)	8	289		1	
66/67	B	8	390 exc. (GT), 427		1	
68/69	B, F	8	390, 428		1	Use w/#RUG-C, AD, AE, AF, AL (2.32:1 gear ratio), RUG-AJ
69/71	B, F	8	302, 351		1	Use w/#RUG-AH, AG, AS, AT, AW (2.32:1 gear ratio)
70/71	B, F	8	428, 429		1	
65/68	B, F, X(exc. Special)	8	260, 289, 302	C4DZ 7102-A	1	31 helical-36 clutch teeth, 4 3/32" diam.
66/67	B, F	8	390(GT)		1	
68/69	B, F	8	390(GT)		1	Use w/#RUG-J, M (2.78:1 gear ratio)
69/71	B, F	8	302, 351		1	Use w/#RUG-D, E, AR, AV, BA (2.78:1 gear ratio)
72	B, F	8	351		1	
				379233-S (QQ16D)	1	Snap ring-1 13/16" O.D. - 1 1/2" I.D. - (gear to output shaft)
65/	A, B, F, X	8	All	C4AZ 7107-D	4	RING - SYNCHRONIZER BLOCKING - 36 teeth-3 1/4" diam.
65/	A, B, F, X	8	All	C3AZ 7109-D	4	SNAP RING - SYNCHRONIZER HUB INSERT RETAINING
65/	A, B, F, X	8	All	C4AZ 7111-A	1	COUNTERSHAFT - 10 1/8" long-7/8" diam.
				305080-S(NN113)	1	Pin-1/4" x 1" (retain shaft in case)

Identification Marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7113	GEAR - COUNTERSHAFT CLUSTER	
65/69	A	8	All	C4AZ 7113-B	1	8 7/8" long, 25-21-18-15 teeth-tapered ends for
65/67	B, F	8	390 exc. (GT), 427		1	rollers
65/67	B, F(Special)	8	289 Spec.			
68/ 69	B, F	8	390,428		1	Use w/#RUG-C,AD,AE,AF,AL(2.32:1 gear ratio)
69/ 71	B, F	8	302,351		1	Use w/#RUG-AH,AG,AS,AT,AW (2.32:1 gear ratio)
70/71	B, F	8	428,429		1	
65/68	B, F, X(exc. Special)	8	260, 289 302	C4DZ 7113-B	1	8 7/8" long, 30-24-21-15 teeth-tapered ends for rollers
66/69	B, F	8	390(GT)		1	Use w/#RUG-J, M(2.78:1 gear ratio)
69/71	B, F	8	302,351		1	Use w/#RUG-D, E, AR, AV, BA(2.78:1 gear ratio)
72	B, F	8	351		1	
65/	A, B, F, X	8	All	C3AZ 7118-A	1SET	ROLLER - INPUT SHAFT PILOT BEARING - #C417-Q (set consists of 15)
65/	A, B, F, X	8	All	C4AZ 7119-A	2	WASHER - COUNTERSHAFT GEAR THRUST - 1 15/16" diam. -1/16" thick-front & rear
				7121	ROLLER - COUNTERSHAFT GEAR PILOT BEARING	
65/	A, B, F, X	8	All	C4AZ 7121-A	1 SET	Use with countershaft gear (7113) 7/8" long- 5/32" diam. (set consists of 42 - repairs both ends)
				378559-S(XX242C)	2	Washer-flat-7/8" (retains roller in 7113 gear)
				C0DZ 7121-A	1SET	Use with reverse idler gear (7141) (set consists of 44 - repairs both ends)
				351529-S(XX240)	2	Washer-flat-3/4" (retains roller in 7141 gear)
				7124	SYNCHRONIZER ASSY.	
65/	A, B, F, X	8	All	D0AZ 7124-B	1	First & second speed
65/	A, B, F, X	8	All	D0AZ 7124-A	1	Third & fourth speed
				7C124	FINGER ASSY. - SHIFT CONTROL	
65/	A, B, F, X	8	All	C3AZ 7C124-A	1	First & second speed
					1	Third & fourth speed
				C4AZ 7C124-A	1	Reverse
				7140	SHAFT - REVERSE GEAR IDLER	
65/	A, B, F, X	8	All	C4AZ 7140-A	1	5 1/4" long-3/4" diam.
				305080-S(NN113)	1	Pin-1/4" x 1" (retain shaft in case)
65/	A, B, F, X	8	All	C4AZ 7141-A	1	GEAR AND BUSHING ASSY. - REVERSE IDLER - 16 teeth-25 splines-3 13/16" long
65/	A, B, F, X	8	All	C4AZ 7149-A	2	WASHER - REVERSE IDLER GEAR THRUST - front & rear
65/	A, B, F, X	8	All	C4AZ 7153-B	1	KIT - GASKET - Consists of the following 1-C4AZ 7051-A Gasket 1-C4AZ 7086-B Gasket 1-C4AZ 7223-B Gasket
65/	A, B, F, X	8	All	C4AZ 7222-A	1	COVER - CASE ACCESS - 9" x 6 1/2"
				20386-S8(B53)	2	Bolt-5/16"-18 x 1" (cover to case)
				34906-S8(X98)	2	Lockwasher-5/16"
				372110-S(BB547)	8	Bolt & washer assy.-5/16"-18 x 5/8"
65/	A, B, F, X	8	All	C4AZ 7223-B	1	GASKET - CASE ACCESS COVER - 12 holes on gasket
65/	A, B, F, X	8	All	C4AZ 7D223-B	1	GEAR - REVERSE IDLER SLIDING - 19 teeth- 25 internal splines-2 11/16" diam.

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
65/	A, B, F, X	8	All	7230		FORK - GEAR SHIFTER
				C4AZ 7230-B	1	First and second speed (#C4AR 7C114-A)
				C4AZ 7230-A	1	Third and fourth speed
				377886-S(UU26)	2or3	Screw-5/16"-24 x 15/16" (fork to rail)
65/	A, B, F, X	8	All	C4AZ 7231-B	1	FORK - REVERSE GEAR SHIFTER (#C5AR 7231-B)
				377886-S(UU26)	1	Screw-5/16"-24 x 15/16" (fork to rail)
65/67	A, X	8	All	7234		SPRING - SHIFTER INTERLOCK
				C3AZ 7234-A	3	1" long-13 coils
					3	
				C3AZ 7234-A	3	1" long-13 coils-Use with all # RUG models except the following-
65/66	B, F	8	All			MODEL TRANS.SERIAL NO. MODEL TRANS.SERIAL NO.
						RUG-E 15696 THRU 17022 RUG-M 15458 THRU 16024 RUG-J 13213 THRU 14198 RUG-N 10001 THRU 10199
67	B, F	8	All			
67	B, F	8	All	C7AZ 7234-A	3	29/32" long-10-1/2 coils-Use with the following models only-
						MODEL TRANS.SERIAL NO. MODEL TRANS.SERIAL NO.
						RUG-E 15696 THRU 17022 RUG-M 15458 THRU 16024 RUG-J 13213 THRU 14198 RUG-N 10001 THRU 10199
68/72	A, B, F, X	8	All		2	
					3	
72	B, F	8	All			
68/72	A, B, F, X	8	All	C8AZ 7234-A	1	1 5/8" long
67	A, B, F, X	8	All	C7AZ 7234-A	3	29/32" long-10-1/2 coils-Use with all # RUG models with (1) or higher number in trans.ident. suffix-includes I.S. #2612
65/	A, B, F, X	8	All	377885-S(UU26C)	1	Screw-headless-3/8"-16 x 7/8 (retains one spring to first & second speed shifter rail)
65/67	A, X	8	All	7235		PIN - GEAR SHIFTER INTERLOCK
				C4AZ 7235-A	1	15/32" long-3/16" diam.
					1	
65/66	B, F	8	All			
67	B, F	8	All	C4AZ 7235-A	1	15/32" long-3/16" diam.-Use with all #RUG models except the following-
						MODEL TRANS.SERIAL NO. MODEL TRANS.SERIAL NO.
						RUG-E 15696 THRU 17022 RUG-M 15458 THRU 16024 RUG-J 13213 THRU 14198 RUG-N 10001 THRU 10199
67	B, F	8	All	C7AZ 7235-A	1	7/16" long-3/16" diam.-Use with the following models only
						MODEL TRANS.SERIAL NO. MODEL TRANS.SERIAL NO.
						RUG-E 15696 THRU 17022 RUG-M 15458 THRU 16024 RUG-J 13213 THRU 14198 RUG-N 10001 THRU 10199
67/68	A, B, F, X	8	All	C7AZ 7235-A	1	7/16" long-3/16" diam.-Use with all #RUG models with (1) or higher number in trans.ident. suffix-includes I.S. #2612
69	A, B, F	8	All	C9AZ 7235-A	1	29/64" long-11/64" diameter
					1	Except models with (1) or higher number in trans.ident. suffix
70	B, F	8	All			
70/72	B, F	8	All	D0AZ 7235-B	1	27/64" long-11/64" diameter-with (1) or higher number in trans.ident. suffix
					2	
65/69	A, B, F, X	8	All	7240		RAIL - GEAR SHIFTER
				C9AZ 7240-C	1	First & second speed-6 1/2" long-includes I.S. #2612 & 7C316 pin
70/72	B, F	8	All	D0AZ 7240-F	1	1st and 2nd speed-6 15/32" long-with (1) or higher number in trans.ident. suffix
72	B, F	8	All	D2OZ 7240-A	1	1st and 2nd speed-6 15/32" long

Identification Marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7240		RAIL - GEAR SHIFTER - continued
65/69	A, B, F, X	8	All	C4AZ 7240-K	1	Reverse-6 13/16" long- Includes I.S. #2612
70	B, F	8	All		1	Except models with (1) or higher number in trans. ident. suffix
70/	B, F	8	All	D0AZ 7240-K	1	Reverse-6 51/64"-with (1) or higher number in trans. ident. suffix
				7240		RAIL AND PIN KIT - SHIFTER
70	B, F	8	All	D0AZ 7240-J	1	Use with all #RUG models except with (1) or higher number in trans. ident. suffix Consists of (1) D0AZ 7240-F rail (1) D0AZ 7235-B pin (1) D0AZ 7240-K rail (5) D0AZ 7C316-A pin (1) D0AZ 7241-D rail
				7241		RAIL - THIRD AND FOURTH SPEED SHIFTER
65/69	A, B, F, X	8	All	C9AZ 7241-B	1	Includes-I.S. #2612 & 7C316 pin
70/	B, F	8	All	D2AZ 7241-B	1	
65/	A, B, F, X	8	All	378206-S(BB539L)	1	Bolt-3/8"-16 x 3/8" hex.hd.(retains rail in case)
69	A	8	All	C9AZ 7246-A	2	INSULATOR - GEAR SHIFT LEVER - 11/16" O.D.-3/8" I.D.-1/2" long
70/	F	8	All		3	Also use basic 7341 for reverse gear shift lever insulator
				7A283		OIL SEAL - INPUT SHAFT
65/68	A, B, F, X	8	289,302, 390	B7AZ 7A283-B	1	1 5/8" O.D.-1 1/8" I.D.
69	A, F	8	302,351, 390		1	
69	B	8	351,390		1	Use w/#RUG-C,D,J,AH models
70/	B, F	8	302,351	C9AZ 7A283-A	1	1 5/8" O.D.-1 1/8" I.D.
65/68	A, B, F	8	427,428	D0AZ 7A283-A	1	1 7/8" O.D.-1 3/8" I.D.
69/71	A, B, F	8	428,429		1	
69	B	8	351,390		1	Use w/#RUG-AK,AL models
				7285		LEVER - THIRD AND FOURTH SPEED GEAR SHIFT
69	A	8	All	C9AZ 7285-A	1	
66/69	B, X	8	All exc. Spec.	C6OZ 7285-D	1	
70/	B	8	All	D0OZ 7285-A	1	
65/68	F	8	All	C5ZZ 7285-C	1	
69	F	8	All	C9ZZ 7285-A	1	
70/	F	8	All	D0ZZ 7285-A	1	Includes 7246 insulator
65/	A, B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 hex.(attach lever to finger assy. 7C124)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
65/	A, B, F, X	8	All	1A 7288-A	3	SEAL - SHIFTER SHAFT OIL

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION			
		CYL.	C.I.D.						
				7290		LEVER - FIRST AND SECOND SPEED GEAR SHIFT			
65	A	"Before 4/1/65"	8	All	C4AZ 7290-A	1			
65	B		8	All		1			
66	B		8	289 Spec.		1			
65/67	A	"From 4/1/65"	8	All	C5AZ 7290-B	1			
68	A		8	All	C8AZ 7290-A	1			
69	A		8	All	C9AZ 7290-D	1			
66/69	B, X		8	All exc. Spec.	C6OZ 7290-D	1			
70	X		8	All		1			
70/71	B		8	All	D0OZ 7290-A	1			
65/68	F		8	All	C5ZZ 7290-F	1			
69	F		8	All	C9ZZ 7290-A	1			
70/	F		8	All	D0ZZ 7290-A	1	Includes 7246 insulator		
72	B		8	All	D0OZ 7285-A	1			
65/	A, B, F, X		8	All	33800-S8(M63)	1	Nut-3/8"-24 hex.(attach lever to finger assy. 7C124)		
					34807-S8(X66)	1	Lockwasher-3/8"		
					44727-S8(X24)	1	Washer-flat-3/8"		
				7290		LEVER - REVERSE GEAR SHIFT			
65	A	"Before 4/1/65"	8	All	C4AZ 7290-B	1			
65	B		8	All		1			
65/67	A	"From 4/1/65"	8	All	★C5AZ 7290-C	1			
69	A		8	All	C9AZ 7290-B	1			
66/69	B, X		8	All	C5ZZ 7290-G	1			
65/68	F		8	All		1			
70/71	B		8	All	D0OZ 7290-C	1	Includes 7341 insulator		
72	B		8	All	D2OZ 7290-B	1			
69	F		8	All	C9ZZ 7290-B	1			
70/	F		8	All	D0ZZ 7290-C	1	Includes 7246 & 7341 insulators		
65	X		8	All	C4DZ 7290-A	1			
65/	A, B, F, X		8	All	33800-S8(M63)	1	Nut-3/8"-24 hex.(attach lever to finger assy. 7C124)		
					34807-S8(X66)	1	Lockwasher-3/8"		
					44727-S8(X24)	1	Washer-flat-3/8"		
				7C316		PIN - GEAR SHIFT INTERLOCK ROD			
65/67	A, X	"Before 10/26/66"	8	All	C3AZ 7C316-B	3	5/16" long-5/16" diam-rounded ends-use with all		
65/66	B, F		8	All		3	forward speed shifter rail shafts		
67	B, F	"Before 10/26/66"	8	All	C3AZ 7C316-B	3	5/16" long-5/16" diam-rounded ends-use with all forward speed shifter rail shafts for all #RUG models except the following-		
					MODEL	TRANS. SERIAL NO.	MODEL	TRANS. SERIAL NO.	
					RUG-E	15696 THRU 17022	RUG-M	15458 THRU 16024	
					RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199	
65/67	A, X	"Before 10/26/66"	8	All	C4AZ 7C316-A	2	5/16" long-5/16" diam.-painted ends-use with		
65/66	B, F		8	All		2	reverse gear shifter rail shaft		
67	B, F	"Before 10/26/66"	8	All	C4AZ 7C316-A	2	5/16" long-5/16" diam.-pointed ends-use with reverse gear shifter rail shaft for all #RUG models except the following-		
					MODEL	TRANS. SERIAL NO.	MODEL	TRANS. SERIAL NO.	
					RUG-E	15697 THRU 17022	RUG-M	15458 THRU 16024	
					RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199	

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION				
		CYL.	C.I.D.							
67	B, F	"Before 10/26/66"	8	All	7C316 C9AZ 7C316-A	5	PIN - GEAR SHIFT INTERLOCK ROD-continued 27/64" long-5/16"-diam. -pointed ends-use with all shifter rail shafts for the following models only-			
							MODEL	TRANS.SERIAL NO.	MODEL	TRANS.SERIAL NO.
							RUG-E	15696 THRU 17022	RUG-M	15458 THRU 16024
							RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199
67/69	A, B, F, X	"From 10/26/66"	8	All	C9AZ 7C316-A	5	27/64" long-5/16" diam. -pointed ends			
70	B, F		8	All			All #RUG models except with (1) or higher number in trans. ident. suffix refer to 7240 kit			
70/	B, F		8	All	D0AZ 7C316-A	5	15/32" long-5/16" dia. -pointed ends-use with all shifter rails for all #RUG models with (1) or higher number in trans. ident. suffix			
65/	A, B, F, X		8	All	377885-S(UU26C)	1	Screw-3/8"-16 x 7/8" set (interlock pin)			
65/	A, B, F, X		8	All	C4MY 7B331-B	1	SMALL PARTS REPAIR KIT - Consists of the following			
	SNAP RING		WASHER		PIN		RETAINING RING			
	1-C4AZ 7026-A		1-C3AZ 7071-D		1-305080-S		1-379233-S			
	1-51A 7026		2-C4AZ 7119-A							
	1-C4AZ 7064-A		2-C4AZ 7149-A							
	1-C4AZ 7064-B									
	3-8A 7064									
					7B340		GEAR - THIRD SPEED			
65/69	A		8	All	C4AZ 7B340-C	1	25 helical-36 clutch teeth, 3 3/4" O.D. -1 11/16"			
65/67	B, F		8	289 Spl.		1	wide			
66/67	B, F		8	390 exc.		1				
				GT						
68/69	B, F		8	390,428		1	Use w/#RUG-C, AD, AE, AF(2.32:1 gear ratio)			
69/71	B, F		8	302,351		1	Use w/#RUG-AH, AG, AS, AT, AW (2.32:1 gear ratio)			
70/71	B, F		8	428,429		1				
65/68	B, F, X		8	260,289 exc.Spl.	C4DZ 7B340-B	1	25 helical-36 clutch teeth, 3 7/32" O.D.			
				302						
66/69	B, F		8	390(GT)		1	Use w/#RUG-J, M (2.78:1 gear ratio)			
69/71	B, F		8	302,351		1	Use w/#Rug-D, E, AR, AV, BA(2.78:1 gear ratio)			
72	B, F		8	351						
					7341		INSULATOR-REVERSE GEAR SHIFT LEVER - (for gear shift selector arm insulator located on 7400 assy. -refer to Group 7341 in Section 73)			
70/	B		8	All	C7SZ 7341-A	1	5/16" I.D. -11/32" long			
70/	F		8	All		1	Use w/7246 insulator			
65/	A, B, F, X		8	All	C4AZ 7A385-A	1	WASHER - OUTPUT SHAFT THRUST - 2 5/16" O.D. -1 3/8" I.D. -3/16" thick			
72	B, F		8	All	D2OZ 7E449-A	1	SWITCH - SEAT BELT WARNING SENSOR - #D2AR 7E449-BA			
72	B, F		8	All	D2OZ 7E454-B	1	PIN - SEAT BELT SWITCH ACTUATOR - 1 13/32" long-5/16" O.D.-includes (1) D2AR 7E455-BB spring			
72	B, F		8	All	D2OZ 7E460-B	1	CLAMP - SEAT BELT WARNING SENSOR SWITCH			
72	B, F		8	All	D2OZ 7E461-A	1	PLUG - SEAT BELT WARNING SWITCH OPENING-used on vehicles built "Before 12/1/71" used as plug for sensor switch opening			
72	B, F		8	All	1P 77868-A	1	SEAL - SENSOR SWITCH - 1/2" I.D.			

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7005	CASE	
65/66	B, F, X	8	All	C6ZZ 7005-C	1	#T10H-1, #T10Q-1 - includes (1) C3AZ 7029-C washer, (1) C5AZ 7034 vent & (1) I.S. -No. 2262
65/66	B, F, X	8	All	358035-S(PP31)	2	Plug-1/2" pipe (sq.hd.) (filler & drain of transmission case)
65/66	B, F, X	8	All	B9AP 7A011-A	1	SEAL - OUTPUT SHAFT OIL-1" I.D. -13/16" long
				372401-S(QQ68)	1	Snap ring-1" I.D.(oil seal retaining)
				7017	SHAFT - INPUT	
65	B(exc.Special), F, X	8	All	C3OZ 7017-E	1	24-36 teeth, 10 splines, 8 7/8" long, # T10H-16
65	B(Special)	8	All	C3OZ 7017-F	1	26-36 teeth, 10 splines, 8 7/8" long, # T10J-16
66	F	8	All	C6ZZ 7017-A	1	20-36 teeth, 10 splines, 8 7/8" long, # T10Q-16
				7025	BEARING - CASE	
65/66	B, F, X	8	All	8D 7065	1	Input shaft-#307-L-1 3/8" L.D.-3 1/8" O.D. - 7/8" wide
					1	Output shaft
				7026	SNAP RING - INPUT SHAFT BEARING - Refer to Group 7064	
65	B	8	All	C2AZ 7029-A	1	WASHER - REVERSE IDLER GEAR - #T10-30
				7029	WASHER - COUNTERSHAFT GEAR THRUST - Refer to Group 7119	
				7029	WASHER - REVERSE IDLER GEAR THRUST - Refer to Group 7149	
				7A029	GEAR - FIRST SPEED - Refer to Group 7100	
65/66	B, F, X	8	All	01A 7034	1	VENT ASSY. - CASE
65/66	B, F, X	8	All	B3TZ 7A034-A	1	BUSHING - EXTENSION HOUSING - 1 1/2" I.D. - 1 5/8" O.D.-1 1/2" long
				7A039	HOUSING ASSY. - EXTENSION	
65	B	8	All	★C3OZ 7A039-D	1	# T10H-7
65/66	F	8	All	C5ZZ 7A039-E	1	# T10H-7B
65/66	B, F, X	8	All	20410-S8(B103)	2	Bolt-7/16"-14 x 1 1/8" (housing to case)
65/66	B, F, X	8	All	★20492-S	3	Bolt-1/2"-13 x 1 5/8"
65/66	B, F, X	8	All	34808-S8(X67)	AR	Lockwasher-7/16"
				7A044	INSERT - SYNCHRONIZER CLUTCH HUB	
65	B, F, X	8	All	B5AZ 7A044-A	3	# T85B-B First & second speed
					3	Third & fourth speed
66	F	8	All	C5AZ 7A044-A	3	First & second speed
					3	Third & fourth speed
65/66	B, F, X	8	All	C5AZ 7050-D	1	RETAINER - INPUT SHAFT BEARING - 3 3/16" overall length-4 7/8" flange O. D. - #T85P-6
65/66	B, F, X	8	All	350673-S(BB544)	4	Bolt-5/16"-18 x 3/4" (retainer to case)
65/66	B, F, X	8	All	B6C 7051-A		GASKET - INPUT SHAFT BEARING RETAINER - 3 7/16" I.D. -4 5/8" O.D. -1/64" thick
65/66	B, F, X	8	All	★C2AZ 7052-A	1	SEAL - EXTENSION HOUSING OIL-1 1/2" I.D. - 2 5/8" O.D.-1 5/8" wide-r/b D5AZ 7052-B(11-74)
				7061	SHAFT - OUTPUT	
65	B	8	All	★C3OZ 7061-C	1	25 9/16" long, 6-10-6-28 splines (# T10H-2)
65	F, X	8	All	C3DZ 7061-B	1	23 21/32" long, 6-10-6-25 splines (# T10H-2A)
65	F, X	8	All	C5DZ 7061-A	1	23 21/32" long, 6-10-6-28 splines (# T10H-2B)
66	F	8	All	C6ZZ 7061-A	1	23 21/32" long, 6-10-6-28 splines (# T10Q-2)

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY


— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
7064						SNAP RING
65/66	B, F, X	8	All	8L 7026	1	Input shaft bearing to case-3 1/64" I.D. - 3 11/32" O.D.-1/16" thick
				8L 7064-A	1	Input shaft bearing to shaft-1 7/32" I.D. - 1 1/2" O.D.-5/64" thick
				376448-S(QQ90)	1	Output shaft bearing to adaptor-3" I.D. - 1/16" thick
				@8L 7064-A	1	Output shaft bearing to shaft, third and fourth speed synchronizer to shaft
				380948-S(QQ92A)	1	Speedometer drive gear to shaft - Also Refer to Group 17285
65/66	B, F, X	8	All	C2AZ 7071-A	1	WASHER - FIRST SPEED GEAR THRUST - (# T10-63)
7086						GASKET - EXTENSION HOUSING
65/66	B, F, X			C2AZ 7086-B	1	Adaptor (7C386) to case
				C2AZ 7086-A	1	Extension housing to adaptor
7100						GEAR - FIRST SPEED
65	B, F, X	8	All	C2AZ 7100-C	1	36 helical-36 clutch teeth-#T10H-12
65/66	F (GT350)	8	All		1	
66	F(exc. GT350)	8	All	C6ZZ 7A029-A	1	34 helical-36 clutch teeth, # T10P-12
65/66	B, F, X	8	All	C2AZ 7100-B	1	GEAR - REVERSE - 39 teeth-# T10-46A
7102						GEAR - SECOND SPEED
65	B, F(exc. GT350), X	8	All	C3AZ 7102-H	1	30 helical-36 clutch teeth-#T10H-31
66	F(exc. GT350)	8	All	C6ZZ 7102-A	1	27 helical-36 clutch teeth-# T10Q-31
65/66	F(GT350)	8	All	C3AZ 7102-G	1	
65	B, F, X	8	All	8L 7105	1	HUB - THIRD AND FOURTH SPEED SYNCHRONIZER CLUTCH
65/66	B, F, X	8	All	8L 7107	4	RING - SYNCHRONIZER BLOCKING
7109						SNAP RING - SYNCHRONIZER HUB INSERT RETAINING
65	B, F, X	8	All	C5TZ 7109-A	2	First and second speed
					2	Third and fourth speed
66	F	8	All	C5AZ 7109-A	2	First and second speed
					2	Third and fourth speed
65/66	B, F, X	8	All	8L 7111	1	COUNTERSHAFT
				★74174-S	1	Key-woodruff-No.5

7113

GEAR - COUNTERSHAFT CLUSTER



A = Length

B, C, D, E = Number of Teeth

IDENTIFICATION							A	B	C	D	E
65	B(Special)	8	All	C3AZ 7113-L	1	(4) grooves on shaft	7 61/64"	29	23	19	17
65	B, X(exc. Special), F(exc. GT350)	8	All	C3OZ 7113-C	1	(3) grooves on shaft	7 61/64"	31	24	19	17
66	F(exc. GT350)	8	All	★C6ZZ 7113-A	1	(1) groove on shaft	8"	28	21	18	18

7115

SPACER - COUNTERSHAFT GEAR PILOT BEARING

65	B, F, X	8	All	8L 7115	1	4 5/8" long-7/8" I.D.
----	---------	---	-----	---------	---	-----------------------

Identification marking

@ Also use C4TZ 7B331-A kit for selective fit

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
65	B, F, X	8	All	7119		WASHER - COUNTERSHAFT GEAR THRUST
				C3AZ 7029-C	1	Front
				C2AZ 7029-A	1	Rear
66	F	8	All	C5AZ 7119-C	1	Front and rear
65/66	B, F, X	8	All	C2AZ 7120-B	1	BEARING ASSY. - SECOND AND THIRD SPEED GEAR - #4830
65/66	B, F, X	8	All	7120		ROLLER - INPUT SHAFT PILOT BEARING
				C2AZ 7120-A	14	#QA19792 - 5/8" long-7/32" O.D.
				C5AZ 7120-A	16	1 1/16" long-1 1/4" O.D.
66	F	8	All	359590-S(XX266C)	1	Washer-1 1/16" flat (to retain rollers in 7017 shaft)
65/66	B, F, X	8	All	8L 7121	SETS	ROLLER - COUNTERSHAFT GEAR PILOT BEARING - 5/32" O.D.-3/4" long - #S443-Q - (set consists of 20 - repairs both ends)
65/66	B, F, X	8	All	7124		SYNCHRONIZER ASSY.
				C2AZ 7124-H	1	First and second speed -includes 7107 blocking rings
				C5AZ 7124-B	1	Third and fourth speed -does not include 7107 blocking rings
				380949-S(QQ92C)	1	Ring-snap-selective fit-.118" thick
				380950-S(QQ92D)	1	.121" thick
				380951-S(QQ92G)	1	.124" thick
65/66	B, F, X	8	All	8L 7125	6	SPACER - COUNTERSHAFT GEAR ROLLER
65/66	B, F, X	8	All	C2AZ 7140-A	1	SHAFT - REVERSE IDLER GEAR
				376347-S(NN80C)	1	Pin-1/4" x 3/4" (to retain shaft in case)
65	B, F, X	8	All	7141		GEAR & BUSHING - REVERSE IDLER
				C2AZ 7141-A	1	Front-18 external teeth-27 internal spline-1 9/32" wide
66	F	8	All	C6ZZ 7141-A	1	Front-16 external teeth-27 internal spline-1 9/32" wide-also replaces 17-tooth gear
65/66	B, F, X	8	All	C2AZ 7141-B	1	Rear-includes bushing-19 teeth-27 splines-3 11/16" long
65/66	B, F, X	8	All	376348-S(QQ16A)	1	Ring-1 9/32" I.D.(to attach front gear to rear gear)
65/66	B, F, X	8	All	C2AZ 7149-A	1	WASHER - REVERSE IDLER GEAR THRUST
				C2AZ 7029-A	1	Rear
65/66	B, F, X	8	All	C2AZ 7153-A	1	KIT - GASKET
Consists of the following 1-C2AZ 7051-A Gasket 1-C2AZ 7086-A Gasket 1-C2AZ 7086-B Gasket 1- 8L 7223 Gasket						
65/66	B, F, X	8	All	C2AZ 7222-A	1	HOUSING ASSY. - GEAR SHIFTER - #T10-148B
				20366-S(B52)	9	Bolt-5/16"-18 x 3/4" (cover to case)
				34806-S(X64)	9	Washer-5/16"
65/66	B, F, X	8	All	8L 7223-A	1	GASKET - GEAR SHIFT HOUSING
65/66	B, F, X	8	All	C2AZ 7230-A	1	FORK - GEAR SHIFTER -
					1	First and second speed
65/66	B, F, X	8	All	C2AZ 7231-A	1	FORK - REVERSE GEAR SHIFTER
					1	Third and fourth speed
65/66	B, F, X	8	All	7233		SLEEVE - SHIFTER FORK CAM and SHAFT INTERLOCK
				8L 7233-A	1	Selective fit-3/8" I.D.-1.009" long, # B
				8L 7233-B	1	1.013" long, # A
				8L 7233-C	1	1.019" long, # None

Identification marking

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
7234						SPRING - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER
65/66	B, F, X	8	All	8L 7234	1	Forward gears-13/16" long-8 1/2 coils
				C2AZ 7234-A	1	Reverse gear-13/16" long-8 coils
				372720-S(AA11)	3	Ball-3/8" (shifter fork cam & shaft lock plunger)
65/66	B, F, X	8	All	8L 7235	1	PIN - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER - 1/4" O.D.-11/32" long
65/66	B, F, X	8	All	C2AZ 7280-A	1	CAM AND SHAFT - THIRD AND FOURTH SPEED SHIFTER FORK
65/66	B, F, X	8	All	C2AZ 7282-A	1	CAM AND SHAFT - FIRST AND SECOND SPEED SHIFTER FORK
65/66	B, F, X	8	All	C2AZ 7282-B	1	CAM AND SHAFT - REVERSE SHIFTER FORK
65/66	B, F, X	8	All	B7AZ 7A283-B	1	OIL SEAL - INPUT SHAFT - 1 1/8" I.D. - 1 5/8" O.D.
65	B, X	8	All	C2AZ 7285-B	1	LEVER - THIRD AND FOURTH SPEED SHIFTER FORK
65/66	F	8	All	C5ZZ 7285-F	1	
65/66	B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				44727-S8(X24)	1	Washer-flat-3/8"
				34847-S8(X74)	1	Lockwasher-3/8"
65/66	B, F, X	8	All	1A 7288-A	1	SEAL - SHIFTER FORK CAM AND SHAFT - OIL 7/16" I.D.-7/64" thick
7290						LEVER - FIRST AND SECOND SPEED SHIFTER FORK
65	B	8	All	C2AZ 7290-D	1	
65/66	F	8	All	C5ZZ 7290-H	1	
65/66	B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				44727-S8(X24)	1	Washer-flat-3/8"
				34847-S8(X74)	1	Lockwasher-3/8"
7290						LEVER - REVERSE SHIFTER FORK
65	B	8	All	★C2AZ 7290-E	1	
65/66	F	8	All	C5ZZ 7290-J	1	
65	X	8	All	C3DZ 7290-B	1	
65/66	B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam and shaft)
				44727-S8(X24)	1	Washer-flat-3/8"
				34847-S8(X74)	1	Lockwasher-3/8"
7B331						SMALL PARTS REPAIR KIT TRANSMISSION
65/66	B, F, X	8	All	C3AZ 7B331-C		Consists of the following snap rings (1) 8L 7026 (1) 376348-S (1) 8L 7064-A (1) 376448-S
				C4TZ 7B331-A	1	Use this kit with C3AZ 7B331-C kit when required for selective fit-Consists of the following snap rings 8L 7064-B, C, D, E
7B340						GEAR - THIRD SPEED
65	B(Special)	8	All	C3AZ 7B340-D	1	29 helical-36 clutch teeth, 3 15/16" large O.D.
65	B, F, X(exc. B-Special)	8	All	C3OZ 7B340-B	1	28 helical-36 clutch teeth, 3 3/4" large O.D.
66	F	8	All	C6ZZ 7B340-A	1	24 helical-36 clutch teeth
65/66	F(GT350)	8	All	C3AZ 7B340-C	1	27 teeth
65/66	B, F, X	8	All	C2AZ 7C386-A	1	ADAPTOR ASSY. - EXTENSION HOUSING - includes dowel pin
				376544-S(BB429D)	1	Bolt-1/2"-13 x 1 1/8" (adaptor to case)

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				1202		Refer to Group 7025
				1216		Refer to Group 7025
66/	U	6&8	All	C6TZ 7005-C	1	CASE - TRANSFER
				87653-S(P13)	1	Plug (filler)
				7A010		PLUG - DRAIN
66/72	U	"Before Ser. N40,001"	6&8	All	358059-S(PP42)	1 Square socket head
72	U	"From Ser. N40,001"	6&8	All	D2TZ 7A010-B	1 Square socket head
66/	U	6&8	All	C9TZ 7017-A	1	SHAFT - INPUT- 7 31/32" long-6 splines-28 teeth
				7025		BEARING - INPUT AND OUTPUT SHAFT
						Input shaft bearing
66/	U	6&8	All	8D 7065	1	#307-L-1 3/8" I.D.-3 1/8" O.D.-13/16" wide
						Cone & roller assy. -rear output shaft-front
				C3TZ 1216-B	1	Use with 7169 cup-#25877
						Cone & roller assy. -rear output shaft-rear
				C6TZ 7025-B	1	#15117-use with 8A 1202 cup
						Cup-rear output shaft-rear
				8A 1202	1	#15245
						Cone & roller assy. -front output shaft-front & rear
		"Before Ser. N40,001"		C6TZ 7065-C	2	#14131-use with 01Y 1202 cup
		"From Ser. N40,001"		D3TZ 7065-B	2	#14116-use with 01Y 1202 cup-#NDH 3L09
						Cup-front output shaft-front & rear
				01Y 1202	2	#14276
66/	U	6&8	All	C6TZ 7026-A	1	SNAP RING - transfer case front drive constant mesh gear to output shaft
				7029		SHIM
						Rear output shaft bearing
66/	U	6&8	All	C6TZ 7029-A	AR	1 1/2" O. D. -1 3/16" I. D. - .005" thick
				C6TZ 7029-B	AR	.003" thick
						Front output shaft-rear bearing cap
				C6TZ 7029-C	AR	2 3/4" I. D. - .003" thick
				C6TZ 7029-D	AR	.010" thick
				C6TZ 7029-E	AR	.031" thick
66/	U	6&8	All	C6TZ 7034-B	1	VENT - 1" long- 1 3/32" diam.
				7050		RETAINER AND EXTENSION -
						INPUT SHAFT BEARING
66/70	U	"Before Ser. J70,001"	6	170	C6TZ 7050-C	1
66/68	U		8	289	C6TZ 7050-F	1
69/70	U	"Before Ser. J70,001"	8	302	C9TZ 7050-A	1
70/	U	"From Ser. J70,001"	6	170	D1TZ 7050-C	1
70/	U	"From Ser. J70,001"	8	302	D1TZ 7050-D	1
66/72	U	"Before Ser. M80,001"	6&8	All	20430-S8(B104)	6 Bolt-7/16"-14 x 1 1/4"-(retainer to trans. case)
					34808-S8(X67)	6 Lockwasher-7/16"
72	U	"From Ser. M80,001"	6&8	All	384960-S100	6 Bolt-7/16"-14 x 1 1/4" (retainer to trans. case)
					(BB-429-UN)	
					34808-S8(X67)	6 Lockwasher - 7/16"
66/	U	6&8	All	376058-S(BB157A)	6	Bolt-3/8"-16 x 1 1/2"-(retainer to transfer case)
				34807-S8(X66)	6	Lockwasher-3/8"

Identification Marking
May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7061		SHAFT - OUTPUT
						Front drive
66/72	U "Before Ser. N40,001"	6&8	All	C6TZ 7061-C	1	7 3/8" long-12 teeth-10 splines
72	U "From Ser. N40,001"	6&8	All	D2TZ 7061-B	1	7 3/8" long-12 teeth-10 splines
						Rear drive
66/	U	6&8	All	C6TZ 7061-F	1	7 11/32" long-15 teeth-10 splines
				7065		ROLLER - INTERMEDIATE GEAR
66/	U	6&8	All	C6TZ 7065-D	48	5 /32" diam. -1 3/16" long
				7065		ROLLER - INPUT SHAFT
66/	U	6&8	All	B9C 7065-A	13	#Q9146-5/16" diam.-9/16" long
				7065		BEARING ASSY. - Refer to Group 7025
				7067		WASHER - THRUST
						Front drive constant mesh
66/72	U "Before Ser. N40,001"	6&8	All	C6TZ 7067-A	1	1 13/16" diam. - two tabs on I.D.
72	U "From Ser. N40,001"	6&8	All	D2TZ 7067-A	1	1 13/15" diam.
				D2TZ 7067-B	1	1 7/16" diam.
						Intermediate gear
66/72	U "Before Ser. N40,001"	6&8	All	C6TZ 7067-B	2	2 1/2" diam.
72	U "From Ser. N40,001"	6&8	All	D2TZ 7067-C	2	2 1/2" diam.
				7070		SNAP RING - INPUT SHAFT BEARING
						To retainer
66/	U	6&8	All	C6TZ 7070-A	1	2 15/16" I. D.
						To input shaft
				C6TZ 7070-B	1	1 1/4" I. D.
				7085		RETAINER - OUTPUT SHAFT BEARING
						Front output shaft-front
66/	U	6&8	All	C6TZ 7085-G	1	
						Front output shaft-rear
				C6TZ 7085-C	1	
						Rear output shaft
				C6TZ 7085-D	1	
				356685-S (BB153)	5	Bolt-3/8"-16 x 7/8"-(retainer to transfer case)
				34807-S(X66)	5	Lockwasher-3/8"
				7086		GASKET EXTENSION HOUSING - input shaft bearing retainer to trans.case
66/	U--M/T	6&8	All	C4AZ 7086-B	1	
72	U--A/T	8	All	D3TZ 7086-A	1	
				7100		GEAR - OUTPUT SHAFT SLIDING
						Front drive
66/	U	6&8	All	C6TZ 7100-E	1	33 teeth-12 internal splines-5 13/16" O. D. - 1 3/4" I. D.
						Rear drive
				C6TZ 7100-F	1	33 teeth-15 internal splines-5 13/16" O. D. - 2 5/32" I. D.
						Intermediate constant mesh
				C6TZ 7100-C	1	29 teeth-3 15/16" O. D. -1 5/16" I. D.

YEAR	MODEL		ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
			CYL.	C.I.D.			
66/	U		6&8	All	C6TZ 7B106-B	1	LINK - FRONT AND REAR SHIFT ROD - 3 1/4" long-7/8" wide-7/32" thick
					72035-S8(N51)	1	Pin-1/8" x 1" (retains link to 7240)
66/	U		6&8	All	C6TZ 7A107-A	2	THIMBLE - RAIL SHIFT -1 1/2" long-3/4" O. D.- 21/32" I. D.
					7111		SHAFT - INTERMEDIATE GEAR
66/72	U	"Before Ser. N40,001"	6&8	All	C6TZ 7111-B	1	5 1/32" long-1 1/4" O. D.
72	U	"From Ser. N40,001"	6&8	All	D2TZ 7111-A	1	5 1/32" long-1 1/4" O.D.
66/	U		6&8	All	C6TZ 7113-C	1	GEAR - INTERMEDIATE -39-18 teeth- 2 3/4" long-1 5/8" I. D.
66/	U		6&8	All	C6TZ 7C116-A	1	GEAR - INPUT SHAFT -29-15 teeth-6 internal splines-1 3/4" long
66/	U		6&8	All	C6TZ 7125-A	3	SPACER - COUNTERSHAFT GEAR ROLLER- 1 5/8" O. D. -1 5/32" I. D. -1/16" thick
66/	U		6&8	All	C6TZ 7153-C	1	GASKET SET - Consists of the following (1) C6TZ 7181-B (1) C6TZ 7181-G (1) C6TZ 7181-E (1) C6TZ 7223-B (1) C6TZ 7181-F
66/	U		6&8	All	C6TZ 7155-A	1	PLATE - INTERMEDIATE GEAR SHAFT LOCK - 1" x 3/4" x 1/8"
66/72	U	"Before Ser. N40,001"	6&8	All	20326-S7(B49)	1	Bolt-5/16"-18 x 5/8"-(plate to transfer case)
72	U	"From Ser. N40,001"	6&8	All	382985-S2 (BB427Z)	1	Bolt-5/16"-18 x 5/8"-(plate to transfer case)
66/	U		6&8	All	34805-S(X62)	1	Lockwasher-5/16"
66/	U		6&8	All	C6TZ 7169-A	1	CLIP - REAR OUTPUT SHAFT BEARING FRONT -2 7/8" O. D. -3/4" wide
					7181		GASKET Front drive oil seal
66/	U		6&8	All	C6TZ 7181-B	1	2 15/32" O. D. -1 7/8" I. D. Front drive output shaft bearing cap
					C6TZ 7181-E	1	4 3/8" bolt circle-2 3/4" I. D. Rear drive output shaft bearing retainer to case
					C6TZ 7181-F	1	5 3/16" bolt circle-4 5/8" I. D.
							Input shaft bearing retainer to transfer case
					C6TZ 7181-G	1	4 1/16" I. D.
					7B214		FLANGE OUTPUT SHAFT
66/69	U		6&8	All	C9TZ 7B214-C	2	Use with Mechanics drive shaft-front & rear
69/72	U	"Before Ser. N40,001"	6&8	All	C9TZ 7B214-C	1	Use with Dana drive shaft - rear
					C9TZ 7B214-B	1	Use with Dana drive shaft - front
72	U	"From Ser. N40,001"	6&8	All	C9TZ 7B214-B	1	Use with Dana drive shaft - front & rear
66/	U		6&8	All	351126-S7(MM145)	1	Nut-3/4"-18 x 1 1/8"-(flange to output shaft)
					44746-S7(X44A)	1	Lockwasher-3/4"

YEAR	MODEL	ENGINE		PART NUMBER	QTY.	PART NAME AND DESCRIPTION
		CYL.	C.I.D.			
				7B215		SEAL - OIL
						Front and rear drive flange
66/72	U	6&8	All	D2TZ 7B215-B	2	2 1/2" O.D.-1 1/2" I.D.-1/2" wide
						Input shaft
66/	U	6&8	All	C6TZ 7B215-C	1	2 3/4" O.D.-1 7/8" I.D.-17/32" wide
				C6TZ 7B215-B	1	1 13/16" O. D. -15/16" I. D. -1/8" thick
						Intermediate shaft
72	U	6&8	All	D2TZ 7B215-A	1	1 1/4" O.D.-1 1/8" I.D.-1/16" wide
				7219		SPRING - SHIFT ROD POPPET
						Rear drive
66/	U	6&8	All	C6TZ 7219-D	1	1" free length-8 1/2 coils
						Front drive
				C6TZ 7219-F	1	7/8" free length-10 coils
				372720-S(AA11)	2	Ball-3/8"-(shift rod poppet)
				352015-S(UU2)	2	Set screw-7/16"-20 x 5/16"-(retain spring & ball in case)
66/	U	6&8	All	C6TZ 7222-B	1	COVER - 9 1/2" x 4 7/8" -1/8" thick-10 holes
66/72	U	"Before Ser. N40,001"	6&8	20326-S(B49)	10	Bolt-5/16"-18 x 5/8"-(cover to case)
72	U	"From Ser. N40,001"	6&8	382985-S (BB427Z)	10	Bolt-5/16"-18 x 5/8"-(cover to case)
66/	U		6&8	34805-S(X62)	10	Lockwasher-5/16"
66/	U		6&8	C6TZ 7223-B	1	GASKET - COVER -9 1/2" x 4 7/8"
66/	U		6&8	C6TZ 7229-A	2	PIN - GEAR SHIFT INTERLOCK -1 15/16" long-3/8" diam.
				352015-S(UU2)	1	Set screw-7/16"-20 x 5/16"
				7240		SHAFT - GEAR SHIFT
						Rear output
66/	U	6&8	All	C9TZ 7240-G	1	8 1/8" long-5 cam slots
						Front output
66/	U	6&8	All	C9TZ 7240-H	1	8 1/8" long-4 cam slots
				73887-S(N5)	2	Pin-1/4" x 51/64"-(retain shaft in case)
66/	U	6&8	All	C6TZ 7288-C	2	SEAL - FRONT AND REAR SHIFT ROD OIL-1 1/8" O. D. -5/8" I. D. -1/4" wide
66/	U	6&8	All	C6TZ 7289-B	2	FORK - GEAR SHIFT -approx. 6" long-2 7/8" span
66/	U	6&8	All	C6TZ 7B360-A	2	SCREW - GEAR SHIFT FORK SET
66/	U	6&8	All	C6TZ 7B362-B	1	DOWEL - INPUT SHAFT BEARING RETAINER -1 1/4" long-1/2" diam.
				17285		GEAR - SPEEDOMETER DRIVE
66/	U	6&8	All	C6TZ 17285-A	1	6 tooth
66/	U	6&8	All	C6TZ 17285-J	1	7 tooth

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7007 PLATE ASSY. - TRANSMISSION - ENGINE REAR COVER - Also refer to Group 6366							
65/71	A	6	240	All 3/S	C5AZ 7007-A	1	
65/68	A,B,U	8	289	All	D0AZ 7007-A	1	
67/68	X " From 2/18/67"	8	289	All 3/S		1	
68/69	A,B,F,U,X	8	302	All		1	
69	B, F	8	351	All		1	
70/	A,B,F,U	8	302,351	All		1	
68/70	A,B,F	8	390,428	All	C3AZ 7007-F	1	
65/67	A, B, F	8	352,390	All		1	
			427,428				
69/71	A,B, F	8	429	F/4/S	C9AZ 7007-B	1	
65	B	6	200	All 3/S	D0DZ 7007-A	1	
65	F	6	170,200	2.77		1	
65/66	F	6	200	D/4/S		1	
65/67	X	6	170	All 3/S		1	
			200				
66/70	B, F	6	170,200	All 3/S	C6DZ 7007-B	1	
65/70	X	6	200	All 3/S		1	
68/70	X	6	170	All 3/S		1	
66/	U	6	170	All 3/S		1	
70/	P	6	All	All		1	
69/	B,F	6	250	All 3/S	C9DZ 7007-A	1	
71/	P	8	302	All 3/S		1	
65	F	8	260	All	C2OZ 7007-C	1	
65/68	F	8	289	All	C5DZ 7007-A	1	
65/68	X	8	289	All 4/S		1	
65/67	X " Before 2/18/67"	8	289	All 3/S		1	
71/	L	4	98	All	D1FZ 7007-A	1	Upper
					★D1FZ 7007-B	1	Lower-cut from D1FZ 7007-C
		4	122	All	D1FZ 7007-C	1	Includes-(2) 40904-S2 screw
		4	All	All	379376-S(BB562X)	1	Bolt-3/8" -16 x 3/4" hex. washer hd. -(plate to flywheel housing)
65/	A.	6	All	All	20326-S7(B49)	2	Bolt-5/16" -18 x 5/8" hex. hd. -(plate to flywheel housing)
65/	A,B,F,P,X,U	8	All	All	20346-S(B50)	2	Bolt-5/16" -18 x 3/4" -(plate to flywheel housing)
					34806-S7(X64)	AR	Lockwasher - 5/16
7E046 PLATE - TRANSMISSION SHIFT CONTROL MOUNTING							
70/71	B	8	All	F/4/S	D0AZ 7E046-A	1	#D0AA 7E046-A
72	B	8	All	F/4/S	D2OZ 7E046-A	1	
65	F	6	200	2.77	C7ZZ 7E046-B	1	Use w/C5ZZ 7A039-G housing
66	F	6	200	2.77	C6ZZ 7E046-B	1	Use w/C5ZZ 7A039-C housing-(#RF C4GR 7A040-A)
67/68	F	8	390,428	All	C7ZZ 7E046-A	1	
69	F	8	390,428	All	C9ZZ 7E046-A	1	
69	F	8	429	All	C9ZZ 7E046-B	1	
70	F	8	302,351	F/4/S	D0ZZ 7E046-B	1	#D0ZA 7E046-C
70	F	8	428	F/4/S	D0ZZ 7E046-A	1	#D0ZA 7E046-D
70	F(Boss)	8	429	F/4/S	D0ZZ 7E046-C	1	
71	F	8	429	F/4/S	D1ZZ 7E046-A	1	#D1ZA 7E046-AA
71/	F	8	302,351	F/4/S	D1ZZ 7E046-B	1	#D1ZA 7E046-BA
71/	P	6	All	All 3/S	D1DZ 7E046-A	1	
71/	P	8	All	All 3/S	D0ZZ 7E046-B	1	#D0ZA 7E046-C
66/	F	6&8	200,390	All	42789-S8(U10)	5	Screw & lockwasher-5/16"-18 x 3/4" hex. head
					379630-S2(BB116)	1	Screw 5/16"-18 x 3/4" flat head
7K051 PIN - TRANSMISSION GEAR SHIFT RELAY LEVER ROD							
65/68	A	6&8	All	All 3/S	C5AZ 7K051-A	1	7/16" O.D. -1 7/8" long
7B052 PLATE TRANSMISSION - GEAR SHIFT PATTERN							
68/69	F(GT500 K.R.)	8	All	W/4/S	C8WY 7B052-A	1	

Identification Marking
May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7B059 SHIFT LEVER - FOUR-WHEEL DRIVE							
66/72	U	6&8	All	All	C6TZ 7B059-A	1	Bottom
7E063 PLATE - TRANSFER CASE SKID							
66/	U	6&8	All	All	C6TZ 7E063-C	1	
7B071 SPRING - TRANSFER CASE CONTROL SELECTOR LEVER RETAINER							
66/	U	6&8	All	All	C6TZ 7B071-A	1	1 5/8" free length-3/8" O.D. -14 coils
7E071 PLATE - TRANSFER CASE SHIFT PAWL							
66/	U	6&8	All	All	C6TZ 7E071-A	1	
7E072 ROD - TRANSFER CASE SHIFT							
66/	U	6&8	All	All	C6TZ 7E072-B	1	
7082 SPRING - TRANSFER CASE CONTROL SELECTOR PUSH BUTTON							
66/72	U	6&8	All	All	C8TZ 7082-A	1	1" free length-9 1/2 coils
7E083 RETAINER - TRANSMISSION CONTROL SELECTOR SOCKET EXTENSION							
67/68	F	6&8	All	All	C7SZ 7E083-A	1	
7B097 LEVER - TRANSMISSION BACKUP LAMP SWITCH ACTUATING							
67	A	6&8	All	All	C7AZ 7B097-B	1	
68	A	6&8	All	All	7B097		Part of 15520 switch assy.
67	B, X	6&8	All	All	DOTZ 7B097-A	1	
7E097 SPACER - TRANSMISSION GEAR SHIFT LEVER							
68/69	A	8	All	F/4/S	C8AZ 7E097-A	1	1 3/8" diameter-1/4" thick
69	B, F	8	All	F/4/S		1	
7B100 COVER - INSTRUMENT PANEL - TRANSMISSION SELECTOR							
71	A	6&8	All	All	D1AZ 7B100-A	1	
7C101 SPRING - TRANSMISSION GEAR SHIFT TUBE							
72	B	6&8	All	All 3/S	D2OZ 7C101-A	1	
7C102 SEAL - TRANSMISSION CONTROL SELECTOR TUBE							
68	A, B, F, X (floor shift)	6&8	All	All	C8AZ 7C102-A	1	1 1/2" I.D. -2 1/8" O.D. -3/4" thick
68/69	A, B, X (column shift)	6&8	All	All 3/S	C7ZZ 7C102-A	1	1 11/16" I.D. -2 1/8" O.D. -1/2" thick
69	A, B, F, X (floor shift)	6&8	All	All	C9AZ 7C102-A	1	2 1/4" O.D. -1 5/8" I.D. -1" thick
70/71	A, B, F, P, X	6&8	All	All		1	
72	A, F, P	6&8	All	All		1	
7B106 LINK - TRANSFER CASE FRONT & REAR SHIFT ROD							
66/	U	6&8	All		C6TZ 7B106-B	1	3 1/4" long - 7/8" wide - 7/32" thick
7A107 THIMBLE - TRANSFER CASE RAIL SHIFT							
66/	U	6&8	All		C6TZ 7A107-A	1	1 1/2" long-3/4" O.D. -5/8" I.D.
7A111 PIN - TRANSMISSION GEAR SHIFT LEVER							
65/68	A, B, F, X, (floor shift)	6&8	All	All 4/S	C5ZZ 7A111-A	1	1/4" x 1"
65/68	B, F (floor shift)	6&8	All	All 3/S		1	
7B112 ROD - REVERSE GEAR SHIFT - Refer to Group 7326							
7B125 TRUNNION - TRANSMISSION GEAR SHIFT LEVER							
65/69	A, B, U, X (column shift)	6&8	All	All 3/S	C0AA 7B125-A	2	
71/	U	6&8	All	All 3/S		2	
65/68	A (floor shift)	6&8	All	All 4/S	C2AZ 7B125-A	2	
70/	U	6&8	All	All 3/S		2	
65	B, X (floor shift)	6&8	All	All 4/S		2	
65/68	F	6&8	All	All 4/S		2	
69	A, B, F (floor shift)	8	All	All 4/S	C9AZ 7B125-A	1	"T" shaped-1" x 3/4" x 9/16"
66/69	B (floor shift)	8	All	All 3/S	C2AZ 7B125-B	2	
66/68	B, X	8	All	All 4/S		2	
65/	F	6&8	All	All 3/S		2	
7A133 BUSHING - TRANSMISSION GEAR SHIFT LEVER SHAFT. Also refer to Group 7336							
65/71	A	6&8	All	All 3/S	C0AA 7A133-C	2	
7A133 BUSHING - TRANSFER CASE GEAR SHIFT LEVER SHAFT							
66/70	U "Before Ser.,J70,001"	6&8	All	All 3/S	C2AZ 7A133-A	2	
70/	U "From Ser.,J70,001"	6&8	All	All 3/S	DOTZ 7A133-A	2	5/8" I.D. -11/16" O.D. -1" dia.flange

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7E138 BOOT - TRANSMISSION FLOOR MOUNTED GEAR SHIFT CONTROL LINKAGE - LOWER - Also refer to Group 7277							
69	A	8	All	All 4/S	C9AZ 7E138-A	1	#C9AA 7E138-B
66/68	B	8	All	All 4/S	C6OZ 7E138-A	1	6" x 5 11/16" x 4 5/8"
69	B	6&8	All	All 3/S	C9ZZ 7E138-A	1	#C9ZA 7E138-D
69	B	8	All	All 4/S	C9ZZ 7E138-B	1	#C9OA 7E138-A
70/71	B	8	All	All 4/S	D0GZ 7E138-B	1	#D0ZA 7E138-B
66	F	6	200	All 3/S	C6ZZ 7E138-A	1	6 1/4" x 5 1/2" x 4 3/16"
66/68	F	6&8	200,289,302	All 4/S	C6ZZ 7E138-C	1	6 7/16" x 5 3/8" x 4 1/2"
67/68	F	6	200	All 3/S	C6ZZ 7E138-B	1	6" x 5 3/8" x 3 3/4"
66/68	F	8	289,302	All 3/S		1	
67/68	F	8	390,428	All 4/S	C7ZZ 7E138-B	1	6 7/16" x 5 5/16" x 4 7/16"
69	F	6&8	All	All 3/S	C9ZZ 7E138-A	1	#C9ZA 7E138-D
69	F	8	All	All 4/S	C9ZZ 7E138-B	1	#C9OA 7E138-A
70	F	8	All	All 4/S	D0GZ 7E138-B	1	#D0ZA 7E138-B
70	F	6&8	All	All 3/S	D0ZZ 7E138-A	1	#D0ZA 7E138-A
71/	F	6&8	All	All 3/S	D1ZZ 7E138-A	1	#D1ZA 7E138-AA
71	F	8	All	All 4/S	D1ZZ 7E138-B	1	
71/	P	6&8	All	All 3/S	D1DZ 7E138-A	1	
66/68	X	8	All	All 4/S	C6OZ 7E138-A	1	6" x 5 11/16" x 3 5/8"
7A148 SPACER - TRANSFER CASE CONTROL LEVER							
66/70	U "Before Ser.J70,001"	6&8	All	All 3/S	C6TZ 7A148-B	1	1 15/16" long - 5/8" O.D. - 1/2" I.D.
70/	U "From Ser.J70,001"	6&8	All	All 3/S	D0TZ 7A148-A	1	1 15/16" long-5/8" O.D.-7/16" I.D.
7D152 RING - TRANSMISSION GEAR SHIFT LEVER BOOT							
65	A, X (floor shift)	6&8	All	All 4/S	C3DZ 7D152-A	1	5 1/4" O.D., -3" I.D.
7E174 HOUSING - TRANSFER CASE CONTROL SELECTOR							
66/70	U "From Ser. 830,001 to Ser.J70,001"	6&8	All	All 3/S	C6TZ 7E174-A	1	Includes slide, dial and housing
70/	U "From Ser.J70,001"	6&8	All	All 3/S	D1TZ 7E174-A	1	Includes slide, dial & housing
7E182 SEAL - TRANSFER CASE CONTROL							
66/72	U	6&8	All	All 3/S	C6TZ 7E182-A	1	3 7/16" x 9 11/16"
7A185 BELLCRANK - TRANSMISSION SHIFT							
65/67	A	6&8	240,289	O/D	C5AZ 7A185-L	1	
65/68	A	6&8	All	3.03	C5AZ 7A185-K	1	
69	A	6&8	240,302	All 3/S	C9AZ 7A185-C	1	Includes-7353 stud and 7341 bushing
69	A	8	390	All 3/S	C9AZ 7A185-D	1	Includes-7353 stud and 7341 bushing
70	A	8	390	All 3/S	D0AZ 7A185-C	1	
70/71	A	6&8	exc.390	All 3/S	D0AZ 7A185-D	1	
7A185 BELLCRANK - ACCELERATOR							
65	B	8	All	All	C3OZ 7A185-A	1	
66	B	8	390	All	★C6OZ 7A185-B	1	Not replaced
66/67	B	8	289	All	C6OZ 7A185-A	1	
66/69	U	8	289,302	All		1	
67	B	8	390,427	All	C7OZ 7A185-A	1	
68	B	8	390-4V 428 CJ	All	C8OZ 7A185-M	1	
68/70	B	8	302	All	C8OZ 7A185-K	1	
68	B	8	390-2V	All	C8OZ 7A185-L	1	
69/70	B	8	351	All		1	
70/	U	8	All	All	D0TZ 7A185-A	1	
65	X	8	All	All	C4DZ 7A185-C	1	

Identification Marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7A188 BELLCRANK - TRANSFER CASE CONTROL							
66	U " Before Ser. 830, 001 "	6&8	All	All	C6TZ 7A188-A	1	Approx. 5 1/4" long-11/16" dia. pivot hole
7A199 WIRE ASSY. - IGNITION CIRCUIT TO OVERDRIVE RELAY - Cut to required length from bulk stock B6A 14296-B							
7208 SPRING - TRANSMISSION GEAR SHIFT LEVER and INSULATOR PIN							
65/67	A, B, X (column shift)	6&8	All	All 3/S	01A 7208	1	3/4" long-3/16" O. D. -13 coils
66/	U	6&8	All	All 3/S		1	
65/67	A	6&8	All	All 4/S	C2AZ 7208-A	2	5/16" long-13/32" O. D. -4 coils
65	B, X	6&8	All	All 4/S		2	
65	F "Before 8/20/64"	6&8	All	All 3/S		2	
65/68	F	6&8	All	All 4/S		2	
66/68	B, X(floor shift)	6&8	All	All 4/S	C2AZ 7208-B	2	Rubber-1/4" I. D. -39/64" O. D. -17/64" thick
65/68	B, F(floor shift)- " From 8/20/64"	6&8	All	All 3/S		2	
7210 LEVER - TRANSMISSION FLOOR MOUNTED GEAR SHIFT - LOWER							
65/67	A	8	All	F/4/S	C5ZZ 7210-D	1	
65/68	B, F, X "Before 1/2/68"	8	All	F/4/S		1	
65/68	F	6&8	All	All 3/S		1	
66/68	B(floor shift)	8	All	All 3/S		1	
68	A	8	All	F/4/S	★C8AZ 7210-C	1	Also serviced in 7400 assy.-2" between center of bolt holes on flat
69	A, B, F	8	All	F/4/S	C9AZ 7210-J	1	
65/66	B, F, X	8	All	W/4/S	C3AZ 7210-F	1	1 13/16" between center of holes on flat-5/8" diameter slot
68	B, F, X "From 1/2/68"	8	All	F/4/S	C8ZZ 7210-D	1	2" between center of holes on flat-7/8" dia. slot
69	B, F (floor shift)	6&8	All	All 3/S	C9OZ 7210-B	1	
70 /	F	6&8	All	All 3/S		1	
71 /	P	6&8	All	All 3/S		1	
65/66	A, X	6&8	All	All 4/S	376577-S7(NN54F)	1	Pin-9/32" x 1 1/4" (lever to shaft)
69	A, B, F	8	All	All	383359-S(NN145G)	2	Pin-1/4" x 15/16" (lever to 7B125)
65/68	B, F	6&8	All	All	379300-S(NN54G)	1	Pin-9/32" x 1 3/8"
7210 LEVER - TRANSMISSION FLOOR MOUNTED GEAR SHIFT							
- A -							
65	A (w/console)- " Before 4/1/65"	8	All	F/4/S	C5AZ 7210-C	1	Includes boot (7277) lockout pawl, handle & wire assy.
65/67	A (w/console)- " From 4/1/65"	8	All	F/4/S	C5AZ 7210-J	1	Includes lockout pawl, handle & wire assy.
65/67	A (w/o console)	8	All	All 4/S	C5AZ 7210-H	1	Includes lockout pawl, handle & wire assy.
69	A (w/console)	8	All	F/4/S	C9AZ 7210-A	1	Includes (2) 379819-S insulators
69	A (w/o console)	8	All	F/4/S	C9AZ 7210-B	1	Includes (2) 379819-S insulators
- B -							
65	B (w/console)	8	All	All 4/S	★C4OZ 7210-D	1	Includes boot (7277), lockout pawl, handle & wire assy. - not replaced
66/67	B	8	All	F/4/S	C6OZ 7210-L	1	Includes lockout pawl & cable assy.
66/68	B "Before 1/2/68"	8	390	All 3/S	C6OZ 7210-G	1	Includes grommets
68	B "From 1/2/68"	8	390	All 3/S	C8OZ 7210-C	1	Less ball includes (2) grommets
68	B	8	All	F/4/S	C8OZ 7210-D	1	Includes ball (7213), lockout pawl & cable assy., boot (7277) & (2) grommets
69	B	8	All	All 3/S	C9OZ 7210-A	1	Includes (2) grommets
69	B	8	All	F/4/S	C9OZ 7210-C	1	Includes (2) grommets
70	B	8	All	All 4/S	D0OZ 7210-A	1	"Hurst design" -includes handle & decal
71	B	8	All	F/4/S	D1OZ 7210-A	1	"Hurst design" -includes 7213 knob assy.
72	B	8	All	F/4/S	D2OZ 7210-D	1	Less knob assy. (7213)

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION	
		CYL.	C.I.D.					
7210 LEVER - TRANSMISSION FLOOR MOUNTED GEAR SHIFT - continued								
- F -								
65/67	F	6&8	All	All 4/S	C5ZZ 7210-M	1	Includes lockout pawl & cable assy.	
65/68	F	6&8	All	All 3/S	C8ZZ 7210-C	1	Less ball includes (2) grommets	
68	F	"Before 1/2/68"	8	All	F/4/S	C8ZZ 7210-A	1	Includes ball (7213), lockout pawl & cable assy. boot (7277) & (2) grommets
68	F	"From 1/2/68"	8	All	F/4/S	C8ZZ 7210-B	1	Includes ball (7213), lockout pawl & cable assy. boot (7277) & (2) grommets
69	F	8	All	All 4/S	C9ZZ 7210-B	1	Includes (2) grommets	
69/	F	6&8	All	All 3/S	C9ZZ 7210-A	1	Includes (2) grommets # daub of Orange paint	
70	F	8	All	All 4/S	D0ZZ 7210-B	1	"Hurst design"-includes "T" bar handle & decal	
71	F	8	All	F/4/S	D1ZZ 7210-A	1	"Hurst design"-includes 7213 knob assy.	
72	F	8	All	F/4/S	D2ZZ 7210-A	1	Less knob assy. (7213)	
- L -								
71/	L	4	All	All	D1FZ 7210-A	1	Includes upper & lower levers, boot, shift fulcrum, fork, (1) 97413-S2 clip - less gear shift ball	
- P -								
71/	P	6&8	All	All 3/S	D1DZ 7210-B	1	Chrome plated-7/16"-20 thread for knob	
- X -								
65	X	8	All	F/4/S	C4DZ 7210-F	1	Includes-ball (7213), boot (7277), lockout pawl & cable assy.	
66/67	X	8	All	F/4/S	C6OZ 7210-L	1	Includes lockout pawl & cable assy.	
68	X	8	All	F/4/S	C8OZ 7210-D	1	Includes ball (7213), lockout pawl & cable assy., boot (7277) & (2) grommets	
65/	A, B, F, X	8	All	F/4/S	379818-S7 (BB445L)	2	Bolt 5/16"-18 x 1 1/8" (lever to mounting plate)	
65/	A, B, X	8	All	F/4/S	379998-S	2	Grommet-9/16" O. D. -1/2" I. D. -1/2" high	
65/	F	6&8	All	All 3/S, D & F/4/S	(KK71A)	2		
65	B, X	6&8	All	D & W/4/S	★55615-S8	2	Screw & lockwasher assy.-5/16"-18 x 3/4"- (lever to mounting plate)	
65	F	8	All	W/4/S		2		
66/	B, F, X	6&8	All	All 4/S	356036-S7 (MM184)	1	Nut - 1/2" -20 hex. (used as lock nut for 7213 on lever)	
7210 LEVER - TRANSMISSION COLUMN MOUNTED GEAR SHIFT-Includes knob, insulator and impact sleeve								
65/67	A	6&8	All	All 3/S	C7AZ 7210-C	1		
68/69	A	6&8	All	All 3/S	C9AZ 7210-F	1		
70	A	"Before 12/15/69"	6&8	All	All 3/S	D0AZ 7210-C	1	
70/71	A	"From 12/15/69"	6&8	All	All 3/S	★D0AZ 7210-G	1	Replaced by D3OZ 7210-A (10-74)
65	B	6&8	All	All 3/S	C2OZ 7210-E	1		
66	B	6&8	All	All 3/S	C6OZ 7210-D	1		
67	B	6&8	All	All 3/S	C7OZ 7210-D	1		
68/69	B	6&8	All	All 3/S	C9AZ 7210-F	1		
70	B	"Before 12/15/69"	6&8	All	All 3/S	D0AZ 7210-C	1	
70/71	B	"From 12/15/69"	6&8	All	All 3/S	★D0AZ 7210-G	1	Replaced by D3OZ 7210-A (10-74)
72	B	6&8	All	All 3/S	D3OZ 7210-A	1		

Identification Marking

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7210 LEVER - TRANSMISSION COLUMN MOUNTED GEAR SHIFT-continued-Includes knob,insulator and impact sleeve							
70	P(non-locking column)	6	All	All 3/S	D0DZ 7210-B	1	
70	P (w/locking column)- "Before 12/15/69"	6	All	All 3/S	D0AZ 7210-C	1	
70	P (w/locking column)- "From 12/15/69"	6	All	All 3/S	★D0AZ 7210-G	1	Replaced by D3OZ 7210-A (10-74)
71/72	P "Before 10/22/71"	6&8	All	All 3/S		1	
72	P- "From 10/22/71 to 6/1/72"	6&8	All	All 3/S	D2DZ 7210-A	1	Includes 1-D0AZ 7D439-A pin
72	P "From 6/1/72"	6&8	All	All 3/S	D3OZ 7210-A	1	
66/72	U "Before P60,001"	6&8	All	All 3/S	D1TZ 7210-C	1	
72	U "From P60,001"	6&8	All	All 3/S	D3TZ 7210-B	1	
65	X	6&8	All	All 3/S	C2OZ 7210-E	1	
66	X "Before 11/1/65"	6&8	All	All 3/S	C6OZ 7210-D	1	
66/67	X "From 11/1/65"	6&8	All	All 3/S	C7DZ 7210-A	1	
68/70	X	6&8	All	All 3/S	C9AZ 7210-F	1	
65/66	A, B, X	6&8	All	All 3/S	357479-S15 (NN108)	1	Pin - 3/16" x 1"
7210 SHIFT LEVER - TRANSFER CASE							
66	U "Before Ser. 830,001"	6&8	All		C6TZ 7210-AH	1	Use with ball type gear shift knob
66/72	U "From Ser. 830,001"	6&8	All		D0TZ 7210-K	1	Use with "T" bar handle
71/	U	6&8	All	All 3/S	56138-S2(B319V)	1	Bolt-3/8"-16 x 3/4" hex.washer hd.-UBS - (attach shift lever assy. to transfer case)
7212 TUBE - TRANSMISSION COLUMN MOUNTED GEAR SHIFT - Also Refer to Tube Kit 7212							
65/66	A	6&8	All	All 3/S	C5AZ 7212-F	1	26 1/2" long
67	A (exc. P/C & Fleet)	6&8	All	All 3/S	C7AZ 7212-B	1	26 1/8" long-includes emergency flasher system
67	A (P/C & Fleet)	6&8	All	All 3/S	C7AZ 7212-C	1	26 1/8" long-use with H/D column - includes emergency flasher system
68	A(exc. P/C & Fleet)	6&8	All	All 3/S	C8AZ 7212-A	1	27 3/16" long
68	A(P/C & Fleet)	6&8	All	All 3/S	C8AZ 7212-S	1	27 13/64" long
69	A (exc. P/C & Fleet)	6&8	All	All 3/S	C9AZ 7212-C	1	28 7/8" long
69	A (P/C & Fleet)	6&8	All	All 3/S	C9AZ 7212-G	1	28 7/8" long
70/71	A(exc. P/C & Fleet)	6&8	All	All 3/S	D0AZ 7212-B	1	28 5/8" long
70/71	A(P/C & Fleet)	6&8	All	All 3/S	D0AZ 7212-C	1	28 5/8" long
65	B	6&8	All	All 3/S	C3OZ 7212-B	1	27 1/8" long
66	B, X	6&8	All	All 3/S	C6OZ 7212-B	1	27 1/2" long
67	B, X	6&8	All	All 3/S	C7OZ 7212-A	1	27 1/2" long
68	B, X	6&8	All	All 3/S	C8AZ 7212-A	1	27 3/16" long
69	B, X	6&8	All	All 3/S	C9OZ 7212-B	1	27 3/16" long
70	X	6&8	All	All 3/S		1	
70/71	B	6&8	All	All 3/S	D0OZ 7212-B	1	27 9/16" long
72	B "Before 10/18/71"	6&8	All	All 3/S	D2OZ 7212-B	1	18 1/2" long-includes 7302
72	B "From 10/18/71"	6&8	All	All 3/S	D2OZ 7212-E	1	18 1/2" long-includes 7302
72	B	6&8	All	All 3/S	D2OZ 7212-D	1	5" long-includes pin, guide & insulator
70	P	6	All	All 3/S	D0DZ 7212-E	1	25 5/8" long-w/o locking column
70/72	P "Before 1/10/72"	6&8	All	All 3/S	D2DZ 7212-C	1	
72	P "From 1/10/72"	6&8	All	All 3/S	D2DZ 7212-B	1	25 1/4" long
66/	U	6&8	All	All 3/S	C6TZ 7212-B	1	30 7/16" long
65	X	6&8	All	All 3/S	C5DZ 7212-A	1	23 11/16" long

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7212 TUBE KIT - TRANSMISSION COLUMN MOUNTED GEAR SHIFT							
70/72	P-w/locking column	6&8	All	All 3/S	D2DZ 7212-C	1	Includes (1) D2DZ 7212-B tube assy., (1) D2DZ 7302-A arm assy., (1) D2DZ 7303-A arm assy., (1) D2AZ 7347-A bearing
7212 TUBE - STEERING COLUMN INNER - FLOOR SHIFT TRANSMISSION							
68	A, B, F, X	6&8	All	All	C8AZ 7212-D	1	
69	A (fixed wheel)	8	All	F/4/S	C9AZ 7212-A	1	27 9/16" long
69	A, F (tilt wheel)	8	All	All	C9AZ 7212-F	1	24 1/2" long
69	B	8	All	All	C9OZ 7212-A	1	
70 /	B	8	All	All	D0OZ 7212-C	1	27 1/8" long
69	F (fixed wheel)	8	All	All	C9ZZ 7212-A	1	
70	F (fixed wheel)	6&8	All	All	D0ZZ 7212-A	1	28 1/4" long
70	F (tilt wheel)	6&8	All	All	D0ZZ 7212-B	1	25 3/16" long
71 /	F (fixed wheel)	6&8	All	All	D1ZZ 7212-A	1	27 1/16" long
71 /	F (tilt wheel)	6&8	All	All	D1ZZ 7212-B	1	26 1/16" long
71 /	P	6&8	All	All 3/S	D1DZ 7212-A	1	25" long
7213 KNOB - TRANSMISSION GEAR SHIFT LEVER -Also refer to Group 7C404							
COLUMN SHIFT							
65/66	A	6&8	All	All 3/S	C5AZ 7213-A	1	Chrome
67 /	A	6&8	All	All 3/S	D3OZ 7213-A	1	Aluminum-repl. chrome knob
66 /	B, P, X	6&8	All	All 3/S		1	
69 /	U	6&8	All			1	
66/68	U	6&8	All		C5TZ 7213-B	1	Black plastic
FLOOR SHIFT							
65/67	A	8	All	F/4/S	C2AZ 7213-E	1	Walnut finish
65	B, X	8	All	All 4/S		1	
68/69	A, B, F, X	8	All	F/4/S	C8OZ 7213-F	1	Walnut wood grain
70/71	B, F	8	All	F/4/S	D1OZ 7213-A	1	"Hurst"
72	B, F	8	All	F/4/S	D2OZ 7213-A	1	Black with white letters
66/67	B, X	8	All	F/4/S	C8WY 7213-D	1	Walnut finish
65/67	F	6&8	All	All 4/S		1	
65/68	B, F "Before 1/2/68"	6&8	All	All 3/S	C8OZ 7213-B	1	Walnut finish-1/2" x 20 thread
68/69	B, F "From 1/2/68"	6&8	All	All 3/S	C8OZ 7213-G	1	Walnut wood grain - 7/16"-20 thread
70 /	F	6&8	All	All 3/S		1	
71 /	P	6&8	All	All 3/S		1	
68/69	F (GT500 K.R.)	8	All	All 4/S	★S8MS 7213-B	1	Not replaced
71 /	L (exc. Squire & Luxury Decor)	4	All	All	D1FZ 7213-A	1	1 7/8" long-2" dia.-4 speed pattern on ball
72	L (Squire & Luxury Decor)	4	All	All	D2FZ 7213-A	1	Woodgrain & # Pony
65 /	A, B, F, X	8	All	All 4/S	356052-S13	1	Nut - 1/2"-20 hex. (attach. knob to lever 7210)
65/68	B, F "Before 1/2/68"	6&8	All	All 3/S	(MM122)	1	
68/69	B, F "From 1/2/68"	6&8	All	All 3/S	382644-S13	1	Nut-7/16"-20 threads
					(MM121ZD)		
7213 BALL - TRANSFER CASE SHIFT ASSY.							
66	U "Before Ser. 830, 001"	6&8	All		B9TT 7213-J	1	Ball
66 /	U "From Ser. 830, 001"	6&8	All		★C5ZZ 7213-M r/b D3OZ 7213-B (3-74)	1	Kit - "T" handle-includes (1) C8ZZ 7213-A "T" bar, (1) each C8ZZ 7C488-A & B buttons, (2) 374985-S set screws-discard C8ZZ 7C488-B and use C6TZ 7C488-A

Identification Marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7E218 DETENT - TRANSMISSION GEAR SHIFT LEVER							
69	A,B,F	8	All	F/4/S	C9AZ 7E218-A	1	
70 /	A, B, P	6&8	All	All 3/S	D0AZ 7E218-A	1	
7225 BEARING - TRANSMISSION GEAR SHIFT LEVER SOCKET							
65/66	A (P/C & Taxi only)	6&8	240,289	All 3/S	★C5AZ 7225-A	1	1 3/4" O. D. -1 7/16" I. D. 5/16" thick
7227 SPRING - TRANSMISSION GEAR SHIFT TUBE RETRACTING							
65/68	A	6&8	All	All 3/S	C2OZ 7227-B	1	1 5/8" O. D. -1 7/8" long
65/69	B	6&8	All	All 3/S		1	
65/70	X	6&8	All	All 3/S		1	
65/69	A, B	6&8	All	All 3/S	371453-S(XX282)	2	Washer-flat 1 1/2" I. D. (retain spring on tube)
7227 SPRING - TRANSMISSION GEAR SHIFT LEVER SUPPORT SHAFT - Also serviced in 7400 assembly							
65/67	A	8	All	F/4/S	C5ZZ 7227-A	1	1 1/2" free length-4 coils
65/68	B, F, X	8	All	F/4/S		1	
65/68	B, F (floor shift)	6&8	All	All 3/S		1	
65/66	F	6	All	D/4/S		1	
68	A	8	All	F/4/S	C8AZ 7227-A	1	1" free length-4 coils
69	A,B,F	8	All	F/4/S	C9AZ 7227-A	1	1 11/16" long-3/4 and 1 3/4" wide
65/66	B, F, X	8	All	W/4/S	C2AZ 7227-B	1	1 13/16" free length-11 coils
69	B, F	6&8	All	All 3/S	C9OZ 7227-A	1	1 3/16" free length-2 coils-floor shift
70 /	F	6&8	All	All 3/S		1	
71 /	P	6&8	All	All 3/S		1	
65/69	A, B, X	8	All	F/4/S	371681-S(XX252)	1	Washer-flat-7/8" I. D.
65/66	F	8	All	F/4/S		1	
65/66	F, X	6	All	D/4/S		1	
65 /	B, F	6&8	All	All 3/S		1	
65/66	B, F, X	8	All	W/4/S	351503-S40 (XX204)	1	Washer-flat 5/8" I. D.
67	F	8	All	F/4/S	379575-S(XX365A)	1	Washer-flat-1 1/16" I. D.
					97522-S(Q1A)	1	Snap ring-5/8"
					97527-S(Q1B)	1	Snap ring-7/8"
7228 EXTENSION - TRANSMISSION CONTROL SELECTOR SOCKET COVER							
67	F	6&8	All	All	C7SZ 7228-B	1	
7228 SOCKET - TRANSMISSION GEAR SHIFT LEVER							
65/67	A(exc. P/C & Fleet), B	6&8	All	All 3/S	C2OZ 7228-G	1	
66/67	X	6&8	All	All 3/S		1	
66/67	A(P/C & Fleet)	6	240	All 3/S	C5AZ 7228-C	1	
68	A	6&8	All	All 3/S	C8AZ 7228-A	1	
68/69	B, X	6&8	All	All 3/S		1	
70	P	6&8	All	All 3/S		1	W/o locking shift control
70	X	6&8	All	All 3/S		1	
69	A	6&8	All	All 3/S	C9AZ 7228-A	1	
70/71	A, B, P	6&8	All	All 3/S	D3DZ 7228-A	1	With locking shift control
72	A, P	6&8	All	All 3/S		1	
65	B, X	6&8	All	All 3/S	D3TZ 7228-B	1	
66 /	U	6&8	All	All 3/S		1	
72	B	6&8	All	All 3/S	D2OZ 7228-A	1	
7C228 SPRING - TRANSMISSION GEAR SHIFT							
65 /	A, B, P, X	6&8	All	All 3/S	C2OZ 7C228-A	1	
65 /	U	6&8	All	All 3/S	B9AZ 7C228-A	1	
65	X	6&8	All	All 3/S		1	

Identification Marking

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7E231 HANDLE - TRANSMISSION - REVERSE GEAR LOCKOUT							
68	B, F, X	8	All	F/4/S	C8OZ 7E231-A	1	1 5/8" diameter-1 5/8" long
7B233 PLATE - TRANSMISSION FLOOR PAN GEAR SHIFT LEVER OPENING COVER - Also Refer to Group 7D358							
66	A (with console)	8	All	All 4/S	C6AZ 7C309-A	1	
67	A (with console)	8	All	All 4/S	C7AZ 7B233-D	1	
69	A	8	All	F/4/S	C9AZ 7B233-A	1	
65	B (without console)	8	All	All 4/S	C2AZ 7C309-A	1	
68/69	B, X	8	All	F/4/S	C9OZ 7B233-A	1	
66/68	B	8	390	All 3/S		1	
70/71	B	8	All	F/4/S	D0OZ 7B233-A	1	
72	B	8	All	F/4/S	D2OZ 7B233-A	1	
65	X	8	All	All 4/S	C3DZ 7C309-C	1	
65/	A, B, X	8	All	All	31498-S8(U253-B)	AR	Screw No. 14 x 5/8" tap (plate to floor pan)
67	A	8	All	All	31497-S8(U254)	10	Screw No. 14 x 1/2" tap
7246 INSULATOR - TRANSMISSION GEAR SHIFT LEVER							
65/71	A (column shift)	6&8	All	All 3/S	B8S 7246-A	1	1" long-3/4" O.D. & 11/16" O.D.-3/8" I.D.- alternate with C2OZ 7246-A
65	A (console shift)	8	All	F/4/S	★C5AZ 7246-A	1	Floor shift-1/2" x 11/16" x 4 7/16"
65/	B	6&8	All	All 3/S	C2OZ 7246-A	1	1" long-3/4" O.D. -alternate with B8S 7246-A
65/70	X	6&8	All	All 3/S		1	
70/	P	6&8	All	All 3/S		1	
71/	A, B, P	6&8	All	All 3/S	D2DZ 7246-A	1	4 13/16" long-1/4" wide
72	B	6&8	All	All 3/S	D2OZ 7246-A	1	Repair kit for short shaft (7212)-consists of (1) D2OA 7E406-AB guide, (1) D2OA 7246-AB insulator, (1) D2OA 7D439-AB pin
7E257 ROD - TRANSMISSION GEAR SHIFT LEVER RETAINER							
68	A	8	All	F/4/S	C8AZ 7E257-A	1	3 7/8" overall length w/elongated flat ends
7E259 SPRING - TRANSMISSION GEAR SHIFT LEVER - INNER							
68	A	8	All	F/4/S	C8AZ 7E259-A	1	1" long-3/4" diameter-5 coils
7262 RETAINER - TRANSFER CASE SHIFT LEVER OPENING COVER							
66/	U	6&8	All	All	C6TZ 7262-A	1	5 3/4" x 3 1/8"
7262 RETAINER - TRANSMISSION GEAR SHIFT LEVER BOOT - Also Refer to Group 7E391							
65/68	A	8	All	All 4/S	C5AZ 7262-A	1	2 7/8" I.D. x 4 1/2" O.D.
69/71	A	8	All	F/4/S	C9AZ 7262-A	1	5 1/16" x 6 1/8"-★C9AB 7262-A
65	B, X(w/o console)	6&8	All	All 4/S	C2AZ 7262-A	1	Round base-4 7/8"-bolt pattern-Chrome
65	B(w/console)	8	All	All 4/S	C3AZ 7262-A	1	3 13/16" x 5 5/8" x 3 1/2"-bolt pattern-Chrome
66/68	B, X	8	All	All	C6OZ 7262-A	1	5 11/16" x 4 13/16"
69/70	B, F	6&8	All	All	C9ZZ 7262-A	1	6 5/8" x 4 3/4"
71	B	8	All	All		1	
72	B (floor shift)	8	All	All		1	
65/68	F	6&8	All	All	C5ZZ 7262-A	1	
71/	L	4	All	All	D1FZ 7262-A	1	
71/	P	6&8	All	All 3/S	D1DZ 7262-A	1	7 7/8" long-5 13/32" wide
65/	A, B, F, X	6&8	All	All	32938-S7(U345)	AR	Screw-No. 12 x 3/4" tap
					34903-S8(X96)	AR	Washer-No. 10 x 3/8"

Identification Marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7E273 SPRING - TRANSMISSION GEAR SHIFT LEVER							
68	B, F	6&8	All	All	C8OZ 7E273-A	1	1 9 16" long-1/2" diameter
68	X	8	All	F/4/S			
7275 KIT - POWER TAKE-OFF - TRANSFER CASE							
66/	U	6	170	All	C6TZ 7275-B	1	Includes I.S.-No. 2414
66/	U	8	289,302	All	C6TZ 7275-C	1	Includes I.S.-No. 2415
7277 BOOT - TRANSMISSION GEAR SHIFT LEVER							
65/68	A (w/o console)	8	All	All 4/S	C2AZ 7277-G	1	Round base with cut-off, 4 7/8" dia. bolt pattern-
65	B, X (w/o console)	8	All	F&W/4/S		1	2 7/16" high-used as lower boot to cover opening on gear shift lever cover plate
65	A (w/console)- "Before 4/1/65"	8	All	All 4/S		1	
65	B (w/console)	8	All	All 4/S		1	
65/67	A "From 4/1/65"	8	All	All 4/S	C5AZ 7277-B	1	4 11/16" x 7" x 4 1/2" x 7" -2 7/16" high-used as lower boot to cover opening on gear shift lever cover plate
68	A	8	All	F/4/S	C8AZ 7277-A	1	4 15/16" x 4 15/16" base-2 1/2" high
69/71	A	8	All	F/4/S	C9AZ 7277-C	1	#C9AB 7C455-A-w/o console
69/71	A	8	All	F/4/S	C9AZ 7277-A	1	#C9AB 7B118-A-w/console
65	B	8	All	All 4/S	C4AZ 7277-B	1	3 13/16" x 5 11/16" x 3 1/4" x 5 15/16" bolt pattern-2 3/4" high-used as upper boot on console panel
66/68	B, X	8	All	All	C6OZ 7277-A	1	Rectangular base-4 1/16" x 4 5/8"-1 11/16" high
69	B	8	All	All	C9OZ 7277-A	1	6" x 4 1/8" bolt pattern-1 13/16" high
70	B, F	8	All	All 4/S	D0ZZ 7277-B	1	#D0ZB 7B118-A or E
71	B	8	All	F/4/S		1	
72	B	8	All	F/4/S	D2OZ 7277-A	1	
65/68	F	6&8	All	All	C5ZZ 7277-B	1	
69	F	8	All	All	C9ZZ 7277-A	1	6" x 4 1/8" bolt pattern-2 9/16" high
70	F	6&8	All	All 3/S		1	
71	F	6&8	All	All 3/S	D1ZZ 7277-A	1	7 11/16" x 5 1/2" at base-4 bellows
71	F	8	All	F/4/S	D1ZZ 7277-B	1	7 11/16" x 5 1/2" at base-4 bellows
72	F	6&8	All	All	D2ZZ 7277-A	1	
71/72	L	4	All	All	*D2FZ 7277-A	1	R/b D4FZ 7277-A (11-73)
71/	P(floor shift)	6&8	All	All 3/S	D1DZ 7277-A	1	7 1/8" long-4 11/16" wide
66	U	6&8	All		C6TZ 7277-A	1	5 3/4" x 3 1/8" base-5" high
					42127-S8(U248C)	1	Screw-No.10 x 1/2" hex.hd.(boot to floor pan)
7285 LEVER - TRANSMISSION GEAR SHIFT CONTROL INTERMEDIATE AND HIGH-Also refer to Group 7C312							
66/68	B (floor shift)	8	390	3.03	C6OZ 7C313-B	1	Also serviced in 7400 assy.
65/68	F (floor shift)	6&8	All	All 3/S	C5ZZ 7285-B	1	Also serviced in 7400 assy.
66/	U	6&8	All	All 3/S			Refer to Transmission Parts List
7290 LEVER - TRANSMISSION GEAR SHIFT CONTROL LOW and REVERSE							
66/68	B (floor shift)	8	390	3.03	C6OZ 7290-A	1	Also serviced in 7400 assy.
65/68	F (floor shift)	6&8	All	All	C5ZZ 7290-C	1	Also serviced in 7400 assy.
7E291 SUPPORT - TRANSMISSION GEAR SHIFT LEVER INNER							
69	A,B,F	8	All	F/4/S	C9AZ 7E291-A	1	

YEAR	MODEL	ENGINE		TRANS. TYPE	INTERMEDIATE and HIGH	LOW and REVERSE	QTY.
		CYL.	C.I.D.		7302	7303	

7302-3 ARM - TRANSMISSION GEAR SHIFT CONTROL - COLUMN MOUNTED

- A -

65/67	A (exc. P/C & Fleet)	6&8	All	All 3/S	C5AZ 7302-A	C5AZ 7303-A	1
	A (P/C & Fleet)	6&8	All	All 3/S	★C5AZ 7302-E	C5AZ 7303-B	1
68	A (exc. P/C & Fleet)	6&8	All	All 3/S	C8AZ 7302-B	C8AZ 7303-A	1
	A (P/C & Fleet)	6&8	All	All 3/S	★C8AZ 7302-C	C8AZ 7303-B	1
69	A (exc. P/C & Fleet)	6&8	All	All 3/S	C9AZ 7302-B	C9AZ 7303-B	1
	A (P/C & Fleet)	6&8	All	All 3/S	C9AZ 7302-A	C9AZ 7303-A	1
70/71	A	6&8	All	All 3/S	D0AZ 7302-A	D0AZ 7303-C	1

- B -

65	B	6&8	All	All 3/S	C3OZ 7302-A	C3OZ 7303-A	1
66/67	B	6&8	All	All 3/S	C6OZ 7302-A	C6OZ 7303-A	1
68	B	6&8	All	All 3/S	C8OZ 7302-B	C8OZ 7303-A	1
69	B	6&8	All	All 3/S	C9OZ 7302-A	C9OZ 7303-A	1
70/71	B	6&8	All	All 3/S	D0OZ 7302-A	D0OZ 7303-A	1

- P -

70/	P	6&8	All	All 3/S	D2DZ 7302-A	D2DZ 7303-A	1
-----	---	-----	-----	---------	-------------	-------------	---

- X -

65/67	X	6	All	2.77	C3TZ 7302-D	C1DZ 7303-A	1
65	X	6&8	All	3.03	C3DZ 7302-B	C3DZ 7303-B	1
66/67	X	6&8	All	3.03	C6OZ 7302-A	C6OZ 7303-A	1
68	X	6&8	All	All 3/S	C8OZ 7302-B	C8OZ 7303-A	1
69/70	X	6&8	All	All 3/S	C9OZ 7302-A	C9OZ 7303-A	1

- U -

66/72	U	6&8	All	All 3/S	C5TZ 7302-A	C5TZ 7303-A	1
-------	---	-----	-----	---------	-------------	-------------	---

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				

Attaching parts for Arm Assy.

65/70	X	6&8	All	All 3/S	72016-S(N44)	1	Pin-3/4" (sleeve to arm)
65	X	6&8	All	All 3/S	370444-S7(XX135)	2	Washer 3/8" I.D.

7C307 SPRING - TRANSMISSION GEAR SHIFT CONTROL-ANTI-RATTLE

65/66	A (w/o console)	8	All	All 4/S	C5ZZ 7C307-A	1	2 3/16" long
65	F	6&8	All	All		1	
65	A (w/console)	8	All	All 4/S	★C5AZ 7C307-A	1	6 11/16" long

YEAR	MODEL	ENGINE		TRANS.	FIRST & SECOND GEAR - 7315	THIRD & FOURTH GEAR - 7C313	REVERSE GEAR 7C312	QTY.
		CYL.	C.I.D.					

7C309 Refer to Group 7B233 or Group 7D358

7C312 LEVER - TRANSMISSION GEAR SHIFT CONTROL- Also refer to Groups 7285 and 7290

69	B, F	6&8	All	All 3/S	C9OZ 7C312-A	2	Forward and reverse gears	
70/	F	6&8	All	All 3/S		2		
71/	P-console shift	6	All	All 3/S		2		
65	B	8	All	W/4/S	C3AZ 7315-C	C3AZ 7C313-D	C3AZ 7C312-C	1
65/67	A (w/o console)	8	All	F/4/S	C4AZ 7315-A	C4AZ 7C313-A	C4AZ 7C312-B	1
65	A (w/console)- " Before 4/1/65"	8	All	F/4/S				1
65	B	8	All	F/4/S				1
65/67	A (w/console)- " From 4/1/65"	8	All	F/4/S	C5AZ 7315-A	C5AZ 7C313-A	C5AZ 7C312-A	1
68	A (floor or console shift)	8	All	F/4/S	C8AZ 7315-A	C8AZ 7C312-A	C8AZ 7C312-A	1
69	A, B, F " Before 12/16/68"	8	All	F/4/S	C9OZ 7315-A	C9AZ 7C312-A	C9AZ 7C312-A	1
69	A, B, F " From 12/16/68"	8	All	F/4/S	C9OZ 7315-A	C9AZ 7C312-A	C9AZ 7C312-B	1
66/68	B, X	8	All	F/4/S	C6OZ 7315-A	C6OZ 7C313-A	C6OZ 7C312-A	1

† Identification Marking
May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	FIRST & SECOND	THIRD & FOURTH	REVERSE GEAR	QTY
		CYL.	C.I.D.		7315	7C313	7C312	
7C312 LEVER - TRANSMISSION GEAR SHIFT CONTROL - continued - Also refer to Groups 7285 and 7290								
65/68	F	6&8	170,200, 260,289, 302	All 4/S	C5ZZ 7315-A	C5ZZ 7C313-A	C5ZZ 7C312-A	1
67/68	F	8	390	F/4/S	C5ZZ 7315-A	C5ZZ 7C313-A	C7ZZ 7C312-A	1
65	X	8	All	W/4/S	C3DZ 7315-B	C3AZ 7C313-D	C3DZ 7C312-B	1
65	X	8	All	F/4/S	C4AZ 7315-A	C4AZ 7C313-A	★C4DZ 7C312-B	1

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				

7C313 Refer to Group 7C312**7315** Refer to Group 7C312**7A315 ROD - TRANSFER CASE CONTROL**

66/	U	6&8	All	All 3/S	C6TZ 7A315-B	1	3" long - 3/8" dia. rod
-----	---	-----	-----	---------	--------------	---	-------------------------

7317 BRACKET - TRANSMISSION GEAR SHIFT TUBE and STEERING COLUMN

72	B	6&8	All	All 3/S	D2OZ 7317-A	1	
----	---	-----	-----	---------	-------------	---	--

7C318 INTERLOCK - TRANSMISSION GEAR SHIFT CONTROL LEVER

65	B, X	6&8	All	D & W/4/S	C2AZ 7C318-B	1	
65/67	A	8	All	F/4/S	C5ZZ 7C318-A	1	
65/68	B, X	8	All	F/4/S		1	
65/68	F	6&8	All	All		1	

YEAR	MODEL	ENGINE		TRANS. TYPE	INTERMEDIATE and HIGH		LOW and REVERSE		QTY.
		CYL.	C.I.D.		7326	OVERALL LENGTH (INCHES)	7328	OVERALL LENGTH (INCHES)	

7326 ROD - TRANSMISSION GEAR SHIFT

3-SPEED

- A -

65/68	A	6&8	All	All 3/S	C5AZ 7326-A	7 1/4	C5AZ 7328-A	12 3/8	1
69	A	6&8	All	All 3/S	C9AZ 7326-C	6 1/2	C9AZ 7328-A	11	1
70/71	A	6&8	All	All 3/S	D0AZ 7326-A	5	D0AZ 7328-C	10 1/4	1

- B -

65	B	6	170,200	2.77	C3OZ 7326-C	12 3/4	★C3OZ 7328-C	14 3/4	1
65	★B	8	All	3.03	CC3OA 7326-B	13 1/8	★C5OZ 7328-A	15 1/2	1
66	B	6	200	2.77	C6OZ 7326-F	13	C6OZ 7328-D	15	1
66/69	B	8	289,302, 351	3.03	C6OZ 7326-E	13 1/2	C6OZ 7328-E	14 1/2	1
66/68	B (column shift)	8	390	3.03	C6OZ 7326-D	14	C6OZ 7328-A	14 1/2	1
67/68	B	6	200	3.03	C6OZ 7326-E	13 1/2	C6OZ 7328-E	14 1/2	1
69	B (column shift)	6&8	250,390	All 3/S	C9OZ 7326-C	14	C9OZ 7328-A	15 1/2	1
69	B (floor shift)	8	390	All 3/S	C9OZ 7326-D	16 1/2	C9OZ 7328-B	11	1
70/71	B	6&8	All	All 3/S	D0OZ 7326-A	12	D0OZ 7328-A	15	1
72	B	6&8	All	All 3/S	D2OZ 7326-B	14	D2OZ 7328-B	16	1

- F -

65	F	6	170,200	2.77	C5ZZ 7326-B	20 1/4	C5ZZ 7328-B		1
66	F	6	200	2.77	C6ZZ 7326-B	20 1/2	C6ZZ 7328-B	17	1
67/68	F	6	200	3.03	C5ZZ 7326-C	19 1/4	C5ZZ 7328-A		1
65/68	F	8	All	3.03					1
69/	F	6&8	All	All 3/S	C9ZZ 7326-A	20	C9ZZ 7328-A	15	1

- P -

70/	P(column shift)	6	All	All 3/S	D0DZ 7326-B	13 1/2	D3DZ 7328-A	16	1
71/	P(column shift)	8	302	All 3/S	D0DZ 7326-B	13 1/2	D0DZ 7328-C	14 3/8	1
71/	P(console shift)	6&8	All	All 3/S	D1DZ 7326-A	20	D1DZ 7328-A	14 3/8	1

YEAR	MODEL	ENGINE		TRANS. TYPE	INTERMEDIATE and HIGH		LOW and REVERSE		QTY.
		CYL.	C.I.D.		7326	OVERALL LENGTH (INCHES)	7328	OVERALL LENGTH (INCHES)	

7326 ROD - TRANSMISSION GEAR SHIFT - continued

3 SPEED - continued

Attaching parts for connecting rod

- U -

66/	U	6	170	3.03	C6TZ 7326-C	19 5/8	C6TZ 7328-A	21 1/2	1
66/71	U	8	289.302	3.03	D2TZ 7326-B	18 9/64	★C6TZ 7328-C r/b D2TZ 7328-A(10-74)	21	1
72	U	8	302	3.03	D2TZ 7326-B	18 9/64	D2TZ 7328-A	21	1

- X -

65	X	6	All	2.77	C5DZ 7326-A	11 3/4	C5DZ 7328-A	13 3/4	1
66/67	X	6	200	2.77	C6OZ 7326-F	13	C6OZ 7328-D	15	1
67/70	X	6	All	3.03	C6OZ 7326-E	13 1/2	C6OZ 7328-E	14 1/2	1
66/70	X	8	All	3.03	C6OZ 7326-E	13 1/2	C6OZ 7328-E	14 1/2	1

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
65/	A, B, X	6&8	All	All 3/S	351341-S7(XX351)	2	Washer-spring-5/16" (Attach 7326 & 7328 rod to gear shift lever)
					44722-S8(X19)	2	Washer-flat-5/16"
65/67	A, B, F, X	6&8	All	All 3/S	354299-S2(MM156)	2	Nut-5/16" x16 (attach. rods to 7353 sleeve)
65/	A, F	6&8	All	All 3/S	352358-S(NN127B)	2	Pin-self locking
66/	B, X	6&8	All	All 3/S		2	
68/	A, B, F, X	6&8	All	All 3/S	382384-S4 (MM169U)	2	Nut-5/16"-24 (attach rods to 7353 sleeve)
65	B, X	6&8	All	All 3/S	72034-S(N45)	2	Cotter pin-1"
65/	F	6&8	All	All 3/S	351467-S(XX352)	2	Washer-spring-3/8"
					372285-S(XX165)	2	Washer - flat - 3/8"
66/	U	6&8	All	All 3/S	379620-S100 (XX16M)	2	Retaining ring-3/8" (attach. rods to gear shift lever)

YEAR	MODEL	ENGINE		TRANS. TYPE	REVERSE GEAR		THIRD and FOURTH		FIRST and SECOND	
		CYL.	C.I.D.		7B112	OVERALL LENGTH (Inches)	7326	OVERALL LENGTH (Inches)	7328	OVERALL LENGTH (Inches)

4 SPEED

- A -

65	A (floor shift)- " Before 4/1/65"	8	All	F/4/S	C4AZ 7B112-A	10 3/4	C4AZ 7326-E	13 5/8	C4AZ 7328-C	8 3/4
65/67	A (floor shift w/o console)- " From 4/1/65"	8	All	F/4/S	C4AZ 7B112-A	10 3/4	C5AZ 7326-H	14	C4AZ 7328-C	8 3/4
65/67	A (floor shift w/console)- " From 4/1/65"	8	All	F/4/S	★C5AZ 7B112-A	10 3/4	C5AZ 7326-G	13 3/4	C5AZ 7328-D	8 1/2
68	A	8	All	F/4/S	★C8AZ 7B112-A	14 1/2	C8AZ 7326-A	19	C8AZ 7328-A	13
69	A	8	All	F/4/S	C9AZ 7B112-A	20	C9AZ 7326-B	23	C9AZ 7328-B	17 1/4

- B -

65	B	8	All	W/4/S	C2AZ 7B112-B	5 9/16	C3OZ 7326-E	13 1/2	C2AZ 7328-D	10 1/8
65	B	8	All	F/4/S	C4AZ 7B112-A	10 3/4	C4AZ 7326-E	13 5/8	C4AZ 7328-C	8 3/4
66/68	B	8	All	F/4/S	C6OZ 7B112-A	11 3/4	C6OZ 7326-S	15	C6OZ 7328-G	10
69	B	8	All	F/4/S	C9OZ 7B112-A	12 1/2	C6OZ 7326-S	15	C6OZ 7328-G	10
70	B	8	All	F/4/S	D0OZ 7B112-A	14	D0OZ 7326-D	17	D1OZ 7328-A	10 1/2
71	B	8	All	F/4/S	D0OZ 7B112-A	14	D1OZ 7326-A	17	D1OZ 7328-A	10
72	B	8	All	F/4/S	D2OZ 7B112-A	17	D2OZ 7326-A	21	D2OZ 7328-A	13 1/2

- F -

65/66	F	6	200	D/4/S	C5ZZ 7B112-B	15	C5ZZ 7326-D	19 3/8	C5ZZ 7328-D	17
65/66	F	8	All	W/4/S	C5ZZ 7B112-C	9 5/8	C5ZZ 7326-F	18 5/16	C5ZZ 7328-E	15 1/2
65/67	F	8	260.289	F/4/S	C5ZZ 7B112-A	15	C5ZZ 7326-H	18 1/4	C5ZZ 7328-F	14
67	F	8	390	F/4/S	★C7ZZ 7B112-A	15 1/2	C5ZZ 7326-H	18 1/4	C5ZZ 7328-F	14
68	F	8	All	F/4/S	C5ZZ 7B112-A	15	C5ZZ 7326-H	18	C5ZZ 7328-F	14
69	F	8	All	F/4/S	C9ZZ 7B112-A	15 3/8	C9ZZ 7326-B	19	C9ZZ 7328-B	12 1/2

YEAR	MODEL	ENGINE		TRANS. TYPE	REVERSE GEAR		THIRD & FOURTH		FIRST & SECOND	
		CYL.	C.I.D.		7B112	OVERALL LENGTH (Inches)	7326	OVERALL LENGTH (Inches)	7328	OVERALL LENGTH (Inches)

7326 ROD - TRANSMISSION GEAR SHIFT - continued

4-SPEED - continued

Attaching Parts for Connecting Rods

- F -

70	F	8	302.351	F/4/S	D0ZZ 7B112-A	17	D0ZZ 7326-A	19	D0ZZ 7328-A	14	
		8	428	F/4/S	D0ZZ 7B112-B	17					
71/72	F	"Before 11/15/71"	8	All	F/4/S	D1ZZ 7B112-A	16	D1ZZ 7326-E	19	D1ZZ 7328-A	12
72	F	"From 11/15/71"	8	All	F/4/S	D1ZZ 7B112-A	16	D2ZZ 7326-B	18 5/32	D1ZZ 7328-A	12

- X -

65	X	8	All	W/4/S	★C3DZ 7B112-A	31 1/4	C3DZ 7326-B	11 1/4	C3DZ 7328-E	7 3/4
65	X	8	All	F/4/S	★C4DZ 7B112-A	9 1/4	C4DZ 7326-C	13 5/8	★C4DZ 7328-A	6 1/4
66/68	X	8	All	F/4/S	C6OZ 7B112-A	11 3/4	C6OZ 7326-S	15	C6OZ 7328-G	10

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
65/69	A, B, F, X	6&8	All	All 4/S	351467-S (XX352)	3	Washer-spring-3/8" (Rod to trans.gear lever)
					44727-S8(X24)	3	Washer-flat-3/8"
65/67	A, B, F, X	6&8	All	All 4/S	354299-S (MM156)	3	Nut-5/16"-24 (Rod to 7353 sleeve)
65/69	A, B, F, X	6&8	All	All 4/S	352358-S (NN127B)	3	Pin - locking
68/	A, B, F, X	6&8	All	All 4/S	382384-S4 (MM169U)	3	Nut-5/16"-24 (Rods to 7353 sleeve)

7328 Refer to Group 7326**7328 ROD - TRANSMISSION GEAR SHIFT INTERLOCK**

65/67	A	8	240.289	O/D	C5AZ 7328-C	1	8 3/4" overall length
65/67	A	6&8	All	All 3/S	351467-S (XX352)	1	Washer-spring-3/8" (Rod to 7C173 lever)
					44727-S8(X24)	1	Washer-flat-3/8"
					72034-S(N45)	1	Cotter pin - 1"
					354299-S (MM156)	1	Nut-5/16"-24 x 5/16" (Rod to 7353 sleeve)

7E330 ROD - TRANSMISSION LOCK CONTROL

70/	B	8	All	F/4/S	D0OZ 7E330-D	1	16 45/64" long-#Yellow paint-#D0CA 7E330-H
70	F	6&8	All	All 3/S	D0ZZ 7E330-B	1	12" long-#D0ZA 7E330-T
70	F(exc. Boss)	8	All	F/4/S	D0ZZ 7E330-C	1	14 1/2" long-#D0ZA 7E330-S
70	F(Boss)	8	429	F/4/S	D0ZZ 7E330-F	1	
71/	F	8	All	F/4/S	D1ZZ 7E330-D	1	Approx. 11" long-#daub of green paint
71/	F	6&8	All	All 3/S	D1ZZ 7E330-E	1	Approx. 12" long-daub of purple paint
71/	P	6	All	All 3/S	D1DZ 7E330-B	1	Approx. 15" long-#daub of orange paint
71/	P	8	302	All 3/S	D1DZ 7E330-A	1	

7335 BUSHING - TRANSMISSION GEAR SHIFT LEVER SOCKET

- A -

65	A (exc. P/C & Fleet)- "Before 1/11/65"	6&8	All	All 3/S	C4AZ 7335-B	2	Upper & lower - 1 9/16" O.D. - 1 1/2" I.D.
65/66	A (P/C & Fleet)	6&8	All	All 3/S		1	Upper
67/68	A	6&8	All	All 3/S		1	Intermediate
68/71	A	6&8	All	All 3/S		1	Lower
65/67	A "From 1/11/65"	6&8	All	All 3/S	C5AZ 7335-A	1	Upper-1 9/16" O.D. - 1 1/4" I.D.
65/67	A	6&8	All	All 3/S	C4AZ 7335-C	1	Lower - 1 3/4" O.D. - 1 1/2" I.D.
68/	A	6&8	All	All 3/S	C8AZ 7335-A	1	Upper - 1 9/16" O.D. - 1 1/4" I.D.

- B -

66/67	B	6&8	All	All 3/S	C5AZ 7335-A	1	Intermediate - 1 9/16" O.D. - 1 1/4" I.D.
66/67	B	6&8	All	All 3/S	C4AZ 7335-B	1	Upper - 1 9/16" O.D. - 1 1/2" I.D.
68/	B	6&8	All	All 3/S		1	Intermediate
68	B	6&8	All	All 3/S	C4AZ 7335-C	1	Lower - 1 3/4" O.D. - 1 1/2" I.D.

* Identification Marking

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7335 BUSHING - TRANSMISSION GEAR SHIFT LEVER SOCKET - continued							
- B -							
68/	B	6&8	All	All 3/S	C8AZ 7335-A	1	Upper - 1 9/16" O.D.-1 1/4" I.D.
69/71	B	6&8	All	All 3/S	C9AZ 7335-A	1	Lower-1 13/16" I.D.-7/16" wide
72	B	6&8	All	All 3/S	D2OZ 7335-A	1	Lower-1 5/8" I.D.-1 57/64" flange dia.-1/2" wide
- P -							
70/	P	6&8	All	All 3/S	C9AZ 7335-A	1	Lower - 1 13/16" I.D.-7/16" wide
70	P	6	All	All 3/S	C4AZ 7335-B	1	Intermediate - 1 9/16" O.D.-1 1/2" I.D.
70/	P	6&8	All	All 3/S	C8AZ 7335-A	1	Upper - 1 9/16" O.D.-1 1/4" I.D.
- U -							
66/	U	6&8	All	All 3/S	C6TZ 7335-A	2	Upper & lower 5/8" O. D.
- X -							
66/67	X	6&8	All	All 3/S	C4AZ 7335-B	1	Upper - 1 9/16" O.D.-1 1/2" I.D.
68/70	X	6&8	All	All 3/S		1	Intermediate
66/67	X	6&8	All	All 3/S	C5AZ 7335-A	1	Intermediate - 1 9/16" O.D.-1 1/4" I.D.
68	X	6&8	All	All 3/S	C4AZ 7335-C	1	Lower - 1 3/4" O.D.-1 1/2" I.D.
68/70	X	6&8	All	All 3/S	C8AZ 7335-A	1	Upper - 1 9/16" O.D.-1 1/4" I.D.
69/70	X	6&8	All	All 3/S	C9AZ 7335-A	1	Lower - 1 13/16" I.D.-7/16" wide
7335 SLEEVE - TRANSMISSION GEAR SHIFT LEVER IMPACT							
65/71	A, B, X, P	6&8	All	All 3/S	B8S 7335-A	1	
72	B, P	6&8	All	All 3/S	D2AZ 7335-A	1	3/8" O.D.-13/64" I.D.-7/16" long
7336 SPACER - TRANSMISSION GEAR SHIFT CONTROL ARM							
66/67	B, X	6&8	All	All 3/S	C6OZ 7336-A	1	"U" shaped-3/16" thick
66/72	U "Before Ser. P60, 001"	6&8	All	All 3/S	C5TZ 7336-A	1	
72	U "From Ser. P60, 001"	6&8	All	All 3/S	D2TZ 7336-B	1	
65	X	6&8	All	All 3/S	C1DF 7336-A	1	"C" type-1/8" thick
7341 INSULATOR - TRANSMISSION GEAR SHIFT SELECTOR ARM -Also refer to Group 7343							
65/67	A (P/C & Fleet)	6&8	All	All 3/S	C5AZ 7341-A	1	
68/	A, B, X	6&8	All	All 3/S	C8OZ 7341-A	AR	3/8" I.D.-3/8" long
70/	B, F	8	All	F/4/S		AR	
70/	P (column shift)	6	All	All 3/S		AR	
71	P (floor shift)	6	All	All 3/S	D0ZZ 7341-A	1	
72	F	6&8	All	All		1	
7E341 PAWL - GEAR SHIFT CROSSOVER							
70/	F	6&8	All	All 3/S	D0ZZ 7E341-A	1	2 11/16" x 1 1/4" x 3/4
71/	P	6&8	All	All 3/S		1	
7343 BUSHING - TRANSMISSION GEAR SHIFT SELECTOR ARM INSULATOR							
65/68	A, B, X	6&8	All	All 3/S	C1AA 7343-B	2	
69	B, X	6&8	All	All 3/S		1	
7343 BUSHING and INSULATOR KIT - GEAR SHIFT							
65/67	A, F	6&8	All	All	B9AZ 7343-A	1	Consist of: (1)insulator, (1) bushing
65/67	B, X	6&8	All	All	C3TZ 7343-A	1	Consist of: (1)insulator, (1) bushing
66/	U	6&8	All	All 3/S	C5TZ 7343-A	1	Consist of: (1)insulator, (1) bushing
7347 BEARING - STEERING COLUMN TUBE - Used with group 3514							
68	A, B, X (column shift)	6&8	All	All 3/S	C8AZ 7347-B	1	1 3/16" I.D.-1 5/16" long
68	A, B, F, X (floor shift)	6&8	All	All	C7ZZ 7347-C	1	Upper-2 1/8" O. D.-5/8" long-3 tabs
					C8AZ 7347-B	1	Lower-1 3/16" I.D.-1 5/16" long
69/71	A, B (column shift)	6&8	All	All	C9AZ 7347-C	1	Upper-2 3/16" dia.
69/70	X	6&8	All	All		1	
70/	P (column shift)	6&8	All	All		1	
69/72	A, B, F, P	6&8	All	All	D1AZ 7347-A	1	Lower -1 5/8" flange O.D.-1 5/16" I.D. x
69/70	X	6&8	All	All		1	1 5/8" long
70	P	6&8	All	All	★50742-S	3	Screw & internal tooth washer-fillister head-No.8-32 x 1/4"
69/71	A, B, F (floor shift)	6&8	All	All	C9AZ 7347-E	1	Upper-2 1/8" dia.
69/70	X (floor shift)	6&8	All	All		1	
71/	P (floor shift)	6&8	All	All		1	
72	F	6&8	All	All		1	

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7347 BEARING - TRANSMISSION GEAR SHIFT TUBE - Used with group 7212							
65/68	A, B	6&8	All	All 3/S	C5AZ 7347-A	1	1 9/16" I.D. -2 11/16" large O.D. -1 7/8" flange
69/71	A, B	6&8	All	All 3/S	@★C9AZ 7347-B	1	1 3/4" I.D. -1 3/4" long-3" on flats
70/72	P "Before 1/10/72"	6&8	All	All 3/S		1	r/b D2AZ 7347-A (10-73)
69/70	X	6&8	All	All 3/S		1	
65	★B	6&8	All	All 3/S	C3OZ 7347-A	1	
68	X	6&8	All	All 3/S		1	O.D. -2 slots for 7302 & 7303 levers
65	★B	6&8	All	All 3/S	CC3OA 7347-A	1	
72	B "Before 9/1/71"	6&8	All	All 3/S	D2OZ 7347-A	1	2 5/8" O.D., 2 1/4" wide
72	B "From 9/1/71 to 10/18/71"	6&8	All	All 3/S	D2OZ 7347-D	1	2 5/8" O.D., 2 1/4" wide
72	B "From 10/18/71"	6&8	All	All 3/S	D2OZ 7347-E	1	
72	P "From 1/10/72"	6&8	All	All 3/S	@D2AZ 7347-A	1	
7348 RETAINER - TRANSMISSION GEAR SHIFT LEVER - Also serviced in 7400 assembly							
65/67	A	8	All	F/4/S	C5ZZ 7348-B	1	(3) mounting holes-2" x 1 1/2" center distance
65/68	B	8	All	F/4/S		1	
65/68	F	6&8	All	All		1	
66/68	X	8	All	F/4/S		1	
69	A, B, F	8	All	F/4/S	C9AZ 7348-A	1	
65	B, X	6&8	All	W/4/S	★C3AZ 7348-B	1	(3) mounting holes-2 7/8" x 1 3/16" x 1 15/16" center distance
65/69	A, B, F, X	6&8	All	All 4/S	★55588-S8	1	Screw & lockwasher 1/4" -28 x 3/8" (retainer to 7416 support)
					376444-S(3B585A)	1	Screw & lockwasher 1/4" -28 x 2"
65/69	F	6&8	All	All	379575-S(2CX365A)	2	Washer - spring - 1"
7C349 SPRING - TRANSMISSION GEAR SHIFT DETENT							
69	A, B, F	8	All	F/4/S	C9AZ 7C349-A	1	1 7/8" long-13/16" wide
7353 SLEEVE - TRANSMISSION GEAR SHIFT CONNECTING ROD ADJUSTMENT							
65	B	8	All	W/4/S	C2AZ 7353-A	3	1 1/4" long-7/16" long threaded area
68	A, B, X	8	All	F/4/S		3	
65/67	A	6&8	All	O/D		2	
66/68	B (floor shift)	8	390	3.03		2	
65/68	F	6&8	All	All		3	
70	F	6&8	All	All 3/S		3	
71/	F, P (floor shift)	6&8	All	All 3/S		1	
65/68	A	6&8	All	3.03	C1AA 7353-C	2	1 7/16" long -1/2" long threaded area
65/68	B (column shift)	6&8	All	All 3/S		2	
65/68	X	6&8	All	All 3/S		2	
69/	A	6&8	All	All	D1OZ 7353-A	1	1 3/8" long
69	B, F (console or floor shift)	8	All	F/4/S		3	
69	F	6&8	All	All 3/S		AR	
70/	B, F	8	All	F/4/S		AR	
70/	B, F, P (column shift)	6&8	All	All 3/S		AR	
69	B, F (console or floor shift)	6&8	All	All 3/S	C9OZ 7353-A	1	1 3/8" long-15/32" from flange to pin hole
69	B, X (column shift)	6&8	All	All 3/S	C9OZ 7353-B	1	1 7/16" long-1/2" from flange to pin hole
66/71	U	6&8	All	All 3/S	C5TZ 7353-B	2	1 3/8" long
72	U	6&8	All	All 3/S	D2TZ 7353-A	1	1 1/8" long
65/68	A, B, F, X	6&8	All	All	44727-S8(X24)	AR	Washer-flat-3/8"
					351467-S(XX352)	AR	Washer-spring-3/8"
					72034-S(N45)	AR	Cotter pin-1"
					354299-S2(MM156)	AR	Nut-5/16"-24 hex.
					33846-S8(M69)	AR	Nut-1/2" -20 hex.
					34809-S8(X68)	AR	Lockwasher-1/2"

★ U.S. only ♦ Canada only

@ D2AZ 7347-A required on "P" vehicles built before 1/10/72 when D2DZ 7212-B is used.

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7353 SLEEVE - TRANSMISSION GEAR SHIFT CONNECTING ROD ADJUSTMENT -continued							
69/	A, B, F, X	6&8	All	All	383098-S (MM173TC)	AR	Nut-5/16"-18"
66/71	U	6&8	All	All	33923-S(M32)	2	Nut-5/16"-24 hex.
					379620-S100 (XX16M)	2	Retaining ring-3/8"
72	U	6&8	All	All	33798-S8(M62)	2	Nut-5/16"-24 hex.
7354 CLEVIS - TRANSFER CASE SHIFT ROD							
66	U	6&8	All	All 3/S	C6TZ 7354-A	1	" U" shaped-1 11/16" long 1/4" wide slot
7D358 PLATE - TRANSMISSION CONSOLE GEAR SHIFT LEVER OPENING TRIM-Also refer to Body Section Group 04567							
69	A	8	All	F/4/S	C9AZ 7D358-A	1	#C9AA 7D358-A - paint to match
66/68	B, X (floor shift)	8	All	F/4/S	C6OZ 7D358-A	1	6 9/16" x 4 5/16" chromed-paint to match
66/68	B	8	390	3.03		1	
65	F "Before 2/9/65"	6&8	All	All	★C5ZZ 7C309-A	1	Without A/C
65/66	F "From 2/9/65"	6&8	All	All	C5ZZ 7C309-E	1	Without A/C
65/66	F	6&8	All	All	★C5ZZ 7C309-B	1	With A/C
67	F	6&8	All	All	C7ZZ 7C309-A	1	
7361 PLUNGER - TRANSFER CASE CONTROL SELECTOR LEVER							
66/	U "	6&8	All	All 3/S	C6TZ 7361-A	1	1 3/8" long - 3/8" dia.
					374985-S(UU33K)	2	Screw-hex. socket set No. 10-3/16" -32 (Plunger to 7213 "T" handle)
7D362 COVER - TRANSMISSION GEAR SHIFT LEVER OPENING							
65	A (console shift)	8	All	F/4/S	★C5AZ 7D362-A	1	Replaced by (1)of each C5AZ 7B233-B, C5AZ 7D358-A, C5AZ 7D440-A
7E362 INSERT - TRANSMISSION CONTROL SELECTOR HOUSING							
70/71	A, B, P	6&8	All	All 3/S	D0AZ 7E362-A	1	
72	P	6&8	All	All 3/S		1	
7D363 WASHER - TRANSMISSION GEAR SHIFT ARM THRUST							
66/	U	6&8	All	All 3/S	C5TZ 7D363-A	2	
7378 SHAFT - TRANSMISSION GEAR SHIFT LEVER SUPPORT							
65/66	B, F, X	6&8	All	D&W/4/S	C3AZ 7378-A	1	3 7/8" long-5/8" dia.
65/67	A(w/o console)	8	All	F/4/S	C5ZZ 7378-A	1	3 15/16" long-7/8" dia.-includes 7A111 pin
65	A(w/console)- "Before 4/1/65"	8	All	F/4/S		1	
65/68	B, X	8	All	F/4/S		1	
66/68	B	8	390	3.03		1	
65/68	F	6&8	All	All		1	
65/67	A(w/console)- "From 4/1/65"	8	All	F/4/S	★C5AZ 7378-A	1	4 7/8" long-7/8" dia.-includes 7A111 pin
69	A, B, F	8	All	F/4/S	C9AZ 7378-A	1	3 1/2" long-1/2" dia.-3/8"-16 threads at both ends-includes (2) 34977 nuts
69	B, F	6&8	All	All 3/S	C9OZ 7378-A	1	2 3/8" long-3/8"-16 threads at one end-5/16"
70/	F	6&8	All	All 3/S		1	hex.hd. at the other
71/	P	6&8	All	All 3/S		1	
65/69	A, B, F, X	6&8	All	F/4/S	97527-S(Q-1-B)	1	Ring-snap-13/16" I. D.
65/	B, F, P	6&8	All	All 3/S		1	
68	A	8	All	F/4/S	381845-S (WW106D)	1	Stud-3 1/2" long-3/8"-16 threads at both ends
65/66	B, F, X	6&8	All	D&W/4/S	97474-S(QQ4)	1	Ring snap-9/16" I. D.
68	B, F, X	6&8	All	All 4/S	382643-S (NN54H)	1	Pin-9/32" x 1 9/16" dowel

Identification Marking

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7C383 SPACER - TRANSMISSION GEAR SHIFT LEVER SUPPORT - Also serviced in 7400 assembly							
65/68	B, F (floor or console shift)	6&8	All	All	C5ZZ 7C383-B	1	Cup type
69/70	B	6&8	All	All 3/S	C9OZ 7C383-A	1	2" long-1/2" dia. tube
69/	F	6&8	All	All 3/S		1	
71/	P	6	All	All 3/S		1	
7E391 BEZEL - TRANSMISSION GEAR SHIFT LEVER BOOT - Also Refer to Group 7262							
71/	F	6&8	All	All	D1ZZ 7E391-A	1	8 5/16" long x 6 1/2" wide x 1/8" thick
72	B (console shift)	8	All	F/4/S	D2OZ 7E391-A	1	8" long x 6 1/2" wide x 7/8" thick
72	L (with shift pattern)	4	All	All	D2FZ 7E391-A	1	Includes 1-383927-S pin
7D395 INSULATOR - TRANSMISSION GEAR SHIFT RELAY LEVER ROD PIN							
65/67	A	6&8	All	All 3/S	C5AZ 7D395-A	2	
71	A	6&8	All	All 3/S		2	
7E397 SEAL - TRANSMISSION SHIFT ROD							
71/	L	4	All	All	D1FZ 7E397-A	1	13/16" O.D.-11/16" I.D.-5/32" thick
7398 SUPPORT - TRANSMISSION GEAR SHIFT LEVER -Refer to Group 7416							
7400 CONTROL ASSY. - TRANSMISSION FLOOR MOUNTED GEAR SHIFT							
- A -							
65/67	A (w/o console)	8	All	F/4/S	C4AZ 7400-D	1	
65	A (w/console)- "Before 4/1/65"	8	All	F/4/S		1	
65/67	A (w/console) "From 4/1/65"	8	All	F/4/S	C6AZ 7400-A	1	
68	A	8	All	F/4/S	C8AZ 7400-A	1	
69	A	8	All	F/4/S	C9AZ 7400-B	1	
- B -							
65	B	8	All	W/4/S	★C3AZ 7400-E	1	r/b C3DZ 7400-D (4-72)
65	B	8	All	F/4/S	C4AZ 7400-D	1	
66/68	B	8	390	3.03	C8OZ 7400-B	1	
66/68	B "Before 12/1/68"	8	All	F/4/S	C6OZ 7400-F	1	
68	B "From 12/1/68"	8	All	F/4/S	C8OZ 7400-A	1	
69	B	8	All	F/4/S	C9OZ 7400-A	1	
69	B	6&8	All	All 3/S	C9OZ 7400-B	1	
70/71	B	8	All	F/4/S	D1OZ 7400-A	1	"Hurst"
72	B	8	All	F/4/S	D2OZ 7400-A	1	"Hurst"
- F -							
65/68	F	6&8	All	All 3/S	C8ZZ 7400-B	1	
70	F	8	All	F/4/S	D0ZZ 7400-D	1	"Hurst"
65/68	F "Before 1/2/68"	6&8 170,200, 260,289, 302	All	4/S	C5ZZ 7400-D	1	
68	F "From 1/2/68"	6&8 200,289, 302		F/4/S	C8ZZ 7400-A	1	
67/68	F "Before 1/2/68"	8 390		F/4/S	C7ZZ 7400-C	1	
68	F "From 1/2/68"	8 390,428		F/4/S	C8ZZ 7400-C	1	
69	F	8	All	F/4/S	C9OZ 7400-A	1	
69	F	6&8	All	All 3/S	C9OZ 7400-B	1	
70	F	6&8	All	All 3/S	D0ZZ 7400-A	1	
71/	F	6&8	All	All 3/S	D1ZZ 7400-A	1	# Daub of Orange paint
71/	F	8	All	F/4/S	D1ZZ 7400-B	1	# Daub of Blue paint

Identification marking

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7400 CONTROL ASSY. - TRANSMISSION FLOOR MOUNTED GEAR SHIFT - continued							
- P -							
71/	P	6&8	All	All 3/S	D1DZ 7400-A	1	
- X -							
65	X	8	All	W/4/S	C3DZ 7400-F	1	
65	X	8	All	F/4/S	C4DZ 7400-D	1	
66/68	X	8	All	F/4/S	C6OZ 7400-F	1	
68	X	8	All	F/4/S	C8OZ 7400-A	1	
7E400 CLAMP KIT - TRANSMISSION GEAR SHIFT TUBE							
72	B	6&8	All	All 3/S	D2OZ 7E400-A	1	Consists of - (1) D2OA 7E400-AB clamp, (1) D2OA 7E399-AB clamp assy, (1) 379930-S2 nut
7C402 PIN - TRANSMISSION GEAR SHIFT LEVER SOCKET RETAINING							
65/66	A (P/C & Fleet)- "Before 3/24/66"	6&8	All	All 3/S	★C5AZ 7C402-B	1	
66/71	A (P/C & Fleet)- "From 3/24/66"	6&8	All	All 3/S	C6AZ 7C402-A	1	
					★97511-S	1	Snap ring-1/4" I.D. (pin to 7210 lever)
7E403 REINFORCEMENT - TRANSMISSION SHIFT SHAFT							
72	B	6&8	All	All 3/S	D2OZ 7E403-A	1	
					384688-S2 (MM227E)	3	Nut-5/16"-18 (attach rein. to dash)
7C404 NUT - TRANSMISSION GEAR SHIFT LEVER BALL LOCK							
65/67	A, B, F, X	6&8	All	All 4/S	C2AZ 7C404-B	1	1/2" -20 threads-1 3/4" O.D. chrome
68/69	A, B, F, X	6&8	All	All 4/S	C8OZ 7C404-A	1	1/2" -20 threads-zinc coated
68	B, F "Before 1/2/68"	6&8	All	All 3/S		1	
68/70	B "From 1/2/68"	6&8	All	All 3/S	C8OZ 7C404-B	1	7/16"-20 threads
68/	F "From 1/2/68"	6&8	All	All 3/S		1	
71/	P	6	All	All 3/S		1	
72	B, F	8	All	All 4/S		1	
70/71	A, B, F	8	All	F/4/S	D1OZ 7C404-A	1	3/8"-16 threads-5/16" chrome nut
71/	L(exc. Squire & Luxury Decor)	4	All	All	D1FZ 7C404-A	1	3/4" dia. -5/16" thick
72	L(Squire & Luxury Decor)	4	All	All	D2FZ 7C404-A	1	
7E405 COVER - TRANSMISSION GEAR SHIFT SLEEVE							
72	B	6&8	All	All 3/S	D2OZ 7E405-A	1	
7E409 EXTENSION - TRANSMISSION GEAR SHIFT ARM							
72	B	6&8	All	All 3/S	D2OZ 7E409-A	1	
7B415 STUD - TRANSMISSION GEAR SHIFT CONNECTING ROD ADJUSTMENT							
70/	B	8	All	F/4/S	D0OZ 7B415-A	AR	1 1/4" long-5/16"-18 threads at one end-
72	P	6&8	All	All		AR	5/16" dia. ball at other
70/	F	6&8	All	All		AR	
7416 SUPPORT - TRANSMISSION GEAR SHIFT LEVER							
69	A, B, F	8	All	F/4/S	C9AZ 7416-B	1	
65/66	F "Before 3/1/66"	6&8	All	All 3/S	★C5ZZ 7416-A	1	
66	B, X	8	All	F/4/S	C5ZZ 7416-B	1	
65/66	F	6&8	All	All 4/S		1	
66/68	F "From 3/1/66"	6&8	200289, 302	3.03		1	

Identification marking

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7416 SUPPORT - TRANSMISSION GEAR SHIFT LEVER - continued							
67/68	B, F, X	8	All	F/4/S	C7OZ 7416-A	1	
67/68	B, F (floor shift)	8	390	3.03		1	
69	B, F	6&8	All	All 3/S	C9OZ 7416-B	1	
70/	F	6&8	All	All 3/S	D0ZZ 7416-A	1	
71/	P	6	All	All 3/S		1	
7E417 PLATE - TRANSMISSION GEAR SHIFT TUBE BRACKET							
72	B	6&8	All	All 3/S	D2OZ 7E417-A	1	2 19/64" long, 59/64" wide, 1/16" thick
7K423 SHAFT - TRANSMISSION GEAR SHIFT							
72	B "Before 4/3/72"	6&8	All	All 3/S	D2OZ 7K423-A	1	Includes 7302-7303 arms and bushings
72	B "From 4/3/72"	6&8	All	All 3/S	D2OZ 7K423-B	1	Includes 7302-7303 arms & bushings
7433 ROD - TRANSFER CASE BELLCRANK CONNECTING							
66	U "Before 830,001"	6&8	All	All 3/S	C6TZ 7433-A	1	
7D439 PIN - TRANSMISSION GEAR SHIFT LEVER PILOT							
68/70	A, B, P(column shift)	6&8	All	All 3/S	C8AZ 7D439-A	1	Also serviced in 7210
68/70	X(column shift)	6&8	All	All 3/S		1	
7A440 BUSHING-ACCELERATOR ROD							
66/68	B, F, X	6&8	All	All	C5ZZ 7A440-A	1	5/16" long-nylon
7D440 BEARING - TRANSMISSION GEAR SHIFT LEVER OPENING PLATE							
65	A (console shift)	8	All	All 4/S	★C5AZ 7D440-A	1	
7E440 SWITCH ASSY. - TRANSMISSION SPARK CONTROL							
72	B, F, P	6&8	All	All 3/S	D2OZ 7E440-A (SW-1110)	1	
72	L	4	All	All 4/S	D2FZ 7E440-A (SW-1109)	1	
72	B, F	8	All	All 4/S	D2ZZ 7E440-A (SW-1111)	1	
7A441 KIT - COLUMN MOUNTED TRANSMISSION CONTROL SELECTOR LOCK							
68/69	A, B, S, X (column shift-fixed wheel)	6&8	All	All	C9AZ 7A441-A	1	Consists of - (1) lock, (2) spacers, (1) adapter, (1) bushing, (2) plugs, (2) keys, (4) screws & (1) installation sketch NOTE: Key C9AZ 7E327-A and plug are also serviced separately
7K444 COVER - TRANSMISSION GEAR SHIFT HOUSING - LOWER							
72	B	6&8	All	All 3/S	D2OZ 7K444-A	1	3 23/64" long-attaches to 7K423 shaft assy.
					45037-S(M117)	AR	Spring nut - attaches 7K444 to 7K423
7E464 WIRING ASSY. - TRANSMISSION SEAT BELT WARNING SENSOR SWITCH							
72	B, F (exc. GT & Boss)	8	351-4B	F/4/S	D2ZZ 7E464-A	1	22" long
72	F	8	351-2V	All 3/S	D2ZZ 7E464-B	1	29-30" long
72	F (GT, Boss)- "From 7/3/72"	8	351-4B	All	D3OZ 7E464-A	1	
72	F "From 7/3/72"	8	351C-2B	All	D3ZZ 7E464-A	1	Exc. Calif.
7C488 BUTTON - TRANSFER CASE SHIFT CONTROL HANDLE							
66/71	U "From Ser. 830,001"	6&8	All	All 3/S	C5ZZ 7C488-D	1	R. H. -dummy
					C6TZ 7C488-A	1	L. H. -release
					374985-S8(UU33K)	1	Screw-10-32 x .18 set
72	U	6&8	All	All 3/S	C8ZZ 7C488-A	1	R.H.-dummy #Black
					C6TZ 7C488-A	1	L.H.-release

Identification Marking

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION		
		CYL.	C.I.D.						
7A504 EXTENSION - CLUTCH RELEASE ROD									
69/72	U	6&8	All	All 3/S	D0TZ 7A504-A	1	2 27/32" long		
7505 HOUSING ASSY. - CLUTCH - Also refer to group 6392 and 7976									
66/	U	6	170	All 3/S	C6TZ 7505-B	1			
66/	U	8	289,302	All 3/S			Refer to basic 6392, Section 60.3		
7506 SHAFT - CLUTCH & BRAKE PEDAL PIVOT									
66/	U	6&8	All	All 3/S	C6TZ 7506-A	1	8 5/8" long-5/8" diameter		
					72035-S7(N51)	2	Cotter pin-1" (shaft to pedal)		
7507 MOUNTING - CLUTCH RELEASE EQUALIZER BAR									
YEAR	MODEL	ENGINE		TRANS. TYPE	INNER (ENGINE SIDE)		OUTER (FRAME SIDE)		QTY.
		CYL.	C.I.D.		7A531, 7A572		7507		
- A -									
65	A	6&8	All	All	C5AZ 7A531-A		C5AZ 7507-A		1
66/68	A "Before 1/2/68"	6&8	All	All	C5AZ 7A531-A		C5AZ 7507-B		1
68	A "From 1/2/68"	6&8	All	All	C5AZ 7A531-A		C8AZ 7507-A		1
69/71	A	6&8	All	All	C5AZ 7A531-A		C9AZ 7507-A		1
- B -									
65	B	6&8	All exc. Spl.	All	C2OA 7A531-B		C2OZ 7507-A		1
65	B	8	Spl.	All 4/S	C5OZ 7A531-A		C2OZ 7507-A		1
66	B	6&8	200,289	All	C6OZ 7A531-B		C6OZ 7507-B		1
66	B	8	390	All	C6OZ 7A572-C		C6OZ 7507-B		1
67/68	B	6	200	All 3/S	C6OZ 7A531-B		C2OZ 7507-A		1
67/68	B	8	289,302	All	C6OZ 7A531-B		C7OZ 7507-A		1
67/69	B	8	390,427, 428	All	C7OZ 7A572-A		C6OZ 7507-B		1
69	B	6	All	All	C2OA 7A531-B		C2OZ 7507-A		1
69	B	8	302,351	All	C2OA 7A531-B		C7OZ 7507-A		1
70/71	B	6&8	All exc. 429	All	C2OA 7A531-B		D0OZ 7507-B		1
70	B "Before 11/17/69"	8	429	F/4/S	D0OZ 7A572-B		D0OZ 7507-A		1
70/71	B "From 11/17/69"	8	429	F/4/S	D0OZ 7A572-C		D0OZ 7507-C		1
72	B	6&8	250,302, 351	All	D1ZZ 7A572-A		Serviced in 7528 only		1
- F -									
65	F	8	289 Spl.	All 4/S	C5OZ 7A531-A		C5ZZ 7507-A		1
65/69	F	6&8	All exc. Spl., 351, 390,428	All	C2OA 7A531-B		C5ZZ 7507-A		1
66/67	F(Special)	8	289	All 4/S	C6OZ 7A531-A		C5ZZ 7507-A		1
69/70	F	8	351	All					1
69/70	F	8	302	All					1
67/70	F	8	390,428	All	C7ZZ 7A572-B		C7ZZ 7507-B		1
69/70	F(Boss 429)	8	429	F/4/S	C9ZZ 7A572-A		C7ZZ 7507-B		1
71/	F	6&8	250,302, 351	All	D1ZZ 7A572-A		Serviced in 7528 only		1
71	F	8	429	F/4/S	D1ZZ 7A572-B		Serviced in 7528 only		1
- P -									
70/	P	6	All	All	C6OZ 7A531-B		C2OZ 7507-A		1
71/	P	8	302	All	D1DZ 7A531-A		D1DZ 7507-A		1
- U -									
66/	U	6	170	All 3/S	C6TZ 7A572-A		C6TZ 7507-D		1
66/	U	8	289,302	All 3/S	C6TZ 7A572-B		C6TZ 7507-D		1

YEAR	MODEL	ENGINE		TRANS. TYPE	INNER (ENGINE SIDE)	OUTER (FRAME SIDE)	QTY.
		CYL.	C.I.D.		7A531, 7A572	7507	

7507 MOUNTING - CLUTCH RELEASE EQUALIZER BAR - continued**- X -**

65	X	6&8	All	All	C2OA 7A531-B	C5ZZ 7507-A	1
66	X	6&8	All	All	C6OZ 7A531-B	C6OZ 7507-B	1
69	X	6	All	All	C2OA 7A531-B	C2OZ 7507-A	1
69	X	8	302	All	C2OA 7A531-B	C7OZ 7507-A	1
67/68	X	6	All	All	C6OZ 7A531-B	C2OZ 7507-A	1
70	X	6	All	All			1
67/68	X	8	All	All	C6OZ 7A531-B	C7OZ 7507-A	1
70	X	8	All	All			1

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
65/	A, B, F, U, X	6&8	All	All			Attaching parts for mountings to frame
					20348-S7(B77)	2	Bolt-3/8"-16 x 3/4"
					20388-S8(B80)	2	Bolt-3/8"-16 x 1"
					372158-S(BB572 F)		Bolt & washer assy.-3/8"-16 x 1 1/8"
					373162-S(BB563A)	2	Bolt & washer assy.-3/8"-16 x 1 1/8"
					375750-S8 (MM120)	2	Nut-3/8"-16 x 13/16"
					34807-S8(X66)	AR	Lockwasher-3/8"
					44727-S(X24)	AR	Lockwasher-3/8"
					351517-S(XX206)	AR	Washer-felt-5/8" I.D.
					56340-S(B323)	1	Bolt & washer-3/8"-16 x 1"
					371613-S(XX202)	1	Washer-9/16"
					358979-S(XX224)	2	Washer-felt-11/16"
65/	A, B, F, U, X	6&8	All	All			Attaching parts for mountings to engine or flywheel housing
					20346-S8(B50)	2	Bolt-5/16"-18 x 3/4"
					20348-S8(B77)	2	Bolt-3/8"-16 x 3/4"
					20388-S8(B80)	2	Bolt-3/8"-16 x 1"
					20428-S7(B82)	1	Bolt-3/8"-16 x 1 1/4"
					20472-S7(B122A)	1	Bolt-1/2"-13 x 1 1/2"
					20538-S8(B125)	1	Bolt-1/2"-13 x 2 1/4"
					34806-S7(X64)	AR	Lockwasher-5/16"
					358979-S(X224)	AR	Washer-felt 11/16"

7B507 RETAINER - CLUTCH PEDAL ROD SEAL

65/66	F	6&8	All	All	C5ZZ 7B507-A	1	
-------	---	-----	-----	-----	--------------	---	--

7513 SHIELD - CLUTCH RELEASE LEVER DUST**- A -**

65/71	A	6&8	All	All	C5AZ 7513-A	1	3 5/8" x 3 1/16" x 6 1/2"
-------	---	-----	-----	-----	-------------	---	---------------------------

- B -

65	B,	6	All	2.77	C3OZ 7513-A	1	2 7/8" x 2 13/16" x 1 1/2"
65	B	6&8	All	All exc. 2.77	C6OZ 7513-C	1	3 5/8" x 3 1/16" x 3 15/16"-bellows type
66/71	B	6&8	250,289, 302,351	All		1	
66	B	6	200	2.77	C6OZ 7513-B	1	2 7/8" x 3 1/16" x 3 1/2"-bellows type
66/68	B	6	200	3.03	C6GY 7513-A	1	2 7/8" x 3 1/16" x 3 3/16"
66/69	B	8	390,427, 428	All	C6OZ 7513-A	1	3 5/8" x 3 1/16" x 5 7/16"
70/71	B	8	429	F/4/S	D0OZ 7513-A	1	3 1/2" x 4" x 3 5/16" -sleeve shank
72	B	6&8	All	All	C5AZ 7513-A	1	3 5/8" x 3 1/16" x 6 1/2"

- F -

65	F	6	All	2.77	C3OZ 7513-A	1	2 7/8" x 2 13/16" x 1 1/2"
65	F	8	289	All	C6OZ 7513-C	1	3 5/8" x 3 1/16" x 3 15/16"-bellows type
66/71	F	6&8	250,289, 302,351, exc.Spl	All		1	

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7513 SHIELD - CLUTCH RELEASE LEVER DUST - continued							
- F -							
66	F	6	200	2.77	C6OZ 7513-B	1	2 7/8" x 3 1/16" x 3 1/2"-bellows type
66/70	F	6	170,200	3.03	C6GY 7513-A	1	2 7/8" x 3 1/16" x 3 3/16"
66/70	F	8	390,427, 428	All	C6OZ 7513-A	1	3 5/8" x 3 1/16" x 5 7/16"
70/71	F	8	429	F/4/S	C5AZ 7513-A	1	3 5/8" x 3 1/16" x 6 1/2"
71	F Boss	8	351Spl.	F/4/S		1	
72	F	6&8	All	All		1	
- L -							
71/	L	4	All	All	D1FZ 7513-B	1	
- P -							
70/71	P	6&8	All	All	C6GY 7513-A	1	2 7/8" x 3 1/16" x 3 3/16"
72	P	6	All	All		1	
72	P	8	All	All	C6OZ 7513-C	1	3 5/8" x 3 1/16" x 3 15/16"-bellows type
- U -							
66/	U	6	170	All	C6TZ 7513-A	1	3 3/16" x 2 15/16" x 1 3/8"
66/	U	8	289,302	All	C5TZ 7513-A	1	3 5/8" x 3 3/16" x 2 3/16"
- X -							
65	X	6	All	2.77	C3OZ 7513-A	1	2 7/8" x 2 13/16" x 1 1/2"
65/70	X	8	289,302	All	C6OZ 7513-C	1	3 5/8" x 3 1/16" x 3 15/16"
66	X	6	200	2.77	C6OZ 7513-B	1	2 7/8" x 3 1/16" x 3 1/2"-bellows type
66	X	6	170	2.77	*C6DZ 7513-A	1	2 7/8" x 2 13/16" x 3 1/2"
66/67	X	6	170	2.77	C6DZ 7513-B	1	
66/70	X	6	170,200	3.03	C6GY 7513-A	1	2 7/8" x 3 1/16" x 3 3/16"
7515 LEVER ASSY. - CLUTCH RELEASE							
- A -							
65	A	6&8	240,289, 352,390	All	C5AZ 7515-A	1	12 1/4" long
65/66	A	8	427	F/4/S	C5AZ 7515-B	1	12 1/4" long
67	A	8	427	All	C8AZ 7515-A	1	#C8AA 7541-A, yellow paint, 12 7/16" long
66/69	A	8	428,429	All		1	
66/68	A	6&8	240,289, 302,390	All	C6AZ 7515-B	1	12 1/4" long
68/71	A	6&8	240,302, 351,390	All	C8AZ 7515-B	1	#C8AA 7541-B, #green paint, 12 5/16" long
- B -							
65/66	B	6	All	2.77	C3DZ 7515-B	1	Includes 7513 shield
66	B	6	All	2.77	C6DZ 7515-B	1	9" long
65/67	B(with H/D clutch)	6	All	3.03	C3AZ 7515-A	1	10" long
65/68	B	8	289,302	All	C5OZ 7515-B	1	9 1/4" long
68	B	8	289,302	All	C8OZ 7515-A	1	#C8OA 7541-A, 10 1/2" long
66	B	8	390	All	C6OZ 7515-A	1	14" long
67	B	8	427	F/4/S	C7OZ 7515-A	1	12 1/4" long
67/68	B	8	390	All	C7ZZ 7515-D	1	12" long
68/69	B	8	390	All	C8OZ 7515-B	1	#C8OA 7541-B, 12" long
67/68	B(exc.H/D clutch)- "Before 2/15/68"	6	200	3.03	C7ZZ 7515-C	1	9" long
68	B	6	All	All	C8OZ 7515-C	1	#C8OA 7541-C, #green paint, 9" long
68/69	B	8	428CJ	All 4/S	C8OZ 7515-D	1	#C8OA 7541-D, #blue paint, 12" long
69	B	6&8	250,302, 351	All		1	
70/71	B	6&8	250,302, 351	All	*D0DZ 7515-B	1	#D0DA 7541-B-repl. by D3DZ 7515-A (12-74)
70/71	B	8	428,429	All	D0OZ 7515-A	1	#D0OA 7541-A
72	B	6&8	All	All	C8AZ 7515-B	1	#C8AA 7541-B, #Green paint, 12 5/16" long
- F -							
65/66	F	6	All	2.77	C3DZ 7515-B	1	Includes 7513 shield
65	F	6	All	D/4/S		1	
66	F	6	All	2.77	C6DZ 7515-B	1	9" long

Identification Marking
May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7519 PEDAL ASSY. - CLUTCH - continued							
- F -							
65/66	F	6&8	All	All	C6ZZ 7519-A	1	
67	F	6&8	All	All	C7ZZ 7519-A	1	
68	F	6&8	All	All	C8ZZ 7519-B	1	
69	F	6&8	All	All	C9ZZ 7519-B	1	
70	F	6&8	All	All	D0ZZ 7519-A	1	
71/	F	6&8	All	All	D1ZZ 7519-B	1	
- L -							
71	L	"Before 5/24/71"	4	All	D1FZ 7519-A	1	
71/	L	"From 5/24/71"	4	All	D1FZ 7519-B	1	
- P -							
70	P	"Before 7/14/69"	6	All	D0DZ 7519-A	1	
70/	P	"From 7/14/69"	6&8	All	D0DZ 7519-B	1	
- U -							
66/	U	6&8	All	All	C6TZ 7519-A	1	
- X -							
65	X	6&8	All	All	C1DD 7519-A	1	
66/67	X	6&8	All	All	C6OZ 7519-B	1	
68/70	X	6&8	All	All	C9OZ 7519-A	1	
65/	A, B, F, S, U, X	6&8	All	All	358981-S (XX364)	1	Washer-spring-5/8" I.D.
					74279-S (R5)	2	Retainer-spring-9/16"
					44727-S8 (X24)	2	Washer-flat-3/8"
					380699-S2 (N128F)	2	Pin-self locking
7521 ROD - CLUTCH PEDAL TO EQUALIZER BAR							
- A -							
65/67	A	6&8	All	All	C5AZ 7521-E	1	13 1/4" long
68	A	6&8	All	All	C8AZ 7521-A	1	13 1/4" long
69/71	A	6&8	All	All	C9AZ 7521-B	1	16 5/8" long
- B -							
65	B	6&8	All	All	C2OZ 7521-A	1	15 1/4" long
66/67	B	8	All	All	C6OZ 7521-C	1	13 1/8" long
66	B	"Before 2/14/66"	6	All		1	
67	B	"From 10/3/66"	6	All		1	
66/67	B -	"From 2/14/66 to 10/3/66"	6	All	C6OZ 7521-F	1	
68/69	B	6&8	All	All	C8OZ 7521-A	1	12 3/8" long
70/71	B	6&8	All	All	D0OZ 7521-A	1	13 1/2" long
72	B	6&8	All	All	D2OZ 7521-A	1	14" long
- F -							
65	F	6&8	All	All	C5ZZ 7521-A	1	16" long
66	F	"Before 2/14/66"	8	All	C6OZ 7521-C	1	13 1/8" long
66	F	"From 2/14/66"	8	All	C6ZZ 7521-D	1	13 3/4" long
66	F	6	All	All	C6ZZ 7521-C	1	13 1/2" long
67/68	F	6&8	All	All	C7ZZ 7521-A	1	12 1/2" long
69/70	F	6	250	All 3/S	C9ZZ 7521-A	1	12 1/2" long-#daub of Blue paint
69/70	F	6&8 200,302, 351	All		C9ZZ 7521-C	1	12 1/2" long-#daub of Orange paint
69/70	F	8 390,428, 429	All		C9ZZ 7521-B	1	12 3/8" long
71	F	"Before 4/30/71"	6&8	All	D1ZZ 7521-A	1	Approx. 17" long
71/	F	"From 4/30/71"	6&8	All	D1ZZ 7521-B	1	

Identification Marking
May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7521 ROD - CLUTCH PEDAL TO EQUALIZER BAR - continued							
- P -							
70	P	"Before 12/15/69"	6	All	All	D0DZ 7521-A	1 11 1/2" long
70/	P	"From 12/15/69"	6&8	All	All	D0DZ 7521-B	1 12" long
- U -							
66/	U		6&8	All	All	C6TZ 7521-A	1 19" long
- X -							
65	X		6&8	All	All	C0DZ 7521-A	1
66/67	X		8	All	All	C6CZ 7521-C	1 13 1/8" long
66	X	"Before 2/14/66"	6	All	All		1
67	X	"From 10/3/66"	6	All	All		1
66/67	X	"From 2/14/66 to 10/3/66"	6	All	All	C6OZ 7521-F	1
68/70	X		6&8	All	All	C8OZ 7521-A	1 12 3/8" long
65/	A, B, X		6&8	All	All	33800-S8(M63)	2 Nut-3/8"-24
						33799-S7(M52)	2 Nut-3/8"-16
						34682-S8(M23)	2 Nut-7/16"-20
65/	A, B, F, U, X		6&8	All	All	356573-S2(XX357)	2 Washer-spring-7/16"
						356383-S(XX362)	2 Washer-spring
						352358-S (NN127B)	AR Pin-self locking - straight
						381619-S(NN128J)	AR Pin-self-locking-round head
7521 ROD - EQUALIZER BAR TO CLUTCH RELEASE LEVER							
- A -							
65	A		8	390	O/D	@C5AZ 7521-D	1 6" long
65/68	A	"Before 1/2/68"	6&8	240,289	All	@C5AZ 7521-C	1 6" long
65/68	A	"Before 1/2/68"	8	390,427, 3.03 & 428	F/4/S		1
68/71	A	"From 1/2/68"	6&8	All	All	C8AZ 7521-B	1 5" long-includes (2) 33799-S adjusting nuts
- B -							
65	B		6	All	3.03	C1AZ 7521-A	1 7 3/16" long
65	B		8	All	All	C2OA 7521-A	1 6 5/16" long
65	B		6	All	2.77	C1DD 7521-A	1 5 1/2" long
66	B		6	200	3.03	@C6OZ 7521-B	1 6 3/16" long
66	B		6	200	2.77	@C6OZ 7521-E	1 7 7/8" long
66/67	B		8	390,427	All	@C6OZ 7521-D	1 6" long
66/67	B		8	289	All	@C6ZZ 7521-E	1 6 1/2" long
67	B		6	All	All	@C7OZ 7521-A	1 8 1/4" long
68/70	B		8	390,428	All	C8ZZ 7521-A	1 6" long-includes (2) 33799-S adjusting nuts
68	B		6&8	200,289, 302	All	C8OZ 7521-B	1 8 1/2" long-includes (2) 33799-S adjusting nuts
69/71	B		6&8	250, 302,351	All	C9OZ 7521-A	1 7 1/8"
70/71	B		8	429	F/4/S	D0OZ 7521-B	1 6 1/8" long-includes (2) 33799-S adjusting nut
72	B		6&8	All	All	C8AZ 7521-B	1 5" long-includes (2) 33799-S adjusting nuts
- F -							
65	F		6	All	All	C4DZ 7521-A	1 5 7/16" long
66	F		6	200	D/4/S	@C6OZ 7521-B	1 6 3/16" long
65	F	"Before 8/20/64"	8	All	All	C1DD 7521-A	1 5 1/2" long
65	F	"From 8/20/64"	8	All	All	C2OA 7521-A	1 6 5/16" long
66	F		6	200	2.77	@C6OZ 7521-E	1 7 7/8" long
66	F		8	289	All	@C6ZZ 7521-E	1 6 1/2" long
67	F		6	All	All	@C7OZ 7521-A	1 8 1/4" long
67	F		8	289	All		1

@ Includes rod adapter and nut

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7521 ROD - EQUALIZER BAR TO CLUTCH RELEASE LEVER - continued							
- F -							
68/70	F	8	390,428	All	C8ZZ 7521-A	1	6" long-includes (2) 33799-S adjusting nuts
69/70	F	8	429	F/4/S		1	
68	F	6&8	200,289	All	C8OZ 7521-B	1	8 1/2" long-includes (2) 33799-S adjusting nuts
69/70	F	6	All	All		1	
69/70	F	8	302,351	All	C9OZ 7521-A	1	7 1/8" long
67	F	8	390	All	C7ZZ 7521-D	1	6 1/8" long
69/70	F(Boss 429)	8	429	F/4/S	C9ZZ 7521-D	1	Includes rod & adaptor
71/	F	6&8	All	All	C8AZ 7521-B	1	5" long-includes (2) 33799-S adjusting nuts
- P -							
70/	P	6&8	All	All	C8OZ 7521-B	1	8 1/2" long-includes (2) 33799-S adjusting nuts
- U -							
66/	U	6	170	All	D0TZ 7521-B	1	
		8	289,302	All	D0TZ 7521-A	1	5 1/4" long-3/8"-24 thread
- X -							
66	X	6	170	2.77	@C6OZ 7521-B	1	6 3/16" long
65	X	8	All	All	C2OA 7521-A	1	6 5/16" long
65	X	6	All	All	C4DZ 7521-A	1	5 7/16" long
66	X	6	200	2.77	@C6OZ 7521-E	1	7 7/8" long
66/67	X	8	289	All	@C6ZZ 7521-E	1	6 1/2" long
67	X	6	All	All	@C7OZ 7521-A	1	8 1/4" long
68	X	6&8	200,289, 302	All	C8OZ 7521-B	1	8 1/2" long-includes (2) 33799-S adjusting nuts
69/70	X	6	170,200	All		1	
69/70	X	8	302	All	C9OZ 7521-A	1	7 1/8" long
7522 BRACKET - CLUTCH RELEASE LEVER							
65/68	A "Before 2/15/68"	6	All	All	B9AZ 7522-A	1	Includes (2) 62329-S rivets, "L" shaped -
65/68	A,B,F,X"Before 2/15/68"	8	All	All		1	15/16" x 1 1/8"-2 1/8" wide
66/67	U	6&8	All	All		1	
68/71	A "From 2/15/68"	6	All	All	C8AZ 7522-A	1	"L" shaped - 1" x 1 1/8"-2 1/16" wide -
68/71	A,B,F "From 2/15/68"	8	All	All			includes (2) 62329-S rivets
72	B,F	6&8	All	All		1	
72	P	8	All	All		1	
68/	U	6&8	All	All		1	
68/70	X	8	All	All		1	
65/68	B,F,X "Before 2/15/68"	6	All	All	C2DZ 7522-B	1	Includes (8) 62316-S rivets
68/71	B,F,P "From 2/15/68"	6	All	All	C8OZ 7522-A	1	"L" shaped - 7/8" x 1 1/16" - 1 15/16" wide -
68/70	X	6	All	All		1	includes (2) 62316-S8 rivets
72	P	6	All	All		1	
65/	A,B,F,P,U,X	6&8	All	All	62316-S8(S8)	2	Rivet-1/4" x 15/16"
					62329-S(S9)	2	Rivet-5/16" x 1"
7523 SPRING - CLUTCH RELEASE LEVER ROD RETRACTING							
- A -							
65/67	A	8	427	F/4/S	C5AZ 7523-B	1	3" long-17 coils
65/68	A	6&8	240,352 390,428	All	C5AZ 7523-F	1	13 1/2" long-24 coils
65/68	A	8	289,302	All	C5AZ 7523-G	1	13 5/16" long-23 coils
69/71	A	6&8	All	All	C9AZ 7523-A	1	3" long-23 coils
- B -							
65	B(w/o H/D clutch)	6	All	2.77	C2OZ 7523-A	1	9 1/8" long-30 coils
65	B(w/H/D clutch)	6	All	3.03	★C2OA 7523-C	1	6" long-35 coils

@ Includes rod adaptor and nut

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7523 SPRING - CLUTCH RELEASE LEVER ROD RETRACTING - continued							
- B -							
65	B(exc.Special)	8	260,289	All	C2OZ 7523-B	1	4" long-35 coils
66	B(w/H/D clutch)	6	200	3.03	★C6OZ 7523-E	1	7 1/8" long-30 coils
66	B(w/o H/D clutch)-	6	200	2.77	C6OZ 7523-D	1	6 1/4" long-30 1/2 coils
66	B	8	289	All		1	
66	B	8	390	All	C6OZ 7523-C	1	4" long-35 coils
67	B	6&8	All	All	C7OZ 7523-B	1	4 13/16" long-42 coils
68/69	B	6&8	All	All	C8OZ 7523-B	1	4 3/8" long-42 1/2 coils
70/71	B	6&8	All	All	D0OZ 7523-A	1	5" free length-42 coils
- F -							
65	F	6	All	All	C3DZ 7523-A	1	3 13/16" long-30 1/2 coils
65/66	F "Before 2/14/66"	8	All	All	C5ZZ 7523-A	1	14" long-35 coils
66	F "Before 2/14/66"	6	All	All	C6ZZ 7523-A	1	3 1/2" long-27 1/2 coils
66	F "From 2/14/66"	6&8	All	All	C6ZZ 7523-C	1	4 15/16" long-12 1/2 coils-use with C6ZZ 7540-A retainer
67/68	F	6&8	200,289 302	All	C3DZ 7523-A	1	3 13/16" long-30 1/2 coils
67/68	F	8	390	All	C7ZZ 7523-A	1	4" long-25 coils
69/70	F	6&8	200,250 302,351	All	C9ZZ 7523-A	1	4 1/2" long
69/70	F	8	390,428 429	All	C9ZZ 7523-B	1	4 3/4" long
71	F	6&8	All	All	D1ZZ 7523-A	1	2 13/32" free length-1" dia.-20 coils
- P -							
70/	P	6&8	All	All	D0DZ 7523-B	1	3 3/8" long-15 coils - replaces spring 3 11/16" long with 12 1/4 coils
- U -							
66/	U	6	170	All	C6TZ 7523-A	1	17 5/8" long-42 coils
66/	U	8	289,302	All	C6TZ 7523-B	1	11 3/4" long-42 coils
- X -							
65	X	8	289	All	C5DZ 7523-A	1	14 1/2" long-35 coils
65	X	6	All	All	C3DZ 7523-A	1	3 13/16" long-30 1/2 coils
66	X	8	289	All	C6OZ 7523-D	1	6 1/4" long-30 1/2 coils
67	X	6&8	All	All	C7OZ 7523-B	1	4 13/16" long-42 coils
68/70	X	6&8	All	All	C8OZ 7523-B	1	4 3/8" long-42 1/2 coils
7526 BUSHING - CLUTCH RELEASE IDLER LEVER							
65/	A, B, F, P, U, X	6&8	All	All	C0AZ 7526-A	AR	Nylon-3/8" I.D. (use w/7519 pedal)
69/71	A	6&8	All	All	C9AZ 7526-A	1	1/2" I.D.-11/16" long (use w/7521 rod)
7528 BAR ASSY. - CLUTCH RELEASE EQUALIZER							
- A -							
65	A	6&8	240,289	3.03 & F/4/S	★C5AZ 7528-G	1	R/b C5AZ 7528-H (10-73)
65	A	8	352,390 427	All		1	
65	A	6&8	240,289	O/D	C5AZ 7528-H	1	
66/68	A "Before 1/2/68"	6&8	All	3.03 & F/4/S	C5AZ 7528-L	1	
68	A "From 1/2/68"	6&8	All	All	C8AZ 7528-A	1	Includes upper & lower swivel
66/67	A	6&8	240,289	O/D	C5AZ 7528-M	1	
69/70	A	8	390,429	All	C9AZ 7528-D	1	

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7528 BAR ASSY. - CLUTCH RELEASE EQUALIZER - continued							
- A -							
65/71	A	6&8	240,302,351	All	C9AZ 7528-C	1	
- B -							
65	B	6	All	3.03	C3OZ 7528-E	1	
65	B	6	All	2.77	C3OZ 7528-D	1	
65	B	8	All	All	C5OZ 7528-B	1	
65	B	8	exc.Spl. 289Spl.	All 4/S	★C5OZ 7528-A	1	
66	B	6	170,200	All 3/S	C6OZ 7528-K	1	Outer
66	B	6	170,200	2.77	C6OZ 7528-L	1	Inner
66	B	6	200	3.03	★C6OZ 7528-G	1	Inner
66	B	8	289,390,427	All	C6OZ 7528-E	1	Outer
66/67	B	8	289	All	C7OZ 7528-D	1	Inner
66/69	B	8	390,427,428	All	C7OZ 7528-H	1	Inner
67	B	6	200	3.03	C7OZ 7528-J	1	Outer
67	B	8	All	All		1	Outer
67	B	6	200	3.03	C7OZ 7528-G	1	Inner
67/68	B	6	170,200	3.03	C7OZ 7528-E	1	One piece design
67/69	B	8	390,428	All	C7OZ 7528-J	1	Outer
68/69	B	8	289,302	All	C8OZ 7528-A	1	One piece design
69	B	6	250	All 3/S	C9OZ 7528-B	1	
69	B	8	351	All	C9OZ 7528-A	1	
70/71	B	6	250	All 3/S	D0OZ 7528-B	1	
70/71	B	8	302,351	All	D0OZ 7528-A	1	One piece design
70	B	8	429	F/4/S	D0OZ 7528-C	1	One piece design
70/71	B	8	429	F/4/S	D1OZ 7528-A	1	
72	B	6&8	All	All	D2OZ 7528-A	1	One piece design-includes bracket
- F -							
65	F	6	All	All	C5ZZ 7528-A	1	
65	F	8	260	All	C5ZZ 7528-B	1	Center bar-6 7/8" long
65	F	8	289exc. Spl.	All	C5ZZ 7528-E	1	Center bar-6" long
65	F	8	289Spl.	All 4/S	C5ZZ 7528-C	1	Center bar-6 7/8" long
65	F	8	289Spl.	All 4/S	C5ZZ 7528-D	1	Center bar-6 5/16" long
66	F	6	200	All	C6ZZ 7528-A	1	
66	F	6	200	All	C6ZZ 7528-D	1	
66	F	8	All	All	C6ZZ 7528-C	1	
66	F	8	exc.Spl.				
66	F	8	All	All	C6ZZ 7528-F	1	
66	F	8	exc.Spl.				
66	F	8	289Spl.	All 4/S	C6ZZ 7528-B	1	Center bar-6 5/16" long
66	F	8	289Spl.	All 4/S	C6ZZ 7528-E	1	Center bar-6 5/16" long
67	F	8	289Spl.	F/4/S	C7ZZ 7528-H	1	
68	F(GT350)	8	All	4/S		1	
67/70	F	6	200	All	C7ZZ 7528-E	1	
67/70	F	8	289exc. Spl.,302 exc. Boss	All	C7ZZ 7528-G	1	
67/70	F	8	390,428	All	D0ZZ 7528-C	1	

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION	
		CYL.	C.I.D.					
7528 BAR ASSY. - CLUTCH RELEASE EQUALIZER - continued								
- F -								
69	F	8	351	All	C9ZZ 7528-A	1		
69/70	F	6	250	All 3/S	C9ZZ 7528-B	1		
69/70	F(Boss 429)	8	429	F/4/S	C9ZZ 7528-C	1		
69/70	F(Boss)	8	302	F/4/S	D0ZZ 7528-E	1		
70	F	8	351	All	D0ZZ 7528-D	1		
71/	F	6	All	All 3/S	D1ZZ 7528-D	1	Includes 7507 bracket and nylon bushings	
71	F	"Before 4/30/71"	8	All	All	D1ZZ 7528-A	1	Includes 7507 bracket
71/	F	"From 4/30/71"	8	All	All	D1ZZ 7528-C	1	Includes 7507 bracket and nylon bushings
- P -								
70/	P	6	All	All	D0DZ 7528-C	1		
71/	P	8	302	All	D1DZ 7528-A	1	Outer	
71/	P	8	302	All	D1DZ 7528-B	1	Inner	
- U -								
66/	U	6	170	3.03	C6TZ 7528-H	1	Includes C6TZ 7507-D mounting	
66/	U	8	289,302	3.03	C6TZ 7528-J	1	Includes C6TZ 7507-D mounting	
- X -								
65	X	6	All	All	C4DZ 7528-B	1		
65	X	8	All	All	C5DZ 7528-A	1		
66	X	6	170,200	All 3/S	C6OZ 7528-K	1	Outer	
66	X	6	170,200	2.77	C6OZ 7528-L	1	Inner	
66	X	6	200	3.03	★ C6OZ 7528-G	1	Inner	
66	X	8	289	All	C6OZ 7528-E	1	Outer	
66/67	X	8	289	All	C7OZ 7528-D	1	Inner	
67	X	6	All	2.77	C7OZ 7528-A	1	One piece design	
67	X	"Before 4/13/67"	6	200	3.03	C7OZ 7528-J	1	Outer
67	X		8	All	All		1	Outer
67	X	"Before 4/13/67"	6	200	3.03	C7OZ 7528-G	1	Inner
67/70	X	"From 4/13/67"	6	170,200	3.03	C7OZ 7528-E	1	One piece design
68/70	X		8	All	All	C8OZ 7528-A	1	One piece design
65/	A	6&8	All	All	97474-S(QQ4)	2	Snap ring-9/16" I.D. (bar to mountings)	
65/	A, B, F, U, X	6&8	All	All	371613-S7 (X202)	AR	Washer-5/8" I.D. -1/8" thick(bar to mountings)	
					351517-S (XX206)	AR	Washer-felt-5/8" I.D. -3/8" thick	
					356488-S (XX226)	AR	Washer-11/16" I.D. -1/16" thick	
					358979-S (XX224)	AR	Washer-3/4" I.D. -1/4" thick	
					87907-S8(I-3)	1	Fitting-1/4"-28 straight(bar lub.)	
66	B, X	6&8	All	All	20467-S7(B160)	1	Bolt-5/16"-24 x 1 1/2"(to attach 2 piece bar)	
					34393-S8(M98)	1	Nut-5/16"-24	
67	B, X	8	All	All	377475-S (MM207E)	1	Nut & retainer assy.	
71	P	8	All	All	56360-S(B317U)	1	Bolt-7/16" -14 x 1" (to attach 2 piece bar)	
72	B	6&8	All	All	56340-S2(B323)	2	Bolt-3/8"-16 x 1 5/32"	
7A528 SWIVEL - CLUTCH RELEASE IDLER LEVER ADJUSTMENT								
68/71	A	6&8	All	All	C8AZ 7A528-A	1		
67/69	B, F, X	6&8	All exc. 390,428	All	★ C8OZ 7A528-A r/b D0ZZ 7A528-A(12-74)	1	1 5/16" long-3/8" dia. hole	
70/	B, X	6&8	All exc. 429	All		1		
70/	P	6	All			1		

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7A528 SWIVEL - CLUTCH RELEASE IDLER LEVER ADJUSTMENT - continued							
70/	F	8	302,351	All	D0ZZ 7A528-A	1	1 5/16" long-3/8" dia. hole
71/	P	8	302	All	D1DZ 7A528-A	1	
71/	P	6	All	All 3/s	381619-S2 (NN128J)	1	Pin-self-locking-1 1/8" long
7A530 BRACKET and BUMPER - CLUTCH PEDAL							
65/66	B, F	6&8	All	All	C2OZ 7A530-A	1	
7K530 SEAL - CLUTCH EQUALIZER BAR							
70	B	8	429	F/4/S	D0ZZ 7K530-A	1	15/64" O.D. - 1/4" wide
71/	B, F	6&8	All	All		1	
71/	P	8	302	All		1	Outer
71/	P	6	All	All 3/S	D1DZ 7K530-A	1	1 3/8" O.D. - 1" I.D. - 1/2" thick
71/	P	8	302	All		1	Inner
7A531 Refer to Group 7507							
7A533 SEAL - CLUTCH PEDAL ROD							
68	A	6&8	All		C8AZ 7A533-A	1	
69/71	A	6&8	All	All	C9AZ 7A533-A	1	
66/71	B	6&8	All	All	C6OZ 7A533-C	1	
66/70	X	6&8	All	All		1	
67/	F	6&8	All	All		1	
68/	U	6&8	All	All		1	
70/	P	6&8	All	All		1	
65	F "Before 12/14/64"	6&8	All	All	C0AZ 7A533-B	1	
65	X	6&8	All	All		1	
65/66	F "From 12/14/64 to 2/14/66"	6&8	All	All	C5ZZ 7A533-A	1	
66	F "From 2/14/66"	6&8	All	All	C6ZZ 7A533-A	1	
72	B	6&8	All		D2OZ 7A533-A	1	
7534 SPRING - CLUTCH EQUALIZER BAR ASSIST							
65	A	6&8	All	All	C5AZ 7534-A	1	3 3/8" long-5 1/2 coils
66/68	A	6&8	240,289, 302	All	C5AZ 7534-B	1	3 13/32" long-5 1/2 coils
66/68	A	8	390,427, 428	All	C6AZ 7534-A	1	3 3/4" long-5 1/2 coils
7534 SPRING - CLUTCH PEDAL LEVER RETRACTING							
65	B, F, X	6&8	All	All	C2AZ 7534-A	1	8 15/16" long-16 1/2 coils-#White
66/68	F	6&8	200,289, 302	3.03 & All 4/S		1	
66/67	B, X	6&8	170,200, 289	All	C6OZ 7534-A	1	8 13/16" long-16 1/2 coils, #Black
66/68	F	8	390,428	All	C6OZ 7534-B	1	8 13/16" long-16 1/2 coils-#White
66/67	B	8	390,427	All		1	
7534 SPRING - CLUTCH							
69	A(P/C & Fleet)	6&8	240,302	All	C9AZ 7534-A	1	3 1/2" free length-5 1/2 coils-#Gray
70/71	A	8	390,351	All		1	
72	F	8	351	All		1	
69	A	8	390,429	All	C9AZ 7534-B	1	3 1/2" free length-5 1/2 coils-#Orange
68/71	B	6&8	200,250, 289,302	All	C8OZ 7534-B	1	3 1/2" long, 6 1/2 coils, #green
68/70	X	6&8	200,302	All		1	
69/71	F	6&8	200,250, 302	All		1	

Identification Marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7534 SPRING - CLUTCH - continued							
68	B	8	390	All	C8OZ 7534-A	1	3 3/4" long, 6 1/2 coils, #brown
69/71	B, F	8	351,390, 428,429	All		1	
69/71	A(except P/C & Fleet)	6&8	240,302	All		1	
72	B	6&8	250,302 351	All		1	
72	F	6&8	250,302	All		1	
70/	P	6&8	All	All	D0DZ 7534-A	1	3.53" long-includes rollers
7535 BRACKET CLUTCH PEDAL RETRACTING SPRING							
68/69	B, X	6&8	200,250, 289,302	All	C8OZ 7535-A	1	
68/69	B	8	351,390, 428	All	C8OZ 7535-B	1	#Daub of white paint
65/66	F	6&8	All	All	C5ZZ 7535-A	1	
67/68	F	6&8	200,289	All	C7ZZ 7535-B	1	
67/68	F	8	390,428	All	C7ZZ 7535-A	1	
69/	F	6&8	All	All	C9ZZ 7535-A	1	
7535 BRACKET - CLUTCH PEDAL LEVER ASSIST SPRING							
69/70	A	6&8	All	All	C9AZ 7535-B	1	
71	A	6&8	All	All	D1AZ 7535-A	1	
70/71	B	6&8	250,302	All	D0OZ 7535-A	1	
70/71	B	8	351,429	All	D0OZ 7535-B	1	
72	B	8	All	All	D2OZ 7535-A	1	
71/	F	8	All	All	D1ZZ 7535-B	1	
70	P	"Before 7/15/69"	6	All	D0DZ 7535-A	1	
70/	P	"From 7/15/69"	6&8	All	D0DZ 7535-B	1	
70	B	6&8	All	All	56320-S (B318GD)	1	5/16"-18 x 7/8"
7A535 Refer to Group 7507							
7B535 ADAPTOR - CLUTCH PEDAL ROD							
68/70	B, F	8	390,428, 429	All	C8OZ 7B535-A	1	1 1/8" long-3/8" hole
71	B	8	429	All		1	
7A537 KIT - CLUTCH PRESSURE PLATE and DISC - COBRA							
65/67	B, X	8	289	All 3/S	★C8DZ 7A537-A	1	Consists of (1) C7ZZ 7550-B disc & (1)
67/68	F	8	289	All	Not replaced	1	C7ZZ 7563-B pressure plate
68	B, X	8	289	All		1	
7B539 SPACER - CLUTCH PEDAL ROD TO EQUALIZER BAR ADJUSTING							
65/68	A	6&8	All	All	C5AZ 7B539-A	1	11/16" O.D. -1/2" I.D. -7/16" thick
7540 RETAINER - CLUTCH PEDAL RETRACTING SPRING							
65	B	6&8	All	All	C1TT 7540-A	1	3/8"-24 x 3"
66	F	6&8	All	All	C6ZZ 7540-A	1	On engine firewall
65	X	6&8	All	All	B7A 7540-A	1	3/8"-24 x 2 9/16"
65	B, X	6&8	All	All	34445-S7(M80)	1or2	Nut-3/8"-24 (retainer to pedal support on 7592 bracket)
					44727-S8(X24)	1or2	Washer-flat-3/8"
7542 BRACKET - CLUTCH RELEASE LEVER RETRACTING SPRING							
66	B, X	6	All	All	★C8OZ 7542-A	1	
66	B, X	8	289	All	C6OZ 7542-B	1	

† This kit is not to be installed by the dealer prior to initial sale & delivery of a new vehicle. Sale of this kit prohibited in states where not legal

Identification marking

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7542 BRACKET - CLUTCH RELEASE LEVER RETRACTING SPRING - continued							
66	B	8	390	All	C6OZ 7542-C	1	
66	F	6	200	D/4/S	★C6ZZ 7542-B	1	
66	F	6	200	2.77	★C6ZZ 7542-A	1	
67/68	F	6&8	All	All	C7ZZ 7542-A	1	
65	B, X	6&8	All	All	351988-S(BB187)	1	Bolt-7/16" -14 x 1 1/8"
					34670-S8(M54)	1	Nut-7/16"-14
					34808-S8(X67)	1	Lockwasher-7/16"
7543 BALL - CLUTCH RELEASE EQUALIZER SHAFT - Refer to Group 7517							
65/71	A	6&8	All	All	C1AA 7543-A	AR	1" O.D. -5/8" I.D. -1/2" thick
67/69	F	8	390,428	All		AR	
69	B	8	390,428	All		1	
70	B, F	8	428,429	All		1	
71	B	8	429	F/4/S		1	
71/	F	6&8	All	All		1	
71/	P	8	All	All		1	
72	B	6&8	All	All		1	
65/71	B	6	All	All	C1DD 7543-A	AR	3/4" O.D. -7/16" I.D. -1/2" thick
65/70	F, X,	6	All	All		AR	
65/	B, F, X	8	All exc. 390,427, 428,429	All		AR	
66/	U	6&8	All	All 3/S		AR	
66	B " Before 4/11/66"	8	390	All		1	
70/	P	6	All	All		2	
66/68	B " From 4/11/66"	8	390,427, 428	All	C6OZ 7543-B	1	7/16" I.D. -3/8" thick
7543 SOCKET - CLUTCH SHAFT BALL - Refer to Group 7517							
65	A "Before 6/10/65"	6&8	All	All	C5AZ 7543-B	2	1" O.D.-3/4" thick
65/71	A " From 6/10/65"	6&8	All	All	C5AZ 7543-C	2	1" O.D. -15/16" thick
70	B	8	429	F/4/S		2	
71/	F	6&8	All	All		1	
71/	P	6&8	All	All 3/S		1	
72	B	6&8	All	All		1	
7B544 COVER - CLUTCH PEDAL PAD							
69/71	A	6&8	All	All	C9AZ 7B544-A	1	
65/	B(console shift)	6&8	All	All	C5ZZ 7B544-A	1	
65/70	X(console shift)	6&8	All	All		1	
65/68	F	6&8	All	All		1	
69/	F	6&8	All	All	C9ZZ 7B544-A	1	3" x 2"
7545 SPRING - CLUTCH RELEASE EQUALIZER BAR RETAINER							
67/69	B	8	390,427	All	C7OZ 7545-A	1	
7B545 RETAINER - CLUTCH RELEASE EQUALIZER BAR							
65/71	A	6&8	All	All	C5AZ 7B545-A	1	
70	B	8	429	F/4/S		1	
71/	F	6&8	All	All		1	Attaches 7528 bar to 7517 socket
71/	P	8	302	All		1	
72	B	8	All	All		1	

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7548 HUB and BEARING - CLUTCH RELEASE - Also refer to Groups 7561 & 7580							
67/68	A	6	All	All	★C7AZ 7548-A	1	#FB-1625-C -r/b D1TZ 7548-A (11-73)
67/68	A	8	All exc. 427,428	All		1	
66/68	B, X	8	All exc. 427,428	All		1	
67/68	B, X	6	All	All		1	Use w/9" dia. clutch
66/67	F "Before 5/1/67"	8	All	All		1	
67	F	6	All	3.03		1	
66/71	U "Before 7/15/71"	6&8	All	All 3/S		1	
66/71	A, B, F	8	427,428, 429	All 4/S	C7AZ 7548-B	1	
67	B(W/10 1/2" clutch)	6	200	All	C7OZ 7548-B	1	#FC-1625-C
66	B	6	200	3.03		1	
66/67	B, F, X	6	170,200	2.77	C7OZ 7548-A	1	#FB-1625-C
71/	U "From 7/15/71"	6&8	All	All 3/S	D1TZ 7548-A	1	
67	F "From 5/1/67"	8	289,390, 302	All	★C7ZZ 7548-A	1	R/b D2OZ 7548-A (11-73)
68/72	F "Before 12/9/71"	6&8	All exc. 428,429	All		1	
69/70	A, X	6&8	All exc. 428,429	All		1	
69/71	B	6&8	All exc. 428,429	All		1	
70/72	P "Before 12/9/71"	6&8	All	All		1	
71	A	6&8	All	All		1	
71/72	L	4	All	All	D1FZ 7548-A	1	
72	B	6&8	All	All	D2OZ 7548-A	1	
72	F, P "From 12/9/71"	6&8	All	All		1	

7550 DISC - CLUTCH**DISC and PRESSURE PLATE CHART CLUTCH**

YEAR	MODEL AND DESCRIPTION	ENGINE		TRANSMISSION	DISC		DIAMETER (INCHES)	MATCHING		
		NO. CYL.	CUBIC INCH DISP.		* SPRINGS	SPLINES		DISC	PLATE	
- A -										
65	A	8	352	All	6L-6S	10	11	⊕C6AZ 7550-E	⊕C1AZ 7563-F	
65	A	8	390	All	8	10	11	⊕C5AZ 7550-C	⊕C6AZ 7563-B	
65/66	A	8	289	All 3/S	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B	
65/67	A	8	427	F/4/S	5L-5S	10	11 1/2	C5AZ 7550-D	⊕C3AZ 7563-C	
65/68	A(with H/D clutch)	6	240	All 3/S	8	10	11	⊕C5TZ 7550-A	⊕C8TZ 7563-B	
65/71	A(except H/D)	6	240	All 3/S	4L-2S	10	9 1/2	⊕C8AZ 7550-A	⊕C5AZ 7563-A	
66/68	A	8	390	All	6L-6S	10	11	⊕C6AZ 7550-E	⊕C6AZ 7563-B	
66/68	A	8	428	F/4/S	5L-5S	10	11 1/2	⊕C6AZ 7550-D	⊕C6OZ 7563-D	
67	A "Before 4/17/67"	8	289	All 3/S	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B	
67	A "From 4/17/67"	8	289	All 3/S	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F	
68/71	A(exc.H/D)	8	302	All	6L- Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F	
68/71	A(H/D)	8	302	All 3/S	8 Gray	10	11	⊕C5TZ 7550-A	⊕C9AZ 7563-B	
69/70	A(with H/D clutch)	8	240	All 3/S	8 Gray	10	11	⊕C5TZ 7550-A	⊕C9AZ 7563-B	
69	A	8	429	F/4/S	5L-5S	10	11 1/2	⊕C6AZ 7550-D	⊕C9AZ 7563-D	
69/70	A	8	390	All	6L-6S	10	11	⊕C6AZ 7550-E	⊕C9AZ 7563-C	
70/71	A	8	351	All	6L-Orange 3S-Green	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A	

⊕ Supplied only as a remanufactured item

* L-Large

S-Small

7550 DISC - CLUTCH - continued

DISC and PRESSURE PLATE CHART CLUTCH

YEAR	MODEL AND DESCRIPTION	ENGINE		TRANSMISSION	DISC		DIAMETER (INCHES)	MATCHING	
		NO. CYL.	CUBIC INCH DISP.		* SPRINGS	SPLINES		DISC	PLATE
- B -									
65	B (H/D)	6	170, 200	3.03	3 Pink 3 Alum.	10	9 1/2	⊕C3AZ 7550-S	⊕C2OZ 7563-A
65	B(except H/D)	6	200	2.77	6	10	8 1/2	Δ⊕C5OZ 7550-B	⊕C5OZ 7563-B
65	B (except H/D)	6	200	2.77	6	10	8 1/2	⊕C5OZ 7550-C	⊕C5OZ 7563-B
65	B	8	289	All 3/S	6L-6S	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-D
65	B(except Special)	8	289	All 4/S	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B
65	B "Special"	8	289	All 4/S	8	10	10 1/2	⊕C7ZZ 7550-B	⊕C7ZZ 7563-B
66	B(except H/D)	6	200	2.77	6 Alum.	10	9	⊕C6OZ 7550-E	⊕C6DZ 7563-C
66/67	B(with H/D clutch)	6	200	3.03	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B
66/67	B(except GT)	8	390	All	8 Alum.	10	11	⊕C5AZ 7550-C	⊕C6OZ 7563-E
66/67	B(GT-335 H. P.)	8	390-4B	F/4/S	8 Alum.	10	11 1/2	⊕C7OZ 7550-B	⊕C6OZ 7563-D
66/71	B	8	289,302	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F
67/68	B(except H/D)	6	200	3.03	6 Pink	10	9	⊕C7OZ 7550-C	⊕C6DZ 7563-C
67	B(Special	8	427-8B	F/4/S	5L-5S	10	11 1/2	C5AZ 7550-D	⊕C3AZ 7563-C
70	B	8	429CJ, 429SCJ	F/4/S					
71	B	8	429CJ	F/4/S	5L-5S	10	11 1/2	C5AZ 7550-D	⊕D1OZ 7563-A
68	B	8	390	All	6L-Orange 3S-Green	10	11	⊕D1OZ 7550-A	⊕C6OZ 7563-E
69	B	8	351,390	All	6L-Orange 3S-Green	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A
69/71	B	6	250	All 3/S	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C9OZ 7563-B
69	B	8	428	F/4/S	5L-5S	10	11 1/2	⊕C6AZ 7550-D	⊕D1OZ 7563-A
70	B		429-4B	F/4/S					
72	B	6	250	All 3/S	6L-Orange 4S-Orange	10	10	⊕D2OZ 7550-A	⊕D2OZ 7563-A
72	B(except H/D)	8	302	All 3/S	6L-Pink 6S-Orange	10	10	⊕D2OZ 7550-B	⊕D2OZ 7563-A
72	B(H/D)	8	302	All 3/S	6L-Pink 6S-Orange	10	11	⊕D2OZ 7550-D	⊕C9OZ 7563-A
72	B	8	351CJ	F/4/S	6L-Purple 6S-Green	10	11	⊕D2OZ 7550-C	⊕D1ZZ 7563-C
70/71	B	8	351	All	6L-Orange 3S-Green	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A

- F -									
65	F	6	170	All	6	10	8 1/2	⊕C5DZ 7550-A	⊕C2OZ 7563-C
65	F	6	200	All	6	10	8 1/2	⊕C5DZ 7550-A	⊕C5OZ 7563-B
65	F	8	260	3.03	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-D
65	F (except Special)	8	289	All	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B
65	F	6	200	2.77	6	10	8 1/2	⊕C5DZ 7550-B	⊕C5OZ 7563-B
66	F	6	200	D/4/S					
65/66	F "Special"	8	289	All 4/S	8 Gray	10	10 1/2	⊕C7ZZ 7550-B	⊕C7ZZ 7563-B
66	F	6	200	2.77	6 Alum.	10	9	⊕C6OZ 7550-E	⊕C6DZ 7563-C
66/67	F (except Special) - "Before 5/1/67"	8	289	All	6L-6S	10	10	⊕C6DZ 7550-C	⊕C2OZ 7563-D
67	F(except Special)- "From 5/1/67"	8	289	All	6L-6S	10	10	⊕C6DZ 7550-C	⊕C2OZ 7563-F

⊕ Supplied only as a remanufactured item * L-Large S-Small Δ "Before 2/4/65" & "From 2/4/65"
 ◇ "Before 5/8/65" ♂ "From 5/8/65"

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

7550 DISC - CLUTCH - continued

DISC and PRESSURE PLATE CHART CLUTCH

YEAR	MODEL AND DESCRIPTION	ENGINE		TRANSMISSION	DISC		DIAMETER (INCHES)	MATCHING		
		NO. CYL.	CUBIC INCH DISP.		*SPRINGS	SPLINES		DISC	PLATE	
- F -										
67	F "Special"	8	289	F/4/S	8 Gray	10	10 1/2	⊕C7ZZ 7550-B	⊕C7ZZ 7563-B	
69/71	F(Boss 302)	8	302							
67	F	8	390-4V	All	8 Alum.	10	11 1/2	⊕C7OZ 7550-B	⊕C6OZ 7563-D	
67/70	F	6	200	3.03	6 Pink	10	9	⊕C7OZ 7550-C	⊕C6DZ 7563-C	
68	F	8	390	All	6L-3S	10	11	⊕D1OZ 7550-A	⊕C6OZ 7563-E	
68/71	F(exc. Boss 302)	8	289,302	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F	
71/	F " Before 6/15/71" " From 6/15/71"	8	302	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕D2OZ 7563-A	
68/70	F	8	428CJ, 428S/CJ, 429	F/4/S	5L-5S	10	11 1/2	⊕C6AZ 7550-D	⊕D1OZ 7563-A	
69	F	8	351,390	All	6L-3S	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A	
69/71	F " Before 6/15/71"	6	250	All 3/S	6L-6S	10	10	⊕C6OZ 7550-G	⊕C9OZ 7563-B	
71	F "From 6/15/71"	6	250	All 3/S	6L-6S	10	10	⊕C6OZ 7550-G	⊕D2OZ 7563-A	
72	F	6	250	All 3/S	6L-Orange 4S-Orange	10	10	⊕D2OZ 7550-A	⊕D2OZ 7563-A	
70/	F (except Boss & CJ)	8	351	All	6L-3S	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A	
71	F	8	429	F/4/S	5L-5S	10	11 1/2	⊕C5AZ 7550-D	⊕D1OZ 7563-A	
71/	F Boss & CJ	8	351	All	6L-Purple	10	11	⊕D2OZ 7550-C	⊕D1ZZ 7563-C	
- L -										
71/	L	4	98	E/4/S	2 Green, 4 White	20	7 1/2	⊕D1FZ 7550-C	⊕D1FZ 7563-B	
71/	L	4	98	G/4/S	2 Green 4 No Color	23	7 1/2	⊕D1FZ 7550-B	⊕D1FZ 7563-B	
71/	L	4	122	G/4/S	3 Dark Green 3 No Color	23	8 1/2	⊕D1FZ 7550-A	⊕D1FZ 7563-A	
- P -										
70/	P	6	All	All 3/S	6 Pink	10	9	⊕C7OZ 7550-C	⊕C6DZ 7563-C	
71/	P	8	302	All 3/S	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F	
- U -										
66	U (except H/D)- "Before Ser. 844,001"	6	170	3.03	6 Gray	10	9 3/8	⊕C6TZ 7550-A	⊕C6TZ 7563-J	
66/68	U (except H/D)- "From Ser. 844,001"	6	170	3.03	2 Black 4 Pink	10	9	⊕C6TZ 7550-D	⊕C6DZ 7563-C	
66/67	U	8	289	3.03	6 Orange	10	11	⊕C8TZ 7550-B	⊕C8TZ 7563-C	
66/	U (H/D clutch)	6	170	3.03	3 Red 3 Alum.	10	9 3/8	⊕C6TZ 7550-B	⊕C6TZ 7563-J	
68/71	U " Before Ser. L40,001"	8	289,302	3.03	6L-Pink 6S-Orange	10	11	⊕C8UZ 7550-B	⊕C8TZ 7563-C	
71/72	U "From Ser. L40,000 to Ser. M80,001"	8	302	3.03	6-Orange 6-Pink	10	11	⊕D2TZ 7550-B	⊕D1TZ 7563-B	
72	U "From Ser. M80,001"	8	302	3.03	6-Orange 6-Pink	10	11	⊕D2TZ 7550-B	⊕D2TZ 7563-D	

⊕ Supplied only as a remanufactured item

* L-Large S-Small

◇ "Before 5/8/65"

⊘ "From 5/8/65"

7550 DISC - CLUTCH - continued

DISC and PRESSURE PLATE CHART CLUTCH

YEAR	MODEL AND DESCRIPTION	ENGINE		TRANSMISSION	DISC		DIAMETER (INCHES)	MATCHING		
		NO. CYL.	CUBIC INCH DISP.		* SPRINGS	SPLINES		DISC	PLATE	
- X -										
65	X	6	200	2.77	6	10	8 1/2	⊕C5DZ 7550-A	⊕C5OZ 7563-B	
65	X	6	200	2.77	6	10	8 1/2	⊕C5DZ 7550-B	⊕C5OZ 7563-B	
65	X	8	289	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-D	
65/67	X (H/D)	6	170	2.77	6	10	8 1/2	⊕C2UZ 7550-A	⊕C1UU 7563-A	
65/67	X (except H/D)	6	170	2.77	6	10	8 1/2	⊕C5DZ 7550-A	⊕C2OZ 7563-C	
66/67	X	6	200	2.77	6 Blue	10	9	⊕C6OZ 7550-E	⊕C6DZ 7563-C	
66	X	8	289	F/4/S	6L-6S	10	10	⊕C6DZ 7550-C	⊕C2OZ 7563-D	
66/67	X "Before 5/1/67"	8	289	All 3/S	6L-6S	10	10			
67	X "From 5/1/67"	8	289	All 3/S	6L-6S	10	10	⊕C6DZ 7550-C	⊕C2OZ 7563-F	
67/70	X	6	170,200	3.03	6 Pink	10	9	⊕C7OZ 7550-C	⊕C6DZ 7563-C	
67/70	X	8	289,302	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F	

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
							Attaching parts for clutch assembly
65/	A, F, S, X	6&8	All	All	350329-S2(BB140)	6	Bolt-5/16" -18 x 13/16" (pressure plate to
65/	B(except H/D clutch)	6&8	All	All		6	flywheel)
65/	A, B, F, S, X	6&8	All	All	34806-S(X64)	6	Lockwasher
65/	B(with H/D clutch)	6	All	All 3/S	43073-S(B251E)	6	Bolt-7/16" -20 x 2" (pressure plate to flywheel)
71/	L	4	All	All	N800013-S51M	6	Bolt-8M-20 x 1 1/4" (pressure plate to flywheel)

7561 HUB and BEARING - CLUTCH RELEASE -Also refer to Group 7548

YEAR	MODEL	ENGINE		TRANS. TYPE	HUB ASSY.		BEARING ASSY.	
		CYL.	C.I.D.		7561		7580	
65	A, B, F, S, X	6&8	240,260, 289,352, 390	All	B7AZ 7561-B		C7AZ 7580-A (1 5/8" I.D.)	
65	B	6	All	3.03				
66	U	6&8	All	3.03				
66	A	8	427,428	F/4/S	C4AZ 7561-B		C0TZ 7580-B 3 1/2" O.D. -2 1/16" I.D. - 13/16" wide	
65	☆A	8	427	F/4/S				
65	♣A	8	427	F/4/S	C4AZ 7561-A		CC3TA 7580-A	
66	A, B, F, X	6&8	240,289, 390	All	Serviced in 7548 assembly		B7A 7580-A	
66	B	6	200	3.03				
67/	U	6&8	170,289, 302	3.03				
67/68	A, B, F, X	6&8	All	All	Serviced in 7548 assembly		Serviced in 7548 assembly	
68	A	6&8	All	All	Serviced in 7548 assembly		C7AZ 7580-A	
67	A	6&8	All	All	Serviced in 7548 assembly		C1DZ 7580-A	
65/66	B, F, X	6	All	2.77 & All 4/S	C3OZ 7561-B		#1505	
Lubrication fittings for clutch hub & bearing assy.								
65/66	A, B, F, U, X	6&8	All	All	87907-S8(I-3)	1	Fitting-1/4" straight (lubricator)	
					87924-S8(I-9)	1	Fitting-1/4" -elbow	

⊕ Supplied only as a remanufactured item

* L-Large S-Small

☆ U.S. only

♣ Canada only

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7562 SPRING - CLUTCH RELEASE LEVER ANTI-RATTLE							
65/68	A, B, F, S, X	6&8	All	All	C6AZ 7562-A	1	
66/	U	6&8	All	All		1	
7563 Refer to Group 7550							
7A572 Refer to Group 7507							
7A574 Refer to Group 7534							
7A575 Refer to Group 7A630							
7580 Refer to Group 7561							
7K581 CABLE - CLUTCH							
71/	L	4	All	All	D1FZ 7K581-C	1	Includes 7K582 retainer
71/	L	4	All	All	97413-S2	1	Retaining ring (cable to housing)
7A582 BOOT - CLUTCH PEDAL ROD - Also refer to Group 7A533							
66/67	U	6&8	All	3.03	C6TZ 7A582-B	1	
7K582 RETAINER - CLUTCH CABLE TO PEDAL							
71	L	4	All	G/4/S	D1FZ 7K582-A	1	3/4" strap-7/16" eyelet for cable-mounting hole
7583 BUMPER - CLUTCH and BRAKE PEDAL							
- A -							
65/68	A	6&8	All	All	C5AZ 7583-B	1	
69/71	A	6&8	All	All	C9AZ 7583-A	1	1" long-5/8" dia.
- B -							
65	B	6&8	All	All	MA 7583-A	1	Without power brakes
65	B	6&8	All	All	★C2OZ 7583-A	1	With power brakes
66/67	B	6&8	170,200, 289	All	C6OZ 7583-B	1	
66/67	B	8	390,427	All	C6OZ 7583-A	1	
68/71	B	6&8	200,250, 289,302	All	C8OZ 7583-A	1	7/16" long-#black
68/71	B	8	351,390, 428,429	All	C8OZ 7583-B	1	7/16" long-#red
72	B	6&8	All	All	D0ZZ 7583-B	1	#Red rubber -also serviced as part of 7519 assy
- F -							
67/68	F	6&8	200,250, 289,302, 351	All	C7ZZ 7583-B	1	
67/68	F	8	390,428	All	C7ZZ 7583-A	1	
69	F	6&8	200,250, 302	All	C8OZ 7583-A	1	7/16" long-#black
69	F	8	351,390, 428,429	All	C8OZ 7583-B	1	7/16" long-#red
70	F	6&8	200,250, 302,351, 428	All	D0ZZ 7583-B	1	#Red rubber
71/	F	6&8	All	All	D1ZZ 7583-B	1	1" long-5/8" dia. large end-13/64 pilot dia.
- L -							
71	L	4	All	All	C9AZ 7583-B	1	#Black rubber
72	L	4	All	All	D0ZZ 7583-B	1	#Red rubber
- P -							
70/	P	6&8	All	All	C8OZ 7583-A	1	7/16" long-#black
- U -							
66/	U	6&8	All	All	D1TZ 7583-A	1	
# Identification Marking							

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7583 BUMPER - CLUTCH and BRAKE PEDAL - continued							
- X -							
68/70	X	6&8	200,302	All	C8OZ 7583-A	1	7/16" long-#black
66/	U	6&8	All	All	20520-S8(B63)	1	Bolt-5/16" -13x 1 3/4" (bumper to bracket)
					44722-S8(X19)	2	Flatwasher-5/16"
					33770-S4(M89K)	1	Nut-5/16"-18
7B588 PLATE - CLUTCH EQUALIZER BAR MOUNTING							
68/69	B, X	8	289,302	All	C7OZ 7B588-A	1	3 1/2" x 2 13/16"
70	P	6	All	All		1	
7591 SPRING - CLUTCH RELEASE LEVER RETRACTING							
69/71	A	6&8	All	All	C9AZ 7591-A	1	2 1/2" free length-19 coils
71/	F	6&8	All	All		1	
72	B	6&8	All	All		1	
67/69	B, F	8	390,427 428	All	C7ZZ 7591-A	1	3 1/16" long-20 coils
69	B	8	351	All		1	
70	B	8	351,429	All		1	
71	B	6&8	All	All		1	
67/70	B	6&8	200,250 289,302	All	C7OZ 7591-A	1	3 5/8" long-40 coils
67/70	X	6&8	170,200 289,302	All		1	
70/	P	6&8	All	All 3/S		1	
66/68	F	6&8	200,289	All	C6ZZ 7591-A	1	3 1/16" long-40 coils
69/71	F	6&8	200,250 302,351, 429	All	C9ZZ 7591-A	1	3 1/8" long-36 coils
7592 LINK - CLUTCH PEDAL RETRACTING SPRING - Also refer to Group 7535							
65	B	6&8	All	All	*C2OZ 7592-A	1	
66/67	B, X	6&8	All	All	C6OZ 7592-A	1	
65/67	B, X	6&8	All	All	20389-S8(B171)	1	Bolt-3/8" -24 x 1" (link to pedal support)
					44727-S8(X24)	1	Flatwasher-3/8"
					34445-S7(M80)	1	Nut-3/8" -24
7600 BEARING - CLUTCH PILOT							
65/66	A, B, F, U, X	6&8	240,289	All	C2OZ 7600-A	1	1 3/8" O.D. -11/16" I.D.
65/66	B	6	170,200	3.03		1	
65/71	A, B, F	8	352,390, 427,428, 429	All	D1TZ 7600-A	1	1 27/32" O.D. -43/64" I.D.
66/67	A, B, F, U, X	6&8	240, 289	All	C2OZ 7600-A	1	1 3/8" O.D. -11/16" I.D.
66/67	B	6	200	3.03		1	Use with 10" clutch
68/71	A, B, F, U, X	6&8	240,250, 289,302, 351	All	C8AZ 7600-A	1	
72	U	8	302	All		1	
67/70	B, F, X	6	200	3.03	C7AZ 7600-A	1	Use with 9" clutch
69/70	X	6	170	3.03		1	
70/71	P	6	All	All		1	

Identification Marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE		TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
		CYL.	C.I.D.				
7600 BEARING - CLUTCH PILOT - continued							
65/66	B, F	6	All	2.77 & D/4/S	C0DZ 7600-A	1	1 3/8" O.D.
65/67	X " Before 2/1/67"	6	All	2.77		1	
71/	L	4	All	All	D1FZ 7600-B	1	17 rollers
66/	U	6	170	All	C6TZ 7600-A	1	1 3/8" O.D. -11/16" I.D.
67/68	X " From 2/1/67"	6	All	2.77 & 3.03	C0DZ 7600-A	1	
72	B, F	6&8	All	All	★D2AZ 7600-A	1	1 3/8" O.D. - 43/64" I.D. -repl. by
72	P	8	All	All		1	C8AZ 7600-A (9-74)
72	P	6	All	All	D2DZ 7600-A	1	1 3/8" O.D. - 43/64" I.D.
7B602 STUD - CLUTCH RELEASE LEVER							
71/	L	4	All	All	D1FZ 7B602-A	1	2 5/16" long-5/16" ball end- 3/4" hex. drive 1/2"-13 other end
7B605 BUSHING - CLUTCH PEDAL CLEVIS							
71/	L	4	All	All	D1FZ 7B605-A	1	3/8" I.D.-11/16" flange O.D.-3/8" long
7B617 CLIP - CLUTCH RELEASE CABLE							
71/	L	4	All	All	D1FZ 7B617-A AR		Consists of (2) clips, (2) 34390-S7 nut, (2) 56105-S bolt
7A624 PAD - CLUTCH PEDAL PLATE - Also refer to Group 2457							
68	A	6&8	All	All	C8AZ 7A624-A	1	
69/70	A	6&8	All	All	C9AZ 7A624-A	1	#C9AA 7A624-A
65/68	F	6&8	All	All	C5ZZ 7A624-B	1	
66/	B	6&8	All	All		1	
66/70	X	6&8	All	All		1	
70/	P	6&8	All	All		1	
69/	F	6&8	All	All	C9ZZ 7A624-A	1	#C9ZA 7A624-A
71	A	6&8	All	All		1	
65	X	6&8	All	All	C0DD 7A624-A	1	Brake pedal Clutch pedal
7A629 RETAINER - CLUTCH RELEASE EQUALIZER SHAFT BEARING							
65/70	B, F, X	6&8	All	All	C1DD 7A629-A	2	"C" type
70/	P	6	All	All		2	
71	B	6&8	25Q302, 351	All		2	
68	F	8	428	F/4/S	97474-S(QQ4)	2	Ring-9/16" dia.-(7543 to 7507 mounting)
7A630 INSULATOR - CLUTCH PEDAL ASSIST SPRING							
65/68	A, X	6&8	All	All	D3AZ 7A630-A	1	
65	B	6&8	All	All		1	"U" shaped-1/2" long, 5/16" between legs
66/67	B	6&8	All	All	C1DZ 7A630-A	1	"U" shaped-3/8" long
65/67	F	6&8	All	All		1	5/64" thick, 1/4" between legs
65/67	X	6&8	All	All		1	
7A641 INSULATOR - CLUTCH RELEASE IDLER LEVER							
65/69	A	6&8	All	All	C3AZ 7A641-A	2	
65	B	6&8	All	All		2	
65/69	A, B	6&8	All	All	371030-S8B (XX165G)	2	Washer-7/16" (insulator to 7528 bar)
7A653 BRACKET - TRANSMISSION OVERDRIVE CONTROL							
65	A " Before 10/7/64"	6&8	All	O/D	★C3AZ 7A653-A	1	O/D control knob
65/67	A " From 10/7/64"	6&8	All	O/D	C5AZ 7A653-B	1	O/D control knob
66/67	B	8	289	O/D		1	
65	A	6&8	All	All	C5AZ 7A653-A	1	Rear window control mounting for station wagon