

INDEX

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
A		B - cont'd.	
Adapter (A/C venturi pressure tube)	19C883	Bracket (stereo multiplex adapter)	19A079
Adapter assy. (windshield antenna to fender mounted)	19A130	Bracket (stereo tape player mounting)	19A055
Adapter kit (A/C drive)	19B969	Bracket assy. (A/C control mounting)	19A884
Adapter kit (A/C master)	19700	Bracket assy. (A/C instrument panel register)	19C964
Adhesives	Δ	Bracket assy. (A/C muffler & hose)	19D606
Air conditioner refrigerant	Δ	Bracket assy. (stereo multiplex adapter)	19A100
Amplifier assy. (automatic temperature control box)	19D612	Bracket & pad assy. (compass mounting)	19A267
Anti-freeze & coolant	Δ	Bushing (A/C air outlet door control shaft)	19B985
B		C	
Baffle (A/C evaporator core front housing)	19A675	Cable assy. (A/C temperature)	19988
Ball kit (trailer hitch)	19F503	Cable assy. (heater temperature regulator control)	19233
Band (A/C blower motor mounting)	19A991	Cam (A/C damper door)	19C772
Bezel (A/C evaporator)	19C957, 19A995	Cap assy. (A/C charging valve)	19D702
Bezel (A/C register)	19C784, 19C871-3, 19C894	Case assy. (A/C evaporator)	19A626, 19897
Bezel (stereo tape player)	19A112	Chemical (fire extinguisher recharge)	19C505
Bezel assy. (heater register)	19C894		
Bezel kit (A/C)	19C872	Clamp (A/C evaporator expansion valve bulb)	19A634
		Clamp (A/C hose)	19B679
Block assy. (heater vacuum hose junction)	19C643	Clamp (A/C tube support clip)	19C862
Block assy. (vacuum hose junction)	19C643	Clamp (A/C vacuum hose to fender)	19048
Bond (radio frequency interference suppression)	19A095	Clamp (speed control hose to fender)	19048
Box assy. (A/C automatic temperature control)	19C730	Cleaners	Δ
		Clear vision aids	Δ
Brace assy. (A/C evaporator)	19C761		
Bracket (A/C blower motor mounting)	19B924, 19C924, 19C942	Clip (A/C evaporator)	19C824
Bracket (A/C blower motor support)	19A992	Clip (A/C tube support)	19B632
Bracket (A/C condenser mounting)	19B594, 19702, 19735	Clip (A/C vacuum hose connector)	19C949
Bracket (A/C condenser tube support)	19C917	Clip (A/C vacuum hose harness)	19C969
Bracket (A/C dehydrator tank mounting)	19B937	Clip (heater core case)	19A779
Bracket (A/C evaporator case damper door cable)	19C767	Clip (heater vacuum hose connector)	19C949
Bracket (A/C evaporator case mounting)	19A822, 19A865	Clip (register retainer)	19C824
Bracket (A/C evaporator case support)	19A639		
Bracket (A/C evaporator support)	19C897, 19C918	Compass assy.	19A548
Bracket (A/C evaporator to instrument panel)	19A637	Compressor assy. (A/C)	19703
Bracket (A/C evaporator to instrument panel mounting)	19A993	Compressor kit (A/C)	19703
Bracket (A/C evaporator tube support)	19C574	Compressor gasket kit (A/C)	19B684
Bracket (A/C hose support)	19812	Condenser kit (A/C)	19708
Bracket (A/C housing support)	19A623		
Bracket (A/C register)	19B942	Connector (A/C refrigerant line)	19C705
Bracket (A/C vacuum hose connector)	19C833	Connector (A/C register)	19C692
		Connector (A/C vacuum hose)	19B650
		Connector (heater vacuum hose)	19B650
		Connector assy. (A/C register)	19C626-7
		Connector assy. (automatic temperature control box vacuum)	19D616
		Connector & duct assy. (A/C register)	19C615
		Control assy. (A/C)	19980
		Control assy. (A/C air)	19A522
		Cooling system aids	Δ

Δ Refer to page 1 of Paint Section

INDEX**PART NAME****GROUP
NUMBER****C - cont'd.**

Core assy. (A/C charging valve)	19D701
Core assy. (A/C condenser)	19712
Core assy. (A/C evaporator)	19860
Coupling (A/C condenser)	19C890-1
Coupling (A/C self-sealing)	19B595-6
Coupling assy. (A/C evaporator outlet tube)	19C921
Cover (A/C compressor suction)	19D655
Cover (A/C evaporator)	19B735, 19B874
Cover (A/C evaporator drain)	19869
Cover (A/C evaporator thermostat)	19736
Cover (deck lid luggage carrier)	19B507
Cover (heater evaporator case)	19B735
Cover (radio rear seat speaker opening)	19A132
Cover (roof luggage carrier)	19B507
Cover (stereo tape player mounting bracket)	19A077
Cover (tissue dispenser)	19F538
Cylinder & shaft assy. (A/C compressor)	19D654

D

Damper assy. (A/C outside air intake flue)	19878
Deck assy. (stereo tape player)	19A237
Deflector (A/C floor air)	19A771
Deflector (A/C outlet)	19C714
Deflector (heater floor air)	19A771
Dehydrator & receiver tank assy. (A/C)	19959
Discharge line (A/C compressor to condensor)	19C700
Door (A/C evaporator case damper)	19469
Door assy. (A/C damper inlet)	19C802
Door assy. (A/C evaporator case outlet)	19B749
Duct (A/C air inlet)	19A618
Duct (A/C evaporator outlet)	19C633
Duct (A/C evaporator to instrument panel register)	19926
Duct (A/C instrument panel register)	19C850
Duct (A/C lower)	19C620
Duct assy. (A/C evaporator instrument panel)	19C832
Duct assy. (A/C evaporator to register)	19B680
Duct assy. (A/C recirculating air)	19C590
Duct assy. (heater evaporator to register)	19B680
Duct & connector assy. (A/C junction)	19C932
Dusting cloth	Δ

E

Engine comp. kit (A/C)	19B969
Engine modification kit (A/C)	19B969
Engine reconditioning paint	Δ
Engine starting fluid	Δ
Exterior paint	Δ
Extra cooling kit (A/C)	19B969

PART NAME**GROUP
NUMBER****F**

Fire extinguisher (recharge chemical)	19C505
Fire extinguisher kit	19B540
Flare kit (reflector)	19E500

G

Gas line anti-freeze	Δ
Gasket (A/C compressor charging screw)	19D661
Gasket (A/C compressor valve plate)	19B994
Gasket (compressor valve plate)	19B994
Gasket kit (A/C compressor)	19B684
Grommet (A/C condenser tubes)	19C819
Grommet (A/C control cable)	19C898
Guard (A/C evaporator fan)	19742

H

Harness assy. (A/C vacuum hose)	19C827
Harness assy. (automatic temperature control box)	19D615
Head (A/C compressor)	19D646-7
Hose (A/C evaporator drain)	19858
Hose (A/C floor air deflector)	19C753
Hose assy. (A/C compressor to condenser inlet valve)	19972
Hose assy. (A/C control vacuum)	19A946
Hose assy. (A/C temperature regulator control motor vacuum)	19A581
Hose assy. (A/C vacuum)	19C828
Hose assy. (heater vacuum)	19C828
Hose or tubing (refrigerant line)	19C708
Housing (A/C blower motor)	19693, 19930
Housing (A/C blower top)	19C975
Housing (blower motor resistor)	19C796
Housing assy. (A/C evaporator core)	19A553, 19A559

I

Inflator kit (tire)	19C543
Insert (A/C control name plate)	19A980
Insulation (A/C evaporator case cover)	19B666
Insulation (A/C evaporator core)	19A644, 19C749, 19A829

Interior paint

Δ

K

Key (A/C compressor clutch hub)	19D651
KIT - refer to appropriate noun name For example	
Oil pump rotor kit (A/C compressor)	19D663
Knob (A/C air outlet door control)	19B769
Knob assy. (A/C control)	19A962

Δ Refer to page 1 of Paint Section

INDEX

[illegible]

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
S		T -cont'd.	
Screen (A/C compressor oil suction)	19D651	Thermostat (A/C evaporator temperature control)	19618
Screen (A/C evaporator core water impingement)	19B562	Thinners	Δ
Screw (A/C compressor charging)	19D658	Tip (radio antenna mast)	19298
Seal (A/C compressor high pressure valve)	19A630	Tire inflator kit	19C543
Seal (A/C evaporator case to dash panel)	19C593	Tot guard	19E535
Seal (A/C evaporator core side)	19A672	Trailer hitch kit	19D520
Seal (A/C evaporator core tube to case)	19B552	Transducer assy. (A/C auto. temp. control box)	19D613
Seal (A/C evaporator drain hose to floor)	19A989	Trap (A/C evaporator drain)	19998
Seal (A/C register to instrument panel)	19A775	Tube (A/C blower housing to blower motor)	19A786
Seal (A/C tubes to dash panel)	19B588	Tube (A/C compressor oil inlet)	19D645
Seal (air inlet door outer)	19A812	Tube (A/C control venturi pressure)	19C748
Seal (heater water control valve)	19460	Tube (heater blower housing to blower motor)	19A786
Seal assy. (A/C compressor crankshaft)	19655	Tube assy. (A/C dehydrator to check valve)	19835
Seal assy. (A/C evaporator case)	19D637	Tube assy. (A/C dehydrator to condenser)	19C596
Seal kit (A/C compressor shaft)	19D665	Tube assy. (A/C evaporator inlet to cowl)	19A704
Sealers	Δ	Tube assy. (A/C evaporator outlet to cowl)	19A705
Seat (tot guard child safety)	19E535	Tube assy. (A/C evaporator to check valve)	19837
Sensor assy. (A/C temperature control)	19C734	Tube assy. (A/C evaporator to compressor shut-off valve)	19867
Shaft (A/C air outlet door)	19C717	Turn kit (snow plow)	19F502
Shaft assy. (A/C damper door)	19C774		
Shield (A/C evaporator case to floor)	19B561	U	
Shield (A/C evaporator expansion valve)	19D595	Undercoating	Δ
Shield (A/C heat)	19C958	Upholstery color reconditioners	Δ
Shield (A/C valve & heater motor)	19C842	Used car reconditioning materials	Δ
Shield (radio frequency suppression)	19A145		
Sight glass (A/C evaporator liquid indicator)	19B673	V	
Sleeve (A/C refrigerant tube protective)	19D631	Valve (A/C compressor pressure relief)	19D644
Snow plow kits	19E537	Valve (A/C evaporator expansion)	19849
Solenoid & manifold assy. (automatic temperature control box)	19D611	Valve (A/C vacuum check)	19A563
Spacer (A/C compressor clutch hub)	19D648	Valve (heater vacuum check)	19A563
Spacer (A/C instrument panel register)	19B696	Valve assy. (A/C compressor high pressure)	19A990
Stereo multiplex adapter kit	19A082	Valve assy. (A/C compressor low pressure)	19752
Stereo tape player kit	19A035	Valve assy. (A/C dehydrator & receiver tank)	19C573
Strap (A/C evaporator hose retainer)	19B915-6	Valve assy. (A/C evaporator suction throttle)	19D580
Strap (A/C evaporator upper case to bottom case)	19B865	Venturi (A/C control)	19C747
Strip (radio rear seat speaker mounting)	19A175		
Stud (A/C condenser mounting)	19C658	W	
Stud (A/C evaporator support)	19A982	Waxes	Δ
Support (A/C evaporator core)	19784	Wheel assy. (A/C blower)	19834
Support (stereo tape player)	19A071	Winch kit (bumper mounted)	19E536
Support kit (stereo tape player)	19A122	Winch kit with power take off	19E536
Switch (thermostatic evaporator de-icing)	19618	Wiring (A/C blower switch feed)	19945
Switch assy. (A/C auto. temp. control box servo)	19D617	Wiring (stereo tape player power feed)	19A065
Switch assy. (A/C blower)	19986	Wiring assy. (A/C)	19C603
Switch assy. (A/C damper door)	19B888	Wiring assy. (A/C blower motor feed)	19949
Switch assy. (A/C temperature control)	19C733, 19A945	Wiring assy. (A/C compressor clutch feed jumper)	19D632
Switch assy. (heater damper door)	19B888	Wiring assy. (A/C temp. switch to blower switch)	19B572
Switch & wiring assy. (luggage compt. control latch)	19C542	Wiring assy. (A/C thermostat to clutch)	19A885
		Wiring assy. (luggage compt. lamp)	19B516
		Wiring assy. (luggage compt. remote control latch)	19D542
		Wiring assy. (radio accessory connector)	19A118
T		Wiring assy. (radio speaker)	19A041
Tank & bracket assy. (A/C vacuum reservoir)	19A566	Wiring assy. (radio speaker extension)	19A123
Tape (electrical insulating)	Δ	Wiring assy. (radio speaker jumper)	19A170
Tape (masking)	Δ		

FORD CAR PARTS

1

SECTION 190

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19000 - Refer to Paint Section				
19A035 STEREO TAPE PLAYER KIT				
68/71	A, B-without console-NOTE 1, 2	Use without floor mounted manual transmission	1	C8AZ 19A035-A
68	F-without console-NOTE 1, 2		1	
70/71	P-NOTE 2, 3		1	
68/70	X-without console-NOTE 1, 2		1	
19A041 WIRING ASSY. - RADIO SPEAKER - If not listed improvise				
69/70	A-with AM stereo		1	C9AZ 19A041-A
71	A(76)-with stereo	8.0 ohm system-marked D1AB 19A041-AB	1	D1AZ 19A041-A
72	A-with stereo	For 3.2 ohm system	1	D2AZ 19A041-A
68/70	B-with stereo	Front side cowl	1	C8OZ 19A041-A
68	B(66, 71, 76), X(71)-AM/FM radio	Use with hang-on stereo player	1	C8OZ 19A041-B
69/71	B		1	
69/70	X		1	
71	B-with AM/FM radio	Front speaker	1	D1OZ 19A041-A
72	B-with stereo	R.H.-door speaker-not required with power windows and/or electric door locks	1	D2OZ 19A041-A
68	F-with dealer installed stereo speaker kit	R, H, -door mount	1	C8ZZ 19A041-A
		L, H,	1	C8ZZ 19A041-B
69/70	F	Use with front dual speakers	1	C9ZZ 19A041-A
71	F-with stereo		1	D1ZZ 19A041-A
72	F-with stereo		1	D2ZZ 19A041-A
68/70	X-with stereo	Front side cowl	1	C8OZ 19A041-A
19048 CLAMP				
71	S	A/C vacuum hose or speed control hose to fender apron	2	D0VY 19048-A
19A055 BRACKET - STEREO TAPE PLAYER MOUNTING				
68/71	A, B,	With hang on stereo tape player	1	C8OZ 19A055-A
68/69	F		1	
70/71	P		1	
68/70	X		1	
69/70	A	For tunnel mounted tape player	1	C9AZ 19A055-A
19A065 WIRING - STEREO TAPE PLAYER - POWER FEED - If not listed - improvise				
67	A, B, F, X	Used with under dash mount stereo tape player	1	C7OZ 19A065-A
69/70	A	For tunnel mounted tape player	1	C9AZ 19A065-A
19A071 SUPPORT - STEREO TAPE PLAYER				
69/70	A	For tunnel mounted tape player	1	C9AZ 19A071-A
69/71	A	Used with hang-on stereo tape player	1	C9AZ 19A071-B
70/71	P		1	
68/71	B-with integral A/C	With hang-on stereo	1	C8OZ 19A071-B
68/70	X-with integral A/C		1	
19A077 COVER - STEREO TAPE PLAYER MOUNTING BRACKET				
68/71	A, B	Used with hang-on stereo tape player	1	C8AZ 19A077-A
68/69	F		1	
71	P		1	
68/70	X		1	
69/70	A	For tunnel mounted tape player	1	C9AZ 19A077-A
69/71	A	Used with hang-on stereo tape player	1	C9AZ 19A077-B
70/71	P		1	
19A095 BOND - RADIO FREQUENCY INTERFERENCE SUPPRESSION				
72	B		1	D2OZ 19A095-A
72	S	7 1/4" long	1	D2SZ 19A095-B
72	S	8 3/4" long	1	D2SZ 19A095-A
72	S	10 1/4" long	1	D2SZ 19A095-C
72	S	Bright finish	1	D2SZ 19A095-D
72	S	9 1/4" long	1	D2SZ 19A095-E

NOTE 1 - (1) Stereo tape speaker and wiring kit (Basic 18808 - must be used)

NOTE 2 - To be used with appropriate 19A122 stereo tape player support kit

NOTE 3 - (1) Dual rear seat speaker kit (stereo) must be used-front stereo speaker not available

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19A112 BEZEL - STEREO TAPE PLAYER				
68/71	A, B	Front-for hang-on stereo tape player	1	C8OZ 19A112-A
68/69	F		1	
70/71	P		1	
68/70	X		1	
69/70	A	Front-for tunnel mounted tape player	1	C9AZ 19A112-A
19A113 PAD - STEREO TAPE PLAYER COVER				
68/71	A, B	For hang-on stereo tape player	1	C8OZ 19A113-A
68/69	F		1	
70	P		1	
68/70	X		1	
69/70	A	For tunnel mounted tape player	1	C9AZ 19A113-A
69/70	A	Nut 1/8" sleeve (attach bezel to pad)	2	380652-S2(MM220)
19A118 WIRING ASSY. - RADIO ACCESSORY CONNECTOR				
68/71	B	For hang-on stereo tape player	1	C8OZ 19A118-A
69/71	A		1	
71	P		1	
68/70	X		1	
69/70	A-with hang-on stereo tape player	Marked C9AJ 19A118-A	1	C9AZ 19A118-A
70/71	P-with hang-on stereo		1	
19A122 SUPPORT KIT - STEREO TAPE PLAYER				
69/70	A-with hang-on stereo	Replaced by details (5-75)	1	★ C9AZ 19A122-B
70/71	P-with hang-on stereo		1	Not replaced (5-75)
71	A-with hang-on stereo		1	★ DIAZ 19A122-A
68/71	B-with hang-on stereo		1	★ C8OZ 19A122-A
68/70	X-with hang-on stereo		1	Not replaced (5-75)
19A123 WIRING ASSY. - RADIO SPEAKER EXTENSION				
72	A-with stereo	Marked D2AB 19A123-AB	1	D2AZ 19A123-A
19126 RETAINER - RADIO ANTENNA				
68/69	S		1	C8SZ 19126-B
70/71	S		1	DISZ 19126-A
19A130 ADAPTER ASSY. - WINDSHIELD ANTENNA TO FENDER MOUNT				
70/71	S	To adapt from windshield antenna to manual or electric fender mounted antenna	1	D0SZ 19A130-A
19A132 COVER - RADIO REAR SEAT SPEAKER				
72	A(53,54,57)		1	D2AZ 19A132-A
72	A(65)		1	D2AZ 19A132-B
72	S		1	D2SZ 19A132-A
19A145 SHIELD - RADIO FREQUENCY SUPPRESSION				
72	S		2	D2SZ 19A145-A
19A169 PAD - RADIO CONTROL BEZEL MOUNTING				
72	S		1	D2SZ 19A169-A
19A170 WIRING ASSY. - RADIO SPEAKER-JUMPER				
72	B	For AM/FM multiplex and/or deluxe seat belts - not required with power windows	1	D2OZ 19A170-A
19A175 STRIP - RADIO REAR SEAT SPEAKER MOUNTING				
71/	A(71)-with rear seat speakers	R. H. and L. H. -vinyl-cut to fit	2	D1AZ 19A175-A
19209 RETAINER - AIR CONDITIONER BLOWER MOTOR				
72	B,S-with integral A/C		2	D2SZ 19209-A
70/	P-with integral A/C		1	D0DZ 19209-A
71/	L-with integral A/C		1	
19233 CABLE ASSY. - HEATER TEMPERATURE REGULATOR CONTROL				
69/70	A-with integral A/C	Plenum chamber	1	C9AZ 19233-A
19A237 DECK ASSY. - STEREO TAPE PLAYER				
69/70	A	For tunnel mounted tape player	1	C9AZ 19A237-A
19A267 BRACKET and PAD ASSY. - COMPASS MOUNTING				
65/	All	Use with C9AZ 19A548-A compass - rectangular type	1	D2AZ 19A267-A
19298 TIP - RADIO ANTENNA MAST				
67/	S	Used with electric antenna	1	C6VY 19298-A
19460 SEAL - HEATER WATER CONTROL VALVE				
65/66	S	Used with heater or integral A/C - improvise	1	★

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19469 DOOR - AIR CONDITIONER EVAPORATOR CASE DAMPER				
68/71	B-with integral A/C		1	C8OZ 19469-A
68/70	X-with integral A/C		1	
67/	F-with integral A/C	Includes frames-upper	1	C7ZZ 19469-A
71/	L-with integral A/C		1	
70/	P-with integral A/C		1	
67/	F-with integral A/C	Lower	1	C7ZZ 19469-B
19E500 REFLECTOR FLARE KIT				
65/	All	Replaced by D4AZ 19E500-A (5-75)	AR	★C5AZ 19E500-D
19A501 - Refer to Paint Section				
19F501 - Refer to Paint Section				
19F502 TURN KIT - SNOW PLOW				
66/	U	Used only with D0TZ 19E537-A snow plow - Western	1	D0TZ 19F502-A
19503 THRU 19A503 - Refer to Paint Section				
19D503 PLATE - COMPASS MOUNTING				
65/69	A,B,F,S,X	Used with ★C4AZ 19A548-B compass	1	C4AZ 19D503-B
65/	All	Used with C9AZ 19A548-A compass -round type	1	D0AZ 19D503-A
19F503 BALL - TRAILER HITCH				
65/	All	Ball-1 7/8" dia. -used with basic 19D520 trailer hitch	1	C6AZ 19F503-A
65/	All	Ball-2" dia. -used with basic 19D520 trailer hitch	1	C6AZ 19F503-B
19D504 LITTER CONTAINER				
72	B,S	Used with floor mounted console	1	D2SZ 19D504-A
19B507 COVER - LUGGAGE CARRIER				
65/	A(71),B(71)	Used with roof mount luggage carrier -Consists of zipper cover with straps, hardboard floor and wire frame	1	C5AZ 19B507-A
65/70	X(71)		1	
66/70	All(except 63,71)	Used with deck mount luggage carrier 6255100 - Consists of zipper cover with straps, hardboard floor and wire frame - not replaced (11-73)	1	★ C6AZ 19B507-A
19C507 THRU 19515 - Refer to Paint Section				
19B516 WIRING ASSY. - LUGGAGE COMPARTMENT LAMP - Unless listed - Improve				
72	B(exc. 71,97)		1	D2OZ 19B516-B
72	B(71)		1	D2OZ 19B516-A
19517 THRU 19520 - Refer to Paint Section				
19D520 TRAILER HITCH KIT				
- A -				
65/68	A(54,57,62,63,76)		1	▲C6AZ 19D520-D
66/	A(71)		1	▲C6AZ 19D520-C
69/71	A(except 71)		1	▲D0AZ 19D520-A
72	A(except 71)		1	▲D2AZ 19D520-A
- B -				
66/69	B(exc.66,71)	Not replaced (11-73)	1	★▲C6OZ 19D520-C
67/71	B(66)	Not replaced (5-75)	1	★▲C6DZ 19D520-C
66/71	B(71)		1	▲C6OZ 19D520-D
70/71	B(except 66,71)		1	▲D0OZ 19D520-A
72	B(except 71,97) -w/o bumper guards		1	▲D2OZ 19D520-A
72	B(except 71,97) -w/ bumper guards		1	▲D2OZ 19D520-D
72	B(71)		1	▲D2OZ 19D520-B
72	B(97)		1	▲D2OZ 19D520-C
- F -				
69	F		1	▲C9ZZ 19D520-A
70	F(except Boss 302,351,428-with competition suspension chassis)		1	
71/	F	Not replaced (5-75)	1	★▲D1ZZ 19D520-A
- L -				
71/	L(62,64)	Used only with 4 cyl. 122 with A/T, A/C-radiator, 800 lbs. GTW, 100 lbs. tongue load, 3.18 rear axle ratio and frontal area less than 25 sq. ft.	1	▲D1FZ 19D520-A
72	L(73)	Used with automatic transmission	1	▲D2FZ 19D520-B

▲ Basic 19F503 required to complete installation

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 190

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19D520 TRAILER HITCH - KIT - continued				
- P -				
70	P		1	▲D0DZ 19D520-A
71/	P		1	▲D1DZ 19D520-A
- S -				
67/71	S	Not replaced (11-73)	1	★▲C7SZ 19D520-A
72	S		1	▲D2SZ 19D520-A
- U -				
66/	U	Includes ball	1	C6TZ 19D520-A
- X -				
66/70	X(54, 62)	Not replaced (5-75)	1	★▲C6DZ 19D520-D
66	X(66, 71)	Not replaced (5-75)	1	★▲C6DZ 19D520-C
67/70	X(71)		1	
19521 THRU 19B521 - Refer to Paint Section				
19522 - Refer to Paint Section				
19A522 CONTROL ASSY. - AIR CONDITIONER, AIR				
65/66	S-with integral A/C	Vacuum control	1	C5SZ 19A522-A
19523 - Refer to Paint Section				
19A524 LEVER - AIR CONDITIONER CONTROL SWITCH ACTUATING				
65/68	A-with integral A/C		1	C5AZ 19A524-A
19525 THRU 19534 - Refer to Paint Section				
19E535 SEAT - CHILDS SAFETY-TOT GUARD				
65/	All	Tot guard safety shield	AR	D1AZ 19E535-D
19A536 - Refer to Paint Section				
19E536 WINCH KIT - WITH POWER TAKE OFF				
66/71	U(6 cyl.)	Underslung-includes winch, drive line,	1	C6TZ 19E536-B
72	U(6 cyl.w/M/T w/o P/S)	power take-off lever control and attaching parts	1	
66/71	U(8 cyl.)	Underslung-includes winch, drive line,	1	C6TZ 19E536-C
72	U(8 cyl.w/M/T w/o P/S)	power take-off (single output shaft) and attaching parts	1	
19E536 WINCH KIT - BUMPER MOUNTED				
67/	U	Electric winch-includes winch & controls-must be used with applicable 19F536 kit-electric winch bumper mounting-it is recommended that a heavy duty alternator & extra heavy duty battery also be used	1	C9TZ 19E536-A
19F536 MOUNTING KIT - BUMPER WINCH				
67/	U	To be used with C9TZ 19E536-A kit bumper mounted electric winch-includes bumper & mounting components	1	C9TZ 19F536-A
19A537 - Refer to Paint Section				
19E537 SNOW PLOW - KIT				
66/	U	Electric drive-6 1/2 ft. wide blade, 26" high-use w/heavy duty front and auxiliary air spring-Western	1	\$D0TZ 19E537-A
66/	U	Electrolift-6 1/2" ft. wide blade-use w/heavy duty front and auxiliary rear air springs-Meyer	1	D3BZ 19E537-A
66/	U	Super electrolift and power angling-6 1/2 ft. wide blade-use with heavy duty front and auxiliary rear air springs-Meyer	1	D3BZ 19E537-C
66/	U	Electronic Super electrolift-6 1/2 ft. wide blade-with heavy duty front and auxiliary rear air springs-Meyer	1	D3BZ 19E537-B
66/	U	Electronic Super electrolift and power angling-6 1/2 ft. wide blade-with heavy duty front and auxiliary rear air springs-Meyer	1	D3BZ 19E537-D
66/	U	Electric drive-6 1/2 ft. wide blade, 26" high-use with heavy duty front and auxiliary air springs-Douglas Dynamics Corp.	1	D2TZ 19E537-G

▲ Basic 19F503 required to complete installation

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19A538 THRU 19A540 - Refer to Paint Section				
19F538 COVER - TISSUE DISPENSER				
72	B,S	Used with floor mounted console	1	D2SZ 19F538-A
19B540 FIRE EXTINGUISHER KIT				
65/	All	5 lb. dry chemical (Red) -r/b D4AZ 19B540-B (5-75)	1	★D3AZ 19B540-A
65/	All	2 3/4 lb. dry chemical (Red) - r/b D3AZ 19B540-B (5-75)	1	★C9AZ 19B540-B
72	All	Universal-2 1/2 lb. dry chemical (Red) -r/b D4AZ 19B540-A (5-75)	1	★D3AZ 19B540-B
19A541 THRU 19B542 - Refer to Paint Section				
19C542 SWITCH and WIRING ASSY. - LUGGAGE COMPARTMENT REMOTE CONTROL LATCH				
67/	A, F(exc. 71)	With electric luggage door latch release - dealer installed	1	C9AZ 19C542-A
71/	L,S		1	
67/70	B(exc. 66, 71)		1	
70/	P		1	
67/70	X(except 71)	With electric luggage door latch release - production installed	1	D1MY 19C542-A
71/	S		1	
19D542 WIRING ASSY. - LUGGAGE COMPARTMENT REMOTE CONTROL LATCH				
72	A	"Before 11/1/71" With production installed electric luggage door latch-marked D1MB 19C542-AC	1	D1MY 19D542-A
72	A	"From 11/1/71" With production installed electric luggage door latch-marked D2AB 19C542-AA	1	D2AZ 19D542-A
19C543 CYLINDER ASSY. - SPARE TIRE INFLATOR				
66/69	A, B, S, X	Not replaced (3-74)	1	★C6AZ 19C543-A
66/69	F(exc. Shelby GT350/500 & Boss-with collapsible spare tire)		1	
69/	F	For collapsible spare tire	1	D1ZZ 19C543-A
19C544 THRU 19C547 - Refer to Paint Section				
19A548 COMPASS ASSY.				
65/	All	Not replaced (11-73)	1	★C9AZ 19A548-A
19C548 THRU 19A549 - Refer to Paint Section				
19550 - Refer to Paint Section				
19A551 MEDALLION - AIR CONDITIONER REGISTER				
65/71	A, B	Used with Economy or Deluxe hang-on A/C	1	C7AZ 19A551-A
65/69	F		1	
65/70	X		1	
71	L, P	Hang-on A/C with slide bar type control	1	D1FZ 19A551-A
72	A, B, F, L, P,	For hang-on A/C	1	
19552 - Refer to Paint Section				
19B552 SEAL - AIR CONDITIONER EVAPORATOR CORE TUBE TO CASE				
70/	A-with integral A/C		1	D0AZ 19B552-A
67/70	F-with integral A/C (except 428CJ)		1	C7ZZ 19B552-A
69/70	F-with integral A/C (428CJ)		1	C9ZZ 19B552-A
71/	F, L-with integral A/C		1	
70/	P-with integral A/C		1	D0DZ 19B552-A
19553 THRU 19554 - Refer to Paint Section				
19A553 HOUSING ASSY. - AIR CONDITIONER EVAPORATOR CORE- Refer to Group 19A559				
19558 THRU 19560 - Refer to Paint Section				
19A559 HOUSING ASSY. - AIR CONDITIONER EVAPORATOR CORE				
72	B-with integral A/C	"Before 9/15/71" R.H.	1	D2OZ 19A559-B
		L.H.	1	D2OZ 19A553-B
72	S-with integral A/C	R.H.	1	D2OZ 19A559-A
72	B-with integral A/C	"From 9/15/71" R.H.	1	
		L.H.	1	D2SZ 19A553-A
19562 - Refer to Paint Section				
19B562 SCREEN - AIR CONDITIONER EVAPORATOR CORE WATER IMPINGEMENT				
69/ 70	A- with tunnel mounted A/C	Aluminum mesh	1	C9AZ 19B562-A
68	F-with Deluxe hang-on A/C	Nylon mesh	1	C8OZ 19B562-A
68/71	B-with Deluxe hang-on A/C		1	
68/70	X-with Deluxe hang-on A/C		1	
69/71	F-with hang-on A/C		1	C9ZZ 19B562-A
71	P-with slimline hang-on A/C		1	

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19A563 VALVE - VACUUM CHECK					
65/66	S-also used with heater	Used with integral A/C	YG-34	1 or 2	C6OZ 19A563-A
65/66	A(except 57-6 cyl. 240 & 8 cyl. 289)			1	
71/	A-with heater			1	
66/71	B			1	
67/	F-except Perfect Circle speed control			1	
66/70	X			1	
65/66	A(57-8 cyl. 352, 390, 427)-except integral A/C	Used with uniflow system		1	C5AZ 19A563-A
67	A(8 cyl. 390, 427, 428)-except with integral A/C	Used with forced ventilation system		1	
68	A			1	
69/71	A-with integral A/C		YG-35	1	C9AZ 19A563-A
70	S			1	
19A566 TANK and BRACKET - AIR CONDITIONER VACUUM RESERVOIR - Also refer to Groups 3E547 & 13A185					
65	A(57)	Use with uniflow system		1	C5AZ 19A566-A
65	A	Used with integral A/C-r/b C6OZ 19A566-A(5-75)		1	★C5AZ 19A566-B
66/67	A	Use with uniflow system and/or integral A/C		1	C6AZ 19A566-A
67	A(6 cyl. & 8 cyl. 289)	Used with forced ventilation system		1	
68	A-with integral A/C	Also used with forced ventilation system		1	C8AZ 19A566-A
69/70	A-with integral A/C			1	C9AZ 19A566-A
71	A(except 8 cyl. 429 P/C)-w/integral A/C			1	D0SZ 19A566-A
71	A(8 cyl. 429 P/C)-w/integral A/C			1	D0VY 19A566-A
72	A-with integral A/C			1	D2AZ 19A566-A
66/69	B-with integral A/C			1	C6OZ 19A566-A
66/70	X-with integral A/C			1	
72	B-with integral A/C			1	D2OZ 19A566-A
67	F-with integral A/C	"Before 1/16/67" Used on units with Curtiss Wright speed control system only		1	C7ZZ 19A566-A
67/	F-with integral A/C	"From 1/16/67" Used on units with perfect circle speed control system or without speed control		1	C7ZZ 19A566-B
70/	P-with integral A/C			1	D0DZ 19A566-A
70/71	B-with integral A/C			1	
71/	L-with integral A/C			1	
65	S	Replaced by C6OZ 19A566-A (5-75)		1	★C5AZ 19A566-B
66	S			1	C6SZ 19A566-A
68/69	S	Also use with heater		1	C8SZ 19A566-A
70	S			1	D0SZ 19A566-A
71	S			1	D1SZ 19A566-A
72	S			1	D2SZ 19A566-A
19D567 LIQUID LINE-AIR CONDITIONER DRYER TO EVAPORATOR					
Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.					
19A568 PLATE ASSY. - AIR CONDITIONER REGISTER - Refer to Group 19C876					
19B572 WIRING ASSY. - AIR CONDITIONER TEMPERATURE SWITCH TO BLOWER SWITCH					
68	S-with A. T. C.			1	C8SZ 19B572-A
69	S-with A. T. C.			1	C9SZ 19B572-A
19C573 VALVE ASSY. - AIR CONDITIONER DEHYDRATOR and RECEIVER TANK					
65/68	S-with integral A/C			1	C6SZ 19C573-A
65/67	A			1	
19C574 BRACKET AIR CONDITIONER EVAPORATOR TUBE SUPPORT					
70/71	S			1	D0SZ 19C574-A
71/	A (8 cyl.429)-with A.T.C.			1	
72	B,S-with integral A/C	Clamp type		1	D2OZ 19C574-A
72	B,S-with integral A/C			1	D2OZ 19C574-D
72	B-with integral A/C			1	D2SZ 19C574-C
72	B,S-with integral A/C			1	D2SZ 19C574-B
19577 THRU 19581 - Refer to Paint Section					
19D580 VALVE ASSY. - AIR CONDITIONER EVAPORATOR SUCTION THROTTLE					
72	B-with integral A/C			1	D0VY 19D580-A
72	S			1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19A581 HOSE ASSY. - AIR CONDITIONER TEMPERATURE REGULATOR CONTROL MOTOR VACUUM				
69/70	A-with integral A/C		1	C9AZ 19A581-C
19582 THRU 19584 Refer to Paint Section				
19A586-7 PLATE - AIR CONDITIONER EVAPORATOR FRONT HOUSING COVER				
69/	A-with integral A/C		1	C9AZ 19A586-A
68/70	B,X-with integral A/C		1	C8OZ 19A586-A
71	B-with integral A/C		1	D1OZ 19A586-A
70/71	P-with Economy hang-on A/C		1	D0DZ 19A587-A
68/69	S		1	C8SZ 19A586-B
70/71	S		1	D0SZ 19A586-A
19587 - Refer to Paint Section				
19B588 SEAL - AIR CONDITIONER TUBES TO DASH PANEL				
68/71	B -with integral A/C		1	C8OZ 19B588-A
68/70	X-with integral A/C		1	
69	F-with integral A/C (except 428CJ)	Rubber	1	C9ZZ 19B588-A
69/70	F-with integral A/C (428CJ)		1	C9ZZ 19B588-B
71/	F,L-with integral A/C		1	D1ZZ 19B588-A
70	P-with integral A/C "Before 4/1/70"	Rubber	1	D0DZ 19B588-A
70/72	P-with integral A/C-"From 4/1/70 to 4/3/72"	Rubber	1	D0DZ 19B588-B
72	P-with integral A/C "From 4/3/72"	Rubber	1	D2DZ 19B588-A
19589 - Refer to Paint Section				
19B589 RETAINER - AIR CONDITIONER TUBES TO DASH PANEL				
71/	A-with integral A/C	Upper	1	D1AZ 19B589-A
		Lower	1	D1AZ 19B589-B
69/70	F-with integral A/C	Lower	1	C9ZZ 19B589-B
		Upper	1	C9ZZ 19B589-D
70	P-with integral A/C "Before 4/1/70"	Upper	1	D0DZ 19B589-A
		Lower	1	D0DZ 19B589-B
70	P-with integral A/C "From 4/1/70"	Not required		
19590 - Refer to Paint Section				
19C590 DUCT ASSY. - AIR CONDITIONER RECIRCULATING AIR				
72	B-with integral A/C		1	D2SZ 19C590-A
72	S		1	
19D592 RELAY ASSY. - TEMPERATURE CONTROL				
		MOTORCRAFT NO.		
71	A-with A.T.C.	YH-188	1	D1AZ 19D592-B
72	A-with A.T.C.		1	D2LY 19D592-A
72	S-with A.T.C.		1	
19C593 SEAL - AIR CONDITIONER EVAPORATOR CASE TO DASH PANEL				
70	F-with integral A/C		2	D0ZZ 19C593-A
71/	L-with integral A/C	Case to dash panel	2	D1FZ 19C593-A
71/	L-with integral A/C	Evaporator case	1	D1FZ 19C593-B
72	P-with integral A/C	R.H.	1	D2DZ 19C593-A
		L.H.	1	D2DZ 19C593-B
19B594 BRACKET - AIR CONDITIONER CONDENSER MOUNTING				
67/71	A,B-with hang-on A/C	5 1/2" long	4	C7AZ 19B594-A
67/70	F-with hang-on A/C		4	
70/71	P-with Economy hang-on A/C		4	
67/70	X-with hang-on A/C		4	
69/71	A-with hang-on A/C	12" long	1	C9AZ 19B594-A
72	A, B, F, L, P-with hang-on A/C		1	D1RY 19B594-A
19B595-6 COUPLING - AIR CONDITIONER SELF SEALING				
Refer to Section 197 for Serviced Refrigerant line Assemblies and/or replacement details				
19D595 SHIELD - AIR CONDITIONER EVAPORATOR EXPANSION VALVE				
71	L-with hang-on A/C		1	D1FZ 19D595-A
19B596 "O" RING - AIR CONDITIONER SEAL KIT - Also refer to 19B994 and Section 197				
69/	All	Consists of the following	AR	D1AZ 19B596-A
	(8) 379737-S "O" ring 3/8" I.D.	(8) 380977-S "O" ring 7/16" I.D.	(4) 380979-S "O" ring 11/16" I.D.	
	(8) 380976-S "O" ring 5/16" I.D.	(8) 380978-S "O" ring 9/16" I.D.	(4) 383844-S "O" ring 3/16" I.D.	

SECTION 190

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19C596 TUBE ASSY. - AIR CONDITIONER DEHYDRATOR TO CONDENSER				
71/	L-with integral A/C		1	D1FZ 19C596-A
19C603 WIRING ASSY. - AIR CONDITIONER				
72	A, B, F, L, P-with Deluxe hang-on A/C		1	D2AZ 19C603-A
19D606 BRACKET ASSY. - AIR CONDITIONER MUFFLER and HOSE				
71	S-with A.T.C.		1	D1SZ 19D606-A
71/	A (8 cyl. 429)-with A.T.C.		1	
19D611 SOLENOID AND MANIFOLD ASSY.-A.T.C. BOX				
71/	A-with A.T.C.		1	D1AZ 19D611-A
72	S-with A.T.C.		1	D2SZ 19D611-A
19D612 AMPLIFIER ASSY. - A.T.C. BOX				
71/	A-with A.T.C.		1	D1AZ 19D612-A
72	S-with A.T.C.		1	
19D613 TRANSDUCER ASSY.- A.T.C. BOX				
71/	A-with A.T.C.		1	D1AZ 19D613-A
72	S-with A.T.C.		1	
19D614 RELAY ASSY. - A.T.C. BOX				
71/	A-with A.T.C.		1	D1AZ 19D614-A
72	S-with A.T.C.		1	
19C615 CONNECTOR and DUCT ASSY. - AIR CONDITIONER REGISTER				
70/71	P-with Economy hang-on A/C		1	D0DZ 19C615-A
19D615 HARNESS ASSY. - A.T.C. BOX				
71/	A-with A.T.C.		1	D1AZ 19D615-A
72	S-with A.T.C.		1	D2SZ 19D615-A
19D616 CONNECTOR ASSY. - A.T.C. BOX VACUUM				
71/	A-with A.T.C.		1	D1AZ 19D616-A
72	S-with A.T.C.		1	
19D617 SWITCH ASSY. - SERVO VACUUM A.T.C. BOX				
71/	A-with A.T.C.		1	D1AZ 19D617-A
72	S-with A.T.C.		1	D2SZ 19D617-A

19618 THERMOSTAT - AIR CONDITIONER EVAPORATOR TEMPERATURE CONTROL -Also refer to Group 19A945

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
- A -					
65	A-with Deluxe hang-on A/C		YH-110	1	C4AZ 19618-A
66	A-with Economy hang-on A/C	Used only on evaporator w/top center mtd. hoses	YH-111	1	C6AZ 19618-B
67	A-with Deluxe hang-on A/C		YH-114	1	C7AZ 19618-A
67/68	A-with Economy hang-on A/C		YH-115	1	C7AZ 19618-B
68	A-with Deluxe hang-on A/C		YH-117	1	C8AZ 19618-A
69/70	A-with tunnel mounted A/C		YH-131	1	C9AZ 19618-B
69/71	A-with Slimline hang-on A/C		YH-133	1	D0AZ 19618-B
72	A-with Deluxe hang-on A/C		YH-137	1	D1RY 19618-A
72	A-with Economy hang-on A/C		YH-139	1	D2AZ 19618-A
65/68	A-with integral A/C		YH-4	1	C6AZ 19618-C
69	A-with integral A/C		YH-7	1	C9AZ 19618-A
70/	A-with integral A/C		YH-8	1	D0AZ 19618-A
- B -					
65	B-with Deluxe hang-on A/C		YH-110	1	C4AZ 19618-A
65	B-with Deluxe hang-on A/C		YH-109	1	C3AZ 19618-A
66	B-with Economy hang-on A/C	Used only on evaporator w/top center mtd. hoses	YH-111	1	C6AZ 19618-B
67/70	B-with Economy hang-on A/C		YH-115	1	C7AZ 19618-B
68/71	B-with Deluxe hang-on A/C		YH-117	1	C8AZ 19618-A
72	B-with Deluxe hang-on A/C		YH-137	1	D1RY 19618-A
72	B-with Economy hang-on A/C		YH-139	1	D2AZ 19618-A
66/67	B-with integral A/C		YH-112	1	C6OZ 19618-B
68/71	B-with integral A/C		YH-5	1	C8OZ 19618-A
72	B-with integral A/C	Located in outer blower housing	YH-9	1	D2OZ 19618-A
72	B-with integral A/C	Located in front of condenser	YH-121	1	D0VY 19618-A

FORD CAR PARTS

SECTION 190

9

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19618 THERMOSTAT - AIR CONDITIONER EVAPORATOR TEMPERATURE CONTROL - continued - Also refer to Group 19A945					
- F -					
65	F-with Economy hang-on A/C		YH-110	1	C4AZ 19618-A
66	F-with Economy hang-on A/C	Used only on evaporator w/top center mtd. hoses	YH-111	1	C6AZ 19618-B
67/68	F-with Economy hang-on A/C		YH-115	1	C7AZ 19618-B
68	F-with Deluxe hang-on A/C		YH-117	1	C8AZ 19618-A
69/71	F-with hang-on A/C		YH-131	1	C9AZ 19618-B
72	F-with Deluxe hang-on A/C		YH-137	1	D1RY 19618-A
72	F-with Economy hang-on A/C		YH-139	1	D2AZ 19618-A
67/70	F-with integral A/C		YH-116	1	C7ZZ 19618-A
71/	F-with integral A/C		YH-122	1	D1ZZ 19618-A
- L -					
71	L-with hang-on A/C	Use w/slide bar type control	YH-136	1	D1FZ 19618-B
72	L-with hang-on A/C		YH-139	1	D2AZ 19618-A
71/	L-with integral A/C		YH-122	1	D1ZZ 19618-A
- P -					
70/71	P-with hang-on A/C	Used w/dial type control	YH-131	1	C9AZ 19618-B
71	P-with hang-on A/C	Used w/slide bar type control	YH-136	1	D1FZ 19618-B
72	P-with Deluxe hang-on A/C		YH-137	1	D1RY 19618-A
72	P-with Economy hang-on A/C		YH-139	1	D2AZ 19618-A
70/	P-with integral A/C		YH-120	1	D0DZ 19618-A
- S -					
67/71	S-with integral A/C		YH-6	1	C8SZ 19618-A
72	S-with integral A/C		YH-9	1	D2OZ 19618-A
- X -					
65	X-with Deluxe hang-on A/C		YH-110	1	C4AZ 19618-A
66	X-with Economy hang-on A/C	Used only on evaporator w/top center mtd. hoses	YH-111	1	C6AZ 19618-B
67/70	X-with Economy hang-on A/C		YH-115	1	C7AZ 19618-B
68/70	X-with Deluxe hang-on A/C		YH-117	1	C8AZ 19618-A
66/67	X-with integral A/C		YH-112	1	C6OZ 19618-B
68/70	X-with integral A/C		YH-5	1	C8OZ 19618-A
65	B	Screw (thermostat to control name plate)- No. 8-32 x 1"		2	*40969-S8
65/67	A-with integral A/C	Screw (thermostat to plate)-No. 8-18 x 3/8"		6	42119-S8(U246)
65	B	Screw (holds capillary tubes of thermostat in position)-No. 10-16 x 3/8"		1	42120-S8(U248)
19A618 DUCT ASSY. - AIR CONDITIONER AIR INLET					
69/70	A-with integral A/C			1	C9AZ 19A618-A
71/	A-with integral A/C			1	D1AZ 19A618-A
72	B-with integral A/C			1	D2OZ 19A618-A
72	S			1	D2SZ 19A618-A
19C620 DUCT - AIR CONDITIONER LOWER					
68/71	B-with integral A/C			1	D0OZ 19C620-A
68/70	X-with integral A/C			1	
19A623 BRACKET - AIR CONDITIONER HOUSING-SUPPORT					
72	B,S-with integral A/C			1	D2OZ 19A623-A
19A626 CASE ASSY. - AIR CONDITIONER EVAPORATOR - Also refer to Groups 18A584 & 19897					
69/	A-with manual integral A/C			1	D1AZ 19A626-B
71/	A-with A.T.C.			1	D1AZ 19A626-A
66/67	B,X-with integral A/C			1	C7OZ 19A626-A
68/71	B-with integral A/C			1	C8OZ 19A626-B
68/70	X-with integral A/C			1	
19C626-7 CONNECTOR ASSY. - AIR CONDITIONER REGISTER					
72	F-with Deluxe hang-on A/C	For L.H. register		1	D2AZ 19C627-A
68/71	S-with integral A/C	R.H.		1	C8SZ 19C626-A
		L.H.		1	C8SZ 19C627-A
		"Before 10/1/68"		1	C9SZ 19C627-A
		"From 10/1/68"		1	
19627 THRU 19628 - Refer to Paint Section					

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19A630 SEAL - AIR CONDITIONER COMPRESSOR HIGH PRESSURE VALVE				
70/	A-with integral A/C		1	D0AZ 19A630-A
70/71	B-with integral A/C		1	
70/	F-with integral A/C		1	
71/	L-with integral A/C		1	
70/	P-with integral A/C	Used only from 12/1/69	1	
70/71	S		1	
19D631 SLEEVE-AIR CONDITIONER REFRIGERANT TUBE PROTECTIVE				
71/	A(8 cyl. 429 P/C)	Cut 9" from 1" I.D. rubber hose	1	★
19B632 CLIP - AIR CONDITIONER TUBE SUPPORT				
70/	A-with integral A/C		1	D0AZ 19B632-A
69/71	A-with slim line hang-on A/C		1	
70/71	B-with integral or hang-on A/C		1	D0OZ 19B632-A
71/	F-with integral A/C		1	
71	F, P-with slimline hang-on A/C		1	
19D632 WIRING ASSY. - AIR CONDITIONER COMPRESSOR CLUTCH FEED JUMPER				
71/72	F-with integral A/C	"Before 1/3/72" Not required "From 1/3/72"	1	D1ZZ 19D632-A
19C633 DUCT - AIR CONDITIONER EVAPORATOR OUTLET - Also refer to Group 18471				
66/67	B, X-with integral A/C		1	C6OZ 19C633-A
66	B, X	Stud fastener (duct to evaporator)-capped	5	380464-S(HH17D)
19A634 CLAMP - EVAPORATOR EXPANSION VALVE BULB				
69/	A-with integral A/C	Use on aluminum A/C evaporator core 19860	1	C9AZ 19A634-A
69/	A-with integral A/C	Use on copper A/C evaporator core 19860	1	C9AZ 19A634-B
70/71	S		1	
72	B-with integral A/C		1	D0VY 19A634-A
72	S		1	
19B635 RETAINER - AIR CONDITIONER EVAPORATOR REGISTER				
67/68	A, F-with Economy hang-on A/C		4	C7AZ 19B635-A
67/70	B-with Economy hang-on A/C		4	
67/70	X-with Economy hang-on A/C		4	
19A637 BRACKET - AIR CONDITIONER EVAPORATOR TO INSTRUMENT PANEL				
68/71	B-with Deluxe hang-on A/C		2	C8OZ 19A637-A
68/70	X-with Deluxe hang-on A/C		2	
69/71	F-with hang-on A/C		1	C9ZZ 19A637-A
70/71	P-hang-on A/C		1	D0DZ 19A637-A
19D637 SEAL ASSY. - AIR CONDITIONER EVAPORATOR CASE				
72	B-with integral A/C		1	D2OZ 19D637-A
72	S		1	D2SZ 19D637-A
19A639 BRACKET - AIR CONDITIONER EVAPORATOR CASE SUPPORT				
71/	L-with integral A/C		1	D1FZ 19A639-A
19C643 BLOCK ASSY. - VACUUM HOSE JUNCTION				
65/68	A-with integral A/C		1	C5AZ 19C643-A
67/68	A-with forced ventilation system		1	C7AZ 19C643-A
67	S-with integral A/C and/or heater	Mounts in engine compt. on fire wall-center (6) nipple	1	C7SZ 19C643-A
		Mounts in engine compt. on fire wall-R.H. (19) nipple	1	C7SZ 19C643-B
		Mounts in engine compt on fire wall-L.H. (23) nipple	1	C7SZ 19C643-C
68	S-with integral A/C	"Before 2/1/68" Mounts at dash panel-(8) nipple	1	C8SZ 19C643-A
		"From 2/1/68" Not required		
68	S-with integral A/C and/or heater-	R.H. -with manual controls (13) nipple	1	C8SZ 19C643-E
		"Before 2/1/68"		
		"From 2/1/68" Not required		
68/70	S-with integral A/C and/or heater	L.H.-with manual controls (28) nipple	1	C8SZ 19C643-B
68	S-with A.T.C.	"Before 2/1/68" R.H.-(18) nipple	1	C8SZ 19C643-D
68	S-with A.T.C.	"From 2/1/68" Not required		
68	S-with A.T.C.	"Before 2/1/68" L.H.-(18) nipple	1	C8SZ 19C643-C
68/69	S-with A.T.C.	"From 2/1/68" L.H.-(18) nipple	1	C8SZ 19C643-G
68/70	S-with integral A/C	Use to cap block assy. 19C643 with vacuum door locks	1	380614-S(DD3)
19A644 INSULATION - AIR CONDITIONER EVAPORATOR CORE				
68/71	S-with integral A/C	Upper	1	C8SZ 19A644-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19D644 VALVE - AIR CONDITIONER COMPRESSOR PRESSURE RELIEF				
71/	F, L, P	For integral A/C-includes "o" ring	1	D2AZ 19D644-A
72	A, B, S		1	
19D645 TUBE - AIR CONDITIONER COMPRESSOR OIL INLET				
72	S	For swash plate A/C compressor	1	D1VY 19D645-A
19D646-7 HEAD - AIR CONDITIONER COMPRESSOR				
72	S	Front-for swash plate A/C compressor	1	D1VY 19D646-A
		Rear	1	D1VY 19D647-A
19D648 SPACER - AIR CONDITIONER COMPRESSOR CLUTCH HUB				
72	S	For swash plate A/C compressor	1	D1VY 19D648-A
19B650 CONNECTOR - VACUUM HOSE - Also refer to Group 19C827				
67	S-with integral A/C and/or heater	Rubber-(13) outlet	1	C7SZ 19B650-A
67	S-with integral A/C and/or heater	Rubber-(3) outlet	1	C7SZ 19B650-B
67	S-with integral A/C and/or heater	Rubber-(6) outlet	1	C7SZ 19B650-C
68/69	S-with A.T.C.	Serviced in 13B068 assy. only	1	★
19D651 KEY - AIR CONDITIONER COMPRESSOR CLUTCH HUB				
72	S	For swash plate A/C compressor	1	D1VY 19D651-A
19D652 SCREEN - AIR CONDITIONER COMPRESSOR OIL SUCTION				
72	S	For swash plate A/C compressor	1	D1VY 19D652-A
19D653 PULLEY and BEARING ASSY. - AIR CONDITIONER COMPRESSOR				
72	S	For swash plate A/C compressor	1	D1VY 19D653-A
19D654 CYLINDER and SHAFT ASSY. - AIR CONDITIONER COMPRESSOR				
72	S	For swash plate A/C compressor	1	D1VY 19D654-A
19655 SEAL - AIR CONDITIONER COMPRESSOR CRANKSHAFT				
65/67	All	Used with Tecumseh Compressor-with rear oil fill plugs	1	C9AZ 19655-C (YE-12)
69/71	All-with hang-on A/C	Except with York compressor (model R210-L)	1	
65/68	All		1	
67/68	All	Use with Tecumseh Compressor-with side fill oil plug	1	
65/69	All-with integral or hang-on A/C	Use on York compressor (Model R210-L) or Eaton (A2-10416)	1	D0AZ 19655-C (YE-5)
70/	All-with hang-on A/C		1	
72	L-with integral A/C		1	
69/	All-with integral A/C	Kit-use with Tecumseh compressor	1	C9AZ 19655-A (YE-10)
69/	All -with integral A/C	Kit-use w/York compressor(exc. model R210-L)	1	C9AZ 19655-B (YE-11)
19D655 COVER - AIR CONDITIONER COMPRESSOR SUCTION				
72	S	For swash plate A/C compressor	1	D1VY 19D655-A
19656 PLATE - AIR CONDITIONER COMPRESSOR VALVE				
65/	All	Used with Tecumseh cast iron compressor	1	C3GY 19656-A (YE-6)
65/67	All	Used with York Compressor	1	C2SZ 19656-A (YE-8)
68/	All	Used with York or Eaton compressor	1	C8SZ 19656-A (YE-7)
19D656-7 PLATE ASSY. - AIR CONDITIONER COMPRESSOR VALVE				
72	S	Front-for swash plate A/C compressor	1	D1VY 19D656-A
		Rear	1	D1VY 19D657-A
19C658 STUD - AIR CONDITIONER CONDENSER MOUNTING				
72	S		4	D2SZ 19C658-A
72	B-with integral A/C		4	
19D658 SCREW - AIR CONDITIONER COMPRESSOR CHARGING OIL DRAIN PLUG				
72	S	For swash plate A/C compressor	1	D1VY 19D658-A
19D659 REED - AIR CONDITIONER COMPRESSOR VALVE INLET				
72	S	For swash plate A/C compressor	1	D1VY 19D659-A
19D660 "O" RING KIT - AIR CONDITIONER COMPRESSOR				
72	S	For swash plate A/C compressor	1	D1VY 19D660-A
19D661 GASKET - AIR CONDITIONER COMPRESSOR CHARGING SCREW				
72	S	For swash plate A/C compressor	1	D1VY 19D661-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19D662	PIN - AIR CONDITIONER COMPRESSOR HEAD LOCATOR		
72	S	For swash plate A/C compressor	4	D1VY 19D662-A
	19D663	OIL PUMP ROTOR KIT - AIR CONDITIONER COMPRESSOR		
72	S	For swash plate A/C compressor	1	D1VY 19D663-A
	19D664	RETAINER RING KIT - AIR CONDITIONER COMPRESSOR		
72	S	For swash plate A/C compressor	1	D1VY 19D664-A
	19D665	SEAL KIT - AIR CONDITIONER COMPRESSOR SHAFT		
72	S	For swash plate A/C compressor	1	D1VY 19D665-A
	19B666	INSULATION - AIR CONDITIONER EVAPORATOR CASE COVER		
68/71	S-with integral A/C		1	D1SZ 19B666-A
	19D667	NUT KIT - AIR CONDITIONER COMPRESSOR SHAFT		
72	S	For swash plate A/C compressor	1	D1VY 19D667-A
	19A671	REGISTER - AIR CONDITIONER EVAPORATOR - Also refer to Group 19893		
65	A, B, F, X-with hang-on A/C	Front	4	C3AZ 19A671-A
69/71	F-with hang-on A/C		2	
71	P-with Slimline hang-on A/C		2	
66	A, B, F, X-with hang-on A/C	Side-used only with evaporator w/top mount hoses	2	C6AZ 19A671-A
67/68	A, F-with Economy hang-on A/C		2	
67/70	B, X-with Economy hang-on A/C		2	
68	A, F-with hang-on A/C	Front	3	C8OZ 19A671-A
69/71	A-with Slimline hang-on A/C		3	
67/71	B-with hang-on A/C		3	
67/70	X-with hang-on A/C		3	
69/70	A-with tunnel mounted A/C	Center	2	C9AZ 19A671-A
70/71	P-with Economy hang-on A/C		1	
69/70	A-with tunnel mounted A/C	Side	2	C9AZ 19A671-B
69/71	F-with hang-on A/C	L.H. -includes duct	1	C9ZZ 19A671-A
71	P-with Slimline hang-on A/C		1	
	19A672	SEAL - AIR CONDITIONER EVAPORATOR CORE		
71/	F, L-with integral A/C	R.H. -side	1	D1ZZ 19A672-A
		L.H.	1	D1ZZ 19A672-B
70/	A-with integral A/C	Lower	2	D2AZ 19A672-A
	19B673	SIGHT GLASS - AIR CONDITIONER EVAPORATOR LIQUID INDICATOR - Also refer to Group 19C705		
72	B-with integral A/C		1	D0VY 19B673-A
72	S		1	
	19A675	BAFFLE - AIR CONDITIONER EVAPORATOR CORE FRONT HOUSING		
72	F-with Deluxe hang-on A/C		1	D2ZZ 19A675-A
	19B679	CLAMP - AIR CONDITIONER HOSE		
72	A, B, F, L, P-with hang-on A/C		2	D2AZ 19B679-A (YF-259)
72	All		AR	D0TZ 19B679-A (YF-256)
	19B680	DUCT ASSY. - EVAPORATOR TO REGISTER		
	- A -			
65/66	A-with integral A/C	R. H. & L. H. -38" long	2	C5AZ 19B680-A
		11" long -not replaced (3-74)	1	★C5AZ 19B680-B
69/70	A-with integral A/C	R. H.	1	C9AZ 19B680-A
69	A-with integral A/C	L. H.	1	C9AZ 19B680-B
70	A-with integral A/C	L. H.	1	D0AZ 19B680-A
71/	A-with integral A/C	R. H.	1	D1AZ 19B680-A
		L. H.	1	D1AZ 19B680-B
	- B -			
68/69	B-with integral A/C	R. H.	1	C8OZ 19B680-A
		L. H.	1	C7SZ 19B680-A
70/71	B-with integral A/C	R. H.	1	D0OZ 19B680-A
70/71	B-except with integral A/C	R. H. & L. H. -Air vent	2	D0OZ 19B680-C
72	B-with integral A/C	R. H.	1	D2OZ 19B680-A
		L. H.	1	D2OZ 19B680-B
	- F -			
67/68	F-with integral A/C	R. H. & L. H. -28" long	1	C7ZZ 19B680-A
		Center-4" long	1	C7ZZ 19B680-B
69/70	F-with integral A/C	R. H. -evaporator to connector	1	C9ZZ 19B680-B
		L. H. -evaporator to connector	1	C9ZZ 19B680-C
		L. H. -register to connector	1	C9ZZ 19B680-D

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19B680 DUCT ASSY. - EVAPORATOR TO REGISTER - continued				
- F -				
69/70	F-with forced vent system or integral A/C	Center	1	C9ZZ 19B680-A
71/	F-with integral A/C	R.H.	1	D1ZZ 19B680-F
		L.H.	1	D1ZZ 19B680-F
- L -				
71/	L-with integral A/C	R.H.	1	D1FZ 19B680-F
		L.H.	1	D1FZ 19B680-F
- P -				
70/	P-with integral A/C	R.H.	1	D0DZ 19B680-E
		L.H.	1	D0DZ 19B680-A
- S -				
67	S-with integral A/C and/or heater	R. H.	1	C7SZ 19B680-A
		L.H. -not replaced (3-74)	1	★C7SZ 19B680-E
		Center -not replaced (3-74)	1	★C7SZ 19B680-C
68	S-with integral A/C and/or heater	R. H.	1	C8SZ 19B680-A
		L.H.	1	C8SZ 19B680-E
68/71	S-with integral A/C and/or heater	Center	1	C8SZ 19B680-C
69/71	S-with integral A/C and/or heater	R. H.	1	C9SZ 19B680-A
69	S-with integral A/C and/or heater	L. H.	1	C9SZ 19B680-B
70/71	S-with integral A/C and/or heater	L. H.	1	D0SZ 19B680-A
72	S-with integral A/C and/or heater	R.H.	1	D2SZ 19B680-A
		L.H.	1	D2SZ 19B680-B
- X -				
68/70	X-with integral A/C	R. H.	1	C8OZ 19B680-A
		L.H.	1	C7SZ 19B680-A
19C680 REGISTER and DUCT ASSY. - INSTRUMENT PANEL CENTER				
65	A(57C, 63C, 76B)-with integral A/C	R. H. -Wood grain finish	1	C5AZ 19C680-B
66	A(57F, 63C, 63D, 63F, 76B, 76D, 71A, 71E)-with integral A/C		1	
19A683 RETAINER - AIR CONDITIONER EVAPORATOR SIDE REGISTER				
65/67	A, B, X-with hang-on A/C	Spring clip	2 or 8	C3AZ 19A683-A
65	F-with hang-on A/C		2 or 8	
69/71	F-with hang-on A/C		2	
71	P-with slimline hang-on A/C		2	
19B684 GASKET KIT - AIR CONDITIONER COMPRESSOR				
65/	All	Used with Tecumseh Cast Iron compressor	1	C3GY 19B684-A (YE-15)
Consists of				
‡ 2-C3AA 2944-A	Gasket (oil filler)	2-B8A 19664-A	Gasket (for bolt down type valve)	
‡ 1-C3VA 2945-A	Gasket (cylinder head)	2-C2SZ 19B994-A	Gasket (for roto-lok type valve)	
‡ 1-C3VA 2992-A	Gasket (valve plate)			
‡ Details of kit not serviced loose				
65/71	All	Used with York compressor	1	C8AZ 19B684-A
72	All-with integral A/C		1	(YE-14)
Consists of				
†(2)-028 07140	"o" ring, oil fill	†(1)-028 07145	"o" ring, bearing housing	
†(1)-028 07142	gasket, base plate	†(1)-028 07146	gasket, service valve	
†(1)-028 07143	gasket, cylinder	†(1)-028 07363	gasket, base plate	
†(1)-028 07144	gasket, head	†(1)-028 08155	gasket, head	
† York part numbers - details not serviced loose				
72	All-with hang-on A/C	Used with York compressor	1	D2AZ 19B684-A (YE-13)
Consists of				
†(2)-028 07140	ring oil seal	†(1)-028 07145	"o" ring front bearing housing	
†(1)-028 07142	gasket base	†(1)-028 08155	gasket, cylinder head	
†(1)-028 07143	gasket, cylinder	†(2)-028 08180	"o" ring valve post seal	
† York part numbers - details not serviced loose				

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19C691 REGISTER and CONNECTOR ASSY. - INSTRUMENT PANEL				
67	A-with integral A/C	L.H.	1	C7AZ 19C691-B
19C692 CONNECTOR - AIR CONDITIONER REGISTER				
68/69	B-with integral A/C	R.H.	1	C8OZ 19C692-B
68/70	X-with integral A/C		1	
68/69	B-with integral A/C	L.H.	1	C8OZ 19C692-A
68/70	X-with integral A/C		1	
70/71	B-with integral A/C	L.H.	1	D0OZ 19C692-A
		R.H.	1	D0OZ 19C692-B
67/68	F-with integral A/C	R.H. -not replaced (3-74)	1	★C7ZZ 19C692-B
		L.H.	1	C7ZZ 19C692-A
69/70	F-with integral A/C	R.H.	1	C9ZZ 19C692-A
		L.H.	1	C9ZZ 19C692-B
71/	F-with integral A/C	R.H.	1	D1ZZ 19C692-A
		L.H.	1	D1ZZ 19C692-E
72	L-with built-in A/C (dealer installed)	R.H.	1	D4FZ 19C692-A
		L.H.	1	D4FZ 19C692-B
		Center	1	D4FZ 19C692-C
70/	P-with integral A/C	R.H.	1	D0DZ 19C692-A
70/	P-with integral A/C	L.H.	1	D0DZ 19C692-E
70/71	P-with Economy hang-on A/C		1	
19693 HOUSING - AIR CONDITIONER BLOWER MOTOR				
69/71	A-with Slimline hang-on A/C	R.H.	1	D0DZ 19693-A
71	L-with hang-on A/C		1	
70/71	P-with hang-on A/C		1	
		L.H.	1	D0DZ 19693-B
19D695 FITTINGS - AIR CONDITIONER REFRIGERANT LINE - Refer to Section 197 for refrigerant line fittings				
19B696 SPACER - AIR CONDITIONER INSTRUMENT PANEL REGISTER				
70/71	P-with Economy hang-on A/C	L.H.	1	D0DZ 19B696-A
19C696 REGISTER ASSY. - INSTRUMENT PANEL - Also refer to Group 19893				
68	F(63A,C, 65A,C, 76A)-with integral A/C	L.H. - camera case finish	1	C8ZZ 19C696-A
19700 ADAPTER KIT - AIR CONDITIONER MASTER KIT (1970 TO 1971)				
71	A	Used to adapt 1970 master kit D0AZ 19B968-B to a 1971 master kit D1AZ 19B968-B - not replaced (11-73)	1	★D1AZ 19700-A
Consists of				
1-D1AJ 6206016-AA Panel-glove compartment-rear 1- Installation sketch				
71	F,P	Used to adapt 1970 master kit C9ZZ 19B968-B to a 1971 master kit D1ZZ 19B968-B	1	D1ZZ 19700-A
Consists of				
1-D0OZ 19D567-A Tube assy.-dehydrator outlet 2-34659-S2 Nut & washer-1/4"-20				
1-D0AJ 19C599-A Strap-evaporator mounting 3-44719-S2 Washer-flat-1/4"				
1-D0OZ 19B632-A Clip-tube support 3-55907-S2 Screw-No.8-18 x 1/2"				
1-D0OZ 19C700-A Tube assy.-condenser inlet 3-56102-S4 Bolt-1/4"-20 x 5/8"				
1-D0OZ 19C917-A Bracket-condenser tube support 1- Installation sketch				
1-20384-S8 Bolt-1/4"-20 x 1"				
19C700 DISCHARGE LINE - AIR CONDITIONER COMPRESSOR TO CONDENSOR				
Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.				
19D701 CORE ASSY. - AIR CONDITIONER CHARGING VALVE				
72	B,S-with integral A/C		1	D2OZ 19D701-A
19702 BRACKET - AIR CONDITIONER CONDENSER MOUNTING				
72	B-with integral A/C	R.H.	1	D2OZ 19702-A
		L.H.	1	D2OZ 19702-B
72	S	R.H.	1	D2SZ 19702-A
		L.H.	1	D2SZ 19702-B
72	B-with integral A/C	R.H.-lower	1	D2SZ 19735-A
72	S-with integral A/C	R.H.-lower	1	
72	B,S-with integral A/C	L.H.	1	D2SZ 19735-E
19D702 CAP ASSY. - AIR CONDITIONER CHARGING VALVE				
72	B,S-with integral A/C		1	D2OZ 19D702-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19703 COMPRESSOR KIT - AIR CONDITIONER - Also refer to Group 19B968					
71	L	Must be used with applicable 19B969 engine kit, 19B968 evaporator kit, and 19708 condenser kit		1	D2FZ 19703-B
Consists of 1-C9RJ 2901-A Compressor clutch-kit 1-D0RY 19703-B Compressor					
19703 COMPRESSOR ASSY. - AIR CONDITIONER					
65/68	A, B, F, S, X	Replaced by C9AZ 19703-B (3-74)		1	★C3AZ 19703-F
69/71	A, B, F, X-with hang-on A/C			1	
70	P-with hang-on A/C			1	
69	A, B, F-with integral A/C	Tecumseh or York		1	★C9AZ 19703-A
70	P-with integral A/C "Before 12/1/69"			1	r/b C9AZ 19703-B (5-75)
69/70	X-with integral A/C			1	
70/72	A, B-with integral A/C "Before 7/1/72"	Tecumseh or York		1	★D2AZ 19703-A
70/72	P-with integral A/C- "From 12/1/69 to 7/1/72"			1	r/b D3AZ 19703-A (4-73)
70/72	F-with integral A/C "Before 7/1/72"			1	
72	A, B, F, P-with integral A/C "From 7/1/72"	Replaced by D3AZ 19703-B (3-74)		1	★D3AZ 19703-A
72	A, B, F, P-with hang-on A/C	York	YC-11	1	D2AZ 19703-C
71	A, B, F, P-with hang-on A/C	York (R210-L)	YC-5	1	C9AZ 19703-B
71/	L-with hang-on A/C	Eaton (A2-10416)-w/bolt down A/C valves	YC-7	1	D0RY 19703-B
71	L-with integral A/C "Before 7/2/71"			1	D1FZ 19703-A
71/72	L-with integral A/C "From 7/2/71 to 1/10/72"	Replaced by D3FZ 19703-B (3-74)		1	★D2FZ 19703-A
72	L-with integral A/C "From 1/10/72 to 7/1/72"	R/b D3FZ 19703-A (4-73)		1	★D2FZ 19703-C
72	L-with integral A/C "From 7/1/72"			1	D3FZ 19703-A
69	S-with integral A/C	Tecumseh	YC-8	1	C9AZ 19703-C
70/71	S-with integral A/C	Tecumseh	YC-9	1	D0AZ 19703-B
72	S	Frigidaire-swash plate type	YC-10	1	D1VY 19703-A
65	F(6 cyl.)	Bolt (compress and lower brace to mounting bracket)-3/8"-16 x 1/2"		1	20312-S7(B75)
65	F(6 cyl.)	Bolt (compressor to mounting bracket)-3/8"-16 x 1"		3	20388-S8(B80)
65/66	B	Bolt (compressor to mounting bracket)-3/8"-16 x 1 1/2"		2	20468-S8(B85)

19A704 TUBE ASSY. - AIR CONDITIONER EVAPORATOR INLET TO COWL

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

19A705 TUBE ASSY. - AIR CONDITIONER EVAPORATOR OUTLET TO COWL

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

19A706 RESISTOR - AIR CONDITIONER BLOWER MOTOR - Also refer to Group 18591

71/	A-with A.T.C.	With diode		1	D1AZ 19A706-A
66/67	B, X-with integral A/C			1	C6OZ 19A706-B
68/71	B-with integral A/C			1	D0OZ 19A706-A
68/70	X-with integral A/C			1	
72	B-with integral A/C			1	★D2OZ 19A706-A
72	S-with manual A/C			1	r/b D0SZ 18591-A (5-75)
67/	F-with integral A/C			1	C8ZZ 19A706-A
70/	P-with integral A/C			1	D0DZ 19A706-A
71/	L-with integral A/C			1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER	
19A706 RESISTOR - AIR CONDITIONER BLOWER MOTOR - continued - Also refer to Group 18591					
65/66	S		1	C1SZ 19A706-B	
72	S-with A.T.C.		1	D1AZ 19A706-A	
		Screw (resistor to plenum chamber cover)- No. 10-12 x 1/2"	2	42127-S8(U248C)	
19708 CONDENSER KIT - AIR CONDITIONER -Also refer to Group 19B968					
71	L	Must be used with applicable 19B969 engine kit, 19B968 evaporator kit and 19703 compressor kit	1	D0RY 19708-A	
Consists of					
4-C7AZ 19B594-A	Bracket-condenser mounting	4-	Bolt-1/4"-20 x 1"		
1-C9RZ 19712-A	Condenser assy.	2-	Clamp		
1-D0RY 19835-A	Tube assy.-dehydrator to condenser	3-	Clip		
1-D0RY 19837-A	Hose assy.-dehydrator to evaporator	3-	Grommet-3/4" I.D.		
1-D1AZ 19867-A	Hose assy.-evaporator to compressor	1-	Grommet-5/16" I.D.		
1-C9RZ 19B937-A	Bracket-dehydrator mounting	8-	Screw-No.10 x 1/2"		
1-C9RZ 19959-A	Dehydrator & Receiver Tank Assy.	8-	Screw-No.14 x 3/4"		
1-D1AZ 19972-B	Hose assy.-compressor to condenser	4-	Nut & lockwasher-1/4"-20		
YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19712 CORE ASSY. - AIR CONDITIONER CONDENSER					
- A -					
65	A-with hang-on A/C	3/4" thick-not precharged-for dealer installed units	YJ-33	1	C5AZ 19712-B
65	A-with hang-on A/C	For factory installed units	YJ-9	1	C6AZ 19712-A
65/67	A-with integral A/C	"Before 5/1/67"		1	
67	A-with integral A/C	"From 5/1/67"	YJ-50	1	C7AZ 19712-B
66	A-with hang-on A/C	Not precharged-For dealer installed units	YJ-10	1	C6AZ 19712-B
67/	A-with hang-on A/C		YJ-49	1	C7AZ 19712-A
68	A-with integral A/C		YJ-14	1	C8AZ 19712-A
69	A-with integral A/C		YJ-1	1	C9AZ 19712-A
70	A-with integral A/C		YJ-3	1	D0AZ 19712-A
71/	A-with integral A/C		YJ-4	1	D1AZ 19712-A
- B -					
65	B-with hang-on or integral A/C	For factory installed units	YJ-36	1	C5OZ 19712-A
65	B-with hang-on A/C	Not precharged-with flared fittings	YJ-8	1	C4AZ 19712-B
66	B(6 cyl. & 8 cyl. 289)-with hang-on A/C		YJ-44	1	C6OZ 19712-C
66	B(8 cyl. 390)-with hang-on or integral A/C		YJ-43	1	C6OZ 19712-B
67	B(8 cyl. 390)-with integral A/C			1	
67/	B-with hang-on A/C		YJ-49	1	C7AZ 19712-A
66	B(6 cyl. & 8 cyl. 289)-with integral A/C		YJ-42	1	C6OZ 19712-A
67	B(6 cyl. & 8 cyl. 289)-with integral A/C		YJ-52	1	C7OZ 19712-A
68/69	B-with integral A/C		YJ-16	1	C8OZ 19712-A
70/71	B-with integral A/C		YJ-5	1	D1OZ 19712-A
72	B-with integral A/C		YJ-6	1	D2OZ 19712-A
- F -					
65/66	F-with hang-on A/C	Not precharged-with flared fittings	YJ-8	1	C4AZ 19712-B
67/	F-with hang-on A/C		YJ-49	1	C7AZ 19712-A
67/68	F-with integral A/C		YJ-13	1	C7ZZ 19712-A
69/70	F-with integral A/C		YJ-2	1	C9ZZ 19712-A
71/	F-with integral A/C		YJ-5	1	D1OZ 19712-A
- L -					
71/	L-with hang-on A/C		YJ-55	1	C9RZ 19712-A
71/	L-with integral A/C		YJ-61	1	D1FZ 19712-A
- P -					
70/	P-with hang-on A/C		YJ-49	1	C7AZ 19712-A
70/	P-with integral A/C		YJ-21	1	D1DZ 19712-A
- S -					
66	S-without T/E		YJ-45	1	C6SZ 19712-B
66	S-with T/E		YJ-46	1	C6SZ 19712-C
67	S		YJ-12	1	C7SZ 19712-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19712 CORE ASSY. - AIR CONDITIONER CONDENSER - continued					
- S -					
68/69	S		YJ-17	1	C8SZ 19712-B
70/71	S		YJ-58	1	D0SZ 19712-A
72	S		YJ-24	1	D2SZ 19712-A
- X -					
65	X-with hang-on A/C	Not precharged-with flared fittings	YJ-8	1	C4AZ 19712-B
66	X-with hang-on A/C		YJ-44	1	C6OZ 19712-C
67/70	X-with hang-on A/C		YJ-49	1	C7AZ 19712-A
66	X-with integral A/C		YJ-42	1	C6OZ 19712-A
67	X-with integral A/C		YJ-52	1	C7OZ 19712-A
68/70	X-with integral A/C		YJ-16	1	C8OZ 19712-A
68/69	B -with integral A/C	Screw (attach condenser to radiator support)- 5/16"-18 x 1 1/4"		2	377357-S2(BB867X)
68/70	X-with integral A/C			2	
19C717 SHAFT - AIR CONDITIONER AIR OUTLET DOOR					
68/71	B-with integral A/C			1	C8OZ 19C717-A
68/70	X-with integral A/C			1	
19B725 PLATE ASSY. - AIR CONDITIONER REGISTER - Refer to Group 19C876					
19C730 BOX ASSY. - AIR CONDITIONER TEMPERATURE CONTROL					
71/	A-with A.T.C.			1	D1AZ 19C730-A
68	S-with A.T.C.	"Before 2/1/68"		1	C8SZ 19C730-A
68/71	S-with A.T.C.	"From 2/1/68"		1	C8SZ 19C730-B
72	S-with A.T.C.			1	D2SZ 19C730-A
19C733 SWITCH ASSY. - AIR CONDITIONER TEMPERATURE CONTROL					
71/	A-with A.T.C.		YH-38	1	D1AZ 19C733-A
68/71	S-with A.T.C.		YH-35	1	C8SZ 19C733-A
72	S-with A.T.C.		YH-39	1	D2SZ 19C733-A
19C734 SENSOR ASSY. - AIR CONDITIONER AUTOMATIC TEMPERATURE CONTROL					
71/	A-with A.T.C.	At instrument panel	YH-44	1	D1AZ 19C734-A
68/71	S-with A.T.C.	At air inlet duct	YH-41	1	C7VY 19C734-A
71/	A-with A.T.C.			1	
68/71	S-with A.T.C.	At instrument panel	YH-42	1	C7VY 19C734-C
72	S-with A.T.C.	At plenum	YH-46	1	D2SZ 19C734-A
72	S-with A.T.C.	At instrument panel	YH-47	1	D2SZ 19C734-B
19735 BRACKET - AIR CONDITIONER CONDENSER MOUNTING - Refer to Group 19702					
19B735 COVER - EVAPORATOR					
69 /	A-with integral A/C			1	C9AZ 19B735-A
69/71	A-with slim line hang-on A/C			1	D0AZ 19B735-A
68/69	S-with integral A/C or heater			1	C8SZ 19B735-A
70/71	B-with manual A/C			1	D0SZ 19B735-A
70/71	S-with A. T. C.			1	D0SZ 19B735-B
70/71	S-with heater			1	D0SZ 19B735-C
19736 COVER - AIR CONDITIONER EVAPORATOR THERMOSTAT					
65/68	A-with integral A/C			1	C5AZ 19736-A
19C737 PLATE - AIR CONDITIONER TEMPERATURE CONTROL SENSOR MOUNTING					
68/71	S-with integral A/C			1	C8SZ 19C737-A
19742 GUARD - AIR CONDITIONER EVAPORATOR FAN					
65	A, B, F, X-with hang-on A/C			2	C3MY 19742-A
66/68	A, F-with Economy hang-on A/C	Used only with evaporator w/top mount hoses		2	C6AZ 19742-A
66/70	B-with Economy hang-on A/C			2	
69/71	F-with hang-on A/C	Plastic		2	C9ZZ 19742-A
71	P-with Slimline hang-on A/C			2	
19C747 VENTURI - AIR CONDITIONER CONTROL					
71/	A,S-with A.T.C.			1	D1AZ 19C747-A
68/70	S-with A.T.C.			1	C6VY 19C747-A
19C748 TUBE - AIR CONDITIONER VENTURI PRESSURE					
68/70	S-with A.T.C.			1	C8SZ 19C748-A

* Note - if this part requires an external valve & wire also use C8SZ 18C536-A

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 190

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19B749 DOOR ASSY. - AIR CONDITIONER EVAPORATOR CASE OUTLET					
68/71	B-with integral A/C			1	C8OZ 19B749-A
68/70	X-with integral A/C			1	
19C749 INSULATION - AIR CONDITIONER EVAPORATOR CORE FRONT					
68/71	S-with integral A/C	R. H. -front		1	C8SZ 19C749-B
19752 VALVE ASSY. - AIR CONDITIONER COMPRESSOR - Also refer to Group 19A990					
65	A-with hang-on or integral A/C		YF-303	1	C8ZZ 19752-A
66/68	A-with integral A/C			1	
65/67	B, S			1	
67/68	F-with integral A/C			1	
69	A, B, F, S -with integral A/C		YF-304	1	C9AZ 19752-A
70/71	A, B, F, P-hang-on A/C			1	
70	P-with integral A/C	"Before 12/1/69"		1	
69/70	X-with integral A/C			1	
70/	A-with integral A/C		YF-305	1	D0AZ 19752-A
70/71	B-with integral A/C			1	
70/	F-with integral A/C			1	
71/	L-with integral A/C			1	
70/	P-with integral A/C	"From 12/1/69"		1	
70/	S-with integral A/C			1	
67/68	S-with integral A/C		YF-302	1	C8VY 19752-A
68	B, X-with integral A/C			1	
19C753 HOSE - AIR CONDITIONER FLOOR AIR DEFLECTOR					
70/71	S-with A. T. C.	R. H. or L. H. -cut to suit if required		1or2	D0VY 19C753-A
71/	A-with A.T.C.			1	
68/69	S-with A.T.C.	Use between ventura and sensor assy.		AR	
19C761 BRACE ASSY. - AIR CONDITIONER EVAPORATOR					
67/68	A, F	Front-for economy hang-on A/C		1	C7AZ 19C761-A
67/70	B, X			1	
		Rear		1	C7AZ 19C761-B
19C767 BRACKET - AIR CONDITIONER EVAPORATOR CASE DAMPER DOOR CABLE					
67/71	B-with integral A/C			1	C7OZ 19C767-A
67/70	X-with integral A/C			1	
19B769 KNOB - AIR CONDITIONER AIR OUTLET DOOR CONTROL					
67/71	S-with integral A/C			2	C7SZ 19B769-A
19C769 ROLLER - AIR CONDITIONER DAMPER DOOR ACTUATING					
66/70	B-with integral A/C			1	C6OZ 19C769-A
66/70	X-with integral A/C			1	
19A771 DEFLECTOR - AIR FLOOR					
68/71	S-with Heater or integral A/C			1	C8SZ 19A771-A
		Screw (deflector to vent air register panel)- No. 10-12 x 3/4"		4	52023-S8(U210)
19C772 CAM - AIR CONDITIONER DAMPER DOOR					
67/71	B-with integral A/C			1	C7OZ 19C772-A
67/70	X-with integral A/C			1	
19C774 SHAFT ASSY. - AIR CONDITIONER DAMPER DOOR					
72	B, S-with integral A/C	Damper door inlet		1	D2OZ 19C774-A
69/ 70	F-with integral A/C	Use on inlet		1	C9ZZ 19C774-A
69/	F-with integral A/C	Use on heater core		1	C9ZZ 19C774-B
69/	F-with integral A/C	Use on evaporator core		1	C9ZZ 19C774-C
71/	L-with integral A/C	Use on blend door inlet		1	D1FZ 19C774-A
71/	L-with integral A/C	Use on damper door inlet		1	D1FZ 19C774-E
70/	P-with integral A/C	Use on inlet		1	D0DZ 19C774-A
71/	F-with integral A/C			1	
70/	P-with integral A/C	Use on evaporator core		1	D0DZ 19C774-C
70/	P-with integral A/C	Use on blower motor		1	D0DZ 19C774-D
71/	L-with integral A/C			1	
19A775 SEAL - AIR CONDITIONER REGISTER TO INSTRUMENT PANEL					
72	S			2	D2SZ 19A775-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19A779 CLIP - HEATER CORE CASE				
70/	P-with heater		AR	C0DF 19A779-A
72	B		AR	
71/	F,L		AR	
19B781 PLATE - AIR CONDITIONER REGISTER TRIM END				
68/71	B-with Deluxe hang-on A/C	R. H.	1	C8AZ 19B781-C
69/71	A-with Slimline hang-on A/C		1	
68/70	X-with Deluxe hang-on A/C		1	
		L. H.	1	C8AZ 19B781-D
19784 SUPPORT - AIR CONDITIONER EVAPORATOR CORE				
66/71	B-with integral A/C		1	C6OZ 19784-A
66/70	X-with integral A/C		1	
19C784 BEZEL - AIR CONDITIONER REGISTER				
72	A, B, F, L, P-with Economy hang-on A/C		1	D2AZ 19C784-B
72	A-with Deluxe hang-on A/C		1	D2AZ 19C784-A
72	B-with Deluxe hang-on A/C		1	D2OZ 19C784-A
72	F-with Deluxe hang-on A/C	R. H.	1	D2ZZ 19C784-A
		L. H.	1	D2ZZ 19C784-B
72	L-with Deluxe hang-on A/C		1	D2FZ 19C784-A
72	P-with Deluxe hang-on A/C		1	D2DZ 19C784-A
19A786 TUBE - BLOWER HOUSING TO BLOWER MOTOR				
65/68	A-with integral A/C		1	C5AZ 19A786-A
57/68	A-with forced vent system		1	C7AZ 19A786-A
69/	A-with heater		1	
69/	A-with integral A/C		1	C9AZ 19A786-A
67/70	F-with integral A/C		1	C7ZZ 19A786-A
69/70	F-with forced vent system		1	C9ZZ 19A786-A
65/66	S	Formed	1	C0AZ 19A786-A
19C796 HOUSING - BLOWER MOTOR RESISTOR				
68/71	S		1	C8SZ 19C796-A
19801-3 PANEL - AIR CONDITIONER EVAPORATOR CASE				
57/68	A, B, F, X-with Economy Hang-on A/C- "Before 6/1/68"	Lower -r/b C7AZ 19803-D (3-74)	1	*C7AZ 19803-C
67/68	A, F-w/Economy hang-on A/C-"From 6/1/68"	Lower	1	C7AZ 19803-D
67/70	B-with Economy hang-on A/C		1	
67/70	X-with Economy hang-on A/C		1	
69/70	A- with tunnel mounted A/C	Upper	1	C9AZ 19801-A
		Lower	1	C9AZ 19803-A
69/71	A-with Slimline hang-on A/C	Upper	1	D0AZ 19801-A
		Lower	1	D0AZ 19803-A
68/71	B-with Deluxe hang-on A/C	Upper	1	C8OZ 19801-B
68/70	X-with Deluxe hang-on A/C		1	
		Lower	1	C8OZ 19803-B
68	F-with Deluxe Hang-on A/C	Upper	1	C8ZZ 19801-B
		Lower	1	C8OZ 19803-A
69/71	F-with hang-on A/C	Upper	1	C9ZZ 19801-A
71	P-with Slimline hang-on A/C		1	
		Lower	1	C9ZZ 19803-A
70/71	P-with Economy hang-on A/C	Lower	1	D0DZ 19803-A
71	L-with hang-on A/C		1	
72	A, B, F, L, P-with hang-on A/C	Upper	1	D2AZ 19801-A
		Lower	1	D2AZ 19803-A
19C802 DOOR ASSY. - AIR CONDITIONER DAMPER INLET				
69/	F-with integral A/C	Includes shaft	1	C9ZZ 19C802-A
70/	P-with integral A/C		1	
71/	L-with integral A/C		1	D1FZ 19C802-A
19804 PLATE - AIR CONDITIONER EVAPORATOR CASE MOUNTING				
72	B,S-with integral A/C		1	D2OZ 19804-A

YEAR	MODEL	DESCRIPTION	DESCRIPTION			QTY.	PART NUMBER
			VOLTAGE	SHAFT DIA.	ROTATION		
19805 MOTOR ASSY. - AIR CONDITIONER BLOWER - Also refer to Group 18527							
65	A, B, X-with Hang-on A/C	Incl. blower wheels	12	5/16"	C/CW	1	C3AZ 19805-B (MM-200)
65/68	A-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	C7AZ 19805-A (MM-236)
66	A, B, F, X-with Hang-on A/C	Incl. blower wheels	12	5/16"	C/CW	1	● C6AZ 19805-A (MM-219)
67/68	A, F-with Economy hang-on A/C					1	
67/70	B-with Economy hang-on A/C					1	
67/70	X-with Economy hang-on A/C					1	
72	A, B, F, L, P-with hang-on A/C	Motor only				1	D2AZ 19805-A (MM-306)
67/68	A-with Deluxe Hang-on A/C	Incl. blower wheels 3 speed-4 wire	12	Balanced assy.		1	C7AZ 19805-B (MM-235)
68	A-with Deluxe Hang-on A/C	Rheostat switch		Balanced assy.		1	C8AZ 19805-A (MM-257)
69/70	A-with tunnel mounted hang-on A/C	Incl. blower wheels	12	Balanced assy.		1	C9AZ 19805-B (MM-278)
69/71	A-with Slimline hang-on A/C	Incl. blower wheels	12	Balanced assy.		1	D0AZ 19805-A (MM-289)
69/	A-with integral A/C		12	5/16"	CW	1	D2AZ 19805-B (MM-297A)
65	B-with Deluxe hang-on A/C	Incl. blower wheels	12	5/16"	C/CW	1	C4AZ 19805-A (MM-199)
66/71	B-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	C8OZ 19805-A (MM-248)
66/70	X-with integral A/C					1	
68/71	B-with Deluxe hang-on A/C	Incl. blower wheels	12	Balanced assy.		1	C8OZ 19805-C (MM-258)
68/70	X-with Deluxe hang-on A/C					1	
72	B-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	D2OZ 19805-A (MM-303)
67/68	F-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	C7ZZ 19805-A (MM-232)
67/68	F-with Deluxe hang-on A/C	Use with 3 speed A/C blower switch incl. blower wheels	12	Balance assy.		1	C8ZZ 19805-A (MM-252)
67/68	F-with Deluxe Hang-on A/C	Use with variable speed A/C blower switch-incl. blower wheels	12	Balanced assy.		1	C8ZZ 19805-B (MM-259)
69/	F-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	C9ZZ 19805-A (MM-273)
69/71	F-with hang-on A/C	Incl. blower wheels	12	Balanced assy.		1	C9ZZ 19805-B (MM-279)
71	P-with Slimline hang-on A/C					1	
70/	P-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	D0DZ 19805-A (MM-281)
71/	L-with integral A/C					1	
71	L, P-with hang-on A/C with slide bar type control	Motor only				1	D1FZ 19805-A (MM-300)
70/71	P-with Economy hang-on A/C with dial type control	Incl. blower wheels	12	Balanced assy.		1	D0DZ 19805-B (MM-287)
65/66	S	Used with C0AF 19834-D blower wheel	12	5/16"	CW	1	* C2AZ 19805-A (MM-125)
72	S-with heater or integral A/C	Incl. blower wheels	12	Balanced assy.		1	D2OZ 19805-A (MM-303)

* When using to replace motor identified as C0AF 18805-E the bullet terminal must be installed on ground lead
 ● To be used only with evaporator with top mounted hoses

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19808 PANEL ASSY. - AIR CONDITIONER CONTROL- Also refer to Group 18A651				
69/70	A-with integral A/C		1	C9AZ 19808-A
70/72	P-with integral A/C "Before 12/20/71"	With rear window defogger- Black	1	D2DZ 19808-DA
		- Medium Nugget	1	D0DZ 19808-D
		- Medium Blue	1	D0DZ 19808-E
70/71	P	With rear window defogger- Dark Red	1	D0DZ 19808-C
72	P-w/integral A/C-"From 12/20/71 to 7/15/72"	With rear window defogger - Black	1	D2DZ 19808-E
		- Ginger	1	D2DZ 19808-N
		- Medium Blue	1	D2DZ 19808-J
		- Medium Tan	1	D2DZ 19808-BA
72	P-with integral A/C "From 7/15/72"	With rear window defogger - Dark Beige	1	D2DZ 19808-AA
		- Black	1	D2DZ 19808-DA
		- Medium Blue	1	D2DZ 19808-EA
		- Dark Ginger	1	D2DZ 19808-CA
		- Medium Tan	1	D2DZ 19808-BA
72	P-w/integral A/C-"From 12/20/71 to 1/17/72"	With rear window defogger - Medium Beige	1	D2DZ 19808-B
	"From 1/17/72 to 7/15/72"	- Dark Beige	1	D2DZ 19808-AA
70/72	P-with integral A/C "Before 12/20/71"	Without rear window defogger- Black	1	★D0DZ 19808-B
				r/b D2DZ 19808-F (3-74)
		- Medium Nugget	1	D0DZ 19808-G
		- Medium Blue	1	D0DZ 19808-H
72	P-w/integral A/C-"From 12/20/71 to 7/15/72"	Without rear window defogger-Black	1	D2DZ 19808-F
		- Ginger	1	D2DZ 19808-X
		- Medium Blue	1	D2DZ 19808-Z
		- Medium Tan	1	D2DZ 19808-W
72	P-with integral A/C "From 7/15/72"	Without rear window defogger-Dark Beige	1	D2DZ 19808-V
		- Black	1	D2DZ 19808-Y
		-Medium Blue	1	D2DZ 19808-Z
		-Dark Ginger	1	D2DZ 19808-X
		-Medium Tan	1	D2DZ 19808-W
70/71	P	Without rear window defogger-Dark Red	1	D0DZ 19808-F
72	P-w/integral A/C-"From 12/20/71 to 1/17/72"	Without rear window defogger-Medium Beige	1	D2DZ 19808-D
	"From 1/17/72 to 7/15/72"	-Dark Beige	1	D2DZ 19808-V
19812 BRACKET - AIR CONDITIONER HOSE SUPPORT				
70	A-with integral A/C		1	D0AZ 19812-A
71/	A-with integral A/C		1	D1AZ 19812-A
72	S-with integral A/C		1	D2SZ 19812-A
19A812 SEAL - AIR INLET DOOR OUTER				
69/70	F-with integral A/C	Rubber	1	C9ZZ 19A812-A
70/	P-with integral A/C	Butyl	1	D0DZ 19A812-A
71/	L-with integral A/C		1	
19C819 GROMMET - AIR CONDITIONER CONDENSER TUBES				
67/68	F-with integral A/C		1	C7ZZ 19C819-A
70/	P-with integral A/C		1	
69/70	F-with integral A/C		1	C9ZZ 19C819-A
19A821 PLATE - AIR CONDITIONER BLOWER INLET				
68/71	B-with integral A/C		1	C8OZ 19A821-A
68/70	X-with integral A/C		1	
19A822 BRACKET - AIR CONDITIONER EVAPORATOR CASE MOUNTING				
70/71	P-with Economy hang-on A/C		2	C9RZ 19A822-A
71	L-with hang-on A/C		2	
19C824 CLIP - AIR CONDITIONER EVAPORATOR				
70/71	P-with Economy hang-on A/C		4	D0DZ 19C824-A
19C824 CLIP - REGISTER RETAINER				
70/71	B	4 Required with heater or w/forced vent system	AR	D0OZ 19C824-A
69/70	A-with integral A/C	Attach 19C680 to instrument panel	2	C9AZ 19C824-A
		- 6 required with integral A/C		
19C827 HARNESS ASSY. - VACUUM HOSE - If not listed improvise from basic 17543 Hose				
- A -				
71	A-with A.T.C.	3 Nipples on one side	1	D1AZ 19C827-F
71	A-with manual integral A/C	4 Nipples on one side	1	D1AZ 19C827-E
71/	A-with heater	2-2 Nipples-part of plenum chamber	1	D1AZ 19C827-D
71/	A-with heater	2-2 Nipples	1	D1AZ 19C827-H

SECTION 190

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19C827 HARNESS - ASSY. - VACUUM HOSE - continued - If not listed improvise from basic 17543 Hose				
- A -				
71/	A-with heater	2 Nipples on one side	1	D1AZ 19C827-G
71/	A-with manual integral A/C	7-4 Nipples	1	D1AZ 19C827-A
71/	A-with manual integral A/C-"Before 10/1/71"	8-7 Nipples	1	D1AZ 19C827-C
71/	A-with A.T.C.	7-3 Nipples	1	D1AZ 19C827-B
72	A-with manual integral A/C	4-4 Nipples	1	D2AZ 19C827-A
72	A-with A. T. C.	3-3 Nipples	1	D2AZ 19C827-B
72	A-with maual integral A/C	10-7 Nipples	1	D2AZ 19C827-C
- B -				
72	B-with integral A/C	2-2 Nipples	1	D2OZ 19C827-C
72	B-with integral A/C	8-3-2-2-1 Nipples-part of plenum chamber	1	D2OZ 19C827-D
- F -				
69/ 70	F-with integral A/C	(7) hoses	1	C9ZZ 19C827-A
69/ 70	F-with integral A/C	(2) hoses molded in grommet	1	C9ZZ 19C827-B
71/	F	(7) hoses	1	D1ZZ 19C827-A
71/	F	(2) hoses	1	D1ZZ 19C827-E
- P -				
72	P-with integral A/C	4-3 nipples	1	D2DZ 19C827-A
- S -				
67	S	Includes vacuum lines-(3) outlets	1	C7SZ 19C827-A
67	S-with integral A/C	Includes vacuum lines-(6 & 8) outlets-from damper door vacuum switch to firewall	1	C7SZ 19C827-B
67	S-with heater	Includes vacuum lines-(6 & 8) outlets-from damper door vacuum switch to firewall	1	★C7SZ 19C827-C r/b C8SZ 19C827-L (3-74)
68	S-w/manual A/C or heater "Before 2/1/68"	8-6-3 nipples	1	C8SZ 19C827-R
68	S-w/manual A/C or heater "From 2/1/68"	8-9 nipples	1	C8SZ 19C827-V
68/69	S-w/manual A/C or heater "From 2/1/68"	3 nipples-one end	1	C8SZ 19C827-T
68	S-with A.T.C. "Before 2/1/68"	6-6 nipples	1	C8SZ 19C827-K
68/69	S-with A.T.C. "From 2/1/68"	6-6 nipples	1	C8SZ 19C827-U
68	S-with A.T.C. "Before 2/1/68"	9-4-4 nipples	1	C8SZ 19C827-S
68/69	S-with A.T.C. "From 2/1/68"	9-4 nipples	1	C8SZ 19C827-Y
68/ 69	S-with heater	6-8 nipples	1	C8SZ 19C827-L
68/69	S-with manual A/C	6-8 nipples	1	C8SZ 19C827-J
69	S-with manual A/C	6-8 nipples	1	C9SZ 19C827-A
69	S-with heater or manual A/C	10-12 nipples	1	C9SZ 19C827-C
69	S-with A.T.C.	9-9 nipples	1	C9SZ 19C827-B
70/71	S-with A. T. C.	7 Nipples	1	D0SZ 19C827-A
70/71	S-with manual A/C	8-1-5 Nipples	1	D0SZ 19C827-B
70/71	S-with heater or manual A/C	5 Nipples	1	D0SZ 19C827-C
70/71	S-with heater	8-1-5 Nipples	1	D0SZ 19C827-D
72	S-with manual A/C	8-3-5 Nipples-part of plenum chamber	1	D2SZ 19C827-D
72	S-with manual A/C	3-3 Nipples	1	D2SZ 19C827-J
72	S-with heater	8-2-5 Nipples-part of plenum chamber	1	D2SZ 19C827-E
72	S-with heater	3-2 Nipples	1	D2SZ 19C827-H
72	S-with A.T.C.	7-2-3-2 Nipples-part of plenum chamber	1	D2SZ 19C827-F
72	S	2-2 Nipples	1	D2OZ 19C827-C
19C828 HOSE ASSY. - VACUUM				
70	S		1	D0SZ 19C828-A
70/71	S-with heater		1	D0SZ 19C828-B
70/71	S-with manual A/C		1	D0SZ 19C828-C
70/71	S-with A. T. C.		1	D0SZ 19C828-D
71	S		1	D1SZ 19C828-A
19A829 INSULATION - AIR CONDITIONER EVAPORATOR CORE				
68/ 70	S-with integral A/C	Front	1	C8SZ 19A829-A
71	S-with integral A/C	Front	1	D1SZ 19A829-A
19C832 DUCT ASSY. AIR CONDITIONER EVAPORATOR INSTRUMENT PANEL				
69/ 71	F-with hang-on A/C	L.H.	1	C9ZZ 19C832-A
71	P-with Slimline hang-on A/C		1	
70/71	P-with Economy hang-on A/C		1	D0DZ 19C832-A
19C833 BRACKET - AIR CONDITIONER VACUUM HOSE CONNECTOR				
71/	A-with A.T.C.		1	D1AZ 19C833-A
72	S-with A.T.C.		1	

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19834 WHEEL ASSY. - AIR CONDITIONER BLOWER - Also refer to Group 18504					
71	L, P-with hang-on A/C	C.W. Rotation		1	D1DZ 19834-A
		C. C. W. Rotation		1	D1DZ 19834-B
72	A, B, F, L, P-with hang-on A/C	C.W. Rotation		1	D2AZ 19834-A
		C. C. W. Rotation		1	D2AZ 19834-B
69/	A-integral A/C			1	D2AZ 19834-C
72	A-integral A/C	Clip		1	384260-S(E17A)
19835 LIQUID LINE - AIR CONDITIONER DRYER TO EVAPORATOR					
Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.					
19836 MUFFLER and HOSE ASSY. - AIR CONDITIONER					
Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.					
19837 LIQUID LINE - AIR CONDITIONER DRYER TO EVAPORATOR					
Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.					
19C842 SHIELD - AIR CONDITIONER VALVE and HEATER MOTOR					
69/70	F(8 cyl. 390-4V, 428 except 428CJ)-with integral A/C			1	C9ZZ 19C842-A
69/70	F-with integral A/C (428CJ)			1	C9ZZ 19C842-B
67/70	F(8 cyl. 390)	Screw (shield to motor to inst. panel)- #10-12 x 1/2" hex. tap		1	42127-S8(U248C)
68/70	F(8 cyl. 390)	Nut (shield to inst. panel)-1/4"-20		1	33920-S8(M25)
19C847 RETAINER & SEAL ASSY. - AIR CONDITIONER EVAPORATOR TO BLOWER HOUSING					
67/70	F-with integral A/C			1	C7ZZ 19C847-A
19849 VALVE - AIR CONDITIONER EVAPORATOR EXPANSION					
65/68	A-with integral A/C		YG-25	1	C5AZ 19849-A
65/	A, B, F -with hang-on A/C		YG-30	1	C9ZZ 19849-A
71/	L-with hang-on A/C			1	
70/	P-with hang-on A/C			1	
65/70	X-with hang-on A/C			1	
69/70	A-with integral A/C		YG-29	1	C9AZ 19849-A
71/	A-with integral A/C		YG-31	1	D1AZ 19849-A
65	B-with Deluxe Hang-on A/C		YG-60	1	C2AZ 19849-A
65/66	S			1	
66/67	B, X-with integral A/C		YG-24	1	C6OZ 19849-A
67/68	F-with integral A/C			1	
68/71	B-with integral A/C		YG-27	1	C8OZ 19849-A
71/	F-with integral A/C			1	
71/	L-with integral A/C			1	
70/	P-with integral A/C			1	
68/70	X-with integral A/C			1	
72	B, S-with integral A/C		YG-32	1	D2OZ 19849-A
69/70	F-with integral A/C		YG-28	1	C8VY 19849-A
67/71	S-with integral A/C		YG-26	1	C7SZ 19849-A
19C850 DUCT - AIR CONDITIONER INSTRUMENT PANEL REGISTER					
70/71	B-with integral A/C	L.H.		1	D0OZ 19C850-A
19858 HOSE - AIR CONDITIONER EVAPORATOR DRAIN					
65	A, B, X-with Hang-on A/C			1	C5AZ 19858-A
65/67	A-with integral A/C			2	C5AZ 19858-B
66	A, B, F, X-with hang-on A/C			1	C6AZ 19858-A
67	A, B, F, X -with Economy Hang-on A/C			1	C7AZ 19858-A
67	A-with Deluxe Hang-on A/C			1	C3AZ 19858-A
69/71	B-with hang-on A/C			1	
69/71	F-with hang-on A/C			1	
71	L-with hang-on A/C			1	
71	P-with Slimline hang-on A/C			1	
69/70	X-with hang-on A/C			1	

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19858 HOSE - AIR CONDITIONER EVAPORATOR DRAIN - continued					
68	A-with integral A/C	Tube assy.		1	C8AZ 19858-A
69/70	A-with tunnel mounted Hang-on A/C	Tube assy.		1	C9AZ 19858-A
69/71	A-with Slimline hang-on A/C			1	D0AZ 19858-A
66/67	B, X-with integral A/C			1	C7OZ 19858-A
70/71	B-with integral A/C			1	D0OZ 19858-A
67/	F-with integral A/C			1	C7ZZ 19858-C
70/	P-with integral A/C			1	D0DZ 19858-A
71/	L-with integral A/C			1	
70/71	P-with Economy hang-on A/C			1	D0DZ 19858-B
72	A, B, F, L, P-with hang-on A/C			2	D2AZ 19858-A
67/68	F-with integral A/C	Screw (hose to floor pan) No. 8-18 x 3/4" self tap	AR		376389-S10(UU82D)
19859 PAN - AIR CONDITIONER EVAPORATOR DRAIN					
65/68	A-with integral A/C			1	C7AZ 19859-A
67/68	A, F	Use with Economy hang-on A/C		1	C7AZ 19859-C
67/70	B, X			1	
69/70	A-with tunnel mounted A/C			1	C9AZ 19859-A
69/71	F-with hang-on A/C			1	C9ZZ 19859-A
70/71	P-with Economy hang-on A/C			1	D0DZ 19859-A
71	L-with hang-on A/C			1	
19859 PAN ASSY. - AIR CONDITIONER EVAPORATOR DRAIN					
68	F	Use with Deluxe hang-on A/C		1	C8OZ 19859-A
68/71	B			1	
68/70	X			1	
19860 CORE ASSY. - AIR CONDITIONER EVAPORATOR					
- A -					
65	A-with hang-on A/C			1	C5AZ 19860-A
67/68	A-with Economy hang-on A/C			1	C7AZ 19860-C
69/70	A-with tunnel mounted A/C		YK-41	1	C9AZ 19860-B
69/71	A-with Slimline hang-on A/C			1	D0AZ 19860-B
72	A-with hang-on A/C		YK-35	1	D2AZ 19860-A
65/68	A-with integral A/C		YK-14	1	C8AZ 19860-A
69/	A-with integral A/C		YK-2	1	D2AZ 19860-B
- B -					
67/70	B-with Economy hang-on A/C			1	C7AZ 19860-C
68/71	B-with Deluxe hang-on A/C			1	C8OZ 19860-B
72	B-with hang-on A/C			1	D2AZ 19860-A
66/67	B-with integral A/C		YK-35	1	C6OZ 19860-A
68/71	B-with integral A/C			1	C6OZ 19860-A
72	B-with integral A/C "Before 9/15/71"		YK-29	1	D0OZ 19860-A
72	B-with integral A/C "From 9/15/71"		YK-1	1	D0VY 19860-A
			YK-36	1	D2OZ 19860-A
- F -					
65	F-with hang-on A/C			1	C5AZ 19860-A
67/68	F-with Economy hang-on A/C			1	C7AZ 19860-C
68	F-with Deluxe hang-on A/C			1	C8OZ 19860-B
69/71	F-with hang-on A/C			1	C9ZZ 19860-C
72	F-with hang-on A/C			1	D2AZ 19860-A
67/68	F-with integral A/C		YK-35	1	C7ZZ 19860-A
69/70	F-with integral A/C		YK-23	1	C9ZZ 19860-B
71/	F-with integral A/C		YK-34	1	D1ZZ 19860-A
- L -					
71	L-with hang-on A/C			1	D1RY 19860-A
72	L-with hang-on A/C		YK-35	1	D2AZ 19860-A
71/	L-with integral A/C		YK-48	1	D2FZ 19860-A
- P -					
70/71	P-with Economy hang-on A/C			1	D0DZ 19860-B
71	P-with Slimline hang-on A/C			1	C9ZZ 19860-C
72	P-with hang-on A/C		YK-35	1	D2AZ 19860-A
70/	P-with integral A/C		YK-26	1	D0DZ 19860-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19860 CORE ASSY. - AIR CONDITIONER EVAPORATOR- continued					
- S -					
67/71	S		YK-18	1	C8SZ 19860-A
72	S		YK-37	1	D2SZ 19860-A
- X -					
65	X-with hang-on A/C			1	C5AZ 19860-A
67/70	X-with Economy hang-on A/C			1	C7AZ 19860-C
68/70	X-with Deluxe hang-on A/C			1	C8OZ 19860-B
66/67	X-with integral A/C			1	C6OZ 19860-A
68/70	X-with integral A/C			1	C8OZ 19860-A
19C862 CLAMP - AIR CONDITIONER TUBE SUPPORT CLIP					
70/	P-with integral A/C			1	D0DZ 19C862-A
70/71	P-with Economy hang-on A/C			1	
19A865 BRACKET - AIR CONDITIONER EVAPORATOR CASE MOUNTING					
67/68	A, F-with Economy hang-on A/C	R. H. -side of evaporator		1	C7AZ 19A865-C
67/71	B-with hang-on A/C			1	
67/70	X-with hang-on A/C			1	
69/71	A-with Slimline hang-on A/C			2	
71	L-with hang-on A/C			1	
67/68	A, F-with Economy hang-on A/C	L. H. -side of evaporator		1	C7AZ 19A865-A
67/70	B-with Economy hang-on A/C			1	
67/70	X-with Economy hang-on A/C			1	
71	A-with Slimline hang-on A/C			2	
71	L-with hang-on A/C			1	
67/68	A, F-with Economy hang-on A/C	Rear of evaporator		1	C7AZ 19A865-B
67/70	B-with Economy hang-on A/C			1	
67/70	X-with Economy hang-on A/C			1	
71	L-with hang-on A/C			2	
69/70	A-with tunnel mounted A/C	R. H.		1	C9AZ 19A865-A
		L. H.		1	C9AZ 19A865-B
67	B, F, X-with Deluxe Hang-on A/C	R. H. -not replaced (3-74)		1	★C7OZ 19A865-A
		L. H.		1	C7OZ 19A865-B
69/71	B-with hang-on A/C	L. H.		1	
69/70	X-with hang-on A/C			1	
68/71	B-with Deluxe hang-on A/C	L. H. -upper		1	C8OZ 19A865-A
68/70	X-with Deluxe hang-on A/C			1	
68/71	B-with Deluxe hang-on A/C	R. H.		1	C8OZ 19A865-B
68/70	X-with Deluxe hang-on A/C			1	
68/71	B-with Deluxe hang-on A/C	R. H. -center		1	C8OZ 19A865-C
68/70	X-with Deluxe hang-on A/C			1	
72	A, B, L, P-with hang-on A/C			1	D1RY19A865-A
72	F-with Deluxe hang-on A/C			2	
72	L--with built-in A/C (dealer installed)	R. H.		1	D4FZ 19A865-A
		L. H.		1	D4FZ 19A865-B
19B865 STRAP - AIR CONDITIONER EVAPORATOR UPPER CASE TO BOTTOM CASE					
69/70	A-with tunnel mounted A/C			1	C9AZ 19B865-A
19867 SUCTION LINE - AIR CONDITIONER EVAPORATOR TO COMPRESSOR					

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

19C866-70 PANEL ASSY.- AIR CONDITIONER REGISTER TRIM					
67	A-with Deluxe hang-on A/C	R. H. register trim-R. H. segment		1	C7AZ 19C868-A
		L. H. register trim-R. H. segment		1	C7AZ 19C869-A
		L. H. register trim-L. H. segment		1	C7AZ 19C870-A
67/68	A, F-with Economy hang-on A/C			1	C7AZ 19C869-B
67/70	B-with Economy hang-on A/C			1	
67/70	X-with Economy hang-on A/C			1	
68	A-with Deluxe hang-on A/C	With switch holes		1	▲C8AZ 19C869-A
				1	●C8AZ 19C869-B
68	A-with Deluxe hang-on A/C	R. H. & L. H.-when used on left hand side cut to fit		1	▲C8AZ 19C866-A
				1	●C8AZ 19C866-C

▲ Use with 1 13/16" horizontal grained simulated walnut insert ● Use with 1 9/16" burled simulated walnut insert
May, 1975 COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 190

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19C866-70 PANEL ASSY. - AIR CONDITIONER REGISTER TRIM - continued				
68	A-with Deluxe hang-on A/C	At ornament section	1	▲C8AZ 19C866-B
69/70	A-with tunnel mounted A/C	With switch holes	1	●C8AZ 19C866-D
69/71	A-with Slimline hang-on A/C	At ornament section	1	C9AZ 19C869-A
69/71	A-with Slimline hang-on A/C	R.H. & L.H.-cut to fit for L.H. usage	1	D0AZ 19C866-A
69/71	A-with Slimline hang-on A/C	With switch holes	2	D0AZ 19C868-A
68/71	B-with Deluxe hang-on A/C	R.H. & L.H.-when used on L.H. side-cut to fit	1	D0AZ 19C869-A
68/70	X-with Deluxe hang-on A/C		1	●C8OZ 19C866-E
68/71	B-with Deluxe hang-on A/C	At ornament section	1	●C8OZ 19C866-F
68/70	X-with Deluxe hang-on A/C		1	
68/71	B-with Deluxe hang-on A/C	At control section	1	●C8OZ 19C866-D
68/70	X-with Deluxe hang-on A/C		1	
68	F-with Deluxe hang-on A/C	R.H. & L.H.-when used on left hand side cut to fit	1	●C8ZZ 19C866-F
68	F-with Deluxe hang-on A/C	At ornament section	1	●C8ZZ 19C866-D
68	F-with Deluxe hang-on A/C	At controls section	1	●C8ZZ 19C866-E
71	L,P-with hang-on A/C	At control section-use w/slide bar type control	1	D1FZ 19C866-A
71	L,P-with hang-on A/C	R.H. and L.H.-use/w slide bar type control	2	D1FZ 19C866-B
72	L-with built-in A/C (dealer installed)		1	D4FZ 19C866-A
69/71	F-with hang-on A/C		1	C9ZZ 19C869-A
71	P-with Slimline hang-on A/C		1	
70/71	P-with Economy hang-on A/C	Cover-evaporator case-use w/dial type control	1	D0DZ 19C866-A
70/71	P-with Economy hang-on A/C	Cover-regulator control-use w/dial type control	1	D0DZ 19C869-A
19C871-3 BEZEL - AIR CONDITIONER REGISTER				
67	A-with Deluxe hang-on A/C	R.H.-aluminum	1	C7AZ 19C871-A
		L.H.	1	C7AZ 19C873-A
		Center -not replaced (3-74)	1	★C7AZ 19C872-A
68	A-with Deluxe hang-on A/C		1	▲C8AZ 19C872-A
68	A-with Deluxe hang-on A/C		1	●C8AZ 19C872-B
69/70	A-with tunnel mounted A/C		1	C9AZ 19C872-A
69/71	A-with Slimline hang-on A/C		1	D0AZ 19C872-A
70/71	B-with integral A/C	Center	1	D0OZ 19C872-A
70/71	B-with integral A/C or forced vent system	R.H. or L.H.	1	D0OZ 19C872-B
68	F-with Deluxe hang-on A/C	Assembly	1	●C8ZZ 19C872-B
69/71	F-with hang-on A/C	Plastic	1	C9ZZ 19C872-A
71	P-with Slimline hang-on A/C		1	
70/71	P-with Economy hang-on A/C	Upper case-use w/dial type control	1	D0DZ 19C872-A
71	L,P-with hang-on A/C	Upper case-use w/slide bar type control	1	D1FZ 19C872-A
19C872 BEZEL KIT - AIR CONDITIONER EVAPORATOR - Refer to Group 19B968				
19B874 COVER ASSY. - AIR CONDITIONER EVAPORATOR				
69/70	A-with tunnel mounted A/C		1	C9AZ 19B874-A
19C874-5 PANEL ASSY. - AIR CONDITIONER REGISTER				
67/68	A-with Deluxe hang-on A/C	R.H.-rear	1	C7AZ 19C874-A
		L.H. -not replaced (3-74)	1	★C7AZ 19C875-A
68/71	B-with Deluxe hang-on A/C	R.H.-rear	1	C8OZ 19C874-A
68/70	X-with Deluxe hang-on A/C		1	
19C876 PLATE ASSY. - AIR CONDITIONER REGISTER				
67	A-with Deluxe hang-on A/C	L.H.-rear	1	C7AZ 19C876-A
69/71	A-with Slimline hang-on A/C		1	D0AZ 19B725-A
72	A,B,F,L,P-with Economy hang-on A/C		1	D2AZ 19A568-A
19878 DAMPER ASSY. - AIR CONDITIONER OUTSIDE AIR INTAKE FLUE				
69/70	A-with integral A/C		1	C9AZ 19878-A
71/	A-with integral A/C		1	D1AZ 19878-A
19C883 ADAPTER - AIR CONDITIONER VENTURI PRESSURE TUBE				
68/70	S-with A.T.C.		1	C8SZ 19C883-A

▲ Use with 1 13/16" horizontal grained simulated walnut insert

● Use with 1 9/16" burlled simulated walnut insert

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19A884 BRACKET ASSY. - AIR CONDITIONER CONTROL MOUNTING					
65/67	A-with integral A/C			1	C5AZ 19A884-A
68	A-with integral A/C			1	C8AZ 19A884-A
69/70	A-with integral A/C			1	C9AZ 19A884-A
66/67	B-with integral A/C			1	C6OZ 19A884-B
68/69	B-with integral A/C	Includes 19B888 switch		1	C8OZ 19A884-A
71	B-with integral A/C			1	D1OZ 19A884-A
69/70	F-with integral A/C			1	C9ZZ 19A884-A
71/72	F-with integral A/C	"Before 1/3/72"		1	D1ZZ 19A884-A
72	F-with integral A/C	"From 1/3/72"	Refer to 19980		
70/72	P-with integral A/C	"Before 1/3/72"	Without rear window defogger	1	D0DZ 19A884-A
72	P-with integral A/C	"From 1/3/72 to 7/15/72"		1	D2DZ 19A884-A
72	P-with integral A/C	"From 7/15/72"	Without rear window defogger	1	D2DZ 19A884-C
70/72	P-with integral A/C	"Before 1/3/72"	With rear window defogger	1	D0DZ 19A884-B
72	P-with integral A/C	"From 1/3/72 to 7/15/72"		1	D2DZ 19A884-B
72	P-with integral A/C	"From 7/15/72"	With rear window defogger	1	D2DZ 19A884-D
19A885 WIRING ASSY. AIR CONDITIONER THERMOSTAT TO CLUTCH - Improvise from B6A 14296-B or C					
70/71	P-with Economy hang-on A/C			1	D0DZ 19A885-A
72	B-with integral A/C			1	D2OZ 19A885-A
19B888 SWITCH ASSY. - DAMPER DOOR					
- A -					
65/66	A-with integral A/C	Vacuum	YH-14	1	C5AZ 19B888-A
67/68	A-with integral A/C	Vacuum	YH-17	1	C7AZ 19B888-A
69/70	A-with integral A/C	Valve assy. -vacuum-also serviced in 19A884	YH-10	1	C9AZ 19B888-A
71/72	A-with manual integral A/C-"Before 10/1/71"		YH-11	1	D1AZ 19B888-A
72	A-with manual integral A/C-"From 10/1/71"		YH-12	1	D2AZ 19B888-A
- B -					
70/71	B-with integral A/C	Valve assy. -vacuum selector	YH-24	1	D0GY 19B888-A
72	B-with integral A/C	Vacuum selector	YH-197	1	D2OZ 19B888-B
- F -					
67/68	F-with integral A/C	Vacuum	YH-254	1	C7ZZ 19B888-A
69/72	F-with integral A/C	"Before 1/3/72"	Valve assy. -vacuum	YH-22	C9ZZ 19B888-A
72	F-with integral A/C	"From 1/3/72"	YH-29	1	D2ZZ 19B888-A
- L -					
71/72	L-with integral A/C	"Before 12/1/71"	YH-26	1	D1FZ 19B888-A
72	L-with integral A/C	"From 12/1/71"	Y-232	1	D2FZ 19B888-A
- P -					
70/72	P-with integral A/C	"Before 1/3/72"	Valve assy. -vacuum selector	YH-23	D0DZ 19B888-A
72	P-with integral A/C	"From 1/3/72"	YH-29	1	D2ZZ 19B888-A
- S -					
67	S-with heater	Vacuum	YH-235	1	C7SZ 19B888-A
67	S-with integral A/C	Vacuum	YH-18	1	C7SZ 19B888-B
68	S-with manual A/C	Valve assy.	YH-20	1	C8SZ 19B888-B
68/71	S-with heater	Valve assy.		1	C8SZ 19B888-A
69/71	S-with manual A/C	Valve assy.	YH-21	1	C9SZ 19B888-A
72	S-with manual A/C	Vacuum selector	YH-28	1	D2OZ 19B888-A
- X -					
		Screw (switch to bracket)-No. 10-12 x 1/2"		2	42127-S8(U248C)
		Lockwasher-No. 10		2	34939-S8(X86)
66/70	X-with integral A/C		YH-236	1	C6DZ 19B888-A
19C891 COUPLING - AIR CONDITIONER CONDENSER					
67/68	A-with integral A/C	"From 5/1/67"	Female	1	C7AZ 19C891-A
19893 REGISTER - Also refer to Groups 18C366, 19C696 or 19A671					
- A -					
69/70	A-with integral A/C	R. H. - paint to match		1	C9AZ 19893-A
		L. H.		1	C9AZ 19893-B
		Center		1	C9AZ 19893-C
69/71	A-with Slimline hang-on A/C	L. H. - remote		1	D0DZ 19893-A
72	A-with hang-on A/C	Non-adjustable -r/b D2AZ19893-B (3-74)		4	D2AZ 19893-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19893 REGISTER - continued -Also refer to Group 18C366, 19C696, 19A671				
- A -				
72	A-with hang-on A/C	Adjustable	4	D2AZ 19893-B
71/	A-with heater or integral A/C	R.H.	1	D1AZ 19893-A
		L.H.	1	D1AZ 19893-C
71/	A-with integral A/C	Center	1	D1AZ 19893-B
- B -				
67	B-with integral A/C	Center-r/b C6OZ 19893-D (3-74)	1	★C7OZ 19893-A
69	B-with integral A/C	R.H.	1	C9OZ 19893-C
		L.H.	1	C9OZ 19893-A
		Center-with radio	1	C9OZ 19893-B
		Center-without radio	1	C9OZ 19893-D
70/71	B-with integral A/C	Louvers	4	D0OZ 19893-A
70/71	B-with forced vent system		2	
72	B-with integral A/C	Center	2	D2OZ 19893-A
72	B	L.H. -r/b D3OZ 19893-A (3-74)	1	★D2OZ 19893-B
72	B	R.H. -refer to Body Group 01B808		
72	B-with hang-on A/C	Non-adjustable-r/b D2AZ 19893-B (3-74)	4	★D2AZ 19893-A
72	B-with hang-on A/C	Adjustable	4	D2AZ 19893-B
- F -				
67/68	F(63A, C, 65A, C, 76A, C)-with integral A/C	Center-camera case finish	1	C7ZZ 19893-D
68	F(63A, C, 65A, C, 76A)-with integral A/C	R.H. -camera case finish	1	C8ZZ 19893-A
		L.H. -refer to Group 19C696		
69/70	F-with integral A/C or forced vent system	Center	1	C9ZZ 19893-A
69/70	F-with integral A/C	R.H. -paint to match	1	C9ZZ 19893-C
		L.H. -paint to match	1	C9ZZ 19893-B
71/	F-with integral A/C	Center	1	D1ZZ 19893-A
71/	F-with integral A/C	R.H. & L.H.-Refer to Body Group 01814		
72	F-with hang-on A/C	Non-adjustable-r/b D2AZ 19893-B (11-73)	4	★ D2AZ 19893-A
72	F-with hang-on A/C	Adjustable	4	D2AZ 19893-B
- L -				
71	L-with hang-on A/C	Use w/slide bar type control	3	D1FZ 19893-A
71/	L-with heater and/or integral A/C	Refer to Group 18C366		
72	L-with hang-on A/C	Non-adjustable-r/b D2AZ 19893-B (11-73)	4	★ D2AZ 19893-A
72	L-with hang-on A/C	Adjustable	4	D2AZ 19893-B
72	L-with built-in A/C (dealer installed)	Center	1	D4FZ 19893-A
- P -				
70/71	P-with Economy hang-on A/C	Use w/dial type control	2	D0DZ 19893-D
71	P-with Economy hang-on A/C	Use w/slide bar type control	3	D1FZ 19893-A
70/	P-with integral A/C	R.H. or L.H.	1	D0DZ 19893-A
70/71	P-with Economy hang-on A/C	L.H. -remote	1	
70/	P-with integral A/C	Center-complete- R.H. & L.H.	1	D2DZ 19893-A
72	P-with integral A/C	R.H. or L.H. -center	2	D2DZ 19893-B
72	P-with hang-on A/C	Non-adjustable-r/b D2AZ 19893-B (11-73)	4	★ D2AZ 19893-A
72	P-with hang-on A/C	Adjustable	4	D2AZ 19893-B
- S -				
68/69	S	R.H. -black finish -r/b C9SZ 19893-A (3-74)	1	★C8SZ 19893-C
69	S	L.H. -teakwood finish	1	C9SZ 19893-B
		Center-teakwood finish-used with AM radio	1	C9SZ 19893-C
		Center-teakwood finish-used with AM/FM radio	1	C9SZ 19893-D
		Center-teakwood finish-used with AM/stereo radio	1	★C9SZ 19893-E
69/71	S	R.H. -teakwood finish	1	Not replaced
70/71	S	L.H.	1	C9SZ 19893-A
		R.H. -center	1	D0SZ 19893-A
		L.H. -center	1	
72	S		4	D2SZ 19893-A
- X -				
67	X-with integral A/C	Center-r/b C6OZ 19893-D (3-74)	1	★C7OZ 19893-A
69/70	X-with integral A/C	R.H.	1	C9OZ 19893-C
		L.H.	1	C9OZ 19893-A
		Center-without radio	1	C9GY 19893-B
		Center-with radio	1	C9GY 19893-C

FORD CAR PARTS

SECTION 190

29

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19C894 BEZEL ASSY. - REGISTER				
71/	A (except 71,76)	Used with heater or manual A/C with heated backlite	1	D1AZ 19C894-A
71/	A (except 71,76)	Used with A.T.C. with heated backlite	1	D1AZ 19C894-K
71/	A (except 54B,D,65D,71B,D)	Used with heater or manual A/C without accessory switch	1	D1AZ 19C894-E
71/	A (54B,D,65D,71B,D)	Used with heater or manual A/C without accessory switch	1	D1AZ 19C894-F
71/	A	Used with A.T.C. without accessory switch	1	D1AZ 19C894-G
71/	A	Used with heater or manual A/C with accessory switch	1	D1AZ 19C894-B
71/	A	Used with A.T.C. with accessory switch	1	D1AZ 19C894-H
19C896 PAD - AIR CONDITIONER REGISTER LOUVER				
70/	All		AR	D00Z 19C896-A
19897 CASE ASSY. - AIR CONDITIONER EVAPORATOR - Also refer to Groups 18A584 & 19A626				
67/68	F-with integral A/C	Upper	1	C8ZZ 19897-A
		Lower	1	C8ZZ 19897-B
69	F-with integral A/C	Upper	1	C9ZZ 19897-A
		Lower	1	C9ZZ 19897-B
70	F-with integral A/C	Upper	1	D0ZZ 19897-E
		Lower	1	D0ZZ 19897-A
71/	F-with integral A/C	Upper	1	D1ZZ 19897-E
		Lower	1	D1ZZ 19897-A
71/	L-with integral A/C	Upper	1	D1FZ 19897-B
		Lower	1	D1FZ 19897-A
70/	P-with intergral A/C	Upper	1	D0DZ 19897-E
		Lower	1	D0DZ 19897-A
19B897 PLATE - AIR CONDITIONER REGISTER MOUNTING BRACKET REINFORCEMENT				
70/	P-with integral A/C	Improvise	1	*
19C897 BRACKET - AIR CONDITIONER EVAPORATOR SUPPORT				
70/71	P-with Economy hang-on A/C	R. H.	1	D0DZ 19C897-A
		L. H.	1	D0DZ 19C918-A
19C898 GROMMET - AIR CONDITIONER CONTROL CABLE				
68/	A-with integral A/C		1	C8AZ 19C898-A
19B915 STRAP ASSY. - AIR CONDITIONER EVAPORATOR HOSE RETAINER				
68	F(Shelby GT350)		4	C1VF 19B915-A
19B916 STRAP - AIR CONDITIONER EVAPORATOR HOSE RETAINER				
68/70	X-with integral A/C		1	C8DZ 19B916-A
19C917 BRACKET - AIR CONDITIONER CONDENSER TUBE SUPPORT				
69/71	A-with hang-on A/C		1	C9AZ 19C917-A
68/69	B-with integral A/C		1	C8OZ 19C917-A
70/71	B-with integral or hang-on A/C		1	D0OZ 19C917-A
71	F-with hang-on A/C		1	
71	P-with Slimline hang-on A/C		1	
71/	F-with integral A/C		1	D1ZZ 19C917-A
70/	P-with integral A/C		1	D0DZ 19C917-A
70/71	P-with Economy hang-on A/C		1	
69/70	X-with integral A/C		1	
19C918 BRACKET - AIR CONDITIONER EVAPORATOR SUPPORT - Refer to Group 19C897				
19C921 COUPLING ASSY. - AIR CONDITIONER EVAPORATOR OUTLET TUBE				
67/68	F-with Deluxe Hang-on A/C		1	C7ZZ 19C921-A
19B924 BRACKET - AIR CONDITIONER BLOWER MOTOR MOUNTING				
69/70	A-with tunnel mounted A/C		1	C9AZ 19B924-A
69/71	A-with Slimline hang-on A/C		1	D0AZ 19B924-A
70/71	P-with Economy hang-on A/C		1	D0DZ 19C942-A
71	L-with hang-on A/C		1	

YEAR	MODEL	DESCRIPTION	MOTORCRAFT	QTY.	PART NUMBER
19C924 BRACKET - AIR CONDITIONER BLOWER MOTOR MOUNTING					
69/71	A-with hang-on A/C			1	C9AZ 19C924-A
67/68	F-with Economy hang-on A/C			1	C7AZ 19C924-A
67/70	B,X			1	
19926 DUCT - AIR CONDITIONER EVAPORATOR TO INSTRUMENT PANEL REGISTER					
69/71	F-with hang-on A/C			1	C9ZZ 19926-A
71	P-with Slimline hang-on A/C			1	
72	L-with built-in A/C (dealer installed)			1	D4FZ 19926-A
19930 HOUSING ASSY. - AIR CONDITIONER BLOWER					
72	B, S-with integral A/C			1	D2OZ 19930-A
19C932 DUCT AND CONNECTOR ASSY.-AIR CONDITIONER JUNCTION					
70/71	B-with integral A/C			1	D0OZ 19C932-A
71/	F-with integral A/C			1	D1ZZ 19C932-A
70	P-with integral A/C	"Before 11/1/69"		1	D0DZ 19C932-A
70/	P-with integral A/C	"From 11/1/69"		1	D0DZ 19C932-B
19B937 BRACKET - AIR CONDITIONER DEHYDRATOR TANK MOUNTING					
71/	L-with hang-on A/C			1	C9RZ 19B937-A
19B942 BRACKET - AIR CONDITIONER REGISTER					
72	A, B, L, P-with Economy hang-on A/C	R. H.		1	D2AZ 19B942-A
72	A-with Deluxe hang-on A/C	R. H.		1	
72	B-with Deluxe hang-on A/C	R. H. -evaporator		1	
72	B-with Deluxe hang-on A/C	L. H. -instrument panel		1	
72	B-with Deluxe hang-on A/C	R. H. -instrument panel		1	D2DZ 19B942-A
72	B-with Deluxe hang-on A/C	L. H. -evaporator		1	
72	P-with Deluxe hang-on A/C	R. H. -instrument panel		1	
72	F-with Deluxe hang-on A/C			2	
19C942 BRACKET - AIR CONDITIONER BLOWER MOTOR MOUNTING - Refer to Group 19B924					
19945 WIRING - AIR CONDITIONER BLOWER SWITCH FEED - Unless listed - Improvise					
69/70	A-with tunnel mounted A/C			1	C9AZ 19945-A
69/71	F-with hang-on A/C			1	
71	P-with Slimline hang-on A/C			1	
69/71	A-with Slimline hang-on A/C			1	
71	L, P-with hang-on A/C	Use w/slide bar type control		1	D0AZ 19945-A
				1	D1FZ 19945-A
19A945 SWITCH ASSY. - AIR CONDITIONER TEMPERATURE CONTROL - Also refer to Group 19618					
65/68	A-with integral A/C		YH-56	1	C5AZ 19A945-A
69/70	A-with integral A/C		YH-59	1	C9AZ 19A945-A
66/67	B, X-with integral A/C		YH-57	1	C6OZ 19A945-A
67	F-with integral A/C			1	
68/71	B-with integral A/C		YH-54	1	C8OZ 19A945-A
68/70	X-with integral A/C			1	
65/66	S		YH-55	1	C1VV 19A945-B
19A946 HOSE ASSY. - AIR CONDITIONER CONTROL VACUUM					
69/70	A-with integral A/C			1	C9AZ 19A946-A
71/	A-with heater			1	D1AZ 19A946-A
19949 WIRING ASSY. - AIR CONDITIONER BLOWER MOTOR FEED					
71/	F-with integral A/C			1	D1ZZ 19949-A
19C949 CLIP - VACUUM HOSE CONNECTOR					
68	S-with integral A/C	"Before 2/1/68 only"	Use with automatic temperature control-retain 13B068 to 19C643 junction block L. H.	1	C8SZ 19C949-A
68	S-with heater or integral A/C -	"Before 2/1/68 only"	Use with manual control-retain 19C827 to 19C693 junction block L. H. upper	1	C8SZ 19C949-B
68	S-with heater or integral A/C -	"Before 2/1/68 only"	Use with manual control-retain 19C827 to 19C643 junction block L. H. lower	1	C8SZ 19C949-C
68	S	"Before 2/1/68 only"	Retain 19C827 to 19C643 junction block center	1	★
68	S	"Before 2/1/68 only"	Retain 19C827 to 19C643 junction block R. H.	1	C8SZ 19C949-E

\$ For units with dealer installed Air Conditioner

% For units with factory installed Air Conditioner

FORD CAR PARTS

SECTION 190

31

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19A950 RETAINER - REGISTER MOUNTING					
71/	A-with integral A/C	Center register		1	D1AZ 19A950-A
69/70	F-with integral A/C	R. H.		1	C9ZZ 19A950-A
		L. H.		1	C9ZZ 19A950-B
19C957 BEZEL (AIR CONDITION EVAPORATOR)					
68	A, F-with Economy hang-on A/C			1	C8AZ 19C957-A
68/70	B-with Economy hang-on A/C			1	
68/71	X-with Economy hang-on A/C			1	
19C958 SHIELD - AIR CONDITIONER HEAT					
69/	A-with integral A/C			1	C9AZ 19C958-A
68/71	S-with integral A/C			1	C8SZ 19C958-A
19959 DEHYDRATOR and RECEIVER TANK ASSY. - AIR CONDITIONER					
- A -					
65/66	A-with hang-on A/C		YL-15	1	\$C5AZ 19959-B
65/66	A-with integral or hang-on A/C		YL-1	1	%C5AZ 19959-A
67/68	A-with integral A/C			1	
67/	A-with hang-on A/C		YL-20	1	C7AZ 19959-B
69	A-with integral A/C		YL-4	1	C9AZ 19959-A
70	A-with integral A/C		YL-6	1	D0AZ 19959-A
71	A-with integral A/C		YL-7	1	D1AZ 19959-A
72	A-with integral A/C		YL-8	1	D2AZ 19959-A
- B -					
65	B-with Deluxe hang-on or hang-on A/C		YL-43	1	#C5OZ 19959-A
65	B-with hang-on A/C		YL-14	1	#C4AZ 19959-B
67/	B-with hang-on A/C		YL-20	1	C7AZ 19959-B
66	B-with integral or hang-on A/C		YL-16	1	C6OZ 19959-C
67	B (6 & 8 cyl. 289)-with integral A/C		YL-21	1	C7OZ 19959-A
67	B(8 cyl. 390)-with integral A/C		YL-47	1	C7OZ 19959-B
68/69	B-with integral A/C		YL-3	1	C8OZ 19959-A
70/71	B-with integral A/C		YL-11	1	D0OZ 19959-A
72	B-with integral A/C		YL-9	1	D2OZ 19959-A
- F -					
65/66	F-with hang-on A/C		YL-14	1	%#C4AZ 19959-B
67/	F-with hang-on A/C		YL-20	1	C7AZ 19959-B
67/68	F-with integral A/C	Side mounted	YL-2	1	C7ZZ 19959-A
69/70	F-with integral A/C		YL-5	1	C9ZZ 19959-A
71	F-with integral A/C "Before 8/2/71"		YL-11	1	D0OZ 19959-A
71/	F-with integral A/C "From 8/2/71"		YL-32	1	D2ZZ 19959-A
- L -					
71/	L-with hang-on A/C		YL-50	1	C9RZ 19959-A
71	L-with integral A/C "Before 7/2/71"		YL-54	1	D1FZ 19959-A
71/	L-with integral A/C "From 7/2/71"		YL-56	1	D2FZ 19959-A
- P -					
70/	P-with hang-on A/C		YL-20	1	C7AZ 19959-B
70/71	P-with integral A/C "Before 8/2/71"		YL-52	1	D0DZ 19959-A
71/	P-with integral A/C "From 8/2/71"		YL-28	1	D2DZ 19959-A
- S -					
65	S		YL-12	1	C2SZ 19959-A
66	S		YL-17	1	C6SZ 19959-A
67/69	S		YL-22	1	C7SZ 19959-A
70/71	S		YL-25	1	D0SZ 19959-A
72	S		YL-9	1	D2OZ 19959-A

For units with side mounted dehydrator and receiver tank on condenser

\$ For units with dealer installed Air Conditioner

% For units with factory installed Air Conditioner

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER	
19959 DEHYDRATOR and RECEIVER TANK ASSY. - AIR CONDITIONER - continued						
- X -						
65	X-with hang-on A/C		YL-14	1	%#C4AZ 19959-B	
67/70	X-with hang-on A/C		YL-20	1	C7AZ 19959-B	
66	X-with integral or hang-on A/C		YL-16	1	C6OZ 19959-C	
67	X (6 & 8 cyl.289)-with integral A/C		YL-21	1	C7OZ 19959-A	
68/70	X-with integral A/C		YL-3	1	C8OZ 19959-A	
65	S	Nut (tank to core)-1/4"-20		2	33795-S7(M49)	
65	B	Nut (tank to core)-5/16"-24		2	33798-S8(M62)	
65	B	Lockwasher-5/16"		2	34806-S7(X64)	
65	S	Lockwasher-1/4"		2	34905-S7(X97)	
19A962 KNOB ASSY. - AIR CONDITIONER CONTROL						
65/66	A, B, F, X-with hang-on A/C	Temperature		1	C3AZ 19A962-B	
67	A, B, F, X-with hang-on A/C			2	C7AZ 19A962-A	
68/71	A, B-with hang-on A/C	Use w/dial type control		2	C8AZ 19A962-A	
68/71	F-with hang-on A/C			2		
70/71	P-with hang-on A/C			2		
68/70	X-with hang-on A/C			2		
71	L, P-with hang-on A/C	Use w/slide bar type control		2	D1FZ 19A962-A	
7						
72	A, B, L, P-with Deluxe hang-on A/C			1	D1RY19A962-A	
72	A, B, L, P-with Economy hang-on A/C			2		
72	F-with hang-on A/C			2		
19C964 BRACKET ASSY. - AIR CONDITIONER INSTRUMENT PANEL REGISTER						
69	F-with integral A/C	R. H. - upper		1	C9ZZ 19C964-A	
19B968-9 AIR CONDITIONER KITS						
YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER

FOR COMPLETE INSTALLATION (1) EACH OF
THE FOLLOWING GROUP NUMBERS IS REQUIRED:
19703, 19708, 19C872, 19B968 AND 19B969.

72	A	6&8	All	Bezel for Deluxe hang-on (incl. controls and ducts)	1	D2AZ 19C872-A
		6&8	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
		6&8	All	Compressor	1	D2AZ 19703-B
		6&8	All	Condenser	1	D2AZ 19708-A
		6	240	Drive kit-w/single groove c/shaft pulley	1	D2AZ 19B969-D
		8	302, 351W	Drive kit	1	D2AZ 19B969-C
				For X/C - fan	1	D0AZ 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - Bolt-5/16"-24 x 3 1/2"	4	*
		8	351C, 400	Drive kit	1	D2AZ 19B969-B
				For X/C - fan (8 cyl. 351C)	1	D0AZ 8600-A
				For X/C - fan (8 cyl. 400)	1	D2SZ 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolts 5/16"-24 x 3 1/2"	4	*
		8	429	Drive kit	1	D2AZ 19B969-A
				For X/C - fan	1	C8AZ 8600-B
				For X/C - spacer	1	D1DZ 8546-A
				For X/C - bolt 5/16"-24 x 3 1/4"	4	*
		6&8	All	Evaporator	1	D2AZ 19B968-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
19B968-9 AIR CONDITIONER KITS - continued						
72	B	6&8	All	Bezel for Deluxe hang-on (incl. controls and ducts)	1	D2OZ 19C872-A
		6&8	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
		6&8	All	Compressor	1	D2AZ 19703-B
		6&8	All	Condenser	1	D2AZ 19708-A
		6	250	Drive kit	1	D2OZ 19B969-A
				For X/C - fan	1	C8SZ 8600-A
				For X/C - spacer	1	D1DZ 8546-A
				For X/C - bolt 5/16"-24 x 3 1/4"	4	★
		8	302	Drive kit	1	D2AZ 19B969-C
				For X/C - fan	1	D2VY 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt-5/16"-24 x 3 1/2"	4	★
		8	351C, 400	Drive kit	1	D2AZ 19B969-B
				For X/C - fan	1	D2VY 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt-5/16"-24 x 3 1/2"	4	★
		8	429	Drive kit	1	D2AZ 19B969-A
				For X/C - fan	1	D2VY 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt-5/16"-24 x 3 1/2"	4	★
		6&8	All	Evaporator	1	D2AZ 19B968-A
72	F	6&8	All	Bezel for Deluxe hang-on (incl. controls and ducts)	1	D2ZZ 19C872-A
		6&8	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
		6&8	All	Compressor	1	D2AZ 19703-B
		6&8	All	Condenser	1	D2AZ 19708-A
		6	250	Drive kit	1	D2OZ 19B969-A
				For X/C - fan	1	C8SZ 8600-B
				For X/C - spacer	1	D1DZ 8546-A
				For X/C - bolt-5/16"-24 x 3 1/4"	4	★
		8	302	Drive kit	1	D2AZ 19B969-C
				For X/C - fan	1	D2SZ 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt 5/16"-24 x 3 1/4"	4	★
		8	351C	Drive kit	1	D2AZ 19B969-B
				For X/C - fan	1	D2SZ 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt 5/16"-24 x 3 1/2"	4	★
		6&8	All	Evaporator	1	D2AZ 19B968-A
72	L-w/o console	4	All	Bezel for Deluxe hang-on (incl. controls and ducts) - not replaced (5-75)	1	★D2FZ 19C872-A
		4	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
72	L-w/console	4	All	Bezel for built-in type dealer installed (incl. controls and ducts)	1	D4FZ 19C872-A
72	L	4	All	Compressor	1	D2FZ 19703-B
		4	All	Condenser	1	D2FZ 19708-A
		4	98	Drive Kit	1	D2FZ 19B969-B
		4	122	Drive kit	1	D2FZ 19B969-A
		4	All	Evaporator	1	D2AZ 19B968-A
	-California only	4	122	Engine Adaptor Kit	1	D2FZ 19700-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
19B968-9 AIR CONDITIONER KITS - continued						
72	P-w/o console -w/o floor shift	6&8	All	Bezel for Deluxe hang-on (incl. controls and ducts) - not replaced (5-75)	1	★D2DZ 19C872-A
		6&8	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
		6&8	All	Compressor	1	D2AZ 19703-B
		6&8	All	Condenser	1	D2AZ 19708-A
		6	170, 200	Drive kit	1	D2DZ 19B969-A
				For X/C - fan	1	C9DZ 8600-A
		6	250	Drive kit	1	D2OZ 19B969-A
				For X/C - fan	1	D2DZ 8600-A
				For X/C - spacer	1	D2DZ 8546-A
				For X/C - bolt-5/16"-24 x 2 1/8"	4	★
		8	302	Drive kit	1	D2AZ 19B969-C
				For X/C - fan	1	C8SZ 8600-B
				For X/C - spacer	1	C4AZ 8546-F
				For X/C - bolt-5/16"-24 x 3 1/4"	4	★
		6&8	All	Evaporator	1	D2AZ 19B968-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19B968 AIR CONDITIONER KIT - Use with appropriate 19B969 Engine Kit				
MASTER				
72	A, B, F, L, P	Refer to group 19B968 on pages 37 & 38		
67	A - NOTE 1	Deluxe hang-on A/C-cannot be installed on units with hang on stereo multiplex adapter or hang on safety convenience panel-not replaced (11-73)	1	★ C7AZ 19B968-A
68	A	Deluxe hang on A/C Cannot be installed on units with the following- Hang on stereo, Console, Safety convenience panel not replaced (11-73)	1	★ C8AZ 19B968-A
69/71	A-NOTE 4	Slimline design-cannot be installed on units with stereo tape player	1	D1AZ 19B968-B

Consists of

1-D0AZ 14417-A	Terminal-fuse retainer	1-C9AZ 19C917-A	Bracket-condenser tube support
1-C7AZ 19A551-A	Medallion-Ford	1-D0MJ 5406016-A	Panel-glove compt. rear-Mercury
1-C4MY 19A551-A	Medallion-Mercury	1-D0AJ 6206016-A	Panel-glove compt. rear-Ford
1-C8AA 19B557-A	Tag-A/C operating instructions	1-D1AJ 6206016-AA	Panel-glove compt. rear
1-C9AJ 19D567-A	Tube assy.-dehydrator outlet	16-34659-S2	Nut & washer-1/4"-20
4-C7AZ 19B594-A	Bracket-condenser mounting	1-42367-S2	Screw-No.10-16 x 1/2"
4-C9AZ 19B594-A	Bracket-condenser mounting	15-56302-S4	Bolt-1/4"-20 x 5/8"
1-D0AJ 19C599-A	Strap-evaporator mounting	1-56305-S4	Bolt-1/4"-20 x 1"
1-C7AA 19C600-A	Condenser & Dehydrator Assy.	8-373146-S39	Screw & washer-No.10-24 x 1/2"
1-D0AZ 19B632-A	Clip-A/C tube support	1-374322-S	Strap-adjustable
1-C7SA 19A688-A	Tag-A/C refrigerant charge	1-378262-S	Grommet-3/8" I.D.
1-C9AJ 19C700-A	Tube assy.-condenser inlet	4-	Bolt-1/4"-20 x 5/8"
1-C3AZ 19703-F	Compressor	2-	Bolt-1/4"-20 x 1 1/4"
1-D0AZ 19B735-A	Cover-evaporator case-rear	8-	Fastener
1-D0AZ 19805-A	Blower assy.	9-	Screw-No.10-16 x 1/2"
1-C9QJ 19837-A	Hose assy.-dehydrator to evaporator	1-	Screw-No.10-16 x 1/4"
1-D0AJ 19850-A	Evaporator assy.	2-	Spacer-5/8" long
1-D0AZ 19858-A	Hose-evaporator drain	4-	Nut & washer-1/4"-20
2-C7AZ 19A865-A	Bracket-evaporator case mtg.-L.H.	2-	Washer-1/4"
2-C7AZ 19A865-C	Bracket-evaporator case mtg.-R.H.	1-	Installation sketch

• To complete installation units with T/E system Basic 9C432 Adapter Kit must be used

Note 1 - Kit is applicable to all models with or without Power Steering with Ford alternators only

Note 4 - Kit cannot be installed on units with console

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
19B968 AIR CONDITIONER KIT - continued: -Use with appropriate 19B969 Engine Kit						
MASTER						
69/71	F			Slimline design	1	D1ZZ 19B968-B
71	P				1	
Consists of						
	1-C8OZ 14A033-C	Buss Bar Assy.	1-C9ZJ 19850-A	Evaporator Assy.		
	1-B 14526	Fuse-20 amps	1-C3AZ 19858-A	Hose-evaporator drain		
	1-C8AA 19B557-A	Tag-A/C operating instructions	1-D0OZ 19C917-A	Bracket-condenser tube support		
	1-D0OZ 19D567-A	Tube assy.-dehydrator outlet	1-C9ZZ 19926-A	Duct		
	4-C7AZ 19B594-A	Bracket-condenser mounting	1-C9AZ 19945-A	Wiring-blower switch feed		
	3-D0AJ 19C599-A	Strap-evaporator mounting	1-C9OJ 19972-A	Tube assy.-compressor to condenser		
	1-C7AA 19C600-A	Condenser & Dehydrator Assy.	1-C9ZZ 19A993-A	Bracket-evaporator to instr. panel-R.H.		
	1-D0OZ 19B632-A	Clip-tube support	2-20384-S8	Bolt-1/4"-20 x 1"		
	1-C9ZZ 19A637-A	Bracket-evaporator to instr. panel	1-34653-S36	Nut & washer-No.8-32		
	1-C7AA 19C666-A	Spacer	17-34659-S2	Nut & washer-1/4"-20		
	1-C9ZZ 19A671-A	Register-L.H.	3-44719-S2	Washer-flat-1/4"		
	1-C5AA 19A688-B	Tag-refrigerant charge	3-55907-S2	Screw-No.8-18 x 1/2"		
	1-D0OZ 19C700-A	Tube assy.-condenser inlet	11-56102-S4	Bolt-1/4"-20 x 5/8"		
	1-C3AZ 19703-F	Compressor	2-56106-S2	Bolt-1/4"-20 x 1 1/4"		
	1-C7AA 19835-A	Tube assy.-dehydrator to evaporator	1-97331-S35	Clamp		
	1-C9OJ 19837-A	Hose assy.-dehydrator to evaporator	8-373146-S39	Screw-No.10-24 x 1/2"		
			1-378262-S	Grommet-3/8" I.D.		
			1-	Installation sketch		
71	L		Compact design-slide bar type control-must be used w/ applicable 19B969 engine kit, 19703 compressor kit & 19708 condenser kit	1		★D1FZ 19B968-A Not replaced(3-74)
Consists of						
	1-D0AZ 14417-A	Terminal-fuse retainer	1-	Clamp		
	1-C8AA 19B557-A	Tag-A/C operating instructions	4-	Nut & washer-1/4"-20		
	1-D0AJ 19C599-A	Strap-evaporator mounting	4-	Screw-No.10 x 3/4"		
	1-C5AA 19A688-B	Tag-refrigerant charge	2-	Screw-1/4"-20 x 3/4"		
	2-C9RZ 19A822-A	Bracket-evaporator case mounting	1-	Screw-No.10 x 1 1/4"		
	1-D12J 19850-AC	Evaporator Assy.	2-	Strap-adjustable		
	1-C3AZ 19858-A	Hose-evaporator drain	1-	Tape-insulation		
	1-C7AZ 19A865-A	Bracket-evaporator mounting-R.H.	2-	Washer-lock-1/4"		
	1-C7AZ 19A865-C	Bracket-evaporator mounting-L.H.	1-	Installation sketch-Pinto		
	1-D12J 19924-AA	Blower Assy.	1-	Installation sketch-Capri		
	2-	Bolt-1/4"-20 x 5/8"				
19B969 AIR CONDITIONER KIT - Use with appropriate 19B968 Master Kit						
ENGINE COMPONENTS						
72	A, B, F, L, P	All	All	Refer to group 19B968 on pages 37 & 38		
68	B, F, X	6	170,200			●C8OZ 19B969-A
69/70	F, X	6	170,200	Use with Ford alternator only	1	D0DZ 19B969-A
70/71	P	6	170,200		1	
Consists of						
	1-C8OZ 2882-B	Bracket-compressor mounting	1-34987-S4	Nut-3/8"-16		
	1-C8OZ 2888-A	Brace-compressor-front	2-44726-S36	Washer-flat-3/8"		
	1-C9OZ 2889-A	Brace-compressor-rear	2-97355-S8	Clamp		
	1-C9OJ 2901-A	Compressor Clutch Kit	1-302557-S36	Bolt-7/16"-14 x 4"		
	1-C5AZ 8509-K	Pulley-water pump	1-354713-S	Grommet-3/4" I.D.		
	1-C5AZ 8555-A	Tube-water by-pass	1-370608-S2	Screw-3/8"-16 x 3/4"		
	1-C6DE 8597-B	Connection-water by-pass	1-376869-S36	Screw-3/8"-16 x 1 1/8"		
	1-C5ME 8A615-B	Belt-drive-15/32 x 45"	4-377379-S2	Screw-3/8"-16 x 1 1/4"		
	1-C5AZ 10344-J	Hub assy.-alternator pulley	4-381649-S36	Screw-3/8"-16 x 1"		
	1-C9OJ 19867-A	Hose assy.-evaporator to compressor	1-382010-S36	Screw & washer-5/16"-18 x 2 1/4"		
	1-C9OJ 19972-B	Hose assy.-compressor to condenser	1-	Installation sketch		
	1-34793-S36	Washer-lock-7/16"				
MUSTANG(69),FALCON - for extra cooling the following additional parts are required						
	\$1-C6OZ 8546-A	Spacer	1-C5AZ 8600-A	Fan	\$4-45521-S7-8	Screw & washer 5/16"-24 x 2 1/2"
MAVERICK -For extra cooling the following additional part is required						
	1-C5AZ 8600-A	Fan				

• To complete installation units with T/E system Basic 9C432 Adaptor Kit must be used
 \$ Required only when vehicle is equipped with Power Steering

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
19B969 AIR CONDITIONER KIT - continued - Use with appropriate 19B968 Master Kit						
ENGINE COMPONENTS						
69/71	A	6	240	Not replaced (3-74)	1	★†C9AZ 19B969-C

Consists of

1-C8AZ 2882-A	Bracket-compressor mounting	3-42998-S2	Bolt-3/8"-16 x 1"
1-C5AZ 2887-A	Spacer-alternator bracket	2-44726-S2	Washer-flat-3/8"
1-C6AZ 2888-C	Brace-compressor-rear	2-55740-S2	Nut-7/16"-14
1-C6AZ 2888-D	Brace-compressor-lateral	6-56138-S2	Bolt-3/8"-16 x 3/4"
1-C9AJ 2901-C or E	Compressor Clutch Kit	2-56140-S36	Bolt-3/8"-16 x 1"
1-C5AZ 6A312-B	Pulley-crankshaft	2-56141-S36	Bolt-3/8"-16 x 1 1/4"
1-D0AZ 8546-B	Spacer-fan	2-56142-S36	Bolt-3/8"-16 x 1 1/2"
1-C4SZ 8620-B	Belt-A/C drive-1/2" x 58 1/4"	1-56145-S36	Bolt-3/8"-16 x 2 1/4"
1-C6AE 8620-V	Belt-alt. drive-15/32" x 41 1/2"	1-56160-S36	Bolt-7/16"-14 x 1"
1-C6AZ 8678-D	Pulley-belt idler	2-56161-S2	Bolt-7/16"-14 x 1 1/4"
1-C5AZ 10145-A	Arm-alternator belt adjustment	1-56162-S36	Bolt-7/16"-14 x 1 1/2"
1-C5AZ 10A313-C	Bracket-alternator mounting	1-56173-S36	Bolt-7/16"-14 x 4 1/4"
1-C5AZ 10B315-A	Bracket-alternator lower	2-377279-S2	Stud-7/16"-14 x 2 1/8"
1-C5AZ 10B315-B	Brace-alternator upper	3-377706-S36	Nut-3/8"-16
1-C9AJ 19867-A	Hose assy.-evaporator to compressor	4-381524-S2	Bolt-5/16"-24 x 2"
1-C9AJ 19972-A	Hose assy.-compressor to condenser	1-381937-S8	Nipple-hose-3/4"
1-34793-S36	Washer-lock-7/16"	1-	Installation sketch

FORD - for extra cooling the following additional parts are required

1-C8OZ 8600-A	Fan	1-C7AZ 8620-D	Belt-P/S w/dual belt alternator
1-C8OZ 8A616-A	Clutch	1-C6AZ 8509-L	Pulley-water pump dual

Vehicles with single belt alternator these additional parts are required

1-C5AZ 3A733-H	Pulley P/S	1-COAZ 8620-Z	Belt P/S
----------------	------------	---------------	----------

Vehicles with dual belt alternator these additional parts are required

1-C5AZ 3A733-H	Pulley P/S	1-C6AZ 8509-L	Pulley-water pump
1-C7AZ 8620-D	Belt P/S	1-B9AZ 8620-A	Belt Alternator

70/71	A, B, F	8	302	Exc. 302 H/O eng. -when vehicle is not equipped	1	D0AZ 19B969-B
71	P	8	302	with power steering-D0AZ 19B969-E adapter kit must be used	1	

Consists of

1-D0OZ 2882-D	Bracket-compressor mounting	1-C9AJ 19867-A	Hose assy.-evaporator to compressor
1-D0OZ 2888-A	Brace-compressor-lateral	1-C9AJ 19972-A	Hose assy.-compressor to condenser
1-C9AJ 2901-A	Compressor Clutch Kit-Eaton	1-34987-S4	Nut-3/8"-16
or		2-34988-S4	Nut-7/16"-14
1-C8AA 2901-C	Compressor Clutch Kit-Pitts	3-56138-S4	Bolt-3/8"-16 x 3/4"
1-D0AZ 6A312-C	Pulley-crankshaft	9-56140-S4	Bolt-3/8"-16 x 1"
1-D0AZ 8509-A	Pulley-water pump	1-354713-S	Grommet-3/4" I.D.
1-C3AZ 8620-F	Belt-A/C drive-1/2" x 56"	1-374372-S32	Clip
1-D0AE 8620-E	Belt-power steering-1/2" x 50"	1-377278-S2	Stud 3/8"-16 x 2"
1-D0AZ 8678-C	Pulley-adjusting	2-377279-S2	Stud-7/16"-14 x 2 1/8"
1-D1ZZ 8680-A	Bracket-pulley fixed	1-	Installation sketch

FORD - for extra cooling the following additional parts are required

1-D0AZ 8600-A	Fan	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-C4AZ 8546-F	Spacer		

FAIRLANE/TORINO - for extra cooling the following additional parts are required

*1-C5AZ 8600-K	Fan	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-D0AZ 8546-A	Spacer (1970)		
1-C4AZ 8546-F	Spacer (1971)		

MUSTANG - for extra cooling the following additional parts are required

*1-C5AZ 8600-K	Fan	@1-D0ZZ 8005-D	Radiator (1970)
@1-D0ZZ 8146-A	Shroud		
1-D0AZ 8546-A	Spacer (1970)	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-C4AZ 8546-A	Spacer (1971)		

MAVERICK - for extra cooling the following additional parts are required

1-D0AZ 8600-A	Fan
---------------	-----

† To complete installation-D0AZ 8546-B spacer & 379031-S7-8 bolt-5/16"-24 x 2 1/8" are also required

* Not required on vehicles factory equipped with flex fan when radiator change is recommended

@ Not required on vehicles factory equipped with part specified

• Replace when radiator is replaced

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
19B969 AIR CONDITIONER KIT - continued - Use with appropriate 19B968 Master Kit						
ENGINE COMPONENTS						
70	B, F	"Before 2/1/70"	8 351 C	When vehicle is not equipped with power strg. D0AZ 19B969-E adapter kit must be used	1	★D0OZ 19B969-A r/b D0AZ 19B969-F (5-75)
70	A, F	"Before 2/1/70"	8 351 W	When vehicle is not equipped with power strg. D0AZ 19B969-E adapter kit must be used	1	★D0AZ 19B969-C r/b D0AZ 19B969-F (5-75)

MUSTANG - P/S belt D0OZ 8620-B must be used when equipped with power steering

70/71	A, B, F	"From 2/1/70"	8 351	Appropriate drive adapter kit 19B969 must also be used. Also when vehicle is not equipped with power steering, D0AZ 19B969-E adapter kit must be used	1	★D0AZ 19B969-F r/b details (5-75)
71	A		8 400		1	

Consists of

1-D0OZ 2888-A	Brace-compressor-lateral	1-34987-S4	Nut-3/8"-16
1-C8AA 2901-C	Compressor Clutch Kit-Pitts	2-34988-S4	Nut-7/16"-14
or		2-56138-S4	Bolt-3/8"-16 x 3/4
1-C9AJ 2901-A	Compressor Clutch Kit-Eaton	9-56140-S4	Bolt-3/8"-16 x 1"
1-D0AZ 6A312-C	Pulley-crankshaft	1-354713-S	Grommet-3/4" I.D.
1-D0AZ 8509-A	Pulley-water pump	1-374312-S32	Clip
1-C3AZ 8620-F	Belt-A/C drive-1/2" x 56"	1-377278-S2	Stud-3/8"-16 x 2"
1-D0AZ 8678-C	Pulley-adjusting	2-377279-S2	Stud-7/16"-14 x 2 1/8"
1-D1ZZ 8680-A	Bracket-pulley fixed	1-	Installation sketch
1-C9AJ 19867-A	Hose assy.-evaporator to compressor		
1-C9AJ 19972-A	Hose assy.-compressor to condenser		

FORD - for extra cooling the following additional parts are required

1-D0AZ 8600-A	Fan	4-45539-S7	Bolt 5/16"-24 x 3 1/4"
1-C4AZ 8546-F	Spacer		

FAIRLANE/TORINO - for extra cooling the following additional parts are required

*1-C5AZ 8600-K	Fan	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-D0AZ 8546-A	Spacer		

MUSTANG (351-C) - for extra cooling the following additional parts are required

*1-C5AZ 8600-K	Fan	@1-D0ZZ 8005-C	Radiator(manual trans.) (1970)
@1-D1ZZ 8146-A	Shroud (1970)	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-D0AZ 8546-A	Spacer (1970)	@1-D0ZZ 8005-D	Radiator(auto. trans.) (1970)
1-C4AZ 8546-F	Spacer (1971)		

69	A, B, F	8 390	Not replaced (3-74)	1	★C9AZ 19B969-A
FORD - for extra cooling the following additional parts are required					
#1-C9AZ 8146-A	Shroud-with 22" wide radiator	†2-377529-S32	Clip		
#1-C9AZ 8146-C	Shroud-with 26" wide radiator	†2-380250-S32	Nut-spring 1/4"		
#1-C8AZ 8600-D	Fan	†2-382160-S2	Screw 1/4" -14 x 5/8"		

FAIRLANE/TORINO - for extra cooling the following additional parts are required

#1-C8OZ 8146-A	Shroud	†4-380250-S32	Nut spring 1/4"
#1-C6MY 8600-B	Fan	†4-382160-S2	Screw 1/4" -14 x 5/8"

MUSTANG - for extra cooling the following additional parts are required

#1-C8ZZ 8005-A	Radiator		
----------------	----------	--	--

Not required on vehicles with factory installed extra cooling or Fan Clutch

+ Used when Shroud is required

@ Not required on vehicles factory equipped with part specified

• Replace when radiator is replaced

* Not required on vehicles factory equipped with flex fan when radiator change is recommended

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
19B969 AIR CONDITIONER KIT - continued - Use with appropriate 19B968 Master Kit						
ENGINE COMPONENTS						
70/71	A	8	390		1	D0AZ 19B969-A

Consists of

1-C9AZ 2882-A	Bracket-compressor mounting	1-C9AJ 19867-A	Hose assy.-evaporator to compressor
1-D0AZ 2888-B	Brace-compressor-lateral	1-C9AJ 19972-A	Hose assy.-compressor to condenser
1-C9AJ 2901-A	Compressor Clutch Kit	3-55713-S7 or	Nut-3/8"-16
1-C5AZ 3A733-F	Pulley-power steering	3-55768-S7	Nut-3/8"-16
1-C9OZ 6A312-E	Pulley-crankshaft	3-351415-S2	Washer-flat-3/8"
1-C6AZ 8509-A	Pulley-water pump	1-354713-S	Grommet-3/4" I.D.
1-C9AA 8A619-A	Bracket-idler pulley	2-370608-S2	Screw-3/8"-16 x 3/4"
1-C3OZ 8620-F	Belt-drive-15/32" x 51 1/2"	1-374372-S32	Clip
1-C4MY 8620-A	Belt-alternator-15/32" x 44 1/4"	3-377278-S2	Stud-3/8"-16 x 2"
1-C5AZ 8620-G	Belt-A/C drive-1/2" x 55"	10-381649-S2	Screw-3/8"-16 x 1"
1-D0AZ 8678-C	Pulley-adjusting	1-	Installation sketch

Vehicles w/65 amp. L/N alternator-procure drive belt C9PZ 8620-Y

Vehicles w/65 amp. Ford alternator-procure drive belt C9PZ 8620-V

Vehicles w/dual belt alternator-w/o power steering-procure drive belt C9PZ 8620-AC

If extra cooling is desired the following parts are to be procured

#1-C8AZ 8600-D	Fan(5 x 19 x 2.00)	#2-57472-S40	Screw-1/4"-20 x 3/4"
#1-D0AZ 8146-A	Shroud-w/22" wide radiator	#2-383375-S2	Nut
#1-C9AZ 8146-C	Shroud-w/26" wide radiator	#4-379292-S7-8	Screw-5/16"-24 x 3.50"-w/22"
#1-C8ZZ 8546-B	Spacer-w/22" wide radiator		wide radiator

69	A	8	429	Not replaced (3-74)	1	★C9AZ 19B969-D
----	---	---	-----	---------------------	---	----------------

FORD - for extra cooling the following additional parts are required

#1-C9AZ 8146-D	Shroud-with 22" wide radiator	#4-45339-S7	Bolt 5/16" -24 x 3 1/4"
#1-C9AZ 8146-C	Shroud-with 26" wide radiator	†2-377529-S32	Clip
#1-C8SZ 8546-D	Spacer	†2-380250-S32	Nut-spring 1/4"
#1-C8AZ 8600-D	Fan	†2-382160-S2	Screw 1/4" -14 x 5/8"
#4-34806-S7	Washer-5/16"		

Vehicles equipped w/dual belt alternator the following additional belts are required

For 55 amp. Ford alternator	C4SZ 8620-A (15/32 x 42.00)
For 65 amp. Ford alternator	B8AZ 8620-F (15/32 x 43.25)
For 65 amp. L/N alternator	B9SZ 8620-A (15/32 x 43.75)

70	A, B	8	429	Except Cobra Jet	1	★D0AZ 19B969-D
71	A				1	r/b details (5-75)

Consists of

1-D0AZ 2882-A	Bracket-compressor mounting	2-34987-S4	Nut-3/8"-16
1-D0AZ 2888-A	Brace-compressor-lateral	1-34988-S4	Nut-7/16"-14
1-D0AJ 2901-A	Compressor clutch kit	4-56138-S4	Bolt-3/8"-16 x 3/4"
1-D0AZ 2A934-A	Bolt-3/8"-16 x 1"	8-56140-S4	Bolt-3/8"-16 x 1"
1-D0SZ 6A312-B	Pulley-crankshaft	2-56161-S4	Bolt-7/16"-14 x 1 1/4"
1-D0SZ 8509-B	Pulley-water pump	1-354713-S	Grommet-3/4" I.D.
1-D0AA 8A619-B	Bracket-idler pulley	1-374372-S32	Clip
1-C4AZ 8620-D	Belt-drive-1/2" x 56 1/2"	2-377278-S2	Stud-3/8"-16 x 2"
1-D0AZ 8678-E	Pulley-adjusting	1-383723-S2	Stud-7/16"-14 x 2 5/8"
1-C9AJ 19867-A	Hose assy.-evaporator to compressor	1-Installation Sketch	
1-C9AJ 19972-A	Hose assy.-compressor to condenser		

If vehicle is not equipped with power steering procure applicable 3A635 Pump Kit & 3A634 Linkage Kit

If extra cooling is desired procure (1) C8AZ 8600-D fan - on Fairlane/Torino vehicles built after 5/11/70 procure (1) each D0OZ 8509-K w/p pulley, D0OZ 6A312-A c/s pulley and D0AZ 8620-F drive belt and substitute for like item in kit

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
19B969 AIR CONDITIONER KIT - continued - Use with appropriate 19B968 Master Kit						
DRIVE ADAPTER KIT						
69	A	8	302	Hose & spacer-to be used with C9AZ 19B969-B engine kit	1	C9AZ 19B969-E
69	A	8	351	Hose & spacer-to be used with C9OZ 19B969-A engine kit	1	
70/71	B, F	8	351 C	To be used with D0AZ 19B969-F engine kit	1	D0OZ 19B969-B
Consists of						
	1-D0ZZ 2882-B	Bracket-compressor mounting		1-Installation sketch		
	1-D0OZ 8620-E	Belt-power steering-1/2" x 50 3/4"				
70/71	A	8	351 W	To be used with D0AZ 19B969-F engine kit	1	★D0AZ 19B969-G
70	F				1	r/b details (5-75)
Consists of						
	1-D0ZZ 2882-A	Bracket-compressor mounting		1-D0OZ 8620-B	Belt-power steering-Mustang/Cougar-	
	1-D0AZ 8620-B	Belt-power steering-Ford/Mercury-1/2" x 51 3/4"		1/2 x 52 1/4"		
				1-Installation sketch		
71	A	8	400	To be used with D0AZ 19B969-F engine kit	1	★D1AZ 19B969-D
r/b details (5-75)						
Consists of						
	1-D1AZ 2882-A	Bracket-compressor mounting		1-D1AZ 8680-A	Bracket-pulley fixed	
	1-D0AE 8620-E	Belt-drive-1/2" x 50"		1-Installation sketch		
19C969 CLIP - AIR CONDITIONER VACUUM HOSE HARNESS						
72	B,S-with integral A/C				1	D2OZ 19C969-A
19B970 HOSE GUARD KIT - Refer to Section 197						
19972 DISCHARGE LINE - AIR CONDITIONER COMPRESSOR TO CONDENSER						
Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.						
19C975 HOUSING - AIR CONDITIONER BLOWER TOP						
68	F-with Deluxe hang-on A/C				1	C8SZ 19C975-A
19980 CONTROL ASSY. - AIR CONDITIONER - Also refer to Groups 18A651 & 19A884						
- A -						
67	A-with integral A/C				1	C7AZ 19980-A
71/	A-with A.T.C.				1	D2AZ 19980-A
71/	A-with manual integral A/C -				1	D2AZ 19980-B
	"Before 10/1/71"					
72	A-with manual integral A/C-"From 10/1/71"				1	D2AZ 19980-C
- B -						
70	B-with integral A/C				1	D0OZ 19980-A
72	B-with integral A/C-				1	D2OZ 19980-B
- F -						
67	F-with integral A/C				1	C7ZZ 19980-A
67/72	F-with integral A/C		"Before 1/3/72"	Refer to Group 19A884		
72	F-with integral A/C		"From 1/3/72"		1	D2ZZ 19980-A
- L -						
71/72	L-with integral A/C		"Before 12/1/71"		1	D1FZ 19980-A
72	L-with integral A/C		"From 12/1/71"		1	D2FZ 19980-B
- S -						
65/66	S			Vacuum control & plate assembly	1	C4SZ 19980-A
67	S				1	C7SZ 19980-A
68	S-with manual A/C				1	C8SZ 19980-A
68	S-with A.T.C.				1	C8SZ 19980-B
69/71	S-with manual A/C				1	C9SZ 19980-A
69/71	S-with A.T.C.				1	C8SZ 19980-C
72	S-with manual A/C-				1	D2OZ 19980-B
72	S-with A.T.C.				1	D2SZ 19980-A
- X -						
68/70	X-with integral A/C				1	C8DZ 19980-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19A980 INSERT - AIR CONDITIONER CONTROL NAME PLATE					
70/71	S-with A. T. C.	"Automatic temperature control"		1	D0SZ 19A980-A
70/71	S	"Off-Fan-Hi"		1	D0SZ 19A980-B
70/71	S	"Off-Fan-Hi--Off-Rear Defog-Hi"		1	D0SZ 19A980-C
70/71	S	"Off-Rear Defog-Hi"		1	D0SZ 19A980-D
72	S-except A.T.C. or heated backlite - "Before 5/3/72"	"Low-Fan-High"		1	D2SZ 19A980-A
72	S-except A.T.C. or heated backlite - "From 5/3/72"	"Low-Fan-High"		1	D3SZ 19A980-A
72	S-with heated backlite except with A.T.C. - "Before 5/3/72"	"Low-Fan-High-Rear Defrost-On"		1	D2SZ 19A980-B
72	S-with heated backlite except with A.T.C. - "From 5/3/72"	"Low-Fan-High-Rear Defrost-On"		1	D3SZ 19A980-B
72	S-with A.T.C. except with heated backlite			1	D2SZ 19A980-C
72	S-with A.T.C. and heated backlite	"Rear Defrost"		1	D2SZ 19A980-D
19A982 STUD - AIR CONDITIONER EVAPORATOR SUPPORT					
68	B-with hang-on A/C	Use with adapter kit C8OZ 19B986-B		1	C8OZ 19A982-A
68/70	X-with hang-on A/C			1	
19B985 BUSHING - AIR CONDITIONER AIR OUTLET DOOR CONTROL SHAFT					
69/	F-with integral A/C			1	C9ZZ 19B985-A
71/	L-with integral A/C			1	
70/	P-with integral A/C			1	
72	B,S-with integral A/C			1	
19986 SWITCH ASSY. - Also refer to Group 18578					
- A -					
65	A-with hang-on A/C		YH-64	1	C4AZ 19986-A
66	A-with hang-on A/C	Used only with evaporator w/top mount hoses		1	C6AZ 19986-A
67	A-with Deluxe hang-on A/C			1	C7AZ 19986-B
67/68	A-with Economy hang-on A/C			1	C7AZ 19986-C
68	A-with Deluxe hang-on A/C		YH-69	1	C8AZ 19986-B
69/70	A-with tunnel mounted A/C		YH-70	1	C9AZ 19986-A
69/71	A-with Slimline hang-on A/C		YH-240	1	D0AZ 19986-A
72	A-with hang-on A/C		YH-210	1	D1RY 19986-A
67	A-with integral A/C		YH-67	1	C7AZ 19986-A
65/66	A-with integral A/C			1	
68	A-with integral A/C		YH-68	1	C8AZ 19986-A
69/70	A-with heater or integral A/C			1	C9AZ 18578-A
71/	A-with A.T.C.		YH-72	1	D1AZ 19986-B
71/	A-with manual integral A/C		YH-73	1	D2AZ 19986-A
- B -					
65	B-with Economy hang-on A/C		YH-64	1	C4AZ 19986-A
65	B-with Deluxe hang-on A/C		YH-65	1	C4AZ 19986-B
65	B-with hang-on A/C	Used only with evaporator w/top mount hoses		1	C6AZ 19986-A
67/70	B-with Economy hang-on A/C			1	C7AZ 19986-C
68/71	B-with Deluxe hang-on A/C			1	C8AZ 19986-B
72	B-with hang-on A/C		YH-210	1	D1RY 19986-A
66/67	B-with integral A/C		YH-66	1	C6OZ 19986-A
68/69	B-with integral A/C		YH-85	1	C8OZ 19986-A
70/71	B-with integral A/C		YH-71	1	D0OZ 19986-A
72	B-with integral A/C		YH-75	1	D2OZ 19986-B
- F -					
35	F-with hang-on A/C		YH-64	1	C4AZ 19986-A
66	F-with hang-on A/C	Used only with evaporator w/top mount hoses		1	C6AZ 19986-A
67/68	F-with Economy hang-on A/C			1	C7AZ 19986-C
68	F-with Deluxe hang-on A/C		YH-69	1	C8AZ 19986-B
69/71	F-with hang-on A/C		YH-70	1	C9AZ 19986-A
72	F-with hang-on A/C		YH-210	1	D1RY 19986-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
19986 SWITCH ASSY. - continued - Also refer to Group 18578					
- F -					
67	F-with integral A/C		YH-214	1	C7ZZ 19986-A
68	F-with integral A/C		YH-212	1	C8ZZ 19986-A
69/70	F-with integral A/C		YH-90	1	C9ZZ 19986-A
71/	F-with integral A/C		YH-94	1	D1ZZ 19986-A
- L -					
71	L-with hang-on A/C	Use w/slide bar type control		1	D1FZ 19986-A
72	L-with hang-on A/C		YH-210	1	D1RY 19986-A
71/	L-with integral A/C			1	D1FZ 18578-B
- P -					
70/71	P-with hang-on A/C	Use w/dial type control	YH-70	1	C9AZ 19986-A
71	P-with hang-on A/C	Use w/slide bar type control	YH-211	1	D1FZ 19986-A
72	P-with hang-on A/C		YH-210	1	D1RY 19986-A
70/	P-with integral A/C		YH-74	1	D2DZ 19986-A
- S -					
65/66	S-with heater or integral A/C			1	C4SZ 18578-A
67	S			1	C7SZ 18578-A
68/69	S-with heater or manual A/C	Use without defogger or heated back light		1	C8SZ 18578-A
68/69	S-with heater or manual A/C	Use with defogger		1	C8SZ 18578-B
69	S-with manual A/C	Use with heated backlight		1	C9SZ 18578-B
68/71	S-with A.T.C.		YH-213	1	C8SZ 19986-B
68/71	S-with A.T.C.	Use with defogger		1	C8SZ 18578-C
69	S-with A.T.C.	Use with heated backlight		1	C9SZ 18578-A
70/71	S-with heater or manual A/C	Used without defogger or heated back lite		1	D0SZ 18578-A
70/71	S-with heater or manual A/C	Used with defogger		1	D0SZ 18578-B
70	S-with manual A/C	Use with heated back lite		1	D0SZ 18578-C
70	S-with A. T. C.	Used with heated back lite		1	D0SZ 18578-D
71	S-with A.T.C.	Use with heated backlite		1	D1SZ 18578-E
71	S-with manual A/C	Use with heated backlite		1	D1SZ 18578-A
72	S-with A.T.C.		YH-95	1	D2SZ 19986-A
72	S-with heater or manual A/C-" Before 9/16/71"			1	D2OZ 19986-A
72	S-with heater or manual A/C-" From 9/16/71"		YH-75	1	D2OZ 19986-B
- X -					
65	X-with hang-on A/C		YH-65	1	C4AZ 19986-B
66	X-with hang-on A/C	Used only with evaporator w/top mount hoses		1	C6AZ 19986-A
67/70	X-with Economy hang-on A/C			1	C7AZ 19986-C
68/70	X-with Deluxe hang-on A/C		YH-69	1	C8AZ 19986-B
66/67	X-with integral A/C		YH-215	1	C6DZ 19986-A
68/70	X-with integral A/C		YH-84	1	C8DZ 19986-A
65/66	A-with integral A/C	Screw (switch to retainer)-No. 10-24 x 1/2"		2	40918-S8(U260)
		Screw (switch to name plate)-No. 8-32 x 1"		2	*40969-S8
69/70	A	Screw no. 8-15 x 1/2" (attach switch to control)		2	52012-S8(U-202)
19988 CABLE ASSY. - AIR CONDITIONER TEMPERATURE - Also refer to Group 18518					
68	A-with integral A/C			1	C8AZ 19988-A
66/67	B-with integral A/C			1	C6OZ 19988-A
68/71	B-with integral A/C			1	C8OZ 19988-A
68/70	X-with integral A/C			1	
72	B-with integral A/C			1	D2OZ 19988-A
67/68	F-with integral A/C			1	C7ZZ 19988-A
69/70	F-with integral A/C			1	C9ZZ 19988-A
71/	F-with integral A/C			1	D1ZZ 19988-A
71/72	L-with integral A/C	"Before 6/22/72"		1	D1FZ 19988-A
72	L-with integral A/C	"From 6/22/72"		1	\$ D2FZ 19988-A
70	P-with integral A/C			1	D0DZ 19988-A
71/72	P-with integral A/C	"Before 6/22/72"		1	D1DZ 19988-A
72	P-with integral A/C	"From 6/22/72"		1	D2DZ 19988-A
72	S-with manual A/C			1	D2SZ 19988-A
70/	P	Clip (attach 19988 to evaporator 19850)		1	383267-S(GG163YF)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19A989 SEAL - AIR CONDITIONER EVAPORATOR DRAIN HOSE TO FLOOR - Not supplied - Improve				
19A990 VALVE ASSY. - AIR CONDITIONER COMPRESSOR - Also refer to Group 19752				
65/69	A, B, S, X		1	C4AZ 19A990-A
70/71	A, B, F, P-with hang-on A/C		1	(YF-292)
70	X-with hang-on A/C		1	
68	A, F-with integral A/C		1	C8AZ 19A990-A
65/66	S		1	(YF-296)
65/67	A, B, F, X		1	
69	A, B, F, S -with integral A/C		1	C9AZ 19A990-A
70/71	A, B, F-with hang-on A/C		1	(YF-297)
70	P-with integral A/C "Before 12/1/69"		1	
69/70	X-with integral A/C			
70/	A, B, F-with integral A/C		1	D0AZ 19A990-A
71/	L-with integral A/C		1	(YF-237)
70/	P-with integral A/C "From 12/1/69"		1	
70/71	S-with integral A/C		1	
68	B, X, S-with integral A/C		1	C8SZ 19A990-A
				(YF-293)
71/	L-with hang-on A/C	Use for high or low pressure	2	D1FZ 19A990-B
72	A, B, F, P-with hang-on A/C		2	(YF-301)
19A991 BAND - AIR CONDITIONER BLOWER MOTOR MOUNTING - Not supplied - Improve				
19A992 BRACKET - AIR CONDITIONER BLOWER MOTOR SUPPORT				
70/71	P-with Economy hang-on A/C		1	D0DZ 19A992-A
69/71	A-with slim line hang-on A/C		1	
71	L-with hang-on A/C		1	
19A993 BRACKET - AIR CONDITIONER EVAPORATOR TO INSTRUMENT PANEL MOUNTING				
69/71	F-with hang-on A/C	R.H.	1	C9ZZ 19A993-A
71	P-with slimline hang-on A/C		1	
19B994 GASKET - AIR CONDITIONER COMPRESSOR VALVE PLATE - Also refer to Group 19B596				
65/69	A, F, S	"O" ring -3/4" O.D.- used with Roto Lock type valves	2	C2SZ 19B994-A
65	B		1 or 2	
65	X (6 & 8 cyl.)-Receiver tank on condenser		2	
68/69	B, X-with A/C		2	
70/71	A, B, F, P-with hang-on A/C		2	
19A995 BEZEL - AIR CONDITIONER EVAPORATOR				
68/71	B-with Deluxe hang-on A/C		1	C8OZ 19A995-B
68/70	X-with Deluxe hang-on A/C		1	
19998 TRAP - AIR CONDIONER EVAPORATOR DRAIN				
65/66	S		1	C1SS 19998-A
19A998 PANEL - AIR CONDITIONER EVAPORATOR CASE				
69	A-with integral A/C	Cover-thermostat	1	C9AZ 19A998-A
70/	A-with integral A/C	Cover-thermostat	1	D0AZ 19A998-A
67/70	S-with heater or A/C	Top	1	C8SZ 19A998-A
71	S-with integral A/C	Top	1	D1SZ 19A998-A
o Use with 1 9/16" burled simulated walnut insert				

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS

To simplify part number determination and complexity, and to reduce look-up time for air conditioning hoses the following summary describes the various service methods.

1. Hose originally used in production is serviced.

Example: Original production part number D1ZA 19835-AB is supplied for service as part number D1FZ 19835-B as shown on page 16 of the IDENTIFICATION CHART and on page 10 of the APPLICATION CHART.

2. Hose originally used in production is replaced by a "Simplified" hose.

Example: Original production part numbers C8OA 19835-D and C8OA 19837-E (combined) are replaced by a single "Simplified" hose part number C8OZ 19837-A as shown on page 15 of the IDENTIFICATION CHART and on page 8 of the APPLICATION CHART.

3. Hose originally used in production is not supplied for service and has been replaced by detail parts i.e. bulk hose (which must be cut to length) and assorted fittings.

Detail parts include:

Push-on type tube fittings (includes clamps and "o" rings) and bulk hose. Original production hose assemblies are fabricated from bulk hose (cut to length indicated) and add necessary fittings (listed by code number and cross-referenced to part number on pages 24 through 26.

Example: Original production part number D2AA 19972-AA is replaced by 41 inches of 13/32 I.D. bulk hose (part number D2AZ 19C708-B) and one each of fitting code H44 which cross-references to fitting service part number D2AZ 19D695-AF and fitting code S04 which cross-references to fitting service part number D2AZ 19D695-BE. The original production part number D2AA 19972-AA is shown on page 19 of the IDENTIFICATION CHART and on page 7 of the APPLICATION CHART. The fitting code number to part number CROSS-REFERENCE CHART is shown on pages 24 through 26.

Air Conditioning hose information is listed as follows:

	<u>PAGE</u>
INSTALLATION INSTRUCTIONS	2 through 5
APPLICATION CHART	6 through 13
IDENTIFICATION CHART	14 through 19
FITTING CROSS-REFERENCE CHART	20 through 26


More detailed instructions are included with the IDENTIFICATION CHART, APPLICATION CHART and FITTING CROSS-REFERENCE CHART.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued


INSTALLATION INSTRUCTIONS

HOSE GUARDS

FOAM RUBBER SLEEVE: To protect 5/8" rubber air conditioner hose from direct rubbing against other parts and to reduce hose vibration noise.



ALUMINUM SLEEVE: To protect 13/32" discharge hose where hose contacts sharp edges in routing through the radiator side support.



1. Slide sleeve on hose before installing end fittings.

NOTE: Sleeve can be cut lengthwise and formed around other hose sizes.

2. Use C0AZ 19552-A or 8A 19552-B adhesive to secure sleeve in desired position.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

INSTALLATION INSTRUCTIONS - continued


DETAIL PARTS and HOSE ASSEMBLIES

1. Note defective hose routing before removal.
2. Repair existing rubber or nylon hose on vehicle if feasible.
 - a. Repair cuts and similar failures, in otherwise sound existing hose assemblies, by using one push-on hose splicer or two splicers with the required length of bulk hose.
 - b. Repair accumulator hose assemblies (Suction Line - Group Number 19C836) starting in 1970 on some models with integral A/C), by cutting the existing hose (6) inches from one or both coupled ends of the accumulator can, and splicing on the required bulk rubber hose and component fittings to replace the defective hose end.

If the accumulator can is damaged, or if the existing hose is judged unsound, the entire accumulator assembly must be replaced with component parts.

3. Remove defective hose if splicing is not acceptable.
 - a. Discharge the system if not completely discharged, following the procedure outlined in the shop manual.
 - b. For those liquid lines (5/16" I.D.) having a self-sealing, quick disconnect coupling on one end, the coupling should be left on the vehicle. The new hose assembly will adapt into this coupling with 1/2"-20 male thread and an external o-ring seal.
4. Assemble the new hose as shown below if component parts are used.


PUSH FITTING INTO HOSE BY HAND
WITH ROTATING MOTION
TO SHOULDER OR BEAD OF FITTING



P-9309

- a. Select proper end fittings, splicers, hose guards, and hose size required to replace the original hose assembly. A visual comparison is required for applications not listed.
- b. Cut hose to required length. Keep ends square and remove loose fragments.
- c. Lubricate barbed end of fittings and splicers with a few drops of clean refrigerant oil.

ALIGN SPACER BAR TO
END OF HOSE



P-9310

- d. Slide loose clamps on hose, force fittings into hose (by hand) with rotating motion.


CAUTION. Do not go past shoulder or scratch fitting with tools, this fitting must be inserted by hand.

- e. Position clamp so that spacer tab is over end of rubber hose and tighten until clamp starts to cut hose. (Tighten to 35-40 in. lbs. torque)

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

INSTALLATION INSTRUCTIONS - continued

DETAIL PARTS and HOSE ASSEMBLIES - continued



- f. For nylon hose splicers only, position clamp approx. 1/8" from end of hose (tighten to 40-45 in. lbs. torque)

5. Route the new hose, using the original installation as a guide.

If simplified hose with aluminum tubing and splicer is used, bend the tubing as outlined below:

- Bend the aluminum tubing by hand to replace the bends of the original hose, making the bends as simple as possible.
- Drill new holes through the radiator support and side shield as required to make the installations using simplified tube bends.

6. Install and torque new hose assembly.












NOTE. When installing assembly, tighten coupling nut finger tight, then torque per chart below using a back-up tube wrench. Further tightening may distort fitting and result in an imperfect seal. Be sure that o-ring is in place on o-ring type fittings. Hoses must be installed with no twist in them.

Fitting Size or Description	Thread Size	RECOMMENDED TORQUE (IN FT. LBS.)	
		O-Ring Type	Flare Type
3/8"	5/8"-18	11-13	15-19
1/2"	3/4"-16 or 18	15-20	21-27
5/8"	7/8"-14 or 18	21-27	25-31
3/4"	1 1/16"-14 or 18	28-33	33-40
Adapter for Self-sealing Coupling	1/2"-20	8-12	
Compressor fitting and service valve	7/8"-20	21-27	
Block fitting plate bolt	1"-14	20-40	
Pressure relief valve (into block fitting)	3/8"-24	4-11	

7. Rework the existing hose support clamps if required.

- Check for correct installation and proper routing for clearance with other vehicle components.
- Evacuate, charge and leak test the system following the procedure outlined in the vehicle shop manual.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued SIMPLIFIED HOSE ASSEMBLIES

PART NUMBER	DESCRIPTION	TOTAL LENGTH INCHES
LIQUID LINES		
D00Z-19837-C *YF-271		58
C80Z-19837-A *YF-270		81
C70Z-19837-A *YF-269		82
C7AZ-19837-A *YF-268		35
C9AZ-19837-A *YF-238		85
D1AZ-19837-B *YF-272		34
DISCHARGE LINES		
C80Z-19972-A *YF-239		33
C9ZZ-19972-C *YF-277		27
C7AZ-19972-A *YF-276		32
SUCTION LINES		
C7AZ-19867-A *YF-285		27
D0AZ-19867-A *YF-286		48

* Motorcraft Number

SIMPLIFIED HOSE ASSEMBLIES

P-9877

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued**APPLICATION CHART**

To determine the correct hose part number or detail part numbers you must know:

1. Carline-Ford (A), Torino (B), etc.
2. Year (1970, 1971, etc.)
3. Hose function (Discharge Line, Liquid Line or Suction Line)
4. Type of Air Conditioning System (Hang-on or Integral)
5. Engine (number of cylinders and cubic inch displacement)

Example No. 1. If a Discharge Line is required for a 1971 Thunderbird (S) with integral air conditioning the Application Chart (page 12) indicates (1) that the hose assembly is serviced as either part number D0SZ 19972-A (original production hose) or part number C8OZ 19972-A (simplified hose) and (2) that the hose may be fabricated from 16" of 13/32" I.D. bulk hose (Part Number D2AZ 19C708-B, one piece of Fitting Code G44 (Part Number D2AZ 19D695-AA) and one piece of Fitting Code H44 (Part Number D2AZ 19D695-AF).

Example No. 2. If a Liquid Line is required for a 1969 Fairlane/Torino (B) with integral air conditioning the Application Chart (on page 8) indicates (1) that the original production hose assembly is not serviced (★) and (2) that you may use C8OZ 19837-A (simplified hose) and (3) the hose may be fabricated from - 60" of 5/16" I.D. bulk hose (Part Number D2AZ 19C708-B), one piece of Fitting Code H33 (Part Number D2AZ 19D695-AE), one piece of Fitting Code L33 (Part Number D2AZ 19D695-R), and one piece of Fitting Code SG3 (Part Number D2AZ 19D695-BK).

Example No. 3. If a Suction Line is required for a 1970 Ford(A) with hang-on air conditioning the Application Chart (on page 7) indicates (1) that the hose assembly is not serviced (★) and (2) that you must fabricate the hose from 51" of 1/2" I.D. bulk hose (Part Number D2AZ 19C708-B), one piece of Fitting Code A45 (Part Number D2AZ 19D695-L) and one piece of Fitting Code CL6 (Part Number D0TZ 19B679-A) and one piece of Fitting Code S5 (Part Number D0TZ 19752-A).

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE APPLICATION CHART

YEAR	MODEL	ENGINE		TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS		
		CYL.	C. I. D.			HOSE		FITTINGS REQUIRED
						I. D. (INCHES)	LENGTH (INCHES)	
A (FORD)								
DISCHARGE LINE - COMPRESSOR TO CONDENSER								
67	A	All	All	Integral	*C7AZ 19972-A(YF-276)	13/32	15	A44, C44
67	A-"Before 5/1/67"	All	All	Integral	C7AZ 19C836-A	13/32	22	A44, B44
	A-"From 5/1/67"	All	All	Integral	*C7AZ 19972-A(YF-276)	13/32	21	B44, QF6
68	A	8	All	Integral	*C7AZ 19972-A(YF-276)	13/32	23	A44, B44
69	A	8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	24	J44, K44
70	A	8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	34	H44, K44
71/72	A-"Before 3/1/72"	8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	37	H44, K44
72	A-"From 3/1/72"	8	All	Integral	★	13/32	41	H44, S04
67	A	All	All	Hang-on	★	13/32	20	A44, S4
68	A	All	All	Hang-on	★	13/32	17	B44, S4
69/70	A	All	All	Hang-on	★	13/32	15	A44, S4
71/	A	All	All	Hang-on	★	13/32	47	A44, CL6
LIQUID LINE - DRYER TO EVAPORATOR								
67/68	A	All	All	Integral	*C7AZ 19837-A(YF-268)	5/16	32	A33, Z23
69/70	A	All	All	Integral	*C9AZ 19837-A(YF-238)	5/16	78	J33, SG3, Z23
71	A	All	All	Integral	*D1AZ 19837-B(YF-272)	5/16	31	G33, H33
72	A-"Before 3/1/72"	All	All	Integral	*D1AZ 19837-B(YF-272)	5/16	29	G33, H33
	A-"From 3/1/72"	All	All	Integral	*D1AZ 19837-B(YF-272)	5/16	32	G33, H33
67	A	6	240	Hang-on	★	5/16	65	A33, A33, SG3
	(Deluxe)	8	All	Hang-on	★	5/16	30	A33, SG3, Z23
	(Economy)	8	All	Hang-on	★	5/16	57	A33, A33, SG3
68	A	All	All	Hang-on	★	5/16	64	A33, A33, SG3
69/70	A	All	All	Hang-on	★	5/16	60	A33, A33, SG3
71/	A	All	All	Hang-on	D1AZ 19837-A or *C7OZ 19837-A(YF-269)	5/16	82	A33, C33, SG3
SUCTION LINE - EVAPORATOR TO COMPRESSOR								
67	A	6	240	Integral	★	1/2	27	A55, A55
67/68	A	8	All	Integral	*C7AZ 19867-A(YF-285)	1/2	21	A55, A55
68/72	A(w/o A.T.C.)- "Before 3/1/72"	All	All	Integral	*D0AZ 19867-A(YF-286)	5/8	47	K56, P66
71/72	A(w/A/T/C)- "Before 3/1/72"	8	351,400	Integral	D1AZ 19C836-A(YF-558)			AC6, J56, P66
71/72	A(w/A.T.C.)- "Before 3/1/72"	8	429	Integral	★	5/8	44	AC6, J56, P66
72	A(w/o A.T.C.)- "From 3/1/72"	8	All	Integral	★	5/8	50	P66, S06
72	A(w/A.T.C.) "From 3/1/72"	8	351,400, 429	Integral	★			AC6, P66, S06
67/68	A	All	All	Hang-on	★	1/2	44	A45, CL6, S5
69/70	A	All	All	Hang-on	★	1/2	51	A45, CL6, S5
71/	A	All	All	Hang-on	D1AZ 19867-A	13/32	71	B54, CL6

* Simplified Hose Assy.

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued**REFRIGERANT LINE APPLICATION CHART - continued**

YEAR	MODEL	ENGINE		TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS		
		CYL.	C. I. D.			HOSE		FITTINGS REQUIRED
						I. D. (INCHES)	LENGTH (INCHES)	

B (FAIRLANE/TORINO)**DISCHARGE LINE - COMPRESSOR TO CONDENSER**

67	B	6	All	Integral	*C7AZ 19972-A(YF-276)	13/32	34	A44, C44
		8	289	Integral	*C7AZ 19972-A(YF-276)	13/32	21	C44, C44
		8	390	Integral	*C7AZ 19972-A(YF-276)	13/32	22	B44, C44
68/69	B	6	All	Integral	*C8OZ 19972-A(YF-239)	13/32	36	G44, G44
		8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	31	J44, J44
70	B	6	All	Integral	D0OZ 19972-C	13/32	41	G44, G44
71	B	6	All	Integral	★	13/32	41	G44, G44
70/71	B	8	All	Integral	*C9ZZ 19972-C(YF-277)	13/32	24	G44, H44
72	B	6	250	Integral	★	13/32	37	P44, S04
		8	All	Integral	★	13/32	18	P44, S04
67	B	6	All	Hang-on	★	13/32	38	C44, CL6, S4
		8	All	Hang-on	★	13/32	24	C44, CL6, S4
68/69	B	All	All	Hang-on	★	13/32	17	B44, CL6, S4
70/71	B	6	All	Hang-on	D0OZ 19C700-A	13/32	38	B44, CL6, S4
		8	All	Hang-on	D0OZ 19C700-A	13/32	25	B44, CL6, S4
71/	B	All	All	Hang-on	★	13/32	47	A44, CL6

LIQUID LINE - DRYER TO EVAPORATOR

67	B	6	All	Integral	★	5/16	51	A33, SG3, Z23
		8	289	Integral	*C7OZ 19837-A(YF-269)	5/16	63	A33, B33, SG3
		8	390	Integral	*C8OZ 19837-A(YF-270)	5/16	58	H33, L33, SG3
68/69	B	6	All	Integral	*C8OZ 19837-A(YF-270)	5/16	60	H33, L33, SG3
		8	All	Integral	D0OZ 19835-A and ★19837	5/16	64	G33, L33, SG3
70	B	6	All	Integral	D0OZ 19835-B and ★D0OZ 19837-C(YF-271)	5/16	55	L33, SG3, Z23
		8	All	Integral	★19835 and ★19837	5/16	64	G33, L33, SG3
71	B	6	All	Integral	*C8OZ 19837-A(YF-270)	5/16	70	G33, H33, SG3
72	B	All	All	Integral	★	5/16	31	G33, P33, SG3
67	B	6	All	Hang-on	★	5/16	31	A33, SG3, Z23
		8	All	Hang-on	★	5/16	57	A33, A33, SG3
68/69	B	All	All	Hang-on	★	5/16	64	A33, A33, SG3
70/71	B	All	All	Hang-on	D0OZ 19D567-A	5/16	72	A33, A33, SG3
71/	B	All	All	Hang-on	D1AZ 19837-A or *C7OZ 19837-A(YF-269)	5/16	82	A33, C33, SG3

SUCTION LINE - EVAPORATOR TO COMPRESSOR

67	B	6	All	Integral	C7AZ 19867-A(YF-285)	1/2	20	A55, A55
		8	All	Integral	★	1/2	43	A55, C55
68/69	B	6	All	Integral	★	1/2	25	H55, L55
		8	All	Integral	★	1/2	45	J55, L55
70/71	B	6	All	Integral	D0OZ 19867-B	1/2	24	H55, L55
		8	All	Integral	D0OZ 19867-A	1/2	43	J55, L55
72	B	6	All	Integral	D2OZ 19C836-C(YF-556)			
72	B	8	All	Integral	D2OZ 19C836-D			

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE APPLICATION CHART - continued

YEAR	MODEL	ENGINE		TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS		
		CYL.	C. I. D.			HOSE		FITTINGS REQUIRED
						I. D. (INCHES)	LENGTH (INCHES)	

B (FAIRLANE/TORINO) - continued

SUCTION LINE - EVAPORATOR TO COMPRESSOR - CONTINUED

67	B	6	All	Hang-on	★	1/2	56	A45,S5
67/68	B	8	All	Hang-on	★	1/2	44	A45,S5
68	B	6	All	Hang-on	★	1/2	66	A45,S5
69/71	B	6	All	Hang-on	★	1/2	74	A45,S5
		8	All	Hang-on	★	1/2	51	A45,S5
72	B	All	All	Hang-on	D1AZ 19867-A	13/32	71	B54,CL6

F (MUSTANG)

DISCHARGE LINE - COMPRESSOR TO CONDENSER

67/68	F	6	All	Integral	★	13/32	35	A44,B44
		8	All	Integral	C7AZ 19972-A(YF-276)	13/32	20	A44,B44
69/70	F	6	All	Integral	*C8OZ 19972-A(YF-239)	13/32	35	G44,H44
		8	All	Integral	*C9ZZ 19972-C(YF-277)	13/32	20	G44,H44
71/	F	6	All	Integral	★19972	13/32	41	G44,H44
					or			
					*C8OZ 19972-A(YF-239)			
		8	All	Integral	*C9ZZ 19972-C(YF-277)	13/32	24	G44,H44
67	F	6	170, 200	Hang-on	★	13/32	29	C44,S4
		8	All	Hang-on	★	13/32	21	A44,S4
68/70	F	6	All	Hang-on	★	13/32	33	B44,S4
68	F	8	All	Hang-on	★	13/32	17	B44,S4
69/70	F	8	All	Hang-on	★	13/32	20	B44,S4
71	F	6	All	Hang-on	D0OZ 19C700-A	13/32	39	B44,CL6,S4
		8	All	Hang-on	D0OZ 19C700-A	13/32	26	B44,CL6,S4
71/	F	All	All	Hang-on	★	13/32	47	A44,CL6

LIQUID LINE - DRYER TO EVAPORATOR

67/68	F	All	All	Integral	*C7OZ 19837-A(YF-269)	5/16	74	B33,C33,SG3
69/70	F	All	All	Integral	*C9AZ 19837-A(YF-238)	5/16	68	G33,SG3,Z23
71/	F	6	All	Integral	★			
		8	All	Integral	*C8OZ 19837-A(YF-270)	5/16	65	G33,M33,SG3
						5/16	78	H33,L33,SG3
67	F	6	All	Hang-on	★	5/16	65	A33,A33,SG3
		8	All	Hang-on	★	5/16	58	A33,A33,SG3
68	F	All	All	Hang-on	★	5/16	64	A33,A33,SG3
69/70	F	All	All	Hang-on	★	5/16	67	A33,A33,SG3
71	F	All	All	Hang-on	D0OZ 19D567-A	5/16	72	A33,A33,SG3
71/	F	All	All	Hang-on	D1AZ 19837-A	5/16	82	A33,C33,SG3
					or			
					*C7OZ 19837-A(YF-269)			

* Simplified Hose Assy.

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued**REFRIGERANT LINE APPLICATION CHART - continued**

YEAR	MODEL	ENGINE		TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS		
		CYL.	C. I. D.			HOSE		FITTINGS REQUIRED
						I. D. (INCHES)	LENGTH (INCHES)	

F (MUSTANG) - continued**SUCTION LINE - EVAPORATOR TO COMPRESSOR**

67	F	6	All	Integral	*C7AZ 19867-A(YF-285)	1/2	26	A55, A55
67/68	F	8	All	Integral	★	1/2	55	A55, A55
68	F	6	All	Integral	*C7AZ 19867-A(YF-285)	1/2	23	A55, B55
69/70	F	6	All	Integral	C9ZZ 19867-B(YF-144)	1/2	23	H45, P45
		8	All	Integral	★	1/2	55	J55, P45
70	F	8	All	Integral	D0ZZ 19867-A	1/2	55	
71/	F	6	All	Integral	★	1/2	23	H55, M55
		8	All	Integral	★	1/2	49	J55, L55
67/68	F	6	All	Hang-on	★	1/2	66	A45, S5
67/68	F	8	All	Hang-on	★	1/2	44	A45, S5
69/70	F	6	All	Hang-on	★	1/2	74	A45, S5
69/70	F	8	All	Hang-on	★	1/2	51	A45, S5
71/	F	All	All	Hang-on	D1AZ 19867-A	13/32	71	B54, CL6

L (PINTO)**DISCHARGE LINE - COMPRESSOR TO CONDENSER**

71/	L	4	All	Integral	*C8OZ 19972-A(YF-239)	13/32	25	J44, K44
71/	L	4	All	Hang-on	★	13/32	46	A44, CL6

LIQUID LINE - DRYER TO EVAPORATOR

71	L-(dehydrator to condenser)- "Before 5/27/71"	4	All	Integral	D1FZ 19835-B and D1FZ 19837-B(YF-273)			
71/	L-(dehydrator to condenser)- "From 5/27/71"	4	All	Integral	D1FZ 19835-A and ★19837	5/16	30	G33, L33
71/	L-(evaporator to to dehydrator)	4	All	Integral	★	5/16	9	J33, J33
71/	L-(condenser to dehydrator)	4	All	Hang-on	D0RY 19835-A	5/16	8	A33, A33
71/	L-(dehydrator to evaporator)	4	All	Hang-on	D0RY 19837-A	5/16	60	A33, C33

SUCTION LINE - EVAPORATOR TO COMPRESSOR

71/72	L-"Before 1/10/72"	4	All	Integral	★	1/2	14	G55, L55
72	L-"From 1/10/72"	4	All	Integral	D2FZ 19867-A			
71/	L	4	All	Hang-on	D1AZ 19867-A	13/32	71	B54, CL6

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE APPLICATION CHART - continued

YEAR	MODEL	ENGINE		TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS		
		CYL.	C. I. D.			HOSE		FITTINGS REQUIRED
						I. D. (INCHES)	LENGTH (INCHES)	

P (MAVERICK)

DISCHARGE LINE - COMPRESSOR TO CONDENSER

70/	P	6	All	Integral	*C8OZ 19972-A(YF-239)	13/32	36	H44,H44
		8	All	Integral	★19972 or *C9ZZ 19972-C	13/32	20	G44,H44
70/71	P	6	All	Hang-on	D0DZ 19C700-A and ★19972	13/32	36	B44,CL6,S4
		8	All	Hang-on	D0DZ 19C700-A and ★19972	13/32	23	B44,CL6,S4
71/	P	All	All	Hang-on	★	13/32	47	A44,CL5

LIQUID LINE - DRYER TO EVAPORATOR

70/	P	All	All	Integral	★19835 and ★19837 or D0DZ 19835-A and ★19837	5/16	63	J33,M33,SG3
						5/16	63	J33,M33,SG3
70/71	P	All	All	Hang-on	D0DZ 19D567 -A and ★19837	5/16	80	A33,B33,SG3
72	P	All	All	Hang-on	D1AZ 19837-A or *C7OZ 19837-A(YF-269)	5/16	82	A33,C33,SG3

SUCTION LINE - EVAPORATOR TO COMPRESSOR

70/	P	6	All	Integral	D0DZ 19867-A	1/2	21	H55,L55
		8	All	Integral	★	1/2	41	J55,M55
70	P	6	All	Hang-on	★	1/2	74	A45,CL6,S5
71/	P	All	All	Hang-on	D1AZ 19867-A	13/32	71	B54,CL6

* Simplified Hose Assy.

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS

REFRIGERANT LINE APPLICATION CHART - continued

[illegible]

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued**IDENTIFICATION CHART**

To determine the correct hose part number or detail part numbers you must either:

1. Know the identification number from the existing hose.

or

2. Visually identify the existing hose and select appropriate details from the Fitting Cross-Reference Chart shown on pages 20 through 26.

Example No. 1. If the identification number is D2OA 19972-CB, the Identification Chart (on Page 19) indicates (1) that the service assembly number is D2OZ 19972-B and (2) that the hose may be fabricated from 18" of 13/32" I.D. bulk hose (part number D2AZ 19C708-B), one piece of Fitting Code P44 (part number D2AZ 19D695-BC) and one piece of Fitting Code S04 (part number D2AZ 19D695-BE).

Example No. 2. If the combined identification numbers are D1ZA 19835-AB and D1ZA 19837-AD the Identification Chart (on page 16) indicates (1) that the service assembly (for the combined hoses) is C8OZ 19837-A and (2) that the combined hoses may be fabricated from - 78" of 5/16" I.D. bulk hose (part number D2AZ 19C708-A), one piece of Fitting Code H33 (part number D2AZ 19D695-AE), one piece of Fitting Code L33 (part number D2AZ 19D695-R) and one piece of Fitting Code SG3 (part number D2AZ 19D695-BK).

Example No. 3. If the combined identification numbers are (C7AA 19835-A and C9OJ 19837-A the Identification Chart (on page 15) indicates the hose assembly is not serviced (★) and that the entire combined hoses must be fabricated from - 67" of 5/16" I.D. bulk hose (part number D2AZ 19C708-A), two pieces of Fitting Code A33 (part number D2AZ 19D695-D), and one piece of Fitting Code SG3 (part number D2AZ 19D695-BK).

REFRIGERANT LINE IDENTIFICATION CHART

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued**REFRIGERANT LINE IDENTIFICATION CHART - continued**

IDENTIFICATION		SERVICE ASSEMBLY		SERVICE DETAILS			IDENTIFICATION		SERVICE ASSEMBLY		HOSE			FITTINGS REQ. (CODE NUMBER)
				HOSE		FITTINGS REQ. (CODE NUMBER)								
				I. D. (INCHES)	LENGTH (INCHES)									
D0SA 19835-A	D0SZ 19835-A	5/16	53	G33, Z23	C8AA 19C836-C	C8AZ 19C836-A or *C7AZ 19972-A (YF-276)	13/32	23	A44, B44					
D0VA 19835-B	D0VY 19835-A	5/16	32	G33, Z23										
D1AA 19835-AC and D1AA 19835-BB D1AA 19835-AD and D1AA 19835-BB	*D1AZ 19837-B (YF-272)	5/16	31	G33, H33	D1VA 19C836-AA	D1VY 19C836-B	13/32	61	G44, G44					
					D2SA 19C836-AB	★	13/32	34	X4, P44					
					D2SA 19C836-AC	★	13/32	34	X4, P44					
D1AA 19835-BB	*D1AZ 19837-B (YF-272)	5/16	31	G33, H33										
D1VA 19835-AA	D0VY 19835-A	5/16	32	G33, Z23	C5AA 19837-E	*C7AZ 19837-A (YF-268)	5/16	32	A33, Z23					
D1ZA 19835-AB and D1OA 19837-AB	*C8OZ 19837-A (YF-270)	5/16	70	G33, H33, SG3	C6VA 19837-B and C6VA 19835-D	C6VY 19835-B	5/16	76	A33, C33, SG3					
D1ZA 19835-AB and D1ZA 19837-AD	*C8OZ 19837-A (YF-270)	5/16	78	H33, L33, SG3										
D1ZA 19835-BA and D0OA 19837-D	★19835 ★19837	5/16	64	G33, L33, M33, SG3	C6VA 19837-B and C6VA 19835-E	*C7OZ 19837-A (YF-269)	5/16	76	A33, C33, SG3					
					C6VA 19837-B and C8VA 19835-E	C8VY 19835-A	5/16	80	A33, J33, SG3					
D1ZA 19835-BA and D1ZA 19837-BA	*C8OZ 19837-A (YF-270)	5/16	65	G33, M33, SG3		★	5/16	65	A33, A33, SG3					
D1ZA 19835-BA and D1ZA 19837-BA	★19835 ★19837	5/16	65	G33, M33, SG3	C7AA 19837-B	★	5/16	31	A33, SG3, Z23					
					C7AA 19837-B	★	5/16	30/31	A33, SG3, Z23					
D12A 19835-AB	D1FZ 19835-B													
D12A 19835-AC and D12A 19837-AD	D1FZ 19835-A D1FZ 19837-A	5/16	30	G33, L33	C7AA 19837-C	★	5/16	57/58	A33, A33, SG3					
D2AA 19835-AA and D1AA 19835-BB	*D1AZ 19837-B (YF-272)	5/16	29	G33, H33	C7AA 19837-C and C7AA 19835-A	★	5/16	65	A33, A33, SG3					
D2AA 19835-BA	*D1AZ 19837-B (YF-272)	5/16	32	G33, H33										
D2AA 19835-BB	*D1AZ 19837-B (YF-272)	5/16	32	G33, H33	C7OA 19837-A	★	5/16	51	A33, SG3, Z23					
D2OA 19835-BC or D2OA 19835-BB	★ ★	5/16	31	G33, P33, SG3	C7OA 19837-A and C7OA 19835-A	*C7OZ 19837-A (YF-269)	5/16	63	A33, B33, SG3					
D2SA 19835-AD	★	5/16	34	G33, P33, SG3										
D2SA 19835-AE	★	5/16	34	G33, P33, SG3	C7ZA 19837-D and C7ZA 19835-A	*C7OZ 19837-A (YF-269)	5/16	74	B33, C33, SG3					
D2VA 19835-AB	D2VY 19835-A	5/16	34	G33, G33, SG3										
D2VA 19835-AC	D2VY 19835-A	5/16	34	G33, G33, SG3	C8AA 19837-A	★	5/16	64/65	A33, A33, SG3					
D2VA 19835-AE	D2VY 19835-A	5/16	34	G33, G33, SG3	C8AA 19837-C	*C7AZ 19837-A (YF-268)	5/16	32	A33, Z23					
C5AA 19C836-C	C7AZ 19C836-A	13/32	22	A44, B44	C8OA 19837-E and C8OA 19835-D	*C8OZ 19837-A (YF-270)	5/16	60	H33, L33, SG3					
C7AA 19C836-B	*C7AZ 19972-A (YF-272)				C8OA 19837-F and C8OA 19835-D	*C8OZ 19837-A (YF-270)	5/16	58	H33, L33, SG3					
C7AA 19C836-C	*C7AZ 19972-A (YF-276)	13/32	21	B44, Z4, QF6										
					C8VA 19837-A									
					C8VA 19837-B and C8VA 19835-F	★	5/16	80	G33, J33, SG3					
					C8ZA 19837-A and C8ZA 19835-A	*C7OZ 19837-A (YF-269)	5/16	74	B33, C33, SG3					

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued
REFRIGERANT LINE IDENTIFICATION CHART - continued

IDENTIFICATION		SERVICE ASSEMBLY	SERVICE DETAILS			IDENTIFICATION		SERVICE ASSEMBLY	SERVICE DETAILS		
			HOSE		FITTINGS REQ. (CODE NUMBER)				HOSE		FITTINGS REQ. (CODE NUMBER)
			I. D. (INCHES)	LENGTH (INCHES)					I. D. (INCHES)	LENGTH (INCHES)	
C9OJ	19837-A	★	5/16	60	A33,A33,SG3	D1OA	19837-AA and	*C8OZ 19837-A (YF-270)	5/16	70	G33,H33,SG3
C9OJ	19837-A and	★	5/16	71/73	A33,A33,SG3	D1ZA	19835-AB				
C9AJ	19D567-A					D1OA	19837-AB and	*C8OZ 19837-A (YF-270)	5/16	70	G33,H33,SG3
C9OJ	19837-A and	D0OZ 19D567-A	5/16	72	A33,A33,SG3	D1ZA	19835-AB				
D0OJ	19D567-B										
C9OJ	19837-A and	★	5/16	67	A33,A33,SG3	D1ZA	19837-AD	*C8OZ 19837-A (YF-270)			
C7AA	19835-A					D1ZA	19837-BA and	*C8OZ 19837-A (YF-270)	5/16	65	G33,M33,SG3
C9ZA	19837-A	*C9AZ 19837-A (YF-238)	5/16	68	G33,SG3,Z23	D1ZA	19835-BA				
C9ZA	19837-C	*C9AZ 19837-A (YF-238)	5/16	68	G33,SG3,Z23	D1ZA	19837-BA and	★	5/16	65	G33,M33,SG3
D0DA	19837-C and					D1ZA	19835-BA				
D0DA	19835-B	*C8OZ 19837-A (YF-270)	5/16	63	J33,M33,SG3						
D0DA	19837-C and	D0DZ 19837-A	5/16	63	J33,M33,SG3	D12A	19837-AD and	D1FZ 19837-A	5/16	30	G33, L33
D0DA	19835-B	D0DZ 19835-B				D12A	19835-AC	D1FZ 19835-A			
						D12J	19837-A	D0RY 19837-A	5/16	60	A33, C33
D0DA	19837-E and										
D0DA	19835-A	*C8OZ 19837-A (YF-270)	5/16	63	J33,M33,SG3	C6AA	19867-B				
D0DA	19837-E and	D0DZ 19837-A	5/16	63	J33,M33,SG3	C6OA	19867-B	*C7AZ 19867-A (YF-285)	1/2	20	A55, A55
D0DA	19835-A	D0DZ 19835-A				C6OA	19867-G	★	1/2	43	A55, C55
D0DJ	19837-A and	D0DZ 19837-B	5/16	80	A33,B33,SG3	C6VA	19867-C	C6VY 19867-B	5/8	45	A56, A66
D0DJ	19D567-A	D0DZ 19D567-A				C7AA	19867-A	★	1/2	56	A45, S5
D0OA	19837-C and	D0OZ 19837-A	5/16	55	L33,SG3,Z23	C7AA	19867-C	★	1/2	44	A45,CL6,S5
D0QA	19835-C	D0OZ 19835-B									
D0OA	19837-D and	★19837	5/16	64	G33,L33,SG3	C7OA	19867-A	★	1/2	66	A45, S5
D0OA	19835-B	★19835				C7SA	19867-C	★	5/8	52	J66, P66
D0OA	19837-D and	*C8OZ 19837-A (YF-270)	5/16	64/65	G33, L33, M33, SG3	C7ZA	19867-C	★	1/2	55	A55, A55
D1ZA	19835-BA					C7ZA	19867-D	*C7AZ 19867-A (YF-285)	1/2	26	A55, A55
D1AJ	19837-A	*C7AZ 19837-A				C8OA	19867-D	★	1/2	45	J55, L55
D1AJ	19837-A	D1AZ 19837-A or	5/16	82	A33,C33,SG3	C8OA	19867-E	★	1/2	25	H55, L55
		*C7OZ 19837-A (YF-269)									
D1AJ	19837-BA	*D0OZ 19837-C (YF-271)				C8SA	19867-C	C8SZ 19867-A	5/8	48	J66, P66
D1AJ	19837-CA	*C8OZ 19837-A (YF-270)				C8SA	19867-D	★	5/8	52	J66, P66
D1AJ	19837-DA	*C7OZ 19837-A (YF-269)				C8VA	19867-B	★	5/8	36	P56, P66
D1AJ	19837-EA	*C7AZ 19837-A (YF-268)				C8ZA	19867-B	*C7AZ 19867-A (YF-285)	1/2	23	A55, B55
D1AJ	19837-FA	*C9AZ 19837-A (YF-238)				C8ZA	19867-C	★	1/2	55	A55, A55
D1AJ	19837-GA	*D1AZ 19837-B (YF-272)				C9AA	19867-C	*D0AZ 19867-A (YF-286)	5/8	47	K56, P66
						C9AJ	19867-A	★	1/2	51	A45,CL6,S5
						C9OJ	19867-A	★	1/2	74	A45,CL6,S5
						C9SA	19867-A	C8SZ 19867-A	5/8	48	J66, P66
						C9VA	19867-A	★	5/8	36	P56, P66

* Simplified Hose Assy.

May, 1975

COPYRIGHT © 1975 —

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE IDENTIFICATION CHART - continued

IDENTIFICATION		SERVICE ASSEMBLY	SERVICE DETAILS			IDENTIFICATION		SERVICE ASSEMBLY	SERVICE DETAILS		
			HOSE		FITTINGS REQ. (CODE NUMBER)				HOSE		FITTINGS REQ. (CODE NUMBER)
			I. D. (INCHES)	LENGTH (INCHES)					I. D. (INCHES)	LENGTH (INCHES)	
C9ZA 19867-A	C9ZZ 19867-A	1/2	55	J55, P45	C3AA 19972-D	C3AZ 19972-B	13/32	13	A44,CL6,S4		
C9ZA 19867-B	C9ZZ 19867-B (YF-144)	1/2	23	H45, P45	C5AA 19972-C	*C7AZ 19972-A (YF-276)	13/32	15	A44, C44		
D0AA 19867-A	*D0AZ 19867-A (YF-286)	5/8	47	K56, P56	C5VA 19972-A	C1VY 19972-A	1/2	10	A45, C45		
D0AA 19867-B	*D0AZ 19867-A (YF-286)	5/8	47	K56, P56	C6OA 19972-M	*C7AZ 19972-A (YF-276)	13/32	22	B44, C44		
D0DA 19867-C	D0DZ 19867-A	1/2	21	H55, L55	C7AA 19972-A	★	13/32	20/21	A44, S4		
D0DA 19867-E	★	1/2	41	J55, M55	C7OA 19972-C	*C7AZ 19972-A (YF-276)	13/32	27	C44, C44		
D0OA 19867-A	D0OZ 19867-A	1/2	43	J55, L55	C7OA 19972-D	★	13/32	38	C44,CL6,S4		
D0OA 19867-B	D0OZ 19867-B	1/2	24	H55, L55	C7OA 19972-E	*C7AZ 19972-A (YF-276)	13/32	34	A44, C44		
D0SA 19867-B	D0SZ 19867-A	5/8	52	J66, P66	C7OA 19972-F	★	13/32	24	C44,CL6,S4		
D0ZA 19867-A	D0ZZ 19867-A	1/2	55	J55, P45	C7SA 19972-C	*C9ZZ 19972-C (YF-277)	13/32	27	J44, K44		
D1AJ 19867-A	D1AZ 19867-A	13/32	71	B54, CL6	C7VA 19972-A						
D1AJ 19867-AA	★	13/32	71	B54, CL6	C7VA 19972-B	★	13/32	42	B44, B54		
D1VA 19867-BA	D1VY 19867-A	5/8	62	G56, J66	C7ZA 19972-A						
D1ZA 19867-AB	★	1/2	23	H55, M55	C7ZA 19972-B	*C7AZ 19972-A (YF-276)					
D1ZA 19867-BC	★	1/2	49	J55, L55	C7ZA 19972-C	★	13/32	29	C44, S4		
D12A 19867-AA	★	1/2	14	G55, L55	C7ZA 19972-D	★	13/32	35	A44, B44		
D12J 19867-AA	D1AZ 19867-A	13/32	71	B54, CL6	C7ZA 19972-E	*C7AZ 19972-A (YF-276)	13/32	20	A44, B44		
D2AA 19867-AA	★	5/8	50	P66, S06	C8LA 19972-D	*C9ZZ 19972-C (YF-277)	13/32	26	G44, J44		
D2SA 19867-CC	D2SZ 19867-A	5/8	49	J66, Y6	C8OA 19972-F	★	13/32	17	B44,CL6,S4		
D2SA 19867-CD	D2SZ 19867-A	5/8	49/52	J66, Y6	C8OA 19972-G	★	13/32	33	B44, S4		
D2SA 19867-CE	D2SZ 19867-A	5/8	52	J66, Y6	C8OA 19972-K	*C8OZ 19972-A (YF-239)	13/32	31	J44, J44		
D2SA 19867-DC	D2SZ 19867-B	5/8	55	J66, Y6	C8OA 19972-L	*C8OZ 19972-A (YF-239)	13/32	36	G44, G44		
D2SA 19867-DD	D2SZ 19867-B	5/8	55	J66, Y6	C8SA 19972-B	*C8OZ 19972-A (YF-239)	13/32	30	G44, H44		
D2VA 19867-BA	D2VY 19867-A	5/8	57	J66, Y6	C8VA 19972-C	★	13/32	43	B54, H44		
D2VA 19867-BB	D2VY 19867-A	5/8	57	J66, Y6	C8VA 19972-E	★	13/32	43	B54, H44		
D2VA 19867-BC	D2VY 19867-B	5/8	58	J66, Y6	C8VA 19972-F	*C8OZ 19972-A (YF-239)	13/32	37	H44, J44		
D2VA 19867-BD	D2VY 19867-B	5/8	58	J66, Y6	C8ZA 19972-A	★	13/32	35	A44, B44		
D2VA 19867-BE	D2VY 19867-B	5/8	58	J66, Y6	C8ZA 19972-B	*C7AZ 19972-A (YF-276)	13/32	20	A44, B44		
D22A 19867-AB	D2FZ 19867-A				C9AA 19972-C	*C8OZ 19972-A	13/32	24	J44, K44		
D0VA 19C913-A	D0VY 19C836-B			AC6,J56,K66	C9AJ 19972-A	★	13/32	15	A44, S4		
D1AA 19C913-AC	D1AZ 19C836-A (YF-558)			AC6,J56,P66	C9AJ 19972-A and 19C700-A	★	13/32	28	B44, S4		
D1AA 19C913-BB	★			AC6,J56,P66	C9AJ 19972-A and 19C700-A	D0DZ 19C700-A	13/32	23	B44,CL6,S4		
D1LA 19C913-AB	D1LY 19C836-A			AC6,J56,P66	C9AJ 19972-A and 19C700-A	D0OZ 19C700-A	13/32	25/26	B44,CL6,S4		
D1SA 19C913-AB	D1SZ 19C836-A			AC6,J56,P66	C9AJ 19972-A and 19C700-B	★	13/32	20	B44, S4		
D1VA 19C913-AA	D1VY 19C836-A			AC6,J56,K66	C9OJ 19972-A						
D1VA 19C913-AB	D1VY 19C836-A			AC6,J56,K66							
D2AA 19C913-AA	★			AC6,P66,S06							
D2AA 19C913-BA	★			AC6,P66,S06							
D2OA 19C913-CD	D2OZ 19C836-A			AC6,K66,S06							
D2OA 19C913-CE	D2OZ 19C836-C (YF-556)										
D2OA 19C913-DD	D2OZ 19C836-D			AC6,K66,S06							
D2OA 19C913-DE	D2OZ 19C836-D										
	</										

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued
REFRIGERANT LINE IDENTIFICATION CHART - continued

IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS			IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS		
		HOSE		FITTINGS REQ. (CODE NUMBER)			HOSE		FITTINGS REQ. (CODE NUMBER)
		I. D. (INCHES)	LENGTH (INCHES)				I. D. (INCHES)	LENGTH (INCHES)	
C9OJ 19972-A and C9AJ 19972-A	★	13/32	20	B44,CL6,S4	D0SA 19972-B	*C8OZ 19972-A (YF-239)	13/32	16	G44,H44
C9OJ 19972-A and C9OJ 19972-B	★	13/32	33	B44,S4	D0VA 19972-A	*C8OZ 19972-A (YF-239)	13/32	34	G44,K44
C9OJ 19972-B and D0DJ 19C700-A	D0DZ 19C700-A	13/32	36	B44,CL6,S4	D1AA 19972-AA	*C8OZ 19972-A (YF-239)	13/32	37	H44,K44
C9OJ 19972-B and D0OJ 19C700-B	D0OZ 19C700-A	13/32	38/39	B44,CL6,S4	D1AJ 19972-AA	★	13/32	47/48	A44,CL6
C9SA 19972-A	*C8OZ 19972-A (YF-239)	13/32	30	H44,J44	D1AJ 19972-BA	*C8OZ 19972-A (YF-239)			
C9ZA 19972-C	*C9ZZ 19972-C	13/32	20	G44,H44	D1AJ 19972-CA	*C9ZZ 19972-C			
C9ZA 19972-D	*C8OZ 19972-A (YF-239) or C9ZZ 19972-B	13/32	35	G44,H44	D1AJ 19972-DA	*C7AZ 19972-A (YF-276)			
C9ZA 19972-E	*C9ZZ 19972-C (YF-277)	13/32	20	G44,H44	D1AJ 19972-EA	*C7AZ 19972-A (YF-276)			
D0AA 19972-B	*C8OZ 19972-A (YF-239)	13/32	34	H44,K44	D1VA 19972-AA	*C8OZ 19972-A (YF-239) or D0VY 19972-AA	13/32	34	G44,G44
D0DA 19972-A	*C8OZ 19972-A (YF-239) or D0DZ 19972-A or D0DZ 19972-C	13/32	36	H44,H44	D1ZA 19972-AB	*C9ZZ 19972-C (YF-277)	13/32	24	G44,H44
D0DA 19972-C	*C9ZZ 19972-C (YF-277) or D0DZ 19972-B	13/32	20	G44,H44	D1ZA 19972-AB	*C9ZZ 19972-C (YF-277) or D1ZZ 19972-A	13/32	24	G44,H44
D0DA 19972-D	*C8OZ 19972-A (YF-239)	13/32	36	H44,H44	D1ZA 19972-BA	*C8OZ 19972-A (YF-239) or D1ZZ 19972-B	13/32	41	G44,H44 (G44)
D0LA 19972-A or D0LY 19972-B	D0LY 19972-B	13/32	19	G44,J44	D1ZA 19972-BA	D1ZZ 19972-B	13/32	41	G44,G44
D0OA 19972-D	*C9ZZ 19972-C (YF-277)	13/32	24	G44,H44	D12A 19972-AB	*C8OZ 19972-A (YF-239)	13/32	25	J44,K44
D0OA 19972-F	D0OZ 19972-C or *C8OZ 19972-A (YF-239)	13/32	41	G44,G44	D12J 19972-BA	★	13/32	46/48	A44,CL6
					D2AA 19972-AA	★	13/32	41	H44,S04
					D2OA 19972-CA	★	13/32	18	P44,S04
					D2OA 19972-CB	★	13/32	18	P44,S04
					D2OA 19972-DB	★	13/32	37	P44,S04
					D2OA 19972-DC	★	13/32	37	P44,S04
					D2SA 19972-DD	D2SZ 19972-A	13/32	18	P44,X4
					D2SA 19972-DF	D2SZ 19972-A	13/32	18	P44,X4
					D2VA 19972-AC	D2VY 19972-A	13/32	52	J44,Y4
					D2VA 19972-AF	D2VY 19972-F	13/32	32	G44,Y4
					D2VA 19972-AG	D2VY 19972-B	13/32	32	G44,Y4
					D2VA 19972-AH	D2VY 19972-B	13/32	32	G44,Y4

* Simplified Hose Assy.

May, 1975

COPYRIGHT © 1975 --

 FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued**FITTING CROSS-REFERENCE CHART**

There are three ways of selecting hose and fitting part numbers.

1. From Code Number (shown in the Identification or Application Charts) to the Part Number listed below.
2. From a visual inspection of the existing hose and selection of appropriate details using the following instructions:
 - a. Determine Fitting Size.
Diameter of tube at a point behind the nut indicates fitting size, e.g. 3/8", 1/2", 5/8" or 3/4".


Select Fittings and Splicers from the illustrations and text that follows. The necessary clamps and o-rings are included with all Fittings and Splicers and are also supplied for service as separate parts.

3. The alphabetical characters of the fitting code number can be used for physical identification by referring to the illustrated fittings shown by type on pages 21 thru 23.

Examples


(A) 44 (part number D2AZ 19D695-E)

Shown on page 21



(SG) 3 (Part number D2AZ 19D695-BK)

Shown on page 22

**FITTINGS**

Determine Fitting size from the information shown below:

ORIGINAL TUBE O.D.	FRACTIONAL FITTING SIZE	INDUSTRY SIZE NO.	THREAD SIZE	
			SAE 45° FLARE O-RING (FEMALE) O-RING (MALE FLARE)	O-RING (MALE SWIVEL)
5/16"	3/8"	6	5/8"-18	5/8"-18
13/32"	1/2"	8	3/4"-16	3/4"-18
1/2"	5/8"	10	7/8"-14	7/8"-18
5/8"	3/4"	12	1 1/16"-14	1 1/16"-16

- b. Determine Hose Size.

Measure end of tube (not barbs). The tube O.D. matches the I.D. of the required hose.
e.g. tube O.D. is 5/16" and hose I.D. is 5/16" (size No. 6, part number D2AZ 19C708-A).


BULK RUBBER HOSE

Select the appropriate Hose from the sizes listed below:


ORIGINAL TUBE O.D.	REPLACEMENT HOSE I.D.	INDUSTRY SIZE NO.	PART NUMBER	MOTORCRAFT NUMBER
5/16"	5/16"	6	D2AZ 19C708-A(15')	*YF-248
			D4AZ 19C708-A(50')	*YF-599
13/32"	13/32"	8	D2AZ 19C708-B(15')	*YF-249
			D4AZ 19C708-B(50')	*YF-600
1/2"	1/2"	10	D2AZ 19C708-C(15')	*YF-250
			D4AZ 19C708-C(50')	*YF-601
5/8"	5/8"	12	D2AZ 19C708-D(15')	*YF-251
			D4AZ 19C708-D(50')	*YF-602

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued


SAE 45° FLARE FITTINGS



MALE TWO PIECE
(BULLET NOSE)




MALE ONE PIECE




FEMALE SWIVEL NUT

FEMALE FLARE-STRAIGHT




(TYPE A)

FEMALE FLARE-45° ELBOW




(TYPE B)



(TYPE C)


MALE FLARE-STRAIGHT



(TYPE D)


TUBE O-RING FITTINGS

FEMALE O-RING-STRAIGHT




(TYPE G)


FEMALE O-RING-45° ELBOW



(TYPE H)




(TYPE J)




(TYPE K)


MALE O-RING-STRAIGHT



(TYPE L)




(TYPE M)




















(TYPE N)

MALE O-RING
FLARE-STRAIGHT




(TYPE P)

P-9238


19C705-B REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued**O-RING COMPRESSOR VALVE ASSEMBLY****ROTOLOK COMPRESSOR FITTING WITH O-RING SEAL (TYPE SO)****(TYPE S)****BLOCK COMPRESSOR FITTING****(TYPE X)****BLOCK COMPRESSOR FITTING****(TYPE Y)****ADAPTERS FOR SELF SEALING COUPLINGS****(TYPE Z)****(TYPE ZE)****SPLICERS AND BULKHEAD FITTINGS****180° ELBOW SPLICER****(TYPE SD)****SPLICER-90° ELBOW****(TYPE SE)****SPLICER-WITH SIGHT GLASS****(TYPE SG)****SPLICER-STRAIGHT FOR NYLON HOSE****(TYPE SN)****SPLICER-STRAIGHT****(TYPE SS AND SU)****SPLICER-TEE****(TYPE ST)****ACCUMULATOR HOSE ASSEMBLY****SELF SEALING COUPLINGS****FEMALE****(TYPE QF3)****FEMALE****(TYPE QF6)****MALE****(TYPE QM3)****MALE****(TYPE QM6)**

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued


O-RING SEAL KIT (40 PARTS)
C = QUANTITY IN KIT





CLAMP-
RUBBER HOSE



CLAMP-
NYLON HOSE



HOSE GUARD KIT
C = QUANTITY IN KIT



P-9267

REFRIGERANT LINE FITTINGS

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued**REFRIGERANT LINE FITTINGS**

CODE	PART NUMBER	D I M E N S I O N S (I N C H E S)				
		THREAD	HOSE I.D.	A	B	C
ACCUMULATOR HOSE ASSY.						
AC6	D2AZ 19C836-A		5/8	5	4	24
FEMALE FLARE - STRAIGHT						
A33	D2AZ 19D695-D (YF-357)	5/8-18	5/16	3 3/16		5/16
A44	D2AZ 19D695-E (YF-358)	3/4-16	13/32	3 19/32		13/32
A45	D2AZ 19D695-L (YF-364)	3/4-16	1/2	3 1/2		1/2
A55	D2AZ 19D695-F (YF-359)	7/8-14	1/2	3 1/4		1/2
A56	D2AZ 19D695-AZ (YF-331)	7/8-14	5/8	3 1/2		5/8
A66	D2AZ 19D695-G (YF-360)	1 1/16-14	5/8	3 5/16		5/8
FEMALE FLARE - 45° ELBOW						
B33	D2AZ 19D695-H (YF-361)	5/8-18	5/16	3 1/32	15/32	5/16
B44	D2AZ 19D695-J (YF-362)	3/4-16	13/32	3 3/8	19/32	13/32
B54	D2AZ 19D695-AU (YF-328)		13/32			13/32
B55	D2AZ 19D695-K (YF-363)	7/8-14	1/2	3 1/16	5/8	1/2
CLAMP - RUBBER HOSE						
CL6	D0TZ 19B679-A (YF-256)		All	1/2 to 1 1/4	1/2	5/16
CLAMP - NYLON HOSE						
CN4	C9AZ 8287-A		5/16 & 13/32	7/32 to 5/8	5/16	1/4
CN6	D2AZ 19B679-B (YF-255)		1/2 & 5/8	3/8 to 25/32	9/16	5/16
FEMALE FLARE - 90° ELBOW						
C33	D2AZ 19D695-M (YF-365)	5/8-18	5/16	2 9/16	7/8	5/16
C44	D2AZ 19D695-N (YF-366)	3/4-16	13/32	2 13/16	1 1/8	13/32
C45	D2AZ 19D695-AR (YF-326)	3/4-16	1/2	2 13/16	1 1/8	1/2
C54	D2AZ 19D695-CF (YF-450)	7/8-14	13/32	3 15/32	1 1/2	13/32
C55	D2AZ 19D695-P (YF-367)	7/8-14	1/2	3 1/8	1 1/2	1/2
MALE FLARE - STRAIGHT						
D33	D2AZ 19D695-B (YF-332)	5/8-18	5/16	3 1/4		7/8
D44	D2AZ 19D695-A (YF-311)	3/4-16	13/32	3 21/32		13/32
D55	D2AZ 19D695-C (YF-354)	7/8-14	1/2	3 5/16		1/2
FEMALE "O" RING - STRAIGHT						
G33	D2AZ 19D695-Z (YF-375)	5/8-18	5/16	3		5/16
G44	D2AZ 19D695-AA (YF-312)	3/4-16	13/32	3 13/32		13/32
G45	D2AZ 19D695-AC (YF-314)	3/4-16	1/2	3 3/32		1/2
G55	D2AZ 19D695-AB (YF-313)	7/8-14	1/2	3 1/16		1/2
G56	D2AZ 19D695-AD (YF-315)	7/8-14	5/8	3 3/32		5/8
HOSE GUARD KIT						
HG	D2AZ 19B970-A (YF-267) Consists of - (4) foam rubber sleeves (4) aluminum tubing		All All	1 1/8 1	1/2 1/32	

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued
REFRIGERANT LINE FITTINGS

CODE	PART NUMBER	D I M E N S I O N S (I N C H E S)				
		THREAD	HOSE I.D.	A	B	C
FEMALE "O" RING - 45° ELBOW						
H33	D2AZ 19D695-AE (YF-316)	5/8-18	5/16	3 27/32	15/32	5/16
H44	D2AZ 19D695-AF (YF-317)	3/4-16	13/32	3 3/16	19/32	5/16
H45	D2AZ 19D695-BA (YF-333)	3/4-16	1/2	3 7/32	19/32	1/2
H55	D2AZ 19D695-AG (YF-318)	7/8-14	1/2	3 13/16	5/8	1/2
H56	(YF-502)	7/8-14	5/8	3 45/64	39/64	5/8
FEMALE "O" RING - 90° ELBOW						
J33	D2AZ 19D695-AH (YF-319)	5/8-18	5/16	2 23/32	1 1/32	5/16
J44	D2AZ 19D695-AJ (YF-320)	3/4-16	13/32	3 1/4	1 11/32	13/32
J55	D2AZ 19D695-AK (YF-321)	7/8-14	1/2	2 29/32	1 1/2	1/2
J56	D2AZ 19D695-AY (YF-330)	7/8-14	5/8	2 13/16	1 1/2	5/8
J66	D2AZ 19D695-BB (YF-334)	1 1/16-14	5/8	3 11/16	1 31/32	5/8
FEMALE "O" RING - 180° ELBOW						
K44	D2AZ 19D695-AL (YF-322)	3/4-16	13/32	4 13/16	3 1/8	13/32
K56	D2AZ 19D695-AM (YF-323)	7/8-14	5/8	4 13/16	3 1/8	5/8
K66	D2AZ 19D695-AN (YF-324)	1 1/16-14	5/8	4 13/16	3 1/8	5/8
MALE "O" RING - STRAIGHT						
L33	D2AZ 19D695-R (YF-368)	5/8-18	5/16	3		5/16
L55	D2AZ 19D695-S (YF-369)	7/8-18	1/2	3 1/16		1/2
L56	D2AZ 19D695-AV (YF-329)	7/8-18	5/8	3 11/32		5/8
MALE "O" RING - 45° ELBOW						
M33	D2AZ 19D695-T (YF-370)	5/8-18	5/16	3 7/32	25/32	5/16
M55	D2AZ 19D695-U (YF-371)	7/8-18	1/2	4 1/4	1 1/16	1/2
M84	(YF-515)	3/4-18	13/32	3 13/16	1 1/8	13/32
MALE "O" RING FLARE - 90° ELBOW						
N56	(YF-487)	7/8-14	5/8	3	2 13/32	5/8
"O" RING KIT						
OSK	D2AZ 19B596-A (YF-240) Consists of - (8) "O" Rings (8) "O" Rings (8) "O" Rings (8) "O" Rings (4) "O" Rings (4) "O" Rings	For 5/8-18 For 1/2-20 For 3/4-16 For 7/8-14 For 1 1/16-14 For block fitting		5/16 3/8 7/16 9/16 11/16 13/16	1/16 1/16 1/16 1/16 1/16 1/8	
MALE "O" RING FLARE - STRAIGHT						
P33	D2AZ 19D695-BD (YF-336)	5/8-18	5/16	3 7/8		5/16
P44	D2AZ 19D695-BC (YF-335)	3/4-16	13/32	3 23/32		13/32
P45	D2AZ 19D695-V (YF-372)	3/4-16	1/2	4		1/2
P46	D2AZ 19D695-AP (YF-325)	3/4-16	5/8	4		5/8
P56	D2AZ 19D695-W (YF-373)	7/8-14	5/8	4		5/8
P66	D2AZ 19D695-AS (YF-327)	1 1/16-14	5/8	4		5/8
COUPLINGS - SELF SEALING						
QF3	C1SZ 19B596-A (YF-241)	5/8-18		1 9/32	27/32	
QF6	D1HZ 19B596-A (YF-244)	1 1/16-12		1 1/2	1 5/16	
QM3	C1SZ 19B595-A (YF-252)	5/8-18		1 3/16	23/32	
QM6	D1HZ 19B595-A (YF-254)	1 1/16-12		1 7/8	1 1/8	

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued**REFRIGERANT LINE FITTINGS**

CODE	PART NUMBER		D I M E N S I O N S (I N C H E S)				
			THREAD	HOSE I.D.	A	B	C
VALVE - COMPRESSOR							
S4	D0TZ 19A990-A	(YF-299)	1-14	13/32	2 3/16		13/32
S5	D0TZ 19752-A	(YF-308)	1-14	1/2	2 3/16		1/2
"O" RING - COMPRESSOR ROTOLOK FITTING							
S04	D2AZ 19D695-BE	(YF-337)	1-14	13/32	2 3/16		13/32
S06	D2AZ 19D695-BF	(YF-338)	1-14	5/8	2 3/16		5/8
SPLICER - 180° ELBOW							
SD6		(YF-466)		5/8	4 1/2	3	5/8
SPLICER - 90° ELBOW							
SE3	D2AZ 19D695-BR	(YF-347)		5/16	2 7/16	2 7/16	5/16
SE4	D2AZ 19D695-BS	(YF-348)		13/32	2 5/8	2 5/8	13/32
SPLICER - WITH SIGHTGLASS							
SG3	D2AZ 19D695-BK	(YF-342)		5/16	4		5/16
SPLICER - STRAIGHT - NYLON HOSE							
SN3	D2AZ 19D695-BV	(YF-351)		5/16	2 5/8	5/16	
SN5	D2AZ 19D695-BY	(YF-352)		1/2	2 5/8	1/2	
SN6	D2AZ 19D695-BZ	(YF-353)		5/8	2 5/8	5/8	
SPLICER - STRAIGHT - RUBBER HOSE							
SS3	D2AZ 19D695-BL	(YF-343)		5/16	3 7/16		5/16
SS4	D2AZ 19D695-BM	(YF-344)		13/32	3 7/16		13/32
SS5	D2AZ 19D695-BN	(YF-345)		1/2	3 7/16		1/2
SS6	D2AZ 19D695-BP	(YF-346)		5/8	4		5/8
SPLICER - TEE							
ST3	D2AZ 19D695-BT	(YF-349)		5/16	3 13/16	1 29/32	5/16
ST6	D2AZ 19D695-BU	(YF-350)		5/8	4 1/4	2 7/32	5/8
SPLICER - STRAIGHT - STEP UP							
SU5		(YF-473)		1/2-5/8	3 7/16	5/8	1/2
BLOCK - COMPRESSOR FITTING - STRAIGHT							
X4	D2AZ 19D695-BG	(YF-339)		13/32			13/32
BLOCK - COMPRESSOR FITTING - 90° ELBOW							
Y4	D2AZ 19D695-BH	(YF-340)		13/32			13/32
Y6	D2AZ 19D695-BJ	(YF-341)		5/8			5/8
ADAPTER - FOR SELF SEALING COUPLING - STRAIGHT							
Z23	D2AZ 19D695-Y	(YF-374)	1/2-20	5/16	2 1/8		5/16
ADAPTER - FOR SELF SEALING COUPLING - 90° ELBOW							
ZE4	D2AZ 19D695-CD	(YF-355)	7/8-20	13/32	2 7/8	1 5/8	13/32
ZE6	D2AZ 19D695-CE	(YF-356)	7/8-20	5/8	3 3/8	2 1/8	5/8
"O" RING - COMPRESSOR VALVE ASSEMBLY							
SC4	D0AZ 19A990-A	(YF-237)	3/4-16	13/32	3/4	11/32	7/8
SC5	D0AZ 19752-A	(YF-305)	7/8-14	1/2	3/4	11/32	7/8