

INDEX

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
B- cont'd.		C- con'td.	
Bushing (steering gear housing sector shaft)	3576	Cover (steering gear sector shaft housing)	3580
Bushing (steering idler arm)	3356-8	Cover (steering idler arm bearing)	3B042
		Cover (steering wheel)	3D752
Bushing assy. (front suspension track bar)	3A116	Cover (steering wheel hub lower)	3491
Bushing assy. (front suspension upper arm)	3062	Cover (steering wheel sport grip)	3L600
Bushing kit (P/S cylinder mounting rod end)	3C590	Cover assy. (P/S pump housing)	3A698
Bushing & mounting kit (front suspension lower arm)	3048	Cover assy. (P/S pump oil reservoir)	3A582
Bushing & washer kit (front suspension lower arm strut)	3A187		
C		Cup (front axle differential cone & roller)	4222
Cam & bolt (front suspension lower arm)	3B236-7	Cup (front axle driving pinion cone & roller front)	4628
Cap (P/S control valve spool centering spring)	3C705	Cup (front axle driving pinion cone & roller rear)	4616
Cap (P/S gear cylinder)	3A745	Cup (front axle spindle bolt bearing)	3126
Cap (P/S gear cylinder piston)	3D530	Cup (steering gear worm bearing)	3552-3
Cap (steering column position lock spring)	3E518		
Cap (steering stop)	3B279	Cylinder assy. (P/S)	3A540
Cap assy. (P/S pump oil reservoir filler)	3A006		
Cap kit (P/S control valve spool centering spring)	3C705		
Case assy. (front axle differential gear)	4204	D	
		Dampener kit (front axle king pin)	3B289
Clamp (front wheel spindle connecting rod)	3287	Deflector (front axle universal joint flange oil seal dust)	4859
Clamp (P/S control valve ball stud dust cover)	3A728	Deflector (rear axle universal joint flange oil seal dust)	4859
Clamp (P/S control valve ball stud sleeve)	3-3739		
Clamp (P/S cylinder piston rod boot)	3C755	Differential assy. (front axle)	4026
Clamp (steering column)	3506		
		Dipstick (P/S pump)	3A006
Clamp (steering column shaft lower coupling)	3D699		
Clamp (steering column to instrument panel)	3668	Drag link (pitman arm & spindle end connecting)	3304
Clamp (steering gear ball return guide)	3544		
Clamp assy. (P/S hose)	3A762		
Clamp assy. (steering column)	3507		
		E	
Clip (P/S hose)	3E523	Element (P/S pump oil reservoir filter)	3-3538, 3837
Clip (P/S hose retaining)	3E506	Emblem (steering wheel hub)	3649
Clip (steering column shaft insulation)	3E629		
		End assy. (front wheel spindle connecting rod)	3A130-1
Collar (steering wheel hub)	3D687	Extension (steering column tube flange)	3790
Cone & roller (front axle differential)	1201, 4221		
Cone & roller (front axle driving pinion front)	4630	F	
Cone & roller (front axle driving pinion rear)	4621	Filter assy. (P/S pump housing oil)	3C602
		Filter assy. (P/S pump reservoir oil)	3-3538
Cooler assy. (P/S oil)	3D746		
		Fitting (P/S pump valve outlet)	3D654
Coupling (steering gear input shaft to steering column shaft)	3A525		
		Flange (steering column tube)	3511
Cover (front axle housing)	4033	Flange (steering column tube lower)	3D651
Cover (P/S control valve ball stud dust)	3A729	Flange assy. (front axle universal joint)	4851
Cover (steering column instrument panel opening)	3A673		
Cover (steering column opening)	3C525		
Cover (steering column position control)	3D505		
Cover (steering column position spring)	3E541		
Cover (steering gear input shaft & worm)	3568		

INDEX

PART NAME	GROUP NUMBER
G	
Gasket (front axle cover)	4035-6
Gasket (front axle driving pinion oil slinger)	4671
Gasket (P/S control valve body)	3A740
Gasket (P/S pump cover)	3A760
Gasket (P/S pump oil reservoir cover)	3A642
Gasket (P/S pump oil reservoir cover retaining bolt)	3C719
Gasket (steering gear housing end plate)	3593
Gasket (steering gear sector shaft housing cover)	3581
Gasket & shim kit (steering gear housing cover)	3593
Gear (steering column lock)	3E717
Gear assy. (steering)	3504
Gear & flange assy. (power steering)	3A500
Gear kit (front axle differential side)	4236-7
Gear & pinion kit (front axle)	3222, 4209
Grommet (steering column opening)	3K680
Grommet (steering column to dash)	3512
Guide (front axle shaft inner)	3248
Guide (steering gear ball return)	3523
Guide assy. (front suspension spring)	3A197
Guide & clamp kit (steering gear ball return)	3523
Guide kit (P/S gear ball return)	3D727
H	
Hose (P/S reservoir to pump)	3691
Hose (P/S return line)	3A005
Hose (steering column release motor)	3D539
Hose (steering column release supply)	3D585
Hose (steering column release valve & supply)	3D537
Hose (steering column reservoir)	3D584
Hose assy. (P/S control valve to cylinder pressure)	3A714
Hose assy. (P/S control valve to cylinder return)	3A717
Hose assy. (P/S pressure line)	3A719
Hose assy. (P/S return line)	3A713
Housing assy. (front driving axle)	3010
Housing assy. (P/S pump)	3A643
Housing assy. (steering gear)	3548
Housing & spool assy. (P/S hydraulic control valve)	3B731
Hub (front axle locking differential gear clutch)	4946
I	
Idler arm & bracket assy. (steering)	3355
Impeller repair kit (P/S pump)	3A711
Index (steering column locking)	3B658
Input shaft assy. (steering gear)	3524
Insert (steering column lock)	3E716
Installation kit (P/S)	3A634-5
Insulator (front suspension radius arm)	3B203
Insulator (P/S control valve spool stop)	3C562
Insulator (P/S cylinder rod)	3A344
Insulator (P/S hose mounting)	3A609
Insulator (steering column)	3C577
Insulator (steering column bracket)	3682
Insulator (steering column lower flange)	3B564
Insulator (steering column shaft)	3E629
Insulator (steering gear)	3C716
Insulator assy. (P/S pump)	3-3640
Insulator & washer kit (steering shock absorber)	3F655
J	
Joint assy. (front suspension lower arm ball)	3050
Joint assy. (front suspension upper arm ball)	3049
Joint kit (front axle shaft)	3249
K	
Kit - refer to appropriate noun name For example	
Guide kit (P/S gear ball return)	3D727
Key (front door & ignition lock blank)	3685, 22053
Knob (steering column lock actuator)	3F531
L	
Lever (steering column locking)	3B661
Lever (steering column release)	3D544
Lever assy. (moveable steering column release)	3D543
Lever assy. (steering column lock actuator)	3F527
Limiting kit (P/S control valve reaction)	3C563
Link (steering sector shaft arm to spindle connecting rod)	3B163
Linkage kit (P/S installation)	3A634

INDEX

PART NAME	GROUP NUMBER
M	
Motor (steering column release)	3D538
N	
Nut (front suspension lower ball joint retaining)	3A050
Nut (front suspension upper arm mounting bolt)	3B023
Nut (front suspension upper ball joint retaining)	3A049
Nut (P/S gear race)	3D627
Nut (steering column bracket retainer)	3E546
Nut (steering gear sector shaft adjusting)	3539
Nut (steering gear worm thrust bearing)	3707
O	
Orifice (P/S pump tube seat)	3A700
"O" ring (P/S gear control valve to housing)	3756
"O" ring (P/S pump oil reservoir orifice)	3-3547
"O" ring (P/S pump valve cap)	3-3618
P	
Pad assy. (steering wheel hub)	3623
Pawl (steering column release)	3E520
Pin (P/S pump rotor shaft)	3-3633
Pin (steering column locking lever)	3B663
Pin (steering column pivot)	3D739
Pin (steering column release cable)	3E683
Pinion gear kit (front axle differential)	4215
Pitman arm (steering)	3590
Pivot (moveable steering column)	3B650
Plate (P/S control valve cap adapter)	3-3712
Plate (P/S pump pressure)	3D590
Plate (P/S pump retainer end)	3D589
Plate (steering gear housing end)	3568
Plate kit (front axle locking differential)	4880
Plate & bushing (P/S pump)	3D643
Plug (front axle spindle arm)	3147
Plug (P/S control valve reaction control opening)	3A512-3
Plug (steering gear housing oil filler)	3538
Power steering installation kit	3A634-5
Pulley (P/S pump)	3A733
Pump assy. (P/S)	3A674
R	
Rack & worm assy. (steering gear)	3524
Reinforcement (front suspension housing spring seat)	3A072
Reinforcement (front suspension lower arm)	3399, 3B329
Reinforcement (P/S oil reservoir orifice)	3B563
Reservoir assy. (P/S pump oil)	3A697
Retainer (front axle radius arm bushing)	3B186
Retainer (front suspension lower arm ball joint seal)	3A027
Retainer (moveable steering column locking lever spring)	3C733
Retainer (P/S cylinder stud seal)	3D507
Retainer (P/S hose insulator mounting)	3A610
Retainer (P/S pump relief valve)	3-3627
Retainer (steering column clamp)	3D672
Retainer (steering column collar)	3E739
Retainer (steering column key cylinder lock)	3C610
Retainer (steering column lower bearing seal)	3510
Retainer (steering column opening cover)	3D638
Retainer (steering column position spring)	3E519
Retainer (steering column release cable)	3E636
Retainer (steering column release lever)	3E543
Retainer (steering column shroud)	3D695
Retainer (steering column tube)	3499
Retainer (steering column tube lower flange insulator)	3D767
Retainer (steering column upper bearing)	3B610, 3C610, 3839
Retainer (steering wheel horn ring)	3629
Retainer assy. (moveable steering column opening seal)	3D635
Retainer assy. (steering column lower bearing)	3D681
Rim (steering wheel horn ring)	3634
Ring (P/S gear cylinder cap retaining)	3A746
Ring (steering shaft lower bearing retainer)	3F543
Ring (steering wheel hub trim)	3656
Ring gear & pinion kit (front axle)	3222, 4209
Ring kit (P/S gear valve spool retaining)	3757
Rod (steering column position spring)	3E517
Rod (steering column release)	3E514-5
Rod assy. (front wheel spindle connecting)	3A130-1, 3280-1
Rod assy. (steering arm to idler arm)	3304
Rotor assy. (P/S pump)	3D607

INDEX

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
S		S- cont'd.	
Screw (front axle cover to housing)	4346	Shaft & control assy. (P/S gear input)	3D517
Screw (steering gear sector shaft adjusting)	3577	Shaft & control kit (P/S gear input)	3524
Seal (front axle shaft oil)	3254	Shaft & joint assy. (steering column)	3B676
Seal (front axle spindle arm open yoke)	3132	Shaft kit (front suspension upper arm)	3047
Seal (front axle spindle bolt dust)	3125	Shield (front suspension spindle ball stud)	3B311
Seal (front axle spindle pin bearing grease)	3171	Shield (P/S splash lower)	3E634
Seal (front suspension arm ball joint dust)	3A105	Shield (P/S splash upper)	3E595
Seal (front suspension ball stud dust)	3332	Shim (front axle differential bearing adjusting)	4067
Seal (P/S control valve spool centering spring cap)	3C706	Shim (front axle driving pinion adjusting)	4672
Seal (P/S gear input shaft)	3D526	Shim (front axle spindle bolt)	3117
Seal (P/S gear input shaft dust)	3D527	Shim (front suspension lower arm mounting)	3054
Seal (P/S gear piston)	3805	Shim (front suspension upper arm mounting)	3043
Seal (P/S pump reservoir)	3D684	Shim (P/S gear valve centering)	3D688
Seal (P/S pump rotor shaft oil)	3B592	Shim kit (steering gear mounting)	3F546
Seal (steering ball stud dust)	3332	Shim kit (steering gear sector shaft adjusting)	3A657
Seal (steering column opening weather)	3513	Shim & gasket kit (steering gear sector shaft cover)	3F518
Seal (steering column shaft)	3B631	Shock absorber (steering)	3E651
Seal (steering gear sector shaft housing oil)	3591	Shock absorber kit (steering)	3E650
Seal (steering gear sector shaft oil)	3738	Shroud (steering column)	3530
Seal assy. (front axle driving pinion oil)	4676	Sleeve (front wheel spindle connecting rod adjusting)	3310
Seal assy. (rear axle driving pinion oil)	4676	Sleeve (steering column tube bearing)	3518
Seal & gasket kit (P/S gear)	3C538	Sleeve kit (front wheel spindle connecting rod adjusting)	3310
Seal & gasket kit (P/S pump)	3B584	Sleeve kit (steering drag link adjusting)	3310
Seal & gasket kit (P/S pump to reservoir)	3D684	Slinger (front axle driving pinion shaft oil)	4670
Seal kit (P/S cylinder)	3A764	Slinger (front axle spindle yoke)	3C132
Seal kit (P/S gear adjuster plug)	3D733	Snap ring (steering gear sector shaft adjusting screw)	3549
Seal kit (P/S gear backup valve)	3D731	Socket (P/S control valve stud)	3A754
Seal kit (P/S gear guide)	3D727	Spacer (front axle spindle bearing)	3299
Seal kit (P/S gear "O" ring)	3D734	Spacer (P/S control valve spool)	3A658
Seal kit (P/S gear sector shaft)	3D732	Spacer (P/S cylinder mounting)	3652
Seat (P/S pump oil reservoir filter retaining spring)	3B754	Spacer (P/S gear sector shaft seal)	3D529
Seat & bushing assy. (front suspension upper arm spring)	3388	Spacer (P/S pump adjusting bracket)	3D600
Shaft (front axle differential pinion)	4211	Spacer (steering column bracket)	3578
Shaft (front suspension lower arm)	3057	Spacer (steering column bracket insulator)	3E742
Shaft (front suspension upper arm)	3056	Spacer (steering column mounting bracket lower)	3E708
Shaft (P/S pump rotor)	3B559	Spacer (steering gear frame)	3566
Shaft (steering gear sector)	3575	Spacer (steering gear pinion bearing)	3K599
Shaft assy. (front axle)	3219-20		
Shaft assy. (steering column)	3524		
Shaft assy. (steering gear input)	3524		

GROUP
NUMBER

T

U

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

V

Valve Repair Kit (F/S Hydraulic Control)	010000
--	--------

W

Washer (steering gear worm sector adjust)	3C660
Washer (steering shaft coupling bolt)	3C660

Wire & terminal (steering shaft ground)	3B710
---	-------

Worm gear & rack assy. (steering gear input)	3524
--	------

Spring centering kit (P/S control valve)	3A675
--	-------

Strut (front suspension lower arm)	3468
------------------------------------	------

Stud repair kit (P/S hydraulic control ball)	3A533
--	-------

Support (P/S pump)	3C511
--------------------	-------

3002 AXLE ASSY. - FRONT DRIVING - LESS WHEELS


FRONT DRIVING AXLE IDENTIFICATION TAG

Each front driving axle is identified by a number which appears on a metal tag attached to the axle. In addition to this identification number the Dana part number, month and year of production and axle ratio also appear on this tag.

A second tag is attached to those axles which are equipped with locking type differentials.

Refer to the illustration below for the location of these identification tags. A guide listing these axle identification numbers in numerical and alphabetical sequence follows the illustration.

Axle assemblies, although not normally stocked as service items, may be obtained from the nearest assembly plant when used in current production. Order through your local Parts Distribution Center.



DANA AXLE IDENTIFICATION

P-5383

AXLE IDENTIFICATION CHART

[illegible]

SECTION 30

FORD CAR PARTS

3002 AXLE ASSY. - FRONT DRIVING - LESS WHEELS - continued

YEAR	MODEL	RATIO	WITH FREE RUNNING HUBS	W/O FREE RUNNING HUBS	AXLE IDENT. TAG	AXLE MODEL	QTY.	PART NUMBER
71/	U	4.55	x		D1TA-RA-RB	44	1	D1TA 3002-RB
71/	U(locking differential)	3.54	x		D1TA-LA-LB	44	1	D1TA 3002-LB

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
------	-------	-------------	------	-------------

3A005 HOSE - POWER STEERING RETURN LINE. Also refer to Group 3A719

65/	A, B, F, S, X	3/8" I.D.-5/8" O.D.-25" long bulk	AR	C7AZ 3A005-A
-----	---------------	-----------------------------------	----	--------------

3A006 CAP ASSY. - POWER STEERING PUMP OIL RESERVOIR FILLER

65	A, B, F, S, X(8 cyl.)-without A/C	Dip stick approx. 3" long-Eaton-belt driven-side mounted pump	1	C1AA 3A006-A
65/66	A, B, F, X	Use with straight vertical reservoir filler tube for Ford pumps marked HBA-AC thru AC4, -AE thru AE4, -AG thru AG4, -AJ thru AJ2, -AN thru AN4, -AR thru AR4, -AS, -AS3, -AT, AT3, -BC, -BC3	1	C5AZ 3A006-B
65/66	A, B, F, S, X	Use with angular reservoir filler tube for Ford pumps marked HBA-AD thru AD4, -AF thru AF4, -AH thru AH4, -AU, -AU3, -BB thru BB3	1	C5AZ 3A006-C
67/	A, B, F, P, X		1	D1VY 3A006-A
71/72	S	#HBA-BX, CR Ford type	1	
72	S	#HBA-CJ, Saginaw type	1	D2VY 3A006-A
65	B, F, X(6 cyl. 170, 200)-without A/C	Eaton-belt driven-side mounted pump	1	C3DZ 3A006-A
72	U		1	D1VY 3A006-A

3010 HOUSING ASSY. - FRONT AXLE

66	U	Use 1 each 8A 4616 outer cup & 8M 4621 outer brg.	1	C6TZ 3010-L
67	U	Use 1 ea. 8A 4616 outer cup & 8M 4621 outer brg.	1	C7TZ 3010-B
68/71	U	"Before Ser. K20, 001" Use 1 ea. 8A 4616 outer cup & 8M 4621 outer brg.	1	C8TZ 3010-A
71/	U	"From Ser. K20, 001"	1	D1TZ 3010-B

3019-20 BUMPER - FRONT SUSPENSION

65/	A	Upper arm	2	C9AZ 3020-B
67/	S	Upper arm	2	
65/71	A	Lower arm	2	D1AZ 3020-A
67/71	S	Lower arm	2	
72	A, B, S	Lower arm	2	D3AZ 3020-A
65	B		2	C3OZ 3020-B
66/68	B, X		2	C6OZ 3020-A
67/69	F		2	
69/71	B		2	C9OZ 3020-A
69/70	X		2	
70/	F, P		2	
72	B	Upper arm	2	C9AZ 3020-B
65/66	S		2	C1SZ 3020-A
65	X(6 cyl.)		2	C3DZ 3020-A
65/66	F(6 & 8 cyl.)		2	
65	X(8 cyl.)		2	C5DZ 3020-B
66/	U	7/16"-20	2	C1TT 3020-C
65/	B, X	Nut (bumper to underbody)-5/16"-24	2	33798-S7-8(M62)
65/66	F		2	
66/68	B, X	Nut-5/16"-24 (bumper to 3382-3 bracket)	2	34443-S7-8(M79)
67/69	F		2	
		Lockwasher-5/16"		34806-S7(X64)
		Nut-(upper arm)-3/8"-24		33800-S8(M63)
		Lockwasher-3/8" I.D.-1/8" thick		34847-S8(X74)
68	S	Locknut (to upper arm)-3/8"-16	2	376575-S(MM173H)
65/	A	Locknut (lower arm bumper to arm)-3/8"-16	2	33799-S7(M52)
65/	A	Bolt (to arm)-1/2"-20 x 1 5/8"-serrated	4	382403-S7-8
67/	S		4	(BB243G)

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3B023 NUT - FRONT SUSPENSION UPPER ARM MOUNTING BOLT				
65/68	A	9/16"-12 square	4	C5AZ 3B023-A
67/68	S		4	
69/72	A, S		4	C9AZ 3B023-A
	B		4	
65	B	5/8"-11	4	C5OZ 3B023-B
3A027 RETAINER - FRONT SUSPENSION LOWER ARM BALL JOINT SEAL				
65/71	A		2	C5AZ 3A027-A
67/71	S		2	
65/71	B		2	C5OZ 3A027-A
65/70	X		2	
66/70	F		2	
	P		2	
68	A	Bolt-3/8"-24 x 1"	2	20389-S8(B171)
	A	Nut-3/8"-24	2	34445-S(M80)
3A031-2 ADAPTOR and GUSSET - FRONT SUSPENSION LOWER ARM				
65	B	R. H. - On body	1	C2OZ 3A031-B
		L. H.	1	★C2OZ 3A032-A
		Bolt (bracket to body)-7/16"-14 x 1 1/8"	8	20410-S8(B103)
		Lockwasher-7/16"		34808-S8(X67)
		Nut-1 1/2"-13 x 3/4" (bracket to body)	4	33845-S8(M57)
		Lockwasher-1 1/2"	4	34809-S(X68)
66/69	B, X	Gusset only-R. H. to side member	1	C6OZ 3A031-A
		Gusset only-L. H. to side member	1	C6OZ 3A032-A
65	X	R. H.	1	C5DZ 3A031-A
		L. H. - not replaced	1	★C5DZ 3A032-A
3B042 COVER - STEERING IDLER ARM BEARING				
65	X		2	C3DZ 3B042-A
65/66	F(6 cyl.)-M/S		2	
3043 SHIM - FRONT SUSPENSION UPPER ARM MOUNTING				
65/71	F	1/8" thick-1.54" wide	AR	C5ZZ 3043-A
65	X		AR	
67/69	A	1/32" thick-1.54" wide	AR	C5ZZ 3043-B
		1/64" thick-1.54" wide	AR	C5ZZ 3043-C
67/69	A	1/8" thick	AR	LA 3043-B
	F	1/16" thick (also used as front fender shim)	AR	LA 3043-D
		1/32" thick	AR	LA 3043-A
72	S		2	D2SZ 3043-A
3047 SHAFT KIT - FRONT SUSPENSION UPPER ARM				
65/72	A(all exc. H/D susp.)	"Before 3/15/72"	2	C5AZ 3047-A
72	B(all exc. P/C & taxi)	"Before 3/15/72"	2	
67/72	S	"Before 3/15/72"	2	
		Use with arm having rubber bushings with steel backing		
		Consists of		
		1-C5AA 3056-A Shaft(11/16"-16 x 12 9/32")		
		2-C5AZ 3068-A Bushing(1 5/8" long)		
		2-C8AA 3A275-A Washer		
		2-380013-S8 Nut		
72	A, B, (exc. P/C & Taxi), S-	"From 3/15/72"	2	D2AZ 3047-A
		Use with arm having rubber bushings with steel backing-consists of		
		1-D1SA 3056-AA Shaft(11/16"-16 x 12 25/32")		
		2-D1SZ 3068-A Bushing(1 15/16" long)		
		2-C8AA 3A275-A Washer		
		2-380013-S100 Nut		

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
3047 SHAFT KIT - FRONT SUSPENSION UPPER ARM - continued					
65/72	A(H/D susp.) B(P/C & Taxi)		Use with arm having all steel bushings with internal & external thread & 1 7/16" hex. head Consists of 1-C5AA 3056-B Shaft(3/4"-8 x 10 7/8") 2-C5AA 3056-D Bushing(1 29/32" long) 2-370367-S100 Seal	2 2	C5AZ 3047-B
65	B		Consists of 2-C5OZ 3B023-B Nut 2-87924-S7-8 Washer 1-C3OA 3056-B Shaft 2-370367-S100 Ring 2-C8OA 3068-AorB Bushing 2-377261-S8 Bolt 2-376539-S7 Washer	2	C3OZ 3047-B
66/71	B		Consists of	2	C6OZ 3047-A
67/	F		1-D5BW 3056-AA Shaft 2-380952-S100Nut	2	
70/	P		2-C8OA 3068-A Bushing2-381683-S8M Plug	2	
66/70	X		2-34849-S2 Washer 2-385148-S8M Fitting 2-370367-S100 "O" ring 2-384626-S100 Bolt	2	
71/72	L	"Before 10/26/71"	Consists of 2-D12A 3A275-AA Washer 2-384376-S100 Nut 1-D12A 3056-ABShaft 2-D1FZ 3068-A Bushing	2	D1FZ 3047-A
72	L	"From 10/26/71"	Consists of 2-D12A 3A275-AA Washer 2-384376-S100 Nut 1-D12A 3056-AB Shaft 2-D2FZ 3068-A Bushing	2	D2FZ 3047-A
65/66	S		Consists of 1-C3SA 3056-A Shaft 2-373518-S2 Bolt 2-C2SZ 3068-A Bushing 2-374268-S L/washer 2-55752-S7 Nut 2-374269-S Seal 2-87921-S Fitting	2	C3SZ 3047-A
65	X		Consists of	2	C3DZ 3047-A
65/66	F		1-C3DA 3056-A Shaft 2-87924-S7-8 Fitting 2-C8OA 3068-AorB Bushing 2-370367-S100 Ring	2	
3048 BUSHING and MOUNTING KIT - FRONT SUSPENSION LOWER ARM					
65/72	A		Lower arm-consists of	2	C5AZ 3048-A
67/	S		1-C5AZ 3069-A Bushing 1-34448-S8 Nut	2	
72	B		1-381688-S100 Bolt	2	
66/71	B		Control arm mounting-consists of	2	C6OZ 3048-A
67/	F		1-C6OZ 3069-A Bushing 1-C6OA 3B238-A Cam	2	
70/	P		1-C8OA 3B236-A Bolt 1-33845-S8 Nut	2	
66/70	X			2	
3049 JOINT ASSY. - FRONT SUSPENSION UPPER ARM BALL					
65/71	A		Repl. by assy. - refer to Group 3082	2	★C7AZ 3049-C
67/71	S			2	
72	A,B,S		Serviced in 3082 upper arm assy.		★
65	B		R.H.-includes (1) stud nut,(2) bolts & nuts,(1) plug & (1) ball joint	1	C2OZ 3049-C
			L.H.-includes (1) stud nut,(2) bolts & nuts,(1) plug & (1) ball joint	1	C2OZ 3049-D
66/69	B		4 bolt pattern	2	●C7OZ 3049-A
65/69	F,X			2	
70	P	"Before 7/14/69"		2	
70/71	B		3 bolt pattern-includes (1) stud nut,(3) bolts & nuts, (1) fitting & (1) ball joint	2	D0OZ 3049-A
70/	F			2	
70/	P	"From 7/14/69"		2	
70	X			2	
71/	L		Includes (1) stud nut,(2) bolts & nuts,(1) plug & (1) ball joint	2	D1FZ 3049-A
65/66	S		Includes (1) stud nut & (1) ball joint	2	C3SZ 3049-A
71/	U	"From Ser. K20,001"		2	D3TZ 3049-A

• When upper arm & joint assy.(basic 3082-3) with 4 bolt ball joint pattern has been replaced by assembly with 3 bolt joint pattern, D0OZ 3049-A must be used for subsequent ball joint replacement.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3049 JOINT ASSY. - FRONT SUSPENSION UPPER ARM BALL - continued				
65/71	A	Nut 9/16"-18 castle head, 7/8" wide, 5/8" thick	1	382826-S100
67/71	S	(stud nut)	1	(MM59U)
		Bolt 3/8"-24 x 1" hex hd.(joint to arm)	2	20389-S7-8(B171)
		Nut 3/8"-24 lock, 9/16" wide, 13/32" thick	2	34445-S8(M80)
		(joint to arm)		
		Fitting 1/4"-28 (ball joint lube)	1	381682-S(II206H)
65	B	Nut 9/16"-18 castle hd.hex., 7/8" wide, 5/16" thick(stud nut)	1	34033-S18(M11)
66/71	B	Nut 9/16"-18 castle hd.hex. 7/8" wide, 5/8" thick(stud nut)	1	382826-S100
65/71	F, P, X			(MM59U)
65/71	B, F, P, X	Bolt 5/16"-24 x 1" special socket pen hd.(joint to arm)	3or4	378268-S2
71/	L	Nut 5/16"-24 lock hex.hd., grade 8 steel (joint to arm)	2	(BB817T)
			3or4	34445-S8(M80)
		Fitting 3/8"-24 (ball joint tube)	1	381682-S(II206-H)
65/66	S	Nut 5/8"-18 hex.hd., 7/32" thick (joint to arm)	1	★378029-S
3A049 NUT - FRONT SUSPENSION UPPER BALL JOINT RETAINING				
71/	U	"From Ser. K20, 001"	1	D1TZ 3A049-A
3B049 BUSHING - FRONT SUSPENSION UPPER BALL JOINT ADJUSTING				
71/	U	"From Ser. K20, 001"	1	D1TZ 3B049-A
3050 JOINT ASSY. - FRONT SUSPENSION LOWER ARM BALL				
65/71	A	Repl. by assy. - refer to Group 3078-9	2	★C7AZ 3050-B
67/71	S		2	
72	A, B, F, P, S	Serviced in 3078 (R.H.) or 3079 (L.H.) armassy.		3050
71/	L		2	D1FZ 3050-A
65/66	S	R. H.	1	C3SZ 3050-A
Consists of				
	1-C3SA 3A027-A Retainer	1-34033-S8	Nut	3-34806-S7 Lockwasher
	1-C3SA 3A105-B Seal	1-72035-S7-8	Cotter pin	3-378064-S8 Screw
	1-C4SA 3395-A Ball joint	3-351089-S8	Nut	1-I.S. No. 875
65/66	S	L. H.	1	C3SZ 3050-B
Consists of				
	1-C3SA 3A027-A Retainer	1-34033-S8	Nut	3-351089-S8 Nut
	1-C3SA 3A105-B Seal	3-34806-S7	Lockwasher	3-378064-S8 Screw
	1-C4SA 3A106-A Ball joint	1-72035-S7-8	Cotter pin	1-I.S. No. 875
71/	U (front axle)	"From Ser. K20, 001"	2	D3TZ 3050-A
67/71	A	Fitting-1/4"-28-lube-break-off	2	381682-S(II-206H)
68	S	Locknut (joint to arm)-3/8"-24	4	34445-S(M80)
68	A, S	Plug-1/4"-28	2	374714-S(PP35A)
68	S	Bolt (joint to arm)-3/8"-24 x 1"	4	20389-S8(B171)
65/71	A, S	Nut (joint to spindle)-5/8"-18	2	381612-S(MM61A)
3A050 NUT - FRONT SUSPENSION LOWER BALL JOINT RETAINING				
71/	U (front axle)	"From Ser. K20, 001"	1	D1TZ 3A050-A
3054 SHIM - FRONT SUSPENSION LOWER ARM MOUNTING				
65/66	S	3 3/4" x 2 1/2"- 1/8" thick	AR	C1SS 3054-C
	S	3 3/4" x 2 1/2"- 1/32" thick	AR	C1SS 3054-D
3056 SHAFT - FRONT SUSPENSION UPPER ARM - Serviced in 3047 kit				
		OVERALL LENGTH	HOLE CENTER	THREAD
65/69	A (except 8 cyl. 427)	12 9/32"	6"	11/16"-16
67/69	S			2
65/69	A (8 cyl. 427)	10 7/8"	6"	3/4"-8
65	B	9 3/8"	4 1/4"	3/4"-11
66/71	B, X	9 23/64"	4 3/4"	3/4"-8
67/	F, P			2
65/66	F	8 23/32"	3 3/4"	3/4"-8
65	X			2
65/66	S	10 19/32"	5 1/2"	7/8"-8

* Supplied in 3047 kits

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3056 SHAFT - FRONT SUSPENSION UPPER ARM - continued - Serviced in 3047 kit				
65/66	S	Bolt (shaft to upper arm)-7/16"-20 x 1 1/8"	4	20411-S7(B184)
65	X		4	
		Lockwasher-7/16"		34808-S8(X67)
65/	A, B, F, X	Seal (shaft)-.736" I.D.	4	370367-S100(KK49)
65/	S	Seal (shaft)-.859" I.D. -.189" wide-Rubber	4	374269-S(KK49B)
65/	A	Locknut(to arm)-11/16"-16	2	380013-S7-8
67/	S		2	(MM179B)
72	B		2	
66/71	B	Bolt-1/2" x 13-1 7/8" (shaft to body)	4	380459-S
66/	F, P, X			(BB390AC)
		Nut-1/2"-13	4	380952-S
				(MM-II-B)
		Lockwasher-1/2"	4	34809-S(X68)
65/66	F	Bolt-1/2"-20 x 2 3/8" (shaft to body)	4	379329-S(BB390Y)
65	X		4	
		Nut-1/2"-20 x 3/4"	4	33846-S(M69)
		Washer-1/2"	4	34809-S(X68)
3068 BUSHING - FRONT SUSPENSION UPPER ARM SHAFT - Also supplied in 3047 Kit				
65/72	A(all exc. H/D susp.)	"Before 3/15/72"	4	C5AZ 3068-A
72	B(all exc. P/C & Taxi)	"Before 3/15/72"	4	
67/72	S	"Before 3/15/72"	4	
72	A, B, (exc. P/C & Taxi), S-	"From 3/1/72"	4	D1SZ 3068-A
		Rubber bushing with steel backing-1 15/16" long (use with arm #D2AA 3392-AC or D3AA 3392-AA)		
65/	A(H/D susp.)	All steel-1 29/32" long, 16 pitch special thread on O.D., 3/4"-8 thread on I.D., 1 7/16" hex. head-serviced in 3047 kit only	4	★C5AA 3068-D
72	B(P/C & Taxi)		4	
65/66	S	1/4"-28 lube fitting hole	4	C2SZ 3068-A
71/72	L	"Before 10/26/71"	4	D1FZ 3068-A
72	L	"From 10/26/71"	4	D2FZ 3068-A
3069 BUSHING - FRONT SUSPENSION LOWER ARM MOUNTING BOLT - Also supplied in 3048 Kit				
65/	A	1/2" I.D. -3 3/8" long	2	C5AZ 3069-A
72	B		2	
67/	S		2	
65	B	1/2" I.D. -2 13/16" long	2	C2OZ 3069-B
66/71	B, X	1/2" I.D.	2	C6OZ 3069-A
67/	F		2	
70/	P		2	
71/	L		2	D1FZ 3069-A
65/66	S	1/2" I.D.	2	C1SS 3069-C
65/	A	Bolt-1/2"-13 x 4 3/4" hex.hd. (lower arm bushing mounting)	1	381668-S
67/	S			(BB199E)
		Locknut-1/2"-13	1	375032-S36
				(MM173D)
3A072 REINFORCEMENT - FRONT SUSPENSION HOUSING SPRING SEAT				
65	X	On body	2	C4DZ 3A072-B
3078-9 ARM ASSY. - FRONT SUSPENSION LOWER				
65/68	A	R.H.-includes arm, bushings, joint and nut	1	C8AZ 3078-A
		L.H.-includes arm, bushings, joint and nut	1	C8AZ 3079-A
69	A	R.H.-includes arm, bushings, joint and nut	1	C9AZ 3078-C
		L.H.-includes arm, bushings, joint and nut	1	C9AZ 3079-C
70/72	A	"Before 5/22/72"	1	D2AZ 3078-A
		R.H.-includes arm, bushings, joint and nut	1	D2AZ 3079-A
72	A	"From 5/22/72"	1	D3AZ 3078-A
		R.H.-includes arm, bushings, joint & nut	1	D3AZ 3079-A
		L.H.-includes arm, bushings, joint & nut	1	D3AZ 3079-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3078-9 ARM ASSY. - FRONT SUSPENSION LOWER - continued				
65	B	R. H. -includes joint	1	C4OZ 3078-A
		L. H. -includes joint	1	C4OZ 3079-A
66/67	B	R.H. & L.H.includes arm,bushings,joint & nut	2	C7OZ 3078-B
68/71	B	R.H. & L.H.includes arm,bushings,joint & nut	2	D1OZ 3078-A
72	B	R.H.-includes arm, bushings, joint and nut	1	D3AZ 3078-A
		L.H.-includes arm, bushings, joint and nut	1	D3AZ 3079-A
65/66	F	R.H. & L.H.includes arm,bushings,joint & nut	2	C4DZ 3078-A
67	F	R.H. & L.H.includes arm,bushings,joint & nut	2	C7OZ 3078-B
68/	F	R.H. & L.H. includes arm,bushings,joint & nut	2	D1OZ 3078-A
71	L	"Before 11/23/70"	2	D1FZ 3078-A
71/	L	"From 11/23/70"	2	D1FZ 3078-B
70/	P	R.H. & L.H. includes arm, bushings, joint & nut	2	D1OZ 3078-A
65/66	S	R. H. -includes joint - not replaced	1	★C5SZ 3078-A
		L. H. -includes joint	1	C5SZ 3079-A
67/68	S	R.H.-includes arm, bushings, joint and nut	1	C8AZ 3078-A
		L.H.-includes arm, bushings, joint and nut	1	C8AZ 3079-A
69	S	R.H.-includes arm, bushings, joint and nut	1	C9LY 3078-C
		L.H.-includes arm, bushings, joint and nut	1	C9LY 3079-C
70/71	S	R.H.-includes arm, bushings, joint and nut	1	D0VY 3078-A
		L. H. -includes arm, bushings, joint and nut	1	D0VY 3079-A
72	S	R.H.-includes arm, bushings, joint and nut	1	D3AZ 3078-A
		L.H.-includes arm, bushings, joint and nut	1	D3AZ 3079-A
65	X	R.H. & L.H.includes arm,bushings,joint & nut	2	C4DZ 3078-A
66/67	X	R.H. & L.H. includes arm,bushings, joint & nut	2	C7OZ 3078-B
68/70	X	R.H. & L.H. includes arm,bushings,joint & nut	2	D1OZ 3078-A
65/	A, S	Bolt (to No. 2 cross member)-1/2"-13 x 4 3/4"	2	381668-S7-8 (BB199E)
65/66	A	Nut-5/8"-18 castle slotted hd. (lower arm joint to spindle)	AR	34034-S(M12)
65/	A, B, F, S, X	Plug-1/4"-28 threaded	AR	374714-S(PP35A)
65	B	Bolt (arm to bracket)-1/2"-13 x 3 15/16"	2	C1VE 6345-A
65/66	S	Bolt (arm to underbody)-7/16"-20 x 1 1/2"	4	20471-S7(B188)
65/66	S	Screw (arm to reinforcement)-5/16"-24 x 1"	6	378064-S7-8 (BB380D)
65	B	Nut-9/16"-18 (arm to spindle)	2	34033-S(M11)
65/	A, B, F, S, X	Fitting-lubricator-1/4"-28	AR	87924-S8(I-9)
67/	A, S	Nut-slotted (to spindle)-5/8"-18	2	381612-S36 (MM61A)
68	B, F, X	Nut (arm to underbody)-1/2"-13	2	380952-S(MM11B)
68/	A, S	Nut-1/2"-20 (arm to frame)	2	375032-S36 (MM173D)
69	A	Nut-1/2"-13 (arm to frame)	AR	382599-S100 (MM173MZ)
71/	L	Nut-1/2"-13 (arm to frame)	2	384389-S2 (BB405HB)
3082-3 ARM ASSY. - FRONT SUSPENSION UPPER				
65/72	A(exc. P/C & Taxi)	With rubber bushings	2	▲D2AZ 3082-A
65/69	A(P/C & Taxi)	With steel bushings	2	■ C9AZ 3082-B
70/72	A(P/C & Taxi)	With steel bushings	2	■ C9AZ 3082-D
65	B	R.H.includes arm,shaft,bushings & joint	1	C3OZ 3082-A
		L.H.includes arm,shaft,bushings & joint	1	C3OZ 3083-A
66/71	B	Includes arm, shaft, bushings & joint	2	●D0OZ 3082-A
72	B(exc. P/C & Taxi)	"Before 3/15/72" With rubber bushings	2	▲D2AZ 3082-A
	B(exc. P/C & Taxi)	"From 3/15/72" #D2AA 3392-AC with rubber bushings	2	▲D3AZ 3082-C
	B(P/C & Taxi)	With steel bushings	2	■ D3AZ 3082-B
65/66	F	Includes arm,shaft,bushings,joint & attaching bolts	2	C4DZ 3082-B
67/	F	Includes arm, shaft, bushings and joint	2	●D0OZ 3082-A

- Arm has ball joint with (3) bolts pattern and replaces arms with (4) bolts pattern # Identification marking
 ▲ Includes arm, shaft, bushings, washers, nuts and ball joint ■ Includes arm, shaft, bushings, ball joint and stud nut
 May, 1975 COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN **FINAL ISSUE**

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3082-3 ARM ASSY. - FRONT SUSPENSION UPPER - continued				
71/72	L	#D32A 3392-AA	2	D3FZ 3082-A
70/	P	Includes arm, shaft, bushings and joint	2	●D00Z 3082-A
65/66	S	R.H.includes arm & joint assy.(see basic 3047 for shaft & bushings)	1	C3SZ 3082-B
		L.H.includes arm & joint assy.(see basic 3047 for shaft & bushings)	1	C3SZ 3083-A
67/72	S	#D2AA 3392-AC	2	▲D2AZ 3082-A
65	X	Includes arm, shaft, bushings, joint & attaching bolts	2	C4DZ 3082-B
66/70	X	Includes arm, shaft, bushings and joint	2	●D00Z 3082-A
65/	A	Bolt (to frame)-9/16"-12 x 2 3/8"	4	★371602-S7-8
67/	S	Nut-1/2"-20	4	33846-S8(M69)
		Lockwasher-1/2"		34809-S8(X68)
65/	A, B	Plug-1/4"-28 (threaded)-upper arm ball joint	AR	374714-S(PP35A)
67/	S		AR	
72	B	Nut-9/16"-18 castle slotted hd. (upper arm ball joint to spindle)	AR	34033-S(M11)
		Cotter pin	AR	72035-S(N51)
72	A, S, F, P, S	Fitting 1/4"-28 (ball joint)	2	385148-S8M(I206K)
65	B	Bolt-5/8"-18 x 2 13/16" pilot (upper arm shaft to adaptor)	2	★376537-S
		Nut-1/2"-13		380952-S2(MM11B)
65/71	B	Fitting-lubricator (arm) - 1/4"-28-90°	4	87924-S8(I-9)
65	B	Bolt (to underbody)-5/8"-11 x 2.83"-washer hd.	4	377261-S7-8(BB412)
66/	B, X	Bolt (to underbody)-1/2"-13 x 1 7/8" serrated	2	380459-S2
67/	F		2	(BB390AC)
65	F, X	Bolt (arm to underbody) 1/2"-20 x 2 25/64"-serrated	4	379329-S(BB390Y)
66	F		4	
71/	L	Nut & retainer assy.-1/2"-13 (arm to frame)	4	384504-S100
		Bolt-1/2"-13 x 1 1/2" (arm to frame)	4	(MM192VX)
				384503-S100
				(BB552CG)
		Nut-9/16"-18 (arm to spindle)	2	382826-S100
				(MM59W)
65/66	S	Bolt (arm to underbody)-1/2"-13 x 2 1/4"serrated	4	373518-S2(BB390E)
3B095 BRACKET - FRONT SUSPENSION RADIUS ARM MOUNTING				
66/	U	R. H.	1	C6TZ 3B095-C
		L. H.	1	C6TZ 3B095-D
3102-6 SPINDLE ASSY. - FRONT WHEEL				
- A -				
65/68	A(drum brakes)	R.H.	1	C5AZ 3105-A
		L.H.	1	C5AZ 3106-A
66/67	A(disc brakes)	R.H.-#C6AA 3107-C or #C7AA 3107-B	1	C7SZ 3105-A
		L.H.-#C6AA 3108-C or #C7AA 3108-B	1	C7SZ 3106-A
68	A(exc.Special)(disc brakes)	R.H.-#C8SA 3107-B	1	C8SZ 3105-A
		L.H.-#C8SA 3108-B	1	C8SZ 3106-A
	A(Special)-track use only	R. H.	1	★C0AZ 3102-B
		L. H.	1	★C0AZ 3103-B
69	A (drum brakes)	R.H.	1	C9AZ 3105-B
		L.H.	1	C9AZ 3106-B
	A(disc brakes)	Spindle-R.H.	1	●C9SZ 3105-E
		- L.H.	1	C9SZ 3106-A
70/71	A (drum brakes)	R. H.-#D0AA 3107-A-13/16-20 thread at stud	1	D0AZ 3105-A
		L. H.-#D0AA 3108-A-13/16-20 thread at stud	1	D0AZ 3106-A
	A(Disc brakes)	R.H.-#D0SA 3107-A, #D2AA 3107-BA, BB-13/16-20 thrd. at stud	1	D2AZ 3105-B
		L.H.-#D0SA 3108-A, #D2AA-3108-BA, BB-13/16-20 thrd. at stud	1	D2AZ 3106-B

● Arm has ball joint with 3 bolts pattern & replaces arms with 4 bolts pattern

▲ Includes arm, shaft, bushings, washers, nuts & ball joint

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3102-6 SPINDLE ASSY. - FRONT WHEEL - continued				
- A -				
72	A(disc brakes)	R.H.-#D0SA 3107-A, #D2AA 3107-BA, BB-13/16-20 thrd. at stud	1	D2AZ 3105-B
		L.H.-#D0SA 3108-A, #D2AA 3108-BA, BB-13/16-20 thrd. at stud	1	D2AZ 3106-B
	A(drum brakes)-exc. P/C & Taxi	R.H.-#D0AA 3107-A-13/16-20 thrd. at stud	1	D0AZ 3105-A
		L.H.-#D0AA 3108-A-13/16-20 thrd. at stud	1	D0AZ 3106-A
	A(drum brakes)-P/C & Taxi	R.H.-#D2AA 3107-AA-13/16-20 thrd. at stud	1	D2AZ 3105-A
		L.H.-#D2AA 3108-AA-13/16-20 thrd. at stud	1	D2AZ 3106-A
- B -				
65	B	R.H.	1	C4OZ 3105-A
		L.H.	1	C4OZ 3106-A
66	B(drum brakes)	Kit - R.H.	1	▲C9OZ 3105-C
		- L.H.	1	▲C9OZ 3106-C
67	B(drum or disc brakes)	Kit - R.H.	1	▲C9OZ 3105-C
		- L.H.	1	▲C9OZ 3106-C
68/69	B(drum brakes)	Kit - R.H.	1	▲C9OZ 3105-C
		- L.H.	1	▲C9OZ 3106-C
	B(disc brakes)	Spindle - R.H.	1	C8OZ 3105-A
		- L.H.	1	C8OZ 3106-A
		Kit - R.H.	1	●C9OZ 3105-D
		- L.H.	1	●C9OZ 3106-D
70/71	B (drum brakes)	R.H. - 13/16"-20 thread at stud	1	D3DZ 3105-A
		L.H. - 13/16"-20 thread at stud	1	D3DZ 3106-A
	B (disc brakes)	R.H.-#D0ZA 3107-C	1	D0OZ 3105-B
		L.H.-#D0ZA 3108-C	1	D0OZ 3106-B
72	B	R.H.-#D2OA 3107-AE,BA	1	D2OZ 3105-B
		L.H.-#D2OA 3108-AE,BA	1	D2OZ 3106-B
- F -				
65/66	F(6 cyl.)	R.H.	1	C3DZ 3105-A
		L.H.	1	C3DZ 3106-A
	F(8 cyl.)	Kit - R.H.	1	●C9ZZ 3105-C
		- L.H.	1	●C9ZZ 3106-C
67	F(drum or disc brakes)	Kit - R.H.	1	▲C9OZ 3105-C
		- L.H.	1	▲C9OZ 3106-C
68/69	F(drum brakes)	Kit - R.H.	1	▲C9OZ 3105-C
		- L.H.	1	▲C9OZ 3106-C
	F(exc.Boss) (disc brakes)	Spindle - R.H.	1	C8OZ 3105-A
		- L.H.	1	C8OZ 3106-A
		Kit - R.H.	1	●C9OZ 3105-D
		- L.H.	1	●C9OZ 3106-D
69	F-Boss 302 (disc brakes)	R.H.-#D0ZA 3107-B	1	C9ZZ 3105-A
		L.H.-#D0ZA 3108-B	1	C9ZZ 3106-A
	F-Boss 429 (disc brakes)	R.H.	1	C9ZZ 3105-B
		L.H.	1	C9ZZ 3106-B
70	F(exc.GT350/500)(disc brakes)	R.H.-#D0ZA 3107-C	1	D0OZ 3105-B
		L.H.-#D0ZA 3108-C	1	D0OZ 3106-B
	F(GT350/500)(disc brakes)	Spindle - R.H.	1	C8OZ 3105-A
		- L.H.	1	C8OZ 3106-A
		Kit - R.H.	1	●C9OZ 3105-D
		- L.H.	1	●C9OZ 3106-D
	F(drum brakes)	R.H.-13/16"-20 thread at stud	1	D3DZ 3105-A
		L.H.-13/16"-20 thread at stud	1	D3DZ 3106-A

● Includes spindle, inner-outer cup & bearing, washer, retaining nut & cotter pin # Identification marking

▲ For disc brakes use w/2 B134 R.H. or 2 B135 L.H. brackets for caliper mounting

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 30

FORD CAR PARTS

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
3102-6 SPINDLE ASSY. - FRONT WHEEL - continued					
- F -					
71/72	F(drum brakes)		R.H.-#D10A 3107-AA-13/16"-20 thrd.at stud	1	D1OZ 3105-A
			L.H.-#D10A 3108-AA-13/16"-20 thrd at stud	1	D1OZ 3106-A
	F(disc brakes)		R.H.-#D1ZA 3107-AA-13/16"-20 thread at stud	1	D1ZZ 3105-A
			L.H.-#D1ZA 3108-AA-13/16"-20 thread at stud	1	D1ZZ 3106-A
- L -					
71/72	L(drum brakes)		R.H.-#D12A 3105-AA, AB-13/16"-20 thrd.at stud	1	D1FZ 3105-A
			L.H.-#D12A 3106-AA, AB-13/16"-20 thrd.at stud	1	D1FZ 3106-A
	L(disc brakes)		R.H.-#D12A 3105-BA, BB, BC, BD-13/16"-20 thread at stud	1	D1FZ 3105-B
			L.H.-#D12A 3106-BA, BB, BC, BD-13/16"-20 thread at stud	1	D1FZ 3106-B
- P -					
70	P(drum brakes)	"Before 8/25/69"	R.H.-#D00A 3107-A-3/4"-16 thread at stud	1	D0OZ 3105-A
			L.H.-#D00A 3108-A-3/4"-16 thread at stud	1	D0OZ 3106-A
	P(drum brakes)	"From 8/25/69"	R.H.- #D00A 3107-E - 13/16"-20 thread at stud	1	D3DZ 3105-A
			L.H.- #D00A 3105-E - 13/16"-20 thread at stud	1	D0OZ 3106-C
71/72	P	"Before 5/22/72"	Spindle - R.H.-#D00A 3107-F-13/16"-20 thread at stud	1	D3DZ 3105-A
			- L.H.-#D00A 3108-F-13/16"-20 thread at stud	1	D3DZ 3106-A
72	P	"From 5/22/72"	Spindle - R.H.-#D3DA 3107-AA	1	D3DZ 3105-A
			- L.H.-#D3DA 3108-AA	1	D3DZ 3106-A
- S -					
65/66	S		R. H.	1	C5SZ 3105-A
		L. H.	1	C5SZ 3106-A	
67	S		Spindle - R.H.-#C6AA 3107-C or #C7AA 3107-B	1	C7SZ 3105-A
			- L.H.-#C6AA 3108-C or #C7AA 3108-B	1	C7SZ 3106-A
68	S		R.H.	1	C8SZ 3105-A
			L.H.	1	C8SZ 3106-A
69	S		Kit - R.H.	1	●C9AZ 3105-E
			- L.H.	1	C9SZ 3106-A
70/71	S		Spindle - R.H.-#D0SA 3107-A, D2AA 3107-BA, BB	1	D2AZ 3105-B
			- L.H.-#D0SA 3108-A, D2AA 3108-BA, BB	1	D2AZ 3106-B
72	S		R.H.-#D2OA 3107-AD,AE	1	D2OZ 3105-A
			L.H.-#D2OA 3108-AD,AE	1	D2OZ 3106-B
- U -					
66/	U			2	C6TZ 3105-A
- X -					
65	X(6 cyl.)		Spindle - R.H.	1	C3DZ 3105-A
			- L.H.	1	C3DZ 3106-A
			Kit - R.H.	1	●C9ZZ 3105-C
			- L.H.	1	●C9ZZ 3106-C
66	X(drum brakes)		Kit - R.H.	1	▲C9OZ 3105-C
			- L.H.	1	▲C9OZ 3106-C
67	X(drum or disc brakes)		Kit - R.H.	1	▲C9OZ 3105-C
			- L.H.	1	▲C9OZ 3106-C
68/69	X(drum brakes)		Kit - R.H.	1	▲C9OZ 3105-C
			- L.H.	1	▲C9OZ 3106-C
	X(disc brakes)		Spindle - R.H.	1	C8OZ 3106-A
			- L.H.	1	C8OZ 3106-A
70	X(disc brakes)		Kit - R.H.	1	●C9OZ 3105-D
			- L.H.	1	●C9OZ 3106-D
			Spindle - R.H.	1	C8OZ 3105-A
			- L.H.	1	C8OZ 3106-A
			Kit - R.H.	1	●C9OZ 3105-D
			- L.H.	1	●C9OZ 3106-D

● Includes spindle, inner-outer cup & bearing, washer, retaining nut & cotter pin

Identification marking

▲ For disc brakes use w/2B134 R.H. or 2B135 L.H. brackets for caliper mounting

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
3102-6 SPINDLE ASSY. - FRONT WHEEL - continued					
- X -					
70	X(drum brakes)	"Before 8/25/69"	Kit - R.H.-#D00A 3107-A-3/4"-16 thread at stud	1	D00Z 3105-A
			- L.H.-#D00A 3108-A-3/4"-16 thread at stud	1	D00Z 3106-A
	X(drum brakes)	"From 8/25/69 to 9/15/69"	Spindle - R.H.-#D00A 3107-E - 13/16"-20 thread at stud	1	D3DZ 3105-A
			- L.H.-#D00A 3108-E - 13/16"-20 thread at stud	1	D00Z 3106-C
	X(drum brakes)	"From 9/15/69"	R.H.-3/4"-16 thread at stud	1	D3DZ 3105-A
			L.H.-3/4"-16 thread at stud	1	D3DZ 3106-A
65/	A, B, F, P, S, X	Nut & nut retainer-front wheel spindle bearing-Refer to Group 1102			
3A105 SEAL - FRONT SUSPENSION ARM BALL JOINT DUST					
- A -					
65/7	A	Upper arm	2	C7AZ 3A105-B	
	A	Lower arm	2	C7AZ 3A105-A	
- B -					
65/69	B	Upper arm	2	C7OZ 3A105-B	
		Lower arm	2	C7OZ 3A105-A	
70/71	B	Upper arm	2	D00Z 3A105-A	
		Lower arm	2	C7OZ 3A105-A	
72	B	Upper arm	2	C7AZ 3A105-B	
		Lower arm-#D2OA 3A105-AA	2	C7AZ 3A105-A	
- F -					
65/69	F	Upper arm	2	C7OZ 3A105-B	
		Lower arm	2	C7OZ 3A105-A	
70/	F	Upper arm	2	D00Z 3A105-A	
		Lower arm	2	C7OZ 3A105-A	
- L -					
71/	L	Upper arm	2	C7AZ 3A105-B	
		Lower arm	2	C7OZ 3A105-A	
- P -					
70	P	"Before 7/14/69"	Upper arm	2	C7OZ 3A105-B
		"From 7/14/69"	Upper arm	2	D00Z 3A105-A
			Lower arm	2	C7OZ 3A105-A
71/	P	Upper arm	2	D00Z 3A105-A	
		Lower arm	2	C7OZ 3A105-A	
- S -					
67/72	S	Upper arm	2	C7AZ 3A105-B	
		Lower arm	2	C7AZ 3A105-A	
- X -					
65/70	X	Upper arm	2	C7OZ 3A105-B	
		Lower arm	2	C7OZ 3A105-A	
3A116 BUSHING ASSY. - FRONT SUSPENSION TRACK BAR					
66/	U	L.H.-frame end-9/16" I.D.-1 13/32" O.D.	1	C6TZ 3A116-A	
		R.H.-axle end-3/4" I.D.-9/16" O.D.	1	C6TZ 3A116-B	
		Nut-3/4"-16	1	34405-S7-8 (M106A)	
3117 SHIM - FRONT AXLE SPINDLE BOLT					
66/71	U	"Before Ser.K20,001"	1 5/64" I. D. -.005" thick	AR	B9C 3117-A

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3123 BEARING - FRONT AXLE SPINDLE BOLT				
66/	U	Spindle bearing-1 5/16" I.D.-1 5/8" O.D.- 5/8" thick-#B2110	2	C6TZ 3123-A
66/71	U	"Before Ser.K20,001" Spindle bolt bearing-5/8" I.D.-1 11/16" O.D.- 9/16" thick-stamped 11590	4	B9C 3123-B
3125 SEAL - FRONT AXLE SPINDLE BOLT DUST				
67	U		4	C4UZ 3125-A
3126 CUP - FRONT AXLE SPINDLE BOLT BEARING				
66/71	U	"Before Ser.K20,001" Stamped 11520	4	B9C 3126-A
3130-1 ARM - FRONT AXLE SPINDLE				
66/71	U	"Before Ser.K20,001" R. H.	1	C6TZ 3130-C
		L. H.	1	C6TZ 3131-C
71/	U	"From Ser.K20,001" R. H.	1	D1UZ 3130-A
		L. H.	1	D1UZ 3131-A
3A130-1 ROD or END - FRONT WHEEL SPINDLE CONNECTING				

YEAR	MODEL & DESCRIPTION	MANUAL STEERING				POWER STEERING				PART NUMBER
		RIGHT HAND		LEFT HAND		RIGHT HAND		LEFT HAND		
		OUTER	INNER	INNER	OUTER	OUTER	INNER	INNER	OUTER	
- A -										
65/68	A (exc. Special duty performance)	1			1	1			1	C5AZ 3A130-A
	A (Special duty performance)	1	1	1	1	1	1	1		C9AZ 3280-A
69/70			1	1			1	1		C1AA 3289-D
	A (exc. Special duty performance)	1			1	1			1	C0AA 3280-C
			1	1			1	1		●C9AZ 3A130-A
	A (Special duty performance)	1			1	1			1	●C9AZ 3280-A
71/72			1	1			1	1		C1AA 3289-D
	A "Before 8/8/72	1			1	1			1	C0AA 3280-C
			1	1			1	1		●C9AZ 3A130-A
	A "From 8/8/72"					1			1	●C9AZ 3280-A
							1	1		▲D2OZ 3A130-A
										▲D2OZ 3A131-A

- B -										
65	B	1			1					C3OZ 3A130-A
			1	1						C3OZ 3280-A
						1				C3OZ 3A130-B
							1	1		C3OZ 3280-B
66	B	1			1	1			1	C3OZ 3A131-A
			1	1			1	1		C6OZ 3A130-A
67/69	B	1			1	1			1	C6OZ 3A130-B
			1	1			1	1		C7ZZ 3A130-A
70/71	B	1			1	1			1	C7OZ 3A130-A
			1	1			1	1		D0OZ 3A130-B
72	B	1			1	1			1	D0OZ 3A131-A
			1	1			1	1		D2OZ 3A130-A
										D2OZ 3A131-A

Identification marking

● 5/8"-18 thread at sleeve ends

▲ 11/16"-18 thread at sleeve ends

3A130-1 ROD or END - FRONT WHEEL SPINDLE CONNECTING - continued

YEAR	MODEL & DESCRIPTION	MANUAL STEERING				POWER STEERING				PART NUMBER
		RIGHT HAND		LEFT HAND		RIGHT HAND		LEFT HAND		
		OUTER	INNER	INNER	OUTER	OUTER	INNER	INNER	OUTER	
- F -										
65/66	F-6 cyl.	1			1					C3DZ 3A130-K
			1	1						C3DZ 3A130-L
						1				C4DZ 3A130-C
							1			C4DZ 3A130-D
								1		C4DZ 3A131-C
	F-8 cyl.								1	C4DZ 3A131-D
		1			1	1				C5ZZ 3A130-D
			1	1			1			C5ZZ 3A131-D
								1		C5ZZ 3A131-C
									1	C5ZZ 3A130-C
67/69	F(all exc. Boss)	1			1	1			1	C7ZZ 3A130-A
			1	1			1	1		C7ZZ 3A131-A
69	F(Boss 302, 429)	1			1	1			1	D0OZ 3A130-B
			1	1			1	1		D0ZZ 3A131-B
70	F	1			1	1			1	D0OZ 3A130-B
			1	1			1	1		D0ZZ 3A131-B
71/	F	1			1	1			1	D0OZ 3A130-B
			1	1			1	1		D1ZZ 3A131-A
- L -										
71/	L	1			1					D1FZ 3A130-A
- P -										
70/	P	1			1	1			1	D0OZ 3A130-B
			1	1			1	1		D0ZZ 3A131-B
- S -										
65/66	S					1			1	C5SZ 3A130-A
							1	1		C5SZ 3A131-A
67/68	S					1			1	C5AZ 3A130-A
							1	1		C5AZ 3280-A
69/71	S					1			1	C9AZ 3A130-A
							1	1		C9AZ 3280-A
72	S					1			1	D2OZ 3A130-A
							1	1		D2OZ 3A131-A
- U -										
66/	U-tie rod end assy.	1			♦	1			♦	●C6TZ 3A130-A
	U-adj. sleeve assy.		1	♦			1	♦		●C6TZ 3281-A
- X -										
65	X-6 cyl.	1			1					C3DZ 3A130-K
			1	1						C3DZ 3A130-L
	X-6 cyl.					1				C4DZ 3A130-C
							1			C4DZ 3A130-D
								1		C4DZ 3A131-C
									1	C4DZ 3A131-D
	X-8 cyl.	1			1	1				C5ZZ 3A130-D
			1	1			1			C5ZZ 3A131-D
								1		C5ZZ 3A131-C
									1	C5ZZ 3A130-C
66	X-6 & 8 cyl.	1			1	1			1	C6OZ 3A130-A
			1	1			1	1		C6OZ 3A130-B
67/70	X-6 & 8 cyl.	1			1	1			1	C7ZZ 3A130-A
			1	1			1	1		C7OZ 3A130-A

• Also serviced in assy.-group 3280

♦ Serviced in 3280 assy.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A130-1 ROD or END - FRONT WHEEL SPINDLE CONNECTING - continued				
65/	A, S	Nut-castle-1/2"-20	2	385002-S(MM66A)
		Cotter pin-1/8" x 1"		72035-S7-8(N51)
65/	A, S	Fitting-lubricator-1/4"-28-90°	2	87924-S8(I-9)
68/	A, S	Plug-1/4"-28 tapered	2 or 4	374714-S8(PP35A)
68	B, F, X	Nut-7/16"-20	4	*B8TZ 4322-A
65/	X	Nut-castle-3/8"-24	2	*34030-S8
		Cotter pin-3/32 x 3/4"		72016-S8(N44)
71/72	L	Nut-3/8"-24 slotted	2	384487-S2(MM65E)
3132 SEAL - FRONT AXLE SPINDLE ARM OPEN YOKE				
67/	U	2" I.D. -3" O.D. -5/16" thick	2	C9TZ 3132-C
3C132 SLINGER - FRONT AXLE SPINDLE YOKE				
67/71	U (front axle)	"Before Ser.K20,001"	2	D1UZ 3C132-B
71/	U (front axle)	"From Ser.K20,001"	1	D1UZ 3C132-A
		Axle shaft-inboard-2 1/2" flange O.D. x 1 3/8" I.D. x 3/8" thick	1	D1UZ 3C132-B
		Axle shaft-outboard-3 7/16" flange O.D. x 1 7/8" I.D. x 9/16" thick	1	
3A134 BRACKET ASSY. - FRONT SUSPENSION LOWER ARM MOUNTING				
65,66	S	Bolt (bracket to underbody)-5/8"-11 x 2 9/16"-serrated	2	C1SZ 3A134-A
		Nut-5/8"-11		376270-S7-8 (BB390P)
		Bolt (bracket to arm)-1/2"-13 x 3 61/64"	2	356085-S8(MM14)
		Nut-1/2"-13		C1VE 6345-A
				33845-S8(M57)
3B139-40 BRACKET - STEERING COLUMN SUPPORT				
70	A		1	D0AZ 3B139-A
71/	A		1	D1AZ 3B139-A
68/69	B		1	C9OZ 3B139-A
70/71	B		1	D0OZ 3B139-B
69	F		1	C9ZZ 3B140-A
70/71	F		1	D0ZZ 3B139-A
72	F		1	D1AZ 3B139-A
70	P		1	D0DZ 3B139-A
		Bolt-3/8"-16 x 1 3/4" (bracket to 3668)	2	383243-S2 (BB839F)
71/	P		1	D0ZZ 3B139-A
70/71	S	Column to dash panel bracket	1	D0SZ 3B139-A
	S	Dash panel bracket	1	D0SZ 3B139-C
68/70	X		1	C9OZ 3B139-A
3147 PLUG - FRONT AXLE SPINDLE ARM				
66/67	U		4	C6TZ 3147-A
68/70	U	"Before Ser.K20,001"	4	C8TZ 3147-A
3B163 LINK - POWER STEERING SECTOR SHAFT ARM TO SPINDLE CONNECTING ROD				
65	X (6 & 8 cyl.)		1	C3DZ 3B163-B
65/66	F (6 cyl.)		1	
65	X (6 & 8 cyl.)	Bolt (link to idler arm rod)-3/8"-24 x 2 1/2"	2	351816-S (BB224)
65/66	F (6 cyl.)		2	
		Locknut-3/8"-24		373173-S8 (MM169C)
		Locknut-3/8"-16		382535-S (MM173MX)
3171 SEAL - FRONT AXLE SPINDLE PIN BEARING GREASE				
66/71	U	"Before Ser.K20,001"	4	C6TZ 3171-A

YEAR	MODEL		DESCRIPTION				QTY.	PART NUMBER
3B186 RETAINER - FRONT AXLE RADIUS ARM BUSHING								
66/	U					2	C6TZ 3B186-A	
3A187 BUSHING and WASHER KIT - FRONT SUSPENSION LOWER ARM STRUT - Also refer to Group 3468								
65/72	A					1	D2AZ 3A187-B	
67/69	S					2		
Consists of								
1-C5AA 3A141-B Washer		1-C7AA 3470-A	Bushing	1-381612-S100	Nut			
1-D2AA 3A142-AA Washer		1-72044-S	Cotter pin	1-34981-S100	Nut			
1-D1AA 3B197-AA Bushing								
65	B					2	C2OZ 3A187-A	
Consists of								
1-C4DA 3A140-B Bushing		1-C2OA 3A142-D	Washer	1-72035-S7-8	Cotter pin			
1-C2OA 3A141-C Washer		1-34033-S18	Nut	1-C4DA 3A225-B	Bushing			
66/67	B, X					2	C6OZ 3A187-A	
67	F					2		
Consists of								
1-C6OA 3A140-D Bushing		1-C6OA 3A225-D	Bushing	1-380517-S2	Nut			
2-C6OA 3A142-D Washer		1-C6OA 3473-C	Spacer					
68/71	B					2	D0OZ 3A187-B	
68/69	F(exc. Boss)					2		
70/72	F(exc. Boss 429)	"Before 9/10/71"				2		
70/	P					2		
68/70	X					2		
Consists of								
1-C8OA 3A140-A Bushing		1-D0OA 3A142-A	Washer-frt.	1-33985-S2	Nut			
(for F only)		1-D4DW 3A225-AA	Bushing	1-72035-S	Cotter pin			
1-D0OA 3A140-A Bushing		1-C8OA 3B282-A	Ferrule	1-380460-S100	Nut			
(for B, P, X only)		1-D0OA 3B283-A	Ferrule	1-380517-S100	Nut			
1-D0OA 3A141-A Washer-rear								
72	B(exc. P/C & Taxi w/8 cyl. 429),S					2	D2AZ 3A187-A	
Consists of								
1-D0OA 3A142-A Retainer-rear		2-D3OA 3470-AA	Insulator	1-34981-S100	Nut-5/8"-11			
1-D2OA 3A142-AA Retainer-front								
72	B (P/C & Taxi w/8 cyl. 429)					1	D2OZ 3A187-A	
Consists of								
1-D0OA 3A142-A Retainer-rear		2-D2OA 3470-AA	Insulator	1-383381-S101	Nut			
1-D0VA 3A142-B Retainer-front								
69	F(Boss 302)					2	C9ZZ 3A187-A	
Consists of								
1-C8OA 3A140-B Bushing		1-C8OA 3A225-A	Bushing	1-33985-S8	Nut			
1-C8OA 3A141-B Washer		1-C8OA 3B282-A	Ferrule	1-72035-S	Cotter pin			
1-D0ZA 3A142-A Washer		1-D0ZA 3B282-A	Ferrule	1-380460-S100	Nut			
						1-380517-S100	Nut	
69/70	F (Boss 429)					1	C9ZZ 3A187-B	
Consists of								
1-C6OA 3A140-D Bushing		1-C9ZX 3A142-A	Washer	1-C6OA 3473-C	Spacer			
1-C6OA 3A142-D Washer		1-C6CA 3A225-D	Bushing	1-380517-S	Nut			
72	F	"From 9/10/71"				1	D3ZZ 3A187-A	
Consists of								
1-C8OA 3A140-B Bushing-front		1-C8OA 3A225-A	Bushing-rear					
1-D2ZA 3A141-AA Washer-rear		1-D2ZA 3B282-AA	Ferrule-outer	1-380460-S100	Nut-front			
1-D2ZA 3A142-AA Washer-front		1-D2ZA 3B283-AA	Ferrule-inner	1-380517-S100	Nut-rear			
						1-385454-S	Washer	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A187 BUSHING and WASHER KIT - FRONT SUSPENSION LOWER ARM STRUT - continued				
Also refer to Group 3468				
71	L		2	D1FZ 3A187-B
72	L(drum brakes)		2	
Consists of				
	1-D12A 3A141-AB Rear retainer	1-D12A 3B197-AC Rear insulator	1-34980-S4	Nut-9/16"-12 hex. lock
	1-D12A 3A142-AB Front retainer	1-D12A 3470-AC Front insulator		
72	L(disc brakes)		2	D2FZ 3A187-A
	1-D12A 3A141-AB Rear retainer	1-D22A 3B197-AA Rear insulator	1-34980-S4	Nut-9/16"-12 hex. lock
	1-D12A 3A142-AB Front retainer	1-D22A 3470-AA Front insulator		
65/66	S		2	C2SZ 3A187-A
Consists of				
	1-C2SA 3A183-B Bushing	1-C1VV 3433-B Spacer	1-45301-S8	Nut
	1-C2SA 3A184-B Bushing	2-C1VV 3434-B Washer	1-72071-S	Cotter pin
70/71	S		2	D0SZ 3A187-A
Consists of				
	1-D0SA 3A141-A Washer (inner)	1-D1AA 3B197-AA Bushing (inner)	1-72044-S	Cotter pin
	1-D0SA 3A142-A Washer (outer)	1-C7AA 3470-A Bushing (outer)	1-381612-S100	Nut
65	X		2	C4DZ 3A187-A
65/66	F		2	
Consists of				
	1-C5DA 3A141-A Washer	1-C4DA 3A140-B Bushing	1-34426-S8	Nut
	1-C5DA 3A142-A Washer		1-C4DA 3A225-B	Bushing
3A197 GUIDE ASSY. - FRONT SUSPENSION SPRING				
65/67	S		2	C3SZ 3A197-A
3B203 INSULATOR - FRONT SUSPENSION RADIUS ARM				
66	U	"Before Ser. 788,001"	Rear-7/8" I.D. -2" O.D. -1 5/32" long-rubber	2 C5TZ 3B203-B
	U	"Before Ser. 788,001"	Front-7/8" I.D. -2" O.D. -2 7/16" long	2 C5TZ 3B203-C
66/	U	"From Ser. 788,001"	Front & rear-1.71" long-rubber	4 C6TZ 3B203-B
	U		Wedge-at axle-steel & rubber	4 C6TZ 3B203-A
3219-20 SHAFT ASSY. - FRONT AXLE				
66/67	U		R. H. - includes u/joint-37 25/32" long	1 C6TZ 3219-A
			L. H. - includes u/joint-28 5/32" long	1 C6TZ 3220-A
68/71	U	"Before Ser. K20,001"	R. H. - includes u/joint - 37 25/32" long	1 C8TZ 3219-A
			L. H. - includes u/joint - 28 5/32" long	1 C8TZ 3220-A
71/	U	"From Ser. K20,001"	R. H. - includes U/joint - 37 11/16" long	1 D1TZ 3219-B
			L. H. - includes U/joint - 28" long	1 D1TZ 3220-B
3222 RING GEAR and PINION KIT - FRONT AXLE				
66/71	U	"Before Ser.K20,001"	4.10 to 1 ratio-gear 7 1/8" O.D. -41 teeth-pinion 10 teeth-#32906 & #32980 set or #32918 & 32919 set	1 C6TZ 3222-A
	U	"Before Ser.K20,001"	4.56 to 1 ratio-gear 7 1/8" O.D. -41 teeth-stamped 32938-pinion 9 teeth-stamped 32937	1 C6TZ 3222-B
	U	"Before Ser.K20,001"	3.50 to 1 ratio-gear 7 1/8" O.D. -42 teeth-stamped 34411-pinion 12 teeth-stamped 34410- includes nut	1 C6TZ 3222-G
71/	U	"From Ser.K20,001"	3.54 to 1 ratio-8 1/2" O.D. ring gear-46 teeth-stamped 18437-pinion 13 teeth-stamped 32171 or 18438	1 C6TZ 4209-C
			4.09 to 1 ratio-8 1/2" O.D. ring gear-45 teeth-stamped 18428 or 18520-pinion 11 teeth-stamped 32073 or 18446	1 C6TZ 4209-B
			4.55 to 1 ratio-8 1/2" O.D. ring gear-50 teeth-stamped 31491-pinion 11 teeth-stamped 18679	1 C7TZ 3222-A
3B236-38 CAM and BOLT - FRONT SUSPENSION LOWER ARM				
66/67	B, F, X		Serviced in 3048 kit only	
	B, X		Nut-1/2"-13 x 3/4" (cam bolt to 3078)	2 33845-S(M57)
67	F		Nut-1/2"-13 x 3/4" (cam bolt to 3078)	2 380952-S (MM11B)
			Lockwasher-1/2"	2 34809-S(X68)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3B239 BAR ASSY. - STEERING FRONT TRACK				
66/	U(6 & 8 cyl.)		1	D1TZ 3B239-A
	U	Bolt(to bracket)-9/16"-18 x 3 13/64"-end drilled	1	370112-S8(BB324)
3B241 BRACKET ASSY. - FRONT TRACK BAR MOUNTING				
66/	U		1	C6TZ 3B241-B
3248 GUIDE - FRONT AXLE SHAFT - INNER				
66/71	U	"Before Ser.K20,001"	AR	C6TZ 3248-A
71/	U	"From Ser.K20,001"	2	B9TZ 3248-A
3249 UNIVERSAL JOINT KIT - FRONT AXLE SHAFT				
66/	U	Joint size 1310-Consists of 1-Cross 4-Bearing 4-Snap ring	2	C6TZ 3249-A
3254 SEAL - FRONT AXLE SHAFT OIL				
66/71	U	"Before Ser.K20,001"	2	C6TZ 3254-D
	U	"Before Ser.K20,001"	AR	C6TZ 3254-B
71/	U	"From Ser.K20,001"	2	C6TZ 3254-C
3B267 BOLT - FRONT SUSPENSION LOWER ARM STRUT				
70/	A,S	1/2"-13 x 1 3/8"	4	D2AZ 3B267-A
72	B		4	
68/71	B	1/2"-13 threads	4	C9OZ 3B267-A
68/	F,P		4	
68/70	X		4	
71/	L(62,64)	1 9/32" long-3/8"-16 thread-9/16" bolt hd.	4	D1FZ 3B267-A
		Nut-3/8"-16	4	384586-S100 (MM173CJ)
72	L(73)		2	D1FZ 3B267-A
		Nut-3/8"-16	4	384586-S100 (MM173CJ)
		Stud-3/8"-16 x 5/16"-18 x 3 7/16"	2	384961-S100 (WW143)
68/69	B, F, X	"Before 11/11/68"	4	382857-S100 (MM169P)
69/	B, F, X	"From 11/11/68"	4	382599-S
70/	A, S			(MM173MZ)
3B279 CAP - STEERING STOP				
67/	U	Use with 9.15" x 15" snow tires	2	C7TZ 3B279-A
3280 ROD ASSY. - FRONT WHEEL SPINDLE CONNECTING. - Also refer to group 3A130-1				
66/	U	Rod assy.	1	C6TZ 3280-A
Consists of				
1-C6TZ 3A130-A Rod		2-TGAA 3287-A Clamp	2-34979-S4 Nut	
1-★C6TZ 3A131-B Rod		2-C7TZ 3332-F Cover	2-58679-S2 Bolt	
1-C6TZ 3281-A Tube		2-34033-S18 Nut	2-★375601-S2 Washer-flat	
3281 Refer to group 3A130-1				
3287 CLAMP - FRONT WHEEL SPINDLE CONNECTING ROD				
65/	A		4	C2OZ 3287-A
65/66	B(M/S)	Spindle connecting rod end	4	C2OZ 3287-A
	B(P/S)	Not replaced	4	★C1MM 3287-A
67/	B		4	B7A 3287-A
65/66	F(M/S)-6 cyl.	Not replaced	1	★C3DZ 3287-A
	F(M/S)-8 cyl.	Not replaced	4	★C1MM 3287-A
	F(P/S)	R.H.-not replaced	2	★C1MM 3287-A
	F(P/S)	L.H.	2	C2VY 3287-A
67/	F		4	B7A 3287-A
70/	P		4	B7A 3287-A
65/66	S		4	B7A 3287-A
67/71	S		4	C2OZ 3287-A
72	S		4	B7A 3287-A
66/	U		2	TGAA 3287-A
65/66	X(M/S)-6 cyl.	Not replaced	1	★C3DZ 3287-A
65/66	X(P/S)	Not replaced	4	★C1MM 3287-A
67/70	X		4	B7A 3287-A

SECTION 30

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3287 CLAMP - FRONT WHEEL SPINDLE CONNECTING ROD - continued				
65/	A,B	Bolt (clamp)-5/16"-24 x 1 1/2"	4	*355236-S2
68	A, B, F, S, X	Locknut-5/16"-24	4	34443-S7-8(M79)
65/	A Special (8 cyl. 352, 390, 406, 427)	Bolt (clamp)-3/8"-24 x 1 3/4"	4	*20507-S
	S		4	
	X		4	
	F		4	
	B (P/S)		4	
		Locknut-3/8"-24		34445-S7(M80)
65/	A, B, F, S, X (P/S)	Locknut-3/8"-24	AR	372755-S(MM140C)
68	A, B, F, S, X	Bolt-5/16"-24 x 1 3/8"	4	*350758-S
68	A	Bolt-3/8"-24 x 1 5/8"	4	376179-S (BB838Z)
69/	A, B, F, X	Bolt-5/16"-18 x 1 1/2" (clamp to sleeve)	4	383400-S100 (BB144)
		Nut-5/16"	4	382634-S (MM173NE)
3289 END - FRONT WHEEL SPINDLE CONNECTING ROD - Refer to Group 3A130-1				
3B289 DAMPENER KIT - FRONT AXLE KING PIN				
66/71	U	"Before Ser.K20,001"	4	C8TZ 3B289-B
Consists of 1-C8TZ 3B289-A Dampener 1-C8TZ 3B290-A Cup 1-C8TZ 3B291-A Washer				
3299 SPACER - FRONT AXLE SPINDLE BEARING				
66/	U	1 5/16" I.D. -1 7/8" O.D. -1/8" thick	2	D1UZ 3299-A
3304 ROD ASSY. - STEERING ARM TO IDLER ARM				
- A -				
65/68	A		1	C5AZ 3304-D
69/	A (except 71)	R/b D3AZ 3304-A (1/75)	1	*C9AZ 3304-A
	A (71)	R/b D3AZ 3304-B (1/75)	1	*C9AZ 3304-B
- B -				
65	B (P/S)		1	C3OZ 3304-A
	B (M/S)		1	C4OZ 3304-A
66	B (P/S)		1	D0DZ 3304-C
	B (M/S)		1	C6OZ 3304-B
67/69	B (P/S)	Orange stripe	1	D0DZ 3304-C
	B (M/S)	Green stripe	1	C7OZ 3304-B
70/71	B (M/S)	29" between stud & hole at ends	1	D0OZ 3304-A
	B (P/S)	27" between stud & threaded end	1	D0OZ 3304-B
72	B	27 5/16" long between stud center & mounting center hole-#D2OA 3305-AA	1	D2OZ 3304-A
- F -				
65/66	F (P/S)-6 cyl.		1	C5ZZ 3304-B
	F (M/S)-6 cyl.		1	C5ZZ 3304-E
	F (M/S)-8 cyl.		1	C5ZZ 3304-C
	F (P/S)-8 cyl.		1	C5ZZ 3304-D
67/68	F (M/S)	Pink stripe	1	C7ZZ 3304-A
	F (P/S)	Yellow stripe	1	C7ZZ 3304-B
69	F (M/S)-exc. Boss 302	Pink stripe	1	C9ZZ 3304-A
	F (P/S)-exc. Boss 302	Yellow stripe	1	C9ZZ 3304-B
	F (M/S)-Boss 302	25 1/2" between stud & hole at ends	1	D0ZZ 3304-A
	F (P/S)-Boss 302	23 1/2" between stud & threaded end	1	D0ZZ 3304-B
70	F (M/S)	25 1/2" between stud & hole at ends	1	D0ZZ 3304-A
	F (P/S)	23 1/2" between stud & threaded end	1	D0ZZ 3304-B
71/	F (M/S & P/S)	#Pink stripe-approx. 27 3/4" long	1	D3ZZ 3304-A
# Identification marking				

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3304 ROD ASSY. - STEERING ARM TO IDLER ARM - continued				
- P -				
70/	P(M/S)	26" long	1	D0DZ 3304-A
	P(P/S)		1	D3DZ 3304-B
- S -				
65/66	S		1	C5SZ 3304-A
67/68	S		1	C5AZ 3304-D
69/71	S		1	C9SZ 3304-A
72	S	27 5/16" long between stud center & mounting center hole-#D2OA 3305-AA	1	D2OZ 3304-A
- U -				
66	U	Replaced by C6TZ 3304-S & C6TZ 3590-J	1	★C6TZ 3304-C
67/	U	Adjustable ball stud at one end or solid ball studs at both ends	1	C6TZ 3304-S
- X -				
65	X(M/S)-6 cyl.		1	C3DZ 3304-L
	X(P/S)-6 cyl.		1	C4DZ 3304-B
	X(M/S)-8 cyl.	With 1" sector shaft	1	C3DZ 3304-B
	X(M/S)-8 cyl.	1 1/8" dia. sector shaft	1	C5DZ 3304-A
	X(P/S)-8 cyl.		1	C5DZ 3304-B
66	X(P/S)		1	D0DZ 3304-C
	X(M/S)		1	C6OZ 3304-B
67/69	X(P/S)	Orange stripe	1	D0DZ 3304-C
	X(M/S)	Green stripe	1	C7OZ 3304-B
70	X(P/S)	Silver stripe	1	D0DZ 3304-C
	X(M/S)	Green stripe	1	C7OZ 3304-B
65/	A, S	Nut-castle-1/2"-20	2	385002-S(MM66A)
65/	B, F, X(8 cyl.)		2	
		Cotter pin-1/8" x 1"	1	72035-S7-8(N51)
		Lockwasher-3/8"		34807-S8(X66)
65/	A	Nut-castle (to idler arm)-9/16"-18	1	34033-S18(M11)
68	A, B, F, S, X	Washer-flat-9/16"	1	371613-S7-8(XX202)
68	A	Washer-flat-1/2"	1	356606-S(XX184)
65/	B	Nut-slotted (arm to spindle connecting rod)-7/16"-20	2	★353583-S
	B	Nut-slotted (arm to sector shaft arm)	1	
65/	X	Nut-castle (rod to idler arm)-3/8"-24	1	34030-S8
	F		1	
65/	X	Plug (rod)-1/4"-28 tapered	1	374714-S7-8 (PP35A)
		Locknut-3/8"-24		34370-S8(M99)
		Cotter pin-3/32" x 3/4"		72016-S8(N44)
3310 SLEEVE - FRONT WHEEL SPINDLE CONNECTING ROD ADJUSTING				
65/69	A(Special)		2	C2VY 3310-A
65/72	A(except Special)	"Before 8/8/72"	1	C2OZ 3310-A
72	A	"From 8/8/72"	2	D3AZ 3310-A
65	B(M/S)		1	C2OZ 3310-A
	B(P/S)		2	C2AA 3310-B
66/71	B		2	C2AA 3310-B
72	B	4 1/4" long, 11/16"-18 internal threads-includes sleeve, 2 bolts & nuts	2	D3AZ 3310-A
65/66	F(6 cyl.)-M/S	1/2"-20 x 5 7/8" includes 2 each-clamp, 358655-S bolts & 377703-S nuts	2	C5ZZ 3310-A
	F(8 cyl.)-M/S	11/16"-18 x 4 1/2"	2	C2AA 3310-B
	F(P/S)	R.H.-11/16"-18 x 4 1/2"	1	C2AA 3310-B
		L.H.	1	C2VY 3310-A
67/	F	11/16"-18 x 4 1/2"	2	C2AA 3310-B
70/72	P	"Before 8/8/72"	2	C2AA 3310-B
72	P	"From 8/8/72"	2	D3AZ 3310-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3310 SLEEVE - FRONT WHEEL SPINDLE CONNECTING ROD ADJUSTING - continued				
65/66	S		2	C2AA 3310-B
67/71	S		1	C2OZ 3310-A
72	S	4 1/4" long, 11/16"-18 internal threads- includes sleeve, 2 bolts & nuts	2	D3AZ 3310-A
65	X(8 cyl.)		2	C2AA 3310-B
66/70	X		2	
3310 SLEEVE KIT - FRONT WHEEL SPINDLE CONNECTING ROD ADJUSTING				
65	X (6 cyl.)	1/2"-20 x 6 1/2" sleeve-Consists of 2-C3DA 3287-A Clamp 2-358655-S Bolt 1-C0DD 3314-B Sleeve 2-34443-S Nut	2	C3DZ 3310-A
3311 STUD - DRAG LINK TO SELECTOR ARM BALL - Supplied in 3A533 Kit				
3B311 SHIELD - FRONT SUSPENSION SPINDLE BALL STUD				
70	F (Boss 429)		1	D0ZZ 3B311-A
3B329 REINFORCEMENT - FRONT SUSPENSION LOWER				
70/71	Unique competition part		1	D0ZX 3B329-A
3332 SEAL - FRONT SUSPENSION OR STEERING BALL STUD DUST				
65/68	A	Spindle arm connecting rod end	4	C1AA 3332-C
67/68	S		4	
69/	A, S	Spindle arm connecting rod end	4	C9AZ 3332-A
65/70	B	Spindle connecting rod end to spindle- 1 7/32" high	2	C2OZ 3332-B
	B	Spindle connecting rod to idler arm - 15/16" high	2	C2OZ 3332-C
	B	P/S cylinder stud-13/16" high	1	C2OZ 3332-A
66/69	B, X	Spindle arm connecting rod end	2	C6OZ 3332-A
67/69	F(exc. Boss 302)		2	
69	F(Boss 302)	Spindle connecting rod end ball stud-1 3/16" high-1 1/2" dia.	4	D0OZ 3332-C
70/71	B		4	
70/	F, P		4	
72	B		4	C9AZ 3332-A
65/66	F(6 cyl.)	Spindle connecting rod end	1	C3DZ 3332-A
65	X(6 cyl.)		4	
65/66	F(8 cyl.)	Spindle connecting rod end	1	C5ZZ 3332-A
65	X(8 cyl.)		1	
71/	L	R.H.-steering gear housing & spindle connecting rod dust-6 13/32" long	1	D1FZ 3332-A
		L.H.-5 13/32" long	1	D1FZ 3332-B
65/66	S	Spindle connecting rod end	4	C3SZ 3332-A
		Sector shaft arm ball stud-not replaced	1	C5SZ 3332-A
66	U	Drag link stud-rubber	1	C6TZ 3332-A
		Drag link stud- steel	1	C6TZ 3332-B
		Spindle connecting rod end stud	2	C6TZ 3332-C
67/	U-Adjustable type	Drag link-pitman arm end stud-1 1/8" dia. - 3/8" thick-rubber	1	C7TZ 3332-C
		Drag link-pitman arm end stud-3/4" I.D.- 1 3/8" wide-2 1/2" long-steel	1	C7TZ 3332-B
		Drag link-spindle connecting rod end stud-1/2" thick-flat-rubber	1	C5TZ 3332-B
		Drag link-spindle connecting rod end stud- 3/16" high-steel	1	C5TZ 3332-C
	U-Non-adjustable type	Drag link-pitman arm end stud-rubber	1	C7TZ 3332-A
		Drag link-spindle connecting rod end stud- 1/2" thick-flat-rubber	1	C5TZ 3332-B
		Drag link-spindle connecting rod end stud-3/16" high-steel	1	C5TZ 3332-C
	U-All	Spindle connecting rod end stud-rubber-Also serviced in assy.-Group 3280	2	C7TZ 3332-F
71/	L	Clamp-5/8"	1	384494-S(EE20)
		Clamp-1 7/16"	1	384495-S(EE18)
		Clamp-2 1/8"	1	384496-S(EE19)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A344	INSULATOR - POWER STEERING CYLINDER ROD - Serviced in 3C590 Kit		
	3A345	WASHER - POWER STEERING CYLINDER ROD INSULATOR - Serviced in 3C590 Kit		
	3350	ARM - STEERING IDLER - Refer to Group 3355		
	3350-1	BRACKET - STEERING IDLER ARM MOUNTING		
		- A -		
65/	A	Refer to Group 3355		
		- B -		
65	B(M/S)	Includes bushing	1	C2OA 3350-A
	B(P/S)	Includes bushing	1	C4OZ 3350-A
66/	B	Refer to Group 3355		
		- F -		
65/66	F	Use with 3352 kit	1	C3DZ 3351-A
67/	F	Refer to Group 3355		
		- P -		
70/	P	Refer to Group 3355		
		- S -		
65/66	S	Includes bushing	1	C4SZ 3351-A
67/	S	Refer to Group 3355		
		- X -		
65	X	Use with 3352 kit	1	C3DZ 3351-A
66/70	X	Refer to Group 3355		
		ATTACHING PARTS for BRACKET TO FRAME		
65	B, X	Bolt-3/8"-24 x 3 1/2"	AR	378405-S(BB226A)
65/66	F	Nut-3/8"-24 x 9/16"	AR	382832-S100 (MM169JF)
		Washer-flat-3/8"	AR	44707-S7(X8)
65/66	S	Bolt-3/8"-16 x 1 1/2"	3	20468-S8(B85)
		Nut-3/8"-16 x 9/16"	AR	34394-S7(M93A)
		Washer-flat-3/8"	AR	382585-S100 (XX143A)
		3352 ARM and BUSHING KIT - STEERING IDLER		
65	B(M/S)	Consists of 1-C4OA 3355-A Arm 2-72026-S Cotter pin 1-C5ZZ 3356-A Bushing 2-351059-S8 Nut 1-C4OZ 3358-A Bushing 2-375569-S8 Washer	1	C4OZ 3352-A
	B(P/S)	Consists of 1-C3OA 3355-A Arm 2-72026-S Cotter pin 1-C1AA 3356-A Bushing 2-351059-S8 Nut 1-C3AZ 3358-A Bushing 2-375569-S8 Washer	1	C2OZ 3352-B
65/66	F(P/S)-6 cyl. 65 X(P/S)-6 cyl.	Consists of 1-Arm with Stud 1-72026-S Cotter pin 1-C3DZ 3356-A Bushing 1-351059-S8 Nut	1	C4DZ 3352-B
65/66	F(M/S)-6 cyl. 65 X(M/S)-6 cyl.	Consists of 1-C4DA 3355-A Arm 1-72035-S Cotter pin 1-C5ZZ 3356-A Bushing 1-378583-S Washer 1-33985-S8 Nut	1 1	C3DZ 3352-L
65/66	F(P/S)-8 cyl. exc. GT 350 65 X(P/S)-8 cyl.	Consists of 1-Arm with stud (daub of #Blue paint) 1-C3DZ 3356 Bushing 1-351059-S8 Nut 1-72026-S Cotter pin	1 1	C5ZZ 3352-B
65/66	F(M/S)-8 cyl. exc. GT 350 65 X(M/S)-8 cyl.	Consists of 1-Arm with stud (daub of #Brown paint) 1-C5ZZ 3356-A Bushing 1-351059-S8 Nut 1-72026-S Cotter pin	1 1	C5ZZ 3352-A
65/66	F-GT350	Arm assy. with stud & bushing-not replaced	1	*S1MS 3734-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3355 ARM and BRACKET ASSY. - STEERING IDLER				
- A -				
65/68	A		1	●C5AZ 3350-A
69/	A		1	●D3AZ 3355-A
- B -				
65	B	Refer to Group 3352 (kit)		
66	B		1	●C6OZ 3350-A
67/69	B(M/S)	#Green stripe	1	●C7OZ 3350-A
	B(P/S)	#Orange stripe	1	●C7OZ 3350-B
70/71	B(M/S)	#Green stripe	1	●D0OZ 3350-A
	B(P/S)	#Orange stripe	1	●D0OZ 3350-B
72	B		1	●D3OZ 3355-A
- F -				
65/66	F	Refer to Group 3352 (kit)		
67/70	F(M/S)	#Pink stripe	1	●C7ZZ 3350-B
	F(P/S)	#Yellow stripe	1	●C7ZZ 3350-A
71/	F(M/S & P/S)	#Pink stripe	1	●D3ZZ 3355-A
- P -				
70/	P	#D0DA 3355-A-Includes bracket, arm with stud, bushing, washer & nut	1	D0DZ 3350-A
- S -				
65/66	S	Arm with stud-includes bushing	1	C5SZ 3A734-A
67/68	S		1	●C5AZ 3350-A
69/71	S	#Violet stripe	1	●C9SZ 3350-A
72	S		1	●D3OZ 3355-A
- X -				
65	X	Refer to Group 3352 (kit)		
66	X		1	●C6OZ 3350-A
67/70	X(M/S)	#Green stripe	1	●C7OZ 3350-A
	X(P/S)	#Orange stripe	1	●C7OZ 3350-B
ATTACHING PARTS for BRACKET TO FRAME				
65/67	A	Bolt - 3/8"-24 x 1 1/4"	AR	20429-S8(BB172)
67	S	Nut & retainer assy. - 3/8"-24	AR	379711-S8 (MM200D)
		Lockwasher - 3/8"	AR	34807-S(X66)
68	A, S	Bolt-3/8"-24 x 1 1/2"	2	371198-S8(BB217)
		Nut-retainer-3/8"-24	2	379711-S(MM200D)
69/72	A, S	Retainer assy. -3/8"-16	2	383121-S100 (MM192UA)
69	A, S	Bolt-3/8"-16 x 1 1/4"	2	378487-S2(BB545F)
70/72	A, S	Bolt-3/8"-16 x 1 1/2"	2	383994-S100 (BB545FA)
66/68	B, F, X	Bolt-3/8"-14 x 3 1/2"	AR	378405-S(BB226A)
		Nut-3/8"-24-9/16"	AR	382832-S100 (MM169JF)
69/71	B, X	Washer-flat-3/8"	AR	44707-S7(X8)
69/	F, P	Bolt-3/8"-16 x 3 5/8"	2	383496-S100 (BB168)
		Nut-3/8"-16	2	383406-S100 (MM173MY)
ATTACHING PARTS for ARM to BRACKET				
65/67	A	Nut-9/16"-18	1	34033-S18(M11)
67	S		1	
65/66	F		1	
65	X		1	
		Washer-flat-9/16"	1	371613-S(XX202)
65	B	Nut-1/2"-20	1	385002-S(MM66A)
		Washer-flat-1/2"-20	1	356606-S8(XX184)
		Cotter pin	1	72035-S7(N51)
66/68	B, X	Nut-9/16"-18	1	377330-S(MM169K)
67/68	F		1	
68	A, S		1	
		Washer-9/16"	1	371613-S(XX202)
65/66	S	Nut-3/4"-16	1	351125-S(MM62)
		Washer-flat-5/8"	1	378539-S(XX340H)
69/	A, B, F, P, S, X	Attaching parts serviced in assy. only due to swaged bracket end		
# Identification marking				
● Includes arm, bracket, bushings, nut & washer				

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3356-8 BUSHING - STEERING IDLER ARM				
- A -				
65/68	A	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
		Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
69/	A	Upper-serviced in 3350 assy. due to swaged bracket end		3356
		Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
- B -				
65	B(M/S)	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	◆C5ZZ 3356-A
		Lower-5/8" I.D.-19/32" O.D.-1 3/4" long	1	◆C4OZ 3358-A
	B(P/S)	Upper-5/8" I.D.-1 9/32" O.D.-2 7/16" long	1	◆C3AZ 3356-A
		Lower-5/8" I.D.-1 9/32" O.D.-1 3/4" long	1	◆C3AZ 3358-A
66	B	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
		Lower-9/16" I.D.-1 9/32" O.D.	1	▲C6OZ 3358-A
67/68	B	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
69/	B	Upper-serviced in 3350 assy. due to swaged bracket end		3356
67/71	B(M/S)	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
	B(P/S)	Lower-19/32" I.D.-1 1/4" O.D.	1	▲C7OZ 3358-A
72	B	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
- F -				
65/66	F(M/S)	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	◆C5ZZ 3356-A
	F(P/S)	Upper-7/8" I.D.-1 11/16" O.D.	1	◆C3DZ 3356-A
67/68	F	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
69/	F	Upper-serviced in 3350 assy. due to swaged bracket end		3356
67/70	F(M/S)	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
	F(P/S)	Lower-19/32" I.D.-1 1/4" O.D.	1	▲C7OZ 3358-A
71/	F	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
- P -				
70/	P	Upper-serviced in 3350 assy. due to swaged bracket end		3356
		Lower-9/16" I.D.-1 3/8" O.D.	1	●C5AZ 3358-A
- S -				
65/66	S	7/8" I.D.-1 7/16" O.D.	1	C3DZ 3356-C
67/68	S	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
		Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
69/	S	Upper-serviced in 3350 assy. due to swaged bracket end		3356
69/71	S	Lower-19/32" I.D.-1 1/4" O.D.	1	▲C7OZ 3358-A
72	S	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
- X -				
65	X(M/S)-6 cyl.	5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	◆C5ZZ 3356-A
	X(P/S)-6 cyl.	5/8" I.D.-1 5/8" O.D.	1	◆C3DZ 3356-A
	X(M/S)-8 cyl.	7/8" I.D.-1 7/16" O.D.	1	◆C3DZ 3356-C
	X(P/S)-8 cyl.	7/8" I.D.-1 11/16" O.D.	1	◆C3DZ 3356-D
66/68	X	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
69/70	X	Upper-serviced in 3350 assy. due to swaged bracket end		3356
67/70	X(M/S)	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3356-A
	X(P/S)	Lower-19/32" I.D.-1 1/4" O.D.	1	▲C7OZ 3358-A
3A360 ARM ASSY. - FRONT AXLE RADIUS				
66/	U		2	C6TZ 3A360-A
	U	Bolt (to cap)-9/16"-12 x 2 3/8"	2	371602-S7-8 (BB200)

▲ Also supplied in 3350 arm & bracket assy.

◆ Also supplied in 3352 kit

● Also supplied in 3304 assy.

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3375-6 ADAPTOR - FRONT SUSPENSION LOWER ARM				
65/66	F	R. H. -not replaced	1	★C5ZZ 3375-A
		L. H. -not replaced	1	★C5ZZ 3376-A
67/69	F	R. H.	1	C7ZZ 3375-A
		L. H.	1	C7ZZ 3376-A
70	F	R. H.	1	D0ZZ 3375-A
		L. H.	1	C7ZZ 3376-A
71/	F	R.H.	1	D1ZZ 3375-A
		L.H.	1	D1ZZ 3376-A
3382-3 BRACKET - FRONT SUSPENSION BUMPER				
66/71	B	R. H.	1	C6OZ 3382-A
		L. H.	1	C6OZ 3383-A
67/70	F (except Boss 429)	R. H.	1	C7ZZ 3382-A
		L. H.	1	C7ZZ 3383-A
69/70	F (Boss 429)	R. H.	1	C9ZZ 3382-A
		L. H.	1	C9ZZ 3383-A
71	F	R. H.	1	D1ZZ 3382-C
		L. H.	1	D1ZZ 3383-B
72	F	R. H.	1	D1ZZ 3382-C
		L. H.	1	D1ZZ 3383-C
70/	P	R. H.	1	C6OZ 3382-A
		L. H.	1	C6OZ 3383-A
65/67	S	Not replaced (12/74)	2	★C1SS 3382-D
66/70	X	R. H.	1	C6OZ 3382-A
		L. H.	1	C6OZ 3383-A
65/66	F	Screw (bracket attaching)-5/16"-24 x 1 1/8"	AR	353483-S2(BB588)
		Nut-5/16"-24	1	354299-S(MM156)
		Locknut-5/16" - 24		34393-S7(M98)
65/67	S	Bolt (bracket to underbody)-5/16"-18 x 1"	8	20386-S8(B53)
		Lockwasher-5/16"		34906-S8(X98)
67	F	Screw(to apron & side member)-5/16"-18 x 3/4"	6	359662-S7-8 (BB575A)
		Locknut-5/16"-18		34392-S7(M93)
66/71	B, X	Bolt & lockwasher assy. -5/16"-18 x 7/8"	6	57140-S(B340H)
68/	F	(bracket to body)		
		Nut-5/16"-18	6	33770-S(M89K)
3388 SEAT and BUSHING ASSY. - FRONT SUSPENSION UPPER ARM SPRING				
65/71	B, X		2	C7OZ 3388-B
65/66	F		2	
67/	F(exc. Boss 429, GT350/500)		2	
70/72	P	"Before 3/1/72"	2	
67	F(GT350/500)	Not replaced	2	★Z7WD 3388-A
69/70	F-Boss 429		2	C9ZZ 3388-A
72	P	"From 3/1/72"	2	D2DZ 3388-A
65/70	X	Locknut (seat to arm)-3/8"-24	4	34370-S8(M99)
65/	F		4	
65/70	X	Plug (seat)-1/4"-28	2	374714-S7-8 (PP35A)
67/71	B, X	"From 11/14/66"	4	381792-S2
67/	F, P		4	(BB429AA)
68	B, X	Nut-3/8"-16	4	382535-S100 (MM173MX)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3399 REINFORCEMENT - FRONT SUSPENSION LOWER ARM				
65/66	S		2	C5SZ 3399-A
3416 BRACKET - FRONT SUSPENSION LOWER ARM STRUT MOUNTING BOLT				
65	B		2	C2OZ 3416-A
65/66	S		2	C4SZ 3416-A
65	B	Bolt (bracket to body)-7/16"-14 x 1 1/4"	8	20430-S8(B104)
		Lockwasher-7/16"		34808-S8(X67)
3468 STRUT - FRONT SUSPENSION LOWER ARM - Also refer to Group 3A187				
65/69	A		2	C5AZ 3468-A
70/71	A	"Before 7/1/71" 27 1/2" overall length	2	D0AZ 3468-A
71/	A	"From 7/1/71" 28" overall length	2	D2AZ 3468-B
65	B		2	C2OZ 3468-A
65	B(8 cyl. 289-Special-4/B carb.)		2	C2OZ 3468-B
66/67	B		2	C6OZ 3468-A
67	F		2	
68/69	B, F(exc. Boss)	R. H.	1	C8OZ 3468-A
		L. H.	1	C9ZZ 3468-D
72	B	27 1/4 overall length	2	D2AZ 3468-A
65/66	F (6 & 8 cyl.)		2	C5ZZ 3468-B
69	F(Boss)	R. H.	1	C9ZZ 3468-C
70/71	B		1	
70/	F	L. H.	1	C9ZZ 3468-D
71/	L		2	D1FZ 3468-A
70	P	R. H.	1	C8OZ 3468-A
		L. H.	1	C8OZ 3468-B
71/	P	R. H.	1	C9ZZ 3468-C
		L. H.	1	C9ZZ 3468-D
65/66	S			C2SZ 3468-A
67/69	S		2	C5AZ 3468-A
70/71	S		2	D0AZ 3468-A
72	S	27 1/4" overall length	2	D2AZ 3468-A
65	X (6 & 8 cyl.)		2	C5ZZ 3468-B
66/67	X		2	C6OZ 3468-A
68/69	X	R. H.	1	C8OZ 3468-A
		L. H.	1	C9ZZ 3468-D
70	X	R. H.	1	C9ZZ 3468-C
		L. H.	1	C9ZZ 3468-D
65/68	A	Bolt (strut to arm)-1/2"-20 x 1 5/8"-serrated	4	376250-S7-8
65	B		4	(BB390V)
67/68	S		4	
69/	A, S	Bolt-1/2"-20 x 1 5/8" (strut to arm)	4	382403-S(BB243G)
		Nut-1/2"-20		33882-S8(M24)
		Lockwasher-1/2"		34809-S8(X68)
65/	A	Nut-5/8"-18 (strut to frame)	2	381612-S36
				(MM61A)
65/	A	Nut-castle(to No. 1 cross member)-5/8"-18	2	34034-S18(M12)
67/	S	Nut-castle(to frame)	2	
65	B	Nut-9/16"-18 (strut to 3416 bracket)	1	34033-S(M11)
68/	B, F, X	(Strut to 16054-5)	1	
		Cotter pin	1	72035-S(N51)
66	B, X	Nut-11/16"-18 (strut to underbody)	2	380517-S100
				(MM40D)
68	B, F, X	Nut (strut to arm)-1/2" -20	4	382857-S100
				(MM169P)


YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3468 STRUT - FRONT SUSPENSION LOWER ARM - continued - Also refer to Group 3A187				
66/67	B, F, X	Locknut-7/16"-20		34447-S(M83)
65/66	S	Bolt (to arm)-5/8"-11 x 2 1/8"-square head	4	379986-S2(BB842A)
		Nut-5/8"-11		356085-S8(MM14)
		Lockwasher-5/8"		34811-S2(X71)
		Locknut-5/8"-18		371171-S(MM161)
65	X (6 cyl.)	Bolt (strut to arm)-7/16"-20 x 1 1/2"	4	352621-S(BB234)
65	X	Locknut(strut to underbody)-11/16"-18	4	376680-S7-8 (MM179F)
65/	X	Locknut (strut to bracket)-9/16"-18	2	34426-S7(M86)
65	B		2	
65/66	F(6 & 8 cyl.)	Locknut (to underbody)	2	
66/67	B, X	Bolt(to arm)-7/16"-20 x 1 1/4"-serrated	4	380571-S2
67	F		4	(BB390AE)
66/	B, X	Locknut(to underbody)-11/16"-18	2	380460-S7-8
67/	F		2	(MM179J)
66/	B, X	Nut(to underbody)-11/16"-18-serrated	2	380517-S2(MM40D)
67/	F		2	
3486-7 BRACKET ASSY. - FRONT SUSPENSION LOWER ARM STRUT MOUNTING				
66/67	B, X	R. H.	1	C6OZ 3486-C
		L. H.	1	C6OZ 3487-C
68/69	B, X	R. H.	1	C8OZ 3486-A
		L. H.	1	C8OZ 3487-A
65/66	F	R. H.	1	C5ZZ 3486-A
		L. H.	1	C5ZZ 3487-A
67/70	F	R. H.	1	C8ZZ 3486-A
		L. H.	1	C8ZZ 3487-A
3491 COVER - STEERING WHEEL HUB - LOWER				
66	B	With simulated wood grain wheel-not replaced	1	★C6OZ 3491-A
66	A(8 cyl. 428-4/B)-7 litre	(12/74)	1	
67	B, F	With wood grain wheel & P/S	1	C7OZ 3491-A
65/67	F(63B, 65B, 76B)		1	C5ZZ 3491-A
3494 TUBE ASSY. - POWER STEERING PRESSURE LINE TO VALVE - Refer to Group 3A719				
3499 RETAINER - STEERING COLUMN TUBE				
67	F, S(tilt column)		3	C7SZ 3499-A
68/	A, F, S(tilt column)		3	C8SZ 3499-A
71/	L		3	D1FZ 3499-A
72	B		3	

SECTION 35

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A500	GEAR & FLANGE ASSY. - POWER STEERING -Serviced by details (3504 & 3A525)		

STEERING GEAR IDENTIFICATION TAG

To facilitate the identification of Ford-designed steering gear parts for 1965 and subsequent model years, a metal identification tag is attached to the steering gear housing as shown in the illustration below.



YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3504	GEAR ASSY. - STEERING		
		- A -		
65/68	A(P/S)	#HCE-B, SPA-H, N-Saginaw built	1	C9AZ 3504-B
	A(P/S)	#HCE-C, D, SPA-A, A1, B-Ford built	1	C8AZ 3504-A
	A(M/S)	#HCD-A, A1, SMA-D-Ford built	1	C5AZ 3504-B
69	A(P/S)	#HCE-B, SPA-H, N-Saginaw built	1	C9AZ 3504-B
69/70	A(M/S)	#SMA-D1-Ford built	1	C9AZ 3504-C
	A(P/S)	#SPA-A1, A2, A3-Ford built	1	C9AZ 3504-A
71	A(M/S)	#SMA-D	1	C5AZ 3504-B
		#SMA-D1	1	C9AZ 3504-C
71/	A(M/S)	#SMA-T	1	D1AZ 3504-A
70/ 72	A(P/S)	"Before 2/1/72" #SPA-E3, E4-Ford built	1	C9SZ 3504-A
72	A(P/S)	"From 2/1/72" #SPA-E4, AA	1	D3AZ 3504-A
		- B -		
65	B(M/S)	#HCA-BU-39 1/2" long input shaft	1	C4OZ 3504-A
66/67	B(M/S)	#HCA-CA, SMA-C-39 1/2" long input shaft	1	C6DZ 3504-B
66/67	B(P/S)	#HCA-BY, CD, SMA-A-39 1/2" long input shaft	1	C6DZ 3504-A
65/71	B(P/S)	#HCA-BV, BZ, CE, SMA-B-7 3/16" long input shaft	1	C5OZ 3504-B
68/71	B(M/S)	#SMA-F-7 3/16" long input shaft	1	C7OZ 3504-A
72	B(M/S)	#SMA-T	1	D1AZ 3504-A
	B(P/S)	"Before 3/15/72" #SPA-Y	1	D2OZ 3504-A
	B(P/S)	"From 3/15/72" #SPA-E4, AA	1	D3AZ 3504-A
		- F -		
65/66	F(P/S)	#HCC-AX, SMB-B-41 7/8" long input shaft, 1" dia. sector shaft and 16:1 ratio	1	C5ZZ 3504-C
65/67	F(M/S)	#HCC-AT, SMB-A-41 7/8" long input shaft, 1" dia. sector shaft, and 19:1 ratio	1	C5ZZ 3504-A
		#HCC-AW, SMB-B-41 7/8" long input shaft, 1" dia. sector shaft and 16:1 ratio	1	C5ZZ 3504-C
67	F(M/S)	#SMB-H-41 7/8" long input shaft, 1 1/8" dia. sector shaft and 19:1 ratio	1	C7ZZ 3504-G
		#SMB-C-6 3/16" long input shaft, 1" dia. sector shaft and 19:1 ratio - R/B C7ZZ 3504-A and C7ZZ 3590-B	1	★ C7ZZ 3504-D

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3504 GEAR ASSY. - STEERING - continued				
- F -				
67	F(P/S)	#SMB-J-41 7/8" long input shaft, 1 1/8" dia. sector shaft and 16:1 ratio	1	C7ZZ 3504-E
		#SMB-E-6 3/16" long input shaft, 1" dia. sector shaft and 16:1 ratio	1	C7ZZ 3504-B
67/70	F(M/S)	#SMB-D-6 3/16" long input shaft, 1 1/8" dia. sector shaft and 19:1 ratio	1	C7ZZ 3504-A
		#SMB-F-6 3/16" long input shaft, 1 1/8" dia. sector shaft and 16:1 ratio	1	C7ZZ 3504-F
	F(P/S)	#SMB-K-6 3/16" long input shaft, 1 1/8" dia. sector shaft and 16:1 ratio	1	C7ZZ 3504-F
71/	F(M/S)	#SMA-R,T	1	D1AZ 3504-A
	F(P/S)	Constant ratio-Saginaw type-#SPA-S,U	1	D1ZZ 3504-B
		Variable ratio-Saginaw type-#SPA-T,V	1	D1ZZ 3504-C
- L -				
71/72	L(M/S)	Kit-consists of (1) D22R 3504-BB gear assy.-ident. as SMC-E, incl. (1) D1ZA 3F546-AB shims & (2) 384587-S100 nut	1	D2FZ 3504-B
- P -				
70/	P(M/S)	#SMA-F, F1-7 3/16" long input shaft	1	C7OZ 3504-A
	P(P/S)	#SMA-B,B1-7 3/16" long input shaft	1	C5OZ 3504-B
- S -				
65/66	S(P/S)	#HCF-B,#SPA-C	1	C8VY 3504-A
67/68	S(P/S)	#SPA-E,F	1	C8SZ 3504-A
69/72	S(P/S)	"Before 2/1/72" #SPA-E1, E2, E3, E4	1	C9SZ 3504-A
72	S(P/S)	"From 2/1/72" #SPA-E4, AA	1	D3AZ 3504-A
- U -				
66/	U(M/S)	#C7TA 3504-U or #24JC05	1	C7TZ 3504-L
72	U(P/S)	"From Ser.P40,001" #SPA-Z	1	D3TZ 3504-A
- X -				
65	X-6 cyl.(M/S)	#HCC-AM,AM1-39" long input shaft & 1" dia. sector shaft	1	C4DZ 3504-A
	X-8 cyl.(M/S)	#HCC-AP,AP1-39" long input shaft & 1 1/8" dia. sector shaft-not replaced	1	*C4DZ 3504-B
	X(P/S)	#HCC-AZ,BB-40" long input shaft & 1" dia. sector shaft-not replaced	1	*C5DZ 3504-A
66/67	X(M/S)	#HCA-CA,#SMA-C-39 1/2" long input shaft & 1 1/8" dia. sector shaft	1	C6DZ 3504-B
	X(P/S)	#HCC-BY,CD,SMA-A-39 1/2" long input shaft & 1 1/8" dia. sector shaft	1	C6DZ 3504-A
68/70	X(M/S)	#SMA-F-7 3/16" long input shaft & 1 1/8" dia. sector shaft	1	C7OZ 3504-A
	X(P/S)	#SMA-B,B1-7 3/16" long input shaft & 1 1/8" dia. sector shaft	1	C5OZ 3504-B
68/	A,S	Washer-flat-7/16"	3	382580-S100 (XX173B)
65/	B, F, X	Bolt (housing to underbody)-7/16"-14 x 3 1/4"	3	C1AE 6A527-C
65/	X, S	Washer-flat-39/64"	3	359820-S8(XX203)
66/	A			
65	B	Bolt (housing to underbody)-7/16"-14 x 3 3/4"	3	351988-S8(BB187)
65/	S	Bolt (to underbody)	1	
65/66	S	Bolt (to underbody)-7/16"-14 x 4 5/8"	2	351989-S8(BB188)
65/	B	Washer-flat-7/16"	3	351428-S7(XX166)
65/	A	Bolt (to frame)-7/16"-14 x 4 1/32"	3	379905-S(BB187C)
65/	A, B, S, X	Lockwasher-7/16"		34808-S8(X67)
66/	A, S, X	Bolt (frame or underbody)-7/16"-14 x 4 3/16"	3	383497-S(BB187E)
71/	F	Bolt-7/16"-14 x 3 5/8" (gear assy. to body)	3	376355-S(BB186)
71/	L	Bolt-7/16"-14 x 1 3/8" (gear 3504 & bracket 3E552 & insulator 5484 to frame)	4	384588-S100 (BB390NK)

Identification Marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3D505 COVER - STEERING COLUMN POSITION CONTROL				
68/69	A, F (tilt wheel)	Upper	1	C8MY 3D505-A
68/69	S (tilt wheel)	Upper - w/speed control	1	
68/69	A, F, S (tilt wheel)	Lower	1	C8SZ 3D505-B
70/71	A, F (tilt wheel)	Upper	1	D1AZ 3D505-A
70	S (tilt wheel)		1	
72	A, F, S (tilt wheel)		1	
67	F (tilt column)	"Before 2/15/67" Upper - not replaced	1	★C7ZZ 3D505-A
	F (tilt column)	"From 2/15/67" Upper - not replaced	1	★C7ZZ 3D505-B
67	F, S (tilt column)	Lower	1	C7SZ 3D505-B
67	S (tilt wheel)	Upper	1	C8SZ 3D505-A
68/69	S (tilt wheel)	Upper - w/o speed control	1	C8SZ 3D505-A
71	S (tilt wheel)	#DISA 3D505-AWA, lower	1	D1SZ 3D505-A
68	A, F, S	Screw (cover to cover) - No. 6-20 x 1/4"	2	50386-S(U119)
3K505 ADAPTER - POWER STEERING PUMP MOUNTING				
69	A, B, F (8 cyl. 351) - except A/C		(a) 1	C9OZ 3K505-A
69	F (Boss 302)		(a) 1	C9ZZ 3K505-A
		(a) Nut-3/8"-16 locking (adapter to cylinder head)	2	382535-S100 (MM173MX)
		(a) Stud-3/8"-16 x 2" (adapter to cyl. head)	2	377278-S(WW6E)
		(a) Bolt & washer-3/8"-16 x 1 1/8" (adapter to cyl. hd.)	2	373162-S(BB563A)
3506 CLAMP - STEERING COLUMN				
65/68	A (fixed column)	Lower	1	C5AZ 3506-B
65/68	A (P/I & Taxicab) - S/T & O/D		1	
67/68	A	Marked C7AA 3A543-BW - die cast	1	C7AZ 3506-A
68	A	Upper	1	C8AZ 3506-A
69	A	Upper	1	C9AZ 3506-C
69/	A	Opening cover-upper	1	C9AZ 3506-B
65/67	B		1	C2OZ 3506-B
68	B	"Before 3/1/68" Upper	1	C8OZ 3506-A
68/69	B	"From 3/1/68" Upper	1	C8OZ 3506-B
68	F		1	C7ZZ 3506-B
69	F	Upper	1	C9ZZ 3506-A
69/	F	Bracket	1	C9ZZ 3506-B
70/	P	Upper-3 1/4" x 1 5/8" stud pattern	1	D0DZ 3506-A
68/69	S		1	C8SZ 3506-A
65/67	S (63A, C, 76A)		1	C5SZ 3506-A
65	S (63B)	"Before 2/10/65"	1	C5SZ 3506-B
65/67	S (63B)	"From 2/10/65"	1	C5SZ 3506-C
66	S (63D)		1	
68	X	"Before 3/1/68" Upper	1	C8OZ 3506-A
68/69	X	"From 3/1/68" Upper	1	C8OZ 3506-B
67	A	Screw (to support) - 1/4"-20 x 1 1/4"-12 point	4	381666-S2 (BB815AC)
65/69	B	Stud (clamp to brkt.) - 5/16"-18 & 5/16"-24 x 3 3/4"	2	354527-S(WW15)
68	F	Nut & washer - 5/16"-18	2	34661-S(M107F)
68	S	Locknut - 5/16"-18	4	379930-S2 (MM173M)
3E506 CLIP - P/S HOSE RETAINING - Improvise				
3507 CLAMP ASSY. - STEERING COLUMN				
70/71	B	Lower	1	D0OZ 3507-C
		Upper	1	D0OZ 3507-D
72	B, S	Steering column fire wall opening cover ring	1	D2OZ 3507-A
71/72	L	"Before 1/11/72" Steering column shaft boot	2	D1FZ 3507-A
70/	P	Lower	1	D0DZ 3507-A
		Upper	1	D0DZ 3507-B

Identification marking

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3D507 RETAINER - POWER STEERING CYLINDER STUD SEAL				
65/70	F, X	1 15/16" I.D.	1	C3DZ 3D507-A
65/70	B		1	
3509 TUBE ASSY. - STEERING COLUMN - PRIME - Also refer to Group 3514				
65	F	Includes flange	1	C5ZZ 3509-B
3510 RETAINER - STEERING COLUMN LOWER BEARING SEAL				
66/	U	Includes washer	1	D0TZ 3510-A
3C510 BRACKET - POWER STEERING HOSE				
70	A	Pressure hose index bracket	1	D0AZ 3C510-A
71/	A		1	D1AZ 3C510-A
66	B, X (6 cyl. & 8 cyl. 289)	Not replaced	1	★C6OZ 3C510-D
66/69	B(8 cyl. 390)	Lower	1	C6OZ 3C510-F
69	B, X(8 cyl. 302, 351)		1	C9OZ 3C510-A
67/68	B, X(6 cyl. & 8 cyl. 289, 302)		1	C7OZ 3C510-A
69	B, X(6 cyl.)		1	
70/71	B, X(8 cyl. 302, 351)	Pressure hose index bracket	1	D0OZ 3C510-B
70	X(8 cyl.)		1	
70/71	B(8 cyl. 429)	Pressure hose index bracket	1	D0OZ 3C510-C
72	B(8 cyl.)		1	D1AZ 3C510-A
67	F(6 cyl. & 8 cyl. 289)		1	C7ZZ 3C510-B
67/68	F(8 cyl. 390)	Bracket for hose insulator	1	C7ZZ 3C510-C
69/70	F(8 cyl.)		1	
68	F(6 cyl. & 8 cyl. 289, 302)	Bracket for hose insulator	1	C8ZZ 3C510-A
69/70	F(6 cyl.)		1	
71/	F(8 cyl.)		1	D1ZZ 3C510-A
70/	P(6 cyl.)	Improvise	1	★D0DA 3C510-B
71/	P(8 cyl. 302)	Bracket for hose insulator	1	D0DZ 3C510-A
70	S		1	D0AZ 3C510-A
71	S		1	D1AZ 3C510-A
72	S(8 cyl. 400, 429 w/o-A/C)		1	
70/	A, B, S, X(8 cyl.)	Nut-5/8" -18 (bracket to pump)	1	378720-S (MM-123-B)
68	B, F, X(8 cyl. 390)	Screw (bracket to stop)-5/16"-18 x 5/8"	2	378459-S(UU52K)
3511 FLANGE - STEERING COLUMN TUBE				
- A -				
65/66	A(column shift-M/T exc. P/C & Taxi)		1	C5AZ 3511-A
	A(all floor shift)		1	
	A(column shift-A/T)		1	C5AZ 3511-B
67	A(column shift-M/T & all floor shift)		1	C7AZ 3511-A
	A(column shift-A/T)		1	C7AZ 3511-C
68	A(fixed wheel-column shift A/T)	#C8AA 3508-AW, C9OW 3508-AW	1	●C9OZ 3511-A
		#D0DA 3508-AW	1	▲D0DZ 3511-A
	A(fixed wheel-all exc. column shift A/T)	#C8AA 3511-DW	1	●C8AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	A(tilt wheel)	#C8MA 3511-A	1	C8MY 3511-A
69	A(fixed wheel)	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	A(tilt wheel)	#C8MA 3511-A	1	C8MY 3511-A
70/71	A(fixed wheel)	#D0AA 3511-GW	1	D0AZ 3511-C
	A(tilt wheel)	#D0AA 3511-DW, -FW, -HW	1	D1AZ 3511-A
72	A(tilt wheel)	#D1AA 3511-AW	1	D1AZ 3511-A
	A(fixed wheel)	#D0AA 3511-GW	1	D0AZ 3511-C

- Use for original production replacement (.060" tube (3514) wall thickness) # Identification marking
 ▲ Use only when 3514 tube assembly has been previously replaced (.072" tube (3514) wall thickness)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3511 FLANGE - STEERING COLUMN TUBE - continued				
- B -				
65	B(A/T)		1	C5OZ 3511-B
	B(M/T)		1	C5OZ 3511-A
66	B(M/T)		1	C5AZ 3511-A
	B(A/T)		1	C5AZ 3511-B
67	B(column shift-M/T)	#C7OA 3511-AW	1	C7OZ 3511-A
	B(floor shift)		1	
	B(column shift-A/T with P/S)	#C7OA 3511-DW,-EW (not replaced)	1	★
	B(column shift-A/T with M/S)	#C7OA 3511-CW-not replaced (12/74)	1	★C7OZ 3511-C
68	B(column shift-A/T)	#C8AA 3508-AW,#C9OA 3508-AW	1	●C9OZ 3511-A
	B(column shift-A/T)	#D0DA 3508-AW	1	▲D0DZ 3511-A
	B(all except column shift-A/T)	#C8AA 3511-DW	1	●C8AZ 3511-B
	B(all except column shift-A/T)	#D0DA 3511-BW	1	▲D0DZ 3511-B
69	B(column shift-A/T)	#C9OA 3508-AW	1	●C9OZ 3511-A
		#D0DA 3508-AW	1	▲D0DZ 3511-A
	B(all except column shift-A/T)	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
70/71	B(all except column shift-A/T)	#D0AA 3511-GW	1	D0AZ 3511-C
	B(column shift-A/T)	#D0OA 3508-AW,-BW,-CW	1	D3OZ 3511-A
72	B(column shift-M/T)		1	D2AZ 3511-A
	B(column shift A/T)		1	D3OZ 3511-A
	B(floor shift)		1	D0AZ 3511-C
- F -				
65/66	F		1	C5DZ 3511-A
67	F(tilt wheel)		1	C7SZ 3511-A
	F(fixed wheel)		1	C7OZ 3511-A
68	F(fixed wheel)	#C8AA 3511-DW	1	●C8AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	F(tilt wheel)	#C8MA 3511-A	1	C8MY 3511-A
69	F(fixed wheel)	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	F(tilt wheel)	#C8MA 3511-A	1	C8MY 3511-A
70	F(except GT350/500)-fixed wheel	#D0AA 3511-GW	1	D0AZ 3511-C
	F(GT350/500)-fixed wheel	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	F(except GT350/500)-tilt wheel	#D0AA 3511-DW,-EW,-HW	1	D0AZ 3511-D
	F(GT350/500)-tilt wheel	#C8MA 3511-A	1	C8MY 3511-A
71	F(fixed wheel)	#D0AA 3511-GW	1	D0AZ 3511-C
	F(tilt wheel)	#D0AA 3511-DW,-EW,-HW	1	D1AZ 3511-A
72	F(tilt wheel)	#D1AA 3511-AWA	1	D1AZ 3511-A
	F(fixed wheel)	#D0AA 3511-GW	1	D0AZ 3511-C
- L -				
71/	L		1	D0AZ 3511-C
- P -				
70	P(non-locking column-A/T)	#C9OA 3508-AW	1	●C9OZ 3511-A
		#D0DA 3508-AW	1	▲D0DZ 3511-A
	P(non-locking column-M/T)	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
70/	P(locking column-column shift-A/T)- "Before 3/18/70"	#D0OA 3508-AW,-BW	1	D0OZ 3511-A
	P(locking column-column shift-A/T)- "From 3/18/70"	#D0OA 3508-CW,D3OW 3511-AWC	1	D3OZ 3511-A
	P(locking column-all exc. column shift-A/T)	#D0AA 3511-GW	1	D0AZ 3511-C

● Use for original production replacement (.060" tube (3514) wall thickness)

Identification marking

▲ Use only when 3514 tube assembly has been previously replaced (.072" tube (3514) wall thickness)

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3511 FLANGE - STEERING COLUMN TUBE - continued				
- S -				
65	S	Not replaced (12/74)	1	★C5SZ 3511-A
66	S(exc. deluxe steering column & wheel)		1	C5SZ 3511-A
	S(Deluxe steering column & wheel)	Not replaced	1	★C6SZ 3511-A
67	S		1	C7SZ 3511-A
68/69	S(fixed wheel)	#C8AA 3508-AW, #C9OA 3508-AW	1	●C9OZ 3511-A
	S(fixed wheel)	#D0DA 3508-AW	1	▲D0DZ 3511-A
	S(tilt wheel)	#C8MA 3511-A	1	C8MY 3511-A
70	S(fixed wheel) "Before 3/18/70"	#D0OA 3511-B	1	D0OZ 3511-A
70/71	S(fixed wheel) "From 3/18/70"	#D0OZ 3508-CW	1	D3OZ 3511-A
	S(tilt wheel)	#D0AA 3511-DW, -EW, -HW	1	D1AZ 3511-A
72	S(fixed wheel)		1	D0AZ 3511-C
	S(tilt wheel)		1	D1AZ 3511-A
- U -				
66/	U		1	C5DZ 3511-A
- X -				
65	X(M/T)		1	C5DZ 3511-A
	X(A/T)		1	C5DZ 3511-B
66	X(M/T)		1	C5AZ 3511-A
	X(A/T)		1	C5AZ 3511-B
67	X(column shift-M/T & floor shift)	#C7OA 3511-AW	1	C7OZ 3511-A
	X(column shift-A/T with P/S)	#C7OA 3511-DW, -EW (not replaced)	1	★
	X(column shift-A/T with M/S)	#C7OA 3511-CW	1	C7OZ 3511-C
68/70	X(A/T)	#C8AA 3508-AW, C9OA 3508-AW	1	●C9OZ 3511-A
	X(A/T)	#D0DA 3508-AW	1	▲D0DZ 3511-A
68	X(M/T)	#C8AA 3511-DW	1	●C8AZ 3511-B
69/70	X(M/T)	#C9AA 3511-CW	1	●C9AZ 3511-B
68/70	X(M/T)	#D0DA 3511-BW	1	▲D0DZ 3511-B
65/	S	Washer-spring (flange to trans. control lever socket)-1"	1	370948-S(XX365)
68	A, B, F, S, X	Locknut (to tube)-1/4"-28	2	34391-S7-8(M97)
3C511 SUPPORT - POWER STEERING PUMP - Also refer to Group 3A732				
- A -				
65	A(8 cyl.289)	With Eaton pump & A/C-not replaced	1	★C5AZ 3C511-C
		With Eaton pump & w/o A/C	1	C5OZ 3C511-C
65/66	A(6 cyl.240)		1	C5AZ 3C511-B
67/69	A(8 cyl.289, 302, 351)	Front-support	1	C7AZ 3C511-A
67/71	A(8 cyl.390, 428)	Front-support	1	C7SZ 3C511-A
67	A(8 cyl.)	Rear-support	1	C7AZ 3C511-B
68	A(8 cyl.)	Rear-support	1	C8AZ 3C511-A
69	A(8 cyl. exc.429)	"Before 12/5/68" Rear-support-3/8" dia. pivot hole	1	C9AZ 3C511-B
		"From 12/5/68" Rear-support-7/16" dia. pivot hole	1	C9AZ 3C511-E
	A(8 cyl.429)	"Before 12/5/68" Rear-support-3/8" dia. pivot hole	1	C9AZ 3C511-A
		"From 12/5/68" Rear-support-7/16" dia. pivot hole	1	C9AZ 3C511-C
69	A(8 cyl.429)	Front-support-7/16" dia. pivot hole(replaces 3/8" dia.)	1	C9AZ 3C511-D
70	A(8 cyl.351)	Front-support	1	D0AZ 3C511-A
70/	A(8 cyl.302)	Front-support-#D1AA 3C511-CA	1	D0AZ 3C511-E
70/	A(8 cyl.429)	Top-support for 3A732	1	D0AZ 3C511-F
70/71	A(8 cyl. 390, 428)	Rear-support	1	D0AZ 3C511-D
71/	A(8 cyl.351, 400)	Top-support for 3A732-#D1AA 3C511-AA	1	D1AZ 3C511-A
- B -				
65	B(6 cyl.)	With Eaton pump-front support -not replaced	1	★C5OZ 3C511-B
	B(8 cyl.289)	With Eaton pump-front support	1	C5OZ 3C511-C
65/67	B(6 cyl.)	With Ford pump-support mounted on engine side	1	C5OZ 3C511-A
65/66	B(8 cyl.)	With Ford pump-part of 3A732 bracket		3C511
67	B(8 cyl.)	Rear-support	1	C7AZ 3C511-B
67/69	B(8 cyl.289, 302, 351)	Front-support	1	C7AZ 3C511-A
	B(8 cyl.390, 427, 428)	Front-support	1	C7SZ 3C511-A

● Use for original production replacement (.060" tube (3514) wall thickness)

Identification marking

▲ Use only when 3514 tube assembly has been previously replaced (.072" tube (3514) wall thickness)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3C511 SUPPORT - POWER STEERING PUMP - continued - Also refer to Group 3A732				
- B -				
68	B(6 cyl.200)	Front-support	1	C8OZ 3C511-A
		Rear upper-support for 3A732 bracket	1	C8OZ 3C511-B
		Rear-support & hose indexing bracket	1	C8OZ 3C511-D
68	B(8 cyl.289,302)	Rear-support	1	C8OZ 3C511-C
68/69	B(8 cyl.390,427,428)	Rear-support	1	C8OZ 3C511-B
69	B(8 cyl.302,351)	Rear-support	1	C9OZ 3C511-A
70/	B(8 cyl.429)	Top-support for 3A732 bracket	1	D0AZ 3C511-F
70/71	B(8 cyl.351)	"Before 11/23/70" Front-support-#D1OA 3C511-AA	1	D0ZZ 3C511-A
71	B(8 cyl.351)	"From 11/23/70" Front-support-#D1ZA 3C511-AB	1	D1ZZ 3C511-A
70/71	B(8 cyl.302)	"Before 11/23/70" Front-support-#D1AA 3C511-CA	1	D0AZ 3C511-E
71	B(8 cyl.302)	"From 11/23/70" Front-support-#D1ZA 3C511-AB	1	D1ZZ 3C511-A
72	B(8 cyl.302 w/o A/C)		1	
72	B(8 cyl.302 w/A/C)	Front support-#D1AA 3C511-AA	1	D1AZ 3C511-A
	B(8 cyl.351C)	Front-support-#D1OA 3C511-AA	1	D0ZZ 3C511-A
	B(8 cyl.351W,400)	Top-support	1	D1AZ 3C511-A
- F -				
65	F(6 cyl. 170)	With Eaton pump-front support for #HBA-BD	1	★C4DZ 3C511-A
	F(6 cyl. 200)	With Eaton pump-front support for #HBA-BD	1	★C5OZ 3C511-B
	F(8 cyl.)	Front-support	1	C5OZ 3C511-C
65/67	F(6 cyl. 200)	With Ford pump-support mounted on engine side for #HBA,HBA-BD,BF pump	1	C5OZ 3C511-A
67	F(8 cyl.)	Rear-support	1	C7AZ 3C511-B
67/69	F(8 cyl.289,302,351)	Front-support	1	C7AZ 3C511-A
67/70	F(8 cyl.390,428)		1	C7SZ 3C511-A
68	F(8 cyl.289,302)	Rear-upper support for 3A732 bracket	1	C8OZ 3C511-A
68/69	F(6 cyl.)	Rear-upper support to 3A732 bracket	1	C8OZ 3C511-D
68/70	F(6 cyl.)	Front-support	1	C8OZ 3C511-A
	F(6 cyl.)	Rear-pressure hose index & support bracket	1	C8OZ 3C511-B
	F(8 cyl.390,427,428)	Rear-support & hose index bracket	1	C8OZ 3C511-B
69	F(8 cyl.302,351)	Rear-support & hose index bracket	1	C9OZ 3C511-A
69/70	F(8 cyl. Boss 429)	Front-support	1	C9ZZ 3C511-A
70	F(6 cyl.)	Rear-upper support for 3A732 bracket	1	D0ZZ 3C511-B
	F(8 cyl.302 exc. Boss)		1	D0AZ 3C511-E
	F(8 cyl.351W)	Front-support	1	D0AZ 3C511-A
70/71	F(8 cyl. Boss 302)	#D1OA 3C511-AA	1	D0ZZ 3C511-A
	F(8 cyl.351C)	Front-support	1	D0ZZ 3C511-A
71	F(8 cyl.429)	Top-support	1	D0AZ 3C511-F
71	F(8 cyl.302 exc. Boss)	#D1ZA 3C511-AB	1	D1ZZ 3C511-A
72	F(8 cyl.302)		1	
72	F(8 cyl.351)	Top-support-#D1OA 3C511-AA	1	D0ZZ 3C511-A
- P -				
70/	P(6 cyl.170,200)	Front-support	1	C8OZ 3C511-A
		Rear-support & hose index bracket	1	D0ZZ 3C511-B
		Rear-upper support	1	D0DZ 3C511-B
71/	P(8 cyl.302)	Front-support-#D1ZA 3C511-AA,AB	1	D1ZZ 3C511-A
- S -				
65/66	S		1	C5SZ 3C511-B
67/68	S(8 cyl.390)	Front	1	C7SZ 3C511-A
67	S(8 cyl.)	Rear	1	C7AZ 3C511-B
68	S(8 cyl.390)	Rear-not replaced	1	★C8SZ 3C511-C
	S(8 cyl.429)	Rear-not replaced	1	★C8SZ 3C511-B
68/69	S(8 cyl.429)	Front-7/16" dia. pivot stud hole (replaces 3/8" dia.)	1	C9AZ 3C511-D
69	S(8 cyl.429)	"Before 12/5/68" Rear-3/8" dia. pivot stud hole	1	C9AZ 3C511-A
		"From 12/5/68" Rear-7/16" dia. pivot stud hole	1	C9AZ 3C511-C
70/71	S(8 cyl.429)	#D0AA 3C511-F	1	D0AZ 3C511-F
72	S(8 cyl. 429 w/o A/C)		1	
72	S(8 cyl. 429 w/ A/C)	Refer to Group 3A732		3C511
	S(8 cyl.400)	#D1AA 3C511-AA	1	D1AZ 3C511-A
# Identification marking				

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3C511 SUPPORT - POWER STEERING PUMP - continued - Also Refer to Group 3A732				
- U -				
72	U(8 cyl. 302)		1	D2TZ 3C511-A
- X -				
65	X(6 cyl.)	With Eaton pump-front support-not replaced	1	★C5OZ 3C511-B
	X(8 cyl.289)	Front-support	1	C5OZ 3C511-C
65/67	X(6 cyl.)	With Ford pump-support mounted on engine side	1	C5OZ 3C511-A
67	X(8 cyl.)	Rear	1	C7AZ 3C511-B
67/69	X(8 cyl.)	Front-support	1	C7AZ 3C511-A
68	X(8 cyl.)	Rear	1	C8OZ 3C511-C
68/70	X(6 cyl.200)	Front-support	1	C8OZ 3C511-A
	X(6 cyl.200)	Rear-upper support for 3A732 bracket	1	C8OZ 3C511-D
	X(6 cyl.200)	Rear-support & pressure hose index	1	C8OZ 3C511-B
69	X(8 cyl.)	Rear	1	C9OZ 3C511-A
70	X(8 cyl.)	Front-#D1AA 3C511-CA	1	D0AZ 3C511-E
65/	A(8 cyl.)	Bolt (support to water pump)-5/8"-18 x 1 1/8"	1	370851-S8(BB268)
65/	B(8 cyl.)	Bolt (support to cylinder head)-3/8"-16 x 1 1/4"	1	359266-S8(BB157)
		Washer-flat-3/8"	2	351385-S7(XX158)
		Lockwasher-3/8"	1	34807-S8(X66)
67/	A,B,F,S,X	Stud(to cyl.head)-3/8"-16 & 3/8"-16 x 7 3/8"	1	377060-S2(WW13W)
67	A(P/C)-8 cyl. 428	Bolt (to cyl. head)-3/8"-16 x 6 3/4"	1	381808-S2(BB171G)
68	S		1	
67/	A,B,F,S,X	Nut (to pump)-5/8"-18	1	378720-S2(MM123B)
68	B,F,X	Bolt (to engine)-5/16"-18 x 3/4"	2	20346-S(B50)
68/	A,S	Screw (to water pump)-3/8"-16 x 3/4"	1	370608-S(BB579)
68/	A,B,F,S,X	Bolt-3/8"-16 x 7/8"	2or3	371041-S(BB575B)
68	A,B,F,S,X	Nut-3/8"-16	1	382535-S (MM173MX)
68	S	Stud (to water pump)-3/8"-16 x 2"	1	377278-S(WW6E)
68	B,F,X(6 cyl.)	Stud(to engine block)-5/16"-18 x 1 5/8"	3	382392-S(WW4E)
68	B,F,X(6 cyl.),S	Washer(to cylinder head)-3/8"-flat	1	351415-S(XX128)
69	A,S(8 cyl. 429)	Stud (support to engine)-7/16"-14-14 x 7.62"	1	383216-S2(WW50K)
69/	A(429)	Stud (support to engine)-7/16"-14 x 2 5/8"	1	383723-S2 (WW6FD)
		Nut 7/16" -14	1	34988-S(M89D)
70/	A,S(8 cyl. 429)	Nut (support to 3A732 bracket)-3/8"-16	4	373403-S (MM173J)
70/	A(8 cyl. 302, 351)	Bolt (adj. support to bracket & engine)- 7/16"-14 x 6 3/8"	1	383722-S (BB518K)
		Screw (adj. support to bracket)-7/16"-14 x 3/4"	1	382092-S (BB563BE)
70/	F,X	Screw (support to engine)-5/16"-18 x 1.00" hex.washer head locking	AR	384072-S2 (BB575C)
72	U(8 cyl. 302)	Stud(support & brkt. to eng.)-3/8"-16 x 7 3/8"	1	★385018-S2
		Nut-3/8"-16	1	34987-S4(M89CF)
		Bolt (suppt.to water pump hsg.)-5/16"-18 x 1 3/4"	1	★304794-S2
		Bolt (suppt. to water pump hsg.)-5/16"-18 x 4"	1	45562-S8(E69)
		Lockwasher-5/16"	2	34806-S(X65)
3512 GROMMET - STEERING COLUMN TO DASH				
65	A		1	C4AZ 3512-A
65/67	X		1	B5S 3512-A
65/67	F		1	
3A512-3 PLUG - POWER STEERING CONTROL VALVE REACTION SPRING				
65/71	B	Spindle end	1	B9M 3A512-A
65/70	F,X		1	
70/	P	Cap end	1	B9M 3A513-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3513 SEAL - STEERING COLUMN OPENING WEATHER				
69/71	A	Refer to Body Group 01738		
68/69	B, X	"Before 3/3/69" Refer to Body Group 01738 for units from 3/3/69	1	C9OZ 3513-A
70/71	B		1	D0OZ 3513-A
69	F		1	C9ZZ 3513-A
71/	F(M/T)		1	D1ZZ 3513-A
70/	P	Refer to Body Group 01738	1	
68/69	S	Assembly includes 01738 seal-not replaced	1	★C8SZ 3513-B
70/71	S		1	D0SZ 3513-A
66/	U		1	C6TZ 3513-A
65/68	A	Bolt & retainer (to floor pan)-5/16"-18 x 7/8"	AR	379881-S2(BB643D)
65/71	B	Screw (attaching)-No. 14-10 x 1"-tapping	5	42154-S7-8(U256)
67	F(except 8 cyl.390)		4	
3514 TUBE ASSY. - STEERING COLUMN - PRIME				
- A -				
65/66	A(fixed wheel, column shift-M/T exc. P/C & Taxi)		1	C5AZ 3514-C
	A(all other types)	Not replaced	1	★
68	A(fixed wheel, column shift-A/T)	.060" thick tube wall	1	●C8AZ 3514-B
		.072" thick tube wall	1	▲C8AZ 3514-D
	A(fixed wheel, column shift-M/T)	.072" thick tube wall	1	▲C8AZ 3514-E
	A(fixed wheel, floor shift)	.060" thick tube wall	1	C8AZ 3514-A
	A(tilt wheel, column shift)		1	C8MY 3514-A
	A(tilt wheel, floor shift)		1	C8MY 3514-B
69	A(fixed wheel-column shift-A/T)	.072" thick tube wall	1	▲C9AZ 3514-G
	A(column shift-M/T)	.072" thick tube wall	1	▲C9AZ 3514-F
	A(fixed wheel-floor shift)	.070" thick tube wall	1	▲C9AZ 3514-H
	A(tilt wheel-column shift-A/T)		1	C9AZ 3514-D
	A(tilt wheel-floor shift)		1	C9AZ 3514-E
70/72	A(fixed wheel-all exc. column shift-M/T)	28 3/16" long	1	D0AZ 3514-A
	"Before 8/16/71"			
	A(column shift-M/T)	"Before 8/16/71" 28 5/16" long	1	D0AZ 3514-B
	A(tilt wheel)	"Before 8/16/71" 25 5/8" long	1	D0AZ 3514-C
72	A(fixed wheel-all exc. column shift-M/T)-		1	D1AZ 3514-A
	"From 8/16/71"			
	A(fixed wheel-column shift-M/T)		1	D1AZ 3514-B
	"From 8/16/71"			
	A(tilt wheel)	"From 8/16/71"	1	D1AZ 3514-C
- B -				
66	B(column shift-M/T)	30 7/16" long	1	C6OZ 3514-A
	B(all other types)	Not replaced	1	★
67	B(column shift-M/T)	30" long	1	C7OZ 3514-A
	B(all other types)	Not replaced	1	★
68	B(column shift-A/T)	.060" thick tube wall-26 1/2" long	1	●C8AZ 3514-B
		.072" thick tube wall-26 1/2" long	1	▲C8AZ 3514-D
	B(column shift-M/T)	.072" thick tube wall-26 5/8" long	1	▲C8AZ 3514-E
	B(floor shift)	.060" thick tube wall-26 5/8" long	1	C8AZ 3514-A
69	B(column shift-A/T)	.060" thick tube wall-26 5/8" long	1	●C9OZ 3514-A
		.072" thick tube wall-26 5/8" long	1	▲C9OZ 3514-D
	B(column shift-M/T)	.060" thick tube wall-26 1/2" long	1	●C9OZ 3514-C
		.072" thick tube wall-26 1/2" long	1	▲C9OZ 3514-E
	B(floor shift)	.060" thick tube wall-26 5/8" long	1	C9OZ 3514-B
70/71	B(all exc. column shift-M/T)	27" long	1	D0OZ 3514-A
	B(column shift-M/T)	27 1/4" long	1	D0OZ 3514-B
72	B (column shift-A/T)	Includes collar-16 15/16" long	1	D2OZ 3514-B
	B(column shift-M/T)	Includes collar-16 15/16" long	1	D2OZ 3514-A
	B(floor shift)		1	D2OZ 3514-C

● For original production replacement

▲ Used as service only tube assembly. Includes (1) 3511 flange, (2) 3641 bolts and (2) retaining nuts.

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 35

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3514 TUBE ASSY. - STEERING COLUMN - PRIME - continued				
- F -				
69	F(fixed wheel)	.072" thick tube wall-28 3/16" long	1	▲C9ZZ 3514-C
	F(tilt wheel)		1	C9ZZ 3514-B
70	F(GT350/500)-fixed wheel		1	▲C9ZZ 3514-C
	F(GT350/500)-tilt wheel		1	C9ZZ 3514-B
	F(exc. GT350/500)-fixed wheel-		1	D0ZZ 3514-C
	F(exc. GT350/500)-tilt wheel -	25 1/4" long	1	D0ZZ 3514-B
	"Before 3/2/70"			
	F(exc. GT350/500)-tilt wheel-		1	D0ZZ 3514-D
	"From 3/2/70"			
71	F(fixed wheel)	"Before 6/25/71"	1	D1ZZ 3514-A
	F(tilt wheel)	"Before 6/25/71"	1	D1ZZ 3514-B
71/72	F(fixed wheel)	"From 6/25/71 to 8/16/71"	1	D1ZZ 3514-C
	F(tilt wheel)	"From 6/25/71 to 8/16/71"	1	D1ZZ 3514-D
72	F(fixed wheel)	"From 8/16/71"	1	D1ZZ 3514-E
	F(tilt wheel)	"From 8/16/71"	1	D1ZZ 3514-F
- L -				
71	L		1	D1FZ 3514-A
72	L		1	D2FZ 3514-A
- P -				
70	P(with A/T-non locking wheel)	.060" thick tube wall	1	●D0DZ 3514-A
		.072" thick tube wall	1	▲D0DZ 3514-E
	P(with M/T-non locking wheel)	.060" thick tube wall-r/b D0DZ 3514-F	1	★●D0DZ 3514-B
		.072" thick tube wall	1	▲D0DZ 3514-F
70/72	P(M/T column shift-locking wheel)-	24 15/16" long	1	D0DZ 3514-D
	"Before 8/16/71"			
	P(A/T all, M/T floor shift-locking wheel)-	25 3/16" long	1	D0DZ 3514-C
	"Before 8/16/71"			
72	P(A/T all, M/T floor shift) "From 8/16/71"		1	D1DZ 3514-A
	P(M/T column shift) "From 8/16/71"		1	D1DZ 3514-B
- S -				
68	S(fixed wheel)	.060" thick tube wall-27 13/16" long	1	C8SZ 3514-B
	S(tilt wheel)	24 5/16" long	1	C8SZ 3514-A
69	S(fixed wheel)	.060" thick tube wall-27 13/16" long	1	C9SZ 3514-A
	S(tilt wheel)	24 5/16" long	1	C9SZ 3514-B
70/71	S(fixed wheel)	27 15/16" long	1	D0SZ 3514-A
	S(tilt wheel)	25 1/4" long	1	D0SZ 3514-B
72	S(fixed wheel)	Includes collar-16 15/16" long	1	D20Z 3514-B
	S(tilt wheel)	Includes collar-14 1/2" long	1	D2SZ 3514-A
- U -				
66/	U(M/S)		1	C6TZ 3514-B
72	U(P/S)	"From Ser.P40,001"	1	D3TZ 3514-B
- X -				
66	X(column shift-M/T)	30 7/16" long	1	C6OZ 3514-A
	X(column shift-A/T with M/S)	30" long	1	C6OZ 3514-C
	X(column shift-A/T with P/S)	26 15/16" long	1	C6OZ 3514-D
	X(floor shift with M/S)	30 7/16" long	1	C6OZ 3514-E
67	X(column shift-M/T)	30" long	1	C7OZ 3514-A
	X(all other types)	Not replaced	1	★
68	X(column shift-A/T)	.060" thick tube wall-26 1/2" long	1	●C8AZ 3514-B
		.072" thick tube wall-26 1/2" long	1	▲C8AZ 3514-D
	X(column shift-M/T)	.072" thick tube wall-26 5/8" long	1	▲C8AZ 3514-E
	X(floor shift)	.060" thick tube wall-26 5/8" long	1	C8AZ 3514-A
69	X(column shift-A/T)	.060" thick tube wall-26 5/8" long	1	★●C9OZ 3514-A
		.072" thick tube wall-26 5/8" long	1	▲C9OZ 3514-D
	X(column shift-M/T)	.060" thick tube wall-26 1/8" long	1	●C9OZ 3514-C
		.072" thick tube wall-26 1/8" long	1	▲C9OZ 3514-E
	X(floor shift)	.060" thick tube wall-26 1/8" long	1	C9OZ 3514-B

● For original production replacement

▲ Used as service only tube assembly. Includes (1) 3511 flange, (2) 3641 bolts and (2) retaining nuts.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3514 TUBE ASSY. - STEERING COLUMN - PRIME - continued				
- X -				
70	X(with A/T-non locking column)	.060" thick tube wall-24 15/16" long	1	●D0DZ 3514-A
	X(with M/T-non locking column)	.072" thick tube wall-24 15/16" long	1	▲D0DZ 3514-E
		.060" thick tube wall-25 1/8" long	1	●D0DZ 3514-B
		.072" thick tube wall-25 1/8" long	1	▲D0DZ 3514-F
65/	A	Bolt (tube to moveable column track & bracket)- 5/16"-18 x 1" shoulder	2	377944-S2 (BB445N)
65/	B	Nut-square (to support)-5/16"-18	2	34130-S8(M149)
65/	A (fixed column)	Stud (to dash panel)-5/16"-18 & 5/16"-18 x 2 1/4"	2	380150-S2(WW14C)
65/66	S (moveable column)	Bumper (tube) -Rubber	2	373628-S(CC-28)
3E514-15 ROD - STEERING COLUMN RELEASE				
67	F(tilt column)	No. 8-32 x 10 15/16"	1	C7ZZ 3E514-A
67	S	No. 8-32" x 11 53/64"	1	C7SZ 3E515-A
3F515 BEARING - STEERING GEAR RACK ADJUSTMENT				
71/	L	Use with gears identified #SMC-A	1	D1FZ 3F515-A
3517 BEARING ASSY. - STEERING COLUMN TUBE				
65/66	A(moveable column)	1 3/16" O.D.-3/4" I.D.-1/4" thick		C7SZ 3517-D
67/	A(tilt wheel)	Upper-1 3/16" O.D.-3/4" I.D.-1/4" thick	1	C7SZ 3517-D
		Lower-1 1/2" O.D.-1 1/16" I.D.-1/4" thick	1	C7SZ 3517-C
65/	A(fixed wheel)	1 3/16" O.D.-3/4" I.D.-1/4" thick	1	C7SZ 3517-D
65/67	B(M/S)	1 5/16" O.D.	1	C4OZ 3517-A
	B(P/S)	1 3/16" O.D.	1	C7SZ 3517-D
68/71	B		1	
72	B	Upper-1 3/16" O.D.-3/4" I.D.-1/4" thick	1	C7SZ 3517-D
		Lower-1 1/2" O.D.-1" I.D.-1/2" thick	1	D1FZ 3517-A
65/66	F	1 7/16" O.D.-3/8" thick	1	C3DZ 3517-A
67	F(fixed wheel)	1 5/16" O.D.	1	C4OZ 3517-A
68/71	F(fixed wheel)	1 3/16" O.D.	1	D0AZ 3517-A
72	F(fixed wheel)	1 3/16" O.D.	1	C7SZ 3517-D
67/	F(tilt wheel)	Upper-1 3/16" O.D.-3/4" I.D.-1/4" thick	1	C7SZ 3517-D
		Lower-1 1/2" O.D.-1 1/16" I.D.-1/4" thick	1	C7SZ 3517-C
71/	L	Upper	1	C7SZ 3517-D
		Lower	1	D1FZ 3517-A
70/72	P	1 3/16" O.D.	1	C7SZ 3517-D
65/71	S (fixed wheel)		1	C7SZ 3517-D
67/71	S(tilt wheel)	Upper	1	C7SZ 3517-D
		Lower	1	C7SZ 3517-C
72	S(fixed wheel)	Upper	1	C7SZ 3517-D
		Lower	1	D1FZ 3517-A
72	S(tilt wheel)	Flange bearing-upper	1	C7SZ 3517-D
		Flange bearing-lower	1	C7SZ 3517-C
		Steering shaft-lower	1	D1FZ 3517-A
66/	U (M/S)	Upper & lower	1	C3DZ 3517-A
72	U (P/S)	"From Ser.P40,001"		
		Upper-1 7/16" O.D. x 3/8" thick	1	C3DZ 3517-A
		Lower-1 3/16" O.D. x 3/4" I.D. x 1/4" thick	1	C7SZ 3517-D
65	X	1 7/16" O.D.-3/4" thick	1	C3DZ 3517-A
66/67	X	1 5/16" O.D.	1	C4OZ 3517-A
68/70	X	1 3/16" O.D.	1	D0AZ 3517-A
65/	A,B,F,L,P,S,U,X	Ring-11/16" I.D.-13/16" O.D.-3/64" thick-upper	AR	97663-S(Q4A)
		Ring-11/16" I.D.-3/4" O.D.-1/64" thick-upper	AR	372876-S(QQ38A)
		Ring-21/32" I.D.-7/8" O.D.-3/64" thick-lower	AR	372875-S(QQ88)

● For original production replacement

Identification marking

▲ Used as service only tube assembly. Includes (1) 3511 flange, (2) 3641 bolts and (2) retaining nuts.

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 35

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3D517 SHAFT and CONTROL ASSY. - POWER STEERING GEAR INPUT				
65/68	A	Kit	1	C8AZ 3D517-C
	Consists of			
	1-D2OZ 3D517-A	Shaft & control	1-C7AR 3756-A	Seal 1-384223-S Seal
	1-C9AZ 3575-A	Sector shaft	1-87008-S94	"O" ring 1-385084-S Seal
	1-D1AZ 3580-A	Cover	1-374454-S94	"O" ring
69	A	Shaft & control - #SPA-A,A1	1	C9AZ 3D517-A
69	A	Shaft & control - #SPA-A2	1	D1TZ 3D517-A
69/70	A	"Before 5/1/70"	Shaft & control - #SPA-A3	1 C9SZ 3D517-B
70	A	"From 5/1/70"	Shaft & control - #SPA-A3	1 C5AZ 3D517-B
70/	A	#SPA-E3,E4,AA-replaced by D5AZ 3D517-A (rotary valve type) and (1) D5AZ 3A525-D insulator for fixed wheel or (1) D5AZ 3A525-E for tilt wheel	1	★D3SZ 3D517-A
72	B	#SPA-E4,Y,AA-replaced by D5AZ 3D517-A	1	★D3SZ 3D517-A
65/66	S	Kit	1	C8VY 3D517-B
	Consists of			
	1-C9VY 3D517-B	Input shaft	1-C7AR 3756-A	Seal 1-384223-S Seal
	1-C9VY 3575-A	Sector shaft	1-87008-S94	"O" ring 1-385084-S Seal
	1-C5AZ 3580-D	Cover	1-374454-S94	"O" ring
67/68	S	#SPA-E,E1-kit	1	C8SZ 3D517-C
	Consists of			
	1-D1AZ 3D517-A	Shaft control	1-C7AR 3756-A	Seal 1-384223-S Seal
	1-C9AZ 3575-A	Sector shaft	1-87008-S94	"O" ring 1-385084-S Seal
	1-D1AZ 3580-A	Cover	1-374454-S94	"O" ring
69/71	S	#SPA-E2,E3,E4-replaced by D5AZ 3D517-A (rotary valve type) and (1) D5AZ 3A525-E insulator	1	★D3SZ 3D517-A
72	S	Replaced by D5AZ 3D517-A only	1	★D3SZ 3D517-A
65/	A,S	Bolt(to housing)-3/8"-16 x 1 1/8"	4	42999-S(B253)
68/	A,S	Screw 10-32 x .18" set	1	382095-S(UU33X)
65/	S	Ring-retaining-3 1/4" I.D.	1	380306-S(QQ30)
3E517 ROD - STEERING COLUMN POSITION SPRING				
67/70	A, F, S (tilt column)	3 1/32" long	1	C7SZ 3E517-A
3518 SLEEVE - STEERING COLUMN TUBE BEARING				
65	A	"Before 6/1/65"	1 5/16" O.D.-1 3/16" I.D.-3/8" thick-8 ribs on O.D.	1 D1AZ 3518-A
65/66	A	"From 6/1/65 to 11/1/65"	1 3/8" O.D.-1 1/16" I.D.-1/4" thick-8 ribs on O.D.	1 C5SZ 3518-A
66/67	A	"From 11/1/65"	1 3/16" O.D.-1 1/16" I.D.-3/8" thick	1 C4VY 3518-A
68/	A			1 D1AZ 3518-A
65/67	B(M/S)	1" O.D.-3/4" I.D.-1/2" thick-16 ribs on O.D.	1	B1AZ 3518-A
	B(P/S)	1 5/16" O.D.-1 3/16" I.D.-3/8" thick	1	D1AZ 3518-A
68/71	B		1	
72	B	Upper-1 5/16" O.D.-1 3/16" I.D.-3/8" thick	1	D1AZ 3518-A
		Lower-1 9/16" O.D.-1 1/2" I.D.-11/32" thick	1	D2OZ 3518-A
65/67	F,X	1" O.D.-3/4" I.D.-1/2" thick	1	B1AZ 3518-A
68/	F(fixed wheel),X	1 5/16" O.D.-1 3/16" I.D.-3/8" thick-8 ribs	1	D1AZ 3518-A
70/	L,P		1	
65/67	S(fixed wheel)	1 3/8" O.D.-1 1/16" I.D.-1/4" thick-8 ribs	1	C5SZ 3518-A
68/71	S(fixed wheel)		1	D1AZ 3518-A
72	S(fixed wheel)	Upper	1	D1AZ 3518-A
		Lower	1	D2OZ 3518-A
66/	U(M/S)	Upper & lower-3/4" I.D. x 1" O.D.	1	B1AZ 3518-A
72	U(P/S)	Upper-3/4" I.D. x 1" O.D.	1	B1AZ 3518-A
		Lower-1" I.D. x 15/32" thick	1	C6TZ 3518-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3E518 CAP - STEERING COLUMN POSITION LOCK SPRING				
67/	A, F, S (tilt wheel)	1/2" I. D. -to retain 3B768 spring	2	C7SZ 3E518-A
67	F, S (tilt wheel)	1/8" I. D. -3/8" long-to retain 3B664 spring	1	C7SZ 3E518-B
68/	A, F, S (tilt wheel)		1	
3F518 GASKET & SHIM KIT - STEERING GEAR SECTOR SHAFT HOUSING COVER				
71	L	"Before 5/24/71" Use with gear tagged #SMC-A	1	D1FZ 3F518-A
Consists of				
1-D12R 3F518-AA Shim-.005 thick		1-D12R 3F518-CA Shim-.010 thick	1-D12R 3F518-EA	Shim-.020 thick
1-D12R 3F518-BA Shim-.0075 thick		1-D12R 3F518-DA Shim-.015 thick	1-D12R 3F519-AA	Gasket
71/	L	"From 5/24/71" Use with gear tagged #SMC-A	1	D1FZ 3F518-B
Consists of				
1-D12R 3F518-AA Shim-.005 thick		1-D12R 3F518-DA Shim-.015 thick	1-D12R 3F519-AA	Gasket
1-D12R 3F518-BA Shim-.0075 thick		1-D12R 3F518-EA Shim-.020 thick	1-D12R 3F519-FA	Shim-.0024 thick
1-D12R 3F518-CA Shim-.010 thick				
3A519 BUSHING - POWER STEERING CONTROL VALVE SPOOL				
65/71	B		2	C2OZ 3A519-B
65/70	F, X		2	
70/	P		2	
3E519 RETAINER - STEERING COLUMN POSITION SPRING				
67/69	A, F, S (tilt column)	" Before 8/12/68" 13/16" I. D.	1	C7SZ 3E519-A
69	A, F, S (tilt column)	" From 8/12/68"	1	C9AZ 3E519-A
3520 SPRING - STEERING COLUMN UPPER BEARING				
65	A	Not replaced (12/74)	1	★C4AZ 3520-A
67/69	A, F, S (tilt column)		1	C7SZ 3520-A
65	B		1	C5OZ 3520-A
66	B, X (without P/S)		1	C6OZ 3520-A
67/68	F (6 cyl. & 8 cyl. 289) -fixed column		1	
67/68	B, F, X (fixed column)		1	C7OZ 3520-A
65	F, X		1	C3DZ 3520-A
66/	U		1	
3E520 PAWL - STEERING COLUMN RELEASE				
67	F, S (tilt column)	No. 8-32" x 2 5/8"	1	C7SZ 3E520-A
68	F (tilt column)	Includes cable	1	C8ZZ 3E520-A
69	F	Includes cable	1	C9ZZ 3E520-A
68	S (tilt column)	Includes cable	1	C8SZ 3E520-A
69	S (tilt column)	Includes cable	1	C9SZ 3E520-A
3523 GUIDE - STEERING GEAR BALL RETURN -Also refer to Group 3523 kit				
65/	A (M/S)		4	C5AZ 3523-B
65/68	A, S (P/S)		2	C5AZ 3523-A
69/	A, S (P/S)		2	C9AZ 3523-A
65/71	B (P/S)	Use with gears identified HCA, BV, BY, BZ, CD, CE, or SMA-A, B	4	C5OZ 3523-A
66/70	X (P/S)		4	
65/71	B (M/S)	Use basic 3523 kit for #HCA-AV, AW, BU, CA SMA-C, F		
72	B (M/S)	#SMA-T	4	C5AZ 3523-B
	B (P/S)	#SPA-E4, Y, AA	4	C9AZ 3523-A
65/70	F	Use with gears identified HCC-AW, AX, SMB-B, E, F, J or K 16:1 ratio)	4	C5ZZ 3523-A
65	X (P/S)	Use with gears identified as HCC-AZ or BB	4	C5ZZ 3523-A
65	X (M/S)	Use with gears identified HCC-AM, AP	4	C0DR 3523-A
65/67	F (M/S)	Use with gears identified HCC-AT, SMB-A, C (19:1 ratio)	4	
67/70	F	With #SMB-D, H-use 3523 kit		
71/	F (M/S)	"Before 5/3/71" Use basic 3523 kit for #SMA-R		3523
	F (M/S)	"From 5/3/71" Use w/ #SMA-T	1	C5AZ 3523-B
70/	P (P/S)	Use with gears identified SMA-B	4	C5OZ 3523-A
	P (M/S)	Use basic 3523 kit for SMA-F		3523
72	U (P/S)		2	D3TZ 3523-A

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3523 GUIDE and CLAMP KIT - STEERING GEAR BALL RETURN -Also Refer to Group 3523 Guide				
65/71	B(M/S)	Use w/#HCA-AV,AW,BU,CA,SMA-C or F	1	●C7OZ 3523-B
70/	P(M/S)	Use with #SMA-F	1	
66/70	X(M/S)		1	
67/70	F(M/S)	Use w/#SMB-H,D	1	●C7ZZ 3523-A
71	F(M/S)	"Before 5/3/71" Use w/#SMA-R	1	●C7OZ 3523-B
71/	F(P/S)	#SPA-S,T,U,V	2	D1ZZ 3523-A
3523 CLIP - POWER STEERING HOSE				
67/70	A	Improvise	2	★C7AA 3E523-A
67	B, F, X(8 cyl. 289)		2	C7OZ 3E523-A
68/71	B, X(8 cyl. 289, 302)		4	
3524 WORM GEAR & RACK ASSY. - STEERING GEAR INPUT				
65	A(M/S)	Use w/ Ford gear-#HCD-A model only-depth of rack teeth is 5/16"	1	C5AZ 3524-C
65/68	A(M/S)	Use w/ Ford gear-#HCD-A1 and #SMA-D models-depth of rack teeth is 1/4"	1	C5AZ 3524-K
70/71	A(M/S)	Use with gear tagged #SMA-D	1	
69/71	A(M/S)	Use w/ Ford gear-#SMA-D1 model	1	C9AZ 3524-C
72	A(M/S)	#SMA-T	1	D1AZ 3524-A
65/69	A(P/S)	Use w/ Saginaw gear	1	C5AZ 3524-D
65	B	39 1/2" long	1	C4OZ 3524-A
66/67	B(M/S)	39 1/2" long, #HCA-CA,SMA-C	1	C6DZ 3524-C
68/71	B(M/S)	7 3/16" long, #SMA-F	1	C7OZ 3524-A
66/67	B(P/S)	39 1/2" long, #HCA-BY,CD,SMA-A	1	C6DZ 3524-A
65/71	B(P/S)	#HCA-BV,BZ,CE,SMA-B	1	D1OZ 3524-A
72	B(M/S)	#SMA-T	1	D1AZ 3524-A
	B(P/S)	#SPA-Y-refer to group 3D517		
65/67	F	41 7/8" long-approx. 10 worm grooves-19:1 ratio	1	C5ZZ 3524-A
		41 7/8" long-approx. 8 worm grooves-16:1 ratio	1	C5ZZ 3524-B
67/70	F	6 3/16" long-approx. 10 worm grooves-19:1 ratio	1	C7ZZ 3524-C
		6 3/16" long-approx. 8 worm grooves-16:1 ratio	1	C7ZZ 3524-D
71/	F(M/S)	#SMA-R,T-10 3/32" long	1	D1AZ 3524-A
	F(P/S)	#SPA-T,V (Saginaw gear)	1	D1ZZ 3524-D
		#SPA-S,U (Saginaw gear)	1	C5AZ 3524-D
71/72	L	#SMC-A,D,E	1	D2FZ 3524-C
70/	P(M/S)	#SMA-F	1	C7OZ 3524-A
70/	P(P/S)	#SMA-B	1	D1OZ 3524-A
66/	U(M/S)		1	C7TZ 3524-E
72	U(P/S)		1	D3TZ 3524-B
65	X(M/S)	39" long	1	C4DZ 3524-A
66/67	X(M/S)	39 1/2" long	1	C6DZ 3524-C
68/70	X(M/S)	7 3/16" long	1	C7OZ 3524-A
66/67	X(P/S)	39 1/2" long	1	C6DZ 3524-A
68/70	X(P/S)	7 3/16" long	1	D1OZ 3524-A

● Includes - (4) guides, (1) clamp

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3524 SHAFT ASSY. - STEERING COLUMN				
65	A(fixed column-exc. P/C & Taxi)	W/flange	1	◆ C5AZ 3524-L
	A(fixed column-w/P/C & Taxi)	W/flange	1	◇ C5AZ 3524-B
	A(moveable column)	W/o flange	1	◇ C5AZ 3524-G
66	A	W/flange	1	◆ C5AZ 3524-L
67	A	W/flange	1	◇ C7AZ 3524-A
68	A(fixed wheel)	W/flange	1	C9OZ 3524-A
	A(tilt wheel) "Before 3/15/68"	W/o flange	1	C8MY 3524-A
	A(tilt wheel) "From 3/15/68"	W/o flange	1	C8AZ 3524-B
69	A(fixed wheel)	W/flange	1	C9AZ 3524-D
	A(tilt wheel) "Before 2/3/69"	W/o flange	1	C9AZ 3524-A
	A(tilt wheel) "From 2/3/69"	W/o flange	1	C9AZ 3524-E
70/71	A(fixed wheel) "Before 1/4/71"		1	D0AZ 3524-D
71	A(fixed wheel) "From 1/4/71"		1	D1AZ 3524-B
70	A(tilt wheel) "Before 1/5/70"	30" long up to knuckle	1	D0AZ 3524-A
70/	A(tilt wheel) "From 1/5/70"		1	D4AZ 3524-B
72	A(fixed wheel)	34 9/16" long	1	D2AZ 3524-A
66/67	B		1	C6OZ 3524-B
68/69	B	23 1/8 long	1	C9OZ 3524-A
70/71	B "Before 1/4/71"	33 5/8" long	1	D0OZ 3524-C
71	B "From 1/4/71"		1	D1OZ 3524-B
72	B	Upper shaft-27 7/8" long	1	D2OZ 3524-A
		Lower shaft-with M/S-6 11/16" long	1	D2OZ 3B676-C
		Lower shaft with P/S	1	D2OZ 3B676-D
65/67	F	Part of steering gear, see basic 3524 input shafts (41 7/8" long)		
67	F(fixed wheel)	Use with 6 3/16" steering gear input shaft	1	C7ZZ 3524-B
	F(tilt wheel)	Use with 6 3/16" steering gear input shaft	1	C7ZZ 3524-A
68/69	F(fixed wheel) "Before 1/13/69"		1	C8ZZ 3524-D
69	F(fixed wheel) "From 1/13/69"		1	C9ZZ 3524-A
68	F(tilt wheel) "Before 3/15/68"		1	C8ZZ 3524-B
68/69	F(tilt wheel) "From 3/15/68 to 2/3/69"		1	C8ZZ 3524-C
69	F(tilt wheel) "From 2/3/69"		1	C9ZZ 3524-B
70	F(exc. GT350/500)-fixed wheel-	35 7/8" long	1	D0ZZ 3524-B
	"Before 1/16/70"			
	F(exc. GT350/500)-fixed wheel-		1	D0ZZ 3524-E
	"From 1/16/70"			
	F(GT350/500)-fixed wheel		1	C9ZZ 3524-A
	F(exc. GT350/500)-tilt wheel "Before 1/5/70"	31 1/8" long up to knuckle	1	D0ZZ 3524-A
	F(exc. GT350/500)-tilt wheel "From 1/5/70"		1	D0ZZ 3524-D
	F(GT350/500)-tilt wheel		1	C9ZZ 3524-B
71	F(fixed wheel) "Before 1/4/71"	33 5/32" long	1	D1ZZ 3524-A
	F(fixed wheel) "From 1/4/71"		1	D1ZZ 3524-E
71/	F(tilt wheel)	28 13/32" long	1	D1ZZ 3524-B
72	F(fixed wheel)	33 1/8" long	1	D2ZZ 3524-A
71/72	L	Kit-replaces (1) piece shaft & cable type assy.	1	D1FZ 3524-E
Consists of 1-D5FZ 3524-A Shaft assy.-upper 1-D2FZ 3A525-A Flange 1-D42W 3C611-AA Boot 1-D3FZ 3B676-B Shaft-lower 1-D42W 6501811-AA Plate 2-34977-S2 Nut 4-55907-S2 Screw 1-358794-S100 Bolt 1-385349-S100 Nut				
70/71	P(non-locking column)		1	D0DZ 3524-D
	P(locking column)		1	D1DZ 3524-A
72	P	31 1/4" long	1	D2DZ 3524-A
67	S		1	C7SZ 3524-A
68/69	S(fixed wheel)		1	C9SZ 3524-A
68/69	S(tilt wheel) "Before 2/3/69"		1	C8SZ 3524-C
69	S(tilt wheel) "From 2/3/69"		1	C9SZ 3524-B
70	S(fixed wheel) "Before 1/15/70"	33 1/2" long	1	D0SZ 3524-A
70/71	S(fixed wheel) "From 1/15/70 to 1/4/71"		1	D0SZ 3524-E
71	S(fixed wheel) "From 1/4/71"		1	D1SZ 3524-A
70/71	S(tilt wheel)		1	D0SZ 3524-D

◆ Includes 3517 bearing, 3520 spring, retainer ring and nut
May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

◇ Includes 3517 bearing, retainer ring, nut & washers

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3524 STEERING SHAFT ASSY. - STEERING COLUMN - continued				
72	S(fixed wheel) - "Before 5/22/72"	Upper shaft-29 7/32" long	1	D2SZ 3524-A
	S(fixed wheel) - "From 5/22/72"	Upper shaft-29 7/32" long	1	D2SZ 3524-C
	S(tilt wheel) - "Before 5/22/72"	Upper shaft-25" long	1	D2SZ 3524-B
	S(tilt wheel) - "From 5/22/72"	Upper shaft-25" long	1	D2SZ 3524-D
	S(fixed & tilt wheel)	Lower shaft-8 5/16" long	1	D2SZ 3B676-B
66/72	U(M/S)	23 splines-59 15/16" long	1	D2TZ 3524-A
72	U(P/S) "From Ser.P40,001"	Upper-38 3/16" long	1	D3TZ 3524-A
		Lower-15 1/2" long from center of joint to spline end	1	D3TZ 3B676-A
		Bolt-7/16"-14 x 2"(lower shaft clamp yoke to gear input shaft)	1	★58657-S2
		Nut-7/16"-14	1	384353-S4(MM173X)
65/67	X	Part of steering gear, see basic 3524 input shafts		
68/70	X		1	C9OZ 3524-A
72	B, F, S	Bolt 3/8" - 16 x 1 1/2"(upper shaft to lower)	1	★58636-S2
		Nut 3/8" - 16	1	34987-S2(M89CF)
3A525 COUPLING - STEERING GEAR INPUT SHAFT TO STEERING COLUMN SHAFT				
65/66	A(M/S)-fixed wheel "Before 8/8/66"		1	C5AZ 3A525-A
66/70	A(M/S)-fixed wheel "From 8/8/66"		1	D4DZ 3A525-A
71/	A(M/S)		1	
65/66	A(P/S)-fixed wheel "Before 8/8/66"	Use w/Ford built gears	1	C5AZ 3A525-B
66/	A(P/S)-fixed wheel "From 8/8/66"	#Green or white paint on insulator-must be used with Ford built axial/spool valve type power steering gear	1	C6AZ 3A525-B
65/66	A(P/S)-fixed wheel	Use w/Saginaw built gears	1	C5AZ 3A525-D
67/69	A(P/S)-fixed wheel	Use w/Saginaw built gears	1	C7AZ 3A525-A
65	A(moveable column)	Replaced by D5AZ 3A525-E (2/75)	1	★C5AZ 3A525-C
67	A(P/S)-tilt wheel		1	
68	A(P/S)-tilt wheel-column shift		1	
69/	A(P/S)-tilt wheel	#Green or white paint on insulator-must be used with Ford built axial/spool valve type power steering gear	1	
68	A(P/S)-tilt wheel-floor shift		1	C7ZZ 3A525-A
69/	A(P/S)-fixed wheel	#White or silver paint on insulator-must be used with Ford built rotary valve type power steering gears	1	●D5AZ 3A525-D
	A(P/S)-tilt wheel	#White or silver paint on insulator-must be used with Ford built rotary valve type power steering gears	1	●D5AZ 3A525-E
65/66	B(P/S) "Before 8/8/66"		1	C5AZ 3A525-B
66/68	B(P/S) "From 8/8/66"		1	C6AZ 3A525-B
68/71	B(M/S)		1	D4DZ 3A525-A
69/71	B(P/S)		1	
72	B		1	D3OZ 3A525-A
67/70	F(M/S)-fixed wheel		1	D4DZ 3A525-A
71/	F(M/S)		1	
69/70	F(P/S)-fixed wheel		1	
67/70	F(M/S)-tilt wheel		1	C7ZZ 3A525-A
69/70	F(P/S)-tilt wheel "From 11/4/68"		1	
67/68	F(P/S)-fixed wheel		1	C6AZ 3A525-B
67/69	F(P/S)-tilt wheel "Before 11/4/68"		1	C5AZ 3A525-C
71/	F(P/S)-fixed wheel		1	D1ZZ 3A525-A
	F(P/S)-tilt wheel		1	D1ZZ 3A525-B
71/72	L "Before 1/11/72"		1	D1FZ 3A525-A
72	L "From 1/11/72"		1	D2FZ 3A525-A
70/	P		1	D4DZ 3A525-A
65	S		1	C5AZ 3A525-C
66	S		1	C6SZ 3A525-A

Identification marking

- Care must be used to ensure proper coupling replacement when axial/spool valve type steering gear (3504) or shaft and control assy. (3D517) has been replaced by 1975 rotary valve type assemblies. For additional information refer to Technical Service Bulletin No. 76, dated Sept. 27, 1974, article 837 on page 26.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A525 COUPLING - STEERING GEAR INPUT SHAFT TO STEERING COLUMN SHAFT - continued				
67/71	S	#Green or white paint on insulator-must be used with Ford built axial/spool valve type power steering gear	1	● C7SZ 3A525-A
69/71	S	#White or silver paint on insulator-must be used with Ford built rotary valve type power steering gears	1	● D5AZ 3A525-E
72	S		1	D3OZ 3A525-A
72	U(P/S)	"From Ser.P40,001"	1	C9TZ 3A525-B
68/70	X(M/S)		1	D4DZ 3A525-A
69	X(P/S)		1	
68	X(P/S)		1	C6AZ 3A525-B
65/	A, B, F, S, X	Bolt-3/8"-24 x 1 1/4" (to retain coupling)	AR	358794-S(BB815AB)
65/66	A	Bolt-5/16"-24 x 1" (to retain coupling)	AR	377937-S(BB210B)
65/67	A, B, F, S, X	Nut-5/16"-24 (coupling studs to shaft flange)	2	34443-S(M79)
		Lockwasher-5/16"	2	34906-S(X98)
68	A, B, F, S	Nut-5/16"-24 (coupling studs to shaft flange)	2	382835-S100 (MM173V)
69	A, B, F, X	Nut-5/16"-18 (coupling studs to shaft flange)	2	382634-S100 (MM173NE)
71	L	Bolt-1/4"-20 x 3/4" (flange to column)	1	370519-S(BB125)
3C525 COVER - STEERING COLUMN OPENING				
69	F		1	C9ZZ 3C525-A
68/69	S	At firewall	1	C8SZ 3C525-A
70/71	S	At firewall	1	D0SZ 3C525-A
65/71	S	Washer-spring (shroud to cover)-3/16"	AR	378733-S(XX360)
	S	Washer-spring (lever to cover)	AR	
	S	Spring nut (lever to cover)-3/16"	4	372927-S2(MM260)
	S	Pin (lever to cover)-3/16" x 5/8"	4	378873-S(NN63B)
	S	Pin (lever to shroud)	AR	
67	S	Screw (to dash panel)-1/4"-14 x 1"	4	376714-S(BB536A)
3D525 BEARING - POWER STEERING GEAR INPUT SHAFT				
65/	A, B, S	Alternate with C5AZ 3D525-C, #8750	1	C5AZ 3D525-A
		Alternate with C5AZ 3D525-A	1	C5AZ 3D525-C
65/69	A	Saginaw gear	1	C5AZ 3D525-B
71/	F	#SPA-S, T, U, V	1	
72	U	Saginaw gear	1	C5AZ 3D525-B
3D526 SEAL - POWER STEERING GEAR INPUT SHAFT				
65/	A, S		1	C5AZ 3D526-A
72	B		1	
65/	A, S	Snap ring	1	352109-S(QQ12)
3D527 SEAL - POWER STEERING GEAR INPUT SHAFT DUST				
65/	A, S		1	D5AZ 3D527-A
72	B		1	
3F527 LEVER ASSY. - STEERING COLUMN LOCK ACTUATOR				
71/	L		1	D1FZ 3F527-A
72	B		1	
3C528 BOOT - POWER STEERING CYLINDER - Supplied in 3C651 kits				
3D529 SPACER - POWER STEERING GEAR SECTOR SHAFT SEAL				
65/	A, S		2	C5AZ 3D529-A
72	B		2	
3F529 BUMPER - STEERING COLUMN LOCK ACTUATOR LEVER				
71	L	Improvise - 7/32" O.D. -1/8" I.D. -7/32" long	1	★ D12A3F529-AA
72	B, S	Neoprene	1	

- Care must be used to ensure proper coupling replacement when axial/spool valve type steering gear (3504) or shaft and control assy. (3D517) has been replaced by 1975 rotary valve type assemblies. For additional information refer to Technical Service Bulletin No. 76 dated Sept. 27, 1974, article 837 on page 26.

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3530 SHROUD - STEERING COLUMN				
68	A	Gold (Dark Ivy)-other colors not replaced	1	C8AZ 3530-D2G
69	A	Upper-Aqua-not replaced	1	★C9AZ 3530-G3K
		-Black-not replaced	1	★C9AZ 3530-G5A
		-Blue (medium)-not replaced	1	★C9AZ 3530-G3B
		-Blue (dark)-not replaced	1	★C9AZ 3530-G4B
		-Ivy Gold-not replaced	1	★C9AZ 3530-G4G
		-Nugget Gold-not replaced	1	★C9AZ 3530-G4Y
		-Red-not replaced	1	★C9AZ 3530-G4D
69	A	Lower-Aqua-not replaced	1	★C9AZ 3530-H3K
		-Black-not replaced	1	★C9AZ 3530-H5A
		-Blue (medium)-not replaced	1	★C9AZ 3530-H3B
		-Blue (dark)-not replaced	1	★C9AZ 3530-H4B
		-Ivy Gold-not replaced	1	★C9AZ 3530-H4G
		-Nugget Gold-not replaced	1	★C9AZ 3530-H4Y
		-Red-not replaced	1	★C9AZ 3530-H4D
70	A(tilt wheel)	Upper-paint to match	1	D0AZ 3530-A
	A(fixed wheel) "Before 12/1/69"	Lower-paint to match	1	D0AZ 3530-B
	A(fixed wheel) "From 12/1/69"	Upper-paint to match	1	D0AZ 3530-C
		Lower-paint to match	1	D0AZ 3530-D
71/	A(fixed wheel)	Paint to match	1	D1AZ 3530-B
	A (tilt wheel)	Paint to match	1	D1AZ 3530-C
70/71	B(exc. model 63 w/bucket seats)	Paint to match	1	D0OZ 3530-A
	B(model 63 w/bucket seats)	Paint to match	1	D0OZ 3530-B
72	B	Lower-paint to match	1	D3OZ 3530-A
		Upper-paint to match	1	D3OZ 3530-B
70	F	Paint to match	1	D0ZZ 3530-A
71/	F "From 5/1/72"	Paint to match	1	D3ZZ 3530-A
71/72	L "From 5/1/72"	Upper top-paint to match	1	D3FZ 3530-A
		Upper bottom-paint to match	1	D3FZ 3530-B
		Lower bottom-paint to match	1	D3FZ 3530-C
70/72	P "Before 5/1/72"	Cover plate-steering column mounting bracket-paint to match	1	D3DZ 3530-A
		Steering column tube shroud-paint to match	1	D0DZ 3530-C
72	P "From 5/1/72"	Cover plate-steering column brkt.-paint to match	1	D3DZ 3530-A
		Steering column tube shroud-paint to match	1	D3DZ 3530-B
70/71	S (fixed wheel)	Paint to match	1	D0SZ 3530-B
70/71	S (tilt wheel)	Paint to match	1	D0SZ 3530-A
72	S	Lower-paint to match	1	D3OZ 3530-A
		Upper-paint to match	1	D3OZ 3530-B
3D530 CAP - POWER STEERING GEAR CYLINDER PISTON				
65/72	A, S	Ford gear	1	C5AZ 3D530-A
	B		1	
65/69	A	Saginaw gear	1	C5AZ 3D530-B
71/	F, U	*SPA-S, T, U, V, Z	1	
3F531 KNOB - STEERING COLUMN LOCK ACTUATOR				
71/72	L		1	D1FZ 3F531-A
	B	Fixed wheel	1	
3F532 SPRING - STEERING COLUMN LOCK ACTUATOR LEVER				
71	L		1	D1FZ 3F532-A
72	B, L		1	D2AZ 3F532-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A533 BALL STUD KIT - STEERING DRAG LINK				
66	U		1	C6TZ 3A533-B
	Consists of			
	1-C6TA 3311-A Stud	2-C6TA 3326-A Seat	1-C6TA 3328-B Plug	1-C6TZ 3332-B Cover
	2-C6TA 3320-A Seat	2-C6TA 3327-A Spring	1-C6TZ 3332-A Cover	1-72098-S Cotter pin
67/ 72	U	Use w/adjustable drag link ball stud	1	C7TZ 3A533-B
	Consists of			
	1-C7TA 3311-B Stud	2-C6TA 3326-A Seat	1-C6TA 3328-B Plug	1-C7TZ 3332-C Cover
	2-C6TA 3320-A Seat	2-C6TA 3327-A Spring	1-C7TZ 3332-B Cover	1-72098-S Cotter pin
3A533 REPAIR KIT - POWER STEERING HYDRAULIC CONTROL BALL STUD				
65/71	B	Consists of	1	C2AZ 3A533-A
65/70	F,X	2-AJ 3320-A Seat	1	
70/	P	1-AJ 33711-A Spring	1	
		1-AJ 33327-A Bumper	1	
		1-C0AA 3A533-A Stud	1	
		1-C7OZ 3A729-A Cover		
		1-C2AZ 3C706-A Seal		
		2-32875-S8 Screw		
3D536 VALVE ASSY. - STEERING COLUMN RELEASE				
67	F(tilt column)		1	C7ZZ 3D536-A
68	F(tilt column)		1	C7ZZ 3D536-B
69	F(tilt column)		1	C9ZZ 3D536-A
67	S(tilt column)		1	C7SZ 3D536-A
68/69	S(tilt column)		1	C8SZ 3D536-A
3D537 HOSE - STEERING COLUMN RELEASE VALVE and SUPPLY				
67	F(tilt column)	11/16" long-cut to length from C8ZZ 3D537-A		
68	F, S(tilt column)	235" I.D. -70" long	1	C8ZZ 3D537-A
69	S (tilt column)		1	
69	F(tilt column)		1	C9ZZ 3D537-A
3538 PLUG - STEERING GEAR HOUSING OIL FILLER				
65/71	A,B,F,X	5/8"-24	1	B6A 3538-A
70/	P		1	
66/67	U	"Before Ser. B26, 001"	1	C6TZ 3538-A
67/	U	"From Ser. B26, 001"	1	B 3538
3C538 SEAL and GASKET KIT - POWER STEERING GEAR				
64/	A,B,S	Ford gear	1	D3AZ 3C538-A
	Consists of			
	1-D5AW 3D526-AA Seal	1-D3AZ 3756-A "O" ring	1-352109-S7 Ring	
	1-D5AW 3D527-AA Seal	1-C5AZ 3805-A Seal	1-382743-S94 "O" ring	
	2-D3AZ 3D529-A Spacer	1-97625-S Ring	1-386265-S "O" ring	
	1-D5AW 3591-AA Seal	1-97628-S Ring	1-386266-S "O" ring	
	1-D5AW 3D642-AA Seal	1-Instruction sheet		
65/69	A	Saginaw gear-r/b C5AZ 3C538-D (1/75)	1	★C5AZ 3C538-C
71/72	F	"Before 12/20/71" #SPA-S, T, U, V	1	
72	F	"From 12/20/71" #SPA-S, T, U, V	1	C5AZ 3C538-D
72	U	#SPA-Z	1	
	Consists of			
	1-Snap ring-adj. plug seal	3-Snap ring-valve body	Δ 1-Seal-sector shaft (inner)	
	1-Seal-actuator shaft dust	3-"O" ring-valve body	1-Seal-sector shaft cover	
	1-Seal-actuator shaft oil	Δ 1-Snap ring-sector shaft seal retaining	2-Seal-housing end plug	
	1-"O" ring-adj. plug	Δ 2-Washers-sector shaft seal backup	2-Snap ring-end plug retainer	
	2-"O" ring-valve spool dampener	Δ 1-Seal-sector shaft (outer)	1-Nut-sector shaft adj.	
	1-"O" ring-actuator valve cap			
3D538 MOTOR - STEERING COLUMN RELEASE				
67	F, S (tilt column)		1	C7SZ 3D538-B
68/69	F(tilt column)		1	C7ZZ 3D538-A
68/69	S(tilt column)		1	C8SZ 3D538-A

★ Identification Marking

Δ Also serviced in C5AZ 3D732-A kit

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3-3538 FILTER ASSY. - POWER STEERING PUMP OIL RESERVOIR				
65	A,B,F,X		1	B7A 33538-A
3539 NUT - STEERING GEAR SECTOR SHAFT ADJUSTING				
66/	U	7/8"-14	1	C6TZ 3539-A
3D539 HOSE - STEERING COLUMN RELEASE MOTOR				
67	F(tilt column)	Cut from C4SZ 2A596-A	1	★C7ZA 3D539-A
68	F(tilt column)	Cut 6" from C8ZZ 3D537-A	1	★C8ZA 3D539-A
69	F(tilt column)	Cut 1 13/32" from C8ZZ 3D537-A	1	★C9ZA 3D539-A
68/69	S(tilt column)	Cut 8" from C8ZZ 3D537-A	1	★C8SA 3D539-B
3A540 CYLINDER ASSY. - POWER STEERING				
65	B	Includes ball stud	1	C3OZ 3A540-A
66/69	B, X		1	C6OZ 3A540-B
70	X		1	
70/71	B		1	D0OZ 3A540-A
70/	P		1	
67/70	F	Includes ball stud	1	C7ZZ 3A540-A
65	X (6 cyl.)	Includes ball stud	1	C3DZ 3A540-B
65	X(8 cyl.)		1	
65/66	F		1	
65/	B	Nut (cylinder to idler arm bracket)-3/8"-24	1	33925-S7(M33)
65/70	X, F	Nut (cylinder to mounting bracket)	1	
65/	B	Check nut (cyl. to idler arm brkt.)-3/8"-24	1	45218-S8(M172)
65/70	X, F	Check nut (cylinder to mounting bracket)	1	
65/	B	Nut-castle (cylinder to idler arm)-9/16"-18	1	34033-S18(M11)
65/70	F	Nut-castle (to valve)	1	
65/	B, F, X	Seat-5/16" tube-aluminum	2	373430-S(TT5)
65/	B, F, X	Snap ring (scraper retainer)	1	371033-S(QQ77)
3E541 COVER - STEERING COLUMN POSITION SPRING				
67	F,S(tilt column)	27/64" I.D. -3/4" O.D. -15/16" long	1	C7SZ 3E541-A
68/69	A, F, S (tilt column)		1	
3D543 LEVER ASSY. - MOVEABLE STEERING COLUMN RELEASE				
65	A		1	C5AZ 3D543-A
3E543 RETAINER - STEERING COLUMN RELEASE LEVER				
71/	A, F, S(tilt column)		2	D1AZ 3E543-A
67	F, S(tilt column)		2	D0AZ 3E543-A
68/70	A, F, S(tilt column)		2	
3F543 RING - STEERING SHAFT LOWER BEARING RETAINER				
72	B(all exc. column shift A/T)	1 5/16" I.D.-3" dia. bolt hole pattern-3 tabs	1	D2OZ 3F543-B
72	B,S(column shift-A/T)	1 5/16" I.D.-1 11/16" O.D.-4 tabs	1	D2OZ 3F543-A
3544 CLAMP - STEERING GEAR BALL RETURN GUIDE				
65/	A	Ford gear	1	C5AZ 3544-A
65/	A(M/S)	Use w/#HCD-A,A1,SMA-D,D1,T	1	C5AZ 3544-B
65/69	A(P/S)	Saginaw	1	C5AZ 3544-C
65/71	B(P/S)	Use w/#HCA-BV,BZ,BY,CD,CE,SMA-A,B	1	C5OZ 3544-A
65/71	B(M/S)	Use basic 3523 kit for #HCA-AV,AW,BU,CA, SMA-C,F	AR	3544
72	B(M/S)	#SMA-T	1	C5AZ 3544-B
	B(P/S)	#SPA-EU,Y	1	C5AZ 3544-A
65/67	F(M/S)	Use w/#HCC-AT,SMB-A & C	1	C0DR 3544-A
65/70	F(M/S & P/S)	Use w/#HCC-AX,AW,SMB-B,E,F,J or K	1	★C5ZZ 3544-A
67/70	F(M/S)	Use basic 3523 kit for #SMB-H or D	AR	3544
71	F(M/S)	"Before 5/3/71" Use basic 3523 kit for #SMA-R	AR	3544
71/	F(M/S)	"From 5/3/71" Use w/#SMA-T	1	C5AZ 3544-B
71/	F(P/S)	#SPA-S,T,U,V	1	C5AZ 3544-C

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3544 CLAMP - STEERING GEAR BALL RETURN GUIDE - continued				
70/	P(M/S)	#SMA-F	1	C5OZ 3544-A
	P(P/S)	#SMA-B-use basic 3523 kit		3544
65/	S(P/S)	Ford gear	1	C5AZ 3544-A
72	U(P/S)		1	C5AZ 3544-C
65	X(P/S)	Use w/#HCC-AZ or BB	1	★C5ZZ 3544-A
65/70	X(M/S)	Use w/#HCC-AM,AM1,AP,AP1	1	C0DR 3544-A
66/70	X(M/S)	Use basic 3523 kit for #HCA-AV,AW,BU,CA, SMA-C,F	AR	3544
66/70	X(P/S)		1	C5OZ 3544-A
65/	A(P/S),S		2	352518-S(BB80)
67/	B,X(P/S)		1	
65/70	X	Screw & washer (clamp)-No. 10-32 x 3/8"	2	★372133-S
65/	S		2	
68	A,B,F,X	Screw & washer(clamp)-No. 10-32 x 5/16"	2	355177-S(BB77M)
3D544 LEVER - STEERING COLUMN RELEASE				
67	F,S(tilt wheel)		1	C7SZ 3D544-A
68/69	A,F,S(tilt wheel)		1	C8SZ 3D544-A
70/72	A,F,S(tilt wheel)		1	D1AZ 3D544-A
3E546 NUT - STEERING COLUMN BRACKET RETAINER				
67/68	A,S	5/16"-18-1 1/4" O.D.	AR	C7AZ 3E546-A
3F546 SHIM KIT - STEERING GEAR MOUNTING				
71/	L	Includes (1) shim & (2) 384587-S100 nuts	AR	D1FZ 3F546-B
3E547 TANK and BRACKET ASSY. - STEERING COLUMN CONTROL VACUUM				
68	F(tilt wheel)		1	C8ZZ 3E547-A
69	F(tilt wheel)		1	C9ZZ 3E547-A
67/69	S(tilt wheel)		1	C8SZ 3E547-A
67	F(tilt wheel)		1	
3-3547 "O" RING - POWER STEERING PUMP OIL RESERVOIR ORIFICE				
65/67	A,F,S,X	53/64" I.D.	1 or 2	B5A 33547-A
65/67	B		2	
3548 HOUSING ASSY. - STEERING GEAR				
65/71	A(M/S)	Use with gears-models HCD-A, A1 & SMA-D, casting #C5AR 3550-B	1	C5AZ 3548-B
69/71	A(M/S)	Use with gears-model SMA-D1, casting #C9AR 3550-A	1	C9AZ 3548-B
72	A(M/S)	Use w/gear #SMA-T, stamping #D1ZR 3550-AA	1	D1ZZ 3548-A
65/66	A(P/S)	Use with Ford gears-models HCE-C,D, casting #C6AR 3550-B	1	C5AZ 3548-D
67/68	A(P/S)	Use with Ford gears-models #SPA-A & B, casting #C9AR 3550-C incl.(1) 385084-S seal	1	C5AZ 3548-F
69	A(P/S)	Use with Ford gears-models SPA-A1,A2, casting #C9AR 3550-B	1	C9AZ 3548-A
69/72	A(P/S)	Use with Ford gears-models #SPA-A3,E3,E4 casting # C9AR 3550-C, incl. 385348-S "O" ring	1	●D2AZ 3548-A
65/68	A(P/S)	Use with Saginaw gears-models HCE-B & SPA-H	1	C5AZ 3548-C
69	A(P/S)	Use with Saginaw gear-model SPA-N	1	C5AZ 3548-E
65/71	B	Casting #D2DR 3550-A (replaces #C6OR 3550-B & C7OR 3550-A)	1	D2DZ 3548-A
72	B(M/S)	Use w/gear #SMA-T, casting #D1ZR 3550-AA	1	D1ZZ 3548-A
	B(P/S)	W/gear #SPA-E3,E4,Y, casting #C9AR 3550-C incl. 385348-S "O" ring	1	●D2AZ 3548-A

- To eliminate oil leakage due to excessive wear of the sector shaft, bore hole in the housing. Refer to T.S.B. No. 31, Article 282, dated 12/1/72.

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3548 HOUSING ASSY. - STEERING GEAR - continued				
65/67	F	Use with 1" dia. sector shaft for models #HCC-AT,AX,AW & SMB-A,B,C,E - casting #C4DR 3550-A or C6ZR 3550-A	1	C3DZ 3548-E
67/70	F	Use with 1 1/8" dia. sector shaft for models #SMB-D,F,J,K - casting #C4DR 3550-B or C7ZR 3550-A	1	C7ZZ 3548-A
71/	F(M/S)	Use with #SMA-R,T	1	D1ZZ 3548-A
71/	F(P/S)	#SPA-S,T,U,V	1	D1ZZ 3548-B
70/72	P	#D2DR 3550-A (replaces #C7OR 3550-A)	1	D2DZ 3548-A
65/66	S	Use w/#HCF-F & SPA-C, casting #C5VR 3550-A, #C6VR 3550-A,B,C or #C8VR 3550-A	1	C5SZ 3548-C
67/68	S	Use w/#SPA-E or F	1	C5AZ 3548-D
69	S	Use w/#SPA-A1,A2,E1,E2	1	C9AZ 3548-A
69/72	S	Use w/#SPA-E3,E4-incl. 385348-S "O" ring	1	•D2AZ 3548-A
66/	U(M/S)	#C7TA 3504-U or #35JC05	1	C6TZ 3548-K
72	U(P/S)		1	D3TZ 3548-A
65	X	Use with 1" dia. sector shaft for models #HCC-AM,AM-1,AZ & BB - casting #C4DR 3550-A or C6ZR 3550-A	1	C3DZ 3548-E
65	X	Use with 1 1/8" dia. sector shaft for model HCC-AP,AP-1 - casting #C4DR 3550-B or C7ZR 3550-A	1	C7ZZ 3548-A
66/70	X	#C6OR 3550-B or #C7OR 3550-A	1	C2OZ 3548-F
65/	A,S,X,U	Plug (expansion)-1 5/16"	1	351701-S(PP87)
	A,S(P/S)	"O" ring (piston to housing)-2 13/16 I.D.	1	★87150-S94
	S	Seat (oil intake tube)-5/16" tube	1	374309-S(TT5A)
	A(P/S)		1	
	S	Seat (oil outlet tube)-3/8" tube	1	374480-S(TT7A)
	A(P/S)	Saginaw	1	
3549 SNAP RING - STEERING GEAR SECTOR SHAFT ADJUSTING SCREW				
66/67	U	'Before Ser. B26,001"	1	C6TZ 3549-A
67/	U	'From Ser. B26,001"	1	B3W 3549-A
3552-3 CUP - STEERING GEAR WORM BEARING				
65/	A,B,F,P,S,X	Upper & lower-for manual or power assist gears	2	C2AZ 3552-A
71/	L	Bearing assy.-Use with #SMA-C	1	D1FZ 3552-A
66/	U	1 13/16" O.D.	1	C6TZ 3552-A
		Adjusting-1 15/16" O.D.	1	C6TZ 3553-A
3552 BRACKET - STEERING GEAR MOUNTING				
71/	L	R.H.	1	D1FZ 3E552-A
3557 BRACE - MOVEABLE STEERING COLUMN TRACK - Also refer to Group 3C762				
65	A(P/S)		1	C5AZ 3C557-A
	A(A/T)	Bolt & lockwasher (brace to brake pedal support bracket)-5/16"-18 x 7/16"	1	350211-S(BB413)
	A(A/T)	Nut (brace to track)-5/16"-18	1	33797-S7(M50)
		Washer-flat-5/16"	1	44722-S8(X19)
@3558 TUBE - STEERING COLUMN RELEASE VALVE				

- To eliminate oil leakage due to excessive wear of the sector shaft, bore hole in the housing. Refer to T.S.B. No. 31, Article 282, dated 12/1/72. # Identification marking
- @ Replacement tubes are to be made from bulk tubing stock listed by size and part number under Basic Group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3B559 SHAFT - POWER STEERING PUMP ROTOR				
65	A,B,F,S,X	Eaton Pump- 3 23/32" long	1	C2AZ 3B559-A
		Snap ring (rotor to housing)	1	359290-S(QQ49)
65/69	A,B,F,S,X	Ford pump-#HBA-All	1	C5AZ 3B559-B
70/72	A	#HBA-CA, CA1, CT	1	
70/72	B,P	#HBA-BM, BN, BR, CA1, CT	1	
70	F,X	#HBA-BR, CC	1	
70/72	A	Use W/#HBA-BV, BV1, CK	1	D0AZ 3B559-A
	B,P,U	#HBA-CK, CL, CM, CN	1	
70/71	S	#HBA-BX, BX1	1	
	F	#HBA-CG, CN	1	
72	S	#HBA-CJ	1	D2VY 3B559-A
3C560 STOP - POWER STEERING CONTROL VALVE SPOOL TRAVEL REGULATOR				
65/67	B,F,X		1	C1AA 3C560-A
3A561 VALVE ASSY. - POWER STEERING PUMP				
65	A (8 cyl. 289)-without A/C	Eaton-belt driven-side mounted pump	1	B8LY 3A561-A
65	A	For Ford pumps tagged HBA-AJ, -AJ1	1	D3AZ 3A561-C
65/69	A	For Ford pumps tagged HBA-AJ2, -BC, -BC1, -BC3, -BH	1	C5AZ 3A561-G
65/66	A	For Ford pumps tagged HBA-AG, -AG1, -AG4, AH, -AH4, -AM, -AM1	1	C5AZ 3A561-H
65/69	A	For Ford pumps tagged HBA-AG2, -AG3, -AH2, -AM2, -BB, -BB1, -BB3, -BG, -BG1	1	C5SZ 3A561-A
65/69	S			
70/72	A	"Before 6/1/72" #HBA-BV, BV1, CA, CA1	1	
72	A	"From 6/1/72" #HBA-CK	1	D3AZ 3A561-B
65	B,F,X	For Eaton pump-#E	1	C1SS 3A561-A
65/66	B,F,X	For Ford pumps tagged HBA-AC, -AC1, -AC4, -AD, -AD4, -AE, -AE1, -AE4, -AF, -AF1, -AF4, -AN, -AN1, -AN4, -AR, -AR1, -AR4	1	C5OZ 3A561-A
65/67	B,F,X	For Ford pumps tagged HBA-AC2, -AC3, -AD2, -AD3, -AE2, -AE3, -AF2, -AF3, -AN2, -AN3, -AR2, -AR3, -AS, -AS3, -AT, -AT3, -AU, -AU3, -BF, -BF1, -BK	1	C5DZ 3A561-D
68/69	B,F,X		1	D3OZ 3A561-A
70/71	B	#HBA-BM, BR, CC	1	C5SZ 3A561-A
72	B	"Before 6/1/72" #HBA-CA1, CT	1	C5SZ 3A561-A
	B	"From 6/1/72" #HBA-CK	1	D3AZ 3A561-B
67/68	F	#HBA-BH, BH1	1	C5AZ 3A561-G
69/70	F	#HBA-BZ	1	C5DZ 3A561-D
70	F,X	#HBA-BR, CC	1	C5SZ 3A561-A
71/72	F	"Before 7/1/72" For Ford pumps tagged #HBA-CG	1	D1ZZ 3A561-A
72	F,S	"From 7/1/72" #HBA-CN, CR	1	D3ZZ 3A561-A
70/72	P	"Before 8/8/72" #HBA-BN, BR	1	C5SZ 3A561-A
72	P	"From 8/8/72" #HBA-CL, CM	1	D3DZ 3A561-A
70/72	S	"Before 7/1/72" Use with #HBA-BX, BX1	1	D0VY 3A561-A
72	S	#HBA-CJ	1	D2VY 3A561-A
72	U	#HBA-CN	1	D3ZZ 3A561-A
		Screw-set (adjusting)-5/16"-32 x 11/16"	2	378562-S2(UU38)
		Nut-5/16"-32		378563-S2(MM54D)

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3562 BRACKET - POWER STEERING PUMP SUPPORT				
65/66	B (6 cyl. 170)-with Automatic trans.	Upper	1	★C3OZ 3562-A
65/67	B, F, X (6 cyl.)	Brace	1	C5OZ 3562-A
65	B, F, X (6 cyl.)-without A/C	With Eaton pump - to pump	1	★C5ZZ 3562-A
	B, F, X (6 cyl.)-without A/C	With Eaton pump - to cylinder head	1	★C5ZZ 3562-B
65/67	B (6 cyl.)-with Automatic trans.	Bolt (upper to lower brkt.)-3/8"-24 x 1 1/2"	1	20469-S8(B174)
65/67	F (6 cyl.)		1	
		Lockwasher-3/8"		34807-S8(X66)
		Washer-flat-3/8"		352981-S(XX143)
		Washer-flat-13/32"		354193-S(XX141)
67	B, F, X(6 cyl.)	Screw(to adjusting bracket)-3/8"-16 x 3/4"	1	370608-S2(BB579)
3C562 INSULATOR - POWER STEERING CONTROL VALVE SPOOL STOP				
65/67	A, F		2	C1AA 3C562-A
65/68	X		2	
65/70	B		2	C2OZ 3C562-A
67/70	X		2	
3B563 REINFORCEMENT - POWER STEERING OIL RESERVOIR ORIFICE				
65/67	A (8 cyl.)		1	B5AZ 3B563-A
65/67	S		1	
65/67	B, F, X		1	
3C563 SPRING - POWER STEERING CONTROL VALVE REACTION LIMITING - Also serviced in 3C563 kit				
65/71	B		2	C3AZ 3C563-A
65/70	F, X		2	
70/	P		2	
3C563 LIMITING KIT - POWER STEERING CONTROL VALVE REACTION				
65/70	B, F, X	Consists of	1	C3AZ 3C563-C
71	B,	1-B9M 3A512-A plug 2-C3AZ 3C563-A spring	1	
70/	P	1-B9M 3A513-A plug 2-372299-S washer	1	
		1-B4A 2428-A "O" ring 1-C1AA 3A740-A gskt.		
3B564 INSULATOR - STEERING COLUMN LOWER FLANGE - Also refer to Group 3674				
65/67	B, F, X		1	C6OZ 3B564-A
3566 SPACER - STEERING GEAR TO FRAME				
65/68	A		1	C5AZ 3566-A
3568 PLATE - STEERING GEAR HOUSING END				
66/	U		1	C6TZ 3568-A
		Bolt (to housing)-5/16"-18 x 7/8"	4	357235-S(BB136)
3568 COVER - HOUSING END SHAFT & WORM				
71/	L	Use with gear #SMC-A-stamped 18275	1	D1FZ 3568-A
3D568 WIRE ASSY. - STEERING WHEEL RELAY SWITCH				
69	F(tilt column)	"Before 4/30/69"	1	C9ZZ 3D568-A
	F(tilt column)	"From 4/30/69"	1	C9ZZ 3D568-B
3A570 SPRING - POWER STEERING PUMP FLOW CONTROL VALVE				
65/67	A, B, F, S, X		1	B8AZ 3A570-A
3571 BEARING - STEERING GEAR WORM THRUST				
65/	A, B, F, P, S, X	Use with manual & power assist gears	2	C2AZ 3571-A
66/	U		2	C6TZ 3571-A
3C571 TRACK ASSY. - MOVEABLE STEERING COLUMN				
65	A		1	C5AZ 3C571-A
		Bolt (track to pedal support)-3/8"-16 x 1 1/4"	2	359266-S8(BB157)

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3575 SHAFT - STEERING GEAR SECTOR				
65	A(M/S)	"Before 6/20/65"	1	C5AZ 3575-A
65/	A(M/S)	"From 6/20/65"	1	C5AZ 3575-D
65/66	A(P/S)	"Before 1/13/66"	1	C5AZ 3575-B
66	A(P/S)	"From 1/13/66"	1	D3AZ 3575-A
67/	A(P/S)	Ford gear	1	
65/69	A(P/S)	Saginaw gear	1	C5AZ 3575-E
65	B	1 1/8" dia.-9 1/4" long	1	C2OZ 3575-B
66/71	B(P/S)		1	
66/71	B(M/S)	1 1/8" dia.-9 11/32" long	1	C6OZ 3575-A
72	B(M/S)	#SMA-T	1	C5AZ 3575-D
	B(P/S)	#SPA-E4, Y,AA	1	D3AZ 3575-A
65/67	F	1" dia. 7/8"-14 x 9 5/32" long, use w/#HCC-AT, AX,AW & SMB-A,B,C,E	1	C3DZ 3575-F
67/70	F	1 1/8" dia. 7/8"-14 x 9 15/32" long-use w/#SMB-D,F,H,J,K	1	C3DZ 3575-E
71/	F(M/S)	#SMA-B,T	1	C5AZ 3575-D
	F(P/S)	#SPA-T,V	1	D1ZZ 3575-A
		#SPA-S,U	1	C5AZ 3575-E
	L	Serviced in 3504 assy.	1	
70/	P(M/S)	1 1/8" dia., 9 11/32" long	1	C6OZ 3575-A
	P(P/S)	1 1/8" dia., 9 1/4" long	1	C2OZ 3575-B
65/66	S	Use with #HCF-B,B1,B2,B3,B4,B5,B6	1	C9VY 3575-A
67/	S		1	D3AZ 3575-A
66/	U(M/S)		1	C6TZ 3575-H
72	U(P/S)		1	D3TZ 3575-A
65	X	1" dia. 7/8"-14 x 9 5/32" long, use w/#HCC-AM,AM1,AZ& BB	1	C3DZ 3575-F
	X	1 1/8" dia. 7/8"-14 x 9 15/32" long, use w/#HCC-AP,AP1	1	C3DZ 3575-E
66/70	X(M/S)	1 1/8" dia., 9 11/32" long	1	C6OZ 3575-A
	X(P/S)	1 1/8" dia., 9 1/4" long	1	C2OZ 3575-B
3A575 TUBE ASSY. - POWER STEERING RETURN LINE HOSE TO CONTROL VALVE - Refer to group 3A719				
3576 BUSHING - STEERING GEAR HOUSING SECTOR SHAFT				
65/	A(M/S)	Bushing-lower-1 1/8" I.D.-1 3/8" O.D.-1" long	1	C1AZ 3576-B
65/66	A(P/S)	Ford gear-use only with housing assy. (3548)-stamped C5AR 3550-A or C6AR 3550-A, 1 5/16" I.D.-1 7/16" O.D.-1" long	1	C5AZ 3576-A
65/69	A(P/S)	Saginaw gear	1	C5AZ 3576-B
66/70	A(P/S)	Not required with housing assy. (3548)-stamped C6AR 3550-B, C9AR 3550-C		3576
71/72	A(P/S)	"Before 3/15/72" Refer to T.S.B. #31, article 282, dated 12/1/72	1	C5AZ 3576-A
65	B	1 1/8" I.D.-1 3/8" O.D.-1" long	2	C1AZ 3576-B
66/71	B	Lower	1	
		Upper 1 1/8" I.D.-1 3/8" O.D.-1" long	1	C4DZ 3576-B
72	B(M/S)	Lower for #SMA-T	1	C1AZ 3576-B
		Upper-not required-see 3580		3576
	B(P/S)	Refer to T.S.B. #31, article 282, dated 12/1/72	1	C5AZ 3576-A
65/67	F	Use with 1" dia. sector shaft for models #HCC-AT,AX,AW & SMB-A,B,C,F		
		Upper-1" I.D.-1 1/4" O.D.-1" long	1	C4DZ 3576-A
		Lower-1" I.D.-1 1/4" O.D.-1" long	1	C3DZ 3576-A

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3576 BUSHING - STEERING GEAR HOUSING SECTOR SHAFT - continued				
67/70	F	Use with 1 1/8" dia. sector shaft for models #SMB-D, F, J, K		
		Upper-1 1/8" I.D.-1 3/8" O.D.-1" long	1	C4DZ 3576-B
		Lower-1 1/8" I.D.-1 3/8" O.D.-1" long	1	C1AZ 3576-B
71/	F(M/S)	Lower	1	C1AZ 3576-B
		Upper-serviced in 3580 only		
	F(P/S)	Saginaw gear	1	C5AZ 3576-B
70/	P	Upper	1	C4DZ 3576-B
		Lower	1	C1AZ 3576-B
65/66	S	Use only with housing assy. (3548) stamped C5VR 3550-A, C6VR 3550-A & B		
		Center-1 5/16" I.D.-1 7/16" O.D.-1" long	1	C5AZ 3576-A
		Lower-1 5/16" I.D.-1 7/16" O.D.-3/4" long	1	C5SZ 3576-A
	S	Not required with housing assy. (3548) - stamped C6VR 3550-C or C8VR 3550-A		3576
71/72	S(P/S)	"Before 3/15/72" Refer to T.S.B. #31, article 282, dated 12/1/72	1	C5AZ 3576-A
66/	U(M/S)			
72	U(P/S)	1 1/4" I.D. - 1 3/8" O.D. - 1" long	2	C6TZ 3576-B
			2	C5AZ 3576-B
65	X	Use with 1" dia. sector shaft for models #HCC-AM, AM1, AZ & BB		
		Upper	1	C4DZ 3576-A
		Lower	1	C3DZ 3576-A
	X	Use with 1 1/8" dia. sector shaft for models #HCC-AP, AP1		
		Upper	1	C4DZ 3576-B
		Lower	1	C1AZ 3576-B
66/70	X	Upper	1	C4DZ 3576-B
		Lower	1	C1AZ 3576-B
3E576 TUBE ASSY. - POWER STEERING PRESSURE OUTLET - Refer to group 3A719				
3K576 SPRING - STEERING GEAR RACK ADJUSTMENT				
71/	L	Use with gear #SMC-A-#Yellow paint on coil	1	D1FZ 3K576-A
3577 SCREW - STEERING GEAR SECTOR SHAFT ADJUSTING				
65/	A, B, F, P, X (M/S)	7/16"-20 x 1 15/32"	1	B8AZ 3577-A
65/71	B, F (P/S)		1	
65/72	P, X (P/S)		1	
65/67	S		1	WAN 3577-A
66/	U	1/2"-20 x 1 17/64"	1	B7J 3577-A
65/	A, S, X	Nut-jam (screw)-7/16"-20	1	34690-S8(M34)
65/	S	Locknut-7/16"-20	1	371782-S8
	A(P/S)	Saginaw	1	(MM160X)
		Washer-flat		356395-SXX165D)
66/	U	Nut-1/2"-20	1	33943-S8(M36)
3C577 INSULATOR - STEERING COLUMN				
67	B, X(except floor shift transmission)		1	C7OZ 3C577-A
	A, S(except floor or console shift)		1	
67	B(P/S & floor shift automatic or 4 speed S/T)		1	C7OZ 3C577-B
	B(8 cyl. 390)-fixed wheel		1	
	A(with floor or console shift)		1	
67	F(tilt wheel)		1	
3578 SPACER - STEERING COLUMN BRACKET				
67	S	1/16" thick	AR	★C7SZ 3578-A
3579 WASHER - STEERING GEAR WORM SECTOR THRUST				
66/	U	.55" I. D. -, .113" thick	1	C7TZ 3579-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3580 COVER - STEERING GEAR SECTOR SHAFT HOUSING				
65/71	A(M/S)		1	C5AZ 3580-E
65/	A,S(P/S)	#D1AR 3583-AA	1	D1AZ 3580-A
72	B(P/S)		1	
72	A,B(M/S)	#D1ZR 3583-AA	1	D1ZZ 3580-A
65/69	A(P/S)	Saginaw gear	1	C5AZ 3580-F
65/71	B,		1	C3AZ 3580-A
66/70	X		1	
71/	F(M/S)	Use w/#SMA-R, T-stamped D1ZR 3583-AA	1	D1ZZ 3580-A
	F(P/S)	#SPA-S,T,U,V	1	C5AZ 3580-G
71/	L	Use with gear #SMC-A	1	D1FZ 3580-A
70/	P		1	C3AZ 3580-A
66/	U(M/S)		1	C6TZ 3580-A
72	U(P/S)		1	C5AZ 3580-G
65	X		1	C1DZ 3580-A
65/70	F		1	
65/66	A	Bolt (cover to housing)-3/8"-16 x 3/4"	3	20348-S8(B77)
		Lockwasher-3/8"		34807-S8(X66)
65/70	X	Bolt (cover to housing)-5/16"-18 x 5/8" washer head-locking	3	371065-S(BB549)
66/	U(M/S)	Bolt (cover to housing)-5/16"-18 x 7/8"	4	357235-S(BB136)
65/	A,S(P/S)	"O" ring (cover)-2 13/16" I.D.	1	*87150-S94
65/	A,S(P/S)	Bolt (to housing)-7/16"-20 x 1 1/8" hex.	2	383685-S7 (BB395F)
65/69	A(P/S)	Bolt (to housing)-3/8"-16 x 1 1/4"	4	359266-S8(BB157)
71/	F,U(P/S)		4	
68	B,X	Bolt (to housing)-3/8"-16 x 3/4"	3	42996-S(B251F)
72	A,B,S	"O" ring-2 11/16" I.D. (cover to housing)	1	385348-S(KK52CG)
3581 GASKET - STEERING GEAR SECTOR SHAFT HOUSING COVER				
65/	A,B,P	Housing cover for Ford gears	1	C3AZ 3581-A
65/70	X		1	
71/	F(M/S)		1	
65/69	A(P/S)	Use w/#HCE-B,SPA-H,N-Saginaw gear	1	C5AZ 3581-A
71/	F(P/S)	Use w/#SPA-S,T,U,V-Saginaw gear	1	
65/70	F	Housing cover	1	C3DZ 3581-A
66/	U(M/S)		1	C6TZ 3581-A
72	U(P/S)		1	C5AZ 3581-A
3D581 BEARING - STEERING COLUMN RELEASE CAM				
65/67	S	Nylon	2	C4VY 3D581-A
65/69	A(6 cyl.)-automatic transmission		2	
67/	A(8 cyl.)-speed control		2	
68/	S(speed control)		2	
3A582 COVER ASSY. - POWER STEERING PUMP OIL RESERVOIR				
65	A,B,F,S,X(8 cyl.)-without A/C	Pump mtd. reservoir with filler neck-5 5/8" O. D.	1	C0AA 3A582-A
65	F	Remote mounted reservoir-4 1/4" O. D.	1	C1AA 3A582-A
65	B,F,X(6 cyl.)-without A/C	Includes gasket - pump mounted reservoir-less filler neck-5 5/8" O. D.	1	C3DZ 3A582-A
65	A,B,F,S,X	Stud(cvr.to reservoir)-5/16"-18 & 5/16"-18 x 4 5/8"	1	359841-S8(WW22)
		Nut-wing-5/16"-18	1	33896-S8(M182)
		Washer - flat 5/16"		359840-S8(XX107)
65	A,B,F,S,X	Bolt (cover to reservoir)-5/16"-18 x 3 1/2"	1	354668-S8(BB516)
		Spring nut	1	353766-S(MM269)
		Washer-flat-5/16"	1	44722-S8(X19)

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3B584 SEAL AND GASKET KIT - POWER STEERING PUMP				
65	A,B,F,S,X	For Eaton pump-Consists of 2-B5A 33547-A Ring 1-C0AA 3A642-B Gskt. 1-C2SZ 3B592-A Seal 1-EAA 6589-B Seal 1-B7A 33617-A Gasket 1-87014-S91 Ring 1-LA 33618-A Ring 1-87147-S91 Ring 1-B7A 33619-A Ring 1-372144-S Gasket 1-C0AA 3A642-A Gasket	1	C2SZ 3B584-A
65/	A,B,F,P,S,U,X	Overhaul seal kit for Ford pumps Consists of 1-C5AR 3D587-B Seal 1-C5AR 3D684-A Gskt. 1-C5AZ 3B592-C Seal 1-C9AZ 3A760-A Gskt. 1-C5AR 3D594-B Seal 1-383201-S Seal 1-D0ZR 3D594-A Seal 1-383213-S94 Seal 1-D1AR 3D594-AA Seal	1	D1AZ 3B584-A
72	S	With Saginaw pump-#HBA-CJ	1	D2VY 3B584-A
3D584 HOSE - STEERING COLUMN RESERVOIR				
69	F	Cut 47" from C8ZZ 3D537-A	1	*C9ZA 3D584-A
3B585 INSERT - POWER STEERING PUMP CAM				
72	S	#HBA-CJ	1	D2VY 3B585-A
3D585 HOSE - STEERING COLUMN RELEASE SUPPLY -Cut from C8ZZ 3D537-A				
67/69	F(tilt wheel)	Grommet	1	354002-S(KK7)
	F(tilt wheel)	Clip (to dash panel)	1	358350-S(GG172)
3D586 SPRING - P/S PUMP FLOW CONTROL VALVE				
72	S	#HBA-CJ	1	D2VY 3D586-A
3D589 PLATE - P/S PUMP RETAINER END				
65/69	A,B,F,S,X	Use with C5AZ 3D590-F	1	C5AZ 3D589-B
70	A	Use with #HBA-CA	1	
70	B,F,X		1	
72	S	#HBA-CJ	1	D2VY 3D589-A
3590 ARM - STEERING GEAR SECTOR SHAFT				
- A -				
65/68	A Special (8 cyl. 352, 390, 406, 427)-For Special Duty Performance		1	C0AA 3590-D
	A (M/S)		1	C5AZ 3590-A
	A(P/S)	Saginaw gear-stamped C5AA 3B153-E	1	C5AZ 3590-C
	A (P/S)	Ford gear	1	C5AZ 3590-E
69/	A (M/S)		1	C9AZ 3590-A
	A(P/S)		1	C9AZ 3590-B
- B -				
65	B(P/S)		1	C2OZ 3590-B
	B (M/S)		1	C3OZ 3590-C
66/69	B(M/S)		1	C8OZ 3590-A
	B(P/S)		1	C6OZ 3590-B
70/71	B(M/S)		1	C8OZ 3590-A
	B(P/S)	#D0OA 3590-A	1	D0OZ 3590-A
72	B(M/S)	#D2OA 3B153-AA , D3OA 3B153-AB	1	D2OZ 3590-A
	B(P/S)	#D2OA 3B153-BA , D3OA 3B153-BB	1	D2OZ 3590-B
- F -				
65/66	F(6 cyl.)(M/S)		1	C0DD 3590-B
	F(6 cyl.)(P/S)		1	C4DZ 3590-A
	F(8 cyl. GT350)		1	S1MS 3590-A
	F(8 cyl. exc. GT350)	Marked C4ZA 3590-A- with 1" sector shaft	1	C5ZZ 3590-A
67	F(6 & 8 cyl.)(P/S)	Marked C4ZA 3590-A-with 1" sector shaft	1	C5ZZ 3590-A
67/70	F(6 & 8 cyl.)(P/S)	Marked C7ZA 3590-C-with 1 1/8" sector shaft	1	C7ZZ 3590-C
67/70	F(8 cyl.)(M/S)	Marked C7ZA 3590-B-with 1 1/8" sector shaft	1	C7ZZ 3590-B
67/70	F(6 cyl.)(M/S)	"From 5/1/67"	1	
67	F(6 cyl.)(M/S)	"Before 5/1/67"	1	C7ZZ 3590-A
71/	F(M/S)	Marked C7ZA 3590-A-with 1" sector shaft	1	D1ZZ 3590-A
	F(P/S)	#D1ZA 3B153-AA,D3ZA 3B153-AB	1	D1ZZ 3590-B
		#D1ZA 3B153-BA,D3ZA 3B153-BB	1	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3590 ARM - STEERING GEAR SECTOR SHAFT - continued				
- P -				
70/	P(M/S)		1	D0DZ 3590-A
	P(P/S)		1	C9DZ 3590-A
- S -				
65/66	S		1	C5SZ 3590-A
67	S		1	C5AZ 3590-B
68	S(P/S)		1	C5AZ 3590-E
69/71	S(P/S)		1	C9AZ 3590-B
72	S(P/S)	#D2OA 3B153-BA	1	D2OZ 3590-B
- U -				
66	U	R/B C6TZ 3304-S & C6TZ 3590-J	1	★C6TZ 3590-C
67	U		1	C6TZ 3590-J
68/	U(M/S)		1	C8TZ 3590-E
72	U(P/S)	#D3TA 3590-AA	1	D3TZ 3590-A
- X -				
65	X(6 cyl.) (M/S)		1	C0DD 3590-B
	X(8 cyl.) (M/S)	With 1 1/8" sector shaft	1	C3DZ 3590-H
	X(6 cyl.) (P/S)		1	C4DZ 3590-A
	X(8 cyl.) (P/S)	Marked C4ZA 3590-A-with 1" sector shaft	1	C5ZZ 3590-A
66/70	X(M/S)		1	C8OZ 3590-A
66/69	X(P/S)	"Before 6/2/69"	1	C6OZ 3590-B
69/70	X(P/S)	"From 6/2/69"	1	C9DZ 3590-A
65/70	X	Nut-castle (arm to idler arm rod)-3/8"-24	1	★34030-S8
	X	Nut-castle (arm to spindle arm end)	1	
	X, F	Nut (arm to steering gear)-3/4"-16	1	34692-S8(M74)
		Cotter pin-3/32" x 3/4"		72016-S8(N44)
65/66	A, B, S, U	Nut (steering sector shaft & worm)-7/8"-14	1	351153-S(MM32)
65/70	X(8 cyl.)		1	
		Lockwasher-7/8"		★34814-S
65/	B, X, F (M/S)	Nut-castle (arm to control valve & link)-1/2"-20	1	5385002-S(MM66A)
65/	A, S	(Arm to 3304 idler arm)	1	
67/	U	Nut(to steering gear)-7/8"-14	1	380771 - S100
67/	F(8 cyl. 289, 390)		1	(MM38FA)
67/	A, S	(Arm to steering sector shaft)	1	
65/70	F, X	Washer(arm to steering gear) 3/4" lock	1	34813-S(X71A)
3C590 BUSHING KIT - POWER STEERING CYLINDER MOUNTING ROD END				
65	B	Consists of	1	C1AZ 3C590-A
65	F (8 cyl.)	2-C1AA 3A344-A Insulator1-AJ 3652-A Spacer	1	
		2-C3AA 3A345-A Washer 1-33925-S8 Nut		
		1-45218-S8 Locknut		
66/71	B	Consists of	1	C6OZ 3C590-A
66/70	X	2-C7OA3A344-A Insulator 1-AJ 3652-A Spacer	1	
67/70	F	2-C3AA 3A345-A Washer 1-33925-S8 Nut	1	
70/	F	1-45218-S8 Nut	1	
3D590 PLATE - POWER STEERING PUMP PRESSURE				
65/69	A, B, F, S, X	Front-for Ford pumps	1	C5AZ 3D590-E
70/72	A	Use w/#HBA-CA, CA1, CT	1	
70/72	B, P,	Use w/#HBA-BM, BN, BR, CA1, CT	1	
70	F, X		1	
70/72	A	Front-use w/#HBA-BV, BV1	1	D0AZ 3D590-A
70/72	S	Use w/#HBA-BX, BX1	1	
71/72	F	Use w/#HBA-BR, CC, CG	1	
72	A, B, F, P, U	#HBA-CK, CL, CM, CN	1	
72	S	Front-use w/#HBA-CJ	1	D2VY 3D590-A
65/69	A, B, F, S, X	Rear-5/16" thick-must be used with 3D589 cover-alternate plate D1AZ 3D590-A used w/o 3D589 cover	1	C5AZ 3D590-F
70	A, B, F, X	Alternate plate may be used for HBA-BM, BR, BN, CA, CC	1	

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3D590 PLATE - POWER STEERING PUMP PRESSURE - continued				
70	A,B,F,P,X	Rear-25/64" thick-alternate plate C5AZ 3D590-F must be used w/3D589 cover for #HBA-BM, BN, BR, CA, CC Must be used with #HBA-BV and BX	1	D1AZ 3D590-A
70	A,S		1	
71/	A,B,F,P,U		1	
71/	S	#HBA-BX (Ford pump)	1	
72	S	Rear plate-#HBA-CJ (Saginaw pump)	1	D2VY 3D590-B
3591 SEAL - STEERING GEAR SECTOR SHAFT HOUSING OIL				
65/	A,B,F,P,X	For manual & power assist gears with 1 1/8" dia. sector shaft	1	C7OZ 3591-A
65/	A,S(P/S)	Upper & lower-r/b D5AZ 3E501-A (2/75)	2	★C5AZ 3591-B
72	B(P/S)	#SPA-E4, Y,AA	2	
66/	U	Column seal-43/64" I.D. -1 3/16" O.D.	1	C6TZ 3591-A
	U	1 1/4" I.D. -1 11/16" O.D.	1	C1TT 3591-G
65/66	X	With 1" sector shaft	1	C0DR 3591-A
65/70	F		1	
65/	A,S(P/S)	Ring (retaining)-1 13/16"	1	97628-S(QQ7)
3B592 SEAL - POWER STEERING PUMP ROTOR SHAFT OIL				
65	A,B,F,S,X	Eaton-belt driven-side mounted pump	1	C2SZ 3B592-A
65/	A,B,F,P,U,X	Ford pump-also supplied in 3B584 kit	1	C5AZ 3B592-C
65/71	S	#HBA-all	1	
72	S	#HBA-BX (Ford pump)	1	
72	S	#HBA-CJ (Saginaw pump)	1	D2VY 3B592-A
3593 GASKET - STEERING GEAR HOUSING END PLATE				
66/	U	.002" thick	AR	C6TZ 3593-A
		.005" thick	AR	C6TZ 3593-B
		.010" thick	AR	C6TZ 3593-C
67/70	U	.0075" thick-1 31/32" I.D.	1	C7TZ 3593-D
3593 GASKET & SHIM KIT - STEERING GEAR HOUSING COVER				
71	L	"Before 5/24/71" Use with gear #SMC-A-consists of 1 D12R 3595-AA shim-.005 thick 1 D12R 3595-BA shim-.0075 thick 1 D12R 3595-CA shim-.010 thick 1 D12R 3595-DA shim-.093 thick 1 D12R 3593-AA gasket	1	D1FZ 3593-A
71/	L	"From 5/24/71" Use with gear #SMC-A-consists of 1 D12R 3595-AA shim-.005 thick 1 D12R 3595-BA shim-.0075 thick 1 D12R 3595-CA shim-.010 thick 1 D12R 3595-DA shim-.093 thick 1 D12R 3595-EA shim-.0024 thick 1 D12R 3593-AA gasket	1	D1FZ 3593-B
3A594 SPRING - POWER STEERING GEAR CONTROL VALVE SPOOL				
65/70	A(P/S)	Saginaw-control valve spool	1	C5AZ 3A594-A
71/	F		1	
72	U		1	
65/67	S	Not replaced (2/75)	1	★C2SZ 3A594-A
3E595 SHIELD - POWER STEERING SPLASH - UPPER - Improvise				
3D596 SPRING - P/S PUMP PRESSURE PLATE				
65/	A,B,F,P,U,X	For Ford pumps	2	C5AZ 3D596-C
65/71	S	#HBA-all	2	
72	S	#HBA-BX (Ford pump)	2	
72	S	#HBA-CJ (Saginaw pump)	1	D2VY 3D596-A
3E596 BRACKET - POWER STEERING PUMP PRESSURE & RETURN TUBE - Improvise				
3K599 SPACER - STEERING GEAR PINION BEARING				
71/72	L	"Before 1/17/72" Use with gear #SMC-A between pinion and upper bearing	1	D1FZ 3K599-A
72	L	"From 1/17/72" Use with gear #SMC-D, E	1	D2FZ 3K599-A

Identification marking

3600 WHEEL ASSY. - STEERING

HOW TO FIND STEERING WHEELS, PADS, CAPS & COVERS

To find Steering Wheel and/or Caps you must know:

YEAR, MODEL and COLOR

1. Identify Year and Model by referring to Warranty Plate Codes as shown in the General Information Section.
2. Determine color by:
 - (a) Visual identification
or
 - (b) Trim code (second character of trim code generally applicable to each color)
3. Refer to listing below and find the appropriate Year and Model.
4. Match Year and Model with appropriate color and/or trim code to select desired part number.

For example, should an Ivy Gold steering wheel and/or wheel pad be required for a 1967 Ford LTD -

1. Refer to 1967.
2. Read list of colors to find Ivy Gold.
3. Read down to find A (XL and LTD).
4. Part number shown (for wheel) is C7AZ 3600 and suffix in "Ivy Gold" column is L and Cap part number is C7AZ 3623-AF.

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														Q T Y.
TRIM CODES		SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	OTHER	OTHER	
COLORS		D	0 or 3	1	2	4	5	7	8	9	9					
		PARCH- MENT	BUR- GUNDY	SILVER (GREY)	BLUE	BEIGE	RED	AQUA or TURQ.	IVY GOLD	GREEN	PALO- MINO	BLACK	WHITE	SEE FOOT- NOTE	SEE FOOT- NOTE	
- A -																
1965																
Wheel (all exc. XL & LTD)	C5AZ 3600				T	★	★	★	H	★	★	S			1	
(XL & LTD)	C5AZ 3600				★		●	★	★		M	H			1	
- B -																
Wheel (with M/S)	C5OZ 3600				★		★	★	★		★	★			1	
(with P/S)	C5OZ 3600				★		★	★	★		★	★			1	
- F -																
Wheel (exc. GT 350)-	C5ZZ 3600				★		★				★	A	★		1	
"Before 8/17/64"											★				1	
"From 8/17/64"	C5ZZ 3600				●		G		★		K	F	M	NA	1	
Cap	C5ZZ 3623										★			A	1	
Wheel (GT 350)	S2MS 3A600													★	1	
Pad	S2MS 3623													★	1	
- S -																
Wheel	C5SZ 3600	★	★	★	★	★	★	★	★		★	★	★	★	1	
Cap	C5SZ 3623	★		★		★		★			★	★	J		1	
	C6SZ 3623		C		A		F		★						1	
- X -																
Wheel- (all exc. 54D, 62D)-w/convenience pkg.	C5DZ 3600				★		★	F	★		★	★			1	
	C7TZ 3600											E			1	
Wheel-(54D, 62D)-with convenience pkg.	C5DZ 3600				★		★					E			1	
	C7TZ 3600														1	

● Use Black
May, 1975

▲ Simulated wood grain

COPYRIGHT © 1975 --

FORD MOTOR
COMPANY

■ Wood
— DEARBORN, MICHIGAN

FINAL ISSUE

3600 WHEEL ASSY. - STEERING - continued

MODEL		PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														Q T Y.
TRIM CODES			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			0 or 3	1	2	4	5	7	8	9	G						
COLORS			BUR- GUNDY	SILVER (GREY)	BLUE	EM- BER- GLO	RED	AQUA	IVY GOLD	PALO- MINO	GREEN	BLACK	PARCH- MENT	WHITE	SEE FOOT- NOTE		
- A -																	
1966																	
Wheel-2 spoke																	
(all exc. XL & LTD)	C5AZ 3600				T				U	★	★	S	★			1	
	C6AZ 3600			★		★	★	★								1	
(XL & LTD)	C5AZ 3600				●				★	M		H				1	
	C6AZ 3600		★	★		★	★	★								1	
Wheel-3 spoke	C5ZZ 3600														N▲	1	
Cap	C6AZ 3623														★	1	
- B -																	
Wheel																	
Solid color	C6OZ 3600				★	★	F	★	★			★	★			1	
Two-tone color	C6OZ 3600				★	★	★	★	★	★		★	★			1	
Woodgrain	C5ZZ 3600														N▲	1	
Cap-Woodgrain	C6OZ 3623														★	1	
- F -																	
Wheel-3 spoke(exc. GT350)	C5ZZ 3600											F			N▲	1	
	C6ZZ 3600				A		C	B					D			1	
Cap(includes emblem & trim ring)	C5ZZ 3623														A▲	1	
Cap	S2MS 3623														★ ■	1	
Wheel (GT 350)	⊙S2MS 3A600														★ ■	1	
- S -																	
Wheel (w/o speed control)																	
	C5SZ 3600			F								A	M	J	★	1	
	C6SZ 3600		★		★	★	★	★	★							1	
Cap	C5SZ 3623			★				★				★	★	J		1	
	C6SZ 3623		★		A	★	★		★							1	
Wheel (with speed control)																	
"Before 2/15/66"	C6SZ 3600		★	★	★	★	★	★	★			★	★	★		1	
"From 2/15/66"	C6SZ 3600		★	★	★	★	★	★	★			★	★	★		1	
Cover-front	C6SZ 3D752		★	★	★	★	★	★	★			★	★	★		1	
Cover-rear	C6SZ 3D752		★	★	★	★	★	★	★			★	★	★		1	
Horn ring pad	C6SZ 13A818		H	K	C	L	D	J	F			B	E	G		1	
- U -																	
U	C7TZ 3600											E				1	
- X -																	
X	C6OZ 3600				B	G	F	E	C			A	D			1	

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														Q T Y.	
TRIM CODES		SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER		OTHER
		B or 2	D	D	E	F	G	K	L								
COLORS		BLUE	RED	BUR- GUNDY	BEIGE	SAD- DLE	IVY GOLD	AQUA	SILVER (GREY)	BLACK	PARCH- MENT	WHITE	SEE FOOT- NOTE	SEE FOOT- NOTE			
- A -																	
1967																	
Wheel -2 spoke (all exc. XL & LTD)	C7AZ 3600		★	★			★	★	A	★	D	★				1	
Cap	C7AZ 3623		AD	AC			AA	★	AG	★	AB	AE				1	
Wheel-2 spoke (XL & LTD)	C7AZ 3600		K	★			★	L	★	★	J	M				1	
Cap (includes emblem and trim ring)	C7AZ 3623		AD	●			AA	★	AG	AS	AB	AE				1	
Wheel -3 spoke	‡ C7AZ 3600														★	1	
	‡ C7OZ 3600														AJ*	1	
Cap (includes emblem and trim ring)	C7AZ 3623		★	★			★	★	★		T	★				1	
- B -																	
Wheel(exc. 63C,D,76C,D) 2 spoke	C7OZ 3600		U	●				★	★		Y	Z				1	
Cap	C7OZ 3623		U	●			★	●	●		★	★				1	

■ Wood

▲ Simulated woodgrain

● Use black

* Simulated wood grain w/horn button

‡ See Tech. Service Bulletin #94, Article #1429

⊙ Cap (3623) not required - used with horn button (13805)

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													Q T Y.
TRIM CODES		SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
		B or 2	D	D	E	F	G	K	L						
COLORS		BLUE	RED	BUR- GUNDY	BEIGE	SAD- DLE	IVY GOLD	AQUA	SILVER (GREY)	BLACK	PARCH- MENT	WHITE	SEE FOOT- NOTE	SEE FOOT- NOTE	

- B -

1967 - continued

Wheel (63 C, D, 76 C, D) 2 spoke	C7OZ 3600	★	★			★	★	★		AF	★				1
Cap-2 spoke	C7OZ 3623	U	●			★	●	●		★	★				
Wheel-3 spoke	† C7OZ 3600													AJ*	1
Cap (includes emblem and trim ring)	C7OZ 3623	★	★			A	★	★		B	★				1

- F -

Wheel (exc. GT 350/500) Solid color	C7ZZ 3600	L	J			P	K	H		M	N				1
Cap-solid color	C7ZZ 3623	B	C			D	E	F		A	G				1
Woodgrain	‡ C7OZ 3600													AJ*	1
Cap-Woodgrain	C7ZZ 3623	★	★			★	★	★		H	★				1
Wheel (GT 350/500) includes horn button	S7MS 3600													★■	1
Emblem(horn button)	S7MS 3624													★	1

- S -

Wheel (w/o speed control) Solid colors	C7SZ 3600	★	●			★	●	★		F	★				1
Woodgrain	C7SZ 3600	★	★				★	★	★	★	★				1
Cap	C7SZ 3623	E	★			★	★	★	★	B	★				1
Wheel (with speed control)	C7SZ 3600	★	★	★		★	★	★	★	★	★				1
Pad	Refer to Group 13A907														
Cover	C7SZ 3D752	★	★	★		★	★	★	★	★	★				2

- U -

Wheel	C7TZ 3600									E					1
-------	-----------	--	--	--	--	--	--	--	--	---	--	--	--	--	---

- X -

Wheel	C7OZ 3600	U	●				V	W		Y	Z				1
Cap	C7OZ 3623	U	●				●	●		★	★				1

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													Q T Y.
TRIM CODES		SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
		B	D	E	F	G	K	L	P	Y					
COLORS		BLUE	RED	BEIGE	SAD- DLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUG- GET GOLD	BLACK	PARCH- MENT	WHITE	SEE FOOT- NOTE	

- A -

1968

Wheel	C8AZ 3600	A2B	A2D			A2G	★			★	A1A	★			1
Cap	C8AZ 3623	A2B	A2D			A2G	A2K			★	A1A	★			1
Cover(exc.XL & LTD)	C8AZ 3D752	★	★			★	★			★	F1A	★			1
Cover(XL & LTD)	C8AZ 3D752													BA	1

- B -

Wheel	C8AZ 3600	A1B◇	A2D			A1G	A1K			A5G	A1A	A1U			1
	C8AZ 3600	A2B◇													1
Cap-solid colors	C8AZ 3623	A1B◇	A2D			A1G	A1K			A5G	A1A	A2U			1
	C8AZ 3623	A2B◇													1
Cover-solid colors															
	C8AZ 3D752	★	F2D			★	★			★	F1A	★			1
Cover-Woodgrain	C8OZ 3D752													A▲	1

- F -

Wheel-solid colors	C8AZ 3600	A1B	A2D		★	A1G	A1K			A5G	A1A	A1U			1
-Woodgrain & colors	C8MY 3600	★	A2D		★	★	★			★	A1A	★			1
Cap	C8AZ 3623	A1B	A2D		★	A1G	A1K			A5G	A1A	A2U			1
Cover(exc. GT 350/500)															
	C8ZZ 3D752	★	★		★	★	★			★	★	★		G▲	1
(GT 350/500)	S8MS 3D752													A	1

† See Tech. Service Bulletin #94, Article #1429

* Simulated woodgrain w/horn button

◇ Medium

◆ Dark

■ Wood

● Use black

▲ Simulated woodgrain

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													Q T Y.	
TRIM CODES		SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES		OTHER
		__B__	__D__	__E__	__F__	__G__	__K__	__L__	__P__	__Y__						
COLORS		BLUE	RED	BEIGE	SAD- DLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUG- GET GOLD	BLACK	PARCH- MENT	WHITE	SEE FOOT- NOTE		

- S -

1968 - continued

Wheel (w/o speed control)														
Solid colors	C8AZ 3600		A2B	A2D		★	A2G	★			★	A1A		1
Woodgrain & colors														
Before 11/20/67	C8SZ 3600		★	★						★	★			1
From 11/20/67	C8MY 3600		★			★	A2G	★			A1A			1
Cap	C8AZ 3623		A2B	A2D		★	A2G	★		★	A1A			1
Cover-Woodgrain	C8SZ 3D752		★	★		★	★	★		★	★			1
Wheel (with speed control)														
Solid colors	C8SZ 3600		★	★		★	★	★		★	★			1
Woodgrain & colors	C8SZ 3600		★	★		★	★	★		★	★			1
Cap	C8SZ 3623		★	★						★	★			1
Cover-Woodgrain	C8SZ 3D752		★	★		★	★	★		★	★			1

- U -

Wheel	C7TZ 3600										E			1
-------	-----------	--	--	--	--	--	--	--	--	--	---	--	--	---

- X -

Wheel	C8AZ 3600		A1B	A2D			A1G				A1A	A1U		1
Cap	C8AZ 3623		A1B	A2D			A1G				A1A	A2U		1
Cover	C8AZ 3D752		★	F2D			★				F1A	★		1

- A -

1969

Wheel (w/o speed control)														
2 spoke	C8AZ 3600		A2B♦	A2D			A2G				A1A			1
	C9AZ 3600		E3B♦				E3K			E4Y				1
Cap-solid colors	C9AZ 3623		E3B♦	E4D			E4G	★		D4Y	D5A			1
	C9AZ 3623		E4B♦											1
Cap-Woodgrain	C9AZ 3623		D3B♦	D4D			D4G	D3K		D4Y	D5A			1
	C9AZ 3623		D4B♦											1
Cover (emblem)	Refer to Group 3649													
Wheel (with speed control)														
2 spoke	C9SZ 3600		A3B♦	A4D			A4G	A3K		A4Y	A5A			1
	C9SZ 3600		A4B♦											1
Cap	C9SZ 3623		E3B♦	E4D			E4G	★		E4Y	E5A			1
	C9SZ 3623		E4B♦											1
Cover	C9AZ 3D752		A	A			A	A		A	A			1
Wheel-3 spoke (rim blow)- NOTE 1	C9AZ 3600		B3B♦	B4D			B4G	★		B4Y	B5A			1
	C9AZ 3600		B4B♦											1
Cap	C9AZ 3623		C3B♦	★			C4G	C3K		C4Y	C5A			1
	C9AZ 3623		C4B♦											1
Cover	C9AZ 3D752		C3B♦	★			C4G	C3K		C4Y	C5A			1
	C9AZ 3D752		C4B♦											1

- B -

Wheel-2 spoke	C9AZ 3600		E3B♦				E3K			E3Y				1
	C8AZ 3600		A2B♦	A2D			A2G				A1A			1
Cap-solid colors	C9AZ 3623		E3B♦	E4D			E4G	E3K		E3Y	E5A			1
	C8AZ 3623		A2B♦											1
Cap-Woodgrain	C9AZ 3623		D3B♦	D4D			D4G	D3K		D4Y	D5A			1
	C9AZ 3623		D4B♦											1
Cover	Refer to Group 3649													
Wheel-3 spoke (rim blow)- NOTE 1	C9AZ 3600		B3B♦	B4D			B4G	★		★	B5A			1
	C9AZ 3600		B4B♦											1
Cap	C9AZ 3623		C3B♦	C4D			C4G	C3K		C3Y	C5A			1
	C9AZ 3623		C4B♦											1
Cover	C9AZ 3D752		C3B♦	C4D			C4G	C3K		C3Y	C5A			1
	C9AZ 3D752		C4B♦											1

- F -

Wheel-2 spoke	C9AZ 3600		E3B							E4Y				1
	C8AZ 3600			A2D			A2G				A1A			1
Cap	C9AZ 3623		E3B	E4D			E4G			E4Y	E5A			1
Cover			Refer to Group 3649											

♦ Medium ♦ Dark ▲ Simulated Woodgrain

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													Q T Y.	
TRIM CODES		SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES		OTHER
		__B	__D	__E	__F	__G	__K	__L	__P	__Y						
COLORS		BLUE	RED	BEIGE	SAD- DLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUG- GET GOLD	BLACK	PARCH- MENT	WHITE	SEE FOOT- NOTE		

- F -

1969 - continued

Wheel-3 spoke (rim blow)- NOTE 1	C9AZ 3600	B3B	B4D			B4G				B4Y	B5A				1
Cap	C9AZ 3623	C3B	C4D			C4G				★	C5A				1
Cover	C9ZZ 3D752	★	★			B4G				B4Y	★B5A				1

- S -

Wheel (w/o speed control) Solid colors	C8AZ 3600	A2B	A2D			A2G					A1A				1
Cap	C9AZ 3600									E4Y					1
Emblem	C9AZ 3623	D4B	D4D			D4G				D4Y	D5A				1
Wheel (w/o speed control)- NOTE 1	C8MY 3600	★	★			A2G					A1A				1
Cap	C9MY 3600									E4Y					1
Cap (emblem)	C9SZ 3D752	★	★			B4G				B4Y	B5A				1
Wheel (with speed control)-NOTE 1	C9SZ 3600	★	★			★				★	★				1
Cap	C8SZ 3623					A4G									1
Cap (emblem)	C9SZ 3D752	★	★							E4Y	★				1
		B	B			B				B	B				1

- U -

Wheel	C7TZ 3600										E				1
-------	-----------	--	--	--	--	--	--	--	--	--	---	--	--	--	---

- X -

Wheel-2 spoke	C8AZ 3600	A2B	A2D								A1A				1
Cap	C9AZ 3600									E4Y					1
	C9AZ 3623	E4B	E4D							E4Y	E5A				1

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													Q T Y.	
TRIM CODES		SECOND CHARACTER of TRIM CODE										ALL CODES	ALL CODES	ALL CODES		OTHER
		B	D	E	F	G	K	P	Y	Z						
COLORS		BLUE	RED	VER- MIL- ION	GIN- GER	IVY GREEN	AQUA	GREY	NUG- GET GOLD	TOB- ACCO	BLACK	PARCH- MENT	WHITE	SEE FOOT- NOTE		

- A -

1970

Wheel-2 spoke (w/o speed control)	D0AZ 3600	B	C			H	E		G				•	•	1
Pad assy.	D2AZ 3600				N						K				1
Cover & horn ring	D0AZ 3623	N	U		R	P	T		V		S		•	•	1
Emblem		Refer to Group 13A805													
Wheel-2 spoke (w/ speed control)-rim blow, NOTE 1	D0AZ 3600								AF				•		1
	D2AZ 3600				AE	AG	AD								1
Pad assy.	D3AZ 3600	H	J		AC	AB	AE		AG		G				1
	D0AZ 3623										AD		•		1
	D3AZ 3623	BA	BF												1
Cover (includes emblem)	D0AZ 3D752	A	A		A	A	A		A		A		•		1
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	L	M		R	V	P		T				•		1
	D2AZ 3600										BA				1
Pad assy.	D0AZ 3623	B	H		E	D	G		J				•		1
	D3AZ 3623										AF				1
Cover (includes emblem)	D0AZ 3D752	G	E		B	H	D		F		C		•		1

- B -

Wheel - 2 spoke	D0AZ 3600	B	C			H			G				•		1
	D2AZ 3600				N						K				1
Pad assy.	D0AZ 3623	N	U		R	P			V		S		•		1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													

♦ Medium ♦ Dark • Use black

♦ For Shelby Cobra, substitute existing Mustang emblem with C9ZZ 3649-B Shelby Cobra emblem & improvise mounting to cover assy.

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													Q T Y.
TRIM CODES →		SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →		B	D	E	F	G	K	P	Y	Z	BLACK	PARCH- MENT	WHITE	SEE FOOT- NOTE	
		BLUE	RED	VER- MIL- ION	GIN- GER	IVY GREEN	AQUA	GREY	NUG- GET GOLD	TOB- ACCO					
- B - 1970 - continued															
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600		L	M		R	V		T				•		1
	D2AZ 3600										BA				1
Pad assy.	\$D0AZ 3623		B	H		E	D		J				•		1
	\$D3AZ 3623										AF				1
Pad assy.	*D0OZ 3623		A	E		C	B		F				•		1
	*D3OZ 3623										A				1
Cover (includes emblem)	\$D0AZ 3D752		G	E		B	H		F		C		•		1
Cover(serviced in 3623 pad assy.)	* 3D752														
Emblem	* 3649	Refer to Group 3649													
- F -															
Wheel-2 spoke	D0AZ 3600		B				H						•		1
	D2AZ 3600					N					K				1
Pad assy.	D0AZ 3623		N			R	P				S		•		1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-3 spoke(exc.Shelby Cobra)-NOTE 1	D0AZ 3600		L			R	V				K		•		1
	D3ZZ 3623					D					E				1
Pad assy.	D0ZZ 3623		A				B						•		1
Emblem		Refer to Group 3649													
Wheel-3 spoke (Shelby Cobra)-NOTE 1	C9AZ 3600										B5A				1
Cap	C9AZ 3623										C5A				1
Cover	C9ZZ 3D752										•B5A				1
- P -															
Wheel-2 spoke-without locking column	C8AZ 3600										A1A				1
	C9AZ 3600		E3B					E3K	E3Y						1
	D0DZ 3600			A											1
Cap-solid colors	C9AZ 3623		E3B					E3K	E3Y		E5A				1
	D0DZ 3623			B											1
Cap-Woodgrain	C9AZ 3623		D3B					D3K	D3Y		D5A				1
	D0DZ 3623			A											1
Wheel-2 spoke-with locking column	D0AZ 3600		B	C				E	G						1
	D2AZ 3600										K				1
Pad assy.	D0AZ 3623		N	U				T	V		S				1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-3 spoke-rim blow, w/o locking column, NOTE 1	C9AZ 3600		B3B					B3K	B3Y		B5A				1
	D0AZ 3600			M											1
Cap	C9AZ 3623		C3B					C3K	C3Y		C5A				1
	D0AZ 3623			H											1
Cover	C9AZ 3D752		C3B					C3K	C3Y		C5A				1
	D0AZ 3D752			E											1
Wheel-3 spoke-rim blow, with locking column, NOTE 1	D0AZ 3600		L	M				P	T						1
	D2AZ 3600										BA				1
Pad assy.	D0AZ 3623		B	H				G	J						1
Pad assy.	%D3AZ 3623										AF				1
Pad assy.	‡D0OZ 3623										D				1
Cover (includes emblem)	D0AZ 3D752		G	E				D	F		C				1

• Use Black \$ "Before 1/5/70" * "From 1/5/70" % Before 2/2/70" ‡ "From 2/2/70"

• For Shelby Cobra, substitute existing Mustang emblem with C9ZZ 3649-B Shelby Cobra emblem & improvise mounting to cover assy.

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													Q T Y.
TRIM CODES →		SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER
COLORS →		B	D	E	F	G	K	P	Y	Z	BLACK	PARCH- MENT	WHITE	SEE FOOT- NOTE	
		BLUE	RED	VER- MIL- ION	GIN- GER	IVY GREEN	AQUA	GREY	NUG- GET GOLD	TOB- ACCO					
- S -		1970 - continued													
Wheel-2 spoke (w/o speed control)	D0AZ 3600		J			Y								1	
	D2AZ 3600									K				1	
Pad assy.	D0AZ 3623		W			Y				S				1	
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-2 spoke (w/speed control)-rim blow,NOTE 1	D0AZ 3600		AJ						AF				•	1	
	D3AZ 3600		J							G				1	
	D2AZ 3600				AE	AG				AK				1	
Pad assy.	D0AZ 3623		AH		AC	AJ			AG	AK	AD		•	1	
	D3AZ 3623		BF											1	
Cover (includes emblem)	D0SZ 3D752	A	A		A	A			A	A	A		A	1	
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	W	M		R	U			T	N			•	1	
	D2AZ 3600										BA			1	
Pad assy.	D0AZ 3623		H		E	L			J	A			•	1	
	D3AZ 3623	AK									AF			1	
Cover (includes emblem)	D0SZ 3D752	C	E		B	G			F	H	D		•	1	

Wheel	C7TZ 3600										E						1
-------	-----------	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	---

- X -

Wheel-2 spoke	C8AZ 3600		A2B	A2D							A1A						1
	C9AZ 3600								E4Y								1
Pad assy.	C9AZ 3623		E4B	E4D					E4Y		E5A						1

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													Q T Y.
TRIM CODES →		SECOND CHARACTER of TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER
COLORS →		B	D	E	F	K	P	R	Y	Z	ALL CODES	ALL CODES	ALL CODES	OTHER	
		BLUE	RED	VER- MIL- ION	GIN- GER	AQUA	GREY	GREEN	GREY GOLD	TOB- ACCO	BLACK	PARCH- MENT	WHITE	SEE FOOT NOTE	
- A -															
1971															
Wheel-2 spoke(w/o speed control)	D0AZ 3600		B	C								•	•		1
	D1AZ 3600							A	C						1
	D2AZ 3600				N						K				1
Pad assy.	D0AZ 3623		N	U	R						S	•	•		1
	D1AZ 3623							D	F						1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-2 spoke(with speed control)-rim blow, NOTE 1	D0AZ 3600	AB										•	•		1
	D3AZ 3600		J					M			G				1
	D2AZ 3600				AE			AN							1
Pad assy.	D0AZ 3623				AC						AD	•	•		1
	D3AZ 3623	BA	BF					BL	BN						1
Cover(includes emblem)	D1AZ 3D752	A	A		A			A	A		A	A	A		1
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	L	M		R							•	•		1
	D1AZ 3600							D	F						1
	D2AZ 3600										BA				1
Pad assy.	D0AZ 3623	B	H		E							•	•		1
	D3AZ 3623										AF				1
	D1AZ 3623							A	C						1
Cover(includes emblem)	D0AZ 3D752	G	E		B						C	•	•		1
	D1AZ 3D752							B	C						1

• Use Black
May, 1975

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													Q T Y.	
		SECOND CHARACTER of TRIM CODE										ALL CODES	ALL CODES	ALL CODES		OTHER
		B	D	E	F	K	P	R	Y	Z						
TRIM CODES		BLUE	RED	VER- MIL- ION	GIN- GER	AQUA	GREY	GREEN	GREY GOLD	TOB- ACCO	BLACK	PARCH- MENT	WHITE	SEE FOOT NOTE		
- B -																
1971 - continued																
Wheel-2 spoke	D0AZ 3600		B	•									•		1	
	D1AZ 3600							A	C						1	
	D2AZ 3600				N						K				1	
Pad assy.	D0AZ 3623		N	•	R						S		•		1	
	D1AZ 3623							D	F						1	
Cover & horn ring		Refer to Group 13A805														
Emblem		Refer to Group 3649														
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600		L	•	R								•		1	
	D1AZ 3600							D	F						1	
	D2AZ 3600										BA				1	
Pad assy.	D0OZ 3623		A	•	C								•		1	
	D3OZ 3623										A				1	
	DIOZ 3623							A	B						1	
Emblem		Refer to Group 3649														
- F -																
Wheel-2 spoke-standard- (with horn button)	D1FZ 3600		•	•	•			•			E		•		1	
Horn button		Refer to Group 13A805														
Wheel-2 spoke-deluxe- (with horn bars)	D0AZ 3600		B	•									•		1	
	D2AZ 3600				N						K				1	
	D1AZ 3600							A							1	
Pad assy.	D0AZ 3623		N	•	R						S		•		1	
	D1AZ 3623							D							1	
Cover & horn ring		Refer to Group 13A805														
Emblem		Refer to Group 3649														
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600		L	•	R								•		1	
	D1AZ 3600							D							1	
	D2AZ 3600										BA				1	
Pad assy.	D0ZZ 3623		A										•		1	
	D3ZZ 3623			•	D						E				1	
	D1ZZ 3623							A							1	
Emblem		Refer to Group 3649														
- L -																
Wheel-2 spoke-standard- (with horn button)	D2FZ 3600		•					S			R				1	
Horn button		Refer to Group 13A805														
Wheel-2 spoke-deluxe- (with horn bars)	D0AZ 3600		•												1	
	D2AZ 3600				N						K				1	
	D1AZ 3600							A							1	
Pad assy.	D0AZ 3623		•		R						S				1	
	DIAZ 3623							D							1	
Cover & horn ring		Refer to Group 13A805														
Emblem		Refer to Goup 3649														
- P -																
Wheel-2 spoke-standard- (with horn button)	D1FZ 3600		•	•					G						1	
	D2FZ 3600										R				1	
Horn button		Refer to Group 13A805														
Wheel-2 spoke-deluxe- (with horn bars)	D0AZ 3600		B	•											1	
	D2AZ 3600										K				1	
	D1AZ 3600								C						1	
Pad assy.	D0AZ 3623		N	•							S				1	
	DIAZ 3623								F						1	
Cover & horn ring		Refer to Group 13A805														
Emblem		Refer to Group 3649														

o Use Black

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													Q T Y.	
TRIM CODES →	COLORS →	SECOND CHARACTER of TRIM CODE										ALL CODES	ALL CODES	ALL CODES		OTHER SEE FOOT NOTE
		B	D	E	F	K	P	R	Y	Z						
		BLUE	RED	VER- MIL- ION	GIN- GER	AQUA	GREY	GREEN	GREY GOLD	TOb- ACCO	BLACK					
- S -		1971 - continued														
Wheel-2 spoke(w/o speed control)	D0AZ 3600	◆B												•	1	
		◆J													1	
	D1AZ 3600							B							1	
Pad assy.	D2AZ 3600										K				1	
	D0AZ 3623	◆N									S		•		1	
		◆W													1	
Cover & horn ring	D1AZ 3623							E							1	
		Refer to Group 13A805														
	Emblem	Refer to Group 3649														
Wheel-2 spoke (with speed control) -rim blow, NOTE 1	D0AZ 3600													•	1	
	D3AZ 3600	L	J					N			G				1	
Pad assy.	D2AZ 3600				AE				AN	AK					1	
	D0AZ 3623	AH			AC					AK	AD		•		1	
	D3AZ 3623		BF					BM	BN						1	
Cover(includes emblem)	D0SZ 3D752	A	A		A			A	A	A	A		A		1	
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	W	M		R					N					1	
	D1AZ 3600							E	F						1	
	D2AZ 3600										BA				1	
Pad assy.	D0AZ 3623		H		E					A					1	
	D1AZ 3623								C						1	
	D3AZ 3623	AK						AN			AF				1	
Cover(includes emblem)	D0SZ 3D752	C	E		B					H	D				1	
	D1SZ 3D752							A	B						1	

- U -

Wheel	C7TZ 3600										E				1
-------	-----------	--	--	--	--	--	--	--	--	--	---	--	--	--	---

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													Q T Y.	
TRIM CODES →		SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER		OTHER
		B or L	D or N	E	F	H	R or 5	Y or 8	Z or 9							
COLORS →		BLUE	RED	VER- MIL- ION	GIN- GER	CRAN- BERRY	GREEN	GREY GOLD	TOB- ACCO	BLACK	BEIGE	WHITE	SEE FOOT- NOTE	SEE FOOT NOTE		

- A -

1972

Wheel-2 spoke(w/o speed control)	◆D0AZ 3600	B	C		▲				A	K			•		1
	◆D2AZ 3600														1
	◆D1AZ 3600						A	C							1
Pad assy.	◆D2AZ 3600	L	M		▲		P	R	S	K			•		1
	◆D0AZ 3623	N	U							S			•		1
	◆D1AZ 3623						D								1
	D1AZ 3623							F							1
	◆D2AZ 3623				▲				A						1
	◆D3AZ 3623	B	G		▲		L		P	E			•		1
Cover & horn pad		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-2 spoke(with speed control)-rim blow, NOTE 1	◆D0AZ 3600	AB													1
	D2AZ 3600							AN							1
	D3AZ 3600	H	J		▲		M		R	G			•		1
Pad assy.	◆D0AZ 3623									AD			•		1
	◆D3AZ 3623				▲		BL		BR	BD			•		1
	D3AZ 3623	BA	BF				BL	BN							1
Cover(includes emblem)	D3AZ 3D752	A	A		A		A	A		A		A			1

• Use Black ◆ Dark ◇ Medium NOTE 1-Wheel assy. is woodgrain toward driver & color coded toward instrument panel

□ "Before 5/1/72"

■ "From 5/1/72"

◇ "Before 6/23/72"

◆ "From 6/23/72"

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 36

FORD CAR PARTS

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														Q T Y.
TRIM CODES		SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
		B or L	D or N	E	F	H	R or 5	Y or 8	Z or 9							
COLORS		BLUE	RED	VER- MIL- ION	GIN- GER	CRAN- BERRY	GREEN	GREY GOLD	TOB- ACCO	BLACK	BEIGE	WHITE	SEE FOOT- NOTE	SEE FOOT NOTE		
- A -																
1972 - continued																
Wheel-3 spoke-rim blow, NOTE 1	◇D0AZ 3600		L	M								•				1
	◇D2AZ 3600				▲				C							1
	◇D1AZ 3600						D	F								1
	◆D2AZ 3600		BB	BC	▲		BF	BH	BK	BA		•				1
Pad assy.	BD0AZ 3623		B	H					F		•					1
	BD1AZ 3623						A	C								1
Cover (includes emblem)	BD2AZ 3623				▲				C							1
	■D3AZ 3623		AB	AH	▲		AM	AP	AS	AF		•				1
	BD0AZ 3D752		G	E								•				1
	BD1AZ 3D752						B	C								1
	BD2AZ 3D752				▲				B							1
	BD3AZ 3D752									C						1
	■D3AZ 3D752		G	E	▲		J	K	L	C		•				1
- B -																
Wheel-2 spoke	◇D0AZ 3600		•		•	•		•	•	•		•				1
	◇D2AZ 3600									K						1
Pad assy.	◆D2AZ 3600		•		•	•		•	•	•		•				1
	BD0AZ 3623		•		•	•		•	•	•		S		•		1
	■D3AZ 3623		•		•	•		•	•	•		E		•		1
Cover & horn pad		Refer to Group 13A805														
Emblem		Refer to Group 3649														
Wheel-3 spoke-rim blow, NOTE 1	◇D0AZ 3600		•		•	•		•	•	•		K		•		1
	◆D2AZ 3600		•		•	•		•	•	•		BA		•		1
	D3OZ 3623		•		•	•		•	•	•		A		•		1
	■D3OZ 3623		•		•	•		•	•	•		A		•		1
Emblem		Refer to Group 3649														
- F -																
Wheel-2 spoke-standard- (with horn button)	D2FZ 3600		•		•	•		•			R		•			1
	◆D2FZ 3600		•		•	•		•			R		•			1
Horn button		Refer to Group 13A805														
Wheel-2 spoke-deluxe- (with horn bars)	◇D0AZ 3600		B		•	F						•				1
	◇D1AZ 3600						A									1
	◇D2AZ 3600								K							1
	◆D2AZ 3600		L		•	N		P		K		•				1
Pad assy.	BD0AZ 3623		N		•	R				S		•				1
	BD1AZ 3623						D									1
	■D3AZ 3623		B		•	D		L		E		•				1
Cover & horn pad		Refer to Group 13A805														
Emblem		Refer to Group 3649														
Wheel-3 spoke-rim blow, NOTE 1	◇D0AZ 3600		L		•	R						•				1
	◇D1AZ 3600						D									1
	◆D2AZ 3600		BB		•	BD		BF		BA		•				1
	D0ZZ 3623		BA													1
Pad assy.	D1ZZ 3623						BA									1
	D3ZZ 3623		■B		•	D		■A		E		•				1
- L -																
Wheel-2 spoke-standard- (with horn button)	BD2FZ 3600		D			E					F					1
	■D2FZ 3600		T			U		S		R	V					1
Horn button		Refer to Group 13A805														
Wheel-2 spoke-leather covered rim-(with horn button)	■D2FZ 3600		N			K					P		\$J	ΔL		1
	■D3FZ 3600						K			B						1
Horn button		Refer to Group 13A805														

● Use Black NOTE 1 - Wheel assy. is wood grain toward driver & color coded toward instrument panel

□ "Before 5/1/72"

■ "From 5/1/72"

◇ "Before 6/23/72"

◆ "From 6/23/72"

▲ Use Tobacco

\$ Orange

Δ Avocado

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														Q T Y.
		SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER		
TRIM CODES →		B or L	D or N	E	F	H	R or 5	Y or 8	Z or 9							
COLORS →		BLUE	RED	VER- MIL- ION	GIN- GER	CRAN- BERRY	GREEN	GREY GOLD	TOB- ACCO	BLACK	BEIGE	WHITE	SEE FOOT- NOTE	SEE FOOT NOTE		

- L -

1972 - continued

Wheel-2 spoke-deluxe - (with horn bars)	◇D0AZ 3600		B		F										1
	◇D1AZ 3600						A								1
	◇D2AZ 3600									K					1
	*D2AZ 3600										H				1
	‡D2AZ 3600										J				1
	◆D2AZ 3600		L		N		P			K	T		\$V	ΔW	1
Pad assy.	⊞D0AZ 3623		N		R					S					1
	⊞D1AZ 3623						D								1
	*D2AZ 3623										H				1
	‡D2AZ 3623										J				1
	■D3AZ 3623		B		D		L			E	S		\$U	ΔV	1
Cover & horn pad			Refer to Group 13A805												
Emblem			Refer to Group 3649												

- P -

Wheel-2 spoke-standard- (with horn button)	⊞D1FZ 3600			•				G		E					1
	⊞D2FZ 3600		A												1
	■D1FZ 3600							G							1
	■D2FZ 3600		T		•					R					1
Horn button			Refer to Group 13A805												
Wheel-2 spoke-deluxe- (with horn bars)	◇D0AZ 3600		B		•	F									1
	◇D1AZ 3600							C							1
	◇D2AZ 3600									K	H				1
	◆D2AZ 3600		L		•	N		R		K	T		ΔU		1
	⊞D0AZ 3623		•		•	•				S	•				1
Pad assy.	⊞D1AZ 3623														1
	D1AZ 3623							F							1
	■D3AZ 3623		•		•	•				E	•		ΔT		1
Cover & horn pad			Refer to Group 13A805												
Emblem			Refer to Group 3649												

- S -

Wheel-2 spoke(w/o speed control)	◇D0AZ 3600		•	•	•		•		•		•				1
	◇D2AZ 3600									K					1
	◆D2AZ 3600		•	•	•		•		•	K		•			1
	⊞D0AZ 3623		•	•	•		•		•	S		•			1
Pad assy.	■D3AZ 3623		•	•	•		•		•	E		•			1
			Refer to Group 13A805												
Cover & horn pad			Refer to Group 3649												
Wheel-2 spoke (with speed control)-rim blow, NOTE 1	D3AZ 3600		•	•	•		•		•	G		•			1
	⊞D0AZ 3623		•	•	•		•		•	AD		•			1
	■D3AZ 3623		•	•	•		•		•	BD		•			1
Cover (includes emblem)	D3AZ 3D752		A	A	A		A		A	A		A			1
Wheel-3 spoke-rim blow, NOTE 1	◇D0AZ 3600		•	•	•		•		•	K					1
	◆D2AZ 3600		•	•	•		•		•	BA					1
	D3AZ 3623		•	•	•		•		•	AF					1
	■D3AZ 3623		•	•	•		•		•	AF					1
	⊞D2SZ 3D752		•	•	•		•		•	A					1
Cover (includes emblem)			•	•	•		•		•						1
	■D3SZ 3D752		•	•	•		•		•	A					1

- U -

Wheel	C7TZ 3600										E				1
-------	-----------	--	--	--	--	--	--	--	--	--	---	--	--	--	---

• Use Black

⊞ " Before 5/1/72"

◇ " Before 6/23/72"

May, 1975

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

■ " From 5/1/72"

◆ " From 6/23/72"

* " Before 2/1/72"

\$ Orange

‡ " From 2/1/72 to 6/23/72"

Δ Avocado

▲ Tan

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 36

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3600 WHEEL ASSY. - STEERING - continued				
65/67	A,B,S,U,X	Nut (wheel to shaft)-5/8"-18	1	350983-S(MM38B)
67	F		1	
65/66	F	Locknut (wheel to column)-5/8"-18	1	371530-S7 (MM161A)
68/	A,B,F,S,X	Locknut (to column)-5/8"-18	1	382412-S (MM169RA)
68/	U	Nut (wheel to shaft)-5/18"-18 special	1	382982-S100 (MM38BA)
3A600 WHEEL ASSY. STEERING - Refer to Group 3600				
3D600 SPACER - POWER STEERING PUMP ADJUSTING BRACKET				
65/70	A(6 cyl. 240)	13/32" I.D. -1" O.D. -3/8" thick	2 or 3	C5AZ 3D600-B
69/	A(8 cyl.429)-without A/C		1	C9AZ 3D600-A
69/71	S(8 cyl.429)-without A/C		1	
70/	A(302,351)-without A/C	7/16" flat x 3/4" thick-use as a spacer between the 3D515 bracket & the 6049 engine head assy.	AR	384542-S2
70/	B(302)-without A/C		AR	(XX173G)
70	F(8 cyl.)-without A/C		AR	
70	X(302)-without A/C		AR	
71/	A(240)	Washer-1/2" flat-use as a spacer between the 3D515 bracket & the 6049 engine head assy.	1	382582-S100 (XX179A)
71/	A(400)-without A/C	Washer-7/16"-use as a spacer between the 3D515 bracket & the 6049 engine head assy.	1	384545-S (XX16H)
71/	B,F(351)-without A/C	Washer-7/16" flat-1/2" thick-use as a spacer between the 3D515 bracket & the 6049 engine head assy.	1	384543-S8 (XX173F)
65	F (8 cyl.) -with A/C	Front-27/64" I.D. -13/16" O.D. -59/64" long	1	C5ZZ 3D600-A
67	S	7/16" I.D. -1" O.D. -9/16" thick	1	C7SZ 3D600-A
67/69	A,B,F,X (8 cyl. except 351, 429)-without A/C		1	
65/66	S(without A/C)	7/16" I.D. -7/8" O.D. -9/16" thick	3	C8SZ 3D600-A
68/70	S(8 cyl. 429)		1	
70	B(8 cyl. 351)-w/o A/C		1	
65/70	A(6 & 8 cyl. 240,352,390)-w/o A/C		1	
72	S		1	D2SZ 3D600-A
72	U	Spacer-15/32" I.D. x 1 1/16" long cut to length (1/2" long)	1	385049-S100 (VV-5)
3L600 COVER - STEERING WHEEL SPORTS GRIP				
70	F(GT350/500)		1	C8WY 3L600-A
3601 BOLT - POWER STEERING PUMP OIL FILTER SUPPORT OR COVER RETAINING				
65	B,F,X	5/16"-18 & 3/4"-16	1	B4A 3601-A
3B601 SPRING - POWER STEERING PUMP SLIPPER				
65/	A,B,F,P,S,X,U	For Ford pumps	8	C5AZ 3B601-B
3C602 FILTER ASSY. - POWER STEERING PUMP OIL				
71/	A,S		1	D1AZ 3C602-A
72	B,F,P,U		1	
3D607 ROTOR ASSY. - POWER STEERING PUMP				
65/69	A		1	C5AZ 3D607-D
70/72	A	Use with #HBA-CA,CA1	1	C5AZ 3D607-D
72	A,B,F,P,S,U	Use with #HBA-CK,CL,CM,CN,CR	1	D3AZ 3D607-A
70/72	A	" Before 2/1/72" Use with #HBA-BV	1	D0AZ 3D607-A
72	A	" From 2/1/72" Use with #HBA-BV1,CT	1	D3AZ 3D607-A
65/72	B	Use with all #HBA exc. CK,CT	1	C5AZ 3D607-D
72	B	#HBA-CT	1	D3AZ 3D607-A
65/70	F		1	C5AZ 3D607-D
71/72	F	" Before 2/1/72" #HBA-CG	1	D0AZ 3D607-A
72	F	" From 2/1/72" Use with #HBA-CG	1	D3AZ 3D607-A
70/72	P	Use with #HBA-BN,BR	1	C5AZ 3D607-D
65/69	S		1	C5AZ 3D607-D
70/72	S	" Before 2/1/72" Use with #HBA-BX-for Ford pump	1	D0AZ 3D607-A
72	S	" From 2/1/72" Use with #HBA-BV1,BX1 for Ford pumps	1	D3AZ 3D607-A
72	S	Use with #HBA-CJ-for Saginaw pump	1	D2VY 3D607-A
65/70	X		1	C5AZ 3D607-D

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A609 INSULATOR - POWER STEERING HOSE MOUNTING - Also refer to Group 3A719				
65/	A,B,F,P,S,U	Cut to length from bulk stock	AR	C7AZ 3A609-A
65	B,X		1	C2OZ 3A609-A
65/66	F		1	
66	B(8 cyl. 390)	"Before 2/1/66"	1	★C6OZ 3A609-B
66	B(8 cyl. 390)	"From 2/1/66"	1	C7ZZ 3A609-A
67/71	B		1	
67/70	F,X		1	
71/	P		1	
71/	F		1	D1ZZ 3A609-A
65	S(without A/C & speed control)	Pressure hose pump-use with Eaton pump	1	★C4SZ 3A609-A
65	S(without A/C & speed control)	Pressure & return hoses - use with Eaton pump	1	★C4SZ 3A609-B
65/	B,X,F	Screw (insulator to underbody)-5/16"-18 x 1/2"-tapping	1	40923-S(U264)
3A610 RETAINER - POWER STEERING HOSE MOUNTING INSULATOR				
68/69	A(8 cyl. except 429)	Ford gear	1	C8AZ 3A610-A
70/	A,S		1	
72	B(8 cyl.)		1	
68/69	A(8 cyl. 302)	Saginaw gear	1	★C8AZ 3A610-B
66	B,X (6 cyl. & 8 cyl. 289)		1	★C6OZ 3A610-A
66	B(8 cyl. 390)	"Before 2/1/66"	1	★C6OZ 3A610-B
66	B(8 cyl. 390)	"From 2/1/66"	1	C7ZZ 3A610-A
67/69	B,F,X		1	
70	F		1	
70/71	B		1	D0OZ 3A610-A
70	X		1	
71/	F,P		1	
65	X (6 cyl.)		1	C3DZ 3A610-A
65	X (8 cyl.)		1	C3DZ 3A610-B
65/66	F (6 & 8 cyl.)		1	
67/	B,F,X	Screw (to bracket) 5/16"-18 x 1 1/2"	1	40923-S(U264)
69	B,X	Nut-1/4"-20 hex. head (retainer to bracket)	1	33795-S(M49)
		Screw-5/16"-18 x 5/8" (retainer to bracket)	1	378459-S(UU52K)
3B610 RETAINER - STEERING COLUMN UPPER BEARING -Also refer to Group 3839				
67/69	A,B,X		1	C7OZ 3B610-A
68/69	F (fixed wheel)		1	
68/69	S (tilt wheel)-speed control		1	
3C610 RETAINER - STEERING COLUMN UPPER BEARING				
69/71	A,B,F,P,S,X	Bearing (3517 & 3518) retainer	1	C9AZ 3C610-A
70/71	A,B,F,L,P,S,X(fixed wheel)	Key lock (11582) retainer	1	D0AZ 3C610-A
72	A,B,F,L,P,S	Key lock (11582) retainer	1	
70/71	A,F,S(tilt wheel)	Key lock (11582) retainer	1	D0AZ 3C610-A
72	A,B,F,L,P,S	Used as bearing (3517 & 3518) retainer	1	
3A611 BRACKET - POWER STEERING HOSE INSULATOR				
69	B,X(8 cyl. 302, 351)		1	C9OZ 3A611-A
70	X(8 cyl. 302)		1	
70/71	B(8 cyl.)		1	D0OZ 3A611-A
71/	P(8 cyl. 302)		1	D0DZ 3A611-A
67	S	Pressure & return hoses	1	C7SZ 3A611-A
68/69	S(8 cyl. 429)	Pressure & return tube	1	C8SZ 3A611-A
68/69	S(8 cyl. 429)	Rear	1	C8VY 3A611-A
3C611 BOOT - STEERING COLUMN TUBE				
68/71	A,B,P,S		1	C7ZZ 3C611-A
68/70	F,X		1	
72	B,S	" Before 12/13/71"	1	D2OZ 3C611-A
72	B,S	" From 12/13/71"	1	D2OZ 3C611-C
71/	F		1	D1ZZ 3C611-A
71/72	L	" Before 1/11/72"	1	D1FZ 3C611-A
71/72	L	" Before 1/11/72"	1	D1FZ 3C611-B
72	L	" From 1/11/72"	1	D2FZ 3C611-A

SECTION 36

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3-3618 "O" RING - POWER STEERING PUMP VALVE CAP				
65	A, B, F, S, X(8 cyl.)	51/64" I. D. -9/64" thick-Eaton-belt driven-side mounted pump	1	LA 33618-A
3623 PAD ASSY. - STEERING WHEEL HUB - Refer to Group 3600				
3624 EMBLEM - HORN BUTTON - Refer to group 3600				
3D627 NUT - POWER STEERING GEAR RACE				
65/68	A, S	"Before 6/5/68"	1	C5AZ 3D627-A
68/72	A, S	"From 6/5/68"	1	C8AZ 3D627-A
	B		1	
3-3627 RETAINER - POWER STEERING PUMP RELIEF VALVE				
65	A, B, F, S, X	Eaton-belt driven-side mounted pump	1	B8E 33627-A
3629 RETAINER - STEERING WHEEL HORN RING				
65/66	A(57F, 63C, F, 76B)	Steering wheel hub emblem-not replaced	1	★C5AZ 3629-A
65	B	Steering wheel hub emblem	1	★C5OZ 3629-A
3E629 INSULATOR - STEERING COLUMN SHAFT				
68/72	A, F, P	"Before 8/16/71"	1	C9AZ 3E629-A
68/71	B, S	Polyurathane-1 15/16" O. D. -15/16" I. D. -1" thick	1	
68/70	X		1	
72	A, F, P	"From 8/16/71"	1	3E629
72	B, S	Part of 7347 lower bearing		
		Polyurethane-1 13/16" O.D.-1 5/16" I.D.-1" thick	1	D2OZ 3E629-B
3E629 CLIP - STEERING COLUMN SHAFT INSULATOR				
71/	A, B, F, P, S	Steel	2	●C9AZ 3E629-B
71/	L		1	D2OZ 3E629-A
3B631 SEAL - STEERING COLUMN SHAFT				
67	F(8 cyl. 390)	23/32" & 1" I. D. -2 9/32" O. D.	1	C7ZZ 3B631-A
68/69	F(8 cyl. 428CJ)	Improvise-felt washer 3/4" thick	1	★B8LY 3B631-A
71	F	Used as clutch equalizer ball stud seal	1	
70/	A, B, F, P, S	Improvise-15/16"-1"thick foam rubber		
3-3633 PIN - POWER STEERING PUMP ROTOR SHAFT				
65	A, B, F, S, X	Eaton pump	1	LA 33633-A
3634 RIM - STEERING WHEEL HORN RING				
65/67	F		1	C5ZZ 3634-B
3A634-35 INSTALLATION KIT - POWER STEERING				

POWER STEERING INSTALLATION KITS

- FOR USE ON BASE ENGINE ONLY -

REFER TO SECTION 36.1 FOR KIT DETAILS

YEAR	MODEL	ENGINE		NO. REQ'D.	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT
		CYL.	C.I.D.				
- A -							
65	A (fixed column)	6	240	1 ea.	None required	★† C5AZ 3A635-AM	★C5AZ 3A635-J
	A	6	240	1 ea.	None required	★★ C5AZ 3A635-H	★C5AZ 3A635-F
	A (except A/C & H/D alternator)	8	352, 390	1	None required	★★ C5AZ 3A635-P	Not applicable
	A (except A/C & H/D alternator)	8	352, 390	1	None required	★⊕C5AZ 3A635-R	Not applicable
	A (except H/D alternator)	8	289	1 ea.	None required	★★ C5AZ 3A635-M	★/C5AZ 3A635-S
	A (fixed wheel & H/D alt.)	8	289	1 ea.	None required	★⊕C5AZ 3A635-N	★/C5AZ 3A635-S
	A (fixed wheel) "Before 4/22/65"	8	289	1 ea.	None required	★† C5AZ 3A635-A	★@C5AZ 3A635-AA
	A "Before 4/22/65"	8	289	1 ea.	None required	★★ C5AZ 3A635-G	★@C5AZ 3A635-AA

● Refer to T.S.B. 139, article 2307 (May 8, 1970) for installation procedures

‡ Includes Ford Gear & Ford Pump

* Includes Ford Gear & Eaton Pump

† Includes Saginaw Gear & Ford Pump

⊕ Includes Saginaw Gear & Eaton Pump

3A634-35 INSTALLATION KIT - POWER STEERING - continued

POWER STEERING INSTALLATION KITS

- FOR USE ON BASE ENGINE ONLY - (1965/70)

REFER TO SECTION 36.1 FOR KIT DETAILS

YEAR	MODEL	ENGINE		NO. REQ'D	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT
		CYL.	C.I.D.				
- A -							
65/66	A(except moveable column)- "From 4/22/65 to 12/1/65"	8	289	1 ea.	None required	★† C5AZ 3A635-A	★%C5AZ 3A635-AB
66	A "From 4/22/65 to 12/1/65"	8	289	1 ea.	None required	★+ C5AZ 3A635-G	★%C5AZ 3A635-AB
	A "From 12/1/65"	8	289	1 ea.	None required	★+ C5AZ 3A635-A	★%C5AZ 3A635-AF
	A "From 12/1/65"	8	289	1 ea.	None required	★+ C5AZ 3A635-G	★%C5AZ 3A635-AF
65	A (except moveable column)- "Before 4/22/65"	8	352, 390	1 ea.	None required	★+ C5AZ 3A635-B	★@ C5AZ 3A635-AC
65/66	A (except moveable column)- "From 4/22/65"	8	352,390, 428	1 ea.	None required	★† C5AZ 3A635-B	★%C5AZ 3A635-AG
66	A "Before 12/10/65"	6	240	1 ea.	None required	★i C5AZ 3A635-AM	★C5AZ 3A635-V
	A "From 12/10/65"	6	240	1 ea.	None required	★† C5AZ 3A635-AM	★C5AZ 3A635-AJ
67	A	6	240	1 ea.	None required	★C7AZ 3A635-A	★C7AZ 3A635-D
	A "Before 9/12/66"	8	289	1 ea.	None required	★C7AZ 3A635-C	★C7AZ 3A635-F
	A "From 9/12/66"	8	289	1 ea.	None required	★C7AZ 3A635-C	★C7AZ 3A635-L
	A	8	390, 428	1 ea.	None required	★C7AZ 3A635-B	★C7AZ 3A635-E
	A	8	390, 428	1 ea.	None required	★C8AZ 3A635-A	★C8AZ 3A635-E
68	A	8	302	1 ea.	None required	★C8AZ 3A635-B	★C8AZ 3A635-D
	A	6	240	1	None required	★C8AZ 3A635-C	None required
	A	8	390, 428	1 ea.	None required	★C9AZ 3A635-A	None required
69	A	6	240	1	None required	★C9AZ 3A635-F	★C9AZ 3A635-E
	A	8	302, 351	1 ea.	None required	★C9AZ 3A635-C	★C9AZ 3A635-D
	A	8	390, 428	1 ea.	None required	Not available	Not available
	A	8	429		Not available	Not available	Not available
70	A	6	240	1 ea.	None required	★D0AZ 3A635-B	None required
	A	8	302, 351	1 ea.	None required	★D0AZ 3A635-C	★D0AZ 3A635-E
	A	8	390	1 ea.	None required	★D0AZ 3A635-A	★D0AZ 3A635-D "Before 6/1/70" ★D0AZ 3A635-G "From 6/1/70"
	A	8	429	1 ea.	None required	★D0AZ 3A635-F	None required
	A	6	240	1 ea.	None required	★D1AZ 3A635-E	
71	A	8	302	1 ea.	None required	★D1AZ 3A635-F	
	A	8	351	1 ea.	None required	★D1AZ 3A635-B	★D1AZ 3A635-H
	A	8	390	1 ea.	None required	★D1AZ 3A635-D	
	A	8	400	1 ea.	None required	★D1AZ 3A635-B	None required
	A	8	429 exc. P/C	1 ea.	None required	★D1AZ 3A635-A	None required
	A	8	429 P/C	1 ea.	None required	★D1AZ 3A635-A	
	A					★D1AZ 3A705-A	

† Includes Ford Gear & Ford Pump

* Includes Ford Gear & Eaton Pump

@ Use with pumps identified with tag number HBA-AE, HBA-AE1, HBA-AF, HBA-AF1, HBA-AR, HBA-AR1, HBA-AG, HBA-AG1, HBA-AH, HBA-AH1, HBA-AJ, HBA-AJ1, HBA-AM, HBA-AM1

% Use with pumps identified with tag number HBA-AE2, HBA-AE3, HBA-AE4, HBA-AF2, HBA-AF3, HBA-AF4, HBA-AR2, HBA-AR3, HBA-AR4, HBA-AG2, HBA-AG3, HBA-AG4, HBA-AH2, HBA-AH3, HBA-AH4, HBA-AJ2, HBA-AM2, HBA-BB, HBA-BB1, HBA-BC, HBA-BC1

/ For units with Eaton P/S pump. Not for units with cast iron water pump.

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 36**3A634-35 INSTALLATION KIT - POWER STEERING - continued****POWER STEERING INSTALLATION KITS****- FOR USE ON BASE ENGINE ONLY - (1965/70)****REFER TO SECTION 36.1 FOR KIT DETAILS**

YEAR	MODEL	ENGINE		NO. REQ'D	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT	
		CYL.	C.I.D.					
- B -								
65	B	6	200	1 ea.	★C5OZ 3A634-A	★♣C5OZ 3A635-B	Note 1	
	B	6	200	1 ea.	★C5OZ 3A634-A	★#C5OZ 3A635-E	Note 2	
	B	"Before 4/22/65"	8	289	1 ea.	★C5OZ 3A634-A	★♣C5OZ 3A635-A	★@C5OZ 3A635-G
	B	"From 4/22/65"	8	289	1 ea.	★C5OZ 3A634-A	★♣C5OZ 3A635-A	★%C5OZ 3A635-H
66	B	8	289	1 ea.	★C5OZ 3A634-A	★#C5OZ 3A635-D	★♣C5OZ 3A635-F	
	B	6	200	1 ea.	★C6OZ 3A634-A	★C6OZ 3A635-J	Note 1	
	B	8	289	1 ea.	★C6OZ 3A634-A	★C6OZ 3A635-H	★C6OZ 3A635-C	
	B	8	390	1 ea.	★C6OZ 3A634-A	★C6OZ 3A635-L	★◇C6OZ 3A635-K	
67	B	6	200	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-B	★C7DZ 3A635-B	
	B	"Before 9/12/66"	8	289	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-C	★C7OZ 3A635-D
	B	"From 9/12/66"	8	289	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-C	★C7OZ 3A635-H
	B		8	390	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-A	★C7OZ 3A635-E
68	B	6	200	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-A	None required	
	B	8	289, 302	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-C	★C8OZ 3A635-E	
	B	8	390	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-B	★C8OZ 3A635-D	
69	B	6	250	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-D	None required	
	B	8	302	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-A	★C9ZZ 3A635-E	
	B	8	351	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-B	★C9ZZ 3A635-E	
	B	8	390	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-C	★C9ZZ 3A635-F	
	B	8	428		Not available	Not available	Not available	
70	B	6	250	1 ea.	D0OZ 3A634-A	★D1DZ 3A635-C	None required	
	B	8	302	1 ea.	D0OZ 3A634-A	★D0OZ 3A635-C	None required	
	B	8	351	1 ea.	★D0OZ 3A634-A	★D0OZ 3A635-E	None required	
	B	"Before 5/11/70"	8	429	1 ea.	D0OZ 3A634-A	★D0OZ 3A635-F	None required
	B	"From 5/11/70"	8	429	1 ea.	D0OZ 3A634-A	★D0OZ 3A635-H	None required
71	B	6	250	1 ea.	★D1OZ 3A634-A	★D1OZ 3A635-D	None required	
	B	8	302	1 ea.	★D1OZ 3A634-A	★D1OZ 3A635-A	None required	
	B	8	351	1 ea.	★D1OZ 3A634-A	★D1OZ 3A635-B	None required	
	B	8	429	1 ea.	★D1OZ 3A634-A	●D1OZ 3A635-C	None required	
72	B	6	250	1	None required	★D2OZ 3A635-A	None required	
	B-w/o A/C	8	302	1 ea.	None required	★D2OZ 3A635-B	None required	
	B-w/A/C	8	302	1	None required	★D2OZ 3A635-H	None required	
	B	8	351-2V (C)	1 ea.	None required	★D2OZ 3A635-C	★D2OZ 3A635-F	
	B	8	351-W	1	None required	★D2OZ 3A635-J	None required	
	B	8	351CJ, 351-4V	1	None required	★D2OZ 3A635-G	★D2OZ 3A635-F	
	B	8	400	1	None required	★D2OZ 3A635-D	None required	
	B	8	429	1	None required	★D2OZ 3A635-E	None required	

Note 1 To adapt to A/C use C5DZ 3A733-A Pulley

Includes Eaton Pump

♣ Includes Ford Pump

Note 2 To adapt to A/C use C2OZ 3A733-A Pulley and (2) 351405-S7 Spacers

◇ Use with pumps identified with tag number HBA-AC2, HBA-AC3, HBA-AC4, HBA-AD2, HBA-AD3, HBA-AD4, HBA-AN3, HBA-AN4

% Use with pumps identified with tag number HBA-AE2, HBA-AE3, HBA-AE4, HBA-AF2, HBA-AF3, HBA-AF4, HBA-AR2, HBA-AR3, HBA-AR4, HBA-AG2, HBA-AG3, HBA-AG4, HBA-AH2, HBA-AH3, HBA-AH4, HBA-AJ2, HBA-AM2, HBA-BB, HBA-BB1, HBA-BC, HBA-BC1

@ Use with pumps identified with tag number HBA-AE, HBA-AE1, HBA-AF, HBA-AF1, HBA-AR, HBA-AR1, HBA-AG, HBA-AG1, HBA-AH, HBA-AH1, HBA-AJ, HBA-AJ1, HBA-AM, HBA-AM1

♣ For units with Eaton P/S pump. Not for units with cast iron water pump.

● Use D0VZ 8620-B belt for 429-CJ police conversions

3A634-35 INSTALLATION KIT - POWER STEERING - continued

POWER STEERING INSTALLATION KITS

- FOR USE ON BASE ENGINE ONLY - (1965/70)

REFER TO SECTION 36.1 FOR KIT DETAILS

YEAR	MODEL	ENGINE		NO. REQ'D	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT
		CYL.	C.I.D.				
- F -							
65	F-with alternator	8	289	1 ea.	★C5ZZ 3A634-D	★#C5ZZ 3A635-F	★%C5ZZ 3A635-H
	F-with alternator"Before 4/22/65"	8	289	1 ea.	★C5ZZ 3A634-D	★♣C5ZZ 3A635-K	★@C5OZ 3A635-G
	F-with alternator"From 4/22/65"	8	289	1 ea.	★C5ZZ 3A634-D	★♣C5ZZ 3A635-K	★◇C5ZZ 3A635-L
66	F	6	200	1 ea.	★C5ZZ 3A634-F	★C6ZZ 3A635-C	★C5DZ 3A635-C
	F	8	289	1 ea.	★C5ZZ 3A634-G	★♣C5ZZ 3A635-K	◇C5ZZ 3A635-L
67	F	6	200	1 ea.	★C7ZZ 3A634-A	★C7OZ 3A635-B	★C7DZ 3A635-B
	F	8	289	1 ea.	†★C7ZZ 3A634-A	★\$C7OZ 3A635-C	★C7ZZ 3A635-E
	F	8	289	1 ea.	★*C7ZZ 3A634-B	★\$C7OZ 3A635-C	★C7ZZ 3A635-E
	F	8	390	1 ea.	★C7ZZ 3A634-A	★†C7ZZ 3A635-C	★C7OZ 3A635-E
	F	8	390	1 ea.	★C7ZZ 3A634-B	★†C7ZZ 3A635-C	★C7OZ 3A635-E
68	F	6	200	1 ea.	★C8ZZ 3A634-A	★C8OZ 3A635-A	None required
	F	8	289, 302	1 ea.	★C8ZZ 3A634-A	★C8OZ 3A635-C	★C8OZ 3A635-E
	F	8	390	1 ea.	★C8ZZ 3A634-A	★C8ZZ 3A635-A	★C8OZ 3A635-D
69	F	6	200	1 ea.	★C8ZZ 3A634-B	★C9ZZ 3A635-A	None required
	F	6	250	1 ea.	★C8ZZ 3A634-B	★C9OZ 3A635-D	None required
	F	8	302	1 ea.	★C8ZZ 3A634-B	★C9ZZ 3A635-B	★C9ZZ 3A635-E
	F	8	351	1 ea.	★C8ZZ 3A634-B	★C9ZZ 3A635-C	★C9ZZ 3A635-E
	F	8	390	1 ea.	★C8ZZ 3A634-B	★C9ZZ 3A635-D	C9ZZ 3A635-F
	F	8	428		Not available	Not available	Not available
70	F	6	200	1 ea.	★D0ZZ 3A634-A	★●D0ZZ 3A635-G	None required
	F	6	250	1 ea.	★D0ZZ 3A634-A	★D0ZZ 3A635-F	None required
	F	8	302	1 ea.	★D0ZZ 3A634-A	★●D0ZZ 3A635-C	None required
	F	Note 1	351-W	1 ea.	★D0ZZ 3A634-A	★●D0ZZ 3A635-D	None required
	F	Note 1	351-C	1 ea.	★D0ZZ 3A634-A	★●D0ZZ 3A635-E	None required
	F	8	428	1 ea.	Not available	Not available	Not available
71	F	6	250	1 ea.	None required	D2ZZ 3A635-A	None required
	F	8	302 exc. Boss	1 ea.	None required	★D1ZZ 3A635-B	None required
	F	8	302 Boss	1 ea.		Not available	
	F	8	351	1 ea.	None required	★▲D1ZZ 3A635-D	None required
	F	8	429 CJ	1 ea.	None required	★D1ZZ 3A635-F	None required
	F	8	429 SCJ	1 ea.	None required	★D1ZZ 3A635-F	None required
						★D1ZZ 3A705-A	
72	F	6	250	1 ea.	None required	D2ZZ 3A635-A	None required
	F	8	302	1 ea.	None required	★D2ZZ 3A635-B	None required
	F	8	351-2V	1 ea.	None required	★D2ZZ 3A635-C	None required
	F	8	351-4V	1 ea.	None required	★D2ZZ 3A635-D	D2ZZ 3A635-E

Note 1 W - Windsor-built engine, C - Cleveland-built engine

♣ Includes Ford Pump

♠ For units with Eaton P/S pump. Not for units with cast iron water pump.

◇ Use with pumps identified with tag number HBA-AC2, HBA-AC3, HBA-AC4, HBA-AD2, HBA-AD3, HBA-AD4, HBA-AN2, HBA-AN3, HBA-AN4

% Use with pumps identified with tag number HBA-AE2, HBA-AE3, HBA-AE4, HBA-AF2, HBA-AF3, HBA-AF4, HBA-AR2, HBA-AR3, HBA-AR4, HBA-AG2, HBA-AG3, HBA-AG4, HBA-AH2, HBA-AH3, HBA-AH4, HBA-AJ2, HBA-AM2, HBA-BB, HBA-BB1, HBA-BC, HBA-BC1

@ Use with pumps identified with tag number HBA-AE, HBA-AE1, HBA-AF, HBA-AF1, HBA-AR, HBA-AR1, HBA-AG, HBA-AG1, HBA-AH, HBA-AH1, HBA-A1, HBA-A11, HBA-AM, HBA-AM1

* Use C5ZZ 3590-A with this kit for models without special handling package "Before 5/1/67"

† Use C7ZZ 3590-C with this kit for models with special handling package

\$ Not for use on High Performance engines

‡ Includes Ford Gear & Ford Pump

● Not to be used with C78 x 14 tires

Includes Eaton Pump

▲ For 351-4V Boss use these additional parts D1ZZ 3A732-A, D1ZZ 3D746-A, D0ZZ 6A312-A, C9DZ 8620-A & 378459-S36 for 351CJ use D0ZZ 6A312-A, D1ZZ 3D746-A, C9PZ 8620-K & 378459-S2. Improve oil cooler hoses from bulk stock C7AZ 3A005-A & C7AZ 3A609-A

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

3A634-35 INSTALLATION KIT - POWER STEERING - continued

POWER STEERING INSTALLATION KITS

-FOR USE ON BASE ENGINE ONLY- (1965/70)

REFER TO SECTION 36.1 FOR KIT DETAILS

YEAR	MODEL	ENGINE		NO. REQ'D	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT
		CYL.	C.I.D.				
- P -							
70	P	6	170, 200	1 ea.	D3DZ 3A634-A	D3DZ 3A635-A	None required
	P	6	250	1 ea.	D3DZ 3A634-A	★D1DZ 3A635-C	None required
71	P	6	170, 200	1 ea.	D3DZ 3A634-A	D1DZ 3A635-B	None required
	P	6	250	1 ea.	D3DZ 3A634-A	★D1DZ 3A635-C	None required
	P	8	302	1 ea.	D3DZ 3A634-A	★D1DZ 3A635-A	None required
	P	6	170, 200	1 ea.	D3DZ 3A634-A	D3DZ 3A635-A	None required
	P	6	250	1 ea.	D3DZ 3A634-A	★D2DZ 3A635-C	None required
	P	8	302	1 ea.	D3DZ 3A634-A	★D2DZ 3A635-A	None required
- X -							
65	X	6	170, 200	1 ea.	★C5DZ 3A634-B	★C5DZ 3A635-A	★C5DZ 3A635-C
	X	6	170, 200	1 ea.	★C5DZ 3A634-B	★C5ZZ 3A635-G	Note 2
	X	8	289	1 ea.	★C5DZ 3A634-A	★C5DZ 3A635-B	★C5OZ 3A635-G
	X	8	289	1 ea.	★C5DZ 3A634-A	★C5DZ 3A635-B	★C5ZZ 3A635-L
	X	8	289	1 ea.	★C5DZ 3A634-A	★C5DZ 3A635-D	★C5DZ 3A635-E
66	X	6	170, 200	1 ea.	★C6OZ 3A634-A	★C6DZ 3A635-D	★C5DZ 3A635-G
	X	8	289	1 ea.	★C6OZ 3A634-A	★C6OZ 3A635-H	★C6OZ 3A635-C
67	X	6	170, 200	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-B	★C7DZ 3A635-B
	X	8	289	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-C	★C7OZ 3A635-D
	X	8	289	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-C	★C7OZ 3A635-H
68	X	6	170, 200	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-A	None required
	X	8	289, 302	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-C	★C8OZ 3A635-E
69	X	6	170, 200	1 ea.	★C8OZ 3A634-A	★C9ZZ 3A635-A	None required
	X	8	302	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-A	★C9ZZ 3A635-E

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3E634 SHIELD - POWER STEERING SPLASH - LOWER				
67/68	A		1	C7MY 3E634-A
3A635 KIT - POWER STEERING INSTALLATION - Refer to Group 3A634-35 for Model Usage				
3A635 ADAPTER KIT - AIR CONDITIONER DRIVE - Refer to Section 36.1 for Kit Details				
66	A, B(8 cyl. 390, 428 with P/S)-exc. GT & P/I	Use when installing 1967 A/C on 1966 vehicles	1	★C6AZ 3A635-F
3A635 ADAPTER KIT - EXHAUST AIR SUPPLY - POWER STEERING - Also refer to Group 9C432 - Refer to Section 36.1 for Kit Details				
67	A(6 cyl. 240)-with T/E	Not replaced	1	★C7AZ 3A635-G
67	A, B, F, X(8 cyl. 289)-with T/E	Not replaced	1	★C7AZ 3A635-H
67	A(8 cyl. 390, 428)-with T/E	Not replaced	1	★C7AZ 3A635-J
67	B, F, X(8 cyl. 390)-with T/E		1	
3D635 RETAINER ASSY. - MOVABLE STEERING COLUMN OPENING SEAL				
65	A(A/T), (P/S)		1	★C5AZ 3D635-A
		Bolt & retainer (to floor pan or dash panel)- 5/16"-18 x 1 1/4"	3or5	380893-S2 (BB643G)
3E636 RETAINER - STEERING COLUMN RELEASE CABLE				
68	F (tilt wheel)		1	C7ZZ 3E636-A
68	S		1	
69	F, S (tilt wheel)		1	C9ZZ 3E636-A

Note 2 To adapt to A/C use C2OZ 3A733-A Pulley and (2) 351405-S7 Spacers

Includes Eaton Pump

@ Use with pumps identified with tag number HBA-AE, HBA-AE1, HBA-AF, HBA-AF1, HBA-AR, HBA-AR1, HBA-AG, HBA-AG1, HBA-AH, HBA-AH1, HBA-A1, HBA-A11, HBA-AM, HBA-AM1

◇ Use with pumps identified with tag number HBA-AC2, HBA-AC3, HBA-AC4, HBA-AD2, HBA-AD3, HBA-AD4, HBA-AN2, HBA-AN3, HBA-AN4

★ Includes Ford Pump

FORD CAR PARTS

SECTION 36

19

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3-3638 WASHER - POWER STEERING PUMP ADJUSTING BRACKET				
65/67	A(8 cyl. 352, 390)-without A/C	35/64" I.D. -1 1/16" O.D. -1/16" thick	6	B4Q 33638-B
65/67	S(with A/C)		5 or 6	
3D638 RETAINER - STEERING COLUMN OPENING COVER				
72	B		1	D2GZ 3D638-A
3E639 BRACKET - STEERING COLUMN RELEASE MOTOR				
68	F(tilt wheel)		1	C7ZZ 3E639-A
69	F(tilt wheel)		1	C9ZZ 3E639-A
68/69	S(tilt wheel) "Before 10/1/68"		1	C8SZ 3E639-A
69	S(tilt wheel) "From 10/1/68"		1	C9SZ 3E639-A
3-3640 INSULATOR ASSY. - POWER STEERING PUMP				
65/67	S(with A/C)	25/64" I.D. -3/4" O.D. -25/32" long	3	EAD 33640-A
3641 BOLT - STEERING COLUMN TUBE FLANGE				
69	A, B, F, S, X (fixed wheel)		2	C9AZ 3641-A
70	P (non-locking) "Before 7/14/69"		2	
70/	A, B, F, S (fixed wheel)	1/4"-20 x 13/16"	2	D0AZ 3641-A
70/	P (locking) "From 7/14/69"		2	
71/	L		2	
65/68	A, B, F, S, U, X	1/4"-28 x 3/4"	2	8M 3641-B
65/	B, F, S, U, X	Nut-1/4"-28	2	351754-S33
65	A		2	(MM167)
3A642 GASKET - POWER STEERING PUMP OIL RESERVOIR COVER				
65	A, B, F, S, X(8 cyl.)-without A/C	5 29/64" O.D. -Eaton-belt driven-side mounted pump	1	C0AA 3A642-B
65	F (6 cyl.) -with A/C	4 5/32" O.D.	1	C0AA 3A642-C
65	F (8 cyl.)-with A/C	1 1/4" O.D. -use with wing nut	1	C0AA 3A642-A
3A643 HOUSING ASSY. - POWER STEERING PUMP				
65	A, B, F, S, X	Eaton	1	C2SZ 3A643-A
65/66	A, B, F, S, X	Use with Ford pumps tagged HBA-AC, -AC1, -AC4, -AD, -AD1, -AD4, -AE, -AE1, AE4, -AF, -AF1, -AF4, -AG, -AG1, -AG4, -AH, -AH1, -AH4, -AJ, -AJ1, -AN, -AN1, -AN4, -AR, -AR1, -AR4	1	C5AZ 3A643-D
		Use with Ford pumps tagged HBA-AC2, -AC3, -AD2, -AD3, -AE2, -AE3, -AF2, -AF3, -AG2, -AG3, -AH2, -AJ2, -AN2, -AN3, -AR2, -AR3, -AS, -AT, -AU, -BB, -BC	1	★C5AZ 3A643-E
67/69	A, B, F, S, X	Use with Ford pumps tagged HBA-BF, -BG, -BH, -BK, 5/8"-18 thread at fitting	1	C7AZ 3A643-B
69/70	F	#HBA-BZ	1	
70	A, B, F, P, S	Use with all models exc. #HBA-BZ, CC, 5/8" - 18 thread at fitting	1	D0AZ 3A643-A
71	A	Use w/#HBA-BV, CA	1	
71	B, F, P	Use w/#HBA-BM, BR, CG	1	
71	S	Use w/#HBA-BX	1	
71	A, S	Use w/#HBA-BX1, BV1, CA1-includes oil filter	1	D1AZ 3A643-A
72	A, B, F, S, U	#HBA-all	1	
72	P	Use with #HBA-BR, CL	1	D1AZ 3A643-A
70	F, X	Use with #HBA-CC, 7/8"-20 thread at fitting	1	D0ZZ 3A643-A
71/	P	Use w/#HBA-BN, CM	1	
72	S	Use with #HBA-CJ-Saginaw pump	1	D2VY 3A643-A
65/67	A, B, F, S, X (Eaton pump)	Seal (cover)-2 5/8" I.D.	1	87147-S9I(T38)
65/	A, B, F, S, X (Ford pumps)	Screw assy. (to housing)-3/8"-16 x 3/4"	3 or 4	379376-S(BB562X)
67/	A, B, F, S, X	Nut-5/8"-18 x 15/16" (housing fitting to reservoir)	AR	351335-S38
				(MM123D)
70	F, X	Nut-7/8"-20	AR	383671-S2
				(MM125AA)

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 36

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3D643 PLATE & BUSHING - POWER STEERING PUMP				
65/69	A, B, F, S, X	Use with Ford pumps	1	C5AZ 3D643-B
70/72	A	Use with #HBA-CA, CA1	1	
70/72	B, P	Use with #HBA-BM, BN, BR, CA1, CT	1	
70	F, X		1	
70/72	A	Use with #HBA-BV, BV1	1	D0AZ 3D643-A
70/72	S	Use with #HBA-BX, BX1	1	
71/72	F	Use with #HBA-CG	1	
72	A, B, F, P, S, U	Use with #HBA-CK, CL, CM, CN, CR	1	D3AZ 3D643-A
65/	A, B, F, S, X	Pin (pump)-3/16" x 2 1/32" dowel	2	379375-S(NN143H)
71/	A, F, S	Bolt-3/8" -16 x 29/32" (cover to housing)	3	384454-S2 (BB416BE)
3647 BALL KIT - STEERING GEAR WORM				
65/	A(M/S)	Consists of 60 balls-.28125" dia. balls	1	B8A 3647-B
65/	B, F, P, X	Use with #HCA-BV, BY, BZ, CA, CD, CE, -#SMA-A, B, C, F, G, R, T	1	
65/71	B, F, X	Consists of 62 balls-.23" diameter - Use with #HCC-AM, AN, AP, AT, AU, AY, AX, -AZ, BB, #SMB-A, B, C, D, E, F, H, J, K	1	C0DR 3647-A
65/69	A(P/S)-Saginaw	Consists of 22 balls-.28117" diameter	1	C5AZ 3647-B
71/	F(P/S)-Saginaw	Use with #SPA-S, T, U, V	1	
		Consists of 22 balls-.28125" diameter	1	C5AZ 3647-C
		Consists of 22 balls-.28133" diameter	1	C5AZ 3647-D
		Consists of 22 balls-.28141" diameter	1	C5AZ 3647-E
		Consists of 22 balls-.28149" diameter	1	C5AZ 3647-F
72	U(P/S)	Consists of 22 balls-.28157" diameter	1	C5AZ 3647-G
			1	D3TZ 3647-A
3649 EMBLEM - STEERING WHEEL HUB - Also refer to Group 3600				
69/72	A, B, L, P (with std. wheel)	"Before 5/1/72" "Ford" emblem only	1	C9AZ 3649-A
69/72	A, B (with deluxe wheel)	"Before 5/1/72" "Ford" emblem with crown and leaves	1	C9AZ 3649-B
70/72	P (with deluxe wheel)	"Before 5/1/72" 2 spoke wheel	1	
71/72	L (with deluxe wheel)	"Before 5/1/72"	1	
72	A, B, L, P	"From 5/1/72" "Ford" emblem with crown and leaves- 2 spoke wheel	1	D3AZ 3649-B
67	B (except Wood Grain wheel)		1	C7OZ 3649-B
67	B (with Wood Grain wheel)		1	★C7OZ 3649-C
70/	B	"From 1/5/70" 3 spoke wheel	1	D0OZ 3649-A
65/66	F		1	C5ZZ 3649-A
67	F		1	C7ZZ 3649-A
69/72	F	"Before 5/1/72" 2 spoke wheel	1	C9ZZ 3649-A
72	F	"From 5/1/72" 2 spoke wheel	1	D3ZZ 3649-A
68	F(GT350/500)		1	★S8MS 3649-A
69/70	F(GT350/500)	"Cobra"	1	C9ZZ 3649-B
70/	F(exc. GT 350/500)	3 spoke wheel	1	D0ZZ 3649-A
65	S (except 63B)	Not replaced (12/74)	1	★C4SZ 3649-A
65	S(63B)		1	C5SZ 3649-A
66/67	S		1	
69/72	S(w/o speed control)	2 spoke wheel	1	D3SZ 3649-A
65/67	X (with Horn Ring) - except Sprint models		1	★C0DF 3649-B
67	X(54B, 62B, C, 71B)		1	C7OZ 3649-B
69/70	X (with standard wheel)	"Ford" emblem only	1	D3AZ 3649-A
3A650 REPAIR KIT - POWER STEERING HYDRAULIC CONTROL VALVE				
65/71	B		1	C3AZ 3A650-B
65/70	F, X		1	
71/	P		1	
	Consists of			
	2-B4A 2428-A "O" ring	1-C2AZ 3A728-A Clamp	1-C1AA 3A740-C Gasket	
	2-C2OA 3C513-A Seal	1-C7OZ 3A729-A Cover	2-32873-S7 Screw	
	2-C2OZ 3A519-B Bushing			
3B650 PIVOT ASSY. - MOVABLE STEERING COLUMN				
65	A (A/T)(P/S)		1	C5AZ 3B650-A
65/66	A, S	Nut(pivot to trans.control selector)-5/16"-18	1	33797-S7(M50)
		Washer-11at-5/16"		44725-S8(X22)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3E650 SHOCK ABSORBER KIT - STEERING				
66/67	U	Replaced by the following details	1	★C6TZ 3E650-A
	1-C8TZ 3E651-B Shock	1-C8TZ 3E653-A Bracket	1-C8TZ 3E655-B Insulator	
	1-C8TZ 3E652-A Bracket	2-C8TZ 3E654-A U-bolt	4-34443-S7 Nut	
3C651 BOOT and INSULATOR KIT - POWER STEERING CYLINDER				
65	B, X		1	C3AZ 3C651-A
65	F (8 cyl.)		1	
66	F		1	
Consists of				
	2-C1AA 3A344-A Washer	2-C3AA 3A345-A Insulator	1-C3AA 3C528-A Boot	
		1-C3AZ 3C755-A Clamp		
66/71	B		1	C6OZ 3C651-A
67/70	F		1	
70/	P		1	
66/70	X		1	
Consists of				
	2-C7OA 3A344-A Insulator	2-C3AA 3A345-A Washer	1-C3AA 3C528-A Boot	
		1-C3AZ 3C755-A Clamp		
3D651 FLANGE - STEERING COLUMN TUBE - LOWER				
68/69	A (tilt wheel)	"Before 7/29/68"	1	C8MY 3D651-A
69	A (tilt wheel)	"From 7/29/68"	1	C9AZ 3D651-A
67	F, S (tilt wheel)		1	C7SZ 3D651-A
68	F, S (tilt wheel)		1	C8ZZ 3D651-A
69	F, S (tilt wheel)		1	C9ZZ 3D651-A
70/	A, F, S (tilt wheel)	#D0AA 3508-A, B, C, D, E, F, D1AA 3508-AA or D2SA 3508-AA	1	D1AZ 3D651-A
		Washer-7/8"-spring (to socket)	1	374280-S (XX364B)
		Screw & washer (to tube)-1/4"-20 x 1 1/8"-socket	3	381658-S2 (BB817CD)
3E651 SHOCK ABSORBER - STEERING				
68/	U	3/8" - 16 threaded studs	1	C8TZ 3E651-B
3652 SPACER - POWER STEERING CYLINDER MOUNTING - Serviced in 3C590 kit				
3A652 BRACKET - POWER STEERING CYLINDER MOUNTING				
65	B, X		1	C2OZ 3A652-A
66/69	B, X		1	C6OZ 3A652-A
70	X		1	
70/71	B		1	D0OZ 3A652-A
67/70	F		1	C7ZZ 3A652-A
70/	P		1	D0DZ 3A652-A
65/	B, F, P, X	Bolt (bracket to frame)-3/8"-16 x 1 1/2"	1	376058-S (BB157A)
65/	B	Bolt (bracket to underbody)-3/8"-24 x 3 1/2"	1	45549-S (B179)
65/68	F	Bolt (brkt, to underbody)-3/8"-16 x 3 1/2"	1	383496-S100 (BB168)
69	F	Nut-3/8"-16	1	383406-S100 (MM173MY)
		Nut-3/8"-16-rivet type	2	375474-S8 (MM120B)
65/	B, F	Nut (bracket to underbody)-3/8"-16	1	377605-S7-8 (MM151G)
65/	B, F, P, X	Nut-3/8"-24	1	382832-S100 (MM169JF)
65/	B, F, P, X	Washer-flat-3/8"	AR	353992-S (XX127)
		Washer-flat-1/2"	1	356474-S18 (XX183)
		Washer-flat-7/16"	2	44730-S8 (X26)
3E652-3 BRACKET - STEERING SHOCK ABSORBER				
68/69	U	R. H.	1	C8TZ 3E652-A
		L. H.	1	C8TZ 3E653-A
70/	U	R. H.	1	D0TZ 3E652-A
70	U	"Before Ser.J30,001" L.H.	1	C8TZ 3E653-A
70/	U	"From Ser.J30,001" L.H.	1	D1TZ 3E653-A
68/	U	Bolt(bracket to frame)-5/16"-18 x 4 3/4"	2	300946-S8 (B73)

Identification

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3D654 FITTING - POWER STEERING PUMP VALVE OUTLET				
65/66	A,B,F,X	Used with Ford pumps tagged HBA-AC, -AC1, -AC4, -AD, -AD1, -AD4, -AE, -AE1, -AE4, -AF, -AF1, -AF4, -AG, -AG1, -AG4, -AH, -AH1, -AH4, -AJ, -AJ1, -AN, -AN1, -AN4, -AR, -AR1, -AR4	1	★C5AZ 3D654-D
65/66	A,B,F,S,X	Use with Ford pumps tagged HBA-AC2, -AC3, -AD2, -AD3, -AE2, -AE3, -AF2, -AF3, -AG2, -AG3, -AH2, -AJ2, -AN2, -AN3, -AR2, -AR3, -AS, -AT, -AU, -BB, -BC	1	C5AZ 3D654-E
72	S	Use with HBA-CJ-Saginaw pump	1	D2VY 3D654-A
3E654 U-BOLT - STEERING SHOCK ABSORBER				
68	U	"Before Ser.D68,001"	2	C8TZ 3E654-A
68/	U	"From Ser. D68,001"	2	C8TZ 3E654-B
3D655 SPRING - STEERING COLUMN POSITION				
68/69	A, F, S(tilt column)		1	C7SZ 3D655-C
70/	A, F, S (tilt column)	11/16" diameter-3" free length	1	D0AZ 3D655-A
67	F, S(tilt column)	11/16" diameter-2 1/4" free length	1	C7SZ 3D655-A
3E655 INSULATOR and WASHER KIT - STEERING SHOCK ABSORBER				
68	U	Use with 3/8" -24 threaded shock absorber studs	1	C8TZ 3E655-A
	Consists of 2-C5TA 18041-B Washer 4-I-500939 Insulator 2-C5TA 18171-B Washer 2-34664-S2 Nut & washer			
68/	U	Use with 3/8" -16 threaded shock absorber studs	1	C8TZ 3E655-B
3656 RING - STEERING WHEEL HUB TRIM				
67	A(7 litre)-with P/S	3.72" O. D. -zinc die cast-retainer	1	★C7AZ 3656-A
67	A(7 litre)-with Manual steering		1	★C7AZ 3656-C
67	A,X	4.42" O. D. -plastic-trim ring	1	C7AZ 3656-B
67	S(except 57B, 65B with Deluxe wheel)		1	
67	B(except Wood Grain steering wheel)		1	
67	B, F(with Wood Grain steering wheel)	Plastic-trim ring	1	C7ZZ 3656-A
67	B, F(with Wood Grain steering wheel)-P/S		1	C7OZ 3656-A
67	B, F(with Wood Grain steering wheel)-Man. strg.		1	★C7OZ 3656-B
67	S(except speed control)	3.74" O. D. -zinc cast-retainer	1	★C7SZ 3656-A
3D656 BUMPER - STEERING COLUMN TUBE UPPER FLANGE				
67	F, S(tilt column)	21/64" O.D. -1 1/2" long	1	C7SZ 3D656-A
67/69	A, F, S (tilt column)	Lower-1/4" x 5/16" x 59/64" long	1	C7SZ 3D656-C
70/	A, F, S (tilt column)		1	D0AZ 3D656-A
3A657 SHIM KIT - STEERING GEAR SECTOR SHAFT ADJUSTING				
65/	A,B,F,P,X	Use with Ford built manual (M/S) and power assist (P/A) gears-consists of 4 shims (1) .063" thick (1) .067" thick (1) .065" thick (1) .069" thick	1	B8AZ 3A657-A
3A658 SPACER - POWER STEERING CONTROL VALVE SPOOL				
65/71	B		1	C1AA 3A658-A
65/70	F,X		1	
70/	P		1	
65/	B,F,X	Washer-flat (spacer retainer)-5/8"	1	370232-S(XX207)
3B658 INDEX - STEERING COLUMN LOCKING				
67	F, S(tilt wheel)		1	C7SZ 3B658-A
68/69	A, F, S(tilt wheel)		1	C8SZ 3B658-A
3C660 WASHER - STEERING SHAFT COUPLING BOLT				
65/	A,S	19/64" I.D. & 25/64" I.D.-5/8" O.D.	AR	C3OZ 3C660-A
65/70	B,F,X		AR	
71/	P		2	
# Identification marking				

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3B661 LEVER - STEERING COLUMN LOCKING				
65	A	"Before 9/15/64"	1	★C4AZ 3B661-A
65	A	"From 9/15/64"	1	C5AZ 3B661-A
68/69	A, F, S (tilt wheel)		2	C8SZ 3B661-A
70/	A, F, S (tilt wheel)		1	D0AZ 3B661-A
67	F, S (tilt wheel)		2	C7SZ 3B661-A
67	F, S	Pin-straight (to flange)-3/16" x 1 1/8"	2	374341-S (NN143D)
65	A	Stud (lever to track)-5/16"-18 x 3/8"-16 x 3 25/64" hex. shoulder	1	378212-S2 (WW121)
65/66	S	Stud (to track)-3/8"-16 & 5/16"-18 x 2.36"	1	378972-S2 (WW124)
		Nut-3/8"-16		34057-S8 (M161)
		Lockwasher-3/8"		34807-S8 (X66)
		Washer-flat-33/64"		371703-S (XX179)
		Washer-spring-33/64"		356460-S8 (XX369)
68	A, F, S	Pin-straight (to flange)-3/16" x 1 1/4"	2	382715-S (NN143E)
3B663 PIN - STEERING COLUMN LOCKING LEVER				
68/69	A (tilt wheel)		1	C7VY 3B663-A
3B664 SPRING - STEERING COLUMN LOCKING LEVER				
67	F, S (tilt wheel)		1	C7SZ 3B664-A
68/69	A, F, S (tilt wheel)		1	C8SZ 3B664-A
70/	A, F, S (tilt wheel)		1	D0AZ 3B664-A
3668 CLAMP - STEERING COLUMN TO INSTRUMENT PANEL				
69	A	Lower-not replaced (12/74)	1	★C9AZ 3668-A
67	B	Clamp assy.	1	C0DF 3668-BI
68/69	B	Clamp-upper-not replaced (12/74)	1	★C8OZ 3668-B
69	B	Clamp-lower	1	C8OZ 3668-C
72	B	Bracket-steering column-lower	1	D2OZ 3668-B
65/66	F	Clamp assy.	1	C0DF 3668-BI
69	F	Lower-not replaced (12/74)	1	★C9ZZ 3668-A
71	L	Lower	1	D1FZ 3668-A
72	L	Bracket-steering column-lower	1	D2OZ 3668-B
70	P (non-locking column)	Lower	1	D0DZ 3668-A
68/69	S	Lower-not replaced (12/74)	1	★C8SZ 3668-A
72	S	Bracket-steering column-lower	1	D2OZ 3668-B
66/	U		1	C5TZ 3668-B
66/	U	Bracket-lower	1	C6TZ 3668-D
65/67	X	Clamp Assy.	1	C0DF 3668-BP
68/69	X	Clamp-upper-not replaced (12/74)	1	★C8OZ 3668-B
70	X		1	
69	X	Clamp-lower	1	C8OZ 3668-C
70	X		1	
65/66	X	Nut (clamp to pedal support)-5/16"-24	2	33798-S8 (M62)
		Lockwasher-5/16"		34806-S7 (X64)
67/	B, X	Stud (to pedal support)-5/16"-18 & 5/16"-18 x 1 3/4"	2	381597-S2 (WW78W)
67/68	B, X	Nut (to bracket)-5/16"-18	4	379930-S (MM173M)
69	B, X	Nut 1/9"-20 locking (lower clamp to retainer bolt)	1	371068-S (MM171)
69	A, B, X	Nut-5/16"-18 locking (upper clamp to column bracket)	4	379930-S (MM173M)
68/	F	Stud-5/16"-18 x 1 15/16" (clamp to instru. panel)	2	382722-S (WW131D)
69/	U	Nut 5/16"-18 hex. head (clamp to dash)	3	33797-S (M50)
		Washer 5/16"	3	356309-S (XX299)
69/	U	Nut-3/8"-16 (clamp to support)	1	382535-S (MM173HMY)
		Bolt-3/8"-16 x 5/8" carrier (clamp to support)	1	23440-S (B10)
3A670 ADJUSTER ASSY. - STEERING GEAR WORM THRUST BEARING				
65	A, B		1	C3AZ 3A670-A
66/	A (M/S)		1	
66/	B	#HCA-BZ, CE, SMA-B, F, T	1	
71	F (M/S)		1	
70/	P		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A670 ADJUSTER ASSY. - STEERING GEAR WORM THRUST BEARING - continued				
66/70	B, X(M/X)	#HCA-CA, CF or SMA-C	1	★C6OZ 3A670-A
66/67	B	#HCA-BY, CD or SMA-A	1	
66/70	X(P/S)	#HCA-BY, CD or SMA-A	1	
65/70	F	#HCC-AT, AX, AW, SMB-A, B or J	1	C3DZ 3A670-C
65	X		1	
67/70	F	#SMB-C, D, E, F or K	1	C7ZZ 3A670-A
3D672 RETAINER - STEERING COLUMN CLAMP				
70/71	S		1	D0SZ 3D672-A
71/72	L	"Before 1/10/72"	2	D1FZ 3D672-A
72	B, S	"Before 1/10/72"	2	D2OZ 3D672-A
72	B, L, S	"From 1/10/72"	2	D2OZ 3D672-B
3A673 COVER - STEERING COLUMN INSTRUMENT PANEL OPENING				
70/	P		1	D0DZ 3A673-A
		Spring-nut-No. 8		353464-S8(MM248)
3A674 PUMP ASSY. - POWER STEERING				
- A -				
65	A(8 cyl. 289)-without A/C	Eaton pump-use with Ford P/S gear marked HCE-C	1	C5AZ 3A674-C
		Eaton pump-use with Saginaw P/S gear marked HCE-B	1	C5AZ 3A674-D
65/66	A(8 cyl.)-without A/C	#HBA-AG, AG1, AG2, AG3, AJ, AJ1, AJ2, BC, BC1, BC3(Ford pump)	1	C5AZ 3A674-ARM
	A(6 cyl.)	#HBA-AH, AH1, AH2, AH3, AH4, AM1, AM2, BB, BB1, BB3(Ford pump)	1	C5AZ 3A674-DRM
	A(8 cyl.)-without A/C			
67/69	A	#HBA-BG, BG1, BJ, HCE-C, D, SPA-A or E (use with Ford P/S gears)	1	C7AZ 3A674-A
	A	#HBA-BH, BH1, SPA-H, N (use with Saginaw P/S gears)	1	C7TZ 3A674-A
70/71	A	#HBA-BV, BV1, CA, CA1	1	C9TZ 3A674-D
72	A(exc. P/C)	"Before 6/1/72" #HBA-BV, BV1, CA, CA1	1	C9TZ 3A674-D
	A(exc. P/C)	"From 6/1/72" #HBA-CK	1	D3AZ 3A674-A
	A(P/C)	#HBA-CT, CV	1	D3AZ 3A674-B
- B -				
65	B(6 cyl.)	#HBA-AR, AR1, AR2, AR3, AR4(Ford pump)	1	C5OZ 3A674-CRM
	B(8 cyl.)-without A/C	#HBA-AE, AE1, AE2, AE3, AE4(Ford pump)	1	C5OZ 3A674-ARM
	B(8 cyl.)-with A/C	#HBA-AF, AF1, AF2, AF3, AF4	1	C5OZ 3A674-BRM
	B(6 cyl.)-without A/C	Eaton pump	1	C2AZ 3A674-B
	B(8 cyl.)-without A/C	Eaton pump	1	C5OZ 3A674-B
66	B(6 cyl.)	#HBA-AS	1	C6OZ 3A674-ARM
	B(8 cyl. 289)-without A/C	#HBA-AT	1	C6OZ 3A674-BRM
	B(8 cyl. 289)-with A/C	#HBA-AU	1	C6OZ 3A674-CRM
	B(8 cyl. 390)-without A/C	#HBA-AC, AC1, AC2, AC3, AC4	1	C5DZ 3A674-ARM
	B(8 cyl. 390)-with A/C	#HBA-AD, AD1, AD2, AD3, AD4	1	C5DZ 3A674-CRM
67/68	B	#HBA-BF, BF1	1	C7OZ 3A674-A
69	B(8 cyl. 302, 351)	#HBA-BK	1	C9OZ 3A674-A
	B(6 & 8 cyl. 390, 428)	#HBA-BF, BF1	1	C7OZ 3A674-A
70/71	B(6 cyl.)	#HBA-BR	1	D0OZ 3A674-B
	B(8 cyl.)	#HBA-BM	1	D0OZ 3A674-A
72	B(exc. P/C)	"Before 6/1/72" #HBA-CA1	1	C9TZ 3A674-D
	B(exc. P/C)	"From 6/1/72" #HBA-CK	1	D3AZ 3A674-A
	B(P/C)	"From 1/3/72" #HBA-CT, CV	1	D3AZ 3A674-B
- F -				
65	F(6 cyl. 170)-without A/C	Eaton pump	1	C2AZ 3A674-B
	F(8 cyl. 260)-without A/C	Eaton pump	1	C5OZ 3A674-B
	F(8 cyl. 260)-with A/C	Eaton pump	1	C5AZ 3A674-D
65/66	F(6 cyl. 200)	#HBA-AN, AN1, AN2, AN3, AN4(Ford pump)	1	C5DZ 3A674-BRM
	F(8 cyl. 289)-without A/C	#HBA-AC, AC1, AC2, AC3, AC4(Ford pump)	1	C5DZ 3A674-ARM
	F(8 cyl. 289)-with A/C	#HBA-AD, AD1, AD2, AD3, AD4(Ford pump)	1	C5DZ 3A674-CRM

Identification marking

SECTION 36

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A674 PUMP ASSY. - POWER STEERING - continued				
- F -				
67/68	F(exc. GT 350/500)	#HBA-BF, BF1	1	C7OZ 3A674-A
	F(GT350/500)	#HBA-BH, BH1	1	C7TZ 3A674-A
69	F(exc. Boss 429)	#HBA-BF, BF1	1	C7OZ 3A674-A
	F(Boss 429)	#HBA-BZ, CD	1	D0ZZ 3A674-C
70	F(8 cyl. 302, 351)	#HBA-CC	1	D0ZZ 3A674-B
	F(6 cyl. & 8 cyl. 428)	#HBA-BR	1	D0OZ 3A674-B
	F(Boss 429)	#HBA-BZ, CD	1	D0ZZ 3A674-C
71/72	F	" Before 7/1/72" #HBA-CG	1	D1ZZ 3A674-B
72	F	" From 7/1/72" #HBA-CN	1	D3ZZ 3A674-A
- P -				
70/72	P(6 cyl.)	" Before 8/8/72" #HBA-BR	1	D0OZ 3A674-B
72	P(6 cyl.)	" From 8/8/72" #HBA-CL	1	D3DZ 3A674-A
71/72	P(8 cyl.)	" Before 8/8/72" #HBA-BN	1	D0ZZ 3A674-A
72	P(8 cyl.)	" From 8/8/72" #HBA-CM	1	D3DZ 3A674-B
- S -				
65	S-without A/C	Eaton pump	1	C3SZ 3A674-A
65/66	S	HBA-AM, AM1, AM2, BB, BB1(Ford pump)	1	C5AZ 3A674-DRM
67/69	S	#HBA-BG1	1	C7AZ 3A674-A
70/71	S	#HBA-BX1, A2	1	D0VY 3A674-B
72	S(8 cyl. 400, 429)-without A/C	#HBA-BX1, A3(Ford pump)	1	D0VY 3A674-C
	" Before 7/1/72"			
	S(8 cyl. 400, 429)-without A/C	#HBA-CR(Ford pump)	1	D3TZ 3A674-A
	" From 7/1/72"			
	S(8 cyl. 429, 460)-with A/C	#HBA-CJ(Saginaw pump)	1	D2VY 3A674-A
- U -				
72	U	#HBA-CN	1	D3ZZ 3A674-A
- X -				
65	X(6 cyl.)	#HBA-AN, AN1, AN2, AN3, AN4(Ford pump)	1	C5DZ 3A674-BRM
	X(8 cyl.)-without A/C	#HBA-AC, AC1, AC2, AC3, AC4(Ford pump)	1	C5DZ 3A674-ARM
	X(8 cyl.)with A/C	#HBA-AD, AD1, AD2, AD3, AD4(Ford pump)	1	C5DZ 3A674-CRM
	X(6 cyl.)-without A/C	Eaton pump	1	C2AZ 3A674-B
	X(8 cyl.)-without A/C	Eaton pump	1	C5OZ 3A674-B
66	X(6 cyl.)	#HBA-AS, AS3	1	C6OZ 3A674-ARM
	X(8 cyl. 289)-without A/C	#HBA-AT, AT3	1	C6OZ 3A674-BRM
	X(8 cyl. 289)-with A/C	#HBA-AU, AU3	1	C6OZ 3A674-CRM
67/68	X	#HBA-BF, BF1	1	C7OZ 3A674-A
69	X(6 cyl.)	#HBA-BF, BF1	1	C7OZ 3A674-A
	X(8 cyl.)	#HBA-BK	1	C9OZ 3A674-A
70	X(6 cyl.)	#HBA-BR	1	D0OZ 3A674-B
	X(8 cyl.)	#HBA-CC	1	D0ZZ 3A674-B
3A675 SPRING CENTERING KIT - POWER STEERING CONTROL VALVE				
65/71	B	Consists of	1	C3AZ 3A675-B
65/66	F(6 cyl.)	1-C7OZ 3A594-A Spring 2-B9M 3799-A Seat	1	
67/70	F	1-C2OA 3C706-A "O"ring 1-55672-S Nut	1	
65	X	1-AJ 33707-B Spacer 2-372300-S Washer	1	
67/70	X		1	
70/	P		1	
65/66	F(8 cyl.)	Consists of	1	C3DZ 3A675-A
		1-C3DA 3A594-B Spring 1-AJ 33707-B Spacer		
		1-C2AZ 3C706-A Seal 2-B9M 3799-A Washer		
		2-372300-S Washer		
66	X	Consists of	1	C6DZ 3A675-A
		1-C6DZ 3A594-A Spring 1-AJ 33707-B Spacer		
		1-C2AZ 3C706-A Seal 2-B9M 3799-A Washer		
		2-372300-S Washer		

Identification marking

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3676-8 BRACKET - STEERING COLUMN TO INSTRUMENT PANEL				
68	A	"L" shape	1	★C8AZ 3676-A
	A	Lower-at dash panel-not replaced	1	★C8AZ 3676-B
	A	Upper-to brake pedal support	1	★C8AZ 3678-A
69	A	Upper-not replaced	1	★C9AZ 3678-A
70	A		1	D0AZ 3676-A
71/	A		1	D1AZ 3676-A
68	B	"Before 3/1/68"	1	★C8OZ 3676-B
68/69	B	"From 3/1/68"	1	★C8OZ 3676-C
70/71	B		1	D0OZ 3676-A
72	B	Bracket-column mounting upper-(see basic 3668 for lower)	1	D2OZ 3678-D
	B	Brace-column support-R.H.	1	D2OZ 3678-B
	B	Brace-column support-L.H.	1	D2OZ 3678-C
65	F	With charge indicator & oil pressure warning lights- "Rally-Pac"	1	★C5ZZ 3678-A
65/66	F	With ammeter & oil pressure gauge-"Rally-Pac"	1	C5ZZ 3678-B
69	F	Upper-not replaced	1	★C9ZZ 3676-A
70/71	F		1	D0AZ 3676-A
72	F		1	D1AZ 3676-A
71	L		1	D1FZ 3678-A
72	L	"Before 1/10/72"	1	D2FZ 3678-A
	L	"From 1/10/72"	1	D2FZ 3678-B
70/	P		1	D0AZ 3676-A
67	S	Brace-brake pedal suppt. to cowl-7/16" dia. rod	1	C7SZ 3678-A
68/69	S	"L"-shape	1	C8LY 3676-A
	S	Straight-5 1/4" long-not replaced	1	★C8SZ 3678-A
	S	Brace-brake pedal suppt.-7/16" dia. rod	1	C7SZ 3678-A
70/71	S	Bracket-column support	1	D0SZ 3676-A
	S	Brace-brake pedal suppt. to cowl-7/16" dia. rod	1	C7SZ 3678-A
72	S	"Before 1/10/72"	1	D2OZ 3678-A
	S	Bracket-column mounting upper (see basic 3668 for lower)	1	D2OZ 3678-D
	S	"From 1/10/72"	1	D2OZ 3678-D
68	X	"Before 3/1/68"	1	★C8OZ 3676-B
68/70	X	"From 3/1/68"	1	★C8OZ 3676-C
65/	A	Bolt (brkt. to instrument panel)-5/16"-24 x 1 1/4"	2	20427-S8(B158)
65	A	Bolt (bracket to cover plate)-5/16"-18 x 3/4"	2	20346-S8(B50)
66	A	Bolt (to column)-5/16"-18 x 1"	2	20386-S8(B53)
68	A,S	Screw(bracket to pedal support)-7/16"-14 x 3/4"	2	382092-S(BB563BE)
69	A	Screw & washer 5/16"-18 x 1" (bracket to column)	AR	379058-S(BB574E)
69	A	Bolt 5/16"-18 x 3/4" (bracket to clamp)	2	56320-S(B318GD)
65/66	F	Screw & washer (rally-pac to column)-No.10-24 x 5/8"	2	377297-S7-8 (BB817AL)
69	F	Bolt-3/8"-16 x 3/4" carrier (upper bracket to pedal support)	1	383092-S(BB706X)
67/69	S	Screw (upper to lower bracket)-5/16" x 3/4"-washer head	2	359662-S7-8 (BB575A)
		Locknut-5/16"-18		34392-S7(M93)
		Nut-5/16"-24		33798-S7-8(M62)
		Lockwasher-5/16"		34806-S7(X64)
		Lockwasher-5/16"-external tooth		★34941-S7
		Washer-flat-5/16"		44722-S8(X19)
71/	A	Bolt-3/8"-16 x 1" square neck (2 required to attach 3676 & 3B139 brackets to brake pedal support)(2 required to attach 3676 & 3B139 brackets to steering column)	AR	384527-S2 (BB688D)
71/	A,B,F,P,S	"From 4/16/71"	4	383481-S2 (BB545EU)
72	B	Screw & washer (brace to brake pedal support)-5/16"-18 x 1"	4	57140-S(B340H)
		Nut & retainer-5/16"-18	4	★45268-S101

SECTION 36

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3B676	SHAFT and JOINT ASSY. - STEERING COLUMN - Refer to group 3524		
	3K680	GROMMET - STEERING COLUMN OPENING		
69	F(65, 76)		1	C9ZZ 3K680-A
69	F(63)		1	C9ZZ 3K680-B
	3D681	RETAINER ASSY. - STEERING COLUMN LOWER BEARING		
72	B(all exc. column shift A/T)		1	D2OZ 3D681-A
72	B,S(column shift-A/T)		1	D2OZ 3D681-B
71/	L		1	D1FZ 3D681-A
66/	U		1	C5TZ 3D681-A
	3682	INSULATOR - STEERING COLUMN BRACKET		
65/66	A(fixed column)		1	C5AZ 3682-B
72	B,L,S		1	D2OZ 3682-A
71	L		2	D1FZ 3682-A
	3D683	STUD - POWER STEERING PUMP SUPPORT		
65/66	A, B, F, S, X	5/16"-18 & 3/8"-16 x 4 7/8"-use with Ford pumps tagged HBA-AC thru AC4, -AD thru AD4, -AE thru AE4, -AF thru AF4, -AG thru AG4, -AH thru AH4, -AJ thru AJ2, -AT, -AT3, -AU, -AU3, -BB, -BB1, -BB3, -BC, -BC1, -BC3	1	C5AZ 3D683-B
	3E683	PIN - STEERING COLUMN RELEASE CABLE		
68/69	F, S(tilt column)		1	C8ZZ 3E683-A
	3D684	SEAL and GASKET KIT - POWER STEERING PUMP TO RESERVOIR - Also supplied in 3B584 kit		
65/69	A, B, F, S, X	Use with Ford pumps tagged HBA-consists of 1-C5AR 3D594-A Seal 1-C5AR 3D684-A Gasket 1-383213-S Seal	1	C5AZ 3D684-A
70/	A, B, F, P, S, U, X	Consists of 1-D1AR 3D594-A seal 1-D0ZR 3D594-A seal 1-C5AR 3D684-A gasket 1-383212-S94 seal	1	D1AZ 3D684-A
	3D684	SEAL - POWER STEERING PUMP RESERVOIR		
65	A, B, F, S, X "From 12/1/64 to 2/1/65"	.142"/.150" thick-1 1/4" White Stripe-for oversize reservoir on Ford pumps	1	C5AZ 3D684-B
	3685	KEY - FRONT DOOR and IGNITION LOCK - BLANK		
65/67	A, B, F, S, X	Refer to 22053 Group		B9A 3685-A
66/	U		1	
	3D687	COLLAR - STEERING WHEEL HUB		
65/66	A, B	Black	1	C5OZ 3D687-A
66	X		1	
67	B, X	Black	1	★C7OZ 3D687-A
	3B688	SPRING - POWER STEERING PUMP OIL FILTER RETAINING		
65	A, B, F, S, X (without A/C)	1.85" long-8 coils	1	C2SZ 3B688-A
65	F(8 cyl.)-with A/C	2.20" long-9 coils	1	★C2SZ 3B688-B
	3D688	SHIM - POWER STEERING GEAR VALVE CENTERING		
65/	A, S	1.61" I.D. -.0057"/.0063" thick	1	C5AZ 3D688-A
72	B	1.61" I.D. -.0077"/.0083" thick	1	C5AZ 3D688-B
		1.61" I.D. -.0097"/.0103" thick	1	C5AZ 3D688-C
		1.61" I.D. -.0117"/.0123" thick	1	C5AZ 3D688-D
		1.61" I.D. -.0137"/.0143" thick	1	C5AZ 3D688-E
	3691	HOSE - POWER STEERING RESERVOIR TO PUMP		
65/67	A (6 cyl.)	15 5/8" long	1	C1TZ 3691-A
65/67	A (8 cyl. 352, 390), B(8 cyl.)-with A/C	11 1/4" long-make from C7TZ 3691-B	1	★C3AA 3691-G
65/67	A(8 cyl. 260, 289)-with A/C	13 1/4" long-make from C7TZ 3691-B	1	★C3AA 3691-H
65	F(8 cyl.)	10 3/8" long-make from C7TZ 3691-B	1	★C4ZA 3691-A
65/67	X(8 cyl.)-with A/C	8 1/8" long-make from C2SZ 3691-A	1	★C3DA 3691-A
	3D695	RETAINER - STEERING COLUMN SHROUD		
65/66	A(fixed column) "Before 11/1/65"	6" overall length	1	C5AZ 3D695-A
65	A(moveable column)	Cut to length	1	
70/	A, F, S (tilt wheel)		1	D1AZ 3D695-B
70/	A, B, F, P, S (fixed wheel)		1	D1AZ 3D695-A
	3E696	SPRING - STEERING COLUMN LOCK		
70/	A.P(column shift-M/T)	5/8" free length-5/16" dia.	1	D0AZ 3E696-A
70/71	B(column shift-M/T)		1	

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 36

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A697 RESERVOIR ASSY. - POWER STEERING PUMP OIL				
65	A, B (without A/C)	For Eaton pump	1	C3OZ 3A697-A
65/66	A, B	For Ford pumps tagged HBA-AE, -AE1, -AE4, -AF, -AF1, -AF4, -AG, -AG1, -AG4, -AH, -AH1, -AH4, -AJ, -AJ1, -AR, -AR1, -AR4	1	C5AZ 3A697-B
65/66	A, B, S, X	For Ford pumps tagged HBA-AE2, -AF3, -AF2, -AF3, -AG2, -AG3, -AH2, -AJ2, -AM, -AM1, -AM2, -AR2, -AR3, -AS, -AS3, -AT, -AT3, -AU, AU3, -BB, -BB1, -BB3, -BC, -BC1, -BC3	1	C5AZ 3A697-D
67/	A, S	For Ford pumps tagged HBA-BG, BH, BJ, BV, BX, BY, CA, CK, CR	1	C7AZ 3A697-A
72	A, B	For Ford pump tagged HBA-CT	1	D1ZZ 3A697-A
65/66	B, F, X	For Ford pumps tagged HBA-AC, -AC1, -AC4, -AD, -AD1, -AD4, -AN, -AN1, -AN4	1	C5DZ 3A697-B
	B, F, X	For Ford pumps tagged HBA-AC2, -AC3, -AD2, -AD3, -AN2, -AN3	1	C5DZ 3A697-C
67/71	B	For Ford pumps tagged HBA-BF, -BF1, BR	1	C7OZ 3A697-A
69	B	For Ford pumps tagged HBA-BK	1	C9OZ 3A697-A
70/71	B	For Ford pumps tagged HBA-BM	1	D0OZ 3A697-A
72	B	For Ford pumps tagged HBA-CA1, CK	1	C7AZ 3A697-A
65	F (8 cyl. 260)-with A/C	For Eaton pump-includes cover, filter and tank	1	C5ZZ 3A697-A
65	F (6 & 8 cyl. 260)-without A/C	For Eaton pump-oil tank	1	C2SZ 3A699-A
67/68	F	For Ford pumps tagged HBA-BH	1	C7AZ 3A697-A
67/70	F	For Ford pumps tagged HBA-BF, BFL, BR	1	C7OZ 3A697-A
69/70	F	For Ford pumps tagged HBA-BZ, CD	1	C9ZZ 3A697-A
70	F	For Ford pumps tagged HBA-CC	1	D0ZZ 3A697-A
71/	F	For Ford pumps tagged HBA-CG, CN	1	D1ZZ 3A697-A
70/	P	For Ford pumps tagged HBA-BR, CL	1	C7OZ 3A697-A
71/	P	For Ford pumps tagged HBA-BN, CM	1	D0ZZ 3A697-A
72	S	For Ford pumps tagged HBA-CJ	1	D2VY 3A697-A
72	U	For Ford pumps tagged HBA-CN	1	D1ZZ 3A697-A
65	X (6 & 8 cyl.)	For Eaton pump-oil tank	1	C2SZ 3A699-A
69	X	For Ford pumps tagged HBA-BK	1	C9OZ 3A697-A
67/70	X	For Ford pumps tagged HBA-BF, BF1, BR	1	C7OZ 3A697-A
65	A, B, F, S, X	Bolt (Reservoir to fender apron)-5/16"-24 x 3/4"	2	20347-S8(B156)
	A, B, F, S, X	Locknut-5/16"-24	2	34443-S7-8(M79)
65/66	A, B, F, S, X (Ford pumps)	Nut (stud)-5/16"-18 - jam	1	378055-S2 (MM121X)
	A, B, F, S, X (Ford pumps)	Nut (to pump)-5/8"-18	1	378720-S2 (MM123B)
67/	A, B, F, S, X (Ford pumps)	Nut (to pump)-5/8"-18	1	351335-S38 (MM123D)
3A698 COVER ASSY. - POWER STEERING PUMP HOUSING				
65	A	Eaton pump	1	*C5AZ 3A698-A
65	A (8 cyl. 289)-Saginaw steering	Without A/C-Eaton-belt driven-side mounted pump	1	C3OZ 3A698-A
65	B, F, X (8 cyl. 289)	Eaton-belt driven-side mounted pump	1	C0AA 3A698-A
65	B, F, X (6 cyl.)-without A/C	Eaton-belt driven-side mounted pump	1	*B9MM 3A698-A
65	S		1	87147-S91(T38)
65	A, B, F, S, X	Seal (cover)-2 5/8" I. D.	1	370967-S(BB158)
65	B, X, F (6 & 8 cyl.)	Bolt (cover to housing)-3/8"-16 x 2 1/8"	1	377957-S7-8 (BB169A)
65	B (8 cyl.)	Bolt (cover to housing)-3/8"-16 x 3 3/4"	2	357648-S8(NN55)
65	X, F (8 cyl.)	Pin (cover to housing)-5/16" x 3/4"	2	
65	S		2	
3-3698 BOLT - POWER STEERING CONTROL VALVE SPOOL				
65/71	B	5/16"-24-overall length 5 1/16"	1	AC 33698-A
65/70	F, X		1	
70/	P		1	
65/	B, F, X	Locknut-5/16"-24		34443-S7-8(M79)
		Washer-flat-5/16"		44722-S8(X19)
		Pin-straight (bolt retainer)-1/8" x 1"	1	370235-S(NN102)
3A699 TANK ASSY. - POWER STEERING PUMP OIL RESERVOIR - Refer to Group 3A697				
3D699 CLAMP - STEERING COLUMN SHAFT LOWER COUPLING				
66/70	U		1	C9TZ 3D699-A
71/	U	Includes - carriage bolt 384192-S2 & nut 34978-S4	1	D1TZ 3D699-A

POWER STEERING KIT PARTS LISTS

Model application for power steering kits is shown in Groups 3A633-5.
Use the Page Index below to find the page in this group where the components of each kit are listed.

PAGE INDEX

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
POWER STEERING LINKAGE KITS - GROUP NO. 3A634							
C5DZ 3A634-A	2	C5ZZ 3A634-C	3	C7OZ 3A634-A	4	D0OZ 3A634-A	6
C5DZ 3A634-B	2	C5ZZ 3A634-D	3	C7ZZ 3A634-A	4	D0ZZ 3A634-A	6
C5OZ 3A634-A	2	C5ZZ 3A634-F	3	C7ZZ 3A634-B	5	D1DZ 3A634-A	6
C5ZZ 3A634-A	2	C5ZZ 3A634-G	4	C8OZ 3A634-A	5	D1OZ 3A634-A	6
C5ZZ 3A634-B	3	C6OZ 3A634-A	4	C8ZZ 3A634-A	5	D2DZ 3A634-A	7
				C8ZZ 3A634-B	5	D3DZ 3A634-A	7

POWER STEERING PUMP KITS - GROUP NO. 3A635
AIR CONDITIONER ADAPTER KITS - GROUP NO. 3A635
POWER STEERING ADAPTER KITS - GROUP NO. 3A635

OPTIONAL ENGINE P/S KIT ADAPTER TO BASE ENGINE P/S KIT - GROUP NO. 3A705

C4DZ 3A635-D	8	C6AZ 3A635-F	14	C8OZ 3A635-C	19	D1AZ 3A635-A	25
		C6AZ 3A635-G	14	C8OZ 3A635-D	19	D1AZ 3A635-B	25
		C6DZ 3A635-D	14	C8OZ 3A635-E	19	D1AZ 3A635-D	25
C5AZ 3A635-A	8					D1AZ 3A635-E	26
C5AZ 3A635-B	8	C6OZ 3A635-C	14	C8ZZ 3A635-A	19	D1AZ 3A635-F	26
C5AZ 3A635-F	8	C6OZ 3A635-H	14			D1AZ 3A635-H	26
C5AZ 3A635-G	8	C6OZ 3A635-J	14	C9AZ 3A635-A	20		
C5AZ 3A635-H	9	C6OZ 3A635-K	14	C9AZ 3A635-C	20	D1DZ 3A635-A	26
C5AZ 3A635-J	9	C6OZ 3A635-L	15	C9AZ 3A635-D	20	D1DZ 3A635-B	26
C5AZ 3A635-M	9			C9AZ 3A635-E	20	D1DZ 3A635-C	26
C5AZ 3A635-N	9	C6ZZ 3A635-C	15	C9AZ 3A635-F	20		
C5AZ 3A635-P	9					D1OZ 3A635-A	27
C5AZ 3A635-R	9	C7AZ 3A635-A	15	C9OZ 3A635-A	20	D1OZ 3A635-B	27
C5AZ 3A635-S	9	C7AZ 3A635-B	15	C9OZ 3A635-B	21	D1OZ 3A635-C	27
C5AZ 3A635-V	10	C7AZ 3A635-C	16	C9OZ 3A635-C	21	D1OZ 3A635-D	27
C5AZ 3A635-AA	10	C7AZ 3A635-D	16	C9OZ 3A635-D	21		
C5AZ 3A635-AB	10	C7AZ 3A635-E	16			D1ZZ 3A635-A	28
C5AZ 3A635-AC	10	C7AZ 3A635-F	16	C9ZZ 3A635-A	21	D1ZZ 3A635-B	28
C5AZ 3A635-AF	10	C7AZ 3A635-G	16	C9ZZ 3A635-B	21	D1ZZ 3A635-D	28
C5AZ 3A635-AG	10	C7AZ 3A635-H	16	C9ZZ 3A635-C	22	D1ZZ 3A635-F	28
C5AZ 3A635-AJ	10	C7AZ 3A635-J	16	C9ZZ 3A635-D	22		
C5AZ 3A635-AM	10	C7AZ 3A635-L	16	C9ZZ 3A635-E	22	D2DZ 3A635-A	28
				C9ZZ 3A635-F	22	D2DZ 3A635-B	29
C5DZ 3A635-A	11	C7DZ 3A635-B	16			D2DZ 3A635-C	29
C5DZ 3A635-B	11			D0AZ 3A635-A	22		
C5DZ 3A635-C	11	C7OZ 3A635-A	16	D0AZ 3A635-B	22	D2OZ 3A635-A	29
C5DZ 3A635-D	11	C7OZ 3A635-B	17	D0AZ 3A635-C	22	D2OZ 3A635-B	29
C5DZ 3A635-E	11	C7OZ 3A635-C	17	D0AZ 3A635-D	23	D2OZ 3A635-C	29
C5DZ 3A635-G	11	C7OZ 3A635-D	17	D0AZ 3A635-E	23	D2OZ 3A635-D	30
		C7OZ 3A635-E	17	D0AZ 3A635-F	23	D2OZ 3A635-E	30
C5OZ 3A635-A	11	C7OZ 3A635-H	17	D0AZ 3A635-G	23	D2OZ 3A635-F	30
C5OZ 3A635-B	12					D2OZ 3A635-G	30
C5OZ 3A635-D	12	C7ZZ 3A635-C	17	D0OZ 3A635-C	23	D2OZ 3A635-H	30
C5OZ 3A635-F	12	C7ZZ 3A635-E	17	D0OZ 3A635-D	23	D2OZ 3A635-J	31
C5OZ 3A635-G	12			D0OZ 3A635-E	23	D2ZZ 3A635-A	31
C5OZ 3A635-H	12			D0OZ 3A635-F	24	D2ZZ 3A635-B	31
		C8AZ 3A635-A	18	D0OZ 3A635-H	24	D2ZZ 3A635-C	31
C5ZZ 3A635-A	12	C8AZ 3A635-B	18			D2ZZ 3A635-D	32
C5ZZ 3A635-B	12	C8AZ 3A635-C	18	D0ZZ 3A635-C	24	D2ZZ 3A635-E	32
C5ZZ 3A635-C	13	C8AZ 3A635-D	18	D0ZZ 3A635-D	24		
C5ZZ 3A635-D	13	C8AZ 3A635-E	18	D0ZZ 3A635-E	25		
C5ZZ 3A635-F	13			D0ZZ 3A635-F	25	D1AZ 3A705-A	32
C5ZZ 3A635-H	13	C8OZ 3A635-A	19	D0ZZ 3A635-G	25	D1ZZ 3A705-A	32
C5ZZ 3A635-K	13	C8OZ 3A635-B	19				
C5ZZ 3A635-L	13						

POWER STEERING KIT PARTS LISTS

C5DZ 3A634-A	Consists of the following
1 C5DA 3B161-A	Sleeve & end assy. -L. H.
2 C1AA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C5ZZ 3352-A	Arm & bush. assy. -strg. idler
1 C3AA 3C528-A	Boot-cyl. piston rod
1 C3DZ 3A540-B	Cyl. & ball stud assy.
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C3DZ 3A652-C	Bracket-cyl. mounting
1 C3DZ 3A714-A	Hose-control valve cyl. head
1 C3DZ 3A717-A	Hose-control valve cyl. end
1 C5DZ 3A730-A	Valve & link assy.
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33800-S8	Nut-light hex. -3/8"-24
1 33925-S8	Nut-light hex. jam-3/8"-24
3 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
1 45300-S8	Nut-hex. slotted-7/16"-20
3 72016-S	Pin-3/32" x 3/4"
2 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 300905-S8	Bolt-hex. hd. -3/8"-24 x 3 1/2"
1 353992-S	Washer-flat-3/8"
2 374706-S	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
1	Sketch-installation

C5DZ 3A634-B	Consists of the following
1 C4DA 3A035-B	Sleeve & end assy. -R. H.
1 C4DA 3B161-A	Sleeve & end assy. -L. H.
1 C5DA 3B164-D	Valve & link assy. -control
1 C4DZ 3304-B	Rod-Pitman to idler
2 C1AA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C4DZ 3352-B	Arm & bush. assy. -idler
1 C3DZ 3C626-A	Spacer-cyl. mtg. bracket
1 C3AA 3C528-A	Boot-power cyl.
1 C3DA 3A540-B	Cyl. & ball stud assy.
1 C4DZ 3590-A	Arm-pitman
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C3DZ 3A652-C	Bracket-cyl. mounting
1 C5DZ 3A714-A	Hose-control valve cyl. head
1 C5DZ 3A717-A	Hose-control valve cyl. end
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33800-S8	Nut-light hex. -3/8"-24
1 33925-S8	Nut-hex. -3/8"-24
4 34030-S	Nut-slotted-3/8"-24
1 34692-S	Nut-lock-3/4"-16
3 34782-S	Washer-lock-3/8"
1 34813-S8	Washer-lock-3/4"
1 45218-S8	Nut-hex. stamped-3/8"-24
4 72016-S	Pin-cotter-3/32" x 3/4"
2 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 300905-S8	Bolt-hex. -3/8"-24 x 3 1/2"
1 351059-S8	Nut-hex. slotted-1/2"-20
1 353992-S	Washer-flat-3/8"
2 354869-S8	Bolt-hex. hd. -3/8"-16 x 2.00"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375374-S8	Nut-hex. lock-3/8"-16
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex. head-3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
1	Sketch-installation

C5OZ 3A634-A	Consists of the following
1 C3OA 3278-C	Rod & end assy.
1 C3OA 3279-B	Rod & end assy. -L. H.
1 C3OZ 3304-A	Rod assy. -pitman to idler
2 C1AA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-piston rod insulator
1 C2OA 3350-A	Bracket & bush. assy. -idler arm
1 C3OA 3355-A	Arm-steering idler-power
1 C3AA 3C528-A	Boot-power cyl.
1 C3OZ 3A540-A	Cyl. & ball stud assy.
1 C2OZ 3590-B	Arm steering pitman
1 C3DA 3A594-A	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C3DZ 3A652-C	Bracket-cyl. mounting
1 C3OZ 3A714-A	Hose-control valve to cyl. head
1 C3OZ 3A717-A	Hose-control valve to cyl. rod
1 C5OZ 3A730-A	Valve assy. -gear hyd. control
1 C3DZ 3C750-B	Clamp-hoses to valve actuator
1 C3AZ 3C755-A	Clamp - piston rod boot
1 33800-S8	Nut-hex. -3/8"-24
1 33925-S8	Nut-hex. -3/8"-24
3 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
4 72016-S	Pin-cotter-3/32" x 3/4"
3 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-cotter-1/8" x 1.00"
1 300905-S8	Bolt-hex. -3/8"-24 x 3 1/2"
3 351059-S8	Nut-slotted hex. -1/2"-20
1 352146-S	Pin-roll-1/8" x 7/8"
1 353992-S	Washer-flat-3/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
2 375569-S8	Washer-flat-1/2"
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
2 377861-S8	Nut-hex. slotted-7/16"-20
1	Sketch-installation

C5ZZ 3A634-A	Consists of the following
1 C3DA 3A035-L	Sleeve & end-spindle arm-R. H.
1 C4ZA 3B161-B	Sleeve & end-spindle arm-L. H.
1 C3DA 3B164-D	Valve & link assy. -control
1 C5ZZ 3304-B	Rod-pitman to idler
2 C1AA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C4DZ 3352-B	Arm & bushing assy. -idler
1 C3AA 3C528-A	Boot-power cylinder
1 C3DZ 3A540-B	Cylinder & ball stud assy.
1 C4DZ 3590-A	Arm-steering gear pitman
1 AJ 3652-A	Spacer-piston rod insulator
1 C5ZA 3A652-A	Bracket-cyl. mounting
1 C5ZZ 3A706-B	Stop-steering arm-R. H.
1 C5ZZ 3A707-B	Stop-steering arm-L. H.
1 C3DZ 3A714-A	Hose-control valve cyl. head
1 C3DZ 3A717-A	Hose-control valve cyl. end
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33800-S8	Nut-light hex. -3/8"-24
1 33925-S8	Nut-hex. -3/8"-24
2 34030-S	Nut-slotted-3/8"-24
3 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
4 72016-S	Pin-cotter-3/32" x 3/4"
2 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 300905-S8	Bolt-hex. -3/8"-24 x 3 1/2"
2 351059-S8	Nut-hex. slotted-1/2"-20
1 353992-S	Washer-flat-3/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375301-S7	Nut-hex. lock-3/8"-24
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
2 378593-S	Bolt-hex. hd. -3/8"-24 x 2 5/16"
1	Sketch-installation

POWER STEERING KIT PARTS LISTS - continued

C5ZZ	3A634-B	Consists of the following
1	C4ZA 3B161-A	Sleeve & end-spindle arm-L. H.
2	C1AA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator outer
1	C5ZZ 3352-B	Arm & bushing assy. -idler
1	C3AA 3C528-A	Boot-cyl. piston rod
1	C3DZ 3A540-B	Cylinder & ball stud assy.
1	AJ 3652-A	Spacer-piston rod insulator
1	C4ZA 3A652-A	Bracket-cyl. mounting
1	C3DZ 3A714-A	Hose-control valve cyl. head
1	C3DZ 3A717-A	Hose-control valve cyl. end
1	C5ZZ 3A730-A	Valve & link assy. -control
1	C3AZ 3C755-A	Clamp-cyl. piston rod boot
1	33800-S8	Nut-light hex. -3/8"-24
1	33925-S8	Nut-light hex. jam-3/8"-24
3	34782-S	Washer-lock-3/8"
1	45218-S8	Nut-stamped-3/8"-24
1	45300-S8	Nut-hex. slotted-7/16"-20
3	72016-S	Pin-3/32" x 3/4"
2	72026-S	Pin-cotter-1/8" x 7/8"
2	72035-S	Pin-cotter-1/8" x 1.00"
1	300905-S8	Bolt-hex. hd. -3/8"-24 x 3 1/2"
1	351059-S8	Nut-hex. slotted-1/2"-20
1	353992-S	Washer-flat-3/8"
2	374706-S	Bolt-hex. hd. -3/8"-16 x 1 1/2"
2	375474-S8	Nut-rivet type-3/8"-16
1	377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex. -3/8"-16
1		Sketch-installation

C5ZZ	3A634-C	Consists of the following
1	C4DA 3A035-B	Sleeve & end-spindle arm-R. H.
1	C4ZA 3B161-C	Sleeve & end-spindle arm-L. H.
1	C5DA 3B164-B	Valve & link assy. -control
1	C5ZZ 3305-B	Rod-pitman to idler arm
2	C1AA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	C4DZ 3352-B	Arm & bushing assy. -steering idler
1	C3AA 3C528-A	Boot-power cylinder
1	C3DZ 3A540-B	Cylinder & ball stud assy.
1	C4DZ 3590-A	Arm-steering gear pitman
1	C3DA 3A594-B	Spring-control valve spool
1	AJ 3652-A	Spacer-piston rod insulator
1	C5ZZ 3A652-A	Bracket-cyl. mounting
1	C5ZZ 3A706-B	Stop-steering arm-R. H.
1	C5ZZ 3A707-B	Stop-steering arm-L. H.
1	C3DZ 3A714-A	Hose-control valve cyl. head
1	C3DZ 3A717-A	Hose-control valve cyl. end
1	C3AZ 3C755-A	Clamp-cyl. piston rod boot
1	33800-S8	Nut-light hex. -3/8"-24
1	33925-S8	Nut-hex. -3/8"-24
2	34030-S	Nut-slotted-3/8"-24
3	34782-S	Washer-lock-3/8"
1	45218-S8	Nut-hex. stamped-3/8"-24
4	72016-S	Pin-cotter-3/32" x 3/4"
2	72026-S	Pin-cotter-1/8" x 7/8"
2	72035-S	Pin-cotter-1/8" x 1.00"
1	300905-S8	Bolt-hex. -3/8"-24 x 3 1/2"
2	351059-S8	Nut-hex. slotted-1/2"-20
1	353992-S	Washer-flat-3/8"
2	374706-S	Bolt-3/8"-16 x 1 1/2"
2	375361-S7	Nut-hex. lock-3/8"-24
2	375474-S8	Nut-rivet type-3/8"-16
1	377604-S8	Bolt-hex. hd. -3/8" x 1 1/2"
1	377605-S8	Nut-hex. -3/8"-16
2	378593-S	Bolt-hex. hd. -3/8"-24 x 2 5/16"
1		Sketch-installation

C5ZZ	3A634-D	Consists of the following
1	C5DA 3B161-A	Sleeve & end assy.
1	C5ZZ 3B164-A	Valve & link assy.
2	C1AA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator outer
1	C5ZZ 3352-B	Arm & bush. assy. -idler
1	C3AA 3C528-A	Boot-cyl. piston rod
1	C3DZ 3A540-B	Cyl. & ball stud assy.
1	C3DA 3A594-B	Spring-control valve spool
1	AJ 3652-A	Spacer-insulator
1	C5ZZ 3A652-A	Bracket-cyl. mounting
1	C3DZ 3A714-A	Hose-control valve cyl. head
1	C3DZ 3A717-A	Hose-control valve cyl. end
1	C3AZ 3C755-A	Clamp-cyl. piston rod boot
1	33800-S8	Nut-light hex. -3/8"-24
1	33925-S8	Nut-light hex. jam-3/8"-24
3	34782-S	Washer-lock-3/8"
1	45218-S8	Nut-stamped-3/8"-24
1	45300-S8	Nut-slotted hex. -7/16"-20
3	72016-S	Pin-3/32" x 3/4"
2	72026-S	Pin-cotter-1/8" x 7/8"
2	72035-S	Pin-cotter-1/8" x 1.00"
1	300905-S8	Bolt-hex. hd. -3/8"-24 x 3 1/2"
1	353992-S	Washer-flat-3/8"
2	374706-S	Bolt-hex. hd. -3/8"-16 x 1 1/2"
2	375474-S8	Nut-rivet type-3/8"-16
1	377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex. -3/8"-16
1		Sketch-installation

C5ZZ	3A634-F	Consists of the following
1	C4DA 3A035-B	Sleeve & end assy. -spindle arm-R. H.
1	C4ZA 3B161-C	Sleeve & end assy. -spindle arm-L. H.
1	C5DA 3B164-D	Valve & link assy. -control
1	C5ZZ 3304-B	Rod-pitman to idler
2	C6OA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	C4DZ 3352-B	Arm & bush. assy. -idler
1	C3AA 3C528-A	Boot-power cyl.
1	C3DZ 3A540-B	Cyl. & ball stud assy.
1	C4DZ 3590-A	Arm-pitman
1	C3DA 3A594-B	Spring-control valve spool
1	AJ 3652-A	Spacer-piston rod insulator
1	C6ZZ 3A652-A	Bracket-cyl. mounting
1	C5DZ 3A706-A	Stop-steering arm-R. H.
1	C5DZ 3A707-A	Stop-steering arm-L. H.
1	C5DZ 3A714-A	Hose-control valve cyl. head
1	C5DZ 3A717-A	Hose-control valve cyl. end
1	C3AZ 3C755-A	Clamp-cyl. piston rod boot
1	33925-S8	Nut-hex. -3/8"-24
2	34030-S	Nut-slotted-3/8"-24
2	34782-S	Washer-lock-3/8"
1	45218-S8	Nut-hex. stamped-3/8"-24
1	55769-S7	Nut-hex. -3/8"-24
4	72016-S	Pin-cotter-3/32" x 3/4"
2	72026-S	Pin-cotter-1/8" x 7/8"
2	72035-S	Pin-cotter-1/8" x 1.00"
1	351059-S8	Nut-slotted hex. -1/2"-20
2	354869-S	Bolt-hex. hd. -3/8"-16 x 2.00"
1	374420-S	Bolt-hex. hd. -3/8"-24 x 3 5/8"
2	374706-S	Bolt-3/8"-16 x 1 1/2"
2	375374-S8	Nut-hex. lock-3/8"-16
2	375474-S8	Nut-rivet type-3/8"-16
1	377604-S8	Bolt-hex. head-3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex. -3/8"-16
1	378544-S	Washer-flat-3/8"
1		Sketch-installation

POWER STEERING KIT PARTS LISTS continued

C5ZZ 3A634-G	Consists of the following
1 C5DA 3B161-A	Sleeve & end-spindle conn. -L.H.
2 C6OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-piston rod insulator-outer
1 C5ZZ 3352-B	Arm & bushing-steering idler
1 C3AA 3C528-A	Boot-cyl. piston rod
1 C3DZ 3A540-B	Cylinder & ball stud assy.
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C6ZZ 3A652-A	Bracket-cyl. mounting
1 C3DZ 3A714-A	Hose assy. -control valve cyl. head
1 C3DZ 3A717-A	Hose assy. -control valve cyl. end
1 C5ZZ 3A730-B	Valve & link assy. -control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-light hex. jam-3/8"-24
2 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-stamped-3/8"-24
1 45300-S8	Nut-hex. slotted-7/16"-20
1 55769-S7	Nut-hex. -3/8"-24
3 72016-S	Pin-3/32" x 3/4"
2 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 374420-S	Bolt-hex. hd. -3/8"-24 x 3 5/8"
2 374706-S	Bolt-hex. hd. -3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
1 478544-S	Washer-flat-3/8"
1	Sketch-installation

C6OZ 3A634-A	Consists of the following
1 C6OZ 3304-A	Rod assy. -pitman to idler
2 C6OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-piston rod insulator outer
1 C6OZ 3350-A	Arm & brkt. assy. -idler
1 C3AA 3C528-A	Boot-power cyl.
1 C6OZ 3A540-A	Cyl. & ball stud assy.
1 C6OZ 3590-B	Arm-steering gear pitman
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C6OZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose-control valve cyl. head
1 C6OZ 3A717-A	Hose-control valve cyl. end
1 C6OZ 3A730-A	Valve assy. -control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex. -3/8"-24
1 33985-S8	Nut-hex. hd. -slotted-9/16"-18
1 34443-S7	Nut-hex. lock-5/16"-24
1 34692-S	Nut-lock-3/4"-16
2 34782-S	Washer-lock-3/8"
1 34813-S8	Washer-lock-3/4"
1 45218-S8	Nut-hex. stamped-3/8"-24
3 55769-S7	Nut-hex. -3/8"-24
4 72025-S	Pin-cotter-3/32" x 7/8"
2 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-1/8" x 1.00"
1 304740-S	Bolt-hex. hd. -5/16"-24 x 1 3/8"
1 305033-S	Pin-1/8" x 5/8"
1 351059-S8	Nut-slotted hex. -1/2"-20
1 374420-S	Bolt-hex. hd. -3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377112-S	Washer-flat-3/8"
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
4 377861-S43	Nut-slotted hex. -7/16"-20
1 379297-S	Washer-flat-9/16"
1	Sketch-installation

C7OZ 3A634-A	Consists of the following
1 C7OZ 3304-A	Rod assy. -pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C7OZ 3350-B	Arm & brkt. assy. -idler
1 C3AA 3C528-A	Boot-power cylinder
1 C6OZ 3A540-B	Cyl. & ball stud assy.
1 C6OZ 3590-B	Arm-steering gear pitman
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C6OZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose-control valve cyl. head
1 C6OZ 3A717-A	Hose-control valve cyl. end
1 C6OZ 3A730-A	Valve assy. -control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex. -3/8"-24
1 33985-S8	Nut-slotted hex. hd. -9/16"-18
1 34443-S7	Nut-hex. lock-5/16"-24
1 34692-S	Nut-lock-3/4"-16
2 34782-S	Washer-lock-3/8"
1 34813-S8	Washer-lock-3/4"
1 45218-S8	Nut-hex. -3/8"-24
3 55769-S7	Nut-hex. -3/8"-24
4 72025-S	Pin-cotter-3/32" x 7/8"
2 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-1/8" x 1.00"
1 304740-S	Bolt-hex. hd. -5/16"-24 x 1 3/8"
1 305033-S	Pin-1/8" x 5/8"
1 351059-S8	Nut-slotted hex. -1/2"-20
1 374420-S	Bolt-hex. -3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377112-S	Washer-flat-3/8"
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
4 377861-S43	Nut-slotted-7/16"-20
1 379297-S	Washer-flat-9/16"
1	Sketch-installation

C7ZZ 3A634-A	Consists of the following
1 C7ZZ 3304-B	Rod assy. -pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C7ZZ 3350-A	Arm & brkt. assy. -idler
1 C3AA 3C528-A	Boot-power cyl.
1 C7ZZ 3A540-A	Cyl. & ball stud assy.
1 C5ZZ 3590-A	Arm-steering gear pitman
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C7ZZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose-control valve cyl. head
1 C6OZ 3A717-A	Hose-control valve cyl. end
1 C6OZ 3A730-B	Valve-hyd. control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex. -3/8"-24
1 34443-S7	Nut-hex. lock-5/16"-24
2 34722-S	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
1 55769-S7	Nut-lock-hex. -3/8"-24
2 72025-S	Pin-cotter-3/32" x 7/8"
2 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-cotter-1/8" x 1.00"
1 304740-S	Bolt-hex. hd. -5/16"-24 x 1 3/8"
1 305033-S	Pin-1/8" x 5/8"
1 374420-S	Bolt-hex. hd. -3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
1 378544-S	Washer-flat-3/8"
1	Sketch-installation

POWER STEERING KIT PARTS LISTS continued

C7ZZ 3A634-B	Consists of the following
1 C7ZZ 3304-B	Rod-pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-piston rod
1 C7ZZ 3350-A	Arm-idler
1 C3AA 3C528-A	Boot-power cylinder
1 C7ZZ 3A540-A	Cylinder and stud
1 C7ZZ 3590-C	Arm-pitman
1 C3DA 3A594-B	Spring-valve spool
1 AJ 3652-A	Spacer-insulator
1 C7ZA 3A652-A	Bracket-cylinder mounting
1 C6OZ 3A714-A	Hose-pressure
1 C6OZ 3A717-A	Hose-valve
1 C6CZ 3A730-B	Valve-control
1 C3AZ 3C755-A	Clamp-rod boot
1 33925-S8	Nut-3/8"-24
1 34443-S7	Nut-5/16"-24
2 34782-S	Washer-locking-3/8"
1 45218-S8	Nut-3/8"-24
1 55769-S7	Nut-3/8"-24
1 72025-S	Pin-3/32" x 7/8"
2 72026-S	Pin-1/8" x 7/8"
1 72035-S	Pin-1/8" x 1.00"
1 304759-S2	Bolt-5/16"-24 x 1 1/2"
1 305039-S	Pin-1/8" x 5/8"
1 374420-S	Bolt-3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-3/8"-16
1 377604-S8	Bolt-3/8"-16 x 1 1/2"
1 377605-S8	Nut-3/8"-16
1 No. 2830	Sketch-installation

C8OZ 3A634-A	Consists of the following
1 C7OZ 3304-A	Rod assy. -Pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C5AA 3A345-A	Washer-insulator-outer
1 C7OZ 3350-B	Arm & bracket assy. -idler
1 C3AA 3C528-A	Boot-power cyl.
1 C6CZ 3A540-B	Cyl. & ball stud assy.
1 C6OZ 3590-B	Arm-steering gear pitman
1 AJ 3652-A	Spacer-piston rod insulator
1 C6OZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose assy. -valve cyl. head
1 C6OZ 3A717-A	Hose assy. -valve cyl. end
1 C8OZ 3A730-A	Valve assy. -gear hyd.
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex. -3/8"-24
1 33985-S4	Nut-hex. slotted-9/16"-18
2 34782-S2	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
2 72025-S	Pin-cotter-3/32" x 7/8"
1 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-1/8" x 1.00"
1 72044-S	Pin-cotter-1/8" x 1 1/8"
1 305039-S	Pin-1/8" x 5/8"
1 351819-S	Clamp-power steering hose
2 374706-S	Bolt-hex. hd. -3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377112-S2	Washer-flat-3/8"
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
1 382634-S100	Nut-hex. lock-5/16"-18
1 383400-S100	Bolt-hex. hd. -5/16"-18 x 1 1/2"
1 383402-S	Bolt-hex. hd. -3/8"-16 x 3 5/8"
1 383406-S	Nut-hex. lock-3/8"-16
1	Sketch-installation

C8ZZ 3A634-A	Consists of the following
1 C7ZZ 3304-B	Rod assy. -pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C7ZZ 3350-A	Arm & brkt. assy. -steering idler
1 C3AA 3C528-A	Boot-power cyl.
1 C7ZZ 3A540-A	Cyl. & ball stud assy.
1 C7ZZ 3590-C	Arm-pitman
1 AJ 3652-A	Spacer-insulator
1 C7ZZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose-control valve cyl. head
1 C6OZ 3A717-A	Hose-control valve cyl. end
1 C8OZ 3A730-A	Valve-hyd. control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex. -3/8"-24
1 34443-S7	Nut-hex. lock-5/16"-24
2 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
1 55769-S7	Nut-lock-hex. -3/8"-24
2 72025-S	Pin-cotter-3/32" x 7/8"
1 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 304759-S2	Bolt-hex. hd. -5/16"-24 x 1 1/2"
1 305039-S	Pin-1/8" x 5/8"
1 374420-S	Bolt-hex. hd. -3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
1 378544-S	Washer-flat-3/8"
1	Sketch-installation

C8ZZ 3A634-B	Consists of the following
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C7ZZ 3350-A	Arm & bracket-steering idler
1 C9ZZ 3304-B	Rod assy. -pitman to idler arm
1 C3AA 3C528-A	Boot-power cylinder
1 C7ZZ 3A540-A	Cylinder & ball stud assy.
1 C7ZZ 3590-C	Arm-steering gear pitman
1 AJ 3652-A	Spacer-piston rod insulator
1 C7ZZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose assy. -control valve cyl. head
1 C6OZ 3A717-A	Hose assy. -control valve cyl. end
1 C8OZ 3A730-A	Valve assy. -gear hyd. control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex. -3/8"-24
1 33985-S4	Nut-hex. slotted-9/16"-18
2 34782-S2	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
2 72025-S	Pin-cotter-3/32" x 7/8"
1 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-cotter-1/8" x 1.00"
1 72044-S	Pin-cotter-1/8" x 1 1/8"
1 305039-S	Pin-1/8" x 5/8"
1 351819-S	Clamp-hose
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 376474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
1 378544-S2	Washer-flat-3/8"
1 382634-S100	Nut-hex. lock-5/16"-18
1 383400-S100	Bolt-hex. hd. -5/16"-18 x 1 1/2"
1 383402-S	Bolt-hex. hd. -3/8"-16 x 3 5/8"
1 383406-S	Nut-hex. lock-3/8"-16
1	Sketch-installation

POWER STEERING KIT PARTS LISTS - continued

D00Z	3A634-A	Consists of the following
1	D00Z 3304-B	Rod assy. -Pitman to idler
2	C7OA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	D00Z 3350-B	Arm & bracket assy. -idler
1	C3AA 3C528-A	Boot-power cylinder
1	D00Z 3A540-A	Cylinder & ball stud assy.
1	D00Z 3590-A	Arm-steering gear pitman
1	AJ 3652-A	Spacer-piston rod insulator
1	D00Z 3A652-A	Bracket-cylinder mounting
1	C6OZ 3A714-A	Hose assy. -valve cylinder head
1	C6OZ 3A717-A	Hose assy. -valve cylinder end
1	C8OZ 3A730-A	Valve assy. -gear hyd.
1	C3AZ 3C755-A	Clamp-cylinder piston rod boot
1	33925-S8	Nut-hex, -3/8"-24
1	33985-S4	Nut-hex, slotted-9/16"-18
2	34782-S2	Washer-lock-3/8"
1	45218-S8	Nut-hex, stamped-3/8"-24
2	72025-S	Pin-cotter-3/32" x 7/8"
1	72026-S	Pin-cotter-1/8" x 7/8"
1	72035-S	Pin-1/8" x 1.00"
1	72044-S	Pin-cotter-1/8" x 1 1/8"
1	305039-S	Pin-1/8" x 5/8"
1	351819-S	Clamp-power steering hose
2	374706-S	Bolt-hex, head-3/8"-16 x 1 1/2"
2	375474-S8	Nut-rivet type-3/8"-16
1	377112-S2	Washer-flat-3/8"
1	377604-S8	Bolt-hex, head-3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex, -3/8"-16
1	382634-S100	Nut-hex, lock-5/16"-18
1	383400-S100	Bolt-hex, head-5/16"-18 x 1 1/2"
1	383496-S100	Bolt-3/8"-16 x 3 5/8"
1	383406-S	Nut-hex, lock-3/8"-16
1		Sketch-installation

D0ZZ	3A634-A	Consists of the following
1	D0ZZ 3304-B	Rod assy. -pitman to idler
2	C7OA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	C7ZZ 3350-B	Arm & bracket-steering idler
1	C3AA 3C528-A	Boot-power cylinder
1	C7ZZ 3590-C	Arm-steering gear pitman
1	C7ZZ 3A540-A	Cylinder & ball stud assy.
1	AJ 3652-A	Spacer-piston rod insulator
1	C7ZZ 3A652-A	Bracket-cylinder mounting
1	C6OZ 3A714-A	Hose assy. -control valve cylinder head
1	C6OZ 3A717-A	Hose assy. -control valve cylinder end
1	C8OZ 3A730-A	Valve assy. -gear hyd. control
1	C3AZ 3C755-A	Clamp-cylinder piston rod boot
1	33925-S8	Nut-hex, -3/8"-24
1	33985-S4	Nut-hex, slotted-9/16"-18
2	34782-S2	Washer-lock-3/8"
1	45218-S8	Nut-hex, stamped-3/8"-24
2	72025-S	Pin-cotter-3/32" x 7/8"
2	72035-S	Pin-cotter-1/8" x 1.00"
1	305039-S	Pin-1/8" x 5/8"
1	351819-S	Clamp-hose
2	374706-S	Bolt-3/8"-16 x 1 1/2"
2	376474-S8	Nut-rivet type-3/8"-16
1	377604-S8	Bolt-hex, head-3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex, -3/8"-16
1	378544-S2	Washer-flat-3/8"
1	382634-S100	Nut-hex, lock-5/16"-18
1	383400-S100	Bolt-hex, head-5/16"-18 x 1 1/2"
1	383496-S100	Bolt-hex, head-3/8"-16 x 3 5/8"
1	383406-S	Nut-hex, lock-3/8"-16
1		Sketch-installation

D1DZ	3A364-A	Consists of the following
1	D0DZ 3304-B	Rod assy. -pitman to idler arm
2	C7OA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	C3AA 3C528-A	Boot-cylinder
1	D00Z 3A540-A	Cylinder assy. -power steering
1	C9DZ 3590-A	Arm-pitman
1	AJ 3652-A	Spacer-piston rod insulator
1	D0DZ 3A652-A	Bracket-cyl. mounting
1	C6OZ 3A714-A	Hose assy. -valve cyl. -head
1	C6OZ 3A717-A	Hose assy. -valve cyl. end
1	C8OZ 3A730-A	Valve assy. -P/S gear hyd. control
1	C3AZ 3C755-A	Clamp-piston rod boot
1	33925-S8	Nut-3/8"-24 hex. hd.
1	33985-S2	Nut-9/16"-18 hex. hd. -cylinder to rod (3304)
1	34443-S7	Nut-5/16"-24 hex. lock
2	34782-S2	Washer-3/8"-lock
1	45218-S8	Nut-3/8"-24 hex. hd. -3A730 to bracket (3A652)
5	72035-S	Pin-1/8" x 1"-cotter
1	304759-S2	Bolt-5/16"-24 x 1 1/2" hex. hd. -valve (3A730) to rod (3304)
1	305039-S	Pin-1/8" x 5/8"-spring
1	351819-S	Clamp-hose (3A713) to (3A730)
2	374706-S2	Bolt-3/8"-16 x 1 1/2"-hex. hd. -bracket (3A652) to underbody
2	375474-S100	Nut-3/8"-16 rivet type
1	377604-S8	Bolt-3/8"-16 x 1 1/2"-hex. hd.
1	377605-S8	Nut-3/8"-16 hex. hd.
1	378544-S2	Washer-3/8"-flat
1	383406-S100	Nut-3/8"-16 hex. lock
1	383496-S100	Bolt-3/8"-16 x 3 5/8" hex. hd. -bracket (3A652) to underbody
1		Installation sketch

D1OZ	3A634-A	Consists of the following
1	D0OZ 3304-B	Rod assy. -pitman to idler arm
2	C7OA 3A344-A	Insulator-piston rod
1	C3AA 3A345-A	Washer-rod insulator-outer
1	D0OZ 3350-B	Arm & bracket assy. -idler
1	C3AA 3C528-A	Boot-cylinder
1	D0OZ 3A540-A	Cylinder-power steering
1	D0OZ 3590-A	Arm-pitman
1	AJ 3652-A	Spacer-piston rod insulator
1	D0OZ 3A652-A	Bracket-cyl. mounting
1	C6OZ 3A714-A	Hose assy. -valve cyl. head
1	C6OZ 3A717-A	Hose assy. -valve cyl. end
1	C8OZ 3A730-A	Valve assy. -P/S gear hyd. control
1	C3AZ 3C755-A	Clamp-cyl. piston rod boot
1	33925-S8	Nut-3/8"-24
1	33985-S2	Nut-9/16"-18 hex. -(3A730) to rod assy. (3304)
1	34443-S7	Nut-5/16"-24 hex. lock
2	34782-S2	Washer-3/8" lock
1	45218-S8	Nut-3/8"-24 hex. hd.
5	72035-S	Pin-1/8" x 1"-cotter
1	304759-S2	Bolt-5/16"-24 x 1 1/2"-hex. hd. -valve (3A730) to rod assy. (3304)
1	305039-S	Pin-1/8" x 5/8"-spring
1	351819-S	Clamp-hose
2	374706-S2	Bolt-3/8"-16 x 1 1/2" hex. hd.
2	375474-S100	Nut-3/8"-16 rivet type
1	377604-S8	Bolt-3/8"-16 x 1 1/2" hex. hd.
1	377605-S8	Nut-3/8"-16 hex. hd.
2	378544-S2	Washer-3/8"-flat
1	383496-S100	Bolt-3/8"-16 x 3 5/8"-hex. hd. -mounting bracket (3A652) to underbody
1		Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D2DZ 3A634-A	Consists of the following	D3DZ 3A634-A	Consists of the following
1 D0DZ 3304-B	Rod assy. -pitman to idler arm	1 D3DZ 3304-B	Rod assy. -pitman to idler arm
2 C7OA 3A344-A	Insulator-piston rod	2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-piston rod insulator-outer	2 C3AA 3A345-A	Washer-cyl. insulator
1 C3AA 3C528-A	Boot-power steering cylinder	1 C3AA 3C528-A	Boot-cyl.
1 D0OZ 3A540-A	Cylinder assy. -power steering	1 D0OZ 3A540-A	Cylinder assy.
1 C9DZ 3590-A	Arm-pitman	1 C9DZ 3590-A	Arm-steering gear-pitman
1 C3DA 3A594-B	Spring-control valve spool	1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator	1 AJ 3652-A	Spacer-cyl. insulator
1 D0DZ 3A652-A	Bracket-cyl. mounting	1 D0DZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose assy. -control valve cyl. end	1 C6OZ 3A714-A	Hose assy. -control valve cyl. hd.
1 C6OZ 3A717-A	Hose assy. -control valve cyl. -hd.	1 C6OZ 3A717-A	Hose assy. -control valve cyl. end
1 C8OZ 3A730-A	Valve assy. -steering gear hyd. control	1 C8OZ 3A730-A	Valve assy. -hydraulic control
1 C3AA 3C755-A	Clamp-cyl. piston rod boot	1 C3AA 3C755-A	Clamp-cyl. piston rod boot
1 33799-S2	Nut-3/8"-16 hex.	1 33799-S36	Nut-3/8"-16
1 33925-S8	Nut-3/8" -24 hex jam	1 33925-S8	Nut-3/8"-14
1 33985-S2	Nut-9/16" -18-hex slotted	1 34443-S7	Nut-lock-5/16"-24
1 34443-S7	Nut-5/16" -24 hex lock	2 34782-S2	Washer-lock-3/8"
2 34782-S2	Washer-3/8" lock	1 45218-S8M	Nut-3/8"-24
1 45218-S8M	Nut-3/8" -24 hex	5 72035-S	Pin-1/8" x 1" cotter
5 72035-S	Pin-1/8" x 1" cotter	1 304759-S2	Bolt-5/16" -24 x 1 1/2" hex hd.
1 304759-S2	Bolt-5/16" -24 x 1 1/2" hex hd.	1 304760-S2	Bolt-3/8"-16 x 1 1/2" hex. hd.
1 304760-S2	Bolt-3/8"-16 x 1 1/2" hex. hd.	1 305039-S	Pin-1/8" x 5/8" spring
1 305039-S	Pin-1/8" x 5/8" spring	1 351819-S	Clamp-hose
1 351819-S	Clamp-hose	2 374706-S2	Bolt-3/8" -16 x 1 1/2" hex hd.
2 374706-S2	Bolt-3/8" -16 x 1 1/2" hex hd.	2 375474-S100	Nut-3/8" -16 rivet type
2 375474-S100	Nut-3/8" -16 rivet type	1 378544-S2	Washer-3/8" flat
1 378544-S2	Washer-3/8" flat	1 383406-S100	Nut-3/8" -16 hex lock
1 383406-S100	Nut-3/8" -16 hex lock	1 383496-S100	Bolt-3/8" -16 x 3 5/8" hex hd.
1 383496-S100	Bolt-3/8" -16 x 3 5/8" hex hd.	1	Installation sketch
1	Installation sketch		

C4DZ 3A635-D	Consists of the following
1 C3OZ 3C511-A	Support-pump
1 C2OZ 3A609-A	Insulator-hose
1 C3DZ 3A610-A	Retainer-hose insulator
1 C3DZ 3A611-B	Bracket-hose insulator
1 C2OZ 3C682-A	Bracket-pump support
1 C3OZ 3C682-A	Bracket-pump support
1 C4DZ 3A691-B	Pump-reservoir & pulley assy.
1 C3DZ 3A706-A	Stop-steering arm-R. H.
1 C3DZ 3A707-A	Stop-steering arm-L. H.
1 C3DZ 3A713-A	Hose assy. -return line
1 C3DZ 3A719-A	Hose assy. -pressure line
1 C3DZ 3C750-A	Clamp assy.
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing pointer
1 C2DZ 6A312-A	Pulley-vibration damper
1 C3DZ 8509-A	Pulley-water pump
1 C1DD 8600-D	Blade assy. -fan
1 B8A 8620-C	Belt-drive V-15/32" x 44 1/2"
1 C3DZ 9737-A	Spring-accelerator retract
1 C3OA 9B756-B	Valve & bracket-idle speed up
1 C3OZ 9B758-B	Valve assy. -idle speed up
1 C3DZ 9B864-A	Lever-idle speed up
4 20387-S8	Bolt-hex. hd. -5/16"-24 x 1.00"
1 20449-S8	Bolt-hex. hd. -3/8"-24 x 1 3/8"
1 34656-S	Nut & washer assy. -No. 10-32
4 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 34807-S8	Washer-lock-3/8"
4 34826-S8	Washer-lock-5/16"
1 40923-S8	Screw-hex. hd. tap. -5/16"-18 x 1/2"
1 54643-S	Screw-mach. hex. hd. -No. 10-32 x 7/16"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
2 300860-S	Bolt-1/4"-20 x 1 7/8"
2 300876-S8	Bolt-hex. hd. -1/4"-20 x 2 1/2"
1 304803-S8	Bolt-hex. hd. -9/16"-18 x 1 3/4"
1 304828-S8	Bolt-hex. hd. -5/16"-18 x 2.00"
3 352981-S8	Washer-flat-3/8"
1 357655-S	Clip-1/4" to 1/4" diameter
3 359080-S8	Screw & washer-3/8"-16 x 7/8"
1 359083-S8	Screw & washer-hex. hd. -3/8"-16 x 1 1/8"
1 376025-S	Screw & washer-hex. hd. -3/8"-16 x 1.00"
1 376409-S8	Screw & washer-hex. hd. -5/16"-18 x 7/8"
1	Sketch-installation

C5AZ 3A635-A	Consists of the following
1 C5AZ 3504-A	Gear assy.
1 C5AZ 3A525-B	Coupling
1 C5AZ 3590-B	Arm-pitman
1 C5AZ 3A691-D	Pump & pulley assy.
1 C5AA 3A713-A	Hose assy. -return line
1 C5AZ 3A719-B	Hose assy. -pressure line
1 C5AZ 3A732-B	Bracket-adj.
1 C3AZ 3A762-A	Clamp assy. -hose
1 C5AZ 6312-C	Pulley-crankshaft
1 C2OZ 8620-B	Belt-pump-1/2" x 45 3/4"
5 42996-S8	Bolt-self-lock. -3/8"-16 x 3/4"
3 42997-S8	Bolt-lock. -3/8"-16 x 7/8"
2 55672-S8	Nut-5/16"-24
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
2 353497-S8	Washer-flat-3/8"
1 379930-S2	Nut-hex. washer lock-5/16"-18
1	Sketch-installation

C5AZ 3A635-B	Consists of the following
◇1 C5AZ 3504-C	Gear assy. (Saginaw) #
◇1 C5AZ 3504-A	Gear assy. ⊕
1 C5AZ 3A525-B	Coupling ⊕
▲1 C5AZ 3590-B	Arm-steering pitman ⊕
▲1 C5AZ 3590-C	Arm-steering pitman #
1 C5AA 3A713-C	Hose assy. -return line
‡1 C5AA 3A719-J	Hose-pressure line ⊕
‡1 C5AZ 3A719-F	Hose-pressure line #
☆1 C5AZ 3A674-A	Pump assy. ⊕
☆1 C5AZ 3A674-B	Pump assy. #
‡1 C5AZ 3A732-A	Bracket-pump mounting
‡1 C6OA 3A732-A	Bracket-pump mounting
1 C5AZ 3A733-C	Pulley assy. -pump
1 C3AZ 3A762-A	Clamp-hose
1 C1AZ 6A312-D	Pulley-crankshaft
1 C6AZ 8620-B	Belt-pump-1/2" x 46.00"
2 55672-S8	Nut-5/16"-24
2 55768-S2	Nut-hex. lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
5 370608-S2	Screw-hex. hd. lock. -3/8"-16 x 3/4"
2 371983-S8	Washer-flat-3/8"
2 377278-S8	Stud-3/8"-16 x 2.00"
3 378604-S8	Screw & washer assy. -3/8"-16 x 3/4"
1 378702-S8	Washer-flat-3/8"
Δ1 379278-S8	Clamp-hose
1 379930-S2	Nut-hex. washer lock-5/16"-18
1	Sketch-installation

C5AZ 3A635-F	Consists of the following
1 C5AZ 3A733-H	Pulley assy. -pump
1 C5AZ 8620-D	Belt-drive-pump
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1	Sketch-installation

C5AZ 3A635-G	Consists of the following
▲1 C5AZ 3390-B	Arm-pitman ⊕
▲1 C5AZ 3390-C	Arm-pitman #
‡1 C5AZ 3504-A	Gear assy. ⊕
‡1 C5AZ 3504-C	Gear assy. (Saginaw) #
‡1 C5AZ 3A525-B	Coupling ⊕
‡1 C5AZ 3A525-D	Coupling #
☆1 C5AZ 3A674-A	Pump assy. ⊕
☆1 C5AZ 3A674-B	Pump assy. #
1 C5AA 3A713-A	Hose assy. -return line
◇1 C5AZ 3A719-B	Hose assy. -pressure line ⊕
◇1 C5AZ 3A719-D	Hose assy. -pressure line #
1 C5AZ 6312-C	Pulley-crankshaft
1 C2OZ 8620-B	Belt-pump drive-1/2" x 45 3/4"
1 C5AA 3A732-H	Bracket-adjustment
1 C5AZ 3A733-C	Pulley assy. -pump
1 C3AZ 3A762-A	Clamp assy. -hose
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
5 42996-S8	Bolt-self-lock. -3/8"-16 x 3/4"
3 42997-S8	Bolt-lock. -3/8"-16 x 7/8"
2 55672-S8	Nut-5/16"-24
1 72026-S	Pin-cotter-1/8" x 7/8"
1 351318-S8	Washer-flat-5/16"
2 353497-S8	Washer-flat-3/8"
Δ1 379278-S8	Clamp-hose
1 379930-S2	Nut-hex. washer lock-5/16"-18
1	Sketch-installation

and ⊕ - Kit must contain only parts marked # or parts marked ⊕ - they cannot be mixed. Parts marked # cannot be used on vehicles with moveable steering column.

† - Optional

Δ - Optional

● - Optional

‡ - Optional

☆ - Optional

◇ - Optional

POWER STEERING KIT PARTS LISTS - continued

C5AZ 3A635-H Consists of the following ◇1 C5AZ 3504-A Gear assy. ⊕ ◇1 C5AZ 3504-C Gear assy. (Saginaw) # 1 C5AZ 3C511-B Support-pump 1 C5AZ 3A525-B Coupling ⊕ †1 C5AZ 3590-B Arm-steering pitman ⊕ †1 C5AZ 3590-C Arm-steering pitman # 3 C5AZ 3D600-B Spacer-pump ☆1 C5AZ 3A674-A Pump assy. ⊕ ☆1 C5AZ 3A674-B Pump assy. # 1 C5AZ 3A713-A Hose assy. -return line ▲1 C5AZ 3A719-C Hose-pressure line ⊕ ▲1 C5AZ 3A719-E Hose-pressure line # 1 C5AZ 3A732-C Bracket-pump adj. 1 C5AZ 3A733-B Pulley-pump 1 C3AA 3A762-A Clamp assy. -hose 1 C5AZ 6A312-A Pulley-crankshaft 1 C2AZ 8620-K Belt-pump drive 2 42848-S8 Screw & washer-5/16"-18 x 1 1/8" 3 46005-S8 Bolt-self-lock. -3/8"-16 x 5/8" 2 55672-S8 Nut-5/16"-24 3 55770-S2 Nut-hex. lock-7/16"-14 1 72026-S Pin-cotter-1/8" x 7/8" - Δ1 97201-S8 Clamp-hose-5/8" dia. -slotted - Δ1 97237-S8 Clamp-hose-5/8" dia. -solid 3 370608-S2 Screw-hex. hd. lock. -3/8"-16 x 3/4" 3 376102-S Washer-flat-7/16" 3 377279-S8 Stud-7/16"-14 x 2 1/8" 1 378702-S8 Washer-flat-3/8" - Δ1 379278-S8 Clamp-hose 1 379930-S2 Nut-flange lock-5/16"-18 1 Sketch-installation	C5AZ 3A635-N Consists of the following 1 C5AZ 3504-C Gear assy. -steering 1 C5OZ 3C511-C Support-pump 1 C5AZ 3590-C Arm 1 C5AA 3A691-D Pump 1 C5AA 3A713-C Hose-pressure 1 C5AZ 3A719-C Hose-return 1 C3AZ 3A762-A Clamp 1 C5AZ 6312-C Pulley 1 C3OZ 8620-F Belt 1 20408-S8 Bolt-5/16"-18 x 2 1/2" 1 33799-S Nut-hex. hd. -3/8"-16 1 34782-S Washer-lock-3/8" 1 42961-S Bolt-5/16"-18 x 1 5/8" 3 42997-S8 Bolt-3/8"-16 x 7/8" 2 44722-S Washer-flat-3/8" 2 55672-S8 Nut-5/16"-24 1 351318-S8 Washer-5/16" 2 352981-S8 Washer-flat-3/8" 1 373293-S8 Screw & washer-3/8"-16 x 1.00" 1 376437-S Bolt-5/16"-18 x 4.00" 1 377958-S8 Stud-5/16"-18(both ends) x 4 9/16" 1 379278-S8 Clamp-hose-5/8" dia. 1 379930-S2 Nut-hex. washer lock-5/16"-18 1 Sketch-installation
C5AZ 3A635-J Consists of the following 1 C5AA 3A005-A Hose-return 1 C5AZ 3D673-H Pulley-pump 1 C5AZ 3D746-B Cooler-oil 1 C5AZ 8620-J Belt-pump drive 1 44726-S2 Washer-3/8 flat - Δ2 97201-S Clamp-hose-5/8" dia. slotted - Δ2 97237-S8 Clamp-hose-5/8" dia. -solid 1 304703-S Bolt-3/8-16 x 1 1/8" 1 Sketch-installation	C5AZ 3A635-P Consists of the following 1 C5AA 3A691-F Pump 1 C5AA 3A719-N Hose-return 1 C5AE 8620-V Belt-V-drive 1 42998-S Bolt-3/8"-16 x 1.00" 1 43003-S Bolt-3/8"-16 x 1 9/16" 2 374886-S8 Washer 3 376900-S Bolt-3/8"-16 x 2 1/2" 1 380257-S Spacer-3/8" x 13/16" x 11/16" thick 1 Sketch-installation
C5AZ 3A635-M Consists of the following 1 C5AZ 3504-D Gear assy. -steering 1 C5OZ 3C511-C Support-pump 1 C5AZ 3A525-E Coupling-flange and shaft 1 C5AZ 3590-B Arm-pitman 1 C5AA 3A691-C Pump 1 C5AA 3A713-C Hose-pressure 1 C5AZ 3A719-H Hose-return 1 C3AZ 3A762-A Clamp-hose 1 C5AZ 6312-C Pulley-crankshaft 1 C3OZ 8620-A Belt-V-drive 1 20408-S8 Bolt-5/16"-18 x 1 1/8" 1 33799-S Nut-hex. hd. -3/8"-16 1 34782-S Washer-lock-3/8" 1 42961-S Bolt-5/16"-18 x 1 5/8" 1 42997-S8 Bolt-3/8"-16 x 7/8" 1 44722-S Washer-flat-3/8" 1 55672-S8 Nut-5/16"-24 1 97237-S8 Clamp-hose-5/8" dia. 1 351318-S8 Washer-flat-5/16" 2 352981-S8 Washer-flat-3/8" 2 373293-S8 Screw & washer-3/8"-16 x 1.00" 1 376437-S Bolt-5/16"-18 x 4.00" 1 376900-S Bolt-3/8"-16 x 2 1/2" 1 377958-S8 Stud-5/16"-18(both ends) x 4 9/16" 1 379930-S2 Nut-hex. washer lock-5/16"-18 1 Sketch-installation	C5AZ 3A635-R Consists of the following 1 C5AA 3A691-E Pump 1 C5AA 3A719-M Hose-return 1 C5AE 8620-V Belt-V-drive 1 42998-S Bolt-3/8"-16 x 1.00" 1 43003-S Bolt-3/8"-16 x 1 9/16" 1 44726-S8 Washer-flat-3/8" 2 374886-S8 Washer 3 376900-S Bolt-3/8"-16 x 2 1/2" 1 380257-S Spacer-3/8" x 13/16" x 11/16" thick 1 Sketch-installation
	C5AZ 3A635-S Consists of the following 1 C5AZ 3C511-C Support assy. -pump 1 C5AZ 3A732-E Bracket-pump adj. 1 C5AZ 3A732-F Bracket-pump adj. -rear 1 C4AZ 3A733-B Pulley-pump 1 C4TE 8620-AG Belt-drive-15/32" x 45 1/2" 1 C5AA 19972-B Hose-A/C to condenser 1 20388-S8 Bolt-hex. -3/8"-16 x 1.00" 1 34782-S8 Washer-lock-3/8" - Δ1 97201-S8 Clamp-hose-5/8" dia. -slotted - Δ1 97237-S8 Clamp-hose-5/8" dia. -solid 1 376258-S Bolt-hex. washer hd. -5/16"-18 x 3 1/2" 1 376900-S Bolt-hex. -3/8"-16 x 2 3/16" 1 Sketch-installation

and ⊕ - Kit must contain only parts marked # or parts marked ⊕ - they cannot be mixed. Parts marked # cannot be used on vehicles with moveable steering column.

† - Optional

▲ - Optional

☆ - Optional

◇ - Optional

Δ - Optional

POWER STEERING KIT PARTS LISTS - continued

C5AZ 3A635-V	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A713-C	Hose assy. -return line
1 C5AZ 3A739-H	Pulley assy. -pump
1 C5AZ 3D746-A	Cooler assy. -oil
1 C5AZ 8620-J	Belt-drive-pump
2 31498-S2	Screw-hex. head tapping-No. 14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
2 380795-S	Clip
1	Sketch-installation

C5AZ 3A635-AA	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy. -reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-pump outlet fitting
1 C5AZ 3E683-A	Gasket-support stud
1 C5AZ 3A697-B	Reservoir assy. -pump
1 C5AZ 3A713-C	Hose assy. -return line
1 C5AZ 3A733-A	Pulley assy. -pump
1 C5AZ 3D746-C	Cooler assy. -oil
1 C5AZ 8620-C	Belt-drive-15/32" x 49 3/4"
2 31498-S2	Screw-hex. head tap. -No. 14 -10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia. slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
2 380795-S100	Clip
1	Sketch-installation

C5AZ 3A635-AB	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy. -reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-pump outlet fitting
1 C5AZ 3E683-A	Gasket-support stud
1 C5AZ 3A697-C	Reservoir assy. -pump
1 C5AZ 3A713-C	Hose assy. -return line
1 C5AZ 3A733-A	Pulley assy. -pump
1 C5AZ 3D746-C	Cooler assy. -oil
1 C5AZ 8620-C	Belt-drive-15/32" x 49 3/4"
2 31498-S2	Screw-hex. head tap. -No. 14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
2 380795-S100	Clip
1	Sketch-installation

C5AZ 3A635-AC	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy. -reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-pump outlet fitting
1 C5AZ 3E688-A	Gasket-support stud
1 C5AZ 3A697-B	Reservoir assy. -pump
1 C5AZ 3A713-C	Hose assy. -return line
1 C5AZ 3A733-F	Pulley assy. -pump
1 C5AZ 3D746-C	Cooler assy. -oil
1 C5AZ 8620-A	Belt-drive-15/32" x 53 1/2"
2 31498-S2	Screw-hex. head tap. No. 14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
2 380795-S100	Clip
1	Sketch-installation

C5AZ 3A635-AF	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy. -oil reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AZ 3E683-A	Gasket-pump-support stud
1 C5AZ 3A697-C	Reservoir assy. -pump
1 C5AZ 3A713-C	Hose assy. -return line
1 C5AZ 3A733-A	Pulley assy. -pump
1 C6AZ 3D746-A	Cooler assy. -oil
1 C5AZ 8620-L	Belt-drive-15/32" x 49 3/4"
2 31498-S2	Screw-hex. washer hd. tap.-No.14-10x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
2 380735-S100	Clip
1	Sketch-installation

C5AZ 3A635-AG	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy. -reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AZ 3E683-A	Gasket-pump-support stud
1 C5AZ 3A697-C	Reservoir assy. -pump
1 C5AZ 3A713-E	Hose assy. -return line
1 C5AZ 3A733-F	Pulley assy. -pump
1 C6AZ 3D746-A	Cooler assy. -oil
1 C5AZ 8620-P	Belt-drive-15/32" x 53 1/2"
2 31498-S2	Screw-hex. washer hd. tap.-No.14-10x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
2 380795-S100	Clip
1	Sketch-installation

C5AZ 3A635-AJ	Consists of the following
1 C5AZ 3A733-H	Pulley assy. -pump
1 C3OZ 8620-F	Belt-drive-pump-15/32" x 51 1/2"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1	Sketch-installation

C5AZ 3A635-AM	Consists of the following
1 C5AZ 3504-A	Gear-integral
1 C5AZ 3C511-B	Support-pump
1 C5AZ 3590-B	Arm-steering pitman
3 C5AZ 3D600-B	Spacer-pump
1 C5AZ 3A674-A	Pump assy.
1 C5AZ 3A713-A	Hose assy. -return line
1 C5AZ 3A719-C	Hose assy. -pressure line
1 C5AZ 3A732-C	Bracket-pump adj.
1 C5AZ 3A733-B	Pulley-pump
1 C3AZ 3A762-A	Clamp assy. -hose
1 C5AZ 6A312-A	Pulley-crankshaft
1 C2AZ 8620-N	Belt-drive-pump-15/32" x 44.00"
2 42848-S8	Screw & washer-5/16"-18 x 1 1/8"
3 46005-S8	Bolt-self-lock. -3/8"-16 x 5/8"
3 55770-S2	Nut-hex. lock-7/16"-14
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
3 370608-S2	Screw-hex. hd. lock. -3/8"-16 x 3/4"
3 376102-S	Washer-flat-7/16"
3 377279-S8	Stud-7/16"-14 x 2 1/8"
1 378702-S8	Washer-flat-3/8"
1 379930-S2	Nut-flange lock-5/16"-18
1	Sketch installation

POWER STEERING KIT PARTS LISTS - continued

C5DZ 3A635-A Consists of the following 1 C5OZ 3C511-A Support-pump 1 C5OZ 3562-A Brace-pump brkt. support 1 C2OZ 3A609-A Insulator-hose 1 C3DZ 3A610-B Retainer-insulator 1 C3DZ 3A611-C Bracket-insulator 1 C5DZ 3A674-B Pump assy. 1 C5DZ 3A706-A Stop-R. H. 1 C5DZ 3A707-A Stop-L. H. 1 C5DZ 3A713-A Hose assy. -return line 1 C5DZ 3A719-A Hose assy. -pressure line 1 C5OZ 3A732-A Bracket-pump adjusting 1 C5AZ 3A733-B Pulley assy. -pump 1 C3DZ 3C750-B Clamp assy. 1 C3AZ 3A762-A Clamp assy. -hose 1 C2OZ 6023-B Pointer-timing 2 C2OE 6B089-A Spacer-timing pointer 1 C2DZ 6A312-A Pulley-damper outer 1 C4DZ 8509-A Pulley-water pump ☆1 C4DZ 8546-A Spacer-water pump to fan ☆1 C4GY 8546-A Spacer-water pump to fan 1 C4DE 8600-A Blade assy. -fan 1 C5DE 8620-E Belt-drive V-15/32" x 48 3/4" 1 20466-S8 Bolt-hex.hd. -5/16"-18 x 1 1/2" 2 34790-S8 Washer-lock-1/4" 2 34805-S8 Washer-lock-1/4" 1 34806-S8 Washer-lock-5/16" 1 40923-S8 Screw-hex. hd. tapping-5/16"-18 x 1/2" 1 42997-S8 Bolt-hex. hd. self-lock. -3/8"-16 x 7/8" 1 44726-S8 Washer-flat-3/8" 2 45506-S8 Bolt-hex. hd. -1/4"-20 x 2 1/8" 4 45964-S8 Bolt-hex. hd. self-lock. -5/16"-18 x 3/4" - Δ1 97201-S8 Clamp-hose-5/8" dia. -slotted - Δ1 97237-S8 Clamp-hose-5/8" dia. -solid 2 300860-S8 Bolt-1/4"-20 x 1 7/8" 1 304803-S8 Bolt-hex. hd. -9/16"-18 x 1 3/4" 3 370608-S2 Screw-hex. hd. lock-3/8"-16 x 3/4" 3 374525-S8 Screw & washer-3/8"-18 x 1.00" 4 379552-S8 Screw & washer-5/16"-24 x 1 3/8" 1 Sketch-installation	C5DZ 3A635-D Consists of the following 1 C5OZ 3C511-C Bracket-pump support 1 C5DA 3A691-B Pump - Bolt-5/16"-18 x 1 1/8" 2 34806-S7 Washer-flat-5/16" 1 45554-S8 Bolt-5/16"-18 x 3 3/4" 2 352981-S8 Washer-flat-3/8" 1 373293-S8 Screw & washer-3/8"-16 x 1.00" 1 Sketch-installation C5DZ 3A635-E Consists of the following 1 C5AZ 3C511-C Support assy. -pump 1 C5AZ 3A732-E Bracket-pump adj. 1 C5AZ 3A732-F Bracket-pump adj. -rear 1 C4AZ 3A733-B Pulley-pump 1 C4TE 8620-AG Belt-drive-15/32" x 45 1/2" 1 C5DA 19972-A Hose-A/C to condenser 1 20388-S8 Bolt-hex. -3/8"-16 x 1.00" 1 34782-S8 Washer-lock-3/8" - Δ1 97201-S8 Clamp-hose-5/8" dia. -slotted - Δ1 97237-S8 Clamp-hose-5/8" dia. -solid 1 376258-S Bolt-hex. washer head-5/16"-18 x 3 1/2" 1 376900-S Bolt-hex. -3/8"-16 x 2 3/16" 1 Sketch-installation
C5DZ 3A635-B Consists of the following 1 C2OZ 3A609-A Insulator-hose 1 C3DZ 3A610-B Retainer-hose insulator 1 C5DZ 3A611-A Bracket-hose insulator 1 C5DZ 3A674-A Pump assy. 1 C5DZ 3A713-B Hose-return line 1 C5DZ 3A719-B Hose-pressure line 1 C5AZ 3A732-B Bracket-pump adjustment 1 C5AZ 3A733-C Pulley assy. -pump 1 C3DZ 3C750-B Clamp-hose 1 C5AZ 6312-C Pulley-crankshaft 1 C5AE 8620-F Belt drive-1/2" x 45 3/4" 1 40923-S8 Screw-hex. hd. tapping-5/16"-18 x 1/2" 3 42997-S8 Bolt-self-locking-3/8"-16 x 7/8" - Δ1 97201-S8 Clamp-hose-5/8" dia. -slotted - Δ1 97237-S8 Clamp-hose-5/8" dia. -solid 5 370608-S2 Screw-hex. hd. locking-3/8"-16 x 3/4" 1 378702-S8 Washer-flat-3/8" 1 379930-S2 Nut-hex. washer lock-5/16"-18 1 Sketch-installation	C5DZ 3A635-G Consists of the following 1 C5DZ 3A733-A Pulley assy. -pump 1 C5OE 8620-J Belt-drive-15/32" x 28.00" - Δ1 97201-S8 Clamp-hose-5/8" dia. -slotted - Δ1 97237-S8 Clamp-hose-5/8" dia. -solid 1 Sketch-installation C5OZ 3A635-A Consists of the following 1 C2OZ 3A609-A Insulator-hose 1 C2OZ 3A610-A Retainer-insulator 1 C5OZ 3A674-A Pump assy. 1 C2OA 3C696-B Strap-hose 1 C2OA 3C697-A Spring-hose 1 C3OZ 3A713-A Hose-return line 1 C5OZ 3A719-A Hose-pressure line 1 C5AZ 3A732-B Bracket-pump adj. 1 C5AZ 3A733-C Pulley assy. -pump 1 C3DZ 3C750-B Clamp-hose 1 C5AZ 6312-C Pulley-crankshaft dual 1 C2OZ 7542-A Bracket-clutch release spring 1 C5AE 8620-F Belt-1/2" x 45 3/4" 1 34670-S8 Nut-7/16"-14 1 34808-S7 Washer-lock-7/16" 1 40260-S8 Screw-self-tapping-5/16" x 3/8" 1 40923-S8 Screw-self-tapping-5/16"-18 x 1/2" 1 40949-S8 Screw-self-tapping-5/16"-18 x 3/4" 3 42997-S8 Bolt-locking-3/8"-16 x 7/8" 1 44722-S8 Washer-flat-5/16" - Δ1 97201-S8 Clamp-hose-5/8" dia. -slotted - Δ1 97237-S8 Clamp-hose-5/8" dia. -solid 5 370608-S2 Screw-hex. hd. lock-3/8"-16 x 3/4" 1 376239-S8 Clip 1 378702-S8 Washer-flat-3/8" 1 379930-S2 Nut-hex. washer lock-5/16"-18 1 Sketch-installation
C5DZ 3A635-C Consists of the following 1 C5DZ 3A733-A Pulley assy. -pump 1 C3OZ 8620-D Belt-drive-15/32" x 32 1/2" (alternator) - Δ1 97201-S8 Clamp-hose-5/8" dia. -slotted - Δ1 97237-S8 Clamp-hose-5/8" dia. -solid 1 Sketch-installation	

Δ - Optional

☆ - Alternate

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

POWER STEERING KIT PARTS LISTS - continued

C5OZ	3A635-B	Consists of the following
1	C5OZ 3C511-A	Support assy. -pump
1	C5OZ 3562-A	Brace-pump support
1	C2OZ 3A609-A	Insulator-hose
1	C2OZ 3A610-A	Retainer-insulator
1	C5OZ 3A674-A	Pump assy.
1	C2OA 3C696-B	Strap-hose
1	C2OA 3C697-A	Spring-hose retainer
1	C3OZ 3A713-B	Hose-return line
1	C5OZ 3A719-B	Hose-pressure line
1	C5OZ 3A732-A	Bracket assy. -pump adj.
*1	C5AZ 3A733-B	Pulley-pump
1	C3DZ 3C750-B	Clamp-hose
1	C2OZ 6023-B	Pointer-timing
2	C2OE 6B089-A	Spacer-timing pointer
1	C2DZ 6A312-A	Pulley-vibration damper
1	C2OZ 7542-A	Bracket-retracting spring
1	C5AZ 8509-K	Pulley-water pump
1	C5DE 8620-E	Belt-pump drive
4	20368-S8	Bolt-hex. hd. -3/8"-16 x 7/8"
1	20466-S8	Bolt-hex. hd. -5/16"-18 x 1 1/2"
1	34670-S8	Nut-7/16"-14
4	34782-S7	Washer-spring lock-3/8"
☆4	34790-S8	Washer-lock-1/4"
☆4	34805-S8	Washer-lock-1/4"
1	34806-S8	Washer-lock-5/16"
1	34808-S7	Washer-lock-7/16"
1	40260-S8	Screw-self-tapping-5/16"-18 x 3/8"
1	40923-S8	Screw-self-tapping-5/16"-18 x 1/2"
1	40949-S8	Screw-self-tapping-5/16"-18 x 3/4"
1	42997-S8	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
1	44722-S8	Washer-flat-5/16"
1	44726-S8	Washer-flat-3/8"
2	45506-S8	Bolt-hex. hd. -1/4"-20 x 2 1/8"
4	45964-S8	Bolt-hex. hd. self-lock. -5/16"-18 x 3/4"
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid
2	300860-S8	Bolt-1/4"-20 x 1 7/8"
1	304803-S8	Bolt-9/16"-18 x 1 3/4"
1	359083-S36	Screw & washer-3/8"-16 x 1 1/8"
3	370608-S2	Screw-hex. head lock-3/8"-16 x 3/4"
3	374525-S8	Screw & washer-3/8"-16 x 1.00"
1	376239-S8	Clip
1		Sketch-installation

C5OZ	3A635-D	Consists of the following
1	C5OZ 3C511-C	Bracket-pump support
1	C5OA 3A691-B	Pump
1	20408-S8	Bolt-5/16"-18 x 1 1/8"
2	34806-S7	Washer-flat-5/16"
1	45554-S8	Bolt-5/16"-18 x 3 3/4"
2	352981-S8	Washer-flat-3/8"
1	373293-S8	Screw & washer-3/8"-16 x 1.00"
1		Sketch-installation

C5OZ	3A635-F	Consists of the following
1	C5AZ 3C511-C	Support assy. -pump
1	C5AZ 3A732-E	Bracket-pump adj.
1	C5AZ 3A732-F	Bracket-pump adj. -rear
1	C4AZ 3A733-B	Pulley-pump
1	C4TE 8620-AG	Belt-drive-15/32" x 45 1/2"
1	C5OZ 19972-G	Hose-A/C to condenser
1	20388-S8	Bolt-hex. -3/8"-16 x 1.00"
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid
1	34782-S8	Washer-lock-3/8"
1	376258-S	Bolt-hex. washer hd. -5/16"-18 x 3 1/2"
1	376900-S	Bolt-hex. -3/8"-16 x 2 3/16"
1		Sketch-installation

C5OZ	3A635-G	Consists of the following
1	C5AZ 3A006-C	Cap-reservoir filler
1	C5AR 3D587-A	Seal-reservoir
1	C5AR 3D594-C	Seal-pump valve outlet fitting
1	C5AR 3D684-A	Gasket-pump-support stud
1	C5AZ 3A697-B	Reservoir assy. -pump
1	C5AZ 3A733-A	Pulley-pump
1	C5AZ 8620-C	Belt-drive-15/32" x 49 3/4"
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid
1		Sketch-installation

C5OZ	3A635-H	Consists of the following
1	C5AZ 3A006-C	Cap assy. -oil reservoir
1	C5AR 3D587-A	Seal-reservoir
1	C5AR 3D594-C	Seal-valve outlet fitting
1	C5AZ 3E683-A	Gasket-pump-support stud
1	C5AZ 3A697-C	Reservoir assy. -pump
1	C5AZ 3A733-A	Pulley assy. -pump
1	C5AZ 8620-C	Belt-drive-15/32" x 49 3/4"
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid
1		Sketch-installation

C5ZZ	3A635-A	Consists of the following
1	C5ZZ 3D600-A	Spacer
1	C3AZ 3670-A	Adapter-pump to reservoir
1	C4ZA 3691-A	Hose-reservoir to pump
1	C5ZZ 3A697-A	Reservoir assy. -pump
1	C5ZZ 3A713-B	Hose assy. -return line
1	C5ZZ 3A719-B	Hose assy. -pressure line
1	C5ZZ 3A732-A	Bracket-pump-front
1	C5ZZ 3A732-B	Bracket-pump-rear
2	20347-S8	Bolt-hex. hd. -5/16"-24 x 3/4"
2	34443-S8	Nut-lt. thick hex. lock-5/16"-24
2	44724-S8	Washer-flat-5/16"
1	45757-S	Bolt-hex. hd. -3/4"-16 x 1 3/4"
Δ2	97209-S8	Clamp-hose-1 1/8"
Δ2	97245-S8	Clamp-hose-1 1/8"
1	370063-S8	Bolt-hex. hd. -3/8"-16 x 3 1/16"
1		Sketch-installation

C5ZZ	3A635-B	Consists of the following
1	C2OZ 3A609-A	Insulator-hose
1	C3DZ 3A610-B	Retainer-hose insulator
1	C5DZ 3A611-A	Bracket-hose insulator
1	C4DZ 3A691-A	Pump-reservoir & pulley
1	C5ZZ 3A713-A	Hose assy. -return line
1	C5ZZ 3A719-A	Hose assy. -pressure line
1	C3DZ 3C750-B	Clamp-hose
1	C2OZ 6312-B	Pulley-crankcase
1	C3OZ 8620-A	Belt-drive-1/2" x 39 1/2"
1	33797-S8	Nut-hex. -5/16"-18
1	34806-S8	Washer-lock-5/16"
3	34807-S8	Washer-lock-3/8"
1	40923-S8	Screw-hex. hd. tap. -5/16"-18 x 1/2"
2	44724-S8	Washer-flat-5/16"
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid
3	304703-S8	Bolt-hex. hd. -3/8"-16 x 1 1/8"
2	352981-S8	Washer-flat-3/8"
1	356478-S8	Washer-flat-13/32" I.D. x 3/4" O.D.
2	373293-S8	Screw & washer-3/8"-16 x 1.00"
1	377958-S8	Stud-hex. shoulder-5/16"-18 x 4.55"
1		Sketch-installation

☆ - Alternate

Δ - Optional

● - Optional

* - Use C5DZ 3A733-A pulley assy. -p/s pump when vehicle is equipped with a/cond.

POWER STEERING KIT PARTS LISTS - continued

C5ZZ	3A635-C	Consists of the following
1	C4DZ 3C511-A	Support-hose
1	C2OZ 3A609-A	Insulator-hose
1	C3DZ 3A610-B	Retainer-hose insulator
1	C5DZ 3A611-A	Bracket-retainer hose insulator
1	C4DA 3C682-A	Bracket-pump mounting
1	C4DA 3C682-B	Bracket-pump mounting
1	C5ZZ 3A691-B	Pump-reservoir & pulley
1	C5ZZ 3A713-A	Hose assy. -return line
1	C5ZZ 3A719-C	Hose assy. -pressure line
1	C3DZ 3C750-B	Clamp-hose
1	C2OZ 6023-B	Pointer-timing
2	C2OE 6B089-A	Spacer-timing pointer
1	C2DZ 6A312-A	Pulley-vibration damper
1	C4DZ 8509-A	Pulley-water pump
1	C3OZ 8546-B	Spacer-fan
1	B7Q 8620-A	Belt-drive V
1	C5ZZ 9C531-A	Spring-idle speed-up control
1	C5ZZ 9A774-A	Bellcrank assy. -throttle control
1	C5ZZ 9792-A	Clip-throttle cable
1	C5ZZ 9C799-A	Cable assy. -throttle control
1	20449-S8	Bolt-hex. hd. -3/8"-24 x 1 3/8"
4	34805-S8	Washer-lock-1/4"
1	34806-S8	Washer-lock-5/16"
1	34807-S8	Washer-lock-3/8"
1	40923-S8	Screw-hex. hd. tap. -5/16"-10 x 1/2"
1	42537-S8	Screw-tap. hex. hd. slotted-No.6-20 x 3/8"
1	42719-S8	Screw & washer-hex. hd. -5/16"-18 x 5/8"
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid
2	300860-S8	Bolt-1/4"-20 x 1 7/8"
2	300876-S	Bolt-hex. hd. -1/4"-20 x 2 1/2"
1	304739-S8	Bolt-hex. head-5/16"-18 x 1 3/8"
1	304803-S8	Bolt-hex. head-9/16"-18 x 1 3/4"
3	352981-S8	Washer-flat-3/8"
3	359080-S8	Screw & washer-hex. hd. -3/8"-16 x 7/8"
1	359083-S8	Screw & washer-3/8"-16 x 1 1/8"
1	376025-S8	Screw & washer-3/8"-16 x 1.00"
1	376409-S8	Screw & washer-5/16"-18 x 7/8"
1	379702-S32	Nut-spring-No. 10-32
1		Sketch-installation

C5ZZ	3A635-D	Consists of the following
1	C5OZ 3C511-A	Support assy. -pump
1	C2OZ 3A609-A	Insulator-hose
1	C3DZ 3A610-B	Retainer-insulator
1	C5DZ 3A611-A	Bracket-hose insulator
1	C5DZ 3A674-A	Pump assy.
1	C5DZ 3A713-A	Hose assy. -return line
1	C5DZ 3C718-A	Brace-bracket support
1	C5DZ 3A719-A	Hose assy. -pressure line
1	C5OZ 3A730-A	Bracket assy. -pump adj.
1	C5AZ 3A733-B	Pulley assy. -pump
1	C3DZ 3C750-B	Clamp assy.
1	C3AZ 3A762-A	Clamp assy. -hose
1	C2OZ 6023-B	Pointer-timing
2	C2OE 6B089-A	Spacer-timing
1	C2DZ 6A312-A	Pulley-vibration damper
1	C5AZ 8509-K	Pulley-water pump
1	C5DE 8620-E	Belt-drive V-15/32" x 48 3/4"
1	20466-S8	Bolt-hex. hd. -5/16"-18 x 1 1/2"
Δ2	34790-S8	Washer-lock-1/4"
Δ4	34805-S8	Washer-lock-1/4"
1	34806-S8	Washer-lock-5/16"
1	40923-S8	Screw-hex. hd. tapping-5/16"-18 x 1/2"
3	42996-S8	Bolt-lock-3/8"-16 x 3/4"
1	42997-S8	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
1	44726-S8	Washer-flat-3/8"
2	45506-S8	Bolt-hex. hd. -1/4"-20 x 2 1/8"
4	45964-S8	Bolt-hex. hd. self-lock-5/16"-18 x 3/4"

Continued in next column

C5ZZ	3A635-D	Continued from previous column
†1	97201-S8	Clamp-hose
†1	97237-S8	Clamp-hose
2	300860-S8	Bolt-1/4"-20 x 1 7/8"
1	304803-S8	Bolt-hex. hd. -9/16"-18 x 1 3/4"
2	353497-S8	Washer-flat-3/8"
3	374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
†1	379278-S8	Clamp-5/8" dia. -solid band hose
1		Sketch-installation

C5ZZ	3A635-F	Consists of the following
1	C5OZ 3C511-C	Bracket-pump
1	C5DA 3A691-B	Pump-reservoir & pulley assy.
1	20408-S8	Bolt-3/8"-16 x 1 1/8"
1	20486-S	Bolt-3/8"-16 x 1 1/2"
2	34806-S7	Lockwasher-5/16"
1	45554-S8	Bolt-5/16"-18 x 3 3/4"
1	373293-S8	Screw & washer-3/8"-16 x 2.00"
1		Sketch-installation

C5ZZ	3A635-H	Consists of the following
1	C5AZ 3C511-C	Support assy. -pump
1	C5AZ 3A732-E	Bracket-pump adj.
1	C5AZ 3A732-F	Bracket-pump adj. -rear
1	C4AZ 3A733-B	Pulley-pump
1	C4TE 8620-AG	Belt-drive-15/32" x 45 1/2"
1	C5ZA 19972-A	Hose assy. A/C to condenser
1	20388-S8	Bolt-hex. -3/8"-16 x 1.00"
1	34782-S8	Washer-lock-3/8"
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid
1	376258-S	Bolt-hex. washer hd. -5/16"-18 x 3 1/2"
1	376900-S	Bolt-hex. -3/8"-16 x 2 3/16"
1		Sketch-installation

C5ZZ	3A635-K	Consists of the following
1	C2OZ 3A609-A	Insulator-hose
1	C3DZ 3A610-B	Retainer-hose insulator
1	C5DZ 3A611-A	Bracket-hose insulator
1	C5AR 3D673-C	Pulley assy. -pump
1	C5DZ 3A674-A	Pump assy.
1	C5ZZ 3A713-D	Hose assy. -return line
1	C5ZZ 3A719-D	Hose assy. -pressure line
1	C5AZ 3A732-B	Bracket-pump adj.
1	C3DZ 3C750-B	Clamp-hose
1	C5AZ 6312-C	Pulley-crankshaft
1	C5AZ 8509-J	Pulley-water pump
Δ1	C5AE 8620-U	Belt-drive-1/2" x 45 1/2"
Δ1	C6DE 8620-A	Belt-drive-1/2" x 45 1/2"
1	40923-S8	Screw-hex. head tap. -5/16"-18 x 1/2"
3	42997-S8	Bolt-self-lock. -3/8"-16 x 7/8"
5	70608-S2	Screw-hex. hd. lock. -3/8"-16 x 3/4"
☆1	97201-S8	Clamp-hose-5/8" dia. -slotted
☆1	97237-S8	Clamp-hose-5/8" dia. -solid
1	378702-S8	Washer-flat-3/8"
1	379930-S2	Nut-hex. washer lock-5/16"-18
1		Sketch-installation

C5ZZ	3A635-L	Consists of the following
1	C5AZ 3A006-C	Cap assy. -oil reservoir filler
1	C5AZ 3D587-A	Seal-reservoir
1	C5AR 3D594-C	Seal-valve outlet fitting
1	C5AR 3D694-A	Gasket-pump-support stud
1	C5DZ 3A697-A	Reservoir assy. -pump
1	C5AZ 3A733-A	Pulley assy. -pump
1	C6OE 8620-D	Belt-drive-15/32" x 49 1/4"
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid
1		Sketch-installation

☆ - Alternate

◇ - Alternate

† - Alternate

Δ - Optional

POWER STEERING KIT PARTS LISTS - continued

C6AZ 3A635-F	Consists of the following
1 C7SZ 3C511-A	Support-pump
1 C7SZ 3A732-A	Bracket-pump adj.
Δ1 55713-S7	Nut-hex. lock-3/8"-16
Δ1 55768-S7	Nut-hex. lock-3/8"-16
1 356403-S2	Washer-flat-.39"x .75"x .06" thick
4 371041-S2	Bolt-hex. hd. lock-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1	Sketch-installation
C6AZ 3A635-G	Consists of the following
1 C7AZ 3C511-A	Support-pump
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7ZZ 9B339-A	Fitting-oil pressure sender
1 356403-S2	Washer-flat-.39"x .75"x .06" thick
4 371041-S2	Bolt-hex. hd. lock-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8" long
1	Sketch-installation
C6DZ 3A635-D	Consists of the following
1 C6OZ 3C510-D	Bracket-hose
1 C5OZ 3C511-A	Support assy. -pump
1 C5DZ 3562-A	Brace-pump bracket support
1 C6OZ 3A609-A	Insulator-hose
1 C6OZ 3A610-A	Retainer-insulator
1 C6OZ 3A674-A	Pump assy.
1 C6OZ 3A713-B	Hose assy. -return line
1 C6OZ 3A719-B	Hose assy. -pressure line
1 C5OZ 3A732-A	Bracket assy. -pump adj.
1 C5AZ 3A733-B	Pulley assy. -pump
1 C6OZ 3C750-A	Clamp-hose
1 C3AZ 3A762-A	Clamp assy. -hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing pointer
1 C2DZ 6A312-A	Pulley-vibration damper
1 C4DZ 8509-A	Pulley-water pump
☆1 C4DZ 8546-A	Spacer-water pump to fan
☆1 C4GY 8546-A	Spacer-water pump to fan
1 C2DZ 8600-C	Blade assy. -fan
1 C6OE 8620-A	Belt-drive V-15/32" x 47 1/4"
1 20466-S8	Bolt-hex. hd. -5/16"-18 x 1 1/2"
2 34790-S8	Washer-lock-1/4"
2 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 42997-S8	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
1 44726-S8	Washer-flat-3/8"
2 45506-S8	Bolt-hex. hd. -1/4"-20 x 2 1/8"
4 45964-S8	Bolt-hex. hd. self-lock. -5/16"-18 x 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-hex. hd. -9/16"-18 x 1 3/4"
3 370608-S2	Screw-hex. hd. -3/8"-16 x 3/4"
3 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
4 379552-S8	Screw & washer-5/16"-24 x 1 3/8"
1	Sketch-installation
C6OZ 3A635-C	Consists of the following
1 C5AZ 3A006-C	Cap assy. -reservoir filler
1 C5AZ 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AZ 3E683-A	Gasket-pump-support stud
1 C5AZ 3A697-D	Reservoir assy. -pump
1 C5AZ 3A733-A	Pulley assy. -pump
1 C6DE 8620-B	Belt-Drive-15/32" x 49 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1	Sketch-installation

C6OZ 3A635-H	Consists of the following
1 C6OZ 3C510-D	Bracket-hose
1 C6OZ 3A609-A	Insulator-hose
1 C6OZ 3A610-A	Retainer-insulator
1 C6OZ 3A674-B	Pump assy.
1 C6OZ 3A713-A	Hose-return line
1 C6OZ 3A719-D	Hose-pressure line
1 C5AZ 3A732-B	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy. -pump
1 C6OZ 3C750-A	Clamp-hose
1 C5AZ 6312-A	Pulley-crankshaft
1 C5AZ 8509-J	Pulley-water pump
Δ1 C5AE 8620-U	Belt-1/2" x 45 1/2"
Δ1 C6DE 8620-A	Belt-1/2" x 45 1/2"
3 42997-S8	Bolt-lock. -3/8"-16 x 7/8"
†1 97201-S8	Clamp-hose-5/8" dia. -slotted
†1 97237-S8	Clamp-hose-5/8" dia. -solid
5 370608-S2	Screw-hex. washer hd. lock-3/8"-16 x 3/4"
1 378702-S8	Washer-flat-3/8"
1 379930-S2	Nut-hex. washer lock. -5/16"-18
1	Sketch-installation

C6OZ 3A635-J	Consists of the following
1 C6OZ 3C510-D	Bracket-hose
1 C5OZ 3C511-A	Support assy. -pump
1 C5OZ 3562-A	Brace-pump support
1 C6OZ 3A609-A	Insulator-hose
1 C6OZ 3A610-A	Retainer-insulator
1 C6OZ 3A674-A	Pump assy.
1 C6OZ 3A713-B	Hose assy. -return line
1 C6OZ 3A719-B	Hose assy. -pressure line
1 C5OZ 3A732-A	Bracket assy. -pump adj.
*1 C5AZ 3A733-B	Pulley assy. -pump
1 C6OZ 3C750-A	Clamp-hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing
1 C2DZ 6A312-A	Pulley-vibration damper
1 C4DZ 8509-A	Pulley-water pump
1 C6OE 8620-A	Belt-pump-15/32" x 47 1/4"
1 20466-S8	Bolt-hex. hd. -5/16"-18 x 1 1/2"
☆4 34790-S8	Washer-lock-1/4"
☆4 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 42997-S8	Bolt-hex. hd. lock. -3/8"-16 x 7/8"
1 44726-S8	Washer-flat-3/8"
2 45506-S8	Bolt-hex. hd. -1/4"-20 x 1 7/8"
4 45964-S8	Bolt-hex. hd. lock. -5/16"-18 x 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-9/16"-18 x 1 3/4"
1 359083-S36	Screw & washer assy. -3/8"-16 x 1 1/8"
3 370608-S2	Screw-hex. washer hd. lock-3/8"-16 x 3/4"
3 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1	Sketch-installation

C6OZ 3A635-K	Consists of the following
1 C5AZ 3A006-C	Cap assy. -oil reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AR 3D684-A	Gasket-pump-support stud
1 C5DZ 3A697-C	Reservoir assy. -pump
1 C5AZ 3A733-F	Pulley assy. -pump
1 C6AE 8620-G	Belt-drive-15/32" x 53 1/2"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1	Sketch-installation

☆ - Alternate

Δ - Optional

† - Optional

* - Use C5DZ 3A733-A pulley assy. -p/s pump when the vehicle is equipped with a/cond.

POWER STEERING KIT PARTS LISTS - continued

C6OZ 3A635-L	Consists of the following
1 C6OZ 3494-A	Tube-pressure line
1 C6OA 3E506-A	Clip
1 C6OZ 3C510-F	Bracket assy. -insulator
1 C6OZ 3A575-A	Tube-return line
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C5DZ 3A674-A	Pump assy.
1 C6OZ 3A713-D	Hose assy. -return line
1 C6OZ 3A719-E	Hose assy. -pressure line
1 C6OA 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy. -pump
1 C6OZ 6C099-B	Stop-engine front support-L. H.
1 C1AZ 6A312-D	Pulley-crankshaft
☆1 C5AE 8620-C	Belt-1/2" x 46"
☆1 C6AE 8620-C	Belt-1/2" x 46"
1 34440-S	Nut-hex. lock-1/4"-20
1 40923-S2	Screw-self-tapping-5/16"-18 x 1/2"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1 351819-S	Clamp-hose
5 370608-S2	Screw-hex. washer hd. lock.-3/8"-16 x 3/4"
2 371983-S8	Washer-flat-3/8"
3 374525-S8	Bolt-lock. -3/8"-16 x 7/8"
1 378702-S8	Washer-flat-3/8"
1 379930-S2	Nut-hex. washer lock. -5/16"-18
1	Sketch-installation

C6ZZ 3A635-C	Consists of the following
1 C5OZ 3C511-A	Support assy. -pump
1 C2OZ 3A609-A	Insulator-hose
1 C3DZ 3A610-B	Retainer-insulator
1 C5DZ 3A611-A	Bracket-hose insulator
1 C5DZ 3A674-B	Pump assy.
1 C5DZ 3A713-A	Hose assy. -return line
1 C5OZ 3C718-A	Brace-pump support
1 C5DZ 3A719-A	Hose assy. -pressure line
1 C5OZ 3A732-A	Bracket assy. -pump adj.
1 C5AZ 3A733-B	Pulley assy. -pump
1 C3DZ 3C750-B	Clamp assy.
1 C3AZ 3A762-A	Clamp assy. -hose
1 C6OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing
1 C2DZ 6A312-A	Pulley-vibration damper
1 C4DZ 8509-A	Pulley-water pump
1 C6OE 8620-A	Belt-drive V-15/32" x 47 1/4"
1 20466-S8	Bolt-hex. hd. -5/16"-18 x 1 1/2"
☆2 34790-S8	Washer-lock-1/4"
☆4 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 40923-S8	Screw-hex. hd. tap. -5/16"-18 x 1/2"
1 42997-S8	Bolt-hex. hd. lock-3/8"-16 x 7/8"
1 44726-S8	Washer-flat-3/8"
2 45506-S8	Bolt-hex. head-1/4"-20 x 2 1/8"
4 45964-S8	Bolt-hex. hd. lock. -5/16"-18 x 3/4"
◇1 97201-S8	Clamp-hose-5/8" dia. -slotted
◇1 97237-S8	Clamp-hose-5/8" dia. -solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-hex. hd. -9/16"-18 x 1 3/4"
3 370608-S2	Screw-hex. hd. lock. -3/8"-16 x 3/4"
3 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1	Sketch-installation

C7AZ 3A635-A	Consists of the following
1 C5AZ 3504-A	Gear-integral
1 C5AZ 3590-B	Arm-pitman
1 C7MY 3E595-A	Shield-splash
2 C5AZ 3D600-B	Spacer-pump
1 C7SZ 3A610-B	Clip
1 C7MY 3E634-A	Shield-splash lower
1 C7AZ 3A674-A	Pump assy.
1 C7AZ 3A713-C	Hose assy. -return line
1 C7AZ 3A719-A	Hose-pressure line
1 C7AZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-B	Pulley-pump
▲1 C3AZ 3A762-A	Clamp assy. -hose
1 C5AZ 6A312-A	Pulley-crankshaft
1 C5AZ 8509-A	Pulley-water pump
1 C7AE 8620-B	Belt-pump-15/32" x 42 1/2"
3 42848-S8	Screw & washer-5/16"-18 x 1 1/8"
3 46005-S8	Bolt-self-lock. -3/8"-16 x 5/8"
2 55770-S2	Nut-hex. lock-7/16"-14
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
3 370608-S2	Screw-hex. hd. lock. -3/8"-16 x 3/4"
6 375372-S	Pin-drive-1/4" x 5/8"
2 377279-S8	Stud-7/16"-14 x 2 1/8"
▲1 380396-S100	Clip
1	Sketch-installation

C7AZ 3A635-B	Consists of the following
1 C5AZ 3504-A	Gear-integral
1 C7AZ 3C511-B	Support-pump rear
1 C7SZ 3C511-A	Support-pump
2 C7AA 3E523-A	Clip-hose
1 C5AZ 3590-B	Arm-pitman
1 C7MY 3E595-A	Shield-splash
1 C7SZ 3D600-A	Spacer-adjusting bracket
1 C7SZ 3A610-B	Clip-tube
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
2 C7AA 3C696-B	Strap-hose
1 C7AZ 3A713-E	Hose-return line
1 C7AZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy. -pump
1 C1AZ 6A312-D	Pulley-crankshaft
1 ECG 8509-H	Pulley-water pump
1 C6VE 8620-A	Belt-pump pulley-1/2" x 44.00"
1 55768-S2	Nut-hex. lock-3/18"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
6 371041-S8	Bolt-hex. washer hd. lock.-3/8"-16 x 7/8"
6 375372-S	Pin-drive-1/4" x 5/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
3 378604-S8	Screw & washer assy. -3/8"-16 x 3/4"
1 378720-S	Nut-hex. -5/8"-18
1	Sketch-installation

☆ - Alternate

◇ - Alternate

Δ - Optional

▲ - Optional

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

POWER STEERING KIT PARTS LISTS - continued

C7AZ 3A635-C	Consists of the following
1 C5AZ 3504-A	Gear assy.
1 C7AZ 3C511-A	Support-pump
1 C7AZ 3C511-B	Support-pump-rear
2 C7AA 3E523-A	Clip-hose
1 C5AZ 3590-B	Arm-pitman
1 C7MY 3E595-A	Shield-splash
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7SZ 3A610-B	Clip
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
2 C7AA 3C696-B	Strap-hose
1 C7AZ 3A713-E	Hose-return line
1 C7AZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-A	Bracket-adjustment
1 C5AZ 3A733-C	Pulley assy. -pump
1 C5AZ 6312-E	Pulley-crankshaft
1 C7OE 8620-A	Belt-pump drive-1/2" x 41 3/4"
3 42997-S8	Bolt-lock-3/8"-16 x 7/8"
1 55768-S2	Nut-hex.lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8"
Δ1 97237-S8	Clamp-hose-5/8"
4 371041-S8	Bolt-hex.hd.lock.-3/8"-16 x 7/8"
6 375372-S	Pin-drive-1/4" x 5/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

C7AZ 3A635-D	Consists of the following
1 C5AZ 3A733-H	Pulley assy. -pump
1 C7AE 8620-C	Belt-drive-15/32" x 50.00"
1	Sketch-installation

C7AZ 3A635-E	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C7AZ 3A713-F	Hose assy. -return line
1 C5AZ 3A733-F	Pulley assy. -pump
1 C6AZ 3D746-A	Cooler assy. -oil
1 C3AZ 3A762-A	Clamp assy. -hose
1 C6AE 8620-A	Belt-drive-15/32" x 52.00"
2 31498-S2	Screw-hex.washer hd.tap.-No.14-10x3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
1 380397-S	Clip
1	Sketch-installation

C7AZ 3A635-F	Consists of the following
1 C7AZ 3A713-A	Hose assy. -return line
1 C7AZ 3A713-B	Hose-return line
1 C7AZ 3A733-A	Pulley assy. -pump
1 C6AZ 3D746-A	Cooler assy. -oil
1 C3AZ 3A762-A	Clamp assy. -hose
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
2 31498-S2	Screw-hex.washer hd.tap.-No.14-10x3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
1 380397-S	Clip
1	Sketch-installation

C7AZ 3A635-G	Consists of the following
1 C5AZ 3A733-D	Pulley assy. -pump
1 C7AE 8620-D	Belt-drive-1/2" x 43.00"
1	Sketch-installation

C7AZ 3A635-H	Consists of the following
1 C7AZ 3A733-A	Pulley assy. -pump
1 C6OE 8620-A	Belt-drive-15/32" x 47 1/4"
1 C7OE 8620-C	Belt-drive-air pump
1	Sketch-installation

C7AZ 3A635-J	Consists of the following
1 C5AZ 3A733-G	Pulley assy. -pump
1 C1AZ 6A312-C	Pulley-crankshaft
1 C7AE 8620-A	Belt-drive-1/2" x 42 1/4"
1	Sketch-installation

C7AZ 3A635-L	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C7AZ 3A713-F	Hose assy. -return line
1 C7AZ 3A733-D	Pulley assy. -pump
1 C6AZ 3D746-A	Cooler assy. -oil
1 C3AZ 3A762-A	Clamp assy. -hose
1 C7OE 8620-C	Belt-drive-15/32" x 47.00"
2 31498-S2	Screw-hex.washer hd.tap.-No.14-10x3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1 380397-S	Clip
1	Sketch-installation

C7DZ 3A635-B	Consists of the following
1 C5DZ 3A733-A	Pulley assy. -pump
Δ1 C5OE 8620-J	Belt-drive-15/32" x 28.00"
☆1 C6ZE 8620-A	Belt-drive-15/32" x 32 1/2"
1	Sketch-installation

C7OZ 3A635-A	Consists of the following
1 C6OZ 3494-A	Tube assy. -pressure line
1 C6OA 3E506-A	Clip
1 C6OZ 3C510-F	Bracket assy. -insulator
1 C7AZ 3C511-B	Support-pump-rear
1 C7SZ 3C511-A	Support-pump
1 C6OZ 3A575-A	Tube assy. -return line
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C7OZ 3A713-B	Hose-return line
1 C7OZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy. -pump
1 C6OZ 6C099-B	Stop-eng. mount support-L.H.
1 C1AZ 6A312-D	Pulley-crankshaft dual
1 C6OZ 8509-A	Pulley-water pump
1 C6VE 8620-A	Belt-1/2" x 44.00"
1 34440-S	Nut-hex.lock-1/4"-20
1 40923-S8	Screw-self.tap.-5/16"-18 x 1 1/2"
1 55768-S2	Nut-hex.lock-3/8"-16
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1 351819-S	Clamp-hose
6 371041-S8	Bolt-hex.hd.self.lock.-3/8"-16 x 7/8"
3 374525-S8	Screw & washer assy.-3/8"-16 x 1.00"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

POWER STEERING KIT PARTS LISTS - continued

C7OZ 3A635-B	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1 C7ZZ 3C510-B	Bracket-hose(Mustang only)
1 C5OZ 3C511-A	Support assy. -pump
1 C7OA 3D515-B	Bracket assy. -pump adj.
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C5OZ 3652-A	Brace-pump support
1 C7OZ 3A674-A	Pump assy.
1 C7OZ 3A713-A	Hose-return line
1 C7OZ 3A719-D	Hose-pressure line
1 C5AZ 3A733-B	Pulley assy. -pump
1 C6OZ 3C750-A	Clamp-hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing
1 C2DZ 6A312-A	Pulley-vibration damper
1 C4DZ 8509-A	Pulley-water pump
1 C6OE 8620-A	Belt-drive V-15/32" x 47 1/4"
1 20466-S2	Bolt-hex. hd. -5/16"-18 x 1 1/2"
Δ2 34790-S8	Washer-lock-1/4"
2 34805-S2	Washer-lock-1/4"
Δ2 34805-S8	Washer-lock-1/4"
1 34806-S2	Washer-lock-5/16"
1 40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"
2 45506-S2	Bolt-hex. hd. -1/4"-20 x 2 1/8"
4 45964-S2	Bolt-hex. hd. self-lock. -5/16"-18 x 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-hex. hd. -9/16"-18 x 1 3/4"
4 352460-S2	Screw-hex. hd. lock. -3/8"-16 x 3/4"
3 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1	Sketch-installation

C7OZ 3A635-C	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1 C7ZZ 3C510-B	Bracket-hose(Mustang, Cougar)
1 C7AZ 3C511-A	Support-pump adj.
1 C7AZ 3C511-B	Support-pump-rear
2 C7OA 3E523-A	Clip-hose
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
2 C7AA 3C696-A	Strap-hose
1 C7OZ 3A713-C	Hose-return line
1 C7OZ 3A719-E	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley-pump
1 C6OZ 3C750-A	Clamp-hose
1 C5AZ 6312-E	Pulley-crankshaft-dual
1 C7OE 8620-A	Belt-1/2" x 41 3/4"
1 40323-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"
3 42997-S8	Bolt-lock. -3/8"-16 x 7/8"
Δ1 55713-S7	Nut-hex. lock-3/8"-16
Δ1 55768-S7	Nut-hex. lock-3/8"-16
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
4 371041-S2	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
1 377060-S2	Stud-hex. lock-3/8"-16
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation

C7OZ 3A635-D	Consists of the following
1 C7AZ 3A733-A	Pulley assy. -pump
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1	Sketch-installation

C7OZ 3A635-E	Consists of the following
1 C5AZ 3A733-F	Pulley-pump
1 C6AE 8620-A	Belt-drive-15/32" x 52.00"
1	Sketch-installation

C7OZ 3A635-H	Consists of the following
1 C7AZ 3A733-D	Pulley assy. -pump
1 C7OE 8620-C	Belt-drive-15/32" x 47.00"
1	Sketch-installation

C7ZZ 3A635-C	Consists of the following
1 C7ZZ 3494-A	Hose assy. -pressure line
1 C7ZZ 3504-B	Gear assy. -steering
1 C7ZZ 3C510-C	Bracket-hose
1 C7AZ 3C511-B	Support-pump-rear
1 C7SZ 3C511-A	Support-pump
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C7ZZ 3A713-B	Hose-return line
1 C7ZZ 3A713-C	Hose-return line
1 C7ZZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-B	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy. -pump
1 C3AZ 3A762-A	Clamp assy. -hose
1 C1AZ 6A312-D	Pulley-crankshaft
1 C6OZ 8509-A	Pulley-water pump
1 C6VE 8620-A	Belt-drive-1/2" x 44.00"
2 40923-S8	Screw-hex. hd. tap. -5/16"-18 x 1/2"
1 55768-S2	Nut-hex. lock-3/8"-16
Δ2 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ2 97237-S8	Clamp-hose-5/8" dia. -solid
1 351819-S	Clamp-hose
6 371041-S8	Bolt-hex. hd. self-lock-3/8"-16 x 7/8"
3 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation

C7ZZ 3A635-E	Consists of the following
1 C7AZ 3A733-D	Pulley assy. -pump-4 27 6/4"
1 C6DE 8620-G	Belt-drive-15/32" x 48 3/4"
1	Sketch-installation

Δ - Optional

Δ - Optional

May, 1975

COPYRIGHT © 1975 -

FORD MOTOR
COMPANY

- DEARBORN, MICHIGAN

FINAL ISSUE

POWER STEERING KIT PARTS LISTS - continued

C8AZ 3A635-A	Consists of the following
†1 C5AZ 3504-A	Gear-integral
†1 C8AR 3504-A	Gear-integral
1 C7SZ 3C511-A	Support-pump
1 C8AZ 3C511-A	Support-pump-rear
☆1 C7AA 3E523-A	Clip-hose
☆1 C8AA 3E523-A	Clip-hose
1 C5AZ 3590-E	Arm assy. -pitman
1 C7MY 3E595-A	Shield-splash
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
1 C8AA 3C696-A	Strap-hose
1 C8AZ 3A713-A	Hose-return line
1 C8AZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-E	Pulley-pump-4 1/2" dia.
◇1 C3AZ 3A762-A	Clamp assy. -hose
1 C8AZ 6A312-C	Pulley-crankshaft
1 C8SE 8620-B	Belt-pump pulley-1/2" x 42 1/2"
Δ1 55713-S7	Nut-hex. lock-3/8"-16
Δ1 55768-S7	Nut-hex. lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
▲1 97201-S8	Clamp-hose-5/8" dia. -slotted
▲1 97237-S8	Clamp-hose-5/8" dia. -solid
6 371041-S2	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
8 375372-S	Pin-drive-1/4" x 5/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
3 378604-S8	Screw & washer assy. -3/8"-16 x 3/4"
1 378720-S2	Nut-hex. -5/8"-18
◇1 380396-S100	Clip-hose
1	Sketch-installation

C8AZ 3A635-B	Consists of the following
1 C5AZ 3504-A	Gear assy.
1 C7AZ 3C511-A	Support-pump
1 C8AZ 3C511-A	Support-pump-rear
†1 C8AA 3E523-A	Clip-hose
†1 C7AA 3E523-A	Clip-hose
1 C5AZ 3590-E	Arm assy. -pitman
1 C7MY 3E595-A	Shield-splash
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
1 C8AA 3C696-A	Strap-hose
1 C8AZ 3A713-A	Hose-return line
1 C8AZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-adj.
1 C7AZ 3A733-F	Pulley assy. -pump-4 1/2" dia.
†1 C3AZ 3A762-A	Clamp assy. -hose
1 C7AZ 6A312-A	Pulley assy. -crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C6DE 8620-G	Belt-pump drive-15/32" x 46 3/4"
3 42997-S8	Bolt-lock-3/8"-16 x 7/8"
Δ1 55713-S7	Nut-hex. lock-3/8"-16
Δ1 55768-S7	Nut-hex. lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
▲1 97201-S8	Clamp-hose-5/8" dia. -slotted
▲1 97237-S8	Clamp-hose-5/8" dia. -solid
4 371041-S8	Bolt-hex. nd. lock. -3/8"-16 x 7/8"
8 375372-S	Pin-drive-1/4" x 5/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex. -5/8"-18
†1 380396-S100	Clip-hose
1	Sketch-installation

C8AZ 3A635-C	Consists of the following
Δ1 C5AZ 3504-A	Gear-integral
Δ1 C8AR 3504-A	Gear-integral
1 C5AZ 3590-E	Arm assy. -pitman
1 C7MY 3E595-A	Shield-splash
2 C5AZ 3D600-B	Spacer-pump
1 C8AZ 3A610-A	Clip-tube
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
1 C8AZ 3A713-A	Hose-return line
1 C8AZ 3A719-B	Hose-pressure line
1 C7AZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-H	Pulley-pump-5 1/8" dia.
†1 C3AZ 3A762-A	Clamp assy. -hose
1 C5AZ 6A312-A	Pulley-crankshaft
1 C7AE 8620-E	Belt-pump drive-15/32" x 42 3/4"
2 42848-S2	Screw & washer-5/16"-18 x 1 1/8"
3 46005-S8	Bolt-self-lock. -3/8"-16 x 5/8"
2 55770-S7	Nut-hex. lock-7/16"-14
1 72026-S	Pin-cotter-1/8" x 7/8"
▲1 97201-S8	Clamp-hose-5/8" dia. -slotted
▲1 97237-S8	Clamp-hose-5/8" dia. -solid
3 352460-S2	Screw-hex. hd. lock. -3/8"-16 x 3/4"
6 375372-S	Pin-drive-1/4" x 5/8"
2 377279-S8	Stud-7/16"-14 x 2 1/8"
†1 380396-S100	Clip
1	Sketch-installation

C8AZ 3A635-D	Consists of the following
1 C7SA 3A005-A	Hose-return line
1 C8AZ 3A713-B	Hose assy. -return line
1 C7AZ 3A733-D	Pulley assy. -pump-4 27/64"
1 C8AZ 3D746-A	Cooler assy. -oil
1 C6OE 8620-N	Belt-drive-15/32" x 47 1/4"
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
1	Sketch-installation

C8AZ 3A635-E	Consists of the following
1 C7ZZ 3A713-C	Hose-return line
1 C8AZ 3A713-B	Hose assy. -return line
1 C7AZ 3A733-A	Pulley assy. -pump
1 C8AZ 3D746-A	Cooler assy. -oil
1 C8AA 8620-A	Belt-drive
Δ3 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ3 97237-S8	Clamp-hose-5/8" dia. -solid
1	Sketch-installation

Δ - Optional

◆ - Optional

† - Optional

◇ - Optional

☆ - Optional

‡ - Optional

POWER STEERING KIT PARTS LISTS - continued

C8OZ 3A635-A	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1 C8ZZ 3C510-A	Bracket-hose(Mustang only)
1 C8OZ 3C511-A	Support-pump
1 C8OZ 3C511-B	Support-rear
1 C8OZ 3C511-D	Support-bracket-rear
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C7OZ 3A713-C	Hose-return line
1 C8OZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C8OZ 3A733-A	Pulley assy. -pump-4 1/4" dia.
1 C8DZ 6A312-A	Pulley-vibration damper
1 C9PZ 8620-5M	Belt-drive V-15/32" x 41.00"
5 34805-S2	Washer-lock-1/4"
1 40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"
Δ3 55711-S7	Nut-hex. lock-5/16"-18
Δ3 55766-S7	Nut-hex. lock-5/16"-18
●1 97201-S8	Clamp-hose-5/8" dia. -slotted
●1 97237-S8	Clamp-hose-5/8" dia. -solid
2 300864-S2	Bolt-hex. hd. -1/4"-20 x 2 1/8"
1 304775-S2	Bolt-hex. hd. -1/4"-20 x 1 5/8"
1 304803-S8	Bolt-hex. hd. -9/16"-18 x 1 3/4"
3 351415-S2	Washer-flat-3/8"
1 351819-S	Clamp-hose
4 371041-S2	Screw-hex. hd. lock. -3/8"-16 x 7/8"
3 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1 378720-S2	Nut-hex. -5/8"-16
3 382392-S2	Stud-5/16"-18 x 1 5/8"
1 383291-S2	Bolt-hex. hd. -3/8"-16 x 6 7/8"
1	Sketch-installation

C8OZ 3A635-B	Consists of the following
1 C6OA 3E506-A	Clip
1 C6OZ 3C510-F	Bracket assy. -insulator
1 C7SZ 3C511-A	Support-pump
1 C8OZ 3C511-B	Support-pump-rear
1 C6OZ 3A515-B	Tube assy. -return line
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C8OZ 3A713-B	Hose assy. -return line
1 C8OZ 3A719-B	Hose assy. -pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-E	Pulley-assy. -pump-4 1/2" dia.
1 C6OZ 6C099-B	Stop-engine support-L.H.
1 C8AZ 6A312-C	Pulley-crankshaft
1 C8SE 8620-B	Belt-1/2" x 42 1/2"
1 34440-S	Nut-hex. lock-1/4"-20
1 40923-S2	Screw-self-tap. -5/16"-18 x 1/2"
●1 55713-S7	Nut-hex. lock-3/8"-16
●1 55768-S7	Nut-hex. lock-3/8"-16
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1 351819-S	Clamp-hose
6 371041-S2	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
3 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation

C8OZ 3A635-C	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1 C8ZZ 3C510-A	Bracket-hose(Mustang, Cougar)
1 C7AZ 3C511-A	Support-pump adj.
1 C8OZ 3C511-C	Support-pump-rear
†2 C7AA 3E523-A	Clip-hose attaching
†2 C8AA 3E523-A	Clip-hose attaching
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
2 C8OA 3C696-A	Strap-hose
1 C7OZ 3A713-C	Hose-return line
1 C8OZ 3A719-C	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-F	Pulley assy. -pump-4 1/2" dia.
1 C7AZ 6A312-A	Pulley assy. -crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C9PZ 8620-FR	Belt-15/32" x 46 3/4"
1 40923-S2	Screw-hex. hd. tap.-5/16"-18 x 1/2"
3 42997-S8	Bolt-lock. -3/8"-16 x 7/8"
●1 55713-S7	Nut-hex. lock. -3/8"-16
●1 55768-S7	Nut-hex. lock. -3/8"-16
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1 351819-S	Clamp-hose
4 371041-S2	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
1 377060-S2	Stud-hex. lock-3/8"-16
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation

C8OZ 3A635-D	Consists of the following
1 C7AZ 3A733-A	Pulley-pump
1 C8AA 8620-A	Belt-drive
1	Sketch-installation

C8OZ 3A635-E	Consists of the following
1 C7AZ 3A733-D	Pulley assy. -pump
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
1	Sketch-installation

C8ZZ 3A635-A	Consists of the following
1 C7ZZ 3494-B	Hose assy. -pressure line
1 C7ZZ 3C510-C	Bracket-hose
1 C7AZ 3C511-B	Bracket-pump-rear
1 C7SZ 3C511-A	Support-pump
1 C7SZ 3D600-A	Spacer-pump adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-hose insulator
1 C7OZ 3A674-A	Pump assy.
1 C7ZZ 3A713-C	Hose-return line
1 C7ZZ 3A713-D	Hose assy. -return line
1 C7ZZ 3A719-B	Hose assy. -pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-E	Pulley assy. -pump-4 1/2" dia.
1 C3AZ 3A762-A	Clamp assy. -hose
1 C8AZ 6A312-C	Pulley-crankshaft
1 C9PZ 8620-GU	Belt-drive-1/2" x 42 1/2"
1 40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"
●1 55713-S7	Nut-hex. lock-3/8"-16
●1 55768-S7	Nut-hex. lock-3/8"-16
Δ2 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ2 97237-S8	Clamp-hose-5/8" dia. -solid
1 351819-S	Clamp-hose
6 371041-S2	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
1 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation

Δ - Optional ● - Optional † - Optional

POWER STEERING KIT PARTS LISTS - continued

C9AZ 3A635-A	Consists of the following
1 C9AZ 3504-A	Gear-integral
1 C9AZ 3590-B	Arm-pitman
2 C5AZ 3D600-B	Spacer-pump
1 C8AZ 3A610-A	Clip-tube
1 C7AZ 3A674-A	Pump assy.
1 C9AZ 3A713-A	Hose-return line
1 C9AZ 3A719-B	Hose-pressure line
1 C7AZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-D	Pulley-pump-5 1/8" dia.
1 C9AA 3C746-C	Clamp-hose
1 C6AZ 6A312-B	Pulley-crankshaft
1 C7AE 8620-D	Belt-pump drive-1/2" x 43.00"
3 42848-S2	Screw & washer-5/16"-18 x 1 1/8"
3 42938-S2	Bolt-self-lock-.3/8"-16 x 1.00"
2 55770-S7	Nut-hex.lock-7/16"-14
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
3 370608-S2	Screw-hex.hd.lock-3/8"-16 x 3/4"
2 377279-S2	Stud-7/16"-14 x 2 1/8"
1	Sketch-installation

C9AZ 3A635-C	Consists of the following
1 C9AZ 3504-A	Gear-integral
1 C7SZ 3C511-B	Support-pump
1 C9AZ 3C511-B	Support-pump-rear
1 C9AZ 3590-B	Arm assy.-pitman
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 C7AZ 3A674-A	Pump assy.
1 C9AZ 3A713-E	Hose assy.-return line
1 C9AZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy.-pump-4 1/2" dia.
1 C9AA 3C746-C	Clamp-hose
1 C8AZ 6A312-C	Pulley-crankshaft
1 C8SE 8620-B	Belt-pump pulley-1/2" x 42 1/2"
Δ1 55713-S7	Nut-hex.lock-3/8"-16
Δ1 55768-S7	Nut-hex.lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
6 371041-S2	Bolt-hex.hd.lock-.3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

C9AZ 3A635-D	Consists of the following
1 C9AA 3A005-A	Hose-return line
1 C9AZ 3A713-A	Hose assy.-return line
1 C7AZ 3A733-A	Pulley assy.-pump
1 C9AZ 3D746-A	Cooler assy.-oil
1 C8AA 8620-A	Belt-drive-15/32" x 50 3/4"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C9AZ 3A635-E	Consists of the following
1 C9AA 3A005-A	Hose-return line
1 C9AZ 3A713-A	Hose assy.-return line
1 C7AZ 3A733-D	Pulley assy.-pump
1 C9AZ 3D746-A	Cooler assy.-oil
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C9AZ 3A635-F	Consists of the following
1 C9AZ 3504-A	Gear assy.
1 C9OZ 3K505-A	Adaptor-pump
1 C7AZ 3C511-A	Support-pump
1 C9AZ 3C511-B	Support-pump-rear
†1 C7AA 3E523-A	Clip-hose
†1 C8AA 3E523-A	Clip-hose
1 C9AZ 3590-B	Arm assy.-pitman
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 C7AZ 3A674-A	Pump assy.
1 C8AA 3C696-A	Strap-hose
1 C9AZ 3A713-A	Hose-return line
1 C9AZ 3A719-D	Hose-pressure line
1 C7SZ 3A732-A	Bracket-adj.
1 C7AZ 3A733-F	Pulley assy.-pump-4 1/2" dia.
1 C9AA 3C746-C	Clamp-hose
1 C9OZ 6A312-B	Pulley assy.-crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C2TZ 8620-H	Belt-15/32" x 46 3/4"
Δ1 55713-S7	Nut-hex.lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
4 371041-S2	Bolt-hex.head lock-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
2 381649-S2	Screw-3/8"-16 x 1"
1 382860-S2	Bolt-3/8"-16 x 6 1/4"
1	Sketch-installation

C9OZ 3A635-A	Consists of the following
1 C8OA 3A005-A	Hose-return line upper
1 C9OZ 3494-A	Hose-pressure line to valve
1 C6OA 3E506-A	Clip-pressure & return tube
1 C9OZ 3C510-A	Bracket assy.-pressure & return tube
1 C7AZ 3C511-A	Support-pump adj.
1 C9OZ 3C511-A	Support-pump-rear
1 C7SZ 3D600-A	Spacer-pump adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-hose insulator
1 C9OZ 3A611-A	Bracket-hose
1 C9OZ 3A674-A	Pump assy.
1 C9OZ 3A713-A	Hose assy.-return line
1 C9OZ 3A719-A	Hose assy.-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy.-pump
1 C9OZ 6A312-B	Pulley assy.-crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C6DE 8620-G	Belt-drive-15/32" x 46 3/4"
1 34440-S2	Nut-lock-1/4"-20
1 34987-S4	Nut-hex.lock-3/8"-16
1 40923-S2	Screw-hex.hd.tap.-5/16"-18 x 1 1/2"
Δ2 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ2 97237-S8	Clamp-hose-5/8" dia.-solid
4 371041-S2	Screw-hex.hd.lock-.3/8"-16 x 7/8"
1 377060-S2	Stud-hex.lock-.3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

Δ - Optional

Δ - Optional

† - Optional

POWER STEERING KIT PARTS LISTS - continued

C9OZ 3A635-B		Consists of the following	C9ZZ 3A635-A		Consists of the following
1	C8OA 3A005-A	Hose-return-upper	1	C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1	C9OZ 3494-A	Hose assy. -pressure line	1	C8ZZ 3C510-A	Bracket-hose(Mustang only)
1	C9OZ 3K505-A	Adaptor-pump mounting	1	C8OZ 3C511-A	Support-pump
1	C6OA 3E506-A	Clip-tube	1	C8OZ 3C511-B	Support-pump-rear
1	C9OZ 3C510-A	Bracket assy. -tube	1	C8OZ 3C511-D	Support-pump bracket-rear
1	C7AZ 3C511-A	Support-pump adj.	1	C7ZZ 3A609-A	Insulator-hose
1	C9OZ 3C511-A	Support-pump-rear	1	C7ZZ 3A610-A	Retainer-insulator
1	C7ZZ 3A609-A	Insulator-hose	1	C8OZ 3D673-A	Pulley assy. -pump-4 1/4" dia.
1	C7ZZ 3A610-A	Retainer-hose insulator	1	C7OZ 3A674-A	Pump assy.
1	C9OZ 3A611-A	Bracket-hose	1	C7OZ 3A713-A	Hose-return line
1	C9OZ 3A674-A	Pump assy.	1	C8OZ 3A719-B	Hose-pressure line
1	C9OZ 3A713-A	Hose-return line	1	C7SZ 3A732-A	Bracket-pump adj.
1	C9OZ 3A719-A	Hose-pressure line	1	C8DZ 6A312-A	Pulley-vibration damper
1	C7SZ 3A732-A	Bracket-pump adj.	1	C8DE 8620-C	Belt-drive V-15/32" x 41.00"
1	C7AZ 3A733-A	Pulley assy. -pump-4 1/2" dia.	3	34805-S2	Washer-lock-1/4"
1	C9OZ 6A312-B	Pulley-crankshaft	1	40923-S2	Screw-hex. hd. -5/16"-18 x 1/2"
1	C8OZ 8509-B	Pulley-water pump	3	55711-S7	Nut-hex. lock-5/16"-18
1	C6DE 8620-G	Belt-15/32" x 46 3/4"	3	56138-S2	Screw & washer assy. -3/8"-16 x 1.00"
1	34440-S2	Nut-lock-1/4"-20	Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted
1	40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"	Δ1	97237-S8	Clamp-hose-5/8" dia. -solid
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted	2	300864-S2	Bolt-hex. hd. -1/4"-20 x 2 1/8"
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid	1	304775-S2	Bolt-hex. hd. -1/4"-20 x 1 5/8"
4	371041-S2	Screw-hex. hd. lock. -3/8"-16 x 7/8"	1	304803-S8	Bolt-hex. hd. -9/16"-18 x 1 3/4"
1	378720-S2	Nut-hex. -5/8"-18	3	351415-S2	Washer-flat-3/8"
2	381649-S2	Screw-hex. lock-3/8"-16 x 1.00"	4	371041-S2	Screw-hex. hd. lock. -3/8"-16 x 7/8"
1	382860-S2	Bolt-3/8"-16 x 6 7/8"	3	382392-S2	Stud-5/16"-18 x 1 5/8"
1		Sketch-installation	1	382720-S2	Nut-hex. -5/8"-18
C9OZ 3A635-C		Consists of the following	1	382860-S	Bolt-hex. hd. -3/8-16 x 6 7/8"
1	C7OZ 3494-A	Tube-pressure line	1		Sketch-installation
1	C6OA 3E506-A	Clip-tube	C9ZZ 3A635-B		Consists of the following
1	C6OZ 3E510-F	Bracket-hose insulator	1	C9ZA 3A005-A	Hose-return
1	C7SZ 3C511-A	Support-pump	1	C7ZZ 3494-A	Hose-pressure line
1	C8OZ 3C511-B	Support-pump-rear	1	C7ZZ 3C510-A	Bracket-hose
1	C6OZ 3A515-B	Tube-return line	1	C7AZ 3C511-A	Support-pump adj.
1	C7SZ 3D600-A	Spacer-adj. bracket	1	C9OZ 3C511-A	Support-pump-rear
1	C7ZZ 3A609-A	Insulator-hose	1	C7SZ 3D600-A	Spacer-adj. bracket
1	C7ZZ 3A610-A	Retainer-insulator	1	C7ZZ 3A609-A	Insulator-hose
1	C7OZ 3A674-A	Pump assy.	1	C7ZZ 3A610-A	Retainer-insulator
1	C8OZ 3A713-B	Hose-return line	1	C9OZ 3A674-A	Pump assy.
1	C8OZ 3A719-A	Hose-pressure line	1	C8ZZ 3A713-A	Hose-return line
1	C7SZ 3A732-A	Bracket-pump adj.	1	C9ZZ 3A719-A	Hose-pressure line
1	C9OZ 3A733-B	Pulley assy. -pump	1	C7SZ 3A732-A	Bracket-pump adj.
1	C6OZ 6C099-B	Stop-front support-L. H.	1	C7AZ 3A733-A	Pulley assy. -pump-4 1/2" dia.
1	C8AZ 6312-D	Pulley-crankshaft	1	C9OZ 6A312-B	Pulley assy. -crankshaft
1	C7SE 8620-A1	Belt-1/2" x 45 3/4"	1	C8OZ 8509-B	Pulley-water pump
1	34440-S	Nut-hex. lock-1/4"-20	1	C6DE 8620-G	Belt-15/32" x 46 3/4"
1	34987-S4	Nut-hex. lock-3/8"-16	1	40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"
1	40923-S2	Screw-self-tap. -5/16"-18 x 1/2"	Δ1	55713-S7	Nut-hex. lock-3/8"-16
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted	Δ1	55768-S7	Nut-hex. lock-3/8"-16
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid	Δ2	97201-S8	Clamp-hose-5/8" dia. -slotted
6	371041-S2	Screw-hex. hd. lock. -3/8"-16 x 7/8"	Δ2	97237-S8	Clamp-hose-5/8" dia. -solid
1	377060-S2	Stud-3/8"-16 x 7 3/8"	4	371041-S2	Screw-hex. hd. lock. -3/8"-16 x 7/8"
1	378720-S2	Nut-hex. -5/8"-18	1	377060-S2	Stud-hex. lock-3/8"-16
1		Sketch-installation	1	378459-S2	Screw-tap. -5/16"-18 x 5/8"
C9OZ 3A635-D		Consists of the following	1	378720-S2	Nut-hex. -5/8"-18
1	C7OZ 3C510-A	Bracket-hose(Fairlane, Comet)	1		Sketch-installation
1	C7ZZ 3C510-C	Bracket-hose(Mustang only)	Δ - Optional		
1	C7ZZ 3A609-A	Insulator-hose	May, 1975		
1	C7ZZ 3A610-A	Retainer-hose insulator	COPYRIGHT © 1975 —		
1	C7OZ 3A674-A	Pump assy.	FORD MOTOR COMPANY		
1	C7OZ 3A713-A	Hose assy. -return line	— DEARBORN, MICHIGAN		
1	C8OZ 3A719-B	Hose assy. -pressure line	FINAL ISSUE		
1	C9ZZ 3A732-A	Bracket-pump adj.			
1	C9OZ 3A733-A	Pulley assy. -pump-4 3/4" dia.			
1	C9ZZ 6A312-A	Pulley assy. -crankshaft			
1	C9ZE 8620-A	Belt-pump-15/32" x 44 1/4"			
1	40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"			
Δ1	97201-S8	Clamp-hose-5/8" dia. -slotted			
Δ1	97237-S8	Clamp-hose-5/8" dia. -solid			
7	370608-S2	Screw-hex. hd. lock-3/8"-16 x 3/4"			
3	383165-S	Bolt-hex. hd. -3/8"-16 x 3/4"			
1		Sketch-installation			

Δ - Optional

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

POWER STEERING KIT PARTS LISTS - continued

C9ZZ 3A635-C	Consists of the following
1 C9ZA 3A005-A	Hose assy. -return
1 C7ZZ 3494-A	Hose assy. -pressure line
1 C9OZ 3K505-A	Adaptor-pump mounting
1 C7ZZ 3C510-C	Bracket-hose
1 C7AZ 3C511-A	Support-pump adj.
1 C9OZ 3C511-A	Support-pump-rear
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C9OZ 3A674-A	Pump assy.
1 C8ZZ 3A713-A	Hose-return line
1 C9ZZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy. -pump-4 1/2" dia.
1 C9OZ 6A312-B	Pulley assy. -crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C6DE 8620-G	Belt-15/32" x 46 3/4"
1 40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"
Δ2 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ2 97237-S8	Clamp-hose-5/8" dia. -solid
4 371041-S2	Screw-hex. hd. lock. -3/8"-16 x 7/8"
1 378459-S2	Screw-5/16"-18 x 5/8"
1 378720-S2	Nut-hex. -5/8"-18
2 381649-S2	Screw-hex. lock-3/8"-16 x 1.00"
1 382860-S2	Bolt-hex. hd. -3/8"-16 x 6 7/8"
1	Sketch-installation

C9ZZ 3A635-D	Consists of the following
1 C9ZA 3A005-A	Hose-return line
1 C7ZZ 3494-B	Hose assy. -pressure line
1 C7ZZ 3C510-C	Bracket-hose
1 C7SZ 3C511-A	Support-pump
1 C8OZ 3C511-B	Support-pump-rear
1 C7SZ 3D600-A	Spacer-pump adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C8ZZ 3A713-A	Hose assy. -return line
1 C8ZZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C8OZ 3A733-A	Pulley assy. -pump
1 C8AZ 6A312-D	Pulley-crankshaft
1 C7SE 8620-A	Belt-drive-1/2" x 43 3/4"
1 34987-S4	Nut-hex. lock-3/8"-16
1 40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"
Δ2 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ2 97237-S8	Clamp-hose-5/8" dia. -solid
6 371041-S2	Screw-hex. hd. lock. -3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 3/8"
3 378459-S2	Screw-hex. hd. tap. -5/16"-18 x 5/8"
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation

C9ZZ 3A635-E	Consists of the following
1 C5AZ 3A733-F	Pulley assy. -pump
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
1	Sketch-installation

C9ZZ 3A635-F	Consists of the following
1 C5AZ 3A733-F	Pulley-pump-5 5/8" dia.
1 C3OZ 8620-F	Belt-drive-15/32" x 51 1/2"
1	Sketch-installation

D0AZ 3A635-A	Consists of the following
1 C9AZ 3504-A	Gear-integral
1 D0AZ 3C510-A	Bracket-pump-front
1 C7SZ 3C511-A	Support-pump
1 D0AZ 3C511-D	Support-pump-rear
1 C7AA 3E523-A	Clip-hose
1 C9AZ 3590-B	Arm assy. -pitman
1 C8SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 D0AZ 3A674-A	Pump assy.
1 C8AA 3C696-A	Strap-hose
1 D0AA 3C696-A	Strap-hose
1 D0AZ 3A713-B	Hose assy. -return line
1 D0AZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy. -pump-4 1/2" dia.
1 C9AA 3C746-C	Clamp-hose
1 C8AZ 6A312-C	Pulley-crankshaft
1 C5TZ 8620-B	Belt-pump pulley-1/2" x 42 1/2"
1 34987-S	Nut-hex. lock-3/8"-16
1 72035-S	Pin-1/8" x 1" cotter
1 97237-S8	Clamp-hose-5/8" dia.
6 371041-S2	Bolt-hex. head lock-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation
D0AZ 3A635-B	Consists of the following
1 C9AZ 3504-A	Integral power steering gear
1 C9AZ 3590-B	Arm assy. -steering pitman (power)
2 C5AZ 3D600-B	Spacer-power steering pump
1 C8AZ 3A610-B	Clip-P/S pressure return tube
1 D0AZ 3A674-A	Pump assy. -power steering
1 D0AZ 3A713-B	Hose assy. -power steering return line
1 C9AZ 3A719-B	Hose assy. -P/S pressure line
1 C7AZ 3A732-A	Bracket-power steering pump adjusting
1 C5AZ 3A733-D	Pulley-power steering pump-5.12 dia. Code AD
1 C9AA 3C746-C	Clamp-power steering hose
1 C6TZ 6A312-A	Pulley-crankshaft
1 B8QH 8620-F	Belt-power steering pump drive
2 34988-S4	Nut-7/16"-14 Hex. lock
3 56323-S4	Screw & washer assy. -5/16"-18 x 1.25
1 72035-S	Pin-1/8" x 1" cotter
1 97201-S8	Clamp-5/8" hose
1 97237-S8	Clamp-5/8" hose
3 370608-S2	Screw-3/8"-16 x .75" hex. hd. locking
2 377279-S2	Stud-7/16"-14 x 2.12"
3 383165-S	Bolt-3/8"-16 x 7/8"
1	Sketch-installation

D0AZ 3A635-C	Consists of the following
1 C9AZ 3504-A	Gear assy.
1 D0AZ 3C510-A	Support-pump
1 D0AZ 3C511-E	Support-pump-rear
1 C9AZ 3590-B	Arm assy. -pitman
1 C8SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 D0AZ 3A674-A	Pump assy.
1 D0AZ 3A713-B	Hose-return line
1 D0AZ 3A719-A	Hose-pressure line
1 D0AZ 3A732-C	Bracket-adj.
1 C9TZ 3A733-D	Pulley assy. -pump-4 1/2" dia.
1 C9AA 3C746-C	Clamp-hose
1 D0AZ 6A312-C	Pulley assy. -crankshaft
1 C9OZ 8509-A	Pulley-water pump
1 C9PZ 8620-CP	Belt-1/2" x 53"
1 D0TZ 8620-B	Belt-1/2" x 50 1/2"
1 72035-S	Pin-1/8" x 1" cotter
1 384161-S100	Clamp-hose-5/8" dia.
5 370608-S2	Screw-3/8"-16 x 3/4" hex. head lock
1 378720-S2	Nut-hex. -5/8"-18
1 382092-S2	Screw-7/16"-14 x 3/4" hex. head
1 383722-S2	Bolt-7/16"-14 x 6 3/8"
1	Sketch-installation

• - Optional

Δ - Optional

POWER STEERING KIT PARTS LISTS - continued

D0AZ 3A635-D	Consists of the following
1 D0AA 3A005-A	Hose-return line
1 C5AZ 3A733-F	Pulley assy. -pump
1 D0AZ 3D746-A	Cooler assy. -pump oil
1 D0AZ 8620-H	Belt-drive-15/32" x 52 1/4"
2 56138-S4	Bolt-3/8"-16 x 3/4"
2 97237-S8	Clamp-5/8" dia.
1 351184-S2	Washer-3/8" flat
1	Sketch-installation
D0AZ 3A635-E	Consists of the following
1 C7AZ 3A005-A	Hose-power steering return line
1 D0AZ 3A713-A	Hose assy. -power steering return line
1 D0AZ 3D746-B	Cooler assy. -power steering oil
1 D0OZ 8620-B	Belt-drive-1/2" x 52 1/4"
1 D0TZ 8620-A	Belt-drive 1/2" x 49 1/2"
2 56138-S4	Bolt-2/8"-16 x 3/4" hex. head
2 97201-S8	Clamp-5/8" dia. slotted band hose
2 381673-S2	Screw & washer assy. -3/8"-16 x 5/8"
1	Sketch-installation
D0AZ 3A635-F	Consists of the following
1 C9AZ 3504-A	Gear-Integral power steering
1 D0AZ 3C510-A	Bracket-power steering tube-front
1 D0AZ 3C511-C	Support-power steering pump
1 C9AZ 3590-B	Arm assy. -steering pitman (power)
1 C8AZ 3A610-B	Clip-P/S pressure & return tube
1 D0AZ 3A674-A	Pump assy. -power steering
1 D0AZ 3A713-B	Hose assy. -power steering return line
1 D0AZ 3A719-A	Hose assy. -power steering pressure line
1 D0AZ 3A732-B	Bracket assy. -power steering pump adj.
1 C9TZ 3A733-D	Pulley assy. -power steering pump
1 C9AA 3C746-C	Clamp-power steering hose
1 C9PZ 8620-CM	Belt-P/S pump pulley- 1/2" x 52.00"
1 D0SZ 10A370-A	Spacer-power steering pump adj. bracket
1 34988-S4	Nut-7/16"-14 lock
4 55738-S2	Nut-3/8"-16 hex. washer head locking
2 56138-S4	Bolt-3/8"-16 x 3/4"
3 56138-S4	Bolt-2/8"-16 x 3/4" hex. washer head
1 72035-S	Pin-1/8" x 1" cotter
1 97201-S8	Clamp-power steering hose
1 97237-S8	Clamp-power steering hose
1 378720-S2	Nut-5/8"-18 hex.
1 383723-S2	Stud-7/16"-14 x 2 5/8"
1	Sketch-installation
D0AZ 3A635-G	Consists of the following
1 D0AA 3A005-B	Hose-return line
1 C5AZ 3A733-F	Pulley assy. -pump
1 D1AZ 3D746-E	Cooler assy. -P/S oil
1 C9PZ 8620-AE	Belt-alternator drive-15/32" x 45"
1 C9PZ 8620-GB	Belt-P/S drive-15/32" x 52 1/4"
1 C5AZ 10344-K	Pulley-alternator-2 5/8" dia.
1 351124-S36	Nut-11/16"-20 hex.hd.
1 351496-S36	Washer-11/16" I.D.-lock
2 381673-S2	Screw & washer assy.-3/8"-16 x 5/8"-hex.hd.
2 384161-S100	Clamp-5/8" dia.
1	Installation sketch
D0OZ 3A635-C	Consists of the following
1 C7AZ 3A005-A	Hose-power steering return line
1 D0OZ 3494-A	Hose-pressure line to valve
1 C6OA 3E506-A	Clip-P/S hose
1 D0OZ 3C510-B	Bracket-power steering hose
1 D0AZ 3C511-E	Support-power steering pump adjusting
1 D0OA 3E596-A	Brkt. assy. -P/S pressure & return tube
1 D0AZ 3D600-A	Spacer-p/s pump adj. bracket
1 C7ZZ 3A609-A	Insulator-power steering hose
1 D0OZ 3A610-A	Retainer-power steering hose insulator

(continued next column)

D0OZ 3A635-C	Consists of the following (continued)
1 D0OZ 3A611-A	Bracket-power steering hose
1 D0OZ 3A733-B	Pulley assy. -power steering pump
1 D0OZ 3A674-A	Pump assy. -power steering
1 D0OZ 3A713-B	Hose assy. -power steering return line
1 D0OZ 3A719-D	Hose assy. -power steering pressure line
1 D0AZ 3A732-C	Bracket assy. -power steering pump adj.
1 D0OZ 3A733-B	Pulley-P/S pump
1 C9AA 3C746-C	Clamp-power steering hose
1 D0OZ 6A312-E	Pulley assy. -crankshaft
1 C9OZ 8509-D	Pulley-water pump
1 C4AZ 8620-C	Belt-alternator drive (15/32" x 39")
1 D0TZ 8620-B	Belt-P/S drive(1/2" x 50 1/2")-not incl. in kit-use w/factory installed A/C
1 D0VZ 8620-B	Belt-power steering-1/2" x 51 1/2"
1 34975-S4	Nut-1/4"-20 lock
1 40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
2 97237-S8	Clamp-5/8" dia.
5 378720-S2	Screw-3/8"-16 x 3/4" hex. head locking
1 378720-S2	Nut-5/8"-18 hex.
1 382092-S2	Screw-7/16"-14 x 3/4" hex. washer head
1 383722-S2	Bolt-7/16"-14 x 6 3/8"
1	Sketch-installation
D0OZ 3A635-D	Consists of the following
1 D0OZ 3C510-A	Bracket-hose (Fairlane, Comet)
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-hose insulator
1 D0OZ 3A674-B	Pump assy.
1 D0OZ 3A713-A	Hose assy. -return line
1 D0OZ 3A719-A	Hose assy. -pressure line
1 C9ZZ 3A732-A	Bracket-pump adj.
1 D0OZ 3A733-A	Pulley assy. -pump-4 3/4" dia.
1 C9ZZ 6A312-A	Pulley assy. -crankshaft
1 C9ZZ 8620-A	Belt-pump-15/32" x 44 1/4"
1 40923-S2	Screw-hex. hd. tap-5/16"-18 x 1/2"
Δ 1 97237-S8	Clamp-hose-5/8" dia. -solid
7 370608-S2	Screw-hex. hd. lock-3/8"-16 x 3/4"
3 383165-S	Bolt-hex. hd. -3/8"-16 x 3/4"
1	Sketch-installation
D0OZ 3A635-E	Consists of the following
1 C7AZ 3A005-A	Hose-power steering return line upper
1 D0OZ 3494-A	Hose assy. -p/s pressure line to valve
1 C6OA 3E506-A	Clip-p/s pressure & return tube
1 D0OZ 3C510-B	Bracket-power steering pump(6.12" dia.)
1 D0ZZ 3C511-A	Support-power steering pump adj.
1 C9OA 3E596-A	Brkt. assy. -P/S pressure & return tube
1 D0OZ 3D600-A	Spacer-P/S pump adj. (.50" thick)
1 C7ZZ 3A609-A	Insulator-power steering hose
1 D0OZ 3A610-A	Retainer-power steering hose insulator
1 D0OZ 3A611-A	Bracket-P/S hose
1 D0OZ 3A674-A	Pump assy. -power steering
1 D0OZ 3A713-B	Hose assy. -power steering return line
1 D0OZ 3A719-E	Hose assy. -power steering pressure line
1 D0AZ 3A732-C	Bracket assy. -power steering pump adj.
1 D0OZ 3A733-B	Pulley-power steering pump
1 C9AA 3C746-C	Clamp-P/S hose
1 D0OZ 6A312-E	Pulley assy. -crankshaft
1 C9OZ 8509-D	Pulley-water pump
1 C4AZ 8620-C	Belt-alternator drive (15/32" x 39")
1 D0AZ 8620-F	Belt-P/S drive(1/2" x 51 1/2")-not incl. in kit-use w/factory installed A/C
1 D0OZ 8620-B	Belt-power steering-1/2" x 52 1/4"
1 34440-S2	Nut-1/4"-20 lock
1 40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
5 56138-S4	Bolt-3/8"-16 x 3/4" hex. washer head self locking
1 56358-S4	Bolt-7/16"-14 x 3/4" pilot end
2 97237-S8	Clamp-5/8" dia.
1 378720-S2	Nut-5/8"-18 hex.
1 383721-S2	Bolt-7/16"-14 x 6 3/8"
1	Sketch-installation

Δ Optional

POWER STEERING KIT PARTS LISTS - continued

D00Z	3A635-F	Consists of the following
1	C7AZ	3A005-A Hose-power steering return line upper
1	D00Z	3494-A Hose assy. -p/s pressure line to valve
1	C6OA	3E506-A Clip-p/s pressure & return tube
1	D00Z	3C510-C Bracket-power steering hose
1	D0AZ	3C511-F Support-power steering pump adjusting
1	D0OA	3E596-A Bracket assy. -power steering pressure & return tube
1	C7ZZ	3A609-A Insulator-power steering hose
1	D00Z	3A610-A Retainer-power steering hose insulator
1	D00Z	3A611-A Bracket-power steering hose
1	D00Z	3A674-A Pump assy. -power steering
1	D00Z	3A713-B Hose assy. -power steering return line
1	D00Z	3A719-D Hose assy. -power steering pressure line
1	D1AZ	3A732-A Bracket assy. -power steering pump adj.
1	D00Z	3A733-B Pulley assy. -power steering pump
1	C9AA	3C746-C Clamp-P/S hose
1	C9PZ	8620-CP Belt-power steering-1/2" x 53.00"
1	D0SZ	10A370-A Spacer-power steering pump
1	34975-S4	Nut-1/4"-20 lock
1	34988-S4	Nut-7/16"-14 hex. head lock
1	40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
4	55738-S2	Nut-3/8"-16 hex. washer
5	370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1	378720-S2	Nut-5/8"-18 hex.
1	383723-S2	Stud-7/16"-14 x 2 5/8"
2	384161-S100	Clamp-5/8" dia.
1		Sketch-installation

D0ZZ	3A635-C	Consists of the following
1	C7AZ	3A005-A Hose-power steering return
1	C7ZZ	3494-B Hose-pressure line to valve
1	D0DA	3E506-A Clip-power steering pressure & return hose
1	C7ZZ	3C510-A Bracket-power steering hose
1	D0AZ	3C511-E Support-power steering pump adjusting
1	D0AZ	3D600-A Spacer-P/S pump adj. bracket
1	C7ZZ	3A609-A Insulator-power steering hose
1	C7ZZ	3A610-A Retainer-power steering hose insulator
1	D00Z	3A610-A Retainer-power steering hose insulator
1	D0ZZ	3A674-B Pump assy. -power steering
1	C8ZZ	3A713-A Hose assy. -power steering return line
1	D0ZZ	3A719-H Hose assy. -P/S pressure line
1	D0ZZ	3A732-A Bracket assy. -power steering pump adj.
1	D00Z	3A733-B Pulley assy. -power steering pump
1	C3AZ	3A762-A Clamp assy. -P/S hose
1	D0ZA	3E772-A Bracket-P/S hose holding
1	D00Z	6A312-E Pulley assy. -crankshaft
1	C9OZ	8509-D Pulley-water pump (6.82" dia.)
1	C4AZ	8620-C Belt-alternator drive (15/32" x 39")
1	D0TZ	8620-B Belt-P/S drive (1/2"-50 1/2")
1	D0VZ	8620-B Belt-power steering-1/2" x 51 1/2"
1	40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
2	97237-S8	Clamp-5/8" dia.
5	370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1	378459-S2	Screw-5/16"-18 x 5/8" tapping
1	382092-S2	Screw-7/16" x 14 x 3/4" hex. washer head
1	383671-S2	Nut-7/8"-20
1	383722-S2	Bolt-7/16" washer hex. head
1		Sketch-installation

D00Z	3A635-H	Consists of the following
1	D0OA	3A005-A Hose-power steering return line upper
1	D00Z	3494-A Hose assy. -P/S pressure line to valve
1	C6OA	3E506-A Clip-P/S pressure and return line
1	D00Z	3C510-C Bracket-power steering hose
1	D0AZ	3C511-F Support-power steering pump adjusting
1	D0OA	3E596-A Bracket assy. -power steering pressure and return tube
1	C7ZZ	3A609-A Insulator-power steering hose
1	D00Z	3A610-A Retainer-power steering hose insulator
1	D00Z	3A611-A Bracket-power steering hose
1	D00Z	3A674-A Pump assy. -power steering
1	D00Z	3A713-B Hose assy. -power steering return line
1	D00Z	3A719-F Hose assy. -power steering pressure
1	D0AZ	3A732-B Bracket assy. -P/S pump adjusting
1	D0AZ	3A733-A Pulley assy. -P/S pump (5.72" dia.)
1	C9AA	3C746-C Clamp-power steering hose
1	C9PZ	8620-CM Belt-power steering (1/2" x 52 1/2")
1	D0SZ	10A370-A Spacer-power steering pump
1	34975-S4	Nut-1/4"-20 lock
1	34988-S4	Nut-7/16"-14 hex. head lock
1	40923-S2	Screw-5/16"-18 x 1/2" hex. head tap.
4	55738-S2	Nut-3/8"-16 hex. washer
5	370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1	378720-S2	Nut-5/8"-18 hex.
1	383723-S2	Stud-7/16"-14 x 2 5/8"
2	384161-S100	Clamp-5/8" dia.
1		Sketch-installation

D0ZZ	3A635-D	Consists of the following
1	C7AZ	3A005-A Hose assy. -P/S return
1	C7ZZ	3494-B Hose assy. -pressure line to valve
1	D0DA	3E506-A Clip-power steering pressure & return hose
1	C7ZZ	3C510-A Bracket-power steering hose
1	D0AZ	3C511-A Support-power steering pump adjusting
1	D0AZ	3D600-A Spacer-power steering pump adj. bracket
1	C7ZZ	3A609-A Insulator-power steering hose
1	C7ZZ	3A610-A Retainer-power steering hose insulator
1	D00Z	3A610-A Retainer-power steering hose insulator
1	D0ZZ	3A674-B Pump assy. -power steering
1	C8ZZ	3A713-A Hose assy. -power steering return line
1	D0ZZ	3A719-H Hose assy. -P/S pressure line
1	D0ZZ	3A732-A Bracket assy. -power steering pump adj.
1	D0AZ	3A733-A Pulley assy. -power steering pump
1	C3AZ	3A762-A Clamp assy. -P/S hose
1	D0ZA	3E772-A Bracket-P/S hose holding
1	D0OE	6312-B Pulley assy. -crankshaft
1	C9OZ	8509-B Pulley-water pump
1	C4AZ	8620-C Belt-alternator drive (15/32" x 39")
1	C9PZ	8620-CR Belt-power steering -1/2" x 53 1/2"
1	D0TZ	8620-B Belt-P/S drive (1/2"-50 1/2")
1	40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
1	97237-S8	Clamp-5/8" dia.
5	370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1	378459-S2	Screw-5/16"-18 x 5/8"
1	382092-S2	Screw-7/16"-14 x 3/4" hex. washer head
1	383671-S2	Nut-7/8"-20
1	383722-S2	Bolt-7/16"-14 x 6 3/8"
1		Sketch-installation

POWER STEERING KIT PARTS LISTS - continued

D0ZZ 3A635-E Consists of the following 1 C7AZ 3A005-A Hose assy. -P/S return 1 C7ZZ 3494-B Hose assy. -pressure line to valve 1 D0DA 3E506-A Clip-P/S hose line 1 C7ZZ 3C510-A Bracket-P/S hose 1 D0ZZ 3C511-A Support-pump adjusting 1 D0AZ 3D600-A Spacer-pump adjusting bracket 1 C7ZZ 3A609-A Insulator-P/S hose 1 D0OZ 3A610-A Retainer-P/S hose insulator 1 D0ZZ 3A674-B Pump assy. -P/S 1 C8ZZ 3A713-A Hose assy. -P/S return line 1 D0ZZ 3A719-H Hose assy. -P/S pressure line 1 D0ZZ 3A732-A Bracket assy. -P/S pump adjusting 1 D0OZ 3A733-B Pulley assy. -P/S pump 1 C3AZ 3A762-A Clamp assy. -P/S hose 1 D0ZA 3E772-A Bracket-P/S hose holding 1 D0OE 6312-B Pulley assy. -crankshaft 1 C9OZ 8509-B Pulley-water pump 1 C4AZ 8620-C Belt-alternator drive (15/32" x 39") 1 D0OZ 8620-B Belt-P/S-1/2" x 52 1/4" 1 D0TZ 8620-B Belt-P/S drive (1/2"-50 1/2") 1 40923-S2 Screw-5/16"-18 x 1/2" hex. head tap 1 97237-S8 Clamp-5/8" dia. 5 370608-S2 Screw-3/8"-16 x 3/4" hex. head locking 1 378459-S2 Screw-5/16"-18 x 5/8" 1 382092-S2 Screw-7/16"-14 x 3/4" 1 383671-S2 Nut-7/8"-20 x 7/32" 1 383722-S2 Bolt-7/16"-14 x 6 3/8" 1 Sketch-installation	D1AZ 3A635-A Consists of the following 1 C9SZ 3504-A Gear assy.-steering 1 D1AZ 3C510-A Bracket-tube-index 1 D0AZ 3C511-F Support-pump 1 C9AZ 3590-B Arm assy.-pitman 1 C8AZ 3A610-A Clip-hose 1 D0AZ 3A674-A Pump assy.-steering 1 D0AZ 3A713-B Hose assy.-return line 1 D1AZ 3A719-A Hose assy.-pressure 1 D1AZ 3A732-A Bracket assy.-pump adjusting 1 C9TZ 3A733-D Pulley assy.-pump 1 C9AA 3C746-C Clamp-hose 1 C9PZ 8620-CM Belt-pump pulley-1/2" x 52" 1 D0SZ 10A370-A Spacer-pump adj. bracket 1 34988-S2 Nut-7/16"-14 lock 4 55738-S2 Nut-3/8"-16 hex. 1 72035-S Pin-1/8" x 1"-cotter 5 370608-S2 Screw-3/8"-16 x 3/4" hex.hd.lock 1 378720-S2 Nut-5/8"-18 hex.hd. 1 383723-S2 Stud-7/16"-14 x 2 5/8" 1 384161-S100 Clamp-hose 1 Installation sketch
D0ZZ 3A635-F Consists of the following 1 C7ZZ 3A609-A Insulator-P/S hose 1 D0ZZ 3A610-A Retainer-P/S hose insulator 1 D0OZ 3A674-B Pump assy. -P/S 1 D0ZZ 3A713-A Hose assy. -return line 1 D0ZA 3A719-H Hose assy. -pressure line 1 C9ZZ 3A732-B Bracket-pump adjusting 1 D0OZ 3A733-C Pulley-pump assy. 1 C9ZZ 6A312-A Pulley assy. -crankshaft 1 C9ZZ 8620-C Belt-P/S pump (15/32" x 45 1/4") 1 40923-S2 Screw-5/16"-18 x 1/2" hex. hd. tapping 1 97237-S8 Clamp-P/S hose 7 370608-S2 Screw-3/8"-16 x 3/4" hex. head lock 3 383165-S4 Bolt-3/8"-16 x 3/4" 1 Sketch-installation	D1AZ 3A635-B Consists of the following 1 C9SZ 3504-A Gear assy.-steering 1 C8AA 3E506-A Clip-hose 1 D1AZ 3C510-A Bracket-tube-index 1 D1AZ 3C511-A Support-pump 1 C9AZ 3590-B Arm assy.-pitman 1 C9TZ 3A674-D Pump assy.-power steering 1 D0AZ 3A713-B Hose assy.-return line 1 D1AZ 3A719-A Hose assy.-pressure line 1 D1AZ 3A732-A Bracket assy.-adjustment 1 C9TZ 3A733-D Pulley assy.-pump 1 C9AA 3C746-C Clamp-hose 1 D0OZ 6A312-E Pulley assy.-crankshaft 1 C9OZ 8509-D Pulley-water pump 1 C9PZ 8620-S Belt-alternator drive-15/32" x 35 1/4" 1 D0VZ 8620-B Belt-pump drive-1/2" x 51 1/2" 4 55738-S2 Nut-3/8"-16 hex.washer lock 1 72035-S Pin-1/8" x 1"-cotter 5 370608-S2 Screw-3/8"-16 x 3/4" hex.hd. 1 378720-S2 Nut-5/8"-18 hex.hd. 1 384161-S100 Cl amp-5/8" hose dia. 1 384387-S2 Screw-7/16"-14 x 1 1/2"-hex.hd.lock 1 384545-S Washer-7/16"-C" 1 Installation sketch
D0ZZ 3A635-G Consists of the following 1 C8ZZ 3C510-A Bracket-power steering hose 1 C8OZ 3C511-A Support-power steering pump 1 C8OZ 3C511-B Support-P/S pump rear 1 D0ZA 3E670-A Support-P/S pump bracket-rear 1 C7ZZ 3A609-A Insulator-power steering hose 1 D0OZ 3A610-A Retainer-power steering hose insulator 1 D0OZ 3A674-B Pump assy. -power steering 1 D0ZZ 3A713-A Hose assy. -power steering return line 1 D0ZA 3A719-H Hose assy. -power steering pressure line 1 C7SZ 3A732-A Bracket-power steering pump adjusting 1 C8OZ 3A733-A Pulley assy. -power steering pump 1 C8DZ 6A312-A Pulley-vibration damper outer 1 C5OZ 8620-C Belt-drive V-15/32" x 41" 3 34805-S2 Washer-1/4" lock 1 40923-S2 Screw-5/16"-18 x 1/2" hex. head tapping 1 97237-S8 Clamp-hose power steering 2 300864-S2 Bolt-1/4"-20 x 2 1/8" hex. head 1 304775-S2 Bolt-1/4"-20 x 1 5/8" hex. head 1 304803-S8 Bolt-9/16"-18 x 1 3/4" hex. head to crankshaft 1 371041-S2 Screw-3/8"-16 x 7/8" hex. washer head self locking 3 371041-S2 Screw-3/8"-16 x 7/8" hex. washer head locking 1 378720-S2 Nut-5/8"-18 hex. 1 382860-S2 Bolt-3/8"-16 x 6 3/8" hex. head 3 383165-S4 Bolt-3/8"-16 x 3/4" hex. head 3 384072-S2 Screw-5/16"-18 x 1" 1 Sketch-installation	D1AZ 3A635-D Consists of the following 1 C9SZ 3504-A Gear-steering 1 C8AA 3E506-A Clip-hose 1 D1AZ 3C510-A Bracket-tube-index 1 C7SZ 3C511-A Support-pump 1 D0AZ 3C511-D Support-pump rear 1 C9AZ 3590-B Arm assy.-pitman 1 D0AZ 3A674-A Pump assy.-power steering 1 D0AZ 3A713-B Hose assy.-return line 1 D1AZ 3A719-A Hose assy.-pressure line 1 C7SZ 3A732-A Bracket-pump adjusting 1 C7AZ 3A733-E Pulley assy.-w/o A/C 1 C9AA 3C746-C Clamp-hose 1 C8AZ 6A312-C Pulley-crankshaft-6" dia.-w/o A/C 1 C9PZ 8620-GU Belt-pump pulley-1/2"x 42 1/2" 1 34987-S2 Nut-3/8"-16 hex.lock 1 72035-S Pin-1/8" x 1"-cotter 371041-S2 Bolt-3/8"-16 x 7/8" hex.washer head locking 1 377060-S2 Stud-3/8"-16 x 7 3/8" 1 378720-S Nut-5/8"-18 hex.hd. 1 384161-S100 Clamp-hose 1 384543-S8 Washer-7/16" flat-1/2" thick-w/o A/C 1 Installation sketch

FORD CAR PARTS

POWER STEERING KIT PARTS LISTS - continued

D1AZ 3A635-E 1 C9SZ 3504-A 1 C8AA 3E506-A 1 C9AZ 3590-B 1 D0AZ 3A674-A 1 D0AZ 3A713-B 1 C9AZ 3A719-B 1 C7AZ 3A732-A 1 C5AZ 3A733-A 1 C9AA 3C746-C 1 C6TZ 6A312-A 1 C9PZ 8620-PU 2 34988-S2 3 56323-S2 1 72035-S 3 370608-S2 2 377279-S2 3 383165-S4 1 384161-S100 2 384544-S100 1	Consists of the following Power steering gear Clip-hose Arm assy.-pitman Pump assy.-power steering Hose assy.-return line Hose assy.-pressure line Bracket-pump adjusting Pulley-pump Clamp-hose Pulley-crankshaft Belt-pump drive-1/2" x 43" Nut-7/16"-14 hex.lock Screw & washer assy.-5/16"-18 x 1 1/4" Pin-1/8" x 1" Screw-3/8"-16 x 3/4" hex.hd.lock Stud-7/16"-14 x 2 1/8"-3A732 to engine Bolt-3/8"-16 x 3/4" lock Clamp-5/8" hose Washer-1/2" flat Installation sketch	D1DZ 3A635-A Consists of the following (continued) 1 D0DZ 3A611-A Bracket assy.-tubes 1 D0ZZ 3A674-A Pump assy.-power steering 1 D0DZ 3A713-A Hose assy.-return line 1 D0DZ 3A719-A Hose assy.-pressure line 1 D0ZZ 3A732-A Bracket assy.-pump adjusting 1 D0OZ 3A733-B Pulley assy.-pump 1 D0OZ 6A312-E Pulley assy.-crankshaft 1 C9OZ 8509-D Pulley-water pump 1 C9PZ 8620-CE Belt-power steering-1/2" x 46 3/4"-w/ A/C 1 C9PZ 8620-P Belt-alternator drive-15/32" x 39" 1 D0VZ 8620-B Belt-power steering-1/2" x 51 1/2"-w/o A/C Nut-1/4"-20 lock Nut-3/8"-16 lock 3 40923-S2 Screw-5/16"-18 x 1/2" hex.hd. 5 370608-S2 Screw-3/8"-16 x 3/4"-hex.hd. 1 377278-S2 Stud-3/8"-16 x 2" 1 382092-S2 Screw-7/16"-14 x 3/4" hex.washer hd. 1 383671-S2 Nut-7/8"-20 hex.hd. 1 383722-S2 Bolt-7/16"-14 x 6 3/8" 2 384161-S100 Clamp-5/8" dia. 1 384542-S2 Washer-7/16" flat-3/4" thick-w/o A/C 1 Installation sketch
D1AZ 3A635-F 1 C9SZ 3504-A 1 C8AA 3E506-A 1 D1AZ 3C510-A 1 D0AZ 3C511-E 1 C9AZ 3590-B 1 D0AZ 3A674-A 1 D0AZ 3A713-B 1 D1AZ 3A719-A 1 D0AZ 3A732-C 1 C9TZ 3A733-D 1 C9AA 3C746-C 1 D0OZ 6A312-E 1 C9OZ 8509-D 1 C9PZ 8620-CP 1 C9PZ 8620-P 1 D0TZ 8620-B 1 72035-S 5 370608-S2 1 378720-S2 1 382092-S2 1 383722-S2 1 384161-S100 1 384542-S2 1	Consists of the following Gear assy.-power steering Clip-hose Bracket-tube-index Support-302 eng. Arm assy.pitman Pump assy.-power steering Hose assy.-return line Hose assy.-pressure line Bracket assy.-adjustment Pulley assy.-pump Clamp-hose Pulley assy.-crankshaft Pulley-water pump Belt-pump drive-1/2" x 53"-351 eng. Belt-alternator drive 15/32" x 39" Belt-pump drive-1/2" x 50 1/2"-302 eng. Pin-1/8" x 1" cotter Screw-3/8"-16 x 3/4" hex.hd. Nut-5/8"-18" hex. hd. Screw-7/16"-14 x 3/4" hex.washer hd. Bolt-7/16"-14" x 6 3/8" Clamp-5/8" dia. Washer-7/16" flat x 3/4" thick-w/o A/C Installation sketch	D1DZ 3A635-B Consists of the following 1 D0DA 3C510-B Bracket-hose 1 C8OZ 3C511-A Support-pump 1 D0DZ 3C511-B Support-pump-rear 1 D0ZZ 3C511-B Support-pump bracket-rear 1 C7ZZ 3A609-A Insulator-hose 1 D0OZ 3A610-A Retainer-hose insulator 1 D0OZ 3A674-B Pump assy.-power steering 1 D0DZ 3A713-B Hose assy.-return line 1 D0DZ 3A719-B Hose assy.-pressure line 1 C7SZ 3A732-A Bracket-pump adjusting 1 C8OZ 3A733-A Pulley assy.-pump 1 C8DZ 6A312-A Pulley-vibration damper 1 C9PZ 8620-GM Belt-drive-15/32" x 41" 3 34790-S2 Washer-1/4" lock 1 304803-S8 Bolt-9/16"-18 x 1 3/4" hex.hd. 3 40923-S2 Screw-5/16"-18 x 1/2" hex.hd. 2 300864-S2 Bolt-1/4"-20 x 2 1/8" hex.hd. 1 304775-S2 Bolt-1/4"-20 x 1 5/8" hex.hd. 4 371041-S2 Screw-3/8"-16 x 7/8" hex.hd. 1 378720-S2 Nut-5/8"-18 hex. 1 382860-S2 Bolt-3/8"-16 x 6 3/8" hex.hd. 3 383165-S4 Bolt-3/8"-16 x 3/4" hex.head 3 384072-S2 Screw-5/16"-18 x 1"-hex.washer hd.lock 1 384161-S100 Clamp-hose 1 Installation sketch
D1AZ 3A635-H 1 D0AA 3A005-B 1 D0AZ 3D746-B 1 D0OZ 8620-B 1 34987-S2 1 377278-S2 2 381673-S2 2 384161-S100 1	Consists of the following Hose-return line Cooler assy.-oil Belt-drive-1/2" x 52 1/4" Nut-3/8"-16 lock Stud-3/8"-16 x 2" Screw & washer assy.-3/8"-16 x 5/8"-hex.hd. Clamp-5/8" dia. Installation sketch	D1DZ 3A635-C Consists of the following 1 D0DA 3C510-B Bracket-hose 1 C7ZZ 3A609-A Insulator-hose 1 D0OZ 3A610-A Retainer-hose insulator 1 D0OZ 3A674-B Pump assy.-power steering 1 D0OZ 3A713-A Hose assy.-return line 1 D0OZ 3A719-A Hose assy.-pressure line 1 C9ZZ 3A732-A Bracket-pump adjusting 1 D0OZ 3A733-C Pulley assy.-pump 1 C9ZZ 6A312-A Pulley assy.-crankshaft 1 C9ZZ 8620-C Belt-pump-15/32" x 45 1/4" 3 40923-S2 Screw-5/16"-18 x 1/2" hex.hd. 7 370608-S2 Screw-3/8"-16 x 3/4" hex.hd.lock 3 383165-S4 Bolt-3/8"-16 x 3/4" hex.hd. 1 384161-S100 Clamp-hose 1 Installation sketch
D1DZ 3A635-A 1 D1DA 3A005-AA 1 D0DZ 3494-A 1 C6OA 3E506-A 1 D0DA 3E506-A 1 D0AZ 3C511-E 1 C7ZZ 3A609-A 1 D0OZ 3A610-A	Consists of the following Hose-return line upper Hose-pressure line to valve Clip-hose Clip-tube Support-pump adjusting Insulator-hose Retainer-hose insulator	

(continued next column)

POWER STEERING KIT PARTS LISTS - continued

D10Z 3A635-A	Consists of the following
1 D00A 3A005-A	Hose-return line upper
1 D00Z 3494-A	Hose assy.-pressure line to valve
1 C60A 3E506-A	Clip-hose
1 D00Z 3C510-B	Bracket-power steering hose
1 D0AZ 3C511-E	Support-pump adjusting
1 D00A 3E596-A	Bracket assy.-tubes
1 C7ZZ 3A609-A	Insulator-hose
1 D00Z 3A610-A	Retainer-hose insulator
1 D00Z 3A611-A	Bracket-power steering hose
1 D00Z 3A674-A	Pump assy.-power steering
1 D00Z 3A713-B	Tube assy.-return line
1 D00Z 3A719-F	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D00Z 3A733-B	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D00Z 6A312-E	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive 15/32" x 39"
1 D0TZ 8620-B	Belt-power steering-1/2" x 50 1/2" - w/ A/C
1 D0VZ 8620-B	Belt-power steering-1/2" x 51 1/2" - w/o A/C
1 34972-S2	Nut-1/4"-20 lock
1 34987-S2	Nut-3/8"-16 lock
1 40923-S2	Screw-5/16"-18 x 1/2" hex.hd.
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
1 377278-S2	Stud-3/8"-16 x 2" w/ A/C
1 378720-S2	Nut-5/8"-18 hex.hd.
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383722-S2	Bolt-7/16"-14 x 6 3/8"
2 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat-3/4" thick-w/o A/C
1	Installation sketch

D10Z 3A635-B	Consists of the following
1 D00A 3A005-A	Hose-return line upper
1 D00Z 3494-A	Hose assy.-pressure line to valve
1 C60A 3E506-A	Clip-tubes
1 D00Z 3C510-B	Bracket-hose
1 D0ZZ 3C511-A	Support-pump adjusting
1 D00A 3E596-A	Bracket assy.-tubes
1 C7ZZ 3A609-A	Insulator-hose
1 D00Z 3A610-A	Retainer-hose insulator
1 D00Z 3A611-A	Bracket-hose
1 D00Z 3A674-A	Pump assy.-power steering
1 D00Z 3A713-A	Tube assy.-return line
1 D00Z 3A719-E	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D00Z 3A733-A	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D00Z 6A312-E	Pulley assy.-crankshaft
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive-15/32" x 39"

(continued next column)

D10Z 3A635-B	Consists of the following (continued)
1 D0AZ 8620-F	Belt-power steering-1/2" x 51 1/4" - w/ A/C
1 D00Z 8620-B	Belt-power steering-1/2" x 52 1/4" - w/o A/C
1 34975-S2	Nut-1/4"-20 lock
1 34987-S2	Nut-3/8"-16 lock
1 40923-S2	Screw-5/16"-18 x 1/2" hex.hd.tap-attach (3A610) to (3C510)
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
1 377278-S2	Stud-3/8"-16 x 2"
1 378720-S2	Nut-5/8"-18 hex.hd.
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383721-S2	Bolt-7/16"-14 x 6 3/8"
2 384161-S100	Clamp-5/8" dia.
1 384543-S8	Washer-7/16" flat-1/2" thick-w/o A/C
1	Installation sketch

D10Z 3A635-C	Consists of the following
1 D00A 3A005-A	Hose-return line upper
1 D00Z 3494-A	Hose assy.-pressure line to valve
1 C60A 3E506-A	Clip-tubes
1 D00Z 3C510-C	Bracket-hose
1 D0AZ 3C511-F	Support-pump adjusting
1 D00A 3E596-A	Bracket assy.-tubes
1 C7ZZ 3A609-A	Insulator-hose
1 D00Z 3A610-A	Retainer-hose insulator
1 D00Z 3A611-A	Bracket-hose
1 D00Z 3A674-A	Pump assy.-power steering
1 D00Z 3A713-B	Tube assy.-return line
1 D00Z 3A719-A	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjusting
1 D0AZ 3A733-A	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 C9PZ 8620-CM	Belt-power steering-1/2" x 52"
1 D0SZ 10A370-A	Spacer-pump
1 34975-S2	Nut-1/4"-20-lock
1 34988-S2	Nut-7/16"-14 hex.lock
1 40923-S2	Screw-5/16"-18 x 1/2"-hex.hd.
4 55738-S2	Nut-3/8"-16 hex.washer
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
1 378720-S2	Nut-5/8"-18 hex.hd.
1 383723-S2	Stud-7/16"-14 x 2 5/8"
2 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D10Z 3A635-D	Consists of the following
1 C7ZZ 3A609-A	Insulator-hose
1 D00Z 3A610-A	Retainer-hose insulator
1 D00Z 3A674-B	Pump assy.-power steering
1 D0DZ 3A713-A	Hose assy.-return line
1 D00Z 3A719-A	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D00Z 3A733-C	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 C9ZZ 6A312-A	Pulley-crankshaft
1 C9ZZ 8620-C	Belt-pump-15/32" x 45 1/4"
1 40923-S2	Screw-5/16"-18 x 1/2" hex.head
7 370608-S2	Screw-3/8"-16 x 3/4" hex.head lock
3 383165-S4	Bolt-3/8"-16 x 3/4" hex.head-attach (6312) to crankshaft
1 384161-S100	Clamp-hose
1	Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D1ZZ 3A635-A	Consists of the following
1 D1ZA 3A500-AA	Gear & flange assy.-steering
1 D1ZA 3E506-AC	Clip-hose
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D1ZZ 3A719-B	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9ZZ 6A312-A	Pulley-crankshaft
1 C9ZZ 8620-C	Belt-power steering pump-15/32" x 45 1/4"
1 72035-S	Pin-1/8" x 1"-cotter
7 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
3 383165-S4	Bolt-3/8"-16 x 3/4" hex.head
1 384161-S100	Clamp-5/8" dia.
1	Installation sketch
D1ZZ 3A635-B	Consists of the following
1 D1ZA 3A500-AA	Gear & flange assy.-steering
1 D1ZA 3E506-AC	Clip-hose
1 D1ZZ 3C510-A	Bracket-tube index
1 D1ZZ 3C511-A	Support-pump
1 D1ZA 3E576-AC	Tube assy.-pressure line outlet
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D1ZZ 3A719-A	Hose assy.-pressure line
1 D1ZZ 3A732-A	Bracket assy.-pump adjusting
1 D0AZ 3A733-A	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive-15/32" x 39"
1 C9PZ 8620-CL	Belt-power steering-1/2" x 51"-w/o A/C
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8"-16 x 3/4" hex.head lock
1 378720-S2	Nut-5/8"-18
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383722-S2	Bolt-7/16"-14 x 6 5/16" hex.washer hd.
1 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat-3/4" thick
1	Installation sketch
D1ZZ 3A635-D	Consists of the following
1 D1ZA 3A500-AA	Gear & flange assy.-steering
1 D1ZA 3E506-AC	Clip-tube
1 D1ZZ 3C510-A	Bracket-hose
1 D0ZZ 3C511-A	Support-pump adjusting
1 D1ZA 3E576-AC	Tube assy.-pressure line outlet
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D1ZZ 3A719-A	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D0OZ 3A733-B	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-P	Belt alternator drive-15/32" x 39"
1 C9PZ 8620-BU	Belt-power steering-1/2" x 52 1/4"-w/o A/C
1 72035-S	Pin-1/8" x 1"-cotter
5 370608-S2	Screw-3/8"-16 x 3/4" hex.head lock
1 378720-S2	Nut-5/8"-18
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383721-S2	Bolt-7/16"-14 x 6 3/8"
1 384161-S100	Clamp-5/8" dia.
1 384543-S8	Washer-3/16" flat-1/2" thick
1	Installation sketch

D1ZZ 3A635-F	Consists of the following
1 D1ZA 3A500-AA	Gear & flange assy.-steering
1 D1ZA 3E506-AC	Clip-hose
1 D1ZZ 3C510-A	Bracket-tube index
1 D0AZ 3C511-F	Support-pump
1 D1ZA 3E576-AC	Tube assy.-pressure line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D1ZZ 3A719-A	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjust
1 D0AZ 3A733-A	Pulley assy.-pump
1 C9PZ 8620-CM	Belt-P/S drive-1/2" x 52"
1 D0SZ 10A370-A	Spacer-alternator
1 34988-S2	Nut-7/16"-14
4 55738-S2	Nut-3/8"-16 hex. lock
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
1 378720-S2	Nut-5/8"-18
1 383723-S2	Stud-7/16"-14 x 2 5/8"
1 384161-S100	Clamp-5/8" dia.
1	Installation sketch
D2DZ 3A635-A	Consists of the following
1 D1DA 3A005-AA	Hose-return line
1 D0DA 3E506-A	Clip-pressure & return tube
1 D1ZZ 3C511-A	Support-pump adjusting
1 D1DA 3E601-AA	Insulator assy.-P/S hose
1 D0ZZ 3A674-A	Pump assy.-power steering
1 D0DZ 3A719-A	Hose assy.-pressure line
1 D0ZZ 3A732-A	Bracket assy.-pump adjusting
1 D0AZ 3A733-A	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-CK	Belt-power steering-1/2"x 50"-w/ A/C
1 C9PZ 8620-CL	Belt-power steering-1/2" x 51"-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive-15/32" x 39"-w/o A/C
1 34987-S2	Nut-3/8" - 16 lock
1 40962-S2	Screw-5/16" - 18 x 7/8"
5 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. locking
1 377278-S2	Stud-3/8" - 16 x 2"
1 382092-S2	Screw-7/16" - 14 x 3/4" hex. washer hd.
1 383671-S2	Nut-7/8"-20 hex.
1 383722-S2	Bolt-7/16" - 14 x 6 3/8"
2 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat-3/4" thick
1	Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D2DZ 3A635-B	Consists of the following
1 C8OZ 3C511-A	Support-pump
1 D0DZ 3C511-B	Support-pump-rear
1 D0ZZ 3C511-B	Support-pump bracket-rear
1 D1DA 3E601-BA	Insulator assy.-P/S hose
1 D0OZ 3A674-B	Pump assy.-power steering
1 C7SZ 3A732-A1	Bracket-pump adjusting
1 C8OZ 3A733-A	Pulley assy.-pump
1 C8DZ 6A312-A	Pulley-vibration damper-outer
1 C9PZ 8620-GM	Belt-drive-15/32" x 41"
3 34790-S2	Washer-1/4" lock
2 40923-S2	Screw-5/16" - 18 x 1/2" hex. hd. tapping
2 300864-S2	Bolt-1/4" -20 x 2 1/8" hex. hd.
1 304775-S2	Bolt-1/4" -20 x 1 5/8" hex. hd.
1 304803-S8	Bolt-9/16" -18 x 1 3/4" hex hd.
4 371041-S2	Screw-3/8" - 16 x 7/8" hex. washer-hd. locking
1 378720-S2	Nut-5/8" - 18 hex.
1 382860-S2	Bolt-3/8" - 16 x 6 3/8" hex. hd.
3 383165-S2	Bolt-3/8" -16 x 3/4" hex hd.
3 384072-S2	Screw-5/16" - 18 x 1" hex. washer -hd. locking
1 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D2DZ 3A635-C	Consists of the following
1 D1DA 3E601-CA	Insulator assy.-P/S hose
1 D0OZ 3A674-B	Pump assy.-power steering
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9ZZ 6A312-A	Pulley assy.-crankshaft
1 C9PZ 8620-FY	Belt-pump-15/32" x 45 1/4"
2 40923-S2	Screw-5/16" - 18 x 1/2" hex. hd. tapping
7 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. lock
3 383165-S2	Bolt-3/8" - 16 x 3/4" hex. hd.
1 384161-S100	Clamp-P/S hose
1	Installation sketch

D2OZ 3A635-A	Consists of the following
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-G	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 C9ZZ 6A312-A	Pulley-crankshaft-outer
1 C9PZ 8620-FY	Belt-power steering drive-15/32" x 45 1/4"
1 72035-S	Pin-1/8" x 1" - cotter
7 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. locking
3 383165-S2	Bolt-3/8" - 16 x 3/4"
1 384161-S100	Clamp-hose 5/8" dia.
1	Installation sketch

D2OZ 3A635-B	Consists of the following
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube-front
1 D1ZZ 3C511-A	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D0OZ 6A312-E	Pulley assy.-crankshaft
1 C9OZ 8509-D	Pulley assy.-water pump
1 C9PZ 8620-P	Belt-alternator drive 15/32" x 39"
1 D0TZ 8620-B	Belt-pump drive 1/2" x 50 1/2"
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. locking
1 378720-S2	Nut-5/8" - 18" hex.
1 382092-S2	Screw-7/16" - 14 x 3/4" hex. washer hd.
1 383722-S2	Bolt-7/16" - 14 x 6 3/8" hex. hd.
1 384161-S100	Clamp-hose 5/8" dia.
1 384542-S2	Washer-7/16" flat x 3/4" thick
1	Installation sketch

D2OZ 3A635-C	Consists of the following
1 D0AA 3A005-B	Hose-oil cooler return line
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube front
1 D0ZZ 3C511-A	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D2AZ 3D746-A	Cooler assy.-oil
1 D0OZ 6A312-E	Pulley assy.-crank shaft-w/o A/C
1 C9OZ 8509-D	Pulley assy.-water pump-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive-15/32" x 39" -w/o A/C
1 D0TZ 8620-B	Belt-power steering drive -1/2" x 51 1/4" -w/o A/C
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" -16 x 3/4" hex hd. locking
1 378720-S2	Nut-5/8" -18 hex
1 382092-S2	Screw-7/16" -14 x 3/4" hex washer hd.
1 383721-S100	Bolt-7/16" -14 x 6 3/16" hex hd.
1 384161-S100	Clamp-hose 5/8" dia.
1 384543-S8	Washer-7/16" flat-1/2" thick
1	Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D2OZ 3A635-D	Consists of the following
1 D0AA 3A005-B	Hose-oil cooler return line
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube-front
1 D1AZ 3C511-A	Support-power steering pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjusting
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D2AZ 3D746-A	Cooler assy.-oil
1 D0OZ 6A312-E	Pulley assy.-crankshaft
1 C9OZ 8509-D	Pulley assy.-water pump
1 C9PZ 8620-S	Belt-alternator drive 15/32" x 40 1/4"
1 D0TZ 8620-B	Belt-power steering drive 1/2" x 51 1/2"
4 55738-S2	Nut-3/8" - 16" hex. hd. locking
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. locking
1 378720-S2	Nut-5/8" - 18" hex.
2 382092-S2	Screw-7/16" - 14 x 3/4" - hex. washer hd.
1 384161-S100	Clamp-hose 5/8" dia.
1 384387-S2	Screw-7/16" - 14 x 1 1/2" hex. washer-head locking
1 384545-S	Washer-7/16" x 13/16" thick
1	Installation sketch

D2OZ 3A635-E	Consists of the following
1 D0AA 3A005-B	Hose-oil cooler return line
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube front
1 D0AZ 3C511-F	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-J	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjusting
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D2AZ 3D746-A	Cooler assy.-oil
1 C9PZ 8620-CM	Belt-power steering drive-1/2" x 52"
4 55738-S2	Nut-3/8" - 16 hex. hd. locking
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. locking
1 378720-S2	Nut-5/8" - 18 hex.
2 381673-S2	Screw-3/8" - 16 x 5/8" hex. washer hd.
3 384161-S100	Clamp-hose 5/8" dia.
1 385049-S100	Spacer-7/16" flat
1 385243-S2	Bolt-7/16" - 14 x 1 7/8" hex. washer hd.
1	Installation sketch

D2OZ 3A635-F	Consists of the following
1 D1AZ 3D746-D	Cooler assy.-P/S oil
1 D0TZ 8620-B	Belt-P/S drive-1/2" x 50 1/2"
1 34987-S2	Nut-3/8" - 16 lock
1 377278-S2	Stud-3/8" - 16 x 2"
2 381673-S2	Screw-3/8" - 16 x 5/8" hex washer hd.
1	Installation sketch

D2OZ 3A635-G	Consists of the following
1 D0AA 3A005-B	Hose-oil cooler return line
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube
1 D0ZZ 3C511-A	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump
1 D0AZ 3A733-A	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D2AZ 3D746-A	Cooler assy.-oil
1 D2OZ 6312-B	Pulley assy.-crank shaft-w/o A/C
1 D1AZ 8509-B	Pulley assy.-water pump-w/o A/C
1 C9PZ 8620-CM	Belt-power steering drive-1/2" x 51 3/4" - w/o A/C
1 C9PZ 8620-K	Belt-alternator drive-15/32" x 37 1/2" - w/o A/C
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" - 16 x 3/4" hex hd. locking
1 378720-S2	Nut-5/8" - 18 hex
1 382092-S2	Screw-7/16" - 14 x 3/4" hex washer hd.
1 383721-S100	Bolt-7/16" - 14 x 6 3/8" hex hd.
1 384161-S100	Clamp-hose 5/8" dia.
1 384543-S8	Washer-7/16" flat-1/2" thick
1	Installation sketch

D2OZ 3A635-H	Consists of the following
1 D0AA 3A005-B	Hose-return line-18 1/2"
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube-front
1 D1AZ 3C511-A	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D1AZ 3D746-D	Cooler assy.-P/S oil
1 D0TZ 8620-B	Belt-power steering drive-1/2 x 50 3/4"
1 34987-S2	Nut-3/8" - 16 lock
4 55738-S2	Nut-3/8" - 16 hex hd. locking
1 72035-S	Pin-1/8" x 1" cotter
4 370608-S2	Screw-3/8" - 16 x 3/4" hex hd. locking
1 377278-S2	Stud-3/8" - 16 x 2"
1 378720-S	Nut-5/8" - 18 hex
2 381673-S2	Screw-3/8" - 16 x 5/8" hex washer hd.
3 384161-S100	Clamp-hose-5/8" dia.
1 384906-S	Washer-7/16" flat
1 385243-S2	Bolt-7/16" - 14 x 1 7/8" hex. washer hd.
1	Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D2OZ 3A635-J	Consists of the following
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure & return tube
1 D1AZ 3C510-A	Bracket-tube-front
1 D1AZ 3C511-A	Support-power steering pump
1 D2OZ 3590-B	Arm assy.-pitman
1 D0AZ 3A674-A	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjusting
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D0OZ 6A312-E	Pulley assy.-crankshaft
1 D1AZ 8509-B	Pulley assy.-water pump
1 C9PZ 8620-P	Belt-alternator drive 15/32" x 40 1/4"
1 D0VZ 8620-B	Belt-power steering drive 1/2 x 51 1/2"
4 55738-S2	Nut-3/8"-16 hex. hd. locking
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.locking
2 372223-S2	Clip
1 378720-S2	Nut-5/8"-18-hex.
1 384161-S100	Clam-hose 5/8" dia.
1 384387-S2	Screw-7/16"-14 x 1 1/2" hex. washer-head locking
1 384545-S	Washer-7/16" x 13/16" thick
1 385049-S100	Spacer-7/16"
1 385243-S2	Bolt 7/16"-14 x 1 7/8"
1	Installation sketch

D2ZZ 3A635-A	Consists of the following
1 D1ZA 3A500-AB	Gear and flange assy.-steering
1 D1ZA 3E506-AC	Clip-pressure & return line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D2ZZ 3A719-B	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9ZZ 6A312-A	Pulley-crankshaft
1 C9PZ 8620-FY	Belt-power steering pump-15/32" x 45 1/4"
1 72035-S	Pin-1/8" x 1" cotter
7 370608-S2	Screw-3/8"-16 x 3/4" hex. hd. lock
3 383165-S2	Bolt-3/8" - 16 x 3/4" hex. hd.
1 384161-S100	Clamp-hose
1	Installation sketch

D2ZZ 3A635-B	Consists of the following
1 D1ZA 3A500-AB	Gear and flange assy.-steering
1 D1ZA 3E506-AC	Clip-return hose
1 D1ZZ 3C510-A	Bracket-power steering tube
1 D1ZZ 3C511-A	Support-pump
1 D1ZA 3E576-AC	Tube assy.-pressure line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D2ZZ 3A719-A	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D0AZ 3A733-A	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft - w/o A/C
1 C9OZ 8509-D	Pulley-water pump-6 13/16" dia. - w/o A/C
1 C9PZ 8620-CK	Belt-power steering-1/2" x 50" w/A/C
1 C9PZ 8620-CL	Belt-power steering-1/2" x 51" w/o A/C
1 C9PZ 8620-P	Belt-alternator drive 15/32" x 39" - w/o A/C
1 34987-S2	Nut-3/8" 16 lock
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" - 16 x 3/4" hex hd. locking
1 377278-S2	Stud-3/8" - 16 x 2"
1 378720-S2	Nut-5/8" - 18
1 382092-S2	Screw-7/16" - 14 x 3/4" hex washer hd.
1 383722-S2	Bolt-7/16" - 14 x 6 3/8" hex washer hd.
1 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat
1	Installation sketch

D2ZZ 3A635-C	Consists of the following
1 D1ZA 3A500-AB	Gear and flange assy.-steering
1 D1ZA 3E506-AC	Clip-pressure & return line
1 D1ZZ 3C510-A	Bracket-hose
1 D0ZZ 3C511-A	Support-pump adjusting
1 D1ZA 3E576-AC	Tube assy.-pressure line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D2ZZ 3A719-A	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D0OZ 3A733-A	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft w/o A/C
1 D1AZ 8509-B	Pulley-water pump-w/o A/C
1 C9PZ 8620-CM	Belt-power steering-1/2" x 52 1/4" - w/o A/C
1 C9PZ 8620-P	Belt alternator drive-15/32" x 39" - w/o A/C
1 D0TZ 8620-B	Belt-power steering-1/2" x 51 1/4" - w/ A/C
1 34987-S2	Nut-3/8" - 16" lock
1 72035-S	Pin-1/8" x 1" - cotter
5 370608-S2	Screw-3/8" - 16 x 3/4" hex.hd. locking
1 377278-S2	Stud-3/8" - 16 x 2"
1 378720-S2	Nut-5/8" - 18"
1 382092-S2	Screw-7/16" - 14 x 3/4" hex. washer hd.
1 383721-S100	Bolt-7/16" - 14 x 6 3/8"
1 384161-S100	Clamp-5/8" dia.
1 384543-S2	Washer-7/16" flat
1	Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D2ZZ 3A635-D	Consists of the following
1 D1ZA 3A005-AA	Hose-return (cooler to pump)
1 D1ZA 3A500-BB	Gear and flange assy.-steering
1 D1ZA 3E506-AC	Clip-pressure and return hose
1 D1ZZ 3C510-A	Bracket-tube front
1 D0ZZ 3C511-A	Support-pump
1 D1ZA 3E576-AC	Tube assy.-pressure line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D2ZZ 3A719-A	Hose assy.-pressure line
1 D1ZZ 3A732-A	Bracket assy.-pump adjusting
1 D0OZ 3A733-B	Pulley assy.-pump
1 D1ZZ 3D746-A	Cooler assy.-oil-w/o A/C
1 D2OZ 6312-B	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-A	Belt-alternator drive-3/8" x 37 1/2"- (for 351 Special)
1 C9PZ 8620-CM	Belt-power steering-1/2" x 52 1/4" - w/o A/C
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" - 16 x 3/4" hex.hd. locking
1 378459-S36M	Screw-3/8" - 16 x 5/8"
1 378720-S2	Nut-5/8" - 18
1 382092-S2	Screw-7/16" - 14 x 3/4" hex.washer hd.
1 383721-S100	Bolt-7/16" - 14 x 6 3/16" hex.washer hd.
3 384161-S100	Clamp-5/8" dia.
1 384543-S2	Washer-7/16" flat-1/2" thick
1	Installation sketch

D2ZZ 3A635-E	Consists of the following
1 D1AZ 3D746-D	Cooler assy. -oil
1 D0VZ 8620-B	Belt-power steering(51 1/4" x 1/2")
1 34987-S2	Nut-3/8-16 hex lock
1 377278-S2	Stud-3/8" -16 x 2"
2 381673-S2	Screw-3/8" -16 x 5/8" hex hd. lock
1	Installation sketch

D1AZ 3A705-A	Consists of the following
1 D0AA 3A005-B	Hose-return line
1 D1AZ 3A719-C	Hose assy.-P/S pressure line
1 D0AZ 3A733-A	Pulley assy.-pump
1 D1AZ 3D746-B	Cooler assy.-oil
2 381673-S2	Screw-3/8"-16 x 5/8" hex.
2 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D1ZZ 3A705-A	Consists of the following
1 D1ZA 3A005-AA	Hose-return line
1 D1AZ 3D746-B	Cooler assy.-oil
2 381673-S2	Screw-3/8"-16 hex.hd. lock
2 384161-S100	Clamp-5/8" dia.
1	Installation sketch

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A700 ORIFICE - POWER STEERING PUMP TUBE SEAT				
65	A, S		1	C1SS 3A700-A
3B700 ADJUSTER - POWER STEERING CONTROL VALVE SPOOL				
65/69	A	Saginaw gear	1	C5AZ 3B700-A
71/	F		1	
65/67	S		1	C0LR 3B700-A
72	U	Saginaw gear	1	C5AZ 3B700-A
3E701 SPRING - STEERING COLUMN LOCK CYLINDER				
70/	A, B, F, P, S		2	D0AZ 3E701-A
71/	L		2	
3A705 ADAPTER KIT - POWER STEERING - Refer to Group 3A635				
3C705 CAP - POWER STEERING CONTROL VALVE SPOOL CENTERING SPRING				
65/71	B		1	C2AZ 3C705-A
65/70	F, X		1	
70/	P		1	
		Bolt (cap to adapter)-1/4"-20 x 1 1/2"	2	353620-S100(BB18)
		Lockwasher-1/4"		34805-S8 (X62)
3C705 CAP KIT - POWER STEERING CONTROL VALVE SPOOL CENTERING SPRING				
65/71	B	Consists of-(1) C2AZ 3C705-A cap	1	C2AZ 3C705-B
65/70	F, X	(1) C2AZ 3C706-A "O" ring (1) B9M 33712-A	1	
70/	P	plate (2) 358533-S screw & washer	1	
3C706 SEAL - POWER STEERING CONTROL VALVE SPOOL CENTERING SPRING CAP				
65/71	B		1	C2AZ 3C706-A
65/70	F, X		1	
70/	P		1	
3707 NUT - STEERING GEAR WORM THRUST BEARING				
65/	A, B, F, P, S, X(M/S)	3 1/4" hex. dia., 3/4"-16 thread on I. D.	1	B8A 3707-A
65/	A, S(P/S)	Ford gear	1	C5AZ 3707-A
72	B(P/S)		1	
65/69	A(P/S)	Saginaw gear	1	C5AZ 3707-B
71/	F(P/S)		1	
72	U(P/S)		1	
65/71	B, X, (P/S)	2 15/16" hex. dia., 7/16"-16 thread on I. D.	1	C3DZ 3707-A
65/70	F(P/S)		1	
3C708 WASHER - STEERING COLUMN SOCKET - THRUST				
65/66	A (auto. trans.)		1	C5AZ 3C708-A
66/67	B (auto. trans.)-54, 62, 63B, 71, 76B		1	
66/67	X (auto. trans.)		1	
68	A, B, S, X(A/T column shift)-fixed wheel		1	C8AZ 3C708-A
68	A, S(tilt wheel)		1	C7ZZ 3C708-A
68	F(tilt wheel)		1	
69	A, S(tilt wheel)		1	C9AZ 3C708-B
69	A, B, S, X(A/T column shift)-fixed wheel		1	C9AZ 3C708-A
70	P		1	
70/	A, B, F, S(fixed wheel)	2 1/8" dia.	1	D0AZ 3C708-A
71/	P		1	
70/	A, F, S(tilt wheel)	1 7/8" dia.	1	D0AZ 3C708-B
67	F, S(tilt wheel)		1	C7SZ 3C708-A
69	F(tilt wheel)		1	C9ZZ 3C708-A
66	S(deluxe steering column & wheel)		1	★C6SZ 3C708-A
65/66	S(except 1966 deluxe steering column & wheel)		1	C5AZ 3C708-A
3B710 WIRE and TERMINAL - STEERING SHAFT GROUND				
65/66	S	3 1/2" long-cut from B6A 14296-C	1	★C3SA 3B710-A
3E710 VALVE KIT - POWER STEERING CONTROL VALVE RETURN PORT RELIEF				
65/70	F, X	Includes valve & seat	1	C0AZ 3E710-A
65/71	B	1-AC 33710-A Valve	1	
70/	P	1-372896-S Tube seat	1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A711 IMPELLER REPAIR KIT - POWER STEERING PUMP				
65	A, B, F, S, X	Use with Eaton roll type pump-consists of 1-C0AA 3B561-A Carrier 1-C0AA 3B585-A Insert 6-KD 33684-A Roller	1	B9MY 3A711-A
72	S	#HBA-CJ	1	D2VY 3A711-A
3-3712 PLATE - POWER STEERING CONTROL VALVE CAP ADAPTER				
65/71	B		1	B9M 33712-A
65/70	F, X		1	
70/	P		1	
3A713 HOSE ASSY. - POWER STEERING RETURN LINE - Refer to Group 3A719				
3A714 HOSE ASSY. - POWER STEERING CONTROL VALVE TO CYLINDER - HEAD END - Refer to Group 3A719				
3E715 ACTUATOR - STEERING COLUMN LOCK LEVER				
70/	A, F, S (tilt wheel)	#D0AA 3E715-E	1	D0AZ 3E715-A
3C716 INSULATOR - STEERING GEAR				
65/68	S	7/16"-14-2 3/4" O.D.	3	C3SZ 3C716-B
71/	L	Mounting bracket-inner	1	D1FZ 3C716-A
3E716 INSERT - STEERING COLUMN LOCK				
70/	A, B, F, P, S (fixed wheel)		1	D0AZ 3E716-A
71/	L		1	
70/	A, F, S (tilt wheel)		1	D0AZ 3E716-B
3A717 HOSE ASSY. - POWER STEERING CONTROL VALVE TO CYLINDER - ROD END - Refer to Group 3A719				
3E717 GEAR - STEERING COLUMN LOCK				
70/	A, B, F, P, S	8 teeth, 7/16" thick	1	D0AZ 3E717-A
71/	L		1	
		7/16" I.D.-3/4" O.D.-.030" thick-(used as spacer between gear & 3C610 retainer)	1	356214-S8(XX162)
3A719 HOSE ASSY. - POWER STEERING PRESSURE				

POWER STEERING HOSE APPLICATION CHART

All power steering hoses are listed under basic number 3A719.
The description column indicates functions of the parts.

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
- A -					
65/66	A-6 cyl. -w/A/C	"Before 3/16/65"	From gear to cooler-return	30	1 C5AZ 3A713-B
	-w/A/C	"Before 3/16/65"	From cooler to pump-return	AR	1 @ ★ 3A005
	-w/A/C	"From 3/16/65"	From gear to cooler-return	47	1 C5AZ 3A713-C
	-w/A/C	"From 3/16/65"	From cooler to pump-return	A/R	1 @ ★ 3A005
	-w/o A/C		Gear to pump-return	27 1/8	1 C5AZ 3A713-A
			Pump to control valve-pressure-with Ford pump and Ford gear	28 1/2	1 C5AZ 3A719-C
			Pump to control valve-pressure-with Ford pump and Saginaw gear	29	1 C5AZ 3A719-E
	A-8 cyl. -w/A/C		From gear to cooler-return	47	1 C5AZ 3A713-C
	-8 cyl. -w/A/C		From cooler to gear-return	AR	1 @ 3A005
	-8 cyl. -w/o A/C		From gear to pump-return	cut to fit	1 C5AZ 3A713-A
			Pump to gear-pressure-with Eaton pump and Saginaw gear	31	1 C5AZ 3A719-G
			Pump to gear-pressure-with Eaton pump and Ford gear		1 C5AZ 3A719-H
			Pump to gear-pressure-with Ford pump and Saginaw gear	25	1 C5AZ 3A719-D
			Pump to gear-pressure-with Ford pump and Ford gear	25 1/2	1 C5AZ 3A719-B
	-8 cyl. 352, 390		Pump to gear-pressure-with Ford pump and Saginaw gear	30	1 C5AZ 3A719-F
			Pump to gear-pressure- with Ford pump and Ford gear		1 C5MY 3A719-A

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I.D.-5/8" O.D.) bulk hose and use (2) B5A 2344-A clamps # Identification marking

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
- A -					
67	A-6 cylinder	From gear to pump-return	32 3/4	1	C7AZ 3A713-D
		Pump to gear-pressure-with Ford pump and Saginaw gear	29	1	C5AZ 3A719-E
		Pump to gear-pressure-with Ford pump and Ford gear	50	1	C7AZ 3A719-A
	-8 cyl. -w/A/C -w/A/C -w/o A/C	From gear to cooler-return	45 1/4	1	C7AZ 3A713-F
		From cooler to pump-return	24	1	C7AZ 3A713-B
		From gear to pump-return	27	1	C7AZ 3A713-E
		Pump to gear-pressure-with Ford pump and Saginaw gear	30	1	C5AZ 3A719-F
68	A-6 cylinder	Pump to gear-pressure-with Ford pump and Ford gear	30	1	C7AZ 3A719-B
	-8 cyl. -w/o A/C -w/A/C -w/A/C	From gear to pump-return	12	1	C8AZ 3A713-A
		From pump to gear-pressure	32 1/2	1	C8AZ 3A719-B
		From gear to pump-return	12	1	C8AZ 3A713-A
		From gear to cooler-return	32 1/2	1	C8AZ 3A713-B
69	A-6 cylinder	From cooler to pump-return	AR	1	@ 3A005
		From pump to gear-pressure-w/Ford gear	32	1	C8AZ 3A719-A
		From pump to gear-pressure-with Saginaw gear	36	1	C8AZ 3A719-C
	-8 cyl. -w/o A/C -w/A/C -w/A/C	From gear to pump-return	31 1/2	1	C9AZ 3A713-A
		From pump to gear-pressure	30 1/2	1	C9AZ 3A719-B
		From gear to pump-return	31 1/2	1	C9AZ 3A713-A
		From gear to cooler-return	31 1/2	1	C9AZ 3A713-A
70	A-6 cyl.	From cooler to pump-return	AR	1	@ 3A005
		From pump to gear-pressure-with Ford gear	30	1	C9AZ 3A719-D
	-8 cyl. -w/o A/C -w/A/C -w/A/C	From pump to gear-pressure-with Saginaw gear		1	C9AZ 3A719-E
		From pump to gear-pressure-with Saginaw gear	29	1	C9AZ 3A719-C
71	A-6 cylinder	From gear to pump-return	31 1/2	1	C9AZ 3A713-A
		From pump to gear-pressure	30 1/2	1	C9AZ 3A719-B
		From gear to pump-return	32 1/8	1	D0AZ 3A713-B
		From gear to cooler-return	29 1/8	1	D0AZ 3A713-A
	-8 cyl. -w/o A/C -w/A/C -w/A/C	From cooler to gear-return	AR	1	@ 3A005
		From pump to gear-pressure		1	D0AZ 3A719-A
		From gear to pump-return	32 1/8	1	D0AZ 3A713-B
		From pump to gear-pressure	1	1	C9AZ 3A719-B
72	A-6 cyl.	From gear to pump-return	32 1/8	1	D0AZ 3A713-B
		From pump to gear-pressure	1	1	C9AZ 3A719-B
		From gear to pump-return	32 1/8	1	D0AZ 3A713-B
		From gear to cooler-return	29 1/8	1	D0AZ 3A713-A
	-8 cyl.	From cooler to pump-return	AR	1	@ 3A005
		From pump to gear-pressure		1	D1AZ 3A719-A
		From pump to gear-pressure		1	D1AZ 3A719-A
		From pump to gear-pressure		1	D1AZ 3A719-C
	A-6 cyl.	From gear to pump-return	32 1/8	1	D2AZ 3A713-B
		From pump to gear-pressure	32	1	D2AZ 3A713-C
		From gear to pump-return		1	D2AZ 3A719-A
		From pump to gear-pressure		1	D2AZ 3A719-C
	-8 cyl.	From gear to pump-return		1	D2AZ 3A713-B
		From gear to pump-return		1	D2AZ 3A713-C
		From pump to gear-pressure		1	D2AZ 3A719-B
		From pump to gear-pressure		1	D3AZ 3A719-B
	-w/oil cooler	From cooler to pump-return	AR	1	@ 3A005
		From cooler to pump-return		AR	@ 3A005

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I. D. -5/8" O. D.) bulk hose and use (2) B5A 2344-A clamps

◆ Cut hose portion to required length

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER		
- B -							
65	B-6 cylinder	Control valve to pump-return	47	1	C3OZ 3A713-B		
		Valve to cylinder	8 1/2	1	C3OZ 3A714-A		
		Cylinder to valve	9 1/8	1	C3OZ 3A717-A		
		Pump to control valve-pressure	31	1	C5OZ 3A719-B		
	-8 cyl. -w/A/C -w/o A/C	Control valve to pump-return	53 1/2	1	C3OZ 3A713-C		
		Control valve to pump-return	41 1/2	1	C3OZ 3A713-A		
		Valve to cylinder	8 1/2	1	C3OZ 3A714-A		
		Cylinder to valve	9 1/2	1	C3OZ 3A717-A		
		Pump to control valve-pressure - with Ford pump	28 1/2	1	C5OZ 3A719-A		
		Pump to control valve-pressure- with Eaton pump	44 1/2	1	C3OZ 3A719-B		
66	B-6 cylinder	Control valve to pump-return	31 1/2	1	C6OZ 3A713-B		
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A		
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A		
		Pump to control valve-pressure	39 3/8	1	C6OZ 3A719-B		
	-8 cyl. 289	Control valve to pump-return	28 1/2	1	C6OZ 3A713-A		
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A		
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A		
		Pump to control valve-pressure	35	1	C6OZ 3A719-D		
	-8 cyl. 390	"Before 2/1/66"	Control valve to pump-return	35 1/2	1	C6OZ 3A713-C	
			From pump to valve outlet tube-return	30 1/2	1	C6OZ 3A713-D	
		"From 2/1/66"	Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B	
			Valve to cylinder	9 1/2	1	C6OZ 3A714-A	
		"Before 2/1/66"	Cylinder to valve	9 3/4	1	C6OZ 3A717-A	
			Pump to control valve-pressure	37	1	C6OZ 3A719-C	
		"From 2/1/66"	From pump to valve outlet tube-pressure	35	1	C6OZ 3A719-E	
			Valve outlet tube to pressure hose	6 1/2	1	C6OZ 3494-A	
	67	B-6 cylinder	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A	
			Valve to cylinder	9 1/2	1	C6OZ 3A714-A	
			Cylinder to valve	9 3/4	1	C6OZ 3A717-A	
Pump to control valve-pressure			31	1	C7OZ 3A719-A		
-8 cyl. 289		Control valve to pump-return	30	1	C7OZ 3A713-C		
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A		
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A		
		Pump to control valve-pressure	41	1	C7OZ 3A719-C		
-8 cyl. 390, 427		From pump to valve outlet tube-return	30 1/2	1	C8OZ 3A713-B		
		Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B		
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A		
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A		
		From pump to valve outlet tube-pressure	30 1/2	1	C7OZ 3A719-B		
		Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A		
		68	B-6 cyl. 170, 200	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
				Valve to cylinder	9 1/2	1	C6OZ 3A714-A
Cylinder to valve	9 3/4			1	C6OZ 3A717-A		
Pump to control valve-pressure	30			1	C8OZ 3A719-B		
-8 cyl. 289, 302	Control valve to pump-return		30	1	C7OZ 3A713-C		
	Valve to cylinder		9 1/2	1	C6OZ 3A714-A		
	Cylinder to valve		9 3/4	1	C6OZ 3A717-A		
	Pump to control valve-pressure		51	1	C8OZ 3A719-C		
-8 cyl. 390 -8 cyl. 428 (w/o A/C)	From pump to valve outlet tube-return		30 1/2	1	C8OZ 3A713-B		
	Valve outlet tube to return hose		7 1/2	1	C6OZ 3A575-B		
	Valve to cylinder	9 1/2	1	C6OZ 3A714-A			
	Cylinder to valve	9 3/4	1	C6OZ 3A717-A			
	From pump to valve outlet tube-pressure	29 1/2	1	C8OZ 3A719-A			
	Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A			

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
- B -					
68	B-8 cyl.428-w/A/C	From valve outlet tube to cooler-return		1	C9OZ 3A713-B
		Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B
		From cooler to pump-return	AR	1	@ 3A005
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	27 1/2	1	C9OZ 3A719-C
69	B-6 cyl. 250	Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A
		Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	-8 cyl. 302, 351	Pump to control valve-pressure	32 1/2	1	C9OZ 3A719-B
		Control valve to pump-return	24 3/4	1	C9OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	B-8 cyl.390	From pump to valve outlet tube-pressure	22	1	C9OZ 3A719-A
		Valve outlet tube to pressure hose	25 9/16	1	C9OZ 3494-A
		From pump to valve outlet tube-return	30 1/2	1	C8OZ 3A713-B
	B-8 cyl.428 (w/o A/C)	Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	29 1/2	1	C8OZ 3A719-A
	-8 cyl. 428-w/A/C	Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A
		From valve outlet tube to cooler-return		1	C9OZ 3A713-B
		Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B
		From cooler to pump-return	AR	1	@ 3A005
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure		1	C9OZ 3A719-C
		Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A
70/71	B-6 cyl.	Control valve to pump-return	30 3/4	1	D0OZ 3A713-A
		Valve to cylinder-rear	9 1/2	1	C6OZ 3A714-A
		Valve to cylinder-front	9 3/4	1	C6OZ 3A717-A
		From pump to valve-pressure	33 1/4	1	D0OZ 3A719-A
	-8 cyl. 302, 351	Control valve to pump-return	25 1/2	1	D0OZ 3A713-B
		Valve to cylinder-rear	9 1/2	1	C6OZ 3A714-A
		Valve to cylinder-front	9 3/4	1	C6OZ 3A717-A
		From pump to valve-pressure		1	D0OZ 3A719-E
	-8 cyl.429	Valve outlet tube to pressure hose	26 1/2	1	D0OZ 3494-A
		From pump to valve-pressure	23 1/2	1	D0OZ 3A719-F
		Valve outlet tube to pressure hose	26 1/2	1	D0OZ 3494-A
		Control valve to pump-return	25 1/2	1	D0OZ 3A713-B
	-w/o oil cooler	Control valve to pump-return	23	1	D0OZ 3A713-C
		From cooler to pump-return	32	1	@ 3A005
		Valve to cylinder-rear	9 1/2	1	C6OZ 3A714-A
		Valve to cylinder-front	9 3/4	1	C6OZ 3A717-A
72	B-6 & 8 cyl. "Before 3/13/72"				
		-6 & 8 cyl.	From gear to pump-return	♦	1 D2AZ 3A713-B
		-6 cyl.	From pump to gear-pressure		1 D2OZ 3A719-C
		-8 cyl.	From pump to gear-pressure		1 D2AZ 3A719-B
	-w/oil cooler	From cooler to pump-return		AR	@ 3A005
	B-6 & 8 cyl. - "From 3/13/72 to 5/15/72"				
		-6 & 8 cyl.	From gear to pump-return	♦	1 D2OZ 3A713-A
		-6 cyl.	From pump to gear-pressure		1 D2OZ 3A719-G
		-8 cyl. exc.429	From pump to gear-pressure		1 D2OZ 3A719-H
		-8 cyl.429	From pump to gear-pressure		1 D5OZ 3A719-A
		-8 cyl.w/oil cooler	From cooler to pump-return		1 @ 3A005

♦ Cut to appropriate length from C7AZ 3A005-A (3/8" I. D., -5/8" O. D.) bulk hose and use (2) B5A 2344-A clamps

♦ Cut hose portion to required length

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
- B -					
72	B-6 & 8 cyl. "From 5/15/72"				
	-6 & 8 cyl.	From gear to pump-return	◆	1	D2OZ 3A713-A
	-6 cyl.	From pump to gear-pressure		1	D2OZ 3A719-G
	-8 cyl. exc. 429	From pump to gear-pressure		1	D2OZ 3A719-H
	-8 cyl. 429	From pump to gear-pressure		1	D5OZ 3A719-A
	-8 cyl. w/oil cooler	From cooler to pump-return		1	@ 3A005
- F -					
65	F-6 cyl. 170, 200-with EATON pump "Before 3/2/64" "From 3/2/64" "Before 3/2/64" "From 3/2/64"	Control valve to pump-return	43 1/2	1	C5DZ 3A713-C
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Control valve to cylinder	9 1/4	1	C5DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Cylinder to valve	10	1	C5DZ 3A717-A
		Pump to control valve-pressure	34	1	C5DZ 3A719-D
	-6 cyl. 170-with FORD pump	Control valve to pump-return	32	1	C5ZZ 3A713-E
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	31	1	C5ZZ 3A719-C
	-6 cyl. 200-with FORD pump	Control valve to pump-return	45	1	C5DZ 3A713-A
		Control valve to cylinder	9 1/2	1	C5DZ 3A714-A
		Cylinder to valve	10	1	C5DZ 3A717-A
		Pump to control valve-pressure	70	1	C5DZ 3A719-A
	-8 cyl. 260,289-with EATON pump	Control valve to pump-return	32	1	C5ZZ 3A713-E
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	41	1	C5ZZ 3A719-E
	-8 cyl.260-with FORD pump	Control valve to pump-return-w/o A/C	29 3/4	1	C5ZZ 3A713-A
		Control valve to pump-return-w/A/C	34 1/2	1	C5ZZ 3A713-B
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	29 3/4	1	C5ZZ 3A719-A
	-8 cyl. 289-with FORD pump	Control valve to pump-return	35	1	C5ZZ 3A713-D
		Control valve to pump-return	35	1	C5ZZ 3A713-D
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	42 1/2	1	C5ZZ 3A719-D
66	F-6 cyl. 200	Control valve to pump-return	45	1	C5DZ 3A713-A
		Control valve to cylinder	9 1/2	1	C5DZ 3A714-A
		Cylinder to valve	10	1	C5DZ 3A717-A
		Pump to control valve-pressure	70	1	C5DZ 3A719-A
	-8 cyl. 289	Control valve to pump-return	35	1	C5ZZ 3A713-D
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	42 1/2	1	C5ZZ 3A719-D
67	F-6 cylinder	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	31	1	C7OZ 3A719-A
	-8 cyl. 289	Control valve to pump-return	30	1	C7OZ 3A713-C
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	41	1	C7OZ 3A719-C
	(exc. GT350) (GT 350)	Pump to control valve-pressure		1	C7ZX 3A719-A
	-8 cyl. 390	Pump outlet tube to insulator-return	15 1/2	1	C7ZZ 3A713-C
		From insulator to valve-return		1	C7ZZ 3A713-B
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to valve outlet tube-pressure	17 1/2	1	C7ZZ 3A719-B
		Valve outlet tube to pressure hose	17 1/4	1	C7ZZ 3494-A

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I. D. -5/8" O. D.) bulk hose and use (2) B5A 2344-A clamps

◆ Cut hose portion to required length

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
- F -					
68	F-6 cyl. 200	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	-8 cyl. 289, 302	Pump to control valve-pressure	30	1	C8OZ 3A719-B
		Control valve to pump-return	30	1	C7OZ 3A713-C
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	51	1	C8OZ 3A719-C
	-8 cyl. 390, 428CJ (w/o A/C) (exc. GT 350/500) (GT 350/500)	Pump outlet tube to insulator-return	15 1/2	1	C7ZZ 3A713-C
		From insulator to valve-return	21	1	C8ZZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	16	1	C9ZZ 3A719-B
		From pump to valve outlet tube-pressure		1	C7ZX 3A719-A
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
		From valve to insulator-return	21	1	C8ZZ 3A713-A
		From insulator to cooler-return	15 1/2	1	C7ZZ 3A713-C
		From cooler to pump-return	AR	1	@ 3A005
	-8 cyl. 428CJ-w/A/C (exc. GT 350/500) (GT 350/500)	Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	16	1	C9ZZ 3A719-B
		From pump to valve outlet tube-pressure		1	C7ZX 3A719-A
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
		Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
69	F-6 cyl. 200	Pump to control valve-pressure	30	1	C8OZ 3A719-B
		Control valve to pump-return		1	C7OZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
	-6 cyl. 250	Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	32 1/2	1	C9OZ 3A719-B
		Control valve to pump-return		1	C8ZZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	-8 cyl. 302(w/o oil cooler), 351	From pump to valve outlet tube-pressure	27	1	C9ZZ 3A719-A
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
		Control valve to pump-return	9 1/2	1	C6OZ 3A714-A
		Control valve to cylinder	9 3/4	1	C6OZ 3A717-A
		Control valve to cooler-return		1	C8ZZ 3A713-A
		From cooler to pump-return		AR	@ 3A005
		Insulator for return line		AR	• 3A609
	-8 cyl. 302(w/oil cooler)	Control valve to cylinder-inner	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve-outer	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure		1	C9ZZ 3A719-C
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
		From valve to insulator-return	21	1	C8ZZ 3A713-A
		From insulator to cooler-return	15 1/2	1	C7ZZ 3A713-C
		From cooler to pump-return		1	@ 3A005
		Insulator for return line	AR	1	• 3A609
	-8 cyl. 390, 428 CJ, 429 Boss (exc. Boss) Boss 429	Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure		1	C9ZZ 3A719-B
		From pump to valve outlet-pressure		1	C9ZZ 3A719-D
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B

② Cut to appropriate length from C7AZ 3A005-A (3/8" I.D., -5/8" O.D.) bulk hose and use (2) B5A 2344-A clamps
 • Cut to appropriate length from C7AZ 3A609-A bulk stock

3A719 HOSE ASSY.- POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER		
- F -							
70	F-6 cyl. 200	Control valve to pump-return	29	1	D0ZZ 3A713-A		
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A		
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A		
	-6 cyl. 250	Pump to control valve-pressure	30	1	D0ZZ 3A719-F		
		Control valve to pump-return	29	1	D0ZZ 3A713-A		
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A		
	-8 cyl.302(w/o oil cooler), 351	Cylinder to valve	9 3/4	1	C6OZ 3A717-A		
		Pump to control valve-pressure	32 1/2	1	D0ZZ 3A719-F		
		Control valve to pump-return	21	1	C8ZZ 3A713-A		
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A		
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A		
		"Before 1/26/70" From pump to valve outlet tube-pressure	22 1/2	1	D0ZZ 3A719-H		
		"From 1/26/70" From pump to valve outlet tube-pressure	25	1	D0ZZ 3A719-E		
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B		
		-8 cyl. 302(w/oil cooler)	From cooler to pump-return		AR	@ 3A005	
	Insulator for above return line			AR	● 3A609		
	Control valve to cooler-return		21	1	C8ZZ 3A713-A		
		From cooler to pump-return		AR	@ 3A005		
		Insulator for above return line		AR	● 3A609		
		Control valve to cylinder-inner	9 1/2	1	C6OZ 3A714-A		
	-8 cyl. 428CJ, 429 Boss	Cylinder to valve-outer	9 3/4	1	C6OZ 3A717-A		
		From pump to valve outlet tube-pressure	24 1/2	1	D0ZZ 3A719-G		
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B		
		From valve to insulator-return	21	1	C8ZZ 3A713-A		
		From insulator to cooler-return	AR	AR	@ 3A005		
		From cooler to pump-return	AR	AR	@ 3A005		
		Insulator for return line	AR	AR	● 3A609		
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A		
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A		
	428 CJ	From pump to valve outlet tube-pressure		1	C9ZZ 3A719-B		
		429 Boss	From pump to valve outlet tube-pressure		1	C9ZZ 3A719-D	
			Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B	
	71		F-6 cyl.	From gear to pump-return		1	D1ZZ 3A713-A
		From pump to gear-pressure			1	D1ZZ 3A719-B	
		From gear to pump-return			1	D1ZZ 3A713-A	
		-8 cyl.	From cooler to pump-return		AR	@ 3A005	
			-with oil cooler	Insulator for above return line		AR	● 3A609
				Pressure line outlet tube		▲	★D1ZA 3E576-AC
		302, 351		From pump to gear-pressure		1	D1ZZ 3A719-C
			429	From pump to gear-pressure		1	D1ZZ 3A719-A
				From gear to pump-return		1	D1ZZ 3A713-A
		72		F-6 cyl.	From pump to gear-pressure	71 1/2	1
			From pump to gear-pressure		27 3/4	1	D2ZZ 3A719-B
			From gear to pump-return			1	D1ZZ 3A713-A
		-8 cyl.	From cooler to pump-return		AR	@ 3A005	
	-with oil cooler		Insulator for above return line		AR	● 3A609	
			Pressure line outlet tube		▲	★D1ZA 3E576-AC	
			"Before 5/1/72"	From pump to gear-pressure	38 1/2	1	D1ZZ 3A719-C
			"From 5/1/72"	From pump to gear-pressure	26 1/2	1	D2ZZ 3A719-A
- P -							
70/	P-6 cyl. 170, 200	From control valve to pump-return	26 3/4	1	D0DZ 3A713-B		
		From control valve to cylinder-front	9 1/2	1	C6OZ 3A714-A		
		From cylinder to valve-rear	9 3/4	1	C6OZ 3A717-A		
		From pump to control valve-pressure	22	1	D0DZ 3A719-B		

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I.D., -5/8" O.D.) bulk hose and use (2) B5A 2344-A clamps

• Cut to appropriate length from C7AZ 3A609-A bulk stock

▲ Cut to length from B7Q 2269-A (7 3/4") & use (1) 87945-S8 & (1) 379429-S8

3A719 HOSE ASSY.- POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
- P -					
70/	P-6 cyl. 250	From control valve to pump-return	30 3/4	1	D00Z 3A713-A
		From pump to control valve-pressure	33 1/4	1	D00Z 3A719-A
		From control valve to cylinder-front	9 1/2	1	C6OZ 3A714-A
		From cylinder to valve-rear	9 3/4	1	C6OZ 3A717-A
71/	P-8 cyl. 302	From control valve to insulator-return		1	D0DZ 3A713-A
		From pump to control valve-pressure		1	D0DZ 3A719-A
		From control valve to cylinder-front	9 1/2	1	C6OZ 3A714-A
		From cylinder to valve-rear	9 3/4	1	C6OZ 3A717-A
		Valve outlet tube to pressure hose		1	D0DZ 3494-A
		From insulator to pump-return		AR	@ 3A005
- S -					
65/66	S	From w/s wiper motor tube to pump - return-cut to size-from B4C 4090-A bulk hose to fit from w/s wiper motor tube to reservoir or pump	AR	1	@ 3A005
	- with Eaton pump 1965	Pump to gear-pressure	391/2	1	C5SZ 3A719-B
	- with Ford pump 1965/66	From pump outlet tube to gear-pressure	28 1/2	1	C5SZ 3A719-A
		Pump outlet tube-pressure		1	C5SZ 3494-B
67	S	From w/s wiper motor to pump or cooler-return	30 1/2	1	C7SZ 3A713-A
		From cooler to pump-return	AR	1	@ 3A005
		From pump outlet tube to gear-pressure	30	1	C7SZ 3A719-B
		Pump outlet tube-pressure	15 3/4	1	C7SZ 3494-A
68/69	S	From gear to pump or cooler-return	28	1	C8SZ 3A713-A
		From cooler to pump-return	AR	1	@ 3A005
		From pump outlet tube to gear-pressure	30	1	C8SZ 3A719-A
		Pump outlet tube-pressure	17 1/2	1	C8SZ 3494-A
70	S "Before 9/22/69" (w/electric w/s wiper)				
	-w/o A/C	From gear to pump-return		1	C9AZ 3A713-A
	-w/A/C	From gear to cooler-return		1	D0AZ 3A713-A
	-w/A/C	From cooler to pump-return		AR	@ 3A005
		From pump to gear-pressure		1	D0AZ 3A719-A
70/71	S "From 9/22/69" (w/hydraulic w/s wiper)				
		From gear to windshield wiper motor-see basic 17C506			
	w/o A/C	From windshield wiper motor to pump - return		1	D0SZ 3A713-B
	w/A/C	From windshield wiper motor to cooler-return		1	D0SZ 3A713-A
	w/A/C	From cooler to pump-return		AR	@ 3A005
		From pump to gear-pressure		1	D0AZ 3A719-A
72	S-8 cyl. "Before 3/13/72"				
		From gear to pump-return	♦	1	D2VY 3A713-A
	-8 cyl. 400 & (429-w/o A/C)	From pump to gear-pressure		1	D2AZ 3A719-B
	-8 cyl. 429 w/A/C, 460	From pump to gear-pressure		1	D2VY 3A719-B
	-w/A/C	From cooler to pump-return		AR	@ 3A005
72	S-8 cyl. "From 3/13/72"				
		From gear to pump-return		1	D2SZ 3A713-C
	-w/oil cooler	From cooler to pump-return		1	@ 3A005
	-w/o A/C	From pump to gear-pressure		1	D2SZ 3A719-C
	-w/A/C "From 3/13/72 to 5/15/72"	From pump to gear-pressure		1	D2SZ 3A719-D
	-w/A/C "From 5/15/72"	From pump to gear-pressure		1	D2SZ 3A719-E

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I.D. - 5/8" O.D.) bulk hose and use (2) B5A 2344-A clamps

♦ Cut hose portion to required length

May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

3A719 HOSE ASSY.- POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
- U -					
72	U	"From Ser. P40, 001"	From gear to cooler-return	1	D3TZ 3A713-B
			From cooler to pump-return	1	@ 3A005
			From pump to gear-pressure	1	D3TZ 3A719-E
- X -					
65	X-6 cylinder	Control valve to pump-return-w/Ford pump	45	1	C5DZ 3A713-A
		Control valve to pump-return-w/Eaton pump	43 1/2	1	C5DZ 3A713-C
	"Before 8/17/64"	Valve to cylinder	9	1	C3DZ 3A714-A
	"Before 8/17/64"	Cylinder to valve	9 1/2	1	C3DZ 3A717-A
	"From 8/17/64"	Valve to cylinder	10	1	C5DZ 3A714-A
	"From 8/17/64"	Cylinder to valve	10	1	C5DZ 3A717-A
		Pump to control valve-pressure-with Eaton pump	34	1	C5DZ 3A719-D
		Pump to control valve-pressure-with Ford pump	70	1	C5DZ 3A719-A
	-8 cylinder	Control vlv.to pump-return-w/Eaton pump	34	1	C5DZ 3A713-D
		Control vlv.to pump-return-w/Ford pump	33 3/4	1	C5DZ 3A713-B
		Control valve to cylinder	9 1/2	1	C3DZ 3A714-B
		Cylinder to valve	10	1	C3DZ 3A717-B
		Pump to control valve-pressure-with Eaton pump	39 3/4	1	C5DZ 3A719-C
		Pump to control valve-pressure-with Ford pump	54 1/2	1	C5DZ 3A719-B
66	X-6 cylinder	Control valve to pump-return	31 1/2	1	C6OZ 3A713-B
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	32	1	C6OZ 3A719-B
	-8 cyl. 289	Control valve to pump-return	28 1/2	1	C6OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	35	1	C6OZ 3A719-D
67	X-6 cylinder	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	31	1	C7OZ 3A719-A
	-8 cyl. 289	Control valve to pump-return	30	1	C7OZ 3A713-C
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	41	1	C7OZ 3A719-C
68	X-6 cyl.	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	30	1	C8OZ 3A719-B
	-8 cyl. 289, 302	Control valve to pump-return	30	1	C7OZ 3A713-C
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	51	1	C8OZ 3A719-C
69	X-6 cyl.	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	30	1	C8OZ 3A719-B
	-8 cyl. 302	Control valve to pump-return	24 3/4	1	C9OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	22	1	C9OZ 3A719-A
		Valve outlet tube to pressure hose	25 9/16	1	C9OZ 3494-A

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I.D. -5/8" O.D.) bulk hose and use (2) B5A 2344-A clamps

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
- X -					
70	X-6 cyl.	Control valve to pump-return	32 1/2	1	C70Z 3A713-A
		Valve to cylinder	9 1/2	1	C60Z 3A714-A
		Cylinder to valve	9 3/4	1	C60Z 3A717-A
		Pump to control valve-pressure	30	1	C80Z 3A719-B
	-8 cyl. 302	Control valve to pump-return	29	1	D0ZZ 3A713-A
		Valve to cylinder-rear	9 1/2	1	C60Z 3A714-A
		Valve to cylinder-front	9 3/4	1	C60Z 3A717-A
		From pump to valve	20 1/4	1	D00Z 3A719-F
		Valve outlet tube to pressure hose	26 1/2	1	D00Z 3494-A
YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER	
65/	A, S	Clamp-5/8" dia. -spring wire (3A713 hose to pump)	AR	97328-S35(E1C)	
65/	A(with A/C)	Clip-11/16" & 5/16" dia. (3A713 hose and fuel line to fender apron)	2	380397-S100 (GG242)	
66/	A	Clip-11/16" & 7/32" dia. (3A713 hose and fuel line to fender apron)	2	380795-S100 (GG251)	
67/	A, B, F, S, X	Clamp (3A713 hose to pump on reservoir)	1	B5A 2344-A	
68/	A, S	Clamp-11/16" dia. (3A713 hose to pump or reservoir)	1	B7A 8287-A	
67/68	S	Nut-9/16"-18 x 1 3/32" (3A713 hose to wind-shield wiper motor)		379005-S (MM130M)	
65	F(with Eaton pump)	Nut-7/16"-24 (3A719 hose to valve)	1	87943-S8(I-21)	
65/	B, F, X (with Ford pump)	Nut-5/8"-18 (3A719 hose to valve)	1	379429-S7-8 (MM113)	
3C719 GASKET - POWER STEERING PUMP OIL RESERVOIR COVER RETAINING BOLT					
65	B, F, S, X	17/64" I.D.-13/16" O.D.-1/16" thick	1	★C2SZ 3C719-A	
3E723 ACTUATOR ASSY. - STEERING COLUMN LOCK					
70/	A, B, F, P, S(fixed wheel)		1	D0AZ 3E723-A	
71/	L		1		
70/71	A, F, S(tilt wheel)	" Before 4/12/71"	1	D0AZ 3E723-B	
71/	A, F, S(tilt wheel)	" From 4/12/71"	1	D1AZ 3E723-C	
3D727 GUIDE KIT - POWER STEERING GEAR BALL RETURN					
65/69	A(with Saginaw gear)	Consists of 2 guides	1	C5AZ 3D727-A	
71/	F, U(with Saginaw gear)		1		
3A728 CLAMP - POWER STEERING CONTROL VALVE DUST COVER					
65/71	B		1	C2AZ 3A728-A	
65/70	F		1		
70/	P		1		
65	X		1		
3D728 VALVE KIT - POWER STEERING GEAR REAR CHECK VALVE					
65/69	A(with Saginaw gear)	Consists of	1	C5AZ 3D728-A	
71/	F, U(with Saginaw gear)	1-Connector 1-Poppet 1-Spring	1		
3A729 COVER - POWER STEERING CONTROL VALVE BALL STUD DUST					
65/71	B		1	C70Z 3A729-A	
65/70	F, X		1		
70/	P		1		
3D729 BEARING KIT - POWER STEERING GEAR UPPER THRUST					
65/69	A(with Saginaw gear)	Consists of	1	C5AZ 3D729-A	
71/	F, U(with Saginaw gear)	1-Bearing 2-Races 1-Retainer 1-Spacer	1		
3A730 VALVE ASSY. - POWER STEERING HYDRAULIC CONTROL					
65	B		1	C50Z 3A730-A	
66/67	B		1	C60Z 3A730-B	
68/71	B		1	C80Z 3A730-A	
67	F		1	C60Z 3A730-B	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A730 VALVE ASSY. - POWER STEERING HYDRAULIC CONTROL - continued				
65	F(6 cyl.)	"Before 4/9/64"	1	C3DZ 3A730-B
65/66	F(6 cyl.)	"From 4/9/64"	1	C5DZ 3A730-C
65/66	F(8 cyl.)	For appropriate details of repair kits refer to Illus. Sect. 36.2 page 4 or to replace complete assy. use the following:	1	★C5ZZ 3A730-B
	(1) C5ZZ 3304-D Link assy.	(2) C1AA 3C562-A Insulator	(1) C5ZZ 3B731-A Valve assy.	
	(1) C2AZ 3A533-A Kit	(1) C3DZ 3A675-A Spring kit	(1) C1AA 3A754-C Socket	
	(1) C1AA 3C560-A Stop	(1) C2AZ 3C705-B Cap kit	(1) AC 33698-A Bolt	
68/70	F		1	C8OZ 3A730-A
70/	P		1	C8OZ 3A730-A
65	X(6 cyl.)		1	C5DZ 3A730-C
65	X(8 cyl.)	Replaced by details-see Illustration Section 36.2 Page 4	1	★C5DZ 3A730-A
66/67	X		1	C6DZ 3A730-B
68/70	X		1	C8OZ 3A730-A
65/	B, F, X	Bolt (clamp)-3/8"-24 x 1 1/2"	1	20469-S8(B174)
		Nut 3/8"-24		33800-S8(M63)
		Lockwasher-3/8"		357629-S7(XX303)
		Seat-3/8" tube-aluminum	1	372896-S(TT6)
		Seat-5/16" tube-aluminum	2	373430-S(TT5)
		Seat-1/4" tube-aluminum	1	372895-S
		Screw & washer assy. (valve housing to ball stud)-5/16"-18 x 7/8"	2	★373406-S
		Lockwasher-5/16"	2	34806-S7(X64)
65/	X	Fitting (lubricator)-1/4"-28	1	87907-S(I-3)
65/	F, X	Plug (valve)-1/4"-28	1	374714-S7-8 (PP35A)
67/	B, F, X	Bolt(clamp)-5/16"-24 x 1 1/2"	1	20467-S(B160)
		Nut(clamp)-5/16"-24	1	34443-S(M79)
3D730 BEARING KIT - POWER STEERING GEAR LOWER THRUST				
65/69	A (with Saginaw gear)	Consists of 1-Bearing 2-Races	1	C5AZ 3D730-A
71/	F, U (with Saginaw gear)		1	
3B731 HOUSING and SPOOL ASSY- POWER STEERING HYDRAULIC CONTROL VALVE				
65/66	F(8 cyl.)		1	C5ZZ 3B731-A
65	X(8 cyl.)		1	
3D731 SEAL KIT - POWER STEERING GEAR BACK UP VALVE				
65/69	A (with Saginaw gear)	Consists of 3-Rings 3-Seals	1	C5AZ 3D731-A
71/	F, U (with Saginaw gear)		1	
3A732 BRACKET - POWER STEERING PUMP ADJUSTING - Also refer to Group 3C511				
- A -				
65/66	A(6 cyl.)		1	C5AZ 3A732-C
65	A(8 cyl. 289)-with Eaton pump	Not Replaced	2	★
65/66	A(8 cyl. 289)-with Ford pump		1	C5AZ 3A732-B
	A(8 cyl. 352, 390, 428)		1	C5AZ 3A732-G
67/	A(6 cyl.)		1	C7AZ 3A732-A
67/69	A(8 cyl. exc. 429)		1	C7SZ 3A732-A
70/71	A(8 cyl. 390, 428)		1	
69	A(8 cyl. 429)	" Before 12/5/68"	1	C8SZ 3A732-A
	A(8 cyl. 429)	" From 12/5/68"	1	C9AZ 3A732-A
70/	A(8 cyl. 302)		1	D0AZ 3A732-C
70	A(8 cyl. 351)		1	
70/	A(8 cyl. 400, 429)		1	D1AZ 3A732-A
71/	A(8 cyl. 351)		1	
- B -				
65/67	B(6 cyl.)	Ford pump	1	C7OZ 3A732-A
65	B(8 cyl. 289)-with Eaton pump	Not Replaced	2	★
65/66	B(8 cyl. 289)-with Ford pump		1	C5AZ 3A732-B
66	B(8 cyl. 390)		1	C5AZ 3A732-G

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A732 BRACKET - POWER STEERING PUMP ADJUSTING - continued				
- B -				
68	B(6 & 8 cyl.)		1	C7SZ 3A732-A
69	B(8 cyl.)		1	
69/	B(6 cyl. 250)		1	C9ZZ 3A732-A
70/71	B(8 cyl. 302)		1	D0AZ 3A732-C
70/	B(8 cyl. 351-C*)		1	
72	B(8 cyl. 302)-without A/C		1	
70/	B(8 cyl. 429)		1	D1AZ 3A732-A
72	B(8 cyl. 302)-with A/C		1	
72	B(8 cyl. 400)		1	
72	B(8 cyl. 351-W*)		1	
- F -				
65	F(6 cyl. 170)	Front-Not Replaced	1	*C3OZ 3A732-A
		Rear - Not Replaced	1	*C3OZ 3A732-C
65/66	F(6 cyl. 200)	Side support-not replaced	1	*C2OZ 3A732-A
65	F(8 cyl. 260)		1	C7OZ 3A732-A
		Front - Not Replaced	1	*C5ZZ 3A732-A
		Rear-not replaced	1	*C5ZZ 3A732-B
65/66	F(8 cyl. 289)-with Eaton pump	Not Replaced	2	★
67/68	F(8 cyl. 289)-with Ford pump		1	C5AZ 3A732-B
69	F(6 & 8 cyl.)		1	C7SZ 3A732-A
69/70	F(6 & 8 cyl. 200, 302, 351)		1	
69/70	F(8 cyl. 427, 428)		1	
69/	F(6 cyl. 250)		1	C9ZZ 3A732-A
70	F(8 cyl. 302, 351)		1	D0ZZ 3A732-A
71/	F(8 cyl. 302 & 351 exc. Boss & CJ)		1	D0AZ 3A732-C
71/	F(8 cyl. 351 CJ)-with A/C		1	
71	F(8 cyl. 302 & 351 Boss)		1	D1ZZ 3A732-A
71/	F(8 cyl. 351 CJ)-without A/C		1	
69/70	F(8 cyl. 429 Boss)		1	C9ZZ 3A732-B
71	F(8 cyl. 429)		1	D1AZ 3A732-A
- P -				
70/	P(6 cyl. 170, 200)		1	C7SZ 3A732-A
71/	P(6 cyl. 250)		1	C9ZZ 3A732-A
	P(8 cyl. 302)		1	D0ZZ 3A732-A
- S -				
65/66	S(without A/C)		1	C5SZ 3A732-B
	S(with A/C)		1	D0TZ 3A732-A
67	S		1	C7SZ 3A732-A
68	S(8 cyl. 390)		1	C7SZ 3A732-A
	S(8 cyl. 429)		1	C8SZ 3A732-A
69	S(8 cyl. 429)	" Before 12/5/68"	1	C8SZ 3A732-A
	S(8 cyl. 429)	" From 12/5/68"	1	C9AZ 3A732-A
70/71	S(8 cyl. 429)	Use with 3/8" dia. pivot stud	1	D1AZ 3A732-A
72	S(8 cyl. 400)	Use with 7/16" dia. pivot stud	1	D1AZ 3A732-A
	S(8 cyl. 429)-with Ford pump & without A/C)		1	D1AZ 3A732-A
	S(8 cyl. 429-w/A/C, 460)-with Saginaw pump		1	D2VY 3A732-A
- U -				
72	U	"From Ser. P40, 001"	1	C7SZ 3A732-A
- X -				
65	X(8 cyl. 289)-with Eaton pump	Not Replaced	2	★
65/66	X(8 cyl. 289)-with Ford pump		1	C5AZ 3A732-B
65/67	X(6 cyl.)		1	C7OZ 3A732-A
67/70	X(6 & 8 cyl.)		1	C7SZ 3A732-A
65/	A (8 cyl.), S	Bolt (bracket to water pump)	2	20428-S7(B82)
65/	A (8 cyl.)-with A/C		1	

* Engine code
May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A732 BRACKET - POWER STEERING PUMP ADJUSTING - continued				
65/	B-8 cyl.	Bolt (bracket to compressor mounting bracket)- 3/8"-24 x 3/4"	2	20349-S7-8(B170)
		Washer-flat-3/8"		382585-S(XX143A)
		Lockwasher-3/8"		34807-S8(X66)
65	F(8 cyl.)-with A/C	Bolt (to pump)-3/8"-16 x 3 1/16"-self-locking	1	359099-S(BB417)
		Washer-flat-3/8"		356951-S(XX134)
		Nut-3/8"-16	1	33799-S7(M52)
		Lockwasher-3/8"		34807-S8(X66)
65/	A-6 cyl.	Bolt (bracket to generator mounting bracket)- 3/8"-16 x 1 1/8"	1	20408-S7(B81)
65/	A(6 cyl.)	Bolt (brkt.to generator mounting brkt)-3/8"-16 x 1"	1	20388-S8(B80)
65/	A(8 cyl.)	Bolt (bracket to support)	1	
65	F(6 cyl.)		1	
65/	A(8 cyl.),S	Washer-flat-3/8"		44727-S8(X24)
		Lockwasher-3/8"		34807-S8(X66)
65/	A	Bolt (bracket to pump)-3/8"-16 x 2"	3	20522-S8(B89)
65/	B (8 cyl.)-without A/C	Screw (bracket to support)-upper hole- 3/8"-16 x 1 9/16"	1	376532-S8(WW118)
65/	A(8 cyl. 352, 390)-with A/C	Bolt (bracket to pump)-3/8"-16 x 2 3/8"	1	350388-S(BB159)
65/	S		3	
65/	A (6 cyl. & 8 cyl.)	Bolt (bracket to pump)-3/8"-16 x 2 1/8"	1 or 3	370967-S(BB158)
65/	B (6 cyl.)-with Automatic Trans.		5	
65/	B(8 cyl.)		3	
65	F		5	
65/	A(8 cyl. 352, 390)	Bolt (bracket to pump)-3/8"-16 x 2 1/2"	1	371741-S(BB160)
65	A, B, F, X (8 cyl. 289)-Eaton pump		1	
65	F(6 cyl.)	Bolt (bracket to pump)-3/8"-16 x 1 1/8"	1	354135-S7-8 (BB155A)
65/	A (8 cyl. 260, 289)	Screw & washer (bracket to cyl. head)-3/8"-16 x 1"	2	373293-S8(BB563)
65	F(8 cyl.)		2	
65/	X(8 cyl.)		3	
65	A (8 cyl. 260, 289), B, X, F(8 cyl.)	Bolt (bracket to pump)-3/8"-16 x 3 3/4"	1 or 2	377957-S7-8(BB169A)
65/	A (8 cyl. 260, 289), B, X(8 cyl.)	Stud (bracket to cylinder block)- 5/16"-18 & 5/16"-18 x 4 9/16" hex. shoulder	1	377958-S7-8 (WW104)
65	F(8 cyl.)-without A/C	Stud (to water pump)	1	
65	F(8 cyl.)	Nut-5/16"-18		33797-S7(M50)
65	S(with A/C)	Stud (to water pump)-3/8"-16 x 2.24"	2	380033-S2(WW6G)
67	A(8 cyl. 289)-Saginaw gear	Stud(to engine)-3/8"-16 & 3/8"-16 x 7 3/8"	1	377060-S2 (WW13W)
66/69	B, F, X(8 cyl.)		1	377060-S2 (WW13W)
67	S(with super extra cooling)	Bolt & washer (pump to bracket)-3/8"-16 x 1 1/8"	2	373162-S(BB563A)
67/	A	Screw (to Power Steering pump)-3/8"-16 x 3/4"	3	370608-S2(BB579)
67/	A, B, F, X	Screw (to engine)	2	
67/	B, X	Screw (to water pump)	2	
67/	B, X(8 cyl. 289)	Bolt (to pump)-3/8"-16 x 7/8"-washer head	2	371041-S7-8(BB575B)
67/	F(8 cyl. 390)		3	
67/	A(8 cyl. 289)-Saginaw gear		3	
67/	A(8 cyl. 289)-Saginaw gear	Bolt(to pump support)	1	
69/	A, S(8 cyl. 429)	Stud(bracket to engine)-7/16"-14 x 7 13/16"	1	383791-S (WW22G)
		Washer-7/16"	1	★354149-S8
69	B (8 cyl. 351)	Bolt 3/8"-16 x 6 3/8"-hex. hd.	1	382860-S(BB890)
69/	X(6 cyl.)			
72	U	"From Ser. P40, 001"		
		Bolt (bracket to pump)-3/8"-16 x 7/8"	3	371041-S(BB575B)
3D732 SEAL KIT - POWER STEERING GEAR SECTOR SHAFT ARM SEAL				
65/69	A(Saginaw)	Also serviced in C5AZ 3C538-D kit	1	C5AZ 3D732-A
71/	F, U		1	
Consists of				
1-Sector shaft seal retaining ring		1-Sector shaft seal (inner)		
1-Sector shaft seal (outer)		2-Sector shaft seal back-up washers		

3A733 PULLEY - POWER STEERING PUMP - Also refer to Group 6A312

PULLEY IDENTIFICATION CHART

An identification number appears on the front portion of the pulley assembly. The following chart will provide a quick cross reference to the service part number when the identification is known. Pulleys may also be selected by year, model and description in the model application chart which follows the identification chart.

PULLEY				PULLEY			
IDENTIFICATION	O.D.	SHEAVE WIDTH	SERVICE NUMBER	IDENTIFICATION	O.D.	SHEAVE WIDTH	SERVICE NUMBER
AA	5 1/4"	3/8"	C7AZ 3A733-A	80A			C8OZ 3A733-A
AB	4 7/8"	5/16"	C5AZ 3A733-B	80B	5 1/2"	7/16"	C9OZ 3A733-B
AC	4 7/8"	7/16"	C5AZ 3A733-C	8SA	4 5/8"	7/16"	C8SZ 3A733-A
AD	5 1/4"	7/16"	C5AZ 3A733-D	90A	4 7/8"	5/16"	C9OZ 3A733-A
AE	4 5/8"		C5AZ 3A733-J	90B	6 3/8"	5/16"	C9OZ 3A733-C
AF	5 3/4"	5/16"	*C5AZ 3A733-F r/b C7AZ 3A733-A	D0AR 3D673-A	5 5/8"	7/16"	D0AZ 3A733-A
AG	4 5/8"	7/16"	C5AZ 3A733-G	D0AR 3D673-B	5 13/32"	7/16"	C9TZ 3A733-D
AJ	4 5/8"		C5AZ 3A733-J				
DA	4 7/8"	5/16"	C5DZ 3A733-A	D0OR 3D673-A	6 1/2"	7/16"	D0OZ 3A733-A
				D0OR 3D673-B	6 1/4"	7/16"	D0OZ 3A733-B
6AA	4 21/32"	7/16"	C7AZ 3A733-E	D0OR 3D673-C	5 1/2"	5/16"	D0OZ 3A733-C
7AA			C7AZ 3A733-A				
7AB	4 5/8"	7/16"	C5AZ 3A733-G	D1VR 3D673-AA	5 13/32"	7/16"	D1VY 3A733-A
7AC	5 3/4"	5/16"	C5AZ 3A733-F	D2VR 3D673-AA			D2VY 3A733-A
7AD	5"	3/8"	C7AZ 3A733-D		4 11/16"	7/16"	C1SE 3A733-B
7AE	4 5/8"	5/16"	C7AZ 3A733-F		4 7/16"	3/8"	C2OZ 3A733-A
					4 5/8"	3/8"	C3DZ 3A733-A

MODEL APPLICATION CHART

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER	
	- A -				
65	A(8 cyl.289)-w/Eaton pump	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B	
65/66	A(6 cyl.240)	Without A/C,without dual belt alternator	1	C5AZ 3A733-B	
		Without A/C, with dual belt alternator	1	C5AZ 3A733-D	
		With A/C,without dual belt alternator	1	C5AZ 3A733-H	
	A(8 cyl.289)-w/Ford pump	Without A/C, without dual belt alternator	1	C5AZ 3A733-C	
		Without A/C, with dual belt alternator	1	C5AZ 3A733-J	
		With A/C	1	C7AZ 3A733-A	
	A(8 cyl.352,390,428)	Without A/C, without dual belt alternator	1	C5AZ 3A733-C	
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G	
		With A/C	1	C7AZ 3A733-A	
	67	A(6 cyl.240)	Without A/C, without dual belt alternator	1	C5AZ 3A733-B
Without A/C, with dual belt alternator			1	C5AZ 3A733-D	
With A/C			1	C5AZ 3A733-H	
A(8 cyl.289)		Without A/C, without dual belt alternator	1	C5AZ 3A733-D	
		Without A/C, without dual belt alternator	1	C7AZ 3A733-F	
		Without A/C, with T/E	1	C7AZ 3A733-A	
A(8 cyl.390,428)		With A/C	1	C7AZ 3A733-D	
		Without A/C, without dual belt alternator	1	C5AZ 3A733-C	
		Without A/C, without dual belt alternator, with super extra cooling	1	C7AZ 3A733-E	
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G	
		With A/C	1	C7AZ 3A733-A	
68		A(6 cyl.240)	Without dual belt alternator	1	C5AZ 3A733-H
			With dual belt alternator	1	C5AZ 3A733-D
		A(8 cyl.302,351)	Without A/C, without T/E	1	C7AZ 3A733-F
	Without A/C, without dual belt alternator		1	C7AZ 3A733-E	
	With A/C		1	C7AZ 3A733-D	
	A(8 cyl.390,428)	Without A/C	1	C7AZ 3A733-E	
		With A/C	1	C7AZ 3A733-A	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A733 PULLEY - POWER STEERING PUMP - continued				
- A -				
69	A(6 cyl.240)		1	C5AZ 3A733-D
	A(8 cyl.302,351)	Without A/C, without T/E	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-D
	A(8 cyl.390,428)	Without A/C	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-A
70	A(8 cyl.429)		1	C8SZ 3A733-A
	A(6 cyl.)		1	C5AZ 3A733-D
	A(8 cyl.302,351)		1	C9TZ 3A733-D
	A(8 cyl.390)	Without A/C	1	C7AZ 3A733-E
	A(8 cyl.390,428)	With A/C	1	C7AZ 3A733-A
	A(8 cyl.428)	Without A/C	1	C9OZ 3A733-B
	A(8 cyl.429)	Without A/C	1	C9TZ 3A733-D
71/		With A/C	1	D0AZ 3A733-A
	A(6 cyl.)		1	C5AZ 3A733-D
	A(8 cyl.302,351,400)		1	C9TZ 3A733-D
	A(8 cyl. 390)	Without A/C	1	C7AZ 3A733-E
	A(8 cyl. 390)	With A/C	1	C7AZ 3A733-A
	A(8 cyl.429 exc.P/C)	Without A/C	1	C9TZ 3A733-D
		With A/C	1	D0AZ 3A733-A
	A(8 cyl.429 P/C)		1	C9TZ 3A733-D
- B -				
65	B(6 cyl.)-w/Eaton pump	Without A/C-4 7/16" O.D.-7/16" single sheave	1	C3DZ 3A733-A
		With A/C	1	C2OZ 3A733-A
65/66	B(8 cyl.289)-w/Eaton pump	4 7/16" O.D.-1 1/2" single sheave	1	C1SE 3A733-B
	B(6 cyl.)-w/Ford pump	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	B(8 cyl.289)-w/Ford pump	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-J
		With A/C	1	C7AZ 3A733-A
	B(8 cyl.390)	Without A/C, without dual belt alternator	1	C5AZ 3A733-A
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G
		With A/C	1	C7AZ 3A733-A
67	B(6 cyl.)	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	B(8 cyl.289)	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-D
		With A/C	1	C7AZ 3A733-D
	B(8 cyl.390,427)	Without A/C-without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G
		With A/C	1	C7AZ 3A733-A
68	B(6 cyl.)		1	C8OZ 3A733-A
	B(8 cyl.302)	Without A/C, without dual belt alternator	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-D
	B(8 cyl.390)	Without A/C	1	C7AZ 3A733-E
	B(8 cyl.390-exc.GT)	With A/C	1	C7AZ 3A733-A
	B(8 cyl.390 GT)	With A/C	1	C7AZ 3A733-A
	B(8 cyl.428)		1	C9OZ 3A733-B
69	B(6 cyl.)		1	C9OZ 3A733-A
	B(8 cyl.302,351)	Without A/C, without dual belt alternator	1	C7AZ 3A733-A
		Without A/C, with dual belt alternator	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
	B(8 cyl.390,428)	Without A/C	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
70	B(6 cyl.)		1	D0OZ 3A733-C
	B(8 cyl.302,351)		1	D0OZ 3A733-B
	B(8 cyl.429-exc.CJ)	Without A/C	1	D0OZ 3A733-A
		With A/C	1	D0OZ 3A733-B
	B(8 cyl.429 CJ)		1	D0OZ 3A733-B
71	B(6 cyl.)		1	D0OZ 3A733-C
	B(8 cyl.302,351)		1	D0OZ 3A733-B
	B(8 cyl.429)		1	D0AZ 3A733-A

FORD CAR PARTS

SECTION 37

17

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A733 PULLEY - POWER STEERING PUMP - continued				
- B -				
72	B(6 cyl.)		1	D0OZ 3A733-C
	B(8 cyl.302,351-2V)		1	C9TZ 3A733-D
	B(8 cyl.400 exc. P/C)		1	
	B(8 cyl.351 C J)		1	D0AZ 3A733-A
	B(8 cyl.429 exc. P/C)	Without A/C	1	C9TZ 3A733-D
		With A/C	1	D0OZ 3A733-B
	B-Police (8 cyl.400,429)		1	D0AZ 3A733-A
- F -				
65	F(6 cyl.170)	Without A/C - 4 7/8" O.D.-5/16" sheave	1	C3DZ 3A733-A
		With A/C-4 7/16" O.D.-7/16" sheave	1	C2OZ 3A733-A
65/66	F(8 cyl.260)	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B
	F(6 cyl.200)	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	F(8 cyl.289)-w/Ford pump	Without A/C	1	C5AZ 3A733-C
		With A/C	1	C7AZ 3A733-A
	F(8 cyl.289)-w/Eaton pump	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B
67	F(6 cyl.)	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	F(8 cyl.289)	Without A/C	1	C5AZ 3A733-C
		With A/C	1	C7AZ 3A733-D
	F(8 cyl.390)	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G
68		With A/C	1	C7AZ 3A733-A
	F(6 cyl.)		1	C8OZ 3A733-A
	F(8 cyl.289,302)	Without A/C, without dual belt alternator	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-D
	F(8 cyl.390)	Without A/C	1	C7AZ 3A733-E
	F(8 cyl.390 exc. GT)	With A/C	1	C7AZ 3A733-A
	F(8 cyl.390 GT)	With A/C	1	C7AZ 3A733-A
	F(6 cyl.200)		1	C8OZ 3A733-A
	F(6 cyl.250)		1	C9OZ 3A733-A
69	F(8 cyl.302 exc. Boss,351)	Without A/C, without dual belt alternator	1	C7AZ 3A733-A
		Without A/C, with dual belt alternator	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
	F(8 cyl.302 Boss)		1	C9OZ 3A733-B
	F(8 cyl.390,428)	Without A/C	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
70	F(6 cyl.200)		1	C8OZ 3A733-A
	F(6 cyl.250)		1	D0OZ 3A733-C
	F(8 cyl.302 exc. Boss,351 (C)*)		1	D0OZ 3A733-B
	F(8 cyl.302 Boss)		1	D0OZ 3A733-A
	F(8 cyl.351 (W)*)		1	D0AZ 3A733-A
	F(8 cyl.390,428)	Without A/C	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
71/	F(6 cyl.)		1	D0OZ 3A733-C
	F(8 cyl.302 exc. Boss)		1	D0AZ 3A733-A
	F(8 cyl.302 Boss,351)		1	D0OZ 3A733-B
	F(8 cyl.429)		1	D0AZ 3A733-A
- P -				
70/	P(6 cyl.170,200)		1	C8OZ 3A733-A
71/	P(6 cyl.250)		1	D0OZ 3A733-C
71	P(8 cyl.302)		1	D0OZ 3A733-B
72	P(8 cyl.302)		1	D0AZ 3A733-A
- S -				
65	S(8 cyl.)-w/Eaton pump	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B
65/66	S(8 cyl.)-w/Ford pump	Without A/C, without T/E	1	C5AZ 3A733-C
		Without A/C, with T/E	1	C5AZ 3A733-G
		With A/C	1	C7AZ 3A733-A

* Engine tag code
May, 1975

COPYRIGHT © 1975 —

FORD MOTOR
COMPANY

— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3A733 PULLEY - POWER STEERING PUMP - continued				
- S -				
67	S(8 cyl.)	Without T/E	1	C7AZ 3A733-A
		With T/E	1	C7AZ 3A733-E
68/69	S(8 cyl.390)		1	C7AZ 3A733-A
	S(8 cyl.429)		1	C8SZ 3A733-A
70/71	S(8 cyl.)	Without A/C	1	C9TZ 3A733-D
		With A/C	1	D0AZ 3A733-A
72	S(8 cyl.400,429-w/o A/C)		1	C9TZ 3A733-D
	S(8 cyl.429-w/A/C)		1	D2VY 3A733-A
	S(8 cyl.460)		1	
- U -				
72	U	"From Ser. P40,001"	1	C7AZ 3A733-A
- X -				
65	X(6 cyl.)-w/Eaton pump	Without A/C-4 7/16" O.D.-7/16" sheave	1	C3DZ 3A733-A
		With A/C-4 7/16" O.D.-7/16" sheave	1	C2OZ 3A733-A
	X(8 cyl.)-w/Eaton pump	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B
65/66	X(6 cyl.)-w/Ford pump	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	X(8 cyl.)-w/Ford pump	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-J
		With A/C	1	C7AZ 3A733-A
67	X(6 cyl.)	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	X(8 cyl.)	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-D
		With A/C	1	C7AZ 3A733-D
68	X(6 cyl.)		1	C8OZ 3A733-A
	X(8 cyl.)	Without A/C, without dual belt alternator	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-D
69/70	X(6 cyl.)		1	C8OZ 3A733-A
	X(8 cyl.)	Without A/C, without dual belt alternator	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
65/	A,B,F,S,X	Bolt (pulley to pump)-5/16"-18 x 7/8"	1	20366-S8(B52)
		Lockwasher-5/16"		34806-S7(X64)
		Washer-flat-5/16"		353846-S8(XX120)
		Washer-flat-5/16"		44725-S8(X22)
		Key-woodruff (pulley to pump)-1/8" x 1/2"	1	74172-S(L3)
3C733 RETAINER - MOVABLE STEERING COLUMN LOCKING LEVER SPRING				
65	A(with Automatic Trans.)		1	C3AZ 3C733-A
65/66	S		1	
3D733 SEAL KIT - POWER STEERING GEAR ADJUSTER PLUG				
65/69	A	Saginaw gear-consists of 3 seals	1	C5AZ 3D733-A
71/	F,U		1	
3734 ARM - STEERING IDLER-Refer to Group 3352				
3A734 ARM - STEERING IDLER-Refer to Group 3350				
3D734 SEAL KIT - POWER STEERING GEAR "O" RING				
65/69	A	Saginaw gear-consists of	1	C5AZ 3D734-B
71/	F,U	(1) "O" ring seal kit (1) Seal-adj. plug		
		(1) Seal-cap to worm (1) Seal-side cover		
		(1) Seal-valve spool (1)Seal-hsng.end plug		
		(1) Seal-input shaft end plug		
3738 SEAL - STEERING GEAR SECTOR SHAFT OIL				
65/	A,B,F,P,X	Rubber-23/32" I.D. -1" O.D.	1	B5S 3738-A
71/	L	Use with gear tagged #SMC-A	1	D1FZ 3738-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3D739 PIN - STEERING COLUMN PIVOT				
67/69	A, F, S (tilt wheel)	7/8" long with shoulder top with 5 threads	4	C7SZ 3D739-A
70/	A, F, S (tilt wheel)	9/32" diameter-5/8" long	2	D0AZ 3D739-A
3E739 RETAINER - STEERING COLUMN COLLAR				
72	B, S		1	D2OZ 3E739-A
3-3739 CLAMP - POWER STEERING CONTROL VALVE BALL STUD SLEEVE				
65/71	B		1	B7A 33739-A
65/70	F, X		1	
70/	P		1	
3A740 GASKET - POWER STEERING CONTROL VALVE BODY				
65/71	B		1	C1AA 3A740-C
65/70	F, X		1	
3B740 PLUG - POWER STEERING CONNECTING LINK BALL STUD SEAT				
65/67	B, F, X		1	C1AA 3B740-B
3E742 SPACER - STEERING COLUMN BRACKET INSULATOR				
71/	L		1	D1FZ 3E742-A
72	B, S		1	
3D743 BRACKET ASSY. - POWER STEERING OIL COOLER				
65	A (with A/C)	"Before 3/16/65"	1	★C5AZ 3D743-A
68/70	A (428 P/C) - without A/C		1	C8AZ 3D743-A
67/69	S (with A/C)		1	C7SZ 3D743-C
68/70	A	Bolt (to pump) - 3/8"-16 x 1 1/8"	1	373162-S (BB563A)
3A745 CAP - POWER STEERING GEAR CYLINDER				
65/69	A	Saginaw gear	1	C5AZ 3A745-A
71/	F, U		1	D1ZZ 3A745-A
3A746 RING - POWER STEERING GEAR CYLINDER CAP RETAINING				
65/69	A	Saginaw gear	1	C5AZ 3A746-A
71/	F, U		1	
3D746 COOLER ASSY. - POWER STEERING OIL				

OIL COOLER IDENTIFICATION CHART

An identification number appears on the front portion of the cooler assembly. The following chart will provide quick identification of the service part number when identification is known. Coolers may also be selected by year, model and description following this chart

IDENTIFICATION NUMBER	SERVICE PART NUMBER	IDENTIFICATION NUMBER	SERVICE PART NUMBER
C5AA 3D746-A	C5AZ 3D746-A	D0ZA 3D746-A	D0ZZ 3D746-A
C5AA 3D746-B	C5AZ 3D746-B	D1AA 3D746-AA	D1AZ 3D746-D
C5AA 3D746-C	C6AZ 3D746-A	D1AA 3D746-AB	D1AZ 3D746-D
C6AA 3D746-A	C6AZ 3D746-A	D1AA 3D746-BA	D2AZ 3D746-A
C8AA 3D746-A,B,C	C8AZ 3D746-A	D1AA 3D746-CA	D1AZ 3D746-E
C8OA 3D746-A	C8OZ 3D746-A	D1OA 3D746-AA	D2AZ 3D746-A
C9AA 3D746-B	C9AZ 3D746-A	D1VA 3D746-AA,AB	D1VY 3D746-B
C9AA 3D746-C	C9AZ 3D746-B	D1ZA 3D746-AA	D1ZZ 3D746-A
C9ZA 3D746-A	C9ZZ 3D746-A	D2AA 3D746-AA	D2AZ 3D746-A
D0AA 3D746-B	D1AZ 3D746-E	D2AA 3D746-BA, CA, CB	D2AZ 3D746-B
ED-D0AA 3D746-C	D1AZ 3D746-E	D2OA 3D746-AB	D2OZ 3D746-A
D0AA 3D746-D	D0AZ 3D746-D	D2SA 3D746-AC	D3SZ 3D746-A

SECTION 37

FORD CAR PARTS

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3D746 COOLER ASSY. - POWER STEERING OIL - continued				
65	A	Use with Saginaw P/S gear	1	★C5AZ 3D746-B
	A	"Before 3/16/65"	1	C5AZ 3D746-A
	A	"From 3/16/65"	1	C6AZ 3D746-A
66/67	A		1	C6AZ 3D746-A
68	A		1	C8AZ 3D746-A
69	A(8 cyl. exc. 428 P/C)w-A/C		1	C9AZ 3D746-A
69/70	A(8 cyl. 428 P/C)	"Before 9/18/69"	1	C9AZ 3D746-B
70	A(Police)-8 cyl.	"From 9/18/69"	1	D0AZ 3D746-D
70	A(exc. Police)-8 cyl.		1	D1AZ 3D746-E
71	A(exc. Police)-8 cyl. 351, 390-		1	D1AZ 3D746-E
		"Before 12/2/70"		
71/	A(exc. Police)-8 cyl. 351	"From 12/2/70"	1	D1AZ 3D746-D
	A(exc. Police)-8 cyl. 400, 429		1	
	A(Police)-8 cyl. with A/C		1	
	A-8 cyl. 390	"From 12/2/70"	1	D1AZ 3D746-E
	A(Police)-8 cyl. w/o A/C		1	D2AZ 3D746-A
72	A(exc. Police)-8 cyl. 351		1	D2AZ 3D746-A
	A(Police)-8 cyl.	"Before 11/1/71"	1	
	A(Police)-8 cyl.	"From 11/1/71"	1	D2AZ 3D746-B
68/70	B(8 cyl. 427, 428)		1	C8OZ 3D746-A
70	B(8 cyl. 429 SCJ)		1	D1AZ 3D746-B
71	B(8 cyl. 429 CJ)		1	D1AZ 3D746-D
72	B(exc. Police)-8 cyl. with A/C		1	D1AZ 3D746-D
	B(exc. Police)-8 cyl. w/o A/C		1	D2AZ 3D746-A
	B(Police)-8 cyl.	"Before 2/15/72"	1	
	B(Police)-8 cyl.	"From 2/15/72"	1	D2OZ 3D746-A
67/68	F(GT 350/500)		1	C6AZ 3D746-A
68/70	F(8 cyl. 427, 428 CJ, 429 Boss)		1	C8OZ 3D746-A
69	F(Boss 302)		1	C9ZZ 3D746-A
70	F(Boss 302)		1	D0ZZ 3D746-A
71	F(8 cyl. 302 exc. Boss)		1	D1AZ 3D746-D
	F(Boss 302 w/A/C)		1	
	F(8 cyl. 351-w/A/C)		1	
	F(8 cyl. 429 CJ)		1	
	F(Boss 302 w/o A/C)		1	D1ZZ 3D746-A
	F(8 cyl. 351, w/o A/C)		1	
	F(8 cyl. 429 SCJ)		1	D1AZ 3D746-B
72	F(8 cyl. 351-w/A/C)		1	D1AZ 3D746-D
67	S		1	C7SZ 3D746-A
68/69	S(with A/C)		1	C8SZ 3D746-A
70	S(8 cyl. 428)		1	D1AZ 3D746-E
71	S		1	D1AZ 3D746-D
72	S		1	D3SZ 3D746-A
72	U	"From Ser. P40,001"	1	D2TZ 3D746-A
68	B, F(8 cyl. 427, 428 CJ)	Screw (to side rail)-5/16"-18 x 5/8"	1	378459-S2(UU52K)
72	U		AR	
3C746 CLAMP - P/S HOSE - Improve				
3E746 SPRING ASSY. - IGNITION SWITCH RETURN				
70/	A, F, S(tilt wheel)	7/8" approx. free length	1	D0AZ 3E746-A
3D752 COVER - STEERING WHEEL PAD - Refer to Group 3600				
3A754 SOCKET - POWER STEERING CONTROL VALVE BALL STUD				
65/71	B		1	C1AA 3A754-C
65/70	F, X		1	
70/	P		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3B754 SEAT - POWER STEERING PUMP OIL FILTER RETAINING SPRING				
65	A,B,F,S,X	Depth 1/8"	1	B4AZ 3B754-A
3C755 CLAMP - POWER STEERING CYLINDER PISTON ROD BOOT				
65/71	B		1	C3AZ 3C755-A
65/70	F,X		1	
70/	P		1	
3756 "O" RING - POWER STEERING GEAR CONTROL VALVE TO HOUSING				
65/	A, S	Ford gear-square cut	1	C5AZ 3756-A
72	B		1	
3757 RING KIT - POWER STEERING GEAR VALVE SPOOL RETAINING				
65/67	A,S	"Before 4/1/67" Consists of (1 ea.) WAN 3757-A, B, C, D, E Ring	1	C1SZ 3757-A
67/	A, S	"From 4/1/67" Consists of (1 ea.) C7AR 3757-A, B, C, D, E Ring	1	C7AZ 3757-A
72	B		1	
3A760 GASKET - POWER STEERING PUMP COVER -Also supplied in 3B584 kit				
65/	A, B, F, P, S, X		1	C9AZ 3A760-A
3A762 CLAMP ASSY. - POWER STEERING HOSE				
65/70	A,B,F,P,S,X	Return line to pressure line at coupling	AR	C3AZ 3A762-A
65/70	A	Vacuum door lock	1or2	
67	A(except 428-4/B P/T)	Use with air leveler system-to attach 5A714 to dash panel	2	
68/71	S	Use with speed control-to attach 9C746 hose	2	
3A764 SEAL KIT - POWER STEERING CYLINDER				
65/71	B	Consists of	1	C1AZ 3A764-A
65/70	F, X	1-C1AA 3C561-A Spacer 1-C0AA 3A753-A Scraper	1	
70/	P	1-C1AA 3A751-A Bushing 2-AJ 33656-A Seal	1	
		1-C1AA 3A752-A Seal 1-371033-S Ring		
3B768 SPRING - STEERING COLUMN POSITION LOCK				
67	F,S(tilt column)	15/32" diameter-1" free length	2	C7SZ 3B768-A
68/	A, F, S(tilt column)		2	
3C773 BUSHING - STEERING COLUMN SHAFT				
65/67	S		1	C3SZ 3C773-B
3783 ACTUATOR KIT - POWER STEERING CONTROL VALVE				
66/71	B	Includes actuator assy. & roll pin	1	C6OZ 3783-B
67/70	F, X		1	
70/	P		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
3790 EXTENSION - STEERING COLUMN TUBE FLANGE				
65/66	A (floor shift)	2 53/64" long-with fixed steering wheel	1	C3DZ 3790-A
67	A(with floor or console shift)		1	C7ZZ 3790-C
68	A(floor or console shift)	Fixed wheel	1	C8AZ 3790-A
69	A(XL)-floor or console shift	Tilt wheel-not replaced	1	★C8AZ 3790-B
	A(floor or console shift)	Fixed wheel-not replaced	1	★C9AZ 3790-A
	A(floor or console shift)	Tilt wheel-not replaced	1	★C9AZ 3790-B
70/	A-floor shift	Fixed wheel	1	D0AZ 3790-A
	A-floor shift	Tilt wheel	1	D0AZ 3790-B
65/66	B(floor shift)	2 53/64" long-w/fixed steering wheel	1	C3DZ 3790-A
67	B	2 53/64" long	1	C7ZZ 3790-C
68/69	B(floor or console shift)	Fixed wheel	1	C8AZ 3790-A
70/71	B-floor shift		1	D0AZ 3790-A
72	B	#Black	1	D2FZ 3790-A
65/66	F(floor shift)	2 53/64" long-w/fixed steering wheel	1	C3DZ 3790-A
67	F(tilt wheel)	Upper-3 27/32" long	1	★C7ZZ 3790-A
	F(fixed wheel)		1	C7ZZ 3790-C
68/69	F(fixed wheel)		1	C8AZ 3790-A
	F(tilt wheel)	Not replaced	1	★C8AZ 3790-B
70/	F(fixed wheel)		1	D0AZ 3790-A
	F(tilt wheel)		1	D0ZZ 3790-A
71	L	#Black	1	D1FZ 3790-B
71/	L	#Ginger	1	D1FZ 3790-C
	L	#Green	1	D1FZ 3790-D
72	L	#Black	1	D2FZ 3790-A
	L	#Blue	1	D1FZ 3790-A
	L	#Medium beige-"Before 6/26/72"	1	D2FZ 3790-B
	L	#Dark beige-"From 6/26/72"	1	D2FZ 3790-C
	L	#Avacado	1	D3FZ 3790-D
	L	#Orange	1	D3FZ 3790-B
	L			
71/	P-floor shift		1	D0AZ 3790-A
65/66	X(floor shift)	2 53/64" long-w/fixed steering wheel	1	C3DZ 3790-A
67	X	2 53/64" long	1	C7ZZ 3790-C
68/69	X(floor or console shift)	Fixed wheel	1	C8AZ 3790-A
67/69	F(fixed column)	Screw (to tube)-1/4"-20 x 5/16" tapping	1	379272-S7-8 (UU52H)
3805 SEAL - POWER STEERING GEAR PISTON				
65/	A, S	3 1/32" I.D.	1	C5AZ 3805-A
72	B		1	
65/69	A	Saginaw-2 5/8" L.D.	1	C5AZ 3805-B
71/	F, U		1	
		"O" Ring-2 27/64" I.D.	1	87144-S91(T5D)
3812 ACTUATOR - POWER STEERING GEAR VALVE				
65/69	A	Saginaw	1	C5AZ 3812-A
71/	F (P/S)	Saginaw	1	D1ZZ 3812-B
72	U		1	D3TZ 3812-A
3839 RETAINER - STEERING COLUMN UPPER BEARING				
65/67	S	Retainer only	1	C6SZ 3839-A
65/66	A, B, X		1	
65/67	F, U		1	
72	U	"From Ser. P40, 001"	1	

Identification marking