de antibiotic;macrolide antibiotic;streptogramin A antibiotic;streptogramin B antibiotic;stre
ANOVA P=0.00335, adj. ANOVA−P=0.147
Line vs. Poly F−P=1, adj. F−P=1



glycylcycline;tetracycline antibiotic
ANOVA P=0.0117, adj. ANOVA−P=0.257
Line vs. Poly F−P=0.079, adj. F−P=0.576



macrolide antibiotic
ANOVA P=0.0346, adj. ANOVA−P=0.508
Line vs. Poly F−P=0.0608, adj. F−P=0.576



disinfecting agents and antiseptics
ANOVA P=0.0523, adj. ANOVA−P=0.536
Line vs. Poly F−P=0.356, adj. F−P=0.988



agents and antiseptics;fluoroquinolone antibiotic;lincosamide antibiotic;nucleoside antibic
ANOVA P=0.0713, adj. ANOVA−P=0.536
Line vs. Poly F−P=0.0595, adj. F−P=0.576



antibacterial free fatty acids
ANOVA P=0.0814, adj. ANOVA−P=0.536
Line vs. Poly F−P=0.00437, adj. F−P=0.192




carbapenem;penam
ANOVA P=0.0852, adj. ANOVA−P=0.536
Line vs. Poly F−P=0.28, adj. F−P=0.988
Counts(Log10)
TimePoints


carbapenem;cephalosporin;monobactam
ANOVA P=0.115, adj. ANOVA−P=0.631
Line vs. Poly F−P=0.101, adj. F−P=0.576
Counts(Log10)
TimePoints


fosfomycin
ANOVA P=0.168, adj. ANOVA−P=0.797
Line vs. Poly F−P=0.255, adj. F−P=0.988
Counts(Log10)
TimePoints


peptide antibiotic
ANOVA P=0.188, adj. ANOVA−P=0.797
Line vs. Poly F−P=0.635, adj. F−P=1
Counts(Log10)
TimePoints


nucleoside antibiotic
ANOVA P=0.218, adj. ANOVA−P=0.797
Line vs. Poly F−P=0.0763, adj. F−P=0.576
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;macrolide antibiotic;penam
ANOVA P=0.219, adj. ANOVA−P=0.797
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


cting agents and antiseptics;fluoroquinolone antibiotic;glycylcycline;penam;phenicol antibi
ANOVA P=0.236, adj. ANOVA−P=0.797
Line vs. Poly F−P=0.458, adj. F−P=1
Counts(Log10)
TimePoints


lincosamide antibiotic;macrolide antibiotic
ANOVA P=0.256, adj. ANOVA−P=0.804
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ephalosporin;cephamycin;fluoroquinolone antibiotic;macrolide antibiotic;penam;tetracyclir
ANOVA P=0.31, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.178, adj. F−P=0.783
Counts(Log10)
TimePoints


aminocoumarin antibiotic;aminoglycoside antibiotic
ANOVA P=0.326, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.328, adj. F−P=0.988
Counts(Log10)
TimePoints


agents and antiseptics;fluoroquinolone antibiotic;glycylcycline;monobactam;penam;penei
ANOVA P=0.4, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.404, adj. F−P=0.988
Counts(Log10)
TimePoints


macrolide antibiotic;penam
ANOVA P=0.403, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.359, adj. F−P=0.988
Counts(Log10)
TimePoints


cephalosporin
ANOVA P=0.407, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.726, adj. F−P=1
Counts(Log10)
TimePoints


gents and antiseptics;fluoroquinolone antibiotic;glycylcycline;penam;phenicol antibiotic;rif
ANOVA P=0.443, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.118, adj. F−P=0.576
Counts(Log10)
TimePoints


lincosamide antibiotic
ANOVA P=0.448, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.724, adj. F−P=1
Counts(Log10)
TimePoints


macrolide antibiotic;streptogramin B antibiotic;streptogramin antibiotic
ANOVA P=0.462, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.925, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;macrolide antibiotic;rifamycin antibiotic
ANOVA P=0.47, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.115, adj. F−P=0.576
Counts(Log10)
TimePoints


/coside antibiotic;disinfecting agents and antiseptics;fluoroquinolone antibiotic;penam;tetr
ANOVA P=0.5, adj. ANOVA−P=0.853
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


oxazolidinone antibiotic;phenicol antibiotic;tetracycline antibiotic
ANOVA P=0.506, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.627, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;cephamycin;fluoroquinolone antibiotic;penam
ANOVA P=0.525, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.39, adj. F−P=0.988
Counts(Log10)
TimePoints


in;disinfecting agents and antiseptics;fluoroquinolone antibiotic;glycylcycline;macrolide an
ANOVA P=0.562, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.113, adj. F−P=0.576
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;tetracycline antibiotic
ANOVA P=0.588, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.832, adj. F−P=1
Counts(Log10)
TimePoints


nitroimidazole antibiotic
ANOVA P=0.603, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.587, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem
ANOVA P=0.612, adj. ANOVA−P=0.853
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


tetracycline antibiotic
ANOVA P=0.613, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.373, adj. F−P=0.988
Counts(Log10)
TimePoints


disinfecting agents and antiseptics;nucleoside antibiotic
ANOVA P=0.628, adj. ANOVA−P=0.853
Line vs. Poly F−P=0.942, adj. F−P=1
Counts(Log10)
TimePoints


aminoglycoside antibiotic
ANOVA P=0.64, adj. ANOVA−P=0.853
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;macrolide antibiotic;penam;tetracycline antibiotic
ANOVA P=0.734, adj. ANOVA−P=0.908
Line vs. Poly F−P=0.907, adj. F−P=1
Counts(Log10)
TimePoints


aminocoumarin antibiotic
ANOVA P=0.736, adj. ANOVA−P=0.908
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


glycopeptide antibiotic
ANOVA P=0.743, adj. ANOVA−P=0.908
Line vs. Poly F−P=0.838, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic
ANOVA P=0.796, adj. ANOVA−P=0.946
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


diaminopyrimidine antibiotic;fluoroquinolone antibiotic;phenicol antibiotic
ANOVA P=0.831, adj. ANOVA−P=0.962
Line vs. Poly F−P=0.741, adj. F−P=1
Counts(Log10)
TimePoints


phenicol antibiotic
ANOVA P=0.896, adj. ANOVA−P=0.98
Line vs. Poly F−P=0.748, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem;cephalosporin;penam
ANOVA P=0.938, adj. ANOVA−P=0.98
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


nopyrimidine antibiotic;fluoroquinolone antibiotic;glycylcycline;nitrofuran antibiotic;tetracy
ANOVA P=0.942, adj. ANOVA−P=0.98
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


pleuromutilin antibiotic
ANOVA P=0.947, adj. ANOVA−P=0.98
Line vs. Poly F−P=0.765, adj. F−P=1
Counts(Log10)
TimePoints


cephamycin
ANOVA P=0.976, adj. ANOVA−P=0.98
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.2
0.4
0.6
0.8
0
200
400
600
800
TimePoints


aminocoumarin antibiotic;macrolide antibiotic;monobactam;tetracycline antibiotic
ANOVA P=0.98, adj. ANOVA−P=0.98
Line vs. Poly F−P=0.775, adj. F−P=1
Counts(Log10)
0.0
0.2
0.4
0.6
0
200
400
600
800
TimePoints