
tet(W)
ANOVA P=0.287, adj. ANOVA−P=0.616
Line vs. Poly F−P=0.141, adj. F−P=1
Counts(Log10)
TimePoints


vanX−D
ANOVA P=0.248, adj. ANOVA−P=0.616
Line vs. Poly F−P=0.325, adj. F−P=1
Counts(Log10)
TimePoints


dfrF
ANOVA P=0.44, adj. ANOVA−P=0.66
Line vs. Poly F−P=0.346, adj. F−P=1
Counts(Log10)
TimePoints


sul2
ANOVA P=0.405, adj. ANOVA−P=0.66
Line vs. Poly F−P=0.39, adj. F−P=1
Counts(Log10)
TimePoints


lnu(C)
ANOVA P=0.254, adj. ANOVA−P=0.616
Line vs. Poly F−P=0.395, adj. F−P=1
Counts(Log10)
TimePoints


vanH−D
ANOVA P=0.27, adj. ANOVA−P=0.616
Line vs. Poly F−P=0.498, adj. F−P=1
Counts(Log10)
TimePoints


tet(O)
ANOVA P=0.265, adj. ANOVA−P=0.616
Line vs. Poly F−P=0.553, adj. F−P=1
Counts(Log10)
TimePoints


vanR−D
ANOVA P=0.184, adj. ANOVA−P=0.616
Line vs. Poly F−P=0.648, adj. F−P=1
Counts(Log10)
TimePoints


vanZ−A
ANOVA P=0.631, adj. ANOVA−P=0.788
Line vs. Poly F−P=0.676, adj. F−P=1
Counts(Log10)
TimePoints


tet(40)
ANOVA P=0.0417, adj. ANOVA−P=0.616
Line vs. Poly F−P=0.841, adj. F−P=1
Counts(Log10)
TimePoints


vanS−D
ANOVA P=0.407, adj. ANOVA−P=0.66
Line vs. Poly F−P=0.93, adj. F−P=1
Counts(Log10)
TimePoints


erm(B)
ANOVA P=0.979, adj. ANOVA−P=0.979
Line vs. Poly F−P=0.976, adj. F−P=1
Counts(Log10)
TimePoints


mef(A)
ANOVA P=0.817, adj. ANOVA−P=0.939
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints
0.0
0.2
0.4
0.6
0.8
0
200
400
600
800


aadE
ANOVA P=0.59, adj. ANOVA−P=0.788
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0
200
400
600
800


msr(D)
ANOVA P=0.876, adj. ANOVA−P=0.939
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints
0.0
0.2
0.4
0.6
0.8
0
200
400
600
800