
nucleoside antibiotic
ANOVA P=1.13e−06, adj. ANOVA−P=0.000131
Line vs. Poly F−P=0.00937, adj. F−P=0.78
Counts(Log10)
TimePoints


aminoglycoside antibiotic
ANOVA P=0.000497, adj. ANOVA−P=0.0288
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


aminocoumarin antibiotic;aminoglycoside antibiotic
ANOVA P=0.00519, adj. ANOVA−P=0.164
Line vs. Poly F−P=0.208, adj. F−P=0.965
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;macrolide antibiotic;penam
ANOVA P=0.00566, adj. ANOVA−P=0.164
Line vs. Poly F−P=0.419, adj. F−P=1
Counts(Log10)
TimePoints


ephalosporin;cephamycin;fluoroquinolone antibiotic;macrolide antibiotic;penam;tetracycliragents and antiseptics;fluoroquinolone antibiotic;lincosamide antibiotic;nucleoside antibio
ANOVA P=0.00855, adj. ANOVA−P=0.186
Line vs. Poly F−P=0.0672, adj. F−P=0.906
Counts(Log10)
TimePoints


ANOVA P=0.0108, adj. ANOVA−P=0.186
Line vs. Poly F−P=0.0828, adj. F−P=0.92
Counts(Log10)
TimePoints

tetracycline antibiotic
ANOVA P=0.0113, adj. ANOVA−P=0.186
Line vs. Poly F−P=0.677, adj. F−P=1



ting agents and antiseptics;fluoroquinolone antibiotic;glycylcycline;penam;phenicol antibi
ANOVA P=0.016, adj. ANOVA−P=0.22
Line vs. Poly F−P=0.18, adj. F−P=0.965



fosfomycin
ANOVA P=0.0171, adj. ANOVA−P=0.22
Line vs. Poly F−P=0.155, adj. F−P=0.965



disinfecting agents and antiseptics;nucleoside antibiotic
ANOVA P=0.0215, adj. ANOVA−P=0.244
Line vs. Poly F−P=0.251, adj. F−P=1



fluoroquinolone antibiotic;macrolide antibiotic;penam;tetracycline antibiotic
ANOVA P=0.0231, adj. ANOVA−P=0.244
Line vs. Poly F−P=0.758, adj. F−P=1



carbapenem;cephalosporin;cephamycin;monobactam;penam;penem
ANOVA P=0.0298, adj. ANOVA−P=0.269
Line vs. Poly F−P=0.0656, adj. F−P=0.906




aminocoumarin antibiotic
ANOVA P=0.0302, adj. ANOVA−P=0.269
Line vs. Poly F−P=0.372, adj. F−P=1
Counts(Log10)
TimePoints


nitroimidazole antibiotic
ANOVA P=0.0357, adj. ANOVA−P=0.295
Line vs. Poly F−P=0.163, adj. F−P=0.965
Counts(Log10)
TimePoints


carbapenem;monobactam;penam
ANOVA P=0.0539, adj. ANOVA−P=0.403
Line vs. Poly F−P=0.0949, adj. F−P=0.92
Counts(Log10)
TimePoints


carbapenem;cephalosporin;penam;tetracycline antibiotic
ANOVA P=0.0555, adj. ANOVA−P=0.403
Line vs. Poly F−P=0.0703, adj. F−P=0.906
Counts(Log10)
TimePoints


peptide antibiotic;rifamycin antibiotic
ANOVA P=0.0704, adj. ANOVA−P=0.48
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


n;disinfecting agents and antiseptics;fluoroquinolone antibiotic;glycylcycline;macrolide an
ANOVA P=0.0962, adj. ANOVA−P=0.572
Line vs. Poly F−P=0.133, adj. F−P=0.964
Counts(Log10)
TimePoints


lincosamide antibiotic;macrolide antibiotic
ANOVA P=0.0983, adj. ANOVA−P=0.572
Line vs. Poly F−P=0.0135, adj. F−P=0.78
Counts(Log10)
TimePoints


carbapenem;cephalosporin;monobactam;penam
ANOVA P=0.105, adj. ANOVA−P=0.572
Line vs. Poly F−P=0.327, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;cephamycin;fluoroquinolone antibiotic;penam
ANOVA P=0.112, adj. ANOVA−P=0.572
Line vs. Poly F−P=0.0263, adj. F−P=0.906
Counts(Log10)
TimePoints


antibiotic;fluoroquinolone antibiotic;lincosamide antibiotic;macrolide antibiotic;penem;phe
ANOVA P=0.112, adj. ANOVA−P=0.572
Line vs. Poly F−P=0.053, adj. F−P=0.906
Counts(Log10)
TimePoints


streptogramin B antibiotic;streptogramin antibiotic
ANOVA P=0.114, adj. ANOVA−P=0.572
Line vs. Poly F−P=0.275, adj. F−P=1
Counts(Log10)
TimePoints


agents and antiseptics;fluoroquinolone antibiotic;glycylcycline;monobactam;penam;penem
ANOVA P=0.122, adj. ANOVA−P=0.572
Line vs. Poly F−P=0.236, adj. F−P=1
Counts(Log10)
TimePoints

peptide antibiotic
ANOVA P=0.123, adj. ANOVA−P=0.572
Line vs. Poly F−P=0.103, adj. F−P=0.92



fluoroquinolone antibiotic;macrolide antibiotic;rifamycin antibiotic
ANOVA P=0.143, adj. ANOVA−P=0.638
Line vs. Poly F−P=1, adj. F−P=1



nopyrimidine antibiotic;fluoroquinolone antibiotic;glycylcycline;nitrofuran antibiotic;tetracy
ANOVA P=0.15, adj. ANOVA−P=0.641
Line vs. Poly F−P=0.316, adj. F−P=1



lincosamide antibiotic;macrolide antibiotic;streptogramin antibiotic
ANOVA P=0.156, adj. ANOVA−P=0.641
Line vs. Poly F−P=0.128, adj. F−P=0.964



streptogramin A antibiotic;streptogramin antibiotic
ANOVA P=0.165, adj. ANOVA−P=0.641
Line vs. Poly F−P=0.0596, adj. F−P=0.906



cephamycin
ANOVA P=0.17, adj. ANOVA−P=0.641
Line vs. Poly F−P=0.0421, adj. F−P=0.906




macrolide antibiotic;streptogramin B antibiotic;streptogramin antibiotic
ANOVA P=0.171, adj. ANOVA−P=0.641
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;cephamycin;monobactam;penam;penem
ANOVA P=0.217, adj. ANOVA−P=0.785
Line vs. Poly F−P=0.101, adj. F−P=0.92
Counts(Log10)
TimePoints


carbapenem;penam
ANOVA P=0.231, adj. ANOVA−P=0.811
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic
ANOVA P=0.265, adj. ANOVA−P=0.843
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


noglycoside antibiotic;carbapenem;fluoroquinolone antibiotic;macrolide antibiotic;tetracyc
ANOVA P=0.266, adj. ANOVA−P=0.843
Line vs. Poly F−P=0.142, adj. F−P=0.965
Counts(Log10)
TimePoints


gents and antiseptics;fluoroquinolone antibiotic;glycylcycline;penam;phenicol antibiotic;rif
ANOVA P=0.266, adj. ANOVA−P=0.843
Line vs. Poly F−P=0.131, adj. F−P=0.964
Counts(Log10)
TimePoints


oxazolidinone antibiotic;phenicol antibiotic;tetracycline antibiotic
ANOVA P=0.269, adj. ANOVA−P=0.843
Line vs. Poly F−P=0.819, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;tetracycline antibiotic
ANOVA P=0.296, adj. ANOVA−P=0.884
Line vs. Poly F−P=0.26, adj. F−P=1
Counts(Log10)
TimePoints


lincosamide antibiotic;pleuromutilin antibiotic;streptogramin A antibiotic;streptogramin a
ANOVA P=0.302, adj. ANOVA−P=0.884
Line vs. Poly F−P=0.683, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;fluoroquinolone antibiotic;fusidic acid;macrolide antibiotic
ANOVA P=0.305, adj. ANOVA−P=0.884
Line vs. Poly F−P=0.213, adj. F−P=0.965
Counts(Log10)
TimePoints


carbapenem;cephalosporin;cephamycin
ANOVA P=0.318, adj. ANOVA−P=0.887
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


antibiotic;pleuromutilin antibiotic;streptogramin A antibiotic;streptogramin B antibiotic;str
ANOVA P=0.325, adj. ANOVA−P=0.887
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


lincosamide antibiotic;oxazolidinone antibiotic;phenicol antibiotic;streptogramin antib
ANOVA P=0.341, adj. ANOVA−P=0.887
Line vs. Poly F−P=0.335, adj. F−P=1
Counts(Log10)
TimePoints


lincosamide antibiotic;pleuromutilin antibiotic;streptogramin antibiotic
ANOVA P=0.343, adj. ANOVA−P=0.887
Line vs. Poly F−P=0.428, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem;cephalosporin;cephamycin;penam;penem
ANOVA P=0.344, adj. ANOVA−P=0.887
Line vs. Poly F−P=0.2, adj. F−P=0.965
Counts(Log10)
TimePoints


cephalosporin;penam;peptide antibiotic
ANOVA P=0.362, adj. ANOVA−P=0.913
Line vs. Poly F−P=0.684, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem
ANOVA P=0.402, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


disinfecting agents and antiseptics
ANOVA P=0.412, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.62, adj. F−P=1
Counts(Log10)
TimePoints


aminocoumarin antibiotic;carbapenem;peptide antibiotic;rifamycin antibiotic
ANOVA P=0.421, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


penam
ANOVA P=0.484, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.189, adj. F−P=0.965
Counts(Log10)
TimePoints


cephalosporin;penam;penem
ANOVA P=0.49, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.877, adj. F−P=1
Counts(Log10)
TimePoints


aminoglycoside antibiotic;cephalosporin;cephamycin;penam
ANOVA P=0.49, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.628, adj. F−P=1
Counts(Log10)
TimePoints


macrolide antibiotic;streptogramin antibiotic
ANOVA P=0.507, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


penam;penem
ANOVA P=0.512, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


oxazolidinone antibiotic;phenicol antibiotic
ANOVA P=0.512, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.381, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;fluoroquinolone antibiotic;monobactam
ANOVA P=0.512, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.196, adj. F−P=0.965
Counts(Log10)
TimePoints


carbapenem;cephalosporin;cephamycin;penam
ANOVA P=0.527, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.761, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;monobactam;penam;penem
ANOVA P=0.547, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.385, adj. F−P=1
Counts(Log10)
TimePoints


isoniazid;rifamycin antibiotic
ANOVA P=0.549, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.84, adj. F−P=1
Counts(Log10)
TimePoints


lincosamide antibiotic;macrolide antibiotic;streptogramin antibiotic;tetracycline antib
ANOVA P=0.55, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints

idine antibiotic;disinfecting agents and antiseptics;fluoroquinolone antibiotic;macrolide an
ANOVA P=0.551, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1



lamycin;disinfecting agents and antiseptics;fluoroquinolone antibiotic;macrolide antibiotic;
ANOVA P=0.553, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.296, adj. F−P=1



cephalosporin;cephamycin
ANOVA P=0.565, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.498, adj. F−P=1



yrimidine antibiotic;fluoroquinolone antibiotic;macrolide antibiotic;monobactam;penam;pe
ANOVA P=0.579, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1



fusidic acid
ANOVA P=0.581, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1



aminoglycoside antibiotic;cephalosporin;fluoroquinolone antibiotic;macrolide antibi
ANOVA P=0.583, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1



aminocoumarin antibiotic;macrolide antibiotic
ANOVA P=0.604, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.373, adj. F−P=1



de antibiotic;macrolide antibiotic;streptogramin A antibiotic;streptogramin B antibiotic;stre
ANOVA P=0.606, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1



ic;oxazolidinone antibiotic;phenicol antibiotic;pleuromutilin antibiotic;streptogramin A anti
ANOVA P=0.609, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.435, adj. F−P=1



diaminopyrimidine antibiotic;fluoroquinolone antibiotic;phenicol antibiotic
ANOVA P=0.627, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.436, adj. F−P=1



antibacterial free fatty acids
ANOVA P=0.631, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.242, adj. F−P=1



disinfecting agents and antiseptics;fluoroquinolone antibiotic
ANOVA P=0.638, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.4, adj. F−P=1




aminoglycoside antibiotic;disinfecting agents and antiseptics;fluoroquinolone antibi
ANOVA P=0.644, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.462, adj. F−P=1
Counts(Log10)
TimePoints


bicyclomycin
ANOVA P=0.644, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


rin;disinfecting agents and antiseptics;fluoroquinolone antibiotic;penam;peptide antibiotic;
ANOVA P=0.649, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.557, adj. F−P=1
Counts(Log10)
TimePoints


disinfecting agents and antiseptics;fluoroquinolone antibiotic;tetracycline antibioti
ANOVA P=0.655, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.496, adj. F−P=1
Counts(Log10)
TimePoints


disinfecting agents and antiseptics;macrolide antibiotic;tetracycline antibiotic
ANOVA P=0.657, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.216, adj. F−P=0.965
Counts(Log10)
TimePoints


sulfonamide antibiotic
ANOVA P=0.659, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.403, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin
ANOVA P=0.662, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.354, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;macrolide antibiotic
ANOVA P=0.664, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem;cephalosporin;cephamycin;monobactam;penam
ANOVA P=0.665, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.519, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem;cephalosporin;monobactam;penam;penem
ANOVA P=0.715, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.488, adj. F−P=1
Counts(Log10)
TimePoints


glycylcycline;tetracycline antibiotic
ANOVA P=0.735, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.487, adj. F−P=1
Counts(Log10)
TimePoints


aminoglycoside antibiotic;phenicol antibiotic;tetracycline antibiotic
ANOVA P=0.737, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.575, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem;cephalosporin
ANOVA P=0.765, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.676, adj. F−P=1
Counts(Log10)
TimePoints


sulfonamide antibiotic;sulfone antibiotic
ANOVA P=0.775, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


lisinfecting agents and antiseptics;fluoroquinolone antibiotic;nucleoside antibiotic;phenico
ANOVA P=0.792, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


pleuromutilin antibiotic
ANOVA P=0.792, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints

carbapenem;cephalosporin;penam
ANOVA P=0.795, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.716, adj. F−P=1
Counts(Log10)
TimePoints

cephalosporin;monobactam
ANOVA P=0.803, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;monobactam;penam
ANOVA P=0.809, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.68, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;nitroimidazole antibiotic;tetracycline antibiotic
ANOVA P=0.826, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


pleuromutilin antibiotic;streptogramin A antibiotic;streptogramin antibiotic
ANOVA P=0.836, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;macrolide antibiotic;phenicol antibiotic;tetracycline antibi
ANOVA P=0.84, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem;cephalosporin;cephamycin;fluoroquinolone antibiotic;penam
ANOVA P=0.842, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.8, adj. F−P=1
Counts(Log10)
TimePoints


lincosamide antibiotic
ANOVA P=0.842, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.449, adj. F−P=1
Counts(Log10)
TimePoints


diaminopyrimidine antibiotic
ANOVA P=0.849, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.601, adj. F−P=1
Counts(Log10)
TimePoints


phenicol antibiotic
ANOVA P=0.856, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.625, adj. F−P=1
Counts(Log10)
TimePoints


lincosamide antibiotic;streptogramin B antibiotic;streptogramin antibiotic
ANOVA P=0.858, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


glycopeptide antibiotic
ANOVA P=0.87, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;cephamycin;penam
ANOVA P=0.875, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.671, adj. F−P=1
Counts(Log10)
TimePoints


macrolide antibiotic;penam
ANOVA P=0.886, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.798, adj. F−P=1
Counts(Log10)
TimePoints


aminocoumarin antibiotic;macrolide antibiotic;monobactam;tetracycline antibiotic
ANOVA P=0.888, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.865, adj. F−P=1
Counts(Log10)
TimePoints


opyrimidine antibiotic;disinfecting agents and antiseptics;macrolide antibiotic;phenicol an
ANOVA P=0.893, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.5, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;penam
ANOVA P=0.898, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


aminoglycoside antibiotic;fluoroquinolone antibiotic
ANOVA P=0.903, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.7, adj. F−P=1
Counts(Log10)
TimePoints


ibiotic;cephalosporin;diaminopyrimidine antibiotic;fluoroquinolone antibiotic;macrolide an
ANOVA P=0.908, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.49, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem;cephalosporin;cephamycin;monobactam;penam;penem;phenicol antibi
ANOVA P=0.913, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.62, adj. F−P=1
Counts(Log10)
TimePoints


g agents and antiseptics;fluoroquinolone antibiotic;macrolide antibiotic;phenicol antibiotic;
ANOVA P=0.917, adj. ANOVA−P=0.976
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem;cephalosporin;monobactam
ANOVA P=0.925, adj. ANOVA−P=0.976
Line vs. Poly F−P=0.782, adj. F−P=1
Counts(Log10)
TimePoints


peptide antibiotic;polyamine antibiotic
ANOVA P=0.951, adj. ANOVA−P=0.982
Line vs. Poly F−P=0.754, adj. F−P=1
Counts(Log10)
TimePoints


rifamycin antibiotic
ANOVA P=0.955, adj. ANOVA−P=0.982
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ycoside antibiotic;disinfecting agents and antiseptics;fluoroquinolone antibiotic;penam;tetı
ANOVA P=0.956, adj. ANOVA−P=0.982
Line vs. Poly F−P=0.758, adj. F−P=1
Counts(Log10)
TimePoints


elfamycin antibiotic
ANOVA P=0.989, adj. ANOVA−P=0.997
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


porin;cephamycin;disinfecting agents and antiseptics;fluoroquinolone antibiotic;macrolide
ANOVA P=0.997, adj. ANOVA−P=0.997
Line vs. Poly F−P=0.996, adj. F−P=1
Counts(Log10)
TimePoints
0
1
2
3
4
5
6
0
200
400
600
800


macrolide antibiotic
ANOVA P=0.997, adj. ANOVA−P=0.997
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints
0
2
4
6
8
10
12
0
200
400
600
800