de antibiotic;macrolide antibiotic;streptogramin A antibiotic;streptogramin B antibiotic;stre
ANOVA P=0.00493, adj. ANOVA−P=0.151
Line vs. Poly F−P=1, adj. F−P=1



glycylcycline;tetracycline antibiotic
ANOVA P=0.00721, adj. ANOVA−P=0.151
Line vs. Poly F−P=0.0943, adj. F−P=0.622



agents and antiseptics;fluoroquinolone antibiotic;lincosamide antibiotic;nucleoside antibic
ANOVA P=0.097, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.0763, adj. F−P=0.622



carbapenem;penam
ANOVA P=0.0989, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.216, adj. F−P=0.712



macrolide antibiotic
ANOVA P=0.107, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.24, adj. F−P=0.712



lincosamide antibiotic;macrolide antibiotic
ANOVA P=0.124, adj. ANOVA−P=0.655
Line vs. Poly F−P=1, adj. F−P=1




fluoroquinolone antibiotic;macrolide antibiotic;penam
ANOVA P=0.124, adj. ANOVA−P=0.655
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


aminocoumarin antibiotic;aminoglycoside antibiotic
ANOVA P=0.125, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.106, adj. F−P=0.622
Counts(Log10)
TimePoints


antibacterial free fatty acids
ANOVA P=0.15, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.017, adj. F−P=0.591
Counts(Log10)
TimePoints


carbapenem
ANOVA P=0.169, adj. ANOVA−P=0.655
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


peptide antibiotic
ANOVA P=0.185, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.623, adj. F−P=1
Counts(Log10)
TimePoints


gents and antiseptics;fluoroquinolone antibiotic;glycylcycline;penam;phenicol antibiotic;rif
ANOVA P=0.195, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.0281, adj. F−P=0.591
Counts(Log10)
TimePoints


ephalosporin;cephamycin;fluoroquinolone antibiotic;macrolide antibiotic;penam;tetracyclir
ANOVA P=0.206, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.103, adj. F−P=0.622
Counts(Log10)
TimePoints


fosfomycin
ANOVA P=0.265, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.271, adj. F−P=0.712
Counts(Log10)
TimePoints


carbapenem;cephalosporin;monobactam
ANOVA P=0.295, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.267, adj. F−P=0.712
Counts(Log10)
TimePoints


ting agents and antiseptics;fluoroquinolone antibiotic;glycylcycline;penam;phenicol antibi
ANOVA P=0.306, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.501, adj. F−P=1
Counts(Log10)
TimePoints


carbapenem;cephalosporin;penam
ANOVA P=0.308, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.781, adj. F−P=1
Counts(Log10)
TimePoints


tetracycline antibiotic
ANOVA P=0.316, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.177, adj. F−P=0.676
Counts(Log10)
TimePoints


agents and antiseptics;fluoroquinolone antibiotic;glycylcycline;monobactam;penam;penem
ANOVA P=0.32, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.268, adj. F−P=0.712
Counts(Log10)
TimePoints


aminoglycoside antibiotic
ANOVA P=0.331, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.997, adj. F−P=1
Counts(Log10)
TimePoints


macrolide antibiotic;penam
ANOVA P=0.342, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.171, adj. F−P=0.676
Counts(Log10)
TimePoints


nucleoside antibiotic
ANOVA P=0.343, adj. ANOVA−P=0.655
Line vs. Poly F−P=0.139, adj. F−P=0.65
Counts(Log10)
TimePoints


lincosamide antibiotic
ANOVA P=0.363, adj. ANOVA−P=0.664
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


macrolide antibiotic;streptogramin B antibiotic;streptogramin antibiotic
ANOVA P=0.415, adj. ANOVA−P=0.711
Line vs. Poly F−P=0.947, adj. F−P=1
Counts(Log10)
TimePoints


ycoside antibiotic;disinfecting agents and antiseptics;fluoroquinolone antibiotic;penam;tetı
ANOVA P=0.44, adj. ANOVA−P=0.711
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;macrolide antibiotic;rifamycin antibiotic
ANOVA P=0.444, adj. ANOVA−P=0.711
Line vs. Poly F−P=0.119, adj. F−P=0.622
Counts(Log10)
TimePoints


fluoroquinolone antibiotic
ANOVA P=0.478, adj. ANOVA−P=0.711
Line vs. Poly F−P=0.856, adj. F−P=1
Counts(Log10)
TimePoints


nitroimidazole antibiotic
ANOVA P=0.49, adj. ANOVA−P=0.711
Line vs. Poly F−P=0.353, adj. F−P=0.871
Counts(Log10)
TimePoints


oxazolidinone antibiotic;phenicol antibiotic;tetracycline antibiotic
ANOVA P=0.491, adj. ANOVA−P=0.711
Line vs. Poly F−P=0.758, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;tetracycline antibiotic
ANOVA P=0.523, adj. ANOVA−P=0.733
Line vs. Poly F−P=0.772, adj. F−P=1
Counts(Log10)
TimePoints


in;disinfecting agents and antiseptics;fluoroquinolone antibiotic;glycylcycline;macrolide an
ANOVA P=0.572, adj. ANOVA−P=0.775
Line vs. Poly F−P=0.117, adj. F−P=0.622
Counts(Log10)
TimePoints


fluoroquinolone antibiotic;macrolide antibiotic;penam;tetracycline antibiotic
ANOVA P=0.615, adj. ANOVA−P=0.808
Line vs. Poly F−P=0.672, adj. F−P=1
Counts(Log10)
TimePoints


cephalosporin;cephamycin;fluoroquinolone antibiotic;penam
ANOVA P=0.662, adj. ANOVA−P=0.821
Line vs. Poly F−P=0.621, adj. F−P=1
Counts(Log10)
TimePoints


aminocoumarin antibiotic
ANOVA P=0.665, adj. ANOVA−P=0.821
Line vs. Poly F−P=0.739, adj. F−P=1
Counts(Log10)
TimePoints


diaminopyrimidine antibiotic;fluoroquinolone antibiotic;phenicol antibiotic
ANOVA P=0.742, adj. ANOVA−P=0.872
Line vs. Poly F−P=0.542, adj. F−P=1
Counts(Log10)
TimePoints


disinfecting agents and antiseptics;nucleoside antibiotic
ANOVA P=0.747, adj. ANOVA−P=0.872
Line vs. Poly F−P=0.73, adj. F−P=1
Counts(Log10)
TimePoints

nopyrimidine antibiotic;fluoroquinolone antibiotic;glycylcycline;nitrofuran antibiotic;tetracy
ANOVA P=0.792, adj. ANOVA−P=0.899
Line vs. Poly F−P=1, adj. F−P=1



glycopeptide antibiotic
ANOVA P=0.849, adj. ANOVA−P=0.925
Line vs. Poly F−P=0.723, adj. F−P=1



aminocoumarin antibiotic;macrolide antibiotic;monobactam;tetracycline antibiotic
ANOVA P=0.88, adj. ANOVA−P=0.925
Line vs. Poly F−P=0.458, adj. F−P=1



pleuromutilin antibiotic
ANOVA P=0.881, adj. ANOVA−P=0.925
Line vs. Poly F−P=0.65, adj. F−P=1



phenicol antibiotic
ANOVA P=0.919, adj. ANOVA−P=0.941
Line vs. Poly F−P=0.851, adj. F−P=1



cephamycin
ANOVA P=0.998, adj. ANOVA−P=0.998
Line vs. Poly F−P=1, adj. F−P=1