
aminoglycoside
ANOVA P=1.15e−07, adj. ANOVA−P=4.24e−06
Line vs. Poly F−P=0.75, adj. F−P=1
Counts(Log10)
TimePoints


nucleoside
ANOVA P=7.24e−07, adj. ANOVA−P=1.34e−05
Line vs. Poly F−P=0.00576, adj. F−P=0.208
Counts(Log10)
TimePoints


ddr−aminoglycoside_aminocoumarin
ANOVA P=0.00519, adj. ANOVA−P=0.0639
Line vs. Poly F−P=0.208, adj. F−P=0.855
Counts(Log10)
TimePoints


tetracycline
ANOVA P=0.0204, adj. ANOVA−P=0.157
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_disinfectant_nucleoside
ANOVA P=0.0215, adj. ANOVA−P=0.157
Line vs. Poly F−P=0.251, adj. F−P=0.928
Counts(Log10)
TimePoints


aminocoumarin
ANOVA P=0.0254, adj. ANOVA−P=0.157
Line vs. Poly F−P=0.375, adj. F−P=1
Counts(Log10)
TimePoints


nitroimidazole
ANOVA P=0.0357, adj. ANOVA−P=0.188
Line vs. Poly F−P=0.163, adj. F−P=0.832
Counts(Log10)
TimePoints


ddr_beta−lactam_aminoglycoside
ANOVA P=0.0409, adj. ANOVA−P=0.189
Line vs. Poly F−P=0.0112, adj. F−P=0.208
Counts(Log10)
TimePoints


peptide
ANOVA P=0.0477, adj. ANOVA−P=0.196
Line vs. Poly F−P=0.109, adj. F−P=0.806
Counts(Log10)
TimePoints


ddr_rifamycin_peptide
ANOVA P=0.0704, adj. ANOVA−P=0.245
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


mdr
ANOVA P=0.073, adj. ANOVA−P=0.245
Line vs. Poly F−P=0.147, adj. F−P=0.832
Counts(Log10)
TimePoints


fosfomycin
ANOVA P=0.125, adj. ANOVA−P=0.386
Line vs. Poly F−P=0.415, adj. F−P=1
Counts(Log10)
TimePoints


beta−lactam_carbapenem
ANOVA P=0.153, adj. ANOVA−P=0.437
Line vs. Poly F−P=0.18, adj. F−P=0.832
Counts(Log10)
TimePoints


ddr_macrolide_lincosamide
ANOVA P=0.172, adj. ANOVA−P=0.455
Line vs. Poly F−P=0.0325, adj. F−P=0.401
Counts(Log10)
TimePoints


macrolide_mdr
ANOVA P=0.197, adj. ANOVA−P=0.486
Line vs. Poly F−P=0.934, adj. F−P=1
Counts(Log10)
TimePoints


lincosamide
ANOVA P=0.304, adj. ANOVA−P=0.658
Line vs. Poly F−P=0.104, adj. F−P=0.806
Counts(Log10)
TimePoints


diaminopyrimidine
ANOVA P=0.311, adj. ANOVA−P=0.658
Line vs. Poly F−P=0.538, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone
ANOVA P=0.32, adj. ANOVA−P=0.658
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


beta−lactam
ANOVA P=0.363, adj. ANOVA−P=0.692
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_macrolide_streptogramin
ANOVA P=0.374, adj. ANOVA−P=0.692
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


disinfectant
ANOVA P=0.558, adj. ANOVA−P=0.952
Line vs. Poly F−P=0.884, adj. F−P=1
Counts(Log10)
TimePoints


mdr_carbapenem
ANOVA P=0.568, adj. ANOVA−P=0.952
Line vs. Poly F−P=0.442, adj. F−P=1
Counts(Log10)
TimePoints


ddr_macrolide_aminocoumarin
ANOVA P=0.604, adj. ANOVA−P=0.952
Line vs. Poly F−P=0.373, adj. F−P=1
Counts(Log10)
TimePoints


phenicol
ANOVA P=0.617, adj. ANOVA−P=0.952
Line vs. Poly F−P=0.297, adj. F−P=0.997
Counts(Log10)
TimePoints


ddr_fluoroquinolone_macrolide
ANOVA P=0.664, adj. ANOVA−P=0.983
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


glycopeptide
ANOVA P=0.703, adj. ANOVA−P=0.989
Line vs. Poly F−P=0.854, adj. F−P=1
Counts(Log10)
TimePoints


beta−lactam
ANOVA P=0.768, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_fluoroquinolone_aminoglycoside
ANOVA P=0.822, adj. ANOVA−P=0.989
Line vs. Poly F−P=0.563, adj. F−P=1
Counts(Log10)
TimePoints


sulfonamide
ANOVA P=0.828, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_tetracycline_glycylcycline
ANOVA P=0.86, adj. ANOVA−P=0.989
Line vs. Poly F−P=0.6, adj. F−P=1
Counts(Log10)
TimePoints


ddr_streptogramin_pleuromotilin
ANOVA P=0.87, adj. ANOVA−P=0.989
Line vs. Poly F−P=0.63, adj. F−P=1
Counts(Log10)
TimePoints


pleuromotilin
ANOVA P=0.902, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


macrolide
ANOVA P=0.94, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


rifamycin
ANOVA P=0.96, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_beta−lactam_macrolide
ANOVA P=0.964, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_fluoroquinolone_disinfectant
ANOVA P=0.981, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


elfamycin
ANOVA P=0.989, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.5
1.0
1.5
2.0
0
200
400
600
800
TimePoints