
aadE
ANOVA P=0.233, adj. ANOVA−P=0.499
Line vs. Poly F−P=0.138, adj. F−P=0.641
Counts(Log10)
TimePoints


sul2
ANOVA P=0.333, adj. ANOVA−P=0.499
Line vs. Poly F−P=0.166, adj. F−P=0.641
Counts(Log10)
TimePoints


lnu(C)
ANOVA P=0.251, adj. ANOVA−P=0.499
Line vs. Poly F−P=0.168, adj. F−P=0.641
Counts(Log10)
TimePoints


dfrF
ANOVA P=0.396, adj. ANOVA−P=0.54
Line vs. Poly F−P=0.175, adj. F−P=0.641
Counts(Log10)
TimePoints


vanR−D
ANOVA P=0.229, adj. ANOVA−P=0.499
Line vs. Poly F−P=0.216, adj. F−P=0.641
Counts(Log10)
TimePoints


vanH−D
ANOVA P=0.249, adj. ANOVA−P=0.499
Line vs. Poly F−P=0.257, adj. F−P=0.641
Counts(Log10)
TimePoints


tet(W)
ANOVA P=0.302, adj. ANOVA−P=0.499
Line vs. Poly F−P=0.32, adj. F−P=0.686
Counts(Log10)
TimePoints


msr(D)
ANOVA P=0.888, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.445, adj. F−P=0.743
Counts(Log10)
TimePoints


vanX−D
ANOVA P=0.247, adj. ANOVA−P=0.499
Line vs. Poly F−P=0.446, adj. F−P=0.743
Counts(Log10)
TimePoints


mef(A)
ANOVA P=0.781, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.758, adj. F−P=1
Counts(Log10)
TimePoints


erm(B)
ANOVA P=0.984, adj. ANOVA−P=0.984
Line vs. Poly F−P=0.99, adj. F−P=1
Counts(Log10)
TimePoints


vanS−D
ANOVA P=0.331, adj. ANOVA−P=0.499
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


tet(O)
ANOVA P=0.304, adj. ANOVA−P=0.499
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.2
0.4
0.6
0.8
1.0
−100
0
100
200
300
400
500
TimePoints


tet(40)
ANOVA P=0.0589, adj. ANOVA−P=0.499
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.2
0.4
0.6
0.8
−100
0
100
200
300
400
500
TimePoints


vanZ−A
ANOVA P=0.89, adj. ANOVA−P=0.953
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−100
0
100
200
300
400
500
TimePoints