
ddr_tetracycline_glycylcycline
ANOVA P=0.0069, adj. ANOVA−P=0.199
Line vs. Poly F−P=0.0558, adj. F−P=0.56
Counts(Log10)
TimePoints


macrolide_mdr
ANOVA P=0.0118, adj. ANOVA−P=0.199
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


macrolide
ANOVA P=0.0175, adj. ANOVA−P=0.199
Line vs. Poly F−P=0.0621, adj. F−P=0.56
Counts(Log10)
TimePoints


disinfectant
ANOVA P=0.0329, adj. ANOVA−P=0.28
Line vs. Poly F−P=0.35, adj. F−P=0.794
Counts(Log10)
TimePoints


diaminopyrimidine
ANOVA P=0.0445, adj. ANOVA−P=0.303
Line vs. Poly F−P=0.00817, adj. F−P=0.278
Counts(Log10)
TimePoints


mdr
ANOVA P=0.081, adj. ANOVA−P=0.459
Line vs. Poly F−P=0.272, adj. F−P=0.794
Counts(Log10)
TimePoints


beta−lactam_carbapenem
ANOVA P=0.112, adj. ANOVA−P=0.516
Line vs. Poly F−P=0.44, adj. F−P=0.848
Counts(Log10)
TimePoints


peptide
ANOVA P=0.127, adj. ANOVA−P=0.516
Line vs. Poly F−P=0.471, adj. F−P=0.848
Counts(Log10)
TimePoints


aminoglycoside
ANOVA P=0.137, adj. ANOVA−P=0.516
Line vs. Poly F−P=0.311, adj. F−P=0.794
Counts(Log10)
TimePoints


ddr−aminoglycoside_aminocoumarin
ANOVA P=0.163, adj. ANOVA−P=0.554
Line vs. Poly F−P=0.178, adj. F−P=0.756
Counts(Log10)
TimePoints


nucleoside
ANOVA P=0.207, adj. ANOVA−P=0.597
Line vs. Poly F−P=0.0658, adj. F−P=0.56
Counts(Log10)
TimePoints


ddr_macrolide_lincosamide
ANOVA P=0.211, adj. ANOVA−P=0.597
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


fosfomycin
ANOVA P=0.23, adj. ANOVA−P=0.602
Line vs. Poly F−P=0.286, adj. F−P=0.794
Counts(Log10)
TimePoints


ddr_fluoroquinolone_aminoglycoside
ANOVA P=0.323, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.112, adj. F−P=0.595
Counts(Log10)
TimePoints


ddr_beta−lactam_macrolide
ANOVA P=0.359, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.319, adj. F−P=0.794
Counts(Log10)
TimePoints


lincosamide
ANOVA P=0.369, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.833, adj. F−P=1
Counts(Log10)
TimePoints


mdr_carbapenem
ANOVA P=0.373, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.123, adj. F−P=0.595
Counts(Log10)
TimePoints


streptogramin
ANOVA P=0.391, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.1, adj. F−P=0.595
Counts(Log10)
TimePoints


glycopeptide
ANOVA P=0.473, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.292, adj. F−P=0.794
Counts(Log10)
TimePoints


elfamycin
ANOVA P=0.483, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.454, adj. F−P=0.848
Counts(Log10)
TimePoints


ddr_macrolide_streptogramin
ANOVA P=0.495, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.799, adj. F−P=1
Counts(Log10)
TimePoints


beta−lactam
ANOVA P=0.498, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.652, adj. F−P=1
Counts(Log10)
TimePoints


ddr_fluoroquinolone_tetracycline
ANOVA P=0.499, adj. ANOVA−P=0.737
Line vs. Poly F−P=0.698, adj. F−P=1
Counts(Log10)
TimePoints


tetracycline
ANOVA P=0.529, adj. ANOVA−P=0.749
Line vs. Poly F−P=0.474, adj. F−P=0.848
Counts(Log10)
TimePoints


ddr_beta−lactam_aminoglycoside
ANOVA P=0.553, adj. ANOVA−P=0.752
Line vs. Poly F−P=0.508, adj. F−P=0.864
Counts(Log10)
TimePoints
0.0
0.5
1.0
1.5
0
200
400
600
800


nitroimidazole
ANOVA P=0.633, adj. ANOVA−P=0.828
Line vs. Poly F−P=0.613, adj. F−P=0.993
Counts(Log10)
TimePoints
0.0
0.2
0.4
0.6
0.8
0
200
400
600
800


ddr_disinfectant_nucleoside
ANOVA P=0.725, adj. ANOVA−P=0.869
Line vs. Poly F−P=0.764, adj. F−P=1
Counts(Log10)
TimePoints
0.0
0.5
1.0
1.5
0
200
400
600
800


aminocoumarin
ANOVA P=0.736, adj. ANOVA−P=0.869
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints
0.0
0.5
1.0
1.5
2.0
0
200
400
600
800

fluoroquinolone
ANOVA P=0.741, adj. ANOVA−P=0.869
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints
0.0
0.5
1.0
1.5
2.0
0
200
400
600
800

beta−lactam
ANOVA P=0.77, adj. ANOVA−P=0.873
Line vs. Poly F−P=0.329, adj. F−P=0.794
Counts(Log10)
TimePoints
0.0
0.5
1.0
1.5
0
200
400
600
800


phenicol
ANOVA P=0.919, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.846, adj. F−P=1
Counts(Log10)
TimePoints


sulfonamide
ANOVA P=0.937, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.931, adj. F−P=1
Counts(Log10)
TimePoints


ddr_fluoroquinolone_macrolide
ANOVA P=0.937, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.931, adj. F−P=1
Counts(Log10)
TimePoints


pleuromotilin
ANOVA P=0.953, adj. ANOVA−P=0.953
Line vs. Poly F−P=0.777, adj. F−P=1
Counts(Log10)
TimePoints