
aminoglycoside
ANOVA P=1.95e−07, adj. ANOVA−P=7.59e−06
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


nucleoside
ANOVA P=7.24e−07, adj. ANOVA−P=1.41e−05
Line vs. Poly F−P=0.00576, adj. F−P=0.219
Counts(Log10)
TimePoints


ddr−aminoglycoside_aminocoumarin
ANOVA P=0.00519, adj. ANOVA−P=0.0674
Line vs. Poly F−P=0.208, adj. F−P=0.889
Counts(Log10)
TimePoints


ddr_rifamycin_peptide
ANOVA P=0.0115, adj. ANOVA−P=0.113
Line vs. Poly F−P=0.716, adj. F−P=1
Counts(Log10)
TimePoints


tetracycline
ANOVA P=0.0204, adj. ANOVA−P=0.124
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_disinfectant_nucleoside
ANOVA P=0.0215, adj. ANOVA−P=0.124
Line vs. Poly F−P=0.251, adj. F−P=0.889
Counts(Log10)
TimePoints


ddr_tetracycline_disinfectant
ANOVA P=0.0249, adj. ANOVA−P=0.124
Line vs. Poly F−P=0.567, adj. F−P=1
Counts(Log10)
TimePoints


aminocoumarin
ANOVA P=0.0254, adj. ANOVA−P=0.124
Line vs. Poly F−P=0.375, adj. F−P=1
Counts(Log10)
TimePoints


nitroimidazole
ANOVA P=0.0357, adj. ANOVA−P=0.149
Line vs. Poly F−P=0.163, adj. F−P=0.836
Counts(Log10)
TimePoints


ddr_beta−lactam_aminoglycoside
ANOVA P=0.0409, adj. ANOVA−P=0.149
Line vs. Poly F−P=0.0112, adj. F−P=0.219
Counts(Log10)
TimePoints

beta−lactam
ANOVA P=0.0419, adj. ANOVA−P=0.149
Line vs. Poly F−P=0.651, adj. F−P=1
Counts(Log10)
TimePoints

peptide
ANOVA P=0.0573, adj. ANOVA−P=0.175
Line vs. Poly F−P=0.0749, adj. F−P=0.73
Counts(Log10)
TimePoints


mdr
ANOVA P=0.0584, adj. ANOVA−P=0.175
Line vs. Poly F−P=0.171, adj. F−P=0.836
Counts(Log10)
TimePoints


beta−lactam_carbapenem
ANOVA P=0.083, adj. ANOVA−P=0.231
Line vs. Poly F−P=0.117, adj. F−P=0.759
Counts(Log10)
TimePoints


fosfomycin
ANOVA P=0.125, adj. ANOVA−P=0.326
Line vs. Poly F−P=0.415, adj. F−P=1
Counts(Log10)
TimePoints


ddr_macrolide_lincosamide
ANOVA P=0.172, adj. ANOVA−P=0.419
Line vs. Poly F−P=0.0325, adj. F−P=0.422
Counts(Log10)
TimePoints


macrolide_mdr
ANOVA P=0.197, adj. ANOVA−P=0.452
Line vs. Poly F−P=0.934, adj. F−P=1
Counts(Log10)
TimePoints


mupirocin
ANOVA P=0.275, adj. ANOVA−P=0.568
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


phenicol
ANOVA P=0.295, adj. ANOVA−P=0.568
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


lincosamide
ANOVA P=0.304, adj. ANOVA−P=0.568
Line vs. Poly F−P=0.104, adj. F−P=0.759
Counts(Log10)
TimePoints


diaminopyrimidine
ANOVA P=0.311, adj. ANOVA−P=0.568
Line vs. Poly F−P=0.538, adj. F−P=1
Counts(Log10)
TimePoints


fluoroquinolone
ANOVA P=0.32, adj. ANOVA−P=0.568
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_macrolide_streptogramin
ANOVA P=0.374, adj. ANOVA−P=0.634
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


glycopeptide
ANOVA P=0.399, adj. ANOVA−P=0.648
Line vs. Poly F−P=0.245, adj. F−P=0.889
Counts(Log10)
TimePoints


mdr_carbapenem
ANOVA P=0.425, adj. ANOVA−P=0.664
Line vs. Poly F−P=0.292, adj. F−P=0.95
Counts(Log10)
TimePoints


disinfectant
ANOVA P=0.558, adj. ANOVA−P=0.837
Line vs. Poly F−P=0.884, adj. F−P=1
Counts(Log10)
TimePoints


ddr_macrolide_aminocoumarin
ANOVA P=0.604, adj. ANOVA−P=0.873
Line vs. Poly F−P=0.373, adj. F−P=1
Counts(Log10)
TimePoints


ddr_fluoroquinolone_macrolide
ANOVA P=0.664, adj. ANOVA−P=0.925
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints

beta−lactam
ANOVA P=0.768, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints

ddr_fluoroquinolone_aminoglycoside
ANOVA P=0.822, adj. ANOVA−P=0.989
Line vs. Poly F−P=0.563, adj. F−P=1
Counts(Log10)
TimePoints


sulfonamide
ANOVA P=0.828, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_tetracycline_glycylcycline
ANOVA P=0.86, adj. ANOVA−P=0.989
Line vs. Poly F−P=0.6, adj. F−P=1
Counts(Log10)
TimePoints


ddr_streptogramin_pleuromotilin
ANOVA P=0.87, adj. ANOVA−P=0.989
Line vs. Poly F−P=0.63, adj. F−P=1
Counts(Log10)
TimePoints


pleuromotilin
ANOVA P=0.902, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


macrolide
ANOVA P=0.928, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


rifamycin
ANOVA P=0.96, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


ddr_beta−lactam_macrolide
ANOVA P=0.964, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.5
1.0
1.5
0
200
400
600
800
TimePoints


ddr_fluoroquinolone_disinfectant
ANOVA P=0.981, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0
1
2
3
4
0
200
400
600
800
TimePoints


elfamycin
ANOVA P=0.989, adj. ANOVA−P=0.989
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.5
1.0
1.5
2.0
0
200
400
600
800
TimePoints