
aadE
ANOVA P=0.174, adj. ANOVA−P=0.431
Line vs. Poly F−P=0.0782, adj. F−P=0.422
Counts(Log10)
TimePoints


lnu(C)
ANOVA P=0.221, adj. ANOVA−P=0.431
Line vs. Poly F−P=0.102, adj. F−P=0.422
Counts(Log10)
TimePoints


vanX−D
ANOVA P=0.0732, adj. ANOVA−P=0.431
Line vs. Poly F−P=0.107, adj. F−P=0.422
Counts(Log10)
TimePoints


vanH−D
ANOVA P=0.125, adj. ANOVA−P=0.431
Line vs. Poly F−P=0.115, adj. F−P=0.422
Counts(Log10)
TimePoints


vanR−D
ANOVA P=0.141, adj. ANOVA−P=0.431
Line vs. Poly F−P=0.141, adj. F−P=0.422
Counts(Log10)
TimePoints


dfrF
ANOVA P=0.287, adj. ANOVA−P=0.431
Line vs. Poly F−P=0.214, adj. F−P=0.499
Counts(Log10)
TimePoints


tet(W)
ANOVA P=0.262, adj. ANOVA−P=0.431
Line vs. Poly F−P=0.236, adj. F−P=0.499
Counts(Log10)
TimePoints


sul2
ANOVA P=0.414, adj. ANOVA−P=0.565
Line vs. Poly F−P=0.266, adj. F−P=0.499
Counts(Log10)
TimePoints


msr(D)
ANOVA P=0.885, adj. ANOVA−P=0.91
Line vs. Poly F−P=0.544, adj. F−P=0.833
Counts(Log10)
TimePoints


mef(A)
ANOVA P=0.657, adj. ANOVA−P=0.821
Line vs. Poly F−P=0.555, adj. F−P=0.833
Counts(Log10)
TimePoints


erm(B)
ANOVA P=0.902, adj. ANOVA−P=0.91
Line vs. Poly F−P=0.654, adj. F−P=0.892
Counts(Log10)
TimePoints


vanS−D
ANOVA P=0.254, adj. ANOVA−P=0.431
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
TimePoints


tet(O)
ANOVA P=0.275, adj. ANOVA−P=0.431
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.2
0.4
0.6
0.8
1.0
−100
0
100
200
300
400
500
TimePoints


tet(40)
ANOVA P=0.0502, adj. ANOVA−P=0.431
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.2
0.4
0.6
−100
0
100
200
300
400
500
TimePoints


vanZ−A
ANOVA P=0.91, adj. ANOVA−P=0.91
Line vs. Poly F−P=1, adj. F−P=1
Counts(Log10)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−100
0
100
200
300
400
500
TimePoints