In [1]:
```python
prof=['Sir Calim']
for prof in prof:
    print('Good day po!',prof)
    print('Welcome To My Fourth Program!')
print('-keziah')
```

```
Good day po! Sir Calim
Welcome To My Fourth Program!
-keziah
```

In [7]:
```python
#PROGRAM: Daily Savings Monitor
# This program monitors daily money deposits using a while loop
# until a savings goal is reached,
# and then scans bonus points using a for loop to find the
# largest and smallest numbers.


# STARTING VARIABLES

print('Before')
savings_goal = 500.0
total_savings = 0.0
day_counter = 0


# THE WHILE LOOP (Indefinite Iteration)

while total_savings < savings_goal:
    day_counter = day_counter + 1  # Count each day loop execution cycle

    print('Current Day:', day_counter)
    print('Total Saved So Far:', total_savings)

    user_input = input('Enter money saved today (or type "done" to finish): ')

    # Using break to instantly end the loop early by user request
    if user_input == 'done':
        print('Stopping early because you typed done.')
        break

    deposit_amount = float(user_input)  # Type conversion from text to decimal

    # Using continue to instantly skip invalid negative or zero entries
    if deposit_amount <= 0:
        print('Warning: Invalid amount skipped!')
        day_counter = day_counter - 1  # Fix day count tracker for the mistake
        continue

    total_savings = total_savings + deposit_amount
    # Update sum accumulator variable
    print('-----------------------------------------')


# THE FOR LOOP (Definite Iteration & Loop Idioms)
```

```python
print('--- Checking My Bonus Reward Points ---')


# Initialize tracking variables to None (empty value constant) at the start
largest = None
smallest = None

# Definite loop that runs exactly 5 times
# using 'points' as the iteration variable
for points in [10, 25, 5, 50, 15]:

    # Loop Idiom Pattern: Finding the largest value
    if largest is None:
        largest = points
        # On the first iteration, take the first value as baseline
    elif points > largest:
        largest = points
        # If current sequence item is larger, swap it

    # Loop Idiom Pattern: Finding the smallest value using 'is' comparison
    if smallest is None:
        smallest = points
        # On the first iteration, take the first value as baseline
    elif points < smallest:
        smallest = points
        # Check if sequence item is smaller than current tracker

# FINAL PRINT STATEMENTS
print('After')
print('Final Total Savings Balance:', total_savings)
print('Total Days Tracked:', day_counter)
print('Largest Bonus Point Earned:', largest)
print('Smallest Bonus Point Earned:', smallest)
print('----------------------------------------')
```

```
Before
Current Day: 1
Total Saved So Far: 0.0
----------------------------------------
Current Day: 2
Total Saved So Far: 10.0
----------------------------------------
Current Day: 3
Total Saved So Far: 30.0
----------------------------------------
Current Day: 4
Total Saved So Far: 60.0
----------------------------------------
Current Day: 5
Total Saved So Far: 100.0
----------------------------------------
Current Day: 6
Total Saved So Far: 150.0
----------------------------------------
Current Day: 7
Total Saved So Far: 210.0
```

```
-----------------------------------------
Current Day: 8
Total Saved So Far: 280.0
-----------------------------------------
Current Day: 9
Total Saved So Far: 360.0
-----------------------------------------
Current Day: 10
Total Saved So Far: 450.0
-----------------------------------------
--- Checking My Bonus Reward Points ---
After
Final Total Savings Balance: 550.0
Total Days Tracked: 10
Largest Bonus Point Earned: 50
Smallest Bonus Point Earned: 5
-----------------------------------------
```