


KNIME GITHUB EVIDENCE

Part 1: Prepare the Project Folder



The project folder was prepared in File Explorer to store the KNIME workflow and all supporting files in one location.

Folder location:

C:\Users\kssnd\OneDrive\CS0065\Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool

Part 2: Create README.md Using Notepad

```
# Asynchronous Activity 1: Student Early Warning Tool Using KNIME

This repository contains the required output for Asynchronous Activity 1. The project uses KNIME to
predict student risk status from academic performance data.

## Files
- `StudentPerformancePrediction.knwf` - exported KNIME workflow
- `student_performance_knime.csv` - dataset used by the workflow

## Algorithms
- Decision Tree
- Logistic Regression
- Random Forest


## How to Run
1. Import the `.knwf` file into KNIME Analytics Platform.
2. Configure the CSV Reader and select the included dataset.
3. Execute all nodes.
4. Open the Scorer nodes to review the evaluation results.

## Author
Kassandra Margarette Añonuevo

## Course and Section
CS0065 / AN43
```

The README.md file was created using Notepad and saved with Save as type set to All Files. It contains the project description, included files, instructions, and author information.

Part 3: Create the GitHub Repository




A GitHub repository named Anonuevo-Kassandra-CS0065-AN43-AS2 was created to store and manage the project files online.

Repository URL:

<https://github.com/kfanonuevo/Anonuevo-Kassandra-CS0065-AN43-AS2>

Part 4: Open the Correct Folder in Git Bash



```
MINGW64~/c:/Users/kssnd/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningT...
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool
$ pwd
/c:/Users/kssnd/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool
$ ls
README.md 'Student Performance Prediction.knwf' student_performance_knime.csv
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool
$ |
```

Git Bash was opened in the DemoEarlyWarningTool project folder. The pwd command was used to confirm the current folder location, while the ls command was used to verify that the necessary project files were present.

Part 5: Configure Git Identity

```
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool
$ git config --global user.name "kfanonuevo"
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool
$ git config --global user.email "kfanonuevo@feualabang.edu.ph"
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool
$ git config --global user.name
kfanonuevo
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool
$ git config --global user.email
kfanonuevo@feualabang.edu.ph
```

The Git user name and email address were configured to identify the author of the project commits. This information is recorded in the Git commit history.

Part 6: Initialize and Commit the Project

```
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool
$ git init
Initialized empty Git repository in C:/Users/kssnd/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool/.git/

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (master)
$ git branch -M main

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        README.md
        Student Performance Prediction.knwf
        student_performance_knime.csv

nothing added to commit but untracked files present (use "git add" to track)

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git add .

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md
        new file:   Student Performance Prediction.knwf
        new file:   student_performance_knime.csv

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git commit -m "Add KNIME workflow and project files"
[main (root-commit) fe28812] Add KNIME workflow and project files
3 files changed, 60 insertions(+)
create mode 100644 README.md
create mode 100644 Student Performance Prediction.knwf
create mode 100644 student_performance_knime.csv
```

The project folder was initialized as a local Git repository, and the default branch was renamed to main. All KNIME workflow and supporting project files were staged and saved in the first commit with the message “Add KNIME workflow and project files.”

Part 7: Connect the GitHub Repository

```
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git remote add origin https://github.com/kfanonuevo/Anonuevo-Kassandra-CS0065-AN43-AS2.git

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git remote -v
origin https://github.com/kfanonuevo/Anonuevo-Kassandra-CS0065-AN43-AS2.git (fetch)
origin https://github.com/kfanonuevo/Anonuevo-Kassandra-CS0065-AN43-AS2.git (push)
```

The local Git repository was connected to the assigned GitHub repository by adding it as the origin remote. The remote address was then verified to ensure that the project would be uploaded to the correct repository.

Part 8: Push the Project to GitHub

```
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 28 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 67.75 KiB | 33.88 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/kfanonuevo/Anonuevo-Kassandra-CS0065-AN43-AS2.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

The committed project files were pushed from the local main branch to GitHub. After successful authentication, the files and first commit became visible in the online repository.

Part 9: If the GitHub Repository Already Contains Files

The remote repository history was retrieved and combined with the local project before pushing again. No file conflict occurred because a README file was not added when the GitHub repository was originally created, so there was no existing README that conflicted with the local version.

Part 10: Organize the Files in a Project Folder on GitHub

```
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ mkdir -p DemoEarlyWarningTool

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git mv Student Performance Prediction.knwf DemoEarlyWarningTool/
fatal: bad source, source=Student, destination=DemoEarlyWarningTool/Student

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git mv student_performance_knime.csv DemoEarlyWarningTool/

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git mv README.md DemoEarlyWarningTool/

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        renamed:   README.md -> DemoEarlyWarningTool/README.md
        renamed:   student_performance_knime.csv -> DemoEarlyWarningTool/student_performance_knime.csv

Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:   Student Performance Prediction.knwf

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        StudentPerformancePrediction.knwf

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git add -A

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        renamed:   README.md -> DemoEarlyWarningTool/README.md
        renamed:   student_performance_knime.csv -> DemoEarlyWarningTool/student_performance_knime.csv
        renamed:   Student Performance Prediction.knwf -> StudentPerformancePrediction.knwf
```

```
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git commit -m "Rename project file"
[main 0e3b2ab] Rename project file
3 files changed, 0 insertions(+), 0 deletions(-)
rename README.md => DemoEarlyWarningTool/README.md (100%)
rename student_performance_knime.csv => DemoEarlyWarningTool/student_performance_knime.csv (100%)
rename Student Performance Prediction.knwf => StudentPerformancePrediction.knwf (100%)
```

```
kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 28 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 419 bytes | 419.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/kfanonuevo/Anonuevo-Kassandra-CS0065-AN43-AS2.git
  429f6c6..ae8ddef  main -> main

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ mkdir -p DemoEarlyWarningTool

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git mv StudentPerformancePrediction.knwf DemoEarlyWarningTool/

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git add .

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git commit -m "Organize KNIME files into project folder"
[main 479eb18] Organize KNIME files into project folder
1 file changed, 0 insertions(+), 0 deletions(-)
rename StudentPerformancePrediction.knwf => DemoEarlyWarningTool/StudentPerformancePrediction.knwf (100%)

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 28 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 418 bytes | 418.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/kfanonuevo/Anonuevo-Kassandra-CS0065-AN43-AS2.git
  ae8ddef..479eb18  main -> main


kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

kssnd@zikahyun MINGW64 ~/OneDrive/Documents/SCHOOL/4TH YEAR/1ST TERM/CS0065/Anonuevo - CS0065 - AN43 - DemoEarlyWarningTool (main)
$ git ls-files
DemoEarlyWarningTool/README.md
DemoEarlyWarningTool/StudentPerformancePrediction.knwf
DemoEarlyWarningTool/student_performance_knime.csv
```


A DemoEarlyWarningTool folder was created inside the repository, and the KNIME workflow, dataset, and README were moved into it. The KNIME workflow was also renamed from Student Performance Prediction.knwf to StudentPerformancePrediction.knwf to remove spaces and make the filename simpler and more consistent. These changes were committed and pushed to GitHub, resulting in a clearer and more organized repository structure.

Part 11: Update the Project Later



The GitHub commit history confirmed that later project changes were properly recorded. These updates included adding the original KNIME files, adding the README, renaming a project file, and organizing the files into the DemoEarlyWarningTool folder. Each change was saved in a separate commit with a descriptive message, making the development history easy to follow.

PROJECT FOLDER:



FINAL GITHUB REPOSITORY:

kfanonuevo

Anonuevo-Kassandra-CS0065-AN43-AS2

Type ↵ to search

+

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security and quality

Insights

Settings

Anonuevo-Kassandra-CS0065-AN43-AS2

Public

Pin

Watch 0

Fork 0

Star 0

main

1 Branch

0 Tags

Go to file

+

Code

kfanonuevo

Organize KNIME files into project folder

479eb18 · 1 hour ago

4 Commits

DemoEarlyWarningTool

Organize KNIME files into project folder

1 hour ago

README

Add a README

Help people interested in this repository understand your project.

Add a README

About

Asynchronous Activity 2 submission for CS0065 - AN43

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Contributors 1

kfanonuevo

kfanonuevo

Anonuevo-Kassandra-CS0065-AN43-AS2

Type ↵ to search

+

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security and quality

Insights

Settings

Files

main

Go to file

DemoEarlyWarningTool

README.md

StudentPerformancePrediction.k...

student_performance_knime.csv

Anonuevo-Kassandra-CS0065-AN43-AS2 / DemoEarlyWarningTool

Add file

...

kfanonuevo

Organize KNIME files into project folder

479eb18 · 1 hour ago

History

Name	Last commit message	Last commit date
..		
README.md	Rename project file	1 hour ago
StudentPerformancePrediction.knwf	Organize KNIME files into project folder	1 hour ago
student_performance_knime.csv	Rename project file	1 hour ago

README.md

Anonuevo-Kassandra-CS0065-AN43-AS2

Asynchronous Activity 2 submission for CS0065 - AN43

Asynchronous Activity 1: Student Early Warning Tool Using KNIME

This repository contains the required output for Asynchronous Activity 1. The project uses KNIME to predict student risk status from academic performance data.

Files

Student Performance Prediction.knwf - exported KNIME workflow