

STEEL WINDOWS & DOOR FRAMES



Build it

INDEX

STEEL WINDOW FRAMES

- G Type Windows _____ Pg 2
- E Type Windows _____ Pg 3
- C Type Windows _____ Pg 4
- D Type Windows _____ Pg 5
- D/50 Type Windows _____ Pg 6
- D/S Type Windows _____ Pg 7
- D50/S Type Windows _____ Pg 8
- G/C Type Windows _____ Pg 9
- G/D Type Windows _____ Pg 10
- G/D50 Type Windows _____ Pg 11
- E/C Type Windows _____ Pg 12
- E/D Type Windows _____ Pg 13
- Z Type Windows _____ Pg 14
- TD Type Windows _____ Pg 21-22

- French Doors _____ Pg 17
- School Type _____ Pg 18
- SS Industrial _____ Pg 19-20
- Burglar Bars _____ Pg 21
- Semi Circular fixed fan lights _____ Pg 22
- Circular fixed fan lights & openers _____ Pg 22
- Cliscoe Windows _____ Pg 23



STEEL DOOR FRAMES

- Steel Door Frames _____ Pg 24
- Combination Doors
 - 1) Single Combination Doors _____ Pg 25
 - 2) Double Combination Doors _____ Pg 26
- Transformer Doors _____ Pg 27
- Cupboard Frames _____ Pg 28

G TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW


HEIGHT: 359 mm



E TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW


HEIGHT: 654 mm



C TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW


HEIGHT: 949 mm



D TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW


HEIGHT: 1245mm



D50 TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW

HEIGHT: 1540 mm




D/S TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW

HEIGHT: 1264 mm



ND6S ND5S ND8S



ND3S ND9S ND88S



NDS6S ND1S




ND2S ND7S



ND4S ND10S



ND22S ND11S



ND11S ND12S



ND6FS ND5FS



ND2FS ND4FS



ND10FS ND22FS



ND11FS ND12FS



D6HS D5HS D8HS



D3HS D9HS D88HS



D10HS D22HS D11HS



D11HS D12HS



D6FHS D5FHS



D2FHS D4FHS



D10FHS D22FHS



D11FHS D12FHS



D6S D5S D8S



D3S D9S D88S



D22S





D12S D12FS



DS6S D1S D2S



D7S D4S D4FS



D22FS



D6FS D5FS D2FS



D4FS D22FS D22S




D12S D12FS

D50/S TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW

HEIGHT: 1559 mm


305 533 1022 1022 1511 1511 2000 2000 2489



G/C TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW


HEIGHT: 1264 mm



G/D TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW


HEIGHT: 1559 mm



G/D50 TYPE


ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW

HEIGHT: 1854 mm



ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW


HEIGHT: 1559 mm



E/D TYPE


ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW

HEIGHT: 1854 mm




Z TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW




TD TYPE

ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW




TD TYPE


ALL F7 WINDOWS WILL HAVE A WIDTH SHORTAGE OF 25MM IN COMPARISON TO YOUR FX7 WINDOW





FRENCH DOOR



SCHOOL TYPE








BURGLAR BARS

FLAT BAR - 20X4,5mm



B1

B2


DIMENSIONS OF MATERIAL

4,5mm



20mm

ROUND BAR - 10mm




B11

B33

10mm



Horizontal



10mm square bars
at 150mm centres


10mm




10mm

Note - Bars spaced 125mm centre to centre
Matching designs for fanlights available

SEMI CIRCULAR FIXED FAN LIGHTS




CIRCULAR FIXED FAN LIGHTS & OPENERS




CLISCOE WINDOWS

Inner type




The "inner" type Cliscoe can be manufactured to suit all types of windows in the catalogue and to suit any block size.

Outer type





The outer type Cliscoe can be manufactured to suit all types of windows in the catalogue and to suit any block size.




Typical cross-section viewed from the top.

Typical cross - section
as seen from top
to bottom.



Flat sill

To suit customer block size.




Side Hung open-out


Cliscoe Windows can be ordered in any window type configuration reflected in the previous pages

STEEL DOOR FRAMES

SCREEDED STEEL DOORFRAMES



FANLIGHT TYPE FRAMES




Note: Non-screeded Door Frames are 2064mm in overall height, which is 21mm shorter in length than screeded frame.




Frames are stocked for the following common wall thicknesses: 90mm, 115mm, 140mm and 230mm.

STEEL DOOR FRAMES


SINGLE PANEL




Widths are into rebate of frames. Heights are from finished floor to head rebate.



When judging the hand of combination doors,
stand outside for open out doors
inside for open in doors.




DOUBLE PANEL DOORS




Widths are into rebate of frames. Heights are from finished floor to head rebate.

Steel panels are braced to give additional rigidity. Barrel bolts are fitted to Top and Bottom of Door Leaf.



When judging the hand of combination doors,
stand outside for open out doors and
inside for open in doors.




STEEL DOOR FRAMES

TRANSFORMER ROOM UNITS

LOUVED UNIT VENT PANEL OPTIONAL


All doors open outward

815mm



Type AV


915mm



Type BV

2032mm
2135mm

1220mm



Type CV

2135mm




Type F

1220mm

2440mm


1525mm



Type MV


2135mm

1525mm



Type YV


915mm



Type H

2440mm


1830mm



Type D
D.V. with vents


2440mm

900mm




Type ALU

745mm



Type BLU

241mm



Louvre unit size



32mm

745mm
745mm





All transformer room doors are available fully louved or with no louvres.

STEEL DOOR FRAMES

STEEL CUPBOARD FRAMES



Elevations are shown from the rebate side
 (LH) = Left Hand
 (RH) = Right Hand
 Sizes: Height: from finished floor to overall frame.
 Width: Overall frame.



Widths between rebates, and heights from finished floor to rebate at Head are as follows: (mm)

Code	Width	Height	Code	Width	Height
a	610mm	2032mm	e	610mm	305mm
b	762mm	2032mm	f	762mm	305mm
c	1206mm	2032mm	g	1206mm	305mm
d	1511mm	2032mm	h	1511mm	305mm

CENTRAL BUILD IT EDENVALE

92 Van Riebeeck Ave,

Edenvale

Tel: 011 452 3837

Email: admin@centralbuilding.co.za

CENTRAL BUILD IT BEDFORDVIEW

110 North Reef Road,

Bedfordview

Tel: 011 450 3333

Email: bedford@centralbuilding.co.za

Build it