
FABRICATION DOCUMENT



	DR	DRILL PLAN		
SYM	SYM SIZE	TOL.	CNT	CNT PLATE
♦	0.014 in	+/-0.003 in	53	Yes
×	× 0.032 in	+/-0.003 in	20	20 Yes
Đ	□ 0.036 in	+/-0.003 in	2	2 Yes
+	0.040 in	+/-0.003 in	32	32 Yes
		TOTAL	107	107 107

NOTES:

- PRINTED CIRCUIT BOARD MADE FROM NEMA GRADE FR-4 EPOXY LAMINATE WITH 1 OUNCE COPPER PLATING AND .062 THICKNESS. ₹
 - ALL DIMENSIONS ARE GIVEN IN INCHES.
- CIRCUIT PATHS ARE FOR REFERENCE ONLY.
- HOLE SIZES SHOWN ARE FINISHED DIAMETERS AFTER PLATING.
- BOARD PLATED USING REFLOW OR SIMILAR METHOD.
- BOARD TO HAVE GREEN SOLDER MASK ON PLATED SURFACES USING WET FILM SR100 OR SR1010 EPOXY, EQUIVALENT WET OR DRY FILM MAY BE USED. 5. E. 4. E. 2.
 - SILKSCREEN TOP AND BOTTOM SIDE USING WHITE INK. √. ∞.
- THE FOLLOWING INFORMATION APPLIES TO THIS BOARD:
 - 2 COPPER LAYERS
- .062 BOARD THICKNESS SILKSCREEN TOP AND BOTTOM SIDES

-	ISSNE	K64LNE ALPHORETTA, GA	2011 ©	_	
	DRAMN	TITLE		REU	
	R.STARR	UX2212		Δ	
	CHECKEN	フェララソク)	
	CILCALD CILCALD	u	טוע טעע		
	R.STARR		בי בי		
			5 4 4 4 5 TO 1		
	APPROVED	3/1//2011 4:34:34 PN	F DAMAAAACHWAA	4	
	B.STARR	FILE: UX2212-REU-B	PAGE:		