

SOU

INDUSTRIAL SOFTWARE

Company Profile

Industrial software for process and discrete manufacturing plants

Connect your plant data. Understand your process.

14

years of industrial
engineering experience

5

specialized industrial.
software products

8

industrial companies'
real production data

Düsseldorf, Germany · Alexandria, Egypt · souindustrial.com

Prepared for	[Customer organization — insert before sending]
Attention	[Name, role]
Prepared by	SOU Industrial Software
Date	[Meeting date]
Document	Company Profile, revision 1.1 - August 2026
Classification	Commercial in confidence

This document describes the company, its product portfolio, its architecture and security posture, and its commercial model. Every capability statement in it is bound by the evidence rules set out in section 9.

Contents

- 1** Executive summary
- 2** The company
- 3** The problem the portfolio addresses
- 4** Product portfolio
- 5** PlantProcess IQ — the flagship
- 6** The four sibling products
 - 6.1 Manufacturing Execution System
 - 6.2 Quality Execution System
 - 6.3 Yard and Warehouse Management
 - 6.4 Energy Management System
- 7** Architecture and integration
- 8** Security, tenancy, and deployment
- 9** The evidence contract
- 10** Commercial model
- 11** How an engagement runs, and how to start.
- 12** Industries addressed.
- 13** Next steps

1. Executive summary

SOU Industrial Software is an engineer-led industrial software company establishing operations in Düsseldorf and Alexandria, built on fourteen years of industrial engineering experience and a portfolio of five specialized manufacturing software products.

Its products have been developed and exercised against real production data originating from eight industrial companies, bringing real plant structures, vocabularies, and operational complexity into the engineering process from the beginning.

The five products cover plant intelligence, production execution, quality execution, material flow and energy efficiency. Each is sold and used independently; where two of them are deployed together, the data they hold can be connected.

The company's founding thesis is a condition common to every large process plant: what happens to the product is recorded many times, in many systems, under many vocabularies — one stage in one database, the next in another, inspection in a third, the laboratory in a fourth. Each system is correct on its own. Nothing joins them, and every question that costs the plant money lives exactly in that join.

The flagship product, PlantProcess IQ, exists to close that gap: it connects to existing plant systems read-only, lets the customer's own engineers declare how their plant joins together once, keeps that as a permanent versioned model, and then uses that model to relate operating conditions to outcomes, learn the plant's own demonstrated best practice, score risk before an outcome exists, and quantify the consequence in money — with every governed figure backed by resolvable evidence and provenance.

What distinguishes the company?

- **Evidence before answers.** Where the data cannot support a defensible result, the platform abstains and names the measured reason rather than producing a number that cannot be checked.
- **No write paths.** PlantProcess IQ reads from customer systems and never writes to them. It does not participate in control.
- **The customer owns the model.** Relationships, definitions, pages, measures, and analyses are authored by the customer's staff, versioned, and exportable.
- **Nothing industry-specific ships in the product.** There is no built-in defect vocabulary, grade list, route model, equipment name or parameter name. All of it arrives with the customer's own data or is authored by the customer.
- **Claims are traceable.** Every commercial statement about PlantProcess IQ maps to a specified capability in the company's master design documentation.

2. The company

Company	SOU Industrial Software
Operating model	Engineer-led industrial software company
Operations	Düsseldorf, Germany · Alexandria, Egypt — being established
Field	Industrial software for manufacturing: plant intelligence, execution, quality, material flow, energy

Portfolio	Five specialized industrial software products
Flagship product	PlantProcess IQ
Foundation	Fourteen years of industrial engineering experience inside large international organizations across several countries
Validation basis	Developed and exercised against real production data originating from eight industrial companies
Industries addressed	Metals, paper, food and beverage, pharmaceutical, minerals, cement, chemicals, automotive and other process industries
Delivery models	Vendor-hosted, customer cloud, customer on-premise, air-gapped
Contact	info@souindustrial.com · souindustrial.com

2.1 Company foundation and operating model

SOU Industrial Software is an engineer-led industrial software company with operations being established in Düsseldorf, Germany and Alexandria, Egypt. Düsseldorf provides proximity to the European industrial market and customer base, while Alexandria provides the engineering capacity required for sustained product development, implementation, and support.

The company is founded on fourteen years of industrial engineering experience gained inside large international organizations and manufacturing environments across several countries. This background directly informs the company's software architecture, industrial semantics, and product design.

2.2 Mission and vision

MISSION To give industrial plants software that preserves operational knowledge, connects fragmented information, and turns plant data into governed decisions.	VISION To make advanced industrial intelligence and execution software configurable by the plant itself, rather than permanently dependent on external specialists.
---	---

2.3 Leadership

Karim Gamal Founder and Chief Product Architect

Fourteen years of engineering practice in industrial environments, gained inside large international organizations and on plants across several countries. The work spanned industrial automation, manufacturing execution, production tracking, system integration and plant analytics — the same territory the SOU portfolio addresses.

Holder of bachelor's and master's degrees in electrical and computer engineering. Architect of all five SOU products, and the author of the master design specification governing the flagship. Product architecture, data modelling and industrial semantics are held personally in-house rather than outsourced, which is why the software speaks in plant terms rather than in generic software abstractions.

2.4 Foundation and competitive strengths

Fourteen years of industrial experience	The founder's career was spent as an engineer inside large industrial organizations, working on plant systems in several countries. The problems this software addresses are the problems that career consisted of — they were not researched from outside the industry
Five specialised products	Five industrial software products, each with its own scope, license model and design, covering plant intelligence, production execution, quality execution, material flow and energy. This profile describes them individually in sections 5 and 6
Real industrial validation	The platform has been developed and exercised against real production data originating from eight industrial companies — genuine structures, genuine vocabularies, genuine operational complexity. All sources are treated as confidential, and none is named; no customer data is retained inside the product
Engineering-led development	The flagship product is specified in a documented master design covering commercial claims, technical architecture, function design, user journeys and infrastructure. Implementation follows the specification, and every commercial claim maps back to a specified capability
Enforced engineering discipline	Versioned relational model with row-level security, migration as a gated deployment step, container-based deployment, continuous integration, unit, integration and end-to-end test suites, dependency and image scanning, signed artifacts, and secret scanning on every build
Two-location operating model	European market proximity in Düsseldorf, combined with an engineering base in Alexandria with the capacity to sustain development, implementation and support

2.5 What customers get from SOU.

- Direct access to the technical decision-makers who designed the architecture.
- Faster adaptation: change requests are evaluated directly by the technical decision-makers responsible for the product, without the long escalation chains typical of large software organizations.
- A pilot shaped around the outcome the customer cares about, rather than around a standard package.
- A documented design the customer's own technical staff may inspect, so the product is verifiable rather than taken on trust.
- Ownership of what they build: the plant model, definitions, pages, and analyses are the customer's property, versioned and exportable.

3. The problem the portfolio addresses

Across large plants, the same symptoms recur regardless of industry:

Symptom	What it looks like on the shop floor
Recurring quality defects of unknown origin	The same defect class returns month after month. Everyone has a theory. Nobody has the joined data to test one, so troubleshooting is long and the conclusion is 'probably'.

Symptom	What it looks like on the shop floor
Recurring downtime without root cause	The same equipment stops again and again; the pattern that precedes it sits in data nobody has joined.
Execution managed on paper	Production runs from printed orders and spreadsheets. What is actually in progress is unclear, confirmations are manual and late, traceability is assembled after the fact.
Quality governed by document	Inspection plans live in documents, checks are missed under pressure, laboratory results sit disconnected from the material, audit preparation is an archaeology exercise.
Material that cannot be found	Stock is somewhere in a yard or warehouse; searching consumes handling hours; ageing stock is forgotten; shipping readiness is discovered late.
Energy measured at the meter, managed at the invoice	Consumption per line, per machine and per tonne is unknown; abnormal consumption is invisible until the bill arrives; nobody can say which change actually saved anything.
Expertise that leaves	The answer depends on scarce specialists or external consultants, and it leaves the plant when they do.

Each of the five products owns one of these problems. None of them requires the others to be useful.

4. Product portfolio

SOU Industrial Software has developed a portfolio of five specialized industrial software products, each with its own scope, design and license model. PlantProcess IQ is the flagship. It is not a container around the other four, and no product depends on it.

Product	Category	What it owns
PlantProcess IQ	Plant intelligence	Connecting existing plant data, building a permanent plant model, and turning it into evidence-ranked findings, learned practice, risk scoring and quantified value
Manufacturing Execution System	Plant execution	Turning a production plan into governed plant execution: dispatch, confirmation, consumption, genealogy as a by-product
Quality Execution System	Quality execution	Deciding what must be inspected, ensuring it is, capturing and evaluating the result, and holding or releasing material accordingly
Yard and Warehouse Management	Material flow	Knowing where material is, moving it under control, and keeping inventory and shipping readiness accurate
Energy Management System	Resource efficiency	Understanding consumption per line, machine, tonne and batch, and connecting it to production conditions and cost

4.1 The SOU industrial software stack

SOU INDUSTRIAL SOFTWARE			
PLANT INTELLIGENCE	PLANT EXECUTION	MATERIAL FLOW	RESOURCE EFFICIENCY
PlantProcess IQ Flagship	MES · QES Execution and quality	Yard & Warehouse Location and movement	Energy Management Consumption and cost

This is a commercial view of where each product operates. It is not an architectural dependency. Every one of the five is independently useful and independently sold, and where two products are deployed together and an integration exists between them, that integration is stated explicitly with its status rather than assumed.

5. PlantProcess IQ — the flagship

The in-house expert that learns your plant's own fingerprint — and stays.

PlantProcess IQ connects to the systems a plant already runs, reads them one way only, and assembles them into a model of the plant that the customer owns. Over that model it delivers a full authoring and analysis experience, and the intelligence that only such a model makes possible.

5.1 How it works, in sequence.

#	Step	What the customer gets
1	Read-only connections	Each source database or file share is reachable and proven read-only, with row caps, statement timeouts, rate limits and approved windows enforced before a read reaches the source
2	Dataset registration and import	The tables, views and files that enter the product are chosen with their watermarks; rows arrive incrementally with full batch lineage
3	The plant model, declared once	The customer's own engineer declares joins, keys, aliases and grain. The result is a permanent, versioned, query able relationship model — the customer's property
4	Validated projection	Staged rows become canonical plant data; invalid rows are quarantined with named reasons rather than silently accepted
5	Genealogy	Any unit is traceable backward and forward across stages on the plant's own key names
6	Authoring	Pages, charts, KPIs, filters, calculated measures, hierarchies and bookmarks are built by the customer without code and without a developer
7	Analysis through a readiness gate	Statistical, correlation and model analyses run — or abstain, with the deficient dimension named and its measured value shown
8	Findings, risk, practice, and value	Evidence-ranked suspected contributors, risk scoring, the plant's own demonstrated best practice, and the monetary consequence as a bounded range
9	Decide, act, measure	A suggestion is accepted, assigned, performed — and its actual outcome recorded against what was expected

5.2 The five layers of assistance

#	Layer	What it delivers
1	Unified visibility	Every source side by side: dashboards, charts, and interactive filtering; plant-wide patterns visible without specialist expertise
2	Statistical intelligence	Parameters, materials, equipment conditions and operating context related to quality, downtime, throughput, yield, energy, and any other registered outcome

#	Layer	What it delivers
3	Machine learning	Probable contributors, bottlenecks, and recurring-failure drivers, learned from the plant's own history through genealogy and route context
4	Prediction	An active material, equipment condition or production context resembling historically risky conditions is flagged for a specific outcome, with a horizon and its uncertainty, before that outcome exists
5	Recommendation	Historically supported later-stage practices to avoid the predicted outcome, and benchmarking against the plant's own demonstrated best periods

Cutting across all five: a grounded assistant that answers plain-language questions with resolvable citations and never originates a figure of its own; and a value engine that expresses impact as a bounded monetary range with drill-through to every input.

Standing under all five: the readiness gate. Before any analysis runs, the data is measured against published thresholds. Where it cannot support a defensible answer, the platform abstains and names the reason.

5.3 Intelligence as a first-class object

A prediction, a finding, a practice benchmark, a remediation candidate, a value figure and a readiness state are not reporting the platform emails out. Each can be filtered, compared across periods and lines, charted beside the process parameter that produced it, tabulated, drilled into its evidence, linked to material genealogy, placed on any page the customer builds, included in a scheduled report, explained by the assistant with citations, and tracked to its eventual outcome.

5.4 What each stakeholder gets

Role	Pain today	What the platform gives them
Chief executive	Recurring losses; dependence on scarce experts; consultants who leave	An in-house capability that learns the plant's fingerprint and stays, measured on a pilot against their own data
Plant manager	Losses and downtime recurring without explanation	Ranked, quantified priorities across the whole plant
Quality manager	Defects and claims that cannot be attributed	Cross-source defect-driver investigation walked end to end on their own material
Process engineer	Investigations by hand; a developer needed for every new view	Genealogy, cross-source analysis, practice benchmarks — and the freedom to build pages, measures and filters without asking anyone
IT and OT manager	Security and integration risk	A read-only, one-way collector that never connects into the control network, and the absence of any write path
Finance and purchasing	Whether it pays back; supplier risk	A bounded value model with traceable inputs that abstains where inputs are missing, and an exportable, customer-owned asset

6. The four sibling products

Each of the following is a complete product with its own license model, sold and used independently of PlantProcess IQ. The capabilities below describe what each product does by design; where a specific capability is planned rather than delivered, it is identified as such in the technical review rather than presented as available.

6.1 Manufacturing Execution System

The problem

Without an MES, production teams work from printed orders and spreadsheets: what is actually in progress is unclear, confirmations are manual and late, traceability is assembled after the fact, and a disruption is discovered rather than managed.

The solution

SOU MES turns a production plan into governed plant execution — orders dispatched to work centres, operations confirmed as they happen, material consumption recorded, and genealogy built as a by-product of execution rather than reconstructed afterwards.

Capabilities

Production order and work-order execution · scheduling and dispatching · route and operation execution · WIP visibility · material consumption · material genealogy · equipment and station execution · operator interaction · production declarations · shift visibility · downtime and events · production KPIs · traceability and electronic production records · ERP integration · the level-2 and automation integration boundary · quality and warehouse integration · reporting, audit and history · roles and permissions · dashboards, operator and mobile views.

Business benefits

Execution visibility · higher schedule adherence · less manual reporting · better traceability · faster production reconciliation · lower WIP uncertainty · better order genealogy · faster response to disruption.

Typical flow

ERP order → production order → route → work centre → operator and machine → material consumption → production confirmation → genealogy → KPI and reporting

Control boundary. MES carries execution authority by design: it dispatches, confirms and records production. It is not read-only, and PlantProcess IQ's read-only rule does not apply to it.

Licensing dimensions

Per plant or site · per line or work centre · concurrent users · functional modules · integration scope · support tier.

6.2 Quality Execution System

The problem

Inspection plans live in documents, checks are missed under pressure, results sit in a laboratory system disconnected from the material, nonconformances are handled by email, and audit preparation is an archaeology exercise.

The solution

A Quality Execution System governs, executes and records quality activity across production: it decides what must be inspected, ensures it is inspected, captures the result, evaluates it against specification, and holds or releases the material accordingly.

Capabilities

Inspection and quality plans · inspection execution · sample management · test and result capture · specification limits · acceptance and rejection workflows · defect and nonconformance recording · hold and release status · disposition and deviation handling · quality genealogy · laboratory and LIMS interaction · operator quality checks · automated inspection-device integration · certificates and quality records · trends and SPC · audit trail · role approval · electronic signatures where regulated use cases require them · reporting and quality dashboards.

Business benefits

Standardized inspection execution · prevention of missed quality checks · faster nonconformance response · complete traceability · one quality record across production · less paper and manual administration · faster release decisions · easier audit preparation.

Typical flow

Material or production step → quality plan → inspection point → measurement and test → specification evaluation → accept, hold or reject → disposition → quality record and certificate.

Control boundary. QES carries quality execution and approval authority by design: it holds and releases material according to its own design.

Licensing dimensions

Plant or site · inspection scope, such as inspection points or plans · users · modules · integration scope · support tier.

6.3 Yard and Warehouse Management

The problem

Material is somewhere in a yard or a warehouse and nobody is certain where; searching consumes handling hours; stock ages and is forgotten; yard utilization is guessed; shipping readiness is discovered at the last moment; inventory accuracy drifts.

Capabilities

Yard and warehouse maps · material location · bay, rack and bin visibility · inbound and outbound · put-away · movement requests · stock transfer · material reservation · staging · loading and unloading · dwell time and ageing · FIFO and FEFO · occupancy and capacity · material genealogy · batch, lot and serial tracking · truck and loading workflow · inventory reconciliation · search and movement history · stock status · handling constraints · quality-status integration · MES and ERP integration · dashboards and KPIs.

Business benefits

Find material immediately · reduce handling and search time · reduce ageing and forgotten stock · improve yard and warehouse utilization · improve shipping readiness · improve inventory accuracy · maintain full material history.

Typical flow

Inbound → yard → storage assignment → internal movement → production staging → warehouse → order allocation → loading → outbound

Control boundary. Movement authority according to the product's design, through human-approved movement requests. Crane, AGV or PLC control is not claimed.

Licensing dimensions

Site · yard and warehouse scope, such as locations or bays · users · modules · integration scope · support tier.

6.4 Energy Management System

The problem

Energy is a large controllable cost that is measured at the meter and managed at the invoice. Consumption per line, per machine, per ton and per batch is unknown; abnormal consumption is invisible until the bill arrives; peak demand charges are incurred without warning; and nobody can say which change actually saved anything.

Capabilities

Electricity, gas, steam, compressed air, water and other utilities · meter hierarchy · plant, line and machine consumption · production-normalized and specific energy consumption · baselines · peak demand and demand monitoring · tariff periods and energy cost · energy balance · anomalies · targets · budget against actual · energy KPIs · energy-to-production correlation · energy-loss identification · alerts and reports · sustainability and emissions information where supported · workflows that support ISO 50001 practice.

Business benefits

Reduce energy cost · detect abnormal consumption · understand energy per ton, unit or batch · identify inefficient lines and equipment · reduce peak demand · connect consumption to production conditions · quantify savings · improve management visibility.

Typical flow

Utility sources → meter hierarchy → plant, area, line, machine → production context → baseline → actual consumption → deviation and cost → action and verification

Two statements of record. Supporting ISO 50001 workflows is not the same as holding a certification, and no certification is claimed. Any control function, such as load shedding or demand response, applies only within the stated boundary of the product design.

Licensing dimensions

Site · meters or data points · modules · analytics depth · deployment mode.

7. Architecture and integration

7.1 The direction rule

A collector component runs inside the customer's demilitarized zone and connects outward to the platform core. The core never initiates a connection into the operational network. This architecture sharply reduces the control-system risk surface and simplifies OT security approval.

7.2 The read-only promise, enforced three ways.

For PlantProcess IQ, read-only is structural rather than procedural. Three independent mechanisms enforce it, so that no single mistake can break it:

- No core component holds a credential for a customer source system; credentials live in the collector's own vault on the customer side.
- No core component has a network route to the operational zone — enforced by firewall policy, not by configuration.
- The connector implementations expose no write verb: metadata reads and SELECT only, enforced by a safe-SQL contract on every statement.

Outbound integration is by message, export or webhook. There is no control write, ever.

7.3 Component topology

Component	Exposure	Role
Web application	HTTPS via reverse proxy	The user-facing application surfaces
API service	Behind the proxy	A closed set of stable API domains; no version token in any route
Workers	No inbound access	Import, projection, feature, analysis, learning, practice, prediction, supervision, reporting and retention pools
Database	Internal only	Staging, canonical plant data and metadata schemas, with row-level security
Object storage	Internal or managed	Archives, export artifacts and model artifacts
Collector	Customer DMZ, outbound only	One-way push from customer sources into the platform
Model gateway	Internal	Assistant serving self-hosted by default, private endpoint or customer-provided model by policy

7.4 Integration position

The platform connects around existing systems rather than replacing them. It reads ERP, MES, level-2, laboratory, historian, file and database sources according to the connectors in scope for the engagement, and it exports to the customer's existing business-intelligence platform where they want the results there as well.

Connector honesty. Connector availability is stated per source class. A connector that has not been proven against a real source of that class is presented as planned, not as supported. This is checked in the technical review before any commitment is made.

8. Security, tenancy, and deployment

8.1 Security posture

Area	Design
Identity	Memory-hard password hashing; access token held in memory only with a rotating refresh cookie; multi-factor authentication enforced for administrators; single sign-on and provisioning at enterprise tier
Authorisation	Role and permission per surface and action; entitlement gate and role gate compose independently; a viewer never authors SQL at any tier
Tenancy	Row-level security enabled and forced on every tenant-owned table, with a single resolver and an architecture test that no table can ship without a policy
Transport	TLS everywhere, including internal service-to-service traffic in a shared deployment
At rest	Database and object-storage encryption; secrets held only in a vault or managed key store
Data boundary	Analytical engines compute inside the customer's tenant. Only the assistant may use a gateway, under a declared egress plan, and a per-tenant no-egress control forces self-hosted serving
Input safety	Safe-SQL contract on every authored statement; parameter binding always; identifier allow-list; comment stripping before validation
Output safety	No secret, no internal identifier, no stack trace and no engineering note appears on any customer surface
Audit	Append-only audit family with a governed retention minimum; every privileged act, threshold change, credential resolution, restore and break-glass use recorded
Supply chain	Dependency scanning, image scanning, signed artifacts and a secret-scanning gate on every build
Compliance	Lifecycle controls evidenced; audit trail and electronic signature available where regulated industries require them

8.2 Deployment topologies

One codebase, four topologies. No topology has its own build, its own branch or its own code path — the differences are configuration, deployment manifests and operating responsibility. A separate product for on-premises deployment does not exist and will not be created.

	Vendor-hosted	Customer cloud	On-premise	Air-gapped
Operated by	SOU	Customer, deployed by SOU	Customer	Customer, isolated
Tenancy	Multi-tenant, RLS enforced	Single tenant	Single tenant	Single tenant

	Vendor-hosted	Customer cloud	On-premise	Air-gapped
Model serving	Self-hosted default	Customer choice	Self-hosted	Self-hosted only, structurally
Egress	Per-tenant no-egress control available	Per-tenant	Typically, none	No possible
Identity	SOU IdP or customer SSO	Customer SSO	Customer SSO or internal	Internal
Updates	Rolling, SOU pipeline	SOU pipeline into customer subscription	Signed release bundle	Offline signed bundle on physical media
License update	Online	Online	Online or file	File only

License entitlement is verified offline against an embedded public key, which is what makes air-gapped operation possible without any call home. On expiry, after a configurable grace period, access becomes read-only to what the customer built. Customer data is never destroyed by expiry, and a downgrade withdraws capability rather than data.

9. The evidence contract

This section sets out the principles that govern how the platform behaves — the company's principal technical differentiator, and the part a customer's own engineers can verify in the first technical session.

9.1 Trust principles

- **Works with the systems you already own.** The platform connects around existing ERP, MES, level-2, laboratory, historian, and file sources rather than replacing them, and exports to the customer's existing business-intelligence platform where they want results there as well.
- **Read-only by design toward plant systems.** PlantProcess IQ holds no write path. Outbound integration is by message, export or webhook only, and it does not participate in control.
- **Findings carry their evidence.** Results are presented as evidence-ranked suspected contributors with their named method, population and framing, so an engineer can verify a result rather than accept it.
- **Readiness is measured and published.** The platform states its measured readiness per outcome — including when that state blocks a run — rather than promising a date by which it will be capable on a given plant.
- **Connector status is stated honestly.** Availability is declared per source class, so integration scope is known before commitment rather than discovered during delivery.
- **Your numbers come from your pilot.** A demonstration on emulated data proves the method. The value figures that matter are the ones measured on the customer's own data.
- **A grounded assistant.** It explains and cites, and never originates a figure of its own — a sentence containing an uncited number is rejected before it is displayed.

9.2 How value is expressed.

Monetary impact is computed from three streams — quality, productivity, and prevention — using a model whose every term cites its inputs:

Monthly impact = affected material × penalty per unit + attributable production-impact minutes × cost per minute + yield loss × grade premium

The output is a range derived from declared assumption bands, never a single number. A missing input produces an explicit 'insufficient Basis' rather than an estimate. Any return-on-investment calculation presented before a pilot is an estimate computed on the customer's own assumptions and is labelled as such.

9.3 Objections answered directly.

Question	Answer
Can this write to my systems?	No. No write path exists in PlantProcess IQ. Outbound is message, export or webhook only. For MES, QES and Yard, execution authority is part of the product's purpose and is stated explicitly in section 6
Will it load my production databases?	Row caps, statement timeouts, rate limits and approved read windows are enforced before a read reaches the source. Backfill is throttled and resumable

Question	Answer
Where does my data go?	Deterministic engines compute inside the customer's tenant. The assistant model is self-hosted by default; a private endpoint receives only the question and the scoped evidence, never the customer's tables. A per-tenant no-egress control forces self-hosted serving
We already have Power BI — why this?	Keep it. This is not a reporting layer; it is the plant model and the intelligence underneath one. Engineers get the same class of authoring freedom, over a model that knows the plant's genealogy, routes, and operating history — and everything here exports to the existing platform
Do we need programmers to configure it?	Not for the common case. Pages, charts, KPIs, filters, calculated measures, hierarchies, bookmarks, analyses, and rules are authored from the interface
What happens if we stop?	The plant model, definitions, pages and analyses the customer authored are theirs, versioned and exportable. License expiry ends capability, not data

10. Commercial model

10.1 What is priced

Component	Basis	Recurrence
Implementation and onboarding	Deployment mode, connector count, data-model complexity, training	One-off
Software subscription	Tier value plus capacity consumed	Monthly or annual
Infrastructure and hosting	Where vendor-hosted	Monthly
Enterprise features	Single sign-on, airgap, high availability, customer model serving	Monthly
Support and service level	Response and availability commitments	Monthly
Professional services	Optional, at day rate	As used

10.2 How the tier is determined

The tier is derived, not chosen. It is the lowest tier that satisfies every one of the commercial dimensions the customer requires — users, authored pages, scheduled jobs, source connections, refresh cadence and required capabilities. One dimension over the limit promotes the tier.

A distinction that keeps the model honest. Commercial counts determine which package a customer is eligible for. They never determine what the server must be. Hardware sizing is driven only by technical meters — retained volume, ingest rate, refresh floor, compute slots and concurrent sessions — and is produced as an explicit calculation with its assumptions listed.

Deliberately never counted or priced individually: dimensions and measures, filters, relationships, bookmarks, saved views, definition versions, genealogy depth and evidence drill-through. Charging for those would sell the customer a worse product.

10.3 Figures

Licence figures are configured per deployment against the dimensions above and are issued as a written quotation. This profile deliberately quotes no price, because a number produced before the deployment is understood is a number that changes.

11. How an engagement runs

#	Stage	What happens
1	Technical review	Sources, volumes, connectors, network constraints, identity, deployment topology and security requirements are established. Connector availability is confirmed per source class
2	Demonstration	The product is shown on an emulated multi-source plant, disclosed as such. Live import, a join declared in the room, a genealogy walk, a page built from scratch, and the readiness gate — including an honest abstain
3	Pilot	Agreed sources are connected on the customer's own installation, which starts empty. The value model then reports on the customer's own data over an agreed period
4	Handover to delivery	A signed handover records deployment topology, licence scope, connectors, ingest and retention estimates, users and roles, workload, sizing calculation, infrastructure, backup and recovery, security and egress policy, support level, and every commercial assumption the price depended on
5	Production and operation	Deployment, training, and operation under the agreed service level. Every commercial promise is traceable to a technical capability before provisioning begins

The figure that matters is the one the customer's own pilot measures. A saving quoted from an emulated plant is not offered as though it were theirs.

11.1 A low-risk way to start.

SOU structures the first engagement so that the customer can validate the product on their own plant before making a larger commitment. Six elements make that possible.

- The pilot runs on the customer's own data, so the decision to continue is made against measured evidence rather than against a presentation.
- The plant model, definitions and authored content are the customer's property, versioned and exportable in open form.
- PlantProcess IQ is read-only toward plant systems; removing it removes nothing from them.
- Deployment can be entirely inside the customer's own infrastructure, including fully air-gapped, with offline licence verification.
- The technical design is documented and inspectable by the customer's own engineers rather than resident only in the supplier's staff.

- The product was exercised against real production data from eight industrial companies before being offered, so the first pilot is not the first realistic dataset it has met.

12. Industries addressed

Metals · paper · food and beverage · pharmaceutical · minerals · cement · chemicals · automotive · other process industries.

These are industries the portfolio is designed to support, not product variants. There is no industry-specific edition and no industry vocabulary inside the product. The customer's own materials, stages, routes, parameters, defect classes and equipment names enter through the import pipeline or are authored by the customer's staff — which is why the same platform serves a rolling mill and a bottling plant without a fork in the code.

13. Next steps

#	Step	What we need from you
1	Technical review session	One session with your process, IT and OT representatives to establish sources, volumes and network constraints
2	Product demonstration	Ninety minutes, with your process engineer present — they are the person who can verify or refute what the product claims
3	Pilot definition	The outcome you want examined first, the sources that hold it, and the period the pilot should cover

Contact	Karim Gamal - Founder and Chief Product Architect
Email	info@souindustrial.com
Website	souindustrial.com

SOU Industrial Software · Commercial in confidence · This document contains no customer reference; performance figure or certification claim that has not been verified. Capability statements are bound by the evidence contract in section 9.