# coding challenge 5

# Katie Clouse

2025-03-20

```
div.data <- read.csv("C:/Users/katie/Downloads/DiversityData.csv")
meta.data<- read.csv("C:/Users/katie/Downloads/Metadata.csv")
library(tidyverse)</pre>
```

#### Question 1

```
## Warning: package 'tidyverse' was built under R version 4.4.2
## Warning: package 'dplyr' was built under R version 4.4.2
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v dplyr 1.1.4
                      v readr
                                 2.1.5
## v forcats 1.0.0
                    v stringr 1.5.1
## v ggplot2 3.5.1 v tibble 3.2.1
## v lubridate 1.9.3
                      v tidyr
                                 1.3.1
             1.0.2
## v purrr
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag() masks stats::lag()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become error
```

```
alpha <- merge.data.frame(div.data, meta.data, by = "Code") #you can use the merge() function to add da
```

## Question 2

```
alpha_even <- alpha %>%
  mutate(Pielou = (shannon/log(richness)))
```

#### Question 3


## Question 4

```
## 'summarise()' has grouped output by 'Crop'. You can override using the
## '.groups' argument.
```

```
alpha_average2 <- alpha_average %>%
  select(Time_Point, Crop, Mean.even) %>%
  pivot_wider(names_from = Crop, values_from = Mean.even) %>%
  mutate(diff.cotton.even = Soil - Cotton) %>%
  mutate(diff.soybean.even = Soil - Soybean)
```

## Question 5

```
alpha_average2%>%
  select(Time_Point, diff.cotton.even, diff.soybean.even)%>%
  pivot_longer(c(diff.cotton.even, diff.soybean.even), names_to = "diff")%>%
  ggplot(aes(x = Time_Point, y = value, color = diff)) +
  geom_line() +
  xlab("Time (hrs)") +
  ylab("Difference from soil in Pielou's evenness")
```



Question 6 #### Question 7 Link to GitHub "'