
BREEZE AIRBUS A220-300 PROFILES


Profiles Rev 1.0 Apr 2023 UNOFFICIAL UNTIL AUTHORIZED

NORMAL TAKEOFF




BREEZE AIRBUS A220-300 PROFILES

NORMAL REJECT




BREEZE AIRBUS A220-300 PROFILES

Engine Failure at or after V1




BREEZE AIRBUS A220-300 PROFILES

Normal Approach with vertical guidance




BREEZE AIRBUS A220-300 PROFILES

Localizer Approach




BREEZE AIRBUS A220-300 PROFILES

Normal Go Around



BREEZE AIRBUS A220-300 PROFILES

Some Techniques - Magenta to Magenta Switch



Switching from Magenta to an ILS approach

This example demonstrates how to transition from enroute navigation (magenta needles and LNAV/VNAV) to an ILS.

1. LNAV and VNAV are active



2. When cleared for the approach, set the FAF altitude in the Altitude Alerter. **2300 at IAMMM** 2300


   Arm the Approach - Press APPR


3. ("Path") will automatically activate at TOD.



4.







BREEZE AIRBUS A220-300 PROFILES

Emergency Descent ---- TO GO

Notes:

BREEZE AIRBUS A220-300 PROFILES

Normal Flight Sequence of Events

Cold and Dark Aircraft

The only Memory Items - ***Parking Brake on***
Battery 1 Auto / Battery 2 Auto
ECL on DU 2

POWER ON CHECKLIST. ***Read and do only*** - *Not a called for checklist*.

Get ATIS. (If within 30 minutes of departure get clearance or PDC also)
SET UP COCKPIT With Baro, departure altitudes etc.

CONNECT EXTERNAL POWER OR START APU

PREFLIGHT CHECKLIST. **Called for by PIC** – *Challenge and Response*

***Set up FMS and perform route verification*.** To include all fixes, speeds and altitudes and any restrictions for the departure only, (Arrival not required but if you have time maybe take a look at and confirm these also). Also confirm any fixes added as a supplement to the special departure procedure.
Finish boarding.
Close doors. Confirm on door synoptic page.
Get load manifest, add all pax info and take-off performance info into the FMS.

PUSH BACK, START ENGINES.

BEFORE TAXI CHECKLIST. **Called for by PIC** – ***Challenge and Response***

Call Ramp/Ground/Metering for taxi clearance

TAXI OUT

BEFORE TAKEOFF CHECKLIST. Called for by PIC – ***Challenge and response*** **(***Make sure Cabin is ready***)**

AFTER TAKEFF CHECKLIST. Called by PF – ***Read and Do***

Cruise portion monitoring – Continuous cross reference of route and any changes confirmed. Continuous reference of fuel trends / performance and weather conditions during cruise and if arrival is changing/marginal have multiple contingencies in mind at all times. Always have a closest airport in mind every 100 miles or so in case of emergencies.
(Hint: use 30 nm fix info rings around contingency airports)

Enroute Tasks – Approx 50 miles prior to Top of descent (TOD). Have ATIS, Landing numbers. Confirm arrival STAR fixes speeds and altitudes. Set up FMS with all instrument approach and landing data, landing speeds including factors for auto-throttles, ice speeds and/or wind gusts and any OLDs if required. Complete setup and Brief.

DESCENT AND APPROACH CHECKLIST. Called by PF – ***Challenge and Response***

BEFORE LANDING CHECKLIST. Called by PF – ***Read and Do***

AFTER LANDING CHECKLIST. Called for by PIC – ***Read and Do***