# Shooting Crime in New York City

## December 09, 2024

This project provides a descriptive analysis of the shooting crimes in New York City (NYC). It primarily focuses on the demographic and geographic characteristics of shooting incidents. The analysis is based on New York Police Department (NYPD) Shooting Incident data https://catalog.data.gov/dataset/nypd-shooting-incident-data-historic.

### Data preparation

A simple description of the data shows that it contains multiple variables.

##	INCIDENT_KEY	OCCUR_DATE	OCCUR_TIME	BORO
##	Min. : 9953245	Length: 28562	Length: 28562	Length: 28562
##	1st Qu.: 65439914	Class :character	Class :character	Class :character
##	Median : 92711254	Mode :character	Mode :character	Mode :character
##	Mean :127405824			
##	3rd Qu.:203131993			
##	Max. :279758069			
##				
##	LOC_OF_OCCUR_DESC	PRECINCT J	URISDICTION_CODE LOC_	_CLASSFCTN_DESC
##	Length:28562	Min. : 1.0 M	in. :0.0000 Leng	gth:28562
##	Class :character	1st Qu.: 44.0 1	st Qu.:0.0000 Clas	ss :character
##	Mode :character	Median: 67.0 M	edian :0.0000 Mode	:character
##		Mean : 65.5 M	ean :0.3219	
##		3rd Qu.: 81.0 3	rd Qu.:0.0000	
##		Max. :123.0 M	ax. :2.0000	
##		N.	A's :2	
##	LOCATION_DESC	STATISTICAL_MURDER_FLAG PERP_AGE_GROUP		
##	Length:28562	Length: 28562 Length: 28562		
##	Class :character	Class :character	Class :charact	er
##	Mode :character	Mode :character	Mode :charact	cer
##				
##				
##				
##				
##	PERP_SEX	PERP_RACE	VIC_AGE_GROUP	VIC_SEX
##	Length: 28562	Length: 28562	Length: 28562	Length: 28562
##	Class :character	Class :character		Class :character
##	Mode :character	Mode :character	Mode :character	Mode :character
##				
##				
##				
##	NIC DACE	A GOODD GD	A GOODD GD	T - + - +
##	VIC_RACE	X_COORD_CD	Y_COORD_CD	Latitude
##	Length:28562	Min. : 914928	Min. :125757 Mir	1. :40.51

```
Class :character
                       1st Qu.:1000068
                                          1st Qu.:182912
                                                            1st Qu.:40.67
##
    Mode :character
                                                            Median :40.70
                       Median :1007772
                                          Median :194901
                                          Mean
                                                 :208380
##
                       Mean
                              :1009424
                                                            Mean
                                                                   :40.74
##
                        3rd Qu.:1016807
                                          3rd Qu.:239814
                                                            3rd Qu.:40.82
##
                       Max.
                               :1066815
                                          Max.
                                                 :271128
                                                            Max.
                                                                   :40.91
                                                            NA's
##
                                                                   :59
##
      Longitude
                       Lon Lat
##
    Min.
           :-74.25
                     Length: 28562
##
    1st Qu.:-73.94
                     Class : character
##
   Median :-73.92
                     Mode :character
   Mean
           :-73.91
    3rd Qu.:-73.88
##
##
   Max.
           :-73.70
##
   NA's
           :59
```

We see that some of the variables have missing values or report unknowns although some of these variables are not key to the analysis. For the analysis, I excluded observation with missing or unknown race or age of the victim, as well as generated new variables. Note that if there are too many missing values on variable(s) that are key to the analysis, one has to do data imputation and/or look for alternative data sources or proxy variables.


```
nypd_shooting_clean <- nypd_shooting_incident %>%
  filter(VIC_RACE != "UNKNOWN", VIC_AGE_GROUP != "UNKNOWN") %>%
  mutate(
    OCCUR DATE = as.Date(OCCUR DATE, "%m/%d/%Y"),
    OCCUR HOUR = lubridate::hour(as hms(OCCUR TIME)),
   Night = ifelse(OCCUR HOUR >= 18 | OCCUR HOUR < 6, 1, 0),</pre>
    CRIME = case_when(STATISTICAL_MURDER_FLAG == "true" ~ "Murder",
             STATISTICAL_MURDER_FLAG == "false" ~ "Not Murder",
             TRUE ~STATISTICAL_MURDER_FLAG),
   Murder = ifelse(CRIME == "Murder", 1, 0),
   Male = ifelse(VIC_SEX == "M", 1, 0),
   Young = ifelse(VIC_AGE_GROUP == "18-24", 1, 0),
   Black = ifelse(VIC_RACE == "BLACK", 1, 0),
   Brooklyn = ifelse(BORO == "BROOKLYN", 1, 0),
   Bronx = ifelse(BORO == "BRONX", 1, 0),
   Manhattan = ifelse(BORO == "MANHATTAN", 1, 0),
    Queens = ifelse(BORO == "QUEENS", 1, 0),
   Staten_Island = ifelse(BORO == "STATEN ISLAND", 1, 0)) %>%
  select(-c(LOC_OF_OCCUR_DESC, PRECINCT, JURISDICTION_CODE,
       LOC_CLASSFCTN_DESC, LOCATION_DESC, X_COORD_CD,
        Y_COORD_CD, Latitude, Longitude, Lon_Lat))
```

```
BORO
##
     INCIDENT_KEY
                          OCCUR_DATE
                                               OCCUR_TIME
##
   Min.
           : 9953245
                        Min.
                               :2006-01-01
                                              Length: 28447
                                                                 Length: 28447
   1st Qu.: 65441446
                        1st Qu.:2009-09-05
##
                                              Class : character
                                                                 Class : character
  Median: 92728167
                        Median :2013-09-21
                                              Mode :character
                                                                 Mode :character
## Mean
           :127490410
                        Mean
                               :2014-06-09
##
  3rd Qu.:203517392
                        3rd Qu.:2019-10-07
## Max.
           :279758069
                        Max.
                               :2023-12-29
## STATISTICAL_MURDER_FLAG PERP_AGE_GROUP
                                                  PERP_SEX
## Length: 28447
                            Length: 28447
                                                Length: 28447
## Class :character
                            Class :character
                                                Class : character
```


```
##
    Mode
           :character
                              Mode
                                     :character
                                                   Mode
                                                          :character
##
##
##
##
     PERP_RACE
                         VIC_AGE_GROUP
                                                VIC_SEX
                                                                     VIC RACE
##
    Length: 28447
                         Length: 28447
                                              Length: 28447
                                                                   Length: 28447
##
    Class : character
                         Class : character
                                              Class : character
                                                                   Class : character
##
    Mode
           :character
                         Mode
                               :character
                                              Mode
                                                    :character
                                                                   Mode
                                                                         :character
##
##
##
      OCCUR_HOUR
                                           CRIME
##
                          Night
                                                                 Murder
                                       Length: 28447
                                                            Min.
##
            : 0.00
                     Min.
                             :0.000
                                                                    :0.0000
    Min.
##
    1st Qu.: 3.00
                      1st Qu.:1.000
                                       Class : character
                                                            1st Qu.:0.0000
    Median :15.00
##
                     Median :1.000
                                       Mode
                                             :character
                                                            Median :0.0000
##
    Mean
            :12.27
                     Mean
                              :0.754
                                                            Mean
                                                                    :0.1935
##
    3rd Qu.:20.00
                     3rd Qu.:1.000
                                                            3rd Qu.:0.0000
##
    Max.
            :23.00
                              :1.000
                                                                    :1.0000
                     Max.
                                                            Max.
##
                          Young
         Male
                                             Black
                                                              Brooklyn
##
    Min.
            :0.000
                     Min.
                              :0.0000
                                        Min.
                                                :0.0000
                                                           Min.
                                                                   :0.0000
##
    1st Qu.:1.000
                      1st Qu.:0.0000
                                        1st Qu.:0.0000
                                                           1st Qu.:0.0000
    Median :1.000
                     Median :0.0000
                                        Median :1.0000
                                                           Median :0.0000
##
##
    Mean
            :0.903
                     Mean
                              :0.3643
                                        Mean
                                                :0.7107
                                                           Mean
                                                                   :0.3972
##
    3rd Qu.:1.000
                     3rd Qu.:1.0000
                                        3rd Qu.:1.0000
                                                           3rd Qu.:1.0000
##
    Max.
            :1.000
                     Max.
                              :1.0000
                                        Max.
                                                :1.0000
                                                           Max.
                                                                   :1.0000
##
        Bronx
                         Manhattan
                                             Queens
                                                           Staten Island
##
            :0.0000
                                                :0.0000
    Min.
                       Min.
                               :0.000
                                        Min.
                                                           Min.
                                                                   :0.00000
##
    1st Qu.:0.0000
                       1st Qu.:0.000
                                        1st Qu.:0.0000
                                                           1st Qu.:0.00000
                       Median : 0.000
                                        Median :0.0000
##
    Median :0.0000
                                                           Median :0.00000
##
            :0.2932
                               :0.132
                                                :0.1493
    Mean
                       Mean
                                        Mean
                                                           Mean
                                                                   :0.02826
##
    3rd Qu.:1.0000
                       3rd Qu.:0.000
                                        3rd Qu.:0.0000
                                                           3rd Qu.:0.00000
##
    Max.
            :1.0000
                               :1.000
                                                :1.0000
                                                           Max.
                                                                   :1.00000
                       Max.
                                        Max.
```

### **Data Visualization**


The evolution of shooting incidents in NYC over time shows a general decline in such incidents. However, there was a significant increase during the COVID-19 pandemic years between 2020 and 2022, although the numbers later decreased to levels comparable to those in 2016. Additionally, the distribution of crime is uneven across the boroughs of NYC. The Bronx and Brooklyn appear to be the primary locations for most shooting incidents, whereas Staten Island and Manhattan experienced significantly fewer incidents.



## Number of Shooting Incidents by Borough by Year




## Shooting Incidents by Race, 2006–23



An analysis of the demographic characteristics of these crimes reveals that different communities are disproportionately affected by criminal activity. A significant number of victims were Black. White Hispanics and Black Hispanics also experienced higher levels of criminal activity compared to other racial groups.

### Model of crime severity

Here, I examined the likelihood and severity of shooting incidents, differentiating between incidents that led to murder and those that did not. As shown by the proportion of shooting incidents by severity, the majority were non-fatal; however, the fatality rate was still relatively high. To explore potential factors contributing to this, I applied a simple yet effective modeling approach: a linear probability model.



```
##
## Call:
  lm(formula = Murder ~ Male + Young + Black + Night + Brooklyn +
       Bronx + Queens + Staten_Island, data = nypd_shooting_clean)
##
##
## Residuals:
##
       Min
                1Q Median
                                ЗQ
                                       Max
##
  -0.2539 -0.2033 -0.1841 -0.1600
                                   0.8569
##
## Coefficients:
                  Estimate Std. Error t value Pr(>|t|)
##
## (Intercept)
                  0.220297
                             0.011004
                                      20.020 < 2e-16 ***
## Male
                 -0.005693
                             0.007917
                                       -0.719 0.472077
## Young
                 -0.040992
                             0.004872
                                       -8.414 < 2e-16 ***
## Black
                 -0.011087
                             0.005318
                                       -2.085 0.037103 *
## Night
                 -0.019402
                             0.005442
                                       -3.565 0.000364 ***
## Brooklyn
                  0.017736
                             0.007505
                                        2.363 0.018123 *
                             0.007763
## Bronx
                  0.016854
                                        2.171 0.029935
## Queens
                  0.019195
                             0.008846
                                        2.170 0.030020
## Staten_Island 0.033638
                             0.015333
                                        2.194 0.028252 *
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' ' 1
## Residual standard error: 0.3944 on 28438 degrees of freedom
## Multiple R-squared: 0.003528,
                                    Adjusted R-squared: 0.003248
## F-statistic: 12.59 on 8 and 28438 DF, p-value: < 2.2e-16
```

The model runs a regression of murder on indicators such as gender (male), age (youth, 18-24), race (Black), and location. As shown by the estimates, the model does not explain much of the variation in the likelihood of murder, so caution is necessary when drawing conclusions. However, the estimates reveal interesting and sometimes counterintuitive results: there is no significant difference between males and females, youth and Black individuals were less likely to be killed, nighttime shootings were negatively associated with the likelihood of murder, and compared with Manhattan, the other boroughs appeared to have a higher chance of a shooting incident being fatal.

### Conclusion

The analysis showed a declining trend in shooting incidents over time until the COVID-19 pandemic, during which incidents significantly increased. It also highlighted the uneven distribution of shooting incidents across different locations and communities. Additionally, a simple model was applied to examine the relationship between victim characteristics, location of incidents, and the fatality of the incidents. However, the model lacked predictive power.

Despite the useful insights from the descriptive analysis, interpretation of the results requires caution. A main source of bias may be due to a premature conclusion from the descriptive statistics that shooting incidents are inherent to certain locations or demographic behaviors. However, this is erroneous because the model did not account for variables known to have a strong relationship with crime. For example, the negative significant coefficient for Black individuals, despite a high number of shooting incidents among Blacks, could be due to the failure to control for key socioeconomic factors, which may lead to biased estimates and conclusions. These factors include household income, age distribution, population composition and density, and the level of policing activity. The descriptive analysis provides key steppingstones for more rigorous and causal analysis. Therefore, it is necessary to collect more data and run additional robustness checks.

#### Additional material

GitHub: https://github.com/kgmaysd/NYC-Shooting-Incident