

India Post – External Integrations – Approach Document

1. Introduction

This document provides a simplified onboarding approach for customers integrating with India Post systems. It outlines the onboarding process, integration options, and technical specifications required to begin booking, event retrieval, and tracking services.

2. Onboarding Flow (Simple Steps)

1. Step 1: Customer shares business requirement and selects integration method (API / SFTP / Portal).
2. Step 2: India Post provides Sandbox credentials (API keys / SFTP folders).
3. Step 3: Customer performs UAT testing with sample data.
4. Step 4: Validation and sign-off from both teams.
5. Step 5: Production credentials issued and integration activated.
6. Step 6: Go-live monitoring and support initiation.

3. Integration Options

3.1 Web Portal Upload

- Upload CSV/XML/Excel files manually through self-service portal
- Automatic validation & error reports.
- Requires username/password with MFA.(Registered Customers)

3.2 SFTP Upload

- Dedicated SFTP folder structure per customer.
- Upload booking files in /inbound.
- Output processed/error files in /outbound.
- Supported formats: CSV, XLSX, XML.

3.3 API Integration

- REST-based APIs for tariff, booking, tracking, and events.
- Token-based authentication.
- Best suited for real-time integration.

4. Technical Specifications (Summary)

4.1 Authentication APIs

- Access Token API: POST /access/login
- Token Refresh API: POST /access/TokenWithRtoken

India Post – Bulk Customer Integration

4.2 Core APIs

- Tariff APIs: Speed Post, Parcel, Letter, Business Parcel, International.
- Booking API: /process-articles/:customId (JSON) or /process-articles -file/:customId (File upload).
- Event API: /event/download (XML response).
- Bulk Tracking API: /tracking/bulk (Up to 50 articles).

4.3 File Format Requirements

Mandatory fields include: barcode, sender details, receiver details, weight, dimensions, etc.

File structure must follow shared templates for CSV/Excel/XML.

5. Sandbox Testing Checklist

- Token generation working
- Tariff calculation validated
- Booking API tested with sample payload
- Event download verified
- Tracking API validated
- SFTP file upload tested (if applicable)

6. Production Go-Live Requirements

- Whitelisted IP addresses (for API customers)
- Final credentials (API/SFTP/Portal)
- Test results sign-off
- Escalation matrix shared

7. Support & Contact

Dedicated support desk available for onboarding assistance, issue resolution, and API/SFTP troubleshooting.

India Post – Bulk Customer Integration

Technical Specifications:

1. Technical Integration

1.1. Session API

1.1.1. Access token API

This endpoint is used to authenticate users and obtain access tokens for subsequent API requests. By providing valid credentials, users can receive an access token, a refresh token, and an ID token, which are essential for maintaining a session and accessing protected resources.

Request

- Method: POST
- URL: <https://test.cept.gov.in/beextcustomer/v1/access/login>
- Content-Type: application/json

Request Body

The request body must be formatted as JSON and include the following parameters:

- username (string): The unique identifier for the user, typically a phone number or user ID.
- password (string): The user's password for authentication.

```
{  
  "username": "9999999999",  
  "password": "Dop@1234"  
}
```

Response

Upon successful authentication, the API will return a response with the following structure:

- Status Code: 200
- Content-Type: application/json

Response Body

The response will contain the following fields:

- success (boolean): Indicates whether the login was successful.
- message (string): A message providing additional information (may

India Post – Bulk Customer Integration

be empty).

- data (object): Contains the authentication tokens and their expiration details.
 - access_token (string): The token used to access protected resources.
 - refresh_token (string): The token used to obtain a new access token when the current one expires.
 - id_token (string): A token that contains user identity information.
 - expires_in (integer): The duration in seconds until the access token expires.
 - refresh_expires_in (integer): The duration in seconds until the refresh token expires.

```
{  
  "success": true,  
  "message": "",  
  "data": {  
    "access_token": "",  
    "refresh_token": "",  
    "id_token": "",  
    "expires_in": 0,  
    "refresh_expires_in": 0  
  }  
}
```

Notes

- Ensure that the username and password are correctly formatted and valid to avoid authentication errors.
- The tokens provided in the response should be securely stored and used for subsequent API requests that require authentication

1.1.2.Token Refresh API

This endpoint is used to refresh the access token for a user session. It allows clients to obtain a new access token without requiring the user to re-authenticate, thereby improving the user experience by maintaining session continuity.

India Post – Bulk Customer Integration

Request

- Method: POST
- URL:
<https://test.cept.gov.in/beextcustomer/v1/access/TokenWithRtoken>
- Authorization: Bearer token

Request Body

Currently, no specific parameters are required in the request body. Only refresh token is required and should be sent as bearer token for authorization.

Response Structure

Upon a successful request, the response will typically include the following:

- access_token: A new access token that can be used for subsequent API calls.
- expires_in: The duration (in seconds) until the access token expires.
- token_type: The type of token returned (usually "Bearer").

Example Response:

```
{  
  "access_token": "new_access_token_value",  
  "expires_in": 3600,  
  "token_type": "Bearer"  
}
```

Body

urlencoded

refreshToken:

eyJhbGciOiJIUzUxMiIsInR5cCI6IkpXLTUxMjY2VjY2EyYS0wNTg

1.2. Tariff API

- Tariff API for Speed Post, Business Parcel and International Mail services.
- This API Provides the Base Tariff and Tax based on the Chargeable weight, distance for Domestic Mail services and International Mail services.

India Post – Bulk Customer Integration

1.2.1.Speed Post Tariff API

- Provides tariff calculation for Speed Post articles, including insurance (INS) and Proof of Delivery (POD).
- APIUrl:
<https://test.cept.gov.in/beextcustomer/v1/speed-post/tariffs?product-code=SP&weight=250&source-pincode=400001&destination-pincode=110001&length=30&width=21&height=0.5&INS=1000&POD=YES>
- **Authorization: Bearer token**
- **Sample Input and Output:**

Sample Input:

Parameter	Value
product-code	SP
weight	250
source-pincode	400001
destination-pincode	110001
length	30
width	21
height	0.5
INS	1000
POD	YES

Sample Output:

```
{
  "chargeable_weight": 250,
  "volumetric_weight": 300,
  "distance": 1450,
  "price": 40,
```

India Post – Bulk Customer Integration

```
"insurance_charge": 10,
"pod_charge": 5,
"base_tariff": 55,
"cgst": 3,
"sgst": 3,
"igst": 0,
"gst": 6,
"total_with_tax": 61,
"success": true
}
```

- Tariff is based on higher of actual or volumetric weight.
- POD (Proof of Delivery) adds additional charge.
- Insurance applicable only if declared (INS).
- Same dimensional restrictions as Speed Post Parcel.

1.2.2.Business Parcel Tariff API.

- Provides tariff calculation for Business Post articles, including insurance (INS) and Proof of Delivery (POD).
- APIUrl:
<https://test.cept.gov.in/beextcustomer/v1/business-parcel-tariff/calculate?product-code=BP&weight=550&source-pincode=141010&destination-pincode=110057&length=10&width=5&height=2&ins=1000>
- **Authorization: Bearer token**
- **Sample Input and Output:**

Sample Input:

Parameter	Value
product-code	BP
weight	550
source-pincode	141010
destination-pincode	110057

India Post – Bulk Customer Integration

length	10
width	5
height	2
INS	1000

Sample Output:

```
{
  "success": true,
  "product_code": "BUSINESS_PARCEL",
  "article_type": "Business Parcel",
  "weight": 550,
  "chargeable_weight": 550,
  "source_pincode": 141010,
  "destination_pincode": 110057,
  "is_local": false,
  "distance_km": 0,
  "base_tariff": 70,
  "vas_charges": {
    "INSVAL": 58
  },
  "cod_charges": 0,
  "cgst": 12,
  "sgst": 12,
  "total_tax": 24,
  "final_amount": 152,
  "currency": "INR",
  "is_document": false,
  "delivery_type": "Inter-city",
  "timestamp": "2025-11-11T05:45:46.495Z"
}
```

- Tariff is based on higher of actual or volumetric weight.
- POD (Proof of Delivery) adds additional charge.
- Insurance applicable only if declared (INS).
- Same dimensional restrictions as Business Post Parcel.

1.3. Pin Code Search API

- This API validates any PINCODE and provides Post office Details and also can be used to search offices under a given pincode number.
- APIUrl:

India Post – Bulk Customer Integration

<https://test.cept.gov.in/bemasterdata/v1/offices/limited-details?pincode=570001&limit=50&office-type=post>

Authorization: Bearer token

➤ Sample Input and Output:

Sample Input:

Parameter	Value
pincode	570001
office-type	post

Sample Output:

```
[
  {
    "pincode": 570001,
    "office_name": "Krishna Rajendra Circle S.O",
    "office_id": "21661267",
    "office_type_code": "SPO",
    "state_name": "Karnataka",
    "delivery_office_flag": false,
    "city_name": "MYSURU",
    "taluk_name": "Mysuru",
    "village_name": "Choose an option",
    "is_rolled_out": true
  },
  {
    "pincode": 570001,
    "office_name": "Mandimohalla S.O",
    "office_id": "21661273",
    "office_type_code": "SPO",
    "state_name": "Karnataka",
    "delivery_office_flag": false,
    "city_name": "MYSURU",
    "taluk_name": "Mysuru",
    "village_name": "MAISURU",
    "is_rolled_out": true
  },
]
```

India Post – Bulk Customer Integration

```
{
  "pincode": 570001,
  "office_name": "Mysuru H.O",
  "office_id": "21360043",
  "office_type_code": "HPO",
  "state_name": "Karnataka",
  "delivery_office_flag": true,
  "city_name": "MYSURU",
  "taluk_name": "Mysuru",
  "village_name": "Choose an option",
  "is_rolled_out": true
}
```

➤ Validations:

- Pincode entered should be a valid number of 6 digit length and is a required field.
- Office-type is post and is a required field.

1.4. Bulk Booking API

- This API is used for booking Speed Post, Registered Post, Parcels, and other postal articles. It processes booking details including sender, receiver, weight, dimensions, and optional services such as COD, Insurance, and Acknowledgement.

1. Use this end point if the payload is below 1000 articles.

➤ APIUrl:

<https://test.cept.gov.in/beextcustomer/process-articles/:customId>

Authorization: Bearer token

Json Validations:

Field Name	Required Field	Validation	Data Type
bulk_customer_id	Mandatory	Number, Length 10	Int64
contract_id	Mandatory	Number, Length 8	Int64

India Post – Bulk Customer Integration

barcode_no	Optional	Characters 13	Varchar(13)
pickup_or_dropoff	Mandatory	String, One of [PICKUP, DROPOFF]	String
pickup_dropoff_office_id	Optional	Number (8 digits)	Int64
article_type	Mandatory	SP or BP, Characters 2	Varchar(2)
physical_weight	Mandatory	Number, Length 3,3	Numeric(10,3)
shape_of_article	Mandatory	One of [ROLL, NROL, DOC]	Varchar(20)
length	Mandatory	Number, Max 100	Numeric(10,3)
breadth_diameter	Mandatory	Number, Max 100	Numeric(10,3)
height	Mandatory	Number, Max 100	Numeric(10,3)
priority_flag	Optional	One of [TRUE, FALSE]	Boolean
delivery_instruction	Optional	One of [ND, OD, SD]	Varchar(20)
delivery_slot	Optional	One of [9am-2pm, 2pm-5pm, 5pm-8pm]	Varchar(20)
instruction_rts	Optional	One of [RTS, RTA]	Varchar(20)
sender_name	Mandatory	Characters 80	Varchar(80)
sender_company	Mandatory	Characters 80	Varchar(80)
sender_add_line_1	Mandatory	Characters 80	Varchar(80)
sender_add_line_2	Optional	Characters 80	Varchar(80)
sender_city	Mandatory	Characters 80	Varchar(80)
sender_state	Optional	Characters 80	Varchar(80)

India Post – Bulk Customer Integration

sender_pincode	Mandatory	Number 6	Int4
sender_emailid	Optional	Characters 80	Varchar(80)
sender_alt_contact	Optional	Numbers 10	Int8
sender_kyc	Optional	Characters 20	Varchar(20)
sender_tax_reference	Optional	Characters 20	Varchar(20)
receiver_name	Mandatory	Characters 80	Varchar(80)
receiver_company	Mandatory	Characters 80	Varchar(80)
receiver_add_line_1	Mandatory	Characters 80	Varchar(80)
receiver_add_line_2	Optional	Characters 80	Varchar(80)
receiver_city	Mandatory	Characters 80	Varchar(80)
receiver_state	Optional	Characters 80	Varchar(80)
receiver_pincode	Mandatory	Number 6	Int4
receiver_emailid	Optional	Characters 80	Varchar(80)
receiver_alt_contact	Optional	Numbers 10	Int8
receiver_kyc	Optional	Characters 20	Varchar(20)
receiver_tax_reference	Optional	Characters 20	Varchar(20)
alt_address_flag	Mandatory	One of [TRUE, FALSE]	Boolean
pickup_address_flag	Mandatory	One of [TRUE, FALSE]	Boolean
drop_off_pincode	Mandatory	Number 6	Int4
sender_mobile_no	Mandatory	Numbers 10	Int8
receiver_mobile_no	Mandatory	Numbers 10	Int8
prepayment_code	Optional	One of [PS, FM, SS]	Varchar(15)

India Post – Bulk Customer Integration

value_of_prepayment	Optional	Number, Length 10,2	Numeric(10,2)
codr_cod	Mandatory	One of [COD, CODR]	Varchar(5)
value_for_codr_cod	Mandatory	Number, Length 10,2	Numeric(10,2)
insurance_type	Optional	One of [DOP]	Varchar(20)
value_of_insurance	Optional	Number, Length 10,2	Numeric(10,2)
ack	Optional	One of [TRUE, FALSE]	Boolean
reg	Optionnal	One of [TRUE, FALSE]	Boolean
otp	Optional	One of [TRUE, FALSE]	Boolean
bulk_reference	Mandatory	Characters 50	Varchar(50)
pickup_address_id	Optional	Number 8	Number
pickup_addressee_name	Mandatory	Characters 80	Varchar(80)
pickup_company_name	Mandatory	Characters 80	Varchar(80)
pickup_address_line1	Mandatory	Characters 80	Varchar(80)
pickup_address_line2	Optional	Characters 80	Varchar(80)
pickup_address_line3	Optional	Characters 80	Varchar(80)
pickup_city	Mandatory	Characters 80	Varchar(80)
pickup_state	Optional	Characters 80	Varchar(80)
pickup_pincode	Mandatory	Number 6	Int4
pickup_email_id	Optional	Characters 80	Varchar(80)
pickup_alt_contact_no	Optional	Numbers 10	Int8

India Post – Bulk Customer Integration

pickup_mobile_no	Mandatory	Numbers 10	Int8
pickup_schedule_slot	Optional	One of [08:00-09:00, ..., 19:00-20:00]	Varchar(20)
pickup_schedule_date	Optional	dd-mm-yyyy	Date
alt_addressee_name	Mandatory	Characters 80	Varchar(80)
alt_company_name	Mandatory	Characters 80	Varchar(80)
alt_address_line1	Mandatory	Characters 80	Varchar(80)
alt_address_line2	Optional	Characters 80	Varchar(80)
alt_address_line3	Optional	Characters 80	Varchar(80)
alt_city	Mandatory	Characters 80	Varchar(80)
alt_state	Optional	Characters 80	Varchar(80)
alt_pincode	Mandatory	Number 6	Int4
alt_email_id	Optional	Characters 80	Varchar(80)
alt_contact_no	Optional	Numbers 10	Int8
alt_alternate_mobile_no	Mandatory	Numbers 10	Int8

Sample Input and Output:

Sample Input:

```
{
  "articles": [
    {
      "bulk_customer_id": "1000000444",
      "contract_id": "41441234",
      "barcode_no": "EB468827991IN",
      "pickup_or_dropoff": "dropoff",
      "pickup_dropoff_office_id": 21260024,
      "article_type": "SP",
      "physical_weight": 15,
      "shape_of_article": ""
    }
  ]
}
```

India Post – Bulk Customer Integration

```
"length": "",
"breadth_diameter": "",
"height": "",
"priority_flag": "",
"delivery_instruction": "",
"delivery_slot": "",
"instruction_rts": "",
"sender_name": "KRA CAMS",
"sender_company": "",
"sender_add_line_1": "CHENNAI",
"sender_add_line_2": "CHENNAI",
"sender_city": "CHENNAI",
"sender_state": "TAMIL NADU",
"sender_pincode": "600001",
"sender_emailid": "",
"sender_alt_contact": "",
"sender_kyc": "",
"sender_tax_reference": "",
"receiver_name": "Saurabh Shukla",
"receiver_company": "",
"receiver_add_line_1": "NEW DELHI GPO",
"receiver_add_line_2": "NEW DELHI GPO",
"receiver_city": "CENTRAL DELHI",
"receiver_state": "CENTRAL DELHI",
"receiver_pincode": "110001",
"receiver_emailid": "",
"receiver_alt_contact": "",
"receiver_kyc": "",
"receiver_tax_reference": "",
"alt_address_flag": "FALSE",
"pickup_address_flag": "",
"drop_off_pincode": "600001",
"sender_mobile_no": "1234567890",
"receiver_mobile_no": "1234567890",
"prepayment_code": "",
"value_of_prepayment": 0,
"codr_cod": "",
"value_for_codr_cod": "",
"insurance_type": "",
"value_of_insurance": 0,
"ack": "FALSE",
"reg": "FALSE",
```

India Post – Bulk Customer Integration

```

"otp": "FALSE",
"bulk_reference": "",
"pickup_address_id": "",
"pickup_addressee_name": "",
"pickup_company_name": "",
"pickup_address_line1": "",
"pickup_address_line2": "",
"pickup_address_line3": "",
"pickup_city": "",
"pickup_state": "",
"pickup_pincode": "",
"pickup_email_id": "",
"pickup_alt_contact_no": "0",
"pickup_mobile_no": "0",
"pickup_schedule_slot": "",
"pickup_schedule_date": "",
"alt_addressee_name": "",
"alt_company_name": "",
"alt_address_line1": "",
"alt_address_line2": "",
"alt_address_line3": "",
"alt_city": "",
"alt_state": "",
"alt_pincode": "",
"alt_email_id": "",
"alt_contact_no": "0",
"alt_alternate_mobile_no": ""
},
{
"bulk_customer_id": "1000000444",
"contract_id": "41441234",
"barcode_no": "EB468790992IN",
"pickup_or_dropoff": "dropoff",
"pickup_dropoff_office_id": 0,
"article_type": "BP",
"physical_weight": 15,
"shape_of_article": "",
"length": "",
"breadth_diameter": "",
"height": "",
"priority_flag": "",
"delivery_instruction": ""

```


India Post – Bulk Customer Integration

```
"delivery_slot": "",
"instruction_rts": "",
"sender_name": "KRA CAMS",
"sender_company": "",
"sender_add_line_1": "CHENNAI",
"sender_add_line_2": "CHENNAI",
"sender_city": "CHENNAI",
"sender_state": "TAMIL NADU",
"sender_pincode": "600001",
"sender_emailid": "",
"sender_alt_contact": "",
"sender_kyc": "",
"sender_tax_reference": "",
"receiver_name": "Varun Malhotra",
"receiver_company": "",
"receiver_add_line_1": "NEW DELHI GPO",
"receiver_add_line_2": "NEW DELHI GPO",
"receiver_city": "CENTRAL DELHI",
"receiver_state": "CENTRAL DELHI",
"receiver_pincode": "110001",
"receiver_emailid": "",
"receiver_alt_contact": "",
"receiver_kyc": "",
"receiver_tax_reference": "",
"alt_address_flag": "FALSE",
"pickup_address_flag": "",
"drop_off_pincode": "60001",
"sender_mobile_no": "1234567890",
"receiver_mobile_no": "1234567890",
"prepayment_code": "",
"value_of_prepayment": 0,
"codr_cod": "",
"value_for_codr_cod": "",
"insurance_type": "",
"value_of_insurance": 0,
"ack": "FALSE",
"reg": "FALSE",
"otp": "FALSE",
"bulk_reference": "",
"pickup_address_id": "",
"pickup_addressee_name": "",
"pickup_company_name": "",
```

India Post – Bulk Customer Integration

```

    "pickup_address_line1": "",
    "pickup_address_line2": "",
    "pickup_address_line3": "",
    "pickup_city": "",
    "pickup_state": "",
    "pickup_pincode": "",
    "pickup_email_id": "",
    "pickup_alt_contact_no": "0",
    "pickup_mobile_no": "0",
    "pickup_schedule_slot": "",
    "pickup_schedule_date": "",
    "alt_addressee_name": "",
    "alt_company_name": "",
    "alt_address_line1": "",
    "alt_address_line2": "",
    "alt_address_line3": "",
    "alt_city": "",
    "alt_state": "",
    "alt_pincode": "",
    "alt_email_id": "",
    "alt_contact_no": "0",
    "alt_alternate_mobile_no": ""
  }
]
}

```

Sample Output:

```

{
  "success": true,
  "batch_id": "batch_1000000444_1756664817431",
  "custom_id": "1000000444",
  "mail_booking_dom_id": 386807208610000,
  "correlation_id": "1000000444_386807208610000_1756664817432_906",
  "timestamp": "2025-08-31T18:26:57.432Z",
  "input_method": "json_body",
  "total": 2,
  "processed": 2,
  "valid_articles": [
    {
      "barcode_no": "EB468827991IN",

```

India Post – Bulk Customer Integration

```

    "index": 0,
    "timestamp": "2025-08-31T18:26:57.432Z",
    "offset_number": "3506",
    "block_number": 24,
    "calculated_tariff": 17,
    "currency": "INR"
  }
],
"error_articles": [
  {
    "barcode_no": "EB468790992IN",
    "index": 1,
    "timestamp": "2025-08-31T18:26:57.432Z",
    "offset_number": null,
    "block_number": null,
    "errors": [
      "Dropoff pincode must be exactly 6 digits"
    ]
  }
],
"summary": {
  "success_count": 1,
  "error_count": 1,
  "total_tariff_amount": 17
}
}

```

Error responses:

Error Code:400(missing json payload)

```

{
  "success": false,
  "message": "Request validation failed",
  "errors": [
    {
      "type": "field",
      "msg": "Articles must be an array with 1 to 100,000 items",
      "path": "articles",
      "location": "body"
    }
  ]
},

```

India Post – Bulk Customer Integration

"timestamp": "2025-09-02T07:37:21.980Z"

}

Error Code:400(missing customer Id)

{

"success": false,

"message": "Custom ID is required. Use either path parameter (/process-articles/:customId) or query parameter (?customId=xxx)",

"timestamp": "2025-09-02T07:39:36.959Z"

}

All the validation error codes/messages

Incorrect Payload errors (Error Code 400)

- Custom ID is required. Use either path parameter (/process-articles/:customId) or query parameter (?customId=xxx)
- Articles must be an array with 1 to 100,000 items
- Empty articles array provided
- Batch size exceed the max size of payload 100000 items

Validation error messages (In error_articles)

- Barcode number is required
- Barcode number must be between 5 and 50 characters
- Article type is required
- Article type must be SP (Speed Post) or BP (Business Parcel)
- Physical weight is required
- Physical weight must be a whole number between 1 and 35000 grams
- Pickup or dropoff is required
- Pickup or dropoff must be PICKUP or DROPOFF
- Pickup pincode is required when pickup_or_dropoff is PICKUP
- Pickup addressee name is required when pickup_or_dropoff is PICKUP
- Pickup address line 1 is required when pickup_or_dropoff is PICKUP
- Pickup city is required when pickup_or_dropoff is PICKUP
- Pickup state is required when pickup_or_dropoff is PICKUP
- Pickup mobile number is required when pickup_or_dropoff is PICKUP
- Pickup schedule date is required when pickup_or_dropoff is PICKUP
- Pickup schedule slot is required when pickup_or_dropoff is PICKUP

India Post – Bulk Customer Integration

- Pickup pincode must be exactly 6 digits
- Pickup mobile number must be exactly 10 digits
- Dropoff pincode is required when pickup_or_dropoff is DROPOFF
- Dropoff pincode must be exactly 6 digits
- Sender name is required
- Sender pincode is required
- Sender pincode must be exactly 6 digits
- Receiver name is required
- Receiver pincode is required
- Receiver pincode must be exactly 6 digits
- sender name must be between 3 and 80 characters
- sender company must be between 3 and 80 characters
- sender add line 1 must be between 3 and 80 characters
- sender add line 2 must be between 3 and 80 characters
- sender city must be between 3 and 80 characters
- sender state must be between 3 and 80 characters
- sender emailid must be between 3 and 80 characters
- receiver name must be between 3 and 80 characters
- receiver company must be between 3 and 80 characters
- receiver add line 1 must be between 3 and 80 characters
- receiver add line 2 must be between 3 and 80 characters
- receiver city must be between 3 and 80 characters
- receiver state must be between 3 and 80 characters
- receiver emailid must be between 3 and 80 characters
- pickup addressee name must be between 3 and 80 characters
- pickup company name must be between 3 and 80 characters
- pickup address line1 must be between 3 and 80 characters
- pickup address line2 must be between 3 and 80 characters
- pickup address line3 must be between 3 and 80 characters
- pickup city must be between 3 and 80 characters
- pickup state must be between 3 and 80 characters
- pickup email id must be between 3 and 80 characters
- alt addressee name must be between 3 and 80 characters
- alt company name must be between 3 and 80 characters
- alt address line1 must be between 3 and 80 characters
- alt address line2 must be between 3 and 80 characters
- alt address line3 must be between 3 and 80 characters
- alt city must be between 3 and 80 characters
- alt state must be between 3 and 80 characters
- alt email id must be between 3 and 80 characters

India Post – Bulk Customer Integration

2. Use this end point for the payload upto 5000 articles.
- APIUrl: <https://test.cept.gov.in/beextcustomer/process-articles-file/:customId>
 - **Authorization: Bearer token**
 - **Payload type:** form-data
 - **Key:** file
 - **Type:** file
 - **Value:** .json file containing up to **5000 articles**

Error responses:

Error Code:400(missing json payload)

```
{
  "success": false,
  "message": "No file uploaded. Please upload a JSON file containing articles.",
  "custom_id": "1000000444",
  "timestamp": "2025-09-02T07:42:29.026Z"
}
```

Payload: JSON file should contain the payload same as the payload for the endpoint <https://test.cept.gov.in/beextcustomer/process-articles/:customId>

- Booking API processes one or more articles in a single request.
- Barcode number must be unique for each article.
- Dimensions and weight must adhere to India Post guidelines.
- Optional services: COD, Insurance, Acknowledgement, Prepayment.
- Response includes booking reference and tariff breakup.

1.5. Address Label Generation API

- This API generates the address label for the given barcode and address details.
- APIUrl:
 - <https://test.cept.gov.in/beextcustomer/v1/label/create/domestic>
 - **Authorization: Bearer token**
- **Sample Input and Output:**

India Post – Bulk Customer Integration

○ **Sample Input:**

```
{
  "identifier": "Domestic",
  "delivery_office_name": "Rajkot Sau Uni Area SO",
  "booking_datetime": "27/08/2025, 22:56:04",
  "channel_type": "E",
  "user_type": "R",
  "user_id": 1516467976,
  "barcode_no": "RK169063347IN",
  "service_type": "LETTER",
  "booking_type": "COM",
  "customer_id": 1516467976,
  "article_length": "18",
  "article_breadth": "15",
  "article_height": "3",
  "prepaid_flag": false,
  "prepaid_type": "",
  "prepaid_value": 0,
  "vpcod_type": "CODR",
  "vpcod_value": 9,
  "insurance_flag": true,
  "insurance_value": 100,
  "physical_weight": 50,
  "volumetric_weight": 135,
  "recipient_name": "Uday Gambhaba",
  "recipient_mobile": "8160667733",
  "recipient_addressl1": "A301,Shubh Vatika,Raiya Road",
  "recipient_addressl2": "Samrudhi Park Society",
  "recipient_addressl3": "",
  "recipient_city": "Rajkot",
  "recipient_pin": "360005",
  "recipient_state": "Gujarat",
  "sender_name": "Spiritual Lifestyle Company Lucknow",
  "sender_mobile": "9555107203",
  "sender_addressl1": "5/154 Vikas Khand",
  "sender_addressl2": "Gomti Nagar",
  "sender_addressl3": "",
  "sender_city": "Lucknow",
  "sender_pin": "226010",
  "sender_state": "Uttar Pradesh",
  "transmission_mode": " ",
  "payment_mode": "QR",
  "routing_data": "-RAJKOT",
  "booking_office_name": " ",
  "booking_office_pin": "226010",
  "size": "A7",
  "total_amount": 61,
```

India Post – Bulk Customer Integration

"value_added_services": "ND"

}

○ Sample Output:

PDF file with addresses and barcode and all other details

○ Field Validations

Field Name	Data Type	Field Validation
BookingDatetime	Varchar(50)	Not mandatory
ChannelType	Varchar(2)	Mandatory, oneof = "I" , "E" , "K" , "M"
UserType	Varchar(2)	Mandatory, oneof = "G" , "D" , "A" , "T"
UserID	uint64	Not mandatory
BarcodeNo	Varchar(13)	Mandatory
ServiceType	Varchar(20)	Mandatory
BookingType	Varchar(20)	Mandatory
ArticleLength	Varchar(10)	Mandatory
ArticleBreadth	Varchar(10)	Mandatory
ArticleHeight	Varchar(10)	Mandatory
PrepaidFlag	Bool	Not mandatory
PrepaidType	Varchar(20)	Not mandatory
PrepaidValue	float64	Not mandatory
VpcodType	Varchar(20)	Not mandatory
VpcodValue	float64	Not mandatory
InsuranceFlag	Bool	Not mandatory
InsuranceValue	float64	Not mandatory
PhysicalWeight	float64	Not mandatory
VolumetricWeight	float64	Not mandatory
RecipientName	Varchar(80)	Mandatory
RecipientMobile	Varchar(20)	Not mandatory
RecipientAddressl1	Varchar(80)	Mandatory
RecipientAddressl2	Varchar(80)	Mandatory
RecipientAddressl3	Varchar(80)	Mandatory
RecipientCity	Varchar(80)	Not mandatory
RecipientPin	Varchar(20)	Not mandatory
RecipientState	Varchar(80)	Not mandatory
SenderName	Varchar(80)	Not mandatory
SenderMobile	Varchar(20)	Not mandatory
SenderAddressl1	Varchar(80)	Not mandatory
SenderAddressl2	Varchar(80)	Not mandatory

India Post – Bulk Customer Integration

SenderAddressl3	Varchar(80)	Not mandatory
SenderCity	Varchar(80)	Not mandatory
SenderPin	Varchar(20)	Not mandatory
SenderState	Varchar(80)	Not mandatory

1.6. Outbound Event Sharing API

➤ This API gives the event data for a specified date for the given customer ID.

➤ APIUrl:

▪ <https://test.cept.gov.in/beextcustomer/v1/event/download>

▪ **Authorization: Bearer token**

➤ **Sample Input and Output:**

○ **Sample Input:**

```
{
  "Cust_Id": "0000000000",
  "Event_Code": "LE",
  "Event_Date": "01052022"
}
```

○ **Sample Output:** Event data in XML format

```
<?xml version="1.0" encoding="utf-8"?><LatestEventDetails>
<ArticleDetails>
<ArticleNumber>EC197432327IN</ArticleNumber>
<ArticleType>SP_INLAND</ArticleType>
<BookingDate>01102021</BookingDate>
<BookingTime>093000</BookingTime>
<BookingOfficeFacilityID>PC21150000650</BookingOfficeFacilityID>
<BookingOfficeName>Parcel Processing Center
Bengaluru</BookingOfficeName>
<BookingPIN>560058</BookingPIN>
<SenderAddressCity>BENGALURU</SenderAddressCity>
<DestinationOfficeFacilityID>PO14102219000</DestinationOfficeFacilityID>
<DestinationOfficeName>Kusmunda Colliery
SO</DestinationOfficeName>
<DestinationPIN>495454</DestinationPIN>
<DestinationCity>KORBA</DestinationCity>
<DestinationCountry>India</DestinationCountry>
<ReceiverName>MADHU KANWAR</ReceiverName>
```

India Post – Bulk Customer Integration

```

<InvoiceNo>SL0243110181633352525</InvoiceNo>
<LineItem>1</LineItem>
<WeightValue>300.000</WeightValue>
<Tariff>80.00</Tariff>
<CODAmount>0.00</CODAmount>
<BookingType>I</BookingType>
<ContractNumber>0040000354</ContractNumber>
<Refrence></Refrence>
<EventCode>ITEM_BOOK</EventCode>
<EventDescription>Item Booked</EventDescription>
<EventOfficeFaciltyID>SP21150000650</EventOfficeFaciltyID>
<EventOfficeName>Bengaluru NSH</EventOfficeName>
<EventDate>01102021</EventDate>
<EventTime>093000</EventTime>
<NonDelReason></NonDelReason>
</ArticleDetails>
<ArticleDetails>
<ArticleNumber>EM295811157IN</ArticleNumber>
<ArticleType>SP_INLAND</ArticleType>
<BookingDate>01102021</BookingDate>
<BookingTime>101500</BookingTime>
<BookingOfficeFacilityID>BN15151000651</BookingOfficeFacilityID>
<BookingOfficeName>BNPL AMPC</BookingOfficeName>
<BookingPIN>110037</BookingPIN>
<SenderAddressCity>SOUTH WEST DELHI</SenderAddressCity>
<DestinationOfficeFacilityID>PO13111105000</DestinationOfficeFacilityID>
<DestinationOfficeName>Bijaipur SO
Gopalganj</DestinationOfficeName>
<DestinationPIN>841508</DestinationPIN>
<DestinationCity>Gopalganj</DestinationCity>
<DestinationCountry>India</DestinationCountry>
<ReceiverName></ReceiverName>
<InvoiceNo>SL0243110181633352530</InvoiceNo>
<LineItem>1</LineItem>
<WeightValue>280.000</WeightValue>
<Tariff>80.00</Tariff>
<CODAmount>0.00</CODAmount>
<BookingType>I</BookingType>
<ContractNumber>0040000355</ContractNumber>
<Refrence></Refrence>
<EventCode>ITEM_BOOK</EventCode>
<EventDescription>Item Booked</EventDescription>
<EventOfficeFaciltyID>PO27102105000</EventOfficeFaciltyID>
<EventOfficeName>Basti Jodhewal SO</EventOfficeName>
<EventDate>01102021</EventDate>
<EventTime>101500</EventTime>
<NonDelReason></NonDelReason>

```

India Post – Bulk Customer Integration
 </ArticleDetails>
 </LatestEventDetails>

- **Field Validations**

Field Name	Data Type	Field Validation
Cust_Id	String	Mandatory(Length=10)
Event_Code	String	Mandatory, one of = "LE" , "IB" , "ID" , "RT" LE-Last Event IB-Item Booked ID-Item Delivered RT-Returned
Event_Date	String(Date in DDMMYYYY format)	Mandatory

1.7. Individual Tracking API

- This API gives the tracking data of 50 articles at once.
- APIUrl:
 - <https://test.cept.gov.in/beextcustomer/v1/tracking/bulk>
 - **Authorization: Bearer token**

- **Sample Input and Output:**

- **Sample Input:**

```
{
  "bulk": [
    "EB126023474IN",
    "EB126023770IN"
  ]
}
```

- **Sample Output:**

```
{
  "status_code": 200,
  "success": true,
  "message": "data retrieved successfully",
}
```

India Post – Bulk Customer Integration

```
"data": [  
  {  
    "booking_details": {  
      "article_number": "EB126023474IN",  
      "booked_at": "Bengaluru GPO BNPL Centre",  
      "booked_on": "2025-08-12T12:23:39.434011Z",  
      "origin_pincode": "560001",  
      "destination_pincode": "560040",  
      "tariff": 17.7,  
      "article_type": "SP_INLAND",  
      "delivery_location": "Vijayanagar S.O (Bengaluru)",  
      "delivery_confirmed_on": "2025-08-13 15:31:52"  
    },  
    "tracking_details": [  
      {  
        "date": "2025-08-12T00:00:00Z",  
        "time": "20:51:17",  
        "office": "Bengaluru GPO BNPL Centre",  
        "officeid": 21250001,  
        "event": "Item Bagged"  
      },  
      {  
        "date": "2025-08-12T00:00:00Z",  
        "time": "21:11:16",  
        "office": "Bengaluru GPO BNPL Centre",  
        "officeid": 21250001,  
        "event": "Item Dispatched"  
      },  
      {  
        "date": "2025-08-13T00:00:00Z",  
        "time": "04:45:59",  
        "office": "Bengaluru City TMO",  
        "officeid": 21680002,  
        "event": "Item Dispatched"  
      },  
      {  
        "date": "2025-08-13T00:00:00Z",
```

India Post – Bulk Customer Integration

```

    "time": "08:58:43",
    "office": "Vijayanagar S.O (Bengaluru)",
    "officeid": 21660187,
    "event": "Item Received"
  },
  {
    "date": "2025-08-13T00:00:00Z",
    "time": "10:15:29",
    "office": "Vijayanagar S.O (Bengaluru)",
    "officeid": 21660187,
    "event": "Item Invoiced"
  },
  {
    "date": "2025-08-13T00:00:00Z",
    "time": "15:31:52",
    "office": "Vijayanagar S.O (Bengaluru)",
    "officeid": 21660187,
    "event": "Item Delivered"
  }
],
"del_status": {
  "del_status": "delivered"
}
},
{
  "booking_details": {
    "article_number": "EB126023770IN",
    "booked_at": "Bengaluru GPO BNPL Centre",
    "booked_on": "2025-08-12T12:23:39.434011Z",
    "origin_pincode": "560001",
    "destination_pincode": "211003",
    "tariff": 41.31,
    "article_type": "SP_INLAND",
    "delivery_location": "Prayagraj City SO",
    "delivery_confirmed_on": "2025-08-18 16:58:30"
  },
  "tracking_details": [

```

India Post – Bulk Customer Integration

```
{
  "date": "2025-08-13T00:00:00Z",
  "time": "12:39:19",
  "office": "Bengaluru GPO BNPL Centre",
  "officeid": 21250001,
  "event": "Item Bagged"
},
{
  "date": "2025-08-13T00:00:00Z",
  "time": "13:33:33",
  "office": "Bengaluru GPO BNPL Centre",
  "officeid": 21250001,
  "event": "Item Dispatched"
},
{
  "date": "2025-08-13T00:00:00Z",
  "time": "16:47:46",
  "office": "Bengaluru City TMO",
  "officeid": 21680002,
  "event": "Item Dispatched"
},
{
  "date": "2025-08-14T00:00:00Z",
  "time": "13:37:31",
  "office": "MA AIRPORT Lucknow",
  "officeid": 31680039,
  "event": "Item Dispatched"
},
{
  "date": "2025-08-14T00:00:00Z",
  "time": "18:12:55",
  "office": "MA Lucknow RMS",
  "officeid": 31680042,
  "event": "Item Dispatched"
},
{
  "date": "2025-08-15T00:00:00Z",
```

India Post – Bulk Customer Integration

```
"time": "18:21:49",
"office": "Pratapgarh TMO",
"officeid": 31680014,
"event": "Item Dispatched"
},
{
  "date": "2025-08-16T00:00:00Z",
  "time": "23:03:48",
  "office": "MA Prayagraj RMS",
  "officeid": 31680012,
  "event": "Item Dispatched"
},
{
  "date": "2025-08-17T00:00:00Z",
  "time": "14:13:28",
  "office": "Prayagraj NSH",
  "officeid": 31460002,
  "event": "Item Received"
},
{
  "date": "2025-08-17T00:00:00Z",
  "time": "15:50:46",
  "office": "Prayagraj NSH",
  "officeid": 31460002,
  "event": "Item Bagged"
},
{
  "date": "2025-08-17T00:00:00Z",
  "time": "17:45:41",
  "office": "Prayagraj NSH",
  "officeid": 31460002,
  "event": "Item Dispatched"
},
{
  "date": "2025-08-18T00:00:00Z",
  "time": "00:59:34",
  "office": "MA Prayagraj RMS",
```

India Post – Bulk Customer Integration

```
"officeid": 31680012,
"event": "Item Dispatched"
},
{
  "date": "2025-08-18T00:00:00Z",
  "time": "09:05:37",
  "office": "Prayagraj City SO",
  "officeid": 31660540,
  "event": "Item Received"
},
{
  "date": "2025-08-18T00:00:00Z",
  "time": "10:16:06",
  "office": "Prayagraj City SO",
  "officeid": 31660540,
  "event": "Item Invoiced"
},
{
  "date": "2025-08-18T00:00:00Z",
  "time": "16:58:30",
  "office": "Prayagraj City SO",
  "officeid": 31660540,
  "event": "Item Delivered"
}
],
"del_status": {
  "del_status": "delivered"
}
}
]
```


India Post – Bulk Customer Integration

1.8. SFTP Integration

Key features:

- Unique credentials and segregated folder structure per customer
- Supported formats: CSV, Excel, XML
- Data is polled, validated, and booked automatically
- Checksum verification to ensure file integrity

For bulk booking through SFTP, each customer is allocated a ****dedicated folder structure**** under their Customer ID. This ensures isolation, security, and traceability of files.

Folder Structure:

- ``<CustomerID>/inbound`` – Customer uploads input files here for processing.
- ``<CustomerID>/outbound/processed`` – System-generated output files are placed here.

Process Flow:

1. Customers place their bulk booking file in the ****inbound**** folder.
2. The system continuously monitors this folder. Once a file is detected, it is automatically picked up.
3. The file undergoes validation for format, structure, and business rules (pincode, tariff, mandatory fields).
4. After validation, the system processes the file for booking:
 - Allowed input formats: XLS, XLSX, CSV.
 - Checksum verification is performed to ensure file integrity.
5. Once the physical consignments are received at booking office, article booking will happen.
6. Event data flow will start from article booking and bulk tracking event files(XML format) will be placed in ****OUTBOUND**** folder.

Additional Features:

1. Unique SFTP credentials are issued to each customer after registration.
2. Customers have access only to their own folders.
3. Full audit logs are maintained for file uploads, processing, and downloads.
4. This mechanism provides customers with ****end-to-end visibility**** of booking results and reduces manual intervention.

India Post – Bulk Customer Integration

Webhook Payload:

In addition to outbound API, We need Webhook endpoint along with static IP to be whitelisted for our server access to get the real time track status of article number booked:


event payload

```
{  
  article_number: 'AW784699994IN',  
  article_type: 'SP_INLAND_PARCEL',  
  event_date: '2025-11-09',  
  event_time: '08:37:52',  
  event_office_facility_id: '21250003',  
  event_office_name: 'KADUGODI BNPL CENTRE',  
  event_code: 'BAG_CLOSE',  
  event_description: 'Bag Close',  
  non_delivery_reason: '',  
  booking_ref_id: 1026577399592963,  
  booking_date: '2025-11-09',  
  booking_time: '08:32:11',  
  booking_office_facility_id: 21250003,  
  booking_office_name: 'KADUGODI BNPL CENTRE',  
  booking_pin: 560067,  
  sender_address_city: 'BANGALORE',  
  destination_office_facility_id: 23660808,  
  destination_office_name: 'Pandhana S.O',  
  destination_pincode: 450661,  
  destination_city: 'East Nimar',
```

India Post – Bulk Customer Integration


```
destination_country: 'INDIA',  
receiver_name: 'Nilesh',  
invoice_no: '2125000309112526403',  
line_item: "",  
weight_value: 740,  
tariff: 106.2,  
cod_amount: 0,  
booking_type: 'RBC',  
contract_number: 40000354,  
reference: '2125000309112526403',  
bulk_customer_id: 1000002954  
}
```

1. API Flow




India Post – Bulk Customer Integration

2. SFTP Workflow




3. Booking Flow



India Post – Bulk Customer Integration

4. Webhook Event Flow



India Post – Bulk Customer Integration




Self Service Portal:

Url: <https://app.indiapost.gov.in/customer-selfservice/login>

User ID: Registered Customer ID

Password: Dop@1234(Default)(user can change after logging in).

Booking and Delivery Services:



- * **Online booking** of Speed Post, Registered Post, Parcel, EMS.(Dom and Intl)
- * **Pick-up request** for parcels from home/office. (Retail and Bulk.)
- * **Label/barcode generation** for articles.
- * Wallet/UPI payments for bookings and recharges.
- * Bulk booking option for businesses.

India Post – Bulk Customer Integration Tracking Notifications:



CUSTOMER RELATION MANAGEMENT

Dashboard ×

- Home
- REGISTERED SERVICES ▾
- PAYMENTS & WALLET ▾
- TOOLS ▾
- REPORTS ▾
- COMPLAINTS ▾
- OTHER PRODUCTS ▾
- SETTINGS
- Profile

Home > Article Tracking

Article Tracking

Article Numbers *

Enter article numbers, comma separated (e.g., EF123456789IN, AV987654321IN)

Track Articles

- Customers can track upto 50 articles to get complete tracking history of the consignments booked.

Complaints and Grievance Management:

Department of Posts
Ministry of Communications, Government of India

MO
Welcome, MINISTRY OF...

Home > Bulk Complaint Registration

Bulk Complaints Registration

Upload Bulk Complaints file

Choose File No file chosen

UPLOAD FILE

Click here to Download Template file for Bulk Complaints entry.


Note:
File should be in .xlsx / .xls format only.
Maximum of 50 records are allowed
Keep the first row (Column names) as it is and delete any other rows that are not needed.

Complaint type must be one of the following:

1. 'Delay in delivery'
2. 'Non delivery of article'
3. 'Abstraction of Contents'
4. 'Loss of article'
5. 'Non payment of COD Amount'
6. 'Damage of Article'
7. 'Fake/Non-updation of delivery remarks/Scans'

- * Raise complaints (non-delivery, delay, damage, etc.).
- * Track complaint status and resolution timeline.
- * Integration with **Grievance Redressal system**.
- * Customer gives **feedback/closure confirmation**

India Post – Bulk Customer Integration Reports and History:




- * Booking history (filter by date/service).
- * Invoices and GST-compliant receipts.
- * Monthly usage summary for businesses.
- * Consolidated Bills view
- * Bulk customer Analysis Report
- * COD Remittance Reports.

India Post – Bulk Customer Integration **Sandbox Environment:**

Customers once registered with India post can opt for api integration services to test the APIs noticed above from our developer portal on their own to validation and making customization to their products for further onboarding into India post production system.

This can be accessed through self service portal:



Once customer registered and opted for API integration in developer portal, they can request for UAT Access by providing required details.

The user will be provided with test user id for accessing the UAT environment after getting the ip from the customer side for white listing.

The user can test all the APIs populated in the documentation.

India Post – Bulk Customer Integration

Documentation:

Department of Posts
Ministry of Communications, Government of India

CUSTOMER RELATION MANAGEMENT

customer systems and the DCP platform using standardized, well-structured APIs. This service ensures consistent data exchange, robust authentication, and reliable synchronization, allowing customers to integrate their applications, workflows, and services with minimal effort. It provides a unified integration layer designed to support high performance, interoperability, and long-term maintainability across diverse customer environments.

GET /v1/pincode-search

PIN Code Search API
This API validates any PINCODE and provides the Post Office details for it. It can also be used to search and list all post offices under a given pincode.

QUERY PARAMETERS

pincode string **required**
Pincode number for which office details are to be retrieved.

limit number
Maximum number of office records to return.

office-type string
Filters results based on office type (e.g., 'post', 'hpo', 'spo', etc.).

Responses:

- 200 Office details retrieved successfully
- 400 Invalid or missing request parameters

Response Samples

Content type: application/json

200 Response Office details retrieved successfully

```
{
  "status_code": 200,
  "success": true,
  "message": "list retrieved successfully",
  "skip": 0,
  "limit": 50,
  "returned_records_count": 3,
  "data": [
    {
      "pincode": "570001",
      "office_name": "Krishna Rajend",
      "office_id": "21661267",
      "office_type_code": "SBO"
    }
  ]
}
```

cURL

```
curl -X GET
https://test.cept.gov.in/beestcustomer/v1/pincode-search?
pincode=570001&limit=50&office-type=post \
-H "accept: application/json"
```

Once got accessed, the user can able to test the APIs mentioned in the portal for further onboarding into production system.

Users can get the log and error reports for the testing performed along with payload details.

Users can provide multiple input for UAT/Production IP whiteliting.

Users can opt for APIs to be subscribed for testing and getting access.

India Post – Bulk Customer Integration Master Configuration for Production:

India Post
गोदारा एक
एक सेवा-एक सेवा
India Post
Ek Seva-Ek Seva

Department of Posts
Ministry of Communications, Government of India

Welcome, CEO EPIC

CUSTOMER RELATION MANAGEMENT

Dashboard

Home

REGISTERED SERVICES

Add additional services

Bulk Customer

Customs Queries

View Replies to Queries

Developer Portal

PAYMENTS & WALLET

TOOLS

REPORTS

COMPLAINTS

OTHER PRODUCTS

Subscribed APIs (6) API Subscription Event Configuration

Main Customer Configuration

Event Notification Configuration

Configure how you'd like to receive event notifications for Articles journey.

Data Transfer Mode

☒ SFTP ☐ Webhook

Event Notification Configuration

A customer can subscribe to any of the events listed below with a specified periodicity. The subscribed event data will then be shared through the selected delivery channel (SFTP or Webhook).

Select Events (0 selected)

☐ Bag Opened	☐ Cancellation of Export	☐ Received by Customs	☐ Remarks by Customs	☐ Returned from Customs
☐ Item Booked	☐ Item Delivered	☐ Item Booked	☐ Item Delivered	☐ Item Hold
☐ Item Not Delivered	☐ Item on Hold	☐ Item Redirected	☐ Item Returned	☐ Last Event
☐ Returned to Sender	☐ Stop Import	☐ Transfer to Office of Exchange		

Users can configure the details of tracking/latest events to be received either through SFTP or through Web hook in master customer configuration page.

For webhook, users need to provide Endpoint URL for Testing and for Production along with Static IP to be whitelisted for getting the data from India post system.

Once user tested and provide confirmation for moving to production system, the request will be populated to nodal office identified for business operations for processing business formalities and after getting approval from Nodal Office the customer operations will be moved to production system.

India Post – Bulk Customer Integration